

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B71_5MHz_ERP

Band: 71 / Bandwidth: 5MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	665.5	1	0	21.54	-3.75	15.64	<=34.77	Pass		
			13	21.55	-3.75	15.65	<=34.77	Pass		
			24	21.61	-3.75	15.71	<=34.77	Pass		
		12	0	20.49	-3.75	14.59	<=34.77	Pass		
			6	20.37	-3.75	14.47	<=34.77	Pass		
			13	20.40	-3.75	14.50	<=34.77	Pass		
		25	0	20.56	-3.75	14.66	<=34.77	Pass		
		680.5	1	0	21.53	-3.75	15.63	<=34.77	Pass	
				13	21.54	-3.75	15.64	<=34.77	Pass	
	24			21.48	-3.75	15.58	<=34.77	Pass		
	12		0	20.58	-3.75	14.68	<=34.77	Pass		
			6	20.50	-3.75	14.60	<=34.77	Pass		
			13	20.60	-3.75	14.70	<=34.77	Pass		
	25		0	20.50	-3.75	14.60	<=34.77	Pass		
	695.5		1	0	21.35	-3.75	15.45	<=34.77	Pass	
				13	21.29	-3.75	15.39	<=34.77	Pass	
		24		21.43	-3.75	15.53	<=34.77	Pass		
		12	0	20.49	-3.75	14.59	<=34.77	Pass		
			6	20.47	-3.75	14.57	<=34.77	Pass		
			13	20.41	-3.75	14.51	<=34.77	Pass		
		25	0	20.35	-3.75	14.45	<=34.77	Pass		
		16QAM	665.5	1	0	21.03	-3.75	15.13	<=34.77	Pass
					13	20.99	-3.75	15.09	<=34.77	Pass
	24				21.15	-3.75	15.25	<=34.77	Pass	
12	0			20.00	-3.75	14.10	<=34.77	Pass		
	6			20.13	-3.75	14.23	<=34.77	Pass		
	13			20.04	-3.75	14.14	<=34.77	Pass		
25	0			20.05	-3.75	14.15	<=34.77	Pass		
680.5	1			0	20.30	-3.75	14.40	<=34.77	Pass	
				13	20.38	-3.75	14.48	<=34.77	Pass	
			24	20.30	-3.75	14.40	<=34.77	Pass		
	12		0	20.02	-3.75	14.12	<=34.77	Pass		
			6	20.00	-3.75	14.10	<=34.77	Pass		
			13	19.47	-3.75	13.57	<=34.77	Pass		
	25		0	20.09	-3.75	14.19	<=34.77	Pass		
	695.5		1	0	21.15	-3.75	15.25	<=34.77	Pass	
				13	20.92	-3.75	15.02	<=34.77	Pass	
24				20.96	-3.75	15.06	<=34.77	Pass		
12			0	19.52	-3.75	13.62	<=34.77	Pass		
			6	19.94	-3.75	14.04	<=34.77	Pass		
			13	19.93	-3.75	14.03	<=34.77	Pass		
25			0	19.90	-3.75	14.00	<=34.77	Pass		

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.2 B71_10MHz_ERP

Band: 71 / Bandwidth: 10MHz / NTNV								
------------------------------------	--	--	--	--	--	--	--	--

Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	668	1	0	21.49	-3.75	15.59	<=34.77	Pass		
			25	21.49	-3.75	15.59	<=34.77	Pass		
			49	21.58	-3.75	15.68	<=34.77	Pass		
		25	0	20.55	-3.75	14.65	<=34.77	Pass		
			13	20.64	-3.75	14.74	<=34.77	Pass		
			25	20.62	-3.75	14.72	<=34.77	Pass		
		50	0	20.60	-3.75	14.70	<=34.77	Pass		
		680.5	1	0	21.72	-3.75	15.82	<=34.77	Pass	
				25	21.74	-3.75	15.84	<=34.77	Pass	
	49			21.69	-3.75	15.79	<=34.77	Pass		
	25		0	20.57	-3.75	14.67	<=34.77	Pass		
			13	20.51	-3.75	14.61	<=34.77	Pass		
			25	20.49	-3.75	14.59	<=34.77	Pass		
	50		0	20.52	-3.75	14.62	<=34.77	Pass		
	693		1	0	21.38	-3.75	15.48	<=34.77	Pass	
				25	21.23	-3.75	15.33	<=34.77	Pass	
		49		21.33	-3.75	15.43	<=34.77	Pass		
		25	0	20.46	-3.75	14.56	<=34.77	Pass		
			13	20.23	-3.75	14.33	<=34.77	Pass		
			25	20.52	-3.75	14.62	<=34.77	Pass		
		50	0	20.30	-3.75	14.40	<=34.77	Pass		
		16QAM	668	1	0	20.75	-3.75	14.85	<=34.77	Pass
					25	20.74	-3.75	14.84	<=34.77	Pass
	49				20.83	-3.75	14.93	<=34.77	Pass	
25	0			20.11	-3.75	14.21	<=34.77	Pass		
	13			19.66	-3.75	13.76	<=34.77	Pass		
	25			19.64	-3.75	13.74	<=34.77	Pass		
50	0			19.53	-3.75	13.63	<=34.77	Pass		
680.5	1			0	20.82	-3.75	14.92	<=34.77	Pass	
				25	20.80	-3.75	14.90	<=34.77	Pass	
			49	20.79	-3.75	14.89	<=34.77	Pass		
	25		0	20.09	-3.75	14.19	<=34.77	Pass		
			13	20.07	-3.75	14.17	<=34.77	Pass		
			25	19.58	-3.75	13.68	<=34.77	Pass		
	50		0	20.02	-3.75	14.12	<=34.77	Pass		
	693		1	0	20.80	-3.75	14.90	<=34.77	Pass	
				25	20.56	-3.75	14.66	<=34.77	Pass	
49				20.61	-3.75	14.71	<=34.77	Pass		
25			0	19.75	-3.75	13.85	<=34.77	Pass		
			13	19.82	-3.75	13.92	<=34.77	Pass		
			25	19.79	-3.75	13.89	<=34.77	Pass		
50			0	19.87	-3.75	13.97	<=34.77	Pass		

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.3 B71_15MHz_ERP

Band: 71 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	670.5	1	0	21.42	-3.75	15.52	<=34.77	Pass
			38	21.64	-3.75	15.74	<=34.77	Pass
			74	21.53	-3.75	15.63	<=34.77	Pass
		36	0	20.52	-3.75	14.62	<=34.77	Pass
			18	20.63	-3.75	14.73	<=34.77	Pass
			39	20.57	-3.75	14.67	<=34.77	Pass

16QAM	680.5	75	0	20.56	-3.75	14.66	<=34.77	Pass	
			1	0	21.37	-3.75	15.47	<=34.77	Pass
				38	21.54	-3.75	15.64	<=34.77	Pass
				74	21.43	-3.75	15.53	<=34.77	Pass
		36	0	20.60	-3.75	14.70	<=34.77	Pass	
			18	20.49	-3.75	14.59	<=34.77	Pass	
			39	20.51	-3.75	14.61	<=34.77	Pass	
			75	0	20.47	-3.75	14.57	<=34.77	Pass
		690.5	1	0	21.37	-3.75	15.47	<=34.77	Pass
				38	21.32	-3.75	15.42	<=34.77	Pass
				74	21.30	-3.75	15.40	<=34.77	Pass
				0	20.34	-3.75	14.44	<=34.77	Pass
	36		18	20.44	-3.75	14.54	<=34.77	Pass	
			39	20.52	-3.75	14.62	<=34.77	Pass	
			75	0	20.45	-3.75	14.55	<=34.77	Pass
			0	21.47	-3.75	15.57	<=34.77	Pass	
	670.5		1	38	21.52	-3.75	15.62	<=34.77	Pass
				74	21.58	-3.75	15.68	<=34.77	Pass
				0	19.37	-3.75	13.47	<=34.77	Pass
				18	19.62	-3.75	13.72	<=34.77	Pass
		36	39	20.04	-3.75	14.14	<=34.77	Pass	
			75	0	19.60	-3.75	13.70	<=34.77	Pass
			0	20.60	-3.75	14.70	<=34.77	Pass	
			38	20.65	-3.75	14.75	<=34.77	Pass	
680.5		1	74	20.64	-3.75	14.74	<=34.77	Pass	
			0	20.03	-3.75	14.13	<=34.77	Pass	
			18	20.01	-3.75	14.11	<=34.77	Pass	
			39	19.96	-3.75	14.06	<=34.77	Pass	
	36	75	0	19.95	-3.75	14.05	<=34.77	Pass	
		0	21.04	-3.75	15.14	<=34.77	Pass		
		38	21.04	-3.75	15.14	<=34.77	Pass		
		74	21.01	-3.75	15.11	<=34.77	Pass		
	690.5	1	0	19.58	-3.75	13.68	<=34.77	Pass	
			18	19.92	-3.75	14.02	<=34.77	Pass	
			39	19.49	-3.75	13.59	<=34.77	Pass	
			75	0	19.91	-3.75	14.01	<=34.77	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.4 B71_20MHz_ERP

Band: 71 / Bandwidth: 20MHz / NTNV									
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict	
		Size	Offset			Result	Limit		
QPSK	673	1	0	21.52	-3.75	15.62	<=34.77	Pass	
			50	21.64	-3.75	15.74	<=34.77	Pass	
			99	21.58	-3.75	15.68	<=34.77	Pass	
		50	0	20.51	-3.75	14.61	<=34.77	Pass	
			25	20.61	-3.75	14.71	<=34.77	Pass	
			50	20.60	-3.75	14.70	<=34.77	Pass	
		100	0	20.59	-3.75	14.69	<=34.77	Pass	
		683	1	0	21.57	-3.75	15.67	<=34.77	Pass
				50	21.54	-3.75	15.64	<=34.77	Pass
				99	21.49	-3.75	15.59	<=34.77	Pass
	50		0	20.48	-3.75	14.58	<=34.77	Pass	
			25	20.45	-3.75	14.55	<=34.77	Pass	
			50	20.42	-3.75	14.52	<=34.77	Pass	
	100		0	20.44	-3.75	14.54	<=34.77	Pass	

	688	1	0	21.39	-3.75	15.49	<=34.77	Pass		
			50	21.43	-3.75	15.53	<=34.77	Pass		
			99	21.34	-3.75	15.44	<=34.77	Pass		
		50	0	20.38	-3.75	14.48	<=34.77	Pass		
			25	20.33	-3.75	14.43	<=34.77	Pass		
			50	20.26	-3.75	14.36	<=34.77	Pass		
		100	0	20.42	-3.75	14.52	<=34.77	Pass		
		16QAM	673	1	0	20.87	-3.75	14.97	<=34.77	Pass
					50	21.01	-3.75	15.11	<=34.77	Pass
					99	20.97	-3.75	15.07	<=34.77	Pass
				50	0	19.57	-3.75	13.67	<=34.77	Pass
					25	19.65	-3.75	13.75	<=34.77	Pass
50	20.06				-3.75	14.16	<=34.77	Pass		
100	0			19.54	-3.75	13.64	<=34.77	Pass		
683	1			0	21.34	-3.75	15.44	<=34.77	Pass	
				50	21.32	-3.75	15.42	<=34.77	Pass	
				99	21.25	-3.75	15.35	<=34.77	Pass	
	50			0	19.95	-3.75	14.05	<=34.77	Pass	
				25	19.49	-3.75	13.59	<=34.77	Pass	
			50	19.61	-3.75	13.71	<=34.77	Pass		
	100		0	19.60	-3.75	13.70	<=34.77	Pass		
	688		1	0	21.24	-3.75	15.34	<=34.77	Pass	
				50	21.29	-3.75	15.39	<=34.77	Pass	
				99	21.09	-3.75	15.19	<=34.77	Pass	
			50	0	20.02	-3.75	14.12	<=34.77	Pass	
				25	19.62	-3.75	13.72	<=34.77	Pass	
50				20.03	-3.75	14.13	<=34.77	Pass		
100			0	19.44	-3.75	13.54	<=34.77	Pass		
Note1: ERP=Conducted Power+Antenna Gain-2.15										

2. Frequency Stability

2.1 Test Result

2.1.1 B71_5MHz

Band: 71 / Bandwidth: 5MHz										
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict	
		Size	Offset				Result	Limit		
QPSK	665.5	25	0	20	3.27	4.892	0.0074	-2.5 to 2.5	Pass	
					3.85	4.649	0.0070	-2.5 to 2.5	Pass	
					4.43	-2.632	-0.0040	-2.5 to 2.5	Pass	
				-30	3.85	-9.212	-0.0138	-2.5 to 2.5	Pass	
					-20	3.85	-14.563	-0.0219	-2.5 to 2.5	Pass
					-10	3.85	-15.392	-0.0231	-2.5 to 2.5	Pass
				0	3.85	-17.138	-0.0258	-2.5 to 2.5	Pass	
					10	3.85	-18.768	-0.0282	-2.5 to 2.5	Pass
					30	3.85	-12.145	-0.0182	-2.5 to 2.5	Pass
				40	3.85	-34.289	-0.0515	-2.5 to 2.5	Pass	
					50	3.85	-34.761	-0.0522	-2.5 to 2.5	Pass
					680.5	25	0	20	3.27	0.830
	3.85	-4.678	-0.0069	-2.5 to 2.5					Pass	
	4.43	-11.315	-0.0166	-2.5 to 2.5					Pass	
	-30	3.85	-18.353	-0.0270				-2.5 to 2.5	Pass	
		-20	3.85	-22.030				-0.0324	-2.5 to 2.5	Pass
		-10	3.85	-18.668				-0.0274	-2.5 to 2.5	Pass

				0	3.85	-17.939	-0.0264	-2.5 to 2.5	Pass				
				10	3.85	-22.473	-0.0330	-2.5 to 2.5	Pass				
				30	3.85	-32.802	-0.0482	-2.5 to 2.5	Pass				
				40	3.85	-34.647	-0.0509	-2.5 to 2.5	Pass				
				50	3.85	-35.863	-0.0527	-2.5 to 2.5	Pass				
	695.5	25	0	20	3.27	4.950	0.0071	-2.5 to 2.5	Pass				
					3.85	-10.457	-0.0150	-2.5 to 2.5	Pass				
					4.43	-22.917	-0.0330	-2.5 to 2.5	Pass				
				-30	3.85	-38.238	-0.0550	-2.5 to 2.5	Pass				
				-20	3.85	-53.916	-0.0775	-2.5 to 2.5	Pass				
				-10	3.85	-16.122	-0.0232	-2.5 to 2.5	Pass				
				0	3.85	-24.776	-0.0356	-2.5 to 2.5	Pass				
				10	3.85	-29.669	-0.0427	-2.5 to 2.5	Pass				
				30	3.85	-37.751	-0.0543	-2.5 to 2.5	Pass				
				40	3.85	-45.605	-0.0656	-2.5 to 2.5	Pass				
				50	3.85	-51.570	-0.0741	-2.5 to 2.5	Pass				
				16QAM	665.5	25	0	20	3.27	-41.556	-0.0624	-2.5 to 2.5	Pass
									3.85	-16.251	-0.0244	-2.5 to 2.5	Pass
									4.43	-34.304	-0.0515	-2.5 to 2.5	Pass
								-30	3.85	-37.494	-0.0563	-2.5 to 2.5	Pass
-20	3.85	-30.599	-0.0460					-2.5 to 2.5	Pass				
-10	3.85	-12.088	-0.0182					-2.5 to 2.5	Pass				
0	3.85	-17.209	-0.0259					-2.5 to 2.5	Pass				
10	3.85	-51.756	-0.0778					-2.5 to 2.5	Pass				
30	3.85	-43.030	-0.0647					-2.5 to 2.5	Pass				
40	3.85	-33.431	-0.0502					-2.5 to 2.5	Pass				
50	3.85	-16.351	-0.0246		-2.5 to 2.5	Pass							
680.5	25	0	20		3.27	-40.555	-0.0596	-2.5 to 2.5	Pass				
					3.85	-46.692	-0.0686	-2.5 to 2.5	Pass				
					4.43	-43.345	-0.0637	-2.5 to 2.5	Pass				
			-30		3.85	-49.624	-0.0729	-2.5 to 2.5	Pass				
			-20		3.85	-2.060	-0.0030	-2.5 to 2.5	Pass				
			-10		3.85	-4.435	-0.0065	-2.5 to 2.5	Pass				
			0		3.85	-5.236	-0.0077	-2.5 to 2.5	Pass				
			10		3.85	-4.435	-0.0065	-2.5 to 2.5	Pass				
			30		3.85	-2.103	-0.0031	-2.5 to 2.5	Pass				
			40	3.85	-3.304	-0.0049	-2.5 to 2.5	Pass					
50	3.85	-2.561	-0.0038	-2.5 to 2.5	Pass								
695.5	25	0	20	3.27	-4.206	-0.0060	-2.5 to 2.5	Pass					
				3.85	-5.279	-0.0076	-2.5 to 2.5	Pass					
				4.43	-8.440	-0.0121	-2.5 to 2.5	Pass					
			-30	3.85	-14.119	-0.0203	-2.5 to 2.5	Pass					
			-20	3.85	-14.763	-0.0212	-2.5 to 2.5	Pass					
			-10	3.85	-12.045	-0.0173	-2.5 to 2.5	Pass					
			0	3.85	-17.681	-0.0254	-2.5 to 2.5	Pass					
			10	3.85	-15.292	-0.0220	-2.5 to 2.5	Pass					
			30	3.85	-20.714	-0.0298	-2.5 to 2.5	Pass					
			40	3.85	-18.411	-0.0265	-2.5 to 2.5	Pass					
50	3.85	-13.118	-0.0189	-2.5 to 2.5	Pass								

2.1.2 B71_10MHz

Band: 71 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	668	50	0	20	3.27	10.514	0.0157	-2.5 to 2.5	Pass
					3.85	-37.837	-0.0566	-2.5 to 2.5	Pass

					4.43	-8.469	-0.0127	-2.5 to 2.5	Pass
				-30	3.85	-31.915	-0.0478	-2.5 to 2.5	Pass
				-20	3.85	-45.004	-0.0674	-2.5 to 2.5	Pass
				-10	3.85	-43.631	-0.0653	-2.5 to 2.5	Pass
				0	3.85	-25.792	-0.0386	-2.5 to 2.5	Pass
				10	3.85	-9.570	-0.0143	-2.5 to 2.5	Pass
				30	3.85	-31.457	-0.0471	-2.5 to 2.5	Pass
				40	3.85	-52.514	-0.0786	-2.5 to 2.5	Pass
	50	3.85	-23.761	-0.0356	-2.5 to 2.5	Pass			
	680.5	50	0	20	3.27	11.387	0.0167	-2.5 to 2.5	Pass
					3.85	21.272	0.0313	-2.5 to 2.5	Pass
					4.43	32.415	0.0476	-2.5 to 2.5	Pass
				-30	3.85	38.795	0.0570	-2.5 to 2.5	Pass
				-20	3.85	43.688	0.0642	-2.5 to 2.5	Pass
				-10	3.85	6.008	0.0088	-2.5 to 2.5	Pass
				0	3.85	11.401	0.0168	-2.5 to 2.5	Pass
				10	3.85	13.690	0.0201	-2.5 to 2.5	Pass
				30	3.85	13.962	0.0205	-2.5 to 2.5	Pass
				40	3.85	13.976	0.0205	-2.5 to 2.5	Pass
	50	3.85	19.326	0.0284	-2.5 to 2.5	Pass			
	693	50	0	20	3.27	10.557	0.0152	-2.5 to 2.5	Pass
					3.85	8.640	0.0125	-2.5 to 2.5	Pass
					4.43	1.559	0.0022	-2.5 to 2.5	Pass
				-30	3.85	-8.440	-0.0122	-2.5 to 2.5	Pass
				-20	3.85	-15.292	-0.0221	-2.5 to 2.5	Pass
				-10	3.85	-24.419	-0.0352	-2.5 to 2.5	Pass
				0	3.85	-34.633	-0.0500	-2.5 to 2.5	Pass
10				3.85	-40.669	-0.0587	-2.5 to 2.5	Pass	
30				3.85	-44.503	-0.0642	-2.5 to 2.5	Pass	
40				3.85	3.519	0.0051	-2.5 to 2.5	Pass	
50	3.85	1.588	0.0023	-2.5 to 2.5	Pass				
16QAM	668	50	0	20	3.27	-43.488	-0.0651	-2.5 to 2.5	Pass
					3.85	-7.067	-0.0106	-2.5 to 2.5	Pass
					4.43	-34.704	-0.0520	-2.5 to 2.5	Pass
				-30	3.85	-50.225	-0.0752	-2.5 to 2.5	Pass
				-20	3.85	-15.249	-0.0228	-2.5 to 2.5	Pass
				-10	3.85	-25.091	-0.0376	-2.5 to 2.5	Pass
				0	3.85	-42.286	-0.0633	-2.5 to 2.5	Pass
				10	3.85	-49.539	-0.0742	-2.5 to 2.5	Pass
				30	3.85	-0.930	-0.0014	-2.5 to 2.5	Pass
				40	3.85	-9.413	-0.0141	-2.5 to 2.5	Pass
	50	3.85	-13.618	-0.0204	-2.5 to 2.5	Pass			
	680.5	50	0	20	3.27	16.179	0.0238	-2.5 to 2.5	Pass
					3.85	16.823	0.0247	-2.5 to 2.5	Pass
					4.43	16.565	0.0243	-2.5 to 2.5	Pass
				-30	3.85	16.966	0.0249	-2.5 to 2.5	Pass
				-20	3.85	5.407	0.0079	-2.5 to 2.5	Pass
				-10	3.85	5.050	0.0074	-2.5 to 2.5	Pass
				0	3.85	9.284	0.0136	-2.5 to 2.5	Pass
				10	3.85	12.102	0.0178	-2.5 to 2.5	Pass
				30	3.85	15.736	0.0231	-2.5 to 2.5	Pass
				40	3.85	21.558	0.0317	-2.5 to 2.5	Pass
	50	3.85	20.285	0.0298	-2.5 to 2.5	Pass			
	693	50	0	20	3.27	-2.604	-0.0038	-2.5 to 2.5	Pass
					3.85	-7.582	-0.0109	-2.5 to 2.5	Pass
					4.43	-17.567	-0.0253	-2.5 to 2.5	Pass
				-30	3.85	-15.392	-0.0222	-2.5 to 2.5	Pass
				-20	3.85	-17.538	-0.0253	-2.5 to 2.5	Pass
-10				3.85	-21.758	-0.0314	-2.5 to 2.5	Pass	

				0	3.85	-26.207	-0.0378	-2.5 to 2.5	Pass
				10	3.85	-32.916	-0.0475	-2.5 to 2.5	Pass
				30	3.85	-32.201	-0.0465	-2.5 to 2.5	Pass
				40	3.85	-28.539	-0.0412	-2.5 to 2.5	Pass
				50	3.85	-32.759	-0.0473	-2.5 to 2.5	Pass

2.1.3 B71_15MHz

Band: 71 / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	670.5	75	0	20	3.27	27.123	0.0405	-2.5 to 2.5	Pass
					3.85	29.984	0.0447	-2.5 to 2.5	Pass
					4.43	23.360	0.0348	-2.5 to 2.5	Pass
				-30	3.85	13.762	0.0205	-2.5 to 2.5	Pass
				-20	3.85	7.439	0.0111	-2.5 to 2.5	Pass
				-10	3.85	1.373	0.0020	-2.5 to 2.5	Pass
				0	3.85	0.944	0.0014	-2.5 to 2.5	Pass
				10	3.85	-2.589	-0.0039	-2.5 to 2.5	Pass
				30	3.85	-2.375	-0.0035	-2.5 to 2.5	Pass
				40	3.85	-7.367	-0.0110	-2.5 to 2.5	Pass
	50	3.85	-13.261	-0.0198	-2.5 to 2.5	Pass			
	680.5	75	0	20	3.27	7.496	0.0110	-2.5 to 2.5	Pass
					3.85	11.787	0.0173	-2.5 to 2.5	Pass
					4.43	12.546	0.0184	-2.5 to 2.5	Pass
				-30	3.85	14.334	0.0211	-2.5 to 2.5	Pass
				-20	3.85	13.561	0.0199	-2.5 to 2.5	Pass
				-10	3.85	16.494	0.0242	-2.5 to 2.5	Pass
				0	3.85	20.185	0.0297	-2.5 to 2.5	Pass
				10	3.85	14.720	0.0216	-2.5 to 2.5	Pass
				30	3.85	17.953	0.0264	-2.5 to 2.5	Pass
				40	3.85	14.920	0.0219	-2.5 to 2.5	Pass
	50	3.85	18.554	0.0273	-2.5 to 2.5	Pass			
	690.5	75	0	20	3.27	8.826	0.0128	-2.5 to 2.5	Pass
					3.85	4.277	0.0062	-2.5 to 2.5	Pass
					4.43	-4.978	-0.0072	-2.5 to 2.5	Pass
				-30	3.85	-10.343	-0.0150	-2.5 to 2.5	Pass
				-20	3.85	-20.657	-0.0299	-2.5 to 2.5	Pass
				-10	3.85	-29.697	-0.0430	-2.5 to 2.5	Pass
				0	3.85	-33.674	-0.0488	-2.5 to 2.5	Pass
				10	3.85	-41.814	-0.0606	-2.5 to 2.5	Pass
30				3.85	-42.686	-0.0618	-2.5 to 2.5	Pass	
40				3.85	-43.044	-0.0623	-2.5 to 2.5	Pass	
50	3.85	-43.502	-0.0630	-2.5 to 2.5	Pass				
16QAM	670.5	75	0	20	3.27	-17.838	-0.0266	-2.5 to 2.5	Pass
					3.85	-14.791	-0.0221	-2.5 to 2.5	Pass
					4.43	-11.888	-0.0177	-2.5 to 2.5	Pass
				-30	3.85	-9.956	-0.0148	-2.5 to 2.5	Pass
				-20	3.85	-2.360	-0.0035	-2.5 to 2.5	Pass
				-10	3.85	-3.519	-0.0052	-2.5 to 2.5	Pass
				0	3.85	-3.548	-0.0053	-2.5 to 2.5	Pass
				10	3.85	-1.645	-0.0025	-2.5 to 2.5	Pass
				30	3.85	1.473	0.0022	-2.5 to 2.5	Pass
				40	3.85	0.129	0.0002	-2.5 to 2.5	Pass
	50	3.85	5.221	0.0078	-2.5 to 2.5	Pass			
	680.5	75	0	20	3.27	19.255	0.0283	-2.5 to 2.5	Pass
					3.85	24.934	0.0366	-2.5 to 2.5	Pass

					4.43	27.123	0.0399	-2.5 to 2.5	Pass			
				-30	3.85	34.618	0.0509	-2.5 to 2.5	Pass			
				-20	3.85	39.611	0.0582	-2.5 to 2.5	Pass			
				-10	3.85	42.529	0.0625	-2.5 to 2.5	Pass			
				0	3.85	46.978	0.0690	-2.5 to 2.5	Pass			
				10	3.85	45.261	0.0665	-2.5 to 2.5	Pass			
				30	3.85	44.460	0.0653	-2.5 to 2.5	Pass			
				40	3.85	42.086	0.0618	-2.5 to 2.5	Pass			
				50	3.85	42.243	0.0621	-2.5 to 2.5	Pass			
	690.5	75	0	20	3.27	-49.081	-0.0711	-2.5 to 2.5	Pass			
								3.85	-48.409	-0.0701	-2.5 to 2.5	Pass
								4.43	-50.697	-0.0734	-2.5 to 2.5	Pass
							-30	3.85	-48.966	-0.0709	-2.5 to 2.5	Pass
							-20	3.85	-48.537	-0.0703	-2.5 to 2.5	Pass
							-10	3.85	-48.995	-0.0710	-2.5 to 2.5	Pass
							0	3.85	-50.411	-0.0730	-2.5 to 2.5	Pass
							10	3.85	-48.652	-0.0705	-2.5 to 2.5	Pass
							30	3.85	-38.810	-0.0562	-2.5 to 2.5	Pass
							40	3.85	-36.235	-0.0525	-2.5 to 2.5	Pass
							50	3.85	-38.524	-0.0558	-2.5 to 2.5	Pass

2.1.4 B71_20MHz

Band: 71 / Bandwidth: 20MHz													
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict				
		Size	Offset				Result	Limit					
QPSK	673	100	0	20	3.27	-4.177	-0.0062	-2.5 to 2.5	Pass				
						3.85	-20.514	-0.0305	-2.5 to 2.5	Pass			
						4.43	-13.390	-0.0199	-2.5 to 2.5	Pass			
								-30	3.85	-45.376	-0.0674	-2.5 to 2.5	Pass
								-20	3.85	-20.986	-0.0312	-2.5 to 2.5	Pass
								-10	3.85	-36.435	-0.0541	-2.5 to 2.5	Pass
								0	3.85	-52.071	-0.0774	-2.5 to 2.5	Pass
								10	3.85	-9.398	-0.0140	-2.5 to 2.5	Pass
								30	3.85	-18.239	-0.0271	-2.5 to 2.5	Pass
								40	3.85	-23.761	-0.0353	-2.5 to 2.5	Pass
								50	3.85	-26.307	-0.0391	-2.5 to 2.5	Pass
					683	100	0	20	3.27	8.039	0.0118	-2.5 to 2.5	Pass
									3.85	8.154	0.0119	-2.5 to 2.5	Pass
									4.43	2.432	0.0036	-2.5 to 2.5	Pass
								-30	3.85	3.462	0.0051	-2.5 to 2.5	Pass
								-20	3.85	0.830	0.0012	-2.5 to 2.5	Pass
								-10	3.85	-0.730	-0.0011	-2.5 to 2.5	Pass
								0	3.85	-1.645	-0.0024	-2.5 to 2.5	Pass
								10	3.85	-1.173	-0.0017	-2.5 to 2.5	Pass
								30	3.85	-1.559	-0.0023	-2.5 to 2.5	Pass
								40	3.85	-6.566	-0.0096	-2.5 to 2.5	Pass
								50	3.85	-2.189	-0.0032	-2.5 to 2.5	Pass
		688	100	0				20	3.27	10.643	0.0155	-2.5 to 2.5	Pass
									3.85	10.185	0.0148	-2.5 to 2.5	Pass
									4.43	5.908	0.0086	-2.5 to 2.5	Pass
								-30	3.85	4.206	0.0061	-2.5 to 2.5	Pass
								-20	3.85	3.333	0.0048	-2.5 to 2.5	Pass
								-10	3.85	4.735	0.0069	-2.5 to 2.5	Pass
								0	3.85	4.320	0.0063	-2.5 to 2.5	Pass
								10	3.85	3.948	0.0057	-2.5 to 2.5	Pass
				30	3.85	1.631	0.0024	-2.5 to 2.5	Pass				

				40	3.85	1.287	0.0019	-2.5 to 2.5	Pass
				50	3.85	4.792	0.0070	-2.5 to 2.5	Pass
16QAM	673	100	0	20	3.27	-30.456	-0.0453	-2.5 to 2.5	Pass
					3.85	-32.959	-0.0490	-2.5 to 2.5	Pass
					4.43	-34.332	-0.0510	-2.5 to 2.5	Pass
					3.85	-31.300	-0.0465	-2.5 to 2.5	Pass
				-30	3.85	-33.088	-0.0492	-2.5 to 2.5	Pass
				-20	3.85	-31.772	-0.0472	-2.5 to 2.5	Pass
				0	3.85	-32.430	-0.0482	-2.5 to 2.5	Pass
				10	3.85	-31.056	-0.0461	-2.5 to 2.5	Pass
				30	3.85	-31.071	-0.0462	-2.5 to 2.5	Pass
				40	3.85	-27.323	-0.0406	-2.5 to 2.5	Pass
	50	3.85	-29.182	-0.0434	-2.5 to 2.5	Pass			
	683	100	0	20	3.27	-5.093	-0.0075	-2.5 to 2.5	Pass
					3.85	-2.146	-0.0031	-2.5 to 2.5	Pass
					4.43	-3.419	-0.0050	-2.5 to 2.5	Pass
					3.85	-0.944	-0.0014	-2.5 to 2.5	Pass
				-20	3.85	-3.104	-0.0045	-2.5 to 2.5	Pass
				-10	3.85	-2.317	-0.0034	-2.5 to 2.5	Pass
				0	3.85	-0.887	-0.0013	-2.5 to 2.5	Pass
				10	3.85	-2.689	-0.0039	-2.5 to 2.5	Pass
				30	3.85	0.558	0.0008	-2.5 to 2.5	Pass
				40	3.85	-1.059	-0.0016	-2.5 to 2.5	Pass
	50	3.85	1.731	0.0025	-2.5 to 2.5	Pass			
	688	100	0	20	3.27	1.101	0.0016	-2.5 to 2.5	Pass
					3.85	1.888	0.0027	-2.5 to 2.5	Pass
					4.43	1.416	0.0021	-2.5 to 2.5	Pass
					3.85	1.960	0.0028	-2.5 to 2.5	Pass
				-20	3.85	3.676	0.0053	-2.5 to 2.5	Pass
				-10	3.85	4.277	0.0062	-2.5 to 2.5	Pass
				0	3.85	3.676	0.0053	-2.5 to 2.5	Pass
				10	3.85	3.476	0.0051	-2.5 to 2.5	Pass
30				3.85	3.119	0.0045	-2.5 to 2.5	Pass	
40				3.85	3.791	0.0055	-2.5 to 2.5	Pass	
50	3.85	3.276	0.0048	-2.5 to 2.5	Pass				

3. Modulation Characteristics

3.1 Test Result

3.1.1 B71_5MHz

Band: 71 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	680.5	25	0	Refer To Test Graph		Pass
16QAM	680.5	25	0	Refer To Test Graph		Pass

3.1.2 B71_10MHz

Band: 71 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	680.5	50	0	Refer To Test Graph		Pass
16QAM	680.5	50	0	Refer To Test Graph		Pass

3.1.3 B71_15MHz



Band: 71 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	680.5	75	0	Refer To Test Graph		Pass
16QAM	680.5	75	0	Refer To Test Graph		Pass

3.1.4 B71_20MHz

Band: 71 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	683	100	0	Refer To Test Graph		Pass
16QAM	683	100	0	Refer To Test Graph		Pass

3.2 Test Graph

3.2.1 B71_5MHz



3.2.2 B71_10MHz


Band71_10MHz_QPSK_MCH_680.5MHz_RB_50_0_NTNV

CMW 500 V 3.7.40 - LTE Measurement 1 - V3.7.30 - TX Measurement

Multi Evaluation PRACH SRS

FDD Freq.: 680.5 MHz Ref. Level: 38.80 dBm BW: 10.0 MHz CP: Normal Meas Subfr./Slot: 3 / All

IQ Constellation



Statistic Count: 20 / 20
 Out of Tolerance: 0.00 %
 Detected Modulation: QPSK
 Detected Channel Type: PUSCH
 View Filter Throughput: 100.0 %

PS: Connection Established
 RRC State: Connected

Go To Local Show Remote Screen

LTE

Multi Evaluation
RDY

RF Settings

Trigger

Display

Signaling Parameter

LTE Signaling
ON


Band71_10MHz_16QAM_MCH_680.5MHz_RB_50_0_NTNV

CMW 500 V 3.7.40 - LTE Measurement 1 - V3.7.30 - TX Measurement

Multi Evaluation PRACH SRS

FDD Freq.: 680.5 MHz Ref. Level: 38.80 dBm BW: 10.0 MHz CP: Normal Meas Subfr./Slot: 3 / All

IQ Constellation



Statistic Count: 20 / 20
 Out of Tolerance: 0.00 %
 Detected Modulation: 16-QAM
 Detected Channel Type: PUSCH
 View Filter Throughput: 100.0 %

PS: Connection Established
 RRC State: Connected

Go To Local Show Remote Screen

LTE

Multi Evaluation
RDY

RF Settings

Trigger

Display

Signaling Parameter

LTE Signaling
ON

3.2.3 B71_15MHz


Band71_15MHz_QPSK_MCH_680.5MHz_RB_75_0_NTNV

CMW 500 V 3.7.40 - LTE Measurement 1 - V3.7.30 - TX MeasurementLTE

Multi Evaluation PRACH SRSMulti Evaluation
RDY

FDD Freq.: 680.5 MHz Ref. Level: 39.20 dBm BW: 15.0 MHz CP: Normal Meas Subfr./Slot: 3 / AllRF Settings

IQ Constellation



Statistic Count
20 / 20

Out of Tolerance
0.00 %

Detected Modulation
QPSK

Detected Channel Type
PUSCH

View Filter Throughput
100.0 %

Trigger

Display

Signaling Parameter

LTE Signaling
ON

PS: Connection Established
RRC State: ConnectedGo To Local Show Remote Screen


Band71_15MHz_16QAM_MCH_680.5MHz_RB_75_0_NTNV

CMW 500 V 3.7.40 - LTE Measurement 1 - V3.7.30 - TX MeasurementLTE

Multi Evaluation PRACH SRSMulti Evaluation
RDY

FDD Freq.: 680.5 MHz Ref. Level: 39.20 dBm BW: 15.0 MHz CP: Normal Meas Subfr./Slot: 3 / AllRF Settings

IQ Constellation



Statistic Count
20 / 20

Out of Tolerance
0.00 %

Detected Modulation
16-QAM

Detected Channel Type
PUSCH

View Filter Throughput
100.0 %

Trigger

Display

Signaling Parameter

LTE Signaling
ON

PS: Connection Established
RRC State: ConnectedGo To Local Show Remote Screen

3.2.4 B71_20MHz

Band71_20MHz_QPSK_MCH_683MHz_RB_100_0_NTNV

CMW 500 V 3.7.40 - LTE Measurement 1 - V3.7.30 - TX Measurement

Multi Evaluation PRACH SRS

FDD Freq.: 683.0 MHz Ref. Level: 39.90 dBm BW: 20.0 MHz CP: Normal Meas Subfr./Slot: 3 / All

IQ Constellation

Statistic Count: 20 / 20

Out of Tolerance: 0.00 %

Detected Modulation: QPSK

Detected Channel Type: PUSCH

View Filter Throughput: 100.0 %

LTE

Multi Evaluation **RDY**

RF Settings

Trigger

Display

Signaling Parameter

LTE Signaling **ON**

PS: Connection Established

RRC State: Connected

Go To Local

Show Remote Screen

Band71_20MHz_16QAM_MCH_683MHz_RB_100_0_NTNV

CMW 500 V 3.7.40 - LTE Measurement 1 - V3.7.30 - TX Measurement

Multi Evaluation PRACH SRS

FDD Freq.: 683.0 MHz Ref. Level: 39.90 dBm BW: 20.0 MHz CP: Normal Meas Subfr./Slot: 3 / All

IQ Constellation

Statistic Count: 20 / 20

Out of Tolerance: 0.00 %

Detected Modulation: 16-QAM

Detected Channel Type: PUSCH

View Filter Throughput: 100.0 %

LTE

Multi Evaluation **RDY**

RF Settings

Trigger

Display

Signaling Parameter

LTE Signaling **ON**

PS: Connection Established

RRC State: Connected

Go To Local

Show Remote Screen

4. 99% & 26dB Bandwidth

4.1 Test Result

4.1.1 Band71_OBW

Band: 71 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	665.5	25	0	4.542	/	Pass
		680.5	25	0	4.547	/	Pass
		695.5	25	0	4.551	/	Pass
	16QAM	665.5	25	0	4.553	/	Pass
		680.5	25	0	4.547	/	Pass
		695.5	25	0	4.556	/	Pass
10	QPSK	668	50	0	9.066	/	Pass
		680.5	50	0	9.064	/	Pass
		693	50	0	9.040	/	Pass
	16QAM	668	50	0	9.090	/	Pass
		680.5	50	0	9.075	/	Pass
		693	50	0	9.063	/	Pass
15	QPSK	670.5	75	0	13.633	/	Pass
		680.5	75	0	13.581	/	Pass
		690.5	75	0	13.622	/	Pass
	16QAM	670.5	75	0	13.690	/	Pass
		680.5	75	0	13.569	/	Pass
		690.5	75	0	13.635	/	Pass
20	QPSK	673	100	0	18.135	/	Pass
		683	100	0	18.129	/	Pass
		688	100	0	18.236	/	Pass
	16QAM	673	100	0	18.136	/	Pass
		683	100	0	18.141	/	Pass
		688	100	0	18.257	/	Pass



4.1.2 Band71_XDB

Band: 71 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	665.5	25	0	5.054	/	Pass
		680.5	25	0	5.051	/	Pass
		695.5	25	0	5.049	/	Pass
	16QAM	665.5	25	0	5.078	/	Pass
		680.5	25	0	5.054	/	Pass
		695.5	25	0	5.063	/	Pass
10	QPSK	668	50	0	10.044	/	Pass
		680.5	50	0	10.056	/	Pass
		693	50	0	10.023	/	Pass
	16QAM	668	50	0	10.076	/	Pass
		680.5	50	0	10.074	/	Pass
		693	50	0	10.038	/	Pass
15	QPSK	670.5	75	0	15.195	/	Pass
		680.5	75	0	15.102	/	Pass
		690.5	75	0	15.159	/	Pass


	16QAM	670.5	75	0	15.108	/	Pass
		680.5	75	0	15.060	/	Pass
		690.5	75	0	15.126	/	Pass
20	QPSK	673	100	0	19.937	/	Pass
		683	100	0	19.952	/	Pass
		688	100	0	20.188	/	Pass
	16QAM	673	100	0	19.992	/	Pass
		683	100	0	20.043	/	Pass
		688	100	0	20.026	/	Pass

4.2 Test Graph


4.2.1 Band71_OBW




Band71_5MHz_QPSK_HCH_695.5MHz_RB_25_0_NTNV




Band71_5MHz_16QAM_LCH_665.5MHz_RB_25_0_NTNV




Band71_5MHz_16QAM_MCH_680.5MHz_RB_25_0_NTNV




Band71_5MHz_16QAM_HCH_695.5MHz_RB_25_0_NTNV




Band71_10MHz_QPSK_LCH_668MHz_RB_50_0_NTNV




Band71_10MHz_QPSK_MCH_680.5MHz_RB_50_0_NTNV




Band71_10MHz_QPSK_HCH_693MHz_RB_50_0_NTNV




Band71_10MHz_16QAM_LCH_668MHz_RB_50_0_NTNV




Band71_10MHz_16QAM_MCH_680.5MHz_RB_50_0_NTNV




Band71_10MHz_16QAM_HCH_693MHz_RB_50_0_NTNV




Band71_15MHz_QPSK_LCH_670.5MHz_RB_75_0_NTNV




Band71_15MHz_QPSK_MCH_680.5MHz_RB_75_0_NTNV




Band71_15MHz_QPSK_HCH_690.5MHz_RB_75_0_NTNV




Band71_15MHz_16QAM_LCH_670.5MHz_RB_75_0_NTNV




Band71_15MHz_16QAM_MCH_680.5MHz_RB_75_0_NTNV




Band71_15MHz_16QAM_HCH_690.5MHz_RB_75_0_NTNV




Band71_20MHz_QPSK_LCH_673MHz_RB_100_0_NTNV




Band71_20MHz_QPSK_MCH_683MHz_RB_100_0_NTNV




Band71_20MHz_QPSK_HCH_688MHz_RB_100_0_NTNV




Band71_20MHz_16QAM_LCH_673MHz_RB_100_0_NTNV





Band71_20MHz_16QAM_MCH_683MHz_RB_100_0_NTNV




Band71_20MHz_16QAM_HCH_688MHz_RB_100_0_NTNV




4.2.2 Band71_XDB




Band71_5MHz_QPSK_HCH_695.5MHz_RB_25_0_NTNV




Band71_5MHz_16QAM_LCH_665.5MHz_RB_25_0_NTNV




Band71_5MHz_16QAM_MCH_680.5MHz_RB_25_0_NTNV




Band71_5MHz_16QAM_HCH_695.5MHz_RB_25_0_NTNV




Band71_10MHz_QPSK_LCH_668MHz_RB_50_0_NTNV




Band71_10MHz_QPSK_MCH_680.5MHz_RB_50_0_NTNV




Band71_10MHz_QPSK_HCH_693MHz_RB_50_0_NTNV




Band71_10MHz_16QAM_LCH_668MHz_RB_50_0_NTNV




Band71_10MHz_16QAM_MCH_680.5MHz_RB_50_0_NTNV




Band71_10MHz_16QAM_HCH_693MHz_RB_50_0_NTNV




Band71_15MHz_QPSK_LCH_670.5MHz_RB_75_0_NTNV




Band71_15MHz_QPSK_MCH_680.5MHz_RB_75_0_NTNV




Band71_15MHz_QPSK_HCH_690.5MHz_RB_75_0_NTNV




Band71_15MHz_16QAM_LCH_670.5MHz_RB_75_0_NTNV




Band71_15MHz_16QAM_MCH_680.5MHz_RB_75_0_NTNV




Band71_15MHz_16QAM_HCH_690.5MHz_RB_75_0_NTNV




Band71_20MHz_QPSK_LCH_673MHz_RB_100_0_NTNV




Band71_20MHz_QPSK_MCH_683MHz_RB_100_0_NTNV




Band71_20MHz_QPSK_HCH_688MHz_RB_100_0_NTNV




Band71_20MHz_16QAM_LCH_673MHz_RB_100_0_NTNV



Band71_20MHz_16QAM_MCH_683MHz_RB_100_0_NTNV



Band71_20MHz_16QAM_HCH_688MHz_RB_100_0_NTNV



5. Peak-Average Ratio

5.1 Test Result

5.1.1 B71_5MHz

Band: 71 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	665.5	25	0	5.86	<=13	Pass
	680.5	25	0	5.89	<=13	Pass
	695.5	25	0	5.78	<=13	Pass
16QAM	665.5	25	0	6.55	<=13	Pass
	680.5	25	0	6.55	<=13	Pass
	695.5	25	0	6.57	<=13	Pass

5.1.2 B71_10MHz

Band: 71 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	668	50	0	5.97	<=13	Pass
	680.5	50	0	5.89	<=13	Pass
	693	50	0	6.03	<=13	Pass
16QAM	668	50	0	5.97	<=13	Pass
	680.5	50	0	5.90	<=13	Pass
	693	50	0	6.01	<=13	Pass

5.1.3 B71_15MHz

Band: 71 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	670.5	75	0	6.46	<=13	Pass
	680.5	75	0	6.19	<=13	Pass
	690.5	75	0	6.50	<=13	Pass
16QAM	670.5	75	0	6.84	<=13	Pass
	680.5	75	0	6.65	<=13	Pass
	690.5	75	0	6.87	<=13	Pass



5.1.4 B71_20MHz

Band: 71 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	673	100	0	6.03	<=13	Pass
	683	100	0	5.95	<=13	Pass
	688	100	0	6.07	<=13	Pass
16QAM	673	100	0	6.67	<=13	Pass
	683	100	0	6.66	<=13	Pass


	688	100	0	6.75	<=13	Pass
--	-----	-----	---	------	------	------

5.2 Test Graph

5.2.1 B71_5MHz




Band71_5MHz_QPSK_HCH_695.5MHz_RB_25_0_NTNV




2024-07-22 17:44:49

Band71_5MHz_16QAM_LCH_665.5MHz_RB_25_0_NTNV




2024-07-22 17:44:03



Band71_5MHz_16QAM_MCH_680.5MHz_RB_25_0_NTNV




Band71_5MHz_16QAM_HCH_695.5MHz_RB_25_0_NTNV




5.2.2 B71_10MHz




Band71_10MHz_QPSK_HCH_693MHz_RB_50_0_NTNV




Band71_10MHz_16QAM_LCH_668MHz_RB_50_0_NTNV





Band71_10MHz_16QAM_MCH_680.5MHz_RB_50_0_NTNV




Band71_10MHz_16QAM_HCH_693MHz_RB_50_0_NTNV




5.2.3 B71_15MHz




Band71_15MHz_QPSK_HCH_690.5MHz_RB_75_0_NTNV




Band71_15MHz_16QAM_LCH_670.5MHz_RB_75_0_NTNV





Band71_15MHz_16QAM_MCH_680.5MHz_RB_75_0_NTNV




Band71_15MHz_16QAM_HCH_690.5MHz_RB_75_0_NTNV




5.2.4 B71_20MHz




Band71_20MHz_QPSK_HCH_688MHz_RB_100_0_NTNV




Band71_20MHz_16QAM_LCH_673MHz_RB_100_0_NTNV



Band71_20MHz_16QAM_MCH_683MHz_RB_100_0_NTNV



Band71_20MHz_16QAM_HCH_688MHz_RB_100_0_NTNV



6. Spurious Emission

6.1 Test Result

6.1.1 B71_5MHz

Band: 71 / Bandwidth: 5MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	665.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	680.5	1	0	Refer To Test Graph		Pass
		695.5	1	0	Refer To Test Graph	
				24	Refer To Test Graph	
			25	0	Refer To Test Graph	
16QAM	665.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	680.5	1	0	Refer To Test Graph		Pass
		695.5	1	0	Refer To Test Graph	
				24	Refer To Test Graph	
			25	0	Refer To Test Graph	

6.1.2 B71_10MHz

Band: 71 / Bandwidth: 10MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	668	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	680.5	1	0	Refer To Test Graph		Pass
		693	1	0	Refer To Test Graph	
				49	Refer To Test Graph	
			50	0	Refer To Test Graph	
16QAM	668	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	680.5	1	0	Refer To Test Graph		Pass
		693	1	0	Refer To Test Graph	
				49	Refer To Test Graph	
			50	0	Refer To Test Graph	

6.1.3 B71_15MHz

Band: 71 / Bandwidth: 15MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	670.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	680.5	1	0	Refer To Test Graph		Pass
		690.5	1	0	Refer To Test Graph	
				74	Refer To Test Graph	
			75	0	Refer To Test Graph	
16QAM	670.5	1	0	Refer To Test Graph		Pass



		75	0	Refer To Test Graph	Pass
	680.5	1	0	Refer To Test Graph	Pass
	690.5	1	0	Refer To Test Graph	Pass
			74	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass

6.1.4 B71_20MHz


Band: 71 / Bandwidth: 20MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	673	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	688	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
			0	Refer To Test Graph		Pass
16QAM	673	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	688	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
			0	Refer To Test Graph		Pass

6.2 Test Graph


6.2.1 B71_5MHz




Band71_5MHz_QPSK_LCH_665.5MHz_RB_25_0_NTNV




Band71_5MHz_QPSK_MCH_680.5MHz_RB_1_0_NTNV



Band71_5MHz_QPSK_HCH_695.5MHz_RB_1_0_NTNV




Band71_5MHz_QPSK_HCH_695.5MHz_RB_1_24_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
693	698	0.003	/	1	698.000	-35.34	-13	Pass
698	699	0.003	/	1	698.000	-35.34	-13	Pass
699	703	0.1	CHP	2	699.008	-55.25	-13	Pass

Band71_5MHz_QPSK_HCH_695.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
693	698	0.051	/	1	698.050	-37.25	-13	Pass
698	699	0.051	/	2	699.010	-41.92	-13	Pass
699	703	0.1	CHP	/	/	/	/	/

Band71_5MHz_16QAM_LCH_665.5MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
658	662	0.1	CHP	1	661.167	-53.99	-13	Pass
662	663	0.003	/	2	663.000	-34.74	-13	Pass
663	668	0.003	/	/	/	/	/	/

Band71_5MHz_16QAM_LCH_665.5MHz_RB_1_0_NTNV




Band71_5MHz_16QAM_LCH_665.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
658	662	0.1	CHP	1	661.940	-40.13	-13	Pass
662	663	0.051	/	2	663.000	-32.83	-13	Pass
663	668	0.051	/	/	/	/	/	/


Band71_5MHz_16QAM_MCH_680.5MHz_RB_1_0_NTNV



Band71_5MHz_16QAM_HCH_695.5MHz_RB_1_0_NTNV




Band71_5MHz_16QAM_HCH_695.5MHz_RB_1_24_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
693	698	0.003	/	1	698.009	-35.93	-13	Pass
698	699	0.003	/	1	698.009	-35.93	-13	Pass
699	703	0.1	CHP	2	699.044	-54.92	-13	Pass


Band71_5MHz_16QAM_HCH_695.5MHz_RB_25_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
693	698	0.051	/	1	698.000	-38.39	-13	Pass
698	699	0.051	/	1	698.000	-38.39	-13	Pass
699	703	0.1	CHP	2	699.070	-40.47	-13	Pass

6.2.2 B71_10MHz


Band71_10MHz_QPSK_LCH_668MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
653	662	0.1	CHP	1	661.460	-44.45	-13	Pass
662	663	0.003	/	2	662.975	-50.72	-13	Pass
663	673	0.003	/	/	/	/	/	/

2024-07-23 22:38:39


Band71_10MHz_QPSK_LCH_668MHz_RB_1_0_NTNV




Band71_10MHz_QPSK_LCH_668MHz_RB_50_0_NTNV




Band71_10MHz_QPSK_MCH_680.5MHz_RB_1_0_NTNV



Band71_10MHz_QPSK_HCH_693MHz_RB_1_0_NTNV




Band71_10MHz_QPSK_HCH_693MHz_RB_1_49_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
688	698	0.003	/	1	698.028	-49.78	-13	Pass
698	708	0.1	CHP	2	699.470	-42.18	-13	Pass

Band71_10MHz_QPSK_HCH_693MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
688	698	0.1	/	1	698.020	-34.83	-13	Pass

Band71_10MHz_16QAM_LCH_668MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
653	662	0.1	CHP	1	661.913	-44.11	-13	Pass
662	663	0.003	/	2	662.987	-50.82	-13	Pass
663	673	0.003	/	/	/	/	/	/

Band71_10MHz_16QAM_LCH_668MHz_RB_1_0_NTNV




Band71_10MHz_16QAM_LCH_668MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
653	662	0.1	/	1	661.840	-42.56	-13	Pass
662	663	0.101	/	2	662.900	-38.03	-13	Pass
663	673	0.101	/	/	/	/	/	/


Band71_10MHz_16QAM_MCH_680.5MHz_RB_1_0_NTNV




Band71_10MHz_16QAM_HCH_693MHz_RB_1_0_NTNV





Band71_10MHz_16QAM_HCH_693MHz_RB_1_49_NTV




Band71_10MHz_16QAM_HCH_693MHz_RB_50_0_NTV




6.2.3 B71_15MHz




Band71_15MHz_QPSK_LCH_670.5MHz_RB_75_0_NTNV




Band71_15MHz_QPSK_MCH_680.5MHz_RB_1_0_NTNV



Band71_15MHz_QPSK_HCH_690.5MHz_RB_1_0_NTNV




Band71_15MHz_QPSK_HCH_690.5MHz_RB_1_74_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
683	698	0.003	/	1	698.026	-41.88	-13	Pass
698	699	0.003	/	2	699.526	-57.58	-13	Pass
699	713	0.1	CHP					

Band71_15MHz_QPSK_HCH_690.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
683	698	0.152	/	/	/	/	/	/
698	699	0.152	/	1	698.030	-36.93	-13	Pass
699	713	0.1	/	2	699.530	-41.60	-13	Pass

Band71_15MHz_16QAM_LCH_670.5MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
648	662	0.1	CHP	1	659.441	-47.26	-13	Pass
662	663	0.003	/	2	663.000	-40.60	-13	Pass
663	678	0.003	/	/	/	/	/	/

Band71_15MHz_16QAM_LCH_670.5MHz_RB_1_0_NTNV




Band71_15MHz_16QAM_LCH_670.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
648	662	0.1	/	1	661.530	-43.84	-13	Pass
662	663	0.151	/	2	662.970	-37.72	-13	Pass
663	678	0.151	/	/	/	/	/	/


Band71_15MHz_16QAM_MCH_680.5MHz_RB_1_0_NTNV




Band71_15MHz_16QAM_HCH_690.5MHz_RB_1_0_NTNV



Band71_15MHz_16QAM_HCH_690.5MHz_RB_1_74_NTNV




Band71_15MHz_16QAM_HCH_690.5MHz_RB_75_0_NTNV




6.2.4 B71_20MHz


Band71_20MHz_QPSK_LCH_673MHz_RB_1_0_NTNV




Band71_20MHz_QPSK_LCH_673MHz_RB_1_0_NTNV




Band71_20MHz_QPSK_LCH_673MHz_RB_100_0_NTNV




Band71_20MHz_QPSK_MCH_683MHz_RB_1_0_NTNV



Band71_20MHz_QPSK_HCH_688MHz_RB_1_0_NTNV




Band71_20MHz_QPSK_HCH_688MHz_RB_1_99_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
678	698	0.003	/	1	698.000	-47.20	-13	Pass
698	699	0.003	/	2	701.305	-34.56	-13	Pass
699	718	0.1	CHP					

Band71_20MHz_QPSK_HCH_688MHz_RB_100_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
678	698	0.202	/	/	/	/	/	/
698	699	0.202	/	1	698.000	-39.24	-13	Pass
699	718	0.1	/	2	699.560	-43.74	-13	Pass

Band71_20MHz_16QAM_LCH_673MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
643	662	0.1	CHP	1	659.690	-37.20	-13	Pass
662	663	0.003	/	2	662.995	-46.21	-13	Pass
663	683	0.003	/	/	/	/	/	/

Band71_20MHz_16QAM_LCH_673MHz_RB_1_0_NTNV




Band71_20MHz_16QAM_LCH_673MHz_RB_100_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
643	662	0.1	/	1	661.520	-44.15	-13	Pass
662	663	0.2	/	2	662.880	-41.19	-13	Pass
663	683	0.2	/	/	/	/	/	/


Band71_20MHz_16QAM_MCH_683MHz_RB_1_0_NTNV




Band71_20MHz_16QAM_HCH_688MHz_RB_1_0_NTNV



Band71_20MHz_16QAM_HCH_688MHz_RB_1_99_NTV



Band71_20MHz_16QAM_HCH_688MHz_RB_100_0_NTV



7. Form731

7.1 Test Result

7.1.1 Form731_Power

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
71	5	665.5	695.5	0.1449	0.0775	ppm	4M55G7D	27N	21.61
71	5	665.5	695.5	0.1303	0.0778	ppm	4M56W7D	27N	21.15
71	10	668	693	0.1493	0.0786	ppm	9M07G7D	27N	21.74
71	10	668	693	0.1211	0.0752	ppm	9M09W7D	27N	20.83
71	15	670.5	690.5	0.1459	0.0630	ppm	13M6G7D	27N	21.64
71	15	670.5	690.5	0.1439	0.0734	ppm	13M7W7D	27N	21.58
71	20	673	688	0.1459	0.0774	ppm	18M2G7D	27N	21.64
71	20	673	688	0.1361	0.0510	ppm	18M3W7D	27N	21.34

7.1.2 Form731_ERP

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
71	5	665.5	695.5	0.0372	0.0775	ppm	4M55G7D	27N	15.71
71	5	665.5	695.5	0.0335	0.0778	ppm	4M56W7D	27N	15.25
71	10	668	693	0.0384	0.0786	ppm	9M07G7D	27N	15.84
71	10	668	693	0.0311	0.0752	ppm	9M09W7D	27N	14.93
71	15	670.5	690.5	0.0375	0.0630	ppm	13M6G7D	27N	15.74
71	15	670.5	690.5	0.0370	0.0734	ppm	13M7W7D	27N	15.68
71	20	673	688	0.0375	0.0774	ppm	18M2G7D	27N	15.74
71	20	673	688	0.0350	0.0510	ppm	18M3W7D	27N	15.44