

# 1. Effective (Isotropic) Radiated Power Output Data

## 1.1 Test Result

### 1.1.1 B71\_5MHz\_ERP

Band: 71 / Bandwidth: 5MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	665.5	1	0	21.97	-2.12	17.70	<=34.77	Pass		
			13	22.01	-2.12	17.74	<=34.77	Pass		
			24	21.86	-2.12	17.59	<=34.77	Pass		
		12	0	20.65	-2.12	16.38	<=34.77	Pass		
			6	20.98	-2.12	16.71	<=34.77	Pass		
			13	20.94	-2.12	16.67	<=34.77	Pass		
		25	0	20.82	-2.12	16.55	<=34.77	Pass		
		680.5	1	0	21.83	-2.12	17.56	<=34.77	Pass	
				13	21.93	-2.12	17.66	<=34.77	Pass	
	24			21.80	-2.12	17.53	<=34.77	Pass		
	12		0	20.87	-2.12	16.60	<=34.77	Pass		
			6	20.95	-2.12	16.68	<=34.77	Pass		
			13	20.88	-2.12	16.61	<=34.77	Pass		
	25		0	20.90	-2.12	16.63	<=34.77	Pass		
	695.5		1	0	21.87	-2.12	17.60	<=34.77	Pass	
				13	22.00	-2.12	17.73	<=34.77	Pass	
		24		21.87	-2.12	17.60	<=34.77	Pass		
		12	0	20.93	-2.12	16.66	<=34.77	Pass		
			6	20.99	-2.12	16.72	<=34.77	Pass		
			13	21.00	-2.12	16.73	<=34.77	Pass		
		25	0	20.91	-2.12	16.64	<=34.77	Pass		
		16QAM	665.5	1	0	20.95	-2.12	16.68	<=34.77	Pass
					13	21.05	-2.12	16.78	<=34.77	Pass
	24				20.97	-2.12	16.70	<=34.77	Pass	
12	0			19.56	-2.12	15.29	<=34.77	Pass		
	6			19.82	-2.12	15.55	<=34.77	Pass		
	13			19.87	-2.12	15.60	<=34.77	Pass		
25	0			19.83	-2.12	15.56	<=34.77	Pass		
680.5	1			0	21.08	-2.12	16.81	<=34.77	Pass	
				13	21.20	-2.12	16.93	<=34.77	Pass	
			24	21.06	-2.12	16.79	<=34.77	Pass		
	12		0	19.81	-2.12	15.54	<=34.77	Pass		
			6	19.95	-2.12	15.68	<=34.77	Pass		
			13	19.89	-2.12	15.62	<=34.77	Pass		
	25		0	19.86	-2.12	15.59	<=34.77	Pass		
	695.5		1	0	20.74	-2.12	16.47	<=34.77	Pass	
				13	20.89	-2.12	16.62	<=34.77	Pass	
24				20.71	-2.12	16.44	<=34.77	Pass		
12			0	19.86	-2.12	15.59	<=34.77	Pass		
			6	19.95	-2.12	15.68	<=34.77	Pass		
			13	19.87	-2.12	15.60	<=34.77	Pass		
25			0	19.92	-2.12	15.65	<=34.77	Pass		

Note1: ERP=Conducted Power+Antenna Gain-2.15

### 1.1.2 B71\_10MHz\_ERP

Band: 71 / Bandwidth: 10MHz / NTNV								
------------------------------------	--	--	--	--	--	--	--	--

Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	668	1	0	21.92	-2.12	17.65	<=34.77	Pass		
			25	22.18	-2.12	17.91	<=34.77	Pass		
			49	21.94	-2.12	17.67	<=34.77	Pass		
		25	0	20.72	-2.12	16.45	<=34.77	Pass		
			13	21.03	-2.12	16.76	<=34.77	Pass		
			25	20.96	-2.12	16.69	<=34.77	Pass		
		50	0	20.86	-2.12	16.59	<=34.77	Pass		
		680.5	1	0	21.83	-2.12	17.56	<=34.77	Pass	
				25	22.12	-2.12	17.85	<=34.77	Pass	
	49			21.87	-2.12	17.60	<=34.77	Pass		
	25		0	20.95	-2.12	16.68	<=34.77	Pass		
			13	21.03	-2.12	16.76	<=34.77	Pass		
			25	20.99	-2.12	16.72	<=34.77	Pass		
	50		0	21.00	-2.12	16.73	<=34.77	Pass		
	693		1	0	21.88	-2.12	17.61	<=34.77	Pass	
				25	22.18	-2.12	17.91	<=34.77	Pass	
		49		21.93	-2.12	17.66	<=34.77	Pass		
		25	0	21.08	-2.12	16.81	<=34.77	Pass		
			13	21.13	-2.12	16.86	<=34.77	Pass		
			25	21.01	-2.12	16.74	<=34.77	Pass		
		50	0	21.04	-2.12	16.77	<=34.77	Pass		
		16QAM	668	1	0	20.91	-2.12	16.64	<=34.77	Pass
					25	21.17	-2.12	16.90	<=34.77	Pass
	49				20.92	-2.12	16.65	<=34.77	Pass	
25	0			19.76	-2.12	15.49	<=34.77	Pass		
	13			20.06	-2.12	15.79	<=34.77	Pass		
	25			20.00	-2.12	15.73	<=34.77	Pass		
50	0			19.82	-2.12	15.55	<=34.77	Pass		
680.5	1			0	21.03	-2.12	16.76	<=34.77	Pass	
				25	21.33	-2.12	17.06	<=34.77	Pass	
			49	21.09	-2.12	16.82	<=34.77	Pass		
	25		0	19.95	-2.12	15.68	<=34.77	Pass		
			13	20.05	-2.12	15.78	<=34.77	Pass		
			25	20.00	-2.12	15.73	<=34.77	Pass		
	50		0	20.01	-2.12	15.74	<=34.77	Pass		
	693		1	0	21.44	-2.12	17.17	<=34.77	Pass	
				25	21.80	-2.12	17.53	<=34.77	Pass	
49				21.57	-2.12	17.30	<=34.77	Pass		
25			0	20.11	-2.12	15.84	<=34.77	Pass		
			13	20.14	-2.12	15.87	<=34.77	Pass		
			25	20.05	-2.12	15.78	<=34.77	Pass		
50			0	20.06	-2.12	15.79	<=34.77	Pass		

Note1: ERP=Conducted Power+Antenna Gain-2.15

### 1.1.3 B71\_15MHz\_ERP

Band: 71 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	670.5	1	0	21.73	-2.12	17.46	<=34.77	Pass
			38	21.92	-2.12	17.65	<=34.77	Pass
			74	21.78	-2.12	17.51	<=34.77	Pass
		36	0	20.82	-2.12	16.55	<=34.77	Pass
			18	20.98	-2.12	16.71	<=34.77	Pass
			39	20.98	-2.12	16.71	<=34.77	Pass

16QAM	680.5	75	0	20.90	-2.12	16.63	<=34.77	Pass		
			1	0	21.66	-2.12	17.39	<=34.77	Pass	
				38	21.88	-2.12	17.61	<=34.77	Pass	
				74	21.77	-2.12	17.50	<=34.77	Pass	
		36	0	20.89	-2.12	16.62	<=34.77	Pass		
			18	20.97	-2.12	16.70	<=34.77	Pass		
			39	20.96	-2.12	16.69	<=34.77	Pass		
		75	0	20.91	-2.12	16.64	<=34.77	Pass		
		690.5	1	0	21.61	-2.12	17.34	<=34.77	Pass	
				38	21.88	-2.12	17.61	<=34.77	Pass	
				74	21.78	-2.12	17.51	<=34.77	Pass	
				0	20.92	-2.12	16.65	<=34.77	Pass	
	36		18	21.04	-2.12	16.77	<=34.77	Pass		
			39	21.02	-2.12	16.75	<=34.77	Pass		
			75	0	20.99	-2.12	16.72	<=34.77	Pass	
	16QAM		670.5	1	0	21.07	-2.12	16.80	<=34.77	Pass
					38	21.30	-2.12	17.03	<=34.77	Pass
					74	21.13	-2.12	16.86	<=34.77	Pass
					0	19.71	-2.12	15.44	<=34.77	Pass
				36	18	19.92	-2.12	15.65	<=34.77	Pass
		39			19.91	-2.12	15.64	<=34.77	Pass	
		75			0	19.83	-2.12	15.56	<=34.77	Pass
		680.5		1	0	20.83	-2.12	16.56	<=34.77	Pass
					38	21.08	-2.12	16.81	<=34.77	Pass
74					20.93	-2.12	16.66	<=34.77	Pass	
0					19.83	-2.12	15.56	<=34.77	Pass	
36				18	19.92	-2.12	15.65	<=34.77	Pass	
			39	19.80	-2.12	15.53	<=34.77	Pass		
			75	0	19.79	-2.12	15.52	<=34.77	Pass	
690.5			1	0	21.19	-2.12	16.92	<=34.77	Pass	
				38	21.55	-2.12	17.28	<=34.77	Pass	
				74	21.38	-2.12	17.11	<=34.77	Pass	
				0	19.97	-2.12	15.70	<=34.77	Pass	
			36	18	20.05	-2.12	15.78	<=34.77	Pass	
		39		20.06	-2.12	15.79	<=34.77	Pass		
		75		0	20.03	-2.12	15.76	<=34.77	Pass	

Note1: ERP=Conducted Power+Antenna Gain-2.15

#### 1.1.4 B71\_20MHz\_ERP

Band: 71 / Bandwidth: 20MHz / NTN									
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict	
		Size	Offset			Result	Limit		
QPSK	673	1	0	21.62	-2.12	17.35	<=34.77	Pass	
			50	22.08	-2.12	17.81	<=34.77	Pass	
			99	21.64	-2.12	17.37	<=34.77	Pass	
		50	0	20.76	-2.12	16.49	<=34.77	Pass	
			25	20.91	-2.12	16.64	<=34.77	Pass	
			50	21.03	-2.12	16.76	<=34.77	Pass	
		100	0	20.87	-2.12	16.60	<=34.77	Pass	
		683	1	0	21.55	-2.12	17.28	<=34.77	Pass
				50	22.12	-2.12	17.85	<=34.77	Pass
	99			21.72	-2.12	17.45	<=34.77	Pass	
	50		0	20.82	-2.12	16.55	<=34.77	Pass	
			25	20.97	-2.12	16.70	<=34.77	Pass	
			50	20.83	-2.12	16.56	<=34.77	Pass	
	100		0	20.84	-2.12	16.57	<=34.77	Pass	

	688	1	0	21.60	-2.12	17.33	<=34.77	Pass		
			50	22.14	-2.12	17.87	<=34.77	Pass		
			99	21.72	-2.12	17.45	<=34.77	Pass		
		50	0	20.88	-2.12	16.61	<=34.77	Pass		
			25	20.97	-2.12	16.70	<=34.77	Pass		
			50	20.97	-2.12	16.70	<=34.77	Pass		
		100	0	20.93	-2.12	16.66	<=34.77	Pass		
		16QAM	673	1	0	20.84	-2.12	16.57	<=34.77	Pass
					50	21.35	-2.12	17.08	<=34.77	Pass
					99	20.91	-2.12	16.64	<=34.77	Pass
				50	0	19.76	-2.12	15.49	<=34.77	Pass
					25	19.88	-2.12	15.61	<=34.77	Pass
50	19.98				-2.12	15.71	<=34.77	Pass		
100	0			19.87	-2.12	15.60	<=34.77	Pass		
683	1			0	21.11	-2.12	16.84	<=34.77	Pass	
				50	21.64	-2.12	17.37	<=34.77	Pass	
				99	21.28	-2.12	17.01	<=34.77	Pass	
	50			0	19.79	-2.12	15.52	<=34.77	Pass	
				25	19.93	-2.12	15.66	<=34.77	Pass	
			50	19.81	-2.12	15.54	<=34.77	Pass		
	100		0	19.80	-2.12	15.53	<=34.77	Pass		
	688		1	0	20.80	-2.12	16.53	<=34.77	Pass	
				50	21.32	-2.12	17.05	<=34.77	Pass	
				99	20.99	-2.12	16.72	<=34.77	Pass	
			50	0	19.89	-2.12	15.62	<=34.77	Pass	
				25	19.99	-2.12	15.72	<=34.77	Pass	
50				19.94	-2.12	15.67	<=34.77	Pass		
100			0	19.93	-2.12	15.66	<=34.77	Pass		
Note1: ERP=Conducted Power+Antenna Gain-2.15										

## 2. Frequency Stability

### 2.1 Test Result

#### 2.1.1 B71\_5MHz

Band: 71 / Bandwidth: 5MHz										
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict	
		Size	Offset				Result	Limit		
QPSK	665.5	25	0	20	3.27	-7.954	-0.0120	-2.5 to 2.5	Pass	
					3.85	-5.965	-0.0090	-2.5 to 2.5	Pass	
					4.43	-6.995	-0.0105	-2.5 to 2.5	Pass	
				-30	3.85	-5.136	-0.0077	-2.5 to 2.5	Pass	
					-20	3.85	-6.080	-0.0091	-2.5 to 2.5	Pass
					-10	3.85	-6.223	-0.0094	-2.5 to 2.5	Pass
				0	0	3.85	-5.493	-0.0083	-2.5 to 2.5	Pass
					10	3.85	-6.080	-0.0091	-2.5 to 2.5	Pass
					30	3.85	-9.899	-0.0149	-2.5 to 2.5	Pass
				50	40	3.85	-5.722	-0.0086	-2.5 to 2.5	Pass
					50	3.85	-6.924	-0.0104	-2.5 to 2.5	Pass
					680.5	25	0	20	3.27	-6.638
	3.85	-4.606	-0.0068	-2.5 to 2.5					Pass	
	4.43	-2.618	-0.0038	-2.5 to 2.5					Pass	
	-30	3.85	-4.306	-0.0063				-2.5 to 2.5	Pass	
		-20	3.85	-5.136				-0.0075	-2.5 to 2.5	Pass
		-10	3.85	-3.862				-0.0057	-2.5 to 2.5	Pass

				0	3.85	-6.952	-0.0102	-2.5 to 2.5	Pass				
				10	3.85	-7.682	-0.0113	-2.5 to 2.5	Pass				
				30	3.85	-5.336	-0.0078	-2.5 to 2.5	Pass				
				40	3.85	-8.569	-0.0126	-2.5 to 2.5	Pass				
				50	3.85	-2.975	-0.0044	-2.5 to 2.5	Pass				
	695.5	25	0	20	3.27	-6.652	-0.0096	-2.5 to 2.5	Pass				
					3.85	-8.197	-0.0118	-2.5 to 2.5	Pass				
					4.43	-5.035	-0.0072	-2.5 to 2.5	Pass				
				-30	3.85	-5.736	-0.0082	-2.5 to 2.5	Pass				
				-20	3.85	-6.094	-0.0088	-2.5 to 2.5	Pass				
				-10	3.85	-5.865	-0.0084	-2.5 to 2.5	Pass				
				0	3.85	-6.008	-0.0086	-2.5 to 2.5	Pass				
				10	3.85	-9.027	-0.0130	-2.5 to 2.5	Pass				
				30	3.85	-5.736	-0.0082	-2.5 to 2.5	Pass				
				40	3.85	-6.151	-0.0088	-2.5 to 2.5	Pass				
				50	3.85	-11.745	-0.0169	-2.5 to 2.5	Pass				
				16QAM	665.5	25	0	20	3.27	-8.426	-0.0127	-2.5 to 2.5	Pass
									3.85	-7.782	-0.0117	-2.5 to 2.5	Pass
									4.43	-7.596	-0.0114	-2.5 to 2.5	Pass
								-30	3.85	-4.992	-0.0075	-2.5 to 2.5	Pass
-20	3.85	-8.569	-0.0129					-2.5 to 2.5	Pass				
-10	3.85	-8.969	-0.0135					-2.5 to 2.5	Pass				
0	3.85	-7.796	-0.0117					-2.5 to 2.5	Pass				
10	3.85	-7.653	-0.0115					-2.5 to 2.5	Pass				
30	3.85	-7.181	-0.0108					-2.5 to 2.5	Pass				
40	3.85	-5.364	-0.0081					-2.5 to 2.5	Pass				
50	3.85	-8.025	-0.0121		-2.5 to 2.5	Pass							
680.5	25	0	20		3.27	1.316	0.0019	-2.5 to 2.5	Pass				
					3.85	-6.680	-0.0098	-2.5 to 2.5	Pass				
					4.43	-5.322	-0.0078	-2.5 to 2.5	Pass				
			-30		3.85	-5.307	-0.0078	-2.5 to 2.5	Pass				
			-20		3.85	-5.407	-0.0079	-2.5 to 2.5	Pass				
			-10		3.85	-4.978	-0.0073	-2.5 to 2.5	Pass				
			0		3.85	-7.410	-0.0109	-2.5 to 2.5	Pass				
			10		3.85	-3.948	-0.0058	-2.5 to 2.5	Pass				
			30		3.85	-8.340	-0.0123	-2.5 to 2.5	Pass				
			40	3.85	-5.193	-0.0076	-2.5 to 2.5	Pass					
50	3.85	-0.072	-0.0001	-2.5 to 2.5	Pass								
695.5	25	0	20	3.27	-8.583	-0.0123	-2.5 to 2.5	Pass					
				3.85	-6.452	-0.0093	-2.5 to 2.5	Pass					
				4.43	-7.153	-0.0103	-2.5 to 2.5	Pass					
			-30	3.85	-9.670	-0.0139	-2.5 to 2.5	Pass					
			-20	3.85	-7.839	-0.0113	-2.5 to 2.5	Pass					
			-10	3.85	-6.781	-0.0097	-2.5 to 2.5	Pass					
			0	3.85	-5.078	-0.0073	-2.5 to 2.5	Pass					
			10	3.85	-8.025	-0.0115	-2.5 to 2.5	Pass					
			30	3.85	-6.866	-0.0099	-2.5 to 2.5	Pass					
			40	3.85	-8.326	-0.0120	-2.5 to 2.5	Pass					
50	3.85	-7.396	-0.0106	-2.5 to 2.5	Pass								

## 2.1.2 B71\_10MHz

Band: 71 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	668	50	0	20	3.27	-7.868	-0.0118	-2.5 to 2.5	Pass
									3.85

					4.43	-7.482	-0.0112	-2.5 to 2.5	Pass
				-30	3.85	-6.166	-0.0092	-2.5 to 2.5	Pass
				-20	3.85	-8.812	-0.0132	-2.5 to 2.5	Pass
				-10	3.85	-10.185	-0.0152	-2.5 to 2.5	Pass
				0	3.85	-5.078	-0.0076	-2.5 to 2.5	Pass
				10	3.85	-5.350	-0.0080	-2.5 to 2.5	Pass
				30	3.85	-7.896	-0.0118	-2.5 to 2.5	Pass
				40	3.85	-3.419	-0.0051	-2.5 to 2.5	Pass
	50	3.85	-5.736	-0.0086	-2.5 to 2.5	Pass			
	680.5	50	0	20	3.27	-4.292	-0.0063	-2.5 to 2.5	Pass
					3.85	-5.879	-0.0086	-2.5 to 2.5	Pass
					4.43	-7.253	-0.0107	-2.5 to 2.5	Pass
				-30	3.85	-6.924	-0.0102	-2.5 to 2.5	Pass
				-20	3.85	-8.340	-0.0123	-2.5 to 2.5	Pass
				-10	3.85	-8.798	-0.0129	-2.5 to 2.5	Pass
				0	3.85	-8.655	-0.0127	-2.5 to 2.5	Pass
				10	3.85	-7.968	-0.0117	-2.5 to 2.5	Pass
	30	3.85	-6.723	-0.0099	-2.5 to 2.5	Pass			
	40	3.85	-6.051	-0.0089	-2.5 to 2.5	Pass			
	50	3.85	-7.167	-0.0105	-2.5 to 2.5	Pass			
	693	50	0	20	3.27	-8.225	-0.0119	-2.5 to 2.5	Pass
					3.85	-3.219	-0.0046	-2.5 to 2.5	Pass
					4.43	-4.907	-0.0071	-2.5 to 2.5	Pass
				-30	3.85	-4.005	-0.0058	-2.5 to 2.5	Pass
				-20	3.85	-4.807	-0.0069	-2.5 to 2.5	Pass
				-10	3.85	-5.536	-0.0080	-2.5 to 2.5	Pass
				0	3.85	-3.519	-0.0051	-2.5 to 2.5	Pass
				10	3.85	-3.548	-0.0051	-2.5 to 2.5	Pass
30	3.85	-6.695	-0.0097	-2.5 to 2.5	Pass				
40	3.85	-6.280	-0.0091	-2.5 to 2.5	Pass				
50	3.85	-5.407	-0.0078	-2.5 to 2.5	Pass				
16QAM	668	50	0	20	3.27	-6.022	-0.0090	-2.5 to 2.5	Pass
					3.85	-7.467	-0.0112	-2.5 to 2.5	Pass
					4.43	-6.452	-0.0097	-2.5 to 2.5	Pass
				-30	3.85	-3.648	-0.0055	-2.5 to 2.5	Pass
				-20	3.85	-4.992	-0.0075	-2.5 to 2.5	Pass
				-10	3.85	-9.556	-0.0143	-2.5 to 2.5	Pass
				0	3.85	-11.616	-0.0174	-2.5 to 2.5	Pass
				10	3.85	0.486	0.0007	-2.5 to 2.5	Pass
	30	3.85	-2.575	-0.0039	-2.5 to 2.5	Pass			
	40	3.85	-2.146	-0.0032	-2.5 to 2.5	Pass			
	50	3.85	-6.423	-0.0096	-2.5 to 2.5	Pass			
	680.5	50	0	20	3.27	-5.136	-0.0075	-2.5 to 2.5	Pass
					3.85	-3.605	-0.0053	-2.5 to 2.5	Pass
					4.43	-5.007	-0.0074	-2.5 to 2.5	Pass
				-30	3.85	-2.332	-0.0034	-2.5 to 2.5	Pass
				-20	3.85	-7.153	-0.0105	-2.5 to 2.5	Pass
				-10	3.85	-8.483	-0.0125	-2.5 to 2.5	Pass
				0	3.85	-8.111	-0.0119	-2.5 to 2.5	Pass
				10	3.85	-9.613	-0.0141	-2.5 to 2.5	Pass
	30	3.85	-7.396	-0.0109	-2.5 to 2.5	Pass			
	40	3.85	-7.939	-0.0117	-2.5 to 2.5	Pass			
	50	3.85	-5.536	-0.0081	-2.5 to 2.5	Pass			
	693	50	0	20	3.27	-6.523	-0.0094	-2.5 to 2.5	Pass
					3.85	-10.872	-0.0157	-2.5 to 2.5	Pass
					4.43	-6.652	-0.0096	-2.5 to 2.5	Pass
				-30	3.85	-5.465	-0.0079	-2.5 to 2.5	Pass
				-20	3.85	-4.134	-0.0060	-2.5 to 2.5	Pass
	-10	3.85	-4.220	-0.0061	-2.5 to 2.5	Pass			

				0	3.85	-6.094	-0.0088	-2.5 to 2.5	Pass
				10	3.85	-8.912	-0.0129	-2.5 to 2.5	Pass
				30	3.85	-1.388	-0.0020	-2.5 to 2.5	Pass
				40	3.85	-6.351	-0.0092	-2.5 to 2.5	Pass
				50	3.85	-4.792	-0.0069	-2.5 to 2.5	Pass

### 2.1.3 B71\_15MHz

Band: 71 / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	670.5	75	0	20	3.27	-8.998	-0.0134	-2.5 to 2.5	Pass
					3.85	-6.194	-0.0092	-2.5 to 2.5	Pass
					4.43	-6.466	-0.0096	-2.5 to 2.5	Pass
				-30	3.85	-6.065	-0.0090	-2.5 to 2.5	Pass
				-20	3.85	-4.835	-0.0072	-2.5 to 2.5	Pass
				-10	3.85	-4.148	-0.0062	-2.5 to 2.5	Pass
				0	3.85	-6.552	-0.0098	-2.5 to 2.5	Pass
				10	3.85	-5.021	-0.0075	-2.5 to 2.5	Pass
				30	3.85	-7.839	-0.0117	-2.5 to 2.5	Pass
				40	3.85	-3.905	-0.0058	-2.5 to 2.5	Pass
	50	3.85	-8.698	-0.0130	-2.5 to 2.5	Pass			
	680.5	75	0	20	3.27	-5.493	-0.0081	-2.5 to 2.5	Pass
					3.85	-5.093	-0.0075	-2.5 to 2.5	Pass
					4.43	-5.021	-0.0074	-2.5 to 2.5	Pass
				-30	3.85	-7.768	-0.0114	-2.5 to 2.5	Pass
				-20	3.85	-8.583	-0.0126	-2.5 to 2.5	Pass
				-10	3.85	-6.924	-0.0102	-2.5 to 2.5	Pass
				0	3.85	-7.725	-0.0114	-2.5 to 2.5	Pass
				10	3.85	-6.223	-0.0091	-2.5 to 2.5	Pass
				30	3.85	-6.351	-0.0093	-2.5 to 2.5	Pass
				40	3.85	-6.366	-0.0094	-2.5 to 2.5	Pass
	50	3.85	-5.736	-0.0084	-2.5 to 2.5	Pass			
	690.5	75	0	20	3.27	-6.738	-0.0098	-2.5 to 2.5	Pass
					3.85	-7.095	-0.0103	-2.5 to 2.5	Pass
					4.43	-3.891	-0.0056	-2.5 to 2.5	Pass
				-30	3.85	-7.195	-0.0104	-2.5 to 2.5	Pass
				-20	3.85	-5.836	-0.0085	-2.5 to 2.5	Pass
				-10	3.85	-5.264	-0.0076	-2.5 to 2.5	Pass
				0	3.85	-6.409	-0.0093	-2.5 to 2.5	Pass
				10	3.85	-7.739	-0.0112	-2.5 to 2.5	Pass
30				3.85	-9.012	-0.0131	-2.5 to 2.5	Pass	
40				3.85	-3.490	-0.0051	-2.5 to 2.5	Pass	
50	3.85	-4.678	-0.0068	-2.5 to 2.5	Pass				
16QAM	670.5	75	0	20	3.27	-8.483	-0.0127	-2.5 to 2.5	Pass
					3.85	-6.166	-0.0092	-2.5 to 2.5	Pass
					4.43	-11.086	-0.0165	-2.5 to 2.5	Pass
				-30	3.85	-8.583	-0.0128	-2.5 to 2.5	Pass
				-20	3.85	-8.025	-0.0120	-2.5 to 2.5	Pass
				-10	3.85	-7.296	-0.0109	-2.5 to 2.5	Pass
				0	3.85	-4.334	-0.0065	-2.5 to 2.5	Pass
				10	3.85	-4.234	-0.0063	-2.5 to 2.5	Pass
				30	3.85	-8.140	-0.0121	-2.5 to 2.5	Pass
				40	3.85	-10.386	-0.0155	-2.5 to 2.5	Pass
	50	3.85	-9.742	-0.0145	-2.5 to 2.5	Pass			
	680.5	75	0	20	3.27	-5.636	-0.0083	-2.5 to 2.5	Pass
					3.85	-8.726	-0.0128	-2.5 to 2.5	Pass

					4.43	-5.350	-0.0079	-2.5 to 2.5	Pass	
				-30	3.85	-9.298	-0.0137	-2.5 to 2.5	Pass	
				-20	3.85	-7.768	-0.0114	-2.5 to 2.5	Pass	
				-10	3.85	-7.095	-0.0104	-2.5 to 2.5	Pass	
				0	3.85	-8.640	-0.0127	-2.5 to 2.5	Pass	
				10	3.85	-9.785	-0.0144	-2.5 to 2.5	Pass	
				30	3.85	-5.050	-0.0074	-2.5 to 2.5	Pass	
				40	3.85	-3.190	-0.0047	-2.5 to 2.5	Pass	
	50	3.85	-6.580	-0.0097	-2.5 to 2.5	Pass				
	690.5	75	0	20		3.27	-5.336	-0.0077	-2.5 to 2.5	Pass
						3.85	-5.207	-0.0075	-2.5 to 2.5	Pass
						4.43	-3.748	-0.0054	-2.5 to 2.5	Pass
				-30	3.85	-5.894	-0.0085	-2.5 to 2.5	Pass	
				-20	3.85	-4.163	-0.0060	-2.5 to 2.5	Pass	
				-10	3.85	-6.566	-0.0095	-2.5 to 2.5	Pass	
				0	3.85	-4.077	-0.0059	-2.5 to 2.5	Pass	
				10	3.85	-4.106	-0.0059	-2.5 to 2.5	Pass	
30				3.85	-2.446	-0.0035	-2.5 to 2.5	Pass		
40	3.85	-7.367	-0.0107	-2.5 to 2.5	Pass					
50	3.85	-8.726	-0.0126	-2.5 to 2.5	Pass					

## 2.1.4 B71\_20MHz

Band: 71 / Bandwidth: 20MHz										
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict	
		Size	Offset				Result	Limit		
QPSK	673	100	0	20		3.27	-7.439	-0.0111	-2.5 to 2.5	Pass
						3.85	-6.523	-0.0097	-2.5 to 2.5	Pass
						4.43	-6.065	-0.0090	-2.5 to 2.5	Pass
				-30	3.85	-7.138	-0.0106	-2.5 to 2.5	Pass	
				-20	3.85	-5.865	-0.0087	-2.5 to 2.5	Pass	
				-10	3.85	-6.652	-0.0099	-2.5 to 2.5	Pass	
				0	3.85	-5.836	-0.0087	-2.5 to 2.5	Pass	
				10	3.85	-5.422	-0.0081	-2.5 to 2.5	Pass	
				30	3.85	-7.081	-0.0105	-2.5 to 2.5	Pass	
	40	3.85	-6.738	-0.0100	-2.5 to 2.5	Pass				
	50	3.85	-7.110	-0.0106	-2.5 to 2.5	Pass				
	683	100	0	20		3.27	-8.383	-0.0123	-2.5 to 2.5	Pass
						3.85	-10.171	-0.0149	-2.5 to 2.5	Pass
						4.43	-6.895	-0.0101	-2.5 to 2.5	Pass
				-30	3.85	-5.007	-0.0073	-2.5 to 2.5	Pass	
				-20	3.85	-5.937	-0.0087	-2.5 to 2.5	Pass	
				-10	3.85	-6.695	-0.0098	-2.5 to 2.5	Pass	
				0	3.85	-8.841	-0.0129	-2.5 to 2.5	Pass	
				10	3.85	-5.808	-0.0085	-2.5 to 2.5	Pass	
				30	3.85	-6.437	-0.0094	-2.5 to 2.5	Pass	
	40	3.85	-4.678	-0.0068	-2.5 to 2.5	Pass				
	50	3.85	-8.197	-0.0120	-2.5 to 2.5	Pass				
	688	100	0	20		3.27	-9.170	-0.0133	-2.5 to 2.5	Pass
						3.85	-9.255	-0.0135	-2.5 to 2.5	Pass
						4.43	-5.207	-0.0076	-2.5 to 2.5	Pass
				-30	3.85	-2.775	-0.0040	-2.5 to 2.5	Pass	
				-20	3.85	-10.228	-0.0149	-2.5 to 2.5	Pass	
-10				3.85	-7.825	-0.0114	-2.5 to 2.5	Pass		
0				3.85	-9.842	-0.0143	-2.5 to 2.5	Pass		
10				3.85	-8.039	-0.0117	-2.5 to 2.5	Pass		
30				3.85	-9.928	-0.0144	-2.5 to 2.5	Pass		



				40	3.85	-10.085	-0.0147	-2.5 to 2.5	Pass
				50	3.85	-10.371	-0.0151	-2.5 to 2.5	Pass
16QAM	673	100	0	20	3.27	-6.094	-0.0091	-2.5 to 2.5	Pass
					3.85	-5.207	-0.0077	-2.5 to 2.5	Pass
					4.43	-7.682	-0.0114	-2.5 to 2.5	Pass
					3.85	-7.296	-0.0108	-2.5 to 2.5	Pass
				-30	3.85	-7.296	-0.0108	-2.5 to 2.5	Pass
				-20	3.85	-7.181	-0.0107	-2.5 to 2.5	Pass
				-10	3.85	-4.621	-0.0069	-2.5 to 2.5	Pass
				0	3.85	-8.254	-0.0123	-2.5 to 2.5	Pass
				10	3.85	-6.437	-0.0096	-2.5 to 2.5	Pass
				30	3.85	-9.212	-0.0137	-2.5 to 2.5	Pass
	40	3.85	-6.838	-0.0102	-2.5 to 2.5	Pass			
	50	3.85	-6.366	-0.0095	-2.5 to 2.5	Pass			
	683	100	0	20	3.27	-8.883	-0.0130	-2.5 to 2.5	Pass
					3.85	-8.168	-0.0120	-2.5 to 2.5	Pass
					4.43	-6.652	-0.0097	-2.5 to 2.5	Pass
					3.85	-8.984	-0.0132	-2.5 to 2.5	Pass
				-30	3.85	-8.984	-0.0132	-2.5 to 2.5	Pass
				-20	3.85	-5.965	-0.0087	-2.5 to 2.5	Pass
				-10	3.85	-4.764	-0.0070	-2.5 to 2.5	Pass
				0	3.85	-7.381	-0.0108	-2.5 to 2.5	Pass
				10	3.85	-7.052	-0.0103	-2.5 to 2.5	Pass
				30	3.85	-8.039	-0.0118	-2.5 to 2.5	Pass
	40	3.85	-8.626	-0.0126	-2.5 to 2.5	Pass			
	50	3.85	-8.540	-0.0125	-2.5 to 2.5	Pass			
	688	100	0	20	3.27	-6.952	-0.0101	-2.5 to 2.5	Pass
					3.85	-5.765	-0.0084	-2.5 to 2.5	Pass
					4.43	-6.537	-0.0095	-2.5 to 2.5	Pass
					3.85	-8.698	-0.0126	-2.5 to 2.5	Pass
				-30	3.85	-8.698	-0.0126	-2.5 to 2.5	Pass
				-20	3.85	-7.138	-0.0104	-2.5 to 2.5	Pass
-10				3.85	-2.875	-0.0042	-2.5 to 2.5	Pass	
0				3.85	-7.396	-0.0107	-2.5 to 2.5	Pass	
10				3.85	-11.644	-0.0169	-2.5 to 2.5	Pass	
30				3.85	-6.881	-0.0100	-2.5 to 2.5	Pass	
40	3.85	-7.796	-0.0113	-2.5 to 2.5	Pass				
50	3.85	-6.766	-0.0098	-2.5 to 2.5	Pass				

### 3. Modulation Characteristics

#### 3.1 Test Result

##### 3.1.1 B71\_5MHz

Band: 71 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	680.5	25	0	Refer To Test Graph		Pass
16QAM	680.5	25	0	Refer To Test Graph		Pass

##### 3.1.2 B71\_10MHz

Band: 71 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	680.5	50	0	Refer To Test Graph		Pass
16QAM	680.5	50	0	Refer To Test Graph		Pass

### 3.1.3 B71\_15MHz



Band: 71 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	680.5	75	0	Refer To Test Graph		Pass
16QAM	680.5	75	0	Refer To Test Graph		Pass

### 3.1.4 B71\_20MHz

Band: 71 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	683	100	0	Refer To Test Graph		Pass
16QAM	683	100	0	Refer To Test Graph		Pass

### 3.2 Test Graph

#### 3.2.1 B71\_5MHz



### 3.2.2 B71\_10MHz

**Band71\_10MHz\_QPSK\_MCH\_680.5MHz\_RB\_50\_0\_NTNV**

CMW 500 V 3.7.40 - LTE Measurement 1 - V3.7.30 - TX Measurement

Multi Evaluation PRACH SRS

FDD Freq.: 680.5 MHz Ref. Level: 40.00 dBm BW: 10.0 MHz CP: Normal Meas Subfr./Slot: 7 / All

IQ Constellation

Statistic Count: 20 / 20

Out of Tolerance: 0.00 %

Detected Modulation: QPSK

Detected Channel Type: PUSCH

View Filter Throughput: 100.0 %

LTE

Multi Evaluation **RDY**


RF Settings

Trigger

Display

Signaling Parameter

LTE Signaling **Run**



Q

1

0

-1

-1 0 1

I

PS: Connection Established

RRC State: Connected

Go To Local

Show Remote Screen

**Band71\_10MHz\_16QAM\_MCH\_680.5MHz\_RB\_50\_0\_NTNV**

CMW 500 V 3.7.40 - LTE Measurement 1 - V3.7.30 - TX Measurement

Multi Evaluation PRACH SRS

FDD Freq.: 680.5 MHz Ref. Level: 40.00 dBm BW: 10.0 MHz CP: Normal Meas Subfr./Slot: 7 / All

IQ Constellation

Statistic Count: 20 / 20

Out of Tolerance: 0.00 %

Detected Modulation: 16-QAM

Detected Channel Type: PUSCH

View Filter Throughput: 100.0 %

LTE

Multi Evaluation **RDY**


RF Settings

Trigger

Display

Signaling Parameter

LTE Signaling **Run**



Q

1

0

-1

-1 0 1

I

PS: Connection Established

RRC State: Connected

Go To Local

Show Remote Screen

### 3.2.3 B71\_15MHz

**Band71\_15MHz\_QPSK\_MCH\_680.5MHz\_RB\_75\_0\_NTNV**

CMW 500 V 3.7.40 - LTE Measurement 1 - V3.7.30 - TX Measurement

Multi Evaluation PRACH SRS

FDD Freq.: 680.5 MHz Ref. Level: 39.80 dBm BW: 15.0 MHz CP: Normal Meas Subfr./Slot: 7 / All

IQ Constellation

Statistic Count  
20 / 20

Out of Tolerance  
0.00 %

Detected Modulation  
QPSK

Detected Channel Type  
PUSCH

View Filter Throughput  
100.0 %

LTE

Multi Evaluation  
**RDY**

RF Settings

Trigger

Display

Signaling Parameter

LTE Signaling  
**Run**

PS: Connection Established

RRC State: Connected

Go To Local

Show Remote Screen

**Band71\_15MHz\_16QAM\_MCH\_680.5MHz\_RB\_75\_0\_NTNV**

CMW 500 V 3.7.40 - LTE Measurement 1 - V3.7.30 - TX Measurement

Multi Evaluation PRACH SRS

FDD Freq.: 680.5 MHz Ref. Level: 39.80 dBm BW: 15.0 MHz CP: Normal Meas Subfr./Slot: 7 / All

IQ Constellation

Statistic Count  
20 / 20

Out of Tolerance  
0.00 %

Detected Modulation  
16-QAM

Detected Channel Type  
PUSCH

View Filter Throughput  
100.0 %

LTE

Multi Evaluation  
**RDY**

RF Settings

Trigger

Display

Signaling Parameter

LTE Signaling  
**Run**

PS: Connection Established

RRC State: Connected

Go To Local

Show Remote Screen

### 3.2.4 B71\_20MHz

**Band71\_20MHz\_QPSK\_MCH\_683MHz\_RB\_100\_0\_NTNV**

CMW 500 V 3.7.40 - LTE Measurement 1 - V3.7.30 - TX Measurement

Multi Evaluation PRACH SRS

FDD Freq.: 683.0 MHz Ref. Level: 39.80 dBm BW: 20.0 MHz CP: Normal Meas Subfr./Slot: 7 / All

IQ Constellation

Statistic Count: 20 / 20

Out of Tolerance: 0.00 %

Detected Modulation: QPSK

Detected Channel Type: PUSCH

View Filter Throughput: 100.0 %

LTE

Multi Evaluation **RDY**


RF Settings

Trigger

Display

Signaling Parameter

LTE Signaling **Run**



PS: Connection Established

RRC State: Connected

Go To Local

Show Remote Screen

**Band71\_20MHz\_16QAM\_MCH\_683MHz\_RB\_100\_0\_NTNV**

CMW 500 V 3.7.40 - LTE Measurement 1 - V3.7.30 - TX Measurement

Multi Evaluation PRACH SRS

FDD Freq.: 683.0 MHz Ref. Level: 39.80 dBm BW: 20.0 MHz CP: Normal Meas Subfr./Slot: 7 / All

IQ Constellation

Statistic Count: 20 / 20

Out of Tolerance: 0.00 %

Detected Modulation: 16-QAM

Detected Channel Type: PUSCH

View Filter Throughput: 100.0 %

LTE

Multi Evaluation **RDY**


RF Settings

Trigger

Display

Signaling Parameter

LTE Signaling **Run**



PS: Connection Established

RRC State: Connected

Go To Local

Show Remote Screen

## 4. 99% & 26dB Bandwidth

### 4.1 Test Result

#### 4.1.1 Band71\_OBW

Band: 71 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	665.5	25	0	4.549	/	Pass
		680.5	25	0	4.549	/	Pass
		695.5	25	0	4.588	/	Pass
	16QAM	665.5	25	0	4.578	/	Pass
		680.5	25	0	4.576	/	Pass
		695.5	25	0	4.550	/	Pass
10	QPSK	668	50	0	9.079	/	Pass
		680.5	50	0	9.041	/	Pass
		693	50	0	9.104	/	Pass
	16QAM	668	50	0	9.041	/	Pass
		680.5	50	0	9.071	/	Pass
		693	50	0	9.097	/	Pass
15	QPSK	670.5	75	0	13.567	/	Pass
		680.5	75	0	13.570	/	Pass
		690.5	75	0	13.641	/	Pass
	16QAM	670.5	75	0	13.612	/	Pass
		680.5	75	0	13.632	/	Pass
		690.5	75	0	13.634	/	Pass
20	QPSK	673	100	0	18.037	/	Pass
		683	100	0	18.129	/	Pass
		688	100	0	18.125	/	Pass
	16QAM	673	100	0	18.116	/	Pass
		683	100	0	18.115	/	Pass
		688	100	0	18.103	/	Pass

#### 4.1.2 Band71\_XDB



Band: 71 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	665.5	25	0	5.215	/	Pass
		680.5	25	0	5.275	/	Pass
		695.5	25	0	5.216	/	Pass
	16QAM	665.5	25	0	5.263	/	Pass
		680.5	25	0	5.256	/	Pass
		695.5	25	0	5.224	/	Pass
10	QPSK	668	50	0	10.215	/	Pass
		680.5	50	0	10.183	/	Pass
		693	50	0	10.251	/	Pass
	16QAM	668	50	0	10.174	/	Pass
		680.5	50	0	10.275	/	Pass
		693	50	0	10.357	/	Pass
15	QPSK	670.5	75	0	15.230	/	Pass
		680.5	75	0	15.272	/	Pass
		690.5	75	0	15.498	/	Pass

	16QAM	670.5	75	0	15.347	/	Pass
		680.5	75	0	15.929	/	Pass
		690.5	75	0	15.236	/	Pass
20	QPSK	673	100	0	20.132	/	Pass
		683	100	0	20.419	/	Pass
		688	100	0	20.085	/	Pass
	16QAM	673	100	0	20.064	/	Pass
		683	100	0	20.040	/	Pass
		688	100	0	20.038	/	Pass




## 4.2 Test Graph


### 4.2.1 Band71\_OBW




Band71\_5MHz\_QPSK\_HCH\_695.5MHz\_RB\_25\_0\_NTNV




Band71\_5MHz\_16QAM\_LCH\_665.5MHz\_RB\_25\_0\_NTNV




Band71\_5MHz\_16QAM\_MCH\_680.5MHz\_RB\_25\_0\_NTNV




Band71\_5MHz\_16QAM\_HCH\_695.5MHz\_RB\_25\_0\_NTNV




Band71\_10MHz\_QPSK\_LCH\_668MHz\_RB\_50\_0\_NTNV




Band71\_10MHz\_QPSK\_MCH\_680.5MHz\_RB\_50\_0\_NTNV



Band71\_10MHz\_QPSK\_HCH\_693MHz\_RB\_50\_0\_NTNV




Band71\_10MHz\_16QAM\_LCH\_668MHz\_RB\_50\_0\_NTNV







Band71\_10MHz\_16QAM\_MCH\_680.5MHz\_RB\_50\_0\_NTNV




Band71\_10MHz\_16QAM\_HCH\_693MHz\_RB\_50\_0\_NTNV




Band71\_15MHz\_QPSK\_LCH\_670.5MHz\_RB\_75\_0\_NTNV




Band71\_15MHz\_QPSK\_MCH\_680.5MHz\_RB\_75\_0\_NTNV



Band71\_15MHz\_QPSK\_HCH\_690.5MHz\_RB\_75\_0\_NTNV




Band71\_15MHz\_16QAM\_LCH\_670.5MHz\_RB\_75\_0\_NTNV







Band71\_15MHz\_16QAM\_MCH\_680.5MHz\_RB\_75\_0\_NTNV




Band71\_15MHz\_16QAM\_HCH\_690.5MHz\_RB\_75\_0\_NTNV




Band71\_20MHz\_QPSK\_LCH\_673MHz\_RB\_100\_0\_NTNV




Band71\_20MHz\_QPSK\_MCH\_683MHz\_RB\_100\_0\_NTNV




Band71\_20MHz\_QPSK\_HCH\_688MHz\_RB\_100\_0\_NTNV




Band71\_20MHz\_16QAM\_LCH\_673MHz\_RB\_100\_0\_NTNV





Band71\_20MHz\_16QAM\_MCH\_683MHz\_RB\_100\_0\_NTNV



Band71\_20MHz\_16QAM\_HCH\_688MHz\_RB\_100\_0\_NTNV




### 4.2.2 Band71\_XDB







Band71\_5MHz\_QPSK\_HCH\_695.5MHz\_RB\_25\_0\_NTNV




Band71\_5MHz\_16QAM\_LCH\_665.5MHz\_RB\_25\_0\_NTNV




Band71\_5MHz\_16QAM\_MCH\_680.5MHz\_RB\_25\_0\_NTNV




Band71\_5MHz\_16QAM\_HCH\_695.5MHz\_RB\_25\_0\_NTNV



Band71\_10MHz\_QPSK\_LCH\_668MHz\_RB\_50\_0\_NTNV




Band71\_10MHz\_QPSK\_MCH\_680.5MHz\_RB\_50\_0\_NTNV







Band71\_10MHz\_QPSK\_HCH\_693MHz\_RB\_50\_0\_NTNV




Band71\_10MHz\_16QAM\_LCH\_668MHz\_RB\_50\_0\_NTNV




Band71\_10MHz\_16QAM\_MCH\_680.5MHz\_RB\_50\_0\_NTNV




Band71\_10MHz\_16QAM\_HCH\_693MHz\_RB\_50\_0\_NTNV




Band71\_15MHz\_QPSK\_LCH\_670.5MHz\_RB\_75\_0\_NTNV




Band71\_15MHz\_QPSK\_MCH\_680.5MHz\_RB\_75\_0\_NTNV




Band71\_15MHz\_QPSK\_HCH\_690.5MHz\_RB\_75\_0\_NTNV




Band71\_15MHz\_16QAM\_LCH\_670.5MHz\_RB\_75\_0\_NTNV



Band71\_15MHz\_16QAM\_MCH\_680.5MHz\_RB\_75\_0\_NTNV




Band71\_15MHz\_16QAM\_HCH\_690.5MHz\_RB\_75\_0\_NTNV







Band71\_20MHz\_QPSK\_LCH\_673MHz\_RB\_100\_0\_NTNV




Band71\_20MHz\_QPSK\_MCH\_683MHz\_RB\_100\_0\_NTNV




Band71\_20MHz\_QPSK\_HCH\_688MHz\_RB\_100\_0\_NTNV




Band71\_20MHz\_16QAM\_LCH\_673MHz\_RB\_100\_0\_NTNV



Band71\_20MHz\_16QAM\_MCH\_683MHz\_RB\_100\_0\_NTNV



Band71\_20MHz\_16QAM\_HCH\_688MHz\_RB\_100\_0\_NTNV





## 5. Peak-Average Ratio

### 5.1 Test Result

#### 5.1.1 B71\_5MHz

Band: 71 / Bandwidth: 5MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	665.5	25	0	5.35	<=13	Pass
	680.5	25	0	5.53	<=13	Pass
	695.5	25	0	5.51	<=13	Pass
16QAM	665.5	25	0	6.06	<=13	Pass
	680.5	25	0	6.13	<=13	Pass
	695.5	25	0	6.10	<=13	Pass

#### 5.1.2 B71\_10MHz

Band: 71 / Bandwidth: 10MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	668	50	0	5.30	<=13	Pass
	680.5	50	0	5.42	<=13	Pass
	693	50	0	5.56	<=13	Pass
16QAM	668	50	0	8.08	<=13	Pass
	680.5	50	0	6.11	<=13	Pass
	693	50	0	6.23	<=13	Pass

#### 5.1.3 B71\_15MHz



Band: 71 / Bandwidth: 15MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	670.5	75	0	5.64	<=13	Pass
	680.5	75	0	5.75	<=13	Pass
	690.5	75	0	5.84	<=13	Pass
16QAM	670.5	75	0	6.09	<=13	Pass
	680.5	75	0	6.17	<=13	Pass
	690.5	75	0	6.24	<=13	Pass

#### 5.1.4 B71\_20MHz


Band: 71 / Bandwidth: 20MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	673	100	0	5.50	<=13	Pass
	683	100	0	5.38	<=13	Pass
	688	100	0	5.55	<=13	Pass
16QAM	673	100	0	6.18	<=13	Pass
	683	100	0	6.12	<=13	Pass
	688	100	0	6.16	<=13	Pass

## 5.2 Test Graph

### 5.2.1 B71\_5MHz




Band71\_5MHz\_QPSK\_HCH\_695.5MHz\_RB\_25\_0\_NTNV




2024-08-02 21:45:27

Band71\_5MHz\_16QAM\_LCH\_665.5MHz\_RB\_25\_0\_NTNV




2024-08-02 21:44:39

Band71\_5MHz\_16QAM\_MCH\_680.5MHz\_RB\_25\_0\_NTNV



2024-08-02 21:45:12


Band71\_5MHz\_16QAM\_HCH\_695.5MHz\_RB\_25\_0\_NTNV



2024-08-02 21:45:42


### 5.2.2 B71\_10MHz

Band71\_10MHz\_QPSK\_LCH\_668MHz\_RB\_50\_0\_NTNV




2024-08-02 21:46:26

Band71\_10MHz\_QPSK\_MCH\_680.5MHz\_RB\_50\_0\_NTNV




2024-08-02 21:52:40

Band71\_10MHz\_QPSK\_HCH\_693MHz\_RB\_50\_0\_NTNV




2024-08-02 21:53:14

Band71\_10MHz\_16QAM\_LCH\_668MHz\_RB\_50\_0\_NTNV




2024-08-02 21:46:42

Band71\_10MHz\_16QAM\_MCH\_680.5MHz\_RB\_50\_0\_NTNV





2024-08-02 21:52:55

Band71\_10MHz\_16QAM\_HCH\_693MHz\_RB\_50\_0\_NTNV




2024-08-02 21:53:31

### 5.2.3 B71\_15MHz






Band71\_15MHz\_QPSK\_HCH\_690.5MHz\_RB\_75\_0\_NTNV




2024-08-02 21:55:14

Band71\_15MHz\_16QAM\_LCH\_670.5MHz\_RB\_75\_0\_NTNV




2024-08-02 21:54:27

Band71\_15MHz\_16QAM\_MCH\_680.5MHz\_RB\_75\_0\_NTNV





2024-08-02 21:54:57

Band71\_15MHz\_16QAM\_HCH\_690.5MHz\_RB\_75\_0\_NTNV




2024-08-02 21:55:29

### 5.2.4 B71\_20MHz




Band71\_20MHz\_QPSK\_HCH\_688MHz\_RB\_100\_0\_NTNV




2024-08-02 21:57:42

Band71\_20MHz\_16QAM\_LCH\_673MHz\_RB\_100\_0\_NTNV




2024-08-02 21:58:54

Band71\_20MHz\_16QAM\_MCH\_683MHz\_RB\_100\_0\_NTNV



2024-08-02 21:57:24

Band71\_20MHz\_16QAM\_HCH\_688MHz\_RB\_100\_0\_NTNV



2024-08-02 21:57:58

## 6. Spurious Emission

### 6.1 Test Result

#### 6.1.1 B71\_5MHz

Band: 71 / Bandwidth: 5MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	665.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	695.5	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
25	0	Refer To Test Graph		Pass		
16QAM	665.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	695.5	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
25	0	Refer To Test Graph		Pass		

#### 6.1.2 B71\_10MHz

Band: 71 / Bandwidth: 10MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	668	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	693	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
50	0	Refer To Test Graph		Pass		
16QAM	668	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	693	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
50	0	Refer To Test Graph		Pass		

#### 6.1.3 B71\_15MHz

Band: 71 / Bandwidth: 15MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	670.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	690.5	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
75	0	Refer To Test Graph		Pass		
16QAM	670.5	1	0	Refer To Test Graph		Pass

		75	0	Refer To Test Graph	Pass
	680.5	1	0	Refer To Test Graph	Pass
	690.5	1	0	Refer To Test Graph	Pass
			74	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass



#### 6.1.4 B71\_20MHz

Band: 71 / Bandwidth: 20MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	673	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	688	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
			0	Refer To Test Graph		Pass
16QAM	673	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	688	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
			0	Refer To Test Graph		Pass




## 6.2 Test Graph

### 6.2.1 B71\_5MHz




Band71\_5MHz\_QPSK\_LCH\_665.5MHz\_RB\_25\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
658	662	0.1	CHP	1	661.790	-36.50	-13	Pass
662	663	0.056	/	2	662.990	-28.19	-13	Pass
663	668	0.056	/	/	/	/	/	/


Band71\_5MHz\_QPSK\_MCH\_680.5MHz\_RB\_1\_0\_NTNV



Band71\_5MHz\_QPSK\_HCH\_695.5MHz\_RB\_1\_0\_NTNV




Band71\_5MHz\_QPSK\_HCH\_695.5MHz\_RB\_1\_24\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
693	698	0.003	/	/	/	/	/	/
698	699	0.003	/	1	698.009	-26.66	-13	Pass
699	703	0.1	CHP	2	699.803	-38.83	-13	Pass

Band71\_5MHz\_QPSK\_HCH\_695.5MHz\_RB\_25\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
693	698	0.056	/	/	/	/	/	/
698	699	0.056	/	1	698.030	-27.28	-13	Pass
699	703	0.1	CHP	2	699.020	-32.78	-13	Pass

Band71\_5MHz\_16QAM\_LCH\_665.5MHz\_RB\_1\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
658	662	0.1	CHP	1	661.165	-41.47	-13	Pass
662	663	0.003	/	2	662.986	-29.23	-13	Pass
663	668	0.003	/	/	/	/	/	/

Band71\_5MHz\_16QAM\_LCH\_665.5MHz\_RB\_1\_0\_NTNV




Band71\_5MHz\_16QAM\_LCH\_665.5MHz\_RB\_25\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
658	662	0.1	CHP	1	661.730	-37.05	-13	Pass
662	663	0.056	/	2	662.980	-29.59	-13	Pass
663	668	0.056	/	/	/	/	/	/




Band71\_5MHz\_16QAM\_MCH\_680.5MHz\_RB\_1\_0\_NTNV



Band71\_5MHz\_16QAM\_HCH\_695.5MHz\_RB\_1\_0\_NTNV




Band71\_5MHz\_16QAM\_HCH\_695.5MHz\_RB\_1\_24\_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
693	698	0.003	/	/	/	/	/	/
698	699	0.003	/	1	698.003	-27.38	-13	Pass
699	703	0.1	CHP	2	699.830	-39.74	-13	Pass

2024-08-03 11:18:20

Band71\_5MHz\_16QAM\_HCH\_695.5MHz\_RB\_25\_0\_NTNV





Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
693	698	0.056	/	/	/	/	/	/
698	699	0.056	/	1	698.010	-26.46	-13	Pass
699	703	0.1	CHP	2	699.070	-33.37	-13	Pass


2024-08-03 11:18:26



### 6.2.2 B71\_10MHz




Band71\_10MHz\_QPSK\_LCH\_668MHz\_RB\_50\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
653	662	0.1	/	1	662.000	-37.39	-13	Pass
662	663	0.102	/	2	662.880	-32.15	-13	Pass
663	673	0.102	/	/	/	/	/	/


Band71\_10MHz\_QPSK\_MCH\_680.5MHz\_RB\_1\_0\_NTNV



Band71\_10MHz\_QPSK\_HCH\_693MHz\_RB\_1\_0\_NTNV




Band71\_10MHz\_QPSK\_HCH\_693MHz\_RB\_1\_49\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
688	698	0.003	/	/	/	/	/	/
698	699	0.003	/	1	698.010	-31.53	-13	Pass
699	708	0.1	CHP	2	701.835	-39.40	-13	Pass

Band71\_10MHz\_QPSK\_HCH\_693MHz\_RB\_50\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
688	698	0.103	/	/	/	/	/	/
698	699	0.103	/	1	698.060	-30.16	-13	Pass
699	708	0.1	/	2	700.240	-34.79	-13	Pass

Band71\_10MHz\_16QAM\_LCH\_668MHz\_RB\_1\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
653	662	0.1	CHP	1	659.158	-43.26	-13	Pass
662	663	0.003	/	2	662.985	-32.74	-13	Pass
663	673	0.003	/	/	/	/	/	/

Band71\_10MHz\_16QAM\_LCH\_668MHz\_RB\_1\_0\_NTNV




Band71\_10MHz\_16QAM\_LCH\_668MHz\_RB\_50\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
653	662	0.1	/	1	661.580	-38.67	-13	Pass
662	663	0.102	/	2	662.980	-32.85	-13	Pass
663	673	0.102	/	/	/	/	/	/




Band71\_10MHz\_16QAM\_MCH\_680.5MHz\_RB\_1\_0\_NTNV



Band71\_10MHz\_16QAM\_HCH\_693MHz\_RB\_1\_0\_NTNV




Band71\_10MHz\_16QAM\_HCH\_693MHz\_RB\_1\_49\_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
688	698	0.003	/	/	/	/	/	/
698	699	0.003	/	1	698.015	-31.05	-13	Pass
699	708	0.1	CHP	2	701.788	-40.53	-13	Pass

2024-08-03 11:24:00

Band71\_10MHz\_16QAM\_HCH\_693MHz\_RB\_50\_0\_NTNV





Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
688	698	0.104	/	/	/	/	/	/
698	699	0.104	/	1	698.200	-31.84	-13	Pass
699	708	0.1	/	2	699.800	-34.99	-13	Pass


2024-08-03 11:24:06



### 6.2.3 B71\_15MHz




Band71\_15MHz\_QPSK\_LCH\_670.5MHz\_RB\_75\_0\_NTNV



2024-08-03 11:25:26


Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
648	662	0.1	/	1	661.560	-38.07	-13	Pass
662	663	0.152	/	2	662.850	-34.75	-13	Pass
663	678	0.152	/	/	/	/	/	/

Band71\_15MHz\_QPSK\_MCH\_680.5MHz\_RB\_1\_0\_NTNV




2024-09-09 11:27:07

Band71\_15MHz\_QPSK\_HCH\_690.5MHz\_RB\_1\_0\_NTNV




Band71\_15MHz\_QPSK\_HCH\_690.5MHz\_RB\_1\_74\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
683	698	0.003	/	/	/	/	/	/
698	699	0.003	/	1	698.008	-35.82	-13	Pass
699	713	0.1	CHP	2	703.820	-39.57	-13	Pass

Band71\_15MHz\_QPSK\_HCH\_690.5MHz\_RB\_75\_0\_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
683	698	0.155	/	/	/	/	/	/
698	699	0.155	/	1	698.120	-33.91	-13	Pass
699	713	0.1	/	2	700.070	-34.76	-13	Pass


Band71\_15MHz\_16QAM\_LCH\_670.5MHz\_RB\_1\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
648	662	0.1	CHP	1	657.195	-44.20	-13	Pass
662	663	0.003	/	2	662.992	-37.43	-13	Pass
663	678	0.003	/	/	/	/	/	/



Band71\_15MHz\_16QAM\_LCH\_670.5MHz\_RB\_1\_0\_NTNV




Band71\_15MHz\_16QAM\_LCH\_670.5MHz\_RB\_75\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
648	662	0.1	/	1	660.300	-39.50	-13	Pass
662	663	0.153	/	2	662.880	-35.08	-13	Pass
663	678	0.153	/	/	/	/	/	/


Band71\_15MHz\_16QAM\_MCH\_680.5MHz\_RB\_1\_0\_NTNV



Band71\_15MHz\_16QAM\_HCH\_690.5MHz\_RB\_1\_0\_NTNV




Band71\_15MHz\_16QAM\_HCH\_690.5MHz\_RB\_1\_74\_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
683	698	0.003	/	/	/	/	/	/
698	699	0.003	/	1	698.015	-34.87	-13	Pass
699	713	0.1	CHP	2	703.805	-40.30	-13	Pass



Band71\_15MHz\_16QAM\_HCH\_690.5MHz\_RB\_75\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
683	698	0.152	/	/	/	/	/	/
698	699	0.152	/	1	698.030	-36.30	-13	Pass
699	713	0.1	/	2	700.610	-36.60	-13	Pass



### 6.2.4 B71\_20MHz




Band71\_20MHz\_QPSK\_LCH\_673MHz\_RB\_100\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
643	662	0.1	/	1	662.000	-40.30	-13	Pass
662	663	0.201	/	2	662.840	-36.98	-13	Pass
663	683	0.201	/	/	/	/	/	/


Band71\_20MHz\_QPSK\_MCH\_683MHz\_RB\_1\_0\_NTNV



Band71\_20MHz\_QPSK\_HCH\_688MHz\_RB\_1\_0\_NTNV




Band71\_20MHz\_QPSK\_HCH\_688MHz\_RB\_1\_99\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
678	698	0.003	/	/	/	/	/	/
698	699	0.003	/	1	698.015	-39.24	-13	Pass
699	718	0.1	CHP	2	705.815	-41.26	-13	Pass

Band71\_20MHz\_QPSK\_HCH\_688MHz\_RB\_100\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
678	698	0.201	/	/	/	/	/	/
698	699	0.201	/	1	698.120	-36.61	-13	Pass
699	718	0.1	/	2	699.400	-37.85	-13	Pass

Band71\_20MHz\_16QAM\_LCH\_673MHz\_RB\_1\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
643	662	0.1	CHP	1	661.945	-47.59	-13	Pass
662	663	0.003	/	2	662.995	-39.33	-13	Pass
663	683	0.003	/	/	/	/	/	/

Band71\_20MHz\_16QAM\_LCH\_673MHz\_RB\_1\_0\_NTNV




Band71\_20MHz\_16QAM\_LCH\_673MHz\_RB\_100\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
643	662	0.1	/	1	661.880	-39.89	-13	Pass
662	663	0.201	/	2	662.880	-37.82	-13	Pass
663	683	0.201	/	/	/	/	/	/




Band71\_20MHz\_16QAM\_MCH\_683MHz\_RB\_1\_0\_NTNV



Band71\_20MHz\_16QAM\_HCH\_688MHz\_RB\_1\_0\_NTNV




Band71\_20MHz\_16QAM\_HCH\_688MHz\_RB\_1\_99\_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
678	698	0.003	/	/	/	/	/	/
698	699	0.003	/	1	698.005	-38.57	-13	Pass
699	718	0.1	CHP	2	705.815	-42.12	-13	Pass

2024-08-03 11:34:12

Band71\_20MHz\_16QAM\_HCH\_688MHz\_RB\_100\_0\_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
678	698	0.2	/	/	/	/	/	/
698	699	0.2	/	1	698.120	-38.12	-13	Pass
699	718	0.1	/	2	700.120	-39.18	-13	Pass

2024-08-03 11:34:19



## 7. Form731

### 7.1 Test Result

#### 7.1.1 Form731\_Power

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
71	5	665.5	695.5	0.1589	0.0169	ppm	4M59G7D	27N	22.01
71	5	665.5	695.5	0.1318	0.0139	ppm	4M58W7D	27N	21.20
71	10	668	693	0.1652	0.0152	ppm	9M10G7D	27N	22.18
71	10	668	693	0.1514	0.0174	ppm	9M10W7D	27N	21.80
71	15	670.5	690.5	0.1556	0.0134	ppm	13M6G7D	27N	21.92
71	15	670.5	690.5	0.1429	0.0165	ppm	13M6W7D	27N	21.55
71	20	673	688	0.1637	0.0151	ppm	18M1G7D	27N	22.14
71	20	673	688	0.1459	0.0169	ppm	18M1W7D	27N	21.64

#### 7.1.2 Form731\_ERP

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
71	5	665.5	695.5	0.0594	0.0169	ppm	4M59G7D	27N	17.74
71	5	665.5	695.5	0.0493	0.0139	ppm	4M58W7D	27N	16.93
71	10	668	693	0.0618	0.0152	ppm	9M10G7D	27N	17.91
71	10	668	693	0.0566	0.0174	ppm	9M10W7D	27N	17.53
71	15	670.5	690.5	0.0582	0.0134	ppm	13M6G7D	27N	17.65
71	15	670.5	690.5	0.0535	0.0165	ppm	13M6W7D	27N	17.28
71	20	673	688	0.0612	0.0151	ppm	18M1G7D	27N	17.87
71	20	673	688	0.0546	0.0169	ppm	18M1W7D	27N	17.37