

## 1. Effective (Isotropic) Radiated Power Output Data

### 1.1 Test Result

#### 1.1.1 B17\_5MHz\_ERP

Band: 17 / Bandwidth: 5MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	706.5	1	0	21.78	-1.83	17.80	<=34.77	Pass		
			13	21.76	-1.83	17.78	<=34.77	Pass		
			24	21.70	-1.83	17.72	<=34.77	Pass		
		12	0	20.85	-1.83	16.87	<=34.77	Pass		
			6	20.83	-1.83	16.85	<=34.77	Pass		
			13	20.82	-1.83	16.84	<=34.77	Pass		
		25	0	20.84	-1.83	16.86	<=34.77	Pass		
		710	1	0	21.65	-1.83	17.67	<=34.77	Pass	
				13	21.74	-1.83	17.76	<=34.77	Pass	
	24			21.70	-1.83	17.72	<=34.77	Pass		
	12		0	20.70	-1.83	16.72	<=34.77	Pass		
			6	20.83	-1.83	16.85	<=34.77	Pass		
			13	20.74	-1.83	16.76	<=34.77	Pass		
	25	0	20.77	-1.83	16.79	<=34.77	Pass			
	713.5	1	0	21.68	-1.83	17.70	<=34.77	Pass		
			13	21.65	-1.83	17.67	<=34.77	Pass		
			24	21.65	-1.83	17.67	<=34.77	Pass		
		12	0	20.77	-1.83	16.79	<=34.77	Pass		
			6	20.71	-1.83	16.73	<=34.77	Pass		
			13	20.68	-1.83	16.70	<=34.77	Pass		
		25	0	20.73	-1.83	16.75	<=34.77	Pass		
		16QAM	706.5	1	0	20.25	-1.83	16.27	<=34.77	Pass
					13	20.14	-1.83	16.16	<=34.77	Pass
	24				20.12	-1.83	16.14	<=34.77	Pass	
12	0			19.82	-1.83	15.84	<=34.77	Pass		
	6			19.85	-1.83	15.87	<=34.77	Pass		
	13			19.81	-1.83	15.83	<=34.77	Pass		
25	0			19.78	-1.83	15.80	<=34.77	Pass		
710	1			0	20.36	-1.83	16.38	<=34.77	Pass	
				13	20.40	-1.83	16.42	<=34.77	Pass	
			24	20.33	-1.83	16.35	<=34.77	Pass		
	12		0	19.67	-1.83	15.69	<=34.77	Pass		
			6	19.68	-1.83	15.70	<=34.77	Pass		
			13	19.59	-1.83	15.61	<=34.77	Pass		
25	0		19.73	-1.83	15.75	<=34.77	Pass			
713.5	1		0	20.60	-1.83	16.62	<=34.77	Pass		
			13	20.54	-1.83	16.56	<=34.77	Pass		
			24	20.52	-1.83	16.54	<=34.77	Pass		
	12		0	19.86	-1.83	15.88	<=34.77	Pass		
			6	19.84	-1.83	15.86	<=34.77	Pass		
			13	19.80	-1.83	15.82	<=34.77	Pass		
	25		0	19.75	-1.83	15.77	<=34.77	Pass		

Note1: ERP=Conducted Power+Antenna Gain-2.15

#### 1.1.2 B17\_10MHz\_ERP

Band: 17 / Bandwidth: 10MHz / NTNV								
------------------------------------	--	--	--	--	--	--	--	--

Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	709	1	0	21.93	-1.83	17.95	<=34.77	Pass		
			25	21.90	-1.83	17.92	<=34.77	Pass		
			49	21.91	-1.83	17.93	<=34.77	Pass		
		25	0	20.80	-1.83	16.82	<=34.77	Pass		
			13	20.82	-1.83	16.84	<=34.77	Pass		
			25	20.85	-1.83	16.87	<=34.77	Pass		
		50	0	20.78	-1.83	16.80	<=34.77	Pass		
		710	1	0	21.75	-1.83	17.77	<=34.77	Pass	
				25	21.77	-1.83	17.79	<=34.77	Pass	
	49			21.66	-1.83	17.68	<=34.77	Pass		
	25		0	20.76	-1.83	16.78	<=34.77	Pass		
			13	20.81	-1.83	16.83	<=34.77	Pass		
			25	20.74	-1.83	16.76	<=34.77	Pass		
	50		0	20.84	-1.83	16.86	<=34.77	Pass		
	711		1	0	21.81	-1.83	17.83	<=34.77	Pass	
				25	21.82	-1.83	17.84	<=34.77	Pass	
		49		21.70	-1.83	17.72	<=34.77	Pass		
		25	0	20.73	-1.83	16.75	<=34.77	Pass		
			13	20.78	-1.83	16.80	<=34.77	Pass		
			25	20.74	-1.83	16.76	<=34.77	Pass		
		50	0	20.81	-1.83	16.83	<=34.77	Pass		
		16QAM	709	1	0	20.52	-1.83	16.54	<=34.77	Pass
					25	20.46	-1.83	16.48	<=34.77	Pass
	49				20.45	-1.83	16.47	<=34.77	Pass	
25	0			19.91	-1.83	15.93	<=34.77	Pass		
	13			19.87	-1.83	15.89	<=34.77	Pass		
	25			19.90	-1.83	15.92	<=34.77	Pass		
50	0			19.80	-1.83	15.82	<=34.77	Pass		
710	1			0	21.07	-1.83	17.09	<=34.77	Pass	
				25	21.17	-1.83	17.19	<=34.77	Pass	
			49	21.05	-1.83	17.07	<=34.77	Pass		
	25		0	19.81	-1.83	15.83	<=34.77	Pass		
			13	19.84	-1.83	15.86	<=34.77	Pass		
			25	19.80	-1.83	15.82	<=34.77	Pass		
	50		0	19.89	-1.83	15.91	<=34.77	Pass		
	711		1	0	21.00	-1.83	17.02	<=34.77	Pass	
				25	21.03	-1.83	17.05	<=34.77	Pass	
49				20.89	-1.83	16.91	<=34.77	Pass		
25			0	19.81	-1.83	15.83	<=34.77	Pass		
			13	19.87	-1.83	15.89	<=34.77	Pass		
			25	19.76	-1.83	15.78	<=34.77	Pass		
50			0	19.88	-1.83	15.90	<=34.77	Pass		

Note1: ERP=Conducted Power+Antenna Gain-2.15

## 2. Frequency Stability

### 2.1 Test Result

#### 2.1.1 B17\_5MHz

Band: 17 / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	706.5	25	0	20	3.27	0.515	0.0007	-2.5 to 2.5	Pass

16QAM	710	25	0		3.85	-0.300	-0.0004	-2.5 to 2.5	Pass
					4.43	0.229	0.0003	-2.5 to 2.5	Pass
				-30	3.85	0.229	0.0003	-2.5 to 2.5	Pass
				-20	3.85	-0.072	-0.0001	-2.5 to 2.5	Pass
				-10	3.85	-0.544	-0.0008	-2.5 to 2.5	Pass
				0	3.85	-0.386	-0.0005	-2.5 to 2.5	Pass
				10	3.85	-0.358	-0.0005	-2.5 to 2.5	Pass
				30	3.85	-0.629	-0.0009	-2.5 to 2.5	Pass
				40	3.85	-0.372	-0.0005	-2.5 to 2.5	Pass
				50	3.85	-0.515	-0.0007	-2.5 to 2.5	Pass
	710	25	0	20	3.27	-0.401	-0.0006	-2.5 to 2.5	Pass
					3.85	-0.157	-0.0002	-2.5 to 2.5	Pass
					4.43	-0.415	-0.0006	-2.5 to 2.5	Pass
				-30	3.85	-0.844	-0.0012	-2.5 to 2.5	Pass
				-20	3.85	-0.243	-0.0003	-2.5 to 2.5	Pass
				-10	3.85	-0.029	0.0000	-2.5 to 2.5	Pass
				0	3.85	-0.801	-0.0011	-2.5 to 2.5	Pass
				10	3.85	-0.372	-0.0005	-2.5 to 2.5	Pass
				30	3.85	0.043	0.0001	-2.5 to 2.5	Pass
				40	3.85	-0.229	-0.0003	-2.5 to 2.5	Pass
	50	3.85	-0.644	-0.0009	-2.5 to 2.5	Pass			
	713.5	25	0	20	3.27	0.272	0.0004	-2.5 to 2.5	Pass
					3.85	-0.401	-0.0006	-2.5 to 2.5	Pass
					4.43	-0.358	-0.0005	-2.5 to 2.5	Pass
				-30	3.85	-0.100	-0.0001	-2.5 to 2.5	Pass
				-20	3.85	-0.372	-0.0005	-2.5 to 2.5	Pass
				-10	3.85	-0.644	-0.0009	-2.5 to 2.5	Pass
				0	3.85	-0.114	-0.0002	-2.5 to 2.5	Pass
10				3.85	-0.329	-0.0005	-2.5 to 2.5	Pass	
30				3.85	-0.172	-0.0002	-2.5 to 2.5	Pass	
40				3.85	0.086	0.0001	-2.5 to 2.5	Pass	
50	3.85	0.014	0.0000	-2.5 to 2.5	Pass				
16QAM	706.5	25	0	20	3.27	-0.458	-0.0006	-2.5 to 2.5	Pass
					3.85	-0.401	-0.0006	-2.5 to 2.5	Pass
					4.43	-0.243	-0.0003	-2.5 to 2.5	Pass
				-30	3.85	-0.129	-0.0002	-2.5 to 2.5	Pass
				-20	3.85	-0.286	-0.0004	-2.5 to 2.5	Pass
				-10	3.85	-0.215	-0.0003	-2.5 to 2.5	Pass
				0	3.85	-0.443	-0.0006	-2.5 to 2.5	Pass
				10	3.85	-0.401	-0.0006	-2.5 to 2.5	Pass
				30	3.85	-0.730	-0.0010	-2.5 to 2.5	Pass
				40	3.85	-0.672	-0.0010	-2.5 to 2.5	Pass
	50	3.85	-0.587	-0.0008	-2.5 to 2.5	Pass			
	710	25	0	20	3.27	-0.529	-0.0007	-2.5 to 2.5	Pass
					3.85	-0.572	-0.0008	-2.5 to 2.5	Pass
					4.43	-0.257	-0.0004	-2.5 to 2.5	Pass
				-30	3.85	-0.029	0.0000	-2.5 to 2.5	Pass
				-20	3.85	-0.601	-0.0008	-2.5 to 2.5	Pass
				-10	3.85	-0.057	-0.0001	-2.5 to 2.5	Pass
				0	3.85	-0.486	-0.0007	-2.5 to 2.5	Pass
				10	3.85	-0.200	-0.0003	-2.5 to 2.5	Pass
				30	3.85	-0.372	-0.0005	-2.5 to 2.5	Pass
				40	3.85	-0.215	-0.0003	-2.5 to 2.5	Pass
	50	3.85	0.086	0.0001	-2.5 to 2.5	Pass			
	713.5	25	0	20	3.27	-0.043	-0.0001	-2.5 to 2.5	Pass
					3.85	-0.100	-0.0001	-2.5 to 2.5	Pass
					4.43	-0.315	-0.0004	-2.5 to 2.5	Pass
				-30	3.85	0.429	0.0006	-2.5 to 2.5	Pass
				-20	3.85	-0.486	-0.0007	-2.5 to 2.5	Pass

				-10	3.85	0.215	0.0003	-2.5 to 2.5	Pass
				0	3.85	-0.987	-0.0014	-2.5 to 2.5	Pass
				10	3.85	-0.615	-0.0009	-2.5 to 2.5	Pass
				30	3.85	-0.558	-0.0008	-2.5 to 2.5	Pass
				40	3.85	-0.343	-0.0005	-2.5 to 2.5	Pass
				50	3.85	-0.658	-0.0009	-2.5 to 2.5	Pass

## 2.1.2 B17\_10MHz

Band: 17 / Bandwidth: 10MHz													
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict				
		Size	Offset				Result	Limit					
QPSK	709	50	0	20	3.27	-1.059	-0.0015	-2.5 to 2.5	Pass				
					3.85	-0.229	-0.0003	-2.5 to 2.5	Pass				
					4.43	-0.715	-0.0010	-2.5 to 2.5	Pass				
								-30	3.85	-1.016	-0.0014	-2.5 to 2.5	Pass
								-20	3.85	-0.615	-0.0009	-2.5 to 2.5	Pass
								-10	3.85	-0.358	-0.0005	-2.5 to 2.5	Pass
								0	3.85	-0.930	-0.0013	-2.5 to 2.5	Pass
								10	3.85	-1.001	-0.0014	-2.5 to 2.5	Pass
								30	3.85	-0.958	-0.0014	-2.5 to 2.5	Pass
					40	3.85	-0.873	-0.0012	-2.5 to 2.5	Pass			
					50	3.85	-0.286	-0.0004	-2.5 to 2.5	Pass			
		710	50	0	20	3.27	-0.544	-0.0008	-2.5 to 2.5	Pass			
	3.85					-0.544	-0.0008	-2.5 to 2.5	Pass				
	4.43					0.043	0.0001	-2.5 to 2.5	Pass				
								-30	3.85	-0.129	-0.0002	-2.5 to 2.5	Pass
								-20	3.85	0.200	0.0003	-2.5 to 2.5	Pass
								-10	3.85	-0.014	0.0000	-2.5 to 2.5	Pass
								0	3.85	-0.172	-0.0002	-2.5 to 2.5	Pass
								10	3.85	-0.029	0.0000	-2.5 to 2.5	Pass
								30	3.85	-0.429	-0.0006	-2.5 to 2.5	Pass
					40	3.85	-0.086	-0.0001	-2.5 to 2.5	Pass			
					50	3.85	0.014	0.0000	-2.5 to 2.5	Pass			
		711	50	0	20	3.27	-0.772	-0.0011	-2.5 to 2.5	Pass			
	3.85					-0.415	-0.0006	-2.5 to 2.5	Pass				
	4.43					0.172	0.0002	-2.5 to 2.5	Pass				
								-30	3.85	-0.343	-0.0005	-2.5 to 2.5	Pass
								-20	3.85	-0.587	-0.0008	-2.5 to 2.5	Pass
							-10	3.85	-0.029	0.0000	-2.5 to 2.5	Pass	
							0	3.85	0.257	0.0004	-2.5 to 2.5	Pass	
							10	3.85	0.029	0.0000	-2.5 to 2.5	Pass	
							30	3.85	-0.472	-0.0007	-2.5 to 2.5	Pass	
				40	3.85	0.072	0.0001	-2.5 to 2.5	Pass				
				50	3.85	-0.515	-0.0007	-2.5 to 2.5	Pass				
16QAM	709	50	0	20	3.27	0.186	0.0003	-2.5 to 2.5	Pass				
					3.85	0.100	0.0001	-2.5 to 2.5	Pass				
					4.43	-0.200	-0.0003	-2.5 to 2.5	Pass				
								-30	3.85	-0.157	-0.0002	-2.5 to 2.5	Pass
								-20	3.85	-0.272	-0.0004	-2.5 to 2.5	Pass
								-10	3.85	0.129	0.0002	-2.5 to 2.5	Pass
								0	3.85	-0.286	-0.0004	-2.5 to 2.5	Pass
								10	3.85	-0.501	-0.0007	-2.5 to 2.5	Pass
								30	3.85	-0.229	-0.0003	-2.5 to 2.5	Pass
					40	3.85	-0.486	-0.0007	-2.5 to 2.5	Pass			
					50	3.85	0.000	0.0000	-2.5 to 2.5	Pass			
		710	50	0	20	3.27	-1.144	-0.0016	-2.5 to 2.5	Pass			

					3.85	-0.701	-0.0010	-2.5 to 2.5	Pass	
					4.43	-0.429	-0.0006	-2.5 to 2.5	Pass	
				-30	3.85	-0.730	-0.0010	-2.5 to 2.5	Pass	
				-20	3.85	-0.758	-0.0011	-2.5 to 2.5	Pass	
				-10	3.85	-0.815	-0.0011	-2.5 to 2.5	Pass	
				0	3.85	-0.672	-0.0009	-2.5 to 2.5	Pass	
				10	3.85	-1.044	-0.0015	-2.5 to 2.5	Pass	
				30	3.85	-0.815	-0.0011	-2.5 to 2.5	Pass	
				40	3.85	-1.330	-0.0019	-2.5 to 2.5	Pass	
	50	3.85	-0.815	-0.0011	-2.5 to 2.5	Pass				
	711	50	0	20		3.27	0.415	0.0006	-2.5 to 2.5	Pass
						3.85	-0.429	-0.0006	-2.5 to 2.5	Pass
						4.43	-0.458	-0.0006	-2.5 to 2.5	Pass
					-30	3.85	-0.687	-0.0010	-2.5 to 2.5	Pass
					-20	3.85	-1.044	-0.0015	-2.5 to 2.5	Pass
					-10	3.85	-0.744	-0.0010	-2.5 to 2.5	Pass
					0	3.85	-0.472	-0.0007	-2.5 to 2.5	Pass
					10	3.85	-0.329	-0.0005	-2.5 to 2.5	Pass
				30	3.85	-0.386	-0.0005	-2.5 to 2.5	Pass	
	40	3.85	-0.901	-0.0013	-2.5 to 2.5	Pass				
	50	3.85	-0.343	-0.0005	-2.5 to 2.5	Pass				

### 3. Modulation Characteristics

#### 3.1 Test Result

##### 3.1.1 B17\_5MHz


Band: 17 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	710	25	0	Refer To Test Graph		Pass
16QAM	710	25	0	Refer To Test Graph		Pass

##### 3.1.2 B17\_10MHz



Band: 17 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	710	50	0	Refer To Test Graph		Pass
16QAM	710	50	0	Refer To Test Graph		Pass

### 3.2 Test Graph

#### 3.2.1 B17\_5MHz



3.2.2 B17\_10MHz



## 4. 99% & 26dB Bandwidth

### 4.1 Test Result

#### 4.1.1 Band17\_OBW

Band: 17 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	706.5	25	0	4.548	/	Pass
		710	25	0	4.573	/	Pass
		713.5	25	0	4.543	/	Pass
	16QAM	706.5	25	0	4.573	/	Pass
		710	25	0	4.527	/	Pass
		713.5	25	0	4.571	/	Pass
10	QPSK	709	50	0	9.054	/	Pass
		710	50	0	9.026	/	Pass
		711	50	0	9.055	/	Pass
	16QAM	709	50	0	9.067	/	Pass
		710	50	0	9.061	/	Pass
		711	50	0	9.085	/	Pass


#### 4.1.2 Band17\_XDB

Band: 17 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	706.5	25	0	5.074	/	Pass
		710	25	0	5.048	/	Pass
		713.5	25	0	5.061	/	Pass
	16QAM	706.5	25	0	5.073	/	Pass
		710	25	0	5.057	/	Pass
		713.5	25	0	5.089	/	Pass
10	QPSK	709	50	0	10.061	/	Pass
		710	50	0	10.013	/	Pass
		711	50	0	10.041	/	Pass
	16QAM	709	50	0	10.075	/	Pass
		710	50	0	10.110	/	Pass
		711	50	0	10.082	/	Pass




## 4.2 Test Graph


### 4.2.1 Band17\_OBW




Band17\_5MHz\_QPSK\_HCH\_713.5MHz\_RB\_25\_0\_NTNV




Band17\_5MHz\_16QAM\_LCH\_706.5MHz\_RB\_25\_0\_NTNV




Band17\_5MHz\_16QAM\_MCH\_710MHz\_RB\_25\_0\_NTNV




Band17\_5MHz\_16QAM\_HCH\_713.5MHz\_RB\_25\_0\_NTNV




Band17\_10MHz\_QPSK\_LCH\_709MHz\_RB\_50\_0\_NTNV



Band17\_10MHz\_QPSK\_MCH\_710MHz\_RB\_50\_0\_NTNV




Band17\_10MHz\_QPSK\_HCH\_711MHz\_RB\_50\_0\_NTNV




2024-08-29 10:45:34

Band17\_10MHz\_16QAM\_LCH\_709MHz\_RB\_50\_0\_NTNV




2024-08-29 10:44:57



Band17\_10MHz\_16QAM\_MCH\_710MHz\_RB\_50\_0\_NTNV




Band17\_10MHz\_16QAM\_HCH\_711MHz\_RB\_50\_0\_NTNV




4.2.2 Band17\_XDB



Band17\_5MHz\_QPSK\_HCH\_713.5MHz\_RB\_25\_0\_NTNV




Band17\_5MHz\_16QAM\_LCH\_706.5MHz\_RB\_25\_0\_NTNV







Band17\_5MHz\_16QAM\_MCH\_710MHz\_RB\_25\_0\_NTNV




Band17\_5MHz\_16QAM\_HCH\_713.5MHz\_RB\_25\_0\_NTNV




Band17\_10MHz\_QPSK\_LCH\_709MHz\_RB\_50\_0\_NTNV




Band17\_10MHz\_QPSK\_MCH\_710MHz\_RB\_50\_0\_NTNV




Band17\_10MHz\_QPSK\_HCH\_711MHz\_RB\_50\_0\_NTNV




Band17\_10MHz\_16QAM\_LCH\_709MHz\_RB\_50\_0\_NTNV



Band17\_10MHz\_16QAM\_MCH\_710MHz\_RB\_50\_0\_NTNV



Band17\_10MHz\_16QAM\_HCH\_711MHz\_RB\_50\_0\_NTNV



## 5. Peak-Average Ratio

### 5.1 Test Result

#### 5.1.1 B17\_5MHz



Band: 17 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	706.5	25	0	5.56	<=13	Pass
	710	25	0	5.45	<=13	Pass
	713.5	25	0	5.48	<=13	Pass
16QAM	706.5	25	0	6.34	<=13	Pass
	710	25	0	6.14	<=13	Pass
	713.5	25	0	6.22	<=13	Pass

#### 5.1.2 B17\_10MHz


Band: 17 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	709	50	0	5.47	<=13	Pass
	710	50	0	5.43	<=13	Pass
	711	50	0	5.48	<=13	Pass
16QAM	709	50	0	6.23	<=13	Pass
	710	50	0	6.24	<=13	Pass
	711	50	0	6.22	<=13	Pass

## 5.2 Test Graph

### 5.2.1 B17\_5MHz




Band17\_5MHz\_QPSK\_HCH\_713.5MHz\_RB\_25\_0\_NTNV




2024-08-29 13:36:57

Band17\_5MHz\_16QAM\_LCH\_706.5MHz\_RB\_25\_0\_NTNV




2024-08-29 13:36:13

Band17\_5MHz\_16QAM\_MCH\_710MHz\_RB\_25\_0\_NTNV



2024-08-29 13:36:42



Band17\_5MHz\_16QAM\_HCH\_713.5MHz\_RB\_25\_0\_NTNV




2024-08-29 13:37:09



5.2.2 B17\_10MHz




Band17\_10MHz\_QPSK\_HCH\_711MHz\_RB\_50\_0\_NTNV




2024-08-29 13:39:04

Band17\_10MHz\_16QAM\_LCH\_709MHz\_RB\_50\_0\_NTNV




2024-08-29 13:38:10

Band17\_10MHz\_16QAM\_MCH\_710MHz\_RB\_50\_0\_NTNV



2024-08-29 13:38:44

Band17\_10MHz\_16QAM\_HCH\_711MHz\_RB\_50\_0\_NTNV



2024-08-29 13:39:20

## 6. Spurious Emission

### 6.1 Test Result

#### 6.1.1 B17\_5MHz



Band: 17 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	706.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	713.5	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
16QAM	706.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	713.5	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

#### 6.1.2 B17\_10MHz


Band: 17 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	709	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	711	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
16QAM	709	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	711	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass

## 6.2 Test Graph

### 6.2.1 B17\_5MHz




### Band17\_5MHz\_QPSK\_LCH\_706.5MHz\_RB\_25\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
699	703.9	0.1	CHP	1	703.660	-29.73	-13	Pass
703.9	704	0.03	/	2	703.990	-32.88	-13	Pass
704	709	0.03	/	/	/	/	/	/


### Band17\_5MHz\_QPSK\_MCH\_710MHz\_RB\_1\_0\_NTNV



Band17\_5MHz\_QPSK\_HCH\_713.5MHz\_RB\_1\_0\_NTNV




Band17\_5MHz\_QPSK\_HCH\_713.5MHz\_RB\_1\_24\_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
711	716	0.03	/	/	/	/	/	/
716	716.1	0.03	/	1	716.010	-24.41	-13	Pass
716.1	721	0.1	CHP	2	716.110	-40.55	-13	Pass


### Band17\_5MHz\_QPSK\_HCH\_713.5MHz\_RB\_25\_0\_NTNV



2024-08-29 17:35:08

Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
711	716	0.03	/	/	/	/	/	/
716	716.1	0.03	/	1	716.020	-33.53	-13	Pass
716.1	721	0.1	CHP	2	716.300	-30.80	-13	Pass

### Band17\_5MHz\_16QAM\_LCH\_706.5MHz\_RB\_1\_0\_NTNV




2024-08-29 17:34:17

Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
699	703.9	0.1	CHP	1	703.900	-39.42	-13	Pass
703.9	704	0.03	/	2	703.990	-25.41	-13	Pass
704	709	0.03	/	/	/	/	/	/




Band17\_5MHz\_16QAM\_LCH\_706.5MHz\_RB\_1\_0\_NTNV



2024-08-29 17:34:24


Band17\_5MHz\_16QAM\_LCH\_706.5MHz\_RB\_25\_0\_NTNV




2024-08-29 17:34:30

Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
699	703.9	0.1	CHP	1	703.840	-31.25	-13	Pass
703.9	704	0.03	/	2	703.970	-34.61	-13	Pass
704	709	0.03	/	/	/	/	/	/


Band17\_5MHz\_16QAM\_MCH\_710MHz\_RB\_1\_0\_NTNV



Band17\_5MHz\_16QAM\_HCH\_713.5MHz\_RB\_1\_0\_NTNV




Band17\_5MHz\_16QAM\_HCH\_713.5MHz\_RB\_1\_24\_NTNV



2024-08-29 17:35:21

Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
711	716	0.03	/	/	/	/	/	/
716	716.1	0.03	/	1	716.010	-24.90	-13	Pass
716.1	721	0.1	CHP	2	716.160	-43.01	-13	Pass



Band17\_5MHz\_16QAM\_HCH\_713.5MHz\_RB\_25\_0\_NTNV




2024-08-29 17:35:26

Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
711	716	0.03	/	/	/	/	/	/
716	716.1	0.03	/	1	716.050	-35.89	-13	Pass
716.1	721	0.1	CHP	2	716.280	-32.41	-13	Pass

6.2.2 B17\_10MHz




Band17\_10MHz\_QPSK\_LCH\_709MHz\_RB\_50\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
694	703.9	0.1	CHP	1	703.602	-33.89	-13	Pass
703.9	704	0.03	/	2	703.917	-38.43	-13	Pass
704	714	0.03	/	/	/	/	/	/


Band17\_10MHz\_QPSK\_MCH\_710MHz\_RB\_1\_0\_NTNV



Band17\_10MHz\_QPSK\_HCH\_711MHz\_RB\_1\_0\_NTNV




Band17\_10MHz\_QPSK\_HCH\_711MHz\_RB\_1\_49\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
706	716	0.03	/	/	/	/	/	/
716	716.1	0.03	/	1	716.008	-29.25	-13	Pass
716.1	726	0.1	CHP	2	716.158	-36.00	-13	Pass

### Band17\_10MHz\_QPSK\_HCH\_711MHz\_RB\_50\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
706	716	0.03	/	/	/	/	/	/
716	716.1	0.03	/	1	716.008	-37.31	-13	Pass
716.1	726	0.1	CHP	2	716.413	-33.50	-13	Pass

### Band17\_10MHz\_16QAM\_LCH\_709MHz\_RB\_1\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
694	703.9	0.1	CHP	1	703.842	-36.49	-13	Pass
703.9	704	0.03	/	2	703.992	-29.98	-13	Pass
704	714	0.03	/	/	/	/	/	/

Band17\_10MHz\_16QAM\_LCH\_709MHz\_RB\_1\_0\_NTNV




Band17\_10MHz\_16QAM\_LCH\_709MHz\_RB\_50\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
694	703.9	0.1	CHP	1	703.842	-35.09	-13	Pass
703.9	704	0.03	/	2	703.902	-38.33	-13	Pass
704	714	0.03	/	/	/	/	/	/




Band17\_10MHz\_16QAM\_MCH\_710MHz\_RB\_1\_0\_NTNV



Band17\_10MHz\_16QAM\_HCH\_711MHz\_RB\_1\_0\_NTNV




### Band17\_10MHz\_16QAM\_HCH\_711MHz\_RB\_1\_49\_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
706	716	0.03	/	/	/	/	/	/
716	716.1	0.03	/	1	716.023	-30.81	-13	Pass
716.1	726	0.1	CHP	2	716.158	-37.67	-13	Pass

### Band17\_10MHz\_16QAM\_HCH\_711MHz\_RB\_50\_0\_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
706	716	0.03	/	/	/	/	/	/
716	716.1	0.03	/	1	716.008	-38.74	-13	Pass
716.1	726	0.1	CHP	2	716.293	-34.77	-13	Pass

## 7. Form731

### 7.1 Test Result

#### 7.1.1 Form731\_Power

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
17	5	706.5	713.5	0.1507	0.0012	ppm	4M57G7D	27H	21.78
17	5	706.5	713.5	0.1148	0.0014	ppm	4M57W7D	27H	20.60
17	10	709	711	0.1560	0.0015	ppm	9M05G7D	27H	21.93
17	10	709	711	0.1309	0.0019	ppm	9M09W7D	27H	21.17

#### 7.1.2 Form731\_ERP

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
17	5	706.5	713.5	0.0603	0.0012	ppm	4M57G7D	27H	17.80
17	5	706.5	713.5	0.0459	0.0014	ppm	4M57W7D	27H	16.62
17	10	709	711	0.0624	0.0015	ppm	9M05G7D	27H	17.95
17	10	709	711	0.0524	0.0019	ppm	9M09W7D	27H	17.19