

## 1. Effective (Isotropic) Radiated Power Output Data

### 1.1 Test Result

#### 1.1.1 B66\_1.4MHz\_EIRP

Band: 66 / Bandwidth: 1.4MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1710.7	1	0	20.36	0.66	21.02	<=30	Pass		
			2	20.37	0.66	21.03	<=30	Pass		
			5	20.34	0.66	21.00	<=30	Pass		
		3	0	20.86	0.66	21.52	<=30	Pass		
			2	21.02	0.66	21.68	<=30	Pass		
			3	21.01	0.66	21.67	<=30	Pass		
		6	0	19.99	0.66	20.65	<=30	Pass		
		1745	1	0	20.51	0.66	21.17	<=30	Pass	
				2	20.48	0.66	21.14	<=30	Pass	
	5			20.55	0.66	21.21	<=30	Pass		
	3		0	20.57	0.66	21.23	<=30	Pass		
			2	20.53	0.66	21.19	<=30	Pass		
			3	20.55	0.66	21.21	<=30	Pass		
	6		0	19.46	0.66	20.12	<=30	Pass		
	1779.3		1	0	20.98	0.66	21.64	<=30	Pass	
				2	20.97	0.66	21.63	<=30	Pass	
		5		20.87	0.66	21.53	<=30	Pass		
		3	0	20.83	0.66	21.49	<=30	Pass		
			2	20.81	0.66	21.47	<=30	Pass		
			3	20.72	0.66	21.38	<=30	Pass		
		6	0	19.74	0.66	20.40	<=30	Pass		
		16QAM	1710.7	1	0	20.86	0.66	21.52	<=30	Pass
					2	20.44	0.66	21.10	<=30	Pass
	5				20.41	0.66	21.07	<=30	Pass	
3	0			19.44	0.66	20.10	<=30	Pass		
	2			19.48	0.66	20.14	<=30	Pass		
	3			19.43	0.66	20.09	<=30	Pass		
6	0			18.60	0.66	19.26	<=30	Pass		
1745	1			0	19.84	0.66	20.50	<=30	Pass	
				2	19.89	0.66	20.55	<=30	Pass	
			5	19.89	0.66	20.55	<=30	Pass		
	3		0	19.48	0.66	20.14	<=30	Pass		
			2	19.53	0.66	20.19	<=30	Pass		
			3	19.53	0.66	20.19	<=30	Pass		
	6		0	18.76	0.66	19.42	<=30	Pass		
	1779.3		1	0	19.59	0.66	20.25	<=30	Pass	
				2	19.99	0.66	20.65	<=30	Pass	
5				19.62	0.66	20.28	<=30	Pass		
3			0	19.78	0.66	20.44	<=30	Pass		
			2	19.77	0.66	20.43	<=30	Pass		
			3	19.67	0.66	20.33	<=30	Pass		
6			0	19.29	0.66	19.95	<=30	Pass		

Note1: EIRP=Conducted Power+Antenna Gain

#### 1.1.2 B66\_3MHz\_EIRP

Band: 66 / Bandwidth: 3MHz / NTNV								
-----------------------------------	--	--	--	--	--	--	--	--

Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1711.5	1	0	20.78	0.66	21.44	<=30	Pass		
			7	20.83	0.66	21.49	<=30	Pass		
			14	20.70	0.66	21.36	<=30	Pass		
		8	0	19.64	0.66	20.30	<=30	Pass		
			4	19.35	0.66	20.01	<=30	Pass		
			7	19.35	0.66	20.01	<=30	Pass		
		15	0	19.31	0.66	19.97	<=30	Pass		
		1745	1	0	20.45	0.66	21.11	<=30	Pass	
				7	20.47	0.66	21.13	<=30	Pass	
	14			20.49	0.66	21.15	<=30	Pass		
	8		0	19.48	0.66	20.14	<=30	Pass		
			4	19.48	0.66	20.14	<=30	Pass		
			7	19.43	0.66	20.09	<=30	Pass		
	15		0	19.40	0.66	20.06	<=30	Pass		
	1778.5		1	0	20.92	0.66	21.58	<=30	Pass	
				7	20.84	0.66	21.50	<=30	Pass	
		14		20.79	0.66	21.45	<=30	Pass		
		8	0	19.68	0.66	20.34	<=30	Pass		
			4	19.70	0.66	20.36	<=30	Pass		
			7	19.61	0.66	20.27	<=30	Pass		
		15	0	19.72	0.66	20.38	<=30	Pass		
		16QAM	1711.5	1	0	19.93	0.66	20.59	<=30	Pass
					7	19.89	0.66	20.55	<=30	Pass
	14				19.93	0.66	20.59	<=30	Pass	
	8			0	18.61	0.66	19.27	<=30	Pass	
				4	18.65	0.66	19.31	<=30	Pass	
				7	18.61	0.66	19.27	<=30	Pass	
15	0			18.55	0.66	19.21	<=30	Pass		
1745	1			0	19.85	0.66	20.51	<=30	Pass	
				7	19.78	0.66	20.44	<=30	Pass	
			14	19.88	0.66	20.54	<=30	Pass		
	8		0	18.78	0.66	19.44	<=30	Pass		
			4	18.94	0.66	19.60	<=30	Pass		
			7	18.89	0.66	19.55	<=30	Pass		
	15		0	18.62	0.66	19.28	<=30	Pass		
	1778.5		1	0	19.65	0.66	20.31	<=30	Pass	
				7	19.73	0.66	20.39	<=30	Pass	
14				19.52	0.66	20.18	<=30	Pass		
8			0	19.00	0.66	19.66	<=30	Pass		
			4	19.50	0.66	20.16	<=30	Pass		
			7	19.33	0.66	19.99	<=30	Pass		
15			0	19.04	0.66	19.70	<=30	Pass		

Note1: EIRP=Conducted Power+Antenna Gain

### 1.1.3 B66\_5MHz\_EIRP

Band: 66 / Bandwidth: 5MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1712.5	1	0	20.18	0.66	20.84	<=30	Pass
			13	20.07	0.66	20.73	<=30	Pass
			24	20.00	0.66	20.66	<=30	Pass
		12	0	19.32	0.66	19.98	<=30	Pass
			6	19.27	0.66	19.93	<=30	Pass
			13	19.21	0.66	19.87	<=30	Pass

16QAM	1745	25	0	19.30	0.66	19.96	<=30	Pass	
			0	20.40	0.66	21.06	<=30	Pass	
			1	13	20.42	0.66	21.08	<=30	Pass
			24	20.35	0.66	21.01	<=30	Pass	
		12	0	19.37	0.66	20.03	<=30	Pass	
			6	19.42	0.66	20.08	<=30	Pass	
			13	19.43	0.66	20.09	<=30	Pass	
			25	0	19.43	0.66	20.09	<=30	Pass
			0	20.66	0.66	21.32	<=30	Pass	
	1777.5	1	13	20.71	0.66	21.37	<=30	Pass	
			24	20.65	0.66	21.31	<=30	Pass	
			0	19.76	0.66	20.42	<=30	Pass	
		12	6	19.73	0.66	20.39	<=30	Pass	
			13	19.67	0.66	20.33	<=30	Pass	
			25	0	19.65	0.66	20.31	<=30	Pass
			0	19.27	0.66	19.93	<=30	Pass	
		1712.5	1	13	19.20	0.66	19.86	<=30	Pass
				24	19.17	0.66	19.83	<=30	Pass
	0			18.48	0.66	19.14	<=30	Pass	
	12		6	18.48	0.66	19.14	<=30	Pass	
			13	18.39	0.66	19.05	<=30	Pass	
			25	0	18.52	0.66	19.18	<=30	Pass
	1745		1	0	19.29	0.66	19.95	<=30	Pass
				13	19.37	0.66	20.03	<=30	Pass
24				19.35	0.66	20.01	<=30	Pass	
12		0	18.64	0.66	19.30	<=30	Pass		
		6	18.68	0.66	19.34	<=30	Pass		
		13	18.75	0.66	19.41	<=30	Pass		
25		0	18.56	0.66	19.22	<=30	Pass		
1777.5		1	0	19.07	0.66	19.73	<=30	Pass	
			13	19.52	0.66	20.18	<=30	Pass	
	24		19.04	0.66	19.70	<=30	Pass		
	12	0	19.11	0.66	19.77	<=30	Pass		
		6	18.98	0.66	19.64	<=30	Pass		
		13	18.87	0.66	19.53	<=30	Pass		
	25	0	19.48	0.66	20.14	<=30	Pass		

Note1: EIRP=Conducted Power+Antenna Gain

### 1.1.4 B66\_10MHz\_EIRP

Band: 66 / Bandwidth: 10MHz / NTNV									
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict	
		Size	Offset			Result	Limit		
QPSK	1715	1	0	20.46	0.66	21.12	<=30	Pass	
			25	20.40	0.66	21.06	<=30	Pass	
			49	20.36	0.66	21.02	<=30	Pass	
		25	0	19.31	0.66	19.97	<=30	Pass	
			13	19.33	0.66	19.99	<=30	Pass	
			25	19.38	0.66	20.04	<=30	Pass	
		50	0	19.26	0.66	19.92	<=30	Pass	
		1745	1	0	20.40	0.66	21.06	<=30	Pass
				25	20.40	0.66	21.06	<=30	Pass
	49			20.34	0.66	21.00	<=30	Pass	
	25		0	19.45	0.66	20.11	<=30	Pass	
			13	19.45	0.66	20.11	<=30	Pass	
			25	19.48	0.66	20.14	<=30	Pass	
	50		0	19.45	0.66	20.11	<=30	Pass	

16QAM	1775	1	0	20.63	0.66	21.29	<=30	Pass		
			25	20.62	0.66	21.28	<=30	Pass		
			49	20.68	0.66	21.34	<=30	Pass		
		25	0	19.59	0.66	20.25	<=30	Pass		
			13	19.59	0.66	20.25	<=30	Pass		
			25	19.65	0.66	20.31	<=30	Pass		
		50	0	19.61	0.66	20.27	<=30	Pass		
		16QAM	1715	1	0	19.15	0.66	19.81	<=30	Pass
					25	19.07	0.66	19.73	<=30	Pass
49	19.10				0.66	19.76	<=30	Pass		
25	0			18.64	0.66	19.30	<=30	Pass		
	13			18.54	0.66	19.20	<=30	Pass		
	25			18.65	0.66	19.31	<=30	Pass		
50	0			18.49	0.66	19.15	<=30	Pass		
1745	1			0	19.93	0.66	20.59	<=30	Pass	
				25	19.91	0.66	20.57	<=30	Pass	
			49	19.90	0.66	20.56	<=30	Pass		
	25		0	18.67	0.66	19.33	<=30	Pass		
			13	18.63	0.66	19.29	<=30	Pass		
			25	18.71	0.66	19.37	<=30	Pass		
50	0		18.67	0.66	19.33	<=30	Pass			
1775	1		0	20.01	0.66	20.67	<=30	Pass		
		25	19.93	0.66	20.59	<=30	Pass			
		49	20.02	0.66	20.68	<=30	Pass			
	25	0	19.11	0.66	19.77	<=30	Pass			
		13	18.98	0.66	19.64	<=30	Pass			
		25	19.20	0.66	19.86	<=30	Pass			
	50	0	19.14	0.66	19.80	<=30	Pass			

Note1: EIRP=Conducted Power+Antenna Gain

### 1.1.5 B66\_15MHz\_EIRP

Band: 66 / Bandwidth: 15MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1717.5	1	0	20.28	0.66	20.94	<=30	Pass		
			38	20.26	0.66	20.92	<=30	Pass		
			74	20.23	0.66	20.89	<=30	Pass		
		36	0	19.25	0.66	19.91	<=30	Pass		
			18	19.38	0.66	20.04	<=30	Pass		
			39	19.35	0.66	20.01	<=30	Pass		
		75	0	19.27	0.66	19.93	<=30	Pass		
		1745	1	0	20.33	0.66	20.99	<=30	Pass	
				38	20.40	0.66	21.06	<=30	Pass	
	74			20.48	0.66	21.14	<=30	Pass		
	36		0	19.48	0.66	20.14	<=30	Pass		
			18	19.45	0.66	20.11	<=30	Pass		
			39	19.40	0.66	20.06	<=30	Pass		
	75		0	19.45	0.66	20.11	<=30	Pass		
	1772.5		1	0	20.52	0.66	21.18	<=30	Pass	
				38	20.54	0.66	21.20	<=30	Pass	
		74		20.61	0.66	21.27	<=30	Pass		
		36	0	19.56	0.66	20.22	<=30	Pass		
			18	19.65	0.66	20.31	<=30	Pass		
			39	19.69	0.66	20.35	<=30	Pass		
		75	0	19.67	0.66	20.33	<=30	Pass		
		16QAM	1717.5	1	0	19.53	0.66	20.19	<=30	Pass

TCT	1745	36	38	19.47	0.66	20.13	<=30	Pass		
			74	19.40	0.66	20.06	<=30	Pass		
			0	18.51	0.66	19.17	<=30	Pass		
		75	1	18	18.60	0.66	19.26	<=30	Pass	
				39	18.41	0.66	19.07	<=30	Pass	
				0	18.47	0.66	19.13	<=30	Pass	
		1772.5	36	1	0	19.93	0.66	20.59	<=30	Pass
					38	19.99	0.66	20.65	<=30	Pass
					74	20.04	0.66	20.70	<=30	Pass
	75		36	0	18.71	0.66	19.37	<=30	Pass	
				18	18.68	0.66	19.34	<=30	Pass	
				39	18.71	0.66	19.37	<=30	Pass	
	1772.5		1	75	0	18.65	0.66	19.31	<=30	Pass
					0	20.12	0.66	20.78	<=30	Pass
					38	20.13	0.66	20.79	<=30	Pass
		36	1	74	20.13	0.66	20.79	<=30	Pass	
				0	18.73	0.66	19.39	<=30	Pass	
				18	19.22	0.66	19.88	<=30	Pass	
		75	36	39	18.89	0.66	19.55	<=30	Pass	
				0	18.85	0.66	19.51	<=30	Pass	

Note1: EIRP=Conducted Power+Antenna Gain

1.1.6 B66\_20MHz\_EIRP

Band: 66 / Bandwidth: 20MHz / NTN									
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict	
		Size	Offset			Result	Limit		
QPSK	1720	1	0	20.59	0.66	21.25	<=30	Pass	
			50	20.46	0.66	21.12	<=30	Pass	
			99	20.53	0.66	21.19	<=30	Pass	
		50	1	0	19.43	0.66	20.09	<=30	Pass
				25	19.42	0.66	20.08	<=30	Pass
				50	19.35	0.66	20.01	<=30	Pass
		100	1	0	19.34	0.66	20.00	<=30	Pass
				0	20.73	0.66	21.39	<=30	Pass
				50	20.78	0.66	21.44	<=30	Pass
		1745	1	99	20.86	0.66	21.52	<=30	Pass
				0	19.50	0.66	20.16	<=30	Pass
				25	19.47	0.66	20.13	<=30	Pass
	50		1	50	19.52	0.66	20.18	<=30	Pass
				0	19.53	0.66	20.19	<=30	Pass
				0	20.63	0.66	21.29	<=30	Pass
	1770	1	50	20.66	0.66	21.32	<=30	Pass	
			99	20.82	0.66	21.48	<=30	Pass	
			0	19.66	0.66	20.32	<=30	Pass	
		50	1	25	19.62	0.66	20.28	<=30	Pass
				50	19.64	0.66	20.30	<=30	Pass
				0	19.63	0.66	20.29	<=30	Pass
	16QAM	1720	1	0	20.03	0.66	20.69	<=30	Pass
				50	19.88	0.66	20.54	<=30	Pass
				99	19.97	0.66	20.63	<=30	Pass
50			1	0	18.64	0.66	19.30	<=30	Pass
				25	18.91	0.66	19.57	<=30	Pass
				50	18.55	0.66	19.21	<=30	Pass
1745		1	0	18.63	0.66	19.29	<=30	Pass	
			0	19.66	0.66	20.32	<=30	Pass	
			50	19.74	0.66	20.40	<=30	Pass	

1770	50	99	19.80	0.66	20.46	<=30	Pass
		0	18.71	0.66	19.37	<=30	Pass
		25	18.64	0.66	19.30	<=30	Pass
		50	18.67	0.66	19.33	<=30	Pass
		100	0	18.59	0.66	19.25	<=30
	1	0	19.65	0.66	20.31	<=30	Pass
		50	19.67	0.66	20.33	<=30	Pass
		99	19.73	0.66	20.39	<=30	Pass
	50	0	18.87	0.66	19.53	<=30	Pass
		25	18.90	0.66	19.56	<=30	Pass
		50	18.93	0.66	19.59	<=30	Pass
		100	0	18.80	0.66	19.46	<=30

Note1: EIRP=Conducted Power+Antenna Gain

## 2. Frequency Stability

### 2.1 Test Result

#### 2.1.1 B66\_1.4MHz

Band: 66 / Bandwidth: 1.4MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1710.7	6	0	20	3.27	1.974	0.0012	-2.5 to 2.5	Pass
					3.85	2.732	0.0016	-2.5 to 2.5	Pass
					4.43	3.362	0.0020	-2.5 to 2.5	Pass
				-30	3.85	3.033	0.0018	-2.5 to 2.5	Pass
				-20	3.85	3.147	0.0018	-2.5 to 2.5	Pass
				-10	3.85	1.545	0.0009	-2.5 to 2.5	Pass
				0	3.85	2.675	0.0016	-2.5 to 2.5	Pass
				10	3.85	1.459	0.0009	-2.5 to 2.5	Pass
				30	3.85	2.618	0.0015	-2.5 to 2.5	Pass
				40	3.85	0.844	0.0005	-2.5 to 2.5	Pass
				50	3.85	1.559	0.0009	-2.5 to 2.5	Pass
				1745	6	0	20	3.27	1.745
	3.85	1.073	0.0006					-2.5 to 2.5	Pass
	4.43	0.944	0.0005					-2.5 to 2.5	Pass
	-30	3.85	1.116				0.0006	-2.5 to 2.5	Pass
	-20	3.85	1.717				0.0010	-2.5 to 2.5	Pass
	-10	3.85	0.443				0.0003	-2.5 to 2.5	Pass
	0	3.85	1.431				0.0008	-2.5 to 2.5	Pass
	10	3.85	1.116				0.0006	-2.5 to 2.5	Pass
	30	3.85	1.616				0.0009	-2.5 to 2.5	Pass
	40	3.85	1.030				0.0006	-2.5 to 2.5	Pass
	50	3.85	1.817				0.0010	-2.5 to 2.5	Pass
	1779.3	6	0				20	3.27	0.558
				3.85	0.758	0.0004		-2.5 to 2.5	Pass
				4.43	0.787	0.0004		-2.5 to 2.5	Pass
				-30	3.85	0.100	0.0001	-2.5 to 2.5	Pass
				-20	3.85	-0.658	-0.0004	-2.5 to 2.5	Pass
-10				3.85	-0.658	-0.0004	-2.5 to 2.5	Pass	
0				3.85	-0.257	-0.0001	-2.5 to 2.5	Pass	
10				3.85	-0.257	-0.0001	-2.5 to 2.5	Pass	
30				3.85	1.388	0.0008	-2.5 to 2.5	Pass	
40				3.85	1.216	0.0007	-2.5 to 2.5	Pass	
50				3.85	0.687	0.0004	-2.5 to 2.5	Pass	

Modulation	Frequency (MHz)	RB Allocation Size	Offset	Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict				
							Result	Limit					
16QAM	1710.7	6	0	20	3.27	1.259	0.0007	-2.5 to 2.5	Pass				
					3.85	0.715	0.0004	-2.5 to 2.5	Pass				
					4.43	0.944	0.0006	-2.5 to 2.5	Pass				
				-30	3.85	0.973	0.0006	-2.5 to 2.5	Pass				
					-20	3.85	0.844	0.0005	-2.5 to 2.5	Pass			
					-10	3.85	1.059	0.0006	-2.5 to 2.5	Pass			
				1745	6	0	20	3.85	1.087	0.0006	-2.5 to 2.5	Pass	
								10	3.85	1.059	0.0006	-2.5 to 2.5	Pass
								30	3.85	0.057	0.0000	-2.5 to 2.5	Pass
	40	3.85	2.046				0.0012	-2.5 to 2.5	Pass				
		50	3.85				0.644	0.0004	-2.5 to 2.5	Pass			
		20	3.27				0.758	0.0004	-2.5 to 2.5	Pass			
	3.85		0.830				0.0005	-2.5 to 2.5	Pass				
	4.43		0.014				0.0000	-2.5 to 2.5	Pass				
	1779.3	6	0				-30	3.85	0.386	0.0002	-2.5 to 2.5	Pass	
				-20	3.85	0.358		0.0002	-2.5 to 2.5	Pass			
				-10	3.85	0.687		0.0004	-2.5 to 2.5	Pass			
				0	3.85	0.229	0.0001	-2.5 to 2.5	Pass				
					10	3.85	0.229	0.0001	-2.5 to 2.5	Pass			
					30	3.85	0.200	0.0001	-2.5 to 2.5	Pass			
				40	3.85	0.515	0.0003	-2.5 to 2.5	Pass				
					50	3.85	-0.701	-0.0004	-2.5 to 2.5	Pass			
					20	3.27	-0.758	-0.0004	-2.5 to 2.5	Pass			
	3.85	-1.130	-0.0006	-2.5 to 2.5		Pass							
	4.43	-1.631	-0.0009	-2.5 to 2.5		Pass							
	1779.3	6	0	-30	3.85	-2.303	-0.0013	-2.5 to 2.5	Pass				
					-20	3.85	-1.845	-0.0010	-2.5 to 2.5	Pass			
-10					3.85	-2.031	-0.0011	-2.5 to 2.5	Pass				
0				3.85	-2.317	-0.0013	-2.5 to 2.5	Pass					
				10	3.85	-1.760	-0.0010	-2.5 to 2.5	Pass				
				30	3.85	-1.316	-0.0007	-2.5 to 2.5	Pass				
40				3.85	0.386	0.0002	-2.5 to 2.5	Pass					
				50	3.85	-1.130	-0.0006	-2.5 to 2.5	Pass				

2.1.2 B66\_3MHz

Band: 66 / Bandwidth: 3MHz													
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict				
		Size	Offset				Result	Limit					
QPSK	1711.5	15	0	20	3.27	0.558	0.0003	-2.5 to 2.5	Pass				
					3.85	1.774	0.0010	-2.5 to 2.5	Pass				
					4.43	2.160	0.0013	-2.5 to 2.5	Pass				
				-30	3.85	1.159	0.0007	-2.5 to 2.5	Pass				
					-20	3.85	0.772	0.0005	-2.5 to 2.5	Pass			
					-10	3.85	0.687	0.0004	-2.5 to 2.5	Pass			
				1745	15	0	0	3.85	-0.615	-0.0004	-2.5 to 2.5	Pass	
								10	3.85	1.101	0.0006	-2.5 to 2.5	Pass
								30	3.85	0.486	0.0003	-2.5 to 2.5	Pass
	40	3.85	0.987				0.0006	-2.5 to 2.5	Pass				
		50	3.85				-0.229	-0.0001	-2.5 to 2.5	Pass			
		20	3.27				0.129	0.0001	-2.5 to 2.5	Pass			
	3.85		1.388	0.0008	-2.5 to 2.5	Pass							
	4.43		0.300	0.0002	-2.5 to 2.5	Pass							
	-30	3.85	0.329	0.0002	-2.5 to 2.5	Pass							
		-20	3.85	-0.472	-0.0003	-2.5 to 2.5	Pass						
		-10	3.85	-1.030	-0.0006	-2.5 to 2.5	Pass						
	0	3.85	-1.202	-0.0007	-2.5 to 2.5	Pass							

16QAM	1778.5	15	0	10	3.85	-0.744	-0.0004	-2.5 to 2.5	Pass	
				30	3.85	0.687	0.0004	-2.5 to 2.5	Pass	
				40	3.85	-0.544	-0.0003	-2.5 to 2.5	Pass	
				50	3.85	-0.730	-0.0004	-2.5 to 2.5	Pass	
				20	3.27	-1.144	-0.0006	-2.5 to 2.5	Pass	
					3.85	-0.629	-0.0004	-2.5 to 2.5	Pass	
					4.43	-0.558	-0.0003	-2.5 to 2.5	Pass	
				-30	3.85	-0.286	-0.0002	-2.5 to 2.5	Pass	
				-20	3.85	-0.486	-0.0003	-2.5 to 2.5	Pass	
				-10	3.85	-0.529	-0.0003	-2.5 to 2.5	Pass	
	0	3.85	-1.531	-0.0009	-2.5 to 2.5	Pass				
	10	3.85	-0.672	-0.0004	-2.5 to 2.5	Pass				
	30	3.85	-1.316	-0.0007	-2.5 to 2.5	Pass				
	40	3.85	-0.973	-0.0005	-2.5 to 2.5	Pass				
	50	3.85	-0.844	-0.0005	-2.5 to 2.5	Pass				
	16QAM	1711.5	15	0	20	3.27	0.958	0.0006	-2.5 to 2.5	Pass
						3.85	0.515	0.0003	-2.5 to 2.5	Pass
						4.43	1.631	0.0010	-2.5 to 2.5	Pass
					-30	3.85	1.874	0.0011	-2.5 to 2.5	Pass
					-20	3.85	1.645	0.0010	-2.5 to 2.5	Pass
-10					3.85	1.245	0.0007	-2.5 to 2.5	Pass	
0					3.85	1.588	0.0009	-2.5 to 2.5	Pass	
10					3.85	1.016	0.0006	-2.5 to 2.5	Pass	
30					3.85	1.531	0.0009	-2.5 to 2.5	Pass	
40					3.85	1.817	0.0011	-2.5 to 2.5	Pass	
50		3.85	2.446	0.0014	-2.5 to 2.5	Pass				
1745		15	0	20	3.27	-0.157	-0.0001	-2.5 to 2.5	Pass	
					3.85	-1.030	-0.0006	-2.5 to 2.5	Pass	
					4.43	-1.302	-0.0007	-2.5 to 2.5	Pass	
				-30	3.85	-0.558	-0.0003	-2.5 to 2.5	Pass	
				-20	3.85	-0.386	-0.0002	-2.5 to 2.5	Pass	
				-10	3.85	-0.901	-0.0005	-2.5 to 2.5	Pass	
				0	3.85	-0.100	-0.0001	-2.5 to 2.5	Pass	
				10	3.85	-0.215	-0.0001	-2.5 to 2.5	Pass	
				30	3.85	0.043	0.0000	-2.5 to 2.5	Pass	
	40			3.85	-0.300	-0.0002	-2.5 to 2.5	Pass		
50	3.85	-0.629	-0.0004	-2.5 to 2.5	Pass					
1778.5	15	0	20	3.27	-2.232	-0.0013	-2.5 to 2.5	Pass		
				3.85	-2.146	-0.0012	-2.5 to 2.5	Pass		
				4.43	-0.887	-0.0005	-2.5 to 2.5	Pass		
			-30	3.85	-1.187	-0.0007	-2.5 to 2.5	Pass		
			-20	3.85	-1.116	-0.0006	-2.5 to 2.5	Pass		
			-10	3.85	0.486	0.0003	-2.5 to 2.5	Pass		
			0	3.85	-0.443	-0.0002	-2.5 to 2.5	Pass		
			10	3.85	-1.001	-0.0006	-2.5 to 2.5	Pass		
			30	3.85	-1.602	-0.0009	-2.5 to 2.5	Pass		
			40	3.85	-1.845	-0.0010	-2.5 to 2.5	Pass		
50	3.85	-1.101	-0.0006	-2.5 to 2.5	Pass					

### 2.1.3 B66\_5MHz

Band: 66 / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1712.5	25	0	20	3.27	0.386	0.0002	-2.5 to 2.5	Pass
					3.85	1.388	0.0008	-2.5 to 2.5	Pass
					4.43	1.659	0.0010	-2.5 to 2.5	Pass



16QAM	1745	25	0	-30	3.85	1.287	0.0008	-2.5 to 2.5	Pass
				-20	3.85	1.760	0.0010	-2.5 to 2.5	Pass
				-10	3.85	1.416	0.0008	-2.5 to 2.5	Pass
				0	3.85	3.290	0.0019	-2.5 to 2.5	Pass
				10	3.85	0.029	0.0000	-2.5 to 2.5	Pass
				30	3.85	1.030	0.0006	-2.5 to 2.5	Pass
				40	3.85	1.931	0.0011	-2.5 to 2.5	Pass
				50	3.85	1.831	0.0011	-2.5 to 2.5	Pass
	1777.5	25	0	20	3.27	0.701	0.0004	-2.5 to 2.5	Pass
					3.85	-0.029	0.0000	-2.5 to 2.5	Pass
					4.43	0.429	0.0002	-2.5 to 2.5	Pass
				-30	3.85	0.644	0.0004	-2.5 to 2.5	Pass
				-20	3.85	1.845	0.0011	-2.5 to 2.5	Pass
				-10	3.85	0.043	0.0000	-2.5 to 2.5	Pass
				0	3.85	-1.245	-0.0007	-2.5 to 2.5	Pass
				10	3.85	0.272	0.0002	-2.5 to 2.5	Pass
				30	3.85	-2.718	-0.0016	-2.5 to 2.5	Pass
				40	3.85	-1.030	-0.0006	-2.5 to 2.5	Pass
				50	3.85	-0.601	-0.0003	-2.5 to 2.5	Pass
				1777.5	25	0	20	3.27	1.516
	3.85	1.402	0.0008					-2.5 to 2.5	Pass
	4.43	1.345	0.0008					-2.5 to 2.5	Pass
	-30	3.85	0.772				0.0004	-2.5 to 2.5	Pass
	-20	3.85	1.445				0.0008	-2.5 to 2.5	Pass
	-10	3.85	1.616				0.0009	-2.5 to 2.5	Pass
	0	3.85	1.645				0.0009	-2.5 to 2.5	Pass
	10	3.85	-0.315				-0.0002	-2.5 to 2.5	Pass
	30	3.85	1.001				0.0006	-2.5 to 2.5	Pass
40	3.85	0.200	0.0001				-2.5 to 2.5	Pass	
50	3.85	0.100	0.0001				-2.5 to 2.5	Pass	
1712.5	25	0	20				3.27	1.574	0.0009
				3.85	1.602	0.0009	-2.5 to 2.5	Pass	
				4.43	1.130	0.0007	-2.5 to 2.5	Pass	
			-30	3.85	0.587	0.0003	-2.5 to 2.5	Pass	
			-20	3.85	1.116	0.0007	-2.5 to 2.5	Pass	
			-10	3.85	0.672	0.0004	-2.5 to 2.5	Pass	
			0	3.85	0.629	0.0004	-2.5 to 2.5	Pass	
			10	3.85	0.644	0.0004	-2.5 to 2.5	Pass	
			30	3.85	0.186	0.0001	-2.5 to 2.5	Pass	
			40	3.85	0.930	0.0005	-2.5 to 2.5	Pass	
			50	3.85	1.073	0.0006	-2.5 to 2.5	Pass	
			1745	25	0	20	3.27	0.415	0.0002
3.85	-0.844	-0.0005					-2.5 to 2.5	Pass	
4.43	-1.001	-0.0006					-2.5 to 2.5	Pass	
-30	3.85	-1.187				-0.0007	-2.5 to 2.5	Pass	
-20	3.85	-1.216				-0.0007	-2.5 to 2.5	Pass	
-10	3.85	-0.358				-0.0002	-2.5 to 2.5	Pass	
0	3.85	-1.130				-0.0006	-2.5 to 2.5	Pass	
10	3.85	-1.073				-0.0006	-2.5 to 2.5	Pass	
30	3.85	-0.558				-0.0003	-2.5 to 2.5	Pass	
40	3.85	-1.187				-0.0007	-2.5 to 2.5	Pass	
50	3.85	-0.772				-0.0004	-2.5 to 2.5	Pass	
1777.5	25	0				20	3.27	0.300	0.0002
			3.85	0.658	0.0004		-2.5 to 2.5	Pass	
			4.43	0.858	0.0005		-2.5 to 2.5	Pass	
			-30	3.85	0.114	0.0001	-2.5 to 2.5	Pass	
			-20	3.85	0.100	0.0001	-2.5 to 2.5	Pass	
			-10	3.85	-0.229	-0.0001	-2.5 to 2.5	Pass	
0	3.85	-0.272	-0.0002	-2.5 to 2.5	Pass				

				10	3.85	0.000	0.0000	-2.5 to 2.5	Pass
				30	3.85	1.616	0.0009	-2.5 to 2.5	Pass
				40	3.85	1.731	0.0010	-2.5 to 2.5	Pass
				50	3.85	0.458	0.0003	-2.5 to 2.5	Pass

2.1.4 B66\_10MHz

Band: 66 / Bandwidth: 10MHz										
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict	
		Size	Offset				Result	Limit		
QPSK	1715	50	0	20	3.27	-0.987	-0.0006	-2.5 to 2.5	Pass	
					3.85	0.100	0.0001	-2.5 to 2.5	Pass	
					4.43	0.844	0.0005	-2.5 to 2.5	Pass	
				-30	3.85	-1.287	-0.0008	-2.5 to 2.5	Pass	
					-20	3.85	-1.502	-0.0009	-2.5 to 2.5	Pass
						-10	3.85	-1.044	-0.0006	-2.5 to 2.5
				0	3.85	-0.186	-0.0001	-2.5 to 2.5	Pass	
					10	3.85	-0.887	-0.0005	-2.5 to 2.5	Pass
					30	3.85	-0.715	-0.0004	-2.5 to 2.5	Pass
	1745	50	0	20	3.27	0.973	0.0006	-2.5 to 2.5	Pass	
					3.85	1.516	0.0009	-2.5 to 2.5	Pass	
					4.43	-0.715	-0.0004	-2.5 to 2.5	Pass	
				-30	3.85	0.787	0.0005	-2.5 to 2.5	Pass	
					-20	3.85	0.772	0.0004	-2.5 to 2.5	Pass
						-10	3.85	0.186	0.0001	-2.5 to 2.5
				0	3.85	0.415	0.0002	-2.5 to 2.5	Pass	
					10	3.85	-0.057	0.0000	-2.5 to 2.5	Pass
					30	3.85	0.858	0.0005	-2.5 to 2.5	Pass
	1775	50	0	20	3.27	0.486	0.0003	-2.5 to 2.5	Pass	
					3.85	-0.272	-0.0002	-2.5 to 2.5	Pass	
					4.43	0.458	0.0003	-2.5 to 2.5	Pass	
				-30	3.85	-0.758	-0.0004	-2.5 to 2.5	Pass	
					-20	3.85	-0.072	0.0000	-2.5 to 2.5	Pass
						-10	3.85	-0.186	-0.0001	-2.5 to 2.5
				0	3.85	0.014	0.0000	-2.5 to 2.5	Pass	
					10	3.85	0.415	0.0002	-2.5 to 2.5	Pass
					30	3.85	-0.257	-0.0001	-2.5 to 2.5	Pass
16QAM	1715	50	0	20	3.27	-0.515	-0.0003	-2.5 to 2.5	Pass	
					3.85	-0.544	-0.0003	-2.5 to 2.5	Pass	
					4.43	-0.515	-0.0003	-2.5 to 2.5	Pass	
				-30	3.85	-0.472	-0.0003	-2.5 to 2.5	Pass	
					-20	3.85	-0.973	-0.0006	-2.5 to 2.5	Pass
						-10	3.85	0.300	0.0002	-2.5 to 2.5
				0	3.85	-1.459	-0.0009	-2.5 to 2.5	Pass	
					10	3.85	-1.044	-0.0006	-2.5 to 2.5	Pass
					30	3.85	-1.216	-0.0007	-2.5 to 2.5	Pass
	1745	50	0	20	3.85	0.157	0.0001	-2.5 to 2.5	Pass	
					3.85	-1.359	-0.0008	-2.5 to 2.5	Pass	
					3.27	0.629	0.0004	-2.5 to 2.5	Pass	
				-30	3.85	0.329	0.0002	-2.5 to 2.5	Pass	
					-20	3.85	0.715	0.0004	-2.5 to 2.5	Pass
						-10	3.85	0.715	0.0004	-2.5 to 2.5

				-30	3.85	1.030	0.0006	-2.5 to 2.5	Pass
				-20	3.85	-0.043	0.0000	-2.5 to 2.5	Pass
				-10	3.85	0.486	0.0003	-2.5 to 2.5	Pass
				0	3.85	-0.072	0.0000	-2.5 to 2.5	Pass
				10	3.85	-0.100	-0.0001	-2.5 to 2.5	Pass
				30	3.85	0.415	0.0002	-2.5 to 2.5	Pass
				40	3.85	0.844	0.0005	-2.5 to 2.5	Pass
	50	3.85	0.830	0.0005	-2.5 to 2.5	Pass			
	1775	50	0	20	3.27	2.389	0.0013	-2.5 to 2.5	Pass
					3.85	0.901	0.0005	-2.5 to 2.5	Pass
					4.43	1.473	0.0008	-2.5 to 2.5	Pass
				-30	3.85	0.515	0.0003	-2.5 to 2.5	Pass
				-20	3.85	1.287	0.0007	-2.5 to 2.5	Pass
				-10	3.85	0.129	0.0001	-2.5 to 2.5	Pass
0				3.85	1.359	0.0008	-2.5 to 2.5	Pass	
10	3.85	0.715	0.0004	-2.5 to 2.5	Pass				
30	3.85	0.658	0.0004	-2.5 to 2.5	Pass				
40	3.85	0.958	0.0005	-2.5 to 2.5	Pass				
50	3.85	0.086	0.0000	-2.5 to 2.5	Pass				

2.1.5 B66\_15MHz

Band: 66 / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1717.5	75	0	20	3.27	-1.731	-0.0010	-2.5 to 2.5	Pass
					3.85	-1.016	-0.0006	-2.5 to 2.5	Pass
					4.43	-1.616	-0.0009	-2.5 to 2.5	Pass
				-30	3.85	-0.916	-0.0005	-2.5 to 2.5	Pass
				-20	3.85	-1.187	-0.0007	-2.5 to 2.5	Pass
				-10	3.85	-1.302	-0.0008	-2.5 to 2.5	Pass
				0	3.85	-1.945	-0.0011	-2.5 to 2.5	Pass
				10	3.85	-3.204	-0.0019	-2.5 to 2.5	Pass
				30	3.85	-1.974	-0.0011	-2.5 to 2.5	Pass
				40	3.85	-2.131	-0.0012	-2.5 to 2.5	Pass
	50	3.85	-2.704	-0.0016	-2.5 to 2.5	Pass			
	1745	75	0	20	3.27	-0.358	-0.0002	-2.5 to 2.5	Pass
					3.85	1.130	0.0006	-2.5 to 2.5	Pass
					4.43	0.672	0.0004	-2.5 to 2.5	Pass
				-30	3.85	-0.944	-0.0005	-2.5 to 2.5	Pass
				-20	3.85	-0.544	-0.0003	-2.5 to 2.5	Pass
				-10	3.85	-0.858	-0.0005	-2.5 to 2.5	Pass
				0	3.85	0.243	0.0001	-2.5 to 2.5	Pass
				10	3.85	0.072	0.0000	-2.5 to 2.5	Pass
	30	3.85	-0.372	-0.0002	-2.5 to 2.5	Pass			
	40	3.85	-0.372	-0.0002	-2.5 to 2.5	Pass			
	50	3.85	0.272	0.0002	-2.5 to 2.5	Pass			
	1772.5	75	0	20	3.27	0.114	0.0001	-2.5 to 2.5	Pass
					3.85	0.372	0.0002	-2.5 to 2.5	Pass
4.43					0.958	0.0005	-2.5 to 2.5	Pass	
-30				3.85	1.130	0.0006	-2.5 to 2.5	Pass	
-20				3.85	-0.057	0.0000	-2.5 to 2.5	Pass	
-10				3.85	-0.300	-0.0002	-2.5 to 2.5	Pass	
0				3.85	0.944	0.0005	-2.5 to 2.5	Pass	
10				3.85	0.272	0.0002	-2.5 to 2.5	Pass	
30	3.85	0.315	0.0002	-2.5 to 2.5	Pass				
40	3.85	-0.114	-0.0001	-2.5 to 2.5	Pass				

16QAM	1717.5	75	0	50	3.85	0.114	0.0001	-2.5 to 2.5	Pass
				20	3.27	-2.789	-0.0016	-2.5 to 2.5	Pass
					3.85	-1.960	-0.0011	-2.5 to 2.5	Pass
					4.43	-1.531	-0.0009	-2.5 to 2.5	Pass
				-30	3.85	-2.460	-0.0014	-2.5 to 2.5	Pass
				-20	3.85	-1.674	-0.0010	-2.5 to 2.5	Pass
				-10	3.85	-2.604	-0.0015	-2.5 to 2.5	Pass
				0	3.85	-2.689	-0.0016	-2.5 to 2.5	Pass
				10	3.85	-1.917	-0.0011	-2.5 to 2.5	Pass
				30	3.85	-1.688	-0.0010	-2.5 to 2.5	Pass
	40	3.85	-1.431	-0.0008	-2.5 to 2.5	Pass			
	50	3.85	-1.888	-0.0011	-2.5 to 2.5	Pass			
	1745	75	0	20	3.27	-0.114	-0.0001	-2.5 to 2.5	Pass
					3.85	0.129	0.0001	-2.5 to 2.5	Pass
					4.43	0.615	0.0004	-2.5 to 2.5	Pass
				-30	3.85	0.057	0.0000	-2.5 to 2.5	Pass
				-20	3.85	-0.043	0.0000	-2.5 to 2.5	Pass
				-10	3.85	-0.744	-0.0004	-2.5 to 2.5	Pass
				0	3.85	0.014	0.0000	-2.5 to 2.5	Pass
				10	3.85	-0.029	0.0000	-2.5 to 2.5	Pass
				30	3.85	-0.401	-0.0002	-2.5 to 2.5	Pass
				40	3.85	-1.030	-0.0006	-2.5 to 2.5	Pass
	50	3.85	-0.730	-0.0004	-2.5 to 2.5	Pass			
	1772.5	75	0	20	3.27	2.017	0.0011	-2.5 to 2.5	Pass
					3.85	-0.057	0.0000	-2.5 to 2.5	Pass
					4.43	-0.143	-0.0001	-2.5 to 2.5	Pass
				-30	3.85	0.973	0.0005	-2.5 to 2.5	Pass
				-20	3.85	-0.257	-0.0001	-2.5 to 2.5	Pass
				-10	3.85	-0.172	-0.0001	-2.5 to 2.5	Pass
				0	3.85	-0.944	-0.0005	-2.5 to 2.5	Pass
10				3.85	-0.172	-0.0001	-2.5 to 2.5	Pass	
30				3.85	-0.472	-0.0003	-2.5 to 2.5	Pass	
40				3.85	-0.587	-0.0003	-2.5 to 2.5	Pass	
50	3.85	-1.845	-0.0010	-2.5 to 2.5	Pass				

2.1.6 B66\_20MHz

Band: 66 / Bandwidth: 20MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1720	100	0	20	3.27	-0.486	-0.0003	-2.5 to 2.5	Pass
					3.85	-0.644	-0.0004	-2.5 to 2.5	Pass
					4.43	-0.772	-0.0004	-2.5 to 2.5	Pass
				-30	3.85	0.629	0.0004	-2.5 to 2.5	Pass
				-20	3.85	-0.887	-0.0005	-2.5 to 2.5	Pass
				-10	3.85	-2.875	-0.0017	-2.5 to 2.5	Pass
				0	3.85	-0.429	-0.0002	-2.5 to 2.5	Pass
				10	3.85	-1.359	-0.0008	-2.5 to 2.5	Pass
				30	3.85	-1.602	-0.0009	-2.5 to 2.5	Pass
				40	3.85	-1.073	-0.0006	-2.5 to 2.5	Pass
	50	3.85	0.358	0.0002	-2.5 to 2.5	Pass			
	1745	100	0	20	3.27	-0.858	-0.0005	-2.5 to 2.5	Pass
					3.85	0.515	0.0003	-2.5 to 2.5	Pass
					4.43	0.472	0.0003	-2.5 to 2.5	Pass
				-30	3.85	1.173	0.0007	-2.5 to 2.5	Pass
-20				3.85	-0.873	-0.0005	-2.5 to 2.5	Pass	
-10	3.85	-0.386	-0.0002	-2.5 to 2.5	Pass				

				0	3.85	-0.544	-0.0003	-2.5 to 2.5	Pass				
				10	3.85	-0.200	-0.0001	-2.5 to 2.5	Pass				
				30	3.85	-0.601	-0.0003	-2.5 to 2.5	Pass				
				40	3.85	-0.658	-0.0004	-2.5 to 2.5	Pass				
				50	3.85	-0.315	-0.0002	-2.5 to 2.5	Pass				
	1770	100	0	20	3.27	0.529	0.0003	-2.5 to 2.5	Pass				
					3.85	-0.644	-0.0004	-2.5 to 2.5	Pass				
					4.43	0.687	0.0004	-2.5 to 2.5	Pass				
				-30	3.85	0.601	0.0003	-2.5 to 2.5	Pass				
				-20	3.85	-0.100	-0.0001	-2.5 to 2.5	Pass				
				-10	3.85	0.515	0.0003	-2.5 to 2.5	Pass				
				0	3.85	-0.157	-0.0001	-2.5 to 2.5	Pass				
				10	3.85	-0.215	-0.0001	-2.5 to 2.5	Pass				
				30	3.85	-0.930	-0.0005	-2.5 to 2.5	Pass				
				40	3.85	-0.229	-0.0001	-2.5 to 2.5	Pass				
				50	3.85	1.488	0.0008	-2.5 to 2.5	Pass				
				16QAM	1720	100	0	20	3.27	-0.873	-0.0005	-2.5 to 2.5	Pass
									3.85	-2.632	-0.0015	-2.5 to 2.5	Pass
									4.43	-1.788	-0.0010	-2.5 to 2.5	Pass
								-30	3.85	-1.359	-0.0008	-2.5 to 2.5	Pass
-20	3.85	-1.302	-0.0008					-2.5 to 2.5	Pass				
-10	3.85	-1.531	-0.0009					-2.5 to 2.5	Pass				
0	3.85	-0.844	-0.0005					-2.5 to 2.5	Pass				
10	3.85	-0.830	-0.0005					-2.5 to 2.5	Pass				
30	3.85	-0.486	-0.0003					-2.5 to 2.5	Pass				
40	3.85	-0.243	-0.0001					-2.5 to 2.5	Pass				
50	3.85	-0.529	-0.0003		-2.5 to 2.5	Pass							
1745	100	0	20		3.27	-0.215	-0.0001	-2.5 to 2.5	Pass				
					3.85	0.401	0.0002	-2.5 to 2.5	Pass				
					4.43	-0.329	-0.0002	-2.5 to 2.5	Pass				
			-30		3.85	0.215	0.0001	-2.5 to 2.5	Pass				
			-20	3.85	-0.372	-0.0002	-2.5 to 2.5	Pass					
1770	100	0	20	3.27	0.129	0.0001	-2.5 to 2.5	Pass					
				3.85	2.317	0.0013	-2.5 to 2.5	Pass					
				4.43	1.373	0.0008	-2.5 to 2.5	Pass					
			-30	3.85	1.345	0.0008	-2.5 to 2.5	Pass					
			-20	3.85	1.287	0.0007	-2.5 to 2.5	Pass					
			-10	3.85	1.988	0.0011	-2.5 to 2.5	Pass					
			0	3.85	1.101	0.0006	-2.5 to 2.5	Pass					
			10	3.85	1.159	0.0007	-2.5 to 2.5	Pass					
			30	3.85	0.758	0.0004	-2.5 to 2.5	Pass					
			40	3.85	0.701	0.0004	-2.5 to 2.5	Pass					
50	3.85	0.358	0.0002	-2.5 to 2.5	Pass								

### 3. Modulation Characteristics

#### 3.1 Test Result

##### 3.1.1 B66\_1.4MHz

Band: 66 / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1745	6	0	Refer To Test Graph		Pass
16QAM	1745	6	0	Refer To Test Graph		Pass

### 3.1.2 B66\_3MHz

Band: 66 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1745	15	0	Refer To Test Graph		Pass
16QAM	1745	15	0	Refer To Test Graph		Pass

### 3.1.3 B66\_5MHz

Band: 66 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1745	25	0	Refer To Test Graph		Pass
16QAM	1745	25	0	Refer To Test Graph		Pass

### 3.1.4 B66\_10MHz

Band: 66 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1745	50	0	Refer To Test Graph		Pass
16QAM	1745	50	0	Refer To Test Graph		Pass

### 3.1.5 B66\_15MHz


Band: 66 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1745	75	0	Refer To Test Graph		Pass
16QAM	1745	75	0	Refer To Test Graph		Pass

### 3.1.6 B66\_20MHz



Band: 66 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1745	100	0	Refer To Test Graph		Pass
16QAM	1745	100	0	Refer To Test Graph		Pass

### 3.2 Test Graph

#### 3.2.1 B66\_1.4MHz





3.2.2 B66\_3MHz









3.2.3 B66\_5MHz





3.2.4 B66\_10MHz



3.2.5 B66\_15MHz



3.2.6 B66\_20MHz



## 4. 99% & 26dB Bandwidth

### 4.1 Test Result

#### 4.1.1 Band66\_OBW

Band: 66 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1710.7	6	0	1.104	/	Pass
		1745	6	0	1.100	/	Pass
		1779.3	6	0	1.111	/	Pass
	16QAM	1710.7	6	0	1.107	/	Pass
		1745	6	0	1.105	/	Pass
		1779.3	6	0	1.129	/	Pass
3	QPSK	1711.5	15	0	2.705	/	Pass
		1745	15	0	2.715	/	Pass
		1778.5	15	0	2.736	/	Pass
	16QAM	1711.5	15	0	2.716	/	Pass
		1745	15	0	2.717	/	Pass
		1778.5	15	0	2.774	/	Pass
5	QPSK	1712.5	25	0	4.546	/	Pass
		1745	25	0	4.558	/	Pass
		1777.5	25	0	4.600	/	Pass
	16QAM	1712.5	25	0	4.594	/	Pass
		1745	25	0	4.559	/	Pass
		1777.5	25	0	4.585	/	Pass
10	QPSK	1715	50	0	9.131	/	Pass
		1745	50	0	9.030	/	Pass
		1775	50	0	9.094	/	Pass
	16QAM	1715	50	0	9.111	/	Pass
		1745	50	0	9.033	/	Pass
		1775	50	0	9.077	/	Pass
15	QPSK	1717.5	75	0	13.585	/	Pass
		1745	75	0	13.531	/	Pass
		1772.5	75	0	13.607	/	Pass
	16QAM	1717.5	75	0	13.656	/	Pass
		1745	75	0	13.598	/	Pass
		1772.5	75	0	13.610	/	Pass
20	QPSK	1720	100	0	18.096	/	Pass
		1745	100	0	18.130	/	Pass
		1770	100	0	18.065	/	Pass
	16QAM	1720	100	0	18.147	/	Pass
		1745	100	0	18.084	/	Pass
		1770	100	0	18.073	/	Pass


#### 4.1.2 Band66\_XDB

Band: 66 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1710.7	6	0	1.264	/	Pass
		1745	6	0	1.266	/	Pass
		1779.3	6	0	1.300	/	Pass


	16QAM	1710.7	6	0	1.263	/	Pass
		1745	6	0	1.275	/	Pass
		1779.3	6	0	2.018	/	Pass
3	QPSK	1711.5	15	0	2.958	/	Pass
		1745	15	0	2.981	/	Pass
		1778.5	15	0	3.027	/	Pass
	16QAM	1711.5	15	0	2.961	/	Pass
		1745	15	0	2.975	/	Pass
		1778.5	15	0	5.417	/	Pass
5	QPSK	1712.5	25	0	5.064	/	Pass
		1745	25	0	5.077	/	Pass
		1777.5	25	0	5.089	/	Pass
	16QAM	1712.5	25	0	5.074	/	Pass
		1745	25	0	5.061	/	Pass
		1777.5	25	0	5.117	/	Pass
10	QPSK	1715	50	0	10.042	/	Pass
		1745	50	0	10.056	/	Pass
		1775	50	0	10.143	/	Pass
	16QAM	1715	50	0	10.132	/	Pass
		1745	50	0	10.157	/	Pass
		1775	50	0	10.099	/	Pass
15	QPSK	1717.5	75	0	15.114	/	Pass
		1745	75	0	15.049	/	Pass
		1772.5	75	0	15.520	/	Pass
	16QAM	1717.5	75	0	15.947	/	Pass
		1745	75	0	15.164	/	Pass
		1772.5	75	0	15.201	/	Pass
20	QPSK	1720	100	0	20.118	/	Pass
		1745	100	0	20.027	/	Pass
		1770	100	0	20.006	/	Pass
	16QAM	1720	100	0	20.544	/	Pass
		1745	100	0	19.999	/	Pass
		1770	100	0	20.291	/	Pass

## 4.2 Test Graph


### 4.2.1 Band66\_OBW



Band66 1.4MHz QPSK HCH 1779.3MHz RB 6 0 NTN




Band66 1.4MHz 16QAM LCH 1710.7MHz RB 6 0 NTN







Band66 1.4MHz 16QAM MCH 1745MHz RB 6 0 NTNV




Band66 1.4MHz 16QAM HCH 1779.3MHz RB 6 0 NTNV




Band66 3MHz QPSK LCH 1711.5MHz RB 15 0 NTV




Band66 3MHz QPSK MCH 1745MHz RB 15 0 NTV




Band66 3MHz QPSK HCH 1778.5MHz RB 15 0 NTV




Band66 3MHz 16QAM LCH 1711.5MHz RB 15 0 NTV




Band66 3MHz 16QAM MCH 1745MHz RB 15 0 NTV




Band66 3MHz 16QAM HCH 1778.5MHz RB 15 0 NTV




Band66 5MHz QPSK LCH 1712.5MHz RB 25 0 NTV



Band66 5MHz QPSK MCH 1745MHz RB 25 0 NTV




Band66 5MHz QPSK HCH 1777.5MHz RB 25 0 NTV




2024-08-29 11:44:41

Band66 5MHz 16QAM LCH 1712.5MHz RB 25 0 NTV




2024-08-29 11:44:08


Band66 5MHz 16QAM MCH 1745MHz RB 25 0 NTNV



Band66 5MHz 16QAM HCH 1777.5MHz RB 25 0 NTNV




Band66 10MHz QPSK LCH 1715MHz RB 50 0 NTV



2024-08-29 11:45:29


Band66 10MHz QPSK MCH 1745MHz RB 50 0 NTV




2024-08-29 11:45:51




Band66 10MHz QPSK HCH 1775MHz RB 50 0 NTV




Band66 10MHz 16QAM LCH 1715MHz RB 50 0 NTV




Band66 10MHz 16QAM MCH 1745MHz RB 50 0 NTN




Band66 10MHz 16QAM HCH 1775MHz RB 50 0 NTN




Band66 15MHz QPSK LCH 1717.5MHz RB 75 0 NTNV




Band66 15MHz QPSK MCH 1745MHz RB 75 0 NTNV




Band66 15MHz QPSK HCH 1772.5MHz RB 75 0 NTN




Band66 15MHz 16QAM LCH 1717.5MHz RB 75 0 NTN




Band66 15MHz 16QAM MCH 1745MHz RB 75 0 NTN




Band66 15MHz 16QAM HCH 1772.5MHz RB 75 0 NTN




Band66 20MHz QPSK LCH 1720MHz RB 100 0 NTNV




Band66 20MHz QPSK MCH 1745MHz RB 100 0 NTNV




Band66 20MHz QPSK HCH 1770MHz RB 100 0 NTN




Band66 20MHz 16QAM LCH 1720MHz RB 100 0 NTN



Band66 20MHz 16QAM MCH 1745MHz RB 100 0 NTN




Band66 20MHz 16QAM HCH 1770MHz RB 100 0 NTN







4.2.2 Band66\_XDB




Band66 1.4MHz QPSK HCH 1779.3MHz RB 6 0 NTN




Band66 1.4MHz 16QAM LCH 1710.7MHz RB 6 0 NTN




Band66 1.4MHz 16QAM MCH 1745MHz RB 6 0 NTN




Band66 1.4MHz 16QAM HCH 1779.3MHz RB 6 0 NTN




Band66 3MHz QPSK LCH 1711.5MHz RB 15 0 NTV




Band66 3MHz QPSK MCH 1745MHz RB 15 0 NTV




Band66 3MHz QPSK HCH 1778.5MHz RB 15 0 NTNV




Band66 3MHz 16QAM LCH 1711.5MHz RB 15 0 NTNV




Band66 3MHz 16QAM MCH 1745MHz RB 15 0 NTNV




Band66 3MHz 16QAM HCH 1778.5MHz RB 15 0 NTNV




Band66 5MHz QPSK LCH 1712.5MHz RB 25 0 NTV




Band66 5MHz QPSK MCH 1745MHz RB 25 0 NTV



Band66 5MHz QPSK HCH 1777.5MHz RB 25 0 NTV




Band66 5MHz 16QAM LCH 1712.5MHz RB 25 0 NTV







Band66 5MHz 16QAM MCH 1745MHz RB 25 0 NTNV




Band66 5MHz 16QAM HCH 1777.5MHz RB 25 0 NTNV




Band66 10MHz QPSK LCH 1715MHz RB 50 0 NTV




Band66 10MHz QPSK MCH 1745MHz RB 50 0 NTV




Band66 10MHz QPSK HCH 1775MHz RB 50 0 NTV




Band66 10MHz 16QAM LCH 1715MHz RB 50 0 NTV




Band66 10MHz 16QAM MCH 1745MHz RB 50 0 NTN




Band66 10MHz 16QAM HCH 1775MHz RB 50 0 NTN




Band66 15MHz QPSK LCH 1717.5MHz RB 75 0 NTV




Band66 15MHz QPSK MCH 1745MHz RB 75 0 NTV




Band66 15MHz QPSK HCH 1772.5MHz RB 75 0 NTN




Band66 15MHz 16QAM LCH 1717.5MHz RB 75 0 NTN




Band66 15MHz 16QAM MCH 1745MHz RB 75 0 NTN




Band66 15MHz 16QAM HCH 1772.5MHz RB 75 0 NTN



Band66 20MHz QPSK LCH 1720MHz RB 100 0 NTNV




Band66 20MHz QPSK MCH 1745MHz RB 100 0 NTNV







Band66 20MHz QPSK HCH 1770MHz RB 100 0 NTN




Band66 20MHz 16QAM LCH 1720MHz RB 100 0 NTN



Band66 20MHz 16QAM MCH 1745MHz RB 100 0 NTN



Band66 20MHz 16QAM HCH 1770MHz RB 100 0 NTN



## 5. Peak-Average Ratio

### 5.1 Test Result

#### 5.1.1 B66\_1.4MHz

Band: 66 / Bandwidth: 1.4MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1710.7	6	0	4.58	<=13	Pass
	1745	6	0	5.43	<=13	Pass
	1779.3	6	0	3.42	<=13	Pass
16QAM	1710.7	6	0	5.38	<=13	Pass
	1745	6	0	6.18	<=13	Pass
	1779.3	6	0	4.11	<=13	Pass

#### 5.1.2 B66\_3MHz

Band: 66 / Bandwidth: 3MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1711.5	15	0	4.60	<=13	Pass
	1745	15	0	5.50	<=13	Pass
	1778.5	15	0	3.69	<=13	Pass
16QAM	1711.5	15	0	5.40	<=13	Pass
	1745	15	0	6.46	<=13	Pass
	1778.5	15	0	4.51	<=13	Pass

#### 5.1.3 B66\_5MHz

Band: 66 / Bandwidth: 5MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1712.5	25	0	4.78	<=13	Pass
	1745	25	0	5.68	<=13	Pass
	1777.5	25	0	4.28	<=13	Pass
16QAM	1712.5	25	0	5.55	<=13	Pass
	1745	25	0	6.47	<=13	Pass
	1777.5	25	0	5.17	<=13	Pass

#### 5.1.4 B66\_10MHz

Band: 66 / Bandwidth: 10MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1715	50	0	4.62	<=13	Pass
	1745	50	0	5.64	<=13	Pass
	1775	50	0	4.42	<=13	Pass
16QAM	1715	50	0	5.32	<=13	Pass
	1745	50	0	6.48	<=13	Pass

	1775	50	0	5.37	<=13	Pass
--	------	----	---	------	------	------

### 5.1.5 B66\_15MHz



Band: 66 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1717.5	75	0	4.19	<=13	Pass
	1745	75	0	5.67	<=13	Pass
	1772.5	75	0	4.25	<=13	Pass
16QAM	1717.5	75	0	4.77	<=13	Pass
	1745	75	0	6.36	<=13	Pass
	1772.5	75	0	4.81	<=13	Pass

### 5.1.6 B66\_20MHz


Band: 66 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1720	100	0	4.28	<=13	Pass
	1745	100	0	5.34	<=13	Pass
	1770	100	0	4.45	<=13	Pass
16QAM	1720	100	0	4.87	<=13	Pass
	1745	100	0	6.33	<=13	Pass
	1770	100	0	5.19	<=13	Pass

## 5.2 Test Graph

### 5.2.1 B66\_1.4MHz




Band66 1.4MHz QPSK HCH 1779.3MHz RB 6 0 NTN




2024-08-29 14:54:22

Band66 1.4MHz 16QAM LCH 1710.7MHz RB 6 0 NTN




2024-08-29 14:53:42

Band66 1.4MHz 16QAM MCH 1745MHz RB 6 0 NTN





2024-08-29 14:54:09

Band66 1.4MHz 16QAM HCH 1779.3MHz RB 6 0 NTN




2024-08-29 14:54:33

5.2.2 B66\_3MHz






Band66 3MHz QPSK HCH 1778.5MHz RB 15 0 NTV




2024-08-29 14:56:04

Band66 3MHz 16QAM LCH 1711.5MHz RB 15 0 NTV




2024-08-29 14:55:23

Band66 3MHz 16QAM MCH 1745MHz RB 15 0 NTV





2024-08-29 14:55:50

Band66 3MHz 16QAM HCH 1778.5MHz RB 15 0 NTV




2024-08-29 14:56:14

5.2.3 B66\_5MHz




Band66 5MHz QPSK HCH 1777.5MHz RB 25 0 NTV




2024-08-29 14:57:47

Band66 5MHz 16QAM LCH 1712.5MHz RB 25 0 NTV




2024-08-29 14:57:04

Band66 5MHz 16QAM MCH 1745MHz RB 25 0 NTV





2024-08-29 14:57:33

Band66 5MHz 16QAM HCH 1777.5MHz RB 25 0 NTV




2024-08-29 14:57:58

5.2.4 B66\_10MHz




Band66 10MHz QPSK HCH 1775MHz RB 50 0 NTV




2024-08-29 14:59:51

Band66 10MHz 16QAM LCH 1715MHz RB 50 0 NTV




2024-08-29 14:59:58

Band66 10MHz 16QAM MCH 1745MHz RB 50 0 NTV



2024-08-29 14:59:32



Band66 10MHz 16QAM HCH 1775MHz RB 50 0 NTV




2024-08-29 15:08:06



5.2.5 B66\_15MHz




Band66 15MHz QPSK HCH 1772.5MHz RB 75 0 NTN




2024-08-29 15:01:51

Band66 15MHz 16QAM LCH 1717.5MHz RB 75 0 NTN




2024-08-29 15:01:03

Band66 15MHz 16QAM MCH 1745MHz RB 75 0 NTN





2024-08-29 15:01:33

Band66 15MHz 16QAM HCH 1772.5MHz RB 75 0 NTN




2024-08-29 15:02:04

5.2.6 B66\_20MHz




Band66 20MHz QPSK HCH 1770MHz RB 100 0 NTN




2024-08-29 15:03:51

Band66 20MHz 16QAM LCH 1720MHz RB 100 0 NTN




2024-08-29 15:03:01

Band66 20MHz 16QAM MCH 1745MHz RB 100 0 NTNV



2024-08-29 15:03:33

Band66 20MHz 16QAM HCH 1770MHz RB 100 0 NTNV



2024-08-29 15:04:04

## 6. Spurious Emission

### 6.1 Test Result

#### 6.1.1 B66\_1.4MHz

Band: 66 / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1710.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	1779.3	1	0	Refer To Test Graph		Pass
		1	5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
16QAM	1710.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	1779.3	1	0	Refer To Test Graph		Pass
		1	5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass

#### 6.1.2 B66\_3MHz

Band: 66 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1711.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1778.5	1	0	Refer To Test Graph		Pass
		1	14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
16QAM	1711.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1778.5	1	0	Refer To Test Graph		Pass
		1	14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass

#### 6.1.3 B66\_5MHz

Band: 66 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1712.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	1777.5	1	0	Refer To Test Graph		Pass
		1	24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
16QAM	1712.5	1	0	Refer To Test Graph		Pass

		25	0	Refer To Test Graph	Pass
	1745	1	0	Refer To Test Graph	Pass
	1777.5	1	0	Refer To Test Graph	Pass
			24	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass

#### 6.1.4 B66\_10MHz

Band: 66 / Bandwidth: 10MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1715	1	0	Refer To Test Graph	Pass	
		50	0	Refer To Test Graph	Pass	
	1745	1	0	Refer To Test Graph	Pass	
		1	0	Refer To Test Graph	Pass	
	1775	1	0	49	Refer To Test Graph	Pass
			50	0	Refer To Test Graph	Pass
16QAM	1715	1	0	Refer To Test Graph	Pass	
		50	0	Refer To Test Graph	Pass	
	1745	1	0	Refer To Test Graph	Pass	
		1	0	Refer To Test Graph	Pass	
	1775	1	0	49	Refer To Test Graph	Pass
			50	0	Refer To Test Graph	Pass

#### 6.1.5 B66\_15MHz


Band: 66 / Bandwidth: 15MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1717.5	1	0	Refer To Test Graph	Pass	
		75	0	Refer To Test Graph	Pass	
	1745	1	0	Refer To Test Graph	Pass	
		1	0	Refer To Test Graph	Pass	
	1772.5	1	0	74	Refer To Test Graph	Pass
			75	0	Refer To Test Graph	Pass
16QAM	1717.5	1	0	Refer To Test Graph	Pass	
		75	0	Refer To Test Graph	Pass	
	1745	1	0	Refer To Test Graph	Pass	
		1	0	Refer To Test Graph	Pass	
	1772.5	1	0	74	Refer To Test Graph	Pass
			75	0	Refer To Test Graph	Pass

#### 6.1.6 B66\_20MHz

Band: 66 / Bandwidth: 20MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1720	1	0	Refer To Test Graph	Pass	
		100	0	Refer To Test Graph	Pass	
	1745	1	0	Refer To Test Graph	Pass	
		1	0	Refer To Test Graph	Pass	
	1770	1	0	99	Refer To Test Graph	Pass
			100	0	Refer To Test Graph	Pass
16QAM	1720	1	0	Refer To Test Graph	Pass	





		100	0	Refer To Test Graph	Pass
	1745	1	0	Refer To Test Graph	Pass
	1770	1	0	Refer To Test Graph	Pass
			99	Refer To Test Graph	Pass
		100	0	Refer To Test Graph	Pass




## 6.2 Test Graph


### 6.2.1 B66\_1.4MHz



Band66 1.4MHz QPSK LCH 1710.7MHz RB 1 0 NTV




Band66 1.4MHz QPSK LCH 1710.7MHz RB 6 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1708.5	1709	1	/	1	1708.983	-44.88	-13	Pass
1709	1710	0.013	/	2	1709.925	-32.28	-13	Pass
1710	1711.5	0.013	/	/	/	/	/	/


Band66 1.4MHz QPSK MCH 1745MHz RB 1 0 NTV




Band66 1.4MHz QPSK MCH 1745MHz RB 1 0 NTV




Band66 1.4MHz QPSK HCH 1779.3MHz RB 1 0 NTN



Band66 1.4MHz QPSK HCH 1779.3MHz RB 1 0 NTN




Band66 1.4MHz QPSK HCH 1779.3MHz RB 1 5 NTNV



2024-08-29 20:36:32

Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1778.5	1780	0.003	/	/	/	/	/	/
1780	1781	0.003	/	1	1780.005	-37.43	-13	Pass
1781	1781.5	1	/	2	1781.500	-56.71	-13	Pass


Band66 1.4MHz QPSK HCH 1779.3MHz RB 6 0 NTNV



2024-08-29 20:36:03


Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1778.5	1780	0.013	/	/	/	/	/	/
1780	1781	0.013	/	1	1780.078	-25.47	-13	Pass
1781	1781.5	1	/	2	1781.431	-44.47	-13	Pass

Band66 1.4MHz 16QAM LCH 1710.7MHz RB 1 0 NTN




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1708.5	1709	1	/	1	1708.516	-48.01	-13	Pass
1709	1710	0.003	/	2	1709.984	-37.04	-13	Pass
1710	1711.5	0.003	/	/	/	/	/	/

Band66 1.4MHz 16QAM LCH 1710.7MHz RB 1 0 NTN




Band66 1.4MHz 16QAM LCH 1710.7MHz RB 1 0 NTN



2024-08-29 20:32:51

Band66 1.4MHz 16QAM LCH 1710.7MHz RB 6 0 NTN




2024-08-29 20:32:56


Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1708.5	1709	1	/	1	1708.998	-46.28	-13	Pass
1709	1710	0.013	/	2	1709.928	-35.90	-13	Pass
1710	1711.5	0.013	/	/	/	/	/	/




Band66 1.4MHz 16QAM MCH 1745MHz RB 1 0 NTV




Band66 1.4MHz 16QAM MCH 1745MHz RB 1 0 NTV




Band66 1.4MHz 16QAM HCH 1779.3MHz RB 1 0 NTNV



Band66 1.4MHz 16QAM HCH 1779.3MHz RB 1 0 NTNV




Band66 1.4MHz 16QAM HCH 1779.3MHz RB 1 5 NTNv





Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1778.5	1780	0.003	/	/	/	/	/	/
1780	1781	0.003	/	1	1780.002	-35.07	-13	Pass
1781	1781.5	1	/	2	1781.500	-55.28	-13	Pass

Band66 1.4MHz 16QAM HCH 1779.3MHz RB 6 0 NTNv




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1778.5	1780	0.02	/	/	/	/	/	/
1780	1781	0.02	/	1	1780.093	-21.52	-13	Pass
1781	1781.5	1	/	2	1781.056	-40.38	-13	Pass


6.2.2 B66\_3MHz



Band66 3MHz QPSK LCH 1711.5MHz RB 1 0 NTV




Band66 3MHz QPSK LCH 1711.5MHz RB 15 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1707	1709	1	CHP	1	1708.494	-25.36	-13	Pass
1709	1710	0.03	/	2	1709.850	-35.35	-13	Pass
1710	1713	0.03	/	/	/	/	/	/


Band66 3MHz QPSK MCH 1745MHz RB 1 0 NTN




Band66 3MHz QPSK MCH 1745MHz RB 1 0 NTN




Band66 3MHz QPSK HCH 1778.5MHz RB 1 0 NTV



Band66 3MHz QPSK HCH 1778.5MHz RB 1 0 NTV




Band66 3MHz QPSK HCH 1778.5MHz RB 1 14 NTV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1777	1780	0.003	/	/	/	/	/	/
1780	1781	0.003	/	1	1780.007	-32.62	-13	Pass
1781	1783	1	CHP	2	1781.989	-28.73	-13	Pass


Band66 3MHz QPSK HCH 1778.5MHz RB 15 0 NTV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1777	1780	0.03	/	/	/	/	/	/
1780	1781	0.03	/	1	1780.030	-25.84	-13	Pass
1781	1783	1	CHP	2	1781.002	-16.97	-13	Pass




Band66 3MHz 16QAM LCH 1711.5MHz RB 1 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1707	1709	1	CHP	1	1707.975	-34.05	-13	Pass
1709	1710	0.003	/	2	1709.989	-37.91	-13	Pass
1710	1713	0.003	/	/	/	/	/	/

Band66 3MHz 16QAM LCH 1711.5MHz RB 1 0 NTV




Band66 3MHz 16QAM LCH 1711.5MHz RB 1 0 NTV



2024-08-29 20:39:03


Band66 3MHz 16QAM LCH 1711.5MHz RB 15 0 NTV




2024-08-29 20:39:09

Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1707	1709	1	CHP	1	1708.500	-26.91	-13	Pass
1709	1710	0.03	/	2	1709.616	-35.21	-13	Pass
1710	1713	0.03	/	/	/	/	/	/


Band66 3MHz 16QAM MCH 1745MHz RB 1 0 NTNV




Band66 3MHz 16QAM MCH 1745MHz RB 1 0 NTNV




Band66 3MHz 16QAM HCH 1778.5MHz RB 1 0 NTV



Band66 3MHz 16QAM HCH 1778.5MHz RB 1 0 NTV




Band66 3MHz 16QAM HCH 1778.5MHz RB 1 14 NTN





Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1777	1780	0.003	/	/	/	/	/	/
1780	1781	0.003	/	1	1780.005	-32.40	-13	Pass
1781	1783	1	CHP	2	1781.996	-28.75	-13	Pass

Band66 3MHz 16QAM HCH 1778.5MHz RB 15 0 NTN




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1777	1780	0.03	/	1	1780.000	-31.77	-13	Pass
1781	1783	1	CHP	2	1781.002	-22.15	-13	Pass


6.2.3 B66\_5MHz



Band66 5MHz QPSK LCH 1712.5MHz RB 1 0 NTV




Band66 5MHz QPSK LCH 1712.5MHz RB 25 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1709	1	CHP	1	1708.500	-25.18	-13	Pass
1709	1710	0.051	/	2	1709.950	-32.13	-13	Pass
1710	1715	0.051	/	/	/	/	/	/

Band66 5MHz QPSK MCH 1745MHz RB 1 0 NTN




Band66 5MHz QPSK MCH 1745MHz RB 1 0 NTN







Band66 5MHz QPSK HCH 1777.5MHz RB 1 0 NTV



Band66 5MHz QPSK HCH 1777.5MHz RB 1 0 NTV




Band66 5MHz QPSK HCH 1777.5MHz RB 1 24 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1775	1780	0.003	/	/	/	/	/	/
1780	1781	0.003	/	1	1780.009	-31.82	-13	Pass
1781	1785	1	CHP	2	1783.789	-29.53	-13	Pass

Band66 5MHz QPSK HCH 1777.5MHz RB 25 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1775	1780	0.051	/	/	/	/	/	/
1780	1781	0.051	/	1	1780.020	-25.71	-13	Pass
1781	1785	1	CHP	2	1781.010	-17.21	-13	Pass

Band66 5MHz 16QAM LCH 1712.5MHz RB 1 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1709	1	CHP	1	1706.055	-34.61	-13	Pass
1709	1710	0.003	/	2	1709.989	-36.74	-13	Pass
1710	1715	0.003	/	/	/	/	/	/


Band66 5MHz 16QAM LCH 1712.5MHz RB 1 0 NTV



Band66 5MHz 16QAM LCH 1712.5MHz RB 1 0 NTV




Band66 5MHz 16QAM LCH 1712.5MHz RB 25 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1709	1	CHP	1	1708.500	-26.77	-13	Pass
1709	1710	0.051	/	2	1709.990	-32.35	-13	Pass
1710	1715	0.051	/	/	/	/	/	/

Band66 5MHz 16QAM MCH 1745MHz RB 1 0 NTNV




2024-08-29 20:45:41

Band66 5MHz 16QAM MCH 1745MHz RB 1 0 NTNV




2024-08-29 20:45:50


Band66 5MHz 16QAM HCH 1777.5MHz RB 1 0 NTV



Band66 5MHz 16QAM HCH 1777.5MHz RB 1 0 NTV




Band66 5MHz 16QAM HCH 1777.5MHz RB 1 24 NTN





Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1775	1780	0.003	/	/	/	/	/	/
1780	1781	0.003	/	1	1780.005	-34.29	-13	Pass
1781	1785	1	CHP	2	1783.807	-32.45	-13	Pass

Band66 5MHz 16QAM HCH 1777.5MHz RB 25 0 NTN




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1775	1780	0.051	/	/	/	/	/	/
1780	1781	0.051	/	1	1780.290	-23.26	-13	Pass
1781	1785	1	CHP	2	1781.010	-13.78	-13	Pass

6.2.4 B66\_10MHz






Band66 10MHz QPSK LCH 1715MHz RB 1 0 NTN




Band66 10MHz QPSK LCH 1715MHz RB 50 0 NTN




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1700	1709	1	CHP	1	1708.500	-23.18	-13	Pass
1709	1710	0.1	/	2	1709.980	-29.70	-13	Pass
1710	1720	0.1	/	/	/	/	/	/


Band66 10MHz QPSK MCH 1745MHz RB 1 0 NTV




Band66 10MHz QPSK MCH 1745MHz RB 1 0 NTV




Band66 10MHz QPSK HCH 1775MHz RB 1 0 NTV



Band66 10MHz QPSK HCH 1775MHz RB 1 0 NTV




Band66 10MHz QPSK HCH 1775MHz RB 1 49 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1770	1780	0.003	/	/	/	/	/	/
1780	1781	0.003	/	1	1780.010	-38.54	-13	Pass
1781	1790	1	CHP	2	1788.105	-29.95	-13	Pass

Band66 10MHz QPSK HCH 1775MHz RB 50 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1770	1780	0.11	/	/	/	/	/	/
1780	1781	0.11	/	1	1780.020	-25.46	-13	Pass
1781	1790	1	CHP	2	1781.020	-19.36	-13	Pass

Band66 10MHz 16QAM LCH 1715MHz RB 1 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1700	1709	1	CHP	1	1701.672	-31.30	-13	Pass
1709	1710	0.003	/	2	1709.997	-40.53	-13	Pass
1710	1720	0.003	/	/	/	/	/	/

Band66 10MHz 16QAM LCH 1715MHz RB 1 0 NTV




Marker:  
1 2117.469 MHz  
-46.23 dBm

Band66 10MHz 16QAM LCH 1715MHz RB 1 0 NTV




Band66 10MHz 16QAM LCH 1715MHz RB 50 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1700	1709	1	CHP	1	1708.500	-24.72	-13	Pass
1709	1710	0.11	/	2	1709.300	-31.38	-13	Pass
1710	1720	0.11	/	/	/	/	/	/


Band66 10MHz 16QAM MCH 1745MHz RB 1 0 NTV




Band66 10MHz 16QAM MCH 1745MHz RB 1 0 NTV



Band66 10MHz 16QAM HCH 1775MHz RB 1 0 NTV




Band66 10MHz 16QAM HCH 1775MHz RB 1 0 NTV






Band66 10MHz 16QAM HCH 1775MHz RB 1 49 NTNV





Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1770	1780	0.003	/	/	/	/	/	/
1780	1781	0.003	/	1	1780.027	-38.78	-13	Pass
1781	1790	1	CHP	2	1788.190	-31.29	-13	Pass

Band66 10MHz 16QAM HCH 1775MHz RB 50 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1770	1780	0.11	/	/	/	/	/	/
1780	1781	0.11	/	1	1780.380	-22.12	-13	Pass
1781	1790	1	CHP	2	1781.020	-14.94	-13	Pass


6.2.5 B66\_15MHz



Band66 15MHz QPSK LCH 1717.5MHz RB 1 0 NTV




Band66 15MHz QPSK LCH 1717.5MHz RB 75 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1695	1709	1	CHP	1	1708.500	-21.69	-13	Pass
1709	1710	0.16	/	2	1709.070	-26.63	-13	Pass
1710	1725	0.16	/	/	/	/	/	/


Band66 15MHz QPSK MCH 1745MHz RB 1 0 NTN




Band66 15MHz QPSK MCH 1745MHz RB 1 0 NTN




Band66 15MHz QPSK HCH 1772.5MHz RB 1 0 NTV



Band66 15MHz QPSK HCH 1772.5MHz RB 1 0 NTV




Band66 15MHz QPSK HCH 1772.5MHz RB 1 74 NTN




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1765	1780	0.003	/	/	/	/	/	/
1780	1781	0.003	/	1	1780.004	-40.33	-13	Pass
1781	1795	1	CHP	2	1792.368	-31.95	-13	Pass

Band66 15MHz QPSK HCH 1772.5MHz RB 75 0 NTN



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1765	1780	0.16	/	/	/	/	/	/
1780	1781	0.16	/	1	1780.510	-24.69	-13	Pass
1781	1795	1	CHP	2	1781.020	-19.14	-13	Pass


Band66 15MHz 16QAM LCH 1717.5MHz RB 1 0 NTNV



2024-08-29 21:00:51

Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1695	1709	1	CHP	1	1697.396	-32.54	-13	Pass
1709	1710	0.003	/	2	1709.989	-40.57	-13	Pass
1710	1725	0.003	/	/	/	/	/	/

Band66 15MHz 16QAM LCH 1717.5MHz RB 1 0 NTNV




Ant: Ant1  
 Start: 30 MHz  
 Stop: 10 GHz  
 RBW: 1 MHz  
 VBW: 3 MHz  
 Detector: RMS  
 Trace Type: Average  
 Average Count: 30  
 Sweep Point: 8001  
 Sweep Time: 17.07 ms  
 Sweep: Single


Marker:  
 1 2119.961 MHz  
 -45.64 dBm

2024-08-29 21:01:01

Band66 15MHz 16QAM LCH 1717.5MHz RB 1 0 NTN




Band66 15MHz 16QAM LCH 1717.5MHz RB 75 0 NTN




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1695	1709	1	CHP	1	1707.090	-23.83	-13	Pass
1709	1710	0.16	/	2	1709.250	-28.63	-13	Pass
1710	1725	0.16	/	/	/	/	/	/




Band66 15MHz 16QAM MCH 1745MHz RB 1 0 NTV




Band66 15MHz 16QAM MCH 1745MHz RB 1 0 NTV




Band66 15MHz 16QAM HCH 1772.5MHz RB 1 0 NTN



Band66 15MHz 16QAM HCH 1772.5MHz RB 1 0 NTN




Band66 15MHz 16QAM HCH 1772.5MHz RB 1 74 NTN





Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1765	1780	0.003	/	/	/	/	/	/
1780	1781	0.003	/	1	1780.004	-41.25	-13	Pass
1781	1795	1	CHP	2	1792.394	-33.47	-13	Pass

Band66 15MHz 16QAM HCH 1772.5MHz RB 75 0 NTN




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1765	1780	0.16	/	/	/	/	/	/
1780	1781	0.16	/	1	1780.900	-26.48	-13	Pass
1781	1795	1	CHP	2	1781.020	-20.78	-13	Pass


6.2.6 B66\_20MHz



Band66 20MHz QPSK LCH 1720MHz RB 1 0 NTNV




Band66 20MHz QPSK LCH 1720MHz RB 100 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1690	1709	1	CHP	1	1707.680	-23.17	-13	Pass
1709	1710	0.22	/	2	1709.280	-28.14	-13	Pass
1710	1730	0.22	/	/	/	/	/	/


Band66 20MHz QPSK MCH 1745MHz RB 1 0 NTN




Band66 20MHz QPSK MCH 1745MHz RB 1 0 NTN




Band66 20MHz QPSK HCH 1770MHz RB 1 0 NTV



Band66 20MHz QPSK HCH 1770MHz RB 1 0 NTV




Band66 20MHz QPSK HCH 1770MHz RB 1 99 NTV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1760	1780	0.003	/	/	/	/	/	/
1780	1781	0.003	/	1	1780.015	-43.52	-13	Pass
1781	1800	1	CHP	2	1796.650	-33.82	-13	Pass


Band66 20MHz QPSK HCH 1770MHz RB 100 0 NTV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1760	1780	0.2	/	/	/	/	/	/
1780	1781	0.2	/	1	1780.760	-28.35	-13	Pass
1781	1800	1	CHP	2	1781.080	-22.63	-13	Pass




Band66 20MHz 16QAM LCH 1720MHz RB 1 0 NTV



2024-08-29 21:12:00

Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1690	1709	1	CHP	1	1693.175	-38.38	-13	Pass
1709	1710	0.003	/	2	1709.995	-45.56	-13	Pass
1710	1730	0.003	/	/	/	/	/	/

Band66 20MHz 16QAM LCH 1720MHz RB 1 0 NTV




Ant: Ant1  
 Start: 30 MHz  
 Stop: 10 GHz  
 RBW: 1 MHz  
 VBW: 3 MHz  
 Detector: RMS  
 Trace Type: Average  
 Average Count: 30  
 Sweep Point: 8001  
 Sweep Time: 17.07 ms  
 Sweep: Single


Marker:  
 1 1772.257 MHz  
 -39.84 dBm

2024-08-29 21:12:09

Band66 20MHz 16QAM LCH 1720MHz RB 1 0 NTV




Band66 20MHz 16QAM LCH 1720MHz RB 100 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1690	1709	1	CHP	1	1708.480	-25.53	-13	Pass
1709	1710	0.22	/	2	1709.840	-29.39	-13	Pass
1710	1730	0.22	/	/	/	/	/	/


Band66 20MHz 16QAM MCH 1745MHz RB 1 0 NTV




Band66 20MHz 16QAM MCH 1745MHz RB 1 0 NTV




Band66 20MHz 16QAM HCH 1770MHz RB 1 0 NTV



Band66 20MHz 16QAM HCH 1770MHz RB 1 0 NTV




Band66 20MHz 16QAM HCH 1770MHz RB 1 99 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1760	1780	0.003	/	/	/	/	/	/
1780	1781	0.003	/	1	1780.015	-45.71	-13	Pass
1781	1800	1	CHP	2	1796.640	-37.16	-13	Pass

Band66 20MHz 16QAM HCH 1770MHz RB 100 0 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1760	1780	0.22	/	/	/	/	/	/
1780	1781	0.22	/	1	1780.480	-29.36	-13	Pass
1781	1800	1	CHP	2	1781.040	-24.35	-13	Pass

## 7. Form731

### 7.1 Test Result

#### 7.1.1 Form731\_Power

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
66	1.4	1710.7	1779.3	0.1265	0.0020	ppm	1M11G7D	27L	21.02
66	1.4	1710.7	1779.3	0.1219	0.0013	ppm	1M13W7D	27L	20.86
66	3	1711.5	1778.5	0.1236	0.0013	ppm	2M74G7D	27L	20.92
66	3	1711.5	1778.5	0.0984	0.0014	ppm	2M77W7D	27L	19.93
66	5	1712.5	1777.5	0.1178	0.0019	ppm	4M60G7D	27L	20.71
66	5	1712.5	1777.5	0.0895	0.0010	ppm	4M59W7D	27L	19.52
66	10	1715	1775	0.1169	0.0009	ppm	9M13G7D	27L	20.68
66	10	1715	1775	0.1005	0.0013	ppm	9M11W7D	27L	20.02
66	15	1717.5	1772.5	0.1151	0.0019	ppm	13M6G7D	27L	20.61
66	15	1717.5	1772.5	0.1030	0.0016	ppm	13M7W7D	27L	20.13
66	20	1720	1770	0.1219	0.0017	ppm	18M1G7D	27L	20.86
66	20	1720	1770	0.1007	0.0015	ppm	18M1W7D	27L	20.03

#### 7.1.2 Form731\_EIRP

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
66	1.4	1710.7	1779.3	0.1472	0.0020	ppm	1M11G7D	27L	21.68
66	1.4	1710.7	1779.3	0.1419	0.0013	ppm	1M13W7D	27L	21.52
66	3	1711.5	1778.5	0.1439	0.0013	ppm	2M74G7D	27L	21.58
66	3	1711.5	1778.5	0.1146	0.0014	ppm	2M77W7D	27L	20.59
66	5	1712.5	1777.5	0.1371	0.0019	ppm	4M60G7D	27L	21.37
66	5	1712.5	1777.5	0.1042	0.0010	ppm	4M59W7D	27L	20.18
66	10	1715	1775	0.1361	0.0009	ppm	9M13G7D	27L	21.34
66	10	1715	1775	0.1169	0.0013	ppm	9M11W7D	27L	20.68
66	15	1717.5	1772.5	0.1340	0.0019	ppm	13M6G7D	27L	21.27
66	15	1717.5	1772.5	0.1199	0.0016	ppm	13M7W7D	27L	20.79
66	20	1720	1770	0.1419	0.0017	ppm	18M1G7D	27L	21.52
66	20	1720	1770	0.1172	0.0015	ppm	18M1W7D	27L	20.69