

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B66_1.4MHz_EIRP

Band: 66 / Bandwidth: 1.4MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1710.7	1	0	21.35	0.36	21.71	<=30	Pass		
			2	21.56	0.36	21.92	<=30	Pass		
			5	21.34	0.36	21.70	<=30	Pass		
		3	0	21.43	0.36	21.79	<=30	Pass		
			2	21.40	0.36	21.76	<=30	Pass		
			3	21.45	0.36	21.81	<=30	Pass		
		6	0	20.40	0.36	20.76	<=30	Pass		
		1745	1	0	21.54	0.36	21.90	<=30	Pass	
				2	21.76	0.36	22.12	<=30	Pass	
	5			21.54	0.36	21.90	<=30	Pass		
	3		0	21.61	0.36	21.97	<=30	Pass		
			2	21.58	0.36	21.94	<=30	Pass		
			3	21.62	0.36	21.98	<=30	Pass		
	6		0	20.65	0.36	21.01	<=30	Pass		
	1779.3		1	0	21.50	0.36	21.86	<=30	Pass	
				2	21.75	0.36	22.11	<=30	Pass	
		5		21.55	0.36	21.91	<=30	Pass		
		3	0	21.63	0.36	21.99	<=30	Pass		
			2	21.60	0.36	21.96	<=30	Pass		
			3	21.64	0.36	22.00	<=30	Pass		
		6	0	20.67	0.36	21.03	<=30	Pass		
		16QAM	1710.7	1	0	20.70	0.36	21.06	<=30	Pass
					2	20.90	0.36	21.26	<=30	Pass
	5				20.68	0.36	21.04	<=30	Pass	
3	0			20.46	0.36	20.82	<=30	Pass		
	2			20.43	0.36	20.79	<=30	Pass		
	3			20.51	0.36	20.87	<=30	Pass		
6	0			19.36	0.36	19.72	<=30	Pass		
1745	1			0	20.37	0.36	20.73	<=30	Pass	
				2	20.58	0.36	20.94	<=30	Pass	
			5	20.40	0.36	20.76	<=30	Pass		
	3		0	20.43	0.36	20.79	<=30	Pass		
			2	20.41	0.36	20.77	<=30	Pass		
			3	20.46	0.36	20.82	<=30	Pass		
	6		0	19.57	0.36	19.93	<=30	Pass		
	1779.3		1	0	20.45	0.36	20.81	<=30	Pass	
				2	20.63	0.36	20.99	<=30	Pass	
5				20.46	0.36	20.82	<=30	Pass		
3			0	20.66	0.36	21.02	<=30	Pass		
			2	20.64	0.36	21.00	<=30	Pass		
			3	20.66	0.36	21.02	<=30	Pass		
6			0	19.68	0.36	20.04	<=30	Pass		

Note1: EIRP=Conducted Power+Antenna Gain

1.1.2 B66_3MHz_EIRP

Band: 66 / Bandwidth: 3MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1711.5	1	0	21.42	0.36	21.78	<=30	Pass		
			7	21.30	0.36	21.66	<=30	Pass		
			14	21.48	0.36	21.84	<=30	Pass		
		8	0	20.39	0.36	20.75	<=30	Pass		
			4	20.38	0.36	20.74	<=30	Pass		
			7	20.36	0.36	20.72	<=30	Pass		
		15	0	20.33	0.36	20.69	<=30	Pass		
		1745	1	0	21.57	0.36	21.93	<=30	Pass	
				7	21.49	0.36	21.85	<=30	Pass	
	14			21.62	0.36	21.98	<=30	Pass		
	8		0	20.50	0.36	20.86	<=30	Pass		
			4	20.55	0.36	20.91	<=30	Pass		
			7	20.50	0.36	20.86	<=30	Pass		
	15		0	20.47	0.36	20.83	<=30	Pass		
	1778.5		1	0	21.54	0.36	21.90	<=30	Pass	
				7	21.48	0.36	21.84	<=30	Pass	
		14		21.58	0.36	21.94	<=30	Pass		
		8	0	20.56	0.36	20.92	<=30	Pass		
			4	20.59	0.36	20.95	<=30	Pass		
			7	20.55	0.36	20.91	<=30	Pass		
		15	0	20.52	0.36	20.88	<=30	Pass		
		16QAM	1711.5	1	0	20.71	0.36	21.07	<=30	Pass
					7	20.62	0.36	20.98	<=30	Pass
	14				20.82	0.36	21.18	<=30	Pass	
8	0			19.41	0.36	19.77	<=30	Pass		
	4			19.46	0.36	19.82	<=30	Pass		
	7			19.39	0.36	19.75	<=30	Pass		
15	0			19.38	0.36	19.74	<=30	Pass		
1745	1			0	20.41	0.36	20.77	<=30	Pass	
				7	20.32	0.36	20.68	<=30	Pass	
			14	20.42	0.36	20.78	<=30	Pass		
	8		0	19.44	0.36	19.80	<=30	Pass		
			4	19.45	0.36	19.81	<=30	Pass		
			7	19.40	0.36	19.76	<=30	Pass		
	15		0	19.49	0.36	19.85	<=30	Pass		
	1778.5		1	0	20.49	0.36	20.85	<=30	Pass	
				7	20.39	0.36	20.75	<=30	Pass	
14				20.49	0.36	20.85	<=30	Pass		
8			0	19.50	0.36	19.86	<=30	Pass		
			4	19.52	0.36	19.88	<=30	Pass		
			7	19.46	0.36	19.82	<=30	Pass		
15			0	19.42	0.36	19.78	<=30	Pass		

Note1: EIRP=Conducted Power+Antenna Gain

1.1.3 B66_5MHz_EIRP

Band: 66 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1712.5	1	0	21.22	0.36	21.58	<=30	Pass
			13	21.43	0.36	21.79	<=30	Pass
			24	21.31	0.36	21.67	<=30	Pass

16QAM	1745	12	0	20.32	0.36	20.68	<=30	Pass	
			6	20.41	0.36	20.77	<=30	Pass	
			13	20.41	0.36	20.77	<=30	Pass	
		25	0	20.41	0.36	20.77	<=30	Pass	
			1	0	21.40	0.36	21.76	<=30	Pass
				13	21.55	0.36	21.91	<=30	Pass
		24		21.43	0.36	21.79	<=30	Pass	
		12	0	20.48	0.36	20.84	<=30	Pass	
			6	20.52	0.36	20.88	<=30	Pass	
	13		20.46	0.36	20.82	<=30	Pass		
	25	0	20.52	0.36	20.88	<=30	Pass		
		1777.5	1	0	21.39	0.36	21.75	<=30	Pass
				13	21.56	0.36	21.92	<=30	Pass
	24			21.47	0.36	21.83	<=30	Pass	
	12	12	0	20.49	0.36	20.85	<=30	Pass	
			6	20.56	0.36	20.92	<=30	Pass	
			13	20.47	0.36	20.83	<=30	Pass	
	25	0	20.52	0.36	20.88	<=30	Pass		
		1712.5	1	0	20.21	0.36	20.57	<=30	Pass
				13	20.39	0.36	20.75	<=30	Pass
	24			20.30	0.36	20.66	<=30	Pass	
	12	12	0	19.40	0.36	19.76	<=30	Pass	
			6	19.46	0.36	19.82	<=30	Pass	
			13	19.45	0.36	19.81	<=30	Pass	
	25	0	19.45	0.36	19.81	<=30	Pass		
		1745	1	0	20.75	0.36	21.11	<=30	Pass
				13	20.89	0.36	21.25	<=30	Pass
24	20.79			0.36	21.15	<=30	Pass		
12	12	0	19.47	0.36	19.83	<=30	Pass		
		6	19.52	0.36	19.88	<=30	Pass		
		13	19.43	0.36	19.79	<=30	Pass		
25	0	19.45	0.36	19.81	<=30	Pass			
	1777.5	1	0	20.41	0.36	20.77	<=30	Pass	
			13	20.56	0.36	20.92	<=30	Pass	
24			20.47	0.36	20.83	<=30	Pass		
12	12	0	19.50	0.36	19.86	<=30	Pass		
		6	19.55	0.36	19.91	<=30	Pass		
		13	19.46	0.36	19.82	<=30	Pass		
25	0	19.46	0.36	19.82	<=30	Pass			

Note1: EIRP=Conducted Power+Antenna Gain

1.1.4 B66_10MHz_EIRP

Band: 66 / Bandwidth: 10MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1715	1	0	21.42	0.36	21.78	<=30	Pass
			25	21.53	0.36	21.89	<=30	Pass
			49	21.48	0.36	21.84	<=30	Pass
		25	0	20.43	0.36	20.79	<=30	Pass
			13	20.50	0.36	20.86	<=30	Pass
			25	20.51	0.36	20.87	<=30	Pass
	1745	1	0	20.49	0.36	20.85	<=30	Pass
			0	21.56	0.36	21.92	<=30	Pass
			25	21.69	0.36	22.05	<=30	Pass
			25	21.69	0.36	22.05	<=30	Pass

		25	49	21.61	0.36	21.97	<=30	Pass				
			0	20.55	0.36	20.91	<=30	Pass				
			13	20.54	0.36	20.90	<=30	Pass				
			25	20.58	0.36	20.94	<=30	Pass				
			50	0	20.56	0.36	20.92	<=30	Pass			
		1775	1	0	21.53	0.36	21.89	<=30	Pass			
				25	21.69	0.36	22.05	<=30	Pass			
				49	21.61	0.36	21.97	<=30	Pass			
			25	0	20.64	0.36	21.00	<=30	Pass			
				13	20.58	0.36	20.94	<=30	Pass			
				25	20.56	0.36	20.92	<=30	Pass			
			50	0	20.61	0.36	20.97	<=30	Pass			
			16QAM		1715	1	0	20.74	0.36	21.10	<=30	Pass
							25	20.94	0.36	21.30	<=30	Pass
		49					20.86	0.36	21.22	<=30	Pass	
25	0	19.44				0.36	19.80	<=30	Pass			
	13	19.47				0.36	19.83	<=30	Pass			
	25	19.52				0.36	19.88	<=30	Pass			
50	0	19.46				0.36	19.82	<=30	Pass			
1745	1	0				20.41	0.36	20.77	<=30	Pass		
		25				20.51	0.36	20.87	<=30	Pass		
		49			20.44	0.36	20.80	<=30	Pass			
	25	0			19.56	0.36	19.92	<=30	Pass			
		13			19.57	0.36	19.93	<=30	Pass			
		25			19.57	0.36	19.93	<=30	Pass			
50	0	19.50			0.36	19.86	<=30	Pass				
1775	1	0			20.49	0.36	20.85	<=30	Pass			
		25	20.58	0.36	20.94	<=30	Pass					
		49	20.49	0.36	20.85	<=30	Pass					
	25	0	19.65	0.36	20.01	<=30	Pass					
		13	19.57	0.36	19.93	<=30	Pass					
		25	19.56	0.36	19.92	<=30	Pass					
50	0	19.52	0.36	19.88	<=30	Pass						

Note1: EIRP=Conducted Power+Antenna Gain

1.1.5 B66_15MHz_EIRP

Band: 66 / Bandwidth: 15MHz / NTN									
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict	
		Size	Offset			Result	Limit		
QPSK	1717.5	1	0	21.28	0.36	21.64	<=30	Pass	
			38	21.46	0.36	21.82	<=30	Pass	
			74	21.35	0.36	21.71	<=30	Pass	
		36	0	20.38	0.36	20.74	<=30	Pass	
			18	20.46	0.36	20.82	<=30	Pass	
			39	20.47	0.36	20.83	<=30	Pass	
		75	0	20.46	0.36	20.82	<=30	Pass	
		1745	1	0	21.48	0.36	21.84	<=30	Pass
				38	21.63	0.36	21.99	<=30	Pass
	74			21.50	0.36	21.86	<=30	Pass	
	36		0	20.61	0.36	20.97	<=30	Pass	
			18	20.61	0.36	20.97	<=30	Pass	
			39	20.60	0.36	20.96	<=30	Pass	
	75	0	20.60	0.36	20.96	<=30	Pass		
	1772.5	1	0	21.36	0.36	21.72	<=30	Pass	

16QAM	1717.5	36	38	21.55	0.36	21.91	<=30	Pass
			74	21.51	0.36	21.87	<=30	Pass
			0	20.64	0.36	21.00	<=30	Pass
		75	18	20.66	0.36	21.02	<=30	Pass
			39	20.62	0.36	20.98	<=30	Pass
			0	20.66	0.36	21.02	<=30	Pass
	1745	1	0	20.22	0.36	20.58	<=30	Pass
			38	20.41	0.36	20.77	<=30	Pass
			74	20.31	0.36	20.67	<=30	Pass
		36	0	19.44	0.36	19.80	<=30	Pass
			18	19.46	0.36	19.82	<=30	Pass
			39	19.45	0.36	19.81	<=30	Pass
	75	0	19.44	0.36	19.80	<=30	Pass	
	1772.5	1	0	20.28	0.36	20.64	<=30	Pass
			38	20.45	0.36	20.81	<=30	Pass
			74	20.31	0.36	20.67	<=30	Pass
		36	0	19.52	0.36	19.88	<=30	Pass
			18	19.55	0.36	19.91	<=30	Pass
39			19.54	0.36	19.90	<=30	Pass	
75	0	19.52	0.36	19.88	<=30	Pass		
1772.5	1	0	20.36	0.36	20.72	<=30	Pass	
		38	20.50	0.36	20.86	<=30	Pass	
		74	20.42	0.36	20.78	<=30	Pass	
	36	0	19.55	0.36	19.91	<=30	Pass	
		18	19.56	0.36	19.92	<=30	Pass	
		39	19.53	0.36	19.89	<=30	Pass	
75	0	19.57	0.36	19.93	<=30	Pass		

Note1: EIRP=Conducted Power+Antenna Gain

1.1.6 B66_20MHz_EIRP

Band: 66 / Bandwidth: 20MHz / NTNV									
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict	
		Size	Offset			Result	Limit		
QPSK	1720	1	0	21.10	0.36	21.46	<=30	Pass	
			50	21.54	0.36	21.90	<=30	Pass	
			99	21.20	0.36	21.56	<=30	Pass	
		50	0	20.42	0.36	20.78	<=30	Pass	
			25	20.47	0.36	20.83	<=30	Pass	
			50	20.52	0.36	20.88	<=30	Pass	
		100	0	20.44	0.36	20.80	<=30	Pass	
		1745	1	0	21.28	0.36	21.64	<=30	Pass
				50	21.65	0.36	22.01	<=30	Pass
	99			21.32	0.36	21.68	<=30	Pass	
	50		0	20.51	0.36	20.87	<=30	Pass	
			25	20.54	0.36	20.90	<=30	Pass	
			50	20.54	0.36	20.90	<=30	Pass	
	100	0	20.49	0.36	20.85	<=30	Pass		
	1770	1	0	21.19	0.36	21.55	<=30	Pass	
			50	21.60	0.36	21.96	<=30	Pass	
			99	21.34	0.36	21.70	<=30	Pass	
		50	0	20.50	0.36	20.86	<=30	Pass	
			25	20.51	0.36	20.87	<=30	Pass	
			50	20.49	0.36	20.85	<=30	Pass	
		100	0	20.46	0.36	20.82	<=30	Pass	

16QAM	1720	1	0	20.20	0.36	20.56	<=30	Pass	
			50	20.54	0.36	20.90	<=30	Pass	
			99	20.25	0.36	20.61	<=30	Pass	
		50	0	19.40	0.36	19.76	<=30	Pass	
			25	19.39	0.36	19.75	<=30	Pass	
			50	19.44	0.36	19.80	<=30	Pass	
		100	0	19.41	0.36	19.77	<=30	Pass	
		1745	1	0	20.09	0.36	20.45	<=30	Pass
				50	20.49	0.36	20.85	<=30	Pass
	99			20.17	0.36	20.53	<=30	Pass	
	50		0	19.44	0.36	19.80	<=30	Pass	
			25	19.50	0.36	19.86	<=30	Pass	
			50	19.49	0.36	19.85	<=30	Pass	
	100		0	19.44	0.36	19.80	<=30	Pass	
	1770		1	0	20.56	0.36	20.92	<=30	Pass
				50	20.95	0.36	21.31	<=30	Pass
		99		20.64	0.36	21.00	<=30	Pass	
		50	0	19.47	0.36	19.83	<=30	Pass	
			25	19.52	0.36	19.88	<=30	Pass	
			50	19.47	0.36	19.83	<=30	Pass	
		100	0	19.40	0.36	19.76	<=30	Pass	

Note1: EIRP=Conducted Power+Antenna Gain

2. Frequency Stability

2.1 Test Result

2.1.1 B66_1.4MHz

Band: 66 / Bandwidth: 1.4MHz										
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict	
		Size	Offset				Result	Limit		
QPSK	1710.7	6	0	20	3.27	-17.223	-0.0101	-2.5 to 2.5	Pass	
					3.85	-8.368	-0.0049	-2.5 to 2.5	Pass	
					4.43	-3.462	-0.0020	-2.5 to 2.5	Pass	
				-30	3.85	-1.717	-0.0010	-2.5 to 2.5	Pass	
					-20	3.85	0.143	0.0001	-2.5 to 2.5	Pass
						-10	3.85	-1.402	-0.0008	-2.5 to 2.5
				0	3.85	-0.358	-0.0002	-2.5 to 2.5	Pass	
					10	3.85	3.276	0.0019	-2.5 to 2.5	Pass
				30	3.85	-1.001	-0.0006	-2.5 to 2.5	Pass	
				40	3.85	-6.151	-0.0036	-2.5 to 2.5	Pass	
	50	3.85	-1.245	-0.0007	-2.5 to 2.5	Pass				
	1745	6	0	20	3.27	4.492	0.0026	-2.5 to 2.5	Pass	
					3.85	0.930	0.0005	-2.5 to 2.5	Pass	
					4.43	-7.782	-0.0045	-2.5 to 2.5	Pass	
				-30	3.85	-5.407	-0.0031	-2.5 to 2.5	Pass	
					-20	3.85	-2.933	-0.0017	-2.5 to 2.5	Pass
						-10	3.85	-2.503	-0.0014	-2.5 to 2.5
				0	3.85	-6.394	-0.0037	-2.5 to 2.5	Pass	
					10	3.85	-2.561	-0.0015	-2.5 to 2.5	Pass
				30	3.85	7.739	0.0044	-2.5 to 2.5	Pass	
40				3.85	-10.300	-0.0059	-2.5 to 2.5	Pass		
50	3.85	3.448	0.0020	-2.5 to 2.5	Pass					

	1779.3	6	0	20	3.27	-1.345	-0.0008	-2.5 to 2.5	Pass
					3.85	-3.076	-0.0017	-2.5 to 2.5	Pass
					4.43	-8.254	-0.0046	-2.5 to 2.5	Pass
				-30	3.85	-9.212	-0.0052	-2.5 to 2.5	Pass
					-20	3.85	-5.479	-0.0031	-2.5 to 2.5
				-10	3.85	-1.316	-0.0007	-2.5 to 2.5	Pass
					0	3.85	-8.268	-0.0046	-2.5 to 2.5
				10	3.85	-8.483	-0.0048	-2.5 to 2.5	Pass
				30	3.85	-12.774	-0.0072	-2.5 to 2.5	Pass
				40	3.85	-3.133	-0.0018	-2.5 to 2.5	Pass
50	3.85	-8.340	-0.0047	-2.5 to 2.5	Pass				
16QAM	1710.7	6	0	20	3.27	-2.832	-0.0017	-2.5 to 2.5	Pass
					3.85	0.687	0.0004	-2.5 to 2.5	Pass
					4.43	0.257	0.0002	-2.5 to 2.5	Pass
				-30	3.85	-6.995	-0.0041	-2.5 to 2.5	Pass
					-20	3.85	-1.473	-0.0009	-2.5 to 2.5
				-10	3.85	-7.210	-0.0042	-2.5 to 2.5	Pass
					0	3.85	-5.980	-0.0035	-2.5 to 2.5
				10	3.85	0.000	0.0000	-2.5 to 2.5	Pass
				30	3.85	-4.277	-0.0025	-2.5 to 2.5	Pass
				40	3.85	1.945	0.0011	-2.5 to 2.5	Pass
	50	3.85	-6.523	-0.0038	-2.5 to 2.5	Pass			
	1745	6	0	20	3.27	2.918	0.0017	-2.5 to 2.5	Pass
					3.85	-5.050	-0.0029	-2.5 to 2.5	Pass
					4.43	-6.495	-0.0037	-2.5 to 2.5	Pass
				-30	3.85	-8.097	-0.0046	-2.5 to 2.5	Pass
					-20	3.85	-3.862	-0.0022	-2.5 to 2.5
				-10	3.85	-10.672	-0.0061	-2.5 to 2.5	Pass
					0	3.85	-4.535	-0.0026	-2.5 to 2.5
				10	3.85	-8.512	-0.0049	-2.5 to 2.5	Pass
				30	3.85	-5.178	-0.0030	-2.5 to 2.5	Pass
				40	3.85	-1.001	-0.0006	-2.5 to 2.5	Pass
	50	3.85	-9.027	-0.0052	-2.5 to 2.5	Pass			
	1779.3	6	0	20	3.27	4.992	0.0028	-2.5 to 2.5	Pass
					3.85	-6.151	-0.0035	-2.5 to 2.5	Pass
					4.43	-3.877	-0.0022	-2.5 to 2.5	Pass
				-30	3.85	-1.087	-0.0006	-2.5 to 2.5	Pass
					-20	3.85	-2.975	-0.0017	-2.5 to 2.5
				-10	3.85	-7.825	-0.0044	-2.5 to 2.5	Pass
0					3.85	-6.852	-0.0039	-2.5 to 2.5	Pass
10				3.85	-5.808	-0.0033	-2.5 to 2.5	Pass	
30				3.85	-7.038	-0.0040	-2.5 to 2.5	Pass	
40				3.85	-4.864	-0.0027	-2.5 to 2.5	Pass	
50	3.85	-8.340	-0.0047	-2.5 to 2.5	Pass				

2.1.2 B66_3MHz

Band: 66 / Bandwidth: 3MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1711.5	15	0	20	3.27	-8.154	-0.0048	-2.5 to 2.5	Pass
					3.85	-11.730	-0.0069	-2.5 to 2.5	Pass
					4.43	-4.377	-0.0026	-2.5 to 2.5	Pass
				-30	3.85	-6.781	-0.0040	-2.5 to 2.5	Pass
					-20	3.85	-4.535	-0.0026	-2.5 to 2.5

				-10	3.85	-1.531	-0.0009	-2.5 to 2.5	Pass	
				0	3.85	-9.627	-0.0056	-2.5 to 2.5	Pass	
				10	3.85	-4.907	-0.0029	-2.5 to 2.5	Pass	
				30	3.85	-2.260	-0.0013	-2.5 to 2.5	Pass	
				40	3.85	-3.390	-0.0020	-2.5 to 2.5	Pass	
				50	3.85	-2.575	-0.0015	-2.5 to 2.5	Pass	
	1745	15	0	20	3.27	5.693	0.0033	-2.5 to 2.5	Pass	
					3.85	-6.909	-0.0040	-2.5 to 2.5	Pass	
					4.43	-0.672	-0.0004	-2.5 to 2.5	Pass	
				-30	3.85	2.460	0.0014	-2.5 to 2.5	Pass	
				-20	3.85	2.360	0.0014	-2.5 to 2.5	Pass	
				-10	3.85	-12.016	-0.0069	-2.5 to 2.5	Pass	
		0	3.85	-2.589	-0.0015	-2.5 to 2.5	Pass			
		10	3.85	-0.443	-0.0003	-2.5 to 2.5	Pass			
		30	3.85	-7.811	-0.0045	-2.5 to 2.5	Pass			
		40	3.85	-4.234	-0.0024	-2.5 to 2.5	Pass			
		50	3.85	-4.220	-0.0024	-2.5 to 2.5	Pass			
		1778.5	15	0	20	3.27	-0.844	-0.0005	-2.5 to 2.5	Pass
	3.85					-5.593	-0.0031	-2.5 to 2.5	Pass	
	4.43					-4.148	-0.0023	-2.5 to 2.5	Pass	
	-30				3.85	-9.713	-0.0055	-2.5 to 2.5	Pass	
	-20				3.85	-6.652	-0.0037	-2.5 to 2.5	Pass	
	-10				3.85	-2.332	-0.0013	-2.5 to 2.5	Pass	
	0		3.85	-2.789	-0.0016	-2.5 to 2.5	Pass			
	10		3.85	-3.705	-0.0021	-2.5 to 2.5	Pass			
	30		3.85	-9.828	-0.0055	-2.5 to 2.5	Pass			
	40		3.85	-5.236	-0.0029	-2.5 to 2.5	Pass			
	50		3.85	6.037	0.0034	-2.5 to 2.5	Pass			
	16QAM		1711.5	15	0	20	3.27	-3.676	-0.0021	-2.5 to 2.5
		3.85					-4.163	-0.0024	-2.5 to 2.5	Pass
4.43		-4.635					-0.0027	-2.5 to 2.5	Pass	
-30		3.85				-7.825	-0.0046	-2.5 to 2.5	Pass	
-20		3.85				-5.093	-0.0030	-2.5 to 2.5	Pass	
-10		3.85				-2.890	-0.0017	-2.5 to 2.5	Pass	
0		3.85		-5.164	-0.0030	-2.5 to 2.5	Pass			
10		3.85		-1.702	-0.0010	-2.5 to 2.5	Pass			
30		3.85		-7.138	-0.0042	-2.5 to 2.5	Pass			
40		3.85		-9.155	-0.0053	-2.5 to 2.5	Pass			
50		3.85		-9.170	-0.0054	-2.5 to 2.5	Pass			
1745		15		0	20	3.27	1.287	0.0007	-2.5 to 2.5	Pass
			3.85			-8.183	-0.0047	-2.5 to 2.5	Pass	
			4.43			-6.409	-0.0037	-2.5 to 2.5	Pass	
			-30		3.85	-1.731	-0.0010	-2.5 to 2.5	Pass	
			-20		3.85	-0.300	-0.0002	-2.5 to 2.5	Pass	
			-10		3.85	-5.050	-0.0029	-2.5 to 2.5	Pass	
		0	3.85	0.429	0.0002	-2.5 to 2.5	Pass			
		10	3.85	-2.089	-0.0012	-2.5 to 2.5	Pass			
		30	3.85	6.037	0.0035	-2.5 to 2.5	Pass			
		40	3.85	-7.825	-0.0045	-2.5 to 2.5	Pass			
		50	3.85	-6.495	-0.0037	-2.5 to 2.5	Pass			
		1778.5	15	0	20	3.27	2.289	0.0013	-2.5 to 2.5	Pass
3.85						-6.752	-0.0038	-2.5 to 2.5	Pass	
4.43						-1.316	-0.0007	-2.5 to 2.5	Pass	
-30					3.85	-0.944	-0.0005	-2.5 to 2.5	Pass	
-20					3.85	-6.380	-0.0036	-2.5 to 2.5	Pass	
-10					3.85	-9.871	-0.0056	-2.5 to 2.5	Pass	
0		3.85	0.558	0.0003	-2.5 to 2.5	Pass				

				10	3.85	-2.117	-0.0012	-2.5 to 2.5	Pass
				30	3.85	0.515	0.0003	-2.5 to 2.5	Pass
				40	3.85	-2.646	-0.0015	-2.5 to 2.5	Pass
				50	3.85	-2.947	-0.0017	-2.5 to 2.5	Pass

2.1.3 B66_5MHz

Band: 66 / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1712.5	25	0	20	3.27	-9.742	-0.0057	-2.5 to 2.5	Pass
					3.85	-1.230	-0.0007	-2.5 to 2.5	Pass
					4.43	-7.324	-0.0043	-2.5 to 2.5	Pass
				-30	3.85	-5.651	-0.0033	-2.5 to 2.5	Pass
				-20	3.85	-0.572	-0.0003	-2.5 to 2.5	Pass
				-10	3.85	-5.050	-0.0029	-2.5 to 2.5	Pass
				0	3.85	-6.838	-0.0040	-2.5 to 2.5	Pass
				10	3.85	-0.658	-0.0004	-2.5 to 2.5	Pass
				30	3.85	-4.220	-0.0025	-2.5 to 2.5	Pass
				40	3.85	-3.104	-0.0018	-2.5 to 2.5	Pass
	50	3.85	-3.705	-0.0022	-2.5 to 2.5	Pass			
	1745	25	0	20	3.27	7.639	0.0044	-2.5 to 2.5	Pass
					3.85	7.310	0.0042	-2.5 to 2.5	Pass
					4.43	-4.907	-0.0028	-2.5 to 2.5	Pass
				-30	3.85	-8.583	-0.0049	-2.5 to 2.5	Pass
				-20	3.85	4.163	0.0024	-2.5 to 2.5	Pass
				-10	3.85	-1.745	-0.0010	-2.5 to 2.5	Pass
				0	3.85	-0.772	-0.0004	-2.5 to 2.5	Pass
				10	3.85	-1.087	-0.0006	-2.5 to 2.5	Pass
				30	3.85	1.445	0.0008	-2.5 to 2.5	Pass
				40	3.85	-3.877	-0.0022	-2.5 to 2.5	Pass
	50	3.85	-1.674	-0.0010	-2.5 to 2.5	Pass			
	1777.5	25	0	20	3.27	1.903	0.0011	-2.5 to 2.5	Pass
					3.85	-0.558	-0.0003	-2.5 to 2.5	Pass
					4.43	2.375	0.0013	-2.5 to 2.5	Pass
				-30	3.85	-5.765	-0.0032	-2.5 to 2.5	Pass
				-20	3.85	4.091	0.0023	-2.5 to 2.5	Pass
				-10	3.85	-3.934	-0.0022	-2.5 to 2.5	Pass
				0	3.85	-1.645	-0.0009	-2.5 to 2.5	Pass
				10	3.85	-4.463	-0.0025	-2.5 to 2.5	Pass
30				3.85	-7.010	-0.0039	-2.5 to 2.5	Pass	
40				3.85	-3.033	-0.0017	-2.5 to 2.5	Pass	
50	3.85	-4.363	-0.0025	-2.5 to 2.5	Pass				
16QAM	1712.5	25	0	20	3.27	-5.450	-0.0032	-2.5 to 2.5	Pass
					3.85	-3.061	-0.0018	-2.5 to 2.5	Pass
					4.43	-5.479	-0.0032	-2.5 to 2.5	Pass
				-30	3.85	-2.990	-0.0017	-2.5 to 2.5	Pass
				-20	3.85	-2.475	-0.0014	-2.5 to 2.5	Pass
				-10	3.85	-5.493	-0.0032	-2.5 to 2.5	Pass
				0	3.85	-2.804	-0.0016	-2.5 to 2.5	Pass
				10	3.85	-1.845	-0.0011	-2.5 to 2.5	Pass
				30	3.85	-10.571	-0.0062	-2.5 to 2.5	Pass
				40	3.85	-2.904	-0.0017	-2.5 to 2.5	Pass
	50	3.85	0.200	0.0001	-2.5 to 2.5	Pass			
	1745	25	0	20	3.27	-6.008	-0.0034	-2.5 to 2.5	Pass

					3.85	-0.515	-0.0003	-2.5 to 2.5	Pass	
					4.43	-3.648	-0.0021	-2.5 to 2.5	Pass	
				-30	3.85	4.878	0.0028	-2.5 to 2.5	Pass	
				-20	3.85	-3.576	-0.0020	-2.5 to 2.5	Pass	
				-10	3.85	-4.249	-0.0024	-2.5 to 2.5	Pass	
				0	3.85	1.101	0.0006	-2.5 to 2.5	Pass	
				10	3.85	-2.618	-0.0015	-2.5 to 2.5	Pass	
				30	3.85	-4.034	-0.0023	-2.5 to 2.5	Pass	
				40	3.85	-5.608	-0.0032	-2.5 to 2.5	Pass	
	50	3.85	-3.290	-0.0019	-2.5 to 2.5	Pass				
	1777.5	25	0	20		3.27	-2.375	-0.0013	-2.5 to 2.5	Pass
						3.85	4.807	0.0027	-2.5 to 2.5	Pass
						4.43	-0.029	0.0000	-2.5 to 2.5	Pass
				-30	3.85	0.057	0.0000	-2.5 to 2.5	Pass	
				-20	3.85	-0.358	-0.0002	-2.5 to 2.5	Pass	
				-10	3.85	0.544	0.0003	-2.5 to 2.5	Pass	
				0	3.85	-7.739	-0.0044	-2.5 to 2.5	Pass	
				10	3.85	-4.420	-0.0025	-2.5 to 2.5	Pass	
30				3.85	-6.895	-0.0039	-2.5 to 2.5	Pass		
40	3.85	-5.593	-0.0031	-2.5 to 2.5	Pass					
50	3.85	-1.044	-0.0006	-2.5 to 2.5	Pass					

2.1.4 B66_10MHz

Band: 66 / Bandwidth: 10MHz										
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict	
		Size	Offset				Result	Limit		
QPSK	1715	50	0	20		3.27	-7.753	-0.0045	-2.5 to 2.5	Pass
						3.85	-7.324	-0.0043	-2.5 to 2.5	Pass
						4.43	-6.766	-0.0039	-2.5 to 2.5	Pass
				-30	3.85	-9.499	-0.0055	-2.5 to 2.5	Pass	
				-20	3.85	-6.609	-0.0039	-2.5 to 2.5	Pass	
				-10	3.85	-4.992	-0.0029	-2.5 to 2.5	Pass	
				0	3.85	-4.435	-0.0026	-2.5 to 2.5	Pass	
				10	3.85	-6.580	-0.0038	-2.5 to 2.5	Pass	
				30	3.85	-5.522	-0.0032	-2.5 to 2.5	Pass	
	40	3.85	-3.977	-0.0023	-2.5 to 2.5	Pass				
	50	3.85	-7.610	-0.0044	-2.5 to 2.5	Pass				
	1745	50	0	20		3.27	-5.751	-0.0033	-2.5 to 2.5	Pass
						3.85	-5.293	-0.0030	-2.5 to 2.5	Pass
						4.43	-0.215	-0.0001	-2.5 to 2.5	Pass
				-30	3.85	-3.333	-0.0019	-2.5 to 2.5	Pass	
				-20	3.85	-6.967	-0.0040	-2.5 to 2.5	Pass	
				-10	3.85	-7.381	-0.0042	-2.5 to 2.5	Pass	
				0	3.85	-4.935	-0.0028	-2.5 to 2.5	Pass	
				10	3.85	-5.021	-0.0029	-2.5 to 2.5	Pass	
				30	3.85	-7.467	-0.0043	-2.5 to 2.5	Pass	
	40	3.85	-4.420	-0.0025	-2.5 to 2.5	Pass				
	50	3.85	-1.717	-0.0010	-2.5 to 2.5	Pass				
	1775	50	0	20		3.27	-4.549	-0.0026	-2.5 to 2.5	Pass
						3.85	-9.341	-0.0053	-2.5 to 2.5	Pass
						4.43	-0.601	-0.0003	-2.5 to 2.5	Pass
				-30	3.85	2.475	0.0014	-2.5 to 2.5	Pass	
				-20	3.85	-8.283	-0.0047	-2.5 to 2.5	Pass	
-10	3.85	-2.546	-0.0014	-2.5 to 2.5	Pass					

				0	3.85	-2.232	-0.0013	-2.5 to 2.5	Pass
				10	3.85	-1.845	-0.0010	-2.5 to 2.5	Pass
				30	3.85	-8.097	-0.0046	-2.5 to 2.5	Pass
				40	3.85	-8.411	-0.0047	-2.5 to 2.5	Pass
				50	3.85	-3.963	-0.0022	-2.5 to 2.5	Pass
16QAM	1715	50	0	20	3.27	-5.336	-0.0031	-2.5 to 2.5	Pass
					3.85	-5.350	-0.0031	-2.5 to 2.5	Pass
					4.43	-8.068	-0.0047	-2.5 to 2.5	Pass
				-30	3.85	-4.778	-0.0028	-2.5 to 2.5	Pass
				-20	3.85	4.663	0.0027	-2.5 to 2.5	Pass
				-10	3.85	-3.304	-0.0019	-2.5 to 2.5	Pass
				0	3.85	-7.281	-0.0042	-2.5 to 2.5	Pass
				10	3.85	-5.107	-0.0030	-2.5 to 2.5	Pass
				30	3.85	-6.795	-0.0040	-2.5 to 2.5	Pass
				40	3.85	-5.336	-0.0031	-2.5 to 2.5	Pass
	50	3.85	-9.384	-0.0055	-2.5 to 2.5	Pass			
	1745	50	0	20	3.27	-2.818	-0.0016	-2.5 to 2.5	Pass
					3.85	-7.610	-0.0044	-2.5 to 2.5	Pass
					4.43	-4.277	-0.0025	-2.5 to 2.5	Pass
				-30	3.85	-4.077	-0.0023	-2.5 to 2.5	Pass
				-20	3.85	-4.420	-0.0025	-2.5 to 2.5	Pass
				-10	3.85	-4.077	-0.0023	-2.5 to 2.5	Pass
				0	3.85	-4.292	-0.0025	-2.5 to 2.5	Pass
				10	3.85	-7.567	-0.0043	-2.5 to 2.5	Pass
				30	3.85	-8.125	-0.0047	-2.5 to 2.5	Pass
				40	3.85	-3.862	-0.0022	-2.5 to 2.5	Pass
	50	3.85	-2.761	-0.0016	-2.5 to 2.5	Pass			
	1775	50	0	20	3.27	-7.067	-0.0040	-2.5 to 2.5	Pass
					3.85	-6.809	-0.0038	-2.5 to 2.5	Pass
					4.43	-2.604	-0.0015	-2.5 to 2.5	Pass
				-30	3.85	-2.761	-0.0016	-2.5 to 2.5	Pass
				-20	3.85	-6.638	-0.0037	-2.5 to 2.5	Pass
				-10	3.85	-8.197	-0.0046	-2.5 to 2.5	Pass
				0	3.85	-6.824	-0.0038	-2.5 to 2.5	Pass
				10	3.85	-5.407	-0.0030	-2.5 to 2.5	Pass
30				3.85	-11.001	-0.0062	-2.5 to 2.5	Pass	
40				3.85	-4.520	-0.0025	-2.5 to 2.5	Pass	
50	3.85	-3.762	-0.0021	-2.5 to 2.5	Pass				

2.1.5 B66_15MHz

Band: 66 / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1717.5	75	0	20	3.27	-7.353	-0.0043	-2.5 to 2.5	Pass
					3.85	-5.336	-0.0031	-2.5 to 2.5	Pass
					4.43	-4.892	-0.0028	-2.5 to 2.5	Pass
				-30	3.85	-6.337	-0.0037	-2.5 to 2.5	Pass
				-20	3.85	-5.536	-0.0032	-2.5 to 2.5	Pass
				-10	3.85	-4.120	-0.0024	-2.5 to 2.5	Pass
				0	3.85	-5.207	-0.0030	-2.5 to 2.5	Pass
				10	3.85	-4.334	-0.0025	-2.5 to 2.5	Pass
				30	3.85	-5.436	-0.0032	-2.5 to 2.5	Pass
				40	3.85	-6.652	-0.0039	-2.5 to 2.5	Pass
50	3.85	-6.738	-0.0039	-2.5 to 2.5	Pass				

	1745	75	0	20	3.27	-2.346	-0.0013	-2.5 to 2.5	Pass	
					3.85	-5.751	-0.0033	-2.5 to 2.5	Pass	
					4.43	-7.968	-0.0046	-2.5 to 2.5	Pass	
				-30	3.85	-7.596	-0.0044	-2.5 to 2.5	Pass	
					-20	3.85	-4.406	-0.0025	-2.5 to 2.5	Pass
						-10	3.85	-10.357	-0.0059	-2.5 to 2.5
				0	3.85	-6.638	-0.0038	-2.5 to 2.5	Pass	
					10	3.85	-11.201	-0.0064	-2.5 to 2.5	Pass
					30	3.85	-8.068	-0.0046	-2.5 to 2.5	Pass
	40	3.85	-4.549	-0.0026	-2.5 to 2.5	Pass				
		50	3.85	-9.613	-0.0055	-2.5 to 2.5	Pass			
			3.85	-9.613	-0.0055	-2.5 to 2.5	Pass			
	1772.5	75	0	20	3.27	-3.805	-0.0021	-2.5 to 2.5	Pass	
					3.85	-1.574	-0.0009	-2.5 to 2.5	Pass	
					4.43	-6.580	-0.0037	-2.5 to 2.5	Pass	
				-30	3.85	-1.488	-0.0008	-2.5 to 2.5	Pass	
					-20	3.85	-4.377	-0.0025	-2.5 to 2.5	Pass
						-10	3.85	-6.266	-0.0035	-2.5 to 2.5
0				3.85	-8.397	-0.0047	-2.5 to 2.5	Pass		
				10	3.85	-9.642	-0.0054	-2.5 to 2.5	Pass	
				30	3.85	-7.067	-0.0040	-2.5 to 2.5	Pass	
40	3.85	-6.595	-0.0037	-2.5 to 2.5	Pass					
	50	3.85	-8.669	-0.0049	-2.5 to 2.5	Pass				
		3.85	-8.669	-0.0049	-2.5 to 2.5	Pass				
16QAM	1717.5	75	0	20	3.27	-5.922	-0.0034	-2.5 to 2.5	Pass	
					3.85	-6.194	-0.0036	-2.5 to 2.5	Pass	
					4.43	-7.925	-0.0046	-2.5 to 2.5	Pass	
				-30	3.85	-4.535	-0.0026	-2.5 to 2.5	Pass	
					-20	3.85	-5.336	-0.0031	-2.5 to 2.5	Pass
						-10	3.85	-8.440	-0.0049	-2.5 to 2.5
				0	3.85	-7.997	-0.0047	-2.5 to 2.5	Pass	
					10	3.85	-5.608	-0.0033	-2.5 to 2.5	Pass
					30	3.85	-3.419	-0.0020	-2.5 to 2.5	Pass
	40	3.85	-5.178	-0.0030	-2.5 to 2.5	Pass				
		50	3.85	-8.783	-0.0051	-2.5 to 2.5	Pass			
			3.85	-8.783	-0.0051	-2.5 to 2.5	Pass			
	1745	75	0	20	3.27	-11.129	-0.0064	-2.5 to 2.5	Pass	
					3.85	-4.764	-0.0027	-2.5 to 2.5	Pass	
					4.43	-4.749	-0.0027	-2.5 to 2.5	Pass	
				-30	3.85	-8.540	-0.0049	-2.5 to 2.5	Pass	
					-20	3.85	-4.592	-0.0026	-2.5 to 2.5	Pass
						-10	3.85	-6.022	-0.0035	-2.5 to 2.5
0				3.85	-8.612	-0.0049	-2.5 to 2.5	Pass		
				10	3.85	-6.738	-0.0039	-2.5 to 2.5	Pass	
				30	3.85	-6.423	-0.0037	-2.5 to 2.5	Pass	
40	3.85	-8.411	-0.0048	-2.5 to 2.5	Pass					
	50	3.85	-4.435	-0.0025	-2.5 to 2.5	Pass				
		3.85	-4.435	-0.0025	-2.5 to 2.5	Pass				
1772.5	75	0	20	3.27	-6.623	-0.0037	-2.5 to 2.5	Pass		
				3.85	-6.552	-0.0037	-2.5 to 2.5	Pass		
				4.43	-3.662	-0.0021	-2.5 to 2.5	Pass		
			-30	3.85	-2.246	-0.0013	-2.5 to 2.5	Pass		
				-20	3.85	0.443	0.0002	-2.5 to 2.5	Pass	
					-10	3.85	-6.495	-0.0037	-2.5 to 2.5	Pass
			0	3.85	-3.805	-0.0021	-2.5 to 2.5	Pass		
				10	3.85	-8.683	-0.0049	-2.5 to 2.5	Pass	
				30	3.85	-3.519	-0.0020	-2.5 to 2.5	Pass	
40	3.85	-9.084	-0.0051	-2.5 to 2.5	Pass					
	50	3.85	-7.052	-0.0040	-2.5 to 2.5	Pass				
		3.85	-7.052	-0.0040	-2.5 to 2.5	Pass				

2.1.6 B66_20MHz

Band: 66 / Bandwidth: 20MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1720	100	0	20	3.27	-9.212	-0.0054	-2.5 to 2.5	Pass
					3.85	-9.227	-0.0054	-2.5 to 2.5	Pass
					4.43	-4.721	-0.0027	-2.5 to 2.5	Pass
				-30	3.85	-8.068	-0.0047	-2.5 to 2.5	Pass
				-20	3.85	-5.322	-0.0031	-2.5 to 2.5	Pass
				-10	3.85	-10.071	-0.0059	-2.5 to 2.5	Pass
				0	3.85	-3.090	-0.0018	-2.5 to 2.5	Pass
				10	3.85	-8.640	-0.0050	-2.5 to 2.5	Pass
				30	3.85	-7.682	-0.0045	-2.5 to 2.5	Pass
				40	3.85	-9.556	-0.0056	-2.5 to 2.5	Pass
	50	3.85	-8.626	-0.0050	-2.5 to 2.5	Pass			
	1745	100	0	20	3.27	-2.975	-0.0017	-2.5 to 2.5	Pass
					3.85	-4.978	-0.0029	-2.5 to 2.5	Pass
					4.43	-8.912	-0.0051	-2.5 to 2.5	Pass
				-30	3.85	-7.696	-0.0044	-2.5 to 2.5	Pass
				-20	3.85	-2.818	-0.0016	-2.5 to 2.5	Pass
				-10	3.85	-2.046	-0.0012	-2.5 to 2.5	Pass
				0	3.85	-4.020	-0.0023	-2.5 to 2.5	Pass
				10	3.85	-2.503	-0.0014	-2.5 to 2.5	Pass
				30	3.85	-2.546	-0.0015	-2.5 to 2.5	Pass
				40	3.85	-5.679	-0.0033	-2.5 to 2.5	Pass
	50	3.85	-5.851	-0.0034	-2.5 to 2.5	Pass			
	1770	100	0	20	3.27	-4.835	-0.0027	-2.5 to 2.5	Pass
					3.85	-2.074	-0.0012	-2.5 to 2.5	Pass
					4.43	-7.939	-0.0045	-2.5 to 2.5	Pass
				-30	3.85	-6.351	-0.0036	-2.5 to 2.5	Pass
				-20	3.85	-6.223	-0.0035	-2.5 to 2.5	Pass
				-10	3.85	-6.552	-0.0037	-2.5 to 2.5	Pass
				0	3.85	-7.997	-0.0045	-2.5 to 2.5	Pass
				10	3.85	-4.663	-0.0026	-2.5 to 2.5	Pass
30				3.85	-5.980	-0.0034	-2.5 to 2.5	Pass	
40				3.85	-6.409	-0.0036	-2.5 to 2.5	Pass	
50	3.85	-8.984	-0.0051	-2.5 to 2.5	Pass				
16QAM	1720	100	0	20	3.27	-6.766	-0.0039	-2.5 to 2.5	Pass
					3.85	-10.228	-0.0059	-2.5 to 2.5	Pass
					4.43	-4.807	-0.0028	-2.5 to 2.5	Pass
				-30	3.85	-7.567	-0.0044	-2.5 to 2.5	Pass
				-20	3.85	-5.236	-0.0030	-2.5 to 2.5	Pass
				-10	3.85	-4.907	-0.0029	-2.5 to 2.5	Pass
				0	3.85	-6.323	-0.0037	-2.5 to 2.5	Pass
				10	3.85	-3.147	-0.0018	-2.5 to 2.5	Pass
				30	3.85	-4.692	-0.0027	-2.5 to 2.5	Pass
				40	3.85	-3.662	-0.0021	-2.5 to 2.5	Pass
	50	3.85	-6.108	-0.0036	-2.5 to 2.5	Pass			
	1745	100	0	20	3.27	-2.975	-0.0017	-2.5 to 2.5	Pass
					3.85	-2.260	-0.0013	-2.5 to 2.5	Pass
					4.43	0.215	0.0001	-2.5 to 2.5	Pass
				-30	3.85	-5.679	-0.0033	-2.5 to 2.5	Pass
				-20	3.85	-9.041	-0.0052	-2.5 to 2.5	Pass
				-10	3.85	-9.427	-0.0054	-2.5 to 2.5	Pass
				0	3.85	-5.708	-0.0033	-2.5 to 2.5	Pass

				10	3.85	-4.463	-0.0026	-2.5 to 2.5	Pass
				30	3.85	-0.958	-0.0005	-2.5 to 2.5	Pass
				40	3.85	-1.974	-0.0011	-2.5 to 2.5	Pass
				50	3.85	-4.148	-0.0024	-2.5 to 2.5	Pass
	1770	100	0	20	3.27	-3.734	-0.0021	-2.5 to 2.5	Pass
					3.85	-7.095	-0.0040	-2.5 to 2.5	Pass
					4.43	-4.849	-0.0027	-2.5 to 2.5	Pass
				-30	3.85	-8.655	-0.0049	-2.5 to 2.5	Pass
				-20	3.85	-8.769	-0.0050	-2.5 to 2.5	Pass
				-10	3.85	-5.307	-0.0030	-2.5 to 2.5	Pass
				0	3.85	-6.323	-0.0036	-2.5 to 2.5	Pass
				10	3.85	-6.309	-0.0036	-2.5 to 2.5	Pass
				30	3.85	-4.621	-0.0026	-2.5 to 2.5	Pass
				40	3.85	-8.297	-0.0047	-2.5 to 2.5	Pass
				50	3.85	-6.552	-0.0037	-2.5 to 2.5	Pass

3. Modulation Characteristics

3.1 Test Result

3.1.1 B66_1.4MHz

Band: 66 / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1745	6	0	Refer To Test Graph		Pass
16QAM	1745	6	0	Refer To Test Graph		Pass

3.1.2 B66_3MHz

Band: 66 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1745	15	0	Refer To Test Graph		Pass
16QAM	1745	15	0	Refer To Test Graph		Pass

3.1.3 B66_5MHz

Band: 66 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1745	25	0	Refer To Test Graph		Pass
16QAM	1745	25	0	Refer To Test Graph		Pass

3.1.4 B66_10MHz

Band: 66 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	

QPSK	1745	50	0	Refer To Test Graph	Pass
16QAM	1745	50	0	Refer To Test Graph	Pass

3.1.5 B66_15MHz


Band: 66 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1745	75	0	Refer To Test Graph	Pass	
16QAM	1745	75	0	Refer To Test Graph	Pass	

3.1.6 B66_20MHz

Band: 66 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1745	100	0	Refer To Test Graph	Pass	
16QAM	1745	100	0	Refer To Test Graph	Pass	

3.2 Test Graph

3.2.1 B66_1.4MHz



3.2.2 B66_3MHz

Band66_3MHz_QPSK_MCH_1745MHz_RB_15_0_NTNV

CMW 500 V 3.7.22 - LTE Measurement 1 - V3.7.30 - TX Measurement

Multi Evaluation PRACH SRS

FDD Freq.: 1745.0 MHz Ref. Level: 39.60 dBm BW: 3.0 MHz CP: Normal Meas Subfr./Slot: 3 / All

IQ Constellation

Statistic Count: 20 / 20

Out of Tolerance: 0.00 %

Detected Modulation: QPSK

Detected Channel Type: PUSCH

View Filter Throughput: 100.0 %

LTE

Multi Evaluation **RDY**


RF Settings

Trigger

Display

Signaling Parameter

LTE Signaling **Run**



PS: Connection Established

RRC State: Connected

Go To Local
Show Remote Screen

Band66_3MHz_16QAM_MCH_1745MHz_RB_15_0_NTNV

CMW 500 V 3.7.22 - LTE Measurement 1 - V3.7.30 - TX Measurement

Multi Evaluation PRACH SRS

FDD Freq.: 1745.0 MHz Ref. Level: 39.60 dBm BW: 3.0 MHz CP: Normal Meas Subfr./Slot: 3 / All

IQ Constellation

Statistic Count: 20 / 20

Out of Tolerance: 0.00 %

Detected Modulation: 16-QAM

Detected Channel Type: PUSCH

View Filter Throughput: 100.0 %

LTE

Multi Evaluation **RDY**


RF Settings

Trigger

Display

Signaling Parameter

LTE Signaling **Run**



PS: Connection Established

RRC State: Connected

Go To Local
Show Remote Screen

3.2.3 B66_5MHz

Band66_5MHz_QPSK_MCH_1745MHz_RB_25_0_NTNV

CMW 500 V 3.7.22 - LTE Measurement 1 - V3.7.30 - TX Measurement

Multi Evaluation PRACH SRS

FDD Freq.: 1745.0 MHz Ref. Level: 39.70 dBm BW: 5.0 MHz CP: Normal Meas Subfr./Slot: 3 / All

IO Constellation

Statistic Count
20 / 20


Out of Tolerance
0.00 %

Detected Modulation
QPSK

Detected Channel Type
PUSCH

View Filter Throughput
100.0 %

LTE



The plot shows four distinct clusters of blue data points in a square arrangement on a coordinate system where both axes range from -1 to 1. The axes are labeled 'Q' (vertical) and 'I' (horizontal).

Multi Evaluation
RDY

RF Settings

PS: Connection Established
RRC State: Connected

Trigger

Display

Go To Local

Show Remote Screen

Signaling Parameter

LTE Signaling

Run

Band66_5MHz_16QAM_MCH_1745MHz_RB_25_0_NTNV

CMW 500 V 3.7.22 - LTE Measurement 1 - V3.7.30 - TX Measurement

Multi Evaluation PRACH SRS

FDD Freq.: 1745.0 MHz Ref. Level: 39.70 dBm BW: 5.0 MHz CP: Normal Meas Subfr./Slot: 3 / All

IO Constellation

Statistic Count
20 / 20


Out of Tolerance
0.00 %

Detected Modulation
16-QAM

Detected Channel Type
PUSCH

View Filter Throughput
100.0 %

LTE



The plot shows 16 distinct clusters of blue data points arranged in a 4x4 grid on a coordinate system where both axes range from -1 to 1. The axes are labeled 'Q' (vertical) and 'I' (horizontal).

Multi Evaluation
RDY

RF Settings

PS: Connection Established
RRC State: Connected

Trigger

Display

Go To Local

Show Remote Screen

Signaling Parameter

LTE Signaling

Run

3.2.4 B66_10MHz


Band66_10MHz_QPSK_MCH_1745MHz_RB_50_0_NTNV

CMW 500 V 3.7.22 - LTE Measurement 1 - V3.7.30 - TX Measurement

Multi Evaluation PRACH SRS

FDD Freq.: 1745.0 MHz Ref. Level: 39.80 dBm BW: 10.0 MHz CP: Normal Meas Subfr./Slot: 3 / All

IQ Constellation



Statistic Count: 20 / 20
Out of Tolerance: 0.00 %
Detected Modulation: QPSK
Detected Channel Type: PUSCH
View Filter Throughput: 100.0 %

PS: Connection Established
RRC State: Connected

Go To Local Show Remote Screen

LTE

Multi Evaluation
RDY

RF Settings

Trigger

Display

Signaling Parameter

LTE Signaling
Run


Band66_10MHz_16QAM_MCH_1745MHz_RB_50_0_NTNV

CMW 500 V 3.7.22 - LTE Measurement 1 - V3.7.30 - TX Measurement

Multi Evaluation PRACH SRS

FDD Freq.: 1745.0 MHz Ref. Level: 39.80 dBm BW: 10.0 MHz CP: Normal Meas Subfr./Slot: 3 / All

IQ Constellation



Statistic Count: 20 / 20
Out of Tolerance: 0.00 %
Detected Modulation: 16-QAM
Detected Channel Type: PUSCH
View Filter Throughput: 100.0 %

PS: Connection Established
RRC State: Connected

Go To Local Show Remote Screen

LTE

Multi Evaluation
RDY

RF Settings

Trigger

Display

Signaling Parameter

LTE Signaling
Run

3.2.5 B66_15MHz

Band66_15MHz_QPSK_MCH_1745MHz_RB_75_0_NTNV

CMW 500 V 3.7.22 - LTE Measurement 1 - V3.7.30 - TX Measurement

Multi Evaluation PRACH SRS

FDD Freq.: 1745.0 MHz Ref. Level: 39.80 dBm BW: 15.0 MHz CP: Normal Meas Subfr./Slot: 3 / All

IO Constellation

Statistic Count: 20 / 20
 Out of Tolerance: 0.00 %
 Detected Modulation: QPSK
 Detected Channel Type: PUSCH
 View Filter Throughput: 100.0 %

PS: Connection Established
 RRC State: Connected

Go To Local Show Remote Screen

LTE Multi Evaluation RDY RF Settings Trigger Display Signaling Parameter LTE Signaling Run

Band66_15MHz_16QAM_MCH_1745MHz_RB_75_0_NTNV

CMW 500 V 3.7.22 - LTE Measurement 1 - V3.7.30 - TX Measurement

Multi Evaluation PRACH SRS

FDD Freq.: 1745.0 MHz Ref. Level: 39.80 dBm BW: 15.0 MHz CP: Normal Meas Subfr./Slot: 3 / All

IO Constellation

Statistic Count: 20 / 20
 Out of Tolerance: 0.00 %
 Detected Modulation: 16-QAM
 Detected Channel Type: PUSCH
 View Filter Throughput: 100.0 %

PS: Connection Established
 RRC State: Connected

Go To Local Show Remote Screen

LTE Multi Evaluation RDY RF Settings Trigger Display Signaling Parameter LTE Signaling Run

3.2.6 B66_20MHz


Band66_20MHz_QPSK_MCH_1745MHz_RB_100_0_NTNV

CMW 500 V 3.7.22 - LTE Measurement 1 - V3.7.30 - TX Measurement

Multi Evaluation PRACH SRS

FDD Freq.: 1745.0 MHz Ref. Level: 39.70 dBm BW: 20.0 MHz CP: Normal Meas Subfr./Slot: 3 / All

IQ Constellation



Statistic Count: 20 / 20
Out of Tolerance: 0.00 %
Detected Modulation: QPSK
Detected Channel Type: PUSCH
View Filter Throughput: 100.0 %

PS: Connection Established
RRC State: Connected

Go To Local Show Remote Screen

LTE

Multi Evaluation
RDY

RF Settings

Trigger

Display

Signaling Parameter

LTE Signaling
Run


Band66_20MHz_16QAM_MCH_1745MHz_RB_100_0_NTNV

CMW 500 V 3.7.22 - LTE Measurement 1 - V3.7.30 - TX Measurement

Multi Evaluation PRACH SRS

FDD Freq.: 1745.0 MHz Ref. Level: 39.70 dBm BW: 20.0 MHz CP: Normal Meas Subfr./Slot: 3 / All

IQ Constellation



Statistic Count: 20 / 20
Out of Tolerance: 0.00 %
Detected Modulation: 16-QAM
Detected Channel Type: PUSCH
View Filter Throughput: 100.0 %

PS: Connection Established
RRC State: Connected

Go To Local Show Remote Screen

LTE

Multi Evaluation
RDY

RF Settings

Trigger

Display

Signaling Parameter

LTE Signaling
Run

4. 99% & 26dB Bandwidth

4.1 Test Result

4.1.1 Band66_OBW


Band: 66 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1710.7	6	0	1.109	/	Pass
		1745	6	0	1.112	/	Pass
		1779.3	6	0	1.113	/	Pass
	16QAM	1710.7	6	0	1.104	/	Pass
		1745	6	0	1.114	/	Pass
		1779.3	6	0	1.113	/	Pass
3	QPSK	1711.5	15	0	2.733	/	Pass
		1745	15	0	2.733	/	Pass
		1778.5	15	0	2.729	/	Pass
	16QAM	1711.5	15	0	2.728	/	Pass
		1745	15	0	2.714	/	Pass
		1778.5	15	0	2.729	/	Pass
5	QPSK	1712.5	25	0	4.564	/	Pass
		1745	25	0	4.560	/	Pass
		1777.5	25	0	4.584	/	Pass
	16QAM	1712.5	25	0	4.587	/	Pass
		1745	25	0	4.612	/	Pass
		1777.5	25	0	4.550	/	Pass
10	QPSK	1715	50	0	9.092	/	Pass
		1745	50	0	9.070	/	Pass
		1775	50	0	9.083	/	Pass
	16QAM	1715	50	0	9.059	/	Pass
		1745	50	0	9.076	/	Pass
		1775	50	0	9.085	/	Pass
15	QPSK	1717.5	75	0	13.621	/	Pass
		1745	75	0	13.598	/	Pass
		1772.5	75	0	13.606	/	Pass
	16QAM	1717.5	75	0	13.631	/	Pass
		1745	75	0	13.627	/	Pass
		1772.5	75	0	13.593	/	Pass
20	QPSK	1720	100	0	18.135	/	Pass
		1745	100	0	18.131	/	Pass
		1770	100	0	18.135	/	Pass
	16QAM	1720	100	0	18.135	/	Pass
		1745	100	0	18.135	/	Pass
		1770	100	0	18.215	/	Pass

4.1.2 Band66_XDB


Band: 66 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1710.7	6	0	1.315	/	Pass
		1745	6	0	1.326	/	Pass
		1779.3	6	0	1.334	/	Pass
	16QAM	1710.7	6	0	1.304	/	Pass
		1745	6	0	1.338	/	Pass
		1779.3	6	0	1.329	/	Pass
3	QPSK	1711.5	15	0	2.982	/	Pass
		1745	15	0	2.988	/	Pass
		1778.5	15	0	2.995	/	Pass
	16QAM	1711.5	15	0	2.997	/	Pass
		1745	15	0	3.002	/	Pass
		1778.5	15	0	2.993	/	Pass
5	QPSK	1712.5	25	0	5.300	/	Pass
		1745	25	0	5.306	/	Pass
		1777.5	25	0	5.307	/	Pass
	16QAM	1712.5	25	0	5.232	/	Pass
		1745	25	0	5.710	/	Pass
		1777.5	25	0	5.198	/	Pass
10	QPSK	1715	50	0	10.295	/	Pass
		1745	50	0	10.214	/	Pass
		1775	50	0	10.211	/	Pass
	16QAM	1715	50	0	10.172	/	Pass
		1745	50	0	10.287	/	Pass
		1775	50	0	10.246	/	Pass
15	QPSK	1717.5	75	0	15.361	/	Pass
		1745	75	0	15.304	/	Pass
		1772.5	75	0	15.418	/	Pass
	16QAM	1717.5	75	0	15.225	/	Pass
		1745	75	0	15.380	/	Pass
		1772.5	75	0	15.321	/	Pass
20	QPSK	1720	100	0	20.422	/	Pass
		1745	100	0	20.047	/	Pass
		1770	100	0	19.894	/	Pass
	16QAM	1720	100	0	20.047	/	Pass
		1745	100	0	20.110	/	Pass
		1770	100	0	20.096	/	Pass

4.2 Test Graph


4.2.1 Band66_OBW




Band66_1.4MHz_QPSK_HCH_1779.3MHz_RB_6_0_NTNV




Band66_1.4MHz_16QAM_LCH_1710.7MHz_RB_6_0_NTNV




Band66_1.4MHz_16QAM_MCH_1745MHz_RB_6_0_NTNV




Band66_1.4MHz_16QAM_HCH_1779.3MHz_RB_6_0_NTNV




Band66_3MHz_QPSK_LCH_1711.5MHz_RB_15_0_NTNV




Band66_3MHz_QPSK_MCH_1745MHz_RB_15_0_NTNV




Band66_3MHz_QPSK_HCH_1778.5MHz_RB_15_0_NTNV




Band66_3MHz_16QAM_LCH_1711.5MHz_RB_15_0_NTNV




Band66_3MHz_16QAM_MCH_1745MHz_RB_15_0_NTNV




Band66_3MHz_16QAM_HCH_1778.5MHz_RB_15_0_NTNV




Band66_5MHz_QPSK_LCH_1712.5MHz_RB_25_0_NTNV




Band66_5MHz_QPSK_MCH_1745MHz_RB_25_0_NTNV




Band66_5MHz_QPSK_HCH_1777.5MHz_RB_25_0_NTNV




Band66_5MHz_16QAM_LCH_1712.5MHz_RB_25_0_NTNV




Band66_5MHz_16QAM_MCH_1745MHz_RB_25_0_NTNV




Band66_5MHz_16QAM_HCH_1777.5MHz_RB_25_0_NTNV




Band66_10MHz_QPSK_LCH_1715MHz_RB_50_0_NTNV




Band66_10MHz_QPSK_MCH_1745MHz_RB_50_0_NTNV




Band66_10MHz_QPSK_HCH_1775MHz_RB_50_0_NTNV




Band66_10MHz_16QAM_LCH_1715MHz_RB_50_0_NTNV




Band66_10MHz_16QAM_MCH_1745MHz_RB_50_0_NTNV




Band66_10MHz_16QAM_HCH_1775MHz_RB_50_0_NTNV




Band66_15MHz_QPSK_LCH_1717.5MHz_RB_75_0_NTNV




Band66_15MHz_QPSK_MCH_1745MHz_RB_75_0_NTNV




Band66_15MHz_QPSK_HCH_1772.5MHz_RB_75_0_NTNV




Band66_15MHz_16QAM_LCH_1717.5MHz_RB_75_0_NTNV




Band66_15MHz_16QAM_MCH_1745MHz_RB_75_0_NTNV




Band66_15MHz_16QAM_HCH_1772.5MHz_RB_75_0_NTNV




Band66_20MHz_QPSK_LCH_1720MHz_RB_100_0_NTNV




Band66_20MHz_QPSK_MCH_1745MHz_RB_100_0_NTNV




Band66_20MHz_QPSK_HCH_1770MHz_RB_100_0_NTNV




Band66_20MHz_16QAM_LCH_1720MHz_RB_100_0_NTNV





Band66_20MHz_16QAM_MCH_1745MHz_RB_100_0_NTNV




Band66_20MHz_16QAM_HCH_1770MHz_RB_100_0_NTNV




4.2.2 Band66_XDB




Band66_1.4MHz_QPSK_HCH_1779.3MHz_RB_6_0_NTNV




Band66_1.4MHz_16QAM_LCH_1710.7MHz_RB_6_0_NTNV




Band66_1.4MHz_16QAM_MCH_1745MHz_RB_6_0_NTNV




Band66_1.4MHz_16QAM_HCH_1779.3MHz_RB_6_0_NTNV




Band66_3MHz_QPSK_LCH_1711.5MHz_RB_15_0_NTNV




Band66_3MHz_QPSK_MCH_1745MHz_RB_15_0_NTNV




Band66_3MHz_QPSK_HCH_1778.5MHz_RB_15_0_NTNV




Band66_3MHz_16QAM_LCH_1711.5MHz_RB_15_0_NTNV




Band66_3MHz_16QAM_MCH_1745MHz_RB_15_0_NTNV




Band66_3MHz_16QAM_HCH_1778.5MHz_RB_15_0_NTNV




Band66_5MHz_QPSK_LCH_1712.5MHz_RB_25_0_NTNV




Band66_5MHz_QPSK_MCH_1745MHz_RB_25_0_NTNV




Band66_5MHz_QPSK_HCH_1777.5MHz_RB_25_0_NTNV




Band66_5MHz_16QAM_LCH_1712.5MHz_RB_25_0_NTNV




Band66_5MHz_16QAM_MCH_1745MHz_RB_25_0_NTNV




Band66_5MHz_16QAM_HCH_1777.5MHz_RB_25_0_NTNV




Band66_10MHz_QPSK_LCH_1715MHz_RB_50_0_NTNV




Band66_10MHz_QPSK_MCH_1745MHz_RB_50_0_NTNV




Band66_10MHz_QPSK_HCH_1775MHz_RB_50_0_NTNV




Band66_10MHz_16QAM_LCH_1715MHz_RB_50_0_NTNV




Band66_10MHz_16QAM_MCH_1745MHz_RB_50_0_NTNV




Band66_10MHz_16QAM_HCH_1775MHz_RB_50_0_NTNV




Band66_15MHz_QPSK_LCH_1717.5MHz_RB_75_0_NTNV




Band66_15MHz_QPSK_MCH_1745MHz_RB_75_0_NTNV




Band66_15MHz_QPSK_HCH_1772.5MHz_RB_75_0_NTNV




Band66_15MHz_16QAM_LCH_1717.5MHz_RB_75_0_NTNV




Band66_15MHz_16QAM_MCH_1745MHz_RB_75_0_NTNV




Band66_15MHz_16QAM_HCH_1772.5MHz_RB_75_0_NTNV




Band66_20MHz_QPSK_LCH_1720MHz_RB_100_0_NTNV




Band66_20MHz_QPSK_MCH_1745MHz_RB_100_0_NTNV




Band66_20MHz_QPSK_HCH_1770MHz_RB_100_0_NTNV




Band66_20MHz_16QAM_LCH_1720MHz_RB_100_0_NTNV



Band66_20MHz_16QAM_MCH_1745MHz_RB_100_0_NTNV



Band66_20MHz_16QAM_HCH_1770MHz_RB_100_0_NTNV



5. Peak-Average Ratio

5.1 Test Result

5.1.1 B66_1.4MHz

Band: 66 / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1710.7	6	0	5.13	<=13	Pass
	1745	6	0	4.39	<=13	Pass
	1779.3	6	0	4.30	<=13	Pass
16QAM	1710.7	6	0	5.90	<=13	Pass
	1745	6	0	5.24	<=13	Pass
	1779.3	6	0	5.20	<=13	Pass

5.1.2 B66_3MHz

Band: 66 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1711.5	15	0	5.26	<=13	Pass
	1745	15	0	4.50	<=13	Pass
	1778.5	15	0	4.72	<=13	Pass
16QAM	1711.5	15	0	6.07	<=13	Pass
	1745	15	0	5.42	<=13	Pass
	1778.5	15	0	5.60	<=13	Pass

5.1.3 B66_5MHz

Band: 66 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1712.5	25	0	5.56	<=13	Pass
	1745	25	0	5.10	<=13	Pass
	1777.5	25	0	5.06	<=13	Pass
16QAM	1712.5	25	0	6.30	<=13	Pass
	1745	25	0	5.82	<=13	Pass
	1777.5	25	0	5.79	<=13	Pass

5.1.4 B66_10MHz

Band: 66 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1715	50	0	5.61	<=13	Pass
	1745	50	0	5.16	<=13	Pass
	1775	50	0	5.10	<=13	Pass

16QAM	1715	50	0	6.37	<=13	Pass
	1745	50	0	5.92	<=13	Pass
	1775	50	0	5.86	<=13	Pass

5.1.5 B66_15MHz


Band: 66 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1717.5	75	0	4.83	<=13	Pass
	1745	75	0	4.87	<=13	Pass
	1772.5	75	0	4.88	<=13	Pass
16QAM	1717.5	75	0	6.23	<=13	Pass
	1745	75	0	6.04	<=13	Pass
	1772.5	75	0	6.08	<=13	Pass

5.1.6 B66_20MHz


Band: 66 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1720	100	0	5.65	<=13	Pass
	1745	100	0	5.64	<=13	Pass
	1770	100	0	5.60	<=13	Pass
16QAM	1720	100	0	6.71	<=13	Pass
	1745	100	0	6.67	<=13	Pass
	1770	100	0	6.68	<=13	Pass

5.2 Test Graph


5.2.1 B66_1.4MHz




Band66_1.4MHz_QPSK_HCH_1779.3MHz_RB_6_0_NTNV




Band66_1.4MHz_16QAM_LCH_1710.7MHz_RB_6_0_NTNV





Band66_1.4MHz_16QAM_MCH_1745MHz_RB_6_0_NTNV




Band66_1.4MHz_16QAM_HCH_1779.3MHz_RB_6_0_NTNV




5.2.2 B66_3MHz




Band66_3MHz_QPSK_HCH_1778.5MHz_RB_15_0_NTNV




Band66_3MHz_16QAM_LCH_1711.5MHz_RB_15_0_NTNV





Band66_3MHz_16QAM_MCH_1745MHz_RB_15_0_NTNV




Band66_3MHz_16QAM_HCH_1778.5MHz_RB_15_0_NTNV




5.2.3 B66_5MHz




Band66_5MHz_QPSK_HCH_1777.5MHz_RB_25_0_NTNV




Band66_5MHz_16QAM_LCH_1712.5MHz_RB_25_0_NTNV





Band66_5MHz_16QAM_MCH_1745MHz_RB_25_0_NTNV




Band66_5MHz_16QAM_HCH_1777.5MHz_RB_25_0_NTNV




5.2.4 B66_10MHz




Band66_10MHz_QPSK_HCH_1775MHz_RB_50_0_NTNV




Band66_10MHz_16QAM_LCH_1715MHz_RB_50_0_NTNV





Band66_10MHz_16QAM_MCH_1745MHz_RB_50_0_NTNV




Band66_10MHz_16QAM_HCH_1775MHz_RB_50_0_NTNV




5.2.5 B66_15MHz




Band66_15MHz_QPSK_HCH_1772.5MHz_RB_75_0_NTNV




Band66_15MHz_16QAM_LCH_1717.5MHz_RB_75_0_NTNV





Band66_15MHz_16QAM_MCH_1745MHz_RB_75_0_NTNV




Band66_15MHz_16QAM_HCH_1772.5MHz_RB_75_0_NTNV




5.2.6 B66_20MHz




Band66_20MHz_QPSK_HCH_1770MHz_RB_100_0_NTNV




Band66_20MHz_16QAM_LCH_1720MHz_RB_100_0_NTNV



Band66_20MHz_16QAM_MCH_1745MHz_RB_100_0_NTNV



Band66_20MHz_16QAM_HCH_1770MHz_RB_100_0_NTNV



6. Spurious Emission

6.1 Test Result

6.1.1 B66_1.4MHz

Band: 66 / Bandwidth: 1.4MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1710.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	1745	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
	1779.3	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
16QAM	1710.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	1745	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
	1779.3	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass

6.1.2 B66_3MHz

Band: 66 / Bandwidth: 3MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1711.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1745	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
	1778.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
16QAM	1711.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1745	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
	1778.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass

6.1.3 B66_5MHz

Band: 66 / Bandwidth: 5MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1712.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	1745	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
	1777.5	1	0	Refer To Test Graph		Pass
		1	24	Refer To Test Graph		Pass

		25	0	Refer To Test Graph	Pass
16QAM	1712.5	1	0	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass
	1745	1	0	Refer To Test Graph	Pass
		1	0	Refer To Test Graph	Pass
	1777.5	1	24	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass

6.1.4 B66_10MHz

Band: 66 / Bandwidth: 10MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1715	1	0	Refer To Test Graph	Pass	
		50	0	Refer To Test Graph	Pass	
	1745	1	0	Refer To Test Graph	Pass	
		1	0	Refer To Test Graph	Pass	
	1775	1	49	Refer To Test Graph	Pass	
		50	0	Refer To Test Graph	Pass	
16QAM	1715	1	0	Refer To Test Graph	Pass	
		50	0	Refer To Test Graph	Pass	
	1745	1	0	Refer To Test Graph	Pass	
		1	0	Refer To Test Graph	Pass	
	1775	1	49	Refer To Test Graph	Pass	
		50	0	Refer To Test Graph	Pass	

6.1.5 B66_15MHz

Band: 66 / Bandwidth: 15MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1717.5	1	0	Refer To Test Graph	Pass	
		75	0	Refer To Test Graph	Pass	
	1745	1	0	Refer To Test Graph	Pass	
		1	0	Refer To Test Graph	Pass	
	1772.5	1	74	Refer To Test Graph	Pass	
		75	0	Refer To Test Graph	Pass	
16QAM	1717.5	1	0	Refer To Test Graph	Pass	
		75	0	Refer To Test Graph	Pass	
	1745	1	0	Refer To Test Graph	Pass	
		1	0	Refer To Test Graph	Pass	
	1772.5	1	74	Refer To Test Graph	Pass	
		75	0	Refer To Test Graph	Pass	



6.1.6 B66_20MHz

Band: 66 / Bandwidth: 20MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1720	1	0	Refer To Test Graph	Pass	
		100	0	Refer To Test Graph	Pass	
	1745	1	0	Refer To Test Graph	Pass	


16QAM	1770	1	0	Refer To Test Graph	Pass
			99	Refer To Test Graph	Pass
		100	0	Refer To Test Graph	Pass
	1720	1	0	Refer To Test Graph	Pass
			100	0	Refer To Test Graph
	1745	1	0	Refer To Test Graph	Pass
	1770	1	0	Refer To Test Graph	Pass
			99	Refer To Test Graph	Pass
		100	0	Refer To Test Graph	Pass

6.2 Test Graph


6.2.1 B66_1.4MHz



Band66_1.4MHz_QPSK_LCH_1710.7MHz_RB_1_0_NTNV




Band66_1.4MHz_QPSK_LCH_1710.7MHz_RB_6_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1708.5	1709	1	/	1	1708.938	-48.56	-13	Pass
1709	1710	0.013	/	2	1710.000	-34.40	-13	Pass
1710	1711.5	0.013	/	/	/	/	/	/


Band66_1.4MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_1.4MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_1.4MHz_QPSK_HCH_1779.3MHz_RB_1_0_NTNV




Band66_1.4MHz_QPSK_HCH_1779.3MHz_RB_1_0_NTNV




Band66 1.4MHz QPSK_HCH_1779.3MHz_RB_1_5_NTNV




Band66 1.4MHz QPSK_HCH_1779.3MHz_RB_6_0_NTNV




Band66_1.4MHz_16QAM_LCH_1710.7MHz_RB_1_0_NTNV




Band66_1.4MHz_16QAM_LCH_1710.7MHz_RB_1_0_NTNV



Band66_1.4MHz_16QAM_LCH_1710.7MHz_RB_1_0_NTNV




Band66_1.4MHz_16QAM_LCH_1710.7MHz_RB_6_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1708.5	1709	1	/	1	1708.911	-51.00	-13	Pass
1709	1710	0.013	/	2	1710.000	-36.62	-13	Pass
1710	1711.5	0.013	/	/	/	/	/	/


Band66_1.4MHz_16QAM_MCH_1745MHz_RB_1_0_NTNV




Band66_1.4MHz_16QAM_MCH_1745MHz_RB_1_0_NTNV




Band66_1.4MHz_16QAM_HCH_1779.3MHz_RB_1_0_NTNV




Band66_1.4MHz_16QAM_HCH_1779.3MHz_RB_1_0_NTNV





Band66_1.4MHz_16QAM_HCH_1779.3MHz_RB_1_5_NTNV




Band66_1.4MHz_16QAM_HCH_1779.3MHz_RB_6_0_NTNV




6.2.2 B66_3MHz



Band66_3MHz_QPSK_LCH_1711.5MHz_RB_1_0_NTNV




Band66_3MHz_QPSK_LCH_1711.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1707	1709	1	CHP	1	1708.494	-30.63	-13	Pass
1709	1710	0.03	/	2	1710.000	-35.27	-13	Pass
1710	1713	0.03	/	/	/	/	/	/


Band66_3MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_3MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_3MHz_QPSK_HCH_1778.5MHz_RB_1_0_NTNV




Band66_3MHz_QPSK_HCH_1778.5MHz_RB_1_0_NTNV




Band66_3MHz_QPSK_HCH_1778.5MHz_RB_1_14_NTNV




Band66_3MHz_QPSK_HCH_1778.5MHz_RB_15_0_NTNV




Band66_3MHz_16QAM_LCH_1711.5MHz_RB_1_0_NTNV




Band66_3MHz_16QAM_LCH_1711.5MHz_RB_1_0_NTNV



Band66_3MHz_16QAM_LCH_1711.5MHz_RB_1_0_NTNV




Band66_3MHz_16QAM_LCH_1711.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1707	1709	1	CHP	1	1708.494	-32.09	-13	Pass
1709	1710	0.03	/	2	1709.988	-37.24	-13	Pass
1710	1713	0.03	/	/	/	/	/	/


Band66_3MHz_16QAM_MCH_1745MHz_RB_1_0_NTNV




Band66_3MHz_16QAM_MCH_1745MHz_RB_1_0_NTNV




Band66_3MHz_16QAM_HCH_1778.5MHz_RB_1_0_NTNV




Band66_3MHz_16QAM_HCH_1778.5MHz_RB_1_0_NTNV





Band66_3MHz_16QAM_HCH_1778.5MHz_RB_1_14_NTNV




Band66_3MHz_16QAM_HCH_1778.5MHz_RB_15_0_NTNV




6.2.3 B66_5MHz




Band66_5MHz_QPSK_LCH_1712.5MHz_RB_1_0_NTNV




Band66_5MHz_QPSK_LCH_1712.5MHz_RB_25_0_NTNV




Band66_5MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_5MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_5MHz_QPSK_HCH_1777.5MHz_RB_1_0_NTNV




Band66_5MHz_QPSK_HCH_1777.5MHz_RB_1_0_NTNV




Band66_5MHz_QPSK_HCH_1777.5MHz_RB_1_24_NTNV




Band66_5MHz_QPSK_HCH_1777.5MHz_RB_25_0_NTNV




Band66_5MHz_16QAM_LCH_1712.5MHz_RB_1_0_NTNV




Band66_5MHz_16QAM_LCH_1712.5MHz_RB_1_0_NTNV



Band66_5MHz_16QAM_LCH_1712.5MHz_RB_1_0_NTNV




Band66_5MHz_16QAM_LCH_1712.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1709	1	CHP	1	1708.490	-32.28	-13	Pass
1709	1710	0.056	/	2	1710.000	-27.84	-13	Pass
1710	1715	0.056	/	/	/	/	/	/


Band66_5MHz_16QAM_MCH_1745MHz_RB_1_0_NTNV




Band66_5MHz_16QAM_MCH_1745MHz_RB_1_0_NTNV




Band66_5MHz_16QAM_HCH_1777.5MHz_RB_1_0_NTNV




Band66_5MHz_16QAM_HCH_1777.5MHz_RB_1_0_NTNV





Band66_5MHz_16QAM_HCH_1777.5MHz_RB_1_24_NTNV




Band66_5MHz_16QAM_HCH_1777.5MHz_RB_25_0_NTNV




6.2.4 B66_10MHz



Band66_10MHz_QPSK_LCH_1715MHz_RB_1_0_NTNV




Band66_10MHz_QPSK_LCH_1715MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1700	1709	1	CHP	1	1708.480	-32.78	-13	Pass
1709	1710	0.11	/	2	1709.920	-33.26	-13	Pass
1710	1720	0.11	/	/	/	/	/	/


Band66_10MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_10MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_10MHz_QPSK_HCH_1775MHz_RB_1_0_NTNV




Band66_10MHz_QPSK_HCH_1775MHz_RB_1_0_NTNV




Band66_10MHz_QPSK_HCH_1775MHz_RB_1_49_NTNV




Band66_10MHz_QPSK_HCH_1775MHz_RB_50_0_NTNV




Band66_10MHz_16QAM_LCH_1715MHz_RB_1_0_NTNV




Band66_10MHz_16QAM_LCH_1715MHz_RB_1_0_NTNV



Band66_10MHz_16QAM_LCH_1715MHz_RB_1_0_NTNV




Band66_10MHz_16QAM_LCH_1715MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1700	1709	1	CHP	1	1708.480	-33.74	-13	Pass
1709	1710	0.11	/	2	1709.940	-34.58	-13	Pass
1710	1720	0.11	/	/	/	/	/	/


Band66_10MHz_16QAM_MCH_1745MHz_RB_1_0_NTNV




Band66_10MHz_16QAM_MCH_1745MHz_RB_1_0_NTNV




Band66_10MHz_16QAM_HCH_1775MHz_RB_1_0_NTNV




Band66_10MHz_16QAM_HCH_1775MHz_RB_1_0_NTNV





Band66_10MHz_16QAM_HCH_1775MHz_RB_1_49_NTNV




Band66_10MHz_16QAM_HCH_1775MHz_RB_50_0_NTNV




6.2.5 B66_15MHz



Band66_15MHz_QPSK_LCH_1717.5MHz_RB_1_0_NTNV




Band66_15MHz_QPSK_LCH_1717.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1695	1709	1	CHP	1	1708.110	-32.77	-13	Pass
1709	1710	0.16	/	2	1709.970	-33.28	-13	Pass
1710	1725	0.16	/	/	/	/	/	/


Band66_15MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_15MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_15MHz_QPSK_HCH_1772.5MHz_RB_1_0_NTNV




Band66_15MHz_QPSK_HCH_1772.5MHz_RB_1_0_NTNV




Band66_15MHz_QPSK_HCH_1772.5MHz_RB_1_74_NTNV




Band66_15MHz_QPSK_HCH_1772.5MHz_RB_75_0_NTNV




Band66_15MHz_16QAM_LCH_1717.5MHz_RB_1_0_NTNV




Band66_15MHz_16QAM_LCH_1717.5MHz_RB_1_0_NTNV




Band66_15MHz_16QAM_LCH_1717.5MHz_RB_1_0_NTNV




Band66_15MHz_16QAM_LCH_1717.5MHz_RB_75_0_NTNV




Band66_15MHz_16QAM_MCH_1745MHz_RB_1_0_NTNV




Band66_15MHz_16QAM_MCH_1745MHz_RB_1_0_NTNV




Band66_15MHz_16QAM_HCH_1772.5MHz_RB_1_0_NTNV




Band66_15MHz_16QAM_HCH_1772.5MHz_RB_1_0_NTNV





Band66_15MHz_16QAM_HCH_1772.5MHz_RB_1_74_NTNV




Band66_15MHz_16QAM_HCH_1772.5MHz_RB_75_0_NTNV




6.2.6 B66_20MHz



Band66_20MHz_QPSK_LCH_1720MHz_RB_1_0_NTNV




Band66_20MHz_QPSK_LCH_1720MHz_RB_100_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1690	1709	1	CHP	1	1708.480	-36.46	-13	Pass
1709	1710	0.22	/	2	1709.880	-37.31	-13	Pass
1710	1730	0.22	/	/	/	/	/	/


Band66_20MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_20MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_20MHz_QPSK_HCH_1770MHz_RB_1_0_NTNV




Band66_20MHz_QPSK_HCH_1770MHz_RB_1_0_NTNV




Band66_20MHz_QPSK_HCH_1770MHz_RB_1_99_NTNV




Band66_20MHz_QPSK_HCH_1770MHz_RB_100_0_NTNV




Band66_20MHz_16QAM_LCH_1720MHz_RB_1_0_NTNV




Band66_20MHz_16QAM_LCH_1720MHz_RB_1_0_NTNV



Band66_20MHz_16QAM_LCH_1720MHz_RB_1_0_NTNV




Band66_20MHz_16QAM_LCH_1720MHz_RB_100_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1690	1709	1	CHP	1	1708.400	-37.08	-13	Pass
1709	1710	0.2	/	2	1709.920	-36.96	-13	Pass
1710	1730	0.2	/	/	/	/	/	/


Band66_20MHz_16QAM_MCH_1745MHz_RB_1_0_NTNV




Band66_20MHz_16QAM_MCH_1745MHz_RB_1_0_NTNV




Band66_20MHz_16QAM_HCH_1770MHz_RB_1_0_NTNV




Band66_20MHz_16QAM_HCH_1770MHz_RB_1_0_NTNV



Band66_20MHz_16QAM_HCH_1770MHz_RB_1_99_NTNV



Band66_20MHz_16QAM_HCH_1770MHz_RB_100_0_NTNV



7. Form731

7.1 Test Result

7.1.1 Form731_Power

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
66	1.4	1710.7	1779.3	0.1500	0.0101	ppm	1M11G7D	27L	21.76
66	1.4	1710.7	1779.3	0.1230	0.0061	ppm	1M11W7D	27L	20.90
66	3	1711.5	1778.5	0.1452	0.0069	ppm	2M73G7D	27L	21.62
66	3	1711.5	1778.5	0.1208	0.0056	ppm	2M73W7D	27L	20.82
66	5	1712.5	1777.5	0.1227	0.0062	ppm	4M61W7D	27L	20.89
66	10	1715	1775	0.1476	0.0055	ppm	9M09G7D	27L	21.69
66	10	1715	1775	0.1242	0.0062	ppm	9M09W7D	27L	20.94
66	15	1717.5	1772.5	0.1122	0.0064	ppm	13M6W7D	27L	20.50
66	20	1720	1770	0.1462	0.0059	ppm	18M1G7D	27L	21.65
66	20	1720	1770	0.1245	0.0059	ppm	18M2W7D	27L	20.95

7.1.2 Form731_EIRP

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
66	1.4	1710.7	1779.3	0.1629	0.0101	ppm	1M11G7D	27L	22.12
66	1.4	1710.7	1779.3	0.1337	0.0061	ppm	1M11W7D	27L	21.26
66	3	1711.5	1778.5	0.1578	0.0069	ppm	2M73G7D	27L	21.98
66	3	1711.5	1778.5	0.1312	0.0056	ppm	2M73W7D	27L	21.18
66	5	1712.5	1777.5	0.1556	0.0057	ppm	4M58G7D	27L	21.92
66	5	1712.5	1777.5	0.1334	0.0062	ppm	4M61W7D	27L	21.25
66	10	1715	1775	0.1603	0.0055	ppm	9M09G7D	27L	22.05
66	10	1715	1775	0.1349	0.0062	ppm	9M09W7D	27L	21.30
66	15	1717.5	1772.5	0.1581	0.0064	ppm	13M6G7D	27L	21.99
66	15	1717.5	1772.5	0.1219	0.0064	ppm	13M6W7D	27L	20.86
66	20	1720	1770	0.1589	0.0059	ppm	18M1G7D	27L	22.01
66	20	1720	1770	0.1352	0.0059	ppm	18M2W7D	27L	21.31