

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B5_1.4MHz_ERP

Band: 5 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	824.7	1	0	21.57	-1.56	17.86	<=38.45	Pass
			2	21.67	-1.56	17.96	<=38.45	Pass
			5	21.63	-1.56	17.92	<=38.45	Pass
		3	0	21.58	-1.56	17.87	<=38.45	Pass
			2	21.60	-1.56	17.89	<=38.45	Pass
			3	21.54	-1.56	17.83	<=38.45	Pass
		6	0	20.69	-1.56	16.98	<=38.45	Pass
	836.5	1	0	21.48	-1.56	17.77	<=38.45	Pass
			2	21.61	-1.56	17.90	<=38.45	Pass
			5	21.67	-1.56	17.96	<=38.45	Pass
		3	0	21.57	-1.56	17.86	<=38.45	Pass
			2	21.60	-1.56	17.89	<=38.45	Pass
			3	21.51	-1.56	17.80	<=38.45	Pass
		6	0	20.51	-1.56	16.80	<=38.45	Pass
	848.3	1	0	21.39	-1.56	17.68	<=38.45	Pass
			2	21.48	-1.56	17.77	<=38.45	Pass
			5	21.54	-1.56	17.83	<=38.45	Pass
		3	0	21.59	-1.56	17.88	<=38.45	Pass
			2	21.55	-1.56	17.84	<=38.45	Pass
			3	21.56	-1.56	17.85	<=38.45	Pass
		6	0	20.46	-1.56	16.75	<=38.45	Pass
16QAM	824.7	1	0	20.13	-1.56	16.42	<=38.45	Pass
			2	20.07	-1.56	16.36	<=38.45	Pass
			5	20.13	-1.56	16.42	<=38.45	Pass
		3	0	20.48	-1.56	16.77	<=38.45	Pass
			2	20.37	-1.56	16.66	<=38.45	Pass
			3	20.37	-1.56	16.66	<=38.45	Pass
		6	0	19.69	-1.56	15.98	<=38.45	Pass
	836.5	1	0	20.63	-1.56	16.92	<=38.45	Pass
			2	20.64	-1.56	16.93	<=38.45	Pass
			5	20.69	-1.56	16.98	<=38.45	Pass
		3	0	20.60	-1.56	16.89	<=38.45	Pass
			2	20.62	-1.56	16.91	<=38.45	Pass
			3	20.55	-1.56	16.84	<=38.45	Pass
		6	0	20.03	-1.56	16.32	<=38.45	Pass
	848.3	1	0	20.57	-1.56	16.86	<=38.45	Pass
			2	20.55	-1.56	16.84	<=38.45	Pass
			5	20.57	-1.56	16.86	<=38.45	Pass
		3	0	20.36	-1.56	16.65	<=38.45	Pass
			2	20.39	-1.56	16.68	<=38.45	Pass
			3	20.37	-1.56	16.66	<=38.45	Pass
		6	0	19.59	-1.56	15.88	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.2 B5_3MHz_ERP

Band: 5 / Bandwidth: 3MHz / NTNV								
----------------------------------	--	--	--	--	--	--	--	--

Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	825.5	1	0	21.58	-1.56	17.87	<=38.45	Pass
			7	21.56	-1.56	17.85	<=38.45	Pass
			14	21.66	-1.56	17.95	<=38.45	Pass
		8	0	20.69	-1.56	16.98	<=38.45	Pass
			4	20.64	-1.56	16.93	<=38.45	Pass
			7	20.54	-1.56	16.83	<=38.45	Pass
		15	0	20.57	-1.56	16.86	<=38.45	Pass
	836.5	1	0	21.45	-1.56	17.74	<=38.45	Pass
			7	21.52	-1.56	17.81	<=38.45	Pass
			14	21.51	-1.56	17.80	<=38.45	Pass
		8	0	20.49	-1.56	16.78	<=38.45	Pass
			4	20.47	-1.56	16.76	<=38.45	Pass
			7	20.51	-1.56	16.80	<=38.45	Pass
		15	0	20.60	-1.56	16.89	<=38.45	Pass
	847.5	1	0	21.44	-1.56	17.73	<=38.45	Pass
			7	21.44	-1.56	17.73	<=38.45	Pass
			14	21.45	-1.56	17.74	<=38.45	Pass
		8	0	20.49	-1.56	16.78	<=38.45	Pass
			4	20.47	-1.56	16.76	<=38.45	Pass
			7	20.43	-1.56	16.72	<=38.45	Pass
		15	0	20.42	-1.56	16.71	<=38.45	Pass
16QAM	825.5	1	0	20.08	-1.56	16.37	<=38.45	Pass
			7	20.08	-1.56	16.37	<=38.45	Pass
			14	20.10	-1.56	16.39	<=38.45	Pass
		8	0	19.83	-1.56	16.12	<=38.45	Pass
			4	19.80	-1.56	16.09	<=38.45	Pass
			7	20.24	-1.56	16.53	<=38.45	Pass
		15	0	19.76	-1.56	16.05	<=38.45	Pass
	836.5	1	0	21.27	-1.56	17.56	<=38.45	Pass
			7	21.34	-1.56	17.63	<=38.45	Pass
			14	21.29	-1.56	17.58	<=38.45	Pass
		8	0	19.96	-1.56	16.25	<=38.45	Pass
			4	20.02	-1.56	16.31	<=38.45	Pass
			7	19.98	-1.56	16.27	<=38.45	Pass
		15	0	19.93	-1.56	16.22	<=38.45	Pass
	847.5	1	0	20.73	-1.56	17.02	<=38.45	Pass
			7	20.71	-1.56	17.00	<=38.45	Pass
			14	20.78	-1.56	17.07	<=38.45	Pass
		8	0	19.62	-1.56	15.91	<=38.45	Pass
			4	19.70	-1.56	15.99	<=38.45	Pass
			7	19.70	-1.56	15.99	<=38.45	Pass
		15	0	19.59	-1.56	15.88	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.3 B5_5MHz_ERP

Band: 5 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	826.5	1	0	21.48	-1.56	17.77	<=38.45	Pass
			13	21.47	-1.56	17.76	<=38.45	Pass
			24	21.45	-1.56	17.74	<=38.45	Pass
		12	0	20.56	-1.56	16.85	<=38.45	Pass
			6	20.62	-1.56	16.91	<=38.45	Pass
			13	20.48	-1.56	16.77	<=38.45	Pass

16QAM	836.5	25	0	20.66	-1.56	16.95	<=38.45	Pass	
			0	21.51	-1.56	17.80	<=38.45	Pass	
		1	13	21.54	-1.56	17.83	<=38.45	Pass	
			24	21.51	-1.56	17.80	<=38.45	Pass	
			12	0	20.41	-1.56	16.70	<=38.45	Pass
		6		20.51	-1.56	16.80	<=38.45	Pass	
		13		20.45	-1.56	16.74	<=38.45	Pass	
		25	0	20.47	-1.56	16.76	<=38.45	Pass	
		846.5	1	0	21.58	-1.56	17.87	<=38.45	Pass
				13	21.53	-1.56	17.82	<=38.45	Pass
	24			21.42	-1.56	17.71	<=38.45	Pass	
	12		0	20.49	-1.56	16.78	<=38.45	Pass	
			6	20.58	-1.56	16.87	<=38.45	Pass	
			13	20.58	-1.56	16.87	<=38.45	Pass	
	25		0	20.44	-1.56	16.73	<=38.45	Pass	
	826.5		1	0	20.66	-1.56	16.95	<=38.45	Pass
13		20.66		-1.56	16.95	<=38.45	Pass		
24		20.70		-1.56	16.99	<=38.45	Pass		
12		0		19.64	-1.56	15.93	<=38.45	Pass	
		6		20.03	-1.56	16.32	<=38.45	Pass	
		13		19.94	-1.56	16.23	<=38.45	Pass	
25		0	20.12	-1.56	16.41	<=38.45	Pass		
836.5		1	0	20.66	-1.56	16.95	<=38.45	Pass	
			13	20.62	-1.56	16.91	<=38.45	Pass	
			24	20.68	-1.56	16.97	<=38.45	Pass	
		12	0	19.95	-1.56	16.24	<=38.45	Pass	
			6	19.91	-1.56	16.20	<=38.45	Pass	
			13	19.96	-1.56	16.25	<=38.45	Pass	
25		0	19.96	-1.56	16.25	<=38.45	Pass		
846.5		1	0	19.61	-1.56	15.90	<=38.45	Pass	
			13	19.59	-1.56	15.88	<=38.45	Pass	
	24		19.59	-1.56	15.88	<=38.45	Pass		
	12	0	19.61	-1.56	15.90	<=38.45	Pass		
		6	19.56	-1.56	15.85	<=38.45	Pass		
		13	19.56	-1.56	15.85	<=38.45	Pass		
25	0	19.63	-1.56	15.92	<=38.45	Pass			

Note1: ERP=Conducted Power+Antenna Gain-2.15

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.4 B5_10MHz_ERP

Band: 5 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	829	1	0	21.45	-1.56	17.74	<=38.45	Pass
			25	21.57	-1.56	17.86	<=38.45	Pass
			49	21.47	-1.56	17.76	<=38.45	Pass
		25	0	20.65	-1.56	16.94	<=38.45	Pass
			13	20.71	-1.56	17.00	<=38.45	Pass
			25	20.54	-1.56	16.83	<=38.45	Pass
		50	0	20.60	-1.56	16.89	<=38.45	Pass
	836.5	1	0	21.64	-1.56	17.93	<=38.45	Pass
			25	21.67	-1.56	17.96	<=38.45	Pass
			49	21.59	-1.56	17.88	<=38.45	Pass
		25	0	20.43	-1.56	16.72	<=38.45	Pass
			13	20.48	-1.56	16.77	<=38.45	Pass
			25	20.57	-1.56	16.86	<=38.45	Pass
		50	0	20.65	-1.56	16.94	<=38.45	Pass

16QAM	844	1	0	21.39	-1.56	17.68	<=38.45	Pass
			25	21.38	-1.56	17.67	<=38.45	Pass
			49	21.38	-1.56	17.67	<=38.45	Pass
		25	0	20.42	-1.56	16.71	<=38.45	Pass
			13	20.55	-1.56	16.84	<=38.45	Pass
			25	20.55	-1.56	16.84	<=38.45	Pass
		50	0	20.60	-1.56	16.89	<=38.45	Pass
	829	1	0	20.42	-1.56	16.71	<=38.45	Pass
			25	20.45	-1.56	16.74	<=38.45	Pass
			49	20.34	-1.56	16.63	<=38.45	Pass
		25	0	20.20	-1.56	16.49	<=38.45	Pass
			13	19.72	-1.56	16.01	<=38.45	Pass
			25	19.75	-1.56	16.04	<=38.45	Pass
		50	0	19.70	-1.56	15.99	<=38.45	Pass
	836.5	1	0	20.70	-1.56	16.99	<=38.45	Pass
			25	20.75	-1.56	17.04	<=38.45	Pass
			49	20.65	-1.56	16.94	<=38.45	Pass
		25	0	20.02	-1.56	16.31	<=38.45	Pass
			13	19.98	-1.56	16.27	<=38.45	Pass
			25	19.75	-1.56	16.04	<=38.45	Pass
		50	0	19.99	-1.56	16.28	<=38.45	Pass
	844	1	0	20.67	-1.56	16.96	<=38.45	Pass
			25	20.77	-1.56	17.06	<=38.45	Pass
			49	20.71	-1.56	17.00	<=38.45	Pass
		25	0	19.61	-1.56	15.90	<=38.45	Pass
			13	19.97	-1.56	16.26	<=38.45	Pass
			25	19.56	-1.56	15.85	<=38.45	Pass
		50	0	19.92	-1.56	16.21	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

2. Frequency Stability

2.1 Test Result

2.1.1 B5_1.4MHz

Band: 5 / Bandwidth: 1.4MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	824.7	6	0	20	3.27	20.456	0.0248	-2.5 to 2.5	Pass
					3.85	-3.920	-0.0048	-2.5 to 2.5	Pass
					4.43	-43.931	-0.0533	-2.5 to 2.5	Pass
				-30	3.85	-12.889	-0.0156	-2.5 to 2.5	Pass
				-20	3.85	-27.094	-0.0329	-2.5 to 2.5	Pass
				-10	3.85	-36.907	-0.0448	-2.5 to 2.5	Pass
				0	3.85	-44.703	-0.0542	-2.5 to 2.5	Pass
				10	3.85	-4.234	-0.0051	-2.5 to 2.5	Pass
				30	3.85	-3.161	-0.0038	-2.5 to 2.5	Pass
				40	3.85	-5.150	-0.0062	-2.5 to 2.5	Pass
				50	3.85	-7.710	-0.0093	-2.5 to 2.5	Pass
	836.5	6	0	20	3.27	3.791	0.0045	-2.5 to 2.5	Pass
					3.85	2.375	0.0028	-2.5 to 2.5	Pass
					4.43	-0.029	0.0000	-2.5 to 2.5	Pass
				-30	3.85	1.001	0.0012	-2.5 to 2.5	Pass
				-20	3.85	4.649	0.0056	-2.5 to 2.5	Pass
				-10	3.85	3.662	0.0044	-2.5 to 2.5	Pass

				0	3.85	5.436	0.0065	-2.5 to 2.5	Pass
				10	3.85	7.324	0.0088	-2.5 to 2.5	Pass
				30	3.85	7.439	0.0089	-2.5 to 2.5	Pass
				40	3.85	6.251	0.0075	-2.5 to 2.5	Pass
				50	3.85	7.968	0.0095	-2.5 to 2.5	Pass
	848.3	6	0	20	3.27	2.890	0.0034	-2.5 to 2.5	Pass
					3.85	-12.088	-0.0142	-2.5 to 2.5	Pass
					4.43	-22.202	-0.0262	-2.5 to 2.5	Pass
				-30	3.85	-31.614	-0.0373	-2.5 to 2.5	Pass
				-20	3.85	-39.525	-0.0466	-2.5 to 2.5	Pass
				-10	3.85	-43.874	-0.0517	-2.5 to 2.5	Pass
				0	3.85	-0.143	-0.0002	-2.5 to 2.5	Pass
				10	3.85	-5.679	-0.0067	-2.5 to 2.5	Pass
				30	3.85	-11.187	-0.0132	-2.5 to 2.5	Pass
				40	3.85	-12.517	-0.0148	-2.5 to 2.5	Pass
				50	3.85	-12.846	-0.0151	-2.5 to 2.5	Pass
16QAM	824.7	6	0	20	3.27	-7.067	-0.0086	-2.5 to 2.5	Pass
					3.85	-8.326	-0.0101	-2.5 to 2.5	Pass
					4.43	-7.796	-0.0095	-2.5 to 2.5	Pass
				-30	3.85	-7.081	-0.0086	-2.5 to 2.5	Pass
				-20	3.85	-11.687	-0.0142	-2.5 to 2.5	Pass
				-10	3.85	-13.618	-0.0165	-2.5 to 2.5	Pass
				0	3.85	-12.474	-0.0151	-2.5 to 2.5	Pass
				10	3.85	-13.275	-0.0161	-2.5 to 2.5	Pass
				30	3.85	-12.159	-0.0147	-2.5 to 2.5	Pass
				40	3.85	-11.430	-0.0139	-2.5 to 2.5	Pass
				50	3.85	-12.388	-0.0150	-2.5 to 2.5	Pass
	836.5	6	0	20	3.27	12.517	0.0150	-2.5 to 2.5	Pass
					3.85	19.026	0.0227	-2.5 to 2.5	Pass
					4.43	27.351	0.0327	-2.5 to 2.5	Pass
				-30	3.85	38.738	0.0463	-2.5 to 2.5	Pass
				-20	3.85	46.206	0.0552	-2.5 to 2.5	Pass
				-10	3.85	9.742	0.0116	-2.5 to 2.5	Pass
				0	3.85	15.564	0.0186	-2.5 to 2.5	Pass
				10	3.85	21.286	0.0254	-2.5 to 2.5	Pass
				30	3.85	27.380	0.0327	-2.5 to 2.5	Pass
				40	3.85	36.321	0.0434	-2.5 to 2.5	Pass
				50	3.85	40.770	0.0487	-2.5 to 2.5	Pass
	848.3	6	0	20	3.27	-15.264	-0.0180	-2.5 to 2.5	Pass
					3.85	-15.721	-0.0185	-2.5 to 2.5	Pass
					4.43	-12.317	-0.0145	-2.5 to 2.5	Pass
				-30	3.85	-12.345	-0.0146	-2.5 to 2.5	Pass
				-20	3.85	-12.975	-0.0153	-2.5 to 2.5	Pass
				-10	3.85	-11.115	-0.0131	-2.5 to 2.5	Pass
				0	3.85	-10.972	-0.0129	-2.5 to 2.5	Pass
				10	3.85	-9.542	-0.0112	-2.5 to 2.5	Pass
				30	3.85	-10.858	-0.0128	-2.5 to 2.5	Pass
				40	3.85	-10.142	-0.0120	-2.5 to 2.5	Pass
				50	3.85	-8.225	-0.0097	-2.5 to 2.5	Pass

2.1.2 B5_3MHz

Band: 5 / Bandwidth: 3MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	825.5	15	0	20	3.27	-1.817	-0.0022	-2.5 to 2.5	Pass
					3.85	-8.054	-0.0098	-2.5 to 2.5	Pass

					4.43	-4.821	-0.0058	-2.5 to 2.5	Pass
				-30	3.85	-10.300	-0.0125	-2.5 to 2.5	Pass
				-20	3.85	-29.268	-0.0355	-2.5 to 2.5	Pass
				-10	3.85	-25.234	-0.0306	-2.5 to 2.5	Pass
				0	3.85	-44.932	-0.0544	-2.5 to 2.5	Pass
				10	3.85	-18.411	-0.0223	-2.5 to 2.5	Pass
				30	3.85	-37.880	-0.0459	-2.5 to 2.5	Pass
				40	3.85	-0.672	-0.0008	-2.5 to 2.5	Pass
				50	3.85	-8.426	-0.0102	-2.5 to 2.5	Pass
	836.5	15	0	20	3.27	1.087	0.0013	-2.5 to 2.5	Pass
					3.85	-0.930	-0.0011	-2.5 to 2.5	Pass
					4.43	-1.988	-0.0024	-2.5 to 2.5	Pass
				-30	3.85	-1.688	-0.0020	-2.5 to 2.5	Pass
				-20	3.85	-2.060	-0.0025	-2.5 to 2.5	Pass
				-10	3.85	-1.159	-0.0014	-2.5 to 2.5	Pass
				0	3.85	-0.172	-0.0002	-2.5 to 2.5	Pass
				10	3.85	-0.944	-0.0011	-2.5 to 2.5	Pass
				30	3.85	-1.431	-0.0017	-2.5 to 2.5	Pass
				40	3.85	-0.987	-0.0012	-2.5 to 2.5	Pass
				50	3.85	2.360	0.0028	-2.5 to 2.5	Pass
	847.5	15	0	20	3.27	6.981	0.0082	-2.5 to 2.5	Pass
					3.85	-4.621	-0.0055	-2.5 to 2.5	Pass
					4.43	-13.847	-0.0163	-2.5 to 2.5	Pass
				-30	3.85	-20.585	-0.0243	-2.5 to 2.5	Pass
				-20	3.85	-26.822	-0.0316	-2.5 to 2.5	Pass
				-10	3.85	-30.785	-0.0363	-2.5 to 2.5	Pass
				0	3.85	-34.118	-0.0403	-2.5 to 2.5	Pass
				10	3.85	-36.850	-0.0435	-2.5 to 2.5	Pass
				30	3.85	-42.944	-0.0507	-2.5 to 2.5	Pass
				40	3.85	-44.689	-0.0527	-2.5 to 2.5	Pass
				50	3.85	-0.429	-0.0005	-2.5 to 2.5	Pass
16QAM	825.5	15	0	20	3.27	-13.862	-0.0168	-2.5 to 2.5	Pass
					3.85	-17.810	-0.0216	-2.5 to 2.5	Pass
					4.43	-17.953	-0.0217	-2.5 to 2.5	Pass
				-30	3.85	-21.830	-0.0264	-2.5 to 2.5	Pass
				-20	3.85	-18.125	-0.0220	-2.5 to 2.5	Pass
				-10	3.85	-21.243	-0.0257	-2.5 to 2.5	Pass
				0	3.85	-21.286	-0.0258	-2.5 to 2.5	Pass
				10	3.85	-21.558	-0.0261	-2.5 to 2.5	Pass
				30	3.85	-22.774	-0.0276	-2.5 to 2.5	Pass
				40	3.85	-22.860	-0.0277	-2.5 to 2.5	Pass
				50	3.85	-22.359	-0.0271	-2.5 to 2.5	Pass
	836.5	15	0	20	3.27	1.559	0.0019	-2.5 to 2.5	Pass
					3.85	6.380	0.0076	-2.5 to 2.5	Pass
					4.43	10.142	0.0121	-2.5 to 2.5	Pass
				-30	3.85	15.063	0.0180	-2.5 to 2.5	Pass
				-20	3.85	23.489	0.0281	-2.5 to 2.5	Pass
				-10	3.85	29.726	0.0355	-2.5 to 2.5	Pass
				0	3.85	36.407	0.0435	-2.5 to 2.5	Pass
				10	3.85	42.944	0.0513	-2.5 to 2.5	Pass
				30	3.85	1.059	0.0013	-2.5 to 2.5	Pass
				40	3.85	6.752	0.0081	-2.5 to 2.5	Pass
				50	3.85	13.232	0.0158	-2.5 to 2.5	Pass
	847.5	15	0	20	3.27	-4.263	-0.0050	-2.5 to 2.5	Pass
					3.85	-0.730	-0.0009	-2.5 to 2.5	Pass
					4.43	-0.744	-0.0009	-2.5 to 2.5	Pass
				-30	3.85	-1.159	-0.0014	-2.5 to 2.5	Pass
				-20	3.85	1.659	0.0020	-2.5 to 2.5	Pass
				-10	3.85	0.830	0.0010	-2.5 to 2.5	Pass

				0	3.85	2.246	0.0027	-2.5 to 2.5	Pass
				10	3.85	1.960	0.0023	-2.5 to 2.5	Pass
				30	3.85	2.646	0.0031	-2.5 to 2.5	Pass
				40	3.85	1.173	0.0014	-2.5 to 2.5	Pass
				50	3.85	2.060	0.0024	-2.5 to 2.5	Pass

2.1.3 B5_5MHz

Band: 5 / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	826.5	25	0	20	3.27	12.445	0.0151	-2.5 to 2.5	Pass
					3.85	-4.635	-0.0056	-2.5 to 2.5	Pass
					4.43	-15.521	-0.0188	-2.5 to 2.5	Pass
				-30	3.85	-20.027	-0.0242	-2.5 to 2.5	Pass
				-20	3.85	-28.868	-0.0349	-2.5 to 2.5	Pass
				-10	3.85	-45.562	-0.0551	-2.5 to 2.5	Pass
				0	3.85	-22.802	-0.0276	-2.5 to 2.5	Pass
				10	3.85	-40.984	-0.0496	-2.5 to 2.5	Pass
				30	3.85	-48.809	-0.0591	-2.5 to 2.5	Pass
				40	3.85	-16.136	-0.0195	-2.5 to 2.5	Pass
				50	3.85	-20.556	-0.0249	-2.5 to 2.5	Pass
	836.5	25	0	20	3.27	4.063	0.0049	-2.5 to 2.5	Pass
					3.85	-9.527	-0.0114	-2.5 to 2.5	Pass
					4.43	-8.483	-0.0101	-2.5 to 2.5	Pass
				-30	3.85	-17.638	-0.0211	-2.5 to 2.5	Pass
				-20	3.85	-23.260	-0.0278	-2.5 to 2.5	Pass
				-10	3.85	-19.984	-0.0239	-2.5 to 2.5	Pass
				0	3.85	-18.611	-0.0222	-2.5 to 2.5	Pass
				10	3.85	-17.066	-0.0204	-2.5 to 2.5	Pass
				30	3.85	-14.720	-0.0176	-2.5 to 2.5	Pass
				40	3.85	-16.723	-0.0200	-2.5 to 2.5	Pass
				50	3.85	-16.136	-0.0193	-2.5 to 2.5	Pass
	846.5	25	0	20	3.27	1.817	0.0021	-2.5 to 2.5	Pass
					3.85	0.415	0.0005	-2.5 to 2.5	Pass
					4.43	-0.329	-0.0004	-2.5 to 2.5	Pass
				-30	3.85	3.977	0.0047	-2.5 to 2.5	Pass
				-20	3.85	7.939	0.0094	-2.5 to 2.5	Pass
				-10	3.85	3.390	0.0040	-2.5 to 2.5	Pass
				0	3.85	4.520	0.0053	-2.5 to 2.5	Pass
				10	3.85	9.985	0.0118	-2.5 to 2.5	Pass
				30	3.85	17.853	0.0211	-2.5 to 2.5	Pass
				40	3.85	17.610	0.0208	-2.5 to 2.5	Pass
				50	3.85	13.962	0.0165	-2.5 to 2.5	Pass
16QAM	826.5	25	0	20	3.27	-25.549	-0.0309	-2.5 to 2.5	Pass
					3.85	-26.178	-0.0317	-2.5 to 2.5	Pass
					4.43	-22.459	-0.0272	-2.5 to 2.5	Pass
				-30	3.85	-28.038	-0.0339	-2.5 to 2.5	Pass
				-20	3.85	-31.271	-0.0378	-2.5 to 2.5	Pass
				-10	3.85	-26.236	-0.0317	-2.5 to 2.5	Pass
				0	3.85	-20.943	-0.0253	-2.5 to 2.5	Pass
				10	3.85	-21.944	-0.0266	-2.5 to 2.5	Pass
				30	3.85	-20.728	-0.0251	-2.5 to 2.5	Pass
				40	3.85	-26.164	-0.0317	-2.5 to 2.5	Pass
				50	3.85	-25.034	-0.0303	-2.5 to 2.5	Pass
	836.5	25	0	20	3.27	-22.817	-0.0273	-2.5 to 2.5	Pass
					3.85	-30.484	-0.0364	-2.5 to 2.5	Pass

					4.43	-22.645	-0.0271	-2.5 to 2.5	Pass
				-30	3.85	-26.608	-0.0318	-2.5 to 2.5	Pass
				-20	3.85	-23.031	-0.0275	-2.5 to 2.5	Pass
				-10	3.85	-22.759	-0.0272	-2.5 to 2.5	Pass
				0	3.85	-24.419	-0.0292	-2.5 to 2.5	Pass
				10	3.85	-24.433	-0.0292	-2.5 to 2.5	Pass
				30	3.85	-22.988	-0.0275	-2.5 to 2.5	Pass
				40	3.85	-22.602	-0.0270	-2.5 to 2.5	Pass
				50	3.85	-22.402	-0.0268	-2.5 to 2.5	Pass
	846.5	25	0	20	3.27	12.045	0.0142	-2.5 to 2.5	Pass
					3.85	17.037	0.0201	-2.5 to 2.5	Pass
					4.43	15.779	0.0186	-2.5 to 2.5	Pass
				-30	3.85	18.797	0.0222	-2.5 to 2.5	Pass
				-20	3.85	22.230	0.0263	-2.5 to 2.5	Pass
				-10	3.85	8.969	0.0106	-2.5 to 2.5	Pass
				0	3.85	2.403	0.0028	-2.5 to 2.5	Pass
				10	3.85	10.872	0.0128	-2.5 to 2.5	Pass
				30	3.85	12.732	0.0150	-2.5 to 2.5	Pass
				40	3.85	16.394	0.0194	-2.5 to 2.5	Pass
				50	3.85	15.807	0.0187	-2.5 to 2.5	Pass

2.1.4 B5_10MHz

Band: 5 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	829	50	0	20	3.27	0.114	0.0001	-2.5 to 2.5	Pass
					3.85	-36.092	-0.0435	-2.5 to 2.5	Pass
					4.43	-23.103	-0.0279	-2.5 to 2.5	Pass
				-30	3.85	-38.652	-0.0466	-2.5 to 2.5	Pass
				-20	3.85	-42.815	-0.0516	-2.5 to 2.5	Pass
				-10	3.85	-48.180	-0.0581	-2.5 to 2.5	Pass
				0	3.85	-4.692	-0.0057	-2.5 to 2.5	Pass
				10	3.85	-2.646	-0.0032	-2.5 to 2.5	Pass
				30	3.85	2.689	0.0032	-2.5 to 2.5	Pass
				40	3.85	5.765	0.0070	-2.5 to 2.5	Pass
				50	3.85	2.131	0.0026	-2.5 to 2.5	Pass
	836.5	50	0	20	3.27	2.975	0.0036	-2.5 to 2.5	Pass
					3.85	-11.787	-0.0141	-2.5 to 2.5	Pass
					4.43	-19.226	-0.0230	-2.5 to 2.5	Pass
				-30	3.85	-10.343	-0.0124	-2.5 to 2.5	Pass
				-20	3.85	-7.195	-0.0086	-2.5 to 2.5	Pass
				-10	3.85	-5.264	-0.0063	-2.5 to 2.5	Pass
				0	3.85	-10.943	-0.0131	-2.5 to 2.5	Pass
				10	3.85	-19.684	-0.0235	-2.5 to 2.5	Pass
				30	3.85	-15.793	-0.0189	-2.5 to 2.5	Pass
				40	3.85	-11.544	-0.0138	-2.5 to 2.5	Pass
				50	3.85	-8.197	-0.0098	-2.5 to 2.5	Pass
	844	50	0	20	3.27	-3.662	-0.0043	-2.5 to 2.5	Pass
					3.85	1.645	0.0019	-2.5 to 2.5	Pass
					4.43	7.854	0.0093	-2.5 to 2.5	Pass
				-30	3.85	19.426	0.0230	-2.5 to 2.5	Pass
				-20	3.85	18.139	0.0215	-2.5 to 2.5	Pass
				-10	3.85	21.029	0.0249	-2.5 to 2.5	Pass
				0	3.85	34.804	0.0412	-2.5 to 2.5	Pass
				10	3.85	44.346	0.0525	-2.5 to 2.5	Pass
				30	3.85	9.599	0.0114	-2.5 to 2.5	Pass

16QAM	829	50	0	40	3.85	-0.157	-0.0002	-2.5 to 2.5	Pass
				50	3.85	-3.505	-0.0042	-2.5 to 2.5	Pass
				20	3.27	4.091	0.0049	-2.5 to 2.5	Pass
					3.85	8.311	0.0100	-2.5 to 2.5	Pass
					4.43	9.828	0.0119	-2.5 to 2.5	Pass
				-30	3.85	14.663	0.0177	-2.5 to 2.5	Pass
				-20	3.85	2.017	0.0024	-2.5 to 2.5	Pass
				-10	3.85	0.243	0.0003	-2.5 to 2.5	Pass
				0	3.85	5.794	0.0070	-2.5 to 2.5	Pass
				10	3.85	9.985	0.0120	-2.5 to 2.5	Pass
	836.5	50	0	30	3.85	15.922	0.0192	-2.5 to 2.5	Pass
				40	3.85	15.893	0.0192	-2.5 to 2.5	Pass
				50	3.85	19.813	0.0239	-2.5 to 2.5	Pass
				20	3.27	-11.888	-0.0142	-2.5 to 2.5	Pass
					3.85	-23.632	-0.0283	-2.5 to 2.5	Pass
					4.43	-20.928	-0.0250	-2.5 to 2.5	Pass
				-30	3.85	-19.813	-0.0237	-2.5 to 2.5	Pass
				-20	3.85	-17.409	-0.0208	-2.5 to 2.5	Pass
				-10	3.85	-17.982	-0.0215	-2.5 to 2.5	Pass
				0	3.85	-18.411	-0.0220	-2.5 to 2.5	Pass
	844	50	0	10	3.85	-17.967	-0.0215	-2.5 to 2.5	Pass
				30	3.85	-17.366	-0.0208	-2.5 to 2.5	Pass
				40	3.85	-21.043	-0.0252	-2.5 to 2.5	Pass
				50	3.85	-19.984	-0.0239	-2.5 to 2.5	Pass
				20	3.27	7.339	0.0087	-2.5 to 2.5	Pass
					3.85	8.826	0.0105	-2.5 to 2.5	Pass
					4.43	13.475	0.0160	-2.5 to 2.5	Pass
				-30	3.85	-8.526	-0.0101	-2.5 to 2.5	Pass
				-20	3.85	-17.896	-0.0212	-2.5 to 2.5	Pass
				-10	3.85	-9.527	-0.0113	-2.5 to 2.5	Pass
				0	3.85	-7.625	-0.0090	-2.5 to 2.5	Pass
				10	3.85	-1.659	-0.0020	-2.5 to 2.5	Pass
				30	3.85	-16.336	-0.0194	-2.5 to 2.5	Pass
				40	3.85	-19.770	-0.0234	-2.5 to 2.5	Pass
				50	3.85	-6.337	-0.0075	-2.5 to 2.5	Pass

3. Modulation Characteristics

3.1 Test Result

3.1.1 B5_1.4MHz

Band: 5 / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	6	0	Refer To Test Graph		Pass
16QAM	836.5	6	0	Refer To Test Graph		Pass

3.1.2 B5_3MHz

Band: 5 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	15	0	Refer To Test Graph		Pass
16QAM	836.5	15	0	Refer To Test Graph		Pass

3.1.3 B5_5MHz


Band: 5 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	25	0	Refer To Test Graph		Pass
16QAM	836.5	25	0	Refer To Test Graph		Pass

3.1.4 B5_10MHz


Band: 5 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	50	0	Refer To Test Graph		Pass
16QAM	836.5	50	0	Refer To Test Graph		Pass

3.2 Test Graph


3.2.1 B5_1.4MHz




3.2.2 B5_3MHz



3.2.3 B5_5MHz



3.2.4 B5_10MHz



4. 99% & 26dB Bandwidth

4.1 Test Result

4.1.1 Band5_OBW

Band: 5 / NTN							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	824.7	6	0	1.112	/	Pass
		836.5	6	0	1.111	/	Pass
		848.3	6	0	1.113	/	Pass
	16QAM	824.7	6	0	1.109	/	Pass
		836.5	6	0	1.109	/	Pass
		848.3	6	0	1.119	/	Pass
3	QPSK	825.5	15	0	2.756	/	Pass
		836.5	15	0	2.756	/	Pass
		847.5	15	0	2.768	/	Pass
	16QAM	825.5	15	0	2.761	/	Pass
		836.5	15	0	2.746	/	Pass
		847.5	15	0	2.743	/	Pass
5	QPSK	826.5	25	0	4.555	/	Pass
		836.5	25	0	4.539	/	Pass
		846.5	25	0	4.560	/	Pass
	16QAM	826.5	25	0	4.577	/	Pass
		836.5	25	0	4.565	/	Pass
		846.5	25	0	4.552	/	Pass
10	QPSK	829	50	0	9.097	/	Pass
		836.5	50	0	9.024	/	Pass
		844	50	0	9.095	/	Pass
	16QAM	829	50	0	9.085	/	Pass
		836.5	50	0	9.023	/	Pass
		844	50	0	9.100	/	Pass


4.1.2 Band5_XDB

Band: 5 / NTN							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	824.7	6	0	1.276	/	Pass
		836.5	6	0	1.267	/	Pass
		848.3	6	0	1.271	/	Pass
	16QAM	824.7	6	0	1.274	/	Pass
		836.5	6	0	1.268	/	Pass
		848.3	6	0	1.277	/	Pass
3	QPSK	825.5	15	0	3.104	/	Pass
		836.5	15	0	3.082	/	Pass
		847.5	15	0	3.097	/	Pass
	16QAM	825.5	15	0	3.105	/	Pass
		836.5	15	0	3.085	/	Pass
		847.5	15	0	3.082	/	Pass
5	QPSK	826.5	25	0	5.034	/	Pass
		836.5	25	0	5.058	/	Pass
		846.5	25	0	5.026	/	Pass


10	16QAM	826.5	25	0	5.068	/	Pass
		836.5	25	0	5.075	/	Pass
		846.5	25	0	5.053	/	Pass
	QPSK	829	50	0	10.061	/	Pass
		836.5	50	0	10.025	/	Pass
		844	50	0	10.080	/	Pass
	16QAM	829	50	0	10.135	/	Pass
		836.5	50	0	10.048	/	Pass
		844	50	0	10.115	/	Pass

4.2 Test Graph


4.2.1 Band5_OBW




Band5 1.4MHz QPSK HCH 848.3MHz RB 6 0 NTN




Band5 1.4MHz 16QAM LCH 824.7MHz RB 6 0 NTN




Band5 1.4MHz 16QAM MCH 836.5MHz RB 6 0 NTNV




Band5 1.4MHz 16QAM HCH 848.3MHz RB 6 0 NTNV




Band5_3MHz_QPSK_LCH_825.5MHz_RB_15_0_NTNV




Band5_3MHz_QPSK_MCH_836.5MHz_RB_15_0_NTNV




Band5 3MHz QPSK HCH 847.5MHz RB 15 0 NTN




Band5 3MHz 16QAM LCH 825.5MHz RB 15 0 NTN




Band5 3MHz 16QAM MCH 836.5MHz RB 15 0 NTN




Band5_3MHz_16QAM_HCH_847.5MHz_RB_15_0 NTN




Band5_5MHz_QPSK_LCH_826.5MHz_RB_25_0_NTNV




Band5_5MHz_QPSK_MCH_836.5MHz_RB_25_0_NTNV




Band5 5MHz QPSK HCH 846.5MHz RB 25 0 NTN




Band5 5MHz 16QAM LCH 826.5MHz RB 25 0 NTN




Band5 5MHz 16QAM MCH 836.5MHz RB 25 0 NTNV




Band5 5MHz 16QAM HCH 846.5MHz RB 25 0 NTNV




Band5 10MHz QPSK LCH 829MHz RB 50 0 NTN




Band5_10MHz_QPSK_MCH_836.5MHz_RB_50_0 NTN




Band5_10MHz_QPSK_HCH_844MHz_RB_50_0_NTNV




Band5_10MHz_16QAM_LCH_829MHz_RB_50_0_NTNV




Band5 10MHz 16QAM MCH 836.5MHz RB 50 0 NTNV




Band5 10MHz 16QAM HCH 844MHz RB 50 0 NTNV




4.2.2 Band5_XDB




Band5 1.4MHz QPSK HCH 848.3MHz RB 6 0 NTN




Band5 1.4MHz 16QAM LCH 824.7MHz RB 6 0 NTN




Band5 1.4MHz 16QAM MCH 836.5MHz RB 6 0 NTNV




Band5 1.4MHz 16QAM HCH 848.3MHz RB 6 0 NTNV




Band5_3MHz_QPSK_LCH_825.5MHz_RB_15_0_NTNV




Band5_3MHz_QPSK_MCH_836.5MHz_RB_15_0_NTNV




Band5 3MHz QPSK HCH 847.5MHz RB 15 0 NTN




Band5 3MHz 16QAM LCH 825.5MHz RB 15 0 NTN




Band5 3MHz 16QAM MCH 836.5MHz RB 15 0 NTNV




Band5 3MHz 16QAM HCH 847.5MHz RB 15 0 NTNV




Band5_5MHz_QPSK_LCH_826.5MHz_RB_25_0_NTNV




Band5_5MHz_QPSK_MCH_836.5MHz_RB_25_0_NTNV




Band5 5MHz QPSK HCH 846.5MHz RB 25 0 NTN




Band5 5MHz 16QAM LCH 826.5MHz RB 25 0 NTN




Band5 5MHz 16QAM MCH 836.5MHz RB 25 0 NTNV




Band5 5MHz 16QAM HCH 846.5MHz RB 25 0 NTNV




Band5 10MHz QPSK LCH 829MHz RB 50 0 NTV




Band5_10MHz_QPSK_MCH_836.5MHz_RB_50_0_NTV




Band5_10MHz_QPSK_HCH_844MHz_RB_50_0_NTNV




Band5_10MHz_16QAM_LCH_829MHz_RB_50_0_NTNV



Band5 10MHz 16QAM MCH 836.5MHz RB 50 0 NTNV



Band5 10MHz 16QAM HCH 844MHz RB 50 0 NTNV



5. Peak-Average Ratio

5.1 Test Result

5.1.1 B5_1.4MHz

Band: 5 / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	824.7	6	0	5.85	<=13	Pass
	836.5	6	0	5.51	<=13	Pass
	848.3	6	0	5.27	<=13	Pass
16QAM	824.7	6	0	6.56	<=13	Pass
	836.5	6	0	6.27	<=13	Pass
	848.3	6	0	6.01	<=13	Pass

5.1.2 B5_3MHz

Band: 5 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	825.5	15	0	5.83	<=13	Pass
	836.5	15	0	5.53	<=13	Pass
	847.5	15	0	5.33	<=13	Pass
16QAM	825.5	15	0	6.58	<=13	Pass
	836.5	15	0	6.30	<=13	Pass
	847.5	15	0	6.10	<=13	Pass

5.1.3 B5_5MHz

Band: 5 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	826.5	25	0	5.75	<=13	Pass
	836.5	25	0	5.62	<=13	Pass
	846.5	25	0	5.52	<=13	Pass
16QAM	826.5	25	0	6.48	<=13	Pass
	836.5	25	0	6.27	<=13	Pass
	846.5	25	0	6.17	<=13	Pass

5.1.4 B5_10MHz


Band: 5 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	829	50	0	5.72	<=13	Pass
	836.5	50	0	5.55	<=13	Pass
	844	50	0	5.85	<=13	Pass
16QAM	829	50	0	6.42	<=13	Pass
	836.5	50	0	6.33	<=13	Pass

	844	50	0	6.41	<=13	Pass
--	-----	----	---	------	------	------




5.2 Test Graph


5.2.1 B5_1.4MHz




Band5 1.4MHz QPSK HCH 848.3MHz RB 6 0 NTN



Band5 1.4MHz 16QAM LCH 824.7MHz RB 6 0 NTN




Band5 1.4MHz 16QAM MCH 836.5MHz RB 6 0 NTNV




2024-10-12 23:46:44

Band5 1.4MHz 16QAM HCH 848.3MHz RB 6 0 NTNV




2024-10-12 23:47:10

5.2.2 B5_3MHz




Band5 3MHz QPSK HCH 847.5MHz RB 15 0 NTN




2024-10-12 23:48:47

Band5 3MHz 16QAM LCH 825.5MHz RB 15 0 NTN




2024-10-12 23:48:04

Band5 3MHz 16QAM MCH 836.5MHz RB 15 0 NTNV




2024-10-12 23:48:32

Band5 3MHz 16QAM HCH 847.5MHz RB 15 0 NTNV




2024-10-12 23:49:02

5.2.3 B5_5MHz




Band5 5MHz QPSK HCH 846.5MHz RB 25 0 NTN




2024-10-12 23:50:39

Band5 5MHz 16QAM LCH 826.5MHz RB 25 0 NTN




2024-10-12 23:49:54

Band5 5MHz 16QAM MCH 836.5MHz RB 25 0 NTNV




2024-10-12 23:50:24

Band5 5MHz 16QAM HCH 846.5MHz RB 25 0 NTNV




2024-10-12 23:50:52

5.2.4 B5_10MHz




Band5 10MHz QPSK HCH 844MHz RB 50 0 NTNV




2024-10-12 23:52:45

Band5 10MHz 16QAM LCH 829MHz RB 50 0 NTNV




2024-10-12 23:51:51

Band5 10MHz 16QAM MCH 836.5MHz RB 50 0 NTNV



2024-10-12 23:52:25

Band5 10MHz 16QAM HCH 844MHz RB 50 0 NTNV



2024-10-12 23:53:00

6. Spurious Emission

6.1 Test Result

6.1.1 B5_1.4MHz

Band: 5 / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	824.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
	848.3	1	5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
16QAM	824.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
	848.3	1	5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass

6.1.2 B5_3MHz

Band: 5 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	825.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
	847.5	1	14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
16QAM	825.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
	847.5	1	14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass

6.1.3 B5_5MHz

Band: 5 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	826.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
	846.5	1	24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
16QAM	826.5	1	0	Refer To Test Graph		Pass


		25	0	Refer To Test Graph	Pass
	836.5	1	0	Refer To Test Graph	Pass
	846.5	1	0	Refer To Test Graph	Pass
			24	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass

6.1.4 B5_10MHz


Band: 5 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	829	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	844	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
16QAM	829	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	844	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass

6.2 Test Graph


6.2.1 B5_1.4MHz




Band5 1.4MHz QPSK LCH 824.7MHz RB 1 0 NTN




Band5 1.4MHz QPSK LCH 824.7MHz RB 1 0 NTN



Band5 1.4MHz QPSK LCH 824.7MHz RB 1 0 NTNV




Band5 1.4MHz QPSK LCH 824.7MHz RB 6 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
822.5	823	0.1	CHP	1	822.828	-41.95	-13	Pass
823	824	0.013	CHP	2	823.960	-41.05	-13	Pass
824	825.5	0.013	CHP	/	/	/	/	/


Band5 1.4MHz QPSK MCH 836.5MHz RB 1 0 NTNV




Band5 1.4MHz QPSK MCH 836.5MHz RB 1 0 NTNV




Band5 1.4MHz QPSK MCH 836.5MHz RB 1 0 NTNV




Band5 1.4MHz QPSK MCH 836.5MHz RB 1 0 NTNV




Band5 1.4MHz QPSK HCH 848.3MHz RB 1 0 NTNV




Band5 1.4MHz QPSK HCH 848.3MHz RB 1 0 NTNV




Band5 1.4MHz QPSK HCH 848.3MHz RB 1 0 NTNV




Band5 1.4MHz QPSK HCH 848.3MHz RB 1 0 NTNV




Band5 1.4MHz QPSK HCH 848.3MHz RB 1 5 NTNV



Band5 1.4MHz QPSK HCH 848.3MHz RB 6 0 NTNV




Band5 1.4MHz 16QAM LCH 824.7MHz RB 1 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
822.5	823	0.1	CHP	1	822.947	-55.23	-13	Pass
823	824	0.003	/	2	823.995	-45.61	-13	Pass
824	825.5	0.003	/	/	/	/	/	/


Band5 1.4MHz 16QAM LCH 824.7MHz RB 1 0 NTV




Band5 1.4MHz 16QAM LCH 824.7MHz RB 1 0 NTNV




Band5 1.4MHz 16QAM LCH 824.7MHz RB 1 0 NTNV



Band5 1.4MHz 16QAM LCH 824.7MHz RB 1 0 NTV




Band5 1.4MHz 16QAM LCH 824.7MHz RB 6 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
822.5	823	0.1	CHP	1	822.939	-41.38	-13	Pass
823	824	0.013	CHP	2	823.999	-40.76	-13	Pass
824	825.5	0.013	CHP	/	/	/	/	/


Band5 1.4MHz 16QAM MCH 836.5MHz RB 1 0 NTNV




Band5 1.4MHz 16QAM MCH 836.5MHz RB 1 0 NTNV




Band5 1.4MHz 16QAM MCH 836.5MHz RB 1 0 NTNV




Band5 1.4MHz 16QAM MCH 836.5MHz RB 1 0 NTNV




Band5 1.4MHz 16QAM HCH 848.3MHz RB 1 0 NTNV




Band5 1.4MHz 16QAM HCH 848.3MHz RB 1 0 NTNV




Band5 1.4MHz 16QAM HCH 848.3MHz RB 1 0 NTNV



Band5 1.4MHz 16QAM HCH 848.3MHz RB 1 0 NTNV




Band5 1.4MHz 16QAM HCH 848.3MHz RB 1 5 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
847.5	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.025	-43.21	-13	Pass
850	850.5	0.1	CHP	2	850.052	-55.62	-13	Pass

Band5 1.4MHz 16QAM HCH 848.3MHz RB 6 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
847.5	849	0.013	CHP	/	/	/	/	/
849	850	0.013	CHP	1	849.008	-38.18	-13	Pass
850	850.5	0.1	CHP	2	850.074	-41.00	-13	Pass


6.2.2 B5_3MHz




Band5 3MHz QPSK LCH 825.5MHz RB 1 0 NTNV




Band5_3MHz_QPSK_LCH_825.5MHz_RB_1_0_NTNV



Band5 3MHz QPSK LCH 825.5MHz RB 1 0 NTNV




Band5_3MHz QPSK LCH 825.5MHz RB 15 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHP	1	822.836	-40.84	-13	Pass
823	824	0.031	CHP	2	823.994	-27.49	-13	Pass
824	827	0.031	CHP	/	/	/	/	/


Band5 3MHz QPSK MCH 836.5MHz RB 1 0 NTV




Band5 3MHz QPSK MCH 836.5MHz RB 1 0 NTV




Band5 3MHz QPSK MCH 836.5MHz RB 1 0 NTV




Band5 3MHz QPSK MCH 836.5MHz RB 1 0 NTV




Band5 3MHz QPSK HCH 847.5MHz RB 1 0 NTV




Band5_3MHz_QPSK_HCH_847.5MHz_RB_1_0_NTV




Band5 3MHz QPSK HCH 847.5MHz RB 1 0 NTNV



Band5_3MHz_QPSK_HCH_847.5MHz_RB_1_0_NTNV




Band5 3MHz QPSK HCH 847.5MHz RB 1 14 NTN




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.001	-26.89	-13	Pass
850	852	0.1	CHP	2	850.052	-52.88	-13	Pass

Band5 3MHz QPSK HCH 847.5MHz RB 15 0 NTN




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.031	CHP	/	/	/	/	/
849	850	0.031	CHP	1	849.006	-29.36	-13	Pass
850	852	0.1	CHP	2	850.080	-36.30	-13	Pass


Band5 3MHz 16QAM LCH 825.5MHz RB 1 0 NTN




Band5 3MHz 16QAM LCH 825.5MHz RB 1 0 NTN




Band5 3MHz 16QAM LCH 825.5MHz RB 1 0 NTN




Band5 3MHz 16QAM LCH 825.5MHz RB 1 0 NTN



Band5_3MHz_16QAM_LCH_825.5MHz_RB_1_0_NTNV




Band5_3MHz_16QAM_LCH_825.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHP	1	822.890	-40.12	-13	Pass
823	824	0.031	CHP	2	823.994	-28.65	-13	Pass
824	827	0.031	CHP	/	/	/	/	/


Band5 3MHz 16QAM MCH 836.5MHz RB 1 0 NTN




Band5 3MHz 16QAM MCH 836.5MHz RB 1 0 NTN




Band5 3MHz 16QAM MCH 836.5MHz RB 1 0 NTNV




Band5 3MHz 16QAM MCH 836.5MHz RB 1 0 NTNV




Band5 3MHz 16QAM HCH 847.5MHz RB 1 0 NTNV




Band5 3MHz 16QAM HCH 847.5MHz RB 1 0 NTNV




Band5 3MHz 16QAM HCH 847.5MHz RB 1 0 NTNV



Band5 3MHz 16QAM HCH 847.5MHz RB 1 0 NTNV




Band5 3MHz 16QAM HCH 847.5MHz RB 1 14 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.012	-29.10	-13	Pass
850	852	0.1	CHP	2	850.052	-53.84	-13	Pass

Band5 3MHz 16QAM HCH 847.5MHz RB 15 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.031	CHP	/	/	/	/	/
849	850	0.031	CHP	1	849.006	-29.63	-13	Pass
850	852	0.1	CHP	2	850.074	-37.28	-13	Pass


6.2.3 B5_5MHz




Band5 5MHz QPSK LCH 826.5MHz RB 1 0 NTN




Band5_5MHz_QPSK_LCH_826.5MHz_RB_1_0_NTN



Band5 5MHz QPSK LCH 826.5MHz RB 1 0 NTNV




Band5_5MHz_QPSK_LCH_826.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
819	823	0.1	CHP	1	822.910	-41.56	-13	Pass
823	824	0.05	CHP	2	823.990	-33.21	-13	Pass
824	829	0.05	CHP	/	/	/	/	/


Band5 5MHz QPSK MCH 836.5MHz RB 1 0 NTN




Band5 5MHz QPSK MCH 836.5MHz RB 1 0 NTN




Band5 5MHz QPSK MCH 836.5MHz RB 1 0 NTNV




Band5 5MHz QPSK MCH 836.5MHz RB 1 0 NTNV




Band5 5MHz QPSK HCH 846.5MHz RB 1 0 NTV




Band5_5MHz_QPSK_HCH_846.5MHz_RB_1_0_NTV




Band5 5MHz QPSK HCH 846.5MHz RB 1 0 NTV




Band5_5MHz_QPSK_HCH_846.5MHz_RB_1_0_NTNV




Band5 5MHz QPSK HCH 846.5MHz RB 1 24 NTN




Band5 5MHz QPSK HCH 846.5MHz RB 25 0 NTN




Band5 5MHz 16QAM LCH 826.5MHz RB 1 0 NTN




Band5 5MHz 16QAM LCH 826.5MHz RB 1 0 NTN




Band5 5MHz 16QAM LCH 826.5MHz RB 1 0 NTNV




Band5 5MHz 16QAM LCH 826.5MHz RB 1 0 NTNV



Band5 5MHz 16QAM LCH 826.5MHz RB 1 0 NTNV




Band5 5MHz 16QAM LCH 826.5MHz RB 25 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
819	823	0.1	CHP	1	822.940	-39.39	-13	Pass
823	824	0.051	CHP	2	823.990	-35.71	-13	Pass
824	829	0.051	CHP	/	/	/	/	/


Band5 5MHz 16QAM MCH 836.5MHz RB 1 0 NTNV




Band5 5MHz 16QAM MCH 836.5MHz RB 1 0 NTNV




Band5 5MHz 16QAM MCH 836.5MHz RB 1 0 NTNV




Band5 5MHz 16QAM MCH 836.5MHz RB 1 0 NTNV




Band5 5MHz 16QAM HCH 846.5MHz RB 1 0 NTN




Band5 5MHz 16QAM HCH 846.5MHz RB 1 0 NTN




Band5 5MHz 16QAM HCH 846.5MHz RB 1 0 NTNV



Band5 5MHz 16QAM HCH 846.5MHz RB 1 0 NTNV




Band5 5MHz 16QAM HCH 846.5MHz RB 1 24 NTV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.003	-36.77	-13	Pass
850	854	0.1	CHP	2	850.050	-56.68	-13	Pass


Band5 5MHz 16QAM HCH 846.5MHz RB 25 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.051	CHP	/	/	/	/	/
849	850	0.051	CHP	1	849.010	-36.30	-13	Pass
850	854	0.1	CHP	2	850.190	-38.24	-13	Pass

6.2.4 B5_10MHz


Band5 10MHz QPSK LCH 829MHz RB 1 0 NTN




Band5 10MHz QPSK LCH 829MHz RB 1 0 NTN




Band5 10MHz QPSK LCH 829MHz RB 1 0 NTN




Band5 10MHz QPSK LCH 829MHz RB 1 0 NTN



Band5 10MHz QPSK LCH 829MHz RB 1 0 NTNV




Band5 10MHz QPSK LCH 829MHz RB 50 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
814	823	0.1	/	1	822.800	-39.48	-13	Pass
823	824	0.101	CHP	2	823.980	-38.98	-13	Pass
824	834	0.101	CHP	/	/	/	/	/


Band5 10MHz QPSK MCH 836.5MHz RB 1 0 NTNV




Band5 10MHz QPSK MCH 836.5MHz RB 1 0 NTNV




Band5 10MHz QPSK MCH 836.5MHz RB 1 0 NTN




Band5 10MHz QPSK MCH 836.5MHz RB 1 0 NTN




Band5 10MHz QPSK HCH 844MHz RB 1 0 NTN




Band5_10MHz_QPSK_HCH_844MHz_RB_1_0_NTN




Band5 10MHz QPSK HCH 844MHz RB 1 0 NTN



Band5_10MHz_QPSK_HCH_844MHz_RB_1_0_NTN




Band5_10MHz_QPSK_HCH_844MHz_RB_1_49_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
839	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.010	-40.57	-13	Pass
850	859	0.1	CHP	2	850.055	-54.81	-13	Pass

Band5_10MHz_QPSK_HCH_844MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
839	849	0.101	CHP	/	/	/	/	/
849	850	0.101	CHP	1	849.020	-35.51	-13	Pass
850	859	0.1	/	2	850.100	-37.43	-13	Pass


Band5_10MHz_16QAM_LCH_829MHz_RB_1_0_NTNV




Band5_10MHz_16QAM_LCH_829MHz_RB_1_0_NTNV




Band5 10MHz 16QAM LCH 829MHz RB 1 0 NTNV




Band5 10MHz 16QAM LCH 829MHz RB 1 0 NTNV



Band5 10MHz 16QAM LCH 829MHz RB 1 0 NTNV




Band5 10MHz 16QAM LCH 829MHz RB 50 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
814	823	0.1	/	1	822.680	-40.19	-13	Pass
823	824	0.101	CHP	2	823.980	-36.76	-13	Pass
824	834	0.101	CHP	/	/	/	/	/


Band5_10MHz_16QAM_MCH_836.5MHz_RB_1_0_NTNV




Band5_10MHz_16QAM_MCH_836.5MHz_RB_1_0_NTNV




Band5_10MHz_16QAM_MCH_836.5MHz_RB_1_0_NTNV




Band5_10MHz_16QAM_MCH_836.5MHz_RB_1_0_NTNV




Band5_10MHz_16QAM_HCH_844MHz_RB_1_0_NTNV




Band5_10MHz_16QAM_HCH_844MHz_RB_1_0_NTNV




Band5 10MHz 16QAM HCH 844MHz RB 1 0 NTNV



Band5_10MHz_16QAM_HCH_844MHz_RB_1_0_NTNV



Band5 10MHz 16QAM HCH 844MHz RB 1 49 NTNV



Band5 10MHz 16QAM HCH 844MHz RB 50 0 NTNV

