

AppendixA: Effective (Isotropic) Radiated Power Output Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Gain (dBi)	EIRP (dBm)	Limit(dBm)	Verdict
41(2535-2655)	5MHz	QPSK	40065	1RB#0	23.40	2.53	25.93	33.01	PASS
41(2535-2655)	5MHz	QPSK	40065	1RB#12	23.42	2.53	25.95	33.01	PASS
41(2535-2655)	5MHz	QPSK	40065	1RB#24	23.42	2.53	25.95	33.01	PASS
41(2535-2655)	5MHz	QPSK	40065	12RB#0	22.46	2.53	24.99	33.01	PASS
41(2535-2655)	5MHz	QPSK	40065	12RB#6	22.45	2.53	24.98	33.01	PASS
41(2535-2655)	5MHz	QPSK	40065	12RB#13	22.44	2.53	24.97	33.01	PASS
41(2535-2655)	5MHz	QPSK	40065	25RB#0	22.40	2.53	24.93	33.01	PASS
41(2535-2655)	5MHz	QPSK	40590	1RB#0	23.60	2.53	26.13	33.01	PASS
41(2535-2655)	5MHz	QPSK	40590	1RB#12	23.50	2.53	26.03	33.01	PASS
41(2535-2655)	5MHz	QPSK	40590	1RB#24	23.54	2.53	26.07	33.01	PASS
41(2535-2655)	5MHz	QPSK	40590	12RB#0	22.51	2.53	25.04	33.01	PASS
41(2535-2655)	5MHz	QPSK	40590	12RB#6	22.47	2.53	25.00	33.01	PASS
41(2535-2655)	5MHz	QPSK	40590	12RB#13	22.52	2.53	25.05	33.01	PASS
41(2535-2655)	5MHz	QPSK	40590	25RB#0	22.55	2.53	25.08	33.01	PASS
41(2535-2655)	5MHz	QPSK	41215	1RB#0	23.80	2.53	26.33	33.01	PASS
41(2535-2655)	5MHz	QPSK	41215	1RB#12	23.77	2.53	26.30	33.01	PASS
41(2535-2655)	5MHz	QPSK	41215	1RB#24	23.81	2.53	26.34	33.01	PASS
41(2535-2655)	5MHz	QPSK	41215	12RB#0	22.73	2.53	25.26	33.01	PASS
41(2535-2655)	5MHz	QPSK	41215	12RB#6	22.73	2.53	25.26	33.01	PASS
41(2535-2655)	5MHz	QPSK	41215	12RB#13	22.75	2.53	25.28	33.01	PASS
41(2535-2655)	5MHz	QPSK	41215	25RB#0	22.82	2.53	25.35	33.01	PASS
41(2535-2655)	5MHz	16QAM	40065	1RB#0	22.46	2.53	24.99	33.01	PASS
41(2535-2655)	5MHz	16QAM	40065	1RB#12	22.40	2.53	24.93	33.01	PASS
41(2535-2655)	5MHz	16QAM	40065	1RB#24	22.36	2.53	24.89	33.01	PASS
41(2535-2655)	5MHz	16QAM	40065	12RB#0	21.39	2.53	23.92	33.01	PASS
41(2535-2655)	5MHz	16QAM	40065	12RB#6	21.41	2.53	23.94	33.01	PASS
41(2535-2655)	5MHz	16QAM	40065	12RB#13	21.37	2.53	23.90	33.01	PASS
41(2535-2655)	5MHz	16QAM	40065	25RB#0	21.46	2.53	23.99	33.01	PASS
41(2535-2655)	5MHz	16QAM	40590	1RB#0	22.72	2.53	25.25	33.01	PASS
41(2535-2655)	5MHz	16QAM	40590	1RB#12	22.62	2.53	25.15	33.01	PASS
41(2535-2655)	5MHz	16QAM	40590	1RB#24	22.77	2.53	25.30	33.01	PASS
41(2535-2655)	5MHz	16QAM	40590	12RB#0	21.53	2.53	24.06	33.01	PASS
41(2535-2655)	5MHz	16QAM	40590	12RB#6	21.51	2.53	24.04	33.01	PASS
41(2535-2655)	5MHz	16QAM	40590	12RB#13	21.50	2.53	24.03	33.01	PASS
41(2535-2655)	5MHz	16QAM	40590	25RB#0	21.54	2.53	24.07	33.01	PASS
41(2535-2655)	5MHz	16QAM	41215	1RB#0	22.97	2.53	25.50	33.01	PASS
41(2535-2655)	5MHz	16QAM	41215	1RB#12	22.94	2.53	25.47	33.01	PASS
41(2535-2655)	5MHz	16QAM	41215	1RB#24	23.00	2.53	25.53	33.01	PASS

41(2535-2655)	5MHz	16QAM	41215	12RB#0	21.77	2.53	24.30	33.01	PASS
41(2535-2655)	5MHz	16QAM	41215	12RB#6	21.78	2.53	24.31	33.01	PASS
41(2535-2655)	5MHz	16QAM	41215	12RB#13	21.83	2.53	24.36	33.01	PASS
41(2535-2655)	5MHz	16QAM	41215	25RB#0	21.83	2.53	24.36	33.01	PASS
41(2535-2655)	10MHz	QPSK	40090	1RB#0	23.40	2.53	25.93	33.01	PASS
41(2535-2655)	10MHz	QPSK	40090	1RB#24	23.31	2.53	25.84	33.01	PASS
41(2535-2655)	10MHz	QPSK	40090	1RB#49	23.27	2.53	25.80	33.01	PASS
41(2535-2655)	10MHz	QPSK	40090	25RB#0	22.39	2.53	24.92	33.01	PASS
41(2535-2655)	10MHz	QPSK	40090	25RB#12	22.39	2.53	24.92	33.01	PASS
41(2535-2655)	10MHz	QPSK	40090	25RB#25	22.38	2.53	24.91	33.01	PASS
41(2535-2655)	10MHz	QPSK	40090	50RB#0	22.39	2.53	24.92	33.01	PASS
41(2535-2655)	10MHz	QPSK	40590	1RB#0	23.48	2.53	26.01	33.01	PASS
41(2535-2655)	10MHz	QPSK	40590	1RB#24	23.36	2.53	25.89	33.01	PASS
41(2535-2655)	10MHz	QPSK	40590	1RB#49	23.51	2.53	26.04	33.01	PASS
41(2535-2655)	10MHz	QPSK	40590	25RB#0	22.45	2.53	24.98	33.01	PASS
41(2535-2655)	10MHz	QPSK	40590	25RB#12	22.48	2.53	25.01	33.01	PASS
41(2535-2655)	10MHz	QPSK	40590	25RB#25	22.46	2.53	24.99	33.01	PASS
41(2535-2655)	10MHz	QPSK	40590	50RB#0	22.52	2.53	25.05	33.01	PASS
41(2535-2655)	10MHz	QPSK	41190	1RB#0	23.67	2.53	26.20	33.01	PASS
41(2535-2655)	10MHz	QPSK	41190	1RB#24	23.64	2.53	26.17	33.01	PASS
41(2535-2655)	10MHz	QPSK	41190	1RB#49	23.67	2.53	26.20	33.01	PASS
41(2535-2655)	10MHz	QPSK	41190	25RB#0	22.65	2.53	25.18	33.01	PASS
41(2535-2655)	10MHz	QPSK	41190	25RB#12	22.66	2.53	25.19	33.01	PASS
41(2535-2655)	10MHz	QPSK	41190	25RB#25	22.69	2.53	25.22	33.01	PASS
41(2535-2655)	10MHz	QPSK	41190	50RB#0	22.74	2.53	25.27	33.01	PASS
41(2535-2655)	10MHz	16QAM	40090	1RB#0	22.92	2.53	25.45	33.01	PASS
41(2535-2655)	10MHz	16QAM	40090	1RB#24	22.89	2.53	25.42	33.01	PASS
41(2535-2655)	10MHz	16QAM	40090	1RB#49	22.84	2.53	25.37	33.01	PASS
41(2535-2655)	10MHz	16QAM	40090	25RB#0	21.43	2.53	23.96	33.01	PASS
41(2535-2655)	10MHz	16QAM	40090	25RB#12	21.41	2.53	23.94	33.01	PASS
41(2535-2655)	10MHz	16QAM	40090	25RB#25	21.40	2.53	23.93	33.01	PASS
41(2535-2655)	10MHz	16QAM	40090	50RB#0	21.42	2.53	23.95	33.01	PASS
41(2535-2655)	10MHz	16QAM	40590	1RB#0	23.02	2.53	25.55	33.01	PASS
41(2535-2655)	10MHz	16QAM	40590	1RB#24	22.88	2.53	25.41	33.01	PASS
41(2535-2655)	10MHz	16QAM	40590	1RB#49	23.14	2.53	25.67	33.01	PASS
41(2535-2655)	10MHz	16QAM	40590	25RB#0	21.49	2.53	24.02	33.01	PASS
41(2535-2655)	10MHz	16QAM	40590	25RB#12	21.50	2.53	24.03	33.01	PASS
41(2535-2655)	10MHz	16QAM	40590	25RB#25	21.56	2.53	24.09	33.01	PASS
41(2535-2655)	10MHz	16QAM	40590	50RB#0	21.53	2.53	24.06	33.01	PASS
41(2535-2655)	10MHz	16QAM	41190	1RB#0	23.21	2.53	25.74	33.01	PASS
41(2535-2655)	10MHz	16QAM	41190	1RB#24	23.21	2.53	25.74	33.01	PASS
41(2535-2655)	10MHz	16QAM	41190	1RB#49	23.23	2.53	25.76	33.01	PASS
41(2535-2655)	10MHz	16QAM	41190	25RB#0	21.74	2.53	24.27	33.01	PASS
41(2535-2655)	10MHz	16QAM	41190	25RB#12	21.78	2.53	24.31	33.01	PASS

41(2535-2655)	10MHz	16QAM	41190	25RB#25	21.79	2.53	24.32	33.01	PASS
41(2535-2655)	10MHz	16QAM	41190	50RB#0	21.73	2.53	24.26	33.01	PASS
41(2535-2655)	15MHz	QPSK	40115	1RB#0	23.49	2.53	26.02	33.01	PASS
41(2535-2655)	15MHz	QPSK	40115	1RB#38	23.38	2.53	25.91	33.01	PASS
41(2535-2655)	15MHz	QPSK	40115	1RB#74	23.35	2.53	25.88	33.01	PASS
41(2535-2655)	15MHz	QPSK	40115	38RB#0	22.44	2.53	24.97	33.01	PASS
41(2535-2655)	15MHz	QPSK	40115	38RB#18	22.43	2.53	24.96	33.01	PASS
41(2535-2655)	15MHz	QPSK	40115	38RB#37	22.41	2.53	24.94	33.01	PASS
41(2535-2655)	15MHz	QPSK	40115	75RB#0	22.41	2.53	24.94	33.01	PASS
41(2535-2655)	15MHz	QPSK	40590	1RB#0	23.49	2.53	26.02	33.01	PASS
41(2535-2655)	15MHz	QPSK	40590	1RB#38	23.50	2.53	26.03	33.01	PASS
41(2535-2655)	15MHz	QPSK	40590	1RB#74	23.56	2.53	26.09	33.01	PASS
41(2535-2655)	15MHz	QPSK	40590	38RB#0	22.51	2.53	25.04	33.01	PASS
41(2535-2655)	15MHz	QPSK	40590	38RB#18	22.50	2.53	25.03	33.01	PASS
41(2535-2655)	15MHz	QPSK	40590	38RB#37	22.55	2.53	25.08	33.01	PASS
41(2535-2655)	15MHz	QPSK	40590	75RB#0	22.52	2.53	25.05	33.01	PASS
41(2535-2655)	15MHz	QPSK	41165	1RB#0	23.55	2.53	26.08	33.01	PASS
41(2535-2655)	15MHz	QPSK	41165	1RB#38	23.56	2.53	26.09	33.01	PASS
41(2535-2655)	15MHz	QPSK	41165	1RB#74	23.58	2.53	26.11	33.01	PASS
41(2535-2655)	15MHz	QPSK	41165	38RB#0	22.62	2.53	25.15	33.01	PASS
41(2535-2655)	15MHz	QPSK	41165	38RB#18	22.67	2.53	25.20	33.01	PASS
41(2535-2655)	15MHz	QPSK	41165	38RB#37	22.67	2.53	25.20	33.01	PASS
41(2535-2655)	15MHz	QPSK	41165	75RB#0	22.70	2.53	25.23	33.01	PASS
41(2535-2655)	15MHz	16QAM	40115	1RB#0	23.01	2.53	25.54	33.01	PASS
41(2535-2655)	15MHz	16QAM	40115	1RB#38	22.93	2.53	25.46	33.01	PASS
41(2535-2655)	15MHz	16QAM	40115	1RB#74	22.88	2.53	25.41	33.01	PASS
41(2535-2655)	15MHz	16QAM	40115	38RB#0	21.50	2.53	24.03	33.01	PASS
41(2535-2655)	15MHz	16QAM	40115	38RB#18	21.48	2.53	24.01	33.01	PASS
41(2535-2655)	15MHz	16QAM	40115	38RB#37	21.46	2.53	23.99	33.01	PASS
41(2535-2655)	15MHz	16QAM	40115	75RB#0	21.44	2.53	23.97	33.01	PASS
41(2535-2655)	15MHz	16QAM	40590	1RB#0	23.02	2.53	25.55	33.01	PASS
41(2535-2655)	15MHz	16QAM	40590	1RB#38	23.00	2.53	25.53	33.01	PASS
41(2535-2655)	15MHz	16QAM	40590	1RB#74	23.10	2.53	25.63	33.01	PASS
41(2535-2655)	15MHz	16QAM	40590	38RB#0	21.59	2.53	24.12	33.01	PASS
41(2535-2655)	15MHz	16QAM	40590	38RB#18	21.61	2.53	24.14	33.01	PASS
41(2535-2655)	15MHz	16QAM	40590	38RB#37	21.63	2.53	24.16	33.01	PASS
41(2535-2655)	15MHz	16QAM	40590	75RB#0	21.51	2.53	24.04	33.01	PASS
41(2535-2655)	15MHz	16QAM	41165	1RB#0	22.74	2.53	25.27	33.01	PASS
41(2535-2655)	15MHz	16QAM	41165	1RB#38	22.77	2.53	25.30	33.01	PASS
41(2535-2655)	15MHz	16QAM	41165	1RB#74	22.81	2.53	25.34	33.01	PASS
41(2535-2655)	15MHz	16QAM	41165	38RB#0	21.64	2.53	24.17	33.01	PASS
41(2535-2655)	15MHz	16QAM	41165	38RB#18	21.66	2.53	24.19	33.01	PASS
41(2535-2655)	15MHz	16QAM	41165	38RB#37	21.68	2.53	24.21	33.01	PASS
41(2535-2655)	15MHz	16QAM	41165	75RB#0	21.81	2.53	24.34	33.01	PASS

41(2535-2655)	20MHz	QPSK	40140	1RB#0	23.47	2.53	26.00	33.01	PASS
41(2535-2655)	20MHz	QPSK	40140	1RB#49	23.39	2.53	25.92	33.01	PASS
41(2535-2655)	20MHz	QPSK	40140	1RB#99	23.38	2.53	25.91	33.01	PASS
41(2535-2655)	20MHz	QPSK	40140	50RB#0	22.43	2.53	24.96	33.01	PASS
41(2535-2655)	20MHz	QPSK	40140	50RB#25	22.39	2.53	24.92	33.01	PASS
41(2535-2655)	20MHz	QPSK	40140	50RB#50	22.38	2.53	24.91	33.01	PASS
41(2535-2655)	20MHz	QPSK	40140	100RB#0	22.39	2.53	24.92	33.01	PASS
41(2535-2655)	20MHz	QPSK	40590	1RB#0	23.48	2.53	26.01	33.01	PASS
41(2535-2655)	20MHz	QPSK	40590	1RB#49	23.45	2.53	25.98	33.01	PASS
41(2535-2655)	20MHz	QPSK	40590	1RB#99	23.55	2.53	26.08	33.01	PASS
41(2535-2655)	20MHz	QPSK	40590	50RB#0	22.48	2.53	25.01	33.01	PASS
41(2535-2655)	20MHz	QPSK	40590	50RB#25	22.49	2.53	25.02	33.01	PASS
41(2535-2655)	20MHz	QPSK	40590	50RB#50	22.54	2.53	25.07	33.01	PASS
41(2535-2655)	20MHz	QPSK	40590	100RB#0	22.51	2.53	25.04	33.01	PASS
41(2535-2655)	20MHz	QPSK	41140	1RB#0	23.42	2.53	25.95	33.01	PASS
41(2535-2655)	20MHz	QPSK	41140	1RB#49	23.54	2.53	26.07	33.01	PASS
41(2535-2655)	20MHz	QPSK	41140	1RB#99	23.55	2.53	26.08	33.01	PASS
41(2535-2655)	20MHz	QPSK	41140	50RB#0	22.63	2.53	25.16	33.01	PASS
41(2535-2655)	20MHz	QPSK	41140	50RB#25	22.64	2.53	25.17	33.01	PASS
41(2535-2655)	20MHz	QPSK	41140	50RB#50	22.70	2.53	25.23	33.01	PASS
41(2535-2655)	20MHz	QPSK	41140	100RB#0	22.66	2.53	25.19	33.01	PASS
41(2535-2655)	20MHz	16QAM	40140	1RB#0	22.44	2.53	24.97	33.01	PASS
41(2535-2655)	20MHz	16QAM	40140	1RB#49	22.37	2.53	24.90	33.01	PASS
41(2535-2655)	20MHz	16QAM	40140	1RB#99	22.38	2.53	24.91	33.01	PASS
41(2535-2655)	20MHz	16QAM	40140	50RB#0	21.50	2.53	24.03	33.01	PASS
41(2535-2655)	20MHz	16QAM	40140	50RB#25	21.46	2.53	23.99	33.01	PASS
41(2535-2655)	20MHz	16QAM	40140	50RB#50	21.42	2.53	23.95	33.01	PASS
41(2535-2655)	20MHz	16QAM	40140	100RB#0	21.38	2.53	23.91	33.01	PASS
41(2535-2655)	20MHz	16QAM	40590	1RB#0	22.45	2.53	24.98	33.01	PASS
41(2535-2655)	20MHz	16QAM	40590	1RB#49	22.42	2.53	24.95	33.01	PASS
41(2535-2655)	20MHz	16QAM	40590	1RB#99	22.50	2.53	25.03	33.01	PASS
41(2535-2655)	20MHz	16QAM	40590	50RB#0	21.53	2.53	24.06	33.01	PASS
41(2535-2655)	20MHz	16QAM	40590	50RB#25	21.51	2.53	24.04	33.01	PASS
41(2535-2655)	20MHz	16QAM	40590	50RB#50	21.61	2.53	24.14	33.01	PASS
41(2535-2655)	20MHz	16QAM	40590	100RB#0	21.51	2.53	24.04	33.01	PASS
41(2535-2655)	20MHz	16QAM	41140	1RB#0	22.76	2.53	25.29	33.01	PASS
41(2535-2655)	20MHz	16QAM	41140	1RB#49	22.79	2.53	25.32	33.01	PASS
41(2535-2655)	20MHz	16QAM	41140	1RB#99	22.81	2.53	25.34	33.01	PASS
41(2535-2655)	20MHz	16QAM	41140	50RB#0	21.74	2.53	24.27	33.01	PASS
41(2535-2655)	20MHz	16QAM	41140	50RB#25	21.77	2.53	24.30	33.01	PASS
41(2535-2655)	20MHz	16QAM	41140	50RB#50	21.84	2.53	24.37	33.01	PASS
41(2535-2655)	20MHz	16QAM	41140	100RB#0	21.76	2.53	24.29	33.01	PASS


Appendix B:Peak-to-Average Ratio(CCDF)


Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
41(2535-2655)	5MHz	QPSK	40065	1RB#0	9.52	13	PASS
41(2535-2655)	5MHz	QPSK	40065	25RB#0	9.16	13	PASS
41(2535-2655)	5MHz	QPSK	40590	1RB#0	9.19	13	PASS
41(2535-2655)	5MHz	QPSK	40590	25RB#0	9.38	13	PASS
41(2535-2655)	5MHz	QPSK	41215	1RB#0	9.52	13	PASS
41(2535-2655)	5MHz	QPSK	41215	25RB#0	9.42	13	PASS
41(2535-2655)	5MHz	16QAM	40065	1RB#0	10.09	13	PASS
41(2535-2655)	5MHz	16QAM	40065	25RB#0	10.14	13	PASS
41(2535-2655)	5MHz	16QAM	40590	1RB#0	10.70	13	PASS
41(2535-2655)	5MHz	16QAM	40590	25RB#0	10.13	13	PASS
41(2535-2655)	5MHz	16QAM	41215	1RB#0	10.14	13	PASS
41(2535-2655)	5MHz	16QAM	41215	25RB#0	10.11	13	PASS
41(2535-2655)	10MHz	QPSK	40090	1RB#0	9.18	13	PASS
41(2535-2655)	10MHz	QPSK	40090	50RB#0	9.88	13	PASS
41(2535-2655)	10MHz	QPSK	40590	1RB#0	9.72	13	PASS
41(2535-2655)	10MHz	QPSK	40590	50RB#0	9.66	13	PASS
41(2535-2655)	10MHz	QPSK	41190	1RB#0	9.50	13	PASS
41(2535-2655)	10MHz	QPSK	41190	50RB#0	9.33	13	PASS
41(2535-2655)	10MHz	16QAM	40090	1RB#0	9.90	13	PASS
41(2535-2655)	10MHz	16QAM	40090	50RB#0	10.14	13	PASS
41(2535-2655)	10MHz	16QAM	40590	1RB#0	9.51	13	PASS
41(2535-2655)	10MHz	16QAM	40590	50RB#0	9.81	13	PASS
41(2535-2655)	10MHz	16QAM	41190	1RB#0	9.73	13	PASS
41(2535-2655)	10MHz	16QAM	41190	50RB#0	10.00	13	PASS
41(2535-2655)	15MHz	QPSK	40115	1RB#0	9.33	13	PASS
41(2535-2655)	15MHz	QPSK	40115	75RB#0	9.83	13	PASS
41(2535-2655)	15MHz	QPSK	40590	1RB#0	9.11	13	PASS
41(2535-2655)	15MHz	QPSK	40590	75RB#0	9.49	13	PASS
41(2535-2655)	15MHz	QPSK	41165	1RB#0	9.18	13	PASS
41(2535-2655)	15MHz	QPSK	41165	75RB#0	10.07	13	PASS
41(2535-2655)	15MHz	16QAM	40115	1RB#0	9.57	13	PASS
41(2535-2655)	15MHz	16QAM	40115	75RB#0	10.48	13	PASS
41(2535-2655)	15MHz	16QAM	40590	1RB#0	10.31	13	PASS
41(2535-2655)	15MHz	16QAM	40590	75RB#0	10.40	13	PASS
41(2535-2655)	15MHz	16QAM	41165	1RB#0	9.66	13	PASS
41(2535-2655)	15MHz	16QAM	41165	75RB#0	10.33	13	PASS
41(2535-2655)	20MHz	QPSK	40140	1RB#0	9.17	13	PASS
41(2535-2655)	20MHz	QPSK	40140	100RB#0	9.06	13	PASS


41(2535-2655)	20MHz	QPSK	40590	1RB#0	9.13	13	PASS
41(2535-2655)	20MHz	QPSK	40590	100RB#0	9.26	13	PASS
41(2535-2655)	20MHz	QPSK	41140	1RB#0	9.66	13	PASS
41(2535-2655)	20MHz	QPSK	41140	100RB#0	9.49	13	PASS
41(2535-2655)	20MHz	16QAM	40140	1RB#0	10.56	13	PASS
41(2535-2655)	20MHz	16QAM	40140	100RB#0	10.41	13	PASS
41(2535-2655)	20MHz	16QAM	40590	1RB#0	9.92	13	PASS
41(2535-2655)	20MHz	16QAM	40590	100RB#0	9.91	13	PASS
41(2535-2655)	20MHz	16QAM	41140	1RB#0	9.67	13	PASS
41(2535-2655)	20MHz	16QAM	41140	100RB#0	10.06	13	PASS

Test Graphs






41(2535-2655)-5MHz-16QAM-40065-1RB#0-PASS




41(2535-2655)-5MHz-16QAM-40065-25RB#0-PASS




41(2535-2655)-5MHz-16QAM-40590-1RB#0-PASS



41(2535-2655)-5MHz-16QAM-40590-25RB#0-PASS



41(2535-2655)-5MHz-16QAM-41215-1RB#0-PASS



41(2535-2655)-5MHz-16QAM-41215-25RB#0-PASS



41(2535-2655)-10MHz-QPSK-40090-1RB#0-PASS

41(2535-2655)-10MHz-QPSK-40090-50RB#0-PASS





41(2535-2655)-10MHz-QPSK-40590-1RB#0-PASS

41(2535-2655)-10MHz-QPSK-40590-50RB#0-PASS





41(2535-2655)-10MHz-QPSK-41190-1RB#0-PASS

41(2535-2655)-10MHz-QPSK-41190-50RB#0-PASS




41(2535-2655)-10MHz-16QAM-40090-1RB#0-PASS

41(2535-2655)-10MHz-16QAM-40090-50RB#0-PASS




41(2535-2655)-10MHz-16QAM-40590-1RB#0-PASS


41(2535-2655)-10MHz-16QAM-40590-50RB#0-PASS




41(2535-2655)-10MHz-16QAM-41190-1RB#0-PASS

41(2535-2655)-10MHz-16QAM-41190-50RB#0-PASS







41(2535-2655)-15MHz-16QAM-40115-1RB#0-PASS




41(2535-2655)-15MHz-16QAM-40115-75RB#0-PASS




41(2535-2655)-15MHz-16QAM-40590-1RB#0-PASS




41(2535-2655)-15MHz-16QAM-40590-75RB#0-PASS



41(2535-2655)-15MHz-16QAM-41165-1RB#0-PASS



41(2535-2655)-15MHz-16QAM-41165-75RB#0-PASS



41(2535-2655)-20MHz-QPSK-40140-1RB#0-PASS

41(2535-2655)-20MHz-QPSK-40140-100RB#0-PASS



41(2535-2655)-20MHz-QPSK-40590-1RB#0-PASS

41(2535-2655)-20MHz-QPSK-40590-100RB#0-PASS



41(2535-2655)-20MHz-QPSK-41140-1RB#0-PASS

41(2535-2655)-20MHz-QPSK-41140-100RB#0-PASS



41(2535-2655)-20MHz-16QAM-40140-1RB#0-PASS

41(2535-2655)-20MHz-16QAM-40140-100RB#0-PASS



41(2535-2655)-20MHz-16QAM-40590-1RB#0-PASS

41(2535-2655)-20MHz-16QAM-40590-100RB#0-PASS



41(2535-2655)-20MHz-16QAM-41140-1RB#0-PASS

41(2535-2655)-20MHz-16QAM-41140-100RB#0-PASS

Appendix C:26dB Bandwidth andOccupied Bandwidth

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
41(2535-2655)	5MHz	QPSK	40065	25RB#0	4.5099	5.255	PASS
41(2535-2655)	5MHz	QPSK	40590	25RB#0	4.5042	5.104	PASS
41(2535-2655)	5MHz	QPSK	41215	25RB#0	4.5074	5.212	PASS
41(2535-2655)	5MHz	16QAM	40065	25RB#0	4.4959	4.999	PASS
41(2535-2655)	5MHz	16QAM	40590	25RB#0	4.4938	4.988	PASS
41(2535-2655)	5MHz	16QAM	41215	25RB#0	4.4941	5.003	PASS
41(2535-2655)	10MHz	QPSK	40090	50RB#0	8.9914	9.926	PASS
41(2535-2655)	10MHz	QPSK	40590	50RB#0	8.9941	9.841	PASS
41(2535-2655)	10MHz	QPSK	41190	50RB#0	9.0021	9.959	PASS
41(2535-2655)	10MHz	16QAM	40090	50RB#0	8.9696	10.30	PASS
41(2535-2655)	10MHz	16QAM	40590	50RB#0	8.9669	10.14	PASS
41(2535-2655)	10MHz	16QAM	41190	50RB#0	8.9930	9.705	PASS
41(2535-2655)	15MHz	QPSK	40115	75RB#0	13.480	14.70	PASS
41(2535-2655)	15MHz	QPSK	40590	75RB#0	13.438	14.47	PASS
41(2535-2655)	15MHz	QPSK	41165	75RB#0	13.490	14.68	PASS
41(2535-2655)	15MHz	16QAM	40115	75RB#0	13.463	14.48	PASS
41(2535-2655)	15MHz	16QAM	40590	75RB#0	13.442	14.46	PASS
41(2535-2655)	15MHz	16QAM	41165	75RB#0	13.465	14.42	PASS
41(2535-2655)	20MHz	QPSK	40140	100RB#0	17.970	19.59	PASS
41(2535-2655)	20MHz	QPSK	40590	100RB#0	17.946	19.40	PASS
41(2535-2655)	20MHz	QPSK	41140	100RB#0	17.964	19.41	PASS
41(2535-2655)	20MHz	16QAM	40140	100RB#0	17.954	19.34	PASS
41(2535-2655)	20MHz	16QAM	40590	100RB#0	17.953	19.26	PASS
41(2535-2655)	20MHz	16QAM	41140	100RB#0	17.954	19.50	PASS

Test Graphs

