

APPENDIX REPORT

Project No.	SHT2303011905EW	Radio Specification	LTE Cat NB
Test sample No.	YPHT23030119004	Model No.	B300
Start test date	2023-05-10	Finish date	2023-06-09
Temperature	26.1C°	Humidity	64%
Test Engineer	Xiaodong Zhao	Auditor	<i>Xiaodong Zhao</i>

Appendix clause	Test item	Result
A	Conducted Output Power	PASS
B	Peak-to-Average Ratio	PASS
C	26 dB Bandwidth and Occupied Bandwidth	PASS
D	Band edge	PASS
E	Conducted Spurious Emission	PASS
F	Frequency Stability	PASS
G	ERP and EIRP	PASS

Appendix A: Conducted Output Power

Test Result

Band	OpMode	SCS	Modulation	Channel	Tones	Result (dBm)	Verdict
Band12	Stand-Alone	3.75kHz	BPSK	23011	1@0	20.49	PASS
Band12	Stand-Alone	3.75kHz	BPSK	23011	1@47	20.49	PASS
Band12	Stand-Alone	3.75kHz	BPSK	23095	1@0	20.63	PASS
Band12	Stand-Alone	3.75kHz	BPSK	23095	1@47	20.63	PASS
Band12	Stand-Alone	3.75kHz	BPSK	23179	1@0	20.36	PASS
Band12	Stand-Alone	3.75kHz	BPSK	23179	1@47	20.36	PASS
Band12	Stand-Alone	3.75kHz	QPSK	23011	1@0	20.52	PASS
Band12	Stand-Alone	3.75kHz	QPSK	23011	1@47	20.42	PASS
Band12	Stand-Alone	3.75kHz	QPSK	23095	1@0	20.66	PASS
Band12	Stand-Alone	3.75kHz	QPSK	23095	1@47	20.56	PASS
Band12	Stand-Alone	3.75kHz	QPSK	23179	1@0	20.39	PASS
Band12	Stand-Alone	3.75kHz	QPSK	23179	1@47	20.29	PASS
Band12	Stand-Alone	15kHz	BPSK	23011	1@0	20.51	PASS
Band12	Stand-Alone	15kHz	BPSK	23011	1@11	20.44	PASS
Band12	Stand-Alone	15kHz	BPSK	23095	1@0	20.65	PASS
Band12	Stand-Alone	15kHz	BPSK	23095	1@11	20.58	PASS
Band12	Stand-Alone	15kHz	BPSK	23179	1@0	20.38	PASS
Band12	Stand-Alone	15kHz	BPSK	23179	1@11	20.31	PASS
Band12	Stand-Alone	15kHz	QPSK	23011	1@0	20.53	PASS
Band12	Stand-Alone	15kHz	QPSK	23011	1@11	20.45	PASS
Band12	Stand-Alone	15kHz	QPSK	23011	12@0	18.20	PASS
Band12	Stand-Alone	15kHz	QPSK	23095	1@0	20.67	PASS
Band12	Stand-Alone	15kHz	QPSK	23095	1@11	20.59	PASS
Band12	Stand-Alone	15kHz	QPSK	23095	12@0	18.32	PASS
Band12	Stand-Alone	15kHz	QPSK	23179	1@0	20.40	PASS
Band12	Stand-Alone	15kHz	QPSK	23179	1@11	20.32	PASS
Band12	Stand-Alone	15kHz	QPSK	23179	12@0	18.08	PASS
Band13	Stand-Alone	3.75kHz	BPSK	23181	1@0	20.39	PASS
Band13	Stand-Alone	3.75kHz	BPSK	23181	1@47	20.33	PASS
Band13	Stand-Alone	3.75kHz	BPSK	23230	1@0	20.71	PASS
Band13	Stand-Alone	3.75kHz	BPSK	23230	1@47	20.65	PASS
Band13	Stand-Alone	3.75kHz	BPSK	23279	1@0	20.55	PASS
Band13	Stand-Alone	3.75kHz	BPSK	23279	1@47	20.49	PASS
Band13	Stand-Alone	3.75kHz	QPSK	23181	1@0	20.49	PASS
Band13	Stand-Alone	3.75kHz	QPSK	23181	1@47	20.40	PASS
Band13	Stand-Alone	3.75kHz	QPSK	23230	1@0	20.81	PASS
Band13	Stand-Alone	3.75kHz	QPSK	23230	1@47	20.72	PASS
Band13	Stand-Alone	3.75kHz	QPSK	23279	1@0	20.65	PASS

Band13	Stand-Alone	3.75kHz	QPSK	23279	1@47	20.56	PASS
Band13	Stand-Alone	15kHz	BPSK	23181	1@0	20.44	PASS
Band13	Stand-Alone	15kHz	BPSK	23181	1@11	20.39	PASS
Band13	Stand-Alone	15kHz	BPSK	23230	1@0	20.76	PASS
Band13	Stand-Alone	15kHz	BPSK	23230	1@11	20.71	PASS
Band13	Stand-Alone	15kHz	BPSK	23279	1@0	20.60	PASS
Band13	Stand-Alone	15kHz	BPSK	23279	1@11	20.55	PASS
Band13	Stand-Alone	15kHz	QPSK	23181	1@0	20.49	PASS
Band13	Stand-Alone	15kHz	QPSK	23181	1@11	20.53	PASS
Band13	Stand-Alone	15kHz	QPSK	23181	12@0	18.22	PASS
Band13	Stand-Alone	15kHz	QPSK	23230	1@0	20.81	PASS
Band13	Stand-Alone	15kHz	QPSK	23230	1@11	20.85	PASS
Band13	Stand-Alone	15kHz	QPSK	23230	12@0	18.51	PASS
Band13	Stand-Alone	15kHz	QPSK	23279	1@0	20.65	PASS
Band13	Stand-Alone	15kHz	QPSK	23279	1@11	20.69	PASS
Band13	Stand-Alone	15kHz	QPSK	23279	12@0	18.36	PASS
Band2	Stand-Alone	3.75kHz	BPSK	18601	1@0	20.57	PASS
Band2	Stand-Alone	3.75kHz	BPSK	18601	1@47	20.45	PASS
Band2	Stand-Alone	3.75kHz	BPSK	18900	1@0	20.77	PASS
Band2	Stand-Alone	3.75kHz	BPSK	18900	1@47	20.65	PASS
Band2	Stand-Alone	3.75kHz	BPSK	19199	1@0	20.54	PASS
Band2	Stand-Alone	3.75kHz	BPSK	19199	1@47	20.43	PASS
Band2	Stand-Alone	3.75kHz	QPSK	18601	1@0	20.49	PASS
Band2	Stand-Alone	3.75kHz	QPSK	18601	1@47	20.51	PASS
Band2	Stand-Alone	3.75kHz	QPSK	18900	1@0	20.69	PASS
Band2	Stand-Alone	3.75kHz	QPSK	18900	1@47	20.71	PASS
Band2	Stand-Alone	3.75kHz	QPSK	19199	1@0	20.47	PASS
Band2	Stand-Alone	3.75kHz	QPSK	19199	1@47	20.49	PASS
Band2	Stand-Alone	15kHz	BPSK	18601	1@0	20.14	PASS
Band2	Stand-Alone	15kHz	BPSK	18601	1@11	20.19	PASS
Band2	Stand-Alone	15kHz	BPSK	18900	1@0	20.34	PASS
Band2	Stand-Alone	15kHz	BPSK	18900	1@11	20.39	PASS
Band2	Stand-Alone	15kHz	BPSK	19199	1@0	20.12	PASS
Band2	Stand-Alone	15kHz	BPSK	19199	1@11	20.17	PASS
Band2	Stand-Alone	15kHz	QPSK	18601	1@0	20.24	PASS
Band2	Stand-Alone	15kHz	QPSK	18601	1@11	20.22	PASS
Band2	Stand-Alone	15kHz	QPSK	18601	12@0	19.45	PASS
Band2	Stand-Alone	15kHz	QPSK	18900	1@0	20.44	PASS
Band2	Stand-Alone	15kHz	QPSK	18900	1@11	20.42	PASS
Band2	Stand-Alone	15kHz	QPSK	18900	12@0	19.64	PASS
Band2	Stand-Alone	15kHz	QPSK	19199	1@0	20.22	PASS
Band2	Stand-Alone	15kHz	QPSK	19199	1@11	20.20	PASS
Band2	Stand-Alone	15kHz	QPSK	19199	12@0	19.43	PASS
Band4	Stand-Alone	3.75kHz	BPSK	19951	1@0	20.44	PASS
Band4	Stand-Alone	3.75kHz	BPSK	19951	1@47	20.41	PASS

Band4	Stand-Alone	3.75kHz	BPSK	20175	1@0	20.71	PASS
Band4	Stand-Alone	3.75kHz	BPSK	20175	1@47	20.68	PASS
Band4	Stand-Alone	3.75kHz	BPSK	20399	1@0	20.55	PASS
Band4	Stand-Alone	3.75kHz	BPSK	20399	1@47	20.52	PASS
Band4	Stand-Alone	3.75kHz	QPSK	19951	1@0	20.42	PASS
Band4	Stand-Alone	3.75kHz	QPSK	19951	1@47	20.38	PASS
Band4	Stand-Alone	3.75kHz	QPSK	20175	1@0	20.69	PASS
Band4	Stand-Alone	3.75kHz	QPSK	20175	1@47	20.65	PASS
Band4	Stand-Alone	3.75kHz	QPSK	20399	1@0	20.53	PASS
Band4	Stand-Alone	3.75kHz	QPSK	20399	1@47	20.49	PASS
Band4	Stand-Alone	15kHz	BPSK	19951	1@0	20.23	PASS
Band4	Stand-Alone	15kHz	BPSK	19951	1@11	20.26	PASS
Band4	Stand-Alone	15kHz	BPSK	20175	1@0	20.50	PASS
Band4	Stand-Alone	15kHz	BPSK	20175	1@11	20.53	PASS
Band4	Stand-Alone	15kHz	BPSK	20399	1@0	20.34	PASS
Band4	Stand-Alone	15kHz	BPSK	20399	1@11	20.37	PASS
Band4	Stand-Alone	15kHz	QPSK	19951	1@0	20.24	PASS
Band4	Stand-Alone	15kHz	QPSK	19951	1@11	20.20	PASS
Band4	Stand-Alone	15kHz	QPSK	19951	12@0	19.30	PASS
Band4	Stand-Alone	15kHz	QPSK	20175	1@0	20.51	PASS
Band4	Stand-Alone	15kHz	QPSK	20175	1@11	20.47	PASS
Band4	Stand-Alone	15kHz	QPSK	20175	12@0	19.56	PASS
Band4	Stand-Alone	15kHz	QPSK	20399	1@0	20.35	PASS
Band4	Stand-Alone	15kHz	QPSK	20399	1@11	20.31	PASS
Band4	Stand-Alone	15kHz	QPSK	20399	12@0	19.41	PASS
Band66	Stand-Alone	3.75kHz	BPSK	131973	1@0	20.58	PASS
Band66	Stand-Alone	3.75kHz	BPSK	131973	1@47	20.56	PASS
Band66	Stand-Alone	3.75kHz	BPSK	132322	1@0	20.84	PASS
Band66	Stand-Alone	3.75kHz	BPSK	132322	1@47	20.82	PASS
Band66	Stand-Alone	3.75kHz	BPSK	132671	1@0	20.63	PASS
Band66	Stand-Alone	3.75kHz	BPSK	132671	1@47	20.61	PASS
Band66	Stand-Alone	3.75kHz	QPSK	131973	1@0	20.50	PASS
Band66	Stand-Alone	3.75kHz	QPSK	131973	1@47	20.51	PASS
Band66	Stand-Alone	3.75kHz	QPSK	132322	1@0	20.76	PASS
Band66	Stand-Alone	3.75kHz	QPSK	132322	1@47	20.77	PASS
Band66	Stand-Alone	3.75kHz	QPSK	132671	1@0	20.55	PASS
Band66	Stand-Alone	3.75kHz	QPSK	132671	1@47	20.56	PASS
Band66	Stand-Alone	15kHz	BPSK	131973	1@0	20.26	PASS
Band66	Stand-Alone	15kHz	BPSK	131973	1@11	20.25	PASS
Band66	Stand-Alone	15kHz	BPSK	132322	1@0	20.51	PASS
Band66	Stand-Alone	15kHz	BPSK	132322	1@11	20.50	PASS
Band66	Stand-Alone	15kHz	BPSK	132671	1@0	20.30	PASS
Band66	Stand-Alone	15kHz	BPSK	132671	1@11	20.29	PASS
Band66	Stand-Alone	15kHz	QPSK	131973	1@0	20.24	PASS
Band66	Stand-Alone	15kHz	QPSK	131973	1@11	20.19	PASS

Band66	Stand-Alone	15kHz	QPSK	131973	12@0	19.53	PASS
Band66	Stand-Alone	15kHz	QPSK	132322	1@0	20.49	PASS
Band66	Stand-Alone	15kHz	QPSK	132322	1@11	20.44	PASS
Band66	Stand-Alone	15kHz	QPSK	132322	12@0	19.77	PASS
Band66	Stand-Alone	15kHz	QPSK	132671	1@0	20.28	PASS
Band66	Stand-Alone	15kHz	QPSK	132671	1@11	20.23	PASS
Band66	Stand-Alone	15kHz	QPSK	132671	12@0	19.57	PASS

Appendix B: Peak-to-Average Ratio(CCDF)

Test Result

Band	OpMode	SCS	Modulation	Channel	Tones	Result (dB)	Limit (dB)	Verdict
Band12	Stand-Alone	3.75kHz	BPSK	23095	1@0	2.85	<=13	PASS
Band12	Stand-Alone	3.75kHz	QPSK	23095	1@0	3.56	<=13	PASS
Band12	Stand-Alone	15kHz	BPSK	23095	1@0	4.73	<=13	PASS
Band12	Stand-Alone	15kHz	QPSK	23095	1@0	6.41	<=13	PASS
Band13	Stand-Alone	3.75kHz	BPSK	23230	1@0	2.97	<=13	PASS
Band13	Stand-Alone	3.75kHz	QPSK	23230	1@0	3.19	<=13	PASS
Band13	Stand-Alone	15kHz	BPSK	23230	1@0	4.08	<=13	PASS
Band13	Stand-Alone	15kHz	QPSK	23230	1@0	7.14	<=13	PASS
Band2	Stand-Alone	3.75kHz	BPSK	18900	1@0	2.66	<=13	PASS
Band2	Stand-Alone	3.75kHz	QPSK	18900	1@0	3.66	<=13	PASS
Band2	Stand-Alone	15kHz	BPSK	18900	1@0	4.79	<=13	PASS
Band2	Stand-Alone	15kHz	QPSK	18900	1@0	5.33	<=13	PASS
Band4	Stand-Alone	3.75kHz	BPSK	20175	1@0	2.55	<=13	PASS
Band4	Stand-Alone	3.75kHz	QPSK	20175	1@0	3.59	<=13	PASS
Band4	Stand-Alone	15kHz	BPSK	20175	1@0	5.08	<=13	PASS
Band4	Stand-Alone	15kHz	QPSK	20175	1@0	6.57	<=13	PASS
Band66	Stand-Alone	3.75kHz	BPSK	132322	1@0	2.69	<=13	PASS
Band66	Stand-Alone	3.75kHz	QPSK	132322	1@0	3.10	<=13	PASS
Band66	Stand-Alone	15kHz	BPSK	132322	1@0	5.28	<=13	PASS
Band66	Stand-Alone	15kHz	QPSK	132322	1@0	5.30	<=13	PASS


Appendix C: 26dB Bandwidth and Occupied Bandwidth

Test Result


Band	OpMode	SCS	Modulation	Channel	Tones	26dB Bandwidth (MHz)	Occupied Bandwidth (MHz)	Verdict
Band12	Stand-Alone	3.75kHz	BPSK	23011	1@0	0.0487	0.06676	PASS
Band12	Stand-Alone	3.75kHz	BPSK	23095	1@0	0.0483	0.06444	PASS
Band12	Stand-Alone	3.75kHz	BPSK	23179	1@0	0.0488	0.06782	PASS
Band12	Stand-Alone	3.75kHz	QPSK	23011	1@0	0.0509	0.07905	PASS
Band12	Stand-Alone	3.75kHz	QPSK	23095	1@0	0.0518	0.08124	PASS
Band12	Stand-Alone	3.75kHz	QPSK	23179	1@0	0.0501	0.08031	PASS
Band12	Stand-Alone	15kHz	BPSK	23011	1@0	0.1060	0.12544	PASS
Band12	Stand-Alone	15kHz	BPSK	23095	1@0	0.1062	0.12316	PASS
Band12	Stand-Alone	15kHz	BPSK	23179	1@0	0.1047	0.12243	PASS
Band12	Stand-Alone	15kHz	QPSK	23011	1@0	0.1301	0.12743	PASS
Band12	Stand-Alone	15kHz	QPSK	23011	12@0	0.2365	0.18615	PASS
Band12	Stand-Alone	15kHz	QPSK	23095	1@0	0.1167	0.12704	PASS
Band12	Stand-Alone	15kHz	QPSK	23095	12@0	0.2515	0.18647	PASS
Band12	Stand-Alone	15kHz	QPSK	23179	1@0	0.1170	0.12365	PASS
Band12	Stand-Alone	15kHz	QPSK	23179	12@0	0.2483	0.18458	PASS
Band13	Stand-Alone	3.75kHz	BPSK	23181	1@0	0.0484	0.06625	PASS
Band13	Stand-Alone	3.75kHz	BPSK	23230	1@0	0.0484	0.06612	PASS
Band13	Stand-Alone	3.75kHz	BPSK	23279	1@0	0.0475	0.06745	PASS
Band13	Stand-Alone	3.75kHz	QPSK	23181	1@0	0.0522	0.08051	PASS
Band13	Stand-Alone	3.75kHz	QPSK	23230	1@0	0.0505	0.08094	PASS
Band13	Stand-Alone	3.75kHz	QPSK	23279	1@0	0.0525	0.08097	PASS
Band13	Stand-Alone	15kHz	BPSK	23181	1@0	0.1064	0.12659	PASS
Band13	Stand-Alone	15kHz	BPSK	23230	1@0	0.1046	0.12400	PASS
Band13	Stand-Alone	15kHz	BPSK	23279	1@0	0.1043	0.12263	PASS
Band13	Stand-Alone	15kHz	QPSK	23181	1@0	0.1158	0.11938	PASS
Band13	Stand-Alone	15kHz	QPSK	23181	12@0	0.2479	0.18462	PASS
Band13	Stand-Alone	15kHz	QPSK	23230	1@0	0.1305	0.12291	PASS
Band13	Stand-Alone	15kHz	QPSK	23230	12@0	0.2465	0.18631	PASS
Band13	Stand-Alone	15kHz	QPSK	23279	1@0	0.1156	0.12184	PASS
Band13	Stand-Alone	15kHz	QPSK	23279	12@0	0.2478	0.18552	PASS
Band2	Stand-Alone	3.75kHz	BPSK	18601	1@0	0.0477	0.07219	PASS
Band2	Stand-Alone	3.75kHz	BPSK	18900	1@0	0.0484	0.06887	PASS
Band2	Stand-Alone	3.75kHz	BPSK	19199	1@0	0.0494	0.07303	PASS
Band2	Stand-Alone	3.75kHz	QPSK	18601	1@0	0.0522	0.08579	PASS
Band2	Stand-Alone	3.75kHz	QPSK	18900	1@0	0.0513	0.08474	PASS
Band2	Stand-Alone	3.75kHz	QPSK	19199	1@0	0.0506	0.08650	PASS
Band2	Stand-Alone	15kHz	BPSK	18601	1@0	0.1052	0.12327	PASS

Band2	Stand-Alone	15kHz	BPSK	18900	1@0	0.1063	0.12760	PASS
Band2	Stand-Alone	15kHz	BPSK	19199	1@0	0.1044	0.12768	PASS
Band2	Stand-Alone	15kHz	QPSK	18601	1@0	0.1168	0.12641	PASS
Band2	Stand-Alone	15kHz	QPSK	18601	12@0	0.2497	0.18825	PASS
Band2	Stand-Alone	15kHz	QPSK	18900	1@0	0.1164	0.12187	PASS
Band2	Stand-Alone	15kHz	QPSK	18900	12@0	0.2456	0.18413	PASS
Band2	Stand-Alone	15kHz	QPSK	19199	1@0	0.1158	0.12226	PASS
Band2	Stand-Alone	15kHz	QPSK	19199	12@0	0.2497	0.18629	PASS
Band4	Stand-Alone	3.75kHz	BPSK	19951	1@0	0.0491	0.06955	PASS
Band4	Stand-Alone	3.75kHz	BPSK	20175	1@0	0.0495	0.07203	PASS
Band4	Stand-Alone	3.75kHz	BPSK	20399	1@0	0.0488	0.07287	PASS
Band4	Stand-Alone	3.75kHz	QPSK	19951	1@0	0.0522	0.08727	PASS
Band4	Stand-Alone	3.75kHz	QPSK	20175	1@0	0.0512	0.08542	PASS
Band4	Stand-Alone	3.75kHz	QPSK	20399	1@0	0.0514	0.08737	PASS
Band4	Stand-Alone	15kHz	BPSK	19951	1@0	0.1045	0.12714	PASS
Band4	Stand-Alone	15kHz	BPSK	20175	1@0	0.1057	0.12708	PASS
Band4	Stand-Alone	15kHz	BPSK	20399	1@0	0.1056	0.12209	PASS
Band4	Stand-Alone	15kHz	QPSK	19951	1@0	0.1153	0.12793	PASS
Band4	Stand-Alone	15kHz	QPSK	19951	12@0	0.2507	0.18804	PASS
Band4	Stand-Alone	15kHz	QPSK	20175	1@0	0.1171	0.12550	PASS
Band4	Stand-Alone	15kHz	QPSK	20175	12@0	0.2504	0.18453	PASS
Band4	Stand-Alone	15kHz	QPSK	20399	1@0	0.1167	0.12869	PASS
Band4	Stand-Alone	15kHz	QPSK	20399	12@0	0.2508	0.18577	PASS
Band66	Stand-Alone	3.75kHz	BPSK	131973	1@0	0.0407	0.05900	PASS
Band66	Stand-Alone	3.75kHz	BPSK	132322	1@0	0.0405	0.05876	PASS
Band66	Stand-Alone	3.75kHz	BPSK	132671	1@0	0.0394	0.06014	PASS
Band66	Stand-Alone	3.75kHz	QPSK	131973	1@0	0.0417	0.06766	PASS
Band66	Stand-Alone	3.75kHz	QPSK	132322	1@0	0.0391	0.06721	PASS
Band66	Stand-Alone	3.75kHz	QPSK	132671	1@0	0.0408	0.06550	PASS
Band66	Stand-Alone	15kHz	BPSK	131973	1@0	0.1056	0.12441	PASS
Band66	Stand-Alone	15kHz	BPSK	132322	1@0	0.1066	0.12292	PASS
Band66	Stand-Alone	15kHz	BPSK	132671	1@0	0.1061	0.12598	PASS
Band66	Stand-Alone	15kHz	QPSK	131973	1@0	0.1157	0.12296	PASS
Band66	Stand-Alone	15kHz	QPSK	131973	12@0	0.2470	0.18516	PASS
Band66	Stand-Alone	15kHz	QPSK	132322	1@0	0.1185	0.13073	PASS
Band66	Stand-Alone	15kHz	QPSK	132322	12@0	0.2486	0.18660	PASS
Band66	Stand-Alone	15kHz	QPSK	132671	1@0	0.1153	0.12166	PASS
Band66	Stand-Alone	15kHz	QPSK	132671	12@0	0.2365	0.18441	PASS


Test Graphs




Band12-Stand-Alone-NaN-BPSK-23011-1 @ 0-3.75kHz-0.0487-0.06676-PASS




Band12-Stand-Alone-NaN-BPSK-23095-1 @ 0-3.75kHz-0.0483-0.06444-PASS




Band12-Stand-Alone-NaN-BPSK-23179-1 @ 0-3.75kHz-0.0488-0.06782-PASS




Band12-Stand-Alone-NaN-QPSK-23011-1 @0-3.75kHz-0.0509-0.07905-PASS




Band12-Stand-Alone-NaN-QPSK-23095-1 @0-3.75kHz-0.0518-0.08124-PASS




Band12-Stand-Alone-NaN-QPSK-23179-1 @0-3.75kHz-0.0501-0.08031-PASS




Band12-Stand-Alone-NaN-BPSK-23011-1@0-15kHz-0.1060-0.12544-PASS




Band12-Stand-Alone-NaN-BPSK-23095-1@0-15kHz-0.1062-0.12316-PASS




Band12-Stand-Alone-NaN-BPSK-23179-1@0-15kHz-0.1047-0.12243-PASS




Band12-Stand-Alone-NaN-QPSK-23011-1@0-15kHz-0.1301-0.12743-PASS




Band12-Stand-Alone-NaN-QPSK-23011-12@0-15kHz-0.2365-0.18615-PASS




Band12-Stand-Alone-NaN-QPSK-23095-1@0-15kHz-0.1167-0.12704-PASS




Band12-Stand-Alone-NaN-QPSK-23095-12@0-15kHz-0.2515-0.18647-PASS




Band12-Stand-Alone-NaN-QPSK-23179-1@0-15kHz-0.1170-0.12365-PASS




Band12-Stand-Alone-NaN-QPSK-23179-12@0-15kHz-0.2483-0.18458-PASS




Band13-Stand-Alone-NaN-BPSK-23181-1 @0-3.75kHz-0.0484-0.06625-PASS




Band13-Stand-Alone-NaN-BPSK-23230-1 @0-3.75kHz-0.0484-0.06612-PASS



Band13-Stand-Alone-NaN-BPSK-23279-1 @0-3.75kHz-0.0475-0.06745-PASS




Band13-Stand-Alone-NaN-QPSK-23181-1 @0-3.75kHz-0.0522-0.08051-PASS




Band13-Stand-Alone-NaN-QPSK-23230-1 @0-3.75kHz-0.0505-0.08094-PASS



Band13-Stand-Alone-NaN-QPSK-23279-1 @0-3.75kHz-0.0525-0.08097-PASS



Band13-Stand-Alone-NaN-BPSK-23181-1@0-15kHz-0.1064-0.12659-PASS




Band13-Stand-Alone-NaN-BPSK-23230-1@0-15kHz-0.1046-0.12400-PASS



Band13-Stand-Alone-NaN-BPSK-23279-1@0-15kHz-0.1043-0.12263-PASS




Band13-Stand-Alone-NaN-QPSK-23181-1@0-15kHz-0.1158-0.11938-PASS




Band13-Stand-Alone-NaN-QPSK-23181-12@0-15kHz-0.2479-0.18462-PASS




Band13-Stand-Alone-NaN-QPSK-23230-1@0-15kHz-0.1305-0.12291-PASS




Band13-Stand-Alone-NaN-QPSK-23230-12@0-15kHz-0.2465-0.18631-PASS



Band13-Stand-Alone-NaN-QPSK-23279-1@0-15kHz-0.1156-0.12184-PASS




Band13-Stand-Alone-NaN-QPSK-23279-12@0-15kHz-0.2478-0.18552-PASS




Band2-Stand-Alone-NaN-BPSK-18601-1 @0-3.75kHz-0.0477-0.07219-PASS




Band2-Stand-Alone-NaN-BPSK-18900-1 @0-3.75kHz-0.0484-0.06887-PASS



Band2-Stand-Alone-NaN-BPSK-19199-1 @0-3.75kHz-0.0494-0.07303-PASS




Band2-Stand-Alone-NaN-QPSK-18601-1 @0-3.75kHz-0.0522-0.08579-PASS




Band2-Stand-Alone-NaN-QPSK-18900-1 @0-3.75kHz-0.0513-0.08474-PASS




Band2-Stand-Alone-NaN-QPSK-19199-1 @0-3.75kHz-0.0506-0.08650-PASS



Band2-Stand-Alone-NaN-BPSK-18601-1 @0-15kHz-0.1052-0.12327-PASS




Band2-Stand-Alone-NaN-BPSK-18900-1 @0-15kHz-0.1063-0.12760-PASS




Band2-Stand-Alone-NaN-BPSK-19199-1 @0-15kHz-0.1044-0.12768-PASS




Band2-Stand-Alone-NaN-QPSK-18601-1 @0-15kHz-0.1168-0.12641-PASS




Band2-Stand-Alone-NaN-QPSK-18601-12 @0-15kHz-0.2497-0.18825-PASS




Band2-Stand-Alone-NaN-QPSK-18900-1 @0-15kHz-0.1164-0.12187-PASS




Band2-Stand-Alone-NaN-QPSK-18900-12@0-15kHz-0.2456-0.18413-PASS




Band2-Stand-Alone-NaN-QPSK-19199-1@0-15kHz-0.1158-0.12226-PASS



Band2-Stand-Alone-NaN-QPSK-19199-12@0-15kHz-0.2497-0.18629-PASS




Band4-Stand-Alone-NaN-BPSK-19951-1 @0-3.75kHz-0.0491-0.06955-PASS



Band4-Stand-Alone-NaN-BPSK-20175-1 @0-3.75kHz-0.0495-0.07203-PASS



Band4-Stand-Alone-NaN-BPSK-20399-1 @0-3.75kHz-0.0488-0.07287-PASS




Band4-Stand-Alone-NaN-QPSK-19951-1 @0-3.75kHz-0.0522-0.08727-PASS




Band4-Stand-Alone-NaN-QPSK-20175-1 @0-3.75kHz-0.0512-0.08542-PASS



Band4-Stand-Alone-NaN-QPSK-20399-1 @0-3.75kHz-0.0514-0.08737-PASS



Band4-Stand-Alone-NaN-BPSK-19951-1 @0-15kHz-0.1045-0.12714-PASS




Band4-Stand-Alone-NaN-BPSK-20175-1 @0-15kHz-0.1057-0.12708-PASS




Band4-Stand-Alone-NaN-BPSK-20399-1 @0-15kHz-0.1056-0.12209-PASS



Band4-Stand-Alone-NaN-QPSK-19951-1 @0-15kHz-0.1153-0.12793-PASS



Band4-Stand-Alone-NaN-QPSK-19951-12 @0-15kHz-0.2507-0.18804-PASS



Band4-Stand-Alone-NaN-QPSK-20175-1 @0-15kHz-0.1171-0.12550-PASS