


Annex C. LTE Transmitter Spurious Emissions

1. LTE_Band71


1.1. LTE Transmitter Spurious Emissions(NTNV)(Subtest:1, Channel:133147, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.03	-13	Pass	601
0.15	30	0.01	RMS	0.15	-48.93	-13	Pass	2985
30	653	0.1	RMS	643.198	-56.52	-13	Pass	6230
653	708	0.1	RMS	663.358	19.86	60	Pass	601
708	1000	0.1	RMS	999.5	-55.98	-13	Pass	2920
1000	3000	1	RMS	2768.884	-37.49	-13	Pass	2000
3000	10000	1	RMS	9748.964	-48.7	-13	Pass	7000




1.2. LTE Transmitter Spurious Emissions(NTNV)(Subtest:2, Channel:133147, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.57	-13	Pass	601
0.15	30	0.01	RMS	0.16	-49.56	-13	Pass	2985
30	653	0.1	RMS	467.87	-56.71	-13	Pass	6230
653	708	0.1	RMS	667.667	20.08	60	Pass	601
708	1000	0.1	RMS	901.366	-56.03	-13	Pass	2920
1000	3000	1	RMS	2764.882	-37.52	-13	Pass	2000
3000	10000	1	RMS	9748.964	-48.82	-13	Pass	7000




1.3. LTE Transmitter Spurious Emissions(NTNV)(Subtest:3, Channel:133147, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-50.93	-13	Pass	601
0.15	30	0.01	RMS	0.15	-47.06	-13	Pass	2985
30	653	0.1	RMS	651.2	-56.21	-13	Pass	6230
653	708	0.1	RMS	663.358	18.49	60	Pass	601
708	1000	0.1	RMS	892.363	-56.1	-13	Pass	2920
1000	3000	1	RMS	2766.883	-37.49	-13	Pass	2000
3000	10000	1	RMS	9755.965	-48.93	-13	Pass	7000




1.4. LTE Transmitter Spurious Emissions(NTNV)(Subtest:4, Channel:133147, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.7	-13	Pass	601
0.15	30	0.01	RMS	0.15	-48.38	-13	Pass	2985
30	653	0.1	RMS	649.299	-56.36	-13	Pass	6230
653	708	0.1	RMS	667.667	18.8	60	Pass	601
708	1000	0.1	RMS	893.063	-55.93	-13	Pass	2920
1000	3000	1	RMS	2768.884	-37.44	-13	Pass	2000
3000	10000	1	RMS	9749.964	-48.96	-13	Pass	7000




1.5. LTE Transmitter Spurious Emissions(NTNV)(Subtest:5, Channel:133297, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.37	-13	Pass	601
0.15	30	0.01	RMS	0.15	-48.93	-13	Pass	2985
30	653	0.1	RMS	519.879	-56.45	-13	Pass	6230
653	708	0.1	RMS	678.3	19.62	60	Pass	601
708	1000	0.1	RMS	979.593	-55.8	-13	Pass	2920
1000	3000	1	RMS	2766.883	-37.55	-13	Pass	2000
3000	10000	1	RMS	9757.965	-48.89	-13	Pass	7000




1.6. LTE Transmitter Spurious Emissions(NTNV)(Subtest:6, Channel:133297, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.82	-13	Pass	601
0.15	30	0.01	RMS	0.15	-47.39	-13	Pass	2985
30	653	0.1	RMS	596.991	-56.5	-13	Pass	6230
653	708	0.1	RMS	682.7	19.7	60	Pass	601
708	1000	0.1	RMS	925.875	-55.94	-13	Pass	2920
1000	3000	1	RMS	2769.885	-37.44	-13	Pass	2000
3000	10000	1	RMS	9746.964	-48.85	-13	Pass	7000




1.7. LTE Transmitter Spurious Emissions(NTNV)(Subtest:7, Channel:133297, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.53	-13	Pass	601
0.15	30	0.01	RMS	0.16	-47.88	-13	Pass	2985
30	653	0.1	RMS	518.878	-56.09	-13	Pass	6230
653	708	0.1	RMS	678.3	18.87	60	Pass	601
708	1000	0.1	RMS	903.867	-56.06	-13	Pass	2920
1000	3000	1	RMS	2763.882	-37.54	-13	Pass	2000
3000	10000	1	RMS	9749.964	-48.88	-13	Pass	7000




1.8. LTE Transmitter Spurious Emissions(NTNV)(Subtest:8, Channel:133297, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.16	-13	Pass	601
0.15	30	0.01	RMS	0.16	-48.67	-13	Pass	2985
30	653	0.1	RMS	534.481	-56.44	-13	Pass	6230
653	708	0.1	RMS	682.7	18.89	60	Pass	601
708	1000	0.1	RMS	876.758	-56.07	-13	Pass	2920
1000	3000	1	RMS	2767.884	-37.53	-13	Pass	2000
3000	10000	1	RMS	9743.963	-48.96	-13	Pass	7000




1.9. LTE Transmitter Spurious Emissions(NTNV)(Subtest:9, Channel:133447, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.82	-13	Pass	601
0.15	30	0.01	RMS	0.15	-48.12	-13	Pass	2985
30	653	0.1	RMS	572.787	-56.52	-13	Pass	6230
653	708	0.1	RMS	693.333	20.42	60	Pass	601
708	1000	0.1	RMS	904.567	-55.93	-13	Pass	2920
1000	3000	1	RMS	2764.882	-37.5	-13	Pass	2000
3000	10000	1	RMS	9757.965	-48.98	-13	Pass	7000




1.10. LTE Transmitter Spurious Emissions(NTNV)(Subtest:10, Channel:133447, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-52.24	-13	Pass	601
0.15	30	0.01	RMS	0.15	-48.01	-13	Pass	2985
30	653	0.1	RMS	629.596	-56.48	-13	Pass	6230
653	708	0.1	RMS	697.642	20.13	60	Pass	601
708	1000	0.1	RMS	905.568	-56.01	-13	Pass	2920
1000	3000	1	RMS	2765.883	-37.56	-13	Pass	2000
3000	10000	1	RMS	9754.965	-48.85	-13	Pass	7000




1.11. LTE Transmitter Spurious Emissions(NTNV)(Subtest:11, Channel:133447, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.18	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.36	-13	Pass	2985
30	653	0.1	RMS	634.997	-56.52	-13	Pass	6230
653	708	0.1	RMS	693.333	19.05	60	Pass	601
708	1000	0.1	RMS	910.069	-56.07	-13	Pass	2920
1000	3000	1	RMS	2769.885	-37.5	-13	Pass	2000
3000	10000	1	RMS	9743.963	-48.92	-13	Pass	7000




1.12. LTE Transmitter Spurious Emissions(NTNV)(Subtest:12, Channel:133447, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.39	-13	Pass	601
0.15	30	0.01	RMS	0.16	-48.84	-13	Pass	2985
30	653	0.1	RMS	520.179	-56.43	-13	Pass	6230
653	708	0.1	RMS	697.642	19.23	60	Pass	601
708	1000	0.1	RMS	922.073	-56.15	-13	Pass	2920
1000	3000	1	RMS	2768.884	-37.53	-13	Pass	2000
3000	10000	1	RMS	9756.965	-48.82	-13	Pass	7000




1.13. LTE Transmitter Spurious Emissions(NTNV)(Subtest:13, Channel:133172, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.79	-13	Pass	601
0.15	30	0.01	RMS	0.16	-49.6	-13	Pass	2985
30	653	0.1	RMS	501.676	-56.4	-13	Pass	6230
653	708	0.1	RMS	663.633	19.75	60	Pass	601
708	1000	0.1	RMS	998.6	-56.06	-13	Pass	2920
1000	3000	1	RMS	2769.885	-37.41	-13	Pass	2000
3000	10000	1	RMS	9740.963	-48.92	-13	Pass	7000




1.14. LTE Transmitter Spurious Emissions(NTNV)(Subtest:14, Channel:133172, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.28	-13	Pass	601
0.15	30	0.01	RMS	0.15	-49.19	-13	Pass	2985
30	653	0.1	RMS	531.18	-56.51	-13	Pass	6230
653	708	0.1	RMS	672.433	20.01	60	Pass	601
708	1000	0.1	RMS	920.473	-56.07	-13	Pass	2920
1000	3000	1	RMS	2766.883	-37.44	-13	Pass	2000
3000	10000	1	RMS	9756.965	-48.99	-13	Pass	7000




1.15. LTE Transmitter Spurious Emissions(NTNV)(Subtest:15, Channel:133172, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.82	-13	Pass	601
0.15	30	0.01	RMS	0.15	-49.34	-13	Pass	2985
30	653	0.1	RMS	648.699	-56.77	-13	Pass	6230
653	708	0.1	RMS	663.633	18.6	60	Pass	601
708	1000	0.1	RMS	987.296	-55.93	-13	Pass	2920
1000	3000	1	RMS	2765.883	-37.54	-13	Pass	2000
3000	10000	1	RMS	9745.964	-48.87	-13	Pass	7000




1.16. LTE Transmitter Spurious Emissions(NTNV)(Subtest:16, Channel:133172, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.37	-13	Pass	601
0.15	30	0.01	RMS	0.15	-48.85	-13	Pass	2985
30	653	0.1	RMS	516.278	-56.69	-13	Pass	6230
653	708	0.1	RMS	672.433	18.7	60	Pass	601
708	1000	0.1	RMS	917.372	-55.98	-13	Pass	2920
1000	3000	1	RMS	2768.884	-37.53	-13	Pass	2000
3000	10000	1	RMS	9745.964	-48.9	-13	Pass	7000




1.17. LTE Transmitter Spurious Emissions(NTNV)(Subtest:17, Channel:133297, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.6	-13	Pass	601
0.15	30	0.01	RMS	0.15	-46.91	-13	Pass	2985
30	653	0.1	RMS	631.197	-56.49	-13	Pass	6230
653	708	0.1	RMS	676.1	20.29	60	Pass	601
708	1000	0.1	RMS	915.871	-56.06	-13	Pass	2920
1000	3000	1	RMS	2767.884	-37.54	-13	Pass	2000
3000	10000	1	RMS	9760.966	-49.01	-13	Pass	7000




1.18. LTE Transmitter Spurious Emissions(NTNV)(Subtest:18, Channel:133297, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.34	-13	Pass	601
0.15	30	0.01	RMS	0.15	-49.21	-13	Pass	2985
30	653	0.1	RMS	523.779	-56.62	-13	Pass	6230
653	708	0.1	RMS	684.9	20.38	60	Pass	601
708	1000	0.1	RMS	922.173	-56.11	-13	Pass	2920
1000	3000	1	RMS	2769.885	-37.52	-13	Pass	2000
3000	10000	1	RMS	9751.965	-48.77	-13	Pass	7000




1.19. LTE Transmitter Spurious Emissions(NTNV)(Subtest:19, Channel:133297, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.83	-13	Pass	601
0.15	30	0.01	RMS	0.17	-49.25	-13	Pass	2985
30	653	0.1	RMS	618.394	-56.57	-13	Pass	6230
653	708	0.1	RMS	676.1	19.6	60	Pass	601
708	1000	0.1	RMS	996.499	-55.93	-13	Pass	2920
1000	3000	1	RMS	2770.885	-37.56	-13	Pass	2000
3000	10000	1	RMS	9746.964	-48.87	-13	Pass	7000




1.20. LTE Transmitter Spurious Emissions(NTNV)(Subtest:20, Channel:133297, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-50.68	-13	Pass	601
0.15	30	0.01	RMS	0.16	-49.18	-13	Pass	2985
30	653	0.1	RMS	632.397	-56.48	-13	Pass	6230
653	708	0.1	RMS	684.9	19.77	60	Pass	601
708	1000	0.1	RMS	997.799	-56.07	-13	Pass	2920
1000	3000	1	RMS	2768.884	-37.51	-13	Pass	2000
3000	10000	1	RMS	9767.967	-48.91	-13	Pass	7000




1.21. LTE Transmitter Spurious Emissions(NTNV)(Subtest:21, Channel:133422, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.3	-13	Pass	601
0.15	30	0.01	RMS	0.15	-48.76	-13	Pass	2985
30	653	0.1	RMS	633.797	-56.38	-13	Pass	6230
653	708	0.1	RMS	688.567	20.08	60	Pass	601
708	1000	0.1	RMS	924.774	-56	-13	Pass	2920
1000	3000	1	RMS	2766.883	-37.5	-13	Pass	2000
3000	10000	1	RMS	9745.964	-48.87	-13	Pass	7000




1.22. LTE Transmitter Spurious Emissions(NTNV)(Subtest:22, Channel:133422, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-51.74	-13	Pass	601
0.15	30	0.01	RMS	0.15	-48.35	-13	Pass	2985
30	653	0.1	RMS	556.485	-56.58	-13	Pass	6230
653	708	0.1	RMS	697.367	19.72	60	Pass	601
708	1000	0.1	RMS	997.999	-56.06	-13	Pass	2920
1000	3000	1	RMS	2766.883	-37.5	-13	Pass	2000
3000	10000	1	RMS	9760.966	-48.93	-13	Pass	7000




1.23. LTE Transmitter Spurious Emissions(NTNV)(Subtest:23, Channel:133422, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.4	-13	Pass	601
0.15	30	0.01	RMS	0.15	-46.36	-13	Pass	2985
30	653	0.1	RMS	636.797	-56.17	-13	Pass	6230
653	708	0.1	RMS	688.567	19.32	60	Pass	601
708	1000	0.1	RMS	952.584	-55.97	-13	Pass	2920
1000	3000	1	RMS	2764.882	-37.5	-13	Pass	2000
3000	10000	1	RMS	9750.964	-48.57	-13	Pass	7000




1.24. LTE Transmitter Spurious Emissions(NTNV)(Subtest:24, Channel:133422, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.68	-13	Pass	601
0.15	30	0.01	RMS	0.15	-48.31	-13	Pass	2985
30	653	0.1	RMS	617.794	-56.41	-13	Pass	6230
653	708	0.1	RMS	697.367	18.98	60	Pass	601
708	1000	0.1	RMS	898.565	-55.79	-13	Pass	2920
1000	3000	1	RMS	2770.885	-37.41	-13	Pass	2000
3000	10000	1	RMS	9752.965	-48.81	-13	Pass	7000




1.25. LTE Transmitter Spurious Emissions(NTNV)(Subtest:25, Channel:133197, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.62	-13	Pass	601
0.15	30	0.01	RMS	0.15	-47	-13	Pass	2985
30	653	0.1	RMS	652.9	-56.37	-13	Pass	6230
653	708	0.1	RMS	663.817	19.82	60	Pass	601
708	1000	0.1	RMS	914.371	-56.13	-13	Pass	2920
1000	3000	1	RMS	2770.885	-37.54	-13	Pass	2000
3000	10000	1	RMS	9746.964	-48.85	-13	Pass	7000




1.26. LTE Transmitter Spurious Emissions(NTNV)(Subtest:26, Channel:133197, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.14	-13	Pass	601
0.15	30	0.01	RMS	0.15	-47.65	-13	Pass	2985
30	653	0.1	RMS	627.296	-56.34	-13	Pass	6230
653	708	0.1	RMS	677.2	20.12	60	Pass	601
708	1000	0.1	RMS	894.464	-56.12	-13	Pass	2920
1000	3000	1	RMS	2769.885	-37.49	-13	Pass	2000
3000	10000	1	RMS	9759.966	-48.88	-13	Pass	7000




1.27. LTE Transmitter Spurious Emissions(NTNV)(Subtest:27, Channel:133197, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.24	-13	Pass	601
0.15	30	0.01	RMS	0.15	-49	-13	Pass	2985
30	653	0.1	RMS	557.485	-56.44	-13	Pass	6230
653	708	0.1	RMS	663.817	18.67	60	Pass	601
708	1000	0.1	RMS	899.966	-56.04	-13	Pass	2920
1000	3000	1	RMS	2768.884	-37.48	-13	Pass	2000
3000	10000	1	RMS	9744.964	-48.97	-13	Pass	7000




1.28. LTE Transmitter Spurious Emissions(NTNV)(Subtest:28, Channel:133197, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-51.42	-13	Pass	601
0.15	30	0.01	RMS	0.15	-47.65	-13	Pass	2985
30	653	0.1	RMS	639.198	-56.59	-13	Pass	6230
653	708	0.1	RMS	677.2	18.26	60	Pass	601
708	1000	0.1	RMS	890.863	-56.08	-13	Pass	2920
1000	3000	1	RMS	2762.881	-37.53	-13	Pass	2000
3000	10000	1	RMS	9750.964	-48.9	-13	Pass	7000




1.29. LTE Transmitter Spurious Emissions(NTNV)(Subtest:29, Channel:133297, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.27	-13	Pass	601
0.15	30	0.01	RMS	0.15	-48.24	-13	Pass	2985
30	653	0.1	RMS	627.696	-56.43	-13	Pass	6230
653	708	0.1	RMS	673.808	19.89	60	Pass	601
708	1000	0.1	RMS	993.298	-55.99	-13	Pass	2920
1000	3000	1	RMS	2768.884	-37.44	-13	Pass	2000
3000	10000	1	RMS	9763.966	-48.91	-13	Pass	7000




1.30. LTE Transmitter Spurious Emissions(NTNV)(Subtest:30, Channel:133297, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.05	-13	Pass	601
0.15	30	0.01	RMS	0.17	-49.21	-13	Pass	2985
30	653	0.1	RMS	646.399	-56	-13	Pass	6230
653	708	0.1	RMS	687.192	20.07	60	Pass	601
708	1000	0.1	RMS	996.799	-55.93	-13	Pass	2920
1000	3000	1	RMS	2768.884	-37.49	-13	Pass	2000
3000	10000	1	RMS	9748.964	-48.88	-13	Pass	7000




1.31. LTE Transmitter Spurious Emissions(NTNV)(Subtest:31, Channel:133297, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.85	-13	Pass	601
0.15	30	0.01	RMS	0.15	-48.44	-13	Pass	2985
30	653	0.1	RMS	522.779	-56.62	-13	Pass	6230
653	708	0.1	RMS	673.808	19.22	60	Pass	601
708	1000	0.1	RMS	985.195	-55.99	-13	Pass	2920
1000	3000	1	RMS	2769.885	-37.43	-13	Pass	2000
3000	10000	1	RMS	9739.963	-48.93	-13	Pass	7000




1.32. LTE Transmitter Spurious Emissions(NTNV)(Subtest:32, Channel:133297, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-51.65	-13	Pass	601
0.15	30	0.01	RMS	0.15	-48.75	-13	Pass	2985
30	653	0.1	RMS	651.9	-56.45	-13	Pass	6230
653	708	0.1	RMS	687.192	19.4	60	Pass	601
708	1000	0.1	RMS	902.567	-55.98	-13	Pass	2920
1000	3000	1	RMS	2767.884	-37.51	-13	Pass	2000
3000	10000	1	RMS	9747.964	-48.86	-13	Pass	7000




1.33. LTE Transmitter Spurious Emissions(NTNV)(Subtest:33, Channel:133397, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.9	-13	Pass	601
0.15	30	0.01	RMS	0.16	-49.78	-13	Pass	2985
30	653	0.1	RMS	620.395	-56.65	-13	Pass	6230
653	708	0.1	RMS	683.8	19.64	60	Pass	601
708	1000	0.1	RMS	710.501	-51.32	-13	Pass	2920
1000	3000	1	RMS	2767.884	-37.48	-13	Pass	2000
3000	10000	1	RMS	9744.964	-48.83	-13	Pass	7000




1.34. LTE Transmitter Spurious Emissions(NTNV)(Subtest:34, Channel:133397, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.39	-13	Pass	601
0.15	30	0.01	RMS	0.15	-48.09	-13	Pass	2985
30	653	0.1	RMS	650.9	-56.55	-13	Pass	6230
653	708	0.1	RMS	697.183	20.2	60	Pass	601
708	1000	0.1	RMS	710.501	-54.57	-13	Pass	2920
1000	3000	1	RMS	2769.885	-37.48	-13	Pass	2000
3000	10000	1	RMS	9735.962	-48.75	-13	Pass	7000




1.35. LTE Transmitter Spurious Emissions(NTNV)(Subtest:35, Channel:133397, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.62	-13	Pass	601
0.15	30	0.01	RMS	0.15	-49.27	-13	Pass	2985
30	653	0.1	RMS	516.778	-56.61	-13	Pass	6230
653	708	0.1	RMS	683.892	18.43	60	Pass	601
708	1000	0.1	RMS	710.501	-50.05	-13	Pass	2920
1000	3000	1	RMS	2763.882	-37.56	-13	Pass	2000
3000	10000	1	RMS	9743.963	-48.73	-13	Pass	7000




1.36. LTE Transmitter Spurious Emissions(NTNV)(Subtest:36, Channel:133397, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.59	-13	Pass	601
0.15	30	0.01	RMS	0.15	-47.65	-13	Pass	2985
30	653	0.1	RMS	555.284	-56.54	-13	Pass	6230
653	708	0.1	RMS	697.183	19.02	60	Pass	601
708	1000	0.1	RMS	710.501	-55.46	-13	Pass	2920
1000	3000	1	RMS	2767.884	-37.48	-13	Pass	2000
3000	10000	1	RMS	9761.966	-48.87	-13	Pass	7000




1.37. LTE Transmitter Spurious Emissions(NTNV)(Subtest:37, Channel:133222, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-51.84	-13	Pass	601
0.15	30	0.01	RMS	0.15	-49.17	-13	Pass	2985
30	653	0.1	RMS	652.9	-56.39	-13	Pass	6230
653	708	0.1	RMS	664.092	19.88	60	Pass	601
708	1000	0.1	RMS	987.496	-55.96	-13	Pass	2920
1000	3000	1	RMS	2764.882	-37.47	-13	Pass	2000
3000	10000	1	RMS	9752.965	-48.77	-13	Pass	7000




1.38. LTE Transmitter Spurious Emissions(NTNV)(Subtest:38, Channel:133222, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.8	-13	Pass	601
0.15	30	0.01	RMS	0.15	-47.39	-13	Pass	2985
30	653	0.1	RMS	652	-56.55	-13	Pass	6230
653	708	0.1	RMS	681.875	19.79	60	Pass	601
708	1000	0.1	RMS	907.168	-55.92	-13	Pass	2920
1000	3000	1	RMS	2768.884	-37.48	-13	Pass	2000
3000	10000	1	RMS	9747.964	-48.9	-13	Pass	7000




1.39. LTE Transmitter Spurious Emissions(NTNV)(Subtest:39, Channel:133222, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.53	-13	Pass	601
0.15	30	0.01	RMS	0.15	-48.15	-13	Pass	2985
30	653	0.1	RMS	646.599	-56.34	-13	Pass	6230
653	708	0.1	RMS	664.092	19.43	60	Pass	601
708	1000	0.1	RMS	900.066	-55.91	-13	Pass	2920
1000	3000	1	RMS	2768.884	-37.44	-13	Pass	2000
3000	10000	1	RMS	9756.965	-48.85	-13	Pass	7000




1.40. LTE Transmitter Spurious Emissions(NTNV)(Subtest:40, Channel:133222, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-52.04	-13	Pass	601
0.15	30	0.01	RMS	0.15	-49.38	-13	Pass	2985
30	653	0.1	RMS	514.278	-56.52	-13	Pass	6230
653	708	0.1	RMS	681.875	19.34	60	Pass	601
708	1000	0.1	RMS	928.175	-56.1	-13	Pass	2920
1000	3000	1	RMS	2765.883	-37.49	-13	Pass	2000
3000	10000	1	RMS	9744.964	-48.95	-13	Pass	7000




1.41. LTE Transmitter Spurious Emissions(NTNV)(Subtest:41, Channel:133322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.3	-13	Pass	601
0.15	30	0.01	RMS	0.15	-48.55	-13	Pass	2985
30	653	0.1	RMS	519.179	-56.24	-13	Pass	6230
653	708	0.1	RMS	674.083	20.41	60	Pass	601
708	1000	0.1	RMS	998.399	-55.88	-13	Pass	2920
1000	3000	1	RMS	2759.88	-37.51	-13	Pass	2000
3000	10000	1	RMS	9754.965	-48.95	-13	Pass	7000




1.42. LTE Transmitter Spurious Emissions(NTNV)(Subtest:42, Channel:133322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.39	-13	Pass	601
0.15	30	0.01	RMS	0.16	-48.04	-13	Pass	2985
30	653	0.1	RMS	648.699	-56.4	-13	Pass	6230
653	708	0.1	RMS	691.867	19.87	60	Pass	601
708	1000	0.1	RMS	897.865	-56.05	-13	Pass	2920
1000	3000	1	RMS	2768.884	-37.51	-13	Pass	2000
3000	10000	1	RMS	9742.963	-48.9	-13	Pass	7000




1.43. LTE Transmitter Spurious Emissions(NTNV)(Subtest:43, Channel:133322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.31	-13	Pass	601
0.15	30	0.01	RMS	0.15	-48.54	-13	Pass	2985
30	653	0.1	RMS	652.7	-56.53	-13	Pass	6230
653	708	0.1	RMS	674.083	18.74	60	Pass	601
708	1000	0.1	RMS	986.295	-56.12	-13	Pass	2920
1000	3000	1	RMS	2766.883	-37.54	-13	Pass	2000
3000	10000	1	RMS	9741.963	-48.9	-13	Pass	7000




1.44. LTE Transmitter Spurious Emissions(NTNV)(Subtest:44, Channel:133322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.97	-13	Pass	601
0.15	30	0.01	RMS	0.15	-47.36	-13	Pass	2985
30	653	0.1	RMS	521.379	-56.62	-13	Pass	6230
653	708	0.1	RMS	691.867	18.35	60	Pass	601
708	1000	0.1	RMS	709.701	-54.06	-13	Pass	2920
1000	3000	1	RMS	2769.885	-37.53	-13	Pass	2000
3000	10000	1	RMS	9754.965	-48.9	-13	Pass	7000




1.45. LTE Transmitter Spurious Emissions(NTNV)(Subtest:45, Channel:133372, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.17	-13	Pass	601
0.15	30	0.01	RMS	0.15	-48.81	-13	Pass	2985
30	653	0.1	RMS	610.393	-56.38	-13	Pass	6230
653	708	0.1	RMS	679.125	19.86	60	Pass	601
708	1000	0.1	RMS	995.699	-56.1	-13	Pass	2920
1000	3000	1	RMS	2764.882	-37.54	-13	Pass	2000
3000	10000	1	RMS	9755.965	-48.88	-13	Pass	7000




1.46. LTE Transmitter Spurious Emissions(NTNV)(Subtest:46, Channel:133372, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.71	-13	Pass	601
0.15	30	0.01	RMS	0.16	-47.94	-13	Pass	2985
30	653	0.1	RMS	644.799	-56.23	-13	Pass	6230
653	708	0.1	RMS	696.908	20.51	60	Pass	601
708	1000	0.1	RMS	994.098	-56.1	-13	Pass	2920
1000	3000	1	RMS	2769.885	-37.46	-13	Pass	2000
3000	10000	1	RMS	9748.964	-48.98	-13	Pass	7000




1.47. LTE Transmitter Spurious Emissions(NTNV)(Subtest:47, Channel:133372, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.74	-13	Pass	601
0.15	30	0.01	RMS	0.15	-48.39	-13	Pass	2985
30	653	0.1	RMS	651.9	-56.29	-13	Pass	6230
653	708	0.1	RMS	679.125	19.04	60	Pass	601
708	1000	0.1	RMS	901.966	-56.13	-13	Pass	2920
1000	3000	1	RMS	2768.884	-37.45	-13	Pass	2000
3000	10000	1	RMS	9749.964	-48.65	-13	Pass	7000



1.48. LTE Transmitter Spurious Emissions(NTNV)(Subtest:48, Channel:133372, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.09	-13	Pass	601
0.15	30	0.01	RMS	0.15	-48.81	-13	Pass	2985
30	653	0.1	RMS	518.278	-56.51	-13	Pass	6230
653	708	0.1	RMS	696.908	19.72	60	Pass	601
708	1000	0.1	RMS	965.088	-56.02	-13	Pass	2920
1000	3000	1	RMS	2769.885	-37.57	-13	Pass	2000
3000	10000	1	RMS	9770.967	-48.95	-13	Pass	7000



END