



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1850.7MHz_RB 6,#RB 0	Pass	1.911G	1.9128G	10k	50k	RMS	1.9115G	-58.08	-13.00	-45.08	MBW 1M	-
1850.7MHz_RB 6,#RB 0	Pass	1.9128G	5G	1M	3M	RMS	4.12324G	-53.03	-13.00	-40.03	-	-
1850.7MHz_RB 6,#RB 0	Pass	5G	19.1G	1M	3M	RMS	17.9015G	-45.25	-13.00	-32.25	-	-
1850.7MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	90.921k	-63.21	-13.00	-50.21	-	-
1850.7MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-64.45	-13.00	-51.45	-	-
1850.7MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	931.11M	-57.73	-13.00	-44.73	-	-
1850.7MHz_RB 1,#RB L	Pass	1.5G	1.8472G	1M	3M	RMS	1.8472G	-41.87	-13.00	-28.87	-	-
1850.7MHz_RB 1,#RB L	Pass	1.8472G	1.849G	10k	50k	RMS	1.8485G	-37.37	-13.00	-24.37	MBW 1M	-
1850.7MHz_RB 1,#RB L	Pass	1.849G	1.85G	10k	50k	RMS	1.85G	-30.70	-13.00	-17.70	-	-
1850.7MHz_RB 1,#RB L	Pass	1.91G	1.911G	10k	50k	RMS	1.91001G	-76.37	-13.00	-63.37	-	-
1850.7MHz_RB 1,#RB L	Pass	1.911G	1.9128G	10k	50k	RMS	1.9115G	-58.01	-13.00	-45.01	MBW 1M	-
1850.7MHz_RB 1,#RB L	Pass	1.9128G	5G	1M	3M	RMS	3.70029G	-51.13	-13.00	-38.13	-	-
1850.7MHz_RB 1,#RB L	Pass	5G	19.1G	1M	3M	RMS	17.9015G	-44.87	-13.00	-31.87	-	-
1880MHz_RB 6,#RB 0	Pass	9k	150k	1k	3k	RMS	88.665k	-73.91	-13.00	-60.91	-	-
1880MHz_RB 6,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-64.39	-13.00	-51.39	-	-
1880MHz_RB 6,#RB 0	Pass	30M	1.5G	1M	3M	RMS	907.59M	-57.78	-13.00	-44.78	-	-
1880MHz_RB 6,#RB 0	Pass	1.5G	1.8472G	1M	3M	RMS	1.81179G	-57.51	-13.00	-44.51	-	-
1880MHz_RB 6,#RB 0	Pass	1.8472G	1.849G	10k	50k	RMS	1.8477G	-58.11	-13.00	-45.11	MBW 1M	-
1880MHz_RB 6,#RB 0	Pass	1.849G	1.85G	10k	50k	RMS	1.84965G	-76.79	-13.00	-63.79	-	-
1880MHz_RB 6,#RB 0	Pass	1.91G	1.911G	10k	50k	RMS	1.91052G	-76.70	-13.00	-63.70	-	-
1880MHz_RB 6,#RB 0	Pass	1.911G	1.9128G	10k	50k	RMS	1.9115G	-57.90	-13.00	-44.90	MBW 1M	-
1880MHz_RB 6,#RB 0	Pass	1.9128G	5G	1M	3M	RMS	4.9043G	-53.13	-13.00	-40.13	-	-
1880MHz_RB 6,#RB 0	Pass	5G	19.1G	1M	3M	RMS	17.9015G	-44.97	-13.00	-31.97	-	-
1880MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	87.255k	-65.42	-13.00	-52.42	-	-
1880MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-65.49	-13.00	-52.49	-	-
1880MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	950.22M	-57.64	-13.00	-44.64	-	-
1880MHz_RB 1,#RB L	Pass	1.5G	1.8472G	1M	3M	RMS	1.79824G	-57.49	-13.00	-44.49	-	-
1880MHz_RB 1,#RB L	Pass	1.8472G	1.849G	10k	50k	RMS	1.8477G	-58.05	-13.00	-45.05	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.849G	1.85G	10k	50k	RMS	1.84955G	-76.70	-13.00	-63.70	-	-
1880MHz_RB 1,#RB L	Pass	1.91G	1.911G	10k	50k	RMS	1.91041G	-76.50	-13.00	-63.50	-	-
1880MHz_RB 1,#RB L	Pass	1.911G	1.9128G	10k	50k	RMS	1.9115G	-57.97	-13.00	-44.97	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.9128G	5G	1M	3M	RMS	3.75895G	-53.20	-13.00	-40.20	-	-
1880MHz_RB 1,#RB L	Pass	5G	19.1G	1M	3M	RMS	15.7865G	-44.80	-13.00	-31.80	-	-
1909.3MHz_RB 6,#RB 0	Pass	9k	150k	1k	3k	RMS	29.586k	-73.25	-13.00	-60.25	-	-
1909.3MHz_RB 6,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-64.73	-13.00	-51.73	-	-
1909.3MHz_RB 6,#RB 0	Pass	30M	1.5G	1M	3M	RMS	978.15M	-57.80	-13.00	-44.80	-	-
1909.3MHz_RB 6,#RB 0	Pass	1.5G	1.8472G	1M	3M	RMS	1.63194G	-57.63	-13.00	-44.63	-	-
1909.3MHz_RB 6,#RB 0	Pass	1.8472G	1.849G	10k	50k	RMS	1.8477G	-58.27	-13.00	-45.27	MBW 1M	-
1909.3MHz_RB 6,#RB 0	Pass	1.849G	1.85G	10k	50k	RMS	1.84909G	-76.40	-13.00	-63.40	-	-
1909.3MHz_RB 6,#RB 0	Pass	1.91G	1.911G	10k	50k	RMS	1.91G	-37.52	-13.00	-24.52	-	-
1909.3MHz_RB 6,#RB 0	Pass	1.911G	1.9128G	10k	50k	RMS	1.9115G	-35.19	-13.00	-22.19	MBW 1M	-
1909.3MHz_RB 6,#RB 0	Pass	1.9128G	5G	1M	3M	RMS	1.9128G	-49.90	-13.00	-36.90	-	-
1909.3MHz_RB 6,#RB 0	Pass	5G	19.1G	1M	3M	RMS	17.9015G	-45.12	-13.00	-32.12	-	-
1909.3MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	85.704k	-65.23	-13.00	-52.23	-	-
1909.3MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-61.68	-13.00	-48.68	-	-
1909.3MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	1.05018G	-57.82	-13.00	-44.82	-	-
1909.3MHz_RB 1,#RB H	Pass	1.5G	1.8472G	1M	3M	RMS	1.78297G	-57.67	-13.00	-44.67	-	-
1909.3MHz_RB 1,#RB H	Pass	1.8472G	1.849G	10k	50k	RMS	1.8477G	-58.19	-13.00	-45.19	MBW 1M	-
1909.3MHz_RB 1,#RB H	Pass	1.849G	1.85G	10k	50k	RMS	1.8498G	-76.72	-13.00	-63.72	-	-
1909.3MHz_RB 1,#RB H	Pass	1.91G	1.911G	10k	50k	RMS	1.91G	-33.03	-13.00	-20.03	-	-
1909.3MHz_RB 1,#RB H	Pass	1.911G	1.9128G	10k	50k	RMS	1.9115G	-37.15	-13.00	-24.15	MBW 1M	-
1909.3MHz_RB 1,#RB H	Pass	1.9128G	5G	1M	3M	RMS	1.9128G	-49.06	-13.00	-36.06	-	-
1909.3MHz_RB 1,#RB H	Pass	5G	19.1G	1M	3M	RMS	17.8874G	-44.80	-13.00	-31.80	-	-
Band 2_LTE_1.4MHz_Nss1,64QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1850.7MHz_RB 6,#RB 0	Pass	9k	150k	1k	3k	RMS	120.39k	-73.82	-13.00	-60.82	-	-
1850.7MHz_RB 6,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-65.14	-13.00	-52.14	-	-
1850.7MHz_RB 6,#RB 0	Pass	30M	1.5G	1M	3M	RMS	964.92M	-57.84	-13.00	-44.84	-	-
1850.7MHz_RB 6,#RB 0	Pass	1.5G	1.8472G	1M	3M	RMS	1.8472G	-43.26	-13.00	-30.26	-	-
1850.7MHz_RB 6,#RB 0	Pass	1.8472G	1.849G	10k	50k	RMS	1.8485G	-34.42	-13.00	-21.42	MBW 1M	-
1850.7MHz_RB 6,#RB 0	Pass	1.849G	1.85G	10k	50k	RMS	1.85G	-35.96	-13.00	-22.96	-	-
1850.7MHz_RB 6,#RB 0	Pass	1.91G	1.911G	10k	50k	RMS	1.91056G	-76.56	-13.00	-63.56	-	-
1850.7MHz_RB 6,#RB 0	Pass	1.911G	1.9128G	10k	50k	RMS	1.9115G	-58.08	-13.00	-45.08	MBW 1M	-
1850.7MHz_RB 6,#RB 0	Pass	1.9128G	5G	1M	3M	RMS	4.14176G	-53.19	-13.00	-40.19	-	-
1850.7MHz_RB 6,#RB 0	Pass	5G	19.1G	1M	3M	RMS	15.8288G	-45.17	-13.00	-32.17	-	-
1850.7MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	25.497k	-66.42	-13.00	-53.42	-	-
1850.7MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-64.89	-13.00	-51.89	-	-
1850.7MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.13691G	-57.72	-13.00	-44.72	-	-
1850.7MHz_RB 1,#RB L	Pass	1.5G	1.8472G	1M	3M	RMS	1.8472G	-42.55	-13.00	-29.55	-	-
1850.7MHz_RB 1,#RB L	Pass	1.8472G	1.849G	10k	50k	RMS	1.8485G	-38.26	-13.00	-25.26	MBW 1M	-
1850.7MHz_RB 1,#RB L	Pass	1.849G	1.85G	10k	50k	RMS	1.85G	-32.55	-13.00	-19.55	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1850.7MHz_RB 1,#RB L	Pass	1.91G	1.911G	10k	50k	RMS	1.91043G	-76.80	-13.00	-63.80	-	-
1850.7MHz_RB 1,#RB L	Pass	1.911G	1.9128G	10k	50k	RMS	1.9115G	-58.08	-13.00	-45.08	MBW 1M	-
1850.7MHz_RB 1,#RB L	Pass	1.9128G	5G	1M	3M	RMS	3.70029G	-52.25	-13.00	-39.25	-	-
1850.7MHz_RB 1,#RB L	Pass	5G	19.1G	1M	3M	RMS	17.9156G	-44.97	-13.00	-31.97	-	-
1880MHz_RB 6,#RB 0	Pass	9k	150k	1k	3k	RMS	9.987k	-73.53	-13.00	-60.53	-	-
1880MHz_RB 6,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-65.49	-13.00	-52.49	-	-
1880MHz_RB 6,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.00461G	-57.76	-13.00	-44.76	-	-
1880MHz_RB 6,#RB 0	Pass	1.5G	1.8472G	1M	3M	RMS	1.81456G	-57.55	-13.00	-44.55	-	-
1880MHz_RB 6,#RB 0	Pass	1.8472G	1.849G	10k	50k	RMS	1.8477G	-58.09	-13.00	-45.09	MBW 1M	-
1880MHz_RB 6,#RB 0	Pass	1.849G	1.85G	10k	50k	RMS	1.8495G	-76.86	-13.00	-63.86	-	-
1880MHz_RB 6,#RB 0	Pass	1.91G	1.911G	10k	50k	RMS	1.91081G	-76.75	-13.00	-63.75	-	-
1880MHz_RB 6,#RB 0	Pass	1.911G	1.9128G	10k	50k	RMS	1.9115G	-58.02	-13.00	-45.02	MBW 1M	-
1880MHz_RB 6,#RB 0	Pass	1.9128G	5G	1M	3M	RMS	4.88577G	-53.06	-13.00	-40.06	-	-
1880MHz_RB 6,#RB 0	Pass	5G	19.1G	1M	3M	RMS	17.9156G	-45.23	-13.00	-32.23	-	-
1880MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	42.558k	-65.63	-13.00	-52.63	-	-
1880MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-64.39	-13.00	-51.39	-	-
1880MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	954.63M	-57.87	-13.00	-44.87	-	-
1880MHz_RB 1,#RB L	Pass	1.5G	1.8472G	1M	3M	RMS	1.84269G	-57.43	-13.00	-44.43	-	-
1880MHz_RB 1,#RB L	Pass	1.8472G	1.849G	10k	50k	RMS	1.8477G	-58.04	-13.00	-45.04	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.849G	1.85G	10k	50k	RMS	1.84964G	-76.68	-13.00	-63.68	-	-
1880MHz_RB 1,#RB L	Pass	1.91G	1.911G	10k	50k	RMS	1.91081G	-76.90	-13.00	-63.90	-	-
1880MHz_RB 1,#RB L	Pass	1.911G	1.9128G	10k	50k	RMS	1.9115G	-57.88	-13.00	-44.88	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.9128G	5G	1M	3M	RMS	3.75895G	-51.99	-13.00	-38.99	-	-
1880MHz_RB 1,#RB L	Pass	5G	19.1G	1M	3M	RMS	17.9015G	-44.89	-13.00	-31.89	-	-
1909.3MHz_RB 6,#RB 0	Pass	9k	150k	1k	3k	RMS	18.165k	-71.32	-13.00	-58.32	-	-
1909.3MHz_RB 6,#RB 0	Pass	150k	30M	10k	30k	RMS	508.2k	-63.41	-13.00	-50.41	-	-
1909.3MHz_RB 6,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.03107G	-57.73	-13.00	-44.73	-	-
1909.3MHz_RB 6,#RB 0	Pass	1.5G	1.8472G	1M	3M	RMS	1.80901G	-57.37	-13.00	-44.37	-	-
1909.3MHz_RB 6,#RB 0	Pass	1.8472G	1.849G	10k	50k	RMS	1.8477G	-58.17	-13.00	-45.17	MBW 1M	-
1909.3MHz_RB 6,#RB 0	Pass	1.849G	1.85G	10k	50k	RMS	1.8499G	-76.85	-13.00	-63.85	-	-
1909.3MHz_RB 6,#RB 0	Pass	1.91G	1.911G	10k	50k	RMS	1.91001G	-38.65	-13.00	-25.65	-	-
1909.3MHz_RB 6,#RB 0	Pass	1.911G	1.9128G	10k	50k	RMS	1.9115G	-35.52	-13.00	-22.52	MBW 1M	-
1909.3MHz_RB 6,#RB 0	Pass	1.9128G	5G	1M	3M	RMS	1.9128G	-49.91	-13.00	-36.91	-	-
1909.3MHz_RB 6,#RB 0	Pass	5G	19.1G	1M	3M	RMS	17.9015G	-44.88	-13.00	-31.88	-	-
1909.3MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	63.99k	-64.06	-13.00	-51.06	-	-
1909.3MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	299.25k	-65.84	-13.00	-52.84	-	-
1909.3MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	973.74M	-57.79	-13.00	-44.79	-	-
1909.3MHz_RB 1,#RB H	Pass	1.5G	1.8472G	1M	3M	RMS	1.62777G	-57.61	-13.00	-44.61	-	-
1909.3MHz_RB 1,#RB H	Pass	1.8472G	1.849G	10k	50k	RMS	1.8477G	-58.19	-13.00	-45.19	MBW 1M	-
1909.3MHz_RB 1,#RB H	Pass	1.849G	1.85G	10k	50k	RMS	1.84983G	-76.66	-13.00	-63.66	-	-
1909.3MHz_RB 1,#RB H	Pass	1.91G	1.911G	10k	50k	RMS	1.91001G	-31.17	-13.00	-18.17	-	-
1909.3MHz_RB 1,#RB H	Pass	1.911G	1.9128G	10k	50k	RMS	1.9115G	-37.26	-13.00	-24.26	MBW 1M	-
1909.3MHz_RB 1,#RB H	Pass	1.9128G	5G	1M	3M	RMS	1.9128G	-47.71	-13.00	-34.71	-	-
1909.3MHz_RB 1,#RB H	Pass	5G	19.1G	1M	3M	RMS	17.8874G	-45.14	-13.00	-32.14	-	-
Band 2_LTE_3MHz_Nss1_OPSK_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1851.5MHz_RB 15,#RB 0	Pass	9k	150k	1k	3k	RMS	26.484k	-74.83	-13.00	-61.83	-	-
1851.5MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-67.65	-13.00	-54.65	-	-
1851.5MHz_RB 15,#RB 0	Pass	30M	1.5G	1M	3M	RMS	998.73M	-57.77	-13.00	-44.77	-	-
1851.5MHz_RB 15,#RB 0	Pass	1.5G	1.844G	1M	3M	RMS	1.84366G	-46.40	-13.00	-33.40	-	-
1851.5MHz_RB 15,#RB 0	Pass	1.844G	1.849G	30k	100k	RMS	1.8485G	-25.15	-13.00	-12.15	MBW 1M	-
1851.5MHz_RB 15,#RB 0	Pass	1.849G	1.85G	30k	100k	RMS	1.85G	-30.00	-13.00	-17.00	-	-
1851.5MHz_RB 15,#RB 0	Pass	1.91G	1.911G	30k	100k	RMS	1.91018G	-72.68	-13.00	-59.68	-	-
1851.5MHz_RB 15,#RB 0	Pass	1.911G	1.916G	30k	100k	RMS	1.9155G	-58.40	-13.00	-45.40	MBW 1M	-
1851.5MHz_RB 15,#RB 0	Pass	1.916G	5G	1M	3M	RMS	4.29376G	-53.19	-13.00	-40.19	-	-
1851.5MHz_RB 15,#RB 0	Pass	5G	19.1G	1M	3M	RMS	17.9156G	-45.11	-13.00	-32.11	-	-
1851.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	59.478k	-66.57	-13.00	-53.57	-	-
1851.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-66.53	-13.00	-53.53	-	-
1851.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.00608G	-57.72	-13.00	-44.72	-	-
1851.5MHz_RB 1,#RB L	Pass	1.5G	1.844G	1M	3M	RMS	1.844G	-54.87	-13.00	-41.87	-	-
1851.5MHz_RB 1,#RB L	Pass	1.844G	1.849G	30k	100k	RMS	1.8485G	-36.66	-13.00	-23.66	MBW 1M	-
1851.5MHz_RB 1,#RB L	Pass	1.849G	1.85G	30k	100k	RMS	1.85G	-24.71	-13.00	-11.71	-	-
1851.5MHz_RB 1,#RB L	Pass	1.91G	1.911G	30k	100k	RMS	1.91075G	-73.01	-13.00	-60.01	-	-
1851.5MHz_RB 1,#RB L	Pass	1.911G	1.916G	30k	100k	RMS	1.9155G	-58.33	-13.00	-45.33	MBW 1M	-
1851.5MHz_RB 1,#RB L	Pass	1.916G	5G	1M	3M	RMS	3.70164G	-51.55	-13.00	-38.55	-	-
1851.5MHz_RB 1,#RB L	Pass	5G	19.1G	1M	3M	RMS	17.9015G	-45.10	-13.00	-32.10	-	-
1880MHz_RB 15,#RB 0	Pass	9k	150k	1k	3k	RMS	12.948k	-73.89	-13.00	-60.89	-	-
1880MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-68.85	-13.00	-55.85	-	-
1880MHz_RB 15,#RB 0	Pass	30M	1.5G	1M	3M	RMS	966.39M	-57.79	-13.00	-44.79	-	-
1880MHz_RB 15,#RB 0	Pass	1.5G	1.844G	1M	3M	RMS	1.80685G	-57.50	-13.00	-44.50	-	-
1880MHz_RB 15,#RB 0	Pass	1.844G	1.849G	30k	100k	RMS	1.8485G	-58.32	-13.00	-45.32	MBW 1M	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1880MHz_RB 15,#RB 0	Pass	1.849G	1.85G	30k	100k	RMS	1.84999G	-72.80	-13.00	-59.80	-	-
1880MHz_RB 15,#RB 0	Pass	1.91G	1.911G	30k	100k	RMS	1.91064G	-72.59	-13.00	-59.59	-	-
1880MHz_RB 15,#RB 0	Pass	1.911G	1.916G	30k	100k	RMS	1.9155G	-58.23	-13.00	-45.23	MBW 1M	-
1880MHz_RB 15,#RB 0	Pass	1.916G	5G	1M	3M	RMS	4.27834G	-53.31	-13.00	-40.31	-	-
1880MHz_RB 15,#RB 0	Pass	5G	19.1G	1M	3M	RMS	17.9015G	-45.11	-13.00	-32.11	-	-
1880MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	90.075k	-63.32	-13.00	-50.32	-	-
1880MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-66.82	-13.00	-53.82	-	-
1880MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.04871G	-57.63	-13.00	-44.63	-	-
1880MHz_RB 1,#RB L	Pass	1.5G	1.844G	1M	3M	RMS	1.81166G	-57.61	-13.00	-44.61	-	-
1880MHz_RB 1,#RB L	Pass	1.844G	1.849G	30k	100k	RMS	1.8485G	-58.23	-13.00	-45.23	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.849G	1.85G	30k	100k	RMS	1.84988G	-72.84	-13.00	-59.84	-	-
1880MHz_RB 1,#RB L	Pass	1.91G	1.911G	30k	100k	RMS	1.91028G	-72.80	-13.00	-59.80	-	-
1880MHz_RB 1,#RB L	Pass	1.911G	1.916G	30k	100k	RMS	1.9155G	-58.30	-13.00	-45.30	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.916G	5G	1M	3M	RMS	3.75715G	-52.72	-13.00	-39.72	-	-
1880MHz_RB 1,#RB L	Pass	5G	19.1G	1M	3M	RMS	17.9015G	-44.89	-13.00	-31.89	-	-
1908.5MHz_RB 15,#RB 0	Pass	9k	150k	1k	3k	RMS	13.371k	-76.60	-13.00	-63.60	-	-
1908.5MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-66.47	-13.00	-53.47	-	-
1908.5MHz_RB 15,#RB 0	Pass	30M	1.5G	1M	3M	RMS	963.45M	-57.69	-13.00	-44.69	-	-
1908.5MHz_RB 15,#RB 0	Pass	1.5G	1.844G	1M	3M	RMS	1.80822G	-57.56	-13.00	-44.56	-	-
1908.5MHz_RB 15,#RB 0	Pass	1.844G	1.849G	30k	100k	RMS	1.8485G	-58.50	-13.00	-45.50	MBW 1M	-
1908.5MHz_RB 15,#RB 0	Pass	1.849G	1.85G	30k	100k	RMS	1.84967G	-72.87	-13.00	-59.87	-	-
1908.5MHz_RB 15,#RB 0	Pass	1.91G	1.911G	30k	100k	RMS	1.91G	-33.03	-13.00	-20.03	-	-
1908.5MHz_RB 15,#RB 0	Pass	1.911G	1.916G	30k	100k	RMS	1.9115G	-31.21	-13.00	-18.21	MBW 1M	-
1908.5MHz_RB 15,#RB 0	Pass	1.916G	5G	1M	3M	RMS	1.916G	-52.02	-13.00	-39.02	-	-
1908.5MHz_RB 15,#RB 0	Pass	5G	19.1G	1M	3M	RMS	17.9015G	-45.05	-13.00	-32.05	-	-
1908.5MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	46.788k	-63.60	-13.00	-50.60	-	-
1908.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-67.40	-13.00	-54.40	-	-
1908.5MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	963.45M	-57.73	-13.00	-44.73	-	-
1908.5MHz_RB 1,#RB H	Pass	1.5G	1.844G	1M	3M	RMS	1.80375G	-57.61	-13.00	-44.61	-	-
1908.5MHz_RB 1,#RB H	Pass	1.844G	1.849G	30k	100k	RMS	1.8475G	-58.48	-13.00	-45.48	MBW 1M	-
1908.5MHz_RB 1,#RB H	Pass	1.849G	1.85G	30k	100k	RMS	1.84944G	-73.08	-13.00	-60.08	-	-
1908.5MHz_RB 1,#RB H	Pass	1.91G	1.911G	30k	100k	RMS	1.91G	-24.42	-13.00	-11.42	-	-
1908.5MHz_RB 1,#RB H	Pass	1.911G	1.916G	30k	100k	RMS	1.9115G	-36.48	-13.00	-23.48	MBW 1M	-
1908.5MHz_RB 1,#RB H	Pass	1.916G	5G	1M	3M	RMS	4.89206G	-52.96	-13.00	-39.96	-	-
1908.5MHz_RB 1,#RB H	Pass	5G	19.1G	1M	3M	RMS	17.8874G	-45.06	-13.00	-32.06	-	-
Band 2_LTE_3MHz_Nss1,16QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1851.5MHz_RB 15,#RB 0	Pass	9k	150k	1k	3k	RMS	13.935k	-73.88	-13.00	-60.88	-	-
1851.5MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-68.42	-13.00	-55.42	-	-
1851.5MHz_RB 15,#RB 0	Pass	30M	1.5G	1M	3M	RMS	992.85M	-57.67	-13.00	-44.67	-	-
1851.5MHz_RB 15,#RB 0	Pass	1.5G	1.844G	1M	3M	RMS	1.844G	-48.71	-13.00	-35.71	-	-
1851.5MHz_RB 15,#RB 0	Pass	1.844G	1.849G	30k	100k	RMS	1.8485G	-26.50	-13.00	-13.50	MBW 1M	-
1851.5MHz_RB 15,#RB 0	Pass	1.849G	1.85G	30k	100k	RMS	1.85G	-30.98	-13.00	-17.98	-	-
1851.5MHz_RB 15,#RB 0	Pass	1.91G	1.911G	30k	100k	RMS	1.91039G	-73.11	-13.00	-60.11	-	-
1851.5MHz_RB 15,#RB 0	Pass	1.911G	1.916G	30k	100k	RMS	1.9155G	-58.39	-13.00	-45.39	MBW 1M	-
1851.5MHz_RB 15,#RB 0	Pass	1.916G	5G	1M	3M	RMS	4.27526G	-53.37	-13.00	-40.37	-	-
1851.5MHz_RB 15,#RB 0	Pass	5G	19.1G	1M	3M	RMS	17.9015G	-45.14	-13.00	-32.14	-	-
1851.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	87.114k	-64.47	-13.00	-51.47	-	-
1851.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-66.75	-13.00	-53.75	-	-
1851.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	966.39M	-57.74	-13.00	-44.74	-	-
1851.5MHz_RB 1,#RB L	Pass	1.5G	1.844G	1M	3M	RMS	1.84366G	-54.93	-13.00	-41.93	-	-
1851.5MHz_RB 1,#RB L	Pass	1.844G	1.849G	30k	100k	RMS	1.8485G	-36.97	-13.00	-23.97	MBW 1M	-
1851.5MHz_RB 1,#RB L	Pass	1.849G	1.85G	30k	100k	RMS	1.85G	-25.05	-13.00	-12.05	-	-
1851.5MHz_RB 1,#RB L	Pass	1.91G	1.911G	30k	100k	RMS	1.91087G	-72.91	-13.00	-59.91	-	-
1851.5MHz_RB 1,#RB L	Pass	1.911G	1.916G	30k	100k	RMS	1.9155G	-58.38	-13.00	-45.38	MBW 1M	-
1851.5MHz_RB 1,#RB L	Pass	1.916G	5G	1M	3M	RMS	3.70164G	-51.97	-13.00	-38.97	-	-
1851.5MHz_RB 1,#RB L	Pass	5G	19.1G	1M	3M	RMS	17.9015G	-45.05	-13.00	-32.05	-	-
1880MHz_RB 15,#RB 0	Pass	9k	150k	1k	3k	RMS	20.421k	-76.10	-13.00	-63.10	-	-
1880MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-68.27	-13.00	-55.27	-	-
1880MHz_RB 15,#RB 0	Pass	30M	1.5G	1M	3M	RMS	963.45M	-57.71	-13.00	-44.71	-	-
1880MHz_RB 15,#RB 0	Pass	1.5G	1.844G	1M	3M	RMS	1.81751G	-57.36	-13.00	-44.36	-	-
1880MHz_RB 15,#RB 0	Pass	1.844G	1.849G	30k	100k	RMS	1.8485G	-58.43	-13.00	-45.43	MBW 1M	-
1880MHz_RB 15,#RB 0	Pass	1.849G	1.85G	30k	100k	RMS	1.8496G	-72.56	-13.00	-59.56	-	-
1880MHz_RB 15,#RB 0	Pass	1.91G	1.911G	30k	100k	RMS	1.91035G	-72.89	-13.00	-59.89	-	-
1880MHz_RB 15,#RB 0	Pass	1.911G	1.916G	30k	100k	RMS	1.9145G	-58.32	-13.00	-45.32	MBW 1M	-
1880MHz_RB 15,#RB 0	Pass	1.916G	5G	1M	3M	RMS	4.90131G	-53.09	-13.00	-40.09	-	-
1880MHz_RB 15,#RB 0	Pass	5G	19.1G	1M	3M	RMS	17.9015G	-45.10	-13.00	-32.10	-	-
1880MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	89.652k	-67.72	-13.00	-54.72	-	-
1880MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-68.15	-13.00	-55.15	-	-
1880MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.1472G	-57.81	-13.00	-44.81	-	-
1880MHz_RB 1,#RB L	Pass	1.5G	1.844G	1M	3M	RMS	1.79859G	-57.54	-13.00	-44.54	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1880MHz_RB 1,#RB L	Pass	1.844G	1.849G	30k	100k	RMS	1.8475G	-58.32	-13.00	-45.32	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.849G	1.85G	30k	100k	RMS	1.8498G	-72.86	-13.00	-59.86	-	-
1880MHz_RB 1,#RB L	Pass	1.91G	1.911G	30k	100k	RMS	1.91017G	-72.26	-13.00	-59.26	-	-
1880MHz_RB 1,#RB L	Pass	1.911G	1.916G	30k	100k	RMS	1.9155G	-58.23	-13.00	-45.23	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.916G	5G	1M	3M	RMS	4.89514G	-52.99	-13.00	-39.99	-	-
1880MHz_RB 1,#RB L	Pass	5G	19.1G	1M	3M	RMS	17.9015G	-44.97	-13.00	-31.97	-	-
1908.5MHz_RB 15,#RB 0	Pass	9k	150k	1k	3k	RMS	24.228k	-74.73	-13.00	-61.73	-	-
1908.5MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-69.34	-13.00	-56.34	-	-
1908.5MHz_RB 15,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.059G	-57.50	-13.00	-44.50	-	-
1908.5MHz_RB 15,#RB 0	Pass	1.5G	1.844G	1M	3M	RMS	1.81682G	-57.64	-13.00	-44.64	-	-
1908.5MHz_RB 15,#RB 0	Pass	1.844G	1.849G	30k	100k	RMS	1.8485G	-58.46	-13.00	-45.46	MBW 1M	-
1908.5MHz_RB 15,#RB 0	Pass	1.849G	1.85G	30k	100k	RMS	1.84931G	-72.97	-13.00	-59.97	-	-
1908.5MHz_RB 15,#RB 0	Pass	1.91G	1.911G	30k	100k	RMS	1.91G	-33.16	-13.00	-20.16	-	-
1908.5MHz_RB 15,#RB 0	Pass	1.911G	1.916G	30k	100k	RMS	1.9115G	-31.10	-13.00	-18.10	MBW 1M	-
1908.5MHz_RB 15,#RB 0	Pass	1.916G	5G	1M	3M	RMS	4.1334G	-53.20	-13.00	-40.20	-	-
1908.5MHz_RB 15,#RB 0	Pass	5G	19.1G	1M	3M	RMS	17.9015G	-45.12	-13.00	-32.12	-	-
1908.5MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	35.79k	-64.35	-13.00	-51.35	-	-
1908.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	299.25k	-67.54	-13.00	-54.54	-	-
1908.5MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	1.02519G	-57.63	-13.00	-44.63	-	-
1908.5MHz_RB 1,#RB H	Pass	1.5G	1.844G	1M	3M	RMS	1.81235G	-57.59	-13.00	-44.59	-	-
1908.5MHz_RB 1,#RB H	Pass	1.844G	1.849G	30k	100k	RMS	1.8485G	-58.43	-13.00	-45.43	MBW 1M	-
1908.5MHz_RB 1,#RB H	Pass	1.849G	1.85G	30k	100k	RMS	1.84931G	-73.06	-13.00	-60.06	-	-
1908.5MHz_RB 1,#RB H	Pass	1.91G	1.911G	30k	100k	RMS	1.91G	-26.74	-13.00	-13.74	-	-
1908.5MHz_RB 1,#RB H	Pass	1.911G	1.916G	30k	100k	RMS	1.9115G	-38.17	-13.00	-25.17	MBW 1M	-
1908.5MHz_RB 1,#RB H	Pass	1.916G	5G	1M	3M	RMS	4.90748G	-53.20	-13.00	-40.20	-	-
1908.5MHz_RB 1,#RB H	Pass	5G	19.1G	1M	3M	RMS	17.8874G	-45.02	-13.00	-32.02	-	-
Band 2_LTE_3MHz_Nss1,64QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1851.5MHz_RB 15,#RB 0	Pass	9k	150k	1k	3k	RMS	9.141k	-74.45	-13.00	-61.45	-	-
1851.5MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-67.90	-13.00	-54.90	-	-
1851.5MHz_RB 15,#RB 0	Pass	30M	1.5G	1M	3M	RMS	988.44M	-57.77	-13.00	-44.77	-	-
1851.5MHz_RB 15,#RB 0	Pass	1.5G	1.844G	1M	3M	RMS	1.844G	-47.26	-13.00	-34.26	-	-
1851.5MHz_RB 15,#RB 0	Pass	1.844G	1.849G	30k	100k	RMS	1.8485G	-26.16	-13.00	-13.16	MBW 1M	-
1851.5MHz_RB 15,#RB 0	Pass	1.849G	1.85G	30k	100k	RMS	1.85G	-31.13	-13.00	-18.13	-	-
1851.5MHz_RB 15,#RB 0	Pass	1.91G	1.911G	30k	100k	RMS	1.91069G	-72.92	-13.00	-59.92	-	-
1851.5MHz_RB 15,#RB 0	Pass	1.911G	1.916G	30k	100k	RMS	1.9155G	-58.34	-13.00	-45.34	MBW 1M	-
1851.5MHz_RB 15,#RB 0	Pass	1.916G	5G	1M	3M	RMS	4.30918G	-53.22	-13.00	-40.22	-	-
1851.5MHz_RB 15,#RB 0	Pass	5G	19.1G	1M	3M	RMS	17.9015G	-44.98	-13.00	-31.98	-	-
1851.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	106.149k	-65.21	-13.00	-52.21	-	-
1851.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-68.96	-13.00	-55.96	-	-
1851.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.02666G	-57.44	-13.00	-44.44	-	-
1851.5MHz_RB 1,#RB L	Pass	1.5G	1.844G	1M	3M	RMS	1.844G	-54.96	-13.00	-41.96	-	-
1851.5MHz_RB 1,#RB L	Pass	1.844G	1.849G	30k	100k	RMS	1.8485G	-37.54	-13.00	-24.54	MBW 1M	-
1851.5MHz_RB 1,#RB L	Pass	1.849G	1.85G	30k	100k	RMS	1.85G	-26.28	-13.00	-13.28	-	-
1851.5MHz_RB 1,#RB L	Pass	1.91G	1.911G	30k	100k	RMS	1.911G	-72.99	-13.00	-59.99	-	-
1851.5MHz_RB 1,#RB L	Pass	1.911G	1.916G	30k	100k	RMS	1.9145G	-58.43	-13.00	-45.43	MBW 1M	-
1851.5MHz_RB 1,#RB L	Pass	1.916G	5G	1M	3M	RMS	2.41252G	-49.32	-13.00	-36.32	-	-
1851.5MHz_RB 1,#RB L	Pass	5G	19.1G	1M	3M	RMS	17.9015G	-44.98	-13.00	-31.98	-	-
1880MHz_RB 15,#RB 0	Pass	9k	150k	1k	3k	RMS	139.848k	-75.29	-13.00	-62.29	-	-
1880MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-66.80	-13.00	-53.80	-	-
1880MHz_RB 15,#RB 0	Pass	30M	1.5G	1M	3M	RMS	956.1M	-57.65	-13.00	-44.65	-	-
1880MHz_RB 15,#RB 0	Pass	1.5G	1.844G	1M	3M	RMS	1.79722G	-57.45	-13.00	-44.45	-	-
1880MHz_RB 15,#RB 0	Pass	1.844G	1.849G	30k	100k	RMS	1.8485G	-58.40	-13.00	-45.40	MBW 1M	-
1880MHz_RB 15,#RB 0	Pass	1.849G	1.85G	30k	100k	RMS	1.84932G	-72.86	-13.00	-59.86	-	-
1880MHz_RB 15,#RB 0	Pass	1.91G	1.911G	30k	100k	RMS	1.9103G	-72.98	-13.00	-59.98	-	-
1880MHz_RB 15,#RB 0	Pass	1.911G	1.916G	30k	100k	RMS	1.9155G	-58.29	-13.00	-45.29	MBW 1M	-
1880MHz_RB 15,#RB 0	Pass	1.916G	5G	1M	3M	RMS	4.83346G	-53.30	-13.00	-40.30	-	-
1880MHz_RB 15,#RB 0	Pass	5G	19.1G	1M	3M	RMS	17.9156G	-44.95	-13.00	-31.95	-	-
1880MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	102.06k	-64.72	-13.00	-51.72	-	-
1880MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-68.34	-13.00	-55.34	-	-
1880MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	986.97M	-57.70	-13.00	-44.70	-	-
1880MHz_RB 1,#RB L	Pass	1.5G	1.844G	1M	3M	RMS	1.79309G	-57.38	-13.00	-44.38	-	-
1880MHz_RB 1,#RB L	Pass	1.844G	1.849G	30k	100k	RMS	1.8485G	-58.28	-13.00	-45.28	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.849G	1.85G	30k	100k	RMS	1.8497G	-72.78	-13.00	-59.78	-	-
1880MHz_RB 1,#RB L	Pass	1.91G	1.911G	30k	100k	RMS	1.91078G	-72.62	-13.00	-59.62	-	-
1880MHz_RB 1,#RB L	Pass	1.911G	1.916G	30k	100k	RMS	1.9155G	-58.27	-13.00	-45.27	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.916G	5G	1M	3M	RMS	3.75715G	-52.26	-13.00	-39.26	-	-
1880MHz_RB 1,#RB L	Pass	5G	19.1G	1M	3M	RMS	17.9015G	-45.22	-13.00	-32.22	-	-
1908.5MHz_RB 15,#RB 0	Pass	9k	150k	1k	3k	RMS	21.831k	-75.24	-13.00	-62.24	-	-
1908.5MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-66.52	-13.00	-53.52	-	-
1908.5MHz_RB 15,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.01637G	-57.74	-13.00	-44.74	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1908.5MHz_RB 15,#RB 0	Pass	1.5G	1.844G	1M	3M	RMS	1.80994G	-57.64	-13.00	-44.64	-	-
1908.5MHz_RB 15,#RB 0	Pass	1.844G	1.849G	30k	100k	RMS	1.8485G	-58.57	-13.00	-45.57	MBW 1M	-
1908.5MHz_RB 15,#RB 0	Pass	1.849G	1.85G	30k	100k	RMS	1.84974G	-73.08	-13.00	-60.08	-	-
1908.5MHz_RB 15,#RB 0	Pass	1.91G	1.911G	30k	100k	RMS	1.91G	-34.20	-13.00	-21.20	-	-
1908.5MHz_RB 15,#RB 0	Pass	1.911G	1.916G	30k	100k	RMS	1.9115G	-31.35	-13.00	-18.35	MBW 1M	-
1908.5MHz_RB 15,#RB 0	Pass	1.916G	5G	1M	3M	RMS	4.89514G	-53.06	-13.00	-40.06	-	-
1908.5MHz_RB 15,#RB 0	Pass	5G	19.1G	1M	3M	RMS	17.9015G	-44.98	-13.00	-31.98	-	-
1908.5MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	78.936k	-63.56	-13.00	-50.56	-	-
1908.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-68.72	-13.00	-55.72	-	-
1908.5MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	1.05018G	-57.79	-13.00	-44.79	-	-
1908.5MHz_RB 1,#RB H	Pass	1.5G	1.844G	1M	3M	RMS	1.79102G	-57.49	-13.00	-44.49	-	-
1908.5MHz_RB 1,#RB H	Pass	1.844G	1.849G	30k	100k	RMS	1.8485G	-58.49	-13.00	-45.49	MBW 1M	-
1908.5MHz_RB 1,#RB H	Pass	1.849G	1.85G	30k	100k	RMS	1.84958G	-72.78	-13.00	-59.78	-	-
1908.5MHz_RB 1,#RB H	Pass	1.91G	1.911G	30k	100k	RMS	1.91G	-25.43	-13.00	-12.43	-	-
1908.5MHz_RB 1,#RB H	Pass	1.911G	1.916G	30k	100k	RMS	1.9115G	-37.15	-13.00	-24.15	MBW 1M	-
1908.5MHz_RB 1,#RB H	Pass	1.916G	5G	1M	3M	RMS	4.90748G	-53.18	-13.00	-40.18	-	-
1908.5MHz_RB 1,#RB H	Pass	5G	19.1G	1M	3M	RMS	17.9156G	-45.14	-13.00	-32.14	-	-
Band 2_LTE_5MHz_Nss1,OPSK_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1852.5MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	30.855k	-76.15	-13.00	-63.15	-	-
1852.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-66.91	-13.00	-53.91	-	-
1852.5MHz_RB 25,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.01784G	-57.76	-13.00	-44.76	-	-
1852.5MHz_RB 25,#RB 0	Pass	1.5G	1.84G	1M	3M	RMS	1.84G	-49.88	-13.00	-36.88	-	-
1852.5MHz_RB 25,#RB 0	Pass	1.84G	1.849G	50k	200k	RMS	1.8485G	-25.87	-13.00	-12.87	MBW 1M	-
1852.5MHz_RB 25,#RB 0	Pass	1.849G	1.85G	50k	200k	RMS	1.85G	-32.19	-13.00	-19.19	-	-
1852.5MHz_RB 25,#RB 0	Pass	1.91G	1.911G	50k	200k	RMS	1.91099G	-70.99	-13.00	-57.99	-	-
1852.5MHz_RB 25,#RB 0	Pass	1.911G	1.92G	50k	200k	RMS	1.9145G	-58.33	-13.00	-45.33	MBW 1M	-
1852.5MHz_RB 25,#RB 0	Pass	1.92G	5G	1M	3M	RMS	4.13144G	-53.17	-13.00	-40.17	-	-
1852.5MHz_RB 25,#RB 0	Pass	5G	19.1G	1M	3M	RMS	17.9015G	-45.13	-13.00	-32.13	-	-
1852.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	59.619k	-64.91	-13.00	-51.91	-	-
1852.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-66.07	-13.00	-53.07	-	-
1852.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.01196G	-57.73	-13.00	-44.73	-	-
1852.5MHz_RB 1,#RB L	Pass	1.5G	1.84G	1M	3M	RMS	1.83898G	-56.89	-13.00	-43.89	-	-
1852.5MHz_RB 1,#RB L	Pass	1.84G	1.849G	50k	200k	RMS	1.8485G	-36.65	-13.00	-23.65	MBW 1M	-
1852.5MHz_RB 1,#RB L	Pass	1.849G	1.85G	50k	200k	RMS	1.85G	-25.12	-13.00	-12.12	-	-
1852.5MHz_RB 1,#RB L	Pass	1.91G	1.911G	50k	200k	RMS	1.91041G	-71.03	-13.00	-58.03	-	-
1852.5MHz_RB 1,#RB L	Pass	1.911G	1.92G	50k	200k	RMS	1.9195G	-58.42	-13.00	-45.42	MBW 1M	-
1852.5MHz_RB 1,#RB L	Pass	1.92G	5G	1M	3M	RMS	3.70024G	-52.07	-13.00	-39.07	-	-
1852.5MHz_RB 1,#RB L	Pass	5G	19.1G	1M	3M	RMS	17.9015G	-45.05	-13.00	-32.05	-	-
1880MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	15.345k	-76.33	-13.00	-63.33	-	-
1880MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-66.53	-13.00	-53.53	-	-
1880MHz_RB 25,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.05606G	-57.63	-13.00	-44.63	-	-
1880MHz_RB 25,#RB 0	Pass	1.5G	1.84G	1M	3M	RMS	1.77948G	-57.60	-13.00	-44.60	-	-
1880MHz_RB 25,#RB 0	Pass	1.84G	1.849G	50k	200k	RMS	1.8485G	-58.30	-13.00	-45.30	MBW 1M	-
1880MHz_RB 25,#RB 0	Pass	1.849G	1.85G	50k	200k	RMS	1.84963G	-70.97	-13.00	-57.97	-	-
1880MHz_RB 25,#RB 0	Pass	1.91G	1.911G	50k	200k	RMS	1.9106G	-70.95	-13.00	-57.95	-	-
1880MHz_RB 25,#RB 0	Pass	1.911G	1.92G	50k	200k	RMS	1.9145G	-58.20	-13.00	-45.20	MBW 1M	-
1880MHz_RB 25,#RB 0	Pass	1.92G	5G	1M	3M	RMS	4.31008G	-53.08	-13.00	-40.08	-	-
1880MHz_RB 25,#RB 0	Pass	5G	19.1G	1M	3M	RMS	17.9015G	-44.89	-13.00	-31.89	-	-
1880MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	88.242k	-67.00	-13.00	-54.00	-	-
1880MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-66.25	-13.00	-53.25	-	-
1880MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.13691G	-57.54	-13.00	-44.54	-	-
1880MHz_RB 1,#RB L	Pass	1.5G	1.84G	1M	3M	RMS	1.79138G	-57.57	-13.00	-44.57	-	-
1880MHz_RB 1,#RB L	Pass	1.84G	1.849G	50k	200k	RMS	1.8435G	-58.32	-13.00	-45.32	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.849G	1.85G	50k	200k	RMS	1.84967G	-70.79	-13.00	-57.79	-	-
1880MHz_RB 1,#RB L	Pass	1.91G	1.911G	50k	200k	RMS	1.91055G	-70.97	-13.00	-57.97	-	-
1880MHz_RB 1,#RB L	Pass	1.911G	1.92G	50k	200k	RMS	1.9145G	-58.24	-13.00	-45.24	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.92G	5G	1M	3M	RMS	3.75568G	-52.43	-13.00	-39.43	-	-
1880MHz_RB 1,#RB L	Pass	5G	19.1G	1M	3M	RMS	15.857G	-45.35	-13.00	-32.35	-	-
1907.5MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	10.41k	-77.04	-13.00	-64.04	-	-
1907.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-65.97	-13.00	-52.97	-	-
1907.5MHz_RB 25,#RB 0	Pass	30M	1.5G	1M	3M	RMS	917.88M	-57.82	-13.00	-44.82	-	-
1907.5MHz_RB 25,#RB 0	Pass	1.5G	1.84G	1M	3M	RMS	1.81042G	-57.54	-13.00	-44.54	-	-
1907.5MHz_RB 25,#RB 0	Pass	1.84G	1.849G	50k	200k	RMS	1.8485G	-58.47	-13.00	-45.47	MBW 1M	-
1907.5MHz_RB 25,#RB 0	Pass	1.849G	1.85G	50k	200k	RMS	1.84936G	-71.07	-13.00	-58.07	-	-
1907.5MHz_RB 25,#RB 0	Pass	1.91G	1.911G	50k	200k	RMS	1.91G	-33.38	-13.00	-20.38	-	-
1907.5MHz_RB 25,#RB 0	Pass	1.911G	1.92G	50k	200k	RMS	1.9115G	-30.67	-13.00	-17.67	MBW 1M	-
1907.5MHz_RB 25,#RB 0	Pass	1.92G	5G	1M	3M	RMS	4.87064G	-53.14	-13.00	-40.14	-	-
1907.5MHz_RB 25,#RB 0	Pass	5G	19.1G	1M	3M	RMS	17.9015G	-45.07	-13.00	-32.07	-	-
1907.5MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	92.754k	-64.51	-13.00	-51.51	-	-
1907.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	299.25k	-65.55	-13.00	-52.55	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1907.5MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	964.92M	-57.71	-13.00	-44.71	-	-
1907.5MHz_RB 1,#RB H	Pass	1.5G	1.84G	1M	3M	RMS	1.79614G	-57.53	-13.00	-44.53	-	-
1907.5MHz_RB 1,#RB H	Pass	1.84G	1.849G	50k	200k	RMS	1.8485G	-58.37	-13.00	-45.37	MBW 1M	-
1907.5MHz_RB 1,#RB H	Pass	1.849G	1.85G	50k	200k	RMS	1.84962G	-71.05	-13.00	-58.05	-	-
1907.5MHz_RB 1,#RB H	Pass	1.91G	1.911G	50k	200k	RMS	1.91G	-26.15	-13.00	-13.15	-	-
1907.5MHz_RB 1,#RB H	Pass	1.911G	1.92G	50k	200k	RMS	1.9115G	-37.52	-13.00	-24.52	MBW 1M	-
1907.5MHz_RB 1,#RB H	Pass	1.92G	5G	1M	3M	RMS	4.14992G	-53.17	-13.00	-40.17	-	-
1907.5MHz_RB 1,#RB H	Pass	5G	19.1G	1M	3M	RMS	17.8874G	-44.95	-13.00	-31.95	-	-
Band 2_LTE_5MHz_Nss1,16QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1852.5MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	9.846k	-73.29	-13.00	-60.29	-	-
1852.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-65.84	-13.00	-52.84	-	-
1852.5MHz_RB 25,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.0443G	-57.52	-13.00	-44.52	-	-
1852.5MHz_RB 25,#RB 0	Pass	1.5G	1.84G	1M	3M	RMS	1.84G	-51.34	-13.00	-38.34	-	-
1852.5MHz_RB 25,#RB 0	Pass	1.84G	1.849G	50k	200k	RMS	1.8485G	-26.48	-13.00	-13.48	MBW 1M	-
1852.5MHz_RB 25,#RB 0	Pass	1.849G	1.85G	50k	200k	RMS	1.85G	-32.68	-13.00	-19.68	-	-
1852.5MHz_RB 25,#RB 0	Pass	1.91G	1.911G	50k	200k	RMS	1.91006G	-70.93	-13.00	-57.93	-	-
1852.5MHz_RB 25,#RB 0	Pass	1.911G	1.92G	50k	200k	RMS	1.9145G	-58.42	-13.00	-45.42	MBW 1M	-
1852.5MHz_RB 25,#RB 0	Pass	1.92G	5G	1M	3M	RMS	4.94148G	-53.27	-13.00	-40.27	-	-
1852.5MHz_RB 25,#RB 0	Pass	5G	19.1G	1M	3M	RMS	17.9015G	-44.87	-13.00	-31.87	-	-
1852.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	106.572k	-66.00	-13.00	-53.00	-	-
1852.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-66.48	-13.00	-53.48	-	-
1852.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.06341G	-57.63	-13.00	-44.63	-	-
1852.5MHz_RB 1,#RB L	Pass	1.5G	1.84G	1M	3M	RMS	1.83966G	-56.95	-13.00	-43.95	-	-
1852.5MHz_RB 1,#RB L	Pass	1.84G	1.849G	50k	200k	RMS	1.8485G	-37.67	-13.00	-24.67	MBW 1M	-
1852.5MHz_RB 1,#RB L	Pass	1.849G	1.85G	50k	200k	RMS	1.85G	-26.95	-13.00	-13.95	-	-
1852.5MHz_RB 1,#RB L	Pass	1.91G	1.911G	50k	200k	RMS	1.91019G	-70.72	-13.00	-57.72	-	-
1852.5MHz_RB 1,#RB L	Pass	1.911G	1.92G	50k	200k	RMS	1.9145G	-58.41	-13.00	-45.41	MBW 1M	-
1852.5MHz_RB 1,#RB L	Pass	1.92G	5G	1M	3M	RMS	3.70024G	-52.35	-13.00	-39.35	-	-
1852.5MHz_RB 1,#RB L	Pass	5G	19.1G	1M	3M	RMS	17.9015G	-45.29	-13.00	-32.29	-	-
1880MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	11.115k	-75.21	-13.00	-62.21	-	-
1880MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-69.39	-13.00	-56.39	-	-
1880MHz_RB 25,#RB 0	Pass	30M	1.5G	1M	3M	RMS	972.27M	-57.49	-13.00	-44.49	-	-
1880MHz_RB 25,#RB 0	Pass	1.5G	1.84G	1M	3M	RMS	1.81552G	-57.56	-13.00	-44.56	-	-
1880MHz_RB 25,#RB 0	Pass	1.84G	1.849G	50k	200k	RMS	1.8445G	-58.37	-13.00	-45.37	MBW 1M	-
1880MHz_RB 25,#RB 0	Pass	1.849G	1.85G	50k	200k	RMS	1.84984G	-71.01	-13.00	-58.01	-	-
1880MHz_RB 25,#RB 0	Pass	1.91G	1.911G	50k	200k	RMS	1.91007G	-70.89	-13.00	-57.89	-	-
1880MHz_RB 25,#RB 0	Pass	1.911G	1.92G	50k	200k	RMS	1.9195G	-58.32	-13.00	-45.32	MBW 1M	-
1880MHz_RB 25,#RB 0	Pass	1.92G	5G	1M	3M	RMS	4.28236G	-53.15	-13.00	-40.15	-	-
1880MHz_RB 25,#RB 0	Pass	5G	19.1G	1M	3M	RMS	17.9015G	-44.53	-13.00	-31.53	-	-
1880MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	26.061k	-66.67	-13.00	-53.67	-	-
1880MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-67.21	-13.00	-54.21	-	-
1880MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.02225G	-57.74	-13.00	-44.74	-	-
1880MHz_RB 1,#RB L	Pass	1.5G	1.84G	1M	3M	RMS	1.80498G	-57.58	-13.00	-44.58	-	-
1880MHz_RB 1,#RB L	Pass	1.84G	1.849G	50k	200k	RMS	1.8485G	-58.33	-13.00	-45.33	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.849G	1.85G	50k	200k	RMS	1.84997G	-70.73	-13.00	-57.73	-	-
1880MHz_RB 1,#RB L	Pass	1.91G	1.911G	50k	200k	RMS	1.91065G	-70.93	-13.00	-57.93	-	-
1880MHz_RB 1,#RB L	Pass	1.911G	1.92G	50k	200k	RMS	1.9135G	-58.32	-13.00	-45.32	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.92G	5G	1M	3M	RMS	4.30392G	-53.21	-13.00	-40.21	-	-
1880MHz_RB 1,#RB L	Pass	5G	19.1G	1M	3M	RMS	17.9015G	-44.74	-13.00	-31.74	-	-
1907.5MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	100.932k	-75.69	-13.00	-62.69	-	-
1907.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-67.37	-13.00	-54.37	-	-
1907.5MHz_RB 25,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.01931G	-57.83	-13.00	-44.83	-	-
1907.5MHz_RB 25,#RB 0	Pass	1.5G	1.84G	1M	3M	RMS	1.81484G	-57.64	-13.00	-44.64	-	-
1907.5MHz_RB 25,#RB 0	Pass	1.84G	1.849G	50k	200k	RMS	1.8435G	-58.35	-13.00	-45.35	MBW 1M	-
1907.5MHz_RB 25,#RB 0	Pass	1.849G	1.85G	50k	200k	RMS	1.84975G	-71.12	-13.00	-58.12	-	-
1907.5MHz_RB 25,#RB 0	Pass	1.91G	1.911G	50k	200k	RMS	1.91G	-33.00	-13.00	-20.00	-	-
1907.5MHz_RB 25,#RB 0	Pass	1.911G	1.92G	50k	200k	RMS	1.9115G	-30.16	-13.00	-17.16	MBW 1M	-
1907.5MHz_RB 25,#RB 0	Pass	1.92G	5G	1M	3M	RMS	4.88912G	-53.10	-13.00	-40.10	-	-
1907.5MHz_RB 25,#RB 0	Pass	5G	19.1G	1M	3M	RMS	17.9015G	-44.94	-13.00	-31.94	-	-
1907.5MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	11.538k	-63.94	-13.00	-50.94	-	-
1907.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	299.25k	-67.73	-13.00	-54.73	-	-
1907.5MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	960.51M	-57.71	-13.00	-44.71	-	-
1907.5MHz_RB 1,#RB H	Pass	1.5G	1.84G	1M	3M	RMS	1.83898G	-57.50	-13.00	-44.50	-	-
1907.5MHz_RB 1,#RB H	Pass	1.84G	1.849G	50k	200k	RMS	1.8435G	-58.39	-13.00	-45.39	MBW 1M	-
1907.5MHz_RB 1,#RB H	Pass	1.849G	1.85G	50k	200k	RMS	1.84938G	-70.87	-13.00	-57.87	-	-
1907.5MHz_RB 1,#RB H	Pass	1.91G	1.911G	50k	200k	RMS	1.91G	-26.35	-13.00	-13.35	-	-
1907.5MHz_RB 1,#RB H	Pass	1.911G	1.92G	50k	200k	RMS	1.9115G	-37.92	-13.00	-24.92	MBW 1M	-
1907.5MHz_RB 1,#RB H	Pass	1.92G	5G	1M	3M	RMS	4.2916G	-53.26	-13.00	-40.26	-	-
1907.5MHz_RB 1,#RB H	Pass	5G	19.1G	1M	3M	RMS	17.8874G	-45.17	-13.00	-32.17	-	-
Band 2_LTE_5MHz_Nss1,64QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1852.5MHz_RB_25,#RB 0	Pass	9k	150k	1k	3k	RMS	9.705k	-77.01	-13.00	-64.01	-	-
1852.5MHz_RB_25,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-66.84	-13.00	-53.84	-	-
1852.5MHz_RB_25,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.01343G	-57.85	-13.00	-44.85	-	-
1852.5MHz_RB_25,#RB 0	Pass	1.5G	1.84G	1M	3M	RMS	1.84G	-51.04	-13.00	-38.04	-	-
1852.5MHz_RB_25,#RB 0	Pass	1.84G	1.849G	50k	200k	RMS	1.8485G	-26.22	-13.00	-13.22	MBW 1M	-
1852.5MHz_RB_25,#RB 0	Pass	1.849G	1.85G	50k	200k	RMS	1.85G	-32.40	-13.00	-19.40	-	-
1852.5MHz_RB_25,#RB 0	Pass	1.91G	1.911G	50k	200k	RMS	1.91036G	-70.98	-13.00	-57.98	-	-
1852.5MHz_RB_25,#RB 0	Pass	1.911G	1.92G	50k	200k	RMS	1.9195G	-58.42	-13.00	-45.42	MBW 1M	-
1852.5MHz_RB_25,#RB 0	Pass	1.92G	5G	1M	3M	RMS	4.31316G	-53.17	-13.00	-40.17	-	-
1852.5MHz_RB_25,#RB 0	Pass	5G	19.1G	1M	3M	RMS	17.9015G	-45.23	-13.00	-32.23	-	-
1852.5MHz_RB_1,#RB L	Pass	9k	150k	1k	3k	RMS	80.769k	-65.66	-13.00	-52.66	-	-
1852.5MHz_RB_1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-67.00	-13.00	-54.00	-	-
1852.5MHz_RB_1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.03842G	-57.66	-13.00	-44.66	-	-
1852.5MHz_RB_1,#RB L	Pass	1.5G	1.84G	1M	3M	RMS	1.83932G	-57.28	-13.00	-44.28	-	-
1852.5MHz_RB_1,#RB L	Pass	1.84G	1.849G	50k	200k	RMS	1.8485G	-37.30	-13.00	-24.30	MBW 1M	-
1852.5MHz_RB_1,#RB L	Pass	1.849G	1.85G	50k	200k	RMS	1.85G	-25.74	-13.00	-12.74	-	-
1852.5MHz_RB_1,#RB L	Pass	1.91G	1.911G	50k	200k	RMS	1.91098G	-70.50	-13.00	-57.50	-	-
1852.5MHz_RB_1,#RB L	Pass	1.911G	1.92G	50k	200k	RMS	1.9195G	-58.43	-13.00	-45.43	MBW 1M	-
1852.5MHz_RB_1,#RB L	Pass	1.92G	5G	1M	3M	RMS	3.70024G	-52.32	-13.00	-39.32	-	-
1852.5MHz_RB_1,#RB L	Pass	5G	19.1G	1M	3M	RMS	17.8874G	-44.95	-13.00	-31.95	-	-
1880MHz_RB_25,#RB 0	Pass	9k	150k	1k	3k	RMS	15.345k	-76.94	-13.00	-63.94	-	-
1880MHz_RB_25,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-65.70	-13.00	-52.70	-	-
1880MHz_RB_25,#RB 0	Pass	30M	1.5G	1M	3M	RMS	941.4M	-57.57	-13.00	-44.57	-	-
1880MHz_RB_25,#RB 0	Pass	1.5G	1.84G	1M	3M	RMS	1.78594G	-57.61	-13.00	-44.61	-	-
1880MHz_RB_25,#RB 0	Pass	1.84G	1.849G	50k	200k	RMS	1.8435G	-58.29	-13.00	-45.29	MBW 1M	-
1880MHz_RB_25,#RB 0	Pass	1.849G	1.85G	50k	200k	RMS	1.84968G	-70.98	-13.00	-57.98	-	-
1880MHz_RB_25,#RB 0	Pass	1.91G	1.911G	50k	200k	RMS	1.91069G	-70.79	-13.00	-57.79	-	-
1880MHz_RB_25,#RB 0	Pass	1.911G	1.92G	50k	200k	RMS	1.9115G	-58.29	-13.00	-45.29	MBW 1M	-
1880MHz_RB_25,#RB 0	Pass	1.92G	5G	1M	3M	RMS	4.87988G	-53.17	-13.00	-40.17	-	-
1880MHz_RB_25,#RB 0	Pass	5G	19.1G	1M	3M	RMS	17.9015G	-44.85	-13.00	-31.85	-	-
1880MHz_RB_1,#RB L	Pass	9k	150k	1k	3k	RMS	84.294k	-65.94	-13.00	-52.94	-	-
1880MHz_RB_1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-68.08	-13.00	-55.08	-	-
1880MHz_RB_1,#RB L	Pass	30M	1.5G	1M	3M	RMS	931.11M	-57.81	-13.00	-44.81	-	-
1880MHz_RB_1,#RB L	Pass	1.5G	1.84G	1M	3M	RMS	1.80804G	-57.62	-13.00	-44.62	-	-
1880MHz_RB_1,#RB L	Pass	1.84G	1.849G	50k	200k	RMS	1.8485G	-58.27	-13.00	-45.27	MBW 1M	-
1880MHz_RB_1,#RB L	Pass	1.849G	1.85G	50k	200k	RMS	1.84945G	-70.96	-13.00	-57.96	-	-
1880MHz_RB_1,#RB L	Pass	1.91G	1.911G	50k	200k	RMS	1.91012G	-71.06	-13.00	-58.06	-	-
1880MHz_RB_1,#RB L	Pass	1.911G	1.92G	50k	200k	RMS	1.9145G	-58.31	-13.00	-45.31	MBW 1M	-
1880MHz_RB_1,#RB L	Pass	1.92G	5G	1M	3M	RMS	3.75568G	-52.85	-13.00	-39.85	-	-
1880MHz_RB_1,#RB L	Pass	5G	19.1G	1M	3M	RMS	17.9015G	-45.04	-13.00	-32.04	-	-
1907.5MHz_RB_25,#RB 0	Pass	9k	150k	1k	3k	RMS	16.05k	-74.59	-13.00	-61.59	-	-
1907.5MHz_RB_25,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-67.08	-13.00	-54.08	-	-
1907.5MHz_RB_25,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.06488G	-57.80	-13.00	-44.80	-	-
1907.5MHz_RB_25,#RB 0	Pass	1.5G	1.84G	1M	3M	RMS	1.79342G	-57.54	-13.00	-44.54	-	-
1907.5MHz_RB_25,#RB 0	Pass	1.84G	1.849G	50k	200k	RMS	1.8435G	-58.43	-13.00	-45.43	MBW 1M	-
1907.5MHz_RB_25,#RB 0	Pass	1.849G	1.85G	50k	200k	RMS	1.84938G	-71.05	-13.00	-58.05	-	-
1907.5MHz_RB_25,#RB 0	Pass	1.91G	1.911G	50k	200k	RMS	1.91G	-33.44	-13.00	-20.44	-	-
1907.5MHz_RB_25,#RB 0	Pass	1.911G	1.92G	50k	200k	RMS	1.9115G	-30.22	-13.00	-17.22	MBW 1M	-
1907.5MHz_RB_25,#RB 0	Pass	1.92G	5G	1M	3M	RMS	4.13144G	-53.13	-13.00	-40.13	-	-
1907.5MHz_RB_25,#RB 0	Pass	5G	19.1G	1M	3M	RMS	17.9015G	-44.82	-13.00	-31.82	-	-
1907.5MHz_RB_1,#RB H	Pass	9k	150k	1k	3k	RMS	104.034k	-65.91	-13.00	-52.91	-	-
1907.5MHz_RB_1,#RB H	Pass	150k	30M	10k	30k	RMS	299.25k	-67.69	-13.00	-54.69	-	-
1907.5MHz_RB_1,#RB H	Pass	30M	1.5G	1M	3M	RMS	1.15602G	-57.55	-13.00	-44.55	-	-
1907.5MHz_RB_1,#RB H	Pass	1.5G	1.84G	1M	3M	RMS	1.8094G	-57.56	-13.00	-44.56	-	-
1907.5MHz_RB_1,#RB H	Pass	1.84G	1.849G	50k	200k	RMS	1.8485G	-58.39	-13.00	-45.39	MBW 1M	-
1907.5MHz_RB_1,#RB H	Pass	1.849G	1.85G	50k	200k	RMS	1.84949G	-71.00	-13.00	-58.00	-	-
1907.5MHz_RB_1,#RB H	Pass	1.91G	1.911G	50k	200k	RMS	1.91G	-27.21	-13.00	-14.21	-	-
1907.5MHz_RB_1,#RB H	Pass	1.911G	1.92G	50k	200k	RMS	1.9115G	-37.80	-13.00	-24.80	MBW 1M	-
1907.5MHz_RB_1,#RB H	Pass	1.92G	5G	1M	3M	RMS	4.91992G	-53.12	-13.00	-40.12	-	-
1907.5MHz_RB_1,#RB H	Pass	5G	19.1G	1M	3M	RMS	17.8874G	-45.18	-13.00	-32.18	-	-
Band 2_LTE_10MHz_Nss1,OPSK_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1855MHz_RB_50,#RB 0	Pass	9k	150k	1k	3k	RMS	12.243k	-73.69	-13.00	-60.69	-	-
1855MHz_RB_50,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-66.92	-13.00	-53.92	-	-
1855MHz_RB_50,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.02225G	-57.47	-13.00	-44.47	-	-
1855MHz_RB_50,#RB 0	Pass	1.5G	1.83G	1M	3M	RMS	1.79568G	-57.57	-13.00	-44.57	-	-
1855MHz_RB_50,#RB 0	Pass	1.83G	1.849G	100k	300k	RMS	1.8485G	-29.43	-13.00	-16.43	MBW 1M	-
1855MHz_RB_50,#RB 0	Pass	1.849G	1.85G	100k	300k	RMS	1.85G	-35.15	-13.00	-22.15	-	-
1855MHz_RB_50,#RB 0	Pass	1.91G	1.911G	100k	300k	RMS	1.91077G	-68.31	-13.00	-55.31	-	-
1855MHz_RB_50,#RB 0	Pass	1.911G	1.93G	100k	300k	RMS	1.9295G	-58.24	-13.00	-45.24	MBW 1M	-
1855MHz_RB_50,#RB 0	Pass	1.93G	5G	1M	3M	RMS	4.89562G	-53.10	-13.00	-40.10	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1855MHz_RB 50,#RB 0	Pass	5G	19.1G	1M	3M	RMS	17.9015G	-45.05	-13.00	-32.05	-	-
1855MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	87.678k	-63.76	-13.00	-50.76	-	-
1855MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-66.29	-13.00	-53.29	-	-
1855MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	945.81M	-57.59	-13.00	-44.59	-	-
1855MHz_RB 1,#RB L	Pass	1.5G	1.83G	1M	3M	RMS	1.82835G	-57.40	-13.00	-44.40	-	-
1855MHz_RB 1,#RB L	Pass	1.83G	1.849G	100k	300k	RMS	1.8485G	-37.69	-13.00	-24.69	MBW 1M	-
1855MHz_RB 1,#RB L	Pass	1.849G	1.85G	100k	300k	RMS	1.85G	-34.65	-13.00	-21.65	-	-
1855MHz_RB 1,#RB L	Pass	1.91G	1.911G	100k	300k	RMS	1.91034G	-68.13	-13.00	-55.13	-	-
1855MHz_RB 1,#RB L	Pass	1.911G	1.93G	100k	300k	RMS	1.9165G	-58.24	-13.00	-45.24	MBW 1M	-
1855MHz_RB 1,#RB L	Pass	1.93G	5G	1M	3M	RMS	3.70139G	-51.60	-13.00	-38.60	-	-
1855MHz_RB 1,#RB L	Pass	5G	19.1G	1M	3M	RMS	17.9015G	-45.10	-13.00	-32.10	-	-
1880MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	12.102k	-75.45	-13.00	-62.45	-	-
1880MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-67.56	-13.00	-54.56	-	-
1880MHz_RB 50,#RB 0	Pass	30M	1.5G	1M	3M	RMS	978.15M	-57.70	-13.00	-44.70	-	-
1880MHz_RB 50,#RB 0	Pass	1.5G	1.83G	1M	3M	RMS	1.80789G	-57.63	-13.00	-44.63	-	-
1880MHz_RB 50,#RB 0	Pass	1.83G	1.849G	100k	300k	RMS	1.8485G	-56.73	-13.00	-43.73	MBW 1M	-
1880MHz_RB 50,#RB 0	Pass	1.849G	1.85G	100k	300k	RMS	1.85G	-65.66	-13.00	-52.66	-	-
1880MHz_RB 50,#RB 0	Pass	1.91G	1.911G	100k	300k	RMS	1.91009G	-66.23	-13.00	-53.23	-	-
1880MHz_RB 50,#RB 0	Pass	1.911G	1.93G	100k	300k	RMS	1.9115G	-57.40	-13.00	-44.40	MBW 1M	-
1880MHz_RB 50,#RB 0	Pass	1.93G	5G	1M	3M	RMS	4.88641G	-53.33	-13.00	-40.33	-	-
1880MHz_RB 50,#RB 0	Pass	5G	19.1G	1M	3M	RMS	17.9015G	-45.20	-13.00	-32.20	-	-
1880MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	85.986k	-64.11	-13.00	-51.11	-	-
1880MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-66.42	-13.00	-53.42	-	-
1880MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	954.63M	-57.50	-13.00	-44.50	-	-
1880MHz_RB 1,#RB L	Pass	1.5G	1.83G	1M	3M	RMS	1.81218G	-57.57	-13.00	-44.57	-	-
1880MHz_RB 1,#RB L	Pass	1.83G	1.849G	100k	300k	RMS	1.8485G	-58.04	-13.00	-45.04	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.849G	1.85G	100k	300k	RMS	1.8493G	-68.00	-13.00	-55.00	-	-
1880MHz_RB 1,#RB L	Pass	1.91G	1.911G	100k	300k	RMS	1.9108G	-67.41	-13.00	-54.41	-	-
1880MHz_RB 1,#RB L	Pass	1.911G	1.93G	100k	300k	RMS	1.9135G	-58.15	-13.00	-45.15	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.93G	5G	1M	3M	RMS	3.75051G	-52.56	-13.00	-39.56	-	-
1880MHz_RB 1,#RB L	Pass	5G	19.1G	1M	3M	RMS	17.8874G	-45.03	-13.00	-32.03	-	-
1905MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	9.987k	-75.94	-13.00	-62.94	-	-
1905MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-66.47	-13.00	-53.47	-	-
1905MHz_RB 50,#RB 0	Pass	30M	1.5G	1M	3M	RMS	942.87M	-57.69	-13.00	-44.69	-	-
1905MHz_RB 50,#RB 0	Pass	1.5G	1.83G	1M	3M	RMS	1.80591G	-57.54	-13.00	-44.54	-	-
1905MHz_RB 50,#RB 0	Pass	1.83G	1.849G	100k	300k	RMS	1.8475G	-58.40	-13.00	-45.40	MBW 1M	-
1905MHz_RB 50,#RB 0	Pass	1.849G	1.85G	100k	300k	RMS	1.84944G	-68.25	-13.00	-55.25	-	-
1905MHz_RB 50,#RB 0	Pass	1.91G	1.911G	100k	300k	RMS	1.91G	-34.36	-13.00	-21.36	-	-
1905MHz_RB 50,#RB 0	Pass	1.911G	1.93G	100k	300k	RMS	1.9115G	-27.91	-13.00	-14.91	MBW 1M	-
1905MHz_RB 50,#RB 0	Pass	1.93G	5G	1M	3M	RMS	4.88334G	-53.06	-13.00	-40.06	-	-
1905MHz_RB 50,#RB 0	Pass	5G	19.1G	1M	3M	RMS	17.9015G	-44.85	-13.00	-31.85	-	-
1905MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	117.57k	-63.76	-13.00	-50.76	-	-
1905MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	299.25k	-67.22	-13.00	-54.22	-	-
1905MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	998.73M	-57.81	-13.00	-44.81	-	-
1905MHz_RB 1,#RB H	Pass	1.5G	1.83G	1M	3M	RMS	1.81416G	-57.45	-13.00	-44.45	-	-
1905MHz_RB 1,#RB H	Pass	1.83G	1.849G	100k	300k	RMS	1.8415G	-58.33	-13.00	-45.33	MBW 1M	-
1905MHz_RB 1,#RB H	Pass	1.849G	1.85G	100k	300k	RMS	1.84962G	-68.28	-13.00	-55.28	-	-
1905MHz_RB 1,#RB H	Pass	1.91G	1.911G	100k	300k	RMS	1.91G	-35.65	-13.00	-22.65	-	-
1905MHz_RB 1,#RB H	Pass	1.911G	1.93G	100k	300k	RMS	1.9115G	-38.06	-13.00	-25.06	MBW 1M	-
1905MHz_RB 1,#RB H	Pass	1.93G	5G	1M	3M	RMS	3.81805G	-53.26	-13.00	-40.26	-	-
1905MHz_RB 1,#RB H	Pass	5G	19.1G	1M	3M	RMS	17.9015G	-44.92	-13.00	-31.92	-	-
Band 2_LTE_10MHz_Nss1,16QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1855MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	56.658k	-77.03	-13.00	-64.03	-	-
1855MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-67.94	-13.00	-54.94	-	-
1855MHz_RB 50,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.03989G	-57.65	-13.00	-44.65	-	-
1855MHz_RB 50,#RB 0	Pass	1.5G	1.83G	1M	3M	RMS	1.81383G	-57.65	-13.00	-44.65	-	-
1855MHz_RB 50,#RB 0	Pass	1.83G	1.849G	100k	300k	RMS	1.8485G	-29.55	-13.00	-16.55	MBW 1M	-
1855MHz_RB 50,#RB 0	Pass	1.849G	1.85G	100k	300k	RMS	1.85G	-36.08	-13.00	-23.08	-	-
1855MHz_RB 50,#RB 0	Pass	1.91G	1.911G	100k	300k	RMS	1.91076G	-68.21	-13.00	-55.21	-	-
1855MHz_RB 50,#RB 0	Pass	1.911G	1.93G	100k	300k	RMS	1.9295G	-58.27	-13.00	-45.27	MBW 1M	-
1855MHz_RB 50,#RB 0	Pass	1.93G	5G	1M	3M	RMS	4.89869G	-53.19	-13.00	-40.19	-	-
1855MHz_RB 50,#RB 0	Pass	5G	19.1G	1M	3M	RMS	17.9015G	-45.31	-13.00	-32.31	-	-
1855MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	48.621k	-65.57	-13.00	-52.57	-	-
1855MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-67.26	-13.00	-54.26	-	-
1855MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	961.98M	-57.74	-13.00	-44.74	-	-
1855MHz_RB 1,#RB L	Pass	1.5G	1.83G	1M	3M	RMS	1.79205G	-57.49	-13.00	-44.49	-	-
1855MHz_RB 1,#RB L	Pass	1.83G	1.849G	100k	300k	RMS	1.8485G	-39.26	-13.00	-26.26	MBW 1M	-
1855MHz_RB 1,#RB L	Pass	1.849G	1.85G	100k	300k	RMS	1.85G	-36.63	-13.00	-23.63	-	-
1855MHz_RB 1,#RB L	Pass	1.91G	1.911G	100k	300k	RMS	1.91039G	-68.22	-13.00	-55.22	-	-
1855MHz_RB 1,#RB L	Pass	1.911G	1.93G	100k	300k	RMS	1.9145G	-58.40	-13.00	-45.40	MBW 1M	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1855MHz_RB 1,#RB L	Pass	1.93G	5G	1M	3M	RMS	3.70139G	-52.43	-13.00	-39.43	-	-
1855MHz_RB 1,#RB L	Pass	5G	19.1G	1M	3M	RMS	17.8874G	-44.91	-13.00	-31.91	-	-
1880MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	9.846k	-74.96	-13.00	-61.96	-	-
1880MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-67.69	-13.00	-54.69	-	-
1880MHz_RB 50,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.02225G	-57.77	-13.00	-44.77	-	-
1880MHz_RB 50,#RB 0	Pass	1.5G	1.83G	1M	3M	RMS	1.80129G	-57.66	-13.00	-44.66	-	-
1880MHz_RB 50,#RB 0	Pass	1.83G	1.849G	100k	300k	RMS	1.8485G	-56.88	-13.00	-43.88	MBW 1M	-
1880MHz_RB 50,#RB 0	Pass	1.849G	1.85G	100k	300k	RMS	1.84993G	-65.93	-13.00	-52.93	-	-
1880MHz_RB 50,#RB 0	Pass	1.91G	1.911G	100k	300k	RMS	1.91G	-66.39	-13.00	-53.39	-	-
1880MHz_RB 50,#RB 0	Pass	1.911G	1.93G	100k	300k	RMS	1.9115G	-57.23	-13.00	-44.23	MBW 1M	-
1880MHz_RB 50,#RB 0	Pass	1.93G	5G	1M	3M	RMS	4.1404G	-53.17	-13.00	-40.17	-	-
1880MHz_RB 50,#RB 0	Pass	5G	19.1G	1M	3M	RMS	15.8429G	-45.27	-13.00	-32.27	-	-
1880MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	11.679k	-65.48	-13.00	-52.48	-	-
1880MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-66.81	-13.00	-53.81	-	-
1880MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.02813G	-57.79	-13.00	-44.79	-	-
1880MHz_RB 1,#RB L	Pass	1.5G	1.83G	1M	3M	RMS	1.78677G	-57.51	-13.00	-44.51	-	-
1880MHz_RB 1,#RB L	Pass	1.83G	1.849G	100k	300k	RMS	1.8475G	-58.06	-13.00	-45.06	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.849G	1.85G	100k	300k	RMS	1.84979G	-68.03	-13.00	-55.03	-	-
1880MHz_RB 1,#RB L	Pass	1.91G	1.911G	100k	300k	RMS	1.91049G	-67.83	-13.00	-54.83	-	-
1880MHz_RB 1,#RB L	Pass	1.911G	1.93G	100k	300k	RMS	1.9285G	-58.27	-13.00	-45.27	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.93G	5G	1M	3M	RMS	3.75051G	-52.42	-13.00	-39.42	-	-
1880MHz_RB 1,#RB L	Pass	5G	19.1G	1M	3M	RMS	17.9156G	-44.98	-13.00	-31.98	-	-
1905MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	16.191k	-73.04	-13.00	-60.04	-	-
1905MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-66.81	-13.00	-53.81	-	-
1905MHz_RB 50,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.00755G	-57.72	-13.00	-44.72	-	-
1905MHz_RB 50,#RB 0	Pass	1.5G	1.83G	1M	3M	RMS	1.78149G	-57.56	-13.00	-44.56	-	-
1905MHz_RB 50,#RB 0	Pass	1.83G	1.849G	100k	300k	RMS	1.8485G	-58.34	-13.00	-45.34	MBW 1M	-
1905MHz_RB 50,#RB 0	Pass	1.849G	1.85G	100k	300k	RMS	1.84935G	-68.25	-13.00	-55.25	-	-
1905MHz_RB 50,#RB 0	Pass	1.91G	1.911G	100k	300k	RMS	1.91G	-34.82	-13.00	-21.82	-	-
1905MHz_RB 50,#RB 0	Pass	1.911G	1.93G	100k	300k	RMS	1.9115G	-28.23	-13.00	-15.23	MBW 1M	-
1905MHz_RB 50,#RB 0	Pass	1.93G	5G	1M	3M	RMS	4.92018G	-53.14	-13.00	-40.14	-	-
1905MHz_RB 50,#RB 0	Pass	5G	19.1G	1M	3M	RMS	17.9015G	-45.22	-13.00	-32.22	-	-
1905MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	106.29k	-64.40	-13.00	-51.40	-	-
1905MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	299.25k	-66.50	-13.00	-53.50	-	-
1905MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	1.08987G	-57.90	-13.00	-44.90	-	-
1905MHz_RB 1,#RB H	Pass	1.5G	1.83G	1M	3M	RMS	1.79634G	-57.62	-13.00	-44.62	-	-
1905MHz_RB 1,#RB H	Pass	1.83G	1.849G	100k	300k	RMS	1.8475G	-58.30	-13.00	-45.30	MBW 1M	-
1905MHz_RB 1,#RB H	Pass	1.849G	1.85G	100k	300k	RMS	1.84976G	-68.29	-13.00	-55.29	-	-
1905MHz_RB 1,#RB H	Pass	1.91G	1.911G	100k	300k	RMS	1.91G	-34.94	-13.00	-21.94	-	-
1905MHz_RB 1,#RB H	Pass	1.911G	1.93G	100k	300k	RMS	1.9115G	-38.69	-13.00	-25.69	MBW 1M	-
1905MHz_RB 1,#RB H	Pass	1.93G	5G	1M	3M	RMS	4.91404G	-53.04	-13.00	-40.04	-	-
1905MHz_RB 1,#RB H	Pass	5G	19.1G	1M	3M	RMS	15.857G	-45.32	-13.00	-32.32	-	-
Band 2_LTE_10MHz_Nss1_64QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1855MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	14.922k	-73.65	-13.00	-60.65	-	-
1855MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-68.65	-13.00	-55.65	-	-
1855MHz_RB 50,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.02078G	-57.57	-13.00	-44.57	-	-
1855MHz_RB 50,#RB 0	Pass	1.5G	1.83G	1M	3M	RMS	1.81383G	-57.53	-13.00	-44.53	-	-
1855MHz_RB 50,#RB 0	Pass	1.83G	1.849G	100k	300k	RMS	1.8485G	-29.35	-13.00	-16.35	MBW 1M	-
1855MHz_RB 50,#RB 0	Pass	1.849G	1.85G	100k	300k	RMS	1.85G	-35.99	-13.00	-22.99	-	-
1855MHz_RB 50,#RB 0	Pass	1.91G	1.911G	100k	300k	RMS	1.9105G	-68.23	-13.00	-55.23	-	-
1855MHz_RB 50,#RB 0	Pass	1.911G	1.93G	100k	300k	RMS	1.9165G	-58.20	-13.00	-45.20	MBW 1M	-
1855MHz_RB 50,#RB 0	Pass	1.93G	5G	1M	3M	RMS	4.90176G	-52.94	-13.00	-39.94	-	-
1855MHz_RB 50,#RB 0	Pass	5G	19.1G	1M	3M	RMS	17.9015G	-45.06	-13.00	-32.06	-	-
1855MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	91.203k	-62.23	-13.00	-49.23	-	-
1855MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-65.47	-13.00	-52.47	-	-
1855MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.00461G	-57.72	-13.00	-44.72	-	-
1855MHz_RB 1,#RB L	Pass	1.5G	1.83G	1M	3M	RMS	1.80624G	-57.44	-13.00	-44.44	-	-
1855MHz_RB 1,#RB L	Pass	1.83G	1.849G	100k	300k	RMS	1.8485G	-38.56	-13.00	-25.56	MBW 1M	-
1855MHz_RB 1,#RB L	Pass	1.849G	1.85G	100k	300k	RMS	1.85G	-35.51	-13.00	-22.51	-	-
1855MHz_RB 1,#RB L	Pass	1.91G	1.911G	100k	300k	RMS	1.911G	-68.36	-13.00	-55.36	-	-
1855MHz_RB 1,#RB L	Pass	1.911G	1.93G	100k	300k	RMS	1.9285G	-58.29	-13.00	-45.29	MBW 1M	-
1855MHz_RB 1,#RB L	Pass	1.93G	5G	1M	3M	RMS	3.70139G	-51.69	-13.00	-38.69	-	-
1855MHz_RB 1,#RB L	Pass	5G	19.1G	1M	3M	RMS	17.9015G	-45.00	-13.00	-32.00	-	-
1880MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	14.076k	-77.01	-13.00	-64.01	-	-
1880MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-66.82	-13.00	-53.82	-	-
1880MHz_RB 50,#RB 0	Pass	30M	1.5G	1M	3M	RMS	997.26M	-57.74	-13.00	-44.74	-	-
1880MHz_RB 50,#RB 0	Pass	1.5G	1.83G	1M	3M	RMS	1.77984G	-57.54	-13.00	-44.54	-	-
1880MHz_RB 50,#RB 0	Pass	1.83G	1.849G	100k	300k	RMS	1.8485G	-56.97	-13.00	-43.97	MBW 1M	-
1880MHz_RB 50,#RB 0	Pass	1.849G	1.85G	100k	300k	RMS	1.84941G	-66.26	-13.00	-53.26	-	-
1880MHz_RB 50,#RB 0	Pass	1.91G	1.911G	100k	300k	RMS	1.9101G	-66.27	-13.00	-53.27	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1880MHz_RB 50,#RB 0	Pass	1.911G	1.93G	100k	300k	RMS	1.9115G	-57.51	-13.00	-44.51	MBW 1M	-
1880MHz_RB 50,#RB 0	Pass	1.93G	5G	1M	3M	RMS	4.30004G	-53.13	-13.00	-40.13	-	-
1880MHz_RB 50,#RB 0	Pass	5G	19.1G	1M	3M	RMS	15.857G	-45.14	-13.00	-32.14	-	-
1880MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	87.114k	-65.94	-13.00	-52.94	-	-
1880MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-66.82	-13.00	-53.82	-	-
1880MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.03107G	-57.82	-13.00	-44.82	-	-
1880MHz_RB 1,#RB L	Pass	1.5G	1.83G	1M	3M	RMS	1.80789G	-57.68	-13.00	-44.68	-	-
1880MHz_RB 1,#RB L	Pass	1.83G	1.849G	100k	300k	RMS	1.8485G	-58.05	-13.00	-45.05	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.849G	1.85G	100k	300k	RMS	1.84936G	-67.89	-13.00	-54.89	-	-
1880MHz_RB 1,#RB L	Pass	1.91G	1.911G	100k	300k	RMS	1.91091G	-67.54	-13.00	-54.54	-	-
1880MHz_RB 1,#RB L	Pass	1.911G	1.93G	100k	300k	RMS	1.9165G	-58.21	-13.00	-45.21	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.93G	5G	1M	3M	RMS	4.14654G	-53.23	-13.00	-40.23	-	-
1880MHz_RB 1,#RB L	Pass	5G	19.1G	1M	3M	RMS	17.9015G	-45.06	-13.00	-32.06	-	-
1905MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	19.998k	-74.58	-13.00	-61.58	-	-
1905MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-68.27	-13.00	-55.27	-	-
1905MHz_RB 50,#RB 0	Pass	30M	1.5G	1M	3M	RMS	967.86M	-57.67	-13.00	-44.67	-	-
1905MHz_RB 50,#RB 0	Pass	1.5G	1.83G	1M	3M	RMS	1.79601G	-57.61	-13.00	-44.61	-	-
1905MHz_RB 50,#RB 0	Pass	1.83G	1.849G	100k	300k	RMS	1.8485G	-58.46	-13.00	-45.46	MBW 1M	-
1905MHz_RB 50,#RB 0	Pass	1.849G	1.85G	100k	300k	RMS	1.84998G	-68.24	-13.00	-55.24	-	-
1905MHz_RB 50,#RB 0	Pass	1.91G	1.911G	100k	300k	RMS	1.91G	-34.38	-13.00	-21.38	-	-
1905MHz_RB 50,#RB 0	Pass	1.911G	1.93G	100k	300k	RMS	1.9115G	-28.37	-13.00	-15.37	MBW 1M	-
1905MHz_RB 50,#RB 0	Pass	1.93G	5G	1M	3M	RMS	4.30004G	-53.40	-13.00	-40.40	-	-
1905MHz_RB 50,#RB 0	Pass	5G	19.1G	1M	3M	RMS	17.9015G	-45.04	-13.00	-32.04	-	-
1905MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	10.833k	-65.23	-13.00	-52.23	-	-
1905MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	299.25k	-69.51	-13.00	-56.51	-	-
1905MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	1.1178G	-57.73	-13.00	-44.73	-	-
1905MHz_RB 1,#RB H	Pass	1.5G	1.83G	1M	3M	RMS	1.62276G	-57.57	-13.00	-44.57	-	-
1905MHz_RB 1,#RB H	Pass	1.83G	1.849G	100k	300k	RMS	1.8475G	-58.38	-13.00	-45.38	MBW 1M	-
1905MHz_RB 1,#RB H	Pass	1.849G	1.85G	100k	300k	RMS	1.84903G	-68.42	-13.00	-55.42	-	-
1905MHz_RB 1,#RB H	Pass	1.91G	1.911G	100k	300k	RMS	1.91G	-36.16	-13.00	-23.16	-	-
1905MHz_RB 1,#RB H	Pass	1.911G	1.93G	100k	300k	RMS	1.9115G	-38.97	-13.00	-25.97	MBW 1M	-
1905MHz_RB 1,#RB H	Pass	1.93G	5G	1M	3M	RMS	4.90483G	-53.29	-13.00	-40.29	-	-
1905MHz_RB 1,#RB H	Pass	5G	19.1G	1M	3M	RMS	17.8874G	-44.80	-13.00	-31.80	-	-
Band 2_LTE_15MHz_Nss1,OPSK_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1857.5MHz_RB 75,#RB 0	Pass	9k	150k	1k	3k	RMS	13.653k	-76.70	-13.00	-63.70	-	-
1857.5MHz_RB 75,#RB 0	Pass	150k	30M	10k	30k	RMS	5.493M	-65.67	-13.00	-52.67	-	-
1857.5MHz_RB 75,#RB 0	Pass	30M	1.5G	1M	3M	RMS	997.26M	-57.58	-13.00	-44.58	-	-
1857.5MHz_RB 75,#RB 0	Pass	1.5G	1.82G	1M	3M	RMS	1.7944G	-57.54	-13.00	-44.54	-	-
1857.5MHz_RB 75,#RB 0	Pass	1.82G	1.849G	200k	500k	RMS	1.8485G	-30.77	-13.00	-17.77	MBW 1M	-
1857.5MHz_RB 75,#RB 0	Pass	1.849G	1.85G	200k	500k	RMS	1.85G	-36.31	-13.00	-23.31	-	-
1857.5MHz_RB 75,#RB 0	Pass	1.91G	1.911G	200k	500k	RMS	1.9101G	-64.87	-13.00	-51.87	-	-
1857.5MHz_RB 75,#RB 0	Pass	1.911G	1.94G	200k	500k	RMS	1.9325G	-55.01	-13.00	-42.01	MBW 1M	-
1857.5MHz_RB 75,#RB 0	Pass	1.94G	5G	1M	3M	RMS	4.90514G	-53.15	-13.00	-40.15	-	-
1857.5MHz_RB 75,#RB 0	Pass	5G	19.1G	1M	3M	RMS	17.9015G	-45.19	-13.00	-32.19	-	-
1857.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	86.127k	-65.00	-13.00	-52.00	-	-
1857.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-65.91	-13.00	-52.91	-	-
1857.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.04871G	-57.85	-13.00	-44.85	-	-
1857.5MHz_RB 1,#RB L	Pass	1.5G	1.82G	1M	3M	RMS	1.81968G	-57.42	-13.00	-44.42	-	-
1857.5MHz_RB 1,#RB L	Pass	1.82G	1.849G	200k	500k	RMS	1.8485G	-37.60	-13.00	-24.60	MBW 1M	-
1857.5MHz_RB 1,#RB L	Pass	1.849G	1.85G	200k	500k	RMS	1.85G	-29.80	-13.00	-16.80	-	-
1857.5MHz_RB 1,#RB L	Pass	1.91G	1.911G	200k	500k	RMS	1.91096G	-65.36	-13.00	-52.36	-	-
1857.5MHz_RB 1,#RB L	Pass	1.911G	1.94G	200k	500k	RMS	1.9315G	-54.85	-13.00	-41.85	MBW 1M	-
1857.5MHz_RB 1,#RB L	Pass	1.94G	5G	1M	3M	RMS	3.70256G	-51.59	-13.00	-38.59	-	-
1857.5MHz_RB 1,#RB L	Pass	5G	19.1G	1M	3M	RMS	15.857G	-45.18	-13.00	-32.18	-	-
1880MHz_RB 75,#RB 0	Pass	9k	150k	1k	3k	RMS	10.41k	-76.86	-13.00	-63.86	-	-
1880MHz_RB 75,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-67.62	-13.00	-54.62	-	-
1880MHz_RB 75,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.02519G	-57.77	-13.00	-44.77	-	-
1880MHz_RB 75,#RB 0	Pass	1.5G	1.82G	1M	3M	RMS	1.78832G	-57.45	-13.00	-44.45	-	-
1880MHz_RB 75,#RB 0	Pass	1.82G	1.849G	200k	500k	RMS	1.8485G	-49.95	-13.00	-36.95	MBW 1M	-
1880MHz_RB 75,#RB 0	Pass	1.849G	1.85G	200k	500k	RMS	1.84936G	-54.47	-13.00	-41.47	-	-
1880MHz_RB 75,#RB 0	Pass	1.91G	1.911G	200k	500k	RMS	1.91002G	-56.03	-13.00	-43.03	-	-
1880MHz_RB 75,#RB 0	Pass	1.911G	1.94G	200k	500k	RMS	1.9115G	-51.07	-13.00	-38.07	MBW 1M	-
1880MHz_RB 75,#RB 0	Pass	1.94G	5G	1M	3M	RMS	4.30232G	-53.13	-13.00	-40.13	-	-
1880MHz_RB 75,#RB 0	Pass	5G	19.1G	1M	3M	RMS	17.9156G	-45.27	-13.00	-32.27	-	-
1880MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	92.331k	-65.03	-13.00	-52.03	-	-
1880MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-64.19	-13.00	-51.19	-	-
1880MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.01637G	-57.76	-13.00	-44.76	-	-
1880MHz_RB 1,#RB L	Pass	1.5G	1.82G	1M	3M	RMS	1.80432G	-57.63	-13.00	-44.63	-	-
1880MHz_RB 1,#RB L	Pass	1.82G	1.849G	200k	500k	RMS	1.8465G	-55.57	-13.00	-42.57	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.849G	1.85G	200k	500k	RMS	1.85G	-64.91	-13.00	-51.91	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1880MHz_RB 1,#RB L	Pass	1.91G	1.911G	200k	500k	RMS	1.9104G	-65.03	-13.00	-52.03	-	-
1880MHz_RB 1,#RB L	Pass	1.911G	1.94G	200k	500k	RMS	1.9115G	-58.14	-13.00	-45.14	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.94G	5G	1M	3M	RMS	3.74846G	-53.05	-13.00	-40.05	-	-
1880MHz_RB 1,#RB L	Pass	5G	19.1G	1M	3M	RMS	17.9015G	-44.96	-13.00	-31.96	-	-
1902.5MHz_RB 75,#RB 0	Pass	9k	150k	1k	3k	RMS	37.482k	-76.67	-13.00	-63.67	-	-
1902.5MHz_RB 75,#RB 0	Pass	150k	30M	10k	30k	RMS	5.493M	-61.17	-13.00	-48.17	-	-
1902.5MHz_RB 75,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.03401G	-57.54	-13.00	-44.54	-	-
1902.5MHz_RB 75,#RB 0	Pass	1.5G	1.82G	1M	3M	RMS	1.81232G	-57.62	-13.00	-44.62	-	-
1902.5MHz_RB 75,#RB 0	Pass	1.82G	1.849G	200k	500k	RMS	1.8485G	-57.74	-13.00	-44.74	MBW 1M	-
1902.5MHz_RB 75,#RB 0	Pass	1.849G	1.85G	200k	500k	RMS	1.85G	-64.33	-13.00	-51.33	-	-
1902.5MHz_RB 75,#RB 0	Pass	1.91G	1.911G	200k	500k	RMS	1.91056G	-32.47	-13.00	-19.47	-	-
1902.5MHz_RB 1,#RB 0	Pass	1.911G	1.94G	200k	500k	RMS	1.9115G	-27.23	-13.00	-14.23	MBW 1M	-
1902.5MHz_RB 75,#RB 0	Pass	1.94G	5G	1M	3M	RMS	4.1738G	-52.99	-13.00	-39.99	-	-
1902.5MHz_RB 75,#RB 0	Pass	5G	19.1G	1M	3M	RMS	17.8874G	-44.93	-13.00	-31.93	-	-
1902.5MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	62.298k	-62.97	-13.00	-49.97	-	-
1902.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	299.25k	-67.06	-13.00	-54.06	-	-
1902.5MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	988.44M	-57.60	-13.00	-44.60	-	-
1902.5MHz_RB 1,#RB H	Pass	1.5G	1.82G	1M	3M	RMS	1.7848G	-57.34	-13.00	-44.34	-	-
1902.5MHz_RB 1,#RB H	Pass	1.82G	1.849G	200k	500k	RMS	1.8405G	-58.25	-13.00	-45.25	MBW 1M	-
1902.5MHz_RB 1,#RB H	Pass	1.849G	1.85G	200k	500k	RMS	1.85G	-65.18	-13.00	-52.18	-	-
1902.5MHz_RB 1,#RB H	Pass	1.91G	1.911G	200k	500k	RMS	1.91G	-29.68	-13.00	-16.68	-	-
1902.5MHz_RB 1,#RB H	Pass	1.911G	1.94G	200k	500k	RMS	1.9115G	-38.62	-13.00	-25.62	MBW 1M	-
1902.5MHz_RB 1,#RB H	Pass	1.94G	5G	1M	3M	RMS	4.14626G	-52.97	-13.00	-39.97	-	-
1902.5MHz_RB 1,#RB H	Pass	5G	19.1G	1M	3M	RMS	15.8006G	-45.08	-13.00	-32.08	-	-
Band 2_LTE_15MHz_Nss1_16QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1857.5MHz_RB 75,#RB 0	Pass	9k	150k	1k	3k	RMS	10.974k	-72.40	-13.00	-59.40	-	-
1857.5MHz_RB 75,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-66.34	-13.00	-53.34	-	-
1857.5MHz_RB 75,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.0149G	-57.46	-13.00	-44.46	-	-
1857.5MHz_RB 75,#RB 0	Pass	1.5G	1.82G	1M	3M	RMS	1.788G	-57.54	-13.00	-44.54	-	-
1857.5MHz_RB 75,#RB 0	Pass	1.82G	1.849G	200k	500k	RMS	1.8485G	-31.04	-13.00	-18.04	MBW 1M	-
1857.5MHz_RB 75,#RB 0	Pass	1.849G	1.85G	200k	500k	RMS	1.85G	-36.46	-13.00	-23.46	-	-
1857.5MHz_RB 75,#RB 0	Pass	1.91G	1.911G	200k	500k	RMS	1.91004G	-65.20	-13.00	-52.20	-	-
1857.5MHz_RB 75,#RB 0	Pass	1.911G	1.94G	200k	500k	RMS	1.9315G	-55.07	-13.00	-42.07	MBW 1M	-
1857.5MHz_RB 75,#RB 0	Pass	1.94G	5G	1M	3M	RMS	4.91126G	-52.90	-13.00	-39.90	-	-
1857.5MHz_RB 75,#RB 0	Pass	5G	19.1G	1M	3M	RMS	17.8874G	-44.85	-13.00	-31.85	-	-
1857.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	56.094k	-66.03	-13.00	-53.03	-	-
1857.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-67.34	-13.00	-54.34	-	-
1857.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	989.91M	-57.86	-13.00	-44.86	-	-
1857.5MHz_RB 1,#RB L	Pass	1.5G	1.82G	1M	3M	RMS	1.79824G	-57.61	-13.00	-44.61	-	-
1857.5MHz_RB 1,#RB L	Pass	1.82G	1.849G	200k	500k	RMS	1.8485G	-39.29	-13.00	-26.29	MBW 1M	-
1857.5MHz_RB 1,#RB L	Pass	1.849G	1.85G	200k	500k	RMS	1.85G	-31.42	-13.00	-18.42	-	-
1857.5MHz_RB 1,#RB L	Pass	1.91G	1.911G	200k	500k	RMS	1.9101G	-65.31	-13.00	-52.31	-	-
1857.5MHz_RB 1,#RB L	Pass	1.911G	1.94G	200k	500k	RMS	1.9325G	-55.05	-13.00	-42.05	MBW 1M	-
1857.5MHz_RB 1,#RB L	Pass	1.94G	5G	1M	3M	RMS	3.70256G	-53.01	-13.00	-40.01	-	-
1857.5MHz_RB 1,#RB L	Pass	5G	19.1G	1M	3M	RMS	15.8006G	-44.87	-13.00	-31.87	-	-
1880MHz_RB 75,#RB 0	Pass	9k	150k	1k	3k	RMS	65.823k	-76.29	-13.00	-63.29	-	-
1880MHz_RB 75,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-66.28	-13.00	-53.28	-	-
1880MHz_RB 75,#RB 0	Pass	30M	1.5G	1M	3M	RMS	981.09M	-57.61	-13.00	-44.61	-	-
1880MHz_RB 75,#RB 0	Pass	1.5G	1.82G	1M	3M	RMS	1.79344G	-57.63	-13.00	-44.63	-	-
1880MHz_RB 75,#RB 0	Pass	1.82G	1.849G	200k	500k	RMS	1.8485G	-51.35	-13.00	-38.35	MBW 1M	-
1880MHz_RB 75,#RB 0	Pass	1.849G	1.85G	200k	500k	RMS	1.84943G	-55.81	-13.00	-42.81	-	-
1880MHz_RB 75,#RB 0	Pass	1.91G	1.911G	200k	500k	RMS	1.91056G	-56.42	-13.00	-43.42	-	-
1880MHz_RB 75,#RB 0	Pass	1.911G	1.94G	200k	500k	RMS	1.9115G	-52.05	-13.00	-39.05	MBW 1M	-
1880MHz_RB 75,#RB 0	Pass	1.94G	5G	1M	3M	RMS	4.1585G	-53.03	-13.00	-40.03	-	-
1880MHz_RB 75,#RB 0	Pass	5G	19.1G	1M	3M	RMS	17.9015G	-45.00	-13.00	-32.00	-	-
1880MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	63.144k	-65.92	-13.00	-52.92	-	-
1880MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-68.49	-13.00	-55.49	-	-
1880MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	939.93M	-57.66	-13.00	-44.66	-	-
1880MHz_RB 1,#RB L	Pass	1.5G	1.82G	1M	3M	RMS	1.68368G	-57.60	-13.00	-44.60	-	-
1880MHz_RB 1,#RB L	Pass	1.82G	1.849G	200k	500k	RMS	1.8465G	-56.29	-13.00	-43.29	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.849G	1.85G	200k	500k	RMS	1.84932G	-64.90	-13.00	-51.90	-	-
1880MHz_RB 1,#RB L	Pass	1.91G	1.911G	200k	500k	RMS	1.91099G	-65.05	-13.00	-52.05	-	-
1880MHz_RB 1,#RB L	Pass	1.911G	1.94G	200k	500k	RMS	1.9125G	-58.16	-13.00	-45.16	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.94G	5G	1M	3M	RMS	4.30538G	-53.13	-13.00	-40.13	-	-
1880MHz_RB 1,#RB L	Pass	5G	19.1G	1M	3M	RMS	17.9015G	-45.17	-13.00	-32.17	-	-
1902.5MHz_RB 75,#RB 0	Pass	9k	150k	1k	3k	RMS	23.241k	-76.18	-13.00	-63.18	-	-
1902.5MHz_RB 75,#RB 0	Pass	150k	30M	10k	30k	RMS	5.493M	-64.09	-13.00	-51.09	-	-
1902.5MHz_RB 75,#RB 0	Pass	30M	1.5G	1M	3M	RMS	998.73M	-57.73	-13.00	-44.73	-	-
1902.5MHz_RB 75,#RB 0	Pass	1.5G	1.82G	1M	3M	RMS	1.81712G	-57.61	-13.00	-44.61	-	-
1902.5MHz_RB 75,#RB 0	Pass	1.82G	1.849G	200k	500k	RMS	1.8485G	-57.80	-13.00	-44.80	MBW 1M	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1902.5MHz_RB 75,#RB 0	Pass	1.849G	1.85G	200k	500k	RMS	1.8495G	-64.81	-13.00	-51.81	-	-
1902.5MHz_RB 75,#RB 0	Pass	1.91G	1.911G	200k	500k	RMS	1.9106G	-33.54	-13.00	-20.54	-	-
1902.5MHz_RB 75,#RB 0	Pass	1.911G	1.94G	200k	500k	RMS	1.9115G	-28.03	-13.00	-15.03	MBW 1M	-
1902.5MHz_RB 75,#RB 0	Pass	1.94G	5G	1M	3M	RMS	4.9082G	-53.17	-13.00	-40.17	-	-
1902.5MHz_RB 75,#RB 0	Pass	5G	19.1G	1M	3M	RMS	17.9156G	-45.24	-13.00	-32.24	-	-
1902.5MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	67.797k	-64.90	-13.00	-51.90	-	-
1902.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-69.26	-13.00	-56.26	-	-
1902.5MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	1.01931G	-57.70	-13.00	-44.70	-	-
1902.5MHz_RB 1,#RB H	Pass	1.5G	1.82G	1M	3M	RMS	1.78992G	-57.39	-13.00	-44.39	-	-
1902.5MHz_RB 1,#RB H	Pass	1.82G	1.849G	200k	500k	RMS	1.8415G	-58.42	-13.00	-45.42	MBW 1M	-
1902.5MHz_RB 1,#RB H	Pass	1.849G	1.85G	200k	500k	RMS	1.84903G	-65.36	-13.00	-52.36	-	-
1902.5MHz_RB 1,#RB H	Pass	1.91G	1.911G	200k	500k	RMS	1.91G	-30.66	-13.00	-17.66	-	-
1902.5MHz_RB 1,#RB H	Pass	1.911G	1.94G	200k	500k	RMS	1.9115G	-39.10	-13.00	-26.10	MBW 1M	-
1902.5MHz_RB 1,#RB H	Pass	1.94G	5G	1M	3M	RMS	4.88678G	-53.17	-13.00	-40.17	-	-
1902.5MHz_RB 1,#RB H	Pass	5G	19.1G	1M	3M	RMS	17.6195G	-45.25	-13.00	-32.25	-	-
Band 2_LTE_15MHz_Nss1,64QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1857.5MHz_RB 75,#RB 0	Pass	9k	150k	1k	3k	RMS	15.063k	-75.69	-13.00	-62.69	-	-
1857.5MHz_RB 75,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-67.69	-13.00	-54.69	-	-
1857.5MHz_RB 75,#RB 0	Pass	30M	1.5G	1M	3M	RMS	967.86M	-57.88	-13.00	-44.88	-	-
1857.5MHz_RB 75,#RB 0	Pass	1.5G	1.82G	1M	3M	RMS	1.80304G	-57.52	-13.00	-44.52	-	-
1857.5MHz_RB 75,#RB 0	Pass	1.82G	1.849G	200k	500k	RMS	1.8475G	-30.96	-13.00	-17.96	MBW 1M	-
1857.5MHz_RB 75,#RB 0	Pass	1.849G	1.85G	200k	500k	RMS	1.85G	-36.30	-13.00	-23.30	-	-
1857.5MHz_RB 75,#RB 0	Pass	1.91G	1.911G	200k	500k	RMS	1.91001G	-65.14	-13.00	-52.14	-	-
1857.5MHz_RB 75,#RB 0	Pass	1.911G	1.94G	200k	500k	RMS	1.9315G	-55.10	-13.00	-42.10	MBW 1M	-
1857.5MHz_RB 75,#RB 0	Pass	1.94G	5G	1M	3M	RMS	4.15544G	-53.25	-13.00	-40.25	-	-
1857.5MHz_RB 75,#RB 0	Pass	5G	19.1G	1M	3M	RMS	15.8147G	-44.90	-13.00	-31.90	-	-
1857.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	51.441k	-62.75	-13.00	-49.75	-	-
1857.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-68.53	-13.00	-55.53	-	-
1857.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.03695G	-57.79	-13.00	-44.79	-	-
1857.5MHz_RB 1,#RB L	Pass	1.5G	1.82G	1M	3M	RMS	1.81424G	-57.49	-13.00	-44.49	-	-
1857.5MHz_RB 1,#RB L	Pass	1.82G	1.849G	200k	500k	RMS	1.8485G	-37.85	-13.00	-24.85	MBW 1M	-
1857.5MHz_RB 1,#RB L	Pass	1.849G	1.85G	200k	500k	RMS	1.85G	-30.36	-13.00	-17.36	-	-
1857.5MHz_RB 1,#RB L	Pass	1.91G	1.911G	200k	500k	RMS	1.91043G	-65.36	-13.00	-52.36	-	-
1857.5MHz_RB 1,#RB L	Pass	1.911G	1.94G	200k	500k	RMS	1.9315G	-54.96	-13.00	-41.96	MBW 1M	-
1857.5MHz_RB 1,#RB L	Pass	1.94G	5G	1M	3M	RMS	3.70256G	-51.08	-13.00	-38.08	-	-
1857.5MHz_RB 1,#RB L	Pass	5G	19.1G	1M	3M	RMS	17.9015G	-45.21	-13.00	-32.21	-	-
1880MHz_RB 75,#RB 0	Pass	9k	150k	1k	3k	RMS	42.135k	-76.06	-13.00	-63.06	-	-
1880MHz_RB 75,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-67.84	-13.00	-54.84	-	-
1880MHz_RB 75,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.01343G	-57.73	-13.00	-44.73	-	-
1880MHz_RB 75,#RB 0	Pass	1.5G	1.82G	1M	3M	RMS	1.8024G	-57.46	-13.00	-44.46	-	-
1880MHz_RB 75,#RB 0	Pass	1.82G	1.849G	200k	500k	RMS	1.8485G	-51.59	-13.00	-38.59	MBW 1M	-
1880MHz_RB 75,#RB 0	Pass	1.849G	1.85G	200k	500k	RMS	1.8494G	-55.53	-13.00	-42.53	-	-
1880MHz_RB 75,#RB 0	Pass	1.91G	1.911G	200k	500k	RMS	1.91056G	-56.47	-13.00	-43.47	-	-
1880MHz_RB 75,#RB 0	Pass	1.911G	1.94G	200k	500k	RMS	1.9115G	-52.31	-13.00	-39.31	MBW 1M	-
1880MHz_RB 75,#RB 0	Pass	1.94G	5G	1M	3M	RMS	4.90514G	-53.22	-13.00	-40.22	-	-
1880MHz_RB 75,#RB 0	Pass	5G	19.1G	1M	3M	RMS	17.9015G	-44.71	-13.00	-31.71	-	-
1880MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	63.426k	-65.25	-13.00	-52.25	-	-
1880MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-66.44	-13.00	-53.44	-	-
1880MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.04871G	-57.54	-13.00	-44.54	-	-
1880MHz_RB 1,#RB L	Pass	1.5G	1.82G	1M	3M	RMS	1.78384G	-57.55	-13.00	-44.55	-	-
1880MHz_RB 1,#RB L	Pass	1.82G	1.849G	200k	500k	RMS	1.8465G	-56.47	-13.00	-43.47	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.849G	1.85G	200k	500k	RMS	1.84919G	-65.12	-13.00	-52.12	-	-
1880MHz_RB 1,#RB L	Pass	1.91G	1.911G	200k	500k	RMS	1.91G	-64.91	-13.00	-51.91	-	-
1880MHz_RB 1,#RB L	Pass	1.911G	1.94G	200k	500k	RMS	1.9265G	-58.15	-13.00	-45.15	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.94G	5G	1M	3M	RMS	4.1279G	-53.10	-13.00	-40.10	-	-
1880MHz_RB 1,#RB L	Pass	5G	19.1G	1M	3M	RMS	15.857G	-45.16	-13.00	-32.16	-	-
1902.5MHz_RB 75,#RB 0	Pass	9k	150k	1k	3k	RMS	11.82k	-75.63	-13.00	-62.63	-	-
1902.5MHz_RB 75,#RB 0	Pass	150k	30M	10k	30k	RMS	5.493M	-66.20	-13.00	-53.20	-	-
1902.5MHz_RB 75,#RB 0	Pass	30M	1.5G	1M	3M	RMS	995.79M	-57.68	-13.00	-44.68	-	-
1902.5MHz_RB 75,#RB 0	Pass	1.5G	1.82G	1M	3M	RMS	1.81104G	-57.57	-13.00	-44.57	-	-
1902.5MHz_RB 75,#RB 0	Pass	1.82G	1.849G	200k	500k	RMS	1.8475G	-57.91	-13.00	-44.91	MBW 1M	-
1902.5MHz_RB 75,#RB 0	Pass	1.849G	1.85G	200k	500k	RMS	1.84992G	-64.75	-13.00	-51.75	-	-
1902.5MHz_RB 75,#RB 0	Pass	1.91G	1.911G	200k	500k	RMS	1.91055G	-33.51	-13.00	-20.51	-	-
1902.5MHz_RB 75,#RB 0	Pass	1.911G	1.94G	200k	500k	RMS	1.9115G	-28.12	-13.00	-15.12	MBW 1M	-
1902.5MHz_RB 75,#RB 0	Pass	1.94G	5G	1M	3M	RMS	4.14014G	-53.32	-13.00	-40.32	-	-
1902.5MHz_RB 75,#RB 0	Pass	5G	19.1G	1M	3M	RMS	17.9015G	-45.16	-13.00	-32.16	-	-
1902.5MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	72.309k	-64.49	-13.00	-51.49	-	-
1902.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-65.13	-13.00	-52.13	-	-
1902.5MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	935.52M	-57.74	-13.00	-44.74	-	-
1902.5MHz_RB 1,#RB H	Pass	1.5G	1.82G	1M	3M	RMS	1.78768G	-57.52	-13.00	-44.52	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1902.5MHz_RB 1,#RB H	Pass	1.82G	1.849G	200k	500k	RMS	1.8405G	-58.30	-13.00	-45.30	MBW 1M	-
1902.5MHz_RB 1,#RB H	Pass	1.849G	1.85G	200k	500k	RMS	1.84915G	-65.29	-13.00	-52.29	-	-
1902.5MHz_RB 1,#RB H	Pass	1.91G	1.911G	200k	500k	RMS	1.91G	-30.73	-13.00	-17.73	-	-
1902.5MHz_RB 1,#RB H	Pass	1.911G	1.94G	200k	500k	RMS	1.9115G	-39.68	-13.00	-26.68	MBW 1M	-
1902.5MHz_RB 1,#RB H	Pass	1.94G	5G	1M	3M	RMS	4.12484G	-52.99	-13.00	-39.99	-	-
1902.5MHz_RB 1,#RB H	Pass	5G	19.1G	1M	3M	RMS	15.8006G	-45.29	-13.00	-32.29	-	-
Band 2_LTE_20MHz_Nss1,QPSK_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1860MHz_RB 100,#RB 0	Pass	9k	150k	1k	3k	RMS	19.434k	-76.27	-13.00	-63.27	-	-
1860MHz_RB 100,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-66.37	-13.00	-53.37	-	-
1860MHz_RB 100,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.0443G	-57.78	-13.00	-44.78	-	-
1860MHz_RB 100,#RB 0	Pass	1.5G	1.81G	1M	3M	RMS	1.78675G	-57.43	-13.00	-44.43	-	-
1860MHz_RB 100,#RB 0	Pass	1.81G	1.849G	200k	500k	RMS	1.8485G	-31.97	-13.00	-18.97	MBW 1M	-
1860MHz_RB 100,#RB 0	Pass	1.849G	1.85G	200k	500k	RMS	1.85G	-37.93	-13.00	-24.93	-	-
1860MHz_RB 100,#RB 0	Pass	1.91G	1.911G	200k	500k	RMS	1.91052G	-63.14	-13.00	-50.14	-	-
1860MHz_RB 100,#RB 0	Pass	1.911G	1.95G	200k	500k	RMS	1.9465G	-54.30	-13.00	-41.30	MBW 1M	-
1860MHz_RB 100,#RB 0	Pass	1.95G	5G	1M	3M	RMS	4.8963G	-53.22	-13.00	-40.22	-	-
1860MHz_RB 100,#RB 0	Pass	5G	19.1G	1M	3M	RMS	17.9015G	-44.87	-13.00	-31.87	-	-
1860MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	75.27k	-66.06	-13.00	-53.06	-	-
1860MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-67.03	-13.00	-54.03	-	-
1860MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.04577G	-57.62	-13.00	-44.62	-	-
1860MHz_RB 1,#RB L	Pass	1.5G	1.81G	1M	3M	RMS	1.79388G	-57.68	-13.00	-44.68	-	-
1860MHz_RB 1,#RB L	Pass	1.81G	1.849G	200k	500k	RMS	1.8485G	-39.13	-13.00	-26.13	MBW 1M	-
1860MHz_RB 1,#RB L	Pass	1.849G	1.85G	200k	500k	RMS	1.85G	-35.11	-13.00	-22.11	-	-
1860MHz_RB 1,#RB L	Pass	1.91G	1.911G	200k	500k	RMS	1.91078G	-65.22	-13.00	-52.22	-	-
1860MHz_RB 1,#RB L	Pass	1.911G	1.95G	200k	500k	RMS	1.9475G	-54.41	-13.00	-41.41	MBW 1M	-
1860MHz_RB 1,#RB L	Pass	1.95G	5G	1M	3M	RMS	3.70375G	-52.08	-13.00	-39.08	-	-
1860MHz_RB 1,#RB L	Pass	5G	19.1G	1M	3M	RMS	17.9015G	-44.83	-13.00	-31.83	-	-
1880MHz_RB 100,#RB 0	Pass	9k	150k	1k	3k	RMS	9.282k	-76.13	-13.00	-63.13	-	-
1880MHz_RB 100,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-65.37	-13.00	-52.37	-	-
1880MHz_RB 100,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.03254G	-57.72	-13.00	-44.72	-	-
1880MHz_RB 100,#RB 0	Pass	1.5G	1.81G	1M	3M	RMS	1.80721G	-57.53	-13.00	-44.53	-	-
1880MHz_RB 100,#RB 0	Pass	1.81G	1.849G	200k	500k	RMS	1.8485G	-47.38	-13.00	-34.38	MBW 1M	-
1880MHz_RB 100,#RB 0	Pass	1.849G	1.85G	200k	500k	RMS	1.85G	-54.25	-13.00	-41.25	-	-
1880MHz_RB 100,#RB 0	Pass	1.91G	1.911G	200k	500k	RMS	1.91G	-49.04	-13.00	-36.04	-	-
1880MHz_RB 100,#RB 0	Pass	1.911G	1.95G	200k	500k	RMS	1.9115G	-44.01	-13.00	-31.01	MBW 1M	-
1880MHz_RB 100,#RB 0	Pass	1.95G	5G	1M	3M	RMS	4.1582G	-53.28	-13.00	-40.28	-	-
1880MHz_RB 100,#RB 0	Pass	5G	19.1G	1M	3M	RMS	17.9156G	-45.00	-13.00	-32.00	-	-
1880MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	89.511k	-62.51	-13.00	-49.51	-	-
1880MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-66.68	-13.00	-53.68	-	-
1880MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.10751G	-57.73	-13.00	-44.73	-	-
1880MHz_RB 1,#RB L	Pass	1.5G	1.81G	1M	3M	RMS	1.80225G	-57.53	-13.00	-44.53	-	-
1880MHz_RB 1,#RB L	Pass	1.81G	1.849G	200k	500k	RMS	1.8445G	-56.86	-13.00	-43.86	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.849G	1.85G	200k	500k	RMS	1.84916G	-64.76	-13.00	-51.76	-	-
1880MHz_RB 1,#RB L	Pass	1.91G	1.911G	200k	500k	RMS	1.91G	-64.76	-13.00	-51.76	-	-
1880MHz_RB 1,#RB L	Pass	1.911G	1.95G	200k	500k	RMS	1.9155G	-56.84	-13.00	-43.84	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.95G	5G	1M	3M	RMS	3.7434G	-52.99	-13.00	-39.99	-	-
1880MHz_RB 1,#RB L	Pass	5G	19.1G	1M	3M	RMS	17.9015G	-45.14	-13.00	-32.14	-	-
1900MHz_RB 100,#RB 0	Pass	9k	150k	1k	3k	RMS	16.473k	-75.21	-13.00	-62.21	-	-
1900MHz_RB 100,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-66.18	-13.00	-53.18	-	-
1900MHz_RB 100,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.07223G	-57.64	-13.00	-44.64	-	-
1900MHz_RB 100,#RB 0	Pass	1.5G	1.81G	1M	3M	RMS	1.7914G	-57.74	-13.00	-44.74	-	-
1900MHz_RB 100,#RB 0	Pass	1.81G	1.849G	200k	500k	RMS	1.8475G	-54.13	-13.00	-41.13	MBW 1M	-
1900MHz_RB 100,#RB 0	Pass	1.849G	1.85G	200k	500k	RMS	1.84997G	-61.00	-13.00	-48.00	-	-
1900MHz_RB 100,#RB 0	Pass	1.91G	1.911G	200k	500k	RMS	1.91G	-35.14	-13.00	-22.14	-	-
1900MHz_RB 100,#RB 0	Pass	1.911G	1.95G	200k	500k	RMS	1.9115G	-29.82	-13.00	-16.82	MBW 1M	-
1900MHz_RB 100,#RB 0	Pass	1.95G	5G	1M	3M	RMS	4.3107G	-53.31	-13.00	-40.31	-	-
1900MHz_RB 100,#RB 0	Pass	5G	19.1G	1M	3M	RMS	17.9015G	-44.76	-13.00	-31.76	-	-
1900MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	89.37k	-63.65	-13.00	-50.65	-	-
1900MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	299.25k	-66.91	-13.00	-53.91	-	-
1900MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	989.91M	-57.84	-13.00	-44.84	-	-
1900MHz_RB 1,#RB H	Pass	1.5G	1.81G	1M	3M	RMS	1.80225G	-57.50	-13.00	-44.50	-	-
1900MHz_RB 1,#RB H	Pass	1.81G	1.849G	200k	500k	RMS	1.8485G	-58.14	-13.00	-45.14	MBW 1M	-
1900MHz_RB 1,#RB H	Pass	1.849G	1.85G	200k	500k	RMS	1.85G	-65.31	-13.00	-52.31	-	-
1900MHz_RB 1,#RB H	Pass	1.91G	1.911G	200k	500k	RMS	1.91G	-34.88	-13.00	-21.88	-	-
1900MHz_RB 1,#RB H	Pass	1.911G	1.95G	200k	500k	RMS	1.9115G	-39.09	-13.00	-26.09	MBW 1M	-
1900MHz_RB 1,#RB H	Pass	1.95G	5G	1M	3M	RMS	4.8963G	-53.16	-13.00	-40.16	-	-
1900MHz_RB 1,#RB H	Pass	5G	19.1G	1M	3M	RMS	17.8874G	-44.98	-13.00	-31.98	-	-
Band 2_LTE_20MHz_Nss1,16QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1860MHz_RB 100,#RB 0	Pass	9k	150k	1k	3k	RMS	17.178k	-75.82	-13.00	-62.82	-	-
1860MHz_RB 100,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-68.64	-13.00	-55.64	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1860MHz_RB 100,#RB 0	Pass	30M	1.5G	1M	3M	RMS	992.85M	-57.80	-13.00	-44.80	-	-
1860MHz_RB 100,#RB 0	Pass	1.5G	1.81G	1M	3M	RMS	1.78892G	-57.54	-13.00	-44.54	-	-
1860MHz_RB 100,#RB 0	Pass	1.81G	1.849G	200k	500k	RMS	1.8485G	-32.19	-13.00	-19.19	MBW 1M	-
1860MHz_RB 100,#RB 0	Pass	1.849G	1.85G	200k	500k	RMS	1.85G	-38.04	-13.00	-25.04	-	-
1860MHz_RB 100,#RB 0	Pass	1.91G	1.911G	200k	500k	RMS	1.91057G	-63.60	-13.00	-50.60	-	-
1860MHz_RB 100,#RB 0	Pass	1.911G	1.95G	200k	500k	RMS	1.9475G	-54.37	-13.00	-41.37	MBW 1M	-
1860MHz_RB 100,#RB 0	Pass	1.95G	5G	1M	3M	RMS	4.16125G	-53.21	-13.00	-40.21	-	-
1860MHz_RB 100,#RB 0	Pass	5G	19.1G	1M	3M	RMS	17.9015G	-45.09	-13.00	-32.09	-	-
1860MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	86.127k	-64.50	-13.00	-51.50	-	-
1860MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-68.48	-13.00	-55.48	-	-
1860MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	944.34M	-57.67	-13.00	-44.67	-	-
1860MHz_RB 1,#RB L	Pass	1.5G	1.81G	1M	3M	RMS	1.80256G	-57.66	-13.00	-44.66	-	-
1860MHz_RB 1,#RB L	Pass	1.81G	1.849G	200k	500k	RMS	1.8485G	-39.50	-13.00	-26.50	MBW 1M	-
1860MHz_RB 1,#RB L	Pass	1.849G	1.85G	200k	500k	RMS	1.85G	-35.43	-13.00	-22.43	-	-
1860MHz_RB 1,#RB L	Pass	1.91G	1.911G	200k	500k	RMS	1.91051G	-65.12	-13.00	-52.12	-	-
1860MHz_RB 1,#RB L	Pass	1.911G	1.95G	200k	500k	RMS	1.9475G	-54.42	-13.00	-41.42	MBW 1M	-
1860MHz_RB 1,#RB L	Pass	1.95G	5G	1M	3M	RMS	3.70375G	-53.00	-13.00	-40.00	-	-
1860MHz_RB 1,#RB L	Pass	5G	19.1G	1M	3M	RMS	15.7865G	-45.29	-13.00	-32.29	-	-
1880MHz_RB 100,#RB 0	Pass	9k	150k	1k	3k	RMS	10.41k	-75.95	-13.00	-62.95	-	-
1880MHz_RB 100,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-67.80	-13.00	-54.80	-	-
1880MHz_RB 100,#RB 0	Pass	30M	1.5G	1M	3M	RMS	948.75M	-57.74	-13.00	-44.74	-	-
1880MHz_RB 100,#RB 0	Pass	1.5G	1.81G	1M	3M	RMS	1.79791G	-57.66	-13.00	-44.66	-	-
1880MHz_RB 100,#RB 0	Pass	1.81G	1.849G	200k	500k	RMS	1.8485G	-47.44	-13.00	-34.44	MBW 1M	-
1880MHz_RB 100,#RB 0	Pass	1.849G	1.85G	200k	500k	RMS	1.84992G	-54.03	-13.00	-41.03	-	-
1880MHz_RB 100,#RB 0	Pass	1.91G	1.911G	200k	500k	RMS	1.91G	-51.57	-13.00	-38.57	-	-
1880MHz_RB 100,#RB 0	Pass	1.911G	1.95G	200k	500k	RMS	1.9115G	-46.19	-13.00	-33.19	MBW 1M	-
1880MHz_RB 100,#RB 0	Pass	1.95G	5G	1M	3M	RMS	4.91155G	-53.00	-13.00	-40.00	-	-
1880MHz_RB 100,#RB 0	Pass	5G	19.1G	1M	3M	RMS	15.8429G	-45.03	-13.00	-32.03	-	-
1880MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	60.324k	-66.03	-13.00	-53.03	-	-
1880MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-67.53	-13.00	-54.53	-	-
1880MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.12809G	-57.80	-13.00	-44.80	-	-
1880MHz_RB 1,#RB L	Pass	1.5G	1.81G	1M	3M	RMS	1.79512G	-57.44	-13.00	-44.44	-	-
1880MHz_RB 1,#RB L	Pass	1.81G	1.849G	200k	500k	RMS	1.8445G	-57.14	-13.00	-44.14	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.849G	1.85G	200k	500k	RMS	1.84942G	-64.82	-13.00	-51.82	-	-
1880MHz_RB 1,#RB L	Pass	1.91G	1.911G	200k	500k	RMS	1.9101G	-64.86	-13.00	-51.86	-	-
1880MHz_RB 1,#RB L	Pass	1.911G	1.95G	200k	500k	RMS	1.9155G	-57.12	-13.00	-44.12	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.95G	5G	1M	3M	RMS	4.89325G	-53.18	-13.00	-40.18	-	-
1880MHz_RB 1,#RB L	Pass	5G	19.1G	1M	3M	RMS	17.6195G	-45.04	-13.00	-32.04	-	-
1900MHz_RB 100,#RB 0	Pass	9k	150k	1k	3k	RMS	9.423k	-75.93	-13.00	-62.93	-	-
1900MHz_RB 100,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-65.27	-13.00	-52.27	-	-
1900MHz_RB 100,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.14426G	-57.74	-13.00	-44.74	-	-
1900MHz_RB 100,#RB 0	Pass	1.5G	1.81G	1M	3M	RMS	1.78768G	-57.53	-13.00	-44.53	-	-
1900MHz_RB 100,#RB 0	Pass	1.81G	1.849G	200k	500k	RMS	1.8475G	-55.29	-13.00	-42.29	MBW 1M	-
1900MHz_RB 100,#RB 0	Pass	1.849G	1.85G	200k	500k	RMS	1.8498G	-61.49	-13.00	-48.49	-	-
1900MHz_RB 100,#RB 0	Pass	1.91G	1.911G	200k	500k	RMS	1.91G	-35.75	-13.00	-22.75	-	-
1900MHz_RB 100,#RB 0	Pass	1.911G	1.95G	200k	500k	RMS	1.9115G	-29.85	-13.00	-16.85	MBW 1M	-
1900MHz_RB 100,#RB 0	Pass	1.95G	5G	1M	3M	RMS	4.878G	-53.01	-13.00	-40.01	-	-
1900MHz_RB 100,#RB 0	Pass	5G	19.1G	1M	3M	RMS	17.8874G	-45.15	-13.00	-32.15	-	-
1900MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	76.68k	-64.46	-13.00	-51.46	-	-
1900MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	299.25k	-66.92	-13.00	-53.92	-	-
1900MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	942.87M	-57.82	-13.00	-44.82	-	-
1900MHz_RB 1,#RB H	Pass	1.5G	1.81G	1M	3M	RMS	1.80101G	-57.53	-13.00	-44.53	-	-
1900MHz_RB 1,#RB H	Pass	1.81G	1.849G	200k	500k	RMS	1.8165G	-58.20	-13.00	-45.20	MBW 1M	-
1900MHz_RB 1,#RB H	Pass	1.849G	1.85G	200k	500k	RMS	1.84943G	-65.23	-13.00	-52.23	-	-
1900MHz_RB 1,#RB H	Pass	1.91G	1.911G	200k	500k	RMS	1.91G	-34.93	-13.00	-21.93	-	-
1900MHz_RB 1,#RB H	Pass	1.911G	1.95G	200k	500k	RMS	1.9115G	-40.00	-13.00	-27.00	MBW 1M	-
1900MHz_RB 1,#RB H	Pass	1.95G	5G	1M	3M	RMS	4.86885G	-53.04	-13.00	-40.04	-	-
1900MHz_RB 1,#RB H	Pass	5G	19.1G	1M	3M	RMS	17.9015G	-44.96	-13.00	-31.96	-	-
Band 2_LTE_20MHz_Nss1_64QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1860MHz_RB 100,#RB 0	Pass	9k	150k	1k	3k	RMS	17.46k	-74.22	-13.00	-61.22	-	-
1860MHz_RB 100,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-67.93	-13.00	-54.93	-	-
1860MHz_RB 100,#RB 0	Pass	30M	1.5G	1M	3M	RMS	900.24M	-57.71	-13.00	-44.71	-	-
1860MHz_RB 100,#RB 0	Pass	1.5G	1.81G	1M	3M	RMS	1.79946G	-57.67	-13.00	-44.67	-	-
1860MHz_RB 100,#RB 0	Pass	1.81G	1.849G	200k	500k	RMS	1.8485G	-32.44	-13.00	-19.44	MBW 1M	-
1860MHz_RB 100,#RB 0	Pass	1.849G	1.85G	200k	500k	RMS	1.85G	-38.14	-13.00	-25.14	-	-
1860MHz_RB 100,#RB 0	Pass	1.91G	1.911G	200k	500k	RMS	1.91061G	-63.69	-13.00	-50.69	-	-
1860MHz_RB 100,#RB 0	Pass	1.911G	1.95G	200k	500k	RMS	1.9485G	-54.52	-13.00	-41.52	MBW 1M	-
1860MHz_RB 100,#RB 0	Pass	1.95G	5G	1M	3M	RMS	4.8841G	-53.35	-13.00	-40.35	-	-
1860MHz_RB 100,#RB 0	Pass	5G	19.1G	1M	3M	RMS	17.9156G	-44.89	-13.00	-31.89	-	-
1860MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	66.951k	-67.04	-13.00	-54.04	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1860MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-67.50	-13.00	-54.50	-	-
1860MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	994.32M	-57.76	-13.00	-44.76	-	-
1860MHz_RB 1,#RB L	Pass	1.5G	1.81G	1M	3M	RMS	1.80535G	-57.58	-13.00	-44.58	-	-
1860MHz_RB 1,#RB L	Pass	1.81G	1.849G	200k	500k	RMS	1.8485G	-40.41	-13.00	-27.41	MBW 1M	-
1860MHz_RB 1,#RB L	Pass	1.849G	1.85G	200k	500k	RMS	1.85G	-36.10	-13.00	-23.10	-	-
1860MHz_RB 1,#RB L	Pass	1.91G	1.911G	200k	500k	RMS	1.91037G	-65.26	-13.00	-52.26	-	-
1860MHz_RB 1,#RB L	Pass	1.911G	1.95G	200k	500k	RMS	1.9485G	-54.39	-13.00	-41.39	MBW 1M	-
1860MHz_RB 1,#RB L	Pass	1.95G	5G	1M	3M	RMS	2.4136G	-50.18	-13.00	-37.18	-	-
1860MHz_RB 1,#RB L	Pass	5G	19.1G	1M	3M	RMS	17.8874G	-44.82	-13.00	-31.82	-	-
1880MHz_RB 100,#RB 0	Pass	9k	150k	1k	3k	RMS	12.666k	-74.77	-13.00	-61.77	-	-
1880MHz_RB 100,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-66.94	-13.00	-53.94	-	-
1880MHz_RB 100,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.02225G	-57.64	-13.00	-44.64	-	-
1880MHz_RB 100,#RB 0	Pass	1.5G	1.81G	1M	3M	RMS	1.80008G	-57.52	-13.00	-44.52	-	-
1880MHz_RB 100,#RB 0	Pass	1.81G	1.849G	200k	500k	RMS	1.8485G	-47.61	-13.00	-34.61	MBW 1M	-
1880MHz_RB 100,#RB 0	Pass	1.849G	1.85G	200k	500k	RMS	1.85G	-53.96	-13.00	-40.96	-	-
1880MHz_RB 100,#RB 0	Pass	1.91G	1.911G	200k	500k	RMS	1.91G	-51.52	-13.00	-38.52	-	-
1880MHz_RB 100,#RB 0	Pass	1.911G	1.95G	200k	500k	RMS	1.9115G	-46.20	-13.00	-33.20	MBW 1M	-
1880MHz_RB 100,#RB 0	Pass	1.95G	5G	1M	3M	RMS	4.1399G	-53.12	-13.00	-40.12	-	-
1880MHz_RB 100,#RB 0	Pass	5G	19.1G	1M	3M	RMS	17.9156G	-45.06	-13.00	-32.06	-	-
1880MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	63.99k	-65.32	-13.00	-52.32	-	-
1880MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-68.48	-13.00	-55.48	-	-
1880MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.0149G	-57.45	-13.00	-44.45	-	-
1880MHz_RB 1,#RB L	Pass	1.5G	1.81G	1M	3M	RMS	1.7945G	-57.62	-13.00	-44.62	-	-
1880MHz_RB 1,#RB L	Pass	1.81G	1.849G	200k	500k	RMS	1.8445G	-57.09	-13.00	-44.09	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.849G	1.85G	200k	500k	RMS	1.84947G	-64.81	-13.00	-51.81	-	-
1880MHz_RB 1,#RB L	Pass	1.91G	1.911G	200k	500k	RMS	1.91G	-64.83	-13.00	-51.83	-	-
1880MHz_RB 1,#RB L	Pass	1.911G	1.95G	200k	500k	RMS	1.9155G	-56.82	-13.00	-43.82	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.95G	5G	1M	3M	RMS	4.13685G	-53.26	-13.00	-40.26	-	-
1880MHz_RB 1,#RB L	Pass	5G	19.1G	1M	3M	RMS	17.8874G	-45.19	-13.00	-32.19	-	-
1900MHz_RB 100,#RB 0	Pass	9k	150k	1k	3k	RMS	10.692k	-76.48	-13.00	-63.48	-	-
1900MHz_RB 100,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-68.57	-13.00	-55.57	-	-
1900MHz_RB 100,#RB 0	Pass	30M	1.5G	1M	3M	RMS	966.39M	-57.71	-13.00	-44.71	-	-
1900MHz_RB 100,#RB 0	Pass	1.5G	1.81G	1M	3M	RMS	1.79016G	-57.50	-13.00	-44.50	-	-
1900MHz_RB 100,#RB 0	Pass	1.81G	1.849G	200k	500k	RMS	1.8475G	-55.26	-13.00	-42.26	MBW 1M	-
1900MHz_RB 100,#RB 0	Pass	1.849G	1.85G	200k	500k	RMS	1.8497G	-61.55	-13.00	-48.55	-	-
1900MHz_RB 100,#RB 0	Pass	1.91G	1.911G	200k	500k	RMS	1.91G	-35.84	-13.00	-22.84	-	-
1900MHz_RB 100,#RB 0	Pass	1.911G	1.95G	200k	500k	RMS	1.9115G	-30.04	-13.00	-17.04	MBW 1M	-
1900MHz_RB 100,#RB 0	Pass	1.95G	5G	1M	3M	RMS	4.92985G	-53.22	-13.00	-40.22	-	-
1900MHz_RB 100,#RB 0	Pass	5G	19.1G	1M	3M	RMS	15.8429G	-45.03	-13.00	-32.03	-	-
1900MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	92.049k	-63.17	-13.00	-50.17	-	-
1900MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-66.02	-13.00	-53.02	-	-
1900MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	931.11M	-57.69	-13.00	-44.69	-	-
1900MHz_RB 1,#RB H	Pass	1.5G	1.81G	1M	3M	RMS	1.80473G	-57.49	-13.00	-44.49	-	-
1900MHz_RB 1,#RB H	Pass	1.81G	1.849G	200k	500k	RMS	1.8235G	-58.13	-13.00	-45.13	MBW 1M	-
1900MHz_RB 1,#RB H	Pass	1.849G	1.85G	200k	500k	RMS	1.84936G	-65.27	-13.00	-52.27	-	-
1900MHz_RB 1,#RB H	Pass	1.91G	1.911G	200k	500k	RMS	1.91G	-34.77	-13.00	-21.77	-	-
1900MHz_RB 1,#RB H	Pass	1.911G	1.95G	200k	500k	RMS	1.9115G	-39.91	-13.00	-26.91	MBW 1M	-
1900MHz_RB 1,#RB H	Pass	1.95G	5G	1M	3M	RMS	4.91155G	-53.08	-13.00	-40.08	-	-
1900MHz_RB 1,#RB H	Pass	5G	19.1G	1M	3M	RMS	17.9015G	-45.06	-13.00	-32.06	-	-
Band 4_LTE_1.4MHz_Nss1_QPSK_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1710.7MHz_RB 6,#RB 0	Pass	9k	150k	1k	3k	RMS	145.629k	-74.78	-13.00	-61.78	-	-
1710.7MHz_RB 6,#RB 0	Pass	150k	30M	10k	30k	RMS	627.6k	-66.84	-13.00	-53.84	-	-
1710.7MHz_RB 6,#RB 0	Pass	30M	1.5G	1M	3M	RMS	950.22M	-57.64	-13.00	-44.64	-	-
1710.7MHz_RB 6,#RB 0	Pass	1.5G	1.7072G	1M	3M	RMS	1.7072G	-43.72	-13.00	-30.72	-	-
1710.7MHz_RB 6,#RB 0	Pass	1.7072G	1.709G	10k	50k	RMS	1.7085G	-35.76	-13.00	-22.76	MBW 1M	-
1710.7MHz_RB 6,#RB 0	Pass	1.709G	1.71G	10k	50k	RMS	1.71G	-35.05	-13.00	-22.05	-	-
1710.7MHz_RB 6,#RB 0	Pass	1.755G	1.756G	10k	50k	RMS	1.75537G	-76.81	-13.00	-63.81	-	-
1710.7MHz_RB 6,#RB 0	Pass	1.756G	1.7578G	10k	50k	RMS	1.7565G	-58.13	-13.00	-45.13	MBW 1M	-
1710.7MHz_RB 6,#RB 0	Pass	1.7578G	5G	1M	3M	RMS	3.42105G	-49.79	-13.00	-36.79	-	-
1710.7MHz_RB 6,#RB 0	Pass	5G	17.55G	1M	3M	RMS	15.8432G	-45.43	-13.00	-32.43	-	-
1710.7MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	81.615k	-63.22	-13.00	-50.22	-	-
1710.7MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-64.82	-13.00	-51.82	-	-
1710.7MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.01931G	-57.86	-13.00	-44.86	-	-
1710.7MHz_RB 1,#RB L	Pass	1.5G	1.7072G	1M	3M	RMS	1.7072G	-43.05	-13.00	-30.05	-	-
1710.7MHz_RB 1,#RB L	Pass	1.7072G	1.709G	10k	50k	RMS	1.7085G	-37.75	-13.00	-24.75	MBW 1M	-
1710.7MHz_RB 1,#RB L	Pass	1.709G	1.71G	10k	50k	RMS	1.71G	-30.48	-13.00	-17.48	-	-
1710.7MHz_RB 1,#RB L	Pass	1.755G	1.756G	10k	50k	RMS	1.75584G	-76.62	-13.00	-63.62	-	-
1710.7MHz_RB 1,#RB L	Pass	1.756G	1.7578G	10k	50k	RMS	1.7565G	-58.18	-13.00	-45.18	MBW 1M	-
1710.7MHz_RB 1,#RB L	Pass	1.7578G	5G	1M	3M	RMS	3.42105G	-49.13	-13.00	-36.13	-	-
1710.7MHz_RB 1,#RB L	Pass	5G	17.55G	1M	3M	RMS	15.8432G	-45.31	-13.00	-32.31	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1732.5MHz_RB 6.#RB 0	Pass	9k	150k	1k	3k	RMS	9.423k	-72.63	-13.00	-59.63	-	-
1732.5MHz_RB 6.#RB 0	Pass	150k	30M	10k	30k	RMS	508.2k	-61.99	-13.00	-48.99	-	-
1732.5MHz_RB 6.#RB 0	Pass	30M	1.5G	1M	3M	RMS	973.74M	-57.63	-13.00	-44.63	-	-
1732.5MHz_RB 6.#RB 0	Pass	1.5G	1.7072G	1M	3M	RMS	1.66224G	-57.68	-13.00	-44.68	-	-
1732.5MHz_RB 6.#RB 0	Pass	1.7072G	1.709G	10k	50k	RMS	1.7077G	-58.27	-13.00	-45.27	MBW 1M	-
1732.5MHz_RB 6.#RB 0	Pass	1.709G	1.71G	10k	50k	RMS	1.70939G	-76.74	-13.00	-63.74	-	-
1732.5MHz_RB 6.#RB 0	Pass	1.755G	1.756G	10k	50k	RMS	1.75537G	-76.46	-13.00	-63.46	-	-
1732.5MHz_RB 6.#RB 0	Pass	1.756G	1.7578G	10k	50k	RMS	1.7565G	-57.99	-13.00	-44.99	MBW 1M	-
1732.5MHz_RB 6.#RB 0	Pass	1.7578G	5G	1M	3M	RMS	4.90273G	-53.26	-13.00	-40.26	-	-
1732.5MHz_RB 6.#RB 0	Pass	5G	17.55G	1M	3M	RMS	15.8432G	-45.48	-13.00	-32.48	-	-
1732.5MHz_RB 1.#RB L	Pass	9k	150k	1k	3k	RMS	71.463k	-63.33	-13.00	-50.33	-	-
1732.5MHz_RB 1.#RB L	Pass	150k	30M	10k	30k	RMS	150k	-63.17	-13.00	-50.17	-	-
1732.5MHz_RB 1.#RB L	Pass	30M	1.5G	1M	3M	RMS	998.73M	-57.68	-13.00	-44.68	-	-
1732.5MHz_RB 1.#RB L	Pass	1.5G	1.7072G	1M	3M	RMS	1.68462G	-57.89	-13.00	-44.89	-	-
1732.5MHz_RB 1.#RB L	Pass	1.7072G	1.709G	10k	50k	RMS	1.7077G	-58.25	-13.00	-45.25	MBW 1M	-
1732.5MHz_RB 1.#RB L	Pass	1.709G	1.71G	10k	50k	RMS	1.70905G	-76.84	-13.00	-63.84	-	-
1732.5MHz_RB 1.#RB L	Pass	1.755G	1.756G	10k	50k	RMS	1.75532G	-76.46	-13.00	-63.46	-	-
1732.5MHz_RB 1.#RB L	Pass	1.756G	1.7578G	10k	50k	RMS	1.7565G	-57.96	-13.00	-44.96	MBW 1M	-
1732.5MHz_RB 1.#RB L	Pass	1.7578G	5G	1M	3M	RMS	4.91246G	-53.20	-13.00	-40.20	-	-
1732.5MHz_RB 1.#RB L	Pass	5G	17.55G	1M	3M	RMS	15.8432G	-45.09	-13.00	-32.09	-	-
1754.3MHz_RB 6.#RB 0	Pass	9k	150k	1k	3k	RMS	147.603k	-73.70	-13.00	-60.70	-	-
1754.3MHz_RB 6.#RB 0	Pass	150k	30M	10k	30k	RMS	538.05k	-62.29	-13.00	-49.29	-	-
1754.3MHz_RB 6.#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.01637G	-57.71	-13.00	-44.71	-	-
1754.3MHz_RB 6.#RB 0	Pass	1.5G	1.7072G	1M	3M	RMS	1.69498G	-57.90	-13.00	-44.90	-	-
1754.3MHz_RB 6.#RB 0	Pass	1.7072G	1.709G	10k	50k	RMS	1.7077G	-58.41	-13.00	-45.41	MBW 1M	-
1754.3MHz_RB 6.#RB 0	Pass	1.709G	1.71G	10k	50k	RMS	1.70918G	-76.73	-13.00	-63.73	-	-
1754.3MHz_RB 6.#RB 0	Pass	1.755G	1.756G	10k	50k	RMS	1.755G	-34.91	-13.00	-21.91	-	-
1754.3MHz_RB 6.#RB 0	Pass	1.756G	1.7578G	10k	50k	RMS	1.7565G	-35.78	-13.00	-22.78	MBW 1M	-
1754.3MHz_RB 6.#RB 0	Pass	1.7578G	5G	1M	3M	RMS	1.7578G	-48.21	-13.00	-35.21	-	-
1754.3MHz_RB 6.#RB 0	Pass	5G	17.55G	1M	3M	RMS	15.8432G	-45.35	-13.00	-32.35	-	-
1754.3MHz_RB 1.#RB H	Pass	9k	150k	1k	3k	RMS	89.229k	-64.11	-13.00	-51.11	-	-
1754.3MHz_RB 1.#RB H	Pass	150k	30M	10k	30k	RMS	299.25k	-66.62	-13.00	-53.62	-	-
1754.3MHz_RB 1.#RB H	Pass	30M	1.5G	1M	3M	RMS	1.01931G	-57.78	-13.00	-44.78	-	-
1754.3MHz_RB 1.#RB H	Pass	1.5G	1.7072G	1M	3M	RMS	1.65084G	-57.79	-13.00	-44.79	-	-
1754.3MHz_RB 1.#RB H	Pass	1.7072G	1.709G	10k	50k	RMS	1.7077G	-58.35	-13.00	-45.35	MBW 1M	-
1754.3MHz_RB 1.#RB H	Pass	1.709G	1.71G	10k	50k	RMS	1.70945G	-76.78	-13.00	-63.78	-	-
1754.3MHz_RB 1.#RB H	Pass	1.755G	1.756G	10k	50k	RMS	1.755G	-31.15	-13.00	-18.15	-	-
1754.3MHz_RB 1.#RB H	Pass	1.756G	1.7578G	10k	50k	RMS	1.7565G	-37.61	-13.00	-24.61	MBW 1M	-
1754.3MHz_RB 1.#RB H	Pass	1.7578G	5G	1M	3M	RMS	1.7578G	-47.35	-13.00	-34.35	-	-
1754.3MHz_RB 1.#RB H	Pass	5G	17.55G	1M	3M	RMS	15.793G	-45.40	-13.00	-32.40	-	-
Band 4_LTE_1.4MHz_Nss1,16QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1710.7MHz_RB 6.#RB 0	Pass	9k	150k	1k	3k	RMS	10.833k	-71.81	-13.00	-58.81	-	-
1710.7MHz_RB 6.#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-64.46	-13.00	-51.46	-	-
1710.7MHz_RB 6.#RB 0	Pass	30M	1.5G	1M	3M	RMS	979.62M	-57.62	-13.00	-44.62	-	-
1710.7MHz_RB 6.#RB 0	Pass	1.5G	1.7072G	1M	3M	RMS	1.7072G	-45.28	-13.00	-32.28	-	-
1710.7MHz_RB 6.#RB 0	Pass	1.7072G	1.709G	10k	50k	RMS	1.7085G	-36.85	-13.00	-23.85	MBW 1M	-
1710.7MHz_RB 6.#RB 0	Pass	1.709G	1.71G	10k	50k	RMS	1.71G	-38.99	-13.00	-25.99	-	-
1710.7MHz_RB 6.#RB 0	Pass	1.755G	1.756G	10k	50k	RMS	1.75573G	-76.78	-13.00	-63.78	-	-
1710.7MHz_RB 6.#RB 0	Pass	1.756G	1.7578G	10k	50k	RMS	1.7565G	-58.24	-13.00	-45.24	MBW 1M	-
1710.7MHz_RB 6.#RB 0	Pass	1.7578G	5G	1M	3M	RMS	3.42105G	-50.10	-13.00	-37.10	-	-
1710.7MHz_RB 6.#RB 0	Pass	5G	17.55G	1M	3M	RMS	15.83065G	-45.32	-13.00	-32.32	-	-
1710.7MHz_RB 1.#RB L	Pass	9k	150k	1k	3k	RMS	9.987k	-64.68	-13.00	-51.68	-	-
1710.7MHz_RB 1.#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-67.60	-13.00	-54.60	-	-
1710.7MHz_RB 1.#RB L	Pass	30M	1.5G	1M	3M	RMS	1.0149G	-57.71	-13.00	-44.71	-	-
1710.7MHz_RB 1.#RB L	Pass	1.5G	1.7072G	1M	3M	RMS	1.7072G	-43.78	-13.00	-30.78	-	-
1710.7MHz_RB 1.#RB L	Pass	1.7072G	1.709G	10k	50k	RMS	1.7085G	-39.56	-13.00	-26.56	MBW 1M	-
1710.7MHz_RB 1.#RB L	Pass	1.709G	1.71G	10k	50k	RMS	1.71G	-31.77	-13.00	-18.77	-	-
1710.7MHz_RB 1.#RB L	Pass	1.755G	1.756G	10k	50k	RMS	1.75578G	-76.76	-13.00	-63.76	-	-
1710.7MHz_RB 1.#RB L	Pass	1.756G	1.7578G	10k	50k	RMS	1.7565G	-58.17	-13.00	-45.17	MBW 1M	-
1710.7MHz_RB 1.#RB L	Pass	1.7578G	5G	1M	3M	RMS	3.42105G	-49.90	-13.00	-36.90	-	-
1710.7MHz_RB 1.#RB L	Pass	5G	17.55G	1M	3M	RMS	15.85575G	-45.31	-13.00	-32.31	-	-
1732.5MHz_RB 6.#RB 0	Pass	9k	150k	1k	3k	RMS	18.729k	-74.17	-13.00	-61.17	-	-
1732.5MHz_RB 6.#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-66.97	-13.00	-53.97	-	-
1732.5MHz_RB 6.#RB 0	Pass	30M	1.5G	1M	3M	RMS	998.73M	-57.73	-13.00	-44.73	-	-
1732.5MHz_RB 6.#RB 0	Pass	1.5G	1.7072G	1M	3M	RMS	1.66493G	-57.70	-13.00	-44.70	-	-
1732.5MHz_RB 6.#RB 0	Pass	1.7072G	1.709G	10k	50k	RMS	1.7077G	-58.26	-13.00	-45.26	MBW 1M	-
1732.5MHz_RB 6.#RB 0	Pass	1.709G	1.71G	10k	50k	RMS	1.7093G	-77.05	-13.00	-64.05	-	-
1732.5MHz_RB 6.#RB 0	Pass	1.755G	1.756G	10k	50k	RMS	1.75502G	-76.78	-13.00	-63.78	-	-
1732.5MHz_RB 6.#RB 0	Pass	1.756G	1.7578G	10k	50k	RMS	1.7565G	-58.07	-13.00	-45.07	MBW 1M	-
1732.5MHz_RB 6.#RB 0	Pass	1.7578G	5G	1M	3M	RMS	4.29644G	-53.20	-13.00	-40.20	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1732.5MHz_RB 6#RB 0	Pass	5G	17.55G	1M	3M	RMS	15.8432G	-45.46	-13.00	-32.46	-	-
1732.5MHz_RB 1#RB L	Pass	9k	150k	1k	3k	RMS	41.712k	-64.77	-13.00	-51.77	-	-
1732.5MHz_RB 1#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-66.49	-13.00	-53.49	-	-
1732.5MHz_RB 1#RB L	Pass	30M	1.5G	1M	3M	RMS	1.04136G	-57.82	-13.00	-44.82	-	-
1732.5MHz_RB 1#RB L	Pass	1.5G	1.7072G	1M	3M	RMS	1.70616G	-57.68	-13.00	-44.68	-	-
1732.5MHz_RB 1#RB L	Pass	1.7072G	1.709G	10k	50k	RMS	1.7077G	-58.15	-13.00	-45.15	MBW 1M	-
1732.5MHz_RB 1#RB L	Pass	1.709G	1.71G	10k	50k	RMS	1.709G	-76.38	-13.00	-63.38	-	-
1732.5MHz_RB 1#RB L	Pass	1.755G	1.756G	10k	50k	RMS	1.75586G	-76.43	-13.00	-63.43	-	-
1732.5MHz_RB 1#RB L	Pass	1.756G	1.7578G	10k	50k	RMS	1.7565G	-57.88	-13.00	-44.88	MBW 1M	-
1732.5MHz_RB 1#RB L	Pass	1.7578G	5G	1M	3M	RMS	4.30941G	-53.38	-13.00	-40.38	-	-
1732.5MHz_RB 1#RB L	Pass	5G	17.55G	1M	3M	RMS	15.793G	-45.39	-13.00	-32.39	-	-
1754.3MHz_RB 6#RB 0	Pass	9k	150k	1k	3k	RMS	32.97k	-74.17	-13.00	-61.17	-	-
1754.3MHz_RB 6#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-67.01	-13.00	-54.01	-	-
1754.3MHz_RB 6#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.01196G	-57.60	-13.00	-44.60	-	-
1754.3MHz_RB 6#RB 0	Pass	1.5G	1.7072G	1M	3M	RMS	1.6697G	-57.85	-13.00	-44.85	-	-
1754.3MHz_RB 6#RB 0	Pass	1.7072G	1.709G	10k	50k	RMS	1.7077G	-58.47	-13.00	-45.47	MBW 1M	-
1754.3MHz_RB 6#RB 0	Pass	1.709G	1.71G	10k	50k	RMS	1.70915G	-76.96	-13.00	-63.96	-	-
1754.3MHz_RB 6#RB 0	Pass	1.755G	1.756G	10k	50k	RMS	1.755G	-36.89	-13.00	-23.89	-	-
1754.3MHz_RB 6#RB 0	Pass	1.756G	1.7578G	10k	50k	RMS	1.7565G	-36.62	-13.00	-23.62	MBW 1M	-
1754.3MHz_RB 6#RB 0	Pass	1.7578G	5G	1M	3M	RMS	1.7578G	-49.84	-13.00	-36.84	-	-
1754.3MHz_RB 6#RB 0	Pass	5G	17.55G	1M	3M	RMS	15.8683G	-45.21	-13.00	-32.21	-	-
1754.3MHz_RB 1#RB H	Pass	9k	150k	1k	3k	RMS	54.684k	-64.87	-13.00	-51.87	-	-
1754.3MHz_RB 1#RB H	Pass	150k	30M	10k	30k	RMS	299.25k	-67.32	-13.00	-54.32	-	-
1754.3MHz_RB 1#RB H	Pass	30M	1.5G	1M	3M	RMS	1.03842G	-57.52	-13.00	-44.52	-	-
1754.3MHz_RB 1#RB H	Pass	1.5G	1.7072G	1M	3M	RMS	1.67819G	-57.72	-13.00	-44.72	-	-
1754.3MHz_RB 1#RB H	Pass	1.7072G	1.709G	10k	50k	RMS	1.7077G	-58.43	-13.00	-45.43	MBW 1M	-
1754.3MHz_RB 1#RB H	Pass	1.709G	1.71G	10k	50k	RMS	1.7099G	-77.08	-13.00	-64.08	-	-
1754.3MHz_RB 1#RB H	Pass	1.755G	1.756G	10k	50k	RMS	1.755G	-32.39	-13.00	-19.39	-	-
1754.3MHz_RB 1#RB H	Pass	1.756G	1.7578G	10k	50k	RMS	1.7565G	-37.86	-13.00	-24.86	MBW 1M	-
1754.3MHz_RB 1#RB H	Pass	1.7578G	5G	1M	3M	RMS	1.7578G	-48.28	-13.00	-35.28	-	-
1754.3MHz_RB 1#RB H	Pass	5G	17.55G	1M	3M	RMS	15.85575G	-45.33	-13.00	-32.33	-	-
Band 4_LTE_1.4MHz_Nss1,64QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1710.7MHz_RB 6#RB 0	Pass	9k	150k	1k	3k	RMS	19.011k	-73.44	-13.00	-60.44	-	-
1710.7MHz_RB 6#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-63.19	-13.00	-50.19	-	-
1710.7MHz_RB 6#RB 0	Pass	30M	1.5G	1M	3M	RMS	907.59M	-57.70	-13.00	-44.70	-	-
1710.7MHz_RB 6#RB 0	Pass	1.5G	1.7072G	1M	3M	RMS	1.7072G	-44.96	-13.00	-31.96	-	-
1710.7MHz_RB 6#RB 0	Pass	1.7072G	1.709G	10k	50k	RMS	1.7085G	-36.62	-13.00	-23.62	MBW 1M	-
1710.7MHz_RB 6#RB 0	Pass	1.709G	1.71G	10k	50k	RMS	1.71G	-38.82	-13.00	-25.82	-	-
1710.7MHz_RB 6#RB 0	Pass	1.755G	1.756G	10k	50k	RMS	1.75517G	-76.69	-13.00	-63.69	-	-
1710.7MHz_RB 6#RB 0	Pass	1.756G	1.7578G	10k	50k	RMS	1.7565G	-58.21	-13.00	-45.21	MBW 1M	-
1710.7MHz_RB 6#RB 0	Pass	1.7578G	5G	1M	3M	RMS	3.42105G	-49.91	-13.00	-36.91	-	-
1710.7MHz_RB 6#RB 0	Pass	5G	17.55G	1M	3M	RMS	15.85575G	-45.15	-13.00	-32.15	-	-
1710.7MHz_RB 1#RB L	Pass	9k	150k	1k	3k	RMS	41.289k	-63.73	-13.00	-50.73	-	-
1710.7MHz_RB 1#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-66.72	-13.00	-53.72	-	-
1710.7MHz_RB 1#RB L	Pass	30M	1.5G	1M	3M	RMS	981.09M	-57.73	-13.00	-44.73	-	-
1710.7MHz_RB 1#RB L	Pass	1.5G	1.7072G	1M	3M	RMS	1.7072G	-44.28	-13.00	-31.28	-	-
1710.7MHz_RB 1#RB L	Pass	1.7072G	1.709G	10k	50k	RMS	1.7085G	-38.85	-13.00	-25.85	MBW 1M	-
1710.7MHz_RB 1#RB L	Pass	1.709G	1.71G	10k	50k	RMS	1.71G	-31.71	-13.00	-18.71	-	-
1710.7MHz_RB 1#RB L	Pass	1.755G	1.756G	10k	50k	RMS	1.75522G	-76.51	-13.00	-63.51	-	-
1710.7MHz_RB 1#RB L	Pass	1.756G	1.7578G	10k	50k	RMS	1.7565G	-58.18	-13.00	-45.18	MBW 1M	-
1710.7MHz_RB 1#RB L	Pass	1.7578G	5G	1M	3M	RMS	3.42105G	-49.51	-13.00	-36.51	-	-
1710.7MHz_RB 1#RB L	Pass	5G	17.55G	1M	3M	RMS	15.8432G	-45.09	-13.00	-32.09	-	-
1732.5MHz_RB 6#RB 0	Pass	9k	150k	1k	3k	RMS	12.807k	-72.19	-13.00	-59.19	-	-
1732.5MHz_RB 6#RB 0	Pass	150k	30M	10k	30k	RMS	538.05k	-66.43	-13.00	-53.43	-	-
1732.5MHz_RB 6#RB 0	Pass	30M	1.5G	1M	3M	RMS	985.5M	-57.67	-13.00	-44.67	-	-
1732.5MHz_RB 6#RB 0	Pass	1.5G	1.7072G	1M	3M	RMS	1.63654G	-57.70	-13.00	-44.70	-	-
1732.5MHz_RB 6#RB 0	Pass	1.7072G	1.709G	10k	50k	RMS	1.7077G	-58.31	-13.00	-45.31	MBW 1M	-
1732.5MHz_RB 6#RB 0	Pass	1.709G	1.71G	10k	50k	RMS	1.70992G	-76.79	-13.00	-63.79	-	-
1732.5MHz_RB 6#RB 0	Pass	1.755G	1.756G	10k	50k	RMS	1.7557G	-76.26	-13.00	-63.26	-	-
1732.5MHz_RB 6#RB 0	Pass	1.756G	1.7578G	10k	50k	RMS	1.7565G	-58.05	-13.00	-45.05	MBW 1M	-
1732.5MHz_RB 6#RB 0	Pass	1.7578G	5G	1M	3M	RMS	4.30941G	-53.26	-13.00	-40.26	-	-
1732.5MHz_RB 6#RB 0	Pass	5G	17.55G	1M	3M	RMS	15.83065G	-45.25	-13.00	-32.25	-	-
1732.5MHz_RB 1#RB L	Pass	9k	150k	1k	3k	RMS	64.131k	-63.79	-13.00	-50.79	-	-
1732.5MHz_RB 1#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-66.78	-13.00	-53.78	-	-
1732.5MHz_RB 1#RB L	Pass	30M	1.5G	1M	3M	RMS	1.01049G	-57.56	-13.00	-44.56	-	-
1732.5MHz_RB 1#RB L	Pass	1.5G	1.7072G	1M	3M	RMS	1.63551G	-57.78	-13.00	-44.78	-	-
1732.5MHz_RB 1#RB L	Pass	1.7072G	1.709G	10k	50k	RMS	1.7077G	-58.26	-13.00	-45.26	MBW 1M	-
1732.5MHz_RB 1#RB L	Pass	1.709G	1.71G	10k	50k	RMS	1.70935G	-76.20	-13.00	-63.20	-	-
1732.5MHz_RB 1#RB L	Pass	1.755G	1.756G	10k	50k	RMS	1.75519G	-76.17	-13.00	-63.17	-	-
1732.5MHz_RB 1#RB L	Pass	1.756G	1.7578G	10k	50k	RMS	1.7565G	-58.03	-13.00	-45.03	MBW 1M	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1732.5MHz_RB 1,#RB L	Pass	1.7578G	5G	1M	3M	RMS	4.13109G	-53.21	-13.00	-40.21	-	-
1732.5MHz_RB 1,#RB L	Pass	5G	17.55G	1M	3M	RMS	15.8683G	-45.12	-13.00	-32.12	-	-
1754.3MHz_RB 6,#RB 0	Pass	9k	150k	1k	3k	RMS	142.668k	-73.50	-13.00	-60.50	-	-
1754.3MHz_RB 6,#RB 0	Pass	150k	30M	10k	30k	RMS	448.5k	-68.23	-13.00	-55.23	-	-
1754.3MHz_RB 6,#RB 0	Pass	30M	1.5G	1M	3M	RMS	976.68M	-57.62	-13.00	-44.62	-	-
1754.3MHz_RB 6,#RB 0	Pass	1.5G	1.7072G	1M	3M	RMS	1.62473G	-57.83	-13.00	-44.83	-	-
1754.3MHz_RB 6,#RB 0	Pass	1.7072G	1.709G	10k	50k	RMS	1.7077G	-58.42	-13.00	-45.42	MBW 1M	-
1754.3MHz_RB 6,#RB 0	Pass	1.709G	1.71G	10k	50k	RMS	1.7095G	-76.87	-13.00	-63.87	-	-
1754.3MHz_RB 6,#RB 0	Pass	1.755G	1.756G	10k	50k	RMS	1.755G	-37.94	-13.00	-24.94	-	-
1754.3MHz_RB 6,#RB 0	Pass	1.756G	1.7578G	10k	50k	RMS	1.7565G	-36.66	-13.00	-23.66	MBW 1M	-
1754.3MHz_RB 6,#RB 0	Pass	1.7578G	5G	1M	3M	RMS	1.7578G	-50.16	-13.00	-37.16	-	-
1754.3MHz_RB 6,#RB 0	Pass	5G	17.55G	1M	3M	RMS	15.8683G	-45.08	-13.00	-32.08	-	-
1754.3MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	80.628k	-65.24	-13.00	-52.24	-	-
1754.3MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	299.25k	-66.07	-13.00	-53.07	-	-
1754.3MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	972.27M	-57.78	-13.00	-44.78	-	-
1754.3MHz_RB 1,#RB H	Pass	1.5G	1.7072G	1M	3M	RMS	1.69498G	-57.76	-13.00	-44.76	-	-
1754.3MHz_RB 1,#RB H	Pass	1.7072G	1.709G	10k	50k	RMS	1.7077G	-58.33	-13.00	-45.33	MBW 1M	-
1754.3MHz_RB 1,#RB H	Pass	1.709G	1.71G	10k	50k	RMS	1.70952G	-77.02	-13.00	-64.02	-	-
1754.3MHz_RB 1,#RB H	Pass	1.755G	1.756G	10k	50k	RMS	1.755G	-32.66	-13.00	-19.66	-	-
1754.3MHz_RB 1,#RB H	Pass	1.756G	1.7578G	10k	50k	RMS	1.7565G	-38.37	-13.00	-25.37	MBW 1M	-
1754.3MHz_RB 1,#RB H	Pass	1.7578G	5G	1M	3M	RMS	1.7578G	-48.27	-13.00	-35.27	-	-
1754.3MHz_RB 1,#RB H	Pass	5G	17.55G	1M	3M	RMS	15.793G	-45.32	-13.00	-32.32	-	-
Band 4_LTE_3MHz_Nss1_OPSK_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1711.5MHz_RB 15,#RB 0	Pass	9k	150k	1k	3k	RMS	12.807k	-76.12	-13.00	-63.12	-	-
1711.5MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-68.64	-13.00	-55.64	-	-
1711.5MHz_RB 15,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.15308G	-57.56	-13.00	-44.56	-	-
1711.5MHz_RB 15,#RB 0	Pass	1.5G	1.704G	1M	3M	RMS	1.70359G	-50.65	-13.00	-37.65	-	-
1711.5MHz_RB 15,#RB 0	Pass	1.704G	1.709G	30k	100k	RMS	1.7085G	-34.38	-13.00	-21.38	MBW 1M	-
1711.5MHz_RB 15,#RB 0	Pass	1.709G	1.71G	30k	100k	RMS	1.71G	-31.83	-13.00	-18.83	-	-
1711.5MHz_RB 15,#RB 0	Pass	1.755G	1.756G	30k	100k	RMS	1.75591G	-72.93	-13.00	-59.93	-	-
1711.5MHz_RB 15,#RB 0	Pass	1.756G	1.761G	30k	100k	RMS	1.7605G	-58.43	-13.00	-45.43	MBW 1M	-
1711.5MHz_RB 15,#RB 0	Pass	1.761G	5G	1M	3M	RMS	3.42261G	-50.46	-13.00	-37.46	-	-
1711.5MHz_RB 15,#RB 0	Pass	5G	17.55G	1M	3M	RMS	15.8683G	-45.22	-13.00	-32.22	-	-
1711.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	91.203k	-60.81	-13.00	-47.81	-	-
1711.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-62.89	-13.00	-49.89	-	-
1711.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.14132G	-57.85	-13.00	-44.85	-	-
1711.5MHz_RB 1,#RB L	Pass	1.5G	1.704G	1M	3M	RMS	1.7038G	-55.84	-13.00	-42.84	-	-
1711.5MHz_RB 1,#RB L	Pass	1.704G	1.709G	30k	100k	RMS	1.7085G	-37.44	-13.00	-24.44	MBW 1M	-
1711.5MHz_RB 1,#RB L	Pass	1.709G	1.71G	30k	100k	RMS	1.71G	-24.94	-13.00	-11.94	-	-
1711.5MHz_RB 1,#RB L	Pass	1.755G	1.756G	30k	100k	RMS	1.75595G	-72.67	-13.00	-59.67	-	-
1711.5MHz_RB 1,#RB L	Pass	1.756G	1.761G	30k	100k	RMS	1.7595G	-58.43	-13.00	-45.43	MBW 1M	-
1711.5MHz_RB 1,#RB L	Pass	1.761G	5G	1M	3M	RMS	3.41937G	-49.56	-13.00	-36.56	-	-
1711.5MHz_RB 1,#RB L	Pass	5G	17.55G	1M	3M	RMS	15.8432G	-45.17	-13.00	-32.17	-	-
1732.5MHz_RB 15,#RB 0	Pass	9k	150k	1k	3k	RMS	26.484k	-74.50	-13.00	-61.50	-	-
1732.5MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-65.74	-13.00	-52.74	-	-
1732.5MHz_RB 15,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.00902G	-57.56	-13.00	-44.56	-	-
1732.5MHz_RB 15,#RB 0	Pass	1.5G	1.704G	1M	3M	RMS	1.69849G	-57.78	-13.00	-44.78	-	-
1732.5MHz_RB 15,#RB 0	Pass	1.704G	1.709G	30k	100k	RMS	1.7085G	-58.51	-13.00	-45.51	MBW 1M	-
1732.5MHz_RB 15,#RB 0	Pass	1.709G	1.71G	30k	100k	RMS	1.70926G	-72.98	-13.00	-59.98	-	-
1732.5MHz_RB 15,#RB 0	Pass	1.755G	1.756G	30k	100k	RMS	1.75517G	-72.67	-13.00	-59.67	-	-
1732.5MHz_RB 15,#RB 0	Pass	1.756G	1.761G	30k	100k	RMS	1.7605G	-58.23	-13.00	-45.23	MBW 1M	-
1732.5MHz_RB 15,#RB 0	Pass	1.761G	5G	1M	3M	RMS	4.14167G	-53.28	-13.00	-40.28	-	-
1732.5MHz_RB 15,#RB 0	Pass	5G	17.55G	1M	3M	RMS	15.78045G	-45.30	-13.00	-32.30	-	-
1732.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	92.049k	-65.50	-13.00	-52.50	-	-
1732.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-64.16	-13.00	-51.16	-	-
1732.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.03401G	-57.74	-13.00	-44.74	-	-
1732.5MHz_RB 1,#RB L	Pass	1.5G	1.704G	1M	3M	RMS	1.6173G	-57.79	-13.00	-44.79	-	-
1732.5MHz_RB 1,#RB L	Pass	1.704G	1.709G	30k	100k	RMS	1.7085G	-58.36	-13.00	-45.36	MBW 1M	-
1732.5MHz_RB 1,#RB L	Pass	1.709G	1.71G	30k	100k	RMS	1.70905G	-72.80	-13.00	-59.80	-	-
1732.5MHz_RB 1,#RB L	Pass	1.755G	1.756G	30k	100k	RMS	1.75535G	-72.40	-13.00	-59.40	-	-
1732.5MHz_RB 1,#RB L	Pass	1.756G	1.761G	30k	100k	RMS	1.7605G	-58.13	-13.00	-45.13	MBW 1M	-
1732.5MHz_RB 1,#RB L	Pass	1.761G	5G	1M	3M	RMS	4.84129G	-53.07	-13.00	-40.07	-	-
1732.5MHz_RB 1,#RB L	Pass	5G	17.55G	1M	3M	RMS	15.83065G	-45.17	-13.00	-32.17	-	-
1753.5MHz_RB 15,#RB 0	Pass	9k	150k	1k	3k	RMS	47.493k	-75.77	-13.00	-62.77	-	-
1753.5MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-66.92	-13.00	-53.92	-	-
1753.5MHz_RB 15,#RB 0	Pass	30M	1.5G	1M	3M	RMS	945.81M	-57.81	-13.00	-44.81	-	-
1753.5MHz_RB 15,#RB 0	Pass	1.5G	1.704G	1M	3M	RMS	1.64872G	-57.81	-13.00	-44.81	-	-
1753.5MHz_RB 15,#RB 0	Pass	1.704G	1.709G	30k	100k	RMS	1.7085G	-58.68	-13.00	-45.68	MBW 1M	-
1753.5MHz_RB 15,#RB 0	Pass	1.709G	1.71G	30k	100k	RMS	1.70996G	-73.29	-13.00	-60.29	-	-
1753.5MHz_RB 15,#RB 0	Pass	1.755G	1.756G	30k	100k	RMS	1.755G	-30.92	-13.00	-17.92	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1753.5MHz_RB 15,#RB 0	Pass	1.756G	1.761G	30k	100k	RMS	1.7565G	-29.00	-13.00	-16.00	MBW 1M	-
1753.5MHz_RB 15,#RB 0	Pass	1.761G	5G	1M	3M	RMS	3.50682G	-51.62	-13.00	-38.62	-	-
1753.5MHz_RB 15,#RB 0	Pass	5G	17.55G	1M	3M	RMS	15.85575G	-45.09	-13.00	-32.09	-	-
1753.5MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	108.687k	-64.22	-13.00	-51.22	-	-
1753.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	299.25k	-66.40	-13.00	-53.40	-	-
1753.5MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	1.03401G	-57.73	-13.00	-44.73	-	-
1753.5MHz_RB 1,#RB H	Pass	1.5G	1.704G	1M	3M	RMS	1.66993G	-57.76	-13.00	-44.76	-	-
1753.5MHz_RB 1,#RB H	Pass	1.704G	1.709G	30k	100k	RMS	1.7075G	-58.75	-13.00	-45.75	MBW 1M	-
1753.5MHz_RB 1,#RB H	Pass	1.709G	1.71G	30k	100k	RMS	1.70967G	-72.75	-13.00	-59.75	-	-
1753.5MHz_RB 1,#RB H	Pass	1.755G	1.756G	30k	100k	RMS	1.755G	-24.58	-13.00	-11.58	-	-
1753.5MHz_RB 1,#RB H	Pass	1.756G	1.761G	30k	100k	RMS	1.7575G	-36.89	-13.00	-23.89	MBW 1M	-
1753.5MHz_RB 1,#RB H	Pass	1.761G	5G	1M	3M	RMS	3.51006G	-50.12	-13.00	-37.12	-	-
1753.5MHz_RB 1,#RB H	Pass	5G	17.55G	1M	3M	RMS	15.80655G	-45.26	-13.00	-32.26	-	-
Band 4_LTE_3MHz_Nss1,16QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1711.5MHz_RB 15,#RB 0	Pass	9k	150k	1k	3k	RMS	10.128k	-74.87	-13.00	-61.87	-	-
1711.5MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-65.85	-13.00	-52.85	-	-
1711.5MHz_RB 15,#RB 0	Pass	30M	1.5G	1M	3M	RMS	960.51M	-57.58	-13.00	-44.58	-	-
1711.5MHz_RB 15,#RB 0	Pass	1.5G	1.704G	1M	3M	RMS	1.704G	-50.83	-13.00	-37.83	-	-
1711.5MHz_RB 15,#RB 0	Pass	1.704G	1.709G	30k	100k	RMS	1.7085G	-35.42	-13.00	-22.42	MBW 1M	-
1711.5MHz_RB 15,#RB 0	Pass	1.709G	1.71G	30k	100k	RMS	1.71G	-32.34	-13.00	-19.34	-	-
1711.5MHz_RB 15,#RB 0	Pass	1.755G	1.756G	30k	100k	RMS	1.75532G	-73.23	-13.00	-60.23	-	-
1711.5MHz_RB 15,#RB 0	Pass	1.756G	1.761G	30k	100k	RMS	1.7605G	-58.48	-13.00	-45.48	MBW 1M	-
1711.5MHz_RB 15,#RB 0	Pass	1.761G	5G	1M	3M	RMS	3.42261G	-51.20	-13.00	-38.20	-	-
1711.5MHz_RB 15,#RB 0	Pass	5G	17.55G	1M	3M	RMS	15.80655G	-45.16	-13.00	-32.16	-	-
1711.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	42.417k	-65.03	-13.00	-52.03	-	-
1711.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-66.73	-13.00	-53.73	-	-
1711.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	948.75M	-57.63	-13.00	-44.63	-	-
1711.5MHz_RB 1,#RB L	Pass	1.5G	1.704G	1M	3M	RMS	1.70359G	-56.33	-13.00	-43.33	-	-
1711.5MHz_RB 1,#RB L	Pass	1.704G	1.709G	30k	100k	RMS	1.7085G	-38.83	-13.00	-25.83	MBW 1M	-
1711.5MHz_RB 1,#RB L	Pass	1.709G	1.71G	30k	100k	RMS	1.71G	-25.32	-13.00	-12.32	-	-
1711.5MHz_RB 1,#RB L	Pass	1.755G	1.756G	30k	100k	RMS	1.75506G	-73.10	-13.00	-60.10	-	-
1711.5MHz_RB 1,#RB L	Pass	1.756G	1.761G	30k	100k	RMS	1.7605G	-58.49	-13.00	-45.49	MBW 1M	-
1711.5MHz_RB 1,#RB L	Pass	1.761G	5G	1M	3M	RMS	3.41937G	-50.30	-13.00	-37.30	-	-
1711.5MHz_RB 1,#RB L	Pass	5G	17.55G	1M	3M	RMS	15.8683G	-45.28	-13.00	-32.28	-	-
1732.5MHz_RB 15,#RB 0	Pass	9k	150k	1k	3k	RMS	17.883k	-72.76	-13.00	-59.76	-	-
1732.5MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-65.02	-13.00	-52.02	-	-
1732.5MHz_RB 15,#RB 0	Pass	30M	1.5G	1M	3M	RMS	985.5M	-57.89	-13.00	-44.89	-	-
1732.5MHz_RB 15,#RB 0	Pass	1.5G	1.704G	1M	3M	RMS	1.694G	-57.56	-13.00	-44.56	-	-
1732.5MHz_RB 15,#RB 0	Pass	1.704G	1.709G	30k	100k	RMS	1.7085G	-58.68	-13.00	-45.68	MBW 1M	-
1732.5MHz_RB 15,#RB 0	Pass	1.709G	1.71G	30k	100k	RMS	1.70991G	-73.09	-13.00	-60.09	-	-
1732.5MHz_RB 15,#RB 0	Pass	1.755G	1.756G	30k	100k	RMS	1.75558G	-72.72	-13.00	-59.72	-	-
1732.5MHz_RB 15,#RB 0	Pass	1.756G	1.761G	30k	100k	RMS	1.7605G	-58.32	-13.00	-45.32	MBW 1M	-
1732.5MHz_RB 15,#RB 0	Pass	1.761G	5G	1M	3M	RMS	4.9255G	-53.07	-13.00	-40.07	-	-
1732.5MHz_RB 15,#RB 0	Pass	5G	17.55G	1M	3M	RMS	15.85575G	-45.43	-13.00	-32.43	-	-
1732.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	54.261k	-64.38	-13.00	-51.38	-	-
1732.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-65.71	-13.00	-52.71	-	-
1732.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	957.57M	-57.82	-13.00	-44.82	-	-
1732.5MHz_RB 1,#RB L	Pass	1.5G	1.704G	1M	3M	RMS	1.6734G	-57.69	-13.00	-44.69	-	-
1732.5MHz_RB 1,#RB L	Pass	1.704G	1.709G	30k	100k	RMS	1.7085G	-58.47	-13.00	-45.47	MBW 1M	-
1732.5MHz_RB 1,#RB L	Pass	1.709G	1.71G	30k	100k	RMS	1.70905G	-72.83	-13.00	-59.83	-	-
1732.5MHz_RB 1,#RB L	Pass	1.755G	1.756G	30k	100k	RMS	1.75592G	-72.67	-13.00	-59.67	-	-
1732.5MHz_RB 1,#RB L	Pass	1.756G	1.761G	30k	100k	RMS	1.7595G	-58.26	-13.00	-45.26	MBW 1M	-
1732.5MHz_RB 1,#RB L	Pass	1.761G	5G	1M	3M	RMS	4.90607G	-53.16	-13.00	-40.16	-	-
1732.5MHz_RB 1,#RB L	Pass	5G	17.55G	1M	3M	RMS	15.793G	-45.16	-13.00	-32.16	-	-
1753.5MHz_RB 15,#RB 0	Pass	9k	150k	1k	3k	RMS	12.948k	-75.43	-13.00	-62.43	-	-
1753.5MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-67.79	-13.00	-54.79	-	-
1753.5MHz_RB 15,#RB 0	Pass	30M	1.5G	1M	3M	RMS	922.29M	-57.76	-13.00	-44.76	-	-
1753.5MHz_RB 15,#RB 0	Pass	1.5G	1.704G	1M	3M	RMS	1.6634G	-57.69	-13.00	-44.69	-	-
1753.5MHz_RB 15,#RB 0	Pass	1.704G	1.709G	30k	100k	RMS	1.7085G	-58.68	-13.00	-45.68	MBW 1M	-
1753.5MHz_RB 15,#RB 0	Pass	1.709G	1.71G	30k	100k	RMS	1.7091G	-73.20	-13.00	-60.20	-	-
1753.5MHz_RB 15,#RB 0	Pass	1.755G	1.756G	30k	100k	RMS	1.755G	-32.97	-13.00	-19.97	-	-
1753.5MHz_RB 15,#RB 0	Pass	1.756G	1.761G	30k	100k	RMS	1.7565G	-31.15	-13.00	-18.15	MBW 1M	-
1753.5MHz_RB 15,#RB 0	Pass	1.761G	5G	1M	3M	RMS	3.50682G	-52.85	-13.00	-39.85	-	-
1753.5MHz_RB 15,#RB 0	Pass	5G	17.55G	1M	3M	RMS	15.85575G	-45.56	-13.00	-32.56	-	-
1753.5MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	89.934k	-64.57	-13.00	-51.57	-	-
1753.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	299.25k	-67.85	-13.00	-54.85	-	-
1753.5MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	989.91M	-57.77	-13.00	-44.77	-	-
1753.5MHz_RB 1,#RB H	Pass	1.5G	1.704G	1M	3M	RMS	1.6375G	-57.69	-13.00	-44.69	-	-
1753.5MHz_RB 1,#RB H	Pass	1.704G	1.709G	30k	100k	RMS	1.7085G	-58.63	-13.00	-45.63	MBW 1M	-
1753.5MHz_RB 1,#RB H	Pass	1.709G	1.71G	30k	100k	RMS	1.70929G	-73.09	-13.00	-60.09	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1753.5MHz_RB 1,#RB H	Pass	1.755G	1.756G	30k	100k	RMS	1.755G	-26.12	-13.00	-13.12	-	-
1753.5MHz_RB 1,#RB H	Pass	1.756G	1.761G	30k	100k	RMS	1.7575G	-38.51	-13.00	-25.51	MBW 1M	-
1753.5MHz_RB 1,#RB H	Pass	1.761G	5G	1M	3M	RMS	3.51006G	-50.97	-13.00	-37.97	-	-
1753.5MHz_RB 1,#RB H	Pass	5G	17.55G	1M	3M	RMS	15.83065G	-45.35	-13.00	-32.35	-	-
Band 4_LTE_3MHz_Nss1,64QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1711.5MHz_RB 15,#RB 0	Pass	9k	150k	1k	3k	RMS	88.806k	-75.57	-13.00	-62.57	-	-
1711.5MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-65.52	-13.00	-52.52	-	-
1711.5MHz_RB 15,#RB 0	Pass	30M	1.5G	1M	3M	RMS	939.93M	-57.84	-13.00	-44.84	-	-
1711.5MHz_RB 15,#RB 0	Pass	1.5G	1.704G	1M	3M	RMS	1.7038G	-51.12	-13.00	-38.12	-	-
1711.5MHz_RB 15,#RB 0	Pass	1.704G	1.709G	30k	100k	RMS	1.7085G	-35.62	-13.00	-22.62	MBW 1M	-
1711.5MHz_RB 15,#RB 0	Pass	1.709G	1.71G	30k	100k	RMS	1.71G	-33.30	-13.00	-20.30	-	-
1711.5MHz_RB 15,#RB 0	Pass	1.755G	1.756G	30k	100k	RMS	1.75554G	-73.08	-13.00	-60.08	-	-
1711.5MHz_RB 15,#RB 0	Pass	1.756G	1.761G	30k	100k	RMS	1.7595G	-58.52	-13.00	-45.52	MBW 1M	-
1711.5MHz_RB 15,#RB 0	Pass	1.761G	5G	1M	3M	RMS	3.42261G	-51.08	-13.00	-38.08	-	-
1711.5MHz_RB 15,#RB 0	Pass	5G	17.55G	1M	3M	RMS	15.793G	-45.08	-13.00	-32.08	-	-
1711.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	16.614k	-63.90	-13.00	-50.90	-	-
1711.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-66.71	-13.00	-53.71	-	-
1711.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.03989G	-57.69	-13.00	-44.69	-	-
1711.5MHz_RB 1,#RB L	Pass	1.5G	1.704G	1M	3M	RMS	1.704G	-56.10	-13.00	-43.10	-	-
1711.5MHz_RB 1,#RB L	Pass	1.704G	1.709G	30k	100k	RMS	1.7085G	-38.65	-13.00	-25.65	MBW 1M	-
1711.5MHz_RB 1,#RB L	Pass	1.709G	1.71G	30k	100k	RMS	1.71G	-25.39	-13.00	-12.39	-	-
1711.5MHz_RB 1,#RB L	Pass	1.755G	1.756G	30k	100k	RMS	1.75555G	-73.09	-13.00	-60.09	-	-
1711.5MHz_RB 1,#RB L	Pass	1.756G	1.761G	30k	100k	RMS	1.7605G	-58.39	-13.00	-45.39	MBW 1M	-
1711.5MHz_RB 1,#RB L	Pass	1.761G	5G	1M	3M	RMS	3.41937G	-50.80	-13.00	-37.80	-	-
1711.5MHz_RB 1,#RB L	Pass	5G	17.55G	1M	3M	RMS	15.8181G	-45.38	-13.00	-32.38	-	-
1732.5MHz_RB 15,#RB 0	Pass	9k	150k	1k	3k	RMS	73.014k	-75.22	-13.00	-62.22	-	-
1732.5MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-66.93	-13.00	-53.93	-	-
1732.5MHz_RB 15,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.01784G	-57.54	-13.00	-44.54	-	-
1732.5MHz_RB 15,#RB 0	Pass	1.5G	1.704G	1M	3M	RMS	1.63852G	-57.87	-13.00	-44.87	-	-
1732.5MHz_RB 15,#RB 0	Pass	1.704G	1.709G	30k	100k	RMS	1.7085G	-58.54	-13.00	-45.54	MBW 1M	-
1732.5MHz_RB 15,#RB 0	Pass	1.709G	1.71G	30k	100k	RMS	1.70928G	-73.25	-13.00	-60.25	-	-
1732.5MHz_RB 15,#RB 0	Pass	1.755G	1.756G	30k	100k	RMS	1.75571G	-72.73	-13.00	-59.73	-	-
1732.5MHz_RB 15,#RB 0	Pass	1.756G	1.761G	30k	100k	RMS	1.7595G	-58.28	-13.00	-45.28	MBW 1M	-
1732.5MHz_RB 15,#RB 0	Pass	1.761G	5G	1M	3M	RMS	4.92226G	-53.11	-13.00	-40.11	-	-
1732.5MHz_RB 15,#RB 0	Pass	5G	17.55G	1M	3M	RMS	15.88089G	-45.44	-13.00	-32.44	-	-
1732.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	87.255k	-64.21	-13.00	-51.21	-	-
1732.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-66.67	-13.00	-53.67	-	-
1732.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	956.1M	-57.70	-13.00	-44.70	-	-
1732.5MHz_RB 1,#RB L	Pass	1.5G	1.704G	1M	3M	RMS	1.70339G	-57.83	-13.00	-44.83	-	-
1732.5MHz_RB 1,#RB L	Pass	1.704G	1.709G	30k	100k	RMS	1.7085G	-58.39	-13.00	-45.39	MBW 1M	-
1732.5MHz_RB 1,#RB L	Pass	1.709G	1.71G	30k	100k	RMS	1.70986G	-72.90	-13.00	-59.90	-	-
1732.5MHz_RB 1,#RB L	Pass	1.755G	1.756G	30k	100k	RMS	1.75596G	-72.66	-13.00	-59.66	-	-
1732.5MHz_RB 1,#RB L	Pass	1.756G	1.761G	30k	100k	RMS	1.7595G	-58.21	-13.00	-45.21	MBW 1M	-
1732.5MHz_RB 1,#RB L	Pass	1.761G	5G	1M	3M	RMS	4.8834G	-53.08	-13.00	-40.08	-	-
1732.5MHz_RB 1,#RB L	Pass	5G	17.55G	1M	3M	RMS	15.80555G	-45.19	-13.00	-32.19	-	-
1753.5MHz_RB 15,#RB 0	Pass	9k	150k	1k	3k	RMS	55.671k	-73.25	-13.00	-60.25	-	-
1753.5MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-64.97	-13.00	-51.97	-	-
1753.5MHz_RB 15,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.0296G	-57.78	-13.00	-44.78	-	-
1753.5MHz_RB 15,#RB 0	Pass	1.5G	1.704G	1M	3M	RMS	1.62362G	-57.79	-13.00	-44.79	-	-
1753.5MHz_RB 15,#RB 0	Pass	1.704G	1.709G	30k	100k	RMS	1.7085G	-58.74	-13.00	-45.74	MBW 1M	-
1753.5MHz_RB 15,#RB 0	Pass	1.709G	1.71G	30k	100k	RMS	1.70969G	-73.05	-13.00	-60.05	-	-
1753.5MHz_RB 15,#RB 0	Pass	1.755G	1.756G	30k	100k	RMS	1.755G	-33.42	-13.00	-20.42	-	-
1753.5MHz_RB 15,#RB 0	Pass	1.756G	1.761G	30k	100k	RMS	1.7565G	-31.90	-13.00	-18.90	MBW 1M	-
1753.5MHz_RB 15,#RB 0	Pass	1.761G	5G	1M	3M	RMS	1.761G	-52.20	-13.00	-39.20	-	-
1753.5MHz_RB 15,#RB 0	Pass	5G	17.55G	1M	3M	RMS	15.85575G	-45.15	-13.00	-32.15	-	-
1753.5MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	125.607k	-65.17	-13.00	-52.17	-	-
1753.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-66.47	-13.00	-53.47	-	-
1753.5MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	982.56M	-57.83	-13.00	-44.83	-	-
1753.5MHz_RB 1,#RB H	Pass	1.5G	1.704G	1M	3M	RMS	1.6324G	-57.72	-13.00	-44.72	-	-
1753.5MHz_RB 1,#RB H	Pass	1.704G	1.709G	30k	100k	RMS	1.7085G	-58.76	-13.00	-45.76	MBW 1M	-
1753.5MHz_RB 1,#RB H	Pass	1.709G	1.71G	30k	100k	RMS	1.71G	-73.14	-13.00	-60.14	-	-
1753.5MHz_RB 1,#RB H	Pass	1.755G	1.756G	30k	100k	RMS	1.755G	-26.63	-13.00	-13.63	-	-
1753.5MHz_RB 1,#RB H	Pass	1.756G	1.761G	30k	100k	RMS	1.7565G	-38.99	-13.00	-25.99	MBW 1M	-
1753.5MHz_RB 1,#RB H	Pass	1.761G	5G	1M	3M	RMS	3.51006G	-50.98	-13.00	-37.98	-	-
1753.5MHz_RB 1,#RB H	Pass	5G	17.55G	1M	3M	RMS	15.85575G	-45.44	-13.00	-32.44	-	-
Band 4_LTE_5MHz_Nss1,QPSK_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1712.5MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	9.705k	-74.78	-13.00	-61.78	-	-
1712.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-66.63	-13.00	-53.63	-	-
1712.5MHz_RB 25,#RB 0	Pass	30M	1.5G	1M	3M	RMS	986.97M	-57.70	-13.00	-44.70	-	-
1712.5MHz_RB 25,#RB 0	Pass	1.5G	1.7G	1M	3M	RMS	1.6996G	-52.71	-13.00	-39.71	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1712.5MHz_RB_25,#RB 0	Pass	1.7G	1.709G	50k	200k	RMS	1.7085G	-35.83	-13.00	-22.83	MBW 1M	-
1712.5MHz_RB_25,#RB 0	Pass	1.709G	1.71G	50k	200k	RMS	1.71G	-33.34	-13.00	-20.34	-	-
1712.5MHz_RB_25,#RB 0	Pass	1.755G	1.756G	50k	200k	RMS	1.75546G	-71.15	-13.00	-58.15	-	-
1712.5MHz_RB_25,#RB 0	Pass	1.756G	1.765G	50k	200k	RMS	1.7595G	-58.44	-13.00	-45.44	MBW 1M	-
1712.5MHz_RB_25,#RB 0	Pass	1.765G	5G	1M	3M	RMS	3.42456G	-51.99	-13.00	-38.99	-	-
1712.5MHz_RB_25,#RB 0	Pass	5G	17.55G	1M	3M	RMS	15.78045G	-45.54	-13.00	-32.54	-	-
1712.5MHz_RB_1,#RB L	Pass	9k	150k	1k	3k	RMS	92.613k	-63.78	-13.00	-50.78	-	-
1712.5MHz_RB_1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-66.16	-13.00	-53.16	-	-
1712.5MHz_RB_1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.01784G	-57.64	-13.00	-44.64	-	-
1712.5MHz_RB_1,#RB L	Pass	1.5G	1.7G	1M	3M	RMS	1.7G	-57.32	-13.00	-44.32	-	-
1712.5MHz_RB_1,#RB L	Pass	1.7G	1.709G	50k	200k	RMS	1.7085G	-37.43	-13.00	-24.43	MBW 1M	-
1712.5MHz_RB_1,#RB L	Pass	1.709G	1.71G	50k	200k	RMS	1.71G	-25.34	-13.00	-12.34	-	-
1712.5MHz_RB_1,#RB L	Pass	1.755G	1.756G	50k	200k	RMS	1.75539G	-71.15	-13.00	-58.15	-	-
1712.5MHz_RB_1,#RB L	Pass	1.756G	1.765G	50k	200k	RMS	1.7645G	-58.36	-13.00	-45.36	MBW 1M	-
1712.5MHz_RB_1,#RB L	Pass	1.765G	5G	1M	3M	RMS	3.42132G	-49.71	-13.00	-36.71	-	-
1712.5MHz_RB_1,#RB L	Pass	5G	17.55G	1M	3M	RMS	15.85575G	-45.57	-13.00	-32.57	-	-
1732.5MHz_RB_25,#RB 0	Pass	9k	150k	1k	3k	RMS	99.804k	-76.31	-13.00	-63.31	-	-
1732.5MHz_RB_25,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-66.20	-13.00	-53.20	-	-
1732.5MHz_RB_25,#RB 0	Pass	30M	1.5G	1M	3M	RMS	994.32M	-57.60	-13.00	-44.60	-	-
1732.5MHz_RB_25,#RB 0	Pass	1.5G	1.7G	1M	3M	RMS	1.6598G	-57.73	-13.00	-44.73	-	-
1732.5MHz_RB_25,#RB 0	Pass	1.7G	1.709G	50k	200k	RMS	1.7085G	-58.15	-13.00	-45.15	MBW 1M	-
1732.5MHz_RB_25,#RB 0	Pass	1.709G	1.71G	50k	200k	RMS	1.70974G	-70.41	-13.00	-57.41	-	-
1732.5MHz_RB_25,#RB 0	Pass	1.755G	1.756G	50k	200k	RMS	1.75506G	-70.12	-13.00	-57.12	-	-
1732.5MHz_RB_25,#RB 0	Pass	1.756G	1.765G	50k	200k	RMS	1.7585G	-57.92	-13.00	-44.92	MBW 1M	-
1732.5MHz_RB_25,#RB 0	Pass	1.765G	5G	1M	3M	RMS	4.88678G	-53.17	-13.00	-40.17	-	-
1732.5MHz_RB_25,#RB 0	Pass	5G	17.55G	1M	3M	RMS	15.8181G	-45.13	-13.00	-32.13	-	-
1732.5MHz_RB_1,#RB L	Pass	9k	150k	1k	3k	RMS	72.168k	-64.46	-13.00	-51.46	-	-
1732.5MHz_RB_1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-66.10	-13.00	-53.10	-	-
1732.5MHz_RB_1,#RB L	Pass	30M	1.5G	1M	3M	RMS	979.62M	-57.72	-13.00	-44.72	-	-
1732.5MHz_RB_1,#RB L	Pass	1.5G	1.7G	1M	3M	RMS	1.6642G	-57.84	-13.00	-44.84	-	-
1732.5MHz_RB_1,#RB L	Pass	1.7G	1.709G	50k	200k	RMS	1.7085G	-58.41	-13.00	-45.41	MBW 1M	-
1732.5MHz_RB_1,#RB L	Pass	1.709G	1.71G	50k	200k	RMS	1.70981G	-70.92	-13.00	-57.92	-	-
1732.5MHz_RB_1,#RB L	Pass	1.755G	1.756G	50k	200k	RMS	1.75539G	-70.80	-13.00	-57.80	-	-
1732.5MHz_RB_1,#RB L	Pass	1.756G	1.765G	50k	200k	RMS	1.7585G	-58.27	-13.00	-45.27	MBW 1M	-
1732.5MHz_RB_1,#RB L	Pass	1.765G	5G	1M	3M	RMS	4.30124G	-53.18	-13.00	-40.18	-	-
1732.5MHz_RB_1,#RB L	Pass	5G	17.55G	1M	3M	RMS	15.83065G	-45.33	-13.00	-32.33	-	-
1752.5MHz_RB_25,#RB 0	Pass	9k	150k	1k	3k	RMS	12.102k	-76.06	-13.00	-63.06	-	-
1752.5MHz_RB_25,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-66.75	-13.00	-53.75	-	-
1752.5MHz_RB_25,#RB 0	Pass	30M	1.5G	1M	3M	RMS	976.68M	-57.73	-13.00	-44.73	-	-
1752.5MHz_RB_25,#RB 0	Pass	1.5G	1.7G	1M	3M	RMS	1.6744G	-57.86	-13.00	-44.86	-	-
1752.5MHz_RB_25,#RB 0	Pass	1.7G	1.709G	50k	200k	RMS	1.7025G	-58.63	-13.00	-45.63	MBW 1M	-
1752.5MHz_RB_25,#RB 0	Pass	1.709G	1.71G	50k	200k	RMS	1.70994G	-71.36	-13.00	-58.36	-	-
1752.5MHz_RB_25,#RB 0	Pass	1.755G	1.756G	50k	200k	RMS	1.755G	-31.17	-13.00	-18.17	-	-
1752.5MHz_RB_25,#RB 0	Pass	1.756G	1.765G	50k	200k	RMS	1.7565G	-29.75	-13.00	-16.75	MBW 1M	-
1752.5MHz_RB_25,#RB 0	Pass	1.765G	5G	1M	3M	RMS	3.50543G	-52.82	-13.00	-39.82	-	-
1752.5MHz_RB_25,#RB 0	Pass	5G	17.55G	1M	3M	RMS	15.8683G	-45.43	-13.00	-32.43	-	-
1752.5MHz_RB_1,#RB H	Pass	9k	150k	1k	3k	RMS	86.409k	-63.04	-13.00	-50.04	-	-
1752.5MHz_RB_1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-65.26	-13.00	-52.26	-	-
1752.5MHz_RB_1,#RB H	Pass	30M	1.5G	1M	3M	RMS	979.62M	-57.76	-13.00	-44.76	-	-
1752.5MHz_RB_1,#RB H	Pass	1.5G	1.7G	1M	3M	RMS	1.6286G	-57.82	-13.00	-44.82	-	-
1752.5MHz_RB_1,#RB H	Pass	1.7G	1.709G	50k	200k	RMS	1.7015G	-57.88	-13.00	-44.88	MBW 1M	-
1752.5MHz_RB_1,#RB H	Pass	1.709G	1.71G	50k	200k	RMS	1.70991G	-71.26	-13.00	-58.26	-	-
1752.5MHz_RB_1,#RB H	Pass	1.755G	1.756G	50k	200k	RMS	1.755G	-25.37	-13.00	-12.37	-	-
1752.5MHz_RB_1,#RB H	Pass	1.756G	1.765G	50k	200k	RMS	1.7565G	-36.37	-13.00	-23.37	MBW 1M	-
1752.5MHz_RB_1,#RB H	Pass	1.765G	5G	1M	3M	RMS	3.50867G	-50.10	-13.00	-37.10	-	-
1752.5MHz_RB_1,#RB H	Pass	5G	17.55G	1M	3M	RMS	15.80555G	-45.39	-13.00	-32.39	-	-
Band 4_LTE_5MHz_Nss1_16QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1712.5MHz_RB_25,#RB 0	Pass	9k	150k	1k	3k	RMS	11.961k	-76.12	-13.00	-63.12	-	-
1712.5MHz_RB_25,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-66.48	-13.00	-53.48	-	-
1712.5MHz_RB_25,#RB 0	Pass	30M	1.5G	1M	3M	RMS	972.27M	-57.62	-13.00	-44.62	-	-
1712.5MHz_RB_25,#RB 0	Pass	1.5G	1.7G	1M	3M	RMS	1.7G	-53.75	-13.00	-40.75	-	-
1712.5MHz_RB_25,#RB 0	Pass	1.7G	1.709G	50k	200k	RMS	1.7085G	-37.01	-13.00	-24.01	MBW 1M	-
1712.5MHz_RB_25,#RB 0	Pass	1.709G	1.71G	50k	200k	RMS	1.71G	-33.51	-13.00	-20.51	-	-
1712.5MHz_RB_25,#RB 0	Pass	1.755G	1.756G	50k	200k	RMS	1.75585G	-71.25	-13.00	-58.25	-	-
1712.5MHz_RB_25,#RB 0	Pass	1.756G	1.765G	50k	200k	RMS	1.7645G	-58.35	-13.00	-45.35	MBW 1M	-
1712.5MHz_RB_25,#RB 0	Pass	1.765G	5G	1M	3M	RMS	3.42456G	-52.13	-13.00	-39.13	-	-
1712.5MHz_RB_25,#RB 0	Pass	5G	17.55G	1M	3M	RMS	15.8683G	-45.42	-13.00	-32.42	-	-
1712.5MHz_RB_1,#RB L	Pass	9k	150k	1k	3k	RMS	43.122k	-65.21	-13.00	-52.21	-	-
1712.5MHz_RB_1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-65.48	-13.00	-52.48	-	-
1712.5MHz_RB_1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.01343G	-57.59	-13.00	-44.59	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1712.5MHz_RB 1,#RB L	Pass	1.5G	1.7G	1M	3M	RMS	1.7G	-57.65	-13.00	-44.65	-	-
1712.5MHz_RB 1,#RB L	Pass	1.7G	1.709G	50k	200k	RMS	1.7085G	-39.00	-13.00	-26.00	MBW 1M	-
1712.5MHz_RB 1,#RB L	Pass	1.709G	1.71G	50k	200k	RMS	1.71G	-26.37	-13.00	-13.37	-	-
1712.5MHz_RB 1,#RB L	Pass	1.755G	1.756G	50k	200k	RMS	1.7559G	-71.01	-13.00	-58.01	-	-
1712.5MHz_RB 1,#RB L	Pass	1.756G	1.765G	50k	200k	RMS	1.7575G	-58.47	-13.00	-45.47	MBW 1M	-
1712.5MHz_RB 1,#RB L	Pass	1.765G	5G	1M	3M	RMS	3.42132G	-50.04	-13.00	-37.04	-	-
1712.5MHz_RB 1,#RB L	Pass	5G	17.55G	1M	3M	RMS	15.78045G	-45.26	-13.00	-32.26	-	-
1732.5MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	18.588k	-75.17	-13.00	-62.17	-	-
1732.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-65.74	-13.00	-52.74	-	-
1732.5MHz_RB 25,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.0296G	-57.52	-13.00	-44.52	-	-
1732.5MHz_RB 25,#RB 0	Pass	1.5G	1.7G	1M	3M	RMS	1.6368G	-57.88	-13.00	-44.88	-	-
1732.5MHz_RB 25,#RB 0	Pass	1.7G	1.709G	50k	200k	RMS	1.7085G	-58.35	-13.00	-45.35	MBW 1M	-
1732.5MHz_RB 25,#RB 0	Pass	1.709G	1.71G	50k	200k	RMS	1.70911G	-70.98	-13.00	-57.98	-	-
1732.5MHz_RB 25,#RB 0	Pass	1.755G	1.756G	50k	200k	RMS	1.75524G	-70.67	-13.00	-57.67	-	-
1732.5MHz_RB 25,#RB 0	Pass	1.756G	1.765G	50k	200k	RMS	1.7595G	-58.07	-13.00	-45.07	MBW 1M	-
1732.5MHz_RB 25,#RB 0	Pass	1.765G	5G	1M	3M	RMS	4.30124G	-53.21	-13.00	-40.21	-	-
1732.5MHz_RB 25,#RB 0	Pass	5G	17.55G	1M	3M	RMS	15.8181G	-45.36	-13.00	-32.36	-	-
1732.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	56.94k	-65.53	-13.00	-52.53	-	-
1732.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-67.47	-13.00	-54.47	-	-
1732.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	982.56M	-57.80	-13.00	-44.80	-	-
1732.5MHz_RB 1,#RB L	Pass	1.5G	1.7G	1M	3M	RMS	1.6564G	-57.46	-13.00	-44.46	-	-
1732.5MHz_RB 1,#RB L	Pass	1.7G	1.709G	50k	200k	RMS	1.7085G	-58.48	-13.00	-45.48	MBW 1M	-
1732.5MHz_RB 1,#RB L	Pass	1.709G	1.71G	50k	200k	RMS	1.70937G	-70.96	-13.00	-57.96	-	-
1732.5MHz_RB 1,#RB L	Pass	1.755G	1.756G	50k	200k	RMS	1.75531G	-70.99	-13.00	-57.99	-	-
1732.5MHz_RB 1,#RB L	Pass	1.756G	1.765G	50k	200k	RMS	1.7645G	-58.25	-13.00	-45.25	MBW 1M	-
1732.5MHz_RB 1,#RB L	Pass	1.765G	5G	1M	3M	RMS	4.2786G	-53.27	-13.00	-40.27	-	-
1732.5MHz_RB 1,#RB L	Pass	5G	17.55G	1M	3M	RMS	15.8683G	-45.28	-13.00	-32.28	-	-
1752.5MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	9.987k	-75.27	-13.00	-62.27	-	-
1752.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-67.03	-13.00	-54.03	-	-
1752.5MHz_RB 25,#RB 0	Pass	30M	1.5G	1M	3M	RMS	991.38M	-57.89	-13.00	-44.89	-	-
1752.5MHz_RB 25,#RB 0	Pass	1.5G	1.7G	1M	3M	RMS	1.685G	-57.85	-13.00	-44.85	-	-
1752.5MHz_RB 25,#RB 0	Pass	1.7G	1.709G	50k	200k	RMS	1.7025G	-58.66	-13.00	-45.66	MBW 1M	-
1752.5MHz_RB 25,#RB 0	Pass	1.709G	1.71G	50k	200k	RMS	1.7091G	-71.32	-13.00	-58.32	-	-
1752.5MHz_RB 25,#RB 0	Pass	1.755G	1.756G	50k	200k	RMS	1.755G	-33.08	-13.00	-20.08	-	-
1752.5MHz_RB 25,#RB 0	Pass	1.756G	1.765G	50k	200k	RMS	1.7565G	-31.54	-13.00	-18.54	MBW 1M	-
1752.5MHz_RB 25,#RB 0	Pass	1.765G	5G	1M	3M	RMS	3.50543G	-53.10	-13.00	-40.10	-	-
1752.5MHz_RB 25,#RB 0	Pass	5G	17.55G	1M	3M	RMS	15.85575G	-45.61	-13.00	-32.61	-	-
1752.5MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	106.149k	-65.23	-13.00	-52.23	-	-
1752.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	299.25k	-66.62	-13.00	-53.62	-	-
1752.5MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	1.14279G	-57.72	-13.00	-44.72	-	-
1752.5MHz_RB 1,#RB H	Pass	1.5G	1.7G	1M	3M	RMS	1.652G	-57.78	-13.00	-44.78	-	-
1752.5MHz_RB 1,#RB H	Pass	1.7G	1.709G	50k	200k	RMS	1.7015G	-58.32	-13.00	-45.32	MBW 1M	-
1752.5MHz_RB 1,#RB H	Pass	1.709G	1.71G	50k	200k	RMS	1.70992G	-71.23	-13.00	-58.23	-	-
1752.5MHz_RB 1,#RB H	Pass	1.755G	1.756G	50k	200k	RMS	1.755G	-26.57	-13.00	-13.57	-	-
1752.5MHz_RB 1,#RB H	Pass	1.756G	1.765G	50k	200k	RMS	1.7565G	-37.76	-13.00	-24.76	MBW 1M	-
1752.5MHz_RB 1,#RB H	Pass	1.765G	5G	1M	3M	RMS	3.50867G	-50.40	-13.00	-37.40	-	-
1752.5MHz_RB 1,#RB H	Pass	5G	17.55G	1M	3M	RMS	15.8432G	-45.13	-13.00	-32.13	-	-
Band 4_LTE_5MHz_Nss1_64QAM_1Tx	-	-	-	-	-	-	-	-	-	-	-	-
1712.5MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	11.397k	-73.52	-13.00	-60.52	-	-
1712.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-67.21	-13.00	-54.21	-	-
1712.5MHz_RB 25,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.06047G	-57.73	-13.00	-44.73	-	-
1712.5MHz_RB 25,#RB 0	Pass	1.5G	1.7G	1M	3M	RMS	1.7G	-53.78	-13.00	-40.78	-	-
1712.5MHz_RB 25,#RB 0	Pass	1.7G	1.709G	50k	200k	RMS	1.7085G	-37.04	-13.00	-24.04	MBW 1M	-
1712.5MHz_RB 25,#RB 0	Pass	1.709G	1.71G	50k	200k	RMS	1.71G	-34.07	-13.00	-21.07	-	-
1712.5MHz_RB 25,#RB 0	Pass	1.755G	1.756G	50k	200k	RMS	1.75593G	-71.06	-13.00	-58.06	-	-
1712.5MHz_RB 25,#RB 0	Pass	1.756G	1.765G	50k	200k	RMS	1.7605G	-58.43	-13.00	-45.43	MBW 1M	-
1712.5MHz_RB 25,#RB 0	Pass	1.765G	5G	1M	3M	RMS	3.42456G	-52.32	-13.00	-39.32	-	-
1712.5MHz_RB 25,#RB 0	Pass	5G	17.55G	1M	3M	RMS	15.85575G	-45.11	-13.00	-32.11	-	-
1712.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	83.589k	-65.62	-13.00	-52.62	-	-
1712.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-66.11	-13.00	-53.11	-	-
1712.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	989.91M	-57.71	-13.00	-44.71	-	-
1712.5MHz_RB 1,#RB L	Pass	1.5G	1.7G	1M	3M	RMS	1.6922G	-57.61	-13.00	-44.61	-	-
1712.5MHz_RB 1,#RB L	Pass	1.7G	1.709G	50k	200k	RMS	1.7085G	-38.97	-13.00	-25.97	MBW 1M	-
1712.5MHz_RB 1,#RB L	Pass	1.709G	1.71G	50k	200k	RMS	1.71G	-26.29	-13.00	-13.29	-	-
1712.5MHz_RB 1,#RB L	Pass	1.755G	1.756G	50k	200k	RMS	1.75561G	-71.16	-13.00	-58.16	-	-
1712.5MHz_RB 1,#RB L	Pass	1.756G	1.765G	50k	200k	RMS	1.7645G	-58.44	-13.00	-45.44	MBW 1M	-
1712.5MHz_RB 1,#RB L	Pass	1.765G	5G	1M	3M	RMS	3.42132G	-49.84	-13.00	-36.84	-	-
1712.5MHz_RB 1,#RB L	Pass	5G	17.55G	1M	3M	RMS	15.8432G	-45.29	-13.00	-32.29	-	-
1732.5MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	9k	-74.98	-13.00	-61.98	-	-
1732.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-67.95	-13.00	-54.95	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1732.5MHz_RB_25,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.03107G	-57.61	-13.00	-44.61	-	-
1732.5MHz_RB_25,#RB 0	Pass	1.5G	1.7G	1M	3M	RMS	1.636G	-57.89	-13.00	-44.89	-	-
1732.5MHz_RB_25,#RB 0	Pass	1.7G	1.709G	50k	200k	RMS	1.7085G	-58.34	-13.00	-45.34	MBW 1M	-
1732.5MHz_RB_25,#RB 0	Pass	1.709G	1.71G	50k	200k	RMS	1.70998G	-70.88	-13.00	-57.88	-	-
1732.5MHz_RB_25,#RB 0	Pass	1.755G	1.756G	50k	200k	RMS	1.7557G	-70.70	-13.00	-57.70	-	-
1732.5MHz_RB_25,#RB 0	Pass	1.756G	1.765G	50k	200k	RMS	1.7595G	-58.03	-13.00	-45.03	MBW 1M	-
1732.5MHz_RB_25,#RB 0	Pass	1.765G	5G	1M	3M	RMS	4.89325G	-53.32	-13.00	-40.32	-	-
1732.5MHz_RB_25,#RB 0	Pass	5G	17.55G	1M	3M	RMS	15.8432G	-45.05	-13.00	-32.05	-	-
1732.5MHz_RB_1,#RB L	Pass	9k	150k	1k	3k	RMS	29.445k	-64.37	-13.00	-51.37	-	-
1732.5MHz_RB_1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-66.81	-13.00	-53.81	-	-
1732.5MHz_RB_1,#RB L	Pass	30M	1.5G	1M	3M	RMS	967.86M	-57.75	-13.00	-44.75	-	-
1732.5MHz_RB_1,#RB L	Pass	1.5G	1.7G	1M	3M	RMS	1.6322G	-57.93	-13.00	-44.93	-	-
1732.5MHz_RB_1,#RB L	Pass	1.7G	1.709G	50k	200k	RMS	1.7085G	-58.37	-13.00	-45.37	MBW 1M	-
1732.5MHz_RB_1,#RB L	Pass	1.709G	1.71G	50k	200k	RMS	1.70946G	-70.77	-13.00	-57.77	-	-
1732.5MHz_RB_1,#RB L	Pass	1.755G	1.756G	50k	200k	RMS	1.75519G	-70.88	-13.00	-57.88	-	-
1732.5MHz_RB_1,#RB L	Pass	1.756G	1.765G	50k	200k	RMS	1.7595G	-58.22	-13.00	-45.22	MBW 1M	-
1732.5MHz_RB_1,#RB L	Pass	1.765G	5G	1M	3M	RMS	4.89001G	-53.02	-13.00	-40.02	-	-
1732.5MHz_RB_1,#RB L	Pass	5G	17.55G	1M	3M	RMS	15.8432G	-45.36	-13.00	-32.36	-	-
1752.5MHz_RB_25,#RB 0	Pass	9k	150k	1k	3k	RMS	10.269k	-73.35	-13.00	-60.35	-	-
1752.5MHz_RB_25,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-66.40	-13.00	-53.40	-	-
1752.5MHz_RB_25,#RB 0	Pass	30M	1.5G	1M	3M	RMS	953.16M	-57.73	-13.00	-44.73	-	-
1752.5MHz_RB_25,#RB 0	Pass	1.5G	1.7G	1M	3M	RMS	1.6332G	-57.85	-13.00	-44.85	-	-
1752.5MHz_RB_25,#RB 0	Pass	1.7G	1.709G	50k	200k	RMS	1.7015G	-58.68	-13.00	-45.68	MBW 1M	-
1752.5MHz_RB_25,#RB 0	Pass	1.709G	1.71G	50k	200k	RMS	1.70943G	-71.18	-13.00	-58.18	-	-
1752.5MHz_RB_25,#RB 0	Pass	1.755G	1.756G	50k	200k	RMS	1.755G	-32.72	-13.00	-19.72	-	-
1752.5MHz_RB_25,#RB 0	Pass	1.756G	1.765G	50k	200k	RMS	1.7565G	-31.88	-13.00	-18.88	MBW 1M	-
1752.5MHz_RB_25,#RB 0	Pass	1.765G	5G	1M	3M	RMS	3.50543G	-53.11	-13.00	-40.11	-	-
1752.5MHz_RB_25,#RB 0	Pass	5G	17.55G	1M	3M	RMS	15.83065G	-45.30	-13.00	-32.30	-	-
1752.5MHz_RB_1,#RB H	Pass	9k	150k	1k	3k	RMS	105.867k	-66.89	-13.00	-53.89	-	-
1752.5MHz_RB_1,#RB H	Pass	150k	30M	10k	30k	RMS	299.25k	-67.68	-13.00	-54.68	-	-
1752.5MHz_RB_1,#RB H	Pass	30M	1.5G	1M	3M	RMS	944.34M	-57.79	-13.00	-44.79	-	-
1752.5MHz_RB_1,#RB H	Pass	1.5G	1.7G	1M	3M	RMS	1.6424G	-57.80	-13.00	-44.80	-	-
1752.5MHz_RB_1,#RB H	Pass	1.7G	1.709G	50k	200k	RMS	1.7015G	-58.35	-13.00	-45.35	MBW 1M	-
1752.5MHz_RB_1,#RB H	Pass	1.709G	1.71G	50k	200k	RMS	1.70972G	-71.23	-13.00	-58.23	-	-
1752.5MHz_RB_1,#RB H	Pass	1.755G	1.756G	50k	200k	RMS	1.755G	-27.57	-13.00	-14.57	-	-
1752.5MHz_RB_1,#RB H	Pass	1.756G	1.765G	50k	200k	RMS	1.7565G	-39.17	-13.00	-26.17	MBW 1M	-
1752.5MHz_RB_1,#RB H	Pass	1.765G	5G	1M	3M	RMS	3.50867G	-51.44	-13.00	-38.44	-	-
1752.5MHz_RB_1,#RB H	Pass	5G	17.55G	1M	3M	RMS	15.83065G	-45.41	-13.00	-32.41	-	-
Band 4_LTE_10MHz_Nss1,OPSK_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1715MHz_RB_50,#RB 0	Pass	9k	150k	1k	3k	RMS	12.666k	-72.79	-13.00	-59.79	-	-
1715MHz_RB_50,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-66.70	-13.00	-53.70	-	-
1715MHz_RB_50,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.01784G	-57.50	-13.00	-44.50	-	-
1715MHz_RB_50,#RB 0	Pass	1.5G	1.69G	1M	3M	RMS	1.68145G	-57.79	-13.00	-44.79	-	-
1715MHz_RB_50,#RB 0	Pass	1.69G	1.709G	100k	300k	RMS	1.7085G	-37.09	-13.00	-24.09	MBW 1M	-
1715MHz_RB_50,#RB 0	Pass	1.709G	1.71G	100k	300k	RMS	1.71G	-36.01	-13.00	-23.01	-	-
1715MHz_RB_50,#RB 0	Pass	1.755G	1.756G	100k	300k	RMS	1.7557G	-67.98	-13.00	-54.98	-	-
1715MHz_RB_50,#RB 0	Pass	1.756G	1.775G	100k	300k	RMS	1.7595G	-58.23	-13.00	-45.23	MBW 1M	-
1715MHz_RB_50,#RB 0	Pass	1.775G	5G	1M	3M	RMS	4.3034G	-53.19	-13.00	-40.19	-	-
1715MHz_RB_50,#RB 0	Pass	5G	17.55G	1M	3M	RMS	15.85575G	-45.29	-13.00	-32.29	-	-
1715MHz_RB_1,#RB L	Pass	9k	150k	1k	3k	RMS	46.647k	-64.52	-13.00	-51.52	-	-
1715MHz_RB_1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-65.39	-13.00	-52.39	-	-
1715MHz_RB_1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.04577G	-57.65	-13.00	-44.65	-	-
1715MHz_RB_1,#RB L	Pass	1.5G	1.69G	1M	3M	RMS	1.64858G	-57.86	-13.00	-44.86	-	-
1715MHz_RB_1,#RB L	Pass	1.69G	1.709G	100k	300k	RMS	1.7085G	-39.36	-13.00	-26.36	MBW 1M	-
1715MHz_RB_1,#RB L	Pass	1.709G	1.71G	100k	300k	RMS	1.71G	-34.80	-13.00	-21.80	-	-
1715MHz_RB_1,#RB L	Pass	1.755G	1.756G	100k	300k	RMS	1.7556G	-68.19	-13.00	-55.19	-	-
1715MHz_RB_1,#RB L	Pass	1.756G	1.775G	100k	300k	RMS	1.7745G	-58.28	-13.00	-45.28	MBW 1M	-
1715MHz_RB_1,#RB L	Pass	1.775G	5G	1M	3M	RMS	3.41975G	-51.19	-13.00	-38.19	-	-
1715MHz_RB_1,#RB L	Pass	5G	17.55G	1M	3M	RMS	15.8432G	-45.16	-13.00	-32.16	-	-
1732.5MHz_RB_50,#RB 0	Pass	9k	150k	1k	3k	RMS	11.256k	-75.85	-13.00	-62.85	-	-
1732.5MHz_RB_50,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-66.42	-13.00	-53.42	-	-
1732.5MHz_RB_50,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.04871G	-57.58	-13.00	-44.58	-	-
1732.5MHz_RB_50,#RB 0	Pass	1.5G	1.69G	1M	3M	RMS	1.63376G	-57.64	-13.00	-44.64	-	-
1732.5MHz_RB_50,#RB 0	Pass	1.69G	1.709G	100k	300k	RMS	1.7085G	-54.32	-13.00	-41.32	MBW 1M	-
1732.5MHz_RB_50,#RB 0	Pass	1.709G	1.71G	100k	300k	RMS	1.70949G	-63.88	-13.00	-50.88	-	-
1732.5MHz_RB_50,#RB 0	Pass	1.755G	1.756G	100k	300k	RMS	1.75502G	-64.60	-13.00	-51.60	-	-
1732.5MHz_RB_50,#RB 0	Pass	1.756G	1.775G	100k	300k	RMS	1.7565G	-55.26	-13.00	-42.26	MBW 1M	-
1732.5MHz_RB_50,#RB 0	Pass	1.775G	5G	1M	3M	RMS	4.15183G	-53.27	-13.00	-40.27	-	-
1732.5MHz_RB_50,#RB 0	Pass	5G	17.55G	1M	3M	RMS	15.793G	-45.16	-13.00	-32.16	-	-
1732.5MHz_RB_1,#RB L	Pass	9k	150k	1k	3k	RMS	102.765k	-64.89	-13.00	-51.89	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1732.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-65.50	-13.00	-52.50	-	-
1732.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	967.86M	-57.84	-13.00	-44.84	-	-
1732.5MHz_RB 1,#RB L	Pass	1.5G	1.69G	1M	3M	RMS	1.68354G	-57.66	-13.00	-44.66	-	-
1732.5MHz_RB 1,#RB L	Pass	1.69G	1.709G	100k	300k	RMS	1.7085G	-58.04	-13.00	-45.04	MBW 1M	-
1732.5MHz_RB 1,#RB L	Pass	1.709G	1.71G	100k	300k	RMS	1.71G	-67.52	-13.00	-54.52	-	-
1732.5MHz_RB 1,#RB L	Pass	1.755G	1.756G	100k	300k	RMS	1.75577G	-67.93	-13.00	-54.93	-	-
1732.5MHz_RB 1,#RB L	Pass	1.756G	1.775G	100k	300k	RMS	1.7635G	-56.30	-13.00	-43.30	MBW 1M	-
1732.5MHz_RB 1,#RB L	Pass	1.775G	5G	1M	3M	RMS	4.8839G	-53.19	-13.00	-40.19	-	-
1732.5MHz_RB 1,#RB L	Pass	5G	17.55G	1M	3M	RMS	15.8432G	-45.45	-13.00	-32.45	-	-
1750MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	9.282k	-74.48	-13.00	-61.48	-	-
1750MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-67.52	-13.00	-54.52	-	-
1750MHz_RB 50,#RB 0	Pass	30M	1.5G	1M	3M	RMS	969.33M	-57.69	-13.00	-44.69	-	-
1750MHz_RB 50,#RB 0	Pass	1.5G	1.69G	1M	3M	RMS	1.66663G	-57.77	-13.00	-44.77	-	-
1750MHz_RB 50,#RB 0	Pass	1.69G	1.709G	100k	300k	RMS	1.7085G	-58.24	-13.00	-45.24	MBW 1M	-
1750MHz_RB 50,#RB 0	Pass	1.709G	1.71G	100k	300k	RMS	1.70951G	-67.98	-13.00	-54.98	-	-
1750MHz_RB 50,#RB 0	Pass	1.755G	1.756G	100k	300k	RMS	1.755G	-34.33	-13.00	-21.33	-	-
1750MHz_RB 50,#RB 0	Pass	1.756G	1.775G	100k	300k	RMS	1.7565G	-32.22	-13.00	-19.22	MBW 1M	-
1750MHz_RB 50,#RB 0	Pass	1.775G	5G	1M	3M	RMS	4.8968G	-53.17	-13.00	-40.17	-	-
1750MHz_RB 50,#RB 0	Pass	5G	17.55G	1M	3M	RMS	15.8683G	-44.99	-13.00	-31.99	-	-
1750MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	106.431k	-61.91	-13.00	-48.91	-	-
1750MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	299.25k	-66.68	-13.00	-53.68	-	-
1750MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	992.85M	-57.76	-13.00	-44.76	-	-
1750MHz_RB 1,#RB H	Pass	1.5G	1.69G	1M	3M	RMS	1.6387G	-57.74	-13.00	-44.74	-	-
1750MHz_RB 1,#RB H	Pass	1.69G	1.709G	100k	300k	RMS	1.7085G	-58.18	-13.00	-45.18	MBW 1M	-
1750MHz_RB 1,#RB H	Pass	1.709G	1.71G	100k	300k	RMS	1.70947G	-68.36	-13.00	-55.36	-	-
1750MHz_RB 1,#RB H	Pass	1.755G	1.756G	100k	300k	RMS	1.755G	-34.48	-13.00	-21.48	-	-
1750MHz_RB 1,#RB H	Pass	1.756G	1.775G	100k	300k	RMS	1.7565G	-38.95	-13.00	-25.95	MBW 1M	-
1750MHz_RB 1,#RB H	Pass	1.775G	5G	1M	3M	RMS	3.51005G	-50.70	-13.00	-37.70	-	-
1750MHz_RB 1,#RB H	Pass	5G	17.55G	1M	3M	RMS	15.8181G	-45.31	-13.00	-32.31	-	-
Band 4_LTE_10MHz_Nss1_16QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1715MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	10.974k	-75.17	-13.00	-62.17	-	-
1715MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-67.74	-13.00	-54.74	-	-
1715MHz_RB 50,#RB 0	Pass	30M	1.5G	1M	3M	RMS	936.99M	-57.72	-13.00	-44.72	-	-
1715MHz_RB 50,#RB 0	Pass	1.5G	1.69G	1M	3M	RMS	1.63908G	-57.78	-13.00	-44.78	-	-
1715MHz_RB 50,#RB 0	Pass	1.69G	1.709G	100k	300k	RMS	1.7085G	-39.03	-13.00	-26.03	MBW 1M	-
1715MHz_RB 50,#RB 0	Pass	1.709G	1.71G	100k	300k	RMS	1.71G	-38.37	-13.00	-25.37	-	-
1715MHz_RB 50,#RB 0	Pass	1.755G	1.756G	100k	300k	RMS	1.75501G	-68.25	-13.00	-55.25	-	-
1715MHz_RB 50,#RB 0	Pass	1.756G	1.775G	100k	300k	RMS	1.7615G	-58.27	-13.00	-45.27	MBW 1M	-
1715MHz_RB 50,#RB 0	Pass	1.775G	5G	1M	3M	RMS	3.42943G	-53.13	-13.00	-40.13	-	-
1715MHz_RB 50,#RB 0	Pass	5G	17.55G	1M	3M	RMS	15.8432G	-45.36	-13.00	-32.36	-	-
1715MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	51.582k	-65.59	-13.00	-52.59	-	-
1715MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-66.72	-13.00	-53.72	-	-
1715MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	998.73M	-57.74	-13.00	-44.74	-	-
1715MHz_RB 1,#RB L	Pass	1.5G	1.69G	1M	3M	RMS	1.66511G	-57.65	-13.00	-44.65	-	-
1715MHz_RB 1,#RB L	Pass	1.69G	1.709G	100k	300k	RMS	1.7085G	-40.18	-13.00	-27.18	MBW 1M	-
1715MHz_RB 1,#RB L	Pass	1.709G	1.71G	100k	300k	RMS	1.71G	-35.35	-13.00	-22.35	-	-
1715MHz_RB 1,#RB L	Pass	1.755G	1.756G	100k	300k	RMS	1.755G	-68.24	-13.00	-55.24	-	-
1715MHz_RB 1,#RB L	Pass	1.756G	1.775G	100k	300k	RMS	1.7715G	-58.33	-13.00	-45.33	MBW 1M	-
1715MHz_RB 1,#RB L	Pass	1.775G	5G	1M	3M	RMS	3.41975G	-51.45	-13.00	-38.45	-	-
1715MHz_RB 1,#RB L	Pass	5G	17.55G	1M	3M	RMS	15.8683G	-45.27	-13.00	-32.27	-	-
1732.5MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	11.82k	-75.30	-13.00	-62.30	-	-
1732.5MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-66.80	-13.00	-53.80	-	-
1732.5MHz_RB 50,#RB 0	Pass	30M	1.5G	1M	3M	RMS	916.41M	-57.80	-13.00	-44.80	-	-
1732.5MHz_RB 50,#RB 0	Pass	1.5G	1.69G	1M	3M	RMS	1.64592G	-57.78	-13.00	-44.78	-	-
1732.5MHz_RB 50,#RB 0	Pass	1.69G	1.709G	100k	300k	RMS	1.7085G	-54.31	-13.00	-41.31	MBW 1M	-
1732.5MHz_RB 50,#RB 0	Pass	1.709G	1.71G	100k	300k	RMS	1.70973G	-63.38	-13.00	-50.38	-	-
1732.5MHz_RB 50,#RB 0	Pass	1.755G	1.756G	100k	300k	RMS	1.755G	-64.66	-13.00	-51.66	-	-
1732.5MHz_RB 50,#RB 0	Pass	1.756G	1.775G	100k	300k	RMS	1.7565G	-55.33	-13.00	-42.33	MBW 1M	-
1732.5MHz_RB 50,#RB 0	Pass	1.775G	5G	1M	3M	RMS	4.8839G	-53.33	-13.00	-40.33	-	-
1732.5MHz_RB 50,#RB 0	Pass	5G	17.55G	1M	3M	RMS	15.8432G	-45.23	-13.00	-32.23	-	-
1732.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	63.99k	-63.16	-13.00	-50.16	-	-
1732.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-68.27	-13.00	-55.27	-	-
1732.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	945.81M	-57.75	-13.00	-44.75	-	-
1732.5MHz_RB 1,#RB L	Pass	1.5G	1.69G	1M	3M	RMS	1.64706G	-57.83	-13.00	-44.83	-	-
1732.5MHz_RB 1,#RB L	Pass	1.69G	1.709G	100k	300k	RMS	1.7085G	-58.16	-13.00	-45.16	MBW 1M	-
1732.5MHz_RB 1,#RB L	Pass	1.709G	1.71G	100k	300k	RMS	1.70989G	-67.55	-13.00	-54.55	-	-
1732.5MHz_RB 1,#RB L	Pass	1.755G	1.756G	100k	300k	RMS	1.75531G	-67.83	-13.00	-54.83	-	-
1732.5MHz_RB 1,#RB L	Pass	1.756G	1.775G	100k	300k	RMS	1.7635G	-58.04	-13.00	-45.04	MBW 1M	-
1732.5MHz_RB 1,#RB L	Pass	1.775G	5G	1M	3M	RMS	4.93873G	-53.20	-13.00	-40.20	-	-
1732.5MHz_RB 1,#RB L	Pass	5G	17.55G	1M	3M	RMS	15.793G	-45.14	-13.00	-32.14	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1750MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	12.948k	-76.12	-13.00	-63.12	-	-
1750MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-65.36	-13.00	-52.36	-	-
1750MHz_RB 50,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.10898G	-57.91	-13.00	-44.91	-	-
1750MHz_RB 50,#RB 0	Pass	1.5G	1.69G	1M	3M	RMS	1.65428G	-57.73	-13.00	-44.73	-	-
1750MHz_RB 50,#RB 0	Pass	1.69G	1.709G	100k	300k	RMS	1.7085G	-58.36	-13.00	-45.36	MBW 1M	-
1750MHz_RB 50,#RB 0	Pass	1.709G	1.71G	100k	300k	RMS	1.70993G	-68.26	-13.00	-55.26	-	-
1750MHz_RB 50,#RB 0	Pass	1.755G	1.756G	100k	300k	RMS	1.755G	-36.03	-13.00	-23.03	-	-
1750MHz_RB 50,#RB 0	Pass	1.756G	1.775G	100k	300k	RMS	1.7565G	-33.61	-13.00	-20.61	MBW 1M	-
1750MHz_RB 50,#RB 0	Pass	1.775G	5G	1M	3M	RMS	4.30018G	-53.25	-13.00	-40.25	-	-
1750MHz_RB 50,#RB 0	Pass	5G	17.55G	1M	3M	RMS	15.83065G	-45.43	-13.00	-32.43	-	-
1750MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	90.075k	-64.91	-13.00	-51.91	-	-
1750MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	299.25k	-66.44	-13.00	-53.44	-	-
1750MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	997.26M	-57.76	-13.00	-44.76	-	-
1750MHz_RB 1,#RB H	Pass	1.5G	1.69G	1M	3M	RMS	1.65447G	-57.86	-13.00	-44.86	-	-
1750MHz_RB 1,#RB H	Pass	1.69G	1.709G	100k	300k	RMS	1.7085G	-58.39	-13.00	-45.39	MBW 1M	-
1750MHz_RB 1,#RB H	Pass	1.709G	1.71G	100k	300k	RMS	1.70991G	-68.50	-13.00	-55.50	-	-
1750MHz_RB 1,#RB H	Pass	1.755G	1.756G	100k	300k	RMS	1.755G	-35.71	-13.00	-22.71	-	-
1750MHz_RB 1,#RB H	Pass	1.756G	1.775G	100k	300k	RMS	1.7565G	-40.09	-13.00	-27.09	MBW 1M	-
1750MHz_RB 1,#RB H	Pass	1.775G	5G	1M	3M	RMS	3.51005G	-51.30	-13.00	-38.30	-	-
1750MHz_RB 1,#RB H	Pass	5G	17.55G	1M	3M	RMS	15.85575G	-45.44	-13.00	-32.44	-	-
Band 4_LTE_10MHz_Nss1,64QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1715MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	16.614k	-75.23	-13.00	-62.23	-	-
1715MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-67.35	-13.00	-54.35	-	-
1715MHz_RB 50,#RB 0	Pass	30M	1.5G	1M	3M	RMS	994.32M	-57.74	-13.00	-44.74	-	-
1715MHz_RB 50,#RB 0	Pass	1.5G	1.69G	1M	3M	RMS	1.64668G	-57.70	-13.00	-44.70	-	-
1715MHz_RB 50,#RB 0	Pass	1.69G	1.709G	100k	300k	RMS	1.7085G	-38.62	-13.00	-25.62	MBW 1M	-
1715MHz_RB 50,#RB 0	Pass	1.709G	1.71G	100k	300k	RMS	1.71G	-38.25	-13.00	-25.25	-	-
1715MHz_RB 50,#RB 0	Pass	1.755G	1.756G	100k	300k	RMS	1.75585G	-68.23	-13.00	-55.23	-	-
1715MHz_RB 50,#RB 0	Pass	1.756G	1.775G	100k	300k	RMS	1.7595G	-58.29	-13.00	-45.29	MBW 1M	-
1715MHz_RB 50,#RB 0	Pass	1.775G	5G	1M	3M	RMS	3.42943G	-52.90	-13.00	-39.90	-	-
1715MHz_RB 50,#RB 0	Pass	5G	17.55G	1M	3M	RMS	15.85575G	-45.41	-13.00	-32.41	-	-
1715MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	62.862k	-65.68	-13.00	-52.68	-	-
1715MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-65.97	-13.00	-52.97	-	-
1715MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.03401G	-57.27	-13.00	-44.27	-	-
1715MHz_RB 1,#RB L	Pass	1.5G	1.69G	1M	3M	RMS	1.65542G	-57.80	-13.00	-44.80	-	-
1715MHz_RB 1,#RB L	Pass	1.69G	1.709G	100k	300k	RMS	1.7085G	-40.01	-13.00	-27.01	MBW 1M	-
1715MHz_RB 1,#RB L	Pass	1.709G	1.71G	100k	300k	RMS	1.71G	-35.31	-13.00	-22.31	-	-
1715MHz_RB 1,#RB L	Pass	1.755G	1.756G	100k	300k	RMS	1.75592G	-68.32	-13.00	-55.32	-	-
1715MHz_RB 1,#RB L	Pass	1.756G	1.775G	100k	300k	RMS	1.7745G	-58.39	-13.00	-45.39	MBW 1M	-
1715MHz_RB 1,#RB L	Pass	1.775G	5G	1M	3M	RMS	3.41975G	-51.62	-13.00	-38.62	-	-
1715MHz_RB 1,#RB L	Pass	5G	17.55G	1M	3M	RMS	15.8432G	-45.31	-13.00	-32.31	-	-
1732.5MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	11.397k	-75.95	-13.00	-62.95	-	-
1732.5MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-66.05	-13.00	-53.05	-	-
1732.5MHz_RB 50,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.14867G	-57.72	-13.00	-44.72	-	-
1732.5MHz_RB 50,#RB 0	Pass	1.5G	1.69G	1M	3M	RMS	1.64896G	-57.75	-13.00	-44.75	-	-
1732.5MHz_RB 50,#RB 0	Pass	1.69G	1.709G	100k	300k	RMS	1.7085G	-54.30	-13.00	-41.30	MBW 1M	-
1732.5MHz_RB 50,#RB 0	Pass	1.709G	1.71G	100k	300k	RMS	1.71G	-63.38	-13.00	-50.38	-	-
1732.5MHz_RB 50,#RB 0	Pass	1.755G	1.756G	100k	300k	RMS	1.75509G	-64.70	-13.00	-51.70	-	-
1732.5MHz_RB 50,#RB 0	Pass	1.756G	1.775G	100k	300k	RMS	1.7565G	-55.33	-13.00	-42.33	MBW 1M	-
1732.5MHz_RB 50,#RB 0	Pass	1.775G	5G	1M	3M	RMS	4.9097G	-53.03	-13.00	-40.03	-	-
1732.5MHz_RB 50,#RB 0	Pass	5G	17.55G	1M	3M	RMS	15.8432G	-45.37	-13.00	-32.37	-	-
1732.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	78.513k	-65.44	-13.00	-52.44	-	-
1732.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-67.26	-13.00	-54.26	-	-
1732.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.03254G	-57.78	-13.00	-44.78	-	-
1732.5MHz_RB 1,#RB L	Pass	1.5G	1.69G	1M	3M	RMS	1.66739G	-57.75	-13.00	-44.75	-	-
1732.5MHz_RB 1,#RB L	Pass	1.69G	1.709G	100k	300k	RMS	1.7085G	-58.14	-13.00	-45.14	MBW 1M	-
1732.5MHz_RB 1,#RB L	Pass	1.709G	1.71G	100k	300k	RMS	1.70938G	-67.63	-13.00	-54.63	-	-
1732.5MHz_RB 1,#RB L	Pass	1.755G	1.756G	100k	300k	RMS	1.75586G	-67.88	-13.00	-54.88	-	-
1732.5MHz_RB 1,#RB L	Pass	1.756G	1.775G	100k	300k	RMS	1.7635G	-58.10	-13.00	-45.10	MBW 1M	-
1732.5MHz_RB 1,#RB L	Pass	1.775G	5G	1M	3M	RMS	4.89035G	-53.08	-13.00	-40.08	-	-
1732.5MHz_RB 1,#RB L	Pass	5G	17.55G	1M	3M	RMS	15.8683G	-45.45	-13.00	-32.45	-	-
1750MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	11.115k	-73.39	-13.00	-60.39	-	-
1750MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-66.67	-13.00	-53.67	-	-
1750MHz_RB 50,#RB 0	Pass	30M	1.5G	1M	3M	RMS	966.39M	-57.66	-13.00	-44.66	-	-
1750MHz_RB 50,#RB 0	Pass	1.5G	1.69G	1M	3M	RMS	1.67461G	-57.70	-13.00	-44.70	-	-
1750MHz_RB 50,#RB 0	Pass	1.69G	1.709G	100k	300k	RMS	1.7085G	-58.46	-13.00	-45.46	MBW 1M	-
1750MHz_RB 50,#RB 0	Pass	1.709G	1.71G	100k	300k	RMS	1.70926G	-68.06	-13.00	-55.06	-	-
1750MHz_RB 50,#RB 0	Pass	1.755G	1.756G	100k	300k	RMS	1.755G	-36.11	-13.00	-23.11	-	-
1750MHz_RB 50,#RB 0	Pass	1.756G	1.775G	100k	300k	RMS	1.7565G	-33.45	-13.00	-20.45	MBW 1M	-
1750MHz_RB 50,#RB 0	Pass	1.775G	5G	1M	3M	RMS	4.9226G	-53.13	-13.00	-40.13	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1750MHz_RB 50,#RB 0	Pass	5G	17.55G	1M	3M	RMS	15.78045G	-45.50	-13.00	-32.50	-	-
1750MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	85.845k	-63.31	-13.00	-50.31	-	-
1750MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	299.25k	-65.20	-13.00	-52.20	-	-
1750MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	953.16M	-57.61	-13.00	-44.61	-	-
1750MHz_RB 1,#RB H	Pass	1.5G	1.69G	1M	3M	RMS	1.68145G	-57.87	-13.00	-44.87	-	-
1750MHz_RB 1,#RB H	Pass	1.69G	1.709G	100k	300k	RMS	1.7085G	-58.47	-13.00	-45.47	MBW 1M	-
1750MHz_RB 1,#RB H	Pass	1.709G	1.71G	100k	300k	RMS	1.70951G	-68.44	-13.00	-55.44	-	-
1750MHz_RB 1,#RB H	Pass	1.755G	1.756G	100k	300k	RMS	1.755G	-35.74	-13.00	-22.74	-	-
1750MHz_RB 1,#RB H	Pass	1.756G	1.775G	100k	300k	RMS	1.7565G	-39.89	-13.00	-26.89	MBW 1M	-
1750MHz_RB 1,#RB H	Pass	1.775G	5G	1M	3M	RMS	3.51005G	-51.57	-13.00	-38.57	-	-
1750MHz_RB 1,#RB H	Pass	5G	17.55G	1M	3M	RMS	15.793G	-45.14	-13.00	-32.14	-	-
Band 4_LTE_15MHz_Nss1_QPSK_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1717.5MHz_RB 75,#RB 0	Pass	9k	150k	1k	3k	RMS	106.008k	-66.33	-13.00	-53.33	-	-
1717.5MHz_RB 75,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-65.22	-13.00	-52.22	-	-
1717.5MHz_RB 75,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.02666G	-57.69	-13.00	-44.69	-	-
1717.5MHz_RB 75,#RB 0	Pass	1.5G	1.68G	1M	3M	RMS	1.65444G	-57.79	-13.00	-44.79	-	-
1717.5MHz_RB 75,#RB 0	Pass	1.68G	1.709G	200k	500k	RMS	1.6855G	-58.20	-13.00	-45.20	MBW 1M	-
1717.5MHz_RB 75,#RB 0	Pass	1.709G	1.71G	200k	500k	RMS	1.70985G	-65.21	-13.00	-52.21	-	-
1717.5MHz_RB 75,#RB 0	Pass	1.755G	1.756G	200k	500k	RMS	1.75567G	-64.98	-13.00	-51.98	-	-
1717.5MHz_RB 75,#RB 0	Pass	1.756G	1.785G	200k	500k	RMS	1.7835G	-58.07	-13.00	-45.07	MBW 1M	-
1717.5MHz_RB 75,#RB 0	Pass	1.785G	5G	1M	3M	RMS	4.86176G	-53.00	-13.00	-40.00	-	-
1717.5MHz_RB 75,#RB 0	Pass	5G	17.55G	1M	3M	RMS	15.80655G	-45.27	-13.00	-32.27	-	-
1717.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	92.331k	-63.60	-13.00	-50.60	-	-
1717.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-65.04	-13.00	-52.04	-	-
1717.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	972.27M	-57.73	-13.00	-44.73	-	-
1717.5MHz_RB 1,#RB L	Pass	1.5G	1.68G	1M	3M	RMS	1.64814G	-57.92	-13.00	-44.92	-	-
1717.5MHz_RB 1,#RB L	Pass	1.68G	1.709G	200k	500k	RMS	1.7085G	-39.92	-13.00	-26.92	MBW 1M	-
1717.5MHz_RB 1,#RB L	Pass	1.709G	1.71G	200k	500k	RMS	1.71G	-28.72	-13.00	-15.72	-	-
1717.5MHz_RB 1,#RB L	Pass	1.755G	1.756G	200k	500k	RMS	1.756G	-65.36	-13.00	-52.36	-	-
1717.5MHz_RB 1,#RB L	Pass	1.756G	1.785G	200k	500k	RMS	1.7645G	-56.31	-13.00	-43.31	MBW 1M	-
1717.5MHz_RB 1,#RB L	Pass	1.785G	5G	1M	3M	RMS	3.42144G	-49.38	-13.00	-36.38	-	-
1717.5MHz_RB 1,#RB L	Pass	5G	17.55G	1M	3M	RMS	15.8181G	-45.35	-13.00	-32.35	-	-
1732.5MHz_RB 75,#RB 0	Pass	9k	150k	1k	3k	RMS	11.256k	-73.47	-13.00	-60.47	-	-
1732.5MHz_RB 75,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-66.12	-13.00	-53.12	-	-
1732.5MHz_RB 75,#RB 0	Pass	30M	1.5G	1M	3M	RMS	953.16M	-57.72	-13.00	-44.72	-	-
1732.5MHz_RB 75,#RB 0	Pass	1.5G	1.68G	1M	3M	RMS	1.66002G	-57.82	-13.00	-44.82	-	-
1732.5MHz_RB 75,#RB 0	Pass	1.68G	1.709G	200k	500k	RMS	1.7085G	-49.08	-13.00	-36.08	MBW 1M	-
1732.5MHz_RB 75,#RB 0	Pass	1.709G	1.71G	200k	500k	RMS	1.70958G	-55.13	-13.00	-42.13	-	-
1732.5MHz_RB 75,#RB 0	Pass	1.755G	1.756G	200k	500k	RMS	1.75525G	-50.90	-13.00	-37.90	-	-
1732.5MHz_RB 75,#RB 0	Pass	1.756G	1.785G	200k	500k	RMS	1.7565G	-44.88	-13.00	-31.88	MBW 1M	-
1732.5MHz_RB 75,#RB 0	Pass	1.785G	5G	1M	3M	RMS	4.29913G	-53.18	-13.00	-40.18	-	-
1732.5MHz_RB 75,#RB 0	Pass	5G	17.55G	1M	3M	RMS	15.8683G	-45.28	-13.00	-32.28	-	-
1732.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	79.218k	-64.25	-13.00	-51.25	-	-
1732.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-65.59	-13.00	-52.59	-	-
1732.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	978.15M	-57.74	-13.00	-44.74	-	-
1732.5MHz_RB 1,#RB L	Pass	1.5G	1.68G	1M	3M	RMS	1.64076G	-57.81	-13.00	-44.81	-	-
1732.5MHz_RB 1,#RB L	Pass	1.68G	1.709G	200k	500k	RMS	1.6995G	-55.93	-13.00	-42.93	MBW 1M	-
1732.5MHz_RB 1,#RB L	Pass	1.709G	1.71G	200k	500k	RMS	1.70992G	-64.77	-13.00	-51.77	-	-
1732.5MHz_RB 1,#RB L	Pass	1.755G	1.756G	200k	500k	RMS	1.75534G	-65.03	-13.00	-52.03	-	-
1732.5MHz_RB 1,#RB L	Pass	1.756G	1.785G	200k	500k	RMS	1.7655G	-56.98	-13.00	-43.98	MBW 1M	-
1732.5MHz_RB 1,#RB L	Pass	1.785G	5G	1M	3M	RMS	4.27984G	-53.26	-13.00	-40.26	-	-
1732.5MHz_RB 1,#RB L	Pass	5G	17.55G	1M	3M	RMS	15.8181G	-45.02	-13.00	-32.02	-	-
1747.5MHz_RB 75,#RB 0	Pass	9k	150k	1k	3k	RMS	21.408k	-75.80	-13.00	-62.80	-	-
1747.5MHz_RB 75,#RB 0	Pass	150k	30M	10k	30k	RMS	5.493M	-62.08	-13.00	-49.08	-	-
1747.5MHz_RB 75,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.00314G	-57.62	-13.00	-44.62	-	-
1747.5MHz_RB 75,#RB 0	Pass	1.5G	1.68G	1M	3M	RMS	1.63464G	-57.68	-13.00	-44.68	-	-
1747.5MHz_RB 75,#RB 0	Pass	1.68G	1.709G	200k	500k	RMS	1.7085G	-54.37	-13.00	-41.37	MBW 1M	-
1747.5MHz_RB 75,#RB 0	Pass	1.709G	1.71G	200k	500k	RMS	1.70917G	-59.74	-13.00	-46.74	-	-
1747.5MHz_RB 75,#RB 0	Pass	1.755G	1.756G	200k	500k	RMS	1.755G	-33.86	-13.00	-20.86	-	-
1747.5MHz_RB 75,#RB 0	Pass	1.756G	1.785G	200k	500k	RMS	1.7575G	-32.60	-13.00	-19.60	MBW 1M	-
1747.5MHz_RB 75,#RB 0	Pass	1.785G	5G	1M	3M	RMS	4.90355G	-53.22	-13.00	-40.22	-	-
1747.5MHz_RB 75,#RB 0	Pass	5G	17.55G	1M	3M	RMS	15.793G	-45.09	-13.00	-32.09	-	-
1747.5MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	102.06k	-62.93	-13.00	-49.93	-	-
1747.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	299.25k	-66.40	-13.00	-53.40	-	-
1747.5MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	1.03107G	-57.73	-13.00	-44.73	-	-
1747.5MHz_RB 1,#RB H	Pass	1.5G	1.68G	1M	3M	RMS	1.66146G	-57.79	-13.00	-44.79	-	-
1747.5MHz_RB 1,#RB H	Pass	1.68G	1.709G	200k	500k	RMS	1.7005G	-57.91	-13.00	-44.91	MBW 1M	-
1747.5MHz_RB 1,#RB H	Pass	1.709G	1.71G	200k	500k	RMS	1.70948G	-65.56	-13.00	-52.56	-	-
1747.5MHz_RB 1,#RB H	Pass	1.755G	1.756G	200k	500k	RMS	1.755G	-28.48	-13.00	-15.48	-	-
1747.5MHz_RB 1,#RB H	Pass	1.756G	1.785G	200k	500k	RMS	1.7565G	-39.85	-13.00	-26.85	MBW 1M	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1747.5MHz_RB_1,#RB H	Pass	1.785G	5G	1M	3M	RMS	3.50824G	-50.34	-13.00	-37.34	-	-
1747.5MHz_RB_1,#RB H	Pass	5G	17.55G	1M	3M	RMS	15.85575G	-44.93	-13.00	-31.93	-	-
Band 4_LTE_15MHz_Nss1,16QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1717.5MHz_RB_75,#RB 0	Pass	9k	150k	1k	3k	RMS	11.82k	-72.25	-13.00	-59.25	-	-
1717.5MHz_RB_75,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-66.48	-13.00	-53.48	-	-
1717.5MHz_RB_75,#RB 0	Pass	30M	1.5G	1M	3M	RMS	978.15M	-57.70	-13.00	-44.70	-	-
1717.5MHz_RB_75,#RB 0	Pass	1.5G	1.68G	1M	3M	RMS	1.62042G	-57.73	-13.00	-44.73	-	-
1717.5MHz_RB_75,#RB 0	Pass	1.68G	1.709G	200k	500k	RMS	1.7085G	-39.05	-13.00	-26.05	MBW 1M	-
1717.5MHz_RB_75,#RB 0	Pass	1.709G	1.71G	200k	500k	RMS	1.71G	-39.48	-13.00	-26.48	-	-
1717.5MHz_RB_75,#RB 0	Pass	1.755G	1.756G	200k	500k	RMS	1.75546G	-63.89	-13.00	-50.89	-	-
1717.5MHz_RB_75,#RB 0	Pass	1.756G	1.785G	200k	500k	RMS	1.7565G	-57.34	-13.00	-44.34	MBW 1M	-
1717.5MHz_RB_75,#RB 0	Pass	1.785G	5G	1M	3M	RMS	4.13517G	-53.25	-13.00	-40.25	-	-
1717.5MHz_RB_75,#RB 0	Pass	5G	17.55G	1M	3M	RMS	15.793G	-44.92	-13.00	-31.92	-	-
1717.5MHz_RB_1,#RB L	Pass	9k	150k	1k	3k	RMS	69.771k	-64.81	-13.00	-51.81	-	-
1717.5MHz_RB_1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-64.66	-13.00	-51.66	-	-
1717.5MHz_RB_1,#RB L	Pass	30M	1.5G	1M	3M	RMS	916.41M	-57.79	-13.00	-44.79	-	-
1717.5MHz_RB_1,#RB L	Pass	1.5G	1.68G	1M	3M	RMS	1.64778G	-57.74	-13.00	-44.74	-	-
1717.5MHz_RB_1,#RB L	Pass	1.68G	1.709G	200k	500k	RMS	1.7085G	-40.31	-13.00	-27.31	MBW 1M	-
1717.5MHz_RB_1,#RB L	Pass	1.709G	1.71G	200k	500k	RMS	1.71G	-29.55	-13.00	-16.55	-	-
1717.5MHz_RB_1,#RB L	Pass	1.755G	1.756G	200k	500k	RMS	1.75592G	-65.36	-13.00	-52.36	-	-
1717.5MHz_RB_1,#RB L	Pass	1.756G	1.785G	200k	500k	RMS	1.7645G	-57.98	-13.00	-44.98	MBW 1M	-
1717.5MHz_RB_1,#RB L	Pass	1.785G	5G	1M	3M	RMS	3.42144G	-49.77	-13.00	-36.77	-	-
1717.5MHz_RB_1,#RB L	Pass	5G	17.55G	1M	3M	RMS	15.80555G	-45.03	-13.00	-32.03	-	-
1732.5MHz_RB_75,#RB 0	Pass	9k	150k	1k	3k	RMS	23.382k	-75.90	-13.00	-62.90	-	-
1732.5MHz_RB_75,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-66.11	-13.00	-53.11	-	-
1732.5MHz_RB_75,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.05753G	-57.85	-13.00	-44.85	-	-
1732.5MHz_RB_75,#RB 0	Pass	1.5G	1.68G	1M	3M	RMS	1.62168G	-57.82	-13.00	-44.82	-	-
1732.5MHz_RB_75,#RB 0	Pass	1.68G	1.709G	200k	500k	RMS	1.7085G	-48.49	-13.00	-35.49	MBW 1M	-
1732.5MHz_RB_75,#RB 0	Pass	1.709G	1.71G	200k	500k	RMS	1.70966G	-53.94	-13.00	-40.94	-	-
1732.5MHz_RB_75,#RB 0	Pass	1.755G	1.756G	200k	500k	RMS	1.756G	-53.01	-13.00	-40.01	-	-
1732.5MHz_RB_75,#RB 0	Pass	1.756G	1.785G	200k	500k	RMS	1.7565G	-46.50	-13.00	-33.50	MBW 1M	-
1732.5MHz_RB_75,#RB 0	Pass	1.785G	5G	1M	3M	RMS	4.92606G	-53.12	-13.00	-40.12	-	-
1732.5MHz_RB_75,#RB 0	Pass	5G	17.55G	1M	3M	RMS	15.793G	-45.25	-13.00	-32.25	-	-
1732.5MHz_RB_1,#RB L	Pass	9k	150k	1k	3k	RMS	55.389k	-66.83	-13.00	-53.83	-	-
1732.5MHz_RB_1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-66.03	-13.00	-53.03	-	-
1732.5MHz_RB_1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.05312G	-57.78	-13.00	-44.78	-	-
1732.5MHz_RB_1,#RB L	Pass	1.5G	1.68G	1M	3M	RMS	1.66182G	-57.89	-13.00	-44.89	-	-
1732.5MHz_RB_1,#RB L	Pass	1.68G	1.709G	200k	500k	RMS	1.6995G	-54.84	-13.00	-41.84	MBW 1M	-
1732.5MHz_RB_1,#RB L	Pass	1.709G	1.71G	200k	500k	RMS	1.70969G	-65.03	-13.00	-52.03	-	-
1732.5MHz_RB_1,#RB L	Pass	1.755G	1.756G	200k	500k	RMS	1.75517G	-65.10	-13.00	-52.10	-	-
1732.5MHz_RB_1,#RB L	Pass	1.756G	1.785G	200k	500k	RMS	1.7655G	-57.56	-13.00	-44.56	MBW 1M	-
1732.5MHz_RB_1,#RB L	Pass	1.785G	5G	1M	3M	RMS	4.13838G	-53.11	-13.00	-40.11	-	-
1732.5MHz_RB_1,#RB L	Pass	5G	17.55G	1M	3M	RMS	15.8683G	-45.19	-13.00	-32.19	-	-
1747.5MHz_RB_75,#RB 0	Pass	9k	150k	1k	3k	RMS	11.82k	-74.43	-13.00	-61.43	-	-
1747.5MHz_RB_75,#RB 0	Pass	150k	30M	10k	30k	RMS	5.493M	-65.11	-13.00	-52.11	-	-
1747.5MHz_RB_75,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.0002G	-57.59	-13.00	-44.59	-	-
1747.5MHz_RB_75,#RB 0	Pass	1.5G	1.68G	1M	3M	RMS	1.64004G	-57.79	-13.00	-44.79	-	-
1747.5MHz_RB_75,#RB 0	Pass	1.68G	1.709G	200k	500k	RMS	1.7085G	-55.32	-13.00	-42.32	MBW 1M	-
1747.5MHz_RB_75,#RB 0	Pass	1.709G	1.71G	200k	500k	RMS	1.70918G	-60.63	-13.00	-47.63	-	-
1747.5MHz_RB_75,#RB 0	Pass	1.755G	1.756G	200k	500k	RMS	1.755G	-36.25	-13.00	-23.25	-	-
1747.5MHz_RB_75,#RB 0	Pass	1.756G	1.785G	200k	500k	RMS	1.7575G	-33.64	-13.00	-20.64	MBW 1M	-
1747.5MHz_RB_75,#RB 0	Pass	1.785G	5G	1M	3M	RMS	4.9132G	-53.17	-13.00	-40.17	-	-
1747.5MHz_RB_75,#RB 0	Pass	5G	17.55G	1M	3M	RMS	15.8181G	-45.30	-13.00	-32.30	-	-
1747.5MHz_RB_1,#RB H	Pass	9k	150k	1k	3k	RMS	63.567k	-64.11	-13.00	-51.11	-	-
1747.5MHz_RB_1,#RB H	Pass	150k	30M	10k	30k	RMS	299.25k	-67.03	-13.00	-54.03	-	-
1747.5MHz_RB_1,#RB H	Pass	30M	1.5G	1M	3M	RMS	981.09M	-57.78	-13.00	-44.78	-	-
1747.5MHz_RB_1,#RB H	Pass	1.5G	1.68G	1M	3M	RMS	1.64778G	-57.76	-13.00	-44.76	-	-
1747.5MHz_RB_1,#RB H	Pass	1.68G	1.709G	200k	500k	RMS	1.7085G	-58.41	-13.00	-45.41	MBW 1M	-
1747.5MHz_RB_1,#RB H	Pass	1.709G	1.71G	200k	500k	RMS	1.71G	-65.50	-13.00	-52.50	-	-
1747.5MHz_RB_1,#RB H	Pass	1.755G	1.756G	200k	500k	RMS	1.755G	-29.84	-13.00	-16.84	-	-
1747.5MHz_RB_1,#RB H	Pass	1.756G	1.785G	200k	500k	RMS	1.7565G	-40.49	-13.00	-27.49	MBW 1M	-
1747.5MHz_RB_1,#RB H	Pass	1.785G	5G	1M	3M	RMS	3.50824G	-50.71	-13.00	-37.71	-	-
1747.5MHz_RB_1,#RB H	Pass	5G	17.55G	1M	3M	RMS	15.8181G	-45.46	-13.00	-32.46	-	-
Band 4_LTE_15MHz_Nss1,64QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1717.5MHz_RB_75,#RB 0	Pass	9k	150k	1k	3k	RMS	11.256k	-74.54	-13.00	-61.54	-	-
1717.5MHz_RB_75,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-66.71	-13.00	-53.71	-	-
1717.5MHz_RB_75,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.04577G	-57.73	-13.00	-44.73	-	-
1717.5MHz_RB_75,#RB 0	Pass	1.5G	1.68G	1M	3M	RMS	1.60098G	-57.72	-13.00	-44.72	-	-
1717.5MHz_RB_75,#RB 0	Pass	1.68G	1.709G	200k	500k	RMS	1.7085G	-38.97	-13.00	-25.97	MBW 1M	-
1717.5MHz_RB_75,#RB 0	Pass	1.709G	1.71G	200k	500k	RMS	1.71G	-39.15	-13.00	-26.15	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1717.5MHz_RB 75,#RB 0	Pass	1.755G	1.756G	200k	500k	RMS	1.75562G	-63.74	-13.00	-50.74	-	-
1717.5MHz_RB 75,#RB 0	Pass	1.756G	1.785G	200k	500k	RMS	1.7565G	-57.11	-13.00	-44.11	MBW 1M	-
1717.5MHz_RB 75,#RB 0	Pass	1.785G	5G	1M	3M	RMS	4.90677G	-53.26	-13.00	-40.26	-	-
1717.5MHz_RB 75,#RB 0	Pass	5G	17.55G	1M	3M	RMS	15.793G	-45.31	-13.00	-32.31	-	-
1717.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	63.849k	-63.39	-13.00	-50.39	-	-
1717.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-64.34	-13.00	-51.34	-	-
1717.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	912M	-57.71	-13.00	-44.71	-	-
1717.5MHz_RB 1,#RB L	Pass	1.5G	1.68G	1M	3M	RMS	1.61322G	-57.68	-13.00	-44.68	-	-
1717.5MHz_RB 1,#RB L	Pass	1.68G	1.709G	200k	500k	RMS	1.7085G	-40.29	-13.00	-27.29	MBW 1M	-
1717.5MHz_RB 1,#RB L	Pass	1.709G	1.71G	200k	500k	RMS	1.71G	-29.94	-13.00	-16.94	-	-
1717.5MHz_RB 1,#RB L	Pass	1.755G	1.756G	200k	500k	RMS	1.75523G	-65.30	-13.00	-52.30	-	-
1717.5MHz_RB 1,#RB L	Pass	1.756G	1.785G	200k	500k	RMS	1.7645G	-57.86	-13.00	-44.86	MBW 1M	-
1717.5MHz_RB 1,#RB L	Pass	1.785G	5G	1M	3M	RMS	3.42144G	-49.79	-13.00	-36.79	-	-
1717.5MHz_RB 1,#RB L	Pass	5G	17.55G	1M	3M	RMS	15.8683G	-45.27	-13.00	-32.27	-	-
1732.5MHz_RB 75,#RB 0	Pass	9k	150k	1k	3k	RMS	9k	-74.31	-13.00	-61.31	-	-
1732.5MHz_RB 75,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-66.50	-13.00	-53.50	-	-
1732.5MHz_RB 75,#RB 0	Pass	30M	1.5G	1M	3M	RMS	963.45M	-57.68	-13.00	-44.68	-	-
1732.5MHz_RB 75,#RB 0	Pass	1.5G	1.68G	1M	3M	RMS	1.67784G	-57.75	-13.00	-44.75	-	-
1732.5MHz_RB 75,#RB 0	Pass	1.68G	1.709G	200k	500k	RMS	1.7085G	-48.63	-13.00	-35.63	MBW 1M	-
1732.5MHz_RB 75,#RB 0	Pass	1.709G	1.71G	200k	500k	RMS	1.70967G	-53.78	-13.00	-40.78	-	-
1732.5MHz_RB 75,#RB 0	Pass	1.755G	1.756G	200k	500k	RMS	1.756G	-52.93	-13.00	-39.93	-	-
1732.5MHz_RB 75,#RB 0	Pass	1.756G	1.785G	200k	500k	RMS	1.7565G	-46.46	-13.00	-33.46	MBW 1M	-
1732.5MHz_RB 75,#RB 0	Pass	1.785G	5G	1M	3M	RMS	4.90034G	-53.04	-13.00	-40.04	-	-
1732.5MHz_RB 75,#RB 0	Pass	5G	17.55G	1M	3M	RMS	15.85575G	-45.14	-13.00	-32.14	-	-
1732.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	65.118k	-67.87	-13.00	-54.87	-	-
1732.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-66.68	-13.00	-53.68	-	-
1732.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	914.94M	-57.65	-13.00	-44.65	-	-
1732.5MHz_RB 1,#RB L	Pass	1.5G	1.68G	1M	3M	RMS	1.66362G	-57.79	-13.00	-44.79	-	-
1732.5MHz_RB 1,#RB L	Pass	1.68G	1.709G	200k	500k	RMS	1.6995G	-54.89	-13.00	-41.89	MBW 1M	-
1732.5MHz_RB 1,#RB L	Pass	1.709G	1.71G	200k	500k	RMS	1.71G	-64.99	-13.00	-51.99	-	-
1732.5MHz_RB 1,#RB L	Pass	1.755G	1.756G	200k	500k	RMS	1.75512G	-65.11	-13.00	-52.11	-	-
1732.5MHz_RB 1,#RB L	Pass	1.756G	1.785G	200k	500k	RMS	1.7655G	-57.26	-13.00	-44.26	MBW 1M	-
1732.5MHz_RB 1,#RB L	Pass	1.785G	5G	1M	3M	RMS	4.13517G	-53.25	-13.00	-40.25	-	-
1732.5MHz_RB 1,#RB L	Pass	5G	17.55G	1M	3M	RMS	15.8432G	-45.32	-13.00	-32.32	-	-
1747.5MHz_RB 75,#RB 0	Pass	9k	150k	1k	3k	RMS	10.128k	-74.73	-13.00	-61.73	-	-
1747.5MHz_RB 75,#RB 0	Pass	150k	30M	10k	30k	RMS	5.493M	-65.21	-13.00	-52.21	-	-
1747.5MHz_RB 75,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.14573G	-57.87	-13.00	-44.87	-	-
1747.5MHz_RB 75,#RB 0	Pass	1.5G	1.68G	1M	3M	RMS	1.64148G	-57.58	-13.00	-44.58	-	-
1747.5MHz_RB 75,#RB 0	Pass	1.68G	1.709G	200k	500k	RMS	1.7085G	-55.31	-13.00	-42.31	MBW 1M	-
1747.5MHz_RB 75,#RB 0	Pass	1.709G	1.71G	200k	500k	RMS	1.70918G	-60.95	-13.00	-47.95	-	-
1747.5MHz_RB 75,#RB 0	Pass	1.755G	1.756G	200k	500k	RMS	1.755G	-36.29	-13.00	-23.29	-	-
1747.5MHz_RB 75,#RB 0	Pass	1.756G	1.785G	200k	500k	RMS	1.7575G	-33.91	-13.00	-20.91	MBW 1M	-
1747.5MHz_RB 75,#RB 0	Pass	1.785G	5G	1M	3M	RMS	4.1416G	-53.09	-13.00	-40.09	-	-
1747.5MHz_RB 75,#RB 0	Pass	5G	17.55G	1M	3M	RMS	15.793G	-45.02	-13.00	-32.02	-	-
1747.5MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	92.19k	-65.56	-13.00	-52.56	-	-
1747.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	299.25k	-66.62	-13.00	-53.62	-	-
1747.5MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	964.92M	-57.46	-13.00	-44.46	-	-
1747.5MHz_RB 1,#RB H	Pass	1.5G	1.68G	1M	3M	RMS	1.65012G	-57.67	-13.00	-44.67	-	-
1747.5MHz_RB 1,#RB H	Pass	1.68G	1.709G	200k	500k	RMS	1.7005G	-58.23	-13.00	-45.23	MBW 1M	-
1747.5MHz_RB 1,#RB H	Pass	1.709G	1.71G	200k	500k	RMS	1.70963G	-65.48	-13.00	-52.48	-	-
1747.5MHz_RB 1,#RB H	Pass	1.755G	1.756G	200k	500k	RMS	1.755G	-30.69	-13.00	-17.69	-	-
1747.5MHz_RB 1,#RB H	Pass	1.756G	1.785G	200k	500k	RMS	1.7565G	-41.19	-13.00	-28.19	MBW 1M	-
1747.5MHz_RB 1,#RB H	Pass	1.785G	5G	1M	3M	RMS	3.50824G	-51.18	-13.00	-38.18	-	-
1747.5MHz_RB 1,#RB H	Pass	5G	17.55G	1M	3M	RMS	15.83065G	-45.46	-13.00	-32.46	-	-
Band 4_LTE_20MHz_Nss1,QPSK_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1720MHz_RB 100,#RB 0	Pass	9k	150k	1k	3k	RMS	25.779k	-78.15	-13.00	-65.15	-	-
1720MHz_RB 100,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-65.86	-13.00	-52.86	-	-
1720MHz_RB 100,#RB 0	Pass	30M	1.5G	1M	3M	RMS	936.99M	-57.78	-13.00	-44.78	-	-
1720MHz_RB 100,#RB 0	Pass	1.5G	1.67G	1M	3M	RMS	1.64671G	-57.72	-13.00	-44.72	-	-
1720MHz_RB 100,#RB 0	Pass	1.67G	1.709G	200k	500k	RMS	1.7085G	-38.29	-13.00	-25.29	MBW 1M	-
1720MHz_RB 100,#RB 0	Pass	1.709G	1.71G	200k	500k	RMS	1.71G	-39.92	-13.00	-26.92	-	-
1720MHz_RB 100,#RB 0	Pass	1.755G	1.756G	200k	500k	RMS	1.75501G	-57.52	-13.00	-44.52	-	-
1720MHz_RB 100,#RB 0	Pass	1.756G	1.795G	200k	500k	RMS	1.7565G	-51.33	-13.00	-38.33	MBW 1M	-
1720MHz_RB 100,#RB 0	Pass	1.795G	5G	1M	3M	RMS	4.91988G	-53.22	-13.00	-40.22	-	-
1720MHz_RB 100,#RB 0	Pass	5G	17.55G	1M	3M	RMS	15.793G	-45.31	-13.00	-32.31	-	-
1720MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	61.311k	-65.85	-13.00	-52.85	-	-
1720MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-66.06	-13.00	-53.06	-	-
1720MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.15749G	-57.83	-13.00	-44.83	-	-
1720MHz_RB 1,#RB L	Pass	1.5G	1.67G	1M	3M	RMS	1.6309G	-57.80	-13.00	-44.80	-	-
1720MHz_RB 1,#RB L	Pass	1.67G	1.709G	200k	500k	RMS	1.7085G	-40.96	-13.00	-27.96	MBW 1M	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1720MHz_RB 1,#RB L	Pass	1.709G	1.71G	200k	500k	RMS	1.71G	-35.34	-13.00	-22.34	-	-
1720MHz_RB 1,#RB L	Pass	1.755G	1.756G	200k	500k	RMS	1.75564G	-64.52	-13.00	-51.52	-	-
1720MHz_RB 1,#RB L	Pass	1.756G	1.795G	200k	500k	RMS	1.7645G	-55.26	-13.00	-42.26	MBW 1M	-
1720MHz_RB 1,#RB L	Pass	1.795G	5G	1M	3M	RMS	3.42314G	-49.28	-13.00	-36.28	-	-
1720MHz_RB 1,#RB L	Pass	5G	17.55G	1M	3M	RMS	15.793G	-45.23	-13.00	-32.23	-	-
1732.5MHz_RB 100,#RB 0	Pass	9k	150k	1k	3k	RMS	12.525k	-74.43	-13.00	-61.43	-	-
1732.5MHz_RB 100,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-66.48	-13.00	-53.48	-	-
1732.5MHz_RB 100,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.04283G	-57.78	-13.00	-44.78	-	-
1732.5MHz_RB 100,#RB 0	Pass	1.5G	1.67G	1M	3M	RMS	1.64042G	-57.88	-13.00	-44.88	-	-
1732.5MHz_RB 100,#RB 0	Pass	1.67G	1.709G	200k	500k	RMS	1.7065G	-43.68	-13.00	-30.68	MBW 1M	-
1732.5MHz_RB 100,#RB 0	Pass	1.709G	1.71G	200k	500k	RMS	1.70906G	-51.31	-13.00	-38.31	-	-
1732.5MHz_RB 100,#RB 0	Pass	1.755G	1.756G	200k	500k	RMS	1.756G	-45.97	-13.00	-32.97	-	-
1732.5MHz_RB 100,#RB 0	Pass	1.756G	1.795G	200k	500k	RMS	1.7565G	-38.90	-13.00	-25.90	MBW 1M	-
1732.5MHz_RB 100,#RB 0	Pass	1.795G	5G	1M	3M	RMS	4.89103G	-53.19	-13.00	-40.19	-	-
1732.5MHz_RB 100,#RB 0	Pass	5G	17.55G	1M	3M	RMS	15.80555G	-45.24	-13.00	-32.24	-	-
1732.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	105.867k	-64.69	-13.00	-51.69	-	-
1732.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-64.95	-13.00	-51.95	-	-
1732.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	988.44M	-57.79	-13.00	-44.79	-	-
1732.5MHz_RB 1,#RB L	Pass	1.5G	1.67G	1M	3M	RMS	1.63685G	-57.82	-13.00	-44.82	-	-
1732.5MHz_RB 1,#RB L	Pass	1.67G	1.709G	200k	500k	RMS	1.7055G	-45.52	-13.00	-32.52	MBW 1M	-
1732.5MHz_RB 1,#RB L	Pass	1.709G	1.71G	200k	500k	RMS	1.70962G	-64.49	-13.00	-51.49	-	-
1732.5MHz_RB 1,#RB L	Pass	1.755G	1.756G	200k	500k	RMS	1.75532G	-64.91	-13.00	-51.91	-	-
1732.5MHz_RB 1,#RB L	Pass	1.756G	1.795G	200k	500k	RMS	1.7595G	-39.29	-13.00	-26.29	MBW 1M	-
1732.5MHz_RB 1,#RB L	Pass	1.795G	5G	1M	3M	RMS	3.44878G	-53.20	-13.00	-40.20	-	-
1732.5MHz_RB 1,#RB L	Pass	5G	17.55G	1M	3M	RMS	15.793G	-45.30	-13.00	-32.30	-	-
1745MHz_RB 100,#RB 0	Pass	9k	150k	1k	3k	RMS	9.846k	-74.76	-13.00	-61.76	-	-
1745MHz_RB 100,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-67.09	-13.00	-54.09	-	-
1745MHz_RB 100,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.00902G	-57.83	-13.00	-44.83	-	-
1745MHz_RB 100,#RB 0	Pass	1.5G	1.67G	1M	3M	RMS	1.66116G	-57.90	-13.00	-44.90	-	-
1745MHz_RB 100,#RB 0	Pass	1.67G	1.709G	200k	500k	RMS	1.7075G	-48.63	-13.00	-35.63	MBW 1M	-
1745MHz_RB 100,#RB 0	Pass	1.709G	1.71G	200k	500k	RMS	1.70997G	-54.95	-13.00	-41.95	-	-
1745MHz_RB 100,#RB 0	Pass	1.755G	1.756G	200k	500k	RMS	1.755G	-36.25	-13.00	-23.25	-	-
1745MHz_RB 100,#RB 0	Pass	1.756G	1.795G	200k	500k	RMS	1.7565G	-33.66	-13.00	-20.66	MBW 1M	-
1745MHz_RB 100,#RB 0	Pass	1.795G	5G	1M	3M	RMS	4.91026G	-53.30	-13.00	-40.30	-	-
1745MHz_RB 100,#RB 0	Pass	5G	17.55G	1M	3M	RMS	15.8432G	-45.36	-13.00	-32.36	-	-
1745MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	87.396k	-64.26	-13.00	-51.26	-	-
1745MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	299.25k	-66.16	-13.00	-53.16	-	-
1745MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	1.00167G	-57.66	-13.00	-44.66	-	-
1745MHz_RB 1,#RB H	Pass	1.5G	1.67G	1M	3M	RMS	1.64705G	-57.81	-13.00	-44.81	-	-
1745MHz_RB 1,#RB H	Pass	1.67G	1.709G	200k	500k	RMS	1.6875G	-57.28	-13.00	-44.28	MBW 1M	-
1745MHz_RB 1,#RB H	Pass	1.709G	1.71G	200k	500k	RMS	1.70939G	-62.23	-13.00	-49.23	-	-
1745MHz_RB 1,#RB H	Pass	1.755G	1.756G	200k	500k	RMS	1.755G	-33.93	-13.00	-20.93	-	-
1745MHz_RB 1,#RB H	Pass	1.756G	1.795G	200k	500k	RMS	1.7565G	-40.39	-13.00	-27.39	MBW 1M	-
1745MHz_RB 1,#RB H	Pass	1.795G	5G	1M	3M	RMS	3.50647G	-51.75	-13.00	-38.75	-	-
1745MHz_RB 1,#RB H	Pass	5G	17.55G	1M	3M	RMS	15.85575G	-45.33	-13.00	-32.33	-	-
Band 4_LTE_20MHz_Nss1_16QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1720MHz_RB 100,#RB 0	Pass	9k	150k	1k	3k	RMS	11.961k	-73.60	-13.00	-60.60	-	-
1720MHz_RB 100,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-65.59	-13.00	-52.59	-	-
1720MHz_RB 100,#RB 0	Pass	30M	1.5G	1M	3M	RMS	998.73M	-57.78	-13.00	-44.78	-	-
1720MHz_RB 100,#RB 0	Pass	1.5G	1.67G	1M	3M	RMS	1.66643G	-57.74	-13.00	-44.74	-	-
1720MHz_RB 100,#RB 0	Pass	1.67G	1.709G	200k	500k	RMS	1.7085G	-40.23	-13.00	-27.23	MBW 1M	-
1720MHz_RB 100,#RB 0	Pass	1.709G	1.71G	200k	500k	RMS	1.71G	-42.34	-13.00	-29.34	-	-
1720MHz_RB 100,#RB 0	Pass	1.755G	1.756G	200k	500k	RMS	1.75507G	-58.39	-13.00	-45.39	-	-
1720MHz_RB 100,#RB 0	Pass	1.756G	1.795G	200k	500k	RMS	1.7565G	-52.18	-13.00	-39.18	MBW 1M	-
1720MHz_RB 100,#RB 0	Pass	1.795G	5G	1M	3M	RMS	4.91026G	-53.23	-13.00	-40.23	-	-
1720MHz_RB 100,#RB 0	Pass	5G	17.55G	1M	3M	RMS	15.8683G	-44.91	-13.00	-31.91	-	-
1720MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	30.15k	-66.36	-13.00	-53.36	-	-
1720MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-66.49	-13.00	-53.49	-	-
1720MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.13397G	-57.85	-13.00	-44.85	-	-
1720MHz_RB 1,#RB L	Pass	1.5G	1.67G	1M	3M	RMS	1.66252G	-57.72	-13.00	-44.72	-	-
1720MHz_RB 1,#RB L	Pass	1.67G	1.709G	200k	500k	RMS	1.7085G	-42.07	-13.00	-29.07	MBW 1M	-
1720MHz_RB 1,#RB L	Pass	1.709G	1.71G	200k	500k	RMS	1.71G	-35.10	-13.00	-22.10	-	-
1720MHz_RB 1,#RB L	Pass	1.755G	1.756G	200k	500k	RMS	1.75562G	-64.34	-13.00	-51.34	-	-
1720MHz_RB 1,#RB L	Pass	1.756G	1.795G	200k	500k	RMS	1.7645G	-56.65	-13.00	-43.65	MBW 1M	-
1720MHz_RB 1,#RB L	Pass	1.795G	5G	1M	3M	RMS	3.42314G	-49.87	-13.00	-36.87	-	-
1720MHz_RB 1,#RB L	Pass	5G	17.55G	1M	3M	RMS	15.8432G	-44.97	-13.00	-31.97	-	-
1732.5MHz_RB 100,#RB 0	Pass	9k	150k	1k	3k	RMS	11.256k	-77.70	-13.00	-64.70	-	-
1732.5MHz_RB 100,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-67.14	-13.00	-54.14	-	-
1732.5MHz_RB 100,#RB 0	Pass	30M	1.5G	1M	3M	RMS	903.18M	-57.65	-13.00	-44.65	-	-
1732.5MHz_RB 100,#RB 0	Pass	1.5G	1.67G	1M	3M	RMS	1.6496G	-57.70	-13.00	-44.70	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1732.5MHz_RB 100,#RB 0	Pass	1.67G	1.709G	200k	500k	RMS	1.7085G	-45.47	-13.00	-32.47	MBW 1M	-
1732.5MHz_RB 100,#RB 0	Pass	1.709G	1.71G	200k	500k	RMS	1.70926G	-51.98	-13.00	-38.98	-	-
1732.5MHz_RB 100,#RB 0	Pass	1.755G	1.756G	200k	500k	RMS	1.75506G	-48.26	-13.00	-35.26	-	-
1732.5MHz_RB 100,#RB 0	Pass	1.756G	1.795G	200k	500k	RMS	1.7565G	-41.90	-13.00	-28.90	MBW 1M	-
1732.5MHz_RB 100,#RB 0	Pass	1.795G	5G	1M	3M	RMS	4.16029G	-53.17	-13.00	-40.17	-	-
1732.5MHz_RB 100,#RB 0	Pass	5G	17.55G	1M	3M	RMS	15.8432G	-45.32	-13.00	-32.32	-	-
1732.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	55.248k	-67.60	-13.00	-54.60	-	-
1732.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-66.74	-13.00	-53.74	-	-
1732.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	934.05M	-57.76	-13.00	-44.76	-	-
1732.5MHz_RB 1,#RB L	Pass	1.5G	1.67G	1M	3M	RMS	1.66303G	-57.78	-13.00	-44.78	-	-
1732.5MHz_RB 1,#RB L	Pass	1.67G	1.709G	200k	500k	RMS	1.7055G	-49.80	-13.00	-36.80	MBW 1M	-
1732.5MHz_RB 1,#RB L	Pass	1.709G	1.71G	200k	500k	RMS	1.70974G	-64.67	-13.00	-51.67	-	-
1732.5MHz_RB 1,#RB L	Pass	1.755G	1.756G	200k	500k	RMS	1.75567G	-64.96	-13.00	-51.96	-	-
1732.5MHz_RB 1,#RB L	Pass	1.756G	1.795G	200k	500k	RMS	1.7595G	-41.48	-13.00	-28.48	MBW 1M	-
1732.5MHz_RB 1,#RB L	Pass	1.795G	5G	1M	3M	RMS	4.14427G	-53.27	-13.00	-40.27	-	-
1732.5MHz_RB 1,#RB L	Pass	5G	17.55G	1M	3M	RMS	15.88085G	-45.28	-13.00	-32.28	-	-
1745MHz_RB 100,#RB 0	Pass	9k	150k	1k	3k	RMS	12.807k	-74.77	-13.00	-61.77	-	-
1745MHz_RB 100,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-66.33	-13.00	-53.33	-	-
1745MHz_RB 100,#RB 0	Pass	30M	1.5G	1M	3M	RMS	979.62M	-57.69	-13.00	-44.69	-	-
1745MHz_RB 100,#RB 0	Pass	1.5G	1.67G	1M	3M	RMS	1.64297G	-57.57	-13.00	-44.57	-	-
1745MHz_RB 100,#RB 0	Pass	1.67G	1.709G	200k	500k	RMS	1.7085G	-50.08	-13.00	-37.08	MBW 1M	-
1745MHz_RB 100,#RB 0	Pass	1.709G	1.71G	200k	500k	RMS	1.70996G	-55.58	-13.00	-42.58	-	-
1745MHz_RB 100,#RB 0	Pass	1.755G	1.756G	200k	500k	RMS	1.755G	-39.06	-13.00	-26.06	-	-
1745MHz_RB 100,#RB 0	Pass	1.756G	1.795G	200k	500k	RMS	1.7565G	-35.86	-13.00	-22.86	MBW 1M	-
1745MHz_RB 100,#RB 0	Pass	1.795G	5G	1M	3M	RMS	4.89744G	-53.07	-13.00	-40.07	-	-
1745MHz_RB 100,#RB 0	Pass	5G	17.55G	1M	3M	RMS	15.8432G	-45.39	-13.00	-32.39	-	-
1745MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	47.211k	-62.26	-13.00	-49.26	-	-
1745MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	299.25k	-67.44	-13.00	-54.44	-	-
1745MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	953.16M	-57.66	-13.00	-44.66	-	-
1745MHz_RB 1,#RB H	Pass	1.5G	1.67G	1M	3M	RMS	1.63957G	-57.84	-13.00	-44.84	-	-
1745MHz_RB 1,#RB H	Pass	1.67G	1.709G	200k	500k	RMS	1.7005G	-57.23	-13.00	-44.23	MBW 1M	-
1745MHz_RB 1,#RB H	Pass	1.709G	1.71G	200k	500k	RMS	1.70937G	-62.51	-13.00	-49.51	-	-
1745MHz_RB 1,#RB H	Pass	1.755G	1.756G	200k	500k	RMS	1.755G	-34.06	-13.00	-21.06	-	-
1745MHz_RB 1,#RB H	Pass	1.756G	1.795G	200k	500k	RMS	1.7565G	-40.72	-13.00	-27.72	MBW 1M	-
1745MHz_RB 1,#RB H	Pass	1.795G	5G	1M	3M	RMS	3.50647G	-52.49	-13.00	-39.49	-	-
1745MHz_RB 1,#RB H	Pass	5G	17.55G	1M	3M	RMS	15.80555G	-45.48	-13.00	-32.48	-	-
Band 4_LTE_20MHz_Nss1.64QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1720MHz_RB 100,#RB 0	Pass	9k	150k	1k	3k	RMS	10.833k	-75.79	-13.00	-62.79	-	-
1720MHz_RB 100,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-65.43	-13.00	-52.43	-	-
1720MHz_RB 100,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.01637G	-57.60	-13.00	-44.60	-	-
1720MHz_RB 100,#RB 0	Pass	1.5G	1.67G	1M	3M	RMS	1.62614G	-57.84	-13.00	-44.84	-	-
1720MHz_RB 100,#RB 0	Pass	1.67G	1.709G	200k	500k	RMS	1.7085G	-40.32	-13.00	-27.32	MBW 1M	-
1720MHz_RB 100,#RB 0	Pass	1.709G	1.71G	200k	500k	RMS	1.71G	-42.35	-13.00	-29.35	-	-
1720MHz_RB 100,#RB 0	Pass	1.755G	1.756G	200k	500k	RMS	1.75512G	-58.28	-13.00	-45.28	-	-
1720MHz_RB 100,#RB 0	Pass	1.756G	1.795G	200k	500k	RMS	1.7565G	-52.10	-13.00	-39.10	MBW 1M	-
1720MHz_RB 100,#RB 0	Pass	1.795G	5G	1M	3M	RMS	4.88142G	-53.17	-13.00	-40.17	-	-
1720MHz_RB 100,#RB 0	Pass	5G	17.55G	1M	3M	RMS	15.8683G	-45.28	-13.00	-32.28	-	-
1720MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	30.291k	-64.88	-13.00	-51.88	-	-
1720MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-65.44	-13.00	-52.44	-	-
1720MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	964.92M	-57.69	-13.00	-44.69	-	-
1720MHz_RB 1,#RB L	Pass	1.5G	1.67G	1M	3M	RMS	1.66898G	-57.75	-13.00	-44.75	-	-
1720MHz_RB 1,#RB L	Pass	1.67G	1.709G	200k	500k	RMS	1.7085G	-41.25	-13.00	-28.25	MBW 1M	-
1720MHz_RB 1,#RB L	Pass	1.709G	1.71G	200k	500k	RMS	1.71G	-34.68	-13.00	-21.68	-	-
1720MHz_RB 1,#RB L	Pass	1.755G	1.756G	200k	500k	RMS	1.75569G	-64.33	-13.00	-51.33	-	-
1720MHz_RB 1,#RB L	Pass	1.756G	1.795G	200k	500k	RMS	1.7885G	-56.64	-13.00	-43.64	MBW 1M	-
1720MHz_RB 1,#RB L	Pass	1.795G	5G	1M	3M	RMS	3.42314G	-49.90	-13.00	-36.90	-	-
1720MHz_RB 1,#RB L	Pass	5G	17.55G	1M	3M	RMS	15.85575G	-45.30	-13.00	-32.30	-	-
1732.5MHz_RB 100,#RB 0	Pass	9k	150k	1k	3k	RMS	13.371k	-75.81	-13.00	-62.81	-	-
1732.5MHz_RB 100,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-65.83	-13.00	-52.83	-	-
1732.5MHz_RB 100,#RB 0	Pass	30M	1.5G	1M	3M	RMS	972.27M	-57.69	-13.00	-44.69	-	-
1732.5MHz_RB 100,#RB 0	Pass	1.5G	1.67G	1M	3M	RMS	1.64943G	-57.74	-13.00	-44.74	-	-
1732.5MHz_RB 100,#RB 0	Pass	1.67G	1.709G	200k	500k	RMS	1.7085G	-45.41	-13.00	-32.41	MBW 1M	-
1732.5MHz_RB 100,#RB 0	Pass	1.709G	1.71G	200k	500k	RMS	1.70926G	-52.10	-13.00	-39.10	-	-
1732.5MHz_RB 100,#RB 0	Pass	1.755G	1.756G	200k	500k	RMS	1.75509G	-48.23	-13.00	-35.23	-	-
1732.5MHz_RB 100,#RB 0	Pass	1.756G	1.795G	200k	500k	RMS	1.7565G	-41.73	-13.00	-28.73	MBW 1M	-
1732.5MHz_RB 100,#RB 0	Pass	1.795G	5G	1M	3M	RMS	4.91347G	-53.38	-13.00	-40.38	-	-
1732.5MHz_RB 100,#RB 0	Pass	5G	17.55G	1M	3M	RMS	15.793G	-45.33	-13.00	-32.33	-	-
1732.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	44.109k	-66.70	-13.00	-53.70	-	-
1732.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-67.78	-13.00	-54.78	-	-
1732.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	957.57M	-57.80	-13.00	-44.80	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1732.5MHz_RB 1#RB L	Pass	1.5G	1.67G	1M	3M	RMS	1.65538G	-57.78	-13.00	-44.78	-	-
1732.5MHz_RB 1#RB L	Pass	1.67G	1.709G	200k	500k	RMS	1.7055G	-50.49	-13.00	-37.49	MBW 1M	-
1732.5MHz_RB 1#RB L	Pass	1.709G	1.71G	200k	500k	RMS	1.70954G	-64.51	-13.00	-51.51	-	-
1732.5MHz_RB 1#RB L	Pass	1.755G	1.756G	200k	500k	RMS	1.75541G	-64.95	-13.00	-51.95	-	-
1732.5MHz_RB 1#RB L	Pass	1.756G	1.795G	200k	500k	RMS	1.7595G	-42.02	-13.00	-29.02	MBW 1M	-
1732.5MHz_RB 1#RB L	Pass	1.795G	5G	1M	3M	RMS	4.1667G	-53.11	-13.00	-40.11	-	-
1732.5MHz_RB 1#RB L	Pass	5G	17.55G	1M	3M	RMS	15.8432G	-45.33	-13.00	-32.33	-	-
1745MHz_RB 100#RB 0	Pass	9k	150k	1k	3k	RMS	30.855k	-75.46	-13.00	-62.46	-	-
1745MHz_RB 100#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-65.24	-13.00	-52.24	-	-
1745MHz_RB 100#RB 0	Pass	30M	1.5G	1M	3M	RMS	969.33M	-57.69	-13.00	-44.69	-	-
1745MHz_RB 100#RB 0	Pass	1.5G	1.67G	1M	3M	RMS	1.64348G	-57.87	-13.00	-44.87	-	-
1745MHz_RB 100#RB 0	Pass	1.67G	1.709G	200k	500k	RMS	1.7085G	-50.08	-13.00	-37.08	MBW 1M	-
1745MHz_RB 100#RB 0	Pass	1.709G	1.71G	200k	500k	RMS	1.71G	-55.47	-13.00	-42.47	-	-
1745MHz_RB 100#RB 0	Pass	1.755G	1.756G	200k	500k	RMS	1.755G	-38.88	-13.00	-25.88	-	-
1745MHz_RB 100#RB 0	Pass	1.756G	1.795G	200k	500k	RMS	1.7565G	-35.62	-13.00	-22.62	MBW 1M	-
1745MHz_RB 100#RB 0	Pass	1.795G	5G	1M	3M	RMS	4.13145G	-53.36	-13.00	-40.36	-	-
1745MHz_RB 100#RB 0	Pass	5G	17.55G	1M	3M	RMS	15.8432G	-45.26	-13.00	-32.26	-	-
1745MHz_RB 1#RB H	Pass	9k	150k	1k	3k	RMS	15.486k	-63.42	-13.00	-50.42	-	-
1745MHz_RB 1#RB H	Pass	150k	30M	10k	30k	RMS	299.25k	-66.65	-13.00	-53.65	-	-
1745MHz_RB 1#RB H	Pass	30M	1.5G	1M	3M	RMS	1.0296G	-57.87	-13.00	-44.87	-	-
1745MHz_RB 1#RB H	Pass	1.5G	1.67G	1M	3M	RMS	1.66813G	-57.90	-13.00	-44.90	-	-
1745MHz_RB 1#RB H	Pass	1.67G	1.709G	200k	500k	RMS	1.6865G	-57.36	-13.00	-44.36	MBW 1M	-
1745MHz_RB 1#RB H	Pass	1.709G	1.71G	200k	500k	RMS	1.70937G	-62.65	-13.00	-49.65	-	-
1745MHz_RB 1#RB H	Pass	1.755G	1.756G	200k	500k	RMS	1.755G	-33.92	-13.00	-20.92	-	-
1745MHz_RB 1#RB H	Pass	1.756G	1.795G	200k	500k	RMS	1.7565G	-40.92	-13.00	-27.92	MBW 1M	-
1745MHz_RB 1#RB H	Pass	1.795G	5G	1M	3M	RMS	3.50647G	-51.86	-13.00	-38.86	-	-
1745MHz_RB 1#RB H	Pass	5G	17.55G	1M	3M	RMS	15.8181G	-45.34	-13.00	-32.34	-	-
Band 5_LTE_1.4MHz_Nss1_OPSK_1TX	-	-	-	-	-	-	-	-	-	-	-	-
824.7MHz_RB 6#RB 0	Pass	9k	150k	1k	3k	RMS	12.525k	-74.94	-13.00	-61.94	-	-
824.7MHz_RB 6#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-62.72	-13.00	-49.72	-	-
824.7MHz_RB 6#RB 0	Pass	30M	500M	100k	300k	RMS	336.44M	-68.44	-13.00	-55.44	-	-
824.7MHz_RB 6#RB 0	Pass	500M	821.2M	100k	300k	RMS	821.2M	-52.34	-13.00	-39.34	-	-
824.7MHz_RB 6#RB 0	Pass	821.2M	823.9M	30k	100k	RMS	823.85M	-28.84	-13.00	-15.84	MBW 100k	-
824.7MHz_RB 6#RB 0	Pass	823.9M	824M	30k	100k	RMS	824M	-28.52	-13.00	-15.52	-	-
824.7MHz_RB 6#RB 0	Pass	849M	849.1M	30k	100k	RMS	849.1M	-73.61	-13.00	-60.61	-	-
824.7MHz_RB 6#RB 0	Pass	849.1M	851.8M	30k	100k	RMS	850.05M	-68.67	-13.00	-55.67	MBW 100k	-
824.7MHz_RB 6#RB 0	Pass	851.8M	2G	100k	300k	RMS	869.02M	-53.48	-13.00	-40.48	-	-
824.7MHz_RB 6#RB 0	Pass	2G	8.49G	100k	300k	RMS	6.94295G	-56.33	-13.00	-43.33	-	-
824.7MHz_RB 1#RB L	Pass	9k	150k	1k	3k	RMS	100.368k	-73.53	-13.00	-60.53	-	-
824.7MHz_RB 1#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-64.60	-13.00	-51.60	-	-
824.7MHz_RB 1#RB L	Pass	30M	500M	100k	300k	RMS	358.06M	-67.97	-13.00	-54.97	-	-
824.7MHz_RB 1#RB L	Pass	500M	821.2M	100k	300k	RMS	821.2M	-56.41	-13.00	-43.41	-	-
824.7MHz_RB 1#RB L	Pass	821.2M	823.9M	30k	100k	RMS	823.85M	-36.03	-13.00	-23.03	MBW 100k	-
824.7MHz_RB 1#RB L	Pass	823.9M	824M	30k	100k	RMS	824M	-24.51	-13.00	-11.51	-	-
824.7MHz_RB 1#RB L	Pass	849M	849.1M	30k	100k	RMS	849.03M	-73.50	-13.00	-60.50	-	-
824.7MHz_RB 1#RB L	Pass	849.1M	851.8M	30k	100k	RMS	850.95M	-68.59	-13.00	-55.59	MBW 100k	-
824.7MHz_RB 1#RB L	Pass	851.8M	2G	100k	300k	RMS	1.64865G	-49.61	-13.00	-36.61	-	-
824.7MHz_RB 1#RB L	Pass	2G	8.49G	100k	300k	RMS	6.94051G	-55.79	-13.00	-42.79	-	-
836.5MHz_RB 6#RB 0	Pass	9k	150k	1k	3k	RMS	11.82k	-74.89	-13.00	-61.89	-	-
836.5MHz_RB 6#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-63.59	-13.00	-50.59	-	-
836.5MHz_RB 6#RB 0	Pass	30M	500M	100k	300k	RMS	497.18M	-67.86	-13.00	-54.86	-	-
836.5MHz_RB 6#RB 0	Pass	500M	821.2M	100k	300k	RMS	797.43M	-67.20	-13.00	-54.20	-	-
836.5MHz_RB 6#RB 0	Pass	821.2M	823.9M	30k	100k	RMS	823.65M	-67.97	-13.00	-54.97	MBW 100k	-
836.5MHz_RB 6#RB 0	Pass	823.9M	824M	30k	100k	RMS	823.9M	-73.16	-13.00	-60.16	-	-
836.5MHz_RB 6#RB 0	Pass	849M	849.1M	30k	100k	RMS	849.1M	-72.77	-13.00	-59.77	-	-
836.5MHz_RB 6#RB 0	Pass	849.1M	851.8M	30k	100k	RMS	851.55M	-67.98	-13.00	-54.98	MBW 100k	-
836.5MHz_RB 6#RB 0	Pass	851.8M	2G	100k	300k	RMS	1.67391G	-56.06	-13.00	-43.06	-	-
836.5MHz_RB 6#RB 0	Pass	2G	8.49G	100k	300k	RMS	6.73689G	-55.92	-13.00	-42.92	-	-
836.5MHz_RB 1#RB L	Pass	9k	150k	1k	3k	RMS	86.268k	-72.56	-13.00	-59.56	-	-
836.5MHz_RB 1#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-63.19	-13.00	-50.19	-	-
836.5MHz_RB 1#RB L	Pass	30M	500M	100k	300k	RMS	360.88M	-67.92	-13.00	-54.92	-	-
836.5MHz_RB 1#RB L	Pass	500M	821.2M	100k	300k	RMS	733.83M	-66.85	-13.00	-53.85	-	-
836.5MHz_RB 1#RB L	Pass	821.2M	823.9M	30k	100k	RMS	822.75M	-67.86	-13.00	-54.86	MBW 100k	-
836.5MHz_RB 1#RB L	Pass	823.9M	824M	30k	100k	RMS	823.99M	-72.88	-13.00	-59.88	-	-
836.5MHz_RB 1#RB L	Pass	849M	849.1M	30k	100k	RMS	849.06M	-73.04	-13.00	-60.04	-	-
836.5MHz_RB 1#RB L	Pass	849.1M	851.8M	30k	100k	RMS	851.65M	-67.98	-13.00	-54.98	MBW 100k	-
836.5MHz_RB 1#RB L	Pass	851.8M	2G	100k	300k	RMS	1.67276G	-52.68	-13.00	-39.68	-	-
836.5MHz_RB 1#RB L	Pass	2G	8.49G	100k	300k	RMS	6.82694G	-55.27	-13.00	-42.27	-	-
848.3MHz_RB 6#RB 0	Pass	9k	150k	1k	3k	RMS	22.254k	-76.42	-13.00	-63.42	-	-
848.3MHz_RB 6#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-63.94	-13.00	-50.94	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
848.3MHz_RB 6#RB 0	Pass	30M	500M	100k	300k	RMS	233.04M	-68.22	-13.00	-55.22	-	-
848.3MHz_RB 6#RB 0	Pass	500M	821.2M	100k	300k	RMS	608.89M	-67.35	-13.00	-54.35	-	-
848.3MHz_RB 6#RB 0	Pass	821.2M	823.9M	30k	100k	RMS	822.75M	-68.74	-13.00	-55.74	MBW 100k	-
848.3MHz_RB 6#RB 0	Pass	823.9M	824M	30k	100k	RMS	823.99M	-73.79	-13.00	-60.79	-	-
848.3MHz_RB 6#RB 0	Pass	849M	849.1M	30k	100k	RMS	849M	-28.18	-13.00	-15.18	-	-
848.3MHz_RB 6#RB 0	Pass	849.1M	851.8M	30k	100k	RMS	849.15M	-26.82	-13.00	-13.82	MBW 100k	-
848.3MHz_RB 6#RB 0	Pass	851.8M	2G	100k	300k	RMS	893.14M	-53.45	-13.00	-40.45	-	-
848.3MHz_RB 6#RB 0	Pass	2G	8.49G	100k	300k	RMS	6.95593G	-55.77	-13.00	-42.77	-	-
848.3MHz_RB 1#RB H	Pass	9k	150k	1k	3k	RMS	26.484k	-73.97	-13.00	-60.97	-	-
848.3MHz_RB 1#RB H	Pass	150k	30M	10k	30k	RMS	299.25k	-63.69	-13.00	-50.69	-	-
848.3MHz_RB 1#RB H	Pass	30M	500M	100k	300k	RMS	433.73M	-68.43	-13.00	-55.43	-	-
848.3MHz_RB 1#RB H	Pass	500M	821.2M	100k	300k	RMS	753.43M	-67.56	-13.00	-54.56	-	-
848.3MHz_RB 1#RB H	Pass	821.2M	823.9M	30k	100k	RMS	823.55M	-68.64	-13.00	-55.64	MBW 100k	-
848.3MHz_RB 1#RB H	Pass	823.9M	824M	30k	100k	RMS	823.9M	-73.81	-13.00	-60.81	-	-
848.3MHz_RB 1#RB H	Pass	849M	849.1M	30k	100k	RMS	849M	-25.44	-13.00	-12.44	-	-
848.3MHz_RB 1#RB H	Pass	849.1M	851.8M	30k	100k	RMS	849.15M	-36.47	-13.00	-23.47	MBW 100k	-
848.3MHz_RB 1#RB H	Pass	851.8M	2G	100k	300k	RMS	1.69802G	-53.14	-13.00	-40.14	-	-
848.3MHz_RB 1#RB H	Pass	2G	8.49G	100k	300k	RMS	6.98189G	-55.83	-13.00	-42.83	-	-
Band 5_LTE_1.4MHz_Nss1,16QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
824.7MHz_RB 6#RB 0	Pass	9k	150k	1k	3k	RMS	11.679k	-75.67	-13.00	-62.67	-	-
824.7MHz_RB 6#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-62.92	-13.00	-49.92	-	-
824.7MHz_RB 6#RB 0	Pass	30M	500M	100k	300k	RMS	241.5M	-68.12	-13.00	-55.12	-	-
824.7MHz_RB 6#RB 0	Pass	500M	821.2M	100k	300k	RMS	821.2M	-52.44	-13.00	-39.44	-	-
824.7MHz_RB 6#RB 0	Pass	821.2M	823.9M	30k	100k	RMS	823.85M	-30.16	-13.00	-17.16	MBW 100k	-
824.7MHz_RB 6#RB 0	Pass	823.9M	824M	30k	100k	RMS	824M	-31.44	-13.00	-18.44	-	-
824.7MHz_RB 6#RB 0	Pass	849M	849.1M	30k	100k	RMS	849.09M	-73.57	-13.00	-60.57	-	-
824.7MHz_RB 6#RB 0	Pass	849.1M	851.8M	30k	100k	RMS	851.35M	-68.52	-13.00	-55.52	MBW 100k	-
824.7MHz_RB 6#RB 0	Pass	851.8M	2G	100k	300k	RMS	869.02M	-52.35	-13.00	-39.35	-	-
824.7MHz_RB 6#RB 0	Pass	2G	8.49G	100k	300k	RMS	6.92185G	-55.93	-13.00	-42.93	-	-
824.7MHz_RB 1#RB L	Pass	9k	150k	1k	3k	RMS	14.076k	-73.16	-13.00	-60.16	-	-
824.7MHz_RB 1#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-64.23	-13.00	-51.23	-	-
824.7MHz_RB 1#RB L	Pass	30M	500M	100k	300k	RMS	234.92M	-67.79	-13.00	-54.79	-	-
824.7MHz_RB 1#RB L	Pass	500M	821.2M	100k	300k	RMS	821.2M	-57.97	-13.00	-44.97	-	-
824.7MHz_RB 1#RB L	Pass	821.2M	823.9M	30k	100k	RMS	823.85M	-36.95	-13.00	-23.95	MBW 100k	-
824.7MHz_RB 1#RB L	Pass	823.9M	824M	30k	100k	RMS	824M	-26.25	-13.00	-13.25	-	-
824.7MHz_RB 1#RB L	Pass	849M	849.1M	30k	100k	RMS	849.02M	-73.62	-13.00	-60.62	-	-
824.7MHz_RB 1#RB L	Pass	849.1M	851.8M	30k	100k	RMS	851.45M	-68.48	-13.00	-55.48	MBW 100k	-
824.7MHz_RB 1#RB L	Pass	851.8M	2G	100k	300k	RMS	1.64865G	-52.22	-13.00	-39.22	-	-
824.7MHz_RB 1#RB L	Pass	2G	8.49G	100k	300k	RMS	6.93565G	-54.68	-13.00	-41.68	-	-
836.5MHz_RB 6#RB 0	Pass	9k	150k	1k	3k	RMS	95.433k	-76.07	-13.00	-63.07	-	-
836.5MHz_RB 6#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-63.18	-13.00	-50.18	-	-
836.5MHz_RB 6#RB 0	Pass	30M	500M	100k	300k	RMS	480.73M	-67.72	-13.00	-54.72	-	-
836.5MHz_RB 6#RB 0	Pass	500M	821.2M	100k	300k	RMS	799.68M	-67.03	-13.00	-54.03	-	-
836.5MHz_RB 6#RB 0	Pass	821.2M	823.9M	30k	100k	RMS	823.55M	-68.28	-13.00	-55.28	MBW 100k	-
836.5MHz_RB 6#RB 0	Pass	823.9M	824M	30k	100k	RMS	823.97M	-73.41	-13.00	-60.41	-	-
836.5MHz_RB 6#RB 0	Pass	849M	849.1M	30k	100k	RMS	849.01M	-73.13	-13.00	-60.13	-	-
836.5MHz_RB 6#RB 0	Pass	849.1M	851.8M	30k	100k	RMS	850.75M	-68.11	-13.00	-55.11	MBW 100k	-
836.5MHz_RB 6#RB 0	Pass	851.8M	2G	100k	300k	RMS	880.51M	-55.69	-13.00	-42.69	-	-
836.5MHz_RB 6#RB 0	Pass	2G	8.49G	100k	300k	RMS	6.92023G	-54.21	-13.00	-41.21	-	-
836.5MHz_RB 1#RB L	Pass	9k	150k	1k	3k	RMS	51.3k	-72.98	-13.00	-59.98	-	-
836.5MHz_RB 1#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-62.77	-13.00	-49.77	-	-
836.5MHz_RB 1#RB L	Pass	30M	500M	100k	300k	RMS	485.43M	-68.14	-13.00	-55.14	-	-
836.5MHz_RB 1#RB L	Pass	500M	821.2M	100k	300k	RMS	783.3M	-66.45	-13.00	-53.45	-	-
836.5MHz_RB 1#RB L	Pass	821.2M	823.9M	30k	100k	RMS	823.45M	-67.70	-13.00	-54.70	MBW 100k	-
836.5MHz_RB 1#RB L	Pass	823.9M	824M	30k	100k	RMS	823.96M	-72.99	-13.00	-59.99	-	-
836.5MHz_RB 1#RB L	Pass	849M	849.1M	30k	100k	RMS	849.07M	-73.01	-13.00	-60.01	-	-
836.5MHz_RB 1#RB L	Pass	849.1M	851.8M	30k	100k	RMS	849.15M	-67.80	-13.00	-54.80	MBW 100k	-
836.5MHz_RB 1#RB L	Pass	851.8M	2G	100k	300k	RMS	880.51M	-55.17	-13.00	-42.17	-	-
836.5MHz_RB 1#RB L	Pass	2G	8.49G	100k	300k	RMS	6.79611G	-55.45	-13.00	-42.45	-	-
848.3MHz_RB 6#RB 0	Pass	9k	150k	1k	3k	RMS	9k	-74.56	-13.00	-61.56	-	-
848.3MHz_RB 6#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-63.77	-13.00	-50.77	-	-
848.3MHz_RB 6#RB 0	Pass	30M	500M	100k	300k	RMS	351.95M	-68.06	-13.00	-55.06	-	-
848.3MHz_RB 6#RB 0	Pass	500M	821.2M	100k	300k	RMS	652.89M	-67.46	-13.00	-54.46	-	-
848.3MHz_RB 6#RB 0	Pass	821.2M	823.9M	30k	100k	RMS	823.85M	-68.86	-13.00	-55.86	MBW 100k	-
848.3MHz_RB 6#RB 0	Pass	823.9M	824M	30k	100k	RMS	824M	-73.79	-13.00	-60.79	-	-
848.3MHz_RB 6#RB 0	Pass	849M	849.1M	30k	100k	RMS	849M	-29.77	-13.00	-16.77	-	-
848.3MHz_RB 6#RB 0	Pass	849.1M	851.8M	30k	100k	RMS	849.15M	-27.41	-13.00	-14.41	MBW 100k	-
848.3MHz_RB 6#RB 0	Pass	851.8M	2G	100k	300k	RMS	893.14M	-55.97	-13.00	-42.97	-	-
848.3MHz_RB 6#RB 0	Pass	2G	8.49G	100k	300k	RMS	6.89752G	-55.20	-13.00	-42.20	-	-
848.3MHz_RB 1#RB H	Pass	9k	150k	1k	3k	RMS	11.679k	-73.50	-13.00	-60.50	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
848.3MHz_RB 1#RB H	Pass	150k	30M	10k	30k	RMS	299.25k	-63.18	-13.00	-50.18	-	-
848.3MHz_RB 1#RB H	Pass	30M	500M	100k	300k	RMS	327.98M	-68.20	-13.00	-55.20	-	-
848.3MHz_RB 1#RB H	Pass	500M	821.2M	100k	300k	RMS	820.88M	-67.29	-13.00	-54.29	-	-
848.3MHz_RB 1#RB H	Pass	821.2M	823.9M	30k	100k	RMS	822.65M	-68.56	-13.00	-55.56	MBW 100k	-
848.3MHz_RB 1#RB H	Pass	823.9M	824M	30k	100k	RMS	823.97M	-73.65	-13.00	-60.65	-	-
848.3MHz_RB 1#RB H	Pass	849M	849.1M	30k	100k	RMS	849M	-26.87	-13.00	-13.87	-	-
848.3MHz_RB 1#RB H	Pass	849.1M	851.8M	30k	100k	RMS	849.15M	-37.87	-13.00	-24.87	MBW 100k	-
848.3MHz_RB 1#RB H	Pass	851.8M	2G	100k	300k	RMS	1.69802G	-55.34	-13.00	-42.34	-	-
848.3MHz_RB 1#RB H	Pass	2G	8.49G	100k	300k	RMS	6.97296G	-55.25	-13.00	-42.25	-	-
Band 5_LTE_1.4MHz_Nss1.64QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
824.7MHz_RB 6#RB 0	Pass	9k	150k	1k	3k	RMS	16.05k	-76.27	-13.00	-63.27	-	-
824.7MHz_RB 6#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-64.06	-13.00	-51.06	-	-
824.7MHz_RB 6#RB 0	Pass	30M	500M	100k	300k	RMS	243.85M	-68.19	-13.00	-55.19	-	-
824.7MHz_RB 6#RB 0	Pass	500M	821.2M	100k	300k	RMS	821.2M	-53.12	-13.00	-40.12	-	-
824.7MHz_RB 6#RB 0	Pass	821.2M	823.9M	30k	100k	RMS	823.85M	-30.27	-13.00	-17.27	MBW 100k	-
824.7MHz_RB 6#RB 0	Pass	823.9M	824M	30k	100k	RMS	824M	-31.81	-13.00	-18.81	-	-
824.7MHz_RB 6#RB 0	Pass	849M	849.1M	30k	100k	RMS	849.03M	-73.48	-13.00	-60.48	-	-
824.7MHz_RB 6#RB 0	Pass	849.1M	851.8M	30k	100k	RMS	850.25M	-68.65	-13.00	-55.65	MBW 100k	-
824.7MHz_RB 6#RB 0	Pass	851.8M	2G	100k	300k	RMS	869.02M	-51.95	-13.00	-38.95	-	-
824.7MHz_RB 6#RB 0	Pass	2G	8.49G	100k	300k	RMS	6.9105G	-56.03	-13.00	-43.03	-	-
824.7MHz_RB 1#RB L	Pass	9k	150k	1k	3k	RMS	42.135k	-74.50	-13.00	-61.50	-	-
824.7MHz_RB 1#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-64.26	-13.00	-51.26	-	-
824.7MHz_RB 1#RB L	Pass	30M	500M	100k	300k	RMS	482.14M	-67.90	-13.00	-54.90	-	-
824.7MHz_RB 1#RB L	Pass	500M	821.2M	100k	300k	RMS	821.2M	-58.47	-13.00	-45.47	-	-
824.7MHz_RB 1#RB L	Pass	821.2M	823.9M	30k	100k	RMS	823.85M	-37.09	-13.00	-24.09	MBW 100k	-
824.7MHz_RB 1#RB L	Pass	823.9M	824M	30k	100k	RMS	824M	-26.98	-13.00	-13.98	-	-
824.7MHz_RB 1#RB L	Pass	849M	849.1M	30k	100k	RMS	849.01M	-73.81	-13.00	-60.81	-	-
824.7MHz_RB 1#RB L	Pass	849.1M	851.8M	30k	100k	RMS	851.45M	-68.64	-13.00	-55.64	MBW 100k	-
824.7MHz_RB 1#RB L	Pass	851.8M	2G	100k	300k	RMS	1.64865G	-51.03	-13.00	-38.03	-	-
824.7MHz_RB 1#RB L	Pass	2G	8.49G	100k	300k	RMS	6.10817G	-55.88	-13.00	-42.88	-	-
836.5MHz_RB 6#RB 0	Pass	9k	150k	1k	3k	RMS	13.23k	-75.51	-13.00	-62.51	-	-
836.5MHz_RB 6#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-64.31	-13.00	-51.31	-	-
836.5MHz_RB 6#RB 0	Pass	30M	500M	100k	300k	RMS	237.27M	-68.26	-13.00	-55.26	-	-
836.5MHz_RB 6#RB 0	Pass	500M	821.2M	100k	300k	RMS	811.89M	-67.24	-13.00	-54.24	-	-
836.5MHz_RB 6#RB 0	Pass	821.2M	823.9M	30k	100k	RMS	823.35M	-68.17	-13.00	-55.17	MBW 100k	-
836.5MHz_RB 6#RB 0	Pass	823.9M	824M	30k	100k	RMS	823.97M	-73.06	-13.00	-60.06	-	-
836.5MHz_RB 6#RB 0	Pass	849M	849.1M	30k	100k	RMS	849.02M	-73.06	-13.00	-60.06	-	-
836.5MHz_RB 6#RB 0	Pass	849.1M	851.8M	30k	100k	RMS	851.45M	-68.03	-13.00	-55.03	MBW 100k	-
836.5MHz_RB 6#RB 0	Pass	851.8M	2G	100k	300k	RMS	880.51M	-55.05	-13.00	-42.05	-	-
836.5MHz_RB 6#RB 0	Pass	2G	8.49G	100k	300k	RMS	6.80585G	-55.95	-13.00	-42.95	-	-
836.5MHz_RB 1#RB L	Pass	9k	150k	1k	3k	RMS	77.103k	-74.44	-13.00	-61.44	-	-
836.5MHz_RB 1#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-63.46	-13.00	-50.46	-	-
836.5MHz_RB 1#RB L	Pass	30M	500M	100k	300k	RMS	267.35M	-68.13	-13.00	-55.13	-	-
836.5MHz_RB 1#RB L	Pass	500M	821.2M	100k	300k	RMS	804.5M	-67.32	-13.00	-54.32	-	-
836.5MHz_RB 1#RB L	Pass	821.2M	823.9M	30k	100k	RMS	823.25M	-67.89	-13.00	-54.89	MBW 100k	-
836.5MHz_RB 1#RB L	Pass	823.9M	824M	30k	100k	RMS	824M	-73.03	-13.00	-60.03	-	-
836.5MHz_RB 1#RB L	Pass	849M	849.1M	30k	100k	RMS	849.08M	-72.92	-13.00	-59.92	-	-
836.5MHz_RB 1#RB L	Pass	849.1M	851.8M	30k	100k	RMS	851.75M	-67.98	-13.00	-54.98	MBW 100k	-
836.5MHz_RB 1#RB L	Pass	851.8M	2G	100k	300k	RMS	1.67276G	-53.55	-13.00	-40.55	-	-
836.5MHz_RB 1#RB L	Pass	2G	8.49G	100k	300k	RMS	6.84316G	-55.59	-13.00	-42.59	-	-
848.3MHz_RB 6#RB 0	Pass	9k	150k	1k	3k	RMS	9.846k	-76.21	-13.00	-63.21	-	-
848.3MHz_RB 6#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-63.95	-13.00	-50.95	-	-
848.3MHz_RB 6#RB 0	Pass	30M	500M	100k	300k	RMS	461.46M	-68.08	-13.00	-55.08	-	-
848.3MHz_RB 6#RB 0	Pass	500M	821.2M	100k	300k	RMS	817.67M	-67.19	-13.00	-54.19	-	-
848.3MHz_RB 6#RB 0	Pass	821.2M	823.9M	30k	100k	RMS	823.65M	-68.60	-13.00	-55.60	MBW 100k	-
848.3MHz_RB 6#RB 0	Pass	823.9M	824M	30k	100k	RMS	823.99M	-73.65	-13.00	-60.65	-	-
848.3MHz_RB 6#RB 0	Pass	849M	849.1M	30k	100k	RMS	849M	-29.78	-13.00	-16.78	-	-
848.3MHz_RB 6#RB 0	Pass	849.1M	851.8M	30k	100k	RMS	849.15M	-27.60	-13.00	-14.60	MBW 100k	-
848.3MHz_RB 6#RB 0	Pass	851.8M	2G	100k	300k	RMS	893.14M	-54.71	-13.00	-41.71	-	-
848.3MHz_RB 6#RB 0	Pass	2G	8.49G	100k	300k	RMS	6.97134G	-55.67	-13.00	-42.67	-	-
848.3MHz_RB 1#RB H	Pass	9k	150k	1k	3k	RMS	26.484k	-74.49	-13.00	-61.49	-	-
848.3MHz_RB 1#RB H	Pass	150k	30M	10k	30k	RMS	299.25k	-64.00	-13.00	-51.00	-	-
848.3MHz_RB 1#RB H	Pass	30M	500M	100k	300k	RMS	357.12M	-68.26	-13.00	-55.26	-	-
848.3MHz_RB 1#RB H	Pass	500M	821.2M	100k	300k	RMS	712.63M	-67.31	-13.00	-54.31	-	-
848.3MHz_RB 1#RB H	Pass	821.2M	823.9M	30k	100k	RMS	822.65M	-68.65	-13.00	-55.65	MBW 100k	-
848.3MHz_RB 1#RB H	Pass	823.9M	824M	30k	100k	RMS	823.91M	-73.62	-13.00	-60.62	-	-
848.3MHz_RB 1#RB H	Pass	849M	849.1M	30k	100k	RMS	849M	-26.99	-13.00	-13.99	-	-
848.3MHz_RB 1#RB H	Pass	849.1M	851.8M	30k	100k	RMS	849.15M	-37.48	-13.00	-24.48	MBW 100k	-
848.3MHz_RB 1#RB H	Pass	851.8M	2G	100k	300k	RMS	1.69802G	-52.97	-13.00	-39.97	-	-
848.3MHz_RB 1#RB H	Pass	2G	8.49G	100k	300k	RMS	6.9397G	-55.84	-13.00	-42.84	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
Band 5_LTE_3MHz_Nss1,OPSK_1TX	-	-	-	-	-	-	-	-	-	-	-	-
825.5MHz_RB 15#RB 0	Pass	9k	150k	1k	3k	RMS	9.141k	-74.81	-13.00	-61.81	-	-
825.5MHz_RB 15#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-64.83	-13.00	-51.83	-	-
825.5MHz_RB 15#RB 0	Pass	30M	500M	100k	300k	RMS	476.97M	-67.82	-13.00	-54.82	-	-
825.5MHz_RB 15#RB 0	Pass	500M	818M	100k	300k	RMS	818M	-52.32	-13.00	-39.32	-	-
825.5MHz_RB 15#RB 0	Pass	818M	823.9M	30k	100k	RMS	823.85M	-30.87	-13.00	-17.87	MBW 100k	-
825.5MHz_RB 15#RB 0	Pass	823.9M	824M	30k	100k	RMS	824M	-30.62	-13.00	-17.62	-	-
825.5MHz_RB 15#RB 0	Pass	849M	849.1M	30k	100k	RMS	849.04M	-73.59	-13.00	-60.59	-	-
825.5MHz_RB 15#RB 0	Pass	849.1M	855M	30k	100k	RMS	852.65M	-68.23	-13.00	-55.23	MBW 100k	-
825.5MHz_RB 15#RB 0	Pass	855M	2G	100k	300k	RMS	871.03M	-52.40	-13.00	-39.40	-	-
825.5MHz_RB 15#RB 0	Pass	2G	8.49G	100k	300k	RMS	6.97134G	-55.29	-13.00	-42.29	-	-
825.5MHz_RB 1#RB L	Pass	9k	150k	1k	3k	RMS	11.679k	-73.70	-13.00	-60.70	-	-
825.5MHz_RB 1#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-64.21	-13.00	-51.21	-	-
825.5MHz_RB 1#RB L	Pass	30M	500M	100k	300k	RMS	472.27M	-67.83	-13.00	-54.83	-	-
825.5MHz_RB 1#RB L	Pass	500M	818M	100k	300k	RMS	818M	-65.02	-13.00	-52.02	-	-
825.5MHz_RB 1#RB L	Pass	818M	823.9M	30k	100k	RMS	823.85M	-31.31	-13.00	-18.31	MBW 100k	-
825.5MHz_RB 1#RB L	Pass	823.9M	824M	30k	100k	RMS	824M	-24.60	-13.00	-11.60	-	-
825.5MHz_RB 1#RB L	Pass	849M	849.1M	30k	100k	RMS	849.1M	-73.35	-13.00	-60.35	-	-
825.5MHz_RB 1#RB L	Pass	849.1M	855M	30k	100k	RMS	852.35M	-68.01	-13.00	-55.01	MBW 100k	-
825.5MHz_RB 1#RB L	Pass	855M	2G	100k	300k	RMS	1.64849G	-50.39	-13.00	-37.39	-	-
825.5MHz_RB 1#RB L	Pass	2G	8.49G	100k	300k	RMS	6.99649G	-56.09	-13.00	-43.09	-	-
836.5MHz_RB 15#RB 0	Pass	9k	150k	1k	3k	RMS	16.755k	-76.23	-13.00	-63.23	-	-
836.5MHz_RB 15#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-64.64	-13.00	-51.64	-	-
836.5MHz_RB 15#RB 0	Pass	30M	500M	100k	300k	RMS	346.78M	-67.74	-13.00	-54.74	-	-
836.5MHz_RB 15#RB 0	Pass	500M	818M	100k	300k	RMS	761.4M	-66.67	-13.00	-53.67	-	-
836.5MHz_RB 15#RB 0	Pass	818M	823.9M	30k	100k	RMS	823.55M	-62.22	-13.00	-49.22	MBW 100k	-
836.5MHz_RB 15#RB 0	Pass	823.9M	824M	30k	100k	RMS	823.96M	-66.89	-13.00	-53.89	-	-
836.5MHz_RB 15#RB 0	Pass	849M	849.1M	30k	100k	RMS	849.02M	-68.25	-13.00	-55.25	-	-
836.5MHz_RB 15#RB 0	Pass	849.1M	855M	30k	100k	RMS	849.25M	-62.99	-13.00	-49.99	MBW 100k	-
836.5MHz_RB 15#RB 0	Pass	855M	2G	100k	300k	RMS	881.34M	-51.93	-13.00	-38.93	-	-
836.5MHz_RB 15#RB 0	Pass	2G	8.49G	100k	300k	RMS	6.91536G	-54.78	-13.00	-41.78	-	-
836.5MHz_RB 1#RB L	Pass	9k	150k	1k	3k	RMS	100.368k	-72.57	-13.00	-59.57	-	-
836.5MHz_RB 1#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-62.74	-13.00	-49.74	-	-
836.5MHz_RB 1#RB L	Pass	30M	500M	100k	300k	RMS	250.43M	-68.02	-13.00	-55.02	-	-
836.5MHz_RB 1#RB L	Pass	500M	818M	100k	300k	RMS	807.82M	-66.73	-13.00	-53.73	-	-
836.5MHz_RB 1#RB L	Pass	818M	823.9M	30k	100k	RMS	823.85M	-67.47	-13.00	-54.47	MBW 100k	-
836.5MHz_RB 1#RB L	Pass	823.9M	824M	30k	100k	RMS	823.97M	-71.94	-13.00	-58.94	-	-
836.5MHz_RB 1#RB L	Pass	849M	849.1M	30k	100k	RMS	849.03M	-72.28	-13.00	-59.28	-	-
836.5MHz_RB 1#RB L	Pass	849.1M	855M	30k	100k	RMS	849.15M	-67.53	-13.00	-54.53	MBW 100k	-
836.5MHz_RB 1#RB L	Pass	855M	2G	100k	300k	RMS	881.34M	-52.98	-13.00	-39.98	-	-
836.5MHz_RB 1#RB L	Pass	2G	8.49G	100k	300k	RMS	6.96728G	-55.46	-13.00	-42.46	-	-
847.5MHz_RB 15#RB 0	Pass	9k	150k	1k	3k	RMS	12.102k	-76.02	-13.00	-63.02	-	-
847.5MHz_RB 15#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-62.54	-13.00	-49.54	-	-
847.5MHz_RB 15#RB 0	Pass	30M	500M	100k	300k	RMS	359M	-67.44	-13.00	-54.44	-	-
847.5MHz_RB 15#RB 0	Pass	500M	818M	100k	300k	RMS	813.23M	-66.60	-13.00	-53.60	-	-
847.5MHz_RB 15#RB 0	Pass	818M	823.9M	30k	100k	RMS	822.95M	-68.66	-13.00	-55.66	MBW 100k	-
847.5MHz_RB 15#RB 0	Pass	823.9M	824M	30k	100k	RMS	823.91M	-73.45	-13.00	-60.45	-	-
847.5MHz_RB 15#RB 0	Pass	849M	849.1M	30k	100k	RMS	849M	-29.72	-13.00	-16.72	-	-
847.5MHz_RB 15#RB 0	Pass	849.1M	855M	30k	100k	RMS	849.15M	-29.02	-13.00	-16.02	MBW 100k	-
847.5MHz_RB 15#RB 0	Pass	855M	2G	100k	300k	RMS	891.64M	-54.72	-13.00	-41.72	-	-
847.5MHz_RB 15#RB 0	Pass	2G	8.49G	100k	300k	RMS	6.97702G	-56.34	-13.00	-43.34	-	-
847.5MHz_RB 1#RB H	Pass	9k	150k	1k	3k	RMS	14.217k	-74.94	-13.00	-61.94	-	-
847.5MHz_RB 1#RB H	Pass	150k	30M	10k	30k	RMS	299.25k	-63.33	-13.00	-50.33	-	-
847.5MHz_RB 1#RB H	Pass	30M	500M	100k	300k	RMS	401.77M	-68.03	-13.00	-55.03	-	-
847.5MHz_RB 1#RB H	Pass	500M	818M	100k	300k	RMS	813.87M	-67.28	-13.00	-54.28	-	-
847.5MHz_RB 1#RB H	Pass	818M	823.9M	30k	100k	RMS	822.85M	-68.52	-13.00	-55.52	MBW 100k	-
847.5MHz_RB 1#RB H	Pass	823.9M	824M	30k	100k	RMS	824M	-73.71	-13.00	-60.71	-	-
847.5MHz_RB 1#RB H	Pass	849M	849.1M	30k	100k	RMS	849M	-25.15	-13.00	-12.15	-	-
847.5MHz_RB 1#RB H	Pass	849.1M	855M	30k	100k	RMS	849.15M	-35.87	-13.00	-22.87	MBW 100k	-
847.5MHz_RB 1#RB H	Pass	855M	2G	100k	300k	RMS	1.69772G	-52.05	-13.00	-39.05	-	-
847.5MHz_RB 1#RB H	Pass	2G	8.49G	100k	300k	RMS	6.76285G	-55.35	-13.00	-42.35	-	-
Band 5_LTE_3MHz_Nss1,16QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
825.5MHz_RB 15#RB 0	Pass	9k	150k	1k	3k	RMS	18.165k	-77.00	-13.00	-64.00	-	-
825.5MHz_RB 15#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-64.45	-13.00	-51.45	-	-
825.5MHz_RB 15#RB 0	Pass	30M	500M	100k	300k	RMS	408.35M	-67.61	-13.00	-54.61	-	-
825.5MHz_RB 15#RB 0	Pass	500M	818M	100k	300k	RMS	818M	-53.60	-13.00	-40.60	-	-
825.5MHz_RB 15#RB 0	Pass	818M	823.9M	30k	100k	RMS	823.85M	-32.58	-13.00	-19.58	MBW 100k	-
825.5MHz_RB 15#RB 0	Pass	823.9M	824M	30k	100k	RMS	824M	-31.29	-13.00	-18.29	-	-
825.5MHz_RB 15#RB 0	Pass	849M	849.1M	30k	100k	RMS	849.01M	-73.26	-13.00	-60.26	-	-
825.5MHz_RB 15#RB 0	Pass	849.1M	855M	30k	100k	RMS	850.45M	-68.27	-13.00	-55.27	MBW 100k	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
825.5MHz_RB 15#RB 0	Pass	855M	2G	100k	300k	RMS	869.89M	-52.06	-13.00	-39.06	-	-
825.5MHz_RB 15#RB 0	Pass	2G	8.49G	100k	300k	RMS	6.82288G	-55.58	-13.00	-42.58	-	-
825.5MHz_RB 1#RB L	Pass	9k	150k	1k	3k	RMS	62.016k	-74.90	-13.00	-61.90	-	-
825.5MHz_RB 1#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-64.75	-13.00	-51.75	-	-
825.5MHz_RB 1#RB L	Pass	30M	500M	100k	300k	RMS	381.09M	-68.16	-13.00	-55.16	-	-
825.5MHz_RB 1#RB L	Pass	500M	818M	100k	300k	RMS	818M	-65.48	-13.00	-52.48	-	-
825.5MHz_RB 1#RB L	Pass	818M	823.9M	30k	100k	RMS	823.85M	-32.30	-13.00	-19.30	MBW 100k	-
825.5MHz_RB 1#RB L	Pass	823.9M	824M	30k	100k	RMS	824M	-25.97	-13.00	-12.97	-	-
825.5MHz_RB 1#RB L	Pass	849M	849.1M	30k	100k	RMS	849.02M	-73.55	-13.00	-60.55	-	-
825.5MHz_RB 1#RB L	Pass	849.1M	855M	30k	100k	RMS	849.25M	-68.25	-13.00	-55.25	MBW 100k	-
825.5MHz_RB 1#RB L	Pass	855M	2G	100k	300k	RMS	869.89M	-52.48	-13.00	-39.48	-	-
825.5MHz_RB 1#RB L	Pass	2G	8.49G	100k	300k	RMS	6.98108G	-55.54	-13.00	-42.54	-	-
836.5MHz_RB 15#RB 0	Pass	9k	150k	1k	3k	RMS	12.666k	-75.39	-13.00	-62.39	-	-
836.5MHz_RB 15#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-64.46	-13.00	-51.46	-	-
836.5MHz_RB 15#RB 0	Pass	30M	500M	100k	300k	RMS	452.53M	-67.83	-13.00	-54.83	-	-
836.5MHz_RB 15#RB 0	Pass	500M	818M	100k	300k	RMS	817.36M	-66.55	-13.00	-53.55	-	-
836.5MHz_RB 15#RB 0	Pass	818M	823.9M	30k	100k	RMS	823.75M	-64.36	-13.00	-51.36	MBW 100k	-
836.5MHz_RB 15#RB 0	Pass	823.9M	824M	30k	100k	RMS	823.92M	-68.97	-13.00	-55.97	-	-
836.5MHz_RB 15#RB 0	Pass	849M	849.1M	30k	100k	RMS	849.01M	-69.80	-13.00	-56.80	-	-
836.5MHz_RB 15#RB 0	Pass	849.1M	855M	30k	100k	RMS	849.15M	-65.30	-13.00	-52.30	MBW 100k	-
836.5MHz_RB 15#RB 0	Pass	855M	2G	100k	300k	RMS	880.19M	-51.10	-13.00	-38.10	-	-
836.5MHz_RB 15#RB 0	Pass	2G	8.49G	100k	300k	RMS	6.93483G	-55.01	-13.00	-42.01	-	-
836.5MHz_RB 1#RB L	Pass	9k	150k	1k	3k	RMS	10.551k	-74.04	-13.00	-61.04	-	-
836.5MHz_RB 1#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-63.55	-13.00	-50.55	-	-
836.5MHz_RB 1#RB L	Pass	30M	500M	100k	300k	RMS	216.12M	-67.68	-13.00	-54.68	-	-
836.5MHz_RB 1#RB L	Pass	500M	818M	100k	300k	RMS	817.05M	-66.73	-13.00	-53.73	-	-
836.5MHz_RB 1#RB L	Pass	818M	823.9M	30k	100k	RMS	823.75M	-67.47	-13.00	-54.47	MBW 100k	-
836.5MHz_RB 1#RB L	Pass	823.9M	824M	30k	100k	RMS	823.91M	-72.23	-13.00	-59.23	-	-
836.5MHz_RB 1#RB L	Pass	849M	849.1M	30k	100k	RMS	849.04M	-72.42	-13.00	-59.42	-	-
836.5MHz_RB 1#RB L	Pass	849.1M	855M	30k	100k	RMS	849.65M	-67.53	-13.00	-54.53	MBW 100k	-
836.5MHz_RB 1#RB L	Pass	855M	2G	100k	300k	RMS	1.67024G	-50.30	-13.00	-37.30	-	-
836.5MHz_RB 1#RB L	Pass	2G	8.49G	100k	300k	RMS	6.97296G	-56.23	-13.00	-43.23	-	-
847.5MHz_RB 15#RB 0	Pass	9k	150k	1k	3k	RMS	9.423k	-77.41	-13.00	-64.41	-	-
847.5MHz_RB 15#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-64.16	-13.00	-51.16	-	-
847.5MHz_RB 15#RB 0	Pass	30M	500M	100k	300k	RMS	277.69M	-68.18	-13.00	-55.18	-	-
847.5MHz_RB 15#RB 0	Pass	500M	818M	100k	300k	RMS	720.69M	-66.96	-13.00	-53.96	-	-
847.5MHz_RB 15#RB 0	Pass	818M	823.9M	30k	100k	RMS	822.95M	-68.68	-13.00	-55.68	MBW 100k	-
847.5MHz_RB 15#RB 0	Pass	823.9M	824M	30k	100k	RMS	823.93M	-73.83	-13.00	-60.83	-	-
847.5MHz_RB 15#RB 0	Pass	849M	849.1M	30k	100k	RMS	849M	-32.56	-13.00	-19.56	-	-
847.5MHz_RB 15#RB 0	Pass	849.1M	855M	30k	100k	RMS	849.15M	-30.26	-13.00	-17.26	MBW 100k	-
847.5MHz_RB 15#RB 0	Pass	855M	2G	100k	300k	RMS	892.79M	-51.92	-13.00	-38.92	-	-
847.5MHz_RB 15#RB 0	Pass	2G	8.49G	100k	300k	RMS	6.89995G	-56.19	-13.00	-43.19	-	-
847.5MHz_RB 1#RB H	Pass	9k	150k	1k	3k	RMS	16.332k	-75.16	-13.00	-62.16	-	-
847.5MHz_RB 1#RB H	Pass	150k	30M	10k	30k	RMS	299.25k	-62.61	-13.00	-49.61	-	-
847.5MHz_RB 1#RB H	Pass	30M	500M	100k	300k	RMS	348.19M	-68.08	-13.00	-55.08	-	-
847.5MHz_RB 1#RB H	Pass	500M	818M	100k	300k	RMS	814.5M	-67.49	-13.00	-54.49	-	-
847.5MHz_RB 1#RB H	Pass	818M	823.9M	30k	100k	RMS	821.15M	-68.75	-13.00	-55.75	MBW 100k	-
847.5MHz_RB 1#RB H	Pass	823.9M	824M	30k	100k	RMS	823.94M	-73.44	-13.00	-60.44	-	-
847.5MHz_RB 1#RB H	Pass	849M	849.1M	30k	100k	RMS	849M	-27.33	-13.00	-14.33	-	-
847.5MHz_RB 1#RB H	Pass	849.1M	855M	30k	100k	RMS	849.15M	-37.37	-13.00	-24.37	MBW 100k	-
847.5MHz_RB 1#RB H	Pass	855M	2G	100k	300k	RMS	891.64M	-52.60	-13.00	-39.60	-	-
847.5MHz_RB 1#RB H	Pass	2G	8.49G	100k	300k	RMS	6.97621G	-56.17	-13.00	-43.17	-	-
Band 5_LTE_3MHz_Nss1_64QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
825.5MHz_RB 15#RB 0	Pass	9k	150k	1k	3k	RMS	13.371k	-75.32	-13.00	-62.32	-	-
825.5MHz_RB 15#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-63.55	-13.00	-50.55	-	-
825.5MHz_RB 15#RB 0	Pass	30M	500M	100k	300k	RMS	351.01M	-68.17	-13.00	-55.17	-	-
825.5MHz_RB 15#RB 0	Pass	500M	818M	100k	300k	RMS	818M	-53.72	-13.00	-40.72	-	-
825.5MHz_RB 15#RB 0	Pass	818M	823.9M	30k	100k	RMS	823.85M	-32.80	-13.00	-19.80	MBW 100k	-
825.5MHz_RB 15#RB 0	Pass	823.9M	824M	30k	100k	RMS	824M	-32.06	-13.00	-19.06	-	-
825.5MHz_RB 15#RB 0	Pass	849M	849.1M	30k	100k	RMS	849.03M	-73.84	-13.00	-60.84	-	-
825.5MHz_RB 15#RB 0	Pass	849.1M	855M	30k	100k	RMS	849.35M	-68.43	-13.00	-55.43	MBW 100k	-
825.5MHz_RB 15#RB 0	Pass	855M	2G	100k	300k	RMS	869.89M	-53.63	-13.00	-40.63	-	-
825.5MHz_RB 15#RB 0	Pass	2G	8.49G	100k	300k	RMS	6.72715G	-55.90	-13.00	-42.90	-	-
825.5MHz_RB 1#RB L	Pass	9k	150k	1k	3k	RMS	12.384k	-72.17	-13.00	-59.17	-	-
825.5MHz_RB 1#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-63.56	-13.00	-50.56	-	-
825.5MHz_RB 1#RB L	Pass	30M	500M	100k	300k	RMS	247.14M	-68.27	-13.00	-55.27	-	-
825.5MHz_RB 1#RB L	Pass	500M	818M	100k	300k	RMS	818M	-65.53	-13.00	-52.53	-	-
825.5MHz_RB 1#RB L	Pass	818M	823.9M	30k	100k	RMS	823.85M	-32.56	-13.00	-19.56	MBW 100k	-
825.5MHz_RB 1#RB L	Pass	823.9M	824M	30k	100k	RMS	824M	-25.75	-13.00	-12.75	-	-
825.5MHz_RB 1#RB L	Pass	849M	849.1M	30k	100k	RMS	849.09M	-73.35	-13.00	-60.35	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
825.5MHz_RB 1#RB L	Pass	849.1M	855M	30k	100k	RMS	852.65M	-68.20	-13.00	-55.20	MBW 100k	-
825.5MHz_RB 1#RB L	Pass	855M	2G	100k	300k	RMS	869.89M	-52.74	-13.00	-39.74	-	-
825.5MHz_RB 1#RB L	Pass	2G	8.49G	100k	300k	RMS	6.86426G	-55.29	-13.00	-42.29	-	-
836.5MHz_RB 15#RB 0	Pass	9k	150k	1k	3k	RMS	21.549k	-77.15	-13.00	-64.15	-	-
836.5MHz_RB 15#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-64.14	-13.00	-51.14	-	-
836.5MHz_RB 15#RB 0	Pass	30M	500M	100k	300k	RMS	471.8M	-68.20	-13.00	-55.20	-	-
836.5MHz_RB 15#RB 0	Pass	500M	818M	100k	300k	RMS	817.68M	-66.74	-13.00	-53.74	-	-
836.5MHz_RB 15#RB 0	Pass	818M	823.9M	30k	100k	RMS	823.85M	-64.74	-13.00	-51.74	MBW 100k	-
836.5MHz_RB 15#RB 0	Pass	823.9M	824M	30k	100k	RMS	823.96M	-68.99	-13.00	-55.99	-	-
836.5MHz_RB 15#RB 0	Pass	849M	849.1M	30k	100k	RMS	849.04M	-69.87	-13.00	-56.87	-	-
836.5MHz_RB 15#RB 0	Pass	849.1M	855M	30k	100k	RMS	849.15M	-65.20	-13.00	-52.20	MBW 100k	-
836.5MHz_RB 15#RB 0	Pass	855M	2G	100k	300k	RMS	881.34M	-52.17	-13.00	-39.17	-	-
836.5MHz_RB 15#RB 0	Pass	2G	8.49G	100k	300k	RMS	6.91942G	-54.63	-13.00	-41.63	-	-
836.5MHz_RB 1#RB L	Pass	9k	150k	1k	3k	RMS	89.934k	-72.70	-13.00	-59.70	-	-
836.5MHz_RB 1#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-63.94	-13.00	-50.94	-	-
836.5MHz_RB 1#RB L	Pass	30M	500M	100k	300k	RMS	463.81M	-68.07	-13.00	-55.07	-	-
836.5MHz_RB 1#RB L	Pass	500M	818M	100k	300k	RMS	818M	-66.92	-13.00	-53.92	-	-
836.5MHz_RB 1#RB L	Pass	818M	823.9M	30k	100k	RMS	823.85M	-67.65	-13.00	-54.65	MBW 100k	-
836.5MHz_RB 1#RB L	Pass	823.9M	824M	30k	100k	RMS	823.98M	-72.35	-13.00	-59.35	-	-
836.5MHz_RB 1#RB L	Pass	849M	849.1M	30k	100k	RMS	849.1M	-72.72	-13.00	-59.72	-	-
836.5MHz_RB 1#RB L	Pass	849.1M	855M	30k	100k	RMS	849.15M	-67.54	-13.00	-54.54	MBW 100k	-
836.5MHz_RB 1#RB L	Pass	855M	2G	100k	300k	RMS	881.34M	-52.49	-13.00	-39.49	-	-
836.5MHz_RB 1#RB L	Pass	2G	8.49G	100k	300k	RMS	6.8099G	-55.77	-13.00	-42.77	-	-
847.5MHz_RB 15#RB 0	Pass	9k	150k	1k	3k	RMS	22.536k	-76.31	-13.00	-63.31	-	-
847.5MHz_RB 15#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-64.16	-13.00	-51.16	-	-
847.5MHz_RB 15#RB 0	Pass	30M	500M	100k	300k	RMS	309.65M	-67.98	-13.00	-54.98	-	-
847.5MHz_RB 15#RB 0	Pass	500M	818M	100k	300k	RMS	796.69M	-67.25	-13.00	-54.25	-	-
847.5MHz_RB 15#RB 0	Pass	818M	823.9M	30k	100k	RMS	822.05M	-68.73	-13.00	-55.73	MBW 100k	-
847.5MHz_RB 15#RB 0	Pass	823.9M	824M	30k	100k	RMS	823.93M	-73.10	-13.00	-60.10	-	-
847.5MHz_RB 15#RB 0	Pass	849M	849.1M	30k	100k	RMS	849M	-32.08	-13.00	-19.08	-	-
847.5MHz_RB 15#RB 0	Pass	849.1M	855M	30k	100k	RMS	849.15M	-30.08	-13.00	-17.08	MBW 100k	-
847.5MHz_RB 15#RB 0	Pass	855M	2G	100k	300k	RMS	892.79M	-52.25	-13.00	-39.25	-	-
847.5MHz_RB 15#RB 0	Pass	2G	8.49G	100k	300k	RMS	6.95755G	-55.71	-13.00	-42.71	-	-
847.5MHz_RB 1#RB H	Pass	9k	150k	1k	3k	RMS	12.807k	-73.58	-13.00	-60.58	-	-
847.5MHz_RB 1#RB H	Pass	150k	30M	10k	30k	RMS	299.25k	-63.97	-13.00	-50.97	-	-
847.5MHz_RB 1#RB H	Pass	30M	500M	100k	300k	RMS	366.99M	-68.20	-13.00	-55.20	-	-
847.5MHz_RB 1#RB H	Pass	500M	818M	100k	300k	RMS	813.55M	-67.05	-13.00	-54.05	-	-
847.5MHz_RB 1#RB H	Pass	818M	823.9M	30k	100k	RMS	822.05M	-68.69	-13.00	-55.69	MBW 100k	-
847.5MHz_RB 1#RB H	Pass	823.9M	824M	30k	100k	RMS	823.97M	-73.86	-13.00	-60.86	-	-
847.5MHz_RB 1#RB H	Pass	849M	849.1M	30k	100k	RMS	849M	-26.22	-13.00	-13.22	-	-
847.5MHz_RB 1#RB H	Pass	849.1M	855M	30k	100k	RMS	849.15M	-37.11	-13.00	-24.11	MBW 100k	-
847.5MHz_RB 1#RB H	Pass	855M	2G	100k	300k	RMS	891.64M	-52.56	-13.00	-39.56	-	-
847.5MHz_RB 1#RB H	Pass	2G	8.49G	100k	300k	RMS	6.98513G	-54.98	-13.00	-41.98	-	-
Band 5_LTE_5MHz_Nss1_QPSK_1TX	-	-	-	-	-	-	-	-	-	-	-	-
826.5MHz_RB 25#RB 0	Pass	9k	150k	1k	3k	RMS	15.345k	-75.03	-13.00	-62.03	-	-
826.5MHz_RB 25#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-63.74	-13.00	-50.74	-	-
826.5MHz_RB 25#RB 0	Pass	30M	500M	100k	300k	RMS	364.64M	-68.12	-13.00	-55.12	-	-
826.5MHz_RB 25#RB 0	Pass	500M	814M	100k	300k	RMS	814M	-55.45	-13.00	-42.45	-	-
826.5MHz_RB 25#RB 0	Pass	814M	823.9M	30k	100k	RMS	823.85M	-33.06	-13.00	-20.06	MBW 100k	-
826.5MHz_RB 25#RB 0	Pass	823.9M	824M	30k	100k	RMS	824M	-33.46	-13.00	-20.46	-	-
826.5MHz_RB 25#RB 0	Pass	849M	849.1M	30k	100k	RMS	849.07M	-71.29	-13.00	-58.29	-	-
826.5MHz_RB 25#RB 0	Pass	849.1M	859M	30k	100k	RMS	849.25M	-65.69	-13.00	-52.69	MBW 100k	-
826.5MHz_RB 25#RB 0	Pass	859M	2G	100k	300k	RMS	870.41M	-51.82	-13.00	-38.82	-	-
826.5MHz_RB 25#RB 0	Pass	2G	8.49G	100k	300k	RMS	6.75555G	-56.16	-13.00	-43.16	-	-
826.5MHz_RB 1#RB L	Pass	9k	150k	1k	3k	RMS	59.055k	-73.46	-13.00	-60.46	-	-
826.5MHz_RB 1#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-64.33	-13.00	-51.33	-	-
826.5MHz_RB 1#RB L	Pass	30M	500M	100k	300k	RMS	494.36M	-67.92	-13.00	-54.92	-	-
826.5MHz_RB 1#RB L	Pass	500M	814M	100k	300k	RMS	741.15M	-67.28	-13.00	-54.28	-	-
826.5MHz_RB 1#RB L	Pass	814M	823.9M	30k	100k	RMS	823.85M	-37.34	-13.00	-24.34	MBW 100k	-
826.5MHz_RB 1#RB L	Pass	823.9M	824M	30k	100k	RMS	824M	-28.48	-13.00	-15.48	-	-
826.5MHz_RB 1#RB L	Pass	849M	849.1M	30k	100k	RMS	849M	-73.53	-13.00	-60.53	-	-
826.5MHz_RB 1#RB L	Pass	849.1M	859M	30k	100k	RMS	857.85M	-68.33	-13.00	-55.33	MBW 100k	-
826.5MHz_RB 1#RB L	Pass	859M	2G	100k	300k	RMS	1.64857G	-54.47	-13.00	-41.47	-	-
826.5MHz_RB 1#RB L	Pass	2G	8.49G	100k	300k	RMS	6.98757G	-56.34	-13.00	-43.34	-	-
836.5MHz_RB 25#RB 0	Pass	9k	150k	1k	3k	RMS	12.384k	-75.54	-13.00	-62.54	-	-
836.5MHz_RB 25#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-64.16	-13.00	-51.16	-	-
836.5MHz_RB 25#RB 0	Pass	30M	500M	100k	300k	RMS	276.28M	-67.62	-13.00	-54.62	-	-
836.5MHz_RB 25#RB 0	Pass	500M	814M	100k	300k	RMS	814M	-66.11	-13.00	-53.11	-	-
836.5MHz_RB 25#RB 0	Pass	814M	823.9M	30k	100k	RMS	823.55M	-53.62	-13.00	-40.62	MBW 100k	-
836.5MHz_RB 25#RB 0	Pass	823.9M	824M	30k	100k	RMS	824M	-58.11	-13.00	-45.11	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
836.5MHz_RB_25#RB 0	Pass	849M	849.1M	30k	100k	RMS	849M	-61.24	-13.00	-48.24	-	-
836.5MHz_RB_25#RB 0	Pass	849.1M	859M	30k	100k	RMS	849.45M	-56.72	-13.00	-43.72	MBW 100k	-
836.5MHz_RB_25#RB 0	Pass	859M	2G	100k	300k	RMS	880.68M	-51.54	-13.00	-38.54	-	-
836.5MHz_RB_25#RB 0	Pass	2G	8.49G	100k	300k	RMS	6.8748G	-55.38	-13.00	-42.38	-	-
836.5MHz_RB_1#RB L	Pass	9k	150k	1k	3k	RMS	117.288k	-74.60	-13.00	-61.60	-	-
836.5MHz_RB_1#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-63.75	-13.00	-50.75	-	-
836.5MHz_RB_1#RB L	Pass	30M	500M	100k	300k	RMS	478.38M	-68.00	-13.00	-55.00	-	-
836.5MHz_RB_1#RB L	Pass	500M	814M	100k	300k	RMS	807.09M	-66.78	-13.00	-53.78	-	-
836.5MHz_RB_1#RB L	Pass	814M	823.9M	30k	100k	RMS	823.85M	-66.79	-13.00	-53.79	MBW 100k	-
836.5MHz_RB_1#RB L	Pass	823.9M	824M	30k	100k	RMS	823.95M	-72.46	-13.00	-59.46	-	-
836.5MHz_RB_1#RB L	Pass	849M	849.1M	30k	100k	RMS	849.1M	-72.95	-13.00	-59.95	-	-
836.5MHz_RB_1#RB L	Pass	849.1M	859M	30k	100k	RMS	851.45M	-67.38	-13.00	-54.38	MBW 100k	-
836.5MHz_RB_1#RB L	Pass	859M	2G	100k	300k	RMS	1.66911G	-53.18	-13.00	-40.18	-	-
836.5MHz_RB_1#RB L	Pass	2G	8.49G	100k	300k	RMS	6.947G	-55.50	-13.00	-42.50	-	-
846.5MHz_RB_25#RB 0	Pass	9k	150k	1k	3k	RMS	11.538k	-75.04	-13.00	-62.04	-	-
846.5MHz_RB_25#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-64.37	-13.00	-51.37	-	-
846.5MHz_RB_25#RB 0	Pass	30M	500M	100k	300k	RMS	354.77M	-67.67	-13.00	-54.67	-	-
846.5MHz_RB_25#RB 0	Pass	500M	814M	100k	300k	RMS	808.98M	-66.78	-13.00	-53.78	-	-
846.5MHz_RB_25#RB 0	Pass	814M	823.9M	30k	100k	RMS	823.75M	-65.52	-13.00	-52.52	MBW 100k	-
846.5MHz_RB_25#RB 0	Pass	823.9M	824M	30k	100k	RMS	823.9M	-70.81	-13.00	-57.81	-	-
846.5MHz_RB_25#RB 0	Pass	849M	849.1M	30k	100k	RMS	849M	-32.99	-13.00	-19.99	-	-
846.5MHz_RB_25#RB 0	Pass	849.1M	859M	30k	100k	RMS	849.15M	-31.12	-13.00	-18.12	MBW 100k	-
846.5MHz_RB_25#RB 0	Pass	859M	2G	100k	300k	RMS	889.81M	-53.20	-13.00	-40.20	-	-
846.5MHz_RB_25#RB 0	Pass	2G	8.49G	100k	300k	RMS	6.98513G	-55.61	-13.00	-42.61	-	-
846.5MHz_RB_1#RB H	Pass	9k	150k	1k	3k	RMS	94.587k	-74.08	-13.00	-61.08	-	-
846.5MHz_RB_1#RB H	Pass	150k	30M	10k	30k	RMS	299.25k	-63.05	-13.00	-50.05	-	-
846.5MHz_RB_1#RB H	Pass	30M	500M	100k	300k	RMS	484.02M	-68.02	-13.00	-55.02	-	-
846.5MHz_RB_1#RB H	Pass	500M	814M	100k	300k	RMS	798.61M	-67.33	-13.00	-54.33	-	-
846.5MHz_RB_1#RB H	Pass	814M	823.9M	30k	100k	RMS	823.45M	-67.94	-13.00	-54.94	MBW 100k	-
846.5MHz_RB_1#RB H	Pass	823.9M	824M	30k	100k	RMS	823.98M	-73.48	-13.00	-60.48	-	-
846.5MHz_RB_1#RB H	Pass	849M	849.1M	30k	100k	RMS	849M	-29.11	-13.00	-16.11	-	-
846.5MHz_RB_1#RB H	Pass	849.1M	859M	30k	100k	RMS	849.15M	-37.85	-13.00	-24.85	MBW 100k	-
846.5MHz_RB_1#RB H	Pass	859M	2G	100k	300k	RMS	1.69764G	-50.94	-13.00	-37.94	-	-
846.5MHz_RB_1#RB H	Pass	2G	8.49G	100k	300k	RMS	6.95755G	-55.26	-13.00	-42.26	-	-
Band 5_LTE_5MHz_Nss1_16QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
826.5MHz_RB_25#RB 0	Pass	9k	150k	1k	3k	RMS	24.933k	-76.39	-13.00	-63.39	-	-
826.5MHz_RB_25#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-64.28	-13.00	-51.28	-	-
826.5MHz_RB_25#RB 0	Pass	30M	500M	100k	300k	RMS	365.11M	-68.15	-13.00	-55.15	-	-
826.5MHz_RB_25#RB 0	Pass	500M	814M	100k	300k	RMS	813.69M	-56.58	-13.00	-43.58	-	-
826.5MHz_RB_25#RB 0	Pass	814M	823.9M	30k	100k	RMS	823.85M	-35.04	-13.00	-22.04	MBW 100k	-
826.5MHz_RB_25#RB 0	Pass	823.9M	824M	30k	100k	RMS	824M	-34.90	-13.00	-21.90	-	-
826.5MHz_RB_25#RB 0	Pass	849M	849.1M	30k	100k	RMS	849M	-72.90	-13.00	-59.90	-	-
826.5MHz_RB_25#RB 0	Pass	849.1M	859M	30k	100k	RMS	849.25M	-67.41	-13.00	-54.41	MBW 100k	-
826.5MHz_RB_25#RB 0	Pass	859M	2G	100k	300k	RMS	869.27M	-52.18	-13.00	-39.18	-	-
826.5MHz_RB_25#RB 0	Pass	2G	8.49G	100k	300k	RMS	6.97459G	-55.76	-13.00	-42.76	-	-
826.5MHz_RB_1#RB L	Pass	9k	150k	1k	3k	RMS	100.509k	-74.03	-13.00	-61.03	-	-
826.5MHz_RB_1#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-63.28	-13.00	-50.28	-	-
826.5MHz_RB_1#RB L	Pass	30M	500M	100k	300k	RMS	351.95M	-68.02	-13.00	-55.02	-	-
826.5MHz_RB_1#RB L	Pass	500M	814M	100k	300k	RMS	782.91M	-67.33	-13.00	-54.33	-	-
826.5MHz_RB_1#RB L	Pass	814M	823.9M	30k	100k	RMS	823.85M	-38.75	-13.00	-25.75	MBW 100k	-
826.5MHz_RB_1#RB L	Pass	823.9M	824M	30k	100k	RMS	824M	-29.04	-13.00	-16.04	-	-
826.5MHz_RB_1#RB L	Pass	849M	849.1M	30k	100k	RMS	849.02M	-73.43	-13.00	-60.43	-	-
826.5MHz_RB_1#RB L	Pass	849.1M	859M	30k	100k	RMS	853.15M	-68.05	-13.00	-55.05	MBW 100k	-
826.5MHz_RB_1#RB L	Pass	859M	2G	100k	300k	RMS	870.41M	-52.00	-13.00	-39.00	-	-
826.5MHz_RB_1#RB L	Pass	2G	8.49G	100k	300k	RMS	6.92591G	-55.29	-13.00	-42.29	-	-
836.5MHz_RB_25#RB 0	Pass	9k	150k	1k	3k	RMS	99.945k	-77.21	-13.00	-64.21	-	-
836.5MHz_RB_25#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-64.89	-13.00	-51.89	-	-
836.5MHz_RB_25#RB 0	Pass	30M	500M	100k	300k	RMS	346.31M	-67.99	-13.00	-54.99	-	-
836.5MHz_RB_25#RB 0	Pass	500M	814M	100k	300k	RMS	813.06M	-66.17	-13.00	-53.17	-	-
836.5MHz_RB_25#RB 0	Pass	814M	823.9M	30k	100k	RMS	823.55M	-55.30	-13.00	-42.30	MBW 100k	-
836.5MHz_RB_25#RB 0	Pass	823.9M	824M	30k	100k	RMS	824M	-59.31	-13.00	-46.31	-	-
836.5MHz_RB_25#RB 0	Pass	849M	849.1M	30k	100k	RMS	849.01M	-62.41	-13.00	-49.41	-	-
836.5MHz_RB_25#RB 0	Pass	849.1M	859M	30k	100k	RMS	849.45M	-58.29	-13.00	-45.29	MBW 100k	-
836.5MHz_RB_25#RB 0	Pass	859M	2G	100k	300k	RMS	882.96M	-53.33	-13.00	-40.33	-	-
836.5MHz_RB_25#RB 0	Pass	2G	8.49G	100k	300k	RMS	6.79936G	-55.57	-13.00	-42.57	-	-
836.5MHz_RB_1#RB L	Pass	9k	150k	1k	3k	RMS	80.628k	-73.94	-13.00	-60.94	-	-
836.5MHz_RB_1#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-62.90	-13.00	-49.90	-	-
836.5MHz_RB_1#RB L	Pass	30M	500M	100k	300k	RMS	393.31M	-67.91	-13.00	-54.91	-	-
836.5MHz_RB_1#RB L	Pass	500M	814M	100k	300k	RMS	695.94M	-67.36	-13.00	-54.36	-	-
836.5MHz_RB_1#RB L	Pass	814M	823.9M	30k	100k	RMS	823.45M	-66.94	-13.00	-53.94	MBW 100k	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
836.5MHz_RB 1#RB L	Pass	823.9M	824M	30k	100k	RMS	823.99M	-72.15	-13.00	-59.15	-	-
836.5MHz_RB 1#RB L	Pass	849M	849.1M	30k	100k	RMS	849M	-72.72	-13.00	-59.72	-	-
836.5MHz_RB 1#RB L	Pass	849.1M	859M	30k	100k	RMS	849.35M	-67.20	-13.00	-54.20	MBW 100k	-
836.5MHz_RB 1#RB L	Pass	859M	2G	100k	300k	RMS	1.66911G	-53.88	-13.00	-40.88	-	-
836.5MHz_RB 1#RB L	Pass	2G	8.49G	100k	300k	RMS	6.96891G	-55.60	-13.00	-42.60	-	-
846.5MHz_RB 25#RB 0	Pass	9k	150k	1k	3k	RMS	10.269k	-75.76	-13.00	-62.76	-	-
846.5MHz_RB 25#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-63.63	-13.00	-50.63	-	-
846.5MHz_RB 25#RB 0	Pass	30M	500M	100k	300k	RMS	242.44M	-67.93	-13.00	-54.93	-	-
846.5MHz_RB 25#RB 0	Pass	500M	814M	100k	300k	RMS	805.52M	-66.82	-13.00	-53.82	-	-
846.5MHz_RB 25#RB 0	Pass	814M	823.9M	30k	100k	RMS	823.85M	-66.81	-13.00	-53.81	MBW 100k	-
846.5MHz_RB 25#RB 0	Pass	823.9M	824M	30k	100k	RMS	823.93M	-72.29	-13.00	-59.29	-	-
846.5MHz_RB 25#RB 0	Pass	849M	849.1M	30k	100k	RMS	849M	-34.90	-13.00	-21.90	-	-
846.5MHz_RB 25#RB 0	Pass	849.1M	859M	30k	100k	RMS	849.15M	-33.31	-13.00	-20.31	MBW 100k	-
846.5MHz_RB 25#RB 0	Pass	859M	2G	100k	300k	RMS	890.95M	-52.33	-13.00	-39.33	-	-
846.5MHz_RB 25#RB 0	Pass	2G	8.49G	100k	300k	RMS	6.99324G	-55.51	-13.00	-42.51	-	-
846.5MHz_RB 1#RB H	Pass	9k	150k	1k	3k	RMS	20.139k	-75.91	-13.00	-62.91	-	-
846.5MHz_RB 1#RB H	Pass	150k	30M	10k	30k	RMS	299.25k	-63.44	-13.00	-50.44	-	-
846.5MHz_RB 1#RB H	Pass	30M	500M	100k	300k	RMS	421.51M	-68.23	-13.00	-55.23	-	-
846.5MHz_RB 1#RB H	Pass	500M	814M	100k	300k	RMS	706.93M	-67.51	-13.00	-54.51	-	-
846.5MHz_RB 1#RB H	Pass	814M	823.9M	30k	100k	RMS	820.85M	-68.30	-13.00	-55.30	MBW 100k	-
846.5MHz_RB 1#RB H	Pass	823.9M	824M	30k	100k	RMS	823.94M	-73.51	-13.00	-60.51	-	-
846.5MHz_RB 1#RB H	Pass	849M	849.1M	30k	100k	RMS	849M	-30.14	-13.00	-17.14	-	-
846.5MHz_RB 1#RB H	Pass	849.1M	859M	30k	100k	RMS	849.15M	-40.14	-13.00	-27.14	MBW 100k	-
846.5MHz_RB 1#RB H	Pass	859M	2G	100k	300k	RMS	1.69764G	-52.31	-13.00	-39.31	-	-
846.5MHz_RB 1#RB H	Pass	2G	8.49G	100k	300k	RMS	6.87967G	-55.64	-13.00	-42.64	-	-
Band 5_LTE_5MHz_Nss1.64QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
826.5MHz_RB 25#RB 0	Pass	9k	150k	1k	3k	RMS	14.781k	-75.22	-13.00	-62.22	-	-
826.5MHz_RB 25#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-63.90	-13.00	-50.90	-	-
826.5MHz_RB 25#RB 0	Pass	30M	500M	100k	300k	RMS	384.85M	-68.04	-13.00	-55.04	-	-
826.5MHz_RB 25#RB 0	Pass	500M	814M	100k	300k	RMS	814M	-55.95	-13.00	-42.95	-	-
826.5MHz_RB 25#RB 0	Pass	814M	823.9M	30k	100k	RMS	823.85M	-35.36	-13.00	-22.36	MBW 100k	-
826.5MHz_RB 25#RB 0	Pass	823.9M	824M	30k	100k	RMS	824M	-35.29	-13.00	-22.29	-	-
826.5MHz_RB 25#RB 0	Pass	849M	849.1M	30k	100k	RMS	849.05M	-72.59	-13.00	-59.59	-	-
826.5MHz_RB 25#RB 0	Pass	849.1M	859M	30k	100k	RMS	849.45M	-67.39	-13.00	-54.39	MBW 100k	-
826.5MHz_RB 25#RB 0	Pass	859M	2G	100k	300k	RMS	870.41M	-51.55	-13.00	-38.55	-	-
826.5MHz_RB 25#RB 0	Pass	2G	8.49G	100k	300k	RMS	6.9973G	-56.37	-13.00	-43.37	-	-
826.5MHz_RB 1#RB L	Pass	9k	150k	1k	3k	RMS	101.355k	-73.98	-13.00	-60.98	-	-
826.5MHz_RB 1#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-65.22	-13.00	-52.22	-	-
826.5MHz_RB 1#RB L	Pass	30M	500M	100k	300k	RMS	267.35M	-67.98	-13.00	-54.98	-	-
826.5MHz_RB 1#RB L	Pass	500M	814M	100k	300k	RMS	813.37M	-66.94	-13.00	-53.94	-	-
826.5MHz_RB 1#RB L	Pass	814M	823.9M	30k	100k	RMS	823.85M	-39.28	-13.00	-26.28	MBW 100k	-
826.5MHz_RB 1#RB L	Pass	823.9M	824M	30k	100k	RMS	824M	-29.53	-13.00	-16.53	-	-
826.5MHz_RB 1#RB L	Pass	849M	849.1M	30k	100k	RMS	849M	-73.60	-13.00	-60.60	-	-
826.5MHz_RB 1#RB L	Pass	849.1M	859M	30k	100k	RMS	853.85M	-68.30	-13.00	-55.30	MBW 100k	-
826.5MHz_RB 1#RB L	Pass	859M	2G	100k	300k	RMS	871.55M	-51.69	-13.00	-38.69	-	-
826.5MHz_RB 1#RB L	Pass	2G	8.49G	100k	300k	RMS	6.8748G	-56.36	-13.00	-43.36	-	-
836.5MHz_RB 25#RB 0	Pass	9k	150k	1k	3k	RMS	14.358k	-76.31	-13.00	-63.31	-	-
836.5MHz_RB 25#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-64.77	-13.00	-51.77	-	-
836.5MHz_RB 25#RB 0	Pass	30M	500M	100k	300k	RMS	346.78M	-67.67	-13.00	-54.67	-	-
836.5MHz_RB 25#RB 0	Pass	500M	814M	100k	300k	RMS	813.37M	-66.35	-13.00	-53.35	-	-
836.5MHz_RB 25#RB 0	Pass	814M	823.9M	30k	100k	RMS	823.55M	-55.73	-13.00	-42.73	MBW 100k	-
836.5MHz_RB 25#RB 0	Pass	823.9M	824M	30k	100k	RMS	824M	-59.68	-13.00	-46.68	-	-
836.5MHz_RB 25#RB 0	Pass	849M	849.1M	30k	100k	RMS	849M	-61.95	-13.00	-48.95	-	-
836.5MHz_RB 25#RB 0	Pass	849.1M	859M	30k	100k	RMS	849.15M	-58.01	-13.00	-45.01	MBW 100k	-
836.5MHz_RB 25#RB 0	Pass	859M	2G	100k	300k	RMS	881.82M	-52.37	-13.00	-39.37	-	-
836.5MHz_RB 25#RB 0	Pass	2G	8.49G	100k	300k	RMS	6.98432G	-55.24	-13.00	-42.24	-	-
836.5MHz_RB 1#RB L	Pass	9k	150k	1k	3k	RMS	13.935k	-72.71	-13.00	-59.71	-	-
836.5MHz_RB 1#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-62.96	-13.00	-49.96	-	-
836.5MHz_RB 1#RB L	Pass	30M	500M	100k	300k	RMS	356.65M	-68.10	-13.00	-55.10	-	-
836.5MHz_RB 1#RB L	Pass	500M	814M	100k	300k	RMS	678.67M	-67.18	-13.00	-54.18	-	-
836.5MHz_RB 1#RB L	Pass	814M	823.9M	30k	100k	RMS	823.55M	-66.95	-13.00	-53.95	MBW 100k	-
836.5MHz_RB 1#RB L	Pass	823.9M	824M	30k	100k	RMS	823.9M	-72.33	-13.00	-59.33	-	-
836.5MHz_RB 1#RB L	Pass	849M	849.1M	30k	100k	RMS	849.04M	-73.08	-13.00	-60.08	-	-
836.5MHz_RB 1#RB L	Pass	849.1M	859M	30k	100k	RMS	851.75M	-67.48	-13.00	-54.48	MBW 100k	-
836.5MHz_RB 1#RB L	Pass	859M	2G	100k	300k	RMS	1.66911G	-51.95	-13.00	-38.95	-	-
836.5MHz_RB 1#RB L	Pass	2G	8.49G	100k	300k	RMS	6.90401G	-55.93	-13.00	-42.93	-	-
846.5MHz_RB 25#RB 0	Pass	9k	150k	1k	3k	RMS	16.332k	-75.43	-13.00	-62.43	-	-
846.5MHz_RB 25#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-64.45	-13.00	-51.45	-	-
846.5MHz_RB 25#RB 0	Pass	30M	500M	100k	300k	RMS	445.48M	-67.86	-13.00	-54.86	-	-
846.5MHz_RB 25#RB 0	Pass	500M	814M	100k	300k	RMS	812.43M	-66.28	-13.00	-53.28	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
846.5MHz_RB 25,#RB 0	Pass	814M	823.9M	30k	100k	RMS	823.65M	-66.94	-13.00	-53.94	MBW 100k	-
846.5MHz_RB 25,#RB 0	Pass	823.9M	824M	30k	100k	RMS	823.96M	-72.02	-13.00	-59.02	-	-
846.5MHz_RB 25,#RB 0	Pass	849M	849.1M	30k	100k	RMS	849M	-34.99	-13.00	-21.99	-	-
846.5MHz_RB 25,#RB 0	Pass	849.1M	859M	30k	100k	RMS	849.25M	-33.45	-13.00	-20.45	MBW 100k	-
846.5MHz_RB 25,#RB 0	Pass	859M	2G	100k	300k	RMS	892.09M	-53.19	-13.00	-40.19	-	-
846.5MHz_RB 25,#RB 0	Pass	2G	8.49G	100k	300k	RMS	6.99081G	-55.44	-13.00	-42.44	-	-
846.5MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	17.319k	-73.90	-13.00	-60.90	-	-
846.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	299.25k	-63.78	-13.00	-50.78	-	-
846.5MHz_RB 1,#RB H	Pass	30M	500M	100k	300k	RMS	332.68M	-67.37	-13.00	-54.37	-	-
846.5MHz_RB 1,#RB H	Pass	500M	814M	100k	300k	RMS	769.1M	-66.68	-13.00	-53.68	-	-
846.5MHz_RB 1,#RB H	Pass	814M	823.9M	30k	100k	RMS	823.15M	-68.25	-13.00	-55.25	MBW 100k	-
846.5MHz_RB 1,#RB H	Pass	823.9M	824M	30k	100k	RMS	823.9M	-73.39	-13.00	-60.39	-	-
846.5MHz_RB 1,#RB H	Pass	849M	849.1M	30k	100k	RMS	849M	-29.95	-13.00	-16.95	-	-
846.5MHz_RB 1,#RB H	Pass	849.1M	859M	30k	100k	RMS	849.15M	-40.21	-13.00	-27.21	MBW 100k	-
846.5MHz_RB 1,#RB H	Pass	859M	2G	100k	300k	RMS	889.81M	-53.70	-13.00	-40.70	-	-
846.5MHz_RB 1,#RB H	Pass	2G	8.49G	100k	300k	RMS	6.78232G	-55.09	-13.00	-42.09	-	-
Band 5_LTE_10MHz_Nss1,OPSK_1TX	-	-	-	-	-	-	-	-	-	-	-	-
829MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	10.269k	-75.43	-13.00	-62.43	-	-
829MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-64.50	-13.00	-51.50	-	-
829MHz_RB 50,#RB 0	Pass	30M	500M	100k	300k	RMS	438.43M	-68.26	-13.00	-55.26	-	-
829MHz_RB 50,#RB 0	Pass	500M	804M	100k	300k	RMS	769.34M	-66.99	-13.00	-53.99	-	-
829MHz_RB 50,#RB 0	Pass	804M	823.9M	30k	100k	RMS	823.85M	-33.91	-13.00	-20.91	MBW 100k	-
829MHz_RB 50,#RB 0	Pass	823.9M	824M	30k	100k	RMS	823.96M	-38.61	-13.00	-25.61	-	-
829MHz_RB 50,#RB 0	Pass	849M	849.1M	30k	100k	RMS	849.09M	-60.96	-13.00	-47.96	-	-
829MHz_RB 50,#RB 0	Pass	849.1M	869M	30k	100k	RMS	849.15M	-55.17	-13.00	-42.17	MBW 100k	-
829MHz_RB 50,#RB 0	Pass	869M	2G	100k	300k	RMS	870.13M	-51.77	-13.00	-38.77	-	-
829MHz_RB 50,#RB 0	Pass	2G	8.49G	100k	300k	RMS	6.7158G	-55.93	-13.00	-42.93	-	-
829MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	32.829k	-73.51	-13.00	-60.51	-	-
829MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-62.93	-13.00	-49.93	-	-
829MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	370.75M	-68.05	-13.00	-55.05	-	-
829MHz_RB 1,#RB L	Pass	500M	804M	100k	300k	RMS	775.12M	-67.10	-13.00	-54.10	-	-
829MHz_RB 1,#RB L	Pass	804M	823.9M	30k	100k	RMS	823.85M	-43.55	-13.00	-30.55	MBW 100k	-
829MHz_RB 1,#RB L	Pass	823.9M	824M	30k	100k	RMS	824M	-41.42	-13.00	-28.42	-	-
829MHz_RB 1,#RB L	Pass	849M	849.1M	30k	100k	RMS	849M	-73.10	-13.00	-60.10	-	-
829MHz_RB 1,#RB L	Pass	849.1M	869M	30k	100k	RMS	862.75M	-66.65	-13.00	-53.65	MBW 100k	-
829MHz_RB 1,#RB L	Pass	869M	2G	100k	300k	RMS	1.64939G	-51.18	-13.00	-38.18	-	-
829MHz_RB 1,#RB L	Pass	2G	8.49G	100k	300k	RMS	6.94295G	-55.21	-13.00	-42.21	-	-
836.5MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	24.792k	-76.37	-13.00	-63.37	-	-
836.5MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-62.86	-13.00	-49.86	-	-
836.5MHz_RB 50,#RB 0	Pass	30M	500M	100k	300k	RMS	494.83M	-68.01	-13.00	-55.01	-	-
836.5MHz_RB 50,#RB 0	Pass	500M	804M	100k	300k	RMS	772.38M	-66.74	-13.00	-53.74	-	-
836.5MHz_RB 50,#RB 0	Pass	804M	823.9M	30k	100k	RMS	822.45M	-49.96	-13.00	-36.96	MBW 100k	-
836.5MHz_RB 50,#RB 0	Pass	823.9M	824M	30k	100k	RMS	823.98M	-56.28	-13.00	-43.28	-	-
836.5MHz_RB 50,#RB 0	Pass	849M	849.1M	30k	100k	RMS	849.01M	-55.85	-13.00	-42.85	-	-
836.5MHz_RB 50,#RB 0	Pass	849.1M	869M	30k	100k	RMS	849.55M	-51.71	-13.00	-38.71	MBW 100k	-
836.5MHz_RB 50,#RB 0	Pass	869M	2G	100k	300k	RMS	884.83M	-52.07	-13.00	-39.07	-	-
836.5MHz_RB 50,#RB 0	Pass	2G	8.49G	100k	300k	RMS	6.98838G	-55.60	-13.00	-42.60	-	-
836.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	72.591k	-74.20	-13.00	-61.20	-	-
836.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-63.39	-13.00	-50.39	-	-
836.5MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	263.12M	-68.27	-13.00	-55.27	-	-
836.5MHz_RB 1,#RB L	Pass	500M	804M	100k	300k	RMS	790.62M	-67.60	-13.00	-54.60	-	-
836.5MHz_RB 1,#RB L	Pass	804M	823.9M	30k	100k	RMS	814.45M	-42.54	-13.00	-29.54	MBW 100k	-
836.5MHz_RB 1,#RB L	Pass	823.9M	824M	30k	100k	RMS	823.97M	-71.79	-13.00	-58.79	-	-
836.5MHz_RB 1,#RB L	Pass	849M	849.1M	30k	100k	RMS	849.07M	-70.46	-13.00	-57.46	-	-
836.5MHz_RB 1,#RB L	Pass	849.1M	869M	30k	100k	RMS	849.75M	-37.64	-13.00	-24.64	MBW 100k	-
836.5MHz_RB 1,#RB L	Pass	869M	2G	100k	300k	RMS	1.66409G	-51.55	-13.00	-38.55	-	-
836.5MHz_RB 1,#RB L	Pass	2G	8.49G	100k	300k	RMS	6.83505G	-55.95	-13.00	-42.95	-	-
844MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	9.141k	-74.20	-13.00	-61.20	-	-
844MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-63.96	-13.00	-50.96	-	-
844MHz_RB 50,#RB 0	Pass	30M	500M	100k	300k	RMS	496.71M	-68.18	-13.00	-55.18	-	-
844MHz_RB 50,#RB 0	Pass	500M	804M	100k	300k	RMS	693.95M	-67.37	-13.00	-54.37	-	-
844MHz_RB 50,#RB 0	Pass	804M	823.9M	30k	100k	RMS	823.75M	-51.89	-13.00	-38.89	MBW 100k	-
844MHz_RB 50,#RB 0	Pass	823.9M	824M	30k	100k	RMS	823.94M	-57.89	-13.00	-44.89	-	-
844MHz_RB 50,#RB 0	Pass	849M	849.1M	30k	100k	RMS	849.02M	-37.58	-13.00	-24.58	-	-
844MHz_RB 50,#RB 0	Pass	849.1M	869M	30k	100k	RMS	849.15M	-33.35	-13.00	-20.35	MBW 100k	-
844MHz_RB 50,#RB 0	Pass	869M	2G	100k	300k	RMS	885.97M	-51.98	-13.00	-38.98	-	-
844MHz_RB 50,#RB 0	Pass	2G	8.49G	100k	300k	RMS	6.67523G	-55.67	-13.00	-42.67	-	-
844MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	39.456k	-74.84	-13.00	-61.84	-	-
844MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	299.25k	-63.28	-13.00	-50.28	-	-
844MHz_RB 1,#RB H	Pass	30M	500M	100k	300k	RMS	368.87M	-67.92	-13.00	-54.92	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
844MHz_RB 1,#RB H	Pass	500M	804M	100k	300k	RMS	784.54M	-67.12	-13.00	-54.12	-	-
844MHz_RB 1,#RB H	Pass	804M	823.9M	30k	100k	RMS	822.15M	-67.63	-13.00	-54.63	MBW 100k	-
844MHz_RB 1,#RB H	Pass	823.9M	824M	30k	100k	RMS	823.95M	-73.42	-13.00	-60.42	-	-
844MHz_RB 1,#RB H	Pass	849M	849.1M	30k	100k	RMS	849M	-41.45	-13.00	-28.45	-	-
844MHz_RB 1,#RB H	Pass	849.1M	869M	30k	100k	RMS	849.15M	-45.10	-13.00	-32.10	MBW 100k	-
844MHz_RB 1,#RB H	Pass	869M	2G	100k	300k	RMS	891.62M	-52.50	-13.00	-39.50	-	-
844MHz_RB 1,#RB H	Pass	2G	8.49G	100k	300k	RMS	6.98108G	-56.48	-13.00	-43.48	-	-
Band 5_LTE_10MHz_Nss1,64QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
829MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	30.291k	-76.69	-13.00	-63.69	-	-
829MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-63.24	-13.00	-50.24	-	-
829MHz_RB 50,#RB 0	Pass	30M	500M	100k	300k	RMS	382.5M	-68.09	-13.00	-55.09	-	-
829MHz_RB 50,#RB 0	Pass	500M	804M	100k	300k	RMS	719.18M	-67.15	-13.00	-54.15	-	-
829MHz_RB 50,#RB 0	Pass	804M	823.9M	30k	100k	RMS	823.85M	-36.83	-13.00	-23.83	MBW 100k	-
829MHz_RB 50,#RB 0	Pass	823.9M	824M	30k	100k	RMS	823.97M	-40.93	-13.00	-27.93	-	-
829MHz_RB 50,#RB 0	Pass	849M	849.1M	30k	100k	RMS	849.1M	-62.74	-13.00	-49.74	-	-
829MHz_RB 50,#RB 0	Pass	849.1M	869M	30k	100k	RMS	849.25M	-56.77	-13.00	-43.77	MBW 100k	-
829MHz_RB 50,#RB 0	Pass	869M	2G	100k	300k	RMS	870.13M	-51.96	-13.00	-38.96	-	-
829MHz_RB 50,#RB 0	Pass	2G	8.49G	100k	300k	RMS	6.71742G	-56.22	-13.00	-43.22	-	-
829MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	9.423k	-75.04	-13.00	-62.04	-	-
829MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-63.89	-13.00	-50.89	-	-
829MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	378.74M	-67.42	-13.00	-54.42	-	-
829MHz_RB 1,#RB L	Pass	500M	804M	100k	300k	RMS	800.35M	-67.39	-13.00	-54.39	-	-
829MHz_RB 1,#RB L	Pass	804M	823.9M	30k	100k	RMS	823.85M	-46.20	-13.00	-33.20	MBW 100k	-
829MHz_RB 1,#RB L	Pass	823.9M	824M	30k	100k	RMS	824M	-42.52	-13.00	-29.52	-	-
829MHz_RB 1,#RB L	Pass	849M	849.1M	30k	100k	RMS	849M	-73.16	-13.00	-60.16	-	-
829MHz_RB 1,#RB L	Pass	849.1M	869M	30k	100k	RMS	862.85M	-66.96	-13.00	-53.96	MBW 100k	-
829MHz_RB 1,#RB L	Pass	869M	2G	100k	300k	RMS	876.92M	-52.03	-13.00	-39.03	-	-
829MHz_RB 1,#RB L	Pass	2G	8.49G	100k	300k	RMS	6.93727G	-55.07	-13.00	-42.07	-	-
836.5MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	14.781k	-75.56	-13.00	-62.56	-	-
836.5MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-63.62	-13.00	-50.62	-	-
836.5MHz_RB 50,#RB 0	Pass	30M	500M	100k	300k	RMS	234.45M	-67.97	-13.00	-54.97	-	-
836.5MHz_RB 50,#RB 0	Pass	500M	804M	100k	300k	RMS	789.41M	-67.46	-13.00	-54.46	-	-
836.5MHz_RB 50,#RB 0	Pass	804M	823.9M	30k	100k	RMS	823.35M	-50.03	-13.00	-37.03	MBW 100k	-
836.5MHz_RB 50,#RB 0	Pass	823.9M	824M	30k	100k	RMS	823.97M	-55.13	-13.00	-42.13	-	-
836.5MHz_RB 50,#RB 0	Pass	849M	849.1M	30k	100k	RMS	849M	-56.20	-13.00	-43.20	-	-
836.5MHz_RB 50,#RB 0	Pass	849.1M	869M	30k	100k	RMS	849.15M	-52.22	-13.00	-39.22	MBW 100k	-
836.5MHz_RB 50,#RB 0	Pass	869M	2G	100k	300k	RMS	884.83M	-52.10	-13.00	-39.10	-	-
836.5MHz_RB 50,#RB 0	Pass	2G	8.49G	100k	300k	RMS	6.94376G	-56.01	-13.00	-43.01	-	-
836.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	18.87k	-72.89	-13.00	-59.89	-	-
836.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-62.79	-13.00	-49.79	-	-
836.5MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	397.54M	-67.66	-13.00	-54.66	-	-
836.5MHz_RB 1,#RB L	Pass	500M	804M	100k	300k	RMS	625.55M	-67.31	-13.00	-54.31	-	-
836.5MHz_RB 1,#RB L	Pass	804M	823.9M	30k	100k	RMS	814.45M	-45.81	-13.00	-32.81	MBW 100k	-
836.5MHz_RB 1,#RB L	Pass	823.9M	824M	30k	100k	RMS	824M	-71.49	-13.00	-58.49	-	-
836.5MHz_RB 1,#RB L	Pass	849M	849.1M	30k	100k	RMS	849.1M	-51.69	-13.00	-38.69	-	-
836.5MHz_RB 1,#RB L	Pass	849.1M	869M	30k	100k	RMS	849.75M	-38.23	-13.00	-25.23	MBW 100k	-
836.5MHz_RB 1,#RB L	Pass	869M	2G	100k	300k	RMS	1.66409G	-49.03	-13.00	-36.03	-	-
836.5MHz_RB 1,#RB L	Pass	2G	8.49G	100k	300k	RMS	6.9973G	-56.28	-13.00	-43.28	-	-
844MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	16.614k	-77.46	-13.00	-64.46	-	-
844MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-63.27	-13.00	-50.27	-	-
844MHz_RB 50,#RB 0	Pass	30M	500M	100k	300k	RMS	364.17M	-67.94	-13.00	-54.94	-	-
844MHz_RB 50,#RB 0	Pass	500M	804M	100k	300k	RMS	797.01M	-66.90	-13.00	-53.90	-	-
844MHz_RB 50,#RB 0	Pass	804M	823.9M	30k	100k	RMS	823.75M	-54.34	-13.00	-41.34	MBW 100k	-
844MHz_RB 50,#RB 0	Pass	823.9M	824M	30k	100k	RMS	823.91M	-60.75	-13.00	-47.75	-	-
844MHz_RB 50,#RB 0	Pass	849M	849.1M	30k	100k	RMS	849M	-39.94	-13.00	-26.94	-	-
844MHz_RB 50,#RB 0	Pass	849.1M	869M	30k	100k	RMS	849.15M	-35.41	-13.00	-22.41	MBW 100k	-
844MHz_RB 50,#RB 0	Pass	869M	2G	100k	300k	RMS	884.83M	-51.70	-13.00	-38.70	-	-
844MHz_RB 50,#RB 0	Pass	2G	8.49G	100k	300k	RMS	6.86669G	-55.99	-13.00	-42.99	-	-
844MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	47.634k	-75.09	-13.00	-62.09	-	-
844MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	299.25k	-64.87	-13.00	-51.87	-	-
844MHz_RB 1,#RB H	Pass	30M	500M	100k	300k	RMS	463.34M	-67.91	-13.00	-54.91	-	-
844MHz_RB 1,#RB H	Pass	500M	804M	100k	300k	RMS	802.78M	-67.51	-13.00	-54.51	-	-
844MHz_RB 1,#RB H	Pass	804M	823.9M	30k	100k	RMS	817.75M	-67.88	-13.00	-54.88	MBW 100k	-
844MHz_RB 1,#RB H	Pass	823.9M	824M	30k	100k	RMS	823.97M	-73.35	-13.00	-60.35	-	-
844MHz_RB 1,#RB H	Pass	849M	849.1M	30k	100k	RMS	849M	-42.68	-13.00	-29.68	-	-
844MHz_RB 1,#RB H	Pass	849.1M	869M	30k	100k	RMS	849.15M	-45.91	-13.00	-32.91	MBW 100k	-
844MHz_RB 1,#RB H	Pass	869M	2G	100k	300k	RMS	889.36M	-53.11	-13.00	-40.11	-	-
844MHz_RB 1,#RB H	Pass	2G	8.49G	100k	300k	RMS	6.97702G	-55.68	-13.00	-42.68	-	-
Band 5_LTE_10MHz_Nss1,64QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
829MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	14.076k	-73.52	-13.00	-60.52	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
829MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-63.38	-13.00	-50.38	-	-
829MHz_RB 50,#RB 0	Pass	30M	500M	100k	300k	RMS	386.73M	-68.36	-13.00	-55.36	-	-
829MHz_RB 50,#RB 0	Pass	500M	804M	100k	300k	RMS	707.63M	-67.43	-13.00	-54.43	-	-
829MHz_RB 50,#RB 0	Pass	804M	823.9M	30k	100k	RMS	823.85M	-37.17	-13.00	-24.17	MBW 100k	-
829MHz_RB 50,#RB 0	Pass	823.9M	824M	30k	100k	RMS	824M	-40.57	-13.00	-27.57	-	-
829MHz_RB 50,#RB 0	Pass	849M	849.1M	30k	100k	RMS	849.02M	-62.96	-13.00	-49.96	-	-
829MHz_RB 50,#RB 0	Pass	849.1M	869M	30k	100k	RMS	849.25M	-57.29	-13.00	-44.29	MBW 100k	-
829MHz_RB 50,#RB 0	Pass	869M	2G	100k	300k	RMS	874.66M	-51.58	-13.00	-38.58	-	-
829MHz_RB 50,#RB 0	Pass	2G	8.49G	100k	300k	RMS	6.9543G	-55.57	-13.00	-42.57	-	-
829MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	76.116k	-74.05	-13.00	-61.05	-	-
829MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-64.31	-13.00	-51.31	-	-
829MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	491.07M	-66.95	-13.00	-53.95	-	-
829MHz_RB 1,#RB L	Pass	500M	804M	100k	300k	RMS	795.79M	-67.42	-13.00	-54.42	-	-
829MHz_RB 1,#RB L	Pass	804M	823.9M	30k	100k	RMS	823.85M	-45.89	-13.00	-32.89	MBW 100k	-
829MHz_RB 1,#RB L	Pass	823.9M	824M	30k	100k	RMS	824M	-43.09	-13.00	-30.09	-	-
829MHz_RB 1,#RB L	Pass	849M	849.1M	30k	100k	RMS	849.04M	-72.97	-13.00	-59.97	-	-
829MHz_RB 1,#RB L	Pass	849.1M	869M	30k	100k	RMS	862.75M	-66.53	-13.00	-53.53	MBW 100k	-
829MHz_RB 1,#RB L	Pass	869M	2G	100k	300k	RMS	870.13M	-51.74	-13.00	-38.74	-	-
829MHz_RB 1,#RB L	Pass	2G	8.49G	100k	300k	RMS	6.9754G	-55.45	-13.00	-42.45	-	-
836.5MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	11.397k	-76.88	-13.00	-63.88	-	-
836.5MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-63.78	-13.00	-50.78	-	-
836.5MHz_RB 50,#RB 0	Pass	30M	500M	100k	300k	RMS	374.04M	-67.67	-13.00	-54.67	-	-
836.5MHz_RB 50,#RB 0	Pass	500M	804M	100k	300k	RMS	759.92M	-67.17	-13.00	-54.17	-	-
836.5MHz_RB 50,#RB 0	Pass	804M	823.9M	30k	100k	RMS	823.65M	-50.27	-13.00	-37.27	MBW 100k	-
836.5MHz_RB 50,#RB 0	Pass	823.9M	824M	30k	100k	RMS	824M	-55.17	-13.00	-42.17	-	-
836.5MHz_RB 50,#RB 0	Pass	849M	849.1M	30k	100k	RMS	849M	-56.55	-13.00	-43.55	-	-
836.5MHz_RB 50,#RB 0	Pass	849.1M	869M	30k	100k	RMS	849.25M	-52.44	-13.00	-39.44	MBW 100k	-
836.5MHz_RB 50,#RB 0	Pass	869M	2G	100k	300k	RMS	879.18M	-51.85	-13.00	-38.85	-	-
836.5MHz_RB 50,#RB 0	Pass	2G	8.49G	100k	300k	RMS	6.89508G	-56.09	-13.00	-43.09	-	-
836.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	12.525k	-73.41	-13.00	-60.41	-	-
836.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-62.68	-13.00	-49.68	-	-
836.5MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	356.18M	-68.24	-13.00	-55.24	-	-
836.5MHz_RB 1,#RB L	Pass	500M	804M	100k	300k	RMS	641.66M	-67.33	-13.00	-54.33	-	-
836.5MHz_RB 1,#RB L	Pass	804M	823.9M	30k	100k	RMS	814.45M	-44.20	-13.00	-31.20	MBW 100k	-
836.5MHz_RB 1,#RB L	Pass	823.9M	824M	30k	100k	RMS	823.96M	-72.00	-13.00	-59.00	-	-
836.5MHz_RB 1,#RB L	Pass	849M	849.1M	30k	100k	RMS	849.1M	-70.20	-13.00	-57.20	-	-
836.5MHz_RB 1,#RB L	Pass	849.1M	869M	30k	100k	RMS	849.75M	-37.55	-13.00	-24.55	MBW 100k	-
836.5MHz_RB 1,#RB L	Pass	869M	2G	100k	300k	RMS	883.7M	-52.18	-13.00	-39.18	-	-
836.5MHz_RB 1,#RB L	Pass	2G	8.49G	100k	300k	RMS	6.9973G	-55.06	-13.00	-42.06	-	-
844MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	11.397k	-75.22	-13.00	-62.22	-	-
844MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-64.14	-13.00	-51.14	-	-
844MHz_RB 50,#RB 0	Pass	30M	500M	100k	300k	RMS	357.12M	-67.83	-13.00	-54.83	-	-
844MHz_RB 50,#RB 0	Pass	500M	804M	100k	300k	RMS	670.54M	-67.30	-13.00	-54.30	-	-
844MHz_RB 50,#RB 0	Pass	804M	823.9M	30k	100k	RMS	823.85M	-54.50	-13.00	-41.50	MBW 100k	-
844MHz_RB 50,#RB 0	Pass	823.9M	824M	30k	100k	RMS	823.92M	-60.58	-13.00	-47.58	-	-
844MHz_RB 50,#RB 0	Pass	849M	849.1M	30k	100k	RMS	849M	-39.95	-13.00	-26.95	-	-
844MHz_RB 50,#RB 0	Pass	849.1M	869M	30k	100k	RMS	849.15M	-35.73	-13.00	-22.73	MBW 100k	-
844MHz_RB 50,#RB 0	Pass	869M	2G	100k	300k	RMS	884.83M	-52.37	-13.00	-39.37	-	-
844MHz_RB 50,#RB 0	Pass	2G	8.49G	100k	300k	RMS	6.9827G	-55.18	-13.00	-42.18	-	-
844MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	54.825k	-75.94	-13.00	-62.94	-	-
844MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	299.25k	-63.44	-13.00	-50.44	-	-
844MHz_RB 1,#RB H	Pass	30M	500M	100k	300k	RMS	355.24M	-68.02	-13.00	-55.02	-	-
844MHz_RB 1,#RB H	Pass	500M	804M	100k	300k	RMS	792.75M	-67.09	-13.00	-54.09	-	-
844MHz_RB 1,#RB H	Pass	804M	823.9M	30k	100k	RMS	821.85M	-68.08	-13.00	-55.08	MBW 100k	-
844MHz_RB 1,#RB H	Pass	823.9M	824M	30k	100k	RMS	823.98M	-73.58	-13.00	-60.58	-	-
844MHz_RB 1,#RB H	Pass	849M	849.1M	30k	100k	RMS	849M	-42.40	-13.00	-29.40	-	-
844MHz_RB 1,#RB H	Pass	849.1M	869M	30k	100k	RMS	849.15M	-45.84	-13.00	-32.84	MBW 100k	-
844MHz_RB 1,#RB H	Pass	869M	2G	100k	300k	RMS	884.83M	-52.54	-13.00	-39.54	-	-
844MHz_RB 1,#RB H	Pass	2G	8.49G	100k	300k	RMS	6.77015G	-55.96	-13.00	-42.96	-	-
Band 12_LTE_1.4MHz_Nss1,OPSK_1TX	-	-	-	-	-	-	-	-	-	-	-	-
699.7MHz_RB 6,#RB 0	Pass	9k	150k	1k	3k	RMS	14.358k	-75.57	-13.00	-62.57	-	-
699.7MHz_RB 6,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-64.73	-13.00	-51.73	-	-
699.7MHz_RB 6,#RB 0	Pass	30M	500M	100k	300k	RMS	311.53M	-67.96	-13.00	-54.96	-	-
699.7MHz_RB 6,#RB 0	Pass	500M	695.2M	100k	300k	RMS	695M	-59.26	-13.00	-46.26	-	-
699.7MHz_RB 6,#RB 0	Pass	695.2M	697.9M	30k	100k	RMS	697.85M	-43.01	-13.00	-30.01	MBW 100k	-
699.7MHz_RB 6,#RB 0	Pass	697.9M	698M	30k	100k	RMS	698M	-47.34	-13.00	-34.34	-	-
699.7MHz_RB 6,#RB 0	Pass	716M	716.1M	30k	100k	RMS	716.09M	-72.45	-13.00	-59.45	-	-
699.7MHz_RB 6,#RB 0	Pass	716.1M	718.8M	30k	100k	RMS	716.45M	-67.70	-13.00	-54.70	MBW 100k	-
699.7MHz_RB 6,#RB 0	Pass	718.8M	2G	100k	300k	RMS	729.05M	-51.78	-13.00	-38.78	-	-
699.7MHz_RB 6,#RB 0	Pass	2G	7.16G	100k	300k	RMS	6.73172G	-55.60	-13.00	-42.60	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
699.7MHz_RB 1#RB L	Pass	9k	150k	1k	3k	RMS	90.357k	-72.71	-13.00	-59.71	-	-
699.7MHz_RB 1#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-62.79	-13.00	-49.79	-	-
699.7MHz_RB 1#RB L	Pass	30M	500M	100k	300k	RMS	397.07M	-67.94	-13.00	-54.94	-	-
699.7MHz_RB 1#RB L	Pass	500M	695.2M	100k	300k	RMS	695.2M	-62.46	-13.00	-49.46	-	-
699.7MHz_RB 1#RB L	Pass	695.2M	697.9M	30k	100k	RMS	697.45M	-36.97	-13.00	-23.97	MBW 100k	-
699.7MHz_RB 1#RB L	Pass	697.9M	698M	30k	100k	RMS	697.94M	-54.30	-13.00	-41.30	-	-
699.7MHz_RB 1#RB L	Pass	716M	716.1M	30k	100k	RMS	716.09M	-72.70	-13.00	-59.70	-	-
699.7MHz_RB 1#RB L	Pass	716.1M	718.8M	30k	100k	RMS	716.25M	-67.58	-13.00	-54.58	MBW 100k	-
699.7MHz_RB 1#RB L	Pass	718.8M	2G	100k	300k	RMS	729.05M	-51.93	-13.00	-38.93	-	-
699.7MHz_RB 1#RB L	Pass	2G	7.16G	100k	300k	RMS	6.74075G	-55.42	-13.00	-42.42	-	-
707.5MHz_RB 6#RB 0	Pass	9k	150k	1k	3k	RMS	12.102k	-74.92	-13.00	-61.92	-	-
707.5MHz_RB 6#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-63.09	-13.00	-50.09	-	-
707.5MHz_RB 6#RB 0	Pass	30M	500M	100k	300k	RMS	354.3M	-67.87	-13.00	-54.87	-	-
707.5MHz_RB 6#RB 0	Pass	500M	695.2M	100k	300k	RMS	692.27M	-67.69	-13.00	-54.69	-	-
707.5MHz_RB 6#RB 0	Pass	695.2M	697.9M	30k	100k	RMS	697.85M	-67.99	-13.00	-54.99	MBW 100k	-
707.5MHz_RB 6#RB 0	Pass	697.9M	698M	30k	100k	RMS	697.99M	-72.80	-13.00	-59.80	-	-
707.5MHz_RB 6#RB 0	Pass	716M	716.1M	30k	100k	RMS	716.07M	-72.02	-13.00	-59.02	-	-
707.5MHz_RB 6#RB 0	Pass	716.1M	718.8M	30k	100k	RMS	716.45M	-66.64	-13.00	-53.64	MBW 100k	-
707.5MHz_RB 6#RB 0	Pass	718.8M	2G	100k	300k	RMS	736.74M	-53.47	-13.00	-40.47	-	-
707.5MHz_RB 6#RB 0	Pass	2G	7.16G	100k	300k	RMS	2.83012G	-50.84	-13.00	-37.84	-	-
707.5MHz_RB 1#RB L	Pass	9k	150k	1k	3k	RMS	47.352k	-72.75	-13.00	-59.75	-	-
707.5MHz_RB 1#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-62.12	-13.00	-49.12	-	-
707.5MHz_RB 1#RB L	Pass	30M	500M	100k	300k	RMS	479.79M	-67.72	-13.00	-54.72	-	-
707.5MHz_RB 1#RB L	Pass	500M	695.2M	100k	300k	RMS	560.51M	-67.70	-13.00	-54.70	-	-
707.5MHz_RB 1#RB L	Pass	695.2M	697.9M	30k	100k	RMS	697.85M	-68.02	-13.00	-55.02	MBW 100k	-
707.5MHz_RB 1#RB L	Pass	697.9M	698M	30k	100k	RMS	697.9M	-73.00	-13.00	-60.00	-	-
707.5MHz_RB 1#RB L	Pass	716M	716.1M	30k	100k	RMS	716.06M	-72.18	-13.00	-59.18	-	-
707.5MHz_RB 1#RB L	Pass	716.1M	718.8M	30k	100k	RMS	716.35M	-66.98	-13.00	-53.98	MBW 100k	-
707.5MHz_RB 1#RB L	Pass	718.8M	2G	100k	300k	RMS	736.74M	-52.18	-13.00	-39.18	-	-
707.5MHz_RB 1#RB L	Pass	2G	7.16G	100k	300k	RMS	2.82818G	-54.69	-13.00	-41.69	-	-
715.3MHz_RB 6#RB 0	Pass	9k	150k	1k	3k	RMS	16.05k	-74.86	-13.00	-61.86	-	-
715.3MHz_RB 6#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-63.60	-13.00	-50.60	-	-
715.3MHz_RB 6#RB 0	Pass	30M	500M	100k	300k	RMS	257.48M	-67.52	-13.00	-54.52	-	-
715.3MHz_RB 6#RB 0	Pass	500M	695.2M	100k	300k	RMS	686.03M	-67.57	-13.00	-54.57	-	-
715.3MHz_RB 6#RB 0	Pass	695.2M	697.9M	30k	100k	RMS	697.65M	-69.06	-13.00	-56.06	MBW 100k	-
715.3MHz_RB 6#RB 0	Pass	697.9M	698M	30k	100k	RMS	697.92M	-74.07	-13.00	-61.07	-	-
715.3MHz_RB 6#RB 0	Pass	716M	716.1M	30k	100k	RMS	716M	-30.40	-13.00	-17.40	-	-
715.3MHz_RB 6#RB 0	Pass	716.1M	718.8M	30k	100k	RMS	716.15M	-31.42	-13.00	-18.42	MBW 100k	-
715.3MHz_RB 6#RB 0	Pass	718.8M	2G	100k	300k	RMS	744.42M	-51.81	-13.00	-38.81	-	-
715.3MHz_RB 6#RB 0	Pass	2G	7.16G	100k	300k	RMS	6.81041G	-55.37	-13.00	-42.37	-	-
715.3MHz_RB 1#RB H	Pass	9k	150k	1k	3k	RMS	51.582k	-74.90	-13.00	-61.90	-	-
715.3MHz_RB 1#RB H	Pass	150k	30M	10k	30k	RMS	299.25k	-61.76	-13.00	-48.76	-	-
715.3MHz_RB 1#RB H	Pass	30M	500M	100k	300k	RMS	279.1M	-68.28	-13.00	-55.28	-	-
715.3MHz_RB 1#RB H	Pass	500M	695.2M	100k	300k	RMS	667.48M	-67.46	-13.00	-54.46	-	-
715.3MHz_RB 1#RB H	Pass	695.2M	697.9M	30k	100k	RMS	696.55M	-68.76	-13.00	-55.76	MBW 100k	-
715.3MHz_RB 1#RB H	Pass	697.9M	698M	30k	100k	RMS	697.97M	-73.73	-13.00	-60.73	-	-
715.3MHz_RB 1#RB H	Pass	716M	716.1M	30k	100k	RMS	716M	-24.05	-13.00	-11.05	-	-
715.3MHz_RB 1#RB H	Pass	716.1M	718.8M	30k	100k	RMS	716.15M	-30.70	-13.00	-17.70	MBW 100k	-
715.3MHz_RB 1#RB H	Pass	718.8M	2G	100k	300k	RMS	744.42M	-51.68	-13.00	-38.68	-	-
715.3MHz_RB 1#RB H	Pass	2G	7.16G	100k	300k	RMS	2.86301G	-52.61	-13.00	-39.61	-	-
Band 12_LTE_1.4MHz_Nss1.16QAM_TX	-	-	-	-	-	-	-	-	-	-	-	-
699.7MHz_RB 6#RB 0	Pass	9k	150k	1k	3k	RMS	23.664k	-77.14	-13.00	-64.14	-	-
699.7MHz_RB 6#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-63.33	-13.00	-50.33	-	-
699.7MHz_RB 6#RB 0	Pass	30M	500M	100k	300k	RMS	397.54M	-68.13	-13.00	-55.13	-	-
699.7MHz_RB 6#RB 0	Pass	500M	695.2M	100k	300k	RMS	695.2M	-59.80	-13.00	-46.80	-	-
699.7MHz_RB 6#RB 0	Pass	695.2M	697.9M	30k	100k	RMS	697.85M	-42.83	-13.00	-29.83	MBW 100k	-
699.7MHz_RB 6#RB 0	Pass	697.9M	698M	30k	100k	RMS	698M	-46.42	-13.00	-33.42	-	-
699.7MHz_RB 6#RB 0	Pass	716M	716.1M	30k	100k	RMS	716.04M	-72.43	-13.00	-59.43	-	-
699.7MHz_RB 6#RB 0	Pass	716.1M	718.8M	30k	100k	RMS	716.15M	-67.62	-13.00	-54.62	MBW 100k	-
699.7MHz_RB 6#RB 0	Pass	718.8M	2G	100k	300k	RMS	1.39912G	-57.99	-13.00	-44.99	-	-
699.7MHz_RB 6#RB 0	Pass	2G	7.16G	100k	300k	RMS	6.89878G	-54.01	-13.00	-41.01	-	-
699.7MHz_RB 1#RB L	Pass	9k	150k	1k	3k	RMS	20.844k	-74.03	-13.00	-61.03	-	-
699.7MHz_RB 1#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-62.87	-13.00	-49.87	-	-
699.7MHz_RB 1#RB L	Pass	30M	500M	100k	300k	RMS	370.28M	-67.69	-13.00	-54.69	-	-
699.7MHz_RB 1#RB L	Pass	500M	695.2M	100k	300k	RMS	695M	-63.63	-13.00	-50.63	-	-
699.7MHz_RB 1#RB L	Pass	695.2M	697.9M	30k	100k	RMS	697.45M	-39.15	-13.00	-26.15	MBW 100k	-
699.7MHz_RB 1#RB L	Pass	697.9M	698M	30k	100k	RMS	697.9M	-55.06	-13.00	-42.06	-	-
699.7MHz_RB 1#RB L	Pass	716M	716.1M	30k	100k	RMS	716.08M	-73.28	-13.00	-60.28	-	-
699.7MHz_RB 1#RB L	Pass	716.1M	718.8M	30k	100k	RMS	716.15M	-67.66	-13.00	-54.66	MBW 100k	-
699.7MHz_RB 1#RB L	Pass	718.8M	2G	100k	300k	RMS	729.05M	-51.43	-13.00	-38.43	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
699.7MHz_RB 1#RB L	Pass	2G	7.16G	100k	300k	RMS	6.89749G	-54.95	-13.00	-41.95	-	-
707.5MHz_RB 6#RB 0	Pass	9k	150k	1k	3k	RMS	9.423k	-75.11	-13.00	-62.11	-	-
707.5MHz_RB 6#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-62.46	-13.00	-49.46	-	-
707.5MHz_RB 6#RB 0	Pass	30M	500M	100k	300k	RMS	487.78M	-67.97	-13.00	-54.97	-	-
707.5MHz_RB 6#RB 0	Pass	500M	695.2M	100k	300k	RMS	676.27M	-67.35	-13.00	-54.35	-	-
707.5MHz_RB 6#RB 0	Pass	695.2M	697.9M	30k	100k	RMS	697.35M	-68.36	-13.00	-55.36	MBW 100k	-
707.5MHz_RB 6#RB 0	Pass	697.9M	698M	30k	100k	RMS	697.94M	-73.27	-13.00	-60.27	-	-
707.5MHz_RB 6#RB 0	Pass	716M	716.1M	30k	100k	RMS	716M	-72.23	-13.00	-59.23	-	-
707.5MHz_RB 6#RB 0	Pass	716.1M	718.8M	30k	100k	RMS	716.45M	-67.09	-13.00	-54.09	MBW 100k	-
707.5MHz_RB 6#RB 0	Pass	718.8M	2G	100k	300k	RMS	736.74M	-52.14	-13.00	-39.14	-	-
707.5MHz_RB 6#RB 0	Pass	2G	7.16G	100k	300k	RMS	6.9665G	-55.42	-13.00	-42.42	-	-
707.5MHz_RB 1#RB L	Pass	9k	150k	1k	3k	RMS	49.467k	-74.10	-13.00	-61.10	-	-
707.5MHz_RB 1#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-62.57	-13.00	-49.57	-	-
707.5MHz_RB 1#RB L	Pass	30M	500M	100k	300k	RMS	197.32M	-67.93	-13.00	-54.93	-	-
707.5MHz_RB 1#RB L	Pass	500M	695.2M	100k	300k	RMS	691.88M	-67.34	-13.00	-54.34	-	-
707.5MHz_RB 1#RB L	Pass	695.2M	697.9M	30k	100k	RMS	697.55M	-68.15	-13.00	-55.15	MBW 100k	-
707.5MHz_RB 1#RB L	Pass	697.9M	698M	30k	100k	RMS	697.98M	-73.16	-13.00	-60.16	-	-
707.5MHz_RB 1#RB L	Pass	716M	716.1M	30k	100k	RMS	716.01M	-71.52	-13.00	-58.52	-	-
707.5MHz_RB 1#RB L	Pass	716.1M	718.8M	30k	100k	RMS	717.05M	-67.10	-13.00	-54.10	MBW 100k	-
707.5MHz_RB 1#RB L	Pass	718.8M	2G	100k	300k	RMS	1.41449G	-52.94	-13.00	-39.94	-	-
707.5MHz_RB 1#RB L	Pass	2G	7.16G	100k	300k	RMS	2.82818G	-53.78	-13.00	-40.78	-	-
715.3MHz_RB 6#RB 0	Pass	9k	150k	1k	3k	RMS	20.985k	-76.87	-13.00	-63.87	-	-
715.3MHz_RB 6#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-62.93	-13.00	-49.93	-	-
715.3MHz_RB 6#RB 0	Pass	30M	500M	100k	300k	RMS	468.04M	-67.58	-13.00	-54.58	-	-
715.3MHz_RB 6#RB 0	Pass	500M	695.2M	100k	300k	RMS	623.76M	-67.49	-13.00	-54.49	-	-
715.3MHz_RB 6#RB 0	Pass	695.2M	697.9M	30k	100k	RMS	697.55M	-68.89	-13.00	-55.89	MBW 100k	-
715.3MHz_RB 6#RB 0	Pass	697.9M	698M	30k	100k	RMS	697.97M	-73.80	-13.00	-60.80	-	-
715.3MHz_RB 6#RB 0	Pass	716M	716.1M	30k	100k	RMS	716M	-32.25	-13.00	-19.25	-	-
715.3MHz_RB 6#RB 0	Pass	716.1M	718.8M	30k	100k	RMS	716.15M	-31.79	-13.00	-18.79	MBW 100k	-
715.3MHz_RB 6#RB 0	Pass	718.8M	2G	100k	300k	RMS	744.42M	-50.64	-13.00	-37.64	-	-
715.3MHz_RB 6#RB 0	Pass	2G	7.16G	100k	300k	RMS	6.88459G	-54.96	-13.00	-41.96	-	-
715.3MHz_RB 1#RB H	Pass	9k	150k	1k	3k	RMS	28.035k	-74.23	-13.00	-61.23	-	-
715.3MHz_RB 1#RB H	Pass	150k	30M	10k	30k	RMS	299.25k	-62.21	-13.00	-49.21	-	-
715.3MHz_RB 1#RB H	Pass	30M	500M	100k	300k	RMS	229.75M	-67.92	-13.00	-54.92	-	-
715.3MHz_RB 1#RB H	Pass	500M	695.2M	100k	300k	RMS	692.27M	-67.61	-13.00	-54.61	-	-
715.3MHz_RB 1#RB H	Pass	695.2M	697.9M	30k	100k	RMS	696.55M	-68.86	-13.00	-55.86	MBW 100k	-
715.3MHz_RB 1#RB H	Pass	697.9M	698M	30k	100k	RMS	697.97M	-74.31	-13.00	-61.31	-	-
715.3MHz_RB 1#RB H	Pass	716M	716.1M	30k	100k	RMS	716M	-26.19	-13.00	-13.19	-	-
715.3MHz_RB 1#RB H	Pass	716.1M	718.8M	30k	100k	RMS	716.15M	-31.91	-13.00	-18.91	MBW 100k	-
715.3MHz_RB 1#RB H	Pass	718.8M	2G	100k	300k	RMS	744.42M	-52.63	-13.00	-39.63	-	-
715.3MHz_RB 1#RB H	Pass	2G	7.16G	100k	300k	RMS	2.86301G	-48.75	-13.00	-35.75	-	-
Band 12_LTE_1.4MHz_Nss1.64QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
699.7MHz_RB 6#RB 0	Pass	9k	150k	1k	3k	RMS	14.922k	-76.10	-13.00	-63.10	-	-
699.7MHz_RB 6#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-63.41	-13.00	-50.41	-	-
699.7MHz_RB 6#RB 0	Pass	30M	500M	100k	300k	RMS	498.59M	-68.33	-13.00	-55.33	-	-
699.7MHz_RB 6#RB 0	Pass	500M	695.2M	100k	300k	RMS	695.2M	-60.14	-13.00	-47.14	-	-
699.7MHz_RB 6#RB 0	Pass	695.2M	697.9M	30k	100k	RMS	697.85M	-42.73	-13.00	-29.73	MBW 100k	-
699.7MHz_RB 6#RB 0	Pass	697.9M	698M	30k	100k	RMS	698M	-46.50	-13.00	-33.50	-	-
699.7MHz_RB 6#RB 0	Pass	716M	716.1M	30k	100k	RMS	716.01M	-72.59	-13.00	-59.59	-	-
699.7MHz_RB 6#RB 0	Pass	716.1M	718.8M	30k	100k	RMS	716.65M	-67.75	-13.00	-54.75	MBW 100k	-
699.7MHz_RB 6#RB 0	Pass	718.8M	2G	100k	300k	RMS	729.05M	-57.12	-13.00	-44.12	-	-
699.7MHz_RB 6#RB 0	Pass	2G	7.16G	100k	300k	RMS	6.98456G	-54.89	-13.00	-41.89	-	-
699.7MHz_RB 1#RB L	Pass	9k	150k	1k	3k	RMS	9k	-72.82	-13.00	-59.82	-	-
699.7MHz_RB 1#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-62.84	-13.00	-49.84	-	-
699.7MHz_RB 1#RB L	Pass	30M	500M	100k	300k	RMS	359.47M	-67.59	-13.00	-54.59	-	-
699.7MHz_RB 1#RB L	Pass	500M	695.2M	100k	300k	RMS	695.2M	-62.82	-13.00	-49.82	-	-
699.7MHz_RB 1#RB L	Pass	695.2M	697.9M	30k	100k	RMS	697.45M	-39.38	-13.00	-26.38	MBW 100k	-
699.7MHz_RB 1#RB L	Pass	697.9M	698M	30k	100k	RMS	697.9M	-55.35	-13.00	-42.35	-	-
699.7MHz_RB 1#RB L	Pass	716M	716.1M	30k	100k	RMS	716.1M	-72.65	-13.00	-59.65	-	-
699.7MHz_RB 1#RB L	Pass	716.1M	718.8M	30k	100k	RMS	716.25M	-67.60	-13.00	-54.60	MBW 100k	-
699.7MHz_RB 1#RB L	Pass	718.8M	2G	100k	300k	RMS	1.39912G	-54.83	-13.00	-41.83	-	-
699.7MHz_RB 1#RB L	Pass	2G	7.16G	100k	300k	RMS	2.0974G	-55.19	-13.00	-42.19	-	-
707.5MHz_RB 6#RB 0	Pass	9k	150k	1k	3k	RMS	26.202k	-75.32	-13.00	-62.32	-	-
707.5MHz_RB 6#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-63.45	-13.00	-50.45	-	-
707.5MHz_RB 6#RB 0	Pass	30M	500M	100k	300k	RMS	492.48M	-67.44	-13.00	-54.44	-	-
707.5MHz_RB 6#RB 0	Pass	500M	695.2M	100k	300k	RMS	524.4M	-67.67	-13.00	-54.67	-	-
707.5MHz_RB 6#RB 0	Pass	695.2M	697.9M	30k	100k	RMS	697.75M	-68.35	-13.00	-55.35	MBW 100k	-
707.5MHz_RB 6#RB 0	Pass	697.9M	698M	30k	100k	RMS	697.92M	-73.05	-13.00	-60.05	-	-
707.5MHz_RB 6#RB 0	Pass	716M	716.1M	30k	100k	RMS	716.07M	-72.09	-13.00	-59.09	-	-
707.5MHz_RB 6#RB 0	Pass	716.1M	718.8M	30k	100k	RMS	716.15M	-66.77	-13.00	-53.77	MBW 100k	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
707.5MHz_RB 6#RB 0	Pass	718.8M	2G	100k	300k	RMS	736.74M	-50.85	-13.00	-37.85	-	-
707.5MHz_RB 6#RB 0	Pass	2G	7.16G	100k	300k	RMS	6.90265G	-55.80	-13.00	-42.80	-	-
707.5MHz_RB 1#RB L	Pass	9k	150k	1k	3k	RMS	14.076k	-73.90	-13.00	-60.90	-	-
707.5MHz_RB 1#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-62.97	-13.00	-49.97	-	-
707.5MHz_RB 1#RB L	Pass	30M	500M	100k	300k	RMS	360.41M	-67.57	-13.00	-54.57	-	-
707.5MHz_RB 1#RB L	Pass	500M	695.2M	100k	300k	RMS	686.81M	-66.73	-13.00	-53.73	-	-
707.5MHz_RB 1#RB L	Pass	695.2M	697.9M	30k	100k	RMS	697.95M	-68.05	-13.00	-55.05	MBW 100k	-
707.5MHz_RB 1#RB L	Pass	697.9M	698M	30k	100k	RMS	698M	-73.11	-13.00	-60.11	-	-
707.5MHz_RB 1#RB L	Pass	716M	716.1M	30k	100k	RMS	716.02M	-71.87	-13.00	-58.87	-	-
707.5MHz_RB 1#RB L	Pass	716.1M	718.8M	30k	100k	RMS	716.25M	-66.96	-13.00	-53.96	MBW 100k	-
707.5MHz_RB 1#RB L	Pass	718.8M	2G	100k	300k	RMS	1.41449G	-50.24	-13.00	-37.24	-	-
707.5MHz_RB 1#RB L	Pass	2G	7.16G	100k	300k	RMS	2.82818G	-51.29	-13.00	-38.29	-	-
715.3MHz_RB 6#RB 0	Pass	9k	150k	1k	3k	RMS	18.729k	-76.15	-13.00	-63.15	-	-
715.3MHz_RB 6#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-62.16	-13.00	-49.16	-	-
715.3MHz_RB 6#RB 0	Pass	30M	500M	100k	300k	RMS	437.49M	-67.83	-13.00	-54.83	-	-
715.3MHz_RB 6#RB 0	Pass	500M	695.2M	100k	300k	RMS	691.69M	-67.38	-13.00	-54.38	-	-
715.3MHz_RB 6#RB 0	Pass	695.2M	697.9M	30k	100k	RMS	695.75M	-69.15	-13.00	-56.15	MBW 100k	-
715.3MHz_RB 6#RB 0	Pass	697.9M	698M	30k	100k	RMS	697.94M	-73.77	-13.00	-60.77	-	-
715.3MHz_RB 6#RB 0	Pass	716M	716.1M	30k	100k	RMS	716M	-32.09	-13.00	-19.09	-	-
715.3MHz_RB 6#RB 0	Pass	716.1M	718.8M	30k	100k	RMS	716.15M	-31.63	-13.00	-18.63	MBW 100k	-
715.3MHz_RB 6#RB 0	Pass	718.8M	2G	100k	300k	RMS	744.42M	-52.60	-13.00	-39.60	-	-
715.3MHz_RB 6#RB 0	Pass	2G	7.16G	100k	300k	RMS	6.89555G	-55.27	-13.00	-42.27	-	-
715.3MHz_RB 1#RB H	Pass	9k	150k	1k	3k	RMS	14.922k	-74.23	-13.00	-61.23	-	-
715.3MHz_RB 1#RB H	Pass	150k	30M	10k	30k	RMS	299.25k	-62.56	-13.00	-49.56	-	-
715.3MHz_RB 1#RB H	Pass	30M	500M	100k	300k	RMS	349.13M	-68.01	-13.00	-55.01	-	-
715.3MHz_RB 1#RB H	Pass	500M	695.2M	100k	300k	RMS	519.13M	-67.41	-13.00	-54.41	-	-
715.3MHz_RB 1#RB H	Pass	695.2M	697.9M	30k	100k	RMS	696.55M	-68.60	-13.00	-55.60	MBW 100k	-
715.3MHz_RB 1#RB H	Pass	697.9M	698M	30k	100k	RMS	697.91M	-73.67	-13.00	-60.67	-	-
715.3MHz_RB 1#RB H	Pass	716M	716.1M	30k	100k	RMS	716M	-26.39	-13.00	-13.39	-	-
715.3MHz_RB 1#RB H	Pass	716.1M	718.8M	30k	100k	RMS	716.15M	-31.94	-13.00	-18.94	MBW 100k	-
715.3MHz_RB 1#RB H	Pass	718.8M	2G	100k	300k	RMS	744.42M	-51.76	-13.00	-38.76	-	-
715.3MHz_RB 1#RB H	Pass	2G	7.16G	100k	300k	RMS	2.86301G	-50.96	-13.00	-37.96	-	-
Band 12_LTE_3MHz_Nss1_QPSK_1TX	-	-	-	-	-	-	-	-	-	-	-	-
700.5MHz_RB 15#RB 0	Pass	9k	150k	1k	3k	RMS	12.948k	-76.05	-13.00	-63.05	-	-
700.5MHz_RB 15#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-63.73	-13.00	-50.73	-	-
700.5MHz_RB 15#RB 0	Pass	30M	500M	100k	300k	RMS	466.63M	-67.86	-13.00	-54.86	-	-
700.5MHz_RB 15#RB 0	Pass	500M	692M	100k	300k	RMS	692M	-64.00	-13.00	-51.00	-	-
700.5MHz_RB 15#RB 0	Pass	692M	697.9M	30k	100k	RMS	697.85M	-38.29	-13.00	-25.29	MBW 100k	-
700.5MHz_RB 15#RB 0	Pass	697.9M	698M	30k	100k	RMS	697.93M	-42.53	-13.00	-29.53	-	-
700.5MHz_RB 15#RB 0	Pass	716M	716.1M	30k	100k	RMS	716M	-69.73	-13.00	-56.73	-	-
700.5MHz_RB 15#RB 0	Pass	716.1M	722M	30k	100k	RMS	716.35M	-64.78	-13.00	-51.78	MBW 100k	-
700.5MHz_RB 15#RB 0	Pass	722M	2G	100k	300k	RMS	729.67M	-50.06	-13.00	-37.06	-	-
700.5MHz_RB 15#RB 0	Pass	2G	7.16G	100k	300k	RMS	6.98198G	-55.52	-13.00	-42.52	-	-
700.5MHz_RB 1#RB L	Pass	9k	150k	1k	3k	RMS	87.819k	-73.11	-13.00	-60.11	-	-
700.5MHz_RB 1#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-62.39	-13.00	-49.39	-	-
700.5MHz_RB 1#RB L	Pass	30M	500M	100k	300k	RMS	350.54M	-68.08	-13.00	-55.08	-	-
700.5MHz_RB 1#RB L	Pass	500M	692M	100k	300k	RMS	688.54M	-67.50	-13.00	-54.50	-	-
700.5MHz_RB 1#RB L	Pass	692M	697.9M	30k	100k	RMS	697.85M	-50.58	-13.00	-37.58	MBW 100k	-
700.5MHz_RB 1#RB L	Pass	697.9M	698M	30k	100k	RMS	698M	-52.07	-13.00	-39.07	-	-
700.5MHz_RB 1#RB L	Pass	716M	716.1M	30k	100k	RMS	716.05M	-72.67	-13.00	-59.67	-	-
700.5MHz_RB 1#RB L	Pass	716.1M	722M	30k	100k	RMS	716.25M	-67.19	-13.00	-54.19	MBW 100k	-
700.5MHz_RB 1#RB L	Pass	722M	2G	100k	300k	RMS	729.67M	-51.11	-13.00	-38.11	-	-
700.5MHz_RB 1#RB L	Pass	2G	7.16G	100k	300k	RMS	2.0974G	-54.18	-13.00	-41.18	-	-
707.5MHz_RB 15#RB 0	Pass	9k	150k	1k	3k	RMS	14.358k	-76.97	-13.00	-63.97	-	-
707.5MHz_RB 15#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-63.73	-13.00	-50.73	-	-
707.5MHz_RB 15#RB 0	Pass	30M	500M	100k	300k	RMS	382.5M	-67.79	-13.00	-54.79	-	-
707.5MHz_RB 15#RB 0	Pass	500M	692M	100k	300k	RMS	538.4M	-67.63	-13.00	-54.63	-	-
707.5MHz_RB 15#RB 0	Pass	692M	697.9M	30k	100k	RMS	697.05M	-57.36	-13.00	-44.36	MBW 100k	-
707.5MHz_RB 15#RB 0	Pass	697.9M	698M	30k	100k	RMS	697.9M	-62.63	-13.00	-49.63	-	-
707.5MHz_RB 15#RB 0	Pass	716M	716.1M	30k	100k	RMS	716.1M	-61.17	-13.00	-48.17	-	-
707.5MHz_RB 15#RB 0	Pass	716.1M	722M	30k	100k	RMS	716.15M	-56.85	-13.00	-43.85	MBW 100k	-
707.5MHz_RB 15#RB 0	Pass	722M	2G	100k	300k	RMS	737.34M	-50.42	-13.00	-37.42	-	-
707.5MHz_RB 15#RB 0	Pass	2G	7.16G	100k	300k	RMS	6.84911G	-54.73	-13.00	-41.73	-	-
707.5MHz_RB 1#RB L	Pass	9k	150k	1k	3k	RMS	92.472k	-72.94	-13.00	-59.94	-	-
707.5MHz_RB 1#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-63.31	-13.00	-50.31	-	-
707.5MHz_RB 1#RB L	Pass	30M	500M	100k	300k	RMS	370.75M	-67.77	-13.00	-54.77	-	-
707.5MHz_RB 1#RB L	Pass	500M	692M	100k	300k	RMS	691.62M	-67.60	-13.00	-54.60	-	-
707.5MHz_RB 1#RB L	Pass	692M	697.9M	30k	100k	RMS	696.15M	-66.53	-13.00	-53.53	MBW 100k	-
707.5MHz_RB 1#RB L	Pass	697.9M	698M	30k	100k	RMS	697.96M	-72.93	-13.00	-59.93	-	-
707.5MHz_RB 1#RB L	Pass	716M	716.1M	30k	100k	RMS	716.1M	-71.76	-13.00	-58.76	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
707.5MHz_RB 1#RB L	Pass	716.1M	722M	30k	100k	RMS	716.25M	-65.77	-13.00	-52.77	MBW 100k	-
707.5MHz_RB 1#RB L	Pass	722M	2G	100k	300k	RMS	737.34M	-50.19	-13.00	-37.19	-	-
707.5MHz_RB 1#RB L	Pass	2G	7.16G	100k	300k	RMS	2.82496G	-52.73	-13.00	-39.73	-	-
714.5MHz_RB 15#RB 0	Pass	9k	150k	1k	3k	RMS	9.987k	-75.40	-13.00	-62.40	-	-
714.5MHz_RB 15#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-63.06	-13.00	-50.06	-	-
714.5MHz_RB 15#RB 0	Pass	30M	500M	100k	300k	RMS	368.4M	-67.90	-13.00	-54.90	-	-
714.5MHz_RB 15#RB 0	Pass	500M	692M	100k	300k	RMS	647.65M	-66.88	-13.00	-53.88	-	-
714.5MHz_RB 15#RB 0	Pass	692M	697.9M	30k	100k	RMS	697.45M	-66.03	-13.00	-53.03	MBW 100k	-
714.5MHz_RB 15#RB 0	Pass	697.9M	698M	30k	100k	RMS	697.94M	-70.41	-13.00	-57.41	-	-
714.5MHz_RB 15#RB 0	Pass	716M	716.1M	30k	100k	RMS	716M	-31.70	-13.00	-18.70	-	-
714.5MHz_RB 15#RB 0	Pass	716.1M	722M	30k	100k	RMS	716.15M	-34.88	-13.00	-21.88	MBW 100k	-
714.5MHz_RB 15#RB 0	Pass	722M	2G	100k	300k	RMS	743.73M	-51.89	-13.00	-38.89	-	-
714.5MHz_RB 15#RB 0	Pass	2G	7.16G	100k	300k	RMS	6.91361G	-56.27	-13.00	-43.27	-	-
714.5MHz_RB 1#RB H	Pass	9k	150k	1k	3k	RMS	11.397k	-73.92	-13.00	-60.92	-	-
714.5MHz_RB 1#RB H	Pass	150k	30M	10k	30k	RMS	299.25k	-61.37	-13.00	-48.37	-	-
714.5MHz_RB 1#RB H	Pass	30M	500M	100k	300k	RMS	385.79M	-68.30	-13.00	-55.30	-	-
714.5MHz_RB 1#RB H	Pass	500M	692M	100k	300k	RMS	677.79M	-67.37	-13.00	-54.37	-	-
714.5MHz_RB 1#RB H	Pass	692M	697.9M	30k	100k	RMS	696.55M	-68.62	-13.00	-55.62	MBW 100k	-
714.5MHz_RB 1#RB H	Pass	697.9M	698M	30k	100k	RMS	697.9M	-74.11	-13.00	-61.11	-	-
714.5MHz_RB 1#RB H	Pass	716M	716.1M	30k	100k	RMS	716M	-23.95	-13.00	-10.95	-	-
714.5MHz_RB 1#RB H	Pass	716.1M	722M	30k	100k	RMS	716.15M	-37.43	-13.00	-24.43	MBW 100k	-
714.5MHz_RB 1#RB H	Pass	722M	2G	100k	300k	RMS	743.73M	-52.00	-13.00	-39.00	-	-
714.5MHz_RB 1#RB H	Pass	2G	7.16G	100k	300k	RMS	6.95618G	-55.89	-13.00	-42.89	-	-
Band 12_LTE_3MHz_Nss1_16QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
700.5MHz_RB 15#RB 0	Pass	9k	150k	1k	3k	RMS	32.406k	-76.63	-13.00	-63.63	-	-
700.5MHz_RB 15#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-62.40	-13.00	-49.40	-	-
700.5MHz_RB 15#RB 0	Pass	30M	500M	100k	300k	RMS	385.79M	-68.19	-13.00	-55.19	-	-
700.5MHz_RB 15#RB 0	Pass	500M	692M	100k	300k	RMS	691.81M	-64.54	-13.00	-51.54	-	-
700.5MHz_RB 15#RB 0	Pass	692M	697.9M	30k	100k	RMS	697.85M	-38.75	-13.00	-25.75	MBW 100k	-
700.5MHz_RB 15#RB 0	Pass	697.9M	698M	30k	100k	RMS	697.92M	-43.50	-13.00	-30.50	-	-
700.5MHz_RB 15#RB 0	Pass	716M	716.1M	30k	100k	RMS	716.07M	-71.14	-13.00	-58.14	-	-
700.5MHz_RB 15#RB 0	Pass	716.1M	722M	30k	100k	RMS	716.15M	-65.93	-13.00	-52.93	MBW 100k	-
700.5MHz_RB 15#RB 0	Pass	722M	2G	100k	300k	RMS	729.67M	-51.78	-13.00	-38.78	-	-
700.5MHz_RB 15#RB 0	Pass	2G	7.16G	100k	300k	RMS	6.98327G	-55.82	-13.00	-42.82	-	-
700.5MHz_RB 1#RB L	Pass	9k	150k	1k	3k	RMS	49.89k	-73.76	-13.00	-60.76	-	-
700.5MHz_RB 1#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-62.84	-13.00	-49.84	-	-
700.5MHz_RB 1#RB L	Pass	30M	500M	100k	300k	RMS	330.8M	-67.80	-13.00	-54.80	-	-
700.5MHz_RB 1#RB L	Pass	500M	692M	100k	300k	RMS	507.68M	-67.39	-13.00	-54.39	-	-
700.5MHz_RB 1#RB L	Pass	692M	697.9M	30k	100k	RMS	697.85M	-51.56	-13.00	-38.56	MBW 100k	-
700.5MHz_RB 1#RB L	Pass	697.9M	698M	30k	100k	RMS	697.97M	-52.99	-13.00	-39.99	-	-
700.5MHz_RB 1#RB L	Pass	716M	716.1M	30k	100k	RMS	716.09M	-72.67	-13.00	-59.67	-	-
700.5MHz_RB 1#RB L	Pass	716.1M	722M	30k	100k	RMS	716.15M	-67.31	-13.00	-54.31	MBW 100k	-
700.5MHz_RB 1#RB L	Pass	722M	2G	100k	300k	RMS	729.67M	-50.76	-13.00	-37.76	-	-
700.5MHz_RB 1#RB L	Pass	2G	7.16G	100k	300k	RMS	6.82847G	-54.99	-13.00	-41.99	-	-
707.5MHz_RB 15#RB 0	Pass	9k	150k	1k	3k	RMS	11.397k	-76.21	-13.00	-63.21	-	-
707.5MHz_RB 15#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-63.83	-13.00	-50.83	-	-
707.5MHz_RB 15#RB 0	Pass	30M	500M	100k	300k	RMS	251.37M	-67.80	-13.00	-54.80	-	-
707.5MHz_RB 15#RB 0	Pass	500M	692M	100k	300k	RMS	691.04M	-67.30	-13.00	-54.30	-	-
707.5MHz_RB 15#RB 0	Pass	692M	697.9M	30k	100k	RMS	697.85M	-58.43	-13.00	-45.43	MBW 100k	-
707.5MHz_RB 15#RB 0	Pass	697.9M	698M	30k	100k	RMS	697.98M	-62.91	-13.00	-49.91	-	-
707.5MHz_RB 15#RB 0	Pass	716M	716.1M	30k	100k	RMS	716.01M	-63.00	-13.00	-50.00	-	-
707.5MHz_RB 15#RB 0	Pass	716.1M	722M	30k	100k	RMS	716.15M	-58.13	-13.00	-45.13	MBW 100k	-
707.5MHz_RB 15#RB 0	Pass	722M	2G	100k	300k	RMS	736.06M	-51.45	-13.00	-38.45	-	-
707.5MHz_RB 15#RB 0	Pass	2G	7.16G	100k	300k	RMS	6.92716G	-55.88	-13.00	-42.88	-	-
707.5MHz_RB 1#RB L	Pass	9k	150k	1k	3k	RMS	30.432k	-72.79	-13.00	-59.79	-	-
707.5MHz_RB 1#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-62.81	-13.00	-49.81	-	-
707.5MHz_RB 1#RB L	Pass	30M	500M	100k	300k	RMS	444.54M	-67.97	-13.00	-54.97	-	-
707.5MHz_RB 1#RB L	Pass	500M	692M	100k	300k	RMS	630.18M	-67.41	-13.00	-54.41	-	-
707.5MHz_RB 1#RB L	Pass	692M	697.9M	30k	100k	RMS	696.25M	-67.02	-13.00	-54.02	MBW 100k	-
707.5MHz_RB 1#RB L	Pass	697.9M	698M	30k	100k	RMS	697.94M	-72.80	-13.00	-59.80	-	-
707.5MHz_RB 1#RB L	Pass	716M	716.1M	30k	100k	RMS	716M	-71.86	-13.00	-58.86	-	-
707.5MHz_RB 1#RB L	Pass	716.1M	722M	30k	100k	RMS	716.25M	-65.83	-13.00	-52.83	MBW 100k	-
707.5MHz_RB 1#RB L	Pass	722M	2G	100k	300k	RMS	737.34M	-50.08	-13.00	-37.08	-	-
707.5MHz_RB 1#RB L	Pass	2G	7.16G	100k	300k	RMS	6.9794G	-55.13	-13.00	-42.13	-	-
714.5MHz_RB 15#RB 0	Pass	9k	150k	1k	3k	RMS	9k	-75.17	-13.00	-62.17	-	-
714.5MHz_RB 15#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-64.18	-13.00	-51.18	-	-
714.5MHz_RB 15#RB 0	Pass	30M	500M	100k	300k	RMS	488.72M	-67.99	-13.00	-54.99	-	-
714.5MHz_RB 15#RB 0	Pass	500M	692M	100k	300k	RMS	688.54M	-67.47	-13.00	-54.47	-	-
714.5MHz_RB 15#RB 0	Pass	692M	697.9M	30k	100k	RMS	697.65M	-67.00	-13.00	-54.00	MBW 100k	-
714.5MHz_RB 15#RB 0	Pass	697.9M	698M	30k	100k	RMS	697.9M	-71.70	-13.00	-58.70	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
714.5MHz_RB 15#RB 0	Pass	716M	716.1M	30k	100k	RMS	716M	-32.65	-13.00	-19.65	-	-
714.5MHz_RB 15#RB 0	Pass	716.1M	722M	30k	100k	RMS	716.15M	-35.12	-13.00	-22.12	MBW 100k	-
714.5MHz_RB 15#RB 0	Pass	722M	2G	100k	300k	RMS	745M	-58.73	-13.00	-45.73	-	-
714.5MHz_RB 15#RB 0	Pass	2G	7.16G	100k	300k	RMS	6.94909G	-56.05	-13.00	-43.05	-	-
714.5MHz_RB 1#RB H	Pass	9k	150k	1k	3k	RMS	16.05k	-72.51	-13.00	-59.51	-	-
714.5MHz_RB 1#RB H	Pass	150k	30M	10k	30k	RMS	299.25k	-62.54	-13.00	-49.54	-	-
714.5MHz_RB 1#RB H	Pass	30M	500M	100k	300k	RMS	481.67M	-67.42	-13.00	-54.42	-	-
714.5MHz_RB 1#RB H	Pass	500M	692M	100k	300k	RMS	563.94M	-67.64	-13.00	-54.64	-	-
714.5MHz_RB 1#RB H	Pass	692M	697.9M	30k	100k	RMS	696.55M	-68.77	-13.00	-55.77	MBW 100k	-
714.5MHz_RB 1#RB H	Pass	697.9M	698M	30k	100k	RMS	697.98M	-73.91	-13.00	-60.91	-	-
714.5MHz_RB 1#RB H	Pass	716M	716.1M	30k	100k	RMS	716M	-25.77	-13.00	-12.77	-	-
714.5MHz_RB 1#RB H	Pass	716.1M	722M	30k	100k	RMS	716.15M	-38.97	-13.00	-25.97	MBW 100k	-
714.5MHz_RB 1#RB H	Pass	722M	2G	100k	300k	RMS	743.73M	-50.46	-13.00	-37.46	-	-
714.5MHz_RB 1#RB H	Pass	2G	7.16G	100k	300k	RMS	2.86301G	-49.96	-13.00	-36.96	-	-
Band 12_LTE_3MHz_Nss1,64QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
700.5MHz_RB 15#RB 0	Pass	9k	150k	1k	3k	RMS	9.987k	-74.35	-13.00	-61.35	-	-
700.5MHz_RB 15#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-62.96	-13.00	-49.96	-	-
700.5MHz_RB 15#RB 0	Pass	30M	500M	100k	300k	RMS	250.43M	-67.88	-13.00	-54.88	-	-
700.5MHz_RB 15#RB 0	Pass	500M	692M	100k	300k	RMS	692M	-63.76	-13.00	-50.76	-	-
700.5MHz_RB 15#RB 0	Pass	692M	697.9M	30k	100k	RMS	697.85M	-38.73	-13.00	-25.73	MBW 100k	-
700.5MHz_RB 15#RB 0	Pass	697.9M	698M	30k	100k	RMS	698M	-43.00	-13.00	-30.00	-	-
700.5MHz_RB 15#RB 0	Pass	716M	716.1M	30k	100k	RMS	716.07M	-71.02	-13.00	-58.02	-	-
700.5MHz_RB 15#RB 0	Pass	716.1M	722M	30k	100k	RMS	716.15M	-65.82	-13.00	-52.82	MBW 100k	-
700.5MHz_RB 15#RB 0	Pass	722M	2G	100k	300k	RMS	730.95M	-52.10	-13.00	-39.10	-	-
700.5MHz_RB 15#RB 0	Pass	2G	7.16G	100k	300k	RMS	6.99488G	-54.94	-13.00	-41.94	-	-
700.5MHz_RB 1#RB L	Pass	9k	150k	1k	3k	RMS	19.575k	-73.64	-13.00	-60.64	-	-
700.5MHz_RB 1#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-64.42	-13.00	-51.42	-	-
700.5MHz_RB 1#RB L	Pass	30M	500M	100k	300k	RMS	347.72M	-68.15	-13.00	-55.15	-	-
700.5MHz_RB 1#RB L	Pass	500M	692M	100k	300k	RMS	690.66M	-67.12	-13.00	-54.12	-	-
700.5MHz_RB 1#RB L	Pass	692M	697.9M	30k	100k	RMS	697.85M	-51.48	-13.00	-38.48	MBW 100k	-
700.5MHz_RB 1#RB L	Pass	697.9M	698M	30k	100k	RMS	697.98M	-53.14	-13.00	-40.14	-	-
700.5MHz_RB 1#RB L	Pass	716M	716.1M	30k	100k	RMS	716.08M	-72.94	-13.00	-59.94	-	-
700.5MHz_RB 1#RB L	Pass	716.1M	722M	30k	100k	RMS	716.45M	-67.34	-13.00	-54.34	MBW 100k	-
700.5MHz_RB 1#RB L	Pass	722M	2G	100k	300k	RMS	730.95M	-52.96	-13.00	-39.96	-	-
700.5MHz_RB 1#RB L	Pass	2G	7.16G	100k	300k	RMS	6.9349G	-55.63	-13.00	-42.63	-	-
707.5MHz_RB 15#RB 0	Pass	9k	150k	1k	3k	RMS	17.601k	-76.45	-13.00	-63.45	-	-
707.5MHz_RB 15#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-63.22	-13.00	-50.22	-	-
707.5MHz_RB 15#RB 0	Pass	30M	500M	100k	300k	RMS	426.68M	-68.19	-13.00	-55.19	-	-
707.5MHz_RB 15#RB 0	Pass	500M	692M	100k	300k	RMS	529.57M	-67.23	-13.00	-54.23	-	-
707.5MHz_RB 15#RB 0	Pass	692M	697.9M	30k	100k	RMS	697.85M	-58.43	-13.00	-45.43	MBW 100k	-
707.5MHz_RB 15#RB 0	Pass	697.9M	698M	30k	100k	RMS	697.99M	-62.98	-13.00	-49.98	-	-
707.5MHz_RB 15#RB 0	Pass	716M	716.1M	30k	100k	RMS	716M	-62.79	-13.00	-49.79	-	-
707.5MHz_RB 15#RB 0	Pass	716.1M	722M	30k	100k	RMS	716.15M	-58.16	-13.00	-45.16	MBW 100k	-
707.5MHz_RB 15#RB 0	Pass	722M	2G	100k	300k	RMS	737.34M	-50.68	-13.00	-37.68	-	-
707.5MHz_RB 15#RB 0	Pass	2G	7.16G	100k	300k	RMS	6.7672G	-55.72	-13.00	-42.72	-	-
707.5MHz_RB 1#RB L	Pass	9k	150k	1k	3k	RMS	54.966k	-73.49	-13.00	-60.49	-	-
707.5MHz_RB 1#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-62.70	-13.00	-49.70	-	-
707.5MHz_RB 1#RB L	Pass	30M	500M	100k	300k	RMS	360.41M	-67.50	-13.00	-54.50	-	-
707.5MHz_RB 1#RB L	Pass	500M	692M	100k	300k	RMS	616.35M	-67.45	-13.00	-54.45	-	-
707.5MHz_RB 1#RB L	Pass	692M	697.9M	30k	100k	RMS	696.15M	-66.88	-13.00	-53.88	MBW 100k	-
707.5MHz_RB 1#RB L	Pass	697.9M	698M	30k	100k	RMS	697.99M	-72.63	-13.00	-59.63	-	-
707.5MHz_RB 1#RB L	Pass	716M	716.1M	30k	100k	RMS	716.05M	-71.73	-13.00	-58.73	-	-
707.5MHz_RB 1#RB L	Pass	716.1M	722M	30k	100k	RMS	716.35M	-65.57	-13.00	-52.57	MBW 100k	-
707.5MHz_RB 1#RB L	Pass	722M	2G	100k	300k	RMS	736.06M	-51.21	-13.00	-38.21	-	-
707.5MHz_RB 1#RB L	Pass	2G	7.16G	100k	300k	RMS	2.82496G	-53.68	-13.00	-40.68	-	-
714.5MHz_RB 15#RB 0	Pass	9k	150k	1k	3k	RMS	13.512k	-74.57	-13.00	-61.57	-	-
714.5MHz_RB 15#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-63.50	-13.00	-50.50	-	-
714.5MHz_RB 15#RB 0	Pass	30M	500M	100k	300k	RMS	406M	-67.88	-13.00	-54.88	-	-
714.5MHz_RB 15#RB 0	Pass	500M	692M	100k	300k	RMS	516.13M	-67.62	-13.00	-54.62	-	-
714.5MHz_RB 15#RB 0	Pass	692M	697.9M	30k	100k	RMS	697.45M	-67.23	-13.00	-54.23	MBW 100k	-
714.5MHz_RB 15#RB 0	Pass	697.9M	698M	30k	100k	RMS	697.93M	-71.76	-13.00	-58.76	-	-
714.5MHz_RB 15#RB 0	Pass	716M	716.1M	30k	100k	RMS	716M	-33.38	-13.00	-20.38	-	-
714.5MHz_RB 15#RB 0	Pass	716.1M	722M	30k	100k	RMS	716.15M	-35.47	-13.00	-22.47	MBW 100k	-
714.5MHz_RB 15#RB 0	Pass	722M	2G	100k	300k	RMS	745M	-52.38	-13.00	-39.38	-	-
714.5MHz_RB 15#RB 0	Pass	2G	7.16G	100k	300k	RMS	6.95489G	-55.13	-13.00	-42.13	-	-
714.5MHz_RB 1#RB H	Pass	9k	150k	1k	3k	RMS	37.764k	-75.46	-13.00	-62.46	-	-
714.5MHz_RB 1#RB H	Pass	150k	30M	10k	30k	RMS	299.25k	-63.40	-13.00	-50.40	-	-
714.5MHz_RB 1#RB H	Pass	30M	500M	100k	300k	RMS	225.05M	-68.26	-13.00	-55.26	-	-
714.5MHz_RB 1#RB H	Pass	500M	692M	100k	300k	RMS	523.23M	-67.39	-13.00	-54.39	-	-
714.5MHz_RB 1#RB H	Pass	692M	697.9M	30k	100k	RMS	697.55M	-68.95	-13.00	-55.95	MBW 100k	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
714.5MHz_RB 1#RB H	Pass	697.9M	698M	30k	100k	RMS	697.96M	-74.18	-13.00	-61.18	-	-
714.5MHz_RB 1#RB H	Pass	716M	716.1M	30k	100k	RMS	716M	-25.64	-13.00	-12.64	-	-
714.5MHz_RB 1#RB H	Pass	716.1M	722M	30k	100k	RMS	716.15M	-39.06	-13.00	-26.06	MBW 100k	-
714.5MHz_RB 1#RB H	Pass	722M	2G	100k	300k	RMS	743.73M	-50.51	-13.00	-37.51	-	-
714.5MHz_RB 1#RB H	Pass	2G	7.16G	100k	300k	RMS	2.86301G	-50.81	-13.00	-37.81	-	-
Band 12_LTE_5MHz_Nss1,OPSK_1TX	-	-	-	-	-	-	-	-	-	-	-	-
701.5MHz_RB 25#RB 0	Pass	9k	150k	1k	3k	RMS	14.076k	-73.99	-13.00	-60.99	-	-
701.5MHz_RB 25#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-63.38	-13.00	-50.38	-	-
701.5MHz_RB 25#RB 0	Pass	30M	500M	100k	300k	RMS	487.31M	-67.96	-13.00	-54.96	-	-
701.5MHz_RB 25#RB 0	Pass	500M	688M	100k	300k	RMS	672.4M	-66.86	-13.00	-53.86	-	-
701.5MHz_RB 25#RB 0	Pass	688M	697.9M	30k	100k	RMS	697.85M	-38.51	-13.00	-25.51	MBW 100k	-
701.5MHz_RB 25#RB 0	Pass	697.9M	698M	30k	100k	RMS	697.91M	-43.15	-13.00	-30.15	-	-
701.5MHz_RB 25#RB 0	Pass	716M	716.1M	30k	100k	RMS	716.08M	-63.38	-13.00	-50.38	-	-
701.5MHz_RB 25#RB 0	Pass	716.1M	726M	30k	100k	RMS	716.15M	-58.56	-13.00	-45.56	MBW 100k	-
701.5MHz_RB 25#RB 0	Pass	726M	2G	100k	300k	RMS	732.37M	-50.46	-13.00	-37.46	-	-
701.5MHz_RB 25#RB 0	Pass	2G	7.16G	100k	300k	RMS	6.93232G	-55.03	-13.00	-42.03	-	-
701.5MHz_RB 1#RB L	Pass	9k	150k	1k	3k	RMS	44.25k	-73.19	-13.00	-60.19	-	-
701.5MHz_RB 1#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-62.68	-13.00	-49.68	-	-
701.5MHz_RB 1#RB L	Pass	30M	500M	100k	300k	RMS	383.91M	-67.66	-13.00	-54.66	-	-
701.5MHz_RB 1#RB L	Pass	500M	688M	100k	300k	RMS	645.51M	-67.32	-13.00	-54.32	-	-
701.5MHz_RB 1#RB L	Pass	688M	697.9M	30k	100k	RMS	697.15M	-51.69	-13.00	-38.69	MBW 100k	-
701.5MHz_RB 1#RB L	Pass	697.9M	698M	30k	100k	RMS	697.97M	-56.62	-13.00	-43.62	-	-
701.5MHz_RB 1#RB L	Pass	716M	716.1M	30k	100k	RMS	716.1M	-72.01	-13.00	-59.01	-	-
701.5MHz_RB 1#RB L	Pass	716.1M	726M	30k	100k	RMS	716.65M	-66.26	-13.00	-53.26	MBW 100k	-
701.5MHz_RB 1#RB L	Pass	726M	2G	100k	300k	RMS	732.37M	-49.94	-13.00	-36.94	-	-
701.5MHz_RB 1#RB L	Pass	2G	7.16G	100k	300k	RMS	6.98069G	-55.12	-13.00	-42.12	-	-
707.5MHz_RB 25#RB 0	Pass	9k	150k	1k	3k	RMS	9.141k	-73.88	-13.00	-60.88	-	-
707.5MHz_RB 25#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-62.32	-13.00	-49.32	-	-
707.5MHz_RB 25#RB 0	Pass	30M	500M	100k	300k	RMS	338.79M	-67.80	-13.00	-54.80	-	-
707.5MHz_RB 25#RB 0	Pass	500M	688M	100k	300k	RMS	686.68M	-67.54	-13.00	-54.54	-	-
707.5MHz_RB 25#RB 0	Pass	688M	697.9M	30k	100k	RMS	697.75M	-49.68	-13.00	-36.68	MBW 100k	-
707.5MHz_RB 25#RB 0	Pass	697.9M	698M	30k	100k	RMS	698M	-54.77	-13.00	-41.77	-	-
707.5MHz_RB 25#RB 0	Pass	716M	716.1M	30k	100k	RMS	716M	-57.51	-13.00	-44.51	-	-
707.5MHz_RB 25#RB 0	Pass	716.1M	726M	30k	100k	RMS	716.25M	-51.95	-13.00	-38.95	MBW 100k	-
707.5MHz_RB 25#RB 0	Pass	726M	2G	100k	300k	RMS	737.47M	-50.53	-13.00	-37.53	-	-
707.5MHz_RB 25#RB 0	Pass	2G	7.16G	100k	300k	RMS	6.96779G	-55.84	-13.00	-42.84	-	-
707.5MHz_RB 1#RB L	Pass	9k	150k	1k	3k	RMS	105.303k	-73.86	-13.00	-60.86	-	-
707.5MHz_RB 1#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-62.91	-13.00	-49.91	-	-
707.5MHz_RB 1#RB L	Pass	30M	500M	100k	300k	RMS	453M	-67.24	-13.00	-54.24	-	-
707.5MHz_RB 1#RB L	Pass	500M	688M	100k	300k	RMS	605.66M	-67.05	-13.00	-54.05	-	-
707.5MHz_RB 1#RB L	Pass	688M	697.9M	30k	100k	RMS	696.75M	-49.75	-13.00	-36.75	MBW 100k	-
707.5MHz_RB 1#RB L	Pass	697.9M	698M	30k	100k	RMS	697.98M	-72.23	-13.00	-59.23	-	-
707.5MHz_RB 1#RB L	Pass	716M	716.1M	30k	100k	RMS	716.1M	-68.51	-13.00	-55.51	-	-
707.5MHz_RB 1#RB L	Pass	716.1M	726M	30k	100k	RMS	716.15M	-65.08	-13.00	-52.08	MBW 100k	-
707.5MHz_RB 1#RB L	Pass	726M	2G	100k	300k	RMS	734.92M	-52.08	-13.00	-39.08	-	-
707.5MHz_RB 1#RB L	Pass	2G	7.16G	100k	300k	RMS	2.82109G	-54.60	-13.00	-41.60	-	-
713.5MHz_RB 25#RB 0	Pass	9k	150k	1k	3k	RMS	10.692k	-74.07	-13.00	-61.07	-	-
713.5MHz_RB 25#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-62.20	-13.00	-49.20	-	-
713.5MHz_RB 25#RB 0	Pass	30M	500M	100k	300k	RMS	366.99M	-67.91	-13.00	-54.91	-	-
713.5MHz_RB 25#RB 0	Pass	500M	688M	100k	300k	RMS	680.86M	-67.30	-13.00	-54.30	-	-
713.5MHz_RB 25#RB 0	Pass	688M	697.9M	30k	100k	RMS	697.85M	-59.09	-13.00	-46.09	MBW 100k	-
713.5MHz_RB 25#RB 0	Pass	697.9M	698M	30k	100k	RMS	697.97M	-64.25	-13.00	-51.25	-	-
713.5MHz_RB 25#RB 0	Pass	716M	716.1M	30k	100k	RMS	716M	-34.65	-13.00	-21.65	-	-
713.5MHz_RB 25#RB 0	Pass	716.1M	726M	30k	100k	RMS	716.15M	-35.24	-13.00	-22.24	MBW 100k	-
713.5MHz_RB 25#RB 0	Pass	726M	2G	100k	300k	RMS	741.29M	-51.09	-13.00	-38.09	-	-
713.5MHz_RB 25#RB 0	Pass	2G	7.16G	100k	300k	RMS	6.98908G	-55.92	-13.00	-42.92	-	-
713.5MHz_RB 1#RB H	Pass	9k	150k	1k	3k	RMS	27.189k	-74.79	-13.00	-61.79	-	-
713.5MHz_RB 1#RB H	Pass	150k	30M	10k	30k	RMS	299.25k	-62.42	-13.00	-49.42	-	-
713.5MHz_RB 1#RB H	Pass	30M	500M	100k	300k	RMS	244.79M	-67.77	-13.00	-54.77	-	-
713.5MHz_RB 1#RB H	Pass	500M	688M	100k	300k	RMS	614.49M	-67.08	-13.00	-54.08	-	-
713.5MHz_RB 1#RB H	Pass	688M	697.9M	30k	100k	RMS	697.85M	-68.23	-13.00	-55.23	MBW 100k	-
713.5MHz_RB 1#RB H	Pass	697.9M	698M	30k	100k	RMS	697.91M	-72.90	-13.00	-59.90	-	-
713.5MHz_RB 1#RB H	Pass	716M	716.1M	30k	100k	RMS	716M	-27.49	-13.00	-14.49	-	-
713.5MHz_RB 1#RB H	Pass	716.1M	726M	30k	100k	RMS	716.15M	-38.66	-13.00	-25.66	MBW 100k	-
713.5MHz_RB 1#RB H	Pass	726M	2G	100k	300k	RMS	741.29M	-50.65	-13.00	-37.65	-	-
713.5MHz_RB 1#RB H	Pass	2G	7.16G	100k	300k	RMS	2.86237G	-50.69	-13.00	-37.69	-	-
Band 12_LTE_5MHz_Nss1,16QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
701.5MHz_RB 25#RB 0	Pass	9k	150k	1k	3k	RMS	9.423k	-74.63	-13.00	-61.63	-	-
701.5MHz_RB 25#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-63.78	-13.00	-50.78	-	-
701.5MHz_RB 25#RB 0	Pass	30M	500M	100k	300k	RMS	468.04M	-67.79	-13.00	-54.79	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
701.5MHz_RB 25#RB 0	Pass	500M	688M	100k	300k	RMS	501.32M	-67.61	-13.00	-54.61	-	-
701.5MHz_RB 25#RB 0	Pass	688M	697.9M	30k	100k	RMS	697.85M	-38.77	-13.00	-25.77	MBW 100k	-
701.5MHz_RB 25#RB 0	Pass	697.9M	698M	30k	100k	RMS	697.96M	-43.52	-13.00	-30.52	-	-
701.5MHz_RB 25#RB 0	Pass	716M	716.1M	30k	100k	RMS	716.1M	-64.57	-13.00	-51.57	-	-
701.5MHz_RB 25#RB 0	Pass	716.1M	726M	30k	100k	RMS	716.15M	-59.39	-13.00	-46.39	MBW 100k	-
701.5MHz_RB 25#RB 0	Pass	726M	2G	100k	300k	RMS	731.1M	-50.59	-13.00	-37.59	-	-
701.5MHz_RB 25#RB 0	Pass	2G	7.16G	100k	300k	RMS	6.94199G	-54.38	-13.00	-41.38	-	-
701.5MHz_RB 1#RB L	Pass	9k	150k	1k	3k	RMS	83.166k	-73.97	-13.00	-60.97	-	-
701.5MHz_RB 1#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-63.03	-13.00	-50.03	-	-
701.5MHz_RB 1#RB L	Pass	30M	500M	100k	300k	RMS	333.15M	-67.79	-13.00	-54.79	-	-
701.5MHz_RB 1#RB L	Pass	500M	688M	100k	300k	RMS	552.45M	-67.35	-13.00	-54.35	-	-
701.5MHz_RB 1#RB L	Pass	688M	697.9M	30k	100k	RMS	697.25M	-52.08	-13.00	-39.08	MBW 100k	-
701.5MHz_RB 1#RB L	Pass	697.9M	698M	30k	100k	RMS	698M	-57.54	-13.00	-44.54	-	-
701.5MHz_RB 1#RB L	Pass	716M	716.1M	30k	100k	RMS	716.09M	-72.75	-13.00	-59.75	-	-
701.5MHz_RB 1#RB L	Pass	716.1M	726M	30k	100k	RMS	716.75M	-66.36	-13.00	-53.36	MBW 100k	-
701.5MHz_RB 1#RB L	Pass	726M	2G	100k	300k	RMS	732.37M	-50.12	-13.00	-37.12	-	-
701.5MHz_RB 1#RB L	Pass	2G	7.16G	100k	300k	RMS	6.86072G	-55.62	-13.00	-42.62	-	-
707.5MHz_RB 25#RB 0	Pass	9k	150k	1k	3k	RMS	15.063k	-73.61	-13.00	-60.61	-	-
707.5MHz_RB 25#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-62.94	-13.00	-49.94	-	-
707.5MHz_RB 25#RB 0	Pass	30M	500M	100k	300k	RMS	343.49M	-68.07	-13.00	-55.07	-	-
707.5MHz_RB 25#RB 0	Pass	500M	688M	100k	300k	RMS	525.57M	-67.45	-13.00	-54.45	-	-
707.5MHz_RB 25#RB 0	Pass	688M	697.9M	30k	100k	RMS	697.75M	-51.52	-13.00	-38.52	MBW 100k	-
707.5MHz_RB 25#RB 0	Pass	697.9M	698M	30k	100k	RMS	697.94M	-55.80	-13.00	-42.80	-	-
707.5MHz_RB 25#RB 0	Pass	716M	716.1M	30k	100k	RMS	716M	-57.41	-13.00	-44.41	-	-
707.5MHz_RB 25#RB 0	Pass	716.1M	726M	30k	100k	RMS	716.35M	-52.58	-13.00	-39.58	MBW 100k	-
707.5MHz_RB 25#RB 0	Pass	726M	2G	100k	300k	RMS	1.41396G	-61.27	-13.00	-48.27	-	-
707.5MHz_RB 25#RB 0	Pass	2G	7.16G	100k	300k	RMS	6.77945G	-55.26	-13.00	-42.26	-	-
707.5MHz_RB 1#RB L	Pass	9k	150k	1k	3k	RMS	15.063k	-74.24	-13.00	-61.24	-	-
707.5MHz_RB 1#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-63.10	-13.00	-50.10	-	-
707.5MHz_RB 1#RB L	Pass	30M	500M	100k	300k	RMS	347.25M	-68.10	-13.00	-55.10	-	-
707.5MHz_RB 1#RB L	Pass	500M	688M	100k	300k	RMS	682.36M	-67.51	-13.00	-54.51	-	-
707.5MHz_RB 1#RB L	Pass	688M	697.9M	30k	100k	RMS	696.75M	-51.00	-13.00	-38.00	MBW 100k	-
707.5MHz_RB 1#RB L	Pass	697.9M	698M	30k	100k	RMS	697.98M	-72.93	-13.00	-59.93	-	-
707.5MHz_RB 1#RB L	Pass	716M	716.1M	30k	100k	RMS	716.1M	-70.45	-13.00	-57.45	-	-
707.5MHz_RB 1#RB L	Pass	716.1M	726M	30k	100k	RMS	716.15M	-65.21	-13.00	-52.21	MBW 100k	-
707.5MHz_RB 1#RB L	Pass	726M	2G	100k	300k	RMS	736.19M	-50.59	-13.00	-37.59	-	-
707.5MHz_RB 1#RB L	Pass	2G	7.16G	100k	300k	RMS	6.96779G	-55.92	-13.00	-42.92	-	-
713.5MHz_RB 25#RB 0	Pass	9k	150k	1k	3k	RMS	10.551k	-75.90	-13.00	-62.90	-	-
713.5MHz_RB 25#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-63.55	-13.00	-50.55	-	-
713.5MHz_RB 25#RB 0	Pass	30M	500M	100k	300k	RMS	498.12M	-67.88	-13.00	-54.88	-	-
713.5MHz_RB 25#RB 0	Pass	500M	688M	100k	300k	RMS	668.26M	-67.03	-13.00	-54.03	-	-
713.5MHz_RB 25#RB 0	Pass	688M	697.9M	30k	100k	RMS	697.85M	-59.43	-13.00	-46.43	MBW 100k	-
713.5MHz_RB 25#RB 0	Pass	697.9M	698M	30k	100k	RMS	697.92M	-64.52	-13.00	-51.52	-	-
713.5MHz_RB 25#RB 0	Pass	716M	716.1M	30k	100k	RMS	716M	-35.81	-13.00	-22.81	-	-
713.5MHz_RB 25#RB 0	Pass	716.1M	726M	30k	100k	RMS	716.15M	-36.46	-13.00	-23.46	MBW 100k	-
713.5MHz_RB 25#RB 0	Pass	726M	2G	100k	300k	RMS	742.56M	-51.33	-13.00	-38.33	-	-
713.5MHz_RB 25#RB 0	Pass	2G	7.16G	100k	300k	RMS	6.98263G	-55.47	-13.00	-42.47	-	-
713.5MHz_RB 1#RB H	Pass	9k	150k	1k	3k	RMS	31.137k	-75.01	-13.00	-62.01	-	-
713.5MHz_RB 1#RB H	Pass	150k	30M	10k	30k	RMS	299.25k	-62.58	-13.00	-49.58	-	-
713.5MHz_RB 1#RB H	Pass	30M	500M	100k	300k	RMS	235.86M	-67.90	-13.00	-54.90	-	-
713.5MHz_RB 1#RB H	Pass	500M	688M	100k	300k	RMS	642.69M	-67.53	-13.00	-54.53	-	-
713.5MHz_RB 1#RB H	Pass	688M	697.9M	30k	100k	RMS	697.45M	-68.53	-13.00	-55.53	MBW 100k	-
713.5MHz_RB 1#RB H	Pass	697.9M	698M	30k	100k	RMS	697.99M	-72.88	-13.00	-59.88	-	-
713.5MHz_RB 1#RB H	Pass	716M	716.1M	30k	100k	RMS	716M	-29.14	-13.00	-16.14	-	-
713.5MHz_RB 1#RB H	Pass	716.1M	726M	30k	100k	RMS	716.15M	-39.73	-13.00	-26.73	MBW 100k	-
713.5MHz_RB 1#RB H	Pass	726M	2G	100k	300k	RMS	741.29M	-51.06	-13.00	-38.06	-	-
713.5MHz_RB 1#RB H	Pass	2G	7.16G	100k	300k	RMS	2.86237G	-49.13	-13.00	-36.13	-	-
Band 12_LTE_5MHz_Nss1_64QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
701.5MHz_RB 25#RB 0	Pass	9k	150k	1k	3k	RMS	9.705k	-75.99	-13.00	-62.99	-	-
701.5MHz_RB 25#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-63.91	-13.00	-50.91	-	-
701.5MHz_RB 25#RB 0	Pass	30M	500M	100k	300k	RMS	373.1M	-68.19	-13.00	-55.19	-	-
701.5MHz_RB 25#RB 0	Pass	500M	688M	100k	300k	RMS	684.8M	-67.70	-13.00	-54.70	-	-
701.5MHz_RB 25#RB 0	Pass	688M	697.9M	30k	100k	RMS	697.85M	-38.36	-13.00	-25.36	MBW 100k	-
701.5MHz_RB 25#RB 0	Pass	697.9M	698M	30k	100k	RMS	697.93M	-43.43	-13.00	-30.43	-	-
701.5MHz_RB 25#RB 0	Pass	716M	716.1M	30k	100k	RMS	716.06M	-64.54	-13.00	-51.54	-	-
701.5MHz_RB 25#RB 0	Pass	716.1M	726M	30k	100k	RMS	716.15M	-59.59	-13.00	-46.59	MBW 100k	-
701.5MHz_RB 25#RB 0	Pass	726M	2G	100k	300k	RMS	732.37M	-50.65	-13.00	-37.65	-	-
701.5MHz_RB 25#RB 0	Pass	2G	7.16G	100k	300k	RMS	6.99875G	-55.79	-13.00	-42.79	-	-
701.5MHz_RB 1#RB L	Pass	9k	150k	1k	3k	RMS	16.614k	-74.10	-13.00	-61.10	-	-
701.5MHz_RB 1#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-62.01	-13.00	-49.01	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
701.5MHz_RB 1#RB L	Pass	30M	500M	100k	300k	RMS	382.03M	-68.05	-13.00	-55.05	-	-
701.5MHz_RB 1#RB L	Pass	500M	688M	100k	300k	RMS	680.29M	-67.26	-13.00	-54.26	-	-
701.5MHz_RB 1#RB L	Pass	688M	697.9M	30k	100k	RMS	697.15M	-51.93	-13.00	-38.93	MBW 100k	-
701.5MHz_RB 1#RB L	Pass	697.9M	698M	30k	100k	RMS	697.94M	-57.31	-13.00	-44.31	-	-
701.5MHz_RB 1#RB L	Pass	716M	716.1M	30k	100k	RMS	716.09M	-72.47	-13.00	-59.47	-	-
701.5MHz_RB 1#RB L	Pass	716.1M	726M	30k	100k	RMS	716.55M	-66.47	-13.00	-53.47	MBW 100k	-
701.5MHz_RB 1#RB L	Pass	726M	2G	100k	300k	RMS	732.37M	-50.61	-13.00	-37.61	-	-
701.5MHz_RB 1#RB L	Pass	2G	7.16G	100k	300k	RMS	6.98779G	-56.02	-13.00	-43.02	-	-
707.5MHz_RB 25#RB 0	Pass	9k	150k	1k	3k	RMS	9k	-74.21	-13.00	-61.21	-	-
707.5MHz_RB 25#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-63.78	-13.00	-50.78	-	-
707.5MHz_RB 25#RB 0	Pass	30M	500M	100k	300k	RMS	357.59M	-68.01	-13.00	-55.01	-	-
707.5MHz_RB 25#RB 0	Pass	500M	688M	100k	300k	RMS	676.72M	-67.41	-13.00	-54.41	-	-
707.5MHz_RB 25#RB 0	Pass	688M	697.9M	30k	100k	RMS	697.75M	-51.37	-13.00	-38.37	MBW 100k	-
707.5MHz_RB 25#RB 0	Pass	697.9M	698M	30k	100k	RMS	697.94M	-55.61	-13.00	-42.61	-	-
707.5MHz_RB 25#RB 0	Pass	716M	716.1M	30k	100k	RMS	716.1M	-57.56	-13.00	-44.56	-	-
707.5MHz_RB 25#RB 0	Pass	716.1M	726M	30k	100k	RMS	716.15M	-52.34	-13.00	-39.34	MBW 100k	-
707.5MHz_RB 25#RB 0	Pass	726M	2G	100k	300k	RMS	736.19M	-50.79	-13.00	-37.79	-	-
707.5MHz_RB 25#RB 0	Pass	2G	7.16G	100k	300k	RMS	6.94457G	-55.03	-13.00	-42.03	-	-
707.5MHz_RB 1#RB L	Pass	9k	150k	1k	3k	RMS	12.243k	-72.75	-13.00	-59.75	-	-
707.5MHz_RB 1#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-62.79	-13.00	-49.79	-	-
707.5MHz_RB 1#RB L	Pass	30M	500M	100k	300k	RMS	358.53M	-67.93	-13.00	-54.93	-	-
707.5MHz_RB 1#RB L	Pass	500M	688M	100k	300k	RMS	656.23M	-67.67	-13.00	-54.67	-	-
707.5MHz_RB 1#RB L	Pass	688M	697.9M	30k	100k	RMS	696.75M	-51.61	-13.00	-38.61	MBW 100k	-
707.5MHz_RB 1#RB L	Pass	697.9M	698M	30k	100k	RMS	698M	-72.73	-13.00	-59.73	-	-
707.5MHz_RB 1#RB L	Pass	716M	716.1M	30k	100k	RMS	716.04M	-70.73	-13.00	-57.73	-	-
707.5MHz_RB 1#RB L	Pass	716.1M	726M	30k	100k	RMS	716.15M	-65.32	-13.00	-52.32	MBW 100k	-
707.5MHz_RB 1#RB L	Pass	726M	2G	100k	300k	RMS	737.47M	-50.31	-13.00	-37.31	-	-
707.5MHz_RB 1#RB L	Pass	2G	7.16G	100k	300k	RMS	6.95876G	-55.52	-13.00	-42.52	-	-
713.5MHz_RB 25#RB 0	Pass	9k	150k	1k	3k	RMS	9.564k	-75.96	-13.00	-62.96	-	-
713.5MHz_RB 25#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-62.68	-13.00	-49.68	-	-
713.5MHz_RB 25#RB 0	Pass	30M	500M	100k	300k	RMS	477.44M	-67.82	-13.00	-54.82	-	-
713.5MHz_RB 25#RB 0	Pass	500M	688M	100k	300k	RMS	662.43M	-67.51	-13.00	-54.51	-	-
713.5MHz_RB 25#RB 0	Pass	688M	697.9M	30k	100k	RMS	697.85M	-59.45	-13.00	-46.45	MBW 100k	-
713.5MHz_RB 25#RB 0	Pass	697.9M	698M	30k	100k	RMS	697.98M	-64.33	-13.00	-51.33	-	-
713.5MHz_RB 25#RB 0	Pass	716M	716.1M	30k	100k	RMS	716M	-35.54	-13.00	-22.54	-	-
713.5MHz_RB 25#RB 0	Pass	716.1M	726M	30k	100k	RMS	716.15M	-36.04	-13.00	-23.04	MBW 100k	-
713.5MHz_RB 25#RB 0	Pass	726M	2G	100k	300k	RMS	741.29M	-49.58	-13.00	-36.58	-	-
713.5MHz_RB 25#RB 0	Pass	2G	7.16G	100k	300k	RMS	6.82783G	-54.30	-13.00	-41.30	-	-
713.5MHz_RB 1#RB H	Pass	9k	150k	1k	3k	RMS	11.115k	-75.27	-13.00	-62.27	-	-
713.5MHz_RB 1#RB H	Pass	150k	30M	10k	30k	RMS	299.25k	-63.26	-13.00	-50.26	-	-
713.5MHz_RB 1#RB H	Pass	30M	500M	100k	300k	RMS	492.01M	-67.82	-13.00	-54.82	-	-
713.5MHz_RB 1#RB H	Pass	500M	688M	100k	300k	RMS	600.2M	-67.57	-13.00	-54.57	-	-
713.5MHz_RB 1#RB H	Pass	688M	697.9M	30k	100k	RMS	697.35M	-68.43	-13.00	-55.43	MBW 100k	-
713.5MHz_RB 1#RB H	Pass	697.9M	698M	30k	100k	RMS	697.96M	-73.30	-13.00	-60.30	-	-
713.5MHz_RB 1#RB H	Pass	716M	716.1M	30k	100k	RMS	716M	-29.05	-13.00	-16.05	-	-
713.5MHz_RB 1#RB H	Pass	716.1M	726M	30k	100k	RMS	716.15M	-39.88	-13.00	-26.88	MBW 100k	-
713.5MHz_RB 1#RB H	Pass	726M	2G	100k	300k	RMS	741.29M	-50.74	-13.00	-37.74	-	-
713.5MHz_RB 1#RB H	Pass	2G	7.16G	100k	300k	RMS	2.86237G	-49.26	-13.00	-36.26	-	-
Band 12_LTE_10MHz_Nss1_QPSK_1TX	-	-	-	-	-	-	-	-	-	-	-	-
704MHz_RB 50#RB 0	Pass	9k	150k	1k	3k	RMS	16.191k	-75.19	-13.00	-62.19	-	-
704MHz_RB 50#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-63.01	-13.00	-50.01	-	-
704MHz_RB 50#RB 0	Pass	30M	500M	100k	300k	RMS	345.37M	-67.98	-13.00	-54.98	-	-
704MHz_RB 50#RB 0	Pass	500M	678M	100k	300k	RMS	644.54M	-67.36	-13.00	-54.36	-	-
704MHz_RB 50#RB 0	Pass	678M	697.9M	30k	100k	RMS	697.85M	-36.03	-13.00	-23.03	MBW 100k	-
704MHz_RB 50#RB 0	Pass	697.9M	698M	30k	100k	RMS	697.92M	-41.04	-13.00	-28.04	-	-
704MHz_RB 50#RB 0	Pass	716M	716.1M	30k	100k	RMS	716.07M	-49.26	-13.00	-36.26	-	-
704MHz_RB 50#RB 0	Pass	716.1M	736M	30k	100k	RMS	716.25M	-44.22	-13.00	-31.22	MBW 100k	-
704MHz_RB 50#RB 0	Pass	736M	2G	100k	300k	RMS	736M	-51.49	-13.00	-38.49	-	-
704MHz_RB 50#RB 0	Pass	2G	7.16G	100k	300k	RMS	6.99295G	-54.95	-13.00	-41.95	-	-
704MHz_RB 1#RB L	Pass	9k	150k	1k	3k	RMS	90.921k	-72.25	-13.00	-59.25	-	-
704MHz_RB 1#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-63.74	-13.00	-50.74	-	-
704MHz_RB 1#RB L	Pass	30M	500M	100k	300k	RMS	398.48M	-67.92	-13.00	-54.92	-	-
704MHz_RB 1#RB L	Pass	500M	678M	100k	300k	RMS	640.62M	-67.81	-13.00	-54.81	-	-
704MHz_RB 1#RB L	Pass	678M	697.9M	30k	100k	RMS	697.85M	-51.84	-13.00	-38.84	MBW 100k	-
704MHz_RB 1#RB L	Pass	697.9M	698M	30k	100k	RMS	697.94M	-56.66	-13.00	-43.66	-	-
704MHz_RB 1#RB L	Pass	716M	716.1M	30k	100k	RMS	716.01M	-71.96	-13.00	-58.96	-	-
704MHz_RB 1#RB L	Pass	716.1M	736M	30k	100k	RMS	717.25M	-43.61	-13.00	-30.61	MBW 100k	-
704MHz_RB 1#RB L	Pass	736M	2G	100k	300k	RMS	737.26M	-49.66	-13.00	-36.66	-	-
704MHz_RB 1#RB L	Pass	2G	7.16G	100k	300k	RMS	6.76913G	-55.93	-13.00	-42.93	-	-
707.5MHz_RB 50#RB 0	Pass	9k	150k	1k	3k	RMS	34.662k	-76.88	-13.00	-63.88	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
707.5MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-62.18	-13.00	-49.18	-	-
707.5MHz_RB 50,#RB 0	Pass	30M	500M	100k	300k	RMS	461.93M	-67.83	-13.00	-54.83	-	-
707.5MHz_RB 50,#RB 0	Pass	500M	678M	100k	300k	RMS	626.74M	-67.72	-13.00	-54.72	-	-
707.5MHz_RB 50,#RB 0	Pass	678M	697.9M	30k	100k	RMS	697.75M	-39.58	-13.00	-26.58	MBW 100k	-
707.5MHz_RB 50,#RB 0	Pass	697.9M	698M	30k	100k	RMS	698M	-45.00	-13.00	-32.00	-	-
707.5MHz_RB 50,#RB 0	Pass	716M	716.1M	30k	100k	RMS	716.03M	-51.67	-13.00	-38.67	-	-
707.5MHz_RB 50,#RB 0	Pass	716.1M	736M	30k	100k	RMS	716.95M	-45.91	-13.00	-32.91	MBW 100k	-
707.5MHz_RB 50,#RB 0	Pass	736M	2G	100k	300k	RMS	738.53M	-51.00	-13.00	-38.00	-	-
707.5MHz_RB 50,#RB 0	Pass	2G	7.16G	100k	300k	RMS	6.98456G	-56.01	-13.00	-43.01	-	-
707.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	61.734k	-73.10	-13.00	-60.10	-	-
707.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-62.37	-13.00	-49.37	-	-
707.5MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	475.09M	-67.99	-13.00	-54.99	-	-
707.5MHz_RB 1,#RB L	Pass	500M	678M	100k	300k	RMS	655.93M	-67.09	-13.00	-54.09	-	-
707.5MHz_RB 1,#RB L	Pass	678M	697.9M	30k	100k	RMS	694.25M	-47.46	-13.00	-34.46	MBW 100k	-
707.5MHz_RB 1,#RB L	Pass	697.9M	698M	30k	100k	RMS	697.99M	-68.69	-13.00	-55.69	-	-
707.5MHz_RB 1,#RB L	Pass	716M	716.1M	30k	100k	RMS	716.1M	-68.38	-13.00	-55.38	-	-
707.5MHz_RB 1,#RB L	Pass	716.1M	736M	30k	100k	RMS	720.75M	-46.17	-13.00	-33.17	MBW 100k	-
707.5MHz_RB 1,#RB L	Pass	736M	2G	100k	300k	RMS	738.53M	-51.05	-13.00	-38.05	-	-
707.5MHz_RB 1,#RB L	Pass	2G	7.16G	100k	300k	RMS	6.82525G	-54.61	-13.00	-41.61	-	-
711MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	15.204k	-74.70	-13.00	-61.70	-	-
711MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-62.65	-13.00	-49.65	-	-
711MHz_RB 50,#RB 0	Pass	30M	500M	100k	300k	RMS	344.9M	-68.05	-13.00	-55.05	-	-
711MHz_RB 50,#RB 0	Pass	500M	678M	100k	300k	RMS	551.8M	-67.51	-13.00	-54.51	-	-
711MHz_RB 50,#RB 0	Pass	678M	697.9M	30k	100k	RMS	697.65M	-46.37	-13.00	-33.37	MBW 100k	-
711MHz_RB 50,#RB 0	Pass	697.9M	698M	30k	100k	RMS	697.93M	-51.20	-13.00	-38.20	-	-
711MHz_RB 50,#RB 0	Pass	716M	716.1M	30k	100k	RMS	716M	-40.60	-13.00	-27.60	-	-
711MHz_RB 50,#RB 0	Pass	716.1M	736M	30k	100k	RMS	716.15M	-37.38	-13.00	-24.38	MBW 100k	-
711MHz_RB 50,#RB 0	Pass	736M	2G	100k	300k	RMS	742.32M	-50.33	-13.00	-37.33	-	-
711MHz_RB 50,#RB 0	Pass	2G	7.16G	100k	300k	RMS	6.87169G	-55.16	-13.00	-42.16	-	-
711MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	53.979k	-74.71	-13.00	-61.71	-	-
711MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	299.25k	-62.10	-13.00	-49.10	-	-
711MHz_RB 1,#RB H	Pass	30M	500M	100k	300k	RMS	381.09M	-67.92	-13.00	-54.92	-	-
711MHz_RB 1,#RB H	Pass	500M	678M	100k	300k	RMS	636.53M	-67.26	-13.00	-54.26	-	-
711MHz_RB 1,#RB H	Pass	678M	697.9M	30k	100k	RMS	697.75M	-44.48	-13.00	-31.48	MBW 100k	-
711MHz_RB 1,#RB H	Pass	697.9M	698M	30k	100k	RMS	697.9M	-51.45	-13.00	-38.45	-	-
711MHz_RB 1,#RB H	Pass	716M	716.1M	30k	100k	RMS	716M	-40.54	-13.00	-27.54	-	-
711MHz_RB 1,#RB H	Pass	716.1M	736M	30k	100k	RMS	716.15M	-42.09	-13.00	-29.09	MBW 100k	-
711MHz_RB 1,#RB H	Pass	736M	2G	100k	300k	RMS	741.06M	-50.48	-13.00	-37.48	-	-
711MHz_RB 1,#RB H	Pass	2G	7.16G	100k	300k	RMS	2.86172G	-55.16	-13.00	-42.16	-	-
Band 12_LTE_10MHz_Nss1,16QAM_TTX	-	-	-	-	-	-	-	-	-	-	-	-
704MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	9.846k	-76.01	-13.00	-63.01	-	-
704MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-63.33	-13.00	-50.33	-	-
704MHz_RB 50,#RB 0	Pass	30M	500M	100k	300k	RMS	233.98M	-68.06	-13.00	-55.06	-	-
704MHz_RB 50,#RB 0	Pass	500M	678M	100k	300k	RMS	655.22M	-67.35	-13.00	-54.35	-	-
704MHz_RB 50,#RB 0	Pass	678M	697.9M	30k	100k	RMS	697.75M	-36.70	-13.00	-23.70	MBW 100k	-
704MHz_RB 50,#RB 0	Pass	697.9M	698M	30k	100k	RMS	697.91M	-41.71	-13.00	-28.71	-	-
704MHz_RB 50,#RB 0	Pass	716M	716.1M	30k	100k	RMS	716.07M	-51.48	-13.00	-38.48	-	-
704MHz_RB 50,#RB 0	Pass	716.1M	736M	30k	100k	RMS	716.25M	-46.13	-13.00	-33.13	MBW 100k	-
704MHz_RB 50,#RB 0	Pass	736M	2G	100k	300k	RMS	736M	-51.35	-13.00	-38.35	-	-
704MHz_RB 50,#RB 0	Pass	2G	7.16G	100k	300k	RMS	6.94909G	-54.77	-13.00	-41.77	-	-
704MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	15.627k	-71.59	-13.00	-58.59	-	-
704MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-63.73	-13.00	-50.73	-	-
704MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	272.99M	-68.01	-13.00	-55.01	-	-
704MHz_RB 1,#RB L	Pass	500M	678M	100k	300k	RMS	510.32M	-67.48	-13.00	-54.48	-	-
704MHz_RB 1,#RB L	Pass	678M	697.9M	30k	100k	RMS	697.75M	-52.25	-13.00	-39.25	MBW 100k	-
704MHz_RB 1,#RB L	Pass	697.9M	698M	30k	100k	RMS	698M	-56.65	-13.00	-43.65	-	-
704MHz_RB 1,#RB L	Pass	716M	716.1M	30k	100k	RMS	716.07M	-72.30	-13.00	-59.30	-	-
704MHz_RB 1,#RB L	Pass	716.1M	736M	30k	100k	RMS	717.25M	-44.62	-13.00	-31.62	MBW 100k	-
704MHz_RB 1,#RB L	Pass	736M	2G	100k	300k	RMS	737.26M	-50.90	-13.00	-37.90	-	-
704MHz_RB 1,#RB L	Pass	2G	7.16G	100k	300k	RMS	6.87878G	-54.99	-13.00	-41.99	-	-
707.5MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	17.178k	-76.44	-13.00	-63.44	-	-
707.5MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-62.94	-13.00	-49.94	-	-
707.5MHz_RB 50,#RB 0	Pass	30M	500M	100k	300k	RMS	386.73M	-67.86	-13.00	-54.86	-	-
707.5MHz_RB 50,#RB 0	Pass	500M	678M	100k	300k	RMS	677.11M	-67.56	-13.00	-54.56	-	-
707.5MHz_RB 50,#RB 0	Pass	678M	697.9M	30k	100k	RMS	697.65M	-40.55	-13.00	-27.55	MBW 100k	-
707.5MHz_RB 50,#RB 0	Pass	697.9M	698M	30k	100k	RMS	697.92M	-46.25	-13.00	-33.25	-	-
707.5MHz_RB 50,#RB 0	Pass	716M	716.1M	30k	100k	RMS	716.09M	-51.11	-13.00	-38.11	-	-
707.5MHz_RB 50,#RB 0	Pass	716.1M	736M	30k	100k	RMS	716.15M	-45.74	-13.00	-32.74	MBW 100k	-
707.5MHz_RB 50,#RB 0	Pass	736M	2G	100k	300k	RMS	739.79M	-50.68	-13.00	-37.68	-	-
707.5MHz_RB 50,#RB 0	Pass	2G	7.16G	100k	300k	RMS	6.98972G	-55.16	-13.00	-42.16	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
707.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	49.608k	-73.21	-13.00	-60.21	-	-
707.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-62.21	-13.00	-49.21	-	-
707.5MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	470.39M	-67.58	-13.00	-54.58	-	-
707.5MHz_RB 1,#RB L	Pass	500M	678M	100k	300k	RMS	510.15M	-67.71	-13.00	-54.71	-	-
707.5MHz_RB 1,#RB L	Pass	678M	697.9M	30k	100k	RMS	694.25M	-47.82	-13.00	-34.82	MBW 100k	-
707.5MHz_RB 1,#RB L	Pass	697.9M	698M	30k	100k	RMS	697.94M	-68.72	-13.00	-55.72	-	-
707.5MHz_RB 1,#RB L	Pass	716M	716.1M	30k	100k	RMS	716.1M	-68.08	-13.00	-55.08	-	-
707.5MHz_RB 1,#RB L	Pass	716.1M	736M	30k	100k	RMS	720.75M	-47.04	-13.00	-34.04	MBW 100k	-
707.5MHz_RB 1,#RB L	Pass	736M	2G	100k	300k	RMS	736M	-49.84	-13.00	-36.84	-	-
707.5MHz_RB 1,#RB L	Pass	2G	7.16G	100k	300k	RMS	2.81206G	-52.01	-13.00	-39.01	-	-
711MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	9k	-74.12	-13.00	-61.12	-	-
711MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-62.09	-13.00	-49.09	-	-
711MHz_RB 50,#RB 0	Pass	30M	500M	100k	300k	RMS	500M	-67.71	-13.00	-54.71	-	-
711MHz_RB 50,#RB 0	Pass	500M	678M	100k	300k	RMS	660.38M	-67.30	-13.00	-54.30	-	-
711MHz_RB 50,#RB 0	Pass	678M	697.9M	30k	100k	RMS	697.65M	-48.57	-13.00	-35.57	MBW 100k	-
711MHz_RB 50,#RB 0	Pass	697.9M	698M	30k	100k	RMS	697.97M	-53.99	-13.00	-40.99	-	-
711MHz_RB 50,#RB 0	Pass	716M	716.1M	30k	100k	RMS	716.01M	-41.73	-13.00	-28.73	-	-
711MHz_RB 50,#RB 0	Pass	716.1M	736M	30k	100k	RMS	716.15M	-38.69	-13.00	-25.69	MBW 100k	-
711MHz_RB 50,#RB 0	Pass	736M	2G	100k	300k	RMS	739.79M	-49.80	-13.00	-36.80	-	-
711MHz_RB 50,#RB 0	Pass	2G	7.16G	100k	300k	RMS	6.7156G	-55.89	-13.00	-42.89	-	-
711MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	10.692k	-75.43	-13.00	-62.43	-	-
711MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	299.25k	-62.83	-13.00	-49.83	-	-
711MHz_RB 1,#RB H	Pass	30M	500M	100k	300k	RMS	303.07M	-68.20	-13.00	-55.20	-	-
711MHz_RB 1,#RB H	Pass	500M	678M	100k	300k	RMS	643.82M	-67.64	-13.00	-54.64	-	-
711MHz_RB 1,#RB H	Pass	678M	697.9M	30k	100k	RMS	697.75M	-45.52	-13.00	-32.52	MBW 100k	-
711MHz_RB 1,#RB H	Pass	697.9M	698M	30k	100k	RMS	697.9M	-52.53	-13.00	-39.53	-	-
711MHz_RB 1,#RB H	Pass	716M	716.1M	30k	100k	RMS	716M	-40.71	-13.00	-27.71	-	-
711MHz_RB 1,#RB H	Pass	716.1M	736M	30k	100k	RMS	716.15M	-43.21	-13.00	-30.21	MBW 100k	-
711MHz_RB 1,#RB H	Pass	736M	2G	100k	300k	RMS	739.79M	-50.10	-13.00	-37.10	-	-
711MHz_RB 1,#RB H	Pass	2G	7.16G	100k	300k	RMS	6.88459G	-55.08	-13.00	-42.08	-	-
Band 12_LTE_10MHz_Nss1_64QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
704MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	11.256k	-74.14	-13.00	-61.14	-	-
704MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-62.60	-13.00	-49.60	-	-
704MHz_RB 50,#RB 0	Pass	30M	500M	100k	300k	RMS	373.57M	-68.10	-13.00	-55.10	-	-
704MHz_RB 50,#RB 0	Pass	500M	678M	100k	300k	RMS	508.72M	-67.17	-13.00	-54.17	-	-
704MHz_RB 50,#RB 0	Pass	678M	697.9M	30k	100k	RMS	697.75M	-36.87	-13.00	-23.87	MBW 100k	-
704MHz_RB 50,#RB 0	Pass	697.9M	698M	30k	100k	RMS	697.96M	-41.82	-13.00	-28.82	-	-
704MHz_RB 50,#RB 0	Pass	716M	716.1M	30k	100k	RMS	716.1M	-51.56	-13.00	-38.56	-	-
704MHz_RB 50,#RB 0	Pass	716.1M	736M	30k	100k	RMS	716.25M	-45.86	-13.00	-32.86	MBW 100k	-
704MHz_RB 50,#RB 0	Pass	736M	2G	100k	300k	RMS	737.26M	-51.56	-13.00	-38.56	-	-
704MHz_RB 50,#RB 0	Pass	2G	7.16G	100k	300k	RMS	6.72592G	-55.85	-13.00	-42.85	-	-
704MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	19.011k	-73.29	-13.00	-60.29	-	-
704MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-62.46	-13.00	-49.46	-	-
704MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	484.02M	-68.20	-13.00	-55.20	-	-
704MHz_RB 1,#RB L	Pass	500M	678M	100k	300k	RMS	671.06M	-67.39	-13.00	-54.39	-	-
704MHz_RB 1,#RB L	Pass	678M	697.9M	30k	100k	RMS	697.85M	-52.39	-13.00	-39.39	MBW 100k	-
704MHz_RB 1,#RB L	Pass	697.9M	698M	30k	100k	RMS	697.95M	-57.52	-13.00	-44.52	-	-
704MHz_RB 1,#RB L	Pass	716M	716.1M	30k	100k	RMS	716M	-72.28	-13.00	-59.28	-	-
704MHz_RB 1,#RB L	Pass	716.1M	736M	30k	100k	RMS	717.25M	-44.80	-13.00	-31.80	MBW 100k	-
704MHz_RB 1,#RB L	Pass	736M	2G	100k	300k	RMS	736M	-50.47	-13.00	-37.47	-	-
704MHz_RB 1,#RB L	Pass	2G	7.16G	100k	300k	RMS	6.7085G	-56.10	-13.00	-43.10	-	-
707.5MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	9.282k	-75.95	-13.00	-62.95	-	-
707.5MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-64.22	-13.00	-51.22	-	-
707.5MHz_RB 50,#RB 0	Pass	30M	500M	100k	300k	RMS	460.99M	-67.82	-13.00	-54.82	-	-
707.5MHz_RB 50,#RB 0	Pass	500M	678M	100k	300k	RMS	654.33M	-67.70	-13.00	-54.70	-	-
707.5MHz_RB 50,#RB 0	Pass	678M	697.9M	30k	100k	RMS	697.65M	-40.52	-13.00	-27.52	MBW 100k	-
707.5MHz_RB 50,#RB 0	Pass	697.9M	698M	30k	100k	RMS	697.93M	-46.10	-13.00	-33.10	-	-
707.5MHz_RB 50,#RB 0	Pass	716M	716.1M	30k	100k	RMS	716.05M	-51.37	-13.00	-38.37	-	-
707.5MHz_RB 50,#RB 0	Pass	716.1M	736M	30k	100k	RMS	716.55M	-45.90	-13.00	-32.90	MBW 100k	-
707.5MHz_RB 50,#RB 0	Pass	736M	2G	100k	300k	RMS	738.53M	-50.31	-13.00	-37.31	-	-
707.5MHz_RB 50,#RB 0	Pass	2G	7.16G	100k	300k	RMS	6.89104G	-54.84	-13.00	-41.84	-	-
707.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	19.293k	-74.62	-13.00	-61.62	-	-
707.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-62.66	-13.00	-49.66	-	-
707.5MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	399.42M	-67.85	-13.00	-54.85	-	-
707.5MHz_RB 1,#RB L	Pass	500M	678M	100k	300k	RMS	667.14M	-67.54	-13.00	-54.54	-	-
707.5MHz_RB 1,#RB L	Pass	678M	697.9M	30k	100k	RMS	694.25M	-47.90	-13.00	-34.90	MBW 100k	-
707.5MHz_RB 1,#RB L	Pass	697.9M	698M	30k	100k	RMS	698M	-69.05	-13.00	-56.05	-	-
707.5MHz_RB 1,#RB L	Pass	716M	716.1M	30k	100k	RMS	716.1M	-68.62	-13.00	-55.62	-	-
707.5MHz_RB 1,#RB L	Pass	716.1M	736M	30k	100k	RMS	720.75M	-47.20	-13.00	-34.20	MBW 100k	-
707.5MHz_RB 1,#RB L	Pass	736M	2G	100k	300k	RMS	739.79M	-49.68	-13.00	-36.68	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
707.5MHz_RB 1,#RB L	Pass	2G	7.16G	100k	300k	RMS	2.81206G	-49.41	-13.00	-36.41	-	-
711MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	9k	-74.63	-13.00	-61.63	-	-
711MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-64.59	-13.00	-51.59	-	-
711MHz_RB 50,#RB 0	Pass	30M	500M	100k	300k	RMS	318.58M	-67.98	-13.00	-54.98	-	-
711MHz_RB 50,#RB 0	Pass	500M	678M	100k	300k	RMS	586.33M	-67.46	-13.00	-54.46	-	-
711MHz_RB 50,#RB 0	Pass	678M	697.9M	30k	100k	RMS	697.65M	-48.84	-13.00	-35.84	MBW 100k	-
711MHz_RB 50,#RB 0	Pass	697.9M	698M	30k	100k	RMS	697.96M	-54.01	-13.00	-41.01	-	-
711MHz_RB 50,#RB 0	Pass	716M	716.1M	30k	100k	RMS	716M	-41.28	-13.00	-28.28	-	-
711MHz_RB 50,#RB 0	Pass	716.1M	736M	30k	100k	RMS	716.15M	-38.56	-13.00	-25.56	MBW 100k	-
711MHz_RB 50,#RB 0	Pass	736M	2G	100k	300k	RMS	738.53M	-50.05	-13.00	-37.05	-	-
711MHz_RB 50,#RB 0	Pass	2G	7.16G	100k	300k	RMS	6.98198G	-55.00	-13.00	-42.00	-	-
711MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	25.497k	-75.86	-13.00	-62.86	-	-
711MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	299.25k	-63.43	-13.00	-50.43	-	-
711MHz_RB 1,#RB H	Pass	30M	500M	100k	300k	RMS	236.33M	-68.04	-13.00	-55.04	-	-
711MHz_RB 1,#RB H	Pass	500M	678M	100k	300k	RMS	555.89M	-67.35	-13.00	-54.35	-	-
711MHz_RB 1,#RB H	Pass	678M	697.9M	30k	100k	RMS	697.85M	-45.63	-13.00	-32.63	MBW 100k	-
711MHz_RB 1,#RB H	Pass	697.9M	698M	30k	100k	RMS	697.9M	-52.47	-13.00	-39.47	-	-
711MHz_RB 1,#RB H	Pass	716M	716.1M	30k	100k	RMS	716M	-40.78	-13.00	-27.78	-	-
711MHz_RB 1,#RB H	Pass	716.1M	736M	30k	100k	RMS	716.15M	-43.44	-13.00	-30.44	MBW 100k	-
711MHz_RB 1,#RB H	Pass	736M	2G	100k	300k	RMS	739.79M	-50.29	-13.00	-37.29	-	-
711MHz_RB 1,#RB H	Pass	2G	7.16G	100k	300k	RMS	2.86108G	-52.45	-13.00	-39.45	-	-
Band 66_LTE_1.4MHz_Nsst1,OPSK_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1710.7MHz_RB 6,#RB 0	Pass	9k	150k	1k	3k	RMS	70.335k	-75.57	-13.00	-62.57	-	-
1710.7MHz_RB 6,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-60.76	-13.00	-47.76	-	-
1710.7MHz_RB 6,#RB 0	Pass	30M	1.5G	1M	3M	RMS	978.15M	-57.66	-13.00	-44.66	-	-
1710.7MHz_RB 6,#RB 0	Pass	1.5G	1.7072G	1M	3M	RMS	1.7072G	-44.10	-13.00	-31.10	-	-
1710.7MHz_RB 6,#RB 0	Pass	1.7072G	1.709G	10k	50k	RMS	1.7085G	-35.71	-13.00	-22.71	MBW 1M	-
1710.7MHz_RB 6,#RB 0	Pass	1.709G	1.71G	10k	50k	RMS	1.71G	-35.82	-13.00	-22.82	-	-
1710.7MHz_RB 6,#RB 0	Pass	1.78G	1.781G	10k	50k	RMS	1.78011G	-76.77	-13.00	-63.77	-	-
1710.7MHz_RB 6,#RB 0	Pass	1.781G	1.7828G	10k	50k	RMS	1.7823G	-58.02	-13.00	-45.02	MBW 1M	-
1710.7MHz_RB 6,#RB 0	Pass	1.7828G	5G	1M	3M	RMS	3.42035G	-49.87	-13.00	-36.87	-	-
1710.7MHz_RB 6,#RB 0	Pass	5G	17.8G	1M	3M	RMS	15.7904G	-45.16	-13.00	-32.16	-	-
1710.7MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	103.611k	-64.77	-13.00	-51.77	-	-
1710.7MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-61.27	-13.00	-48.27	-	-
1710.7MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	945.81M	-57.60	-13.00	-44.60	-	-
1710.7MHz_RB 1,#RB L	Pass	1.5G	1.7072G	1M	3M	RMS	1.7072G	-42.87	-13.00	-29.87	-	-
1710.7MHz_RB 1,#RB L	Pass	1.7072G	1.709G	10k	50k	RMS	1.7085G	-38.04	-13.00	-25.04	MBW 1M	-
1710.7MHz_RB 1,#RB L	Pass	1.709G	1.71G	10k	50k	RMS	1.71G	-30.92	-13.00	-17.92	-	-
1710.7MHz_RB 1,#RB L	Pass	1.78G	1.781G	10k	50k	RMS	1.78002G	-76.50	-13.00	-63.50	-	-
1710.7MHz_RB 1,#RB L	Pass	1.781G	1.7828G	10k	50k	RMS	1.7815G	-57.90	-13.00	-44.90	MBW 1M	-
1710.7MHz_RB 1,#RB L	Pass	1.7828G	5G	1M	3M	RMS	3.42035G	-48.62	-13.00	-35.62	-	-
1710.7MHz_RB 1,#RB L	Pass	5G	17.8G	1M	3M	RMS	15.7904G	-44.72	-13.00	-31.72	-	-
1745MHz_RB 6,#RB 0	Pass	9k	150k	1k	3k	RMS	93.882k	-75.99	-13.00	-62.99	-	-
1745MHz_RB 6,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-61.57	-13.00	-48.57	-	-
1745MHz_RB 6,#RB 0	Pass	30M	1.5G	1M	3M	RMS	929.64M	-57.72	-13.00	-44.72	-	-
1745MHz_RB 6,#RB 0	Pass	1.5G	1.7072G	1M	3M	RMS	1.6958G	-57.80	-13.00	-44.80	-	-
1745MHz_RB 6,#RB 0	Pass	1.7072G	1.709G	10k	50k	RMS	1.7077G	-58.41	-13.00	-45.41	MBW 1M	-
1745MHz_RB 6,#RB 0	Pass	1.709G	1.71G	10k	50k	RMS	1.70907G	-76.93	-13.00	-63.93	-	-
1745MHz_RB 6,#RB 0	Pass	1.78G	1.781G	10k	50k	RMS	1.78045G	-76.64	-13.00	-63.64	-	-
1745MHz_RB 6,#RB 0	Pass	1.781G	1.7828G	10k	50k	RMS	1.7815G	-57.90	-13.00	-44.90	MBW 1M	-
1745MHz_RB 6,#RB 0	Pass	1.7828G	5G	1M	3M	RMS	3.49113G	-52.68	-13.00	-39.68	-	-
1745MHz_RB 6,#RB 0	Pass	5G	17.8G	1M	3M	RMS	15.7904G	-45.13	-13.00	-32.13	-	-
1745MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	63.849k	-64.97	-13.00	-51.97	-	-
1745MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-61.07	-13.00	-48.07	-	-
1745MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.00461G	-57.76	-13.00	-44.76	-	-
1745MHz_RB 1,#RB L	Pass	1.5G	1.7072G	1M	3M	RMS	1.65126G	-57.66	-13.00	-44.66	-	-
1745MHz_RB 1,#RB L	Pass	1.7072G	1.709G	10k	50k	RMS	1.7077G	-58.35	-13.00	-45.35	MBW 1M	-
1745MHz_RB 1,#RB L	Pass	1.709G	1.71G	10k	50k	RMS	1.70945G	-76.72	-13.00	-63.72	-	-
1745MHz_RB 1,#RB L	Pass	1.78G	1.781G	10k	50k	RMS	1.78031G	-76.40	-13.00	-63.40	-	-
1745MHz_RB 1,#RB L	Pass	1.781G	1.7828G	10k	50k	RMS	1.7815G	-57.81	-13.00	-44.81	MBW 1M	-
1745MHz_RB 1,#RB L	Pass	1.7828G	5G	1M	3M	RMS	3.48792G	-52.85	-13.00	-39.85	-	-
1745MHz_RB 1,#RB L	Pass	5G	17.8G	1M	3M	RMS	15.7904G	-45.17	-13.00	-32.17	-	-
1779.3MHz_RB 6,#RB 0	Pass	9k	150k	1k	3k	RMS	12.807k	-73.52	-13.00	-60.52	-	-
1779.3MHz_RB 6,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-61.74	-13.00	-48.74	-	-
1779.3MHz_RB 6,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.0149G	-57.77	-13.00	-44.77	-	-
1779.3MHz_RB 6,#RB 0	Pass	1.5G	1.7072G	1M	3M	RMS	1.6295G	-57.79	-13.00	-44.79	-	-
1779.3MHz_RB 6,#RB 0	Pass	1.7072G	1.709G	10k	50k	RMS	1.7077G	-58.42	-13.00	-45.42	MBW 1M	-
1779.3MHz_RB 6,#RB 0	Pass	1.709G	1.71G	10k	50k	RMS	1.70975G	-77.02	-13.00	-64.02	-	-
1779.3MHz_RB 6,#RB 0	Pass	1.78G	1.781G	10k	50k	RMS	1.78003G	-31.20	-13.00	-18.20	-	-
1779.3MHz_RB 6,#RB 0	Pass	1.781G	1.7828G	10k	50k	RMS	1.7815G	-34.68	-13.00	-21.68	MBW 1M	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1779.3MHz_RB 6,#RB 0	Pass	1.7828G	5G	1M	3M	RMS	1.7828G	-48.43	-13.00	-35.43	-	-
1779.3MHz_RB 6,#RB 0	Pass	5G	17.8G	1M	3M	RMS	15.7776G	-45.43	-13.00	-32.43	-	-
1779.3MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	86.127k	-63.56	-13.00	-50.56	-	-
1779.3MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	299.25k	-60.88	-13.00	-47.88	-	-
1779.3MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	1.14867G	-57.55	-13.00	-44.55	-	-
1779.3MHz_RB 1,#RB H	Pass	1.5G	1.7072G	1M	3M	RMS	1.65457G	-57.70	-13.00	-44.70	-	-
1779.3MHz_RB 1,#RB H	Pass	1.7072G	1.709G	10k	50k	RMS	1.7077G	-58.42	-13.00	-45.42	MBW 1M	-
1779.3MHz_RB 1,#RB H	Pass	1.709G	1.71G	10k	50k	RMS	1.70976G	-77.06	-13.00	-64.06	-	-
1779.3MHz_RB 1,#RB H	Pass	1.78G	1.781G	10k	50k	RMS	1.78G	-30.69	-13.00	-17.69	-	-
1779.3MHz_RB 1,#RB H	Pass	1.781G	1.7828G	10k	50k	RMS	1.7815G	-37.44	-13.00	-24.44	MBW 1M	-
1779.3MHz_RB 1,#RB H	Pass	1.7828G	5G	1M	3M	RMS	1.7828G	-48.53	-13.00	-35.53	-	-
1779.3MHz_RB 1,#RB H	Pass	5G	17.8G	1M	3M	RMS	15.7904G	-45.51	-13.00	-32.51	-	-
Band 66_LTE_1.4MHz_Nss1,16QAM_TTX	-	-	-	-	-	-	-	-	-	-	-	-
1710.7MHz_RB 6,#RB 0	Pass	9k	150k	1k	3k	RMS	64.272k	-74.00	-13.00	-61.00	-	-
1710.7MHz_RB 6,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-61.02	-13.00	-48.02	-	-
1710.7MHz_RB 6,#RB 0	Pass	30M	1.5G	1M	3M	RMS	995.79M	-57.47	-13.00	-44.47	-	-
1710.7MHz_RB 6,#RB 0	Pass	1.5G	1.7072G	1M	3M	RMS	1.7072G	-45.28	-13.00	-32.28	-	-
1710.7MHz_RB 6,#RB 0	Pass	1.7072G	1.709G	10k	50k	RMS	1.7085G	-36.91	-13.00	-23.91	MBW 1M	-
1710.7MHz_RB 6,#RB 0	Pass	1.709G	1.71G	10k	50k	RMS	1.71G	-38.53	-13.00	-25.53	-	-
1710.7MHz_RB 6,#RB 0	Pass	1.78G	1.781G	10k	50k	RMS	1.7803G	-76.62	-13.00	-63.62	-	-
1710.7MHz_RB 6,#RB 0	Pass	1.781G	1.7828G	10k	50k	RMS	1.7815G	-57.99	-13.00	-44.99	MBW 1M	-
1710.7MHz_RB 6,#RB 0	Pass	1.7828G	5G	1M	3M	RMS	3.42035G	-50.71	-13.00	-37.71	-	-
1710.7MHz_RB 6,#RB 0	Pass	5G	17.8G	1M	3M	RMS	15.8032G	-45.06	-13.00	-32.06	-	-
1710.7MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	15.768k	-65.36	-13.00	-52.36	-	-
1710.7MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-61.58	-13.00	-48.58	-	-
1710.7MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.02666G	-57.83	-13.00	-44.83	-	-
1710.7MHz_RB 1,#RB L	Pass	1.5G	1.7072G	1M	3M	RMS	1.7072G	-44.26	-13.00	-31.26	-	-
1710.7MHz_RB 1,#RB L	Pass	1.7072G	1.709G	10k	50k	RMS	1.7085G	-39.65	-13.00	-26.65	MBW 1M	-
1710.7MHz_RB 1,#RB L	Pass	1.709G	1.71G	10k	50k	RMS	1.71G	-32.64	-13.00	-19.64	-	-
1710.7MHz_RB 1,#RB L	Pass	1.78G	1.781G	10k	50k	RMS	1.78045G	-76.60	-13.00	-63.60	-	-
1710.7MHz_RB 1,#RB L	Pass	1.781G	1.7828G	10k	50k	RMS	1.7815G	-57.96	-13.00	-44.96	MBW 1M	-
1710.7MHz_RB 1,#RB L	Pass	1.7828G	5G	1M	3M	RMS	3.42035G	-49.19	-13.00	-36.19	-	-
1710.7MHz_RB 1,#RB L	Pass	5G	17.8G	1M	3M	RMS	15.8416G	-45.26	-13.00	-32.26	-	-
1745MHz_RB 6,#RB 0	Pass	9k	150k	1k	3k	RMS	11.115k	-74.30	-13.00	-61.30	-	-
1745MHz_RB 6,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-62.01	-13.00	-49.01	-	-
1745MHz_RB 6,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.0296G	-57.81	-13.00	-44.81	-	-
1745MHz_RB 6,#RB 0	Pass	1.5G	1.7072G	1M	3M	RMS	1.66762G	-57.78	-13.00	-44.78	-	-
1745MHz_RB 6,#RB 0	Pass	1.7072G	1.709G	10k	50k	RMS	1.7077G	-58.38	-13.00	-45.38	MBW 1M	-
1745MHz_RB 6,#RB 0	Pass	1.709G	1.71G	10k	50k	RMS	1.70913G	-76.92	-13.00	-63.92	-	-
1745MHz_RB 6,#RB 0	Pass	1.78G	1.781G	10k	50k	RMS	1.78081G	-76.31	-13.00	-63.31	-	-
1745MHz_RB 6,#RB 0	Pass	1.781G	1.7828G	10k	50k	RMS	1.7815G	-57.86	-13.00	-44.86	MBW 1M	-
1745MHz_RB 6,#RB 0	Pass	1.7828G	5G	1M	3M	RMS	4.31152G	-53.16	-13.00	-40.16	-	-
1745MHz_RB 6,#RB 0	Pass	5G	17.8G	1M	3M	RMS	15.8544G	-44.87	-13.00	-31.87	-	-
1745MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	46.083k	-66.77	-13.00	-53.77	-	-
1745MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-61.33	-13.00	-48.33	-	-
1745MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	931.11M	-57.80	-13.00	-44.80	-	-
1745MHz_RB 1,#RB L	Pass	1.5G	1.7072G	1M	3M	RMS	1.63282G	-57.71	-13.00	-44.71	-	-
1745MHz_RB 1,#RB L	Pass	1.7072G	1.709G	10k	50k	RMS	1.7085G	-58.46	-13.00	-45.46	MBW 1M	-
1745MHz_RB 1,#RB L	Pass	1.709G	1.71G	10k	50k	RMS	1.70912G	-76.87	-13.00	-63.87	-	-
1745MHz_RB 1,#RB L	Pass	1.78G	1.781G	10k	50k	RMS	1.78051G	-76.63	-13.00	-63.63	-	-
1745MHz_RB 1,#RB L	Pass	1.781G	1.7828G	10k	50k	RMS	1.7815G	-57.74	-13.00	-44.74	MBW 1M	-
1745MHz_RB 1,#RB L	Pass	1.7828G	5G	1M	3M	RMS	4.14744G	-53.10	-13.00	-40.10	-	-
1745MHz_RB 1,#RB L	Pass	5G	17.8G	1M	3M	RMS	15.8544G	-45.34	-13.00	-32.34	-	-
1779.3MHz_RB 6,#RB 0	Pass	9k	150k	1k	3k	RMS	26.907k	-72.72	-13.00	-59.72	-	-
1779.3MHz_RB 6,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-62.36	-13.00	-49.36	-	-
1779.3MHz_RB 6,#RB 0	Pass	30M	1.5G	1M	3M	RMS	941.4M	-57.58	-13.00	-44.58	-	-
1779.3MHz_RB 6,#RB 0	Pass	1.5G	1.7072G	1M	3M	RMS	1.65892G	-57.82	-13.00	-44.82	-	-
1779.3MHz_RB 6,#RB 0	Pass	1.7072G	1.709G	10k	50k	RMS	1.7077G	-58.51	-13.00	-45.51	MBW 1M	-
1779.3MHz_RB 6,#RB 0	Pass	1.709G	1.71G	10k	50k	RMS	1.70918G	-76.86	-13.00	-63.86	-	-
1779.3MHz_RB 6,#RB 0	Pass	1.78G	1.781G	10k	50k	RMS	1.78G	-33.83	-13.00	-20.83	-	-
1779.3MHz_RB 6,#RB 0	Pass	1.781G	1.7828G	10k	50k	RMS	1.7815G	-36.73	-13.00	-23.73	MBW 1M	-
1779.3MHz_RB 6,#RB 0	Pass	1.7828G	5G	1M	3M	RMS	1.7828G	-50.44	-13.00	-37.44	-	-
1779.3MHz_RB 6,#RB 0	Pass	5G	17.8G	1M	3M	RMS	15.7904G	-45.21	-13.00	-32.21	-	-
1779.3MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	41.289k	-65.73	-13.00	-52.73	-	-
1779.3MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	299.25k	-61.21	-13.00	-48.21	-	-
1779.3MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	970.8M	-57.74	-13.00	-44.74	-	-
1779.3MHz_RB 1,#RB H	Pass	1.5G	1.7072G	1M	3M	RMS	1.65271G	-57.86	-13.00	-44.86	-	-
1779.3MHz_RB 1,#RB H	Pass	1.7072G	1.709G	10k	50k	RMS	1.7077G	-58.46	-13.00	-45.46	MBW 1M	-
1779.3MHz_RB 1,#RB H	Pass	1.709G	1.71G	10k	50k	RMS	1.70906G	-77.03	-13.00	-64.03	-	-
1779.3MHz_RB 1,#RB H	Pass	1.78G	1.781G	10k	50k	RMS	1.78G	-30.64	-13.00	-17.64	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1779.3MHz_RB 1,#RB H	Pass	1.781G	1.7828G	10k	50k	RMS	1.7815G	-38.63	-13.00	-25.63	MBW 1M	-
1779.3MHz_RB 1,#RB H	Pass	1.7828G	5G	1M	3M	RMS	1.7828G	-48.82	-13.00	-35.82	-	-
1779.3MHz_RB 1,#RB H	Pass	5G	17.8G	1M	3M	RMS	15.7904G	-45.09	-13.00	-32.09	-	-
Band 66_LTE_1.4MHz_Nss1.64OAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1710.7MHz_RB 6,#RB 0	Pass	9k	150k	1k	3k	RMS	137.733k	-74.62	-13.00	-61.62	-	-
1710.7MHz_RB 6,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-60.20	-13.00	-47.20	-	-
1710.7MHz_RB 6,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.07958G	-57.62	-13.00	-44.62	-	-
1710.7MHz_RB 6,#RB 0	Pass	1.5G	1.7072G	1M	3M	RMS	1.7072G	-45.64	-13.00	-32.64	-	-
1710.7MHz_RB 6,#RB 0	Pass	1.7072G	1.709G	10k	50k	RMS	1.7085G	-36.85	-13.00	-23.85	MBW 1M	-
1710.7MHz_RB 6,#RB 0	Pass	1.709G	1.71G	10k	50k	RMS	1.71G	-38.01	-13.00	-25.01	-	-
1710.7MHz_RB 6,#RB 0	Pass	1.78G	1.781G	10k	50k	RMS	1.78044G	-76.05	-13.00	-63.05	-	-
1710.7MHz_RB 6,#RB 0	Pass	1.781G	1.7828G	10k	50k	RMS	1.7815G	-57.92	-13.00	-44.92	MBW 1M	-
1710.7MHz_RB 6,#RB 0	Pass	1.7828G	5G	1M	3M	RMS	3.42035G	-51.16	-13.00	-38.16	-	-
1710.7MHz_RB 6,#RB 0	Pass	5G	17.8G	1M	3M	RMS	16.1872G	-45.37	-13.00	-32.37	-	-
1710.7MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	91.626k	-61.52	-13.00	-48.52	-	-
1710.7MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-60.99	-13.00	-47.99	-	-
1710.7MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.05165G	-57.52	-13.00	-44.52	-	-
1710.7MHz_RB 1,#RB L	Pass	1.5G	1.7072G	1M	3M	RMS	1.70699G	-43.76	-13.00	-30.76	-	-
1710.7MHz_RB 1,#RB L	Pass	1.7072G	1.709G	10k	50k	RMS	1.7085G	-38.66	-13.00	-25.66	MBW 1M	-
1710.7MHz_RB 1,#RB L	Pass	1.709G	1.71G	10k	50k	RMS	1.71G	-31.70	-13.00	-18.70	-	-
1710.7MHz_RB 1,#RB L	Pass	1.78G	1.781G	10k	50k	RMS	1.78016G	-76.73	-13.00	-63.73	-	-
1710.7MHz_RB 1,#RB L	Pass	1.781G	1.7828G	10k	50k	RMS	1.7815G	-57.94	-13.00	-44.94	MBW 1M	-
1710.7MHz_RB 1,#RB L	Pass	1.7828G	5G	1M	3M	RMS	3.42035G	-49.47	-13.00	-36.47	-	-
1710.7MHz_RB 1,#RB L	Pass	5G	17.8G	1M	3M	RMS	15.8672G	-45.05	-13.00	-32.05	-	-
1745MHz_RB 6,#RB 0	Pass	9k	150k	1k	3k	RMS	90.357k	-73.37	-13.00	-60.37	-	-
1745MHz_RB 6,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-60.92	-13.00	-47.92	-	-
1745MHz_RB 6,#RB 0	Pass	30M	1.5G	1M	3M	RMS	961.98M	-57.65	-13.00	-44.65	-	-
1745MHz_RB 6,#RB 0	Pass	1.5G	1.7072G	1M	3M	RMS	1.65602G	-57.80	-13.00	-44.80	-	-
1745MHz_RB 6,#RB 0	Pass	1.7072G	1.709G	10k	50k	RMS	1.7077G	-58.39	-13.00	-45.39	MBW 1M	-
1745MHz_RB 6,#RB 0	Pass	1.709G	1.71G	10k	50k	RMS	1.70949G	-76.66	-13.00	-63.66	-	-
1745MHz_RB 6,#RB 0	Pass	1.78G	1.781G	10k	50k	RMS	1.7808G	-76.44	-13.00	-63.44	-	-
1745MHz_RB 6,#RB 0	Pass	1.781G	1.7828G	10k	50k	RMS	1.7815G	-57.91	-13.00	-44.91	MBW 1M	-
1745MHz_RB 6,#RB 0	Pass	1.7828G	5G	1M	3M	RMS	4.90027G	-53.24	-13.00	-40.24	-	-
1745MHz_RB 6,#RB 0	Pass	5G	17.8G	1M	3M	RMS	15.7904G	-45.30	-13.00	-32.30	-	-
1745MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	85.563k	-64.72	-13.00	-51.72	-	-
1745MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-60.85	-13.00	-47.85	-	-
1745MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.05165G	-57.64	-13.00	-44.64	-	-
1745MHz_RB 1,#RB L	Pass	1.5G	1.7072G	1M	3M	RMS	1.68565G	-57.85	-13.00	-44.85	-	-
1745MHz_RB 1,#RB L	Pass	1.7072G	1.709G	10k	50k	RMS	1.7077G	-58.41	-13.00	-45.41	MBW 1M	-
1745MHz_RB 1,#RB L	Pass	1.709G	1.71G	10k	50k	RMS	1.70922G	-76.85	-13.00	-63.85	-	-
1745MHz_RB 1,#RB L	Pass	1.78G	1.781G	10k	50k	RMS	1.78084G	-76.41	-13.00	-63.41	-	-
1745MHz_RB 1,#RB L	Pass	1.781G	1.7828G	10k	50k	RMS	1.7815G	-57.79	-13.00	-44.79	MBW 1M	-
1745MHz_RB 1,#RB L	Pass	1.7828G	5G	1M	3M	RMS	4.15066G	-53.17	-13.00	-40.17	-	-
1745MHz_RB 1,#RB L	Pass	5G	17.8G	1M	3M	RMS	15.7904G	-45.55	-13.00	-32.55	-	-
1779.3MHz_RB 6,#RB 0	Pass	9k	150k	1k	3k	RMS	34.944k	-74.12	-13.00	-61.12	-	-
1779.3MHz_RB 6,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-61.73	-13.00	-48.73	-	-
1779.3MHz_RB 6,#RB 0	Pass	30M	1.5G	1M	3M	RMS	957.57M	-57.66	-13.00	-44.66	-	-
1779.3MHz_RB 6,#RB 0	Pass	1.5G	1.7072G	1M	3M	RMS	1.64007G	-57.60	-13.00	-44.60	-	-
1779.3MHz_RB 6,#RB 0	Pass	1.7072G	1.709G	10k	50k	RMS	1.7077G	-58.45	-13.00	-45.45	MBW 1M	-
1779.3MHz_RB 6,#RB 0	Pass	1.709G	1.71G	10k	50k	RMS	1.70943G	-76.94	-13.00	-63.94	-	-
1779.3MHz_RB 6,#RB 0	Pass	1.78G	1.781G	10k	50k	RMS	1.78G	-32.37	-13.00	-19.37	-	-
1779.3MHz_RB 6,#RB 0	Pass	1.781G	1.7828G	10k	50k	RMS	1.7815G	-35.74	-13.00	-22.74	MBW 1M	-
1779.3MHz_RB 6,#RB 0	Pass	1.7828G	5G	1M	3M	RMS	1.7828G	-49.23	-13.00	-36.23	-	-
1779.3MHz_RB 6,#RB 0	Pass	5G	17.8G	1M	3M	RMS	15.88G	-45.35	-13.00	-32.35	-	-
1779.3MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	17.037k	-65.93	-13.00	-52.93	-	-
1779.3MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	299.25k	-61.50	-13.00	-48.50	-	-
1779.3MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	995.79M	-57.71	-13.00	-44.71	-	-
1779.3MHz_RB 1,#RB H	Pass	1.5G	1.7072G	1M	3M	RMS	1.6295G	-57.81	-13.00	-44.81	-	-
1779.3MHz_RB 1,#RB H	Pass	1.7072G	1.709G	10k	50k	RMS	1.7077G	-58.48	-13.00	-45.48	MBW 1M	-
1779.3MHz_RB 1,#RB H	Pass	1.709G	1.71G	10k	50k	RMS	1.70908G	-77.05	-13.00	-64.05	-	-
1779.3MHz_RB 1,#RB H	Pass	1.78G	1.781G	10k	50k	RMS	1.78G	-31.09	-13.00	-18.09	-	-
1779.3MHz_RB 1,#RB H	Pass	1.781G	1.7828G	10k	50k	RMS	1.7815G	-38.48	-13.00	-25.48	MBW 1M	-
1779.3MHz_RB 1,#RB H	Pass	1.7828G	5G	1M	3M	RMS	1.7828G	-48.04	-13.00	-35.04	-	-
1779.3MHz_RB 1,#RB H	Pass	5G	17.8G	1M	3M	RMS	15.8416G	-45.35	-13.00	-32.35	-	-
Band 66_LTE_3MHz_Nss1,OPSK_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1711.5MHz_RB 15,#RB 0	Pass	9k	150k	1k	3k	RMS	20.985k	-72.94	-13.00	-59.94	-	-
1711.5MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-60.89	-13.00	-47.89	-	-
1711.5MHz_RB 15,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.04871G	-57.71	-13.00	-44.71	-	-
1711.5MHz_RB 15,#RB 0	Pass	1.5G	1.704G	1M	3M	RMS	1.704G	-50.51	-13.00	-37.51	-	-
1711.5MHz_RB 15,#RB 0	Pass	1.704G	1.709G	30k	100k	RMS	1.7085G	-33.86	-13.00	-20.86	MBW 1M	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1711.5MHz_RB 15,#RB 0	Pass	1.709G	1.71G	30k	100k	RMS	1.71G	-31.65	-13.00	-18.65	-	-
1711.5MHz_RB 15,#RB 0	Pass	1.78G	1.781G	30k	100k	RMS	1.78019G	-72.79	-13.00	-59.79	-	-
1711.5MHz_RB 15,#RB 0	Pass	1.781G	1.786G	30k	100k	RMS	1.7815G	-58.20	-13.00	-45.20	MBW 1M	-
1711.5MHz_RB 15,#RB 0	Pass	1.786G	5G	1M	3M	RMS	3.42193G	-50.80	-13.00	-37.80	-	-
1711.5MHz_RB 15,#RB 0	Pass	5G	17.8G	1M	3M	RMS	15.8288G	-45.18	-13.00	-32.18	-	-
1711.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	91.485k	-61.56	-13.00	-48.56	-	-
1711.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-61.45	-13.00	-48.45	-	-
1711.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.0002G	-57.78	-13.00	-44.78	-	-
1711.5MHz_RB 1,#RB L	Pass	1.5G	1.704G	1M	3M	RMS	1.704G	-55.50	-13.00	-42.50	-	-
1711.5MHz_RB 1,#RB L	Pass	1.704G	1.709G	30k	100k	RMS	1.7085G	-37.78	-13.00	-24.78	MBW 1M	-
1711.5MHz_RB 1,#RB L	Pass	1.709G	1.71G	30k	100k	RMS	1.71G	-25.22	-13.00	-12.22	-	-
1711.5MHz_RB 1,#RB L	Pass	1.78G	1.781G	30k	100k	RMS	1.78029G	-72.96	-13.00	-59.96	-	-
1711.5MHz_RB 1,#RB L	Pass	1.781G	1.786G	30k	100k	RMS	1.7815G	-58.12	-13.00	-45.12	MBW 1M	-
1711.5MHz_RB 1,#RB L	Pass	1.786G	5G	1M	3M	RMS	3.42193G	-50.10	-13.00	-37.10	-	-
1711.5MHz_RB 1,#RB L	Pass	5G	17.8G	1M	3M	RMS	15.8416G	-45.31	-13.00	-32.31	-	-
1745MHz_RB 15,#RB 0	Pass	9k	150k	1k	3k	RMS	69.912k	-77.11	-13.00	-64.11	-	-
1745MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-61.80	-13.00	-48.80	-	-
1745MHz_RB 15,#RB 0	Pass	30M	1.5G	1M	3M	RMS	939.93M	-57.84	-13.00	-44.84	-	-
1745MHz_RB 15,#RB 0	Pass	1.5G	1.704G	1M	3M	RMS	1.63484G	-57.68	-13.00	-44.68	-	-
1745MHz_RB 15,#RB 0	Pass	1.704G	1.709G	30k	100k	RMS	1.7075G	-58.64	-13.00	-45.64	MBW 1M	-
1745MHz_RB 15,#RB 0	Pass	1.709G	1.71G	30k	100k	RMS	1.70941G	-73.01	-13.00	-60.01	-	-
1745MHz_RB 15,#RB 0	Pass	1.78G	1.781G	30k	100k	RMS	1.78052G	-72.62	-13.00	-59.62	-	-
1745MHz_RB 15,#RB 0	Pass	1.781G	1.786G	30k	100k	RMS	1.7815G	-58.05	-13.00	-45.05	MBW 1M	-
1745MHz_RB 15,#RB 0	Pass	1.786G	5G	1M	3M	RMS	4.87465G	-53.24	-13.00	-40.24	-	-
1745MHz_RB 15,#RB 0	Pass	5G	17.8G	1M	3M	RMS	15.816G	-45.29	-13.00	-32.29	-	-
1745MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	92.331k	-64.03	-13.00	-51.03	-	-
1745MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-60.37	-13.00	-47.37	-	-
1745MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	984.03M	-57.50	-13.00	-44.50	-	-
1745MHz_RB 1,#RB L	Pass	1.5G	1.704G	1M	3M	RMS	1.67891G	-57.58	-13.00	-44.58	-	-
1745MHz_RB 1,#RB L	Pass	1.704G	1.709G	30k	100k	RMS	1.7085G	-58.54	-13.00	-45.54	MBW 1M	-
1745MHz_RB 1,#RB L	Pass	1.709G	1.71G	30k	100k	RMS	1.7094G	-73.22	-13.00	-60.22	-	-
1745MHz_RB 1,#RB L	Pass	1.78G	1.781G	30k	100k	RMS	1.78085G	-72.51	-13.00	-59.51	-	-
1745MHz_RB 1,#RB L	Pass	1.781G	1.786G	30k	100k	RMS	1.7815G	-58.08	-13.00	-45.08	MBW 1M	-
1745MHz_RB 1,#RB L	Pass	1.786G	5G	1M	3M	RMS	4.91644G	-53.15	-13.00	-40.15	-	-
1745MHz_RB 1,#RB L	Pass	5G	17.8G	1M	3M	RMS	17.6208G	-45.41	-13.00	-32.41	-	-
1778.5MHz_RB 15,#RB 0	Pass	9k	150k	1k	3k	RMS	35.085k	-75.86	-13.00	-62.86	-	-
1778.5MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-61.74	-13.00	-48.74	-	-
1778.5MHz_RB 15,#RB 0	Pass	30M	1.5G	1M	3M	RMS	945.81M	-57.64	-13.00	-44.64	-	-
1778.5MHz_RB 15,#RB 0	Pass	1.5G	1.704G	1M	3M	RMS	1.643G	-57.89	-13.00	-44.89	-	-
1778.5MHz_RB 15,#RB 0	Pass	1.704G	1.709G	30k	100k	RMS	1.7085G	-58.70	-13.00	-45.70	MBW 1M	-
1778.5MHz_RB 15,#RB 0	Pass	1.709G	1.71G	30k	100k	RMS	1.70997G	-73.31	-13.00	-60.31	-	-
1778.5MHz_RB 15,#RB 0	Pass	1.78G	1.781G	30k	100k	RMS	1.78G	-28.54	-13.00	-15.54	-	-
1778.5MHz_RB 15,#RB 0	Pass	1.781G	1.786G	30k	100k	RMS	1.7815G	-22.33	-13.00	-9.33	MBW 1M	-
1778.5MHz_RB 15,#RB 0	Pass	1.786G	5G	1M	3M	RMS	4.1515G	-53.30	-13.00	-40.30	-	-
1778.5MHz_RB 15,#RB 0	Pass	5G	17.8G	1M	3M	RMS	15.8416G	-44.94	-13.00	-31.94	-	-
1778.5MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	86.127k	-63.41	-13.00	-50.41	-	-
1778.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	299.25k	-61.42	-13.00	-48.42	-	-
1778.5MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	979.62M	-57.75	-13.00	-44.75	-	-
1778.5MHz_RB 1,#RB H	Pass	1.5G	1.704G	1M	3M	RMS	1.66891G	-57.76	-13.00	-44.76	-	-
1778.5MHz_RB 1,#RB H	Pass	1.704G	1.709G	30k	100k	RMS	1.7085G	-58.73	-13.00	-45.73	MBW 1M	-
1778.5MHz_RB 1,#RB H	Pass	1.709G	1.71G	30k	100k	RMS	1.70988G	-73.12	-13.00	-60.12	-	-
1778.5MHz_RB 1,#RB H	Pass	1.78G	1.781G	30k	100k	RMS	1.78G	-22.64	-13.00	-9.64	-	-
1778.5MHz_RB 1,#RB H	Pass	1.781G	1.786G	30k	100k	RMS	1.7825G	-35.56	-13.00	-22.56	MBW 1M	-
1778.5MHz_RB 1,#RB H	Pass	1.786G	5G	1M	3M	RMS	3.56013G	-53.10	-13.00	-40.10	-	-
1778.5MHz_RB 1,#RB H	Pass	5G	17.8G	1M	3M	RMS	15.7776G	-45.36	-13.00	-32.36	-	-
Band 66_LTE_3MHz_Nss1,16QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1711.5MHz_RB 15,#RB 0	Pass	9k	150k	1k	3k	RMS	31.842k	-75.92	-13.00	-62.92	-	-
1711.5MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-61.69	-13.00	-48.69	-	-
1711.5MHz_RB 15,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.03548G	-57.74	-13.00	-44.74	-	-
1711.5MHz_RB 15,#RB 0	Pass	1.5G	1.704G	1M	3M	RMS	1.704G	-51.88	-13.00	-38.88	-	-
1711.5MHz_RB 15,#RB 0	Pass	1.704G	1.709G	30k	100k	RMS	1.7085G	-35.39	-13.00	-22.39	MBW 1M	-
1711.5MHz_RB 15,#RB 0	Pass	1.709G	1.71G	30k	100k	RMS	1.71G	-33.46	-13.00	-20.46	-	-
1711.5MHz_RB 15,#RB 0	Pass	1.78G	1.781G	30k	100k	RMS	1.7806G	-72.88	-13.00	-59.88	-	-
1711.5MHz_RB 15,#RB 0	Pass	1.781G	1.786G	30k	100k	RMS	1.7815G	-58.27	-13.00	-45.27	MBW 1M	-
1711.5MHz_RB 15,#RB 0	Pass	1.786G	5G	1M	3M	RMS	3.42193G	-51.82	-13.00	-38.82	-	-
1711.5MHz_RB 15,#RB 0	Pass	5G	17.8G	1M	3M	RMS	15.816G	-45.16	-13.00	-32.16	-	-
1711.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	125.748k	-66.42	-13.00	-53.42	-	-
1711.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-61.40	-13.00	-48.40	-	-
1711.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	981.09M	-57.87	-13.00	-44.87	-	-
1711.5MHz_RB 1,#RB L	Pass	1.5G	1.704G	1M	3M	RMS	1.7038G	-55.99	-13.00	-42.99	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1711.5MHz_RB 1,#RB L	Pass	1.704G	1.709G	30k	100k	RMS	1.7085G	-39.11	-13.00	-26.11	MBW 1M	-
1711.5MHz_RB 1,#RB L	Pass	1.709G	1.71G	30k	100k	RMS	1.71G	-25.29	-13.00	-12.29	-	-
1711.5MHz_RB 1,#RB L	Pass	1.78G	1.781G	30k	100k	RMS	1.78062G	-72.90	-13.00	-59.90	-	-
1711.5MHz_RB 1,#RB L	Pass	1.781G	1.786G	30k	100k	RMS	1.7815G	-58.19	-13.00	-45.19	MBW 1M	-
1711.5MHz_RB 1,#RB L	Pass	1.786G	5G	1M	3M	RMS	3.42193G	-51.90	-13.00	-38.90	-	-
1711.5MHz_RB 1,#RB L	Pass	5G	17.8G	1M	3M	RMS	15.8032G	-45.24	-13.00	-32.24	-	-
1745MHz_RB 15,#RB 0	Pass	9k	150k	1k	3k	RMS	18.87k	-73.70	-13.00	-60.70	-	-
1745MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-62.10	-13.00	-49.10	-	-
1745MHz_RB 15,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.01637G	-57.82	-13.00	-44.82	-	-
1745MHz_RB 15,#RB 0	Pass	1.5G	1.704G	1M	3M	RMS	1.65198G	-57.68	-13.00	-44.68	-	-
1745MHz_RB 15,#RB 0	Pass	1.704G	1.709G	30k	100k	RMS	1.7085G	-58.71	-13.00	-45.71	MBW 1M	-
1745MHz_RB 15,#RB 0	Pass	1.709G	1.71G	30k	100k	RMS	1.70927G	-73.40	-13.00	-60.40	-	-
1745MHz_RB 15,#RB 0	Pass	1.78G	1.781G	30k	100k	RMS	1.7806G	-72.73	-13.00	-59.73	-	-
1745MHz_RB 15,#RB 0	Pass	1.781G	1.786G	30k	100k	RMS	1.7815G	-58.14	-13.00	-45.14	MBW 1M	-
1745MHz_RB 15,#RB 0	Pass	1.786G	5G	1M	3M	RMS	4.15793G	-53.17	-13.00	-40.17	-	-
1745MHz_RB 15,#RB 0	Pass	5G	17.8G	1M	3M	RMS	15.7904G	-45.22	-13.00	-32.22	-	-
1745MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	92.049k	-65.80	-13.00	-52.80	-	-
1745MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-61.36	-13.00	-48.36	-	-
1745MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	998.73M	-57.54	-13.00	-44.54	-	-
1745MHz_RB 1,#RB L	Pass	1.5G	1.704G	1M	3M	RMS	1.69604G	-57.64	-13.00	-44.64	-	-
1745MHz_RB 1,#RB L	Pass	1.704G	1.709G	30k	100k	RMS	1.7085G	-58.64	-13.00	-45.64	MBW 1M	-
1745MHz_RB 1,#RB L	Pass	1.709G	1.71G	30k	100k	RMS	1.70929G	-73.03	-13.00	-60.03	-	-
1745MHz_RB 1,#RB L	Pass	1.78G	1.781G	30k	100k	RMS	1.78009G	-72.61	-13.00	-59.61	-	-
1745MHz_RB 1,#RB L	Pass	1.781G	1.786G	30k	100k	RMS	1.7815G	-58.10	-13.00	-45.10	MBW 1M	-
1745MHz_RB 1,#RB L	Pass	1.786G	5G	1M	3M	RMS	4.13222G	-53.27	-13.00	-40.27	-	-
1745MHz_RB 1,#RB L	Pass	5G	17.8G	1M	3M	RMS	15.7776G	-45.30	-13.00	-32.30	-	-
1778.5MHz_RB 15,#RB 0	Pass	9k	150k	1k	3k	RMS	10.551k	-73.18	-13.00	-60.18	-	-
1778.5MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-61.33	-13.00	-48.33	-	-
1778.5MHz_RB 15,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.0002G	-57.79	-13.00	-44.79	-	-
1778.5MHz_RB 15,#RB 0	Pass	1.5G	1.704G	1M	3M	RMS	1.63954G	-57.64	-13.00	-44.64	-	-
1778.5MHz_RB 15,#RB 0	Pass	1.704G	1.709G	30k	100k	RMS	1.7075G	-58.73	-13.00	-45.73	MBW 1M	-
1778.5MHz_RB 15,#RB 0	Pass	1.709G	1.71G	30k	100k	RMS	1.70982G	-73.28	-13.00	-60.28	-	-
1778.5MHz_RB 15,#RB 0	Pass	1.78G	1.781G	30k	100k	RMS	1.78G	-29.74	-13.00	-16.74	-	-
1778.5MHz_RB 15,#RB 0	Pass	1.781G	1.786G	30k	100k	RMS	1.7815G	-23.91	-13.00	-10.91	MBW 1M	-
1778.5MHz_RB 15,#RB 0	Pass	1.786G	5G	1M	3M	RMS	1.78921G	-52.17	-13.00	-39.17	-	-
1778.5MHz_RB 15,#RB 0	Pass	5G	17.8G	1M	3M	RMS	15.8544G	-45.22	-13.00	-32.22	-	-
1778.5MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	61.734k	-65.33	-13.00	-52.33	-	-
1778.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	299.25k	-61.73	-13.00	-48.73	-	-
1778.5MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	906.12M	-57.71	-13.00	-44.71	-	-
1778.5MHz_RB 1,#RB H	Pass	1.5G	1.704G	1M	3M	RMS	1.63464G	-57.72	-13.00	-44.72	-	-
1778.5MHz_RB 1,#RB H	Pass	1.704G	1.709G	30k	100k	RMS	1.7085G	-58.65	-13.00	-45.65	MBW 1M	-
1778.5MHz_RB 1,#RB H	Pass	1.709G	1.71G	30k	100k	RMS	1.70974G	-73.41	-13.00	-60.41	-	-
1778.5MHz_RB 1,#RB H	Pass	1.78G	1.781G	30k	100k	RMS	1.78G	-24.63	-13.00	-11.63	-	-
1778.5MHz_RB 1,#RB H	Pass	1.781G	1.786G	30k	100k	RMS	1.7815G	-38.20	-13.00	-25.20	MBW 1M	-
1778.5MHz_RB 1,#RB H	Pass	1.786G	5G	1M	3M	RMS	4.13865G	-53.16	-13.00	-40.16	-	-
1778.5MHz_RB 1,#RB H	Pass	5G	17.8G	1M	3M	RMS	15.7904G	-45.01	-13.00	-32.01	-	-
Band 66_LTE_3MHz_Nss1,64QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1711.5MHz_RB 15,#RB 0	Pass	9k	150k	1k	3k	RMS	56.235k	-74.24	-13.00	-61.24	-	-
1711.5MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-61.32	-13.00	-48.32	-	-
1711.5MHz_RB 15,#RB 0	Pass	30M	1.5G	1M	3M	RMS	942.87M	-57.84	-13.00	-44.84	-	-
1711.5MHz_RB 15,#RB 0	Pass	1.5G	1.704G	1M	3M	RMS	1.70359G	-51.08	-13.00	-38.08	-	-
1711.5MHz_RB 15,#RB 0	Pass	1.704G	1.709G	30k	100k	RMS	1.7085G	-34.85	-13.00	-21.85	MBW 1M	-
1711.5MHz_RB 15,#RB 0	Pass	1.709G	1.71G	30k	100k	RMS	1.71G	-31.34	-13.00	-18.34	-	-
1711.5MHz_RB 15,#RB 0	Pass	1.78G	1.781G	30k	100k	RMS	1.78001G	-72.59	-13.00	-59.59	-	-
1711.5MHz_RB 15,#RB 0	Pass	1.781G	1.786G	30k	100k	RMS	1.7815G	-58.13	-13.00	-45.13	MBW 1M	-
1711.5MHz_RB 15,#RB 0	Pass	1.786G	5G	1M	3M	RMS	2.4063G	-50.49	-13.00	-37.49	-	-
1711.5MHz_RB 15,#RB 0	Pass	5G	17.8G	1M	3M	RMS	15.88G	-45.25	-13.00	-32.25	-	-
1711.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	63.708k	-63.84	-13.00	-50.84	-	-
1711.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-60.51	-13.00	-47.51	-	-
1711.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.15014G	-57.85	-13.00	-44.85	-	-
1711.5MHz_RB 1,#RB L	Pass	1.5G	1.704G	1M	3M	RMS	1.704G	-55.72	-13.00	-42.72	-	-
1711.5MHz_RB 1,#RB L	Pass	1.704G	1.709G	30k	100k	RMS	1.7085G	-38.23	-13.00	-25.23	MBW 1M	-
1711.5MHz_RB 1,#RB L	Pass	1.709G	1.71G	30k	100k	RMS	1.71G	-25.63	-13.00	-12.63	-	-
1711.5MHz_RB 1,#RB L	Pass	1.78G	1.781G	30k	100k	RMS	1.78089G	-72.80	-13.00	-59.80	-	-
1711.5MHz_RB 1,#RB L	Pass	1.781G	1.786G	30k	100k	RMS	1.7815G	-58.16	-13.00	-45.16	MBW 1M	-
1711.5MHz_RB 1,#RB L	Pass	1.786G	5G	1M	3M	RMS	3.42193G	-51.32	-13.00	-38.32	-	-
1711.5MHz_RB 1,#RB L	Pass	5G	17.8G	1M	3M	RMS	15.8416G	-44.98	-13.00	-31.98	-	-
1745MHz_RB 15,#RB 0	Pass	9k	150k	1k	3k	RMS	69.912k	-74.83	-13.00	-61.83	-	-
1745MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-62.70	-13.00	-49.70	-	-
1745MHz_RB 15,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.04577G	-57.81	-13.00	-44.81	-	-



CSE-TX-Sum-UE

Appendix D

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1745MHz_RB 15,#RB 0	Pass	1.5G	1.704G	1M	3M	RMS	1.66075G	-57.80	-13.00	-44.80	-	-
1745MHz_RB 15,#RB 0	Pass	1.704G	1.709G	30k	100k	RMS	1.7085G	-58.64	-13.00	-45.64	MBW 1M	-
1745MHz_RB 15,#RB 0	Pass	1.709G	1.71G	30k	100k	RMS	1.70979G	-73.27	-13.00	-60.27	-	-
1745MHz_RB 15,#RB 0	Pass	1.78G	1.781G	30k	100k	RMS	1.78035G	-72.56	-13.00	-59.56	-	-
1745MHz_RB 15,#RB 0	Pass	1.781G	1.786G	30k	100k	RMS	1.7815G	-58.08	-13.00	-45.08	MBW 1M	-
1745MHz_RB 15,#RB 0	Pass	1.786G	5G	1M	3M	RMS	4.89394G	-53.10	-13.00	-40.10	-	-
1745MHz_RB 15,#RB 0	Pass	5G	17.8G	1M	3M	RMS	15.8032G	-45.12	-13.00	-32.12	-	-
1745MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	107.841k	-66.12	-13.00	-53.12	-	-
1745MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-61.14	-13.00	-48.14	-	-
1745MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	966.39M	-57.56	-13.00	-44.56	-	-
1745MHz_RB 1,#RB L	Pass	1.5G	1.704G	1M	3M	RMS	1.64729G	-57.65	-13.00	-44.65	-	-
1745MHz_RB 1,#RB L	Pass	1.704G	1.709G	30k	100k	RMS	1.7085G	-58.57	-13.00	-45.57	MBW 1M	-
1745MHz_RB 1,#RB L	Pass	1.709G	1.71G	30k	100k	RMS	1.7093G	-72.93	-13.00	-59.93	-	-
1745MHz_RB 1,#RB L	Pass	1.78G	1.781G	30k	100k	RMS	1.78022G	-72.57	-13.00	-59.57	-	-
1745MHz_RB 1,#RB L	Pass	1.781G	1.786G	30k	100k	RMS	1.7815G	-58.02	-13.00	-45.02	MBW 1M	-
1745MHz_RB 1,#RB L	Pass	1.786G	5G	1M	3M	RMS	4.90679G	-53.08	-13.00	-40.08	-	-
1745MHz_RB 1,#RB L	Pass	5G	17.8G	1M	3M	RMS	17.6208G	-45.15	-13.00	-32.15	-	-
1778.5MHz_RB 15,#RB 0	Pass	9k	150k	1k	3k	RMS	13.512k	-75.85	-13.00	-62.85	-	-
1778.5MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-63.92	-13.00	-50.92	-	-
1778.5MHz_RB 15,#RB 0	Pass	30M	1.5G	1M	3M	RMS	950.22M	-57.77	-13.00	-44.77	-	-
1778.5MHz_RB 15,#RB 0	Pass	1.5G	1.704G	1M	3M	RMS	1.62852G	-57.85	-13.00	-44.85	-	-
1778.5MHz_RB 15,#RB 0	Pass	1.704G	1.709G	30k	100k	RMS	1.7075G	-58.63	-13.00	-45.63	MBW 1M	-
1778.5MHz_RB 15,#RB 0	Pass	1.709G	1.71G	30k	100k	RMS	1.70935G	-73.28	-13.00	-60.28	-	-
1778.5MHz_RB 15,#RB 0	Pass	1.78G	1.781G	30k	100k	RMS	1.78G	-30.90	-13.00	-17.90	-	-
1778.5MHz_RB 15,#RB 0	Pass	1.781G	1.786G	30k	100k	RMS	1.7815G	-24.36	-13.00	-11.36	MBW 1M	-
1778.5MHz_RB 15,#RB 0	Pass	1.786G	5G	1M	3M	RMS	4.14508G	-53.24	-13.00	-40.24	-	-
1778.5MHz_RB 15,#RB 0	Pass	5G	17.8G	1M	3M	RMS	15.8544G	-45.21	-13.00	-32.21	-	-
1778.5MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	56.376k	-66.75	-13.00	-53.75	-	-
1778.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	299.25k	-61.44	-13.00	-48.44	-	-
1778.5MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	1.01049G	-57.64	-13.00	-44.64	-	-
1778.5MHz_RB 1,#RB H	Pass	1.5G	1.704G	1M	3M	RMS	1.63178G	-57.67	-13.00	-44.67	-	-
1778.5MHz_RB 1,#RB H	Pass	1.704G	1.709G	30k	100k	RMS	1.7075G	-58.77	-13.00	-45.77	MBW 1M	-
1778.5MHz_RB 1,#RB H	Pass	1.709G	1.71G	30k	100k	RMS	1.70971G	-73.27	-13.00	-60.27	-	-
1778.5MHz_RB 1,#RB H	Pass	1.78G	1.781G	30k	100k	RMS	1.78G	-25.51	-13.00	-12.51	-	-
1778.5MHz_RB 1,#RB H	Pass	1.781G	1.786G	30k	100k	RMS	1.7825G	-37.01	-13.00	-24.01	MBW 1M	-
1778.5MHz_RB 1,#RB H	Pass	1.786G	5G	1M	3M	RMS	3.56013G	-52.62	-13.00	-39.62	-	-
1778.5MHz_RB 1,#RB H	Pass	5G	17.8G	1M	3M	RMS	15.8032G	-44.80	-13.00	-31.80	-	-
Band 66_LTE_5MHz_Nss1_QPSK_TTX	-	-	-	-	-	-	-	-	-	-	-	-
1712.5MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	13.371k	-76.28	-13.00	-63.28	-	-
1712.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-61.46	-13.00	-48.46	-	-
1712.5MHz_RB 25,#RB 0	Pass	30M	1.5G	1M	3M	RMS	954.63M	-57.80	-13.00	-44.80	-	-
1712.5MHz_RB 25,#RB 0	Pass	1.5G	1.7G	1M	3M	RMS	1.6994G	-53.06	-13.00	-40.06	-	-
1712.5MHz_RB 25,#RB 0	Pass	1.7G	1.709G	50k	200k	RMS	1.7085G	-34.95	-13.00	-21.95	MBW 1M	-
1712.5MHz_RB 25,#RB 0	Pass	1.709G	1.71G	50k	200k	RMS	1.71G	-32.76	-13.00	-19.76	-	-
1712.5MHz_RB 25,#RB 0	Pass	1.78G	1.781G	50k	200k	RMS	1.78082G	-70.88	-13.00	-57.88	-	-
1712.5MHz_RB 25,#RB 0	Pass	1.781G	1.79G	50k	200k	RMS	1.7815G	-58.20	-13.00	-45.20	MBW 1M	-
1712.5MHz_RB 25,#RB 0	Pass	1.79G	5G	1M	3M	RMS	3.42389G	-51.41	-13.00	-38.41	-	-
1712.5MHz_RB 25,#RB 0	Pass	5G	17.8G	1M	3M	RMS	15.8544G	-45.14	-13.00	-32.14	-	-
1712.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	90.78k	-64.94	-13.00	-51.94	-	-
1712.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-60.71	-13.00	-47.71	-	-
1712.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.01931G	-57.58	-13.00	-44.58	-	-
1712.5MHz_RB 1,#RB L	Pass	1.5G	1.7G	1M	3M	RMS	1.7G	-57.75	-13.00	-44.75	-	-
1712.5MHz_RB 1,#RB L	Pass	1.7G	1.709G	50k	200k	RMS	1.7085G	-37.63	-13.00	-24.63	MBW 1M	-
1712.5MHz_RB 1,#RB L	Pass	1.709G	1.71G	50k	200k	RMS	1.71G	-25.46	-13.00	-12.46	-	-
1712.5MHz_RB 1,#RB L	Pass	1.78G	1.781G	50k	200k	RMS	1.78003G	-70.84	-13.00	-57.84	-	-
1712.5MHz_RB 1,#RB L	Pass	1.781G	1.79G	50k	200k	RMS	1.7845G	-58.18	-13.00	-45.18	MBW 1M	-
1712.5MHz_RB 1,#RB L	Pass	1.79G	5G	1M	3M	RMS	3.42068G	-48.64	-13.00	-35.64	-	-
1712.5MHz_RB 1,#RB L	Pass	5G	17.8G	1M	3M	RMS	15.8416G	-45.01	-13.00	-32.01	-	-
1745MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	11.961k	-74.24	-13.00	-61.24	-	-
1745MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-60.47	-13.00	-47.47	-	-
1745MHz_RB 25,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.06341G	-57.60	-13.00	-44.60	-	-
1745MHz_RB 25,#RB 0	Pass	1.5G	1.7G	1M	3M	RMS	1.6584G	-57.89	-13.00	-44.89	-	-
1745MHz_RB 25,#RB 0	Pass	1.7G	1.709G	50k	200k	RMS	1.7085G	-58.53	-13.00	-45.53	MBW 1M	-
1745MHz_RB 25,#RB 0	Pass	1.709G	1.71G	50k	200k	RMS	1.70984G	-71.27	-13.00	-58.27	-	-
1745MHz_RB 25,#RB 0	Pass	1.78G	1.781G	50k	200k	RMS	1.78078G	-70.80	-13.00	-57.80	-	-
1745MHz_RB 25,#RB 0	Pass	1.781G	1.79G	50k	200k	RMS	1.7815G	-58.12	-13.00	-45.12	MBW 1M	-
1745MHz_RB 25,#RB 0	Pass	1.79G	5G	1M	3M	RMS	4.13651G	-53.31	-13.00	-40.31	-	-
1745MHz_RB 25,#RB 0	Pass	5G	17.8G	1M	3M	RMS	15.816G	-45.29	-13.00	-32.29	-	-
1745MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	72.168k	-64.83	-13.00	-51.83	-	-
1745MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-61.22	-13.00	-48.22	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1745MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.00461G	-57.70	-13.00	-44.70	-	-
1745MHz_RB 1,#RB L	Pass	1.5G	1.7G	1M	3M	RMS	1.6302G	-57.83	-13.00	-44.83	-	-
1745MHz_RB 1,#RB L	Pass	1.7G	1.709G	50k	200k	RMS	1.7085G	-58.51	-13.00	-45.51	MBW 1M	-
1745MHz_RB 1,#RB L	Pass	1.709G	1.71G	50k	200k	RMS	1.70948G	-71.23	-13.00	-58.23	-	-
1745MHz_RB 1,#RB L	Pass	1.78G	1.781G	50k	200k	RMS	1.78079G	-70.63	-13.00	-57.63	-	-
1745MHz_RB 1,#RB L	Pass	1.781G	1.79G	50k	200k	RMS	1.7815G	-58.10	-13.00	-45.10	MBW 1M	-
1745MHz_RB 1,#RB L	Pass	1.79G	5G	1M	3M	RMS	4.14614G	-53.06	-13.00	-40.06	-	-
1745MHz_RB 1,#RB L	Pass	5G	17.8G	1M	3M	RMS	15.8416G	-45.31	-13.00	-32.31	-	-
1777.5MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	10.692k	-74.65	-13.00	-61.65	-	-
1777.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-60.96	-13.00	-47.96	-	-
1777.5MHz_RB 25,#RB 0	Pass	30M	1.5G	1M	3M	RMS	929.64M	-57.68	-13.00	-44.68	-	-
1777.5MHz_RB 25,#RB 0	Pass	1.5G	1.7G	1M	3M	RMS	1.6396G	-57.69	-13.00	-44.69	-	-
1777.5MHz_RB 25,#RB 0	Pass	1.7G	1.709G	50k	200k	RMS	1.7025G	-58.65	-13.00	-45.65	MBW 1M	-
1777.5MHz_RB 25,#RB 0	Pass	1.709G	1.71G	50k	200k	RMS	1.70962G	-71.34	-13.00	-58.34	-	-
1777.5MHz_RB 25,#RB 0	Pass	1.78G	1.781G	50k	200k	RMS	1.78G	-29.19	-13.00	-16.19	-	-
1777.5MHz_RB 25,#RB 0	Pass	1.781G	1.79G	50k	200k	RMS	1.7815G	-22.67	-13.00	-9.67	MBW 1M	-
1777.5MHz_RB 25,#RB 0	Pass	1.79G	5G	1M	3M	RMS	4.14614G	-53.14	-13.00	-40.14	-	-
1777.5MHz_RB 25,#RB 0	Pass	5G	17.8G	1M	3M	RMS	15.8544G	-45.08	-13.00	-32.08	-	-
1777.5MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	79.641k	-63.92	-13.00	-50.92	-	-
1777.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	299.25k	-60.50	-13.00	-47.50	-	-
1777.5MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	961.98M	-57.42	-13.00	-44.42	-	-
1777.5MHz_RB 1,#RB H	Pass	1.5G	1.7G	1M	3M	RMS	1.643G	-57.81	-13.00	-44.81	-	-
1777.5MHz_RB 1,#RB H	Pass	1.7G	1.709G	50k	200k	RMS	1.7085G	-58.56	-13.00	-45.56	MBW 1M	-
1777.5MHz_RB 1,#RB H	Pass	1.709G	1.71G	50k	200k	RMS	1.70918G	-71.23	-13.00	-58.23	-	-
1777.5MHz_RB 1,#RB H	Pass	1.78G	1.781G	50k	200k	RMS	1.78G	-25.28	-13.00	-12.28	-	-
1777.5MHz_RB 1,#RB H	Pass	1.781G	1.79G	50k	200k	RMS	1.7815G	-35.64	-13.00	-22.64	MBW 1M	-
1777.5MHz_RB 1,#RB H	Pass	1.79G	5G	1M	3M	RMS	4.88765G	-53.07	-13.00	-40.07	-	-
1777.5MHz_RB 1,#RB H	Pass	5G	17.8G	1M	3M	RMS	15.8672G	-45.28	-13.00	-32.28	-	-
Band 66_LTE_5MHz_Nss1,16QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1712.5MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	30.009k	-74.68	-13.00	-61.68	-	-
1712.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-61.14	-13.00	-48.14	-	-
1712.5MHz_RB 25,#RB 0	Pass	30M	1.5G	1M	3M	RMS	969.33M	-57.87	-13.00	-44.87	-	-
1712.5MHz_RB 25,#RB 0	Pass	1.5G	1.7G	1M	3M	RMS	1.7G	-53.58	-13.00	-40.58	-	-
1712.5MHz_RB 25,#RB 0	Pass	1.7G	1.709G	50k	200k	RMS	1.7085G	-36.15	-13.00	-23.15	MBW 1M	-
1712.5MHz_RB 25,#RB 0	Pass	1.709G	1.71G	50k	200k	RMS	1.71G	-34.20	-13.00	-21.20	-	-
1712.5MHz_RB 25,#RB 0	Pass	1.78G	1.781G	50k	200k	RMS	1.78058G	-70.77	-13.00	-57.77	-	-
1712.5MHz_RB 25,#RB 0	Pass	1.781G	1.79G	50k	200k	RMS	1.7895G	-58.21	-13.00	-45.21	MBW 1M	-
1712.5MHz_RB 25,#RB 0	Pass	1.79G	5G	1M	3M	RMS	3.4271G	-52.38	-13.00	-39.38	-	-
1712.5MHz_RB 25,#RB 0	Pass	5G	17.8G	1M	3M	RMS	15.7904G	-44.88	-13.00	-31.88	-	-
1712.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	46.083k	-67.12	-13.00	-54.12	-	-
1712.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-61.97	-13.00	-48.97	-	-
1712.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	973.74M	-57.65	-13.00	-44.65	-	-
1712.5MHz_RB 1,#RB L	Pass	1.5G	1.7G	1M	3M	RMS	1.6998G	-57.60	-13.00	-44.60	-	-
1712.5MHz_RB 1,#RB L	Pass	1.7G	1.709G	50k	200k	RMS	1.7085G	-38.97	-13.00	-25.97	MBW 1M	-
1712.5MHz_RB 1,#RB L	Pass	1.709G	1.71G	50k	200k	RMS	1.71G	-26.44	-13.00	-13.44	-	-
1712.5MHz_RB 1,#RB L	Pass	1.78G	1.781G	50k	200k	RMS	1.78008G	-70.86	-13.00	-57.86	-	-
1712.5MHz_RB 1,#RB L	Pass	1.781G	1.79G	50k	200k	RMS	1.7895G	-58.17	-13.00	-45.17	MBW 1M	-
1712.5MHz_RB 1,#RB L	Pass	1.79G	5G	1M	3M	RMS	3.42068G	-49.82	-13.00	-36.82	-	-
1712.5MHz_RB 1,#RB L	Pass	5G	17.8G	1M	3M	RMS	15.8416G	-45.28	-13.00	-32.28	-	-
1745MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	14.64k	-75.28	-13.00	-62.28	-	-
1745MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-62.00	-13.00	-49.00	-	-
1745MHz_RB 25,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.00902G	-57.67	-13.00	-44.67	-	-
1745MHz_RB 25,#RB 0	Pass	1.5G	1.7G	1M	3M	RMS	1.6262G	-57.71	-13.00	-44.71	-	-
1745MHz_RB 25,#RB 0	Pass	1.7G	1.709G	50k	200k	RMS	1.7085G	-58.69	-13.00	-45.69	MBW 1M	-
1745MHz_RB 25,#RB 0	Pass	1.709G	1.71G	50k	200k	RMS	1.70981G	-71.27	-13.00	-58.27	-	-
1745MHz_RB 25,#RB 0	Pass	1.78G	1.781G	50k	200k	RMS	1.78089G	-70.80	-13.00	-57.80	-	-
1745MHz_RB 25,#RB 0	Pass	1.781G	1.79G	50k	200k	RMS	1.7815G	-58.07	-13.00	-45.07	MBW 1M	-
1745MHz_RB 25,#RB 0	Pass	1.79G	5G	1M	3M	RMS	4.27454G	-53.28	-13.00	-40.28	-	-
1745MHz_RB 25,#RB 0	Pass	5G	17.8G	1M	3M	RMS	15.8544G	-45.33	-13.00	-32.33	-	-
1745MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	84.435k	-64.62	-13.00	-51.62	-	-
1745MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-61.44	-13.00	-48.44	-	-
1745MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.0443G	-57.92	-13.00	-44.92	-	-
1745MHz_RB 1,#RB L	Pass	1.5G	1.7G	1M	3M	RMS	1.6484G	-57.71	-13.00	-44.71	-	-
1745MHz_RB 1,#RB L	Pass	1.7G	1.709G	50k	200k	RMS	1.7085G	-58.68	-13.00	-45.68	MBW 1M	-
1745MHz_RB 1,#RB L	Pass	1.709G	1.71G	50k	200k	RMS	1.70966G	-71.21	-13.00	-58.21	-	-
1745MHz_RB 1,#RB L	Pass	1.78G	1.781G	50k	200k	RMS	1.78059G	-70.75	-13.00	-57.75	-	-
1745MHz_RB 1,#RB L	Pass	1.781G	1.79G	50k	200k	RMS	1.7895G	-58.14	-13.00	-45.14	MBW 1M	-
1745MHz_RB 1,#RB L	Pass	1.79G	5G	1M	3M	RMS	4.87802G	-53.17	-13.00	-40.17	-	-
1745MHz_RB 1,#RB L	Pass	5G	17.8G	1M	3M	RMS	15.7904G	-45.30	-13.00	-32.30	-	-
1777.5MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	19.998k	-73.77	-13.00	-60.77	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1777.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-61.72	-13.00	-48.72	-	-
1777.5MHz_RB 25,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.10898G	-57.76	-13.00	-44.76	-	-
1777.5MHz_RB 25,#RB 0	Pass	1.5G	1.7G	1M	3M	RMS	1.6602G	-57.74	-13.00	-44.74	-	-
1777.5MHz_RB 25,#RB 0	Pass	1.7G	1.709G	50k	200k	RMS	1.7085G	-58.69	-13.00	-45.69	MBW 1M	-
1777.5MHz_RB 25,#RB 0	Pass	1.709G	1.71G	50k	200k	RMS	1.70944G	-71.21	-13.00	-58.21	-	-
1777.5MHz_RB 25,#RB 0	Pass	1.78G	1.781G	50k	200k	RMS	1.78G	-31.30	-13.00	-18.30	-	-
1777.5MHz_RB 25,#RB 0	Pass	1.781G	1.79G	50k	200k	RMS	1.7815G	-25.10	-13.00	-12.10	MBW 1M	-
1777.5MHz_RB 25,#RB 0	Pass	1.79G	5G	1M	3M	RMS	4.90049G	-52.89	-13.00	-39.89	-	-
1777.5MHz_RB 25,#RB 0	Pass	5G	17.8G	1M	3M	RMS	15.8544G	-45.23	-13.00	-32.23	-	-
1777.5MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	77.526k	-67.92	-13.00	-54.92	-	-
1777.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	299.25k	-61.06	-13.00	-48.06	-	-
1777.5MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	945.81M	-57.62	-13.00	-44.62	-	-
1777.5MHz_RB 1,#RB H	Pass	1.5G	1.7G	1M	3M	RMS	1.6306G	-57.86	-13.00	-44.86	-	-
1777.5MHz_RB 1,#RB H	Pass	1.7G	1.709G	50k	200k	RMS	1.7085G	-58.68	-13.00	-45.68	MBW 1M	-
1777.5MHz_RB 1,#RB H	Pass	1.709G	1.71G	50k	200k	RMS	1.70994G	-71.15	-13.00	-58.15	-	-
1777.5MHz_RB 1,#RB H	Pass	1.78G	1.781G	50k	200k	RMS	1.78G	-26.74	-13.00	-13.74	-	-
1777.5MHz_RB 1,#RB H	Pass	1.781G	1.79G	50k	200k	RMS	1.7815G	-37.00	-13.00	-24.00	MBW 1M	-
1777.5MHz_RB 1,#RB H	Pass	1.79G	5G	1M	3M	RMS	4.30343G	-53.12	-13.00	-40.12	-	-
1777.5MHz_RB 1,#RB H	Pass	5G	17.8G	1M	3M	RMS	15.8672G	-45.32	-13.00	-32.32	-	-
Band 66_LTE_5MHz_Nss1_64QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1712.5MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	19.152k	-76.13	-13.00	-63.13	-	-
1712.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-60.94	-13.00	-47.94	-	-
1712.5MHz_RB 25,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.03401G	-57.52	-13.00	-44.52	-	-
1712.5MHz_RB 25,#RB 0	Pass	1.5G	1.7G	1M	3M	RMS	1.6998G	-53.77	-13.00	-40.77	-	-
1712.5MHz_RB 25,#RB 0	Pass	1.7G	1.709G	50k	200k	RMS	1.7085G	-36.44	-13.00	-23.44	MBW 1M	-
1712.5MHz_RB 25,#RB 0	Pass	1.709G	1.71G	50k	200k	RMS	1.71G	-33.75	-13.00	-20.75	-	-
1712.5MHz_RB 25,#RB 0	Pass	1.78G	1.781G	50k	200k	RMS	1.78009G	-71.05	-13.00	-58.05	-	-
1712.5MHz_RB 25,#RB 0	Pass	1.781G	1.79G	50k	200k	RMS	1.7815G	-57.98	-13.00	-44.98	MBW 1M	-
1712.5MHz_RB 25,#RB 0	Pass	1.79G	5G	1M	3M	RMS	3.42389G	-52.04	-13.00	-39.04	-	-
1712.5MHz_RB 25,#RB 0	Pass	5G	17.8G	1M	3M	RMS	15.8672G	-45.25	-13.00	-32.25	-	-
1712.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	91.062k	-61.77	-13.00	-48.77	-	-
1712.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-60.34	-13.00	-47.34	-	-
1712.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	939.93M	-57.83	-13.00	-44.83	-	-
1712.5MHz_RB 1,#RB L	Pass	1.5G	1.7G	1M	3M	RMS	1.7G	-57.51	-13.00	-44.51	-	-
1712.5MHz_RB 1,#RB L	Pass	1.7G	1.709G	50k	200k	RMS	1.7085G	-37.78	-13.00	-24.78	MBW 1M	-
1712.5MHz_RB 1,#RB L	Pass	1.709G	1.71G	50k	200k	RMS	1.71G	-25.13	-13.00	-12.13	-	-
1712.5MHz_RB 1,#RB L	Pass	1.78G	1.781G	50k	200k	RMS	1.7809G	-70.79	-13.00	-57.79	-	-
1712.5MHz_RB 1,#RB L	Pass	1.781G	1.79G	50k	200k	RMS	1.7815G	-58.14	-13.00	-45.14	MBW 1M	-
1712.5MHz_RB 1,#RB L	Pass	1.79G	5G	1M	3M	RMS	3.42068G	-49.04	-13.00	-36.04	-	-
1712.5MHz_RB 1,#RB L	Pass	5G	17.8G	1M	3M	RMS	15.8416G	-45.31	-13.00	-32.31	-	-
1745MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	13.935k	-74.15	-13.00	-61.15	-	-
1745MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-61.41	-13.00	-48.41	-	-
1745MHz_RB 25,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.03842G	-57.68	-13.00	-44.68	-	-
1745MHz_RB 25,#RB 0	Pass	1.5G	1.7G	1M	3M	RMS	1.6988G	-57.87	-13.00	-44.87	-	-
1745MHz_RB 25,#RB 0	Pass	1.7G	1.709G	50k	200k	RMS	1.7045G	-58.65	-13.00	-45.65	MBW 1M	-
1745MHz_RB 25,#RB 0	Pass	1.709G	1.71G	50k	200k	RMS	1.70917G	-71.11	-13.00	-58.11	-	-
1745MHz_RB 25,#RB 0	Pass	1.78G	1.781G	50k	200k	RMS	1.78017G	-70.65	-13.00	-57.65	-	-
1745MHz_RB 25,#RB 0	Pass	1.781G	1.79G	50k	200k	RMS	1.7815G	-58.03	-13.00	-45.03	MBW 1M	-
1745MHz_RB 25,#RB 0	Pass	1.79G	5G	1M	3M	RMS	4.30985G	-53.27	-13.00	-40.27	-	-
1745MHz_RB 25,#RB 0	Pass	5G	17.8G	1M	3M	RMS	15.8416G	-45.22	-13.00	-32.22	-	-
1745MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	98.535k	-64.79	-13.00	-51.79	-	-
1745MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-61.87	-13.00	-48.87	-	-
1745MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	953.16M	-57.65	-13.00	-44.65	-	-
1745MHz_RB 1,#RB L	Pass	1.5G	1.7G	1M	3M	RMS	1.6768G	-57.74	-13.00	-44.74	-	-
1745MHz_RB 1,#RB L	Pass	1.7G	1.709G	50k	200k	RMS	1.7085G	-58.55	-13.00	-45.55	MBW 1M	-
1745MHz_RB 1,#RB L	Pass	1.709G	1.71G	50k	200k	RMS	1.70936G	-71.19	-13.00	-58.19	-	-
1745MHz_RB 1,#RB L	Pass	1.78G	1.781G	50k	200k	RMS	1.78079G	-70.77	-13.00	-57.77	-	-
1745MHz_RB 1,#RB L	Pass	1.781G	1.79G	50k	200k	RMS	1.7815G	-58.11	-13.00	-45.11	MBW 1M	-
1745MHz_RB 1,#RB L	Pass	1.79G	5G	1M	3M	RMS	4.88444G	-53.04	-13.00	-40.04	-	-
1745MHz_RB 1,#RB L	Pass	5G	17.8G	1M	3M	RMS	15.8544G	-45.14	-13.00	-32.14	-	-
1777.5MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	14.217k	-74.09	-13.00	-61.09	-	-
1777.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-61.34	-13.00	-48.34	-	-
1777.5MHz_RB 25,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.02225G	-57.52	-13.00	-44.52	-	-
1777.5MHz_RB 25,#RB 0	Pass	1.5G	1.7G	1M	3M	RMS	1.6888G	-57.77	-13.00	-44.77	-	-
1777.5MHz_RB 25,#RB 0	Pass	1.7G	1.709G	50k	200k	RMS	1.7085G	-58.64	-13.00	-45.64	MBW 1M	-
1777.5MHz_RB 25,#RB 0	Pass	1.709G	1.71G	50k	200k	RMS	1.7095G	-71.12	-13.00	-58.12	-	-
1777.5MHz_RB 25,#RB 0	Pass	1.78G	1.781G	50k	200k	RMS	1.78G	-31.50	-13.00	-18.50	-	-
1777.5MHz_RB 25,#RB 0	Pass	1.781G	1.79G	50k	200k	RMS	1.7815G	-24.91	-13.00	-11.91	MBW 1M	-
1777.5MHz_RB 25,#RB 0	Pass	1.79G	5G	1M	3M	RMS	4.13972G	-53.07	-13.00	-40.07	-	-
1777.5MHz_RB 25,#RB 0	Pass	5G	17.8G	1M	3M	RMS	15.8416G	-45.08	-13.00	-32.08	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1777.5MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	73.155k	-68.19	-13.00	-55.19	-	-
1777.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	299.25k	-60.85	-13.00	-47.85	-	-
1777.5MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	1.01049G	-57.78	-13.00	-44.78	-	-
1777.5MHz_RB 1,#RB H	Pass	1.5G	1.7G	1M	3M	RMS	1.665G	-57.87	-13.00	-44.87	-	-
1777.5MHz_RB 1,#RB H	Pass	1.7G	1.709G	50k	200k	RMS	1.7085G	-58.63	-13.00	-45.63	MBW 1M	-
1777.5MHz_RB 1,#RB H	Pass	1.709G	1.71G	50k	200k	RMS	1.70933G	-71.29	-13.00	-58.29	-	-
1777.5MHz_RB 1,#RB H	Pass	1.78G	1.781G	50k	200k	RMS	1.78G	-27.28	-13.00	-14.28	-	-
1777.5MHz_RB 1,#RB H	Pass	1.781G	1.79G	50k	200k	RMS	1.7815G	-37.45	-13.00	-24.45	MBW 1M	-
1777.5MHz_RB 1,#RB H	Pass	1.79G	5G	1M	3M	RMS	4.86839G	-53.22	-13.00	-40.22	-	-
1777.5MHz_RB 1,#RB H	Pass	5G	17.8G	1M	3M	RMS	15.7904G	-45.20	-13.00	-32.20	-	-
Band 66_LTE_10MHz_Nss1_QPSK_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1715MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	9.564k	-73.98	-13.00	-60.98	-	-
1715MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-61.42	-13.00	-48.42	-	-
1715MHz_RB 50,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.13544G	-57.73	-13.00	-44.73	-	-
1715MHz_RB 50,#RB 0	Pass	1.5G	1.69G	1M	3M	RMS	1.63756G	-57.64	-13.00	-44.64	-	-
1715MHz_RB 50,#RB 0	Pass	1.69G	1.709G	100k	300k	RMS	1.7085G	-36.10	-13.00	-23.10	MBW 1M	-
1715MHz_RB 50,#RB 0	Pass	1.709G	1.71G	100k	300k	RMS	1.71G	-35.48	-13.00	-22.48	-	-
1715MHz_RB 50,#RB 0	Pass	1.78G	1.781G	100k	300k	RMS	1.78014G	-68.18	-13.00	-55.18	-	-
1715MHz_RB 50,#RB 0	Pass	1.781G	1.8G	100k	300k	RMS	1.7885G	-56.89	-13.00	-43.89	MBW 1M	-
1715MHz_RB 50,#RB 0	Pass	1.8G	5G	1M	3M	RMS	3.4288G	-52.68	-13.00	-39.68	-	-
1715MHz_RB 50,#RB 0	Pass	5G	17.8G	1M	3M	RMS	15.8288G	-45.21	-13.00	-32.21	-	-
1715MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	106.29k	-65.59	-13.00	-52.59	-	-
1715MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-60.32	-13.00	-47.32	-	-
1715MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.01784G	-57.70	-13.00	-44.70	-	-
1715MHz_RB 1,#RB L	Pass	1.5G	1.69G	1M	3M	RMS	1.65238G	-57.58	-13.00	-44.58	-	-
1715MHz_RB 1,#RB L	Pass	1.69G	1.709G	100k	300k	RMS	1.7085G	-39.44	-13.00	-26.44	MBW 1M	-
1715MHz_RB 1,#RB L	Pass	1.709G	1.71G	100k	300k	RMS	1.71G	-35.12	-13.00	-22.12	-	-
1715MHz_RB 1,#RB L	Pass	1.78G	1.781G	100k	300k	RMS	1.78036G	-68.07	-13.00	-55.07	-	-
1715MHz_RB 1,#RB L	Pass	1.781G	1.8G	100k	300k	RMS	1.7885G	-56.82	-13.00	-43.82	MBW 1M	-
1715MHz_RB 1,#RB L	Pass	1.8G	5G	1M	3M	RMS	3.4224G	-49.31	-13.00	-36.31	-	-
1715MHz_RB 1,#RB L	Pass	5G	17.8G	1M	3M	RMS	15.8032G	-45.19	-13.00	-32.19	-	-
1745MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	100.932k	-76.60	-13.00	-63.60	-	-
1745MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-61.47	-13.00	-48.47	-	-
1745MHz_RB 50,#RB 0	Pass	30M	1.5G	1M	3M	RMS	954.63M	-57.59	-13.00	-44.59	-	-
1745MHz_RB 50,#RB 0	Pass	1.5G	1.69G	1M	3M	RMS	1.65599G	-57.52	-13.00	-44.52	-	-
1745MHz_RB 50,#RB 0	Pass	1.69G	1.709G	100k	300k	RMS	1.7085G	-57.17	-13.00	-44.17	MBW 1M	-
1745MHz_RB 50,#RB 0	Pass	1.709G	1.71G	100k	300k	RMS	1.70955G	-66.69	-13.00	-53.69	-	-
1745MHz_RB 50,#RB 0	Pass	1.78G	1.781G	100k	300k	RMS	1.78042G	-67.19	-13.00	-54.19	-	-
1745MHz_RB 50,#RB 0	Pass	1.781G	1.8G	100k	300k	RMS	1.7885G	-56.59	-13.00	-43.59	MBW 1M	-
1745MHz_RB 50,#RB 0	Pass	1.8G	5G	1M	3M	RMS	4.136G	-53.28	-13.00	-40.28	-	-
1745MHz_RB 50,#RB 0	Pass	5G	17.8G	1M	3M	RMS	17.6208G	-45.36	-13.00	-32.36	-	-
1745MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	92.19k	-63.50	-13.00	-50.50	-	-
1745MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-60.37	-13.00	-47.37	-	-
1745MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	966.39M	-57.64	-13.00	-44.64	-	-
1745MHz_RB 1,#RB L	Pass	1.5G	1.69G	1M	3M	RMS	1.64402G	-57.70	-13.00	-44.70	-	-
1745MHz_RB 1,#RB L	Pass	1.69G	1.709G	100k	300k	RMS	1.7075G	-58.34	-13.00	-45.34	MBW 1M	-
1745MHz_RB 1,#RB L	Pass	1.709G	1.71G	100k	300k	RMS	1.70926G	-68.17	-13.00	-55.17	-	-
1745MHz_RB 1,#RB L	Pass	1.78G	1.781G	100k	300k	RMS	1.78041G	-67.94	-13.00	-54.94	-	-
1745MHz_RB 1,#RB L	Pass	1.781G	1.8G	100k	300k	RMS	1.7895G	-56.79	-13.00	-43.79	MBW 1M	-
1745MHz_RB 1,#RB L	Pass	1.8G	5G	1M	3M	RMS	4.9168G	-52.96	-13.00	-39.96	-	-
1745MHz_RB 1,#RB L	Pass	5G	17.8G	1M	3M	RMS	15.8288G	-45.47	-13.00	-32.47	-	-
1775MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	21.408k	-76.29	-13.00	-63.29	-	-
1775MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-61.46	-13.00	-48.46	-	-
1775MHz_RB 50,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.0443G	-57.46	-13.00	-44.46	-	-
1775MHz_RB 50,#RB 0	Pass	1.5G	1.69G	1M	3M	RMS	1.65333G	-57.84	-13.00	-44.84	-	-
1775MHz_RB 50,#RB 0	Pass	1.69G	1.709G	100k	300k	RMS	1.6955G	-58.56	-13.00	-45.56	MBW 1M	-
1775MHz_RB 50,#RB 0	Pass	1.709G	1.71G	100k	300k	RMS	1.70923G	-68.59	-13.00	-55.59	-	-
1775MHz_RB 50,#RB 0	Pass	1.78G	1.781G	100k	300k	RMS	1.78G	-30.98	-13.00	-17.98	-	-
1775MHz_RB 50,#RB 0	Pass	1.781G	1.8G	100k	300k	RMS	1.7815G	-24.86	-13.00	-11.86	MBW 1M	-
1775MHz_RB 50,#RB 0	Pass	1.8G	5G	1M	3M	RMS	4.8848G	-53.17	-13.00	-40.17	-	-
1775MHz_RB 50,#RB 0	Pass	5G	17.8G	1M	3M	RMS	15.7904G	-45.17	-13.00	-32.17	-	-
1775MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	86.268k	-63.59	-13.00	-50.59	-	-
1775MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	299.25k	-60.84	-13.00	-47.84	-	-
1775MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	919.35M	-57.84	-13.00	-44.84	-	-
1775MHz_RB 1,#RB H	Pass	1.5G	1.69G	1M	3M	RMS	1.64136G	-57.64	-13.00	-44.64	-	-
1775MHz_RB 1,#RB H	Pass	1.69G	1.709G	100k	300k	RMS	1.7015G	-58.58	-13.00	-45.58	MBW 1M	-
1775MHz_RB 1,#RB H	Pass	1.709G	1.71G	100k	300k	RMS	1.70909G	-68.43	-13.00	-55.43	-	-
1775MHz_RB 1,#RB H	Pass	1.78G	1.781G	100k	300k	RMS	1.78G	-34.28	-13.00	-21.28	-	-
1775MHz_RB 1,#RB H	Pass	1.781G	1.8G	100k	300k	RMS	1.7835G	-36.68	-13.00	-23.68	MBW 1M	-
1775MHz_RB 1,#RB H	Pass	1.8G	5G	1M	3M	RMS	4.9104G	-53.29	-13.00	-40.29	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1775MHz_RB 1,#RB H	Pass	5G	17.8G	1M	3M	RMS	15.8032G	-45.26	-13.00	-32.26	-	-
Band 66_LTE_10MHz_Nss1,16QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1715MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	11.397k	-76.11	-13.00	-63.11	-	-
1715MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-61.11	-13.00	-48.11	-	-
1715MHz_RB 50,#RB 0	Pass	30M	1.5G	1M	3M	RMS	981.09M	-57.79	-13.00	-44.79	-	-
1715MHz_RB 50,#RB 0	Pass	1.5G	1.69G	1M	3M	RMS	1.64535G	-57.84	-13.00	-44.84	-	-
1715MHz_RB 50,#RB 0	Pass	1.69G	1.709G	100k	300k	RMS	1.7085G	-37.76	-13.00	-24.76	MBW 1M	-
1715MHz_RB 50,#RB 0	Pass	1.709G	1.71G	100k	300k	RMS	1.71G	-37.75	-13.00	-24.75	-	-
1715MHz_RB 50,#RB 0	Pass	1.78G	1.781G	100k	300k	RMS	1.78052G	-67.97	-13.00	-54.97	-	-
1715MHz_RB 50,#RB 0	Pass	1.781G	1.8G	100k	300k	RMS	1.7895G	-56.76	-13.00	-43.76	MBW 1M	-
1715MHz_RB 50,#RB 0	Pass	1.8G	5G	1M	3M	RMS	4.936G	-53.13	-13.00	-40.13	-	-
1715MHz_RB 50,#RB 0	Pass	5G	17.8G	1M	3M	RMS	15.7904G	-45.25	-13.00	-32.25	-	-
1715MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	125.889k	-66.37	-13.00	-53.37	-	-
1715MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-61.77	-13.00	-48.77	-	-
1715MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.06782G	-57.80	-13.00	-44.80	-	-
1715MHz_RB 1,#RB L	Pass	1.5G	1.69G	1M	3M	RMS	1.6672G	-57.70	-13.00	-44.70	-	-
1715MHz_RB 1,#RB L	Pass	1.69G	1.709G	100k	300k	RMS	1.7085G	-40.52	-13.00	-27.52	MBW 1M	-
1715MHz_RB 1,#RB L	Pass	1.709G	1.71G	100k	300k	RMS	1.71G	-35.98	-13.00	-22.98	-	-
1715MHz_RB 1,#RB L	Pass	1.78G	1.781G	100k	300k	RMS	1.7808G	-67.99	-13.00	-54.99	-	-
1715MHz_RB 1,#RB L	Pass	1.781G	1.8G	100k	300k	RMS	1.7885G	-56.87	-13.00	-43.87	MBW 1M	-
1715MHz_RB 1,#RB L	Pass	1.8G	5G	1M	3M	RMS	3.4224G	-50.01	-13.00	-37.01	-	-
1715MHz_RB 1,#RB L	Pass	5G	17.8G	1M	3M	RMS	15.88G	-44.99	-13.00	-31.99	-	-
1745MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	10.41k	-73.24	-13.00	-60.24	-	-
1745MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-62.22	-13.00	-49.22	-	-
1745MHz_RB 50,#RB 0	Pass	30M	1.5G	1M	3M	RMS	957.57M	-57.69	-13.00	-44.69	-	-
1745MHz_RB 50,#RB 0	Pass	1.5G	1.69G	1M	3M	RMS	1.67594G	-57.76	-13.00	-44.76	-	-
1745MHz_RB 50,#RB 0	Pass	1.69G	1.709G	100k	300k	RMS	1.7085G	-57.95	-13.00	-44.95	MBW 1M	-
1745MHz_RB 50,#RB 0	Pass	1.709G	1.71G	100k	300k	RMS	1.70962G	-67.70	-13.00	-54.70	-	-
1745MHz_RB 50,#RB 0	Pass	1.78G	1.781G	100k	300k	RMS	1.78042G	-67.41	-13.00	-54.41	-	-
1745MHz_RB 50,#RB 0	Pass	1.781G	1.8G	100k	300k	RMS	1.7885G	-56.71	-13.00	-43.71	MBW 1M	-
1745MHz_RB 50,#RB 0	Pass	1.8G	5G	1M	3M	RMS	4.8784G	-53.22	-13.00	-40.22	-	-
1745MHz_RB 50,#RB 0	Pass	5G	17.8G	1M	3M	RMS	15.8544G	-45.10	-13.00	-32.10	-	-
1745MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	61.593k	-64.81	-13.00	-51.81	-	-
1745MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-61.23	-13.00	-48.23	-	-
1745MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	970.8M	-57.62	-13.00	-44.62	-	-
1745MHz_RB 1,#RB L	Pass	1.5G	1.69G	1M	3M	RMS	1.68449G	-57.70	-13.00	-44.70	-	-
1745MHz_RB 1,#RB L	Pass	1.69G	1.709G	100k	300k	RMS	1.7085G	-58.45	-13.00	-45.45	MBW 1M	-
1745MHz_RB 1,#RB L	Pass	1.709G	1.71G	100k	300k	RMS	1.70961G	-68.31	-13.00	-55.31	-	-
1745MHz_RB 1,#RB L	Pass	1.78G	1.781G	100k	300k	RMS	1.7809G	-68.03	-13.00	-55.03	-	-
1745MHz_RB 1,#RB L	Pass	1.781G	1.8G	100k	300k	RMS	1.7885G	-56.71	-13.00	-43.71	MBW 1M	-
1745MHz_RB 1,#RB L	Pass	1.8G	5G	1M	3M	RMS	4.3088G	-53.20	-13.00	-40.20	-	-
1745MHz_RB 1,#RB L	Pass	5G	17.8G	1M	3M	RMS	15.8416G	-45.06	-13.00	-32.06	-	-
1775MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	26.202k	-75.97	-13.00	-62.97	-	-
1775MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-61.61	-13.00	-48.61	-	-
1775MHz_RB 50,#RB 0	Pass	30M	1.5G	1M	3M	RMS	995.79M	-57.79	-13.00	-44.79	-	-
1775MHz_RB 50,#RB 0	Pass	1.5G	1.69G	1M	3M	RMS	1.67803G	-57.76	-13.00	-44.76	-	-
1775MHz_RB 50,#RB 0	Pass	1.69G	1.709G	100k	300k	RMS	1.7085G	-58.54	-13.00	-45.54	MBW 1M	-
1775MHz_RB 50,#RB 0	Pass	1.709G	1.71G	100k	300k	RMS	1.70934G	-68.46	-13.00	-55.46	-	-
1775MHz_RB 50,#RB 0	Pass	1.78G	1.781G	100k	300k	RMS	1.78G	-33.27	-13.00	-20.27	-	-
1775MHz_RB 50,#RB 0	Pass	1.781G	1.8G	100k	300k	RMS	1.7815G	-26.96	-13.00	-13.96	MBW 1M	-
1775MHz_RB 50,#RB 0	Pass	1.8G	5G	1M	3M	RMS	4.1552G	-53.23	-13.00	-40.23	-	-
1775MHz_RB 50,#RB 0	Pass	5G	17.8G	1M	3M	RMS	15.8032G	-45.20	-13.00	-32.20	-	-
1775MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	63.285k	-64.57	-13.00	-51.57	-	-
1775MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	299.25k	-61.24	-13.00	-48.24	-	-
1775MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	925.23M	-57.56	-13.00	-44.56	-	-
1775MHz_RB 1,#RB H	Pass	1.5G	1.69G	1M	3M	RMS	1.64345G	-57.74	-13.00	-44.74	-	-
1775MHz_RB 1,#RB H	Pass	1.69G	1.709G	100k	300k	RMS	1.6945G	-58.58	-13.00	-45.58	MBW 1M	-
1775MHz_RB 1,#RB H	Pass	1.709G	1.71G	100k	300k	RMS	1.7092G	-68.51	-13.00	-55.51	-	-
1775MHz_RB 1,#RB H	Pass	1.78G	1.781G	100k	300k	RMS	1.78G	-33.78	-13.00	-20.78	-	-
1775MHz_RB 1,#RB H	Pass	1.781G	1.8G	100k	300k	RMS	1.7835G	-38.01	-13.00	-25.01	MBW 1M	-
1775MHz_RB 1,#RB H	Pass	1.8G	5G	1M	3M	RMS	4.104G	-53.14	-13.00	-40.14	-	-
1775MHz_RB 1,#RB H	Pass	5G	17.8G	1M	3M	RMS	15.8032G	-45.10	-13.00	-32.10	-	-
Band 66_LTE_10MHz_Nss1,64QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1715MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	45.801k	-74.69	-13.00	-61.69	-	-
1715MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-61.53	-13.00	-48.53	-	-
1715MHz_RB 50,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.13838G	-57.56	-13.00	-44.56	-	-
1715MHz_RB 50,#RB 0	Pass	1.5G	1.69G	1M	3M	RMS	1.64744G	-57.71	-13.00	-44.71	-	-
1715MHz_RB 50,#RB 0	Pass	1.69G	1.709G	100k	300k	RMS	1.7085G	-38.34	-13.00	-25.34	MBW 1M	-
1715MHz_RB 50,#RB 0	Pass	1.709G	1.71G	100k	300k	RMS	1.71G	-37.68	-13.00	-24.68	-	-
1715MHz_RB 50,#RB 0	Pass	1.78G	1.781G	100k	300k	RMS	1.7809G	-68.19	-13.00	-55.19	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1715MHz_RB 50,#RB 0	Pass	1.781G	1.8G	100k	300k	RMS	1.7895G	-56.87	-13.00	-43.87	MBW 1M	-
1715MHz_RB 50,#RB 0	Pass	1.8G	5G	1M	3M	RMS	4.904G	-53.21	-13.00	-40.21	-	-
1715MHz_RB 50,#RB 0	Pass	5G	17.8G	1M	3M	RMS	15.8544G	-45.36	-13.00	-32.36	-	-
1715MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	78.231k	-64.69	-13.00	-51.69	-	-
1715MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-60.99	-13.00	-47.99	-	-
1715MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.04724G	-57.76	-13.00	-44.76	-	-
1715MHz_RB 1,#RB L	Pass	1.5G	1.69G	1M	3M	RMS	1.63414G	-57.90	-13.00	-44.90	-	-
1715MHz_RB 1,#RB L	Pass	1.69G	1.709G	100k	300k	RMS	1.7085G	-39.97	-13.00	-26.97	MBW 1M	-
1715MHz_RB 1,#RB L	Pass	1.709G	1.71G	100k	300k	RMS	1.71G	-35.89	-13.00	-22.89	-	-
1715MHz_RB 1,#RB L	Pass	1.78G	1.781G	100k	300k	RMS	1.78017G	-68.07	-13.00	-55.07	-	-
1715MHz_RB 1,#RB L	Pass	1.781G	1.8G	100k	300k	RMS	1.7885G	-56.81	-13.00	-43.81	MBW 1M	-
1715MHz_RB 1,#RB L	Pass	1.8G	5G	1M	3M	RMS	3.4224G	-49.50	-13.00	-36.50	-	-
1715MHz_RB 1,#RB L	Pass	5G	17.8G	1M	3M	RMS	15.8672G	-45.23	-13.00	-32.23	-	-
1745MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	9.141k	-73.37	-13.00	-60.37	-	-
1745MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-60.78	-13.00	-47.78	-	-
1745MHz_RB 50,#RB 0	Pass	30M	1.5G	1M	3M	RMS	953.16M	-57.48	-13.00	-44.48	-	-
1745MHz_RB 50,#RB 0	Pass	1.5G	1.69G	1M	3M	RMS	1.65922G	-57.73	-13.00	-44.73	-	-
1745MHz_RB 50,#RB 0	Pass	1.69G	1.709G	100k	300k	RMS	1.7085G	-57.95	-13.00	-44.95	MBW 1M	-
1745MHz_RB 50,#RB 0	Pass	1.709G	1.71G	100k	300k	RMS	1.70988G	-67.49	-13.00	-54.49	-	-
1745MHz_RB 50,#RB 0	Pass	1.78G	1.781G	100k	300k	RMS	1.78091G	-67.61	-13.00	-54.61	-	-
1745MHz_RB 50,#RB 0	Pass	1.781G	1.8G	100k	300k	RMS	1.7895G	-56.81	-13.00	-43.81	MBW 1M	-
1745MHz_RB 50,#RB 0	Pass	1.8G	5G	1M	3M	RMS	4.9072G	-53.35	-13.00	-40.35	-	-
1745MHz_RB 50,#RB 0	Pass	5G	17.8G	1M	3M	RMS	15.8544G	-45.05	-13.00	-32.05	-	-
1745MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	25.356k	-66.07	-13.00	-53.07	-	-
1745MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-61.21	-13.00	-48.21	-	-
1745MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	966.39M	-57.75	-13.00	-44.75	-	-
1745MHz_RB 1,#RB L	Pass	1.5G	1.69G	1M	3M	RMS	1.62483G	-57.73	-13.00	-44.73	-	-
1745MHz_RB 1,#RB L	Pass	1.69G	1.709G	100k	300k	RMS	1.6955G	-58.60	-13.00	-45.60	MBW 1M	-
1745MHz_RB 1,#RB L	Pass	1.709G	1.71G	100k	300k	RMS	1.7096G	-68.28	-13.00	-55.28	-	-
1745MHz_RB 1,#RB L	Pass	1.78G	1.781G	100k	300k	RMS	1.78069G	-67.91	-13.00	-54.91	-	-
1745MHz_RB 1,#RB L	Pass	1.781G	1.8G	100k	300k	RMS	1.7895G	-56.83	-13.00	-43.83	MBW 1M	-
1745MHz_RB 1,#RB L	Pass	1.8G	5G	1M	3M	RMS	4.136G	-53.25	-13.00	-40.25	-	-
1745MHz_RB 1,#RB L	Pass	5G	17.8G	1M	3M	RMS	15.8416G	-45.16	-13.00	-32.16	-	-
1775MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	26.202k	-75.34	-13.00	-62.34	-	-
1775MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-61.08	-13.00	-48.08	-	-
1775MHz_RB 50,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.04136G	-57.72	-13.00	-44.72	-	-
1775MHz_RB 50,#RB 0	Pass	1.5G	1.69G	1M	3M	RMS	1.6482G	-57.62	-13.00	-44.62	-	-
1775MHz_RB 50,#RB 0	Pass	1.69G	1.709G	100k	300k	RMS	1.7075G	-58.63	-13.00	-45.63	MBW 1M	-
1775MHz_RB 50,#RB 0	Pass	1.709G	1.71G	100k	300k	RMS	1.70953G	-68.63	-13.00	-55.63	-	-
1775MHz_RB 50,#RB 0	Pass	1.78G	1.781G	100k	300k	RMS	1.78G	-33.54	-13.00	-20.54	-	-
1775MHz_RB 50,#RB 0	Pass	1.781G	1.8G	100k	300k	RMS	1.7815G	-27.14	-13.00	-14.14	MBW 1M	-
1775MHz_RB 50,#RB 0	Pass	1.8G	5G	1M	3M	RMS	4.1424G	-53.11	-13.00	-40.11	-	-
1775MHz_RB 50,#RB 0	Pass	5G	17.8G	1M	3M	RMS	15.8416G	-45.34	-13.00	-32.34	-	-
1775MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	125.748k	-65.86	-13.00	-52.86	-	-
1775MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	299.25k	-61.71	-13.00	-48.71	-	-
1775MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	1.0296G	-57.78	-13.00	-44.78	-	-
1775MHz_RB 1,#RB H	Pass	1.5G	1.69G	1M	3M	RMS	1.66226G	-57.72	-13.00	-44.72	-	-
1775MHz_RB 1,#RB H	Pass	1.69G	1.709G	100k	300k	RMS	1.6955G	-58.57	-13.00	-45.57	MBW 1M	-
1775MHz_RB 1,#RB H	Pass	1.709G	1.71G	100k	300k	RMS	1.70998G	-68.24	-13.00	-55.24	-	-
1775MHz_RB 1,#RB H	Pass	1.78G	1.781G	100k	300k	RMS	1.78G	-34.83	-13.00	-21.83	-	-
1775MHz_RB 1,#RB H	Pass	1.781G	1.8G	100k	300k	RMS	1.7835G	-37.75	-13.00	-24.75	MBW 1M	-
1775MHz_RB 1,#RB H	Pass	1.8G	5G	1M	3M	RMS	4.136G	-53.17	-13.00	-40.17	-	-
1775MHz_RB 1,#RB H	Pass	5G	17.8G	1M	3M	RMS	15.8544G	-44.91	-13.00	-31.91	-	-
Band 66_LTE_15MHz_Nss1_OPSK_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1717.5MHz_RB 75,#RB 0	Pass	9k	150k	1k	3k	RMS	13.371k	-64.82	-13.00	-51.82	-	-
1717.5MHz_RB 75,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-60.21	-13.00	-47.21	-	-
1717.5MHz_RB 75,#RB 0	Pass	30M	1.5G	1M	3M	RMS	988.44M	-57.56	-13.00	-44.56	-	-
1717.5MHz_RB 75,#RB 0	Pass	1.5G	1.68G	1M	3M	RMS	1.67406G	-57.89	-13.00	-44.89	-	-
1717.5MHz_RB 75,#RB 0	Pass	1.68G	1.709G	200k	500k	RMS	1.6915G	-58.31	-13.00	-45.31	MBW 1M	-
1717.5MHz_RB 75,#RB 0	Pass	1.709G	1.71G	200k	500k	RMS	1.70993G	-65.42	-13.00	-52.42	-	-
1717.5MHz_RB 75,#RB 0	Pass	1.78G	1.781G	200k	500k	RMS	1.78026G	-65.11	-13.00	-52.11	-	-
1717.5MHz_RB 75,#RB 0	Pass	1.781G	1.81G	200k	500k	RMS	1.7895G	-56.66	-13.00	-43.66	MBW 1M	-
1717.5MHz_RB 75,#RB 0	Pass	1.81G	5G	1M	3M	RMS	3.49113G	-51.83	-13.00	-38.83	-	-
1717.5MHz_RB 75,#RB 0	Pass	5G	17.8G	1M	3M	RMS	15.8032G	-45.25	-13.00	-32.25	-	-
1717.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	46.929k	-65.83	-13.00	-52.83	-	-
1717.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-60.44	-13.00	-47.44	-	-
1717.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	994.32M	-57.54	-13.00	-44.54	-	-
1717.5MHz_RB 1,#RB L	Pass	1.5G	1.68G	1M	3M	RMS	1.64724G	-57.73	-13.00	-44.73	-	-
1717.5MHz_RB 1,#RB L	Pass	1.68G	1.709G	200k	500k	RMS	1.7085G	-39.73	-13.00	-26.73	MBW 1M	-
1717.5MHz_RB 1,#RB L	Pass	1.709G	1.71G	200k	500k	RMS	1.71G	-29.13	-13.00	-16.13	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1717.5MHz_RB 1,#RB L	Pass	1.78G	1.781G	200k	500k	RMS	1.78007G	-65.18	-13.00	-52.18	-	-
1717.5MHz_RB 1,#RB L	Pass	1.781G	1.81G	200k	500k	RMS	1.7895G	-57.07	-13.00	-44.07	MBW 1M	-
1717.5MHz_RB 1,#RB L	Pass	1.81G	5G	1M	3M	RMS	3.42095G	-48.90	-13.00	-35.90	-	-
1717.5MHz_RB 1,#RB L	Pass	5G	17.8G	1M	3M	RMS	15.8416G	-45.15	-13.00	-32.15	-	-
1745MHz_RB 75,#RB 0	Pass	9k	150k	1k	3k	RMS	9.846k	-74.95	-13.00	-61.95	-	-
1745MHz_RB 75,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-61.61	-13.00	-48.61	-	-
1745MHz_RB 75,#RB 0	Pass	30M	1.5G	1M	3M	RMS	994.32M	-57.69	-13.00	-44.69	-	-
1745MHz_RB 75,#RB 0	Pass	1.5G	1.68G	1M	3M	RMS	1.67136G	-57.55	-13.00	-44.55	-	-
1745MHz_RB 75,#RB 0	Pass	1.68G	1.709G	200k	500k	RMS	1.7065G	-54.38	-13.00	-41.38	MBW 1M	-
1745MHz_RB 75,#RB 0	Pass	1.709G	1.71G	200k	500k	RMS	1.70997G	-60.45	-13.00	-47.45	-	-
1745MHz_RB 75,#RB 0	Pass	1.78G	1.781G	200k	500k	RMS	1.781G	-62.39	-13.00	-49.39	-	-
1745MHz_RB 75,#RB 0	Pass	1.781G	1.81G	200k	500k	RMS	1.7815G	-55.69	-13.00	-42.69	MBW 1M	-
1745MHz_RB 75,#RB 0	Pass	1.81G	5G	1M	3M	RMS	4.14508G	-52.88	-13.00	-39.88	-	-
1745MHz_RB 75,#RB 0	Pass	5G	17.8G	1M	3M	RMS	15.7776G	-45.25	-13.00	-32.25	-	-
1745MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	83.589k	-64.43	-13.00	-51.43	-	-
1745MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-60.40	-13.00	-47.40	-	-
1745MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.04871G	-57.72	-13.00	-44.72	-	-
1745MHz_RB 1,#RB L	Pass	1.5G	1.68G	1M	3M	RMS	1.6503G	-57.76	-13.00	-44.76	-	-
1745MHz_RB 1,#RB L	Pass	1.68G	1.709G	200k	500k	RMS	1.6805G	-57.84	-13.00	-44.84	MBW 1M	-
1745MHz_RB 1,#RB L	Pass	1.709G	1.71G	200k	500k	RMS	1.70962G	-65.36	-13.00	-52.36	-	-
1745MHz_RB 1,#RB L	Pass	1.78G	1.781G	200k	500k	RMS	1.78045G	-64.89	-13.00	-51.89	-	-
1745MHz_RB 1,#RB L	Pass	1.781G	1.81G	200k	500k	RMS	1.7915G	-56.40	-13.00	-43.40	MBW 1M	-
1745MHz_RB 1,#RB L	Pass	1.81G	5G	1M	3M	RMS	4.90749G	-53.13	-13.00	-40.13	-	-
1745MHz_RB 1,#RB L	Pass	5G	17.8G	1M	3M	RMS	15.8416G	-45.29	-13.00	-32.29	-	-
1772.5MHz_RB 75,#RB 0	Pass	9k	150k	1k	3k	RMS	9.282k	-74.30	-13.00	-61.30	-	-
1772.5MHz_RB 75,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-61.44	-13.00	-48.44	-	-
1772.5MHz_RB 75,#RB 0	Pass	30M	1.5G	1M	3M	RMS	989.91M	-57.71	-13.00	-44.71	-	-
1772.5MHz_RB 75,#RB 0	Pass	1.5G	1.68G	1M	3M	RMS	1.6143G	-57.88	-13.00	-44.88	-	-
1772.5MHz_RB 75,#RB 0	Pass	1.68G	1.709G	200k	500k	RMS	1.7085G	-58.25	-13.00	-45.25	MBW 1M	-
1772.5MHz_RB 75,#RB 0	Pass	1.709G	1.71G	200k	500k	RMS	1.70979G	-65.06	-13.00	-52.06	-	-
1772.5MHz_RB 75,#RB 0	Pass	1.78G	1.781G	200k	500k	RMS	1.78G	-29.57	-13.00	-16.57	-	-
1772.5MHz_RB 75,#RB 0	Pass	1.781G	1.81G	200k	500k	RMS	1.7815G	-25.95	-13.00	-12.95	MBW 1M	-
1772.5MHz_RB 75,#RB 0	Pass	1.81G	5G	1M	3M	RMS	4.85964G	-53.22	-13.00	-40.22	-	-
1772.5MHz_RB 75,#RB 0	Pass	5G	17.8G	1M	3M	RMS	15.8544G	-45.05	-13.00	-32.05	-	-
1772.5MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	83.589k	-65.75	-13.00	-52.75	-	-
1772.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	299.25k	-60.64	-13.00	-47.64	-	-
1772.5MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	995.79M	-57.58	-13.00	-44.58	-	-
1772.5MHz_RB 1,#RB H	Pass	1.5G	1.68G	1M	3M	RMS	1.65552G	-57.70	-13.00	-44.70	-	-
1772.5MHz_RB 1,#RB H	Pass	1.68G	1.709G	200k	500k	RMS	1.6865G	-58.57	-13.00	-45.57	MBW 1M	-
1772.5MHz_RB 1,#RB H	Pass	1.709G	1.71G	200k	500k	RMS	1.70939G	-65.48	-13.00	-52.48	-	-
1772.5MHz_RB 1,#RB H	Pass	1.78G	1.781G	200k	500k	RMS	1.78G	-29.22	-13.00	-16.22	-	-
1772.5MHz_RB 1,#RB H	Pass	1.781G	1.81G	200k	500k	RMS	1.7855G	-36.34	-13.00	-23.34	MBW 1M	-
1772.5MHz_RB 1,#RB H	Pass	1.81G	5G	1M	3M	RMS	4.90749G	-53.09	-13.00	-40.09	-	-
1772.5MHz_RB 1,#RB H	Pass	5G	17.8G	1M	3M	RMS	15.8416G	-45.22	-13.00	-32.22	-	-
Band 66_LTE_15MHz_Nss1,16QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1717.5MHz_RB 75,#RB 0	Pass	9k	150k	1k	3k	RMS	14.922k	-76.65	-13.00	-63.65	-	-
1717.5MHz_RB 75,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-61.50	-13.00	-48.50	-	-
1717.5MHz_RB 75,#RB 0	Pass	30M	1.5G	1M	3M	RMS	998.73M	-57.62	-13.00	-44.62	-	-
1717.5MHz_RB 75,#RB 0	Pass	1.5G	1.68G	1M	3M	RMS	1.63644G	-57.73	-13.00	-44.73	-	-
1717.5MHz_RB 75,#RB 0	Pass	1.68G	1.709G	200k	500k	RMS	1.7085G	-38.93	-13.00	-25.93	MBW 1M	-
1717.5MHz_RB 75,#RB 0	Pass	1.709G	1.71G	200k	500k	RMS	1.71G	-38.72	-13.00	-25.72	-	-
1717.5MHz_RB 75,#RB 0	Pass	1.78G	1.781G	200k	500k	RMS	1.78055G	-65.07	-13.00	-52.07	-	-
1717.5MHz_RB 75,#RB 0	Pass	1.781G	1.81G	200k	500k	RMS	1.7895G	-56.86	-13.00	-43.86	MBW 1M	-
1717.5MHz_RB 75,#RB 0	Pass	1.81G	5G	1M	3M	RMS	4.16422G	-52.90	-13.00	-39.90	-	-
1717.5MHz_RB 75,#RB 0	Pass	5G	17.8G	1M	3M	RMS	15.8416G	-45.13	-13.00	-32.13	-	-
1717.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	60.888k	-65.89	-13.00	-52.89	-	-
1717.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-60.37	-13.00	-47.37	-	-
1717.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.13985G	-57.65	-13.00	-44.65	-	-
1717.5MHz_RB 1,#RB L	Pass	1.5G	1.68G	1M	3M	RMS	1.65732G	-57.83	-13.00	-44.83	-	-
1717.5MHz_RB 1,#RB L	Pass	1.68G	1.709G	200k	500k	RMS	1.7085G	-40.62	-13.00	-27.62	MBW 1M	-
1717.5MHz_RB 1,#RB L	Pass	1.709G	1.71G	200k	500k	RMS	1.71G	-29.73	-13.00	-16.73	-	-
1717.5MHz_RB 1,#RB L	Pass	1.78G	1.781G	200k	500k	RMS	1.781G	-65.25	-13.00	-52.25	-	-
1717.5MHz_RB 1,#RB L	Pass	1.781G	1.81G	200k	500k	RMS	1.7895G	-56.81	-13.00	-43.81	MBW 1M	-
1717.5MHz_RB 1,#RB L	Pass	1.81G	5G	1M	3M	RMS	3.42095G	-49.73	-13.00	-36.73	-	-
1717.5MHz_RB 1,#RB L	Pass	5G	17.8G	1M	3M	RMS	15.8672G	-45.39	-13.00	-32.39	-	-
1745MHz_RB 75,#RB 0	Pass	9k	150k	1k	3k	RMS	46.506k	-75.92	-13.00	-62.92	-	-
1745MHz_RB 75,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-61.52	-13.00	-48.52	-	-
1745MHz_RB 75,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.01049G	-57.66	-13.00	-44.66	-	-
1745MHz_RB 75,#RB 0	Pass	1.5G	1.68G	1M	3M	RMS	1.65516G	-57.74	-13.00	-44.74	-	-
1745MHz_RB 75,#RB 0	Pass	1.68G	1.709G	200k	500k	RMS	1.7085G	-54.44	-13.00	-41.44	MBW 1M	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1745MHz_RB 75,#RB 0	Pass	1.709G	1.71G	200k	500k	RMS	1.70994G	-60.33	-13.00	-47.33	-	-
1745MHz_RB 75,#RB 0	Pass	1.78G	1.781G	200k	500k	RMS	1.781G	-62.45	-13.00	-49.45	-	-
1745MHz_RB 75,#RB 0	Pass	1.781G	1.81G	200k	500k	RMS	1.7815G	-55.71	-13.00	-42.71	MBW 1M	-
1745MHz_RB 75,#RB 0	Pass	1.81G	5G	1M	3M	RMS	4.89792G	-53.10	-13.00	-40.10	-	-
1745MHz_RB 75,#RB 0	Pass	5G	17.8G	1M	3M	RMS	15.8032G	-45.23	-13.00	-32.23	-	-
1745MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	63.99k	-64.21	-13.00	-51.21	-	-
1745MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-61.66	-13.00	-48.66	-	-
1745MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	934.05M	-57.71	-13.00	-44.71	-	-
1745MHz_RB 1,#RB L	Pass	1.5G	1.68G	1M	3M	RMS	1.66686G	-57.69	-13.00	-44.69	-	-
1745MHz_RB 1,#RB L	Pass	1.68G	1.709G	200k	500k	RMS	1.6805G	-57.88	-13.00	-44.88	MBW 1M	-
1745MHz_RB 1,#RB L	Pass	1.709G	1.71G	200k	500k	RMS	1.70942G	-65.33	-13.00	-52.33	-	-
1745MHz_RB 1,#RB L	Pass	1.78G	1.781G	200k	500k	RMS	1.7803G	-65.00	-13.00	-52.00	-	-
1745MHz_RB 1,#RB L	Pass	1.781G	1.81G	200k	500k	RMS	1.7915G	-56.75	-13.00	-43.75	MBW 1M	-
1745MHz_RB 1,#RB L	Pass	1.81G	5G	1M	3M	RMS	4.90111G	-53.16	-13.00	-40.16	-	-
1745MHz_RB 1,#RB L	Pass	5G	17.8G	1M	3M	RMS	15.8032G	-45.17	-13.00	-32.17	-	-
1772.5MHz_RB 75,#RB 0	Pass	9k	150k	1k	3k	RMS	15.627k	-76.73	-13.00	-63.73	-	-
1772.5MHz_RB 75,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-61.14	-13.00	-48.14	-	-
1772.5MHz_RB 75,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.0002G	-57.70	-13.00	-44.70	-	-
1772.5MHz_RB 75,#RB 0	Pass	1.5G	1.68G	1M	3M	RMS	1.6476G	-57.85	-13.00	-44.85	-	-
1772.5MHz_RB 75,#RB 0	Pass	1.68G	1.709G	200k	500k	RMS	1.7085G	-58.41	-13.00	-45.41	MBW 1M	-
1772.5MHz_RB 75,#RB 0	Pass	1.709G	1.71G	200k	500k	RMS	1.70943G	-65.34	-13.00	-52.34	-	-
1772.5MHz_RB 75,#RB 0	Pass	1.78G	1.781G	200k	500k	RMS	1.78G	-32.53	-13.00	-19.53	-	-
1772.5MHz_RB 75,#RB 0	Pass	1.781G	1.81G	200k	500k	RMS	1.7815G	-28.17	-13.00	-15.17	MBW 1M	-
1772.5MHz_RB 75,#RB 0	Pass	1.81G	5G	1M	3M	RMS	4.17698G	-53.26	-13.00	-40.26	-	-
1772.5MHz_RB 75,#RB 0	Pass	5G	17.8G	1M	3M	RMS	15.7904G	-44.98	-13.00	-31.98	-	-
1772.5MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	78.513k	-64.54	-13.00	-51.54	-	-
1772.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	299.25k	-61.24	-13.00	-48.24	-	-
1772.5MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	916.41M	-57.66	-13.00	-44.66	-	-
1772.5MHz_RB 1,#RB H	Pass	1.5G	1.68G	1M	3M	RMS	1.65732G	-57.69	-13.00	-44.69	-	-
1772.5MHz_RB 1,#RB H	Pass	1.68G	1.709G	200k	500k	RMS	1.7075G	-58.46	-13.00	-45.46	MBW 1M	-
1772.5MHz_RB 1,#RB H	Pass	1.709G	1.71G	200k	500k	RMS	1.70922G	-65.57	-13.00	-52.57	-	-
1772.5MHz_RB 1,#RB H	Pass	1.78G	1.781G	200k	500k	RMS	1.78G	-28.84	-13.00	-15.84	-	-
1772.5MHz_RB 1,#RB H	Pass	1.781G	1.81G	200k	500k	RMS	1.7855G	-36.06	-13.00	-23.06	MBW 1M	-
1772.5MHz_RB 1,#RB H	Pass	1.81G	5G	1M	3M	RMS	4.15465G	-53.10	-13.00	-40.10	-	-
1772.5MHz_RB 1,#RB H	Pass	5G	17.8G	1M	3M	RMS	15.7904G	-45.40	-13.00	-32.40	-	-
Band 66_LTE_15MHz_Nss1_64QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1717.5MHz_RB 75,#RB 0	Pass	9k	150k	1k	3k	RMS	10.692k	-74.49	-13.00	-61.49	-	-
1717.5MHz_RB 75,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-61.43	-13.00	-48.43	-	-
1717.5MHz_RB 75,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.00608G	-57.67	-13.00	-44.67	-	-
1717.5MHz_RB 75,#RB 0	Pass	1.5G	1.68G	1M	3M	RMS	1.64328G	-57.70	-13.00	-44.70	-	-
1717.5MHz_RB 75,#RB 0	Pass	1.68G	1.709G	200k	500k	RMS	1.7085G	-38.22	-13.00	-25.22	MBW 1M	-
1717.5MHz_RB 75,#RB 0	Pass	1.709G	1.71G	200k	500k	RMS	1.71G	-38.40	-13.00	-25.40	-	-
1717.5MHz_RB 75,#RB 0	Pass	1.78G	1.781G	200k	500k	RMS	1.781G	-65.14	-13.00	-52.14	-	-
1717.5MHz_RB 75,#RB 0	Pass	1.781G	1.81G	200k	500k	RMS	1.7895G	-56.95	-13.00	-43.95	MBW 1M	-
1717.5MHz_RB 75,#RB 0	Pass	1.81G	5G	1M	3M	RMS	4.15465G	-53.24	-13.00	-40.24	-	-
1717.5MHz_RB 75,#RB 0	Pass	5G	17.8G	1M	3M	RMS	15.8288G	-45.31	-13.00	-32.31	-	-
1717.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	81.756k	-66.18	-13.00	-53.18	-	-
1717.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-60.58	-13.00	-47.58	-	-
1717.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.01343G	-57.74	-13.00	-44.74	-	-
1717.5MHz_RB 1,#RB L	Pass	1.5G	1.68G	1M	3M	RMS	1.64544G	-57.81	-13.00	-44.81	-	-
1717.5MHz_RB 1,#RB L	Pass	1.68G	1.709G	200k	500k	RMS	1.7085G	-41.92	-13.00	-28.92	MBW 1M	-
1717.5MHz_RB 1,#RB L	Pass	1.709G	1.71G	200k	500k	RMS	1.71G	-30.93	-13.00	-17.93	-	-
1717.5MHz_RB 1,#RB L	Pass	1.78G	1.781G	200k	500k	RMS	1.78039G	-65.16	-13.00	-52.16	-	-
1717.5MHz_RB 1,#RB L	Pass	1.781G	1.81G	200k	500k	RMS	1.7895G	-56.86	-13.00	-43.86	MBW 1M	-
1717.5MHz_RB 1,#RB L	Pass	1.81G	5G	1M	3M	RMS	3.42095G	-50.00	-13.00	-37.00	-	-
1717.5MHz_RB 1,#RB L	Pass	5G	17.8G	1M	3M	RMS	15.8672G	-45.12	-13.00	-32.12	-	-
1745MHz_RB 75,#RB 0	Pass	9k	150k	1k	3k	RMS	13.23k	-74.32	-13.00	-61.32	-	-
1745MHz_RB 75,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-61.50	-13.00	-48.50	-	-
1745MHz_RB 75,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.00461G	-57.65	-13.00	-44.65	-	-
1745MHz_RB 75,#RB 0	Pass	1.5G	1.68G	1M	3M	RMS	1.64166G	-57.88	-13.00	-44.88	-	-
1745MHz_RB 75,#RB 0	Pass	1.68G	1.709G	200k	500k	RMS	1.7085G	-54.55	-13.00	-41.55	MBW 1M	-
1745MHz_RB 75,#RB 0	Pass	1.709G	1.71G	200k	500k	RMS	1.70993G	-60.52	-13.00	-47.52	-	-
1745MHz_RB 75,#RB 0	Pass	1.78G	1.781G	200k	500k	RMS	1.781G	-62.37	-13.00	-49.37	-	-
1745MHz_RB 75,#RB 0	Pass	1.781G	1.81G	200k	500k	RMS	1.7815G	-55.69	-13.00	-42.69	MBW 1M	-
1745MHz_RB 75,#RB 0	Pass	1.81G	5G	1M	3M	RMS	4.30458G	-53.21	-13.00	-40.21	-	-
1745MHz_RB 75,#RB 0	Pass	5G	17.8G	1M	3M	RMS	15.8416G	-45.22	-13.00	-32.22	-	-
1745MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	11.256k	-63.81	-13.00	-50.81	-	-
1745MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-60.99	-13.00	-47.99	-	-
1745MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.03989G	-57.79	-13.00	-44.79	-	-
1745MHz_RB 1,#RB L	Pass	1.5G	1.68G	1M	3M	RMS	1.65282G	-57.58	-13.00	-44.58	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1745MHz_RB 1,#RB L	Pass	1.68G	1.709G	200k	500k	RMS	1.6805G	-57.93	-13.00	-44.93	MBW 1M	-
1745MHz_RB 1,#RB L	Pass	1.709G	1.71G	200k	500k	RMS	1.70996G	-65.35	-13.00	-52.35	-	-
1745MHz_RB 1,#RB L	Pass	1.78G	1.781G	200k	500k	RMS	1.78065G	-64.92	-13.00	-51.92	-	-
1745MHz_RB 1,#RB L	Pass	1.781G	1.81G	200k	500k	RMS	1.7915G	-56.37	-13.00	-43.37	MBW 1M	-
1745MHz_RB 1,#RB L	Pass	1.81G	5G	1M	3M	RMS	4.88835G	-53.06	-13.00	-40.06	-	-
1745MHz_RB 1,#RB L	Pass	5G	17.8G	1M	3M	RMS	15.8672G	-45.40	-13.00	-32.40	-	-
1772.5MHz_RB 75,#RB 0	Pass	9k	150k	1k	3k	RMS	28.599k	-76.56	-13.00	-63.56	-	-
1772.5MHz_RB 75,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-61.49	-13.00	-48.49	-	-
1772.5MHz_RB 75,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.14867G	-57.73	-13.00	-44.73	-	-
1772.5MHz_RB 75,#RB 0	Pass	1.5G	1.68G	1M	3M	RMS	1.64814G	-57.70	-13.00	-44.70	-	-
1772.5MHz_RB 75,#RB 0	Pass	1.68G	1.709G	200k	500k	RMS	1.7085G	-58.49	-13.00	-45.49	MBW 1M	-
1772.5MHz_RB 75,#RB 0	Pass	1.709G	1.71G	200k	500k	RMS	1.70982G	-65.41	-13.00	-52.41	-	-
1772.5MHz_RB 75,#RB 0	Pass	1.78G	1.781G	200k	500k	RMS	1.78G	-32.74	-13.00	-19.74	-	-
1772.5MHz_RB 75,#RB 0	Pass	1.781G	1.81G	200k	500k	RMS	1.7825G	-28.77	-13.00	-15.77	MBW 1M	-
1772.5MHz_RB 75,#RB 0	Pass	1.81G	5G	1M	3M	RMS	4.14508G	-53.22	-13.00	-40.22	-	-
1772.5MHz_RB 75,#RB 0	Pass	5G	17.8G	1M	3M	RMS	15.8032G	-45.49	-13.00	-32.49	-	-
1772.5MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	62.157k	-64.43	-13.00	-51.43	-	-
1772.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	299.25k	-61.11	-13.00	-48.11	-	-
1772.5MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	1.00314G	-57.77	-13.00	-44.77	-	-
1772.5MHz_RB 1,#RB H	Pass	1.5G	1.68G	1M	3M	RMS	1.64418G	-57.86	-13.00	-44.86	-	-
1772.5MHz_RB 1,#RB H	Pass	1.68G	1.709G	200k	500k	RMS	1.7005G	-58.53	-13.00	-45.53	MBW 1M	-
1772.5MHz_RB 1,#RB H	Pass	1.709G	1.71G	200k	500k	RMS	1.71G	-65.58	-13.00	-52.58	-	-
1772.5MHz_RB 1,#RB H	Pass	1.78G	1.781G	200k	500k	RMS	1.78G	-29.73	-13.00	-16.73	-	-
1772.5MHz_RB 1,#RB H	Pass	1.781G	1.81G	200k	500k	RMS	1.7855G	-36.57	-13.00	-23.57	MBW 1M	-
1772.5MHz_RB 1,#RB H	Pass	1.81G	5G	1M	3M	RMS	4.87559G	-52.81	-13.00	-39.81	-	-
1772.5MHz_RB 1,#RB H	Pass	5G	17.8G	1M	3M	RMS	15.7776G	-45.13	-13.00	-32.13	-	-
Band 66_LTE_20MHz_Nss1.QPSK_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1720MHz_RB 100,#RB 0	Pass	9k	150k	1k	3k	RMS	11.115k	-74.96	-13.00	-61.96	-	-
1720MHz_RB 100,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-61.49	-13.00	-48.49	-	-
1720MHz_RB 100,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.06341G	-57.72	-13.00	-44.72	-	-
1720MHz_RB 100,#RB 0	Pass	1.5G	1.67G	1M	3M	RMS	1.63736G	-57.79	-13.00	-44.79	-	-
1720MHz_RB 100,#RB 0	Pass	1.67G	1.709G	200k	500k	RMS	1.7085G	-38.03	-13.00	-25.03	MBW 1M	-
1720MHz_RB 100,#RB 0	Pass	1.709G	1.71G	200k	500k	RMS	1.71G	-39.72	-13.00	-26.72	-	-
1720MHz_RB 100,#RB 0	Pass	1.78G	1.781G	200k	500k	RMS	1.78018G	-64.88	-13.00	-51.88	-	-
1720MHz_RB 100,#RB 0	Pass	1.781G	1.82G	200k	500k	RMS	1.7895G	-56.58	-13.00	-43.58	MBW 1M	-
1720MHz_RB 100,#RB 0	Pass	1.82G	5G	1M	3M	RMS	4.28768G	-53.12	-13.00	-40.12	-	-
1720MHz_RB 100,#RB 0	Pass	5G	17.8G	1M	3M	RMS	15.7904G	-45.23	-13.00	-32.23	-	-
1720MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	132.375k	-66.82	-13.00	-53.82	-	-
1720MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-60.92	-13.00	-47.92	-	-
1720MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	951.69M	-57.79	-13.00	-44.79	-	-
1720MHz_RB 1,#RB L	Pass	1.5G	1.67G	1M	3M	RMS	1.5918G	-57.81	-13.00	-44.81	-	-
1720MHz_RB 1,#RB L	Pass	1.67G	1.709G	200k	500k	RMS	1.7085G	-41.03	-13.00	-28.03	MBW 1M	-
1720MHz_RB 1,#RB L	Pass	1.709G	1.71G	200k	500k	RMS	1.71G	-34.60	-13.00	-21.60	-	-
1720MHz_RB 1,#RB L	Pass	1.78G	1.781G	200k	500k	RMS	1.78088G	-65.16	-13.00	-52.16	-	-
1720MHz_RB 1,#RB L	Pass	1.781G	1.82G	200k	500k	RMS	1.7895G	-56.90	-13.00	-43.90	MBW 1M	-
1720MHz_RB 1,#RB L	Pass	1.82G	5G	1M	3M	RMS	3.42272G	-48.96	-13.00	-35.96	-	-
1720MHz_RB 1,#RB L	Pass	5G	17.8G	1M	3M	RMS	15.8288G	-45.21	-13.00	-32.21	-	-
1745MHz_RB 100,#RB 0	Pass	9k	150k	1k	3k	RMS	12.243k	-75.73	-13.00	-62.73	-	-
1745MHz_RB 100,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-60.80	-13.00	-47.80	-	-
1745MHz_RB 100,#RB 0	Pass	30M	1.5G	1M	3M	RMS	989.91M	-57.80	-13.00	-44.80	-	-
1745MHz_RB 100,#RB 0	Pass	1.5G	1.67G	1M	3M	RMS	1.66456G	-57.83	-13.00	-44.83	-	-
1745MHz_RB 100,#RB 0	Pass	1.67G	1.709G	200k	500k	RMS	1.7075G	-48.72	-13.00	-35.72	MBW 1M	-
1745MHz_RB 100,#RB 0	Pass	1.709G	1.71G	200k	500k	RMS	1.71G	-54.93	-13.00	-41.93	-	-
1745MHz_RB 100,#RB 0	Pass	1.78G	1.781G	200k	500k	RMS	1.78G	-57.17	-13.00	-44.17	-	-
1745MHz_RB 100,#RB 0	Pass	1.781G	1.82G	200k	500k	RMS	1.7815G	-51.23	-13.00	-38.23	MBW 1M	-
1745MHz_RB 100,#RB 0	Pass	1.82G	5G	1M	3M	RMS	4.31948G	-53.29	-13.00	-40.29	-	-
1745MHz_RB 100,#RB 0	Pass	5G	17.8G	1M	3M	RMS	17.6208G	-45.21	-13.00	-32.21	-	-
1745MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	89.229k	-62.88	-13.00	-49.88	-	-
1745MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-60.54	-13.00	-47.54	-	-
1745MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.0296G	-57.64	-13.00	-44.64	-	-
1745MHz_RB 1,#RB L	Pass	1.5G	1.67G	1M	3M	RMS	1.6122G	-57.77	-13.00	-44.77	-	-
1745MHz_RB 1,#RB L	Pass	1.67G	1.709G	200k	500k	RMS	1.7005G	-55.13	-13.00	-42.13	MBW 1M	-
1745MHz_RB 1,#RB L	Pass	1.709G	1.71G	200k	500k	RMS	1.70939G	-63.32	-13.00	-50.32	-	-
1745MHz_RB 1,#RB L	Pass	1.78G	1.781G	200k	500k	RMS	1.78058G	-64.17	-13.00	-51.17	-	-
1745MHz_RB 1,#RB L	Pass	1.781G	1.82G	200k	500k	RMS	1.7895G	-56.12	-13.00	-43.12	MBW 1M	-
1745MHz_RB 1,#RB L	Pass	1.82G	5G	1M	3M	RMS	4.9205G	-53.11	-13.00	-40.11	-	-
1745MHz_RB 1,#RB L	Pass	5G	17.8G	1M	3M	RMS	15.8416G	-45.04	-13.00	-32.04	-	-
1770MHz_RB 100,#RB 0	Pass	9k	150k	1k	3k	RMS	12.807k	-76.66	-13.00	-63.66	-	-
1770MHz_RB 100,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-61.23	-13.00	-48.23	-	-
1770MHz_RB 100,#RB 0	Pass	30M	1.5G	1M	3M	RMS	986.97M	-57.59	-13.00	-44.59	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1770MHz_RB 100,#RB 0	Pass	1.5G	1.67G	1M	3M	RMS	1.64569G	-57.76	-13.00	-44.76	-	-
1770MHz_RB 100,#RB 0	Pass	1.67G	1.709G	200k	500k	RMS	1.6865G	-57.00	-13.00	-44.00	MBW 1M	-
1770MHz_RB 100,#RB 0	Pass	1.709G	1.71G	200k	500k	RMS	1.70988G	-63.44	-13.00	-50.44	-	-
1770MHz_RB 100,#RB 0	Pass	1.78G	1.781G	200k	500k	RMS	1.78G	-32.42	-13.00	-19.42	-	-
1770MHz_RB 100,#RB 0	Pass	1.781G	1.82G	200k	500k	RMS	1.7815G	-28.15	-13.00	-15.15	MBW 1M	-
1770MHz_RB 100,#RB 0	Pass	1.82G	5G	1M	3M	RMS	4.30358G	-53.16	-13.00	-40.16	-	-
1770MHz_RB 100,#RB 0	Pass	5G	17.8G	1M	3M	RMS	15.8544G	-45.07	-13.00	-32.07	-	-
1770MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	89.793k	-64.94	-13.00	-51.94	-	-
1770MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	299.25k	-61.09	-13.00	-48.09	-	-
1770MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	1.00902G	-57.78	-13.00	-44.78	-	-
1770MHz_RB 1,#RB H	Pass	1.5G	1.67G	1M	3M	RMS	1.64263G	-57.75	-13.00	-44.75	-	-
1770MHz_RB 1,#RB H	Pass	1.67G	1.709G	200k	500k	RMS	1.7075G	-55.21	-13.00	-42.21	MBW 1M	-
1770MHz_RB 1,#RB H	Pass	1.709G	1.71G	200k	500k	RMS	1.70972G	-65.37	-13.00	-52.37	-	-
1770MHz_RB 1,#RB H	Pass	1.78G	1.781G	200k	500k	RMS	1.78G	-33.17	-13.00	-20.17	-	-
1770MHz_RB 1,#RB H	Pass	1.781G	1.82G	200k	500k	RMS	1.7875G	-37.21	-13.00	-24.21	MBW 1M	-
1770MHz_RB 1,#RB H	Pass	1.82G	5G	1M	3M	RMS	4.9046G	-53.30	-13.00	-40.30	-	-
1770MHz_RB 1,#RB H	Pass	5G	17.8G	1M	3M	RMS	15.8416G	-45.31	-13.00	-32.31	-	-
Band 66_LTE_20MHz_Nss1,16QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1720MHz_RB 100,#RB 0	Pass	9k	150k	1k	3k	RMS	17.178k	-75.94	-13.00	-62.94	-	-
1720MHz_RB 100,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-61.21	-13.00	-48.21	-	-
1720MHz_RB 100,#RB 0	Pass	30M	1.5G	1M	3M	RMS	959.04M	-57.71	-13.00	-44.71	-	-
1720MHz_RB 100,#RB 0	Pass	1.5G	1.67G	1M	3M	RMS	1.66745G	-57.80	-13.00	-44.80	-	-
1720MHz_RB 100,#RB 0	Pass	1.67G	1.709G	200k	500k	RMS	1.7085G	-39.22	-13.00	-26.22	MBW 1M	-
1720MHz_RB 100,#RB 0	Pass	1.709G	1.71G	200k	500k	RMS	1.71G	-41.48	-13.00	-28.48	-	-
1720MHz_RB 100,#RB 0	Pass	1.78G	1.781G	200k	500k	RMS	1.781G	-64.87	-13.00	-51.87	-	-
1720MHz_RB 100,#RB 0	Pass	1.781G	1.82G	200k	500k	RMS	1.7905G	-56.74	-13.00	-43.74	MBW 1M	-
1720MHz_RB 100,#RB 0	Pass	1.82G	5G	1M	3M	RMS	4.13822G	-53.25	-13.00	-40.25	-	-
1720MHz_RB 100,#RB 0	Pass	5G	17.8G	1M	3M	RMS	15.8544G	-44.93	-13.00	-31.93	-	-
1720MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	32.547k	-63.73	-13.00	-50.73	-	-
1720MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-60.72	-13.00	-47.72	-	-
1720MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	914.94M	-57.58	-13.00	-44.58	-	-
1720MHz_RB 1,#RB L	Pass	1.5G	1.67G	1M	3M	RMS	1.65164G	-57.79	-13.00	-44.79	-	-
1720MHz_RB 1,#RB L	Pass	1.67G	1.709G	200k	500k	RMS	1.7085G	-41.37	-13.00	-28.37	MBW 1M	-
1720MHz_RB 1,#RB L	Pass	1.709G	1.71G	200k	500k	RMS	1.71G	-34.93	-13.00	-21.93	-	-
1720MHz_RB 1,#RB L	Pass	1.78G	1.781G	200k	500k	RMS	1.78017G	-65.05	-13.00	-52.05	-	-
1720MHz_RB 1,#RB L	Pass	1.781G	1.82G	200k	500k	RMS	1.7895G	-56.82	-13.00	-43.82	MBW 1M	-
1720MHz_RB 1,#RB L	Pass	1.82G	5G	1M	3M	RMS	3.42272G	-50.04	-13.00	-37.04	-	-
1720MHz_RB 1,#RB L	Pass	5G	17.8G	1M	3M	RMS	15.8544G	-45.20	-13.00	-32.20	-	-
1745MHz_RB 100,#RB 0	Pass	9k	150k	1k	3k	RMS	19.857k	-76.16	-13.00	-63.16	-	-
1745MHz_RB 100,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-60.51	-13.00	-47.51	-	-
1745MHz_RB 100,#RB 0	Pass	30M	1.5G	1M	3M	RMS	961.98M	-57.74	-13.00	-44.74	-	-
1745MHz_RB 100,#RB 0	Pass	1.5G	1.67G	1M	3M	RMS	1.6326G	-57.71	-13.00	-44.71	-	-
1745MHz_RB 100,#RB 0	Pass	1.67G	1.709G	200k	500k	RMS	1.7085G	-49.97	-13.00	-36.97	MBW 1M	-
1745MHz_RB 100,#RB 0	Pass	1.709G	1.71G	200k	500k	RMS	1.71G	-55.57	-13.00	-42.57	-	-
1745MHz_RB 100,#RB 0	Pass	1.78G	1.781G	200k	500k	RMS	1.78015G	-58.29	-13.00	-45.29	-	-
1745MHz_RB 100,#RB 0	Pass	1.781G	1.82G	200k	500k	RMS	1.7815G	-52.39	-13.00	-39.39	MBW 1M	-
1745MHz_RB 100,#RB 0	Pass	1.82G	5G	1M	3M	RMS	4.89188G	-53.25	-13.00	-40.25	-	-
1745MHz_RB 100,#RB 0	Pass	5G	17.8G	1M	3M	RMS	15.88G	-45.42	-13.00	-32.42	-	-
1745MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	76.68k	-64.83	-13.00	-51.83	-	-
1745MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-60.63	-13.00	-47.63	-	-
1745MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	897.3M	-57.74	-13.00	-44.74	-	-
1745MHz_RB 1,#RB L	Pass	1.5G	1.67G	1M	3M	RMS	1.63107G	-57.78	-13.00	-44.78	-	-
1745MHz_RB 1,#RB L	Pass	1.67G	1.709G	200k	500k	RMS	1.7005G	-55.93	-13.00	-42.93	MBW 1M	-
1745MHz_RB 1,#RB L	Pass	1.709G	1.71G	200k	500k	RMS	1.70937G	-63.53	-13.00	-50.53	-	-
1745MHz_RB 1,#RB L	Pass	1.78G	1.781G	200k	500k	RMS	1.78065G	-64.16	-13.00	-51.16	-	-
1745MHz_RB 1,#RB L	Pass	1.781G	1.82G	200k	500k	RMS	1.7895G	-56.52	-13.00	-43.52	MBW 1M	-
1745MHz_RB 1,#RB L	Pass	1.82G	5G	1M	3M	RMS	4.86326G	-53.16	-13.00	-40.16	-	-
1745MHz_RB 1,#RB L	Pass	5G	17.8G	1M	3M	RMS	15.7904G	-44.85	-13.00	-31.85	-	-
1770MHz_RB 100,#RB 0	Pass	9k	150k	1k	3k	RMS	9.846k	-73.03	-13.00	-60.03	-	-
1770MHz_RB 100,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-61.37	-13.00	-48.37	-	-
1770MHz_RB 100,#RB 0	Pass	30M	1.5G	1M	3M	RMS	964.92M	-57.62	-13.00	-44.62	-	-
1770MHz_RB 100,#RB 0	Pass	1.5G	1.67G	1M	3M	RMS	1.64178G	-57.89	-13.00	-44.89	-	-
1770MHz_RB 100,#RB 0	Pass	1.67G	1.709G	200k	500k	RMS	1.6865G	-57.09	-13.00	-44.09	MBW 1M	-
1770MHz_RB 100,#RB 0	Pass	1.709G	1.71G	200k	500k	RMS	1.70999G	-64.29	-13.00	-51.29	-	-
1770MHz_RB 100,#RB 0	Pass	1.78G	1.781G	200k	500k	RMS	1.78G	-36.01	-13.00	-23.01	-	-
1770MHz_RB 100,#RB 0	Pass	1.781G	1.82G	200k	500k	RMS	1.7815G	-31.79	-13.00	-18.79	MBW 1M	-
1770MHz_RB 100,#RB 0	Pass	1.82G	5G	1M	3M	RMS	4.87598G	-53.32	-13.00	-40.32	-	-
1770MHz_RB 100,#RB 0	Pass	5G	17.8G	1M	3M	RMS	15.8032G	-44.94	-13.00	-31.94	-	-
1770MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	31.701k	-66.66	-13.00	-53.66	-	-
1770MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	299.25k	-61.42	-13.00	-48.42	-	-





Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1770MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	995.79M	-57.85	-13.00	-44.85	-	-
1770MHz_RB 1,#RB H	Pass	1.5G	1.67G	1M	3M	RMS	1.6207G	-57.69	-13.00	-44.69	-	-
1770MHz_RB 1,#RB H	Pass	1.67G	1.709G	200k	500k	RMS	1.6865G	-57.22	-13.00	-44.22	MBW 1M	-
1770MHz_RB 1,#RB H	Pass	1.709G	1.71G	200k	500k	RMS	1.71G	-65.65	-13.00	-52.65	-	-
1770MHz_RB 1,#RB H	Pass	1.78G	1.781G	200k	500k	RMS	1.78G	-34.10	-13.00	-21.10	-	-
1770MHz_RB 1,#RB H	Pass	1.781G	1.82G	200k	500k	RMS	1.7875G	-38.43	-13.00	-25.43	MBW 1M	-
1770MHz_RB 1,#RB H	Pass	1.82G	5G	1M	3M	RMS	4.15412G	-53.29	-13.00	-40.29	-	-
1770MHz_RB 1,#RB H	Pass	5G	17.8G	1M	3M	RMS	15.8288G	-45.38	-13.00	-32.38	-	-
Band 66_LTE_20MHz_Nss1_64QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1720MHz_RB 100,#RB 0	Pass	9k	150k	1k	3k	RMS	14.781k	-73.98	-13.00	-60.98	-	-
1720MHz_RB 100,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-60.17	-13.00	-47.17	-	-
1720MHz_RB 100,#RB 0	Pass	30M	1.5G	1M	3M	RMS	981.09M	-57.58	-13.00	-44.58	-	-
1720MHz_RB 100,#RB 0	Pass	1.5G	1.67G	1M	3M	RMS	1.66252G	-57.84	-13.00	-44.84	-	-
1720MHz_RB 100,#RB 0	Pass	1.67G	1.709G	200k	500k	RMS	1.7085G	-39.64	-13.00	-26.64	MBW 1M	-
1720MHz_RB 100,#RB 0	Pass	1.709G	1.71G	200k	500k	RMS	1.71G	-42.10	-13.00	-29.10	-	-
1720MHz_RB 100,#RB 0	Pass	1.78G	1.781G	200k	500k	RMS	1.78049G	-64.85	-13.00	-51.85	-	-
1720MHz_RB 100,#RB 0	Pass	1.781G	1.82G	200k	500k	RMS	1.7895G	-56.78	-13.00	-43.78	MBW 1M	-
1720MHz_RB 100,#RB 0	Pass	1.82G	5G	1M	3M	RMS	4.88552G	-53.09	-13.00	-40.09	-	-
1720MHz_RB 100,#RB 0	Pass	5G	17.8G	1M	3M	RMS	15.8544G	-45.31	-13.00	-32.31	-	-
1720MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	43.968k	-67.82	-13.00	-54.82	-	-
1720MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-60.91	-13.00	-47.91	-	-
1720MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	997.26M	-57.67	-13.00	-44.67	-	-
1720MHz_RB 1,#RB L	Pass	1.5G	1.67G	1M	3M	RMS	1.61033G	-57.84	-13.00	-44.84	-	-
1720MHz_RB 1,#RB L	Pass	1.67G	1.709G	200k	500k	RMS	1.7085G	-42.35	-13.00	-29.35	MBW 1M	-
1720MHz_RB 1,#RB L	Pass	1.709G	1.71G	200k	500k	RMS	1.71G	-35.68	-13.00	-22.68	-	-
1720MHz_RB 1,#RB L	Pass	1.78G	1.781G	200k	500k	RMS	1.78093G	-65.19	-13.00	-52.19	-	-
1720MHz_RB 1,#RB L	Pass	1.781G	1.82G	200k	500k	RMS	1.7895G	-56.86	-13.00	-43.86	MBW 1M	-
1720MHz_RB 1,#RB L	Pass	1.82G	5G	1M	3M	RMS	3.42272G	-49.37	-13.00	-36.37	-	-
1720MHz_RB 1,#RB L	Pass	5G	17.8G	1M	3M	RMS	15.8288G	-45.22	-13.00	-32.22	-	-
1745MHz_RB 100,#RB 0	Pass	9k	150k	1k	3k	RMS	30.009k	-75.23	-13.00	-62.23	-	-
1745MHz_RB 100,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-61.34	-13.00	-48.34	-	-
1745MHz_RB 100,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.06194G	-57.71	-13.00	-44.71	-	-
1745MHz_RB 100,#RB 0	Pass	1.5G	1.67G	1M	3M	RMS	1.64858G	-57.66	-13.00	-44.66	-	-
1745MHz_RB 100,#RB 0	Pass	1.67G	1.709G	200k	500k	RMS	1.7085G	-49.75	-13.00	-36.75	MBW 1M	-
1745MHz_RB 100,#RB 0	Pass	1.709G	1.71G	200k	500k	RMS	1.70995G	-55.49	-13.00	-42.49	-	-
1745MHz_RB 100,#RB 0	Pass	1.78G	1.781G	200k	500k	RMS	1.78G	-58.27	-13.00	-45.27	-	-
1745MHz_RB 100,#RB 0	Pass	1.781G	1.82G	200k	500k	RMS	1.7815G	-52.50	-13.00	-39.50	MBW 1M	-
1745MHz_RB 100,#RB 0	Pass	1.82G	5G	1M	3M	RMS	4.11914G	-53.06	-13.00	-40.06	-	-
1745MHz_RB 100,#RB 0	Pass	5G	17.8G	1M	3M	RMS	15.8032G	-45.24	-13.00	-32.24	-	-
1745MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	46.788k	-64.50	-13.00	-51.50	-	-
1745MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	299.25k	-60.85	-13.00	-47.85	-	-
1745MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.14132G	-57.78	-13.00	-44.78	-	-
1745MHz_RB 1,#RB L	Pass	1.5G	1.67G	1M	3M	RMS	1.66915G	-57.73	-13.00	-44.73	-	-
1745MHz_RB 1,#RB L	Pass	1.67G	1.709G	200k	500k	RMS	1.7005G	-55.41	-13.00	-42.41	MBW 1M	-
1745MHz_RB 1,#RB L	Pass	1.709G	1.71G	200k	500k	RMS	1.70936G	-63.43	-13.00	-50.43	-	-
1745MHz_RB 1,#RB L	Pass	1.78G	1.781G	200k	500k	RMS	1.78065G	-64.08	-13.00	-51.08	-	-
1745MHz_RB 1,#RB L	Pass	1.781G	1.82G	200k	500k	RMS	1.7895G	-56.11	-13.00	-43.11	MBW 1M	-
1745MHz_RB 1,#RB L	Pass	1.82G	5G	1M	3M	RMS	4.13504G	-53.18	-13.00	-40.18	-	-
1745MHz_RB 1,#RB L	Pass	5G	17.8G	1M	3M	RMS	15.8416G	-45.26	-13.00	-32.26	-	-
1770MHz_RB 100,#RB 0	Pass	9k	150k	1k	3k	RMS	14.076k	-74.88	-13.00	-61.88	-	-
1770MHz_RB 100,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-61.13	-13.00	-48.13	-	-
1770MHz_RB 100,#RB 0	Pass	30M	1.5G	1M	3M	RMS	978.15M	-57.61	-13.00	-44.61	-	-
1770MHz_RB 100,#RB 0	Pass	1.5G	1.67G	1M	3M	RMS	1.64722G	-57.72	-13.00	-44.72	-	-
1770MHz_RB 100,#RB 0	Pass	1.67G	1.709G	200k	500k	RMS	1.6875G	-57.21	-13.00	-44.21	MBW 1M	-
1770MHz_RB 100,#RB 0	Pass	1.709G	1.71G	200k	500k	RMS	1.70984G	-64.13	-13.00	-51.13	-	-
1770MHz_RB 100,#RB 0	Pass	1.78G	1.781G	200k	500k	RMS	1.78G	-35.39	-13.00	-22.39	-	-
1770MHz_RB 100,#RB 0	Pass	1.781G	1.82G	200k	500k	RMS	1.7815G	-30.93	-13.00	-17.93	MBW 1M	-
1770MHz_RB 100,#RB 0	Pass	1.82G	5G	1M	3M	RMS	4.92368G	-53.11	-13.00	-40.11	-	-
1770MHz_RB 100,#RB 0	Pass	5G	17.8G	1M	3M	RMS	15.8544G	-45.40	-13.00	-32.40	-	-
1770MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	30.714k	-64.90	-13.00	-51.90	-	-
1770MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	299.25k	-60.09	-13.00	-47.09	-	-
1770MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	998.73M	-57.77	-13.00	-44.77	-	-
1770MHz_RB 1,#RB H	Pass	1.5G	1.67G	1M	3M	RMS	1.63039G	-57.77	-13.00	-44.77	-	-
1770MHz_RB 1,#RB H	Pass	1.67G	1.709G	200k	500k	RMS	1.7075G	-56.42	-13.00	-43.42	MBW 1M	-
1770MHz_RB 1,#RB H	Pass	1.709G	1.71G	200k	500k	RMS	1.70951G	-65.47	-13.00	-52.47	-	-
1770MHz_RB 1,#RB H	Pass	1.78G	1.781G	200k	500k	RMS	1.78G	-33.54	-13.00	-20.54	-	-
1770MHz_RB 1,#RB H	Pass	1.781G	1.82G	200k	500k	RMS	1.7875G	-37.75	-13.00	-24.75	MBW 1M	-
1770MHz_RB 1,#RB H	Pass	1.82G	5G	1M	3M	RMS	4.29722G	-52.94	-13.00	-39.94	-	-
1770MHz_RB 1,#RB H	Pass	5G	17.8G	1M	3M	RMS	15.8672G	-45.24	-13.00	-32.24	-	-



Band 2 LTE 1.4MHz_Nss1,QPSK_1TX
1850.7MHz QPSK RB 6,#RB 0

CSE-TX-Sum

06/03/2024





F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	13.371k	-76.05	-13.00	-63.05	-	-
150k	30M	10k	30k	RMS	299.25k	-65.14	-13.00	-52.14	-	-
30M	1.5G	1M	3M	RMS	1.02372G	-57.73	-13.00	-44.73	-	-
1.5G	1.8472G	1M	3M	RMS	1.8472G	-42.28	-13.00	-29.28	-	-
1.8472G	1.849G	10k	50k	RMS	1.8485G	-32.99	-13.00	-19.99	MBW 1M	-
1.849G	1.85G	10k	50k	RMS	1.85G	-35.20	-13.00	-22.20	-	-
1.91G	1.911G	10k	50k	RMS	1.91012G	-76.66	-13.00	-63.66	-	-
1.911G	1.9128G	10k	50k	RMS	1.9115G	-58.20	-13.00	-45.20	MBW 1M	-
1.9128G	5G	1M	3M	RMS	4.88886G	-53.07	-13.00	-40.07	-	-
5G	19.1G	1M	3M	RMS	17.9015G	-44.66	-13.00	-31.66	-	-

Band 2 LTE 1.4MHz_Nss1,QPSK_1TX
1850.7MHz QPSK RB 1,#RB L

CSE-TX-Sum

06/03/2024




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	101.073k	-64.77	-13.00	-51.77	-	-
150k	30M	10k	30k	RMS	299.25k	-64.36	-13.00	-51.36	-	-
30M	1.5G	1M	3M	RMS	1.15749G	-57.87	-13.00	-44.87	-	-
1.5G	1.8472G	1M	3M	RMS	1.8472G	-41.70	-13.00	-28.70	-	-
1.8472G	1.849G	10k	50k	RMS	1.8485G	-36.96	-13.00	-23.96	MBW 1M	-
1.849G	1.85G	10k	50k	RMS	1.85G	-30.80	-13.00	-17.80	-	-
1.91G	1.911G	10k	50k	RMS	1.91027G	-76.70	-13.00	-63.70	-	-
1.911G	1.9128G	10k	50k	RMS	1.9115G	-57.97	-13.00	-44.97	MBW 1M	-
1.9128G	5G	1M	3M	RMS	3.70029G	-51.59	-13.00	-38.59	-	-
5G	19.1G	1M	3M	RMS	17.9015G	-44.94	-13.00	-31.94	-	-

Band 2_LTE_1.4MHz_Nss1,QPSK_1TX
1880MHz_QPSK_RB 6,#RB 0

CSE-TX-Sum

06/03/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	74.424k	-74.76	-13.00	-61.76	-	-
150k	30M	10k	30k	RMS	508.2k	-61.44	-13.00	-48.44	-	-
30M	1.5G	1M	3M	RMS	984.03M	-57.73	-13.00	-44.73	-	-
1.5G	1.8472G	1M	3M	RMS	1.81248G	-57.30	-13.00	-44.30	-	-
1.8472G	1.849G	10k	50k	RMS	1.8477G	-58.12	-13.00	-45.12	MBW 1M	-
1.849G	1.85G	10k	50k	RMS	1.84958G	-76.63	-13.00	-63.63	-	-
1.91G	1.911G	10k	50k	RMS	1.91058G	-76.06	-13.00	-63.06	-	-
1.911G	1.9128G	10k	50k	RMS	1.9115G	-57.91	-13.00	-44.91	MBW 1M	-
1.9128G	5G	1M	3M	RMS	4.91655G	-53.34	-13.00	-40.34	-	-
5G	19.1G	1M	3M	RMS	17.8874G	-45.02	-13.00	-32.02	-	-

Band 2_LTE_1.4MHz_Nss1,QPSK_1TX
1880MHz_QPSK_RB 1,#RB L

CSE-TX-Sum

06/03/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	89.652k	-65.61	-13.00	-52.61	-	-
150k	30M	10k	30k	RMS	299.25k	-65.65	-13.00	-52.65	-	-
30M	1.5G	1M	3M	RMS	988.44M	-57.75	-13.00	-44.75	-	-
1.5G	1.8472G	1M	3M	RMS	1.81769G	-57.50	-13.00	-44.50	-	-
1.8472G	1.849G	10k	50k	RMS	1.8477G	-58.10	-13.00	-45.10	MBW 1M	-
1.849G	1.85G	10k	50k	RMS	1.84983G	-76.65	-13.00	-63.65	-	-
1.91G	1.911G	10k	50k	RMS	1.91081G	-76.57	-13.00	-63.57	-	-
1.911G	1.9128G	10k	50k	RMS	1.9115G	-57.88	-13.00	-44.88	MBW 1M	-
1.9128G	5G	1M	3M	RMS	3.75895G	-52.23	-13.00	-39.23	-	-
5G	19.1G	1M	3M	RMS	15.8429G	-45.24	-13.00	-32.24	-	-


Band 2_LTE_1.4MHz_Nss1,QPSK_1TX
1909.3MHz_QPSK_RB 6,#RB 0

CSE-TX-Sum

06/03/2024



Limit
Port 1




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	141.117k	-75.93	-13.00	-62.93	-	-
150k	30M	10k	30k	RMS	538.05k	-64.11	-13.00	-51.11	-	-
30M	1.5G	1M	3M	RMS	1.07517G	-57.82	-13.00	-44.82	-	-
1.5G	1.8472G	1M	3M	RMS	1.81977G	-57.72	-13.00	-44.72	-	-
1.8472G	1.849G	10k	50k	RMS	1.8477G	-58.05	-13.00	-45.05	MBW 1M	-
1.849G	1.85G	10k	50k	RMS	1.8491G	-76.85	-13.00	-63.85	-	-
1.91G	1.911G	10k	50k	RMS	1.91G	-37.19	-13.00	-24.19	-	-
1.911G	1.9128G	10k	50k	RMS	1.9115G	-33.69	-13.00	-20.69	MBW 1M	-
1.9128G	5G	1M	3M	RMS	1.9128G	-48.61	-13.00	-35.61	-	-
5G	19.1G	1M	3M	RMS	17.8874G	-45.12	-13.00	-32.12	-	-


Band 2_LTE_1.4MHz_Nss1,QPSK_1TX
1909.3MHz_QPSK_RB 1,#RB H

CSE-TX-Sum

06/03/2024



Limit
Port 1




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	99.804k	-62.67	-13.00	-49.67	-	-
150k	30M	10k	30k	RMS	299.25k	-64.72	-13.00	-51.72	-	-
30M	1.5G	1M	3M	RMS	963.45M	-57.77	-13.00	-44.77	-	-
1.5G	1.8472G	1M	3M	RMS	1.82741G	-57.68	-13.00	-44.68	-	-
1.8472G	1.849G	10k	50k	RMS	1.8477G	-58.13	-13.00	-45.13	MBW 1M	-
1.849G	1.85G	10k	50k	RMS	1.84979G	-76.79	-13.00	-63.79	-	-
1.91G	1.911G	10k	50k	RMS	1.91G	-29.96	-13.00	-16.96	-	-
1.911G	1.9128G	10k	50k	RMS	1.9115G	-36.73	-13.00	-23.73	MBW 1M	-
1.9128G	5G	1M	3M	RMS	1.9128G	-46.63	-13.00	-33.63	-	-
5G	19.1G	1M	3M	RMS	17.9015G	-45.09	-13.00	-32.09	-	-

Band 2_LTE_1.4MHz_Nss1,16QAM_1TX
1850.7MHz_16QAM_RB 6,#RB 0

CSE-TX-Sum

06/03/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	23.1k	-72.29	-13.00	-59.29	-	-
150k	30M	10k	30k	RMS	299.25k	-64.20	-13.00	-51.20	-	-
30M	1.5G	1M	3M	RMS	969.33M	-57.65	-13.00	-44.65	-	-
1.5G	1.8472G	1M	3M	RMS	1.8472G	-43.89	-13.00	-30.89	-	-
1.8472G	1.849G	10k	50k	RMS	1.8485G	-34.34	-13.00	-21.34	MBW 1M	-
1.849G	1.85G	10k	50k	RMS	1.84999G	-35.20	-13.00	-22.20	-	-
1.91G	1.911G	10k	50k	RMS	1.91011G	-76.52	-13.00	-63.52	-	-
1.911G	1.9128G	10k	50k	RMS	1.9115G	-58.08	-13.00	-45.08	MBW 1M	-
1.9128G	5G	1M	3M	RMS	4.12324G	-53.03	-13.00	-40.03	-	-
5G	19.1G	1M	3M	RMS	17.9015G	-45.25	-13.00	-32.25	-	-

Band 2_LTE_1.4MHz_Nss1,16QAM_1TX
1850.7MHz_16QAM_RB 1,#RB L

CSE-TX-Sum

06/03/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	90.921k	-63.21	-13.00	-50.21	-	-
150k	30M	10k	30k	RMS	299.25k	-64.45	-13.00	-51.45	-	-
30M	1.5G	1M	3M	RMS	931.11M	-57.73	-13.00	-44.73	-	-
1.5G	1.8472G	1M	3M	RMS	1.8472G	-41.87	-13.00	-28.87	-	-
1.8472G	1.849G	10k	50k	RMS	1.8485G	-37.37	-13.00	-24.37	MBW 1M	-
1.849G	1.85G	10k	50k	RMS	1.85G	-30.70	-13.00	-17.70	-	-
1.91G	1.911G	10k	50k	RMS	1.91001G	-76.37	-13.00	-63.37	-	-
1.911G	1.9128G	10k	50k	RMS	1.9115G	-58.01	-13.00	-45.01	MBW 1M	-
1.9128G	5G	1M	3M	RMS	3.70029G	-51.13	-13.00	-38.13	-	-
5G	19.1G	1M	3M	RMS	17.9015G	-44.87	-13.00	-31.87	-	-

Band 2_LTE_1.4MHz_Nss1,16QAM_1TX
1880MHz_16QAM_RB 6,#RB 0

CSE-TX-Sum

06/03/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	88.665k	-73.91	-13.00	-60.91	-	-
150k	30M	10k	30k	RMS	299.25k	-64.39	-13.00	-51.39	-	-
30M	1.5G	1M	3M	RMS	907.59M	-57.78	-13.00	-44.78	-	-
1.5G	1.8472G	1M	3M	RMS	1.81179G	-57.51	-13.00	-44.51	-	-
1.8472G	1.849G	10k	50k	RMS	1.8477G	-58.11	-13.00	-45.11	MBW 1M	-
1.849G	1.85G	10k	50k	RMS	1.84965G	-76.79	-13.00	-63.79	-	-
1.91G	1.911G	10k	50k	RMS	1.91052G	-76.70	-13.00	-63.70	-	-
1.911G	1.9128G	10k	50k	RMS	1.9115G	-57.90	-13.00	-44.90	MBW 1M	-
1.9128G	5G	1M	3M	RMS	4.9043G	-53.13	-13.00	-40.13	-	-
5G	19.1G	1M	3M	RMS	17.9015G	-44.97	-13.00	-31.97	-	-

Band 2_LTE_1.4MHz_Nss1,16QAM_1TX
1880MHz_16QAM_RB 1,#RB L

CSE-TX-Sum

06/03/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	87.255k	-65.42	-13.00	-52.42	-	-
150k	30M	10k	30k	RMS	299.25k	-65.49	-13.00	-52.49	-	-
30M	1.5G	1M	3M	RMS	950.22M	-57.64	-13.00	-44.64	-	-
1.5G	1.8472G	1M	3M	RMS	1.79824G	-57.49	-13.00	-44.49	-	-
1.8472G	1.849G	10k	50k	RMS	1.8477G	-58.05	-13.00	-45.05	MBW 1M	-
1.849G	1.85G	10k	50k	RMS	1.84955G	-76.70	-13.00	-63.70	-	-
1.91G	1.911G	10k	50k	RMS	1.91041G	-76.50	-13.00	-63.50	-	-
1.911G	1.9128G	10k	50k	RMS	1.9115G	-57.97	-13.00	-44.97	MBW 1M	-
1.9128G	5G	1M	3M	RMS	3.75895G	-53.20	-13.00	-40.20	-	-
5G	19.1G	1M	3M	RMS	15.7865G	-44.80	-13.00	-31.80	-	-


Band 2_LTE_1.4MHz_Nss1,16QAM_1TX
1909.3MHz_16QAM_RB 6,#RB 0

CSE-TX-Sum

06/03/2024



Limit
Port 1




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	29.586k	-73.25	-13.00	-60.25	-	-
150k	30M	10k	30k	RMS	299.25k	-64.73	-13.00	-51.73	-	-
30M	1.5G	1M	3M	RMS	978.15M	-57.80	-13.00	-44.80	-	-
1.5G	1.8472G	1M	3M	RMS	1.63194G	-57.63	-13.00	-44.63	-	-
1.8472G	1.849G	10k	50k	RMS	1.8477G	-58.27	-13.00	-45.27	MBW 1M	-
1.849G	1.85G	10k	50k	RMS	1.84909G	-76.40	-13.00	-63.40	-	-
1.91G	1.911G	10k	50k	RMS	1.91G	-37.52	-13.00	-24.52	-	-
1.911G	1.9128G	10k	50k	RMS	1.9115G	-35.19	-13.00	-22.19	MBW 1M	-
1.9128G	5G	1M	3M	RMS	1.9128G	-49.90	-13.00	-36.90	-	-
5G	19.1G	1M	3M	RMS	17.9015G	-45.12	-13.00	-32.12	-	-


Band 2_LTE_1.4MHz_Nss1,16QAM_1TX
1909.3MHz_16QAM_RB 1,#RB H

CSE-TX-Sum

06/03/2024



Limit
Port 1




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	85.704k	-65.23	-13.00	-52.23	-	-
150k	30M	10k	30k	RMS	150k	-61.68	-13.00	-48.68	-	-
30M	1.5G	1M	3M	RMS	1.05018G	-57.82	-13.00	-44.82	-	-
1.5G	1.8472G	1M	3M	RMS	1.78297G	-57.67	-13.00	-44.67	-	-
1.8472G	1.849G	10k	50k	RMS	1.8477G	-58.19	-13.00	-45.19	MBW 1M	-
1.849G	1.85G	10k	50k	RMS	1.8498G	-76.72	-13.00	-63.72	-	-
1.91G	1.911G	10k	50k	RMS	1.91G	-33.03	-13.00	-20.03	-	-
1.911G	1.9128G	10k	50k	RMS	1.9115G	-37.15	-13.00	-24.15	MBW 1M	-
1.9128G	5G	1M	3M	RMS	1.9128G	-49.06	-13.00	-36.06	-	-
5G	19.1G	1M	3M	RMS	17.8874G	-44.80	-13.00	-31.80	-	-

Band 2_LTE_1.4MHz_Nss1,64QAM_1TX
1850.7MHz_64QAM_RB 6,#RB 0

CSE-TX-Sum

06/03/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	120.39k	-73.82	-13.00	-60.82	-	-
150k	30M	10k	30k	RMS	299.25k	-65.14	-13.00	-52.14	-	-
30M	1.5G	1M	3M	RMS	964.92M	-57.84	-13.00	-44.84	-	-
1.5G	1.8472G	1M	3M	RMS	1.8472G	-43.26	-13.00	-30.26	-	-
1.8472G	1.849G	10k	50k	RMS	1.8485G	-34.42	-13.00	-21.42	MBW 1M	-
1.849G	1.85G	10k	50k	RMS	1.85G	-35.96	-13.00	-22.96	-	-
1.91G	1.911G	10k	50k	RMS	1.91056G	-76.56	-13.00	-63.56	-	-
1.911G	1.9128G	10k	50k	RMS	1.9115G	-58.08	-13.00	-45.08	MBW 1M	-
1.9128G	5G	1M	3M	RMS	4.14179G	-53.19	-13.00	-40.19	-	-
5G	19.1G	1M	3M	RMS	15.8288G	-45.17	-13.00	-32.17	-	-

Band 2_LTE_1.4MHz_Nss1,64QAM_1TX
1850.7MHz_64QAM_RB 1,#RB L

CSE-TX-Sum

06/03/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	25.497k	-66.42	-13.00	-53.42	-	-
150k	30M	10k	30k	RMS	299.25k	-64.89	-13.00	-51.89	-	-
30M	1.5G	1M	3M	RMS	1.13691G	-57.72	-13.00	-44.72	-	-
1.5G	1.8472G	1M	3M	RMS	1.8472G	-42.55	-13.00	-29.55	-	-
1.8472G	1.849G	10k	50k	RMS	1.8485G	-38.26	-13.00	-25.26	MBW 1M	-
1.849G	1.85G	10k	50k	RMS	1.85G	-32.55	-13.00	-19.55	-	-
1.91G	1.911G	10k	50k	RMS	1.91043G	-76.60	-13.00	-63.60	-	-
1.911G	1.9128G	10k	50k	RMS	1.9115G	-58.08	-13.00	-45.08	MBW 1M	-
1.9128G	5G	1M	3M	RMS	3.70029G	-52.25	-13.00	-39.25	-	-
5G	19.1G	1M	3M	RMS	17.9156G	-44.97	-13.00	-31.97	-	-

Band 2_LTE_1.4MHz_Nss1,64QAM_1TX
1880MHz_64QAM_RB 6,#RB 0

CSE-TX-Sum

06/03/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	9.987k	-73.53	-13.00	-60.53	-	-
150k	30M	10k	30k	RMS	299.25k	-65.49	-13.00	-52.49	-	-
30M	1.5G	1M	3M	RMS	1.00461G	-57.76	-13.00	-44.76	-	-
1.5G	1.8472G	1M	3M	RMS	1.81456G	-57.55	-13.00	-44.55	-	-
1.8472G	1.849G	10k	50k	RMS	1.8477G	-58.09	-13.00	-45.09	MBW 1M	-
1.849G	1.85G	10k	50k	RMS	1.8495G	-76.86	-13.00	-63.86	-	-
1.91G	1.911G	10k	50k	RMS	1.91081G	-76.75	-13.00	-63.75	-	-
1.911G	1.9128G	10k	50k	RMS	1.9115G	-58.02	-13.00	-45.02	MBW 1M	-
1.9128G	5G	1M	3M	RMS	4.88577G	-53.06	-13.00	-40.06	-	-
5G	19.1G	1M	3M	RMS	17.9156G	-45.23	-13.00	-32.23	-	-

Band 2_LTE_1.4MHz_Nss1,64QAM_1TX
1880MHz_64QAM_RB 1,#RB L

CSE-TX-Sum

06/03/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	42.558k	-65.63	-13.00	-52.63	-	-
150k	30M	10k	30k	RMS	150k	-64.39	-13.00	-51.39	-	-
30M	1.5G	1M	3M	RMS	954.63M	-57.87	-13.00	-44.87	-	-
1.5G	1.8472G	1M	3M	RMS	1.84269G	-57.43	-13.00	-44.43	-	-
1.8472G	1.849G	10k	50k	RMS	1.8477G	-58.04	-13.00	-45.04	MBW 1M	-
1.849G	1.85G	10k	50k	RMS	1.84964G	-76.68	-13.00	-63.68	-	-
1.91G	1.911G	10k	50k	RMS	1.91081G	-76.90	-13.00	-63.90	-	-
1.911G	1.9128G	10k	50k	RMS	1.9115G	-57.88	-13.00	-44.88	MBW 1M	-
1.9128G	5G	1M	3M	RMS	3.75895G	-51.99	-13.00	-38.99	-	-
5G	19.1G	1M	3M	RMS	17.9015G	-44.89	-13.00	-31.89	-	-


Band 2_LTE_1.4MHz_Nss1,64QAM_1TX
1909.3MHz_64QAM_RB 6,#RB 0

CSE-TX-Sum

06/03/2024



Limit
Port 1




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	18.165k	-71.32	-13.00	-58.32	-	-
150k	30M	10k	30k	RMS	508.2k	-63.41	-13.00	-50.41	-	-
30M	1.5G	1M	3M	RMS	1.03107G	-57.73	-13.00	-44.73	-	-
1.5G	1.8472G	1M	3M	RMS	1.80901G	-57.37	-13.00	-44.37	-	-
1.8472G	1.849G	10k	50k	RMS	1.8477G	-58.17	-13.00	-45.17	MBW 1M	-
1.849G	1.85G	10k	50k	RMS	1.8499G	-76.85	-13.00	-63.85	-	-
1.91G	1.911G	10k	50k	RMS	1.91001G	-38.65	-13.00	-25.65	-	-
1.911G	1.9128G	10k	50k	RMS	1.9115G	-35.52	-13.00	-22.52	MBW 1M	-
1.9128G	5G	1M	3M	RMS	1.9128G	-49.91	-13.00	-36.91	-	-
5G	19.1G	1M	3M	RMS	17.9015G	-44.88	-13.00	-31.88	-	-


Band 2_LTE_1.4MHz_Nss1,64QAM_1TX
1909.3MHz_64QAM_RB 1,#RB H

CSE-TX-Sum

06/03/2024



Limit
Port 1




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	63.99k	-64.06	-13.00	-51.06	-	-
150k	30M	10k	30k	RMS	299.25k	-65.84	-13.00	-52.84	-	-
30M	1.5G	1M	3M	RMS	973.74M	-57.79	-13.00	-44.79	-	-
1.5G	1.8472G	1M	3M	RMS	1.62777G	-57.61	-13.00	-44.61	-	-
1.8472G	1.849G	10k	50k	RMS	1.8477G	-58.19	-13.00	-45.19	MBW 1M	-
1.849G	1.85G	10k	50k	RMS	1.84983G	-76.66	-13.00	-63.66	-	-
1.91G	1.911G	10k	50k	RMS	1.91001G	-31.17	-13.00	-18.17	-	-
1.911G	1.9128G	10k	50k	RMS	1.9115G	-37.36	-13.00	-24.36	MBW 1M	-
1.9128G	5G	1M	3M	RMS	1.9128G	-47.71	-13.00	-34.71	-	-
5G	19.1G	1M	3M	RMS	17.8874G	-45.14	-13.00	-32.14	-	-


Band 2_LTE_3MHz_Nss1,QPSK_1TX
1851.5MHz_QPSK_RB 15,#RB 0

CSE-TX-Sum

06/03/2024



Limit
Port 1




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	26.484k	-74.83	-13.00	-61.83	-	-
150k	30M	10k	30k	RMS	299.25k	-67.65	-13.00	-54.65	-	-
30M	1.5G	1M	3M	RMS	998.73M	-57.77	-13.00	-44.77	-	-
1.5G	1.844G	1M	3M	RMS	1.84366G	-46.40	-13.00	-33.40	-	-
1.844G	1.849G	30k	100k	RMS	1.8485G	-25.15	-13.00	-12.15	MBW 1M	-
1.849G	1.85G	30k	100k	RMS	1.85G	-30.00	-13.00	-17.00	-	-
1.91G	1.911G	30k	100k	RMS	1.91018G	-72.68	-13.00	-59.68	-	-
1.911G	1.916G	30k	100k	RMS	1.9155G	-58.40	-13.00	-45.40	MBW 1M	-
1.916G	5G	1M	3M	RMS	4.29376G	-53.19	-13.00	-40.19	-	-
5G	19.1G	1M	3M	RMS	17.9156G	-45.11	-13.00	-32.11	-	-


Band 2_LTE_3MHz_Nss1,QPSK_1TX
1851.5MHz_QPSK_RB 1,#RB L

CSE-TX-Sum

06/03/2024



Limit
Port 1




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	59.478k	-66.57	-13.00	-53.57	-	-
150k	30M	10k	30k	RMS	150k	-66.53	-13.00	-53.53	-	-
30M	1.5G	1M	3M	RMS	1.00608G	-57.72	-13.00	-44.72	-	-
1.5G	1.844G	1M	3M	RMS	1.844G	-54.87	-13.00	-41.87	-	-
1.844G	1.849G	30k	100k	RMS	1.8485G	-36.66	-13.00	-23.66	MBW 1M	-
1.849G	1.85G	30k	100k	RMS	1.85G	-24.71	-13.00	-11.71	-	-
1.91G	1.911G	30k	100k	RMS	1.91075G	-73.01	-13.00	-60.01	-	-
1.911G	1.916G	30k	100k	RMS	1.9155G	-58.33	-13.00	-45.33	MBW 1M	-
1.916G	5G	1M	3M	RMS	3.70164G	-51.55	-13.00	-38.55	-	-
5G	19.1G	1M	3M	RMS	17.9015G	-45.10	-13.00	-32.10	-	-


Band 2_LTE_3MHz_Nss1,QPSK_1TX
1880MHz_QPSK_RB 15,#RB 0

CSE-TX-Sum

06/03/2024



Limit
Port 1




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	12.948k	-73.89	-13.00	-60.89	-	-
150k	30M	10k	30k	RMS	299.25k	-68.85	-13.00	-55.85	-	-
30M	1.5G	1M	3M	RMS	966.39M	-57.79	-13.00	-44.79	-	-
1.5G	1.844G	1M	3M	RMS	1.80685G	-57.50	-13.00	-44.50	-	-
1.844G	1.849G	30k	100k	RMS	1.8485G	-58.32	-13.00	-45.32	MBW 1M	-
1.849G	1.85G	30k	100k	RMS	1.84999G	-72.80	-13.00	-59.80	-	-
1.91G	1.911G	30k	100k	RMS	1.91064G	-72.59	-13.00	-59.59	-	-
1.911G	1.916G	30k	100k	RMS	1.9155G	-58.23	-13.00	-45.23	MBW 1M	-
1.916G	5G	1M	3M	RMS	4.27834G	-53.31	-13.00	-40.31	-	-
5G	19.1G	1M	3M	RMS	17.9015G	-45.11	-13.00	-32.11	-	-


Band 2_LTE_3MHz_Nss1,QPSK_1TX
1880MHz_QPSK_RB 1,#RB L

CSE-TX-Sum

06/03/2024



Limit
Port 1




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	90.075k	-63.32	-13.00	-50.32	-	-
150k	30M	10k	30k	RMS	299.25k	-66.82	-13.00	-53.82	-	-
30M	1.5G	1M	3M	RMS	1.04871G	-57.63	-13.00	-44.63	-	-
1.5G	1.844G	1M	3M	RMS	1.81166G	-57.61	-13.00	-44.61	-	-
1.844G	1.849G	30k	100k	RMS	1.8485G	-58.23	-13.00	-45.23	MBW 1M	-
1.849G	1.85G	30k	100k	RMS	1.84988G	-72.84	-13.00	-59.84	-	-
1.91G	1.911G	30k	100k	RMS	1.91038G	-72.80	-13.00	-59.80	-	-
1.911G	1.916G	30k	100k	RMS	1.9155G	-58.30	-13.00	-45.30	MBW 1M	-
1.916G	5G	1M	3M	RMS	3.75715G	-52.72	-13.00	-39.72	-	-
5G	19.1G	1M	3M	RMS	17.9015G	-44.69	-13.00	-31.69	-	-

Band 2_LTE_3MHz_Nss1,QPSK_1TX
1908.5MHz_QPSK_RB 15,#RB 0


CSE-TX-Sum

06/03/2024



Limit

Port 1




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	13.371k	-76.60	-13.00	-63.60	-	-
150k	30M	10k	30k	RMS	299.25k	-66.47	-13.00	-53.47	-	-
30M	1.5G	1M	3M	RMS	963.45M	-57.69	-13.00	-44.69	-	-
1.5G	1.844G	1M	3M	RMS	1.80822G	-57.56	-13.00	-44.56	-	-
1.844G	1.849G	30k	100k	RMS	1.8485G	-58.50	-13.00	-45.50	MBW 1M	-
1.849G	1.85G	30k	100k	RMS	1.84967G	-72.87	-13.00	-59.87	-	-
1.91G	1.911G	30k	100k	RMS	1.91G	-33.03	-13.00	-20.03	-	-
1.911G	1.916G	30k	100k	RMS	1.9115G	-31.21	-13.00	-18.21	MBW 1M	-
1.916G	5G	1M	3M	RMS	1.916G	-52.02	-13.00	-39.02	-	-
5G	19.1G	1M	3M	RMS	17.9015G	-45.05	-13.00	-32.05	-	-

Band 2_LTE_3MHz_Nss1,QPSK_1TX
1908.5MHz_QPSK_RB 1,#RB H


CSE-TX-Sum

06/03/2024



Limit

Port 1




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	46.788k	-63.60	-13.00	-50.60	-	-
150k	30M	10k	30k	RMS	150k	-67.40	-13.00	-54.40	-	-
30M	1.5G	1M	3M	RMS	963.45M	-57.73	-13.00	-44.73	-	-
1.5G	1.844G	1M	3M	RMS	1.80375G	-57.61	-13.00	-44.61	-	-
1.844G	1.849G	30k	100k	RMS	1.8475G	-58.48	-13.00	-45.48	MBW 1M	-
1.849G	1.85G	30k	100k	RMS	1.84944G	-73.08	-13.00	-60.08	-	-
1.91G	1.911G	30k	100k	RMS	1.91G	-24.42	-13.00	-11.42	-	-
1.911G	1.916G	30k	100k	RMS	1.9115G	-36.48	-13.00	-23.48	MBW 1M	-
1.916G	5G	1M	3M	RMS	4.89206G	-52.96	-13.00	-39.96	-	-
5G	19.1G	1M	3M	RMS	17.8874G	-45.06	-13.00	-32.06	-	-

Band 2_LTE_3MHz_Nss1,16QAM_1TX
1851.5MHz_16QAM_RB 15,#RB 0

CSE-TX-Sum

06/03/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	13.935k	-73.88	-13.00	-60.88	-	-
150k	30M	10k	30k	RMS	299.25k	-68.42	-13.00	-55.42	-	-
30M	1.5G	1M	3M	RMS	992.85M	-57.67	-13.00	-44.67	-	-
1.5G	1.844G	1M	3M	RMS	1.844G	-48.71	-13.00	-35.71	-	-
1.844G	1.849G	30k	100k	RMS	1.8485G	-26.50	-13.00	-13.50	MBW 1M	-
1.849G	1.85G	30k	100k	RMS	1.85G	-30.98	-13.00	-17.98	-	-
1.91G	1.911G	30k	100k	RMS	1.91039G	-73.11	-13.00	-60.11	-	-
1.911G	1.916G	30k	100k	RMS	1.9155G	-58.39	-13.00	-45.39	MBW 1M	-
1.916G	5G	1M	3M	RMS	4.27526G	-53.37	-13.00	-40.37	-	-
5G	19.1G	1M	3M	RMS	17.9015G	-45.14	-13.00	-32.14	-	-

Band 2_LTE_3MHz_Nss1,16QAM_1TX
1851.5MHz_16QAM_RB 1,#RB L

CSE-TX-Sum

06/03/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	87.114k	-64.47	-13.00	-51.47	-	-
150k	30M	10k	30k	RMS	150k	-66.75	-13.00	-53.75	-	-
30M	1.5G	1M	3M	RMS	966.39M	-57.74	-13.00	-44.74	-	-
1.5G	1.844G	1M	3M	RMS	1.84366G	-54.93	-13.00	-41.93	-	-
1.844G	1.849G	30k	100k	RMS	1.8485G	-36.97	-13.00	-23.97	MBW 1M	-
1.849G	1.85G	30k	100k	RMS	1.85G	-25.05	-13.00	-12.05	-	-
1.91G	1.911G	30k	100k	RMS	1.91087G	-72.91	-13.00	-59.91	-	-
1.911G	1.916G	30k	100k	RMS	1.9155G	-58.38	-13.00	-45.38	MBW 1M	-
1.916G	5G	1M	3M	RMS	3.70164G	-51.97	-13.00	-38.97	-	-
5G	19.1G	1M	3M	RMS	17.9015G	-45.05	-13.00	-32.05	-	-

Band 2_LTE_3MHz_Nss1,16QAM_1TX
1880MHz_16QAM_RB 15,#RB 0

CSE-TX-Sum

06/03/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	20.421k	-76.10	-13.00	-63.10	-	-
150k	30M	10k	30k	RMS	299.25k	-68.27	-13.00	-55.27	-	-
30M	1.5G	1M	3M	RMS	963.45M	-57.71	-13.00	-44.71	-	-
1.5G	1.844G	1M	3M	RMS	1.81751G	-57.36	-13.00	-44.36	-	-
1.844G	1.849G	30k	100k	RMS	1.8485G	-58.43	-13.00	-45.43	MBW 1M	-
1.849G	1.85G	30k	100k	RMS	1.8496G	-72.56	-13.00	-59.56	-	-
1.91G	1.911G	30k	100k	RMS	1.91035G	-72.89	-13.00	-59.89	-	-
1.911G	1.916G	30k	100k	RMS	1.9145G	-58.32	-13.00	-45.32	MBW 1M	-
1.916G	5G	1M	3M	RMS	4.90131G	-53.09	-13.00	-40.09	-	-
5G	19.1G	1M	3M	RMS	17.9015G	-45.10	-13.00	-32.10	-	-

Band 2_LTE_3MHz_Nss1,16QAM_1TX
1880MHz_16QAM_RB 1,#RB L

CSE-TX-Sum

06/03/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	89.652k	-67.72	-13.00	-54.72	-	-
150k	30M	10k	30k	RMS	299.25k	-68.15	-13.00	-55.15	-	-
30M	1.5G	1M	3M	RMS	1.1472G	-57.81	-13.00	-44.81	-	-
1.5G	1.844G	1M	3M	RMS	1.79859G	-57.54	-13.00	-44.54	-	-
1.844G	1.849G	30k	100k	RMS	1.8475G	-58.32	-13.00	-45.32	MBW 1M	-
1.849G	1.85G	30k	100k	RMS	1.8498G	-72.86	-13.00	-59.86	-	-
1.91G	1.911G	30k	100k	RMS	1.91017G	-72.26	-13.00	-59.26	-	-
1.911G	1.916G	30k	100k	RMS	1.9155G	-58.23	-13.00	-45.23	MBW 1M	-
1.916G	5G	1M	3M	RMS	4.89514G	-52.99	-13.00	-39.99	-	-
5G	19.1G	1M	3M	RMS	17.9015G	-44.97	-13.00	-31.97	-	-


Band 2_LTE_3MHz_Nss1,16QAM_1TX
1908.5MHz_16QAM_RB 15,#RB 0

CSE-TX-Sum

06/03/2024



Limit
Port 1




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	24.228k	-74.73	-13.00	-61.73	-	-
150k	30M	10k	30k	RMS	299.25k	-69.34	-13.00	-56.34	-	-
30M	1.5G	1M	3M	RMS	1.059G	-57.50	-13.00	-44.50	-	-
1.5G	1.844G	1M	3M	RMS	1.81682G	-57.64	-13.00	-44.64	-	-
1.844G	1.849G	30k	100k	RMS	1.8485G	-58.46	-13.00	-45.46	MBW 1M	-
1.849G	1.85G	30k	100k	RMS	1.84931G	-72.97	-13.00	-59.97	-	-
1.91G	1.911G	30k	100k	RMS	1.91G	-33.16	-13.00	-20.16	-	-
1.911G	1.916G	30k	100k	RMS	1.9115G	-31.10	-13.00	-18.10	MBW 1M	-
1.916G	5G	1M	3M	RMS	4.1334G	-53.20	-13.00	-40.20	-	-
5G	19.1G	1M	3M	RMS	17.9015G	-45.12	-13.00	-32.12	-	-


Band 2_LTE_3MHz_Nss1,16QAM_1TX
1908.5MHz_16QAM_RB 1,#RB H

CSE-TX-Sum

06/03/2024



Limit
Port 1




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	35.79k	-64.35	-13.00	-51.35	-	-
150k	30M	10k	30k	RMS	299.25k	-67.54	-13.00	-54.54	-	-
30M	1.5G	1M	3M	RMS	1.02519G	-57.63	-13.00	-44.63	-	-
1.5G	1.844G	1M	3M	RMS	1.81235G	-57.59	-13.00	-44.59	-	-
1.844G	1.849G	30k	100k	RMS	1.8485G	-58.43	-13.00	-45.43	MBW 1M	-
1.849G	1.85G	30k	100k	RMS	1.84931G	-73.06	-13.00	-60.06	-	-
1.91G	1.911G	30k	100k	RMS	1.91G	-26.74	-13.00	-13.74	-	-
1.911G	1.916G	30k	100k	RMS	1.9115G	-38.17	-13.00	-25.17	MBW 1M	-
1.916G	5G	1M	3M	RMS	4.90748G	-53.20	-13.00	-40.20	-	-
5G	19.1G	1M	3M	RMS	17.8874G	-45.02	-13.00	-32.02	-	-

Band 2_LTE_3MHz_Nss1,64QAM_1TX
1851.5MHz_64QAM_RB 15,#RB 0

CSE-TX-Sum

06/03/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	9.141k	-74.45	-13.00	-61.45	-	-
150k	30M	10k	30k	RMS	299.25k	-67.90	-13.00	-54.90	-	-
30M	1.5G	1M	3M	RMS	988.44M	-57.77	-13.00	-44.77	-	-
1.5G	1.844G	1M	3M	RMS	1.844G	-47.26	-13.00	-34.26	-	-
1.844G	1.849G	30k	100k	RMS	1.8485G	-26.16	-13.00	-13.16	MBW 1M	-
1.849G	1.85G	30k	100k	RMS	1.85G	-31.13	-13.00	-18.13	-	-
1.91G	1.911G	30k	100k	RMS	1.91069G	-72.92	-13.00	-59.92	-	-
1.911G	1.916G	30k	100k	RMS	1.9155G	-58.34	-13.00	-45.34	MBW 1M	-
1.916G	5G	1M	3M	RMS	4.30919G	-53.22	-13.00	-40.22	-	-
5G	19.1G	1M	3M	RMS	17.9015G	-44.98	-13.00	-31.98	-	-

Band 2_LTE_3MHz_Nss1,64QAM_1TX
1851.5MHz_64QAM_RB 1,#RB L

CSE-TX-Sum

06/03/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	106.149k	-65.21	-13.00	-52.21	-	-
150k	30M	10k	30k	RMS	299.25k	-68.96	-13.00	-55.96	-	-
30M	1.5G	1M	3M	RMS	1.02666G	-57.44	-13.00	-44.44	-	-
1.5G	1.844G	1M	3M	RMS	1.844G	-54.96	-13.00	-41.96	-	-
1.844G	1.849G	30k	100k	RMS	1.8485G	-37.54	-13.00	-24.54	MBW 1M	-
1.849G	1.85G	30k	100k	RMS	1.85G	-26.28	-13.00	-13.28	-	-
1.91G	1.911G	30k	100k	RMS	1.911G	-72.99	-13.00	-59.99	-	-
1.911G	1.916G	30k	100k	RMS	1.9145G	-58.43	-13.00	-45.43	MBW 1M	-
1.916G	5G	1M	3M	RMS	2.41252G	-49.32	-13.00	-36.32	-	-
5G	19.1G	1M	3M	RMS	17.9015G	-44.98	-13.00	-31.98	-	-

Band 2_LTE_3MHz_Nss1,64QAM_1TX
1880MHz_64QAM_RB 15,#RB 0


CSE-TX-Sum

06/03/2024



Limit

Port 1




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	139.848k	-75.29	-13.00	-62.29	-	-
150k	30M	10k	30k	RMS	299.25k	-66.80	-13.00	-53.80	-	-
30M	1.5G	1M	3M	RMS	956.1M	-57.65	-13.00	-44.65	-	-
1.5G	1.844G	1M	3M	RMS	1.79722G	-57.45	-13.00	-44.45	-	-
1.844G	1.849G	30k	100k	RMS	1.8485G	-58.40	-13.00	-45.40	MBW 1M	-
1.849G	1.85G	30k	100k	RMS	1.84932G	-72.86	-13.00	-59.86	-	-
1.91G	1.911G	30k	100k	RMS	1.9103G	-72.98	-13.00	-59.98	-	-
1.911G	1.916G	30k	100k	RMS	1.9155G	-58.29	-13.00	-45.29	MBW 1M	-
1.916G	5G	1M	3M	RMS	4.83346G	-53.30	-13.00	-40.30	-	-
5G	19.1G	1M	3M	RMS	17.9156G	-44.95	-13.00	-31.95	-	-

Band 2_LTE_3MHz_Nss1,64QAM_1TX
1880MHz_64QAM_RB 1,#RB L


CSE-TX-Sum

06/03/2024



Limit

Port 1




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	102.06k	-64.72	-13.00	-51.72	-	-
150k	30M	10k	30k	RMS	299.25k	-68.34	-13.00	-55.34	-	-
30M	1.5G	1M	3M	RMS	986.97M	-57.70	-13.00	-44.70	-	-
1.5G	1.844G	1M	3M	RMS	1.79309G	-57.38	-13.00	-44.38	-	-
1.844G	1.849G	30k	100k	RMS	1.8485G	-58.28	-13.00	-45.28	MBW 1M	-
1.849G	1.85G	30k	100k	RMS	1.8497G	-72.78	-13.00	-59.78	-	-
1.91G	1.911G	30k	100k	RMS	1.91078G	-72.62	-13.00	-59.62	-	-
1.911G	1.916G	30k	100k	RMS	1.9155G	-58.27	-13.00	-45.27	MBW 1M	-
1.916G	5G	1M	3M	RMS	3.75715G	-52.26	-13.00	-39.26	-	-
5G	19.1G	1M	3M	RMS	17.9015G	-45.22	-13.00	-32.22	-	-


Band 2_LTE_3MHz_Nss1,64QAM_1TX
1908.5MHz_64QAM_RB 15,#RB 0

CSE-TX-Sum

06/03/2024



Limit
Port 1




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	21.831k	-75.24	-13.00	-62.24	-	-
150k	30M	10k	30k	RMS	299.25k	-66.52	-13.00	-53.52	-	-
30M	1.5G	1M	3M	RMS	1.01637G	-57.74	-13.00	-44.74	-	-
1.5G	1.844G	1M	3M	RMS	1.80994G	-57.64	-13.00	-44.64	-	-
1.844G	1.849G	30k	100k	RMS	1.8485G	-58.57	-13.00	-45.57	MBW 1M	-
1.849G	1.85G	30k	100k	RMS	1.84974G	-73.08	-13.00	-60.08	-	-
1.91G	1.911G	30k	100k	RMS	1.91G	-34.20	-13.00	-21.20	-	-
1.911G	1.916G	30k	100k	RMS	1.9115G	-31.35	-13.00	-18.35	MBW 1M	-
1.916G	5G	1M	3M	RMS	4.89514G	-53.06	-13.00	-40.06	-	-
5G	19.1G	1M	3M	RMS	17.9015G	-44.98	-13.00	-31.98	-	-


Band 2_LTE_3MHz_Nss1,64QAM_1TX
1908.5MHz_64QAM_RB 1,#RB H

CSE-TX-Sum

06/03/2024



Limit
Port 1



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	78.936k	-63.56	-13.00	-50.56	-	-
150k	30M	10k	30k	RMS	150k	-68.72	-13.00	-55.72	-	-
30M	1.5G	1M	3M	RMS	1.05018G	-57.79	-13.00	-44.79	-	-
1.5G	1.844G	1M	3M	RMS	1.79102G	-57.49	-13.00	-44.49	-	-
1.844G	1.849G	30k	100k	RMS	1.8485G	-58.49	-13.00	-45.49	MBW 1M	-
1.849G	1.85G	30k	100k	RMS	1.84958G	-72.78	-13.00	-59.78	-	-
1.91G	1.911G	30k	100k	RMS	1.91G	-25.43	-13.00	-12.43	-	-
1.911G	1.916G	30k	100k	RMS	1.9115G	-37.15	-13.00	-24.15	MBW 1M	-
1.916G	5G	1M	3M	RMS	4.90748G	-53.18	-13.00	-40.18	-	-
5G	19.1G	1M	3M	RMS	17.9156G	-45.14	-13.00	-32.14	-	-

Band 2_LTE_5MHz_Nss1,QPSK_1TX
1852.5MHz_QPSK_RB 25,#RB 0

CSE-TX-Sum

06/03/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	30.855k	-76.15	-13.00	-63.15	-	-
150k	30M	10k	30k	RMS	299.25k	-66.91	-13.00	-53.91	-	-
30M	1.5G	1M	3M	RMS	1.01784G	-57.76	-13.00	-44.76	-	-
1.5G	1.84G	1M	3M	RMS	1.84G	-49.88	-13.00	-36.88	-	-
1.84G	1.849G	50k	200k	RMS	1.8485G	-25.87	-13.00	-12.87	MBW 1M	-
1.849G	1.85G	50k	200k	RMS	1.85G	-32.19	-13.00	-19.19	-	-
1.91G	1.911G	50k	200k	RMS	1.91099G	-70.99	-13.00	-57.99	-	-
1.911G	1.92G	50k	200k	RMS	1.9145G	-58.33	-13.00	-45.33	MBW 1M	-
1.92G	5G	1M	3M	RMS	4.13144G	-53.17	-13.00	-40.17	-	-
5G	19.1G	1M	3M	RMS	17.9015G	-45.13	-13.00	-32.13	-	-

Band 2_LTE_5MHz_Nss1,QPSK_1TX
1852.5MHz_QPSK_RB 1,#RB L

CSE-TX-Sum

06/03/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	59.619k	-64.91	-13.00	-51.91	-	-
150k	30M	10k	30k	RMS	150k	-66.07	-13.00	-53.07	-	-
30M	1.5G	1M	3M	RMS	1.01196G	-57.73	-13.00	-44.73	-	-
1.5G	1.84G	1M	3M	RMS	1.83898G	-56.89	-13.00	-43.89	-	-
1.84G	1.849G	50k	200k	RMS	1.8485G	-36.65	-13.00	-23.65	MBW 1M	-
1.849G	1.85G	50k	200k	RMS	1.85G	-25.12	-13.00	-12.12	-	-
1.91G	1.911G	50k	200k	RMS	1.91041G	-71.03	-13.00	-58.03	-	-
1.911G	1.92G	50k	200k	RMS	1.9195G	-58.42	-13.00	-45.42	MBW 1M	-
1.92G	5G	1M	3M	RMS	3.70024G	-52.07	-13.00	-39.07	-	-
5G	19.1G	1M	3M	RMS	17.9015G	-45.05	-13.00	-32.05	-	-


Band 2_LTE_5MHz_Nss1,QPSK_1TX
1880MHz_QPSK_RB 25,#RB 0

CSE-TX-Sum

06/03/2024



Limit
Port 1




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	15.345k	-76.33	-13.00	-63.33	-	-
150k	30M	10k	30k	RMS	299.25k	-66.53	-13.00	-53.53	-	-
30M	1.5G	1M	3M	RMS	1.05606G	-57.63	-13.00	-44.63	-	-
1.5G	1.84G	1M	3M	RMS	1.77948G	-57.60	-13.00	-44.60	-	-
1.84G	1.849G	50k	200k	RMS	1.8485G	-58.30	-13.00	-45.30	MBW 1M	-
1.849G	1.85G	50k	200k	RMS	1.84963G	-70.97	-13.00	-57.97	-	-
1.91G	1.911G	50k	200k	RMS	1.9106G	-70.95	-13.00	-57.95	-	-
1.911G	1.92G	50k	200k	RMS	1.9145G	-58.20	-13.00	-45.20	MBW 1M	-
1.92G	5G	1M	3M	RMS	4.31008G	-53.08	-13.00	-40.08	-	-
5G	19.1G	1M	3M	RMS	17.9015G	-44.89	-13.00	-31.89	-	-


Band 2_LTE_5MHz_Nss1,QPSK_1TX
1880MHz_QPSK_RB 1,#RB L

CSE-TX-Sum

06/03/2024



Limit
Port 1




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	88.242k	-67.00	-13.00	-54.00	-	-
150k	30M	10k	30k	RMS	150k	-66.25	-13.00	-53.25	-	-
30M	1.5G	1M	3M	RMS	1.13691G	-57.54	-13.00	-44.54	-	-
1.5G	1.84G	1M	3M	RMS	1.79138G	-57.57	-13.00	-44.57	-	-
1.84G	1.849G	50k	200k	RMS	1.8435G	-58.32	-13.00	-45.32	MBW 1M	-
1.849G	1.85G	50k	200k	RMS	1.84967G	-70.79	-13.00	-57.79	-	-
1.91G	1.911G	50k	200k	RMS	1.91055G	-70.97	-13.00	-57.97	-	-
1.911G	1.92G	50k	200k	RMS	1.9145G	-58.24	-13.00	-45.24	MBW 1M	-
1.92G	5G	1M	3M	RMS	3.75568G	-52.43	-13.00	-39.43	-	-
5G	19.1G	1M	3M	RMS	15.857G	-45.35	-13.00	-32.35	-	-


Band 2_LTE_5MHz_Nss1,QPSK_1TX
1907.5MHz_QPSK_RB 25,#RB 0

CSE-TX-Sum

06/03/2024



Limit
Port 1




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	10.41k	-77.04	-13.00	-64.04	-	-
150k	30M	10k	30k	RMS	299.25k	-65.97	-13.00	-52.97	-	-
30M	1.5G	1M	3M	RMS	917.88M	-57.82	-13.00	-44.82	-	-
1.5G	1.84G	1M	3M	RMS	1.81042G	-57.54	-13.00	-44.54	-	-
1.84G	1.849G	50k	200k	RMS	1.8485G	-58.47	-13.00	-45.47	MBW 1M	-
1.849G	1.85G	50k	200k	RMS	1.84936G	-71.07	-13.00	-58.07	-	-
1.91G	1.911G	50k	200k	RMS	1.91G	-33.38	-13.00	-20.38	-	-
1.911G	1.92G	50k	200k	RMS	1.9115G	-30.67	-13.00	-17.67	MBW 1M	-
1.92G	5G	1M	3M	RMS	4.87064G	-53.14	-13.00	-40.14	-	-
5G	19.1G	1M	3M	RMS	17.9015G	-45.07	-13.00	-32.07	-	-


Band 2_LTE_5MHz_Nss1,QPSK_1TX
1907.5MHz_QPSK_RB 1,#RB H

CSE-TX-Sum

06/03/2024



Limit
Port 1




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	92.754k	-64.51	-13.00	-51.51	-	-
150k	30M	10k	30k	RMS	299.25k	-65.55	-13.00	-52.55	-	-
30M	1.5G	1M	3M	RMS	964.92M	-57.71	-13.00	-44.71	-	-
1.5G	1.84G	1M	3M	RMS	1.79614G	-57.53	-13.00	-44.53	-	-
1.84G	1.849G	50k	200k	RMS	1.8485G	-58.37	-13.00	-45.37	MBW 1M	-
1.849G	1.85G	50k	200k	RMS	1.84962G	-71.05	-13.00	-58.05	-	-
1.91G	1.911G	50k	200k	RMS	1.91G	-26.15	-13.00	-13.15	-	-
1.911G	1.92G	50k	200k	RMS	1.9115G	-37.52	-13.00	-24.52	MBW 1M	-
1.92G	5G	1M	3M	RMS	4.14992G	-53.17	-13.00	-40.17	-	-
5G	19.1G	1M	3M	RMS	17.8874G	-44.95	-13.00	-31.95	-	-

Band 2_LTE_5MHz_Nss1,16QAM_1TX
1852.5MHz_16QAM_RB 25,#RB 0

CSE-TX-Sum

06/03/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	9.846k	-73.29	-13.00	-60.29	-	-
150k	30M	10k	30k	RMS	299.25k	-65.84	-13.00	-52.84	-	-
30M	1.5G	1M	3M	RMS	1.0443G	-57.52	-13.00	-44.52	-	-
1.5G	1.84G	1M	3M	RMS	1.84G	-51.34	-13.00	-38.34	-	-
1.84G	1.849G	50k	200k	RMS	1.8485G	-26.48	-13.00	-13.48	MBW 1M	-
1.849G	1.85G	50k	200k	RMS	1.85G	-32.68	-13.00	-19.68	-	-
1.91G	1.911G	50k	200k	RMS	1.91006G	-70.93	-13.00	-57.93	-	-
1.911G	1.92G	50k	200k	RMS	1.9145G	-58.42	-13.00	-45.42	MBW 1M	-
1.92G	5G	1M	3M	RMS	4.94148G	-53.27	-13.00	-40.27	-	-
5G	19.1G	1M	3M	RMS	17.9015G	-44.67	-13.00	-31.67	-	-

Band 2_LTE_5MHz_Nss1,16QAM_1TX
1852.5MHz_16QAM_RB 1,#RB L

CSE-TX-Sum

06/03/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	106.572k	-66.00	-13.00	-53.00	-	-
150k	30M	10k	30k	RMS	299.25k	-66.48	-13.00	-53.48	-	-
30M	1.5G	1M	3M	RMS	1.06341G	-57.63	-13.00	-44.63	-	-
1.5G	1.84G	1M	3M	RMS	1.83966G	-56.95	-13.00	-43.95	-	-
1.84G	1.849G	50k	200k	RMS	1.8485G	-37.67	-13.00	-24.67	MBW 1M	-
1.849G	1.85G	50k	200k	RMS	1.85G	-26.95	-13.00	-13.95	-	-
1.91G	1.911G	50k	200k	RMS	1.91019G	-70.72	-13.00	-57.72	-	-
1.911G	1.92G	50k	200k	RMS	1.9145G	-58.41	-13.00	-45.41	MBW 1M	-
1.92G	5G	1M	3M	RMS	3.70024G	-52.35	-13.00	-39.35	-	-
5G	19.1G	1M	3M	RMS	17.9015G	-45.29	-13.00	-32.29	-	-


Band 2_LTE_5MHz_Nss1,16QAM_1TX
1880MHz_16QAM_RB 25,#RB 0

CSE-TX-Sum

06/03/2024



Limit
Port 1




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	11.115k	-75.21	-13.00	-62.21	-	-
150k	30M	10k	30k	RMS	299.25k	-69.39	-13.00	-56.39	-	-
30M	1.5G	1M	3M	RMS	972.27M	-57.49	-13.00	-44.49	-	-
1.5G	1.84G	1M	3M	RMS	1.81552G	-57.56	-13.00	-44.56	-	-
1.84G	1.849G	50k	200k	RMS	1.8445G	-58.37	-13.00	-45.37	MBW 1M	-
1.849G	1.85G	50k	200k	RMS	1.84984G	-71.01	-13.00	-58.01	-	-
1.91G	1.911G	50k	200k	RMS	1.91007G	-70.89	-13.00	-57.89	-	-
1.911G	1.92G	50k	200k	RMS	1.9195G	-58.32	-13.00	-45.32	MBW 1M	-
1.92G	5G	1M	3M	RMS	4.28236G	-53.15	-13.00	-40.15	-	-
5G	19.1G	1M	3M	RMS	17.9015G	-44.53	-13.00	-31.53	-	-


Band 2_LTE_5MHz_Nss1,16QAM_1TX
1880MHz_16QAM_RB 1,#RB L

CSE-TX-Sum

06/03/2024



Limit
Port 1




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	26.061k	-66.67	-13.00	-53.67	-	-
150k	30M	10k	30k	RMS	299.25k	-67.21	-13.00	-54.21	-	-
30M	1.5G	1M	3M	RMS	1.02225G	-57.74	-13.00	-44.74	-	-
1.5G	1.84G	1M	3M	RMS	1.80498G	-57.58	-13.00	-44.58	-	-
1.84G	1.849G	50k	200k	RMS	1.8485G	-58.33	-13.00	-45.33	MBW 1M	-
1.849G	1.85G	50k	200k	RMS	1.84997G	-70.73	-13.00	-57.73	-	-
1.91G	1.911G	50k	200k	RMS	1.91065G	-70.93	-13.00	-57.93	-	-
1.911G	1.92G	50k	200k	RMS	1.9135G	-58.32	-13.00	-45.32	MBW 1M	-
1.92G	5G	1M	3M	RMS	4.30392G	-53.21	-13.00	-40.21	-	-
5G	19.1G	1M	3M	RMS	17.9015G	-44.74	-13.00	-31.74	-	-

Band 2_LTE_5MHz_Nss1,16QAM_1TX
1907.5MHz_16QAM_RB 25,#RB 0

CSE-TX-Sum

06/03/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	100.932k	-75.69	-13.00	-62.69	-	-
150k	30M	10k	30k	RMS	299.25k	-67.37	-13.00	-54.37	-	-
30M	1.5G	1M	3M	RMS	1.01931G	-57.83	-13.00	-44.83	-	-
1.5G	1.84G	1M	3M	RMS	1.81484G	-57.64	-13.00	-44.64	-	-
1.84G	1.849G	50k	200k	RMS	1.8435G	-58.35	-13.00	-45.35	MBW 1M	-
1.849G	1.85G	50k	200k	RMS	1.84975G	-71.12	-13.00	-58.12	-	-
1.91G	1.911G	50k	200k	RMS	1.91G	-33.00	-13.00	-20.00	-	-
1.911G	1.92G	50k	200k	RMS	1.9115G	-30.16	-13.00	-17.16	MBW 1M	-
1.92G	5G	1M	3M	RMS	4.88912G	-53.10	-13.00	-40.10	-	-
5G	19.1G	1M	3M	RMS	17.9015G	-44.94	-13.00	-31.94	-	-

Band 2_LTE_5MHz_Nss1,16QAM_1TX
1907.5MHz_16QAM_RB 1,#RB H

CSE-TX-Sum

06/03/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	11.538k	-63.94	-13.00	-50.94	-	-
150k	30M	10k	30k	RMS	299.25k	-67.73	-13.00	-54.73	-	-
30M	1.5G	1M	3M	RMS	960.51M	-57.71	-13.00	-44.71	-	-
1.5G	1.84G	1M	3M	RMS	1.83898G	-57.50	-13.00	-44.50	-	-
1.84G	1.849G	50k	200k	RMS	1.8435G	-58.39	-13.00	-45.39	MBW 1M	-
1.849G	1.85G	50k	200k	RMS	1.84938G	-70.87	-13.00	-57.87	-	-
1.91G	1.911G	50k	200k	RMS	1.91G	-26.35	-13.00	-13.35	-	-
1.911G	1.92G	50k	200k	RMS	1.9115G	-37.92	-13.00	-24.92	MBW 1M	-
1.92G	5G	1M	3M	RMS	4.2916G	-53.26	-13.00	-40.26	-	-
5G	19.1G	1M	3M	RMS	17.8874G	-45.17	-13.00	-32.17	-	-

Band 2_LTE_5MHz_Nss1,64QAM_1TX
1852.5MHz_64QAM_RB 25,#RB 0

CSE-TX-Sum

06/03/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	9.705k	-77.01	-13.00	-64.01	-	-
150k	30M	10k	30k	RMS	299.25k	-66.84	-13.00	-53.84	-	-
30M	1.5G	1M	3M	RMS	1.01343G	-57.85	-13.00	-44.85	-	-
1.5G	1.84G	1M	3M	RMS	1.84G	-51.04	-13.00	-38.04	-	-
1.84G	1.849G	50k	200k	RMS	1.8485G	-26.22	-13.00	-13.22	MBW 1M	-
1.849G	1.85G	50k	200k	RMS	1.85G	-32.40	-13.00	-19.40	-	-
1.91G	1.911G	50k	200k	RMS	1.91036G	-70.98	-13.00	-57.98	-	-
1.911G	1.92G	50k	200k	RMS	1.9195G	-58.42	-13.00	-45.42	MBW 1M	-
1.92G	5G	1M	3M	RMS	4.31316G	-53.17	-13.00	-40.17	-	-
5G	19.1G	1M	3M	RMS	17.9015G	-45.23	-13.00	-32.23	-	-

Band 2_LTE_5MHz_Nss1,64QAM_1TX
1852.5MHz_64QAM_RB 1,#RB L

CSE-TX-Sum

06/03/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	80.769k	-65.66	-13.00	-52.66	-	-
150k	30M	10k	30k	RMS	299.25k	-67.00	-13.00	-54.00	-	-
30M	1.5G	1M	3M	RMS	1.03842G	-57.66	-13.00	-44.66	-	-
1.5G	1.84G	1M	3M	RMS	1.83932G	-57.28	-13.00	-44.28	-	-
1.84G	1.849G	50k	200k	RMS	1.8485G	-37.30	-13.00	-24.30	MBW 1M	-
1.849G	1.85G	50k	200k	RMS	1.85G	-25.74	-13.00	-12.74	-	-
1.91G	1.911G	50k	200k	RMS	1.91098G	-70.50	-13.00	-57.50	-	-
1.911G	1.92G	50k	200k	RMS	1.9195G	-58.43	-13.00	-45.43	MBW 1M	-
1.92G	5G	1M	3M	RMS	3.70024G	-52.32	-13.00	-39.32	-	-
5G	19.1G	1M	3M	RMS	17.8874G	-44.95	-13.00	-31.95	-	-

Band 2_LTE_5MHz_Nss1,64QAM_1TX
1880MHz_64QAM_RB 25,#RB 0

CSE-TX-Sum

06/03/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	15.345k	-76.94	-13.00	-63.94	-	-
150k	30M	10k	30k	RMS	299.25k	-65.70	-13.00	-52.70	-	-
30M	1.5G	1M	3M	RMS	941.4M	-57.57	-13.00	-44.57	-	-
1.5G	1.84G	1M	3M	RMS	1.78594G	-57.61	-13.00	-44.61	-	-
1.84G	1.849G	50k	200k	RMS	1.8435G	-58.29	-13.00	-45.29	MBW 1M	-
1.849G	1.85G	50k	200k	RMS	1.84968G	-70.98	-13.00	-57.98	-	-
1.91G	1.911G	50k	200k	RMS	1.91069G	-70.79	-13.00	-57.79	-	-
1.911G	1.92G	50k	200k	RMS	1.9115G	-58.29	-13.00	-45.29	MBW 1M	-
1.92G	5G	1M	3M	RMS	4.87989G	-53.17	-13.00	-40.17	-	-
5G	19.1G	1M	3M	RMS	17.9015G	-44.85	-13.00	-31.85	-	-

Band 2_LTE_5MHz_Nss1,64QAM_1TX
1880MHz_64QAM_RB 1,#RB L

CSE-TX-Sum

06/03/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	84.294k	-65.94	-13.00	-52.94	-	-
150k	30M	10k	30k	RMS	299.25k	-68.08	-13.00	-55.08	-	-
30M	1.5G	1M	3M	RMS	931.11M	-57.81	-13.00	-44.81	-	-
1.5G	1.84G	1M	3M	RMS	1.80804G	-57.62	-13.00	-44.62	-	-
1.84G	1.849G	50k	200k	RMS	1.8485G	-58.27	-13.00	-45.27	MBW 1M	-
1.849G	1.85G	50k	200k	RMS	1.84945G	-70.96	-13.00	-57.96	-	-
1.91G	1.911G	50k	200k	RMS	1.91012G	-71.06	-13.00	-58.06	-	-
1.911G	1.92G	50k	200k	RMS	1.9145G	-58.31	-13.00	-45.31	MBW 1M	-
1.92G	5G	1M	3M	RMS	3.75568G	-52.85	-13.00	-39.85	-	-
5G	19.1G	1M	3M	RMS	17.9015G	-45.04	-13.00	-32.04	-	-

Band 2_LTE_5MHz_Nss1,64QAM_1TX
1907.5MHz_64QAM_RB 25,#RB 0

CSE-TX-Sum

06/03/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	16.05k	-74.59	-13.00	-61.59	-	-
150k	30M	10k	30k	RMS	299.25k	-67.08	-13.00	-54.08	-	-
30M	1.5G	1M	3M	RMS	1.06488G	-57.80	-13.00	-44.80	-	-
1.5G	1.84G	1M	3M	RMS	1.79342G	-57.54	-13.00	-44.54	-	-
1.84G	1.849G	50k	200k	RMS	1.8435G	-58.43	-13.00	-45.43	MBW 1M	-
1.849G	1.85G	50k	200k	RMS	1.84938G	-71.05	-13.00	-58.05	-	-
1.91G	1.911G	50k	200k	RMS	1.91G	-33.44	-13.00	-20.44	-	-
1.911G	1.92G	50k	200k	RMS	1.9115G	-30.22	-13.00	-17.22	MBW 1M	-
1.92G	5G	1M	3M	RMS	4.13144G	-53.13	-13.00	-40.13	-	-
5G	19.1G	1M	3M	RMS	17.9015G	-44.82	-13.00	-31.82	-	-

Band 2_LTE_5MHz_Nss1,64QAM_1TX
1907.5MHz_64QAM_RB 1,#RB H

CSE-TX-Sum

06/03/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	104.034k	-65.91	-13.00	-52.91	-	-
150k	30M	10k	30k	RMS	299.25k	-67.69	-13.00	-54.69	-	-
30M	1.5G	1M	3M	RMS	1.15602G	-57.55	-13.00	-44.55	-	-
1.5G	1.84G	1M	3M	RMS	1.8094G	-57.56	-13.00	-44.56	-	-
1.84G	1.849G	50k	200k	RMS	1.8485G	-58.39	-13.00	-45.39	MBW 1M	-
1.849G	1.85G	50k	200k	RMS	1.84949G	-71.00	-13.00	-58.00	-	-
1.91G	1.911G	50k	200k	RMS	1.91G	-27.21	-13.00	-14.21	-	-
1.911G	1.92G	50k	200k	RMS	1.9115G	-37.60	-13.00	-24.60	MBW 1M	-
1.92G	5G	1M	3M	RMS	4.91992G	-53.12	-13.00	-40.12	-	-
5G	19.1G	1M	3M	RMS	17.8874G	-45.18	-13.00	-32.18	-	-


Band 2_LTE_10MHz_Nss1,QPSK_1TX
1855MHz_QPSK_RB 50,#RB 0

CSE-TX-Sum

06/03/2024



Limit
Port 1




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	12.243k	-73.69	-13.00	-60.69	-	-
150k	30M	10k	30k	RMS	299.25k	-66.92	-13.00	-53.92	-	-
30M	1.5G	1M	3M	RMS	1.02225G	-57.47	-13.00	-44.47	-	-
1.5G	1.83G	1M	3M	RMS	1.79568G	-57.57	-13.00	-44.57	-	-
1.83G	1.849G	100k	300k	RMS	1.8485G	-29.43	-13.00	-16.43	MBW 1M	-
1.849G	1.85G	100k	300k	RMS	1.85G	-35.15	-13.00	-22.15	-	-
1.91G	1.911G	100k	300k	RMS	1.91077G	-68.31	-13.00	-55.31	-	-
1.911G	1.93G	100k	300k	RMS	1.9295G	-58.24	-13.00	-45.24	MBW 1M	-
1.93G	5G	1M	3M	RMS	4.89562G	-53.10	-13.00	-40.10	-	-
5G	19.1G	1M	3M	RMS	17.9015G	-45.05	-13.00	-32.05	-	-


Band 2_LTE_10MHz_Nss1,QPSK_1TX
1855MHz_QPSK_RB 1,#RB L

CSE-TX-Sum

06/03/2024



Limit
Port 1



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	87.678k	-63.76	-13.00	-50.76	-	-
150k	30M	10k	30k	RMS	150k	-66.29	-13.00	-53.29	-	-
30M	1.5G	1M	3M	RMS	945.81M	-57.59	-13.00	-44.59	-	-
1.5G	1.83G	1M	3M	RMS	1.82835G	-57.40	-13.00	-44.40	-	-
1.83G	1.849G	100k	300k	RMS	1.8485G	-37.69	-13.00	-24.69	MBW 1M	-
1.849G	1.85G	100k	300k	RMS	1.85G	-34.65	-13.00	-21.65	-	-
1.91G	1.911G	100k	300k	RMS	1.91034G	-68.13	-13.00	-55.13	-	-
1.911G	1.93G	100k	300k	RMS	1.9165G	-58.24	-13.00	-45.24	MBW 1M	-
1.93G	5G	1M	3M	RMS	3.70139G	-51.60	-13.00	-38.60	-	-
5G	19.1G	1M	3M	RMS	17.9015G	-45.10	-13.00	-32.10	-	-