

Appendix clause	Test item	Result
A	Conducted Output Power	PASS
B	Peak-to-Average Ratio	PASS
C	26 dB Bandwidth and Occupied Bandwidth	PASS
D	Band edge	PASS
E	Conducted Spurious Emission	PASS
F	Frequency Stability	PASS

8.1 Appendix A: Conducted Output Power & E.I.R.P.

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	E.I.R.P.(dBm)	Verdict
Band41	5MHz	QPSK	40265	1RB#0	23.34	24.91	PASS
Band41	5MHz	QPSK	40265	1RB#12	23.47	25.04	PASS
Band41	5MHz	QPSK	40265	1RB#24	23.39	24.96	PASS
Band41	5MHz	QPSK	40265	12RB#0	22.43	24	PASS
Band41	5MHz	QPSK	40265	12RB#6	22.42	23.99	PASS
Band41	5MHz	QPSK	40265	12RB#13	22.48	24.05	PASS
Band41	5MHz	QPSK	40265	25RB#0	22.43	24	PASS
Band41	5MHz	QPSK	40740	1RB#0	23.9	25.47	PASS
Band41	5MHz	QPSK	40740	1RB#12	24.03	25.6	PASS
Band41	5MHz	QPSK	40740	1RB#24	23.88	25.45	PASS
Band41	5MHz	QPSK	40740	12RB#0	22.91	24.48	PASS
Band41	5MHz	QPSK	40740	12RB#6	22.93	24.5	PASS
Band41	5MHz	QPSK	40740	12RB#13	22.9	24.47	PASS
Band41	5MHz	QPSK	40740	25RB#0	22.88	24.45	PASS
Band41	5MHz	QPSK	41215	1RB#0	23.65	25.22	PASS
Band41	5MHz	QPSK	41215	1RB#12	23.79	25.36	PASS
Band41	5MHz	QPSK	41215	1RB#24	23.63	25.2	PASS
Band41	5MHz	QPSK	41215	12RB#0	22.66	24.23	PASS
Band41	5MHz	QPSK	41215	12RB#6	22.66	24.23	PASS
Band41	5MHz	QPSK	41215	12RB#13	22.65	24.22	PASS
Band41	5MHz	QPSK	41215	25RB#0	22.61	24.18	PASS
Band41	5MHz	16QAM	40265	1RB#0	22.28	23.85	PASS
Band41	5MHz	16QAM	40265	1RB#12	22.47	24.04	PASS
Band41	5MHz	16QAM	40265	1RB#24	22.35	23.92	PASS
Band41	5MHz	16QAM	40265	12RB#0	21.31	22.88	PASS
Band41	5MHz	16QAM	40265	12RB#6	21.32	22.89	PASS
Band41	5MHz	16QAM	40265	12RB#13	21.34	22.91	PASS
Band41	5MHz	16QAM	40265	25RB#0	21.35	22.92	PASS
Band41	5MHz	16QAM	40740	1RB#0	23.05	24.62	PASS
Band41	5MHz	16QAM	40740	1RB#12	23.17	24.74	PASS
Band41	5MHz	16QAM	40740	1RB#24	23.02	24.59	PASS
Band41	5MHz	16QAM	40740	12RB#0	21.9	23.47	PASS
Band41	5MHz	16QAM	40740	12RB#6	21.86	23.43	PASS
Band41	5MHz	16QAM	40740	12RB#13	21.84	23.41	PASS
Band41	5MHz	16QAM	40740	25RB#0	21.85	23.42	PASS

Band41	5MHz	16QAM	41215	1RB#0	22.57	24.14	PASS
Band41	5MHz	16QAM	41215	1RB#12	22.74	24.31	PASS
Band41	5MHz	16QAM	41215	1RB#24	22.57	24.14	PASS
Band41	5MHz	16QAM	41215	12RB#0	21.58	23.15	PASS
Band41	5MHz	16QAM	41215	12RB#6	21.58	23.15	PASS
Band41	5MHz	16QAM	41215	12RB#13	21.59	23.16	PASS
Band41	5MHz	16QAM	41215	25RB#0	21.62	23.19	PASS
Band41	10MHz	QPSK	40290	1RB#0	23.11	24.68	PASS
Band41	10MHz	QPSK	40290	1RB#24	23.8	25.37	PASS
Band41	10MHz	QPSK	40290	1RB#49	23.6	25.17	PASS
Band41	10MHz	QPSK	40290	25RB#0	22.53	24.1	PASS
Band41	10MHz	QPSK	40290	25RB#12	22.52	24.09	PASS
Band41	10MHz	QPSK	40290	25RB#25	22.6	24.17	PASS
Band41	10MHz	QPSK	40290	50RB#0	22.54	24.11	PASS
Band41	10MHz	QPSK	40740	1RB#0	23.95	25.52	PASS
Band41	10MHz	QPSK	40740	1RB#24	23.23	24.8	PASS
Band41	10MHz	QPSK	40740	1RB#49	23.94	25.51	PASS
Band41	10MHz	QPSK	40740	25RB#0	23	24.57	PASS
Band41	10MHz	QPSK	40740	25RB#12	23	24.57	PASS
Band41	10MHz	QPSK	40740	25RB#25	22.9	24.47	PASS
Band41	10MHz	QPSK	40740	50RB#0	22.95	24.52	PASS
Band41	10MHz	QPSK	41190	1RB#0	23.69	25.26	PASS
Band41	10MHz	QPSK	41190	1RB#24	23.92	25.49	PASS
Band41	10MHz	QPSK	41190	1RB#49	23.62	25.19	PASS
Band41	10MHz	QPSK	41190	25RB#0	22.67	24.24	PASS
Band41	10MHz	QPSK	41190	25RB#12	22.69	24.26	PASS
Band41	10MHz	QPSK	41190	25RB#25	22.64	24.21	PASS
Band41	10MHz	QPSK	41190	50RB#0	22.64	24.21	PASS
Band41	10MHz	16QAM	40290	1RB#0	22.49	24.06	PASS
Band41	10MHz	16QAM	40290	1RB#24	22.81	24.38	PASS
Band41	10MHz	16QAM	40290	1RB#49	22.68	24.25	PASS
Band41	10MHz	16QAM	40290	25RB#0	21.46	23.03	PASS
Band41	10MHz	16QAM	40290	25RB#12	21.47	23.04	PASS
Band41	10MHz	16QAM	40290	25RB#25	21.54	23.11	PASS
Band41	10MHz	16QAM	40290	50RB#0	21.48	23.05	PASS
Band41	10MHz	16QAM	40740	1RB#0	22.8	24.37	PASS
Band41	10MHz	16QAM	40740	1RB#24	23.13	24.7	PASS
Band41	10MHz	16QAM	40740	1RB#49	22.8	24.37	PASS
Band41	10MHz	16QAM	40740	25RB#0	21.97	23.54	PASS
Band41	10MHz	16QAM	40740	25RB#12	21.98	23.55	PASS
Band41	10MHz	16QAM	40740	25RB#25	21.91	23.48	PASS

Band41	10MHz	16QAM	40740	50RB#0	21.87	23.44	PASS
Band41	10MHz	16QAM	41190	1RB#0	22.73	24.3	PASS
Band41	10MHz	16QAM	41190	1RB#24	22.97	24.54	PASS
Band41	10MHz	16QAM	41190	1RB#49	22.71	24.28	PASS
Band41	10MHz	16QAM	41190	25RB#0	21.63	23.2	PASS
Band41	10MHz	16QAM	41190	25RB#12	21.62	23.19	PASS
Band41	10MHz	16QAM	41190	25RB#25	21.57	23.14	PASS
Band41	10MHz	16QAM	41190	50RB#0	21.6	23.17	PASS
Band41	15MHz	QPSK	40315	1RB#0	23.17	24.74	PASS
Band41	15MHz	QPSK	40315	1RB#38	23.57	25.14	PASS
Band41	15MHz	QPSK	40315	1RB#74	23.55	25.12	PASS
Band41	15MHz	QPSK	40315	38RB#0	22.54	24.11	PASS
Band41	15MHz	QPSK	40315	38RB#18	22.72	24.29	PASS
Band41	15MHz	QPSK	40315	38RB#37	22.68	24.25	PASS
Band41	15MHz	QPSK	40315	75RB#0	22.65	24.22	PASS
Band41	15MHz	QPSK	40740	1RB#0	23.87	25.44	PASS
Band41	15MHz	QPSK	40740	1RB#38	23.21	24.78	PASS
Band41	15MHz	QPSK	40740	1RB#74	23.8	25.37	PASS
Band41	15MHz	QPSK	40740	38RB#0	22.73	24.3	PASS
Band41	15MHz	QPSK	40740	38RB#18	22.87	24.44	PASS
Band41	15MHz	QPSK	40740	38RB#37	22.64	24.21	PASS
Band41	15MHz	QPSK	40740	75RB#0	22.97	24.54	PASS
Band41	15MHz	QPSK	41165	1RB#0	23.52	25.09	PASS
Band41	15MHz	QPSK	41165	1RB#38	23.67	25.24	PASS
Band41	15MHz	QPSK	41165	1RB#74	23.54	25.11	PASS
Band41	15MHz	QPSK	41165	38RB#0	22.67	24.24	PASS
Band41	15MHz	QPSK	41165	38RB#18	22.77	24.34	PASS
Band41	15MHz	QPSK	41165	38RB#37	22.62	24.19	PASS
Band41	15MHz	QPSK	41165	75RB#0	22.79	24.36	PASS
Band41	15MHz	16QAM	40315	1RB#0	22.52	24.09	PASS
Band41	15MHz	16QAM	40315	1RB#38	22.69	24.26	PASS
Band41	15MHz	16QAM	40315	1RB#74	22.65	24.22	PASS
Band41	15MHz	16QAM	40315	38RB#0	22.53	24.1	PASS
Band41	15MHz	16QAM	40315	38RB#18	22.7	24.27	PASS
Band41	15MHz	16QAM	40315	38RB#37	22.68	24.25	PASS
Band41	15MHz	16QAM	40315	75RB#0	21.57	23.14	PASS
Band41	15MHz	16QAM	40740	1RB#0	22.73	24.3	PASS
Band41	15MHz	16QAM	40740	1RB#38	22.89	24.46	PASS
Band41	15MHz	16QAM	40740	1RB#74	22.64	24.21	PASS
Band41	15MHz	16QAM	40740	38RB#0	22.71	24.28	PASS
Band41	15MHz	16QAM	40740	38RB#18	22.87	24.44	PASS

Band41	15MHz	16QAM	40740	38RB#37	22.65	24.22	PASS
Band41	15MHz	16QAM	40740	75RB#0	21.88	23.45	PASS
Band41	15MHz	16QAM	41165	1RB#0	22.68	24.25	PASS
Band41	15MHz	16QAM	41165	1RB#38	22.73	24.3	PASS
Band41	15MHz	16QAM	41165	1RB#74	22.64	24.21	PASS
Band41	15MHz	16QAM	41165	38RB#0	22.68	24.25	PASS
Band41	15MHz	16QAM	41165	38RB#18	22.75	24.32	PASS
Band41	15MHz	16QAM	41165	38RB#37	22.63	24.2	PASS
Band41	15MHz	16QAM	41165	75RB#0	21.6	23.17	PASS
Band41	20MHz	QPSK	40340	1RB#0	23.11	24.68	PASS
Band41	20MHz	QPSK	40340	1RB#49	23.89	25.46	PASS
Band41	20MHz	QPSK	40340	1RB#99	23.5	25.07	PASS
Band41	20MHz	QPSK	40340	50RB#0	22.44	24.01	PASS
Band41	20MHz	QPSK	40340	50RB#25	22.44	24.01	PASS
Band41	20MHz	QPSK	40340	50RB#50	22.7	24.27	PASS
Band41	20MHz	QPSK	40340	100RB#0	22.56	24.13	PASS
Band41	20MHz	QPSK	40740	1RB#0	23.65	25.22	PASS
Band41	20MHz	QPSK	40740	1RB#49	23.21	24.78	PASS
Band41	20MHz	QPSK	40740	1RB#99	23.58	25.15	PASS
Band41	20MHz	QPSK	40740	50RB#0	22.92	24.49	PASS
Band41	20MHz	QPSK	40740	50RB#25	22.93	24.5	PASS
Band41	20MHz	QPSK	40740	50RB#50	22.78	24.35	PASS
Band41	20MHz	QPSK	40740	100RB#0	22.84	24.41	PASS
Band41	20MHz	QPSK	41140	1RB#0	23.61	25.18	PASS
Band41	20MHz	QPSK	41140	1RB#49	23.01	24.58	PASS
Band41	20MHz	QPSK	41140	1RB#99	23.45	25.02	PASS
Band41	20MHz	QPSK	41140	50RB#0	22.6	24.17	PASS
Band41	20MHz	QPSK	41140	50RB#25	22.6	24.17	PASS
Band41	20MHz	QPSK	41140	50RB#50	22.57	24.14	PASS
Band41	20MHz	QPSK	41140	100RB#0	22.6	24.17	PASS
Band41	20MHz	16QAM	40340	1RB#0	22.44	24.01	PASS
Band41	20MHz	16QAM	40340	1RB#49	23.05	24.62	PASS
Band41	20MHz	16QAM	40340	1RB#99	22.67	24.24	PASS
Band41	20MHz	16QAM	40340	50RB#0	21.4	22.97	PASS
Band41	20MHz	16QAM	40340	50RB#25	21.41	22.98	PASS
Band41	20MHz	16QAM	40340	50RB#50	21.66	23.23	PASS
Band41	20MHz	16QAM	40340	100RB#0	21.52	23.09	PASS
Band41	20MHz	16QAM	40740	1RB#0	22.58	24.15	PASS
Band41	20MHz	16QAM	40740	1RB#49	23.16	24.73	PASS
Band41	20MHz	16QAM	40740	1RB#99	22.52	24.09	PASS
Band41	20MHz	16QAM	40740	50RB#0	21.93	23.5	PASS

Band41	20MHz	16QAM	40740	50RB#25	21.92	23.49	PASS
Band41	20MHz	16QAM	40740	50RB#50	21.77	23.34	PASS
Band41	20MHz	16QAM	40740	100RB#0	21.79	23.36	PASS
Band41	20MHz	16QAM	41140	1RB#0	22.53	24.1	PASS
Band41	20MHz	16QAM	41140	1RB#49	22.92	24.49	PASS
Band41	20MHz	16QAM	41140	1RB#99	22.44	24.01	PASS
Band41	20MHz	16QAM	41140	50RB#0	21.53	23.1	PASS
Band41	20MHz	16QAM	41140	50RB#25	21.52	23.09	PASS
Band41	20MHz	16QAM	41140	50RB#50	21.57	23.14	PASS
Band41	20MHz	16QAM	41140	100RB#0	21.57	23.14	PASS

8.2 Appendix B: Peak-to-Average Ratio(CCDF)

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band41	5MHz	QPSK	40265	1RB#0	3.72	13	PASS
Band41	5MHz	QPSK	40265	25RB#0	4.50	13	PASS
Band41	5MHz	QPSK	40740	1RB#0	4.89	13	PASS
Band41	5MHz	QPSK	40740	25RB#0	4.95	13	PASS
Band41	5MHz	QPSK	41215	1RB#0	3.38	13	PASS
Band41	5MHz	QPSK	41215	25RB#0	4.20	13	PASS
Band41	5MHz	16QAM	40265	1RB#0	4.80	13	PASS
Band41	5MHz	16QAM	40265	25RB#0	5.38	13	PASS
Band41	5MHz	16QAM	40740	1RB#0	5.32	13	PASS
Band41	5MHz	16QAM	40740	25RB#0	5.64	13	PASS
Band41	5MHz	16QAM	41215	1RB#0	4.49	13	PASS
Band41	5MHz	16QAM	41215	25RB#0	5.09	13	PASS
Band41	10MHz	QPSK	40290	1RB#0	4.71	13	PASS
Band41	10MHz	QPSK	40290	50RB#0	4.71	13	PASS
Band41	10MHz	QPSK	40740	1RB#0	4.63	13	PASS
Band41	10MHz	QPSK	40740	50RB#0	4.96	13	PASS
Band41	10MHz	QPSK	41190	1RB#0	3.32	13	PASS
Band41	10MHz	QPSK	41190	50RB#0	4.20	13	PASS
Band41	10MHz	16QAM	40290	1RB#0	4.93	13	PASS
Band41	10MHz	16QAM	40290	50RB#0	5.59	13	PASS
Band41	10MHz	16QAM	40740	1RB#0	5.49	13	PASS
Band41	10MHz	16QAM	40740	50RB#0	5.78	13	PASS
Band41	10MHz	16QAM	41190	1RB#0	4.63	13	PASS
Band41	10MHz	16QAM	41190	50RB#0	5.09	13	PASS
Band41	15MHz	QPSK	40315	1RB#0	4.75	13	PASS
Band41	15MHz	QPSK	40315	75RB#0	5.04	13	PASS
Band41	15MHz	QPSK	40740	1RB#0	4.74	13	PASS
Band41	15MHz	QPSK	40740	75RB#0	5.27	13	PASS
Band41	15MHz	QPSK	41165	1RB#0	3.01	13	PASS
Band41	15MHz	QPSK	41165	75RB#0	4.39	13	PASS
Band41	15MHz	16QAM	40315	1RB#0	4.34	13	PASS
Band41	15MHz	16QAM	40315	75RB#0	5.78	13	PASS
Band41	15MHz	16QAM	40740	1RB#0	5.57	13	PASS
Band41	15MHz	16QAM	40740	75RB#0	5.90	13	PASS
Band41	15MHz	16QAM	41165	1RB#0	5.04	13	PASS

Band41	15MHz	16QAM	41165	75RB#0	5.27	13	PASS
Band41	20MHz	QPSK	40340	1RB#0	3.91	13	PASS
Band41	20MHz	QPSK	40340	100RB#0	5.09	13	PASS
Band41	20MHz	QPSK	40740	1RB#0	4.71	13	PASS
Band41	20MHz	QPSK	40740	100RB#0	5.19	13	PASS
Band41	20MHz	QPSK	41140	1RB#0	3.52	13	PASS
Band41	20MHz	QPSK	41140	100RB#0	4.61	13	PASS
Band41	20MHz	16QAM	40340	1RB#0	4.93	13	PASS
Band41	20MHz	16QAM	40340	100RB#0	5.85	13	PASS
Band41	20MHz	16QAM	40740	1RB#0	5.79	13	PASS
Band41	20MHz	16QAM	40740	100RB#0	5.90	13	PASS
Band41	20MHz	16QAM	41140	1RB#0	4.47	13	PASS
Band41	20MHz	16QAM	41140	100RB#0	5.41	13	PASS


Test Graphs




Band41-5MHz-QPSK-40265-1RB#0




Band41-5MHz-QPSK-40265-25RB#0




Band41-5MHz-QPSK-40740-1RB#0




Band41-5MHz-QPSK-40740-25RB#0




Band41-5MHz-QPSK-41215-1RB#0




Band41-5MHz-QPSK-41215-25RB#0




Band41-5MHz-16QAM-40265-1RB#0




Band41-5MHz-16QAM-40265-25RB#0




Band41-5MHz-16QAM-40740-1RB#0




Band41-5MHz-16QAM-40740-25RB#0




Band41-5MHz-16QAM-41215-1RB#0




Band41-5MHz-16QAM-41215-25RB#0




Band41-10MHz-QPSK-40290-1RB#0




Band41-10MHz-QPSK-40290-50RB#0




Band41-10MHz-QPSK-40740-1RB#0




Band41-10MHz-QPSK-40740-50RB#0




Band41-10MHz-QPSK-41190-1RB#0




Band41-10MHz-QPSK-41190-50RB#0




Band41-10MHz-16QAM-40290-1RB#0




Band41-10MHz-16QAM-40290-50RB#0




Band41-10MHz-16QAM-40740-1RB#0




Band41-10MHz-16QAM-40740-50RB#0




Band41-10MHz-16QAM-41190-1RB#0




Band41-10MHz-16QAM-41190-50RB#0




Band41-15MHz-QPSK-40315-1RB#0




Band41-15MHz-QPSK-40315-75RB#0




Band41-15MHz-QPSK-40740-1RB#0




Band41-15MHz-QPSK-40740-75RB#0




Band41-15MHz-QPSK-41165-1RB#0




Band41-15MHz-QPSK-41165-75RB#0




Band41-15MHz-16QAM-40315-1RB#0




Band41-15MHz-16QAM-40315-75RB#0




Band41-15MHz-16QAM-40740-1RB#0




Band41-15MHz-16QAM-40740-75RB#0




Band41-15MHz-16QAM-41165-1RB#0




Band41-15MHz-16QAM-41165-75RB#0




Band41-20MHz-QPSK-40340-1RB#0




Band41-20MHz-QPSK-40340-100RB#0




Band41-20MHz-QPSK-40740-1RB#0




Band41-20MHz-QPSK-40740-100RB#0




Band41-20MHz-QPSK-41140-1RB#0




Band41-20MHz-QPSK-41140-100RB#0




Band41-20MHz-16QAM-40340-1RB#0




Band41-20MHz-16QAM-40340-100RB#0




Band41-20MHz-16QAM-40740-1RB#0



Band41-20MHz-16QAM-40740-100RB#0



Band41-20MHz-16QAM-41140-1RB#0




Band41-20MHz-16QAM-41140-100RB#0

8.3 Appendix C: 26dB Bandwidth and Occupied Bandwidth


Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band41	5MHz	QPSK	40265	25RB#0	4.4667	4.846	PASS
Band41	5MHz	QPSK	40740	25RB#0	4.4725	4.821	PASS
Band41	5MHz	QPSK	41215	25RB#0	4.4766	4.797	PASS
Band41	5MHz	16QAM	40265	25RB#0	4.4661	4.842	PASS
Band41	5MHz	16QAM	40740	25RB#0	4.4722	4.813	PASS
Band41	5MHz	16QAM	41215	25RB#0	4.4697	4.962	PASS
Band41	10MHz	QPSK	40290	50RB#0	8.9377	9.602	PASS
Band41	10MHz	QPSK	40740	50RB#0	8.9439	9.647	PASS
Band41	10MHz	QPSK	41190	50RB#0	8.9402	9.599	PASS
Band41	10MHz	16QAM	40290	50RB#0	8.9476	9.727	PASS
Band41	10MHz	16QAM	40740	50RB#0	8.9329	9.429	PASS
Band41	10MHz	16QAM	41190	50RB#0	8.9475	9.444	PASS
Band41	15MHz	QPSK	40315	75RB#0	13.408	14.74	PASS
Band41	15MHz	QPSK	40740	75RB#0	13.410	14.47	PASS
Band41	15MHz	QPSK	41165	75RB#0	13.410	14.49	PASS
Band41	15MHz	16QAM	40315	75RB#0	13.430	15.12	PASS
Band41	15MHz	16QAM	40740	75RB#0	13.414	14.90	PASS
Band41	15MHz	16QAM	41165	75RB#0	13.409	14.80	PASS
Band41	20MHz	QPSK	40340	100RB#0	17.867	19.15	PASS
Band41	20MHz	QPSK	40740	100RB#0	17.871	18.91	PASS
Band41	20MHz	QPSK	41140	100RB#0	17.837	18.98	PASS
Band41	20MHz	16QAM	40340	100RB#0	17.849	19.04	PASS
Band41	20MHz	16QAM	40740	100RB#0	17.875	19.37	PASS
Band41	20MHz	16QAM	41140	100RB#0	17.877	19.15	PASS


Test Graphs




Band41-5MHz-QPSK-40265-25RB#0-4.4667




Band41-5MHz-QPSK-40740-25RB#0-4.4725




Band41-5MHz-QPSK-41215-25RB#0-4.4766




Band41-5MHz-16QAM-40265-25RB#0-4.4661




Band41-5MHz-16QAM-40740-25RB#0-4.4722




Band41-5MHz-16QAM-41215-25RB#0-4.4697




Band41-10MHz-QPSK-40290-50RB#0-8.9377




Band41-10MHz-QPSK-40740-50RB#0-8.9439




Band41-10MHz-QPSK-41190-50RB#0-8.9402




Band41-10MHz-16QAM-40290-50RB#0-8.9476




Band41-10MHz-16QAM-40740-50RB#0-8.9329




Band41-10MHz-16QAM-41190-50RB#0-8.9475




Band41-15MHz-QPSK-40315-75RB#0-13.408




Band41-15MHz-QPSK-40740-75RB#0-13.410




Band41-15MHz-QPSK-41165-75RB#0-13.410




Band41-15MHz-16QAM-40315-75RB#0-13.430




Band41-15MHz-16QAM-40740-75RB#0-13.414




Band41-15MHz-16QAM-41165-75RB#0-13.409




Band41-20MHz-QPSK-40340-100RB#0-17.867




Band41-20MHz-QPSK-40740-100RB#0-17.871




Band41-20MHz-QPSK-41140-100RB#0-17.837



Band41-20MHz-16QAM-40340-100RB#0-17.849



Band41-20MHz-16QAM-40740-100RB#0-17.875



Band41-20MHz-16QAM-41140-100RB#0-17.877

8.4 Appendix D: Band Edge

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band41	5MHz	QPSK	40265	1RB#0	-58.67,-58.35,-43.01,-44.11,-32.08,-13.10	PASS
Band41	5MHz	QPSK	40265	25RB#0	-58.42,-58.14,-47.08,-44.80,-31.58,-26.55	PASS
Band41	5MHz	QPSK	41215	1RB#24	-41.18,-44.38,-31.07,-17.41	PASS
Band41	5MHz	QPSK	41215	25RB#0	-45.02,-42.90,-27.39,-24.51	PASS
Band41	5MHz	16QAM	40265	1RB#0	-58.21,-58.33,-42.69,-46.15,-38.16,-15.85	PASS
Band41	5MHz	16QAM	40265	25RB#0	-58.48,-57.99,-49.61,-46.82,-32.55,-26.49	PASS
Band41	5MHz	16QAM	41215	1RB#24	-40.70,-44.90,-32.23,-20.02	PASS
Band41	5MHz	16QAM	41215	25RB#0	-45.73,-44.34,-29.75,-25.19	PASS
Band41	10MHz	QPSK	40290	1RB#0	-55.77,-56.28,-41.02,-38.80,-30.97,-17.05	PASS
Band41	10MHz	QPSK	40290	50RB#0	-55.95,-56.32,-47.25,-33.96,-30.34,-27.96	PASS
Band41	10MHz	QPSK	41190	1RB#49	-51.21,-41.71,-30.83,-20.99	PASS
Band41	10MHz	QPSK	41190	50RB#0	-43.89,-30.60,-24.89,-23.67	PASS
Band41	10MHz	16QAM	40290	1RB#0	-55.97,-56.34,-44.06,-38.75,-27.22,-22.17	PASS
Band41	10MHz	16QAM	40290	50RB#0	-56.12,-56.03,-47.48,-37.59,-33.40,-31.30	PASS
Band41	10MHz	16QAM	41190	1RB#49	-49.20,-40.85,-31.62,-23.32	PASS
Band41	10MHz	16QAM	41190	50RB#0	-43.75,-33.87,-28.17,-27.88	PASS
Band41	15MHz	QPSK	40315	1RB#0	-54.71,-55.00,-42.62,-38.35,-29.53,-21.54	PASS
Band41	15MHz	QPSK	40315	75RB#0	-55.04,-54.98,-45.80,-27.93,-27.03,-26.01	PASS
Band41	15MHz	QPSK	41165	1RB#74	-50.66,-38.38,-30.79,-23.16	PASS
Band41	15MHz	QPSK	41165	75RB#0	-42.69,-25.51,-23.44,-22.35	PASS
Band41	15MHz	16QAM	40315	1RB#0	-55.23,-54.82,-43.39,-37.76,-29.00,-21.53	PASS
Band41	15MHz	16QAM	40315	75RB#0	-54.75,-54.49,-47.07,-33.05,-31.96,-31.01	PASS
Band41	15MHz	16QAM	41165	1RB#74	-51.13,-39.74,-30.86,-23.18	PASS
Band41	15MHz	16QAM	41165	75RB#0	-42.62,-29.42,-27.10,-26.43	PASS
Band41	20MHz	QPSK	40340	1RB#0	-54.17,-53.70,-48.50,-38.19,-30.82,-22.90	PASS
Band41	20MHz	QPSK	40340	100RB#0	-53.90,-54.37,-49.73,-32.20,-29.64,-29.26	PASS
Band41	20MHz	QPSK	41140	1RB#99	-51.99,-37.88,-30.67,-25.41	PASS
Band41	20MHz	QPSK	41140	100RB#0	-45.35,-27.72,-25.39,-23.98	PASS
Band41	20MHz	16QAM	40340	1RB#0	-54.21,-54.05,-50.68,-39.84,-34.23,-24.80	PASS
Band41	20MHz	16QAM	40340	100RB#0	-53.79,-54.28,-50.32,-35.15,-32.50,-32.77	PASS
Band41	20MHz	16QAM	41140	1RB#99	-50.92,-38.16,-28.82,-23.00	PASS
Band41	20MHz	16QAM	41140	100RB#0	-44.30,-30.27,-27.33,-27.15	PASS

Test Graphs

