


Annex C. LTE Transmitter Spurious Emissions

1. LTE_Band5


1.1. LTE Transmitter Spurious Emissions(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.93	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.58	-13	Pass	2985
30	814	0.1	RMS	800.098	-56.21	-13	Pass	7840
814	860	0.1	RMS	824.273	20.56	60	Pass	601
860	1000	0.1	RMS	926.047	-57.46	-13	Pass	1400
1000	3000	1	RMS	2659.83	-39.38	-13	Pass	2000
3000	10000	1	RMS	6299.471	-51	-13	Pass	7000




1.2. LTE Transmitter Spurious Emissions(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.95	-13	Pass	601
0.15	30	0.01	RMS	0.16	-51.63	-13	Pass	2985
30	814	0.1	RMS	806.899	-56.46	-13	Pass	7840
814	860	0.1	RMS	825.117	20.45	60	Pass	601
860	1000	0.1	RMS	882.516	-57.5	-13	Pass	1400
1000	3000	1	RMS	2659.83	-39.4	-13	Pass	2000
3000	10000	1	RMS	6311.473	-51	-13	Pass	7000




1.3. LTE Transmitter Spurious Emissions(NTNV)(Subtest:3, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.41	-13	Pass	601
0.15	30	0.01	RMS	0.17	-54.22	-13	Pass	2985
30	814	0.1	RMS	788.697	-56.33	-13	Pass	7840
814	860	0.1	RMS	824.273	19.58	60	Pass	601
860	1000	0.1	RMS	994.796	-57.43	-13	Pass	1400
1000	3000	1	RMS	2659.83	-39.3	-13	Pass	2000
3000	10000	1	RMS	6057.437	-50.9	-13	Pass	7000




1.4. LTE Transmitter Spurious Emissions(NTNV)(Subtest:4, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.96	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.62	-13	Pass	2985
30	814	0.1	RMS	812.5	-56.34	-13	Pass	7840
814	860	0.1	RMS	825.117	19.36	60	Pass	601
860	1000	0.1	RMS	985.49	-57.55	-13	Pass	1400
1000	3000	1	RMS	2659.83	-39.45	-13	Pass	2000
3000	10000	1	RMS	6306.472	-50.85	-13	Pass	7000




1.5. LTE Transmitter Spurious Emissions(NTNV)(Subtest:5, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.3	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.26	-13	Pass	2985
30	814	0.1	RMS	790.297	-56.36	-13	Pass	7840
814	860	0.1	RMS	836.08	20.49	60	Pass	601
860	1000	0.1	RMS	931.751	-57.45	-13	Pass	1400
1000	3000	1	RMS	2659.83	-39.42	-13	Pass	2000
3000	10000	1	RMS	6309.473	-50.93	-13	Pass	7000




1.6. LTE Transmitter Spurious Emissions(NTNV)(Subtest:6, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.15	-13	Pass	601
0.15	30	0.01	RMS	0.16	-52.79	-13	Pass	2985
30	814	0.1	RMS	800.998	-56.13	-13	Pass	7840
814	860	0.1	RMS	836.923	20.56	60	Pass	601




1.7. LTE Transmitter Spurious Emissions(NTNV)(Subtest:8, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1000	3000	1	RMS	2658.829	-39.41	-13	Pass	2000
3000	10000	1	RMS	6041.434	-50.99	-13	Pass	7000




1.8. LTE Transmitter Spurious Emissions(NTNV)(Subtest:9, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.27	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.47	-13	Pass	2985
30	814	0.1	RMS	794.297	-56.17	-13	Pass	7840
814	860	0.1	RMS	836.08	19.44	60	Pass	601
860	1000	0.1	RMS	910.336	-57.53	-13	Pass	1400
1000	3000	1	RMS	2658.829	-39.4	-13	Pass	2000
3000	10000	1	RMS	6300.471	-50.89	-13	Pass	7000




1.9. LTE Transmitter Spurious Emissions(NTNV)(Subtest:10, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.77	-13	Pass	601
0.15	30	0.01	RMS	0.15	-53.26	-13	Pass	2985
30	814	0.1	RMS	792.597	-56.35	-13	Pass	7840
814	860	0.1	RMS	836.923	19.51	60	Pass	601
860	1000	0.1	RMS	901.43	-57.39	-13	Pass	1400
1000	3000	1	RMS	2660.83	-39.45	-13	Pass	2000
3000	10000	1	RMS	6304.472	-50.96	-13	Pass	7000




1.10. LTE Transmitter Spurious Emissions(NTNV)(Subtest:11, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.51	-13	Pass	601
0.15	30	0.01	RMS	0.15	-53.43	-13	Pass	2985
30	814	0.1	RMS	790.097	-56.28	-13	Pass	7840
814	860	0.1	RMS	847.887	20.36	60	Pass	601
860	1000	0.1	RMS	931.551	-57.39	-13	Pass	1400
1000	3000	1	RMS	2659.83	-39.32	-13	Pass	2000
3000	10000	1	RMS	6287.47	-51.04	-13	Pass	7000




1.11. LTE Transmitter Spurious Emissions(NTNV)(Subtest:12, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.88	-13	Pass	601
0.15	30	0.01	RMS	0.16	-52.25	-13	Pass	2985
30	814	0.1	RMS	800.898	-56.17	-13	Pass	7840
814	860	0.1	RMS	848.73	20.59	60	Pass	601
860	1000	0.1	RMS	936.154	-57.52	-13	Pass	1400
1000	3000	1	RMS	2660.83	-39.42	-13	Pass	2000
3000	10000	1	RMS	6050.436	-50.94	-13	Pass	7000




1.12. LTE Transmitter Spurious Emissions(NTNV)(Subtest:13, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.01	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.41	-13	Pass	2985
30	814	0.1	RMS	785.996	-56.08	-13	Pass	7840
814	860	0.1	RMS	847.887	19.33	60	Pass	601
860	1000	0.1	RMS	938.256	-57.43	-13	Pass	1400
1000	3000	1	RMS	2838.919	-39.44	-13	Pass	2000
3000	10000	1	RMS	6306.472	-51	-13	Pass	7000




1.13. LTE Transmitter Spurious Emissions(NTNV)(Subtest:14, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.34	-13	Pass	601
0.15	30	0.01	RMS	0.16	-52.62	-13	Pass	2985
30	814	0.1	RMS	786.396	-55.8	-13	Pass	7840
814	860	0.1	RMS	848.73	19.64	60	Pass	601
860	1000	0.1	RMS	969.478	-57.58	-13	Pass	1400
1000	3000	1	RMS	2657.829	-39.44	-13	Pass	2000
3000	10000	1	RMS	6319.474	-50.97	-13	Pass	7000




1.14. LTE Transmitter Spurious Emissions(NTNV)(Subtest:15, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.94	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.85	-13	Pass	2985
30	814	0.1	RMS	800.198	-56.19	-13	Pass	7840
814	860	0.1	RMS	824.273	20.44	60	Pass	601
860	1000	0.1	RMS	999.099	-57.4	-13	Pass	1400
1000	3000	1	RMS	2659.83	-39.41	-13	Pass	2000
3000	10000	1	RMS	5990.427	-50.86	-13	Pass	7000




1.15. LTE Transmitter Spurious Emissions(NTNV)(Subtest:16, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.56	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.35	-13	Pass	2985
30	814	0.1	RMS	802.198	-56.31	-13	Pass	7840
814	860	0.1	RMS	826.727	20.39	60	Pass	601
860	1000	0.1	RMS	921.244	-57.5	-13	Pass	1400
1000	3000	1	RMS	2658.829	-39.34	-13	Pass	2000
3000	10000	1	RMS	6297.471	-50.96	-13	Pass	7000




1.16. LTE Transmitter Spurious Emissions(NTNV)(Subtest:17, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.08	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.4	-13	Pass	2985
30	814	0.1	RMS	811.8	-56.23	-13	Pass	7840
814	860	0.1	RMS	824.273	19.71	60	Pass	601
860	1000	0.1	RMS	989.492	-57.43	-13	Pass	1400
1000	3000	1	RMS	2660.83	-39.42	-13	Pass	2000
3000	10000	1	RMS	6295.471	-50.97	-13	Pass	7000




1.17. LTE Transmitter Spurious Emissions(NTNV)(Subtest:18, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.97	-13	Pass	601
0.15	30	0.01	RMS	0.16	-52.28	-13	Pass	2985
30	814	0.1	RMS	809.599	-56.24	-13	Pass	7840
814	860	0.1	RMS	826.727	19.53	60	Pass	601
860	1000	0.1	RMS	968.377	-57.55	-13	Pass	1400
1000	3000	1	RMS	2659.83	-39.43	-13	Pass	2000
3000	10000	1	RMS	6031.433	-50.98	-13	Pass	7000




1.18. LTE Transmitter Spurious Emissions(NTNV)(Subtest:19, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.42	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.77	-13	Pass	2985
30	814	0.1	RMS	797.598	-56.17	-13	Pass	7840
814	860	0.1	RMS	835.237	20.86	60	Pass	601
860	1000	0.1	RMS	997.598	-57.47	-13	Pass	1400
1000	3000	1	RMS	2659.83	-39.37	-13	Pass	2000
3000	10000	1	RMS	6299.471	-51	-13	Pass	7000




1.19. LTE Transmitter Spurious Emissions(NTNV)(Subtest:20, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.56	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.42	-13	Pass	2985
30	814	0.1	RMS	813.6	-56.01	-13	Pass	7840
814	860	0.1	RMS	837.767	20.74	60	Pass	601
860	1000	0.1	RMS	900.529	-57.5	-13	Pass	1400
1000	3000	1	RMS	2662.831	-39.37	-13	Pass	2000
3000	10000	1	RMS	6309.473	-51.06	-13	Pass	7000




1.20. LTE Transmitter Spurious Emissions(NTNV)(Subtest:21, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.22	-13	Pass	601
0.15	30	0.01	RMS	0.15	-53.34	-13	Pass	2985
30	814	0.1	RMS	800.098	-56.38	-13	Pass	7840
814	860	0.1	RMS	835.237	19.72	60	Pass	601
860	1000	0.1	RMS	918.442	-57.5	-13	Pass	1400
1000	3000	1	RMS	2659.83	-39.42	-13	Pass	2000
3000	10000	1	RMS	5988.427	-51.01	-13	Pass	7000




1.21. LTE Transmitter Spurious Emissions(NTNV)(Subtest:22, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.95	-13	Pass	601
0.15	30	0.01	RMS	0.15	-53.54	-13	Pass	2985
30	814	0.1	RMS	745.591	-56.37	-13	Pass	7840
814	860	0.1	RMS	837.767	19.72	60	Pass	601
860	1000	0.1	RMS	900.029	-57.55	-13	Pass	1400
1000	3000	1	RMS	2658.829	-39.4	-13	Pass	2000




1.22. LTE Transmitter Spurious Emissions(NTNV)(Subtest:24, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.53	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.44	-13	Pass	2985
30	814	0.1	RMS	793.597	-56.31	-13	Pass	7840
814	860	0.1	RMS	846.277	20.43	60	Pass	601
860	1000	0.1	RMS	894.325	-57.42	-13	Pass	1400
1000	3000	1	RMS	2836.918	-39.37	-13	Pass	2000
3000	10000	1	RMS	6301.472	-51.03	-13	Pass	7000




1.23. LTE Transmitter Spurious Emissions(NTNV)(Subtest:25, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.68	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.34	-13	Pass	2985
30	814	0.1	RMS	808.399	-56.15	-13	Pass	7840
814	860	0.1	RMS	848.73	20.51	60	Pass	601
860	1000	0.1	RMS	888.42	-57.45	-13	Pass	1400
1000	3000	1	RMS	2655.828	-39.44	-13	Pass	2000
3000	10000	1	RMS	5991.427	-50.92	-13	Pass	7000




1.24. LTE Transmitter Spurious Emissions(NTNV)(Subtest:26, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.24	-13	Pass	601
0.15	30	0.01	RMS	0.15	-53.14	-13	Pass	2985
30	814	0.1	RMS	796.498	-56.48	-13	Pass	7840
814	860	0.1	RMS	846.277	19.54	60	Pass	601
860	1000	0.1	RMS	989.793	-57.44	-13	Pass	1400
1000	3000	1	RMS	2659.83	-39.41	-13	Pass	2000
3000	10000	1	RMS	6307.472	-51.04	-13	Pass	7000




1.25. LTE Transmitter Spurious Emissions(NTNV)(Subtest:27, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.25	-13	Pass	601
0.15	30	0.01	RMS	0.15	-53.12	-13	Pass	2985
30	814	0.1	RMS	810.1	-56.27	-13	Pass	7840
814	860	0.1	RMS	848.73	19.51	60	Pass	601
860	1000	0.1	RMS	894.825	-57.35	-13	Pass	1400
1000	3000	1	RMS	2663.832	-39.4	-13	Pass	2000
3000	10000	1	RMS	6051.436	-50.94	-13	Pass	7000




1.26. LTE Transmitter Spurious Emissions(NTNV)(Subtest:28, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.01	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.31	-13	Pass	2985
30	814	0.1	RMS	813.6	-56.31	-13	Pass	7840
814	860	0.1	RMS	824.35	20.51	60	Pass	601
860	1000	0.1	RMS	891.823	-57.39	-13	Pass	1400
1000	3000	1	RMS	2657.829	-39.37	-13	Pass	2000
3000	10000	1	RMS	6308.473	-50.91	-13	Pass	7000




1.27. LTE Transmitter Spurious Emissions(NTNV)(Subtest:29, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.84	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.63	-13	Pass	2985
30	814	0.1	RMS	793.797	-56.12	-13	Pass	7840
814	860	0.1	RMS	828.643	20.53	60	Pass	601
860	1000	0.1	RMS	899.929	-57.41	-13	Pass	1400
1000	3000	1	RMS	2660.83	-39.43	-13	Pass	2000
3000	10000	1	RMS	6322.475	-51.09	-13	Pass	7000




1.28. LTE Transmitter Spurious Emissions(NTNV)(Subtest:30, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.04	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.23	-13	Pass	2985
30	814	0.1	RMS	809.299	-56.25	-13	Pass	7840
814	860	0.1	RMS	824.35	19.73	60	Pass	601
860	1000	0.1	RMS	900.029	-57.36	-13	Pass	1400
1000	3000	1	RMS	2658.829	-39.23	-13	Pass	2000
3000	10000	1	RMS	6302.472	-50.93	-13	Pass	7000




1.29. LTE Transmitter Spurious Emissions(NTNV)(Subtest:31, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.68	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.9	-13	Pass	2985
30	814	0.1	RMS	798.998	-56.21	-13	Pass	7840
814	860	0.1	RMS	828.643	19.65	60	Pass	601
860	1000	0.1	RMS	896.426	-57.58	-13	Pass	1400
1000	3000	1	RMS	2659.83	-39.34	-13	Pass	2000
3000	10000	1	RMS	6306.472	-50.99	-13	Pass	7000




1.30. LTE Transmitter Spurious Emissions(NTNV)(Subtest:32, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.74	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.75	-13	Pass	2985
30	814	0.1	RMS	803.899	-56.15	-13	Pass	7840
814	860	0.1	RMS	834.317	20.37	60	Pass	601
860	1000	0.1	RMS	996.798	-57.47	-13	Pass	1400
1000	3000	1	RMS	2659.83	-39.4	-13	Pass	2000
3000	10000	1	RMS	5989.427	-51.04	-13	Pass	7000




1.31. LTE Transmitter Spurious Emissions(NTNV)(Subtest:33, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.06	-13	Pass	601
0.15	30	0.01	RMS	0.15	-53.16	-13	Pass	2985
30	814	0.1	RMS	799.298	-56.11	-13	Pass	7840
814	860	0.1	RMS	838.687	20.42	60	Pass	601
860	1000	0.1	RMS	894.224	-57.51	-13	Pass	1400
1000	3000	1	RMS	2659.83	-39.39	-13	Pass	2000
3000	10000	1	RMS	6304.472	-50.92	-13	Pass	7000




1.32. LTE Transmitter Spurious Emissions(NTNV)(Subtest:34, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.96	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.63	-13	Pass	2985
30	814	0.1	RMS	810.6	-56.22	-13	Pass	7840
814	860	0.1	RMS	834.317	19.64	60	Pass	601
860	1000	0.1	RMS	974.582	-57.47	-13	Pass	1400
1000	3000	1	RMS	2661.831	-39.48	-13	Pass	2000
3000	10000	1	RMS	6309.473	-50.89	-13	Pass	7000




1.33. LTE Transmitter Spurious Emissions(NTNV)(Subtest:35, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.64	-13	Pass	601
0.15	30	0.01	RMS	0.15	-53.66	-13	Pass	2985
30	814	0.1	RMS	800.198	-56.05	-13	Pass	7840
814	860	0.1	RMS	838.687	19.51	60	Pass	601
860	1000	0.1	RMS	887.32	-57.52	-13	Pass	1400
1000	3000	1	RMS	2659.83	-39.34	-13	Pass	2000
3000	10000	1	RMS	6304.472	-51.03	-13	Pass	7000




1.34. LTE Transmitter Spurious Emissions(NTNV)(Subtest:36, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.13	-13	Pass	601
0.15	30	0.01	RMS	0.16	-52.54	-13	Pass	2985
30	814	0.1	RMS	789.297	-56.05	-13	Pass	7840
814	860	0.1	RMS	844.36	20.46	60	Pass	601
860	1000	0.1	RMS	899.228	-57.43	-13	Pass	1400
1000	3000	1	RMS	2839.92	-39.38	-13	Pass	2000
3000	10000	1	RMS	6329.476	-50.92	-13	Pass	7000




1.35. LTE Transmitter Spurious Emissions(NTNV)(Subtest:37, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.75	-13	Pass	2985
30	814	0.1	RMS	766.094	-56.15	-13	Pass	7840
814	860	0.1	RMS	848.653	20.5	60	Pass	601
860	1000	0.1	RMS	968.878	-57.51	-13	Pass	1400
1000	3000	1	RMS	2658.829	-39.36	-13	Pass	2000
3000	10000	1	RMS	6301.472	-51	-13	Pass	7000




1.36. LTE Transmitter Spurious Emissions(NTNV)(Subtest:38, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.22	-13	Pass	601




1.37. LTE Transmitter Spurious Emissions(NTNV)(Subtest:40, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	814	0.1	RMS	805.899	-56	-13	Pass	7840
814	860	0.1	RMS	844.36	19.81	60	Pass	601
860	1000	0.1	RMS	898.828	-57.48	-13	Pass	1400
1000	3000	1	RMS	2660.83	-39.43	-13	Pass	2000
3000	10000	1	RMS	5987.427	-50.97	-13	Pass	7000




1.38. LTE Transmitter Spurious Emissions(NTNV)(Subtest:41, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.05	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.22	-13	Pass	2985
30	814	0.1	RMS	810.9	-56.21	-13	Pass	7840
814	860	0.1	RMS	848.653	19.86	60	Pass	601
860	1000	0.1	RMS	924.346	-57.53	-13	Pass	1400
1000	3000	1	RMS	2657.829	-39.42	-13	Pass	2000
3000	10000	1	RMS	6276.468	-50.99	-13	Pass	7000




1.39. LTE Transmitter Spurious Emissions(NTNV)(Subtest:42, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.26	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.52	-13	Pass	2985
30	814	0.1	RMS	803.199	-56.21	-13	Pass	7840
814	860	0.1	RMS	824.58	20.7	60	Pass	601
860	1000	0.1	RMS	931.751	-57.45	-13	Pass	1400
1000	3000	1	RMS	2659.83	-39.39	-13	Pass	2000
3000	10000	1	RMS	6042.435	-50.97	-13	Pass	7000




1.40. LTE Transmitter Spurious Emissions(NTNV)(Subtest:43, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.59	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.11	-13	Pass	2985
30	814	0.1	RMS	784.996	-56.29	-13	Pass	7840
814	860	0.1	RMS	833.397	20.73	60	Pass	601
860	1000	0.1	RMS	912.938	-57.5	-13	Pass	1400
1000	3000	1	RMS	2661.831	-39.34	-13	Pass	2000
3000	10000	1	RMS	6337.477	-51.06	-13	Pass	7000




1.41. LTE Transmitter Spurious Emissions(NTNV)(Subtest:44, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.28	-13	Pass	601
0.15	30	0.01	RMS	0.15	-53.1	-13	Pass	2985
30	814	0.1	RMS	782.896	-56.1	-13	Pass	7840
814	860	0.1	RMS	824.58	19.88	60	Pass	601
860	1000	0.1	RMS	900.129	-57.55	-13	Pass	1400
1000	3000	1	RMS	2657.829	-39.34	-13	Pass	2000
3000	10000	1	RMS	6305.472	-50.93	-13	Pass	7000




1.42. LTE Transmitter Spurious Emissions(NTNV)(Subtest:45, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.94	-13	Pass	601
0.15	30	0.01	RMS	0.15	-53.16	-13	Pass	2985
30	814	0.1	RMS	807.299	-56.21	-13	Pass	7840
814	860	0.1	RMS	833.397	19.84	60	Pass	601
860	1000	0.1	RMS	976.183	-57.37	-13	Pass	1400
1000	3000	1	RMS	2659.83	-39.33	-13	Pass	2000
3000	10000	1	RMS	6309.473	-50.99	-13	Pass	7000




1.43. LTE Transmitter Spurious Emissions(NTNV)(Subtest:46, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.74	-13	Pass	601
0.15	30	0.01	RMS	0.16	-52.97	-13	Pass	2985
30	814	0.1	RMS	770.294	-56.14	-13	Pass	7840
814	860	0.1	RMS	832.093	20.77	60	Pass	601
860	1000	0.1	RMS	996.397	-57.43	-13	Pass	1400
1000	3000	1	RMS	2657.829	-39.32	-13	Pass	2000
3000	10000	1	RMS	6050.436	-51.06	-13	Pass	7000




1.44. LTE Transmitter Spurious Emissions(NTNV)(Subtest:47, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.94	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.09	-13	Pass	2985
30	814	0.1	RMS	801.398	-56.21	-13	Pass	7840
814	860	0.1	RMS	840.91	20.74	60	Pass	601
860	1000	0.1	RMS	905.833	-57.52	-13	Pass	1400
1000	3000	1	RMS	2656.828	-39.44	-13	Pass	2000
3000	10000	1	RMS	6045.435	-51.09	-13	Pass	7000




1.45. LTE Transmitter Spurious Emissions(NTNV)(Subtest:48, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.03	-13	Pass	601
0.15	30	0.01	RMS	0.16	-53.53	-13	Pass	2985
30	814	0.1	RMS	772.095	-56.37	-13	Pass	7840
814	860	0.1	RMS	832.093	19.77	60	Pass	601
860	1000	0.1	RMS	966.976	-57.54	-13	Pass	1400
1000	3000	1	RMS	2658.829	-39.39	-13	Pass	2000
3000	10000	1	RMS	6310.473	-50.93	-13	Pass	7000




1.46. LTE Transmitter Spurious Emissions(NTNV)(Subtest:49, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.91	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.68	-13	Pass	2985
30	814	0.1	RMS	796.798	-56.24	-13	Pass	7840
814	860	0.1	RMS	840.91	19.7	60	Pass	601
860	1000	0.1	RMS	997.698	-57.51	-13	Pass	1400
1000	3000	1	RMS	2659.83	-39.44	-13	Pass	2000
3000	10000	1	RMS	6054.436	-51	-13	Pass	7000




1.47. LTE Transmitter Spurious Emissions(NTNV)(Subtest:50, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.72	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.51	-13	Pass	2985
30	814	0.1	RMS	813.5	-56.09	-13	Pass	7840
814	860	0.1	RMS	839.607	20.7	60	Pass	601
860	1000	0.1	RMS	896.326	-57.49	-13	Pass	1400
1000	3000	1	RMS	2629.815	-39.36	-13	Pass	2000
3000	10000	1	RMS	6308.473	-50.97	-13	Pass	7000




1.48. LTE Transmitter Spurious Emissions(NTNV)(Subtest:51, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.45	-13	Pass	601
0.15	30	0.01	RMS	0.16	-52.31	-13	Pass	2985
30	814	0.1	RMS	807.199	-56.28	-13	Pass	7840
814	860	0.1	RMS	848.423	20.66	60	Pass	601
860	1000	0.1	RMS	895.926	-57.36	-13	Pass	1400
1000	3000	1	RMS	2660.83	-39.29	-13	Pass	2000
3000	10000	1	RMS	6036.434	-50.89	-13	Pass	7000




1.49. LTE Transmitter Spurious Emissions(NTNV)(Subtest:52, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-53.52	-13	Pass	601
0.15	30	0.01	RMS	0.15	-53.07	-13	Pass	2985
30	814	0.1	RMS	810.3	-56.37	-13	Pass	7840
814	860	0.1	RMS	839.607	19.74	60	Pass	601
860	1000	0.1	RMS	997.798	-57.41	-13	Pass	1400
1000	3000	1	RMS	2657.829	-39.33	-13	Pass	2000
3000	10000	1	RMS	6308.473	-50.94	-13	Pass	7000



1.50. LTE Transmitter Spurious Emissions(NTNV)(Subtest:53, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.14	-13	Pass	601
0.15	30	0.01	RMS	0.17	-52.36	-13	Pass	2985
30	814	0.1	RMS	812.2	-56.07	-13	Pass	7840
814	860	0.1	RMS	848.423	19.7	60	Pass	601
860	1000	0.1	RMS	904.232	-57.4	-13	Pass	1400
1000	3000	1	RMS	2658.829	-39.33	-13	Pass	2000
3000	10000	1	RMS	6049.436	-51.03	-13	Pass	7000



END