

FCC Part 27

RF power output

n41

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz_15kHz_2501.01MHz_CP-OFDM 16 QAM_RB52@0	20.36	18.07	0.064	2.00	Pass
10MHz_15kHz_2501.01MHz_CP-OFDM 256 QAM_RB52@0	16.87	14.58	0.029	2.00	Pass
10MHz_15kHz_2501.01MHz_CP-OFDM 64 QAM_RB52@0	19.79	17.5	0.056	2.00	Pass
10MHz_15kHz_2501.01MHz_CP-OFDM QPSK_RB1@1	21.92	19.63	0.092	2.00	Pass
10MHz_15kHz_2501.01MHz_CP-OFDM QPSK_RB1@50	21.78	19.49	0.089	2.00	Pass
10MHz_15kHz_2501.01MHz_CP-OFDM QPSK_RB26@13	21.84	19.55	0.09	2.00	Pass
10MHz_15kHz_2501.01MHz_CP-OFDM QPSK_RB52@0	20.35	18.06	0.064	2.00	Pass
10MHz_15kHz_2501.01MHz_DFT-s-OFDM 16 QAM_RB50@0	21.36	19.07	0.081	2.00	Pass
10MHz_15kHz_2501.01MHz_DFT-s-OFDM 256 QAM_RB50@0	18.84	16.55	0.045	2.00	Pass
10MHz_15kHz_2501.01MHz_DFT-s-OFDM 64 QAM_RB50@0	20.83	18.54	0.071	2.00	Pass
10MHz_15kHz_2501.01MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.16	20.87	0.122	2.00	Pass
10MHz_15kHz_2501.01MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	23.26	20.97	0.125	2.00	Pass
10MHz_15kHz_2501.01MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	23.27	20.98	0.125	2.00	Pass
10MHz_15kHz_2501.01MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	22.81	20.52	0.113	2.00	Pass
10MHz_15kHz_2501.01MHz_DFT-s-OFDM QPSK_RB1@1	23.23	20.94	0.124	2.00	Pass
10MHz_15kHz_2501.01MHz_DFT-s-OFDM QPSK_RB1@50	23.27	20.98	0.125	2.00	Pass
10MHz_15kHz_2501.01MHz_DFT-s-OFDM QPSK_RB25@12	23.32	21.03	0.127	2.00	Pass
10MHz_15kHz_2501.01MHz_DFT-s-OFDM QPSK_RB50@0	22.36	20.07	0.102	2.00	Pass
10MHz_15kHz_2501.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	0.00	-2.29	0.001	2.00	Pass
10MHz_15kHz_2593.005MHz_CP-OFDM 16 QAM_RB52@0	20.42	18.13	0.065	2.00	Pass
10MHz_15kHz_2593.005MHz_CP-OFDM 256 QAM_RB52@0	16.85	14.56	0.029	2.00	Pass
10MHz_15kHz_2593.005MHz_CP-OFDM 64 QAM_RB52@0	19.85	17.56	0.057	2.00	Pass
10MHz_15kHz_2593.005MHz_CP-OFDM QPSK_RB1@1	21.68	19.39	0.087	2.00	Pass
10MHz_15kHz_2593.005MHz_CP-OFDM QPSK_RB1@50	21.77	19.48	0.089	2.00	Pass
10MHz_15kHz_2593.005MHz_CP-OFDM QPSK_RB26@13	21.83	19.54	0.09	2.00	Pass
10MHz_15kHz_2593.005MHz_CP-OFDM QPSK_RB52@0	20.43	18.14	0.065	2.00	Pass
10MHz_15kHz_2593.005MHz_DFT-s-OFDM 16 QAM_RB50@0	21.40	19.11	0.081	2.00	Pass
10MHz_15kHz_2593.005MHz_DFT-s-OFDM 256 QAM_RB50@0	18.85	16.56	0.045	2.00	Pass

10MHz_15kHz_2593.005MHz_DFT-s-OFDM_64_QAM_RB50@0	20.92	18.63	0.073	2.00	Pass
10MHz_15kHz_2593.005MHz_DFT-s-OFDM_PI/2_BPSK_RB1@1	23.28	20.99	0.126	2.00	Pass
10MHz_15kHz_2593.005MHz_DFT-s-OFDM_PI/2_BPSK_RB1@50	23.32	21.03	0.127	2.00	Pass
10MHz_15kHz_2593.005MHz_DFT-s-OFDM_PI/2_BPSK_RB25@12	23.38	21.09	0.129	2.00	Pass
10MHz_15kHz_2593.005MHz_DFT-s-OFDM_PI/2_BPSK_RB50@0	22.87	20.58	0.114	2.00	Pass
10MHz_15kHz_2593.005MHz_DFT-s-OFDM_QPSK_RB1@1	23.33	21.04	0.127	2.00	Pass
10MHz_15kHz_2593.005MHz_DFT-s-OFDM_QPSK_RB1@50	23.30	21.01	0.126	2.00	Pass
10MHz_15kHz_2593.005MHz_DFT-s-OFDM_QPSK_RB25@12	23.34	21.05	0.127	2.00	Pass
10MHz_15kHz_2593.005MHz_DFT-s-OFDM_QPSK_RB50@0	22.37	20.08	0.102	2.00	Pass
10MHz_15kHz_2685MHz_CP-OFDM_16_QAM_RB52@0	20.56	18.27	0.067	2.00	Pass
10MHz_15kHz_2685MHz_CP-OFDM_256_QAM_RB52@0	17.07	14.78	0.03	2.00	Pass
10MHz_15kHz_2685MHz_CP-OFDM_64_QAM_RB52@0	20.07	17.78	0.06	2.00	Pass
10MHz_15kHz_2685MHz_CP-OFDM_QPSK_RB1@1	21.99	19.7	0.093	2.00	Pass
10MHz_15kHz_2685MHz_CP-OFDM_QPSK_RB1@50	21.84	19.55	0.09	2.00	Pass
10MHz_15kHz_2685MHz_CP-OFDM_QPSK_RB26@13	22.06	19.77	0.095	2.00	Pass
10MHz_15kHz_2685MHz_CP-OFDM_QPSK_RB52@0	20.57	18.28	0.067	2.00	Pass
10MHz_15kHz_2685MHz_DFT-s-OFDM_16_QAM_RB50@0	21.60	19.31	0.085	2.00	Pass
10MHz_15kHz_2685MHz_DFT-s-OFDM_256_QAM_RB50@0	19.07	16.78	0.048	2.00	Pass
10MHz_15kHz_2685MHz_DFT-s-OFDM_64_QAM_RB50@0	21.13	18.84	0.077	2.00	Pass
10MHz_15kHz_2685MHz_DFT-s-OFDM_PI/2_BPSK_RB1@1	23.38	21.09	0.129	2.00	Pass
10MHz_15kHz_2685MHz_DFT-s-OFDM_PI/2_BPSK_RB1@50	23.54	21.25	0.133	2.00	Pass
10MHz_15kHz_2685MHz_DFT-s-OFDM_PI/2_BPSK_RB25@12	23.58	21.29	0.135	2.00	Pass
10MHz_15kHz_2685MHz_DFT-s-OFDM_PI/2_BPSK_RB50@0	23.07	20.78	0.12	2.00	Pass
10MHz_15kHz_2685MHz_DFT-s-OFDM_QPSK_RB1@1	23.39	21.1	0.129	2.00	Pass
10MHz_15kHz_2685MHz_DFT-s-OFDM_QPSK_RB1@50	23.50	21.21	0.132	2.00	Pass
10MHz_15kHz_2685MHz_DFT-s-OFDM_QPSK_RB25@12	23.56	21.27	0.134	2.00	Pass
10MHz_15kHz_2685MHz_DFT-s-OFDM_QPSK_RB50@0	22.59	20.3	0.107	2.00	Pass
10MHz_30kHz_2501.01MHz_CP-OFDM_16_QAM_RB24@0	20.43	18.14	0.065	2.00	Pass
10MHz_30kHz_2501.01MHz_CP-OFDM_256_QAM_RB24@0	17.02	14.73	0.03	2.00	Pass
10MHz_30kHz_2501.01MHz_CP-OFDM_64_QAM_RB24@0	19.97	17.68	0.059	2.00	Pass
10MHz_30kHz_2501.01MHz_CP-OFDM_QPSK_RB1@1	21.98	19.69	0.093	2.00	Pass

10MHz_30kHz_2501.01MHz_CP-OFDM_QPSK_RB1@22	21.78	19.49	0.089	2.00	Pass
10MHz_30kHz_2501.01MHz_CP-OFDM_QPSK_RB12@6	21.86	19.57	0.091	2.00	Pass
10MHz_30kHz_2501.01MHz_CP-OFDM_QPSK_RB24@0	20.49	18.2	0.066	2.00	Pass
10MHz_30kHz_2501.01MHz_DFT-s-OFDM_16_QAM_RB24@0	21.55	19.26	0.084	2.00	Pass
10MHz_30kHz_2501.01MHz_DFT-s-OFDM_256_QAM_RB24@0	18.97	16.68	0.047	2.00	Pass
10MHz_30kHz_2501.01MHz_DFT-s-OFDM_64_QAM_RB24@0	20.92	18.63	0.073	2.00	Pass
10MHz_30kHz_2501.01MHz_DFT-s-OFDM_PI/2_BPSK_RB1@1	23.38	21.09	0.129	2.00	Pass
10MHz_30kHz_2501.01MHz_DFT-s-OFDM_PI/2_BPSK_RB1@22	23.38	21.09	0.129	2.00	Pass
10MHz_30kHz_2501.01MHz_DFT-s-OFDM_PI/2_BPSK_RB12@6	23.50	21.21	0.132	2.00	Pass
10MHz_30kHz_2501.01MHz_DFT-s-OFDM_PI/2_BPSK_RB24@0	22.94	20.65	0.116	2.00	Pass
10MHz_30kHz_2501.01MHz_DFT-s-OFDM_QPSK_RB1@1	23.32	21.03	0.127	2.00	Pass
10MHz_30kHz_2501.01MHz_DFT-s-OFDM_QPSK_RB1@22	23.37	21.08	0.128	2.00	Pass
10MHz_30kHz_2501.01MHz_DFT-s-OFDM_QPSK_RB12@6	23.53	21.24	0.133	2.00	Pass
10MHz_30kHz_2501.01MHz_DFT-s-OFDM_QPSK_RB24@0	22.48	20.19	0.104	2.00	Pass
10MHz_30kHz_2592.99MHz_CP-OFDM_16_QAM_RB24@0	20.44	18.15	0.065	2.00	Pass
10MHz_30kHz_2592.99MHz_CP-OFDM_256_QAM_RB24@0	16.94	14.65	0.029	2.00	Pass
10MHz_30kHz_2592.99MHz_CP-OFDM_64_QAM_RB24@0	20.03	17.74	0.059	2.00	Pass
10MHz_30kHz_2592.99MHz_CP-OFDM_QPSK_RB1@1	21.89	19.6	0.091	2.00	Pass
10MHz_30kHz_2592.99MHz_CP-OFDM_QPSK_RB1@22	21.80	19.51	0.089	2.00	Pass
10MHz_30kHz_2592.99MHz_CP-OFDM_QPSK_RB12@6	21.77	19.48	0.089	2.00	Pass
10MHz_30kHz_2592.99MHz_CP-OFDM_QPSK_RB24@0	20.54	18.25	0.067	2.00	Pass
10MHz_30kHz_2592.99MHz_DFT-s-OFDM_16_QAM_RB24@0	21.46	19.17	0.083	2.00	Pass
10MHz_30kHz_2592.99MHz_DFT-s-OFDM_256_QAM_RB24@0	18.90	16.61	0.046	2.00	Pass
10MHz_30kHz_2592.99MHz_DFT-s-OFDM_64_QAM_RB24@0	21.23	18.94	0.078	2.00	Pass
10MHz_30kHz_2592.99MHz_DFT-s-OFDM_PI/2_BPSK_RB1@1	23.39	21.1	0.129	2.00	Pass
10MHz_30kHz_2592.99MHz_DFT-s-OFDM_PI/2_BPSK_RB1@22	23.44	21.15	0.13	2.00	Pass
10MHz_30kHz_2592.99MHz_DFT-s-OFDM_PI/2_BPSK_RB12@6	23.43	21.14	0.13	2.00	Pass
10MHz_30kHz_2592.99MHz_DFT-s-OFDM_PI/2_BPSK_RB24@0	23.02	20.73	0.118	2.00	Pass
10MHz_30kHz_2592.99MHz_DFT-s-OFDM_QPSK_RB1@1	23.43	21.14	0.13	2.00	Pass
10MHz_30kHz_2592.99MHz_DFT-s-OFDM_QPSK_RB1@22	23.41	21.12	0.129	2.00	Pass
10MHz_30kHz_2592.99MHz_DFT-s-OFDM_QPSK_RB12@6	23.62	21.33	0.136	2.00	Pass

10MHz_30kHz_2592.99MHz_DFT-s-OFDM_QPSK_RB24@0	22.44	20.15	0.104	2.00	Pass
10MHz_30kHz_2685MHz_CP-OFDM_16_QAM_RB24@0	20.47	18.18	0.066	2.00	Pass
10MHz_30kHz_2685MHz_CP-OFDM_256_QAM_RB24@0	17.21	14.92	0.031	2.00	Pass
10MHz_30kHz_2685MHz_CP-OFDM_64_QAM_RB24@0	20.30	18.01	0.063	2.00	Pass
10MHz_30kHz_2685MHz_CP-OFDM_QPSK_RB1@1	21.81	19.52	0.09	2.00	Pass
10MHz_30kHz_2685MHz_CP-OFDM_QPSK_RB1@22	22.16	19.87	0.097	2.00	Pass
10MHz_30kHz_2685MHz_CP-OFDM_QPSK_RB12@6	21.91	19.62	0.092	2.00	Pass
10MHz_30kHz_2685MHz_CP-OFDM_QPSK_RB24@0	20.54	18.25	0.067	2.00	Pass
10MHz_30kHz_2685MHz_DFT-s-OFDM_16_QAM_RB24@0	21.65	19.36	0.086	2.00	Pass
10MHz_30kHz_2685MHz_DFT-s-OFDM_256_QAM_RB24@0	19.01	16.72	0.047	2.00	Pass
10MHz_30kHz_2685MHz_DFT-s-OFDM_64_QAM_RB24@0	21.32	19.03	0.08	2.00	Pass
10MHz_30kHz_2685MHz_DFT-s-OFDM_PI/2_BPSK_RB1@1	23.51	21.22	0.132	2.00	Pass
10MHz_30kHz_2685MHz_DFT-s-OFDM_PI/2_BPSK_RB1@22	23.59	21.3	0.135	2.00	Pass
10MHz_30kHz_2685MHz_DFT-s-OFDM_PI/2_BPSK_RB12@6	23.62	21.33	0.136	2.00	Pass
10MHz_30kHz_2685MHz_DFT-s-OFDM_PI/2_BPSK_RB24@0	23.16	20.87	0.122	2.00	Pass
10MHz_30kHz_2685MHz_DFT-s-OFDM_QPSK_RB1@1	23.44	21.15	0.13	2.00	Pass
10MHz_30kHz_2685MHz_DFT-s-OFDM_QPSK_RB1@22	23.56	21.27	0.134	2.00	Pass
10MHz_30kHz_2685MHz_DFT-s-OFDM_QPSK_RB12@6	23.71	21.42	0.139	2.00	Pass
10MHz_30kHz_2685MHz_DFT-s-OFDM_QPSK_RB24@0	22.62	20.33	0.108	2.00	Pass
15MHz_15kHz_2503.5MHz_CP-OFDM_16_QAM_RB79@0	20.39	18.1	0.065	2.00	Pass
15MHz_15kHz_2503.5MHz_CP-OFDM_256_QAM_RB79@0	16.89	14.6	0.029	2.00	Pass
15MHz_15kHz_2503.5MHz_CP-OFDM_64_QAM_RB79@0	19.91	17.62	0.058	2.00	Pass
15MHz_15kHz_2503.5MHz_CP-OFDM_QPSK_RB1@1	21.96	19.67	0.093	2.00	Pass
15MHz_15kHz_2503.5MHz_CP-OFDM_QPSK_RB1@77	21.69	19.4	0.087	2.00	Pass
15MHz_15kHz_2503.5MHz_CP-OFDM_QPSK_RB39@19	21.92	19.63	0.092	2.00	Pass
15MHz_15kHz_2503.5MHz_CP-OFDM_QPSK_RB79@0	20.41	18.12	0.065	2.00	Pass
15MHz_15kHz_2503.5MHz_DFT-s-OFDM_16_QAM_RB75@0	21.38	19.09	0.081	2.00	Pass
15MHz_15kHz_2503.5MHz_DFT-s-OFDM_256_QAM_RB75@0	18.87	16.58	0.045	2.00	Pass
15MHz_15kHz_2503.5MHz_DFT-s-OFDM_64_QAM_RB75@0	20.94	18.65	0.073	2.00	Pass
15MHz_15kHz_2503.5MHz_DFT-s-OFDM_PI/2_BPSK_RB1@1	23.32	21.03	0.127	2.00	Pass
15MHz_15kHz_2503.5MHz_DFT-s-OFDM_PI/2_BPSK_RB1@77	23.27	20.98	0.125	2.00	Pass

15MHz_15kHz_2503.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	23.34	21.05	0.127	2.00	Pass
15MHz_15kHz_2503.5MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	22.85	20.56	0.114	2.00	Pass
15MHz_15kHz_2503.5MHz_DFT-s-OFDM QPSK_RB1@1	23.23	20.94	0.124	2.00	Pass
15MHz_15kHz_2503.5MHz_DFT-s-OFDM QPSK_RB1@77	23.44	21.15	0.13	2.00	Pass
15MHz_15kHz_2503.5MHz_DFT-s-OFDM QPSK_RB36@18	23.38	21.09	0.129	2.00	Pass
15MHz_15kHz_2503.5MHz_DFT-s-OFDM QPSK_RB75@0	22.36	20.07	0.102	2.00	Pass
15MHz_15kHz_2593.005MHz_CP-OFDM 16 QAM_RB79@0	20.39	18.1	0.065	2.00	Pass
15MHz_15kHz_2593.005MHz_CP-OFDM 256 QAM_RB79@0	16.86	14.57	0.029	2.00	Pass
15MHz_15kHz_2593.005MHz_CP-OFDM 64 QAM_RB79@0	19.93	17.64	0.058	2.00	Pass
15MHz_15kHz_2593.005MHz_CP-OFDM QPSK_RB1@1	21.87	19.58	0.091	2.00	Pass
15MHz_15kHz_2593.005MHz_CP-OFDM QPSK_RB1@77	21.66	19.37	0.086	2.00	Pass
15MHz_15kHz_2593.005MHz_CP-OFDM QPSK_RB39@19	21.87	19.58	0.091	2.00	Pass
15MHz_15kHz_2593.005MHz_CP-OFDM QPSK_RB79@0	20.42	18.13	0.065	2.00	Pass
15MHz_15kHz_2593.005MHz_DFT-s-OFDM 16 QAM_RB75@0	21.41	19.12	0.082	2.00	Pass
15MHz_15kHz_2593.005MHz_DFT-s-OFDM 256 QAM_RB75@0	18.88	16.59	0.046	2.00	Pass
15MHz_15kHz_2593.005MHz_DFT-s-OFDM 64 QAM_RB75@0	20.94	18.65	0.073	2.00	Pass
15MHz_15kHz_2593.005MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.29	21	0.126	2.00	Pass
15MHz_15kHz_2593.005MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	23.33	21.04	0.127	2.00	Pass
15MHz_15kHz_2593.005MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	23.41	21.12	0.129	2.00	Pass
15MHz_15kHz_2593.005MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	22.92	20.63	0.116	2.00	Pass
15MHz_15kHz_2593.005MHz_DFT-s-OFDM QPSK_RB1@1	23.32	21.03	0.127	2.00	Pass
15MHz_15kHz_2593.005MHz_DFT-s-OFDM QPSK_RB1@77	23.34	21.05	0.127	2.00	Pass
15MHz_15kHz_2593.005MHz_DFT-s-OFDM QPSK_RB36@18	23.40	21.11	0.129	2.00	Pass
15MHz_15kHz_2593.005MHz_DFT-s-OFDM QPSK_RB75@0	22.42	20.13	0.103	2.00	Pass
15MHz_15kHz_2682.495MHz_CP-OFDM 16 QAM_RB79@0	20.51	18.22	0.066	2.00	Pass
15MHz_15kHz_2682.495MHz_CP-OFDM 256 QAM_RB79@0	16.98	14.69	0.029	2.00	Pass
15MHz_15kHz_2682.495MHz_CP-OFDM 64 QAM_RB79@0	20.01	17.72	0.059	2.00	Pass
15MHz_15kHz_2682.495MHz_CP-OFDM QPSK_RB1@1	21.70	19.41	0.087	2.00	Pass
15MHz_15kHz_2682.495MHz_CP-OFDM QPSK_RB1@77	21.81	19.52	0.09	2.00	Pass
15MHz_15kHz_2682.495MHz_CP-OFDM QPSK_RB39@19	22.01	19.72	0.094	2.00	Pass
15MHz_15kHz_2682.495MHz_CP-OFDM QPSK_RB79@0	20.52	18.23	0.067	2.00	Pass

15MHz_15kHz_2682.495MHz_DFT-s-OFDM_16_QAM_RB75@0	21.48	19.19	0.083	2.00	Pass
15MHz_15kHz_2682.495MHz_DFT-s-OFDM_256_QAM_RB75@0	18.97	16.68	0.047	2.00	Pass
15MHz_15kHz_2682.495MHz_DFT-s-OFDM_64_QAM_RB75@0	21.08	18.79	0.076	2.00	Pass
15MHz_15kHz_2682.495MHz_DFT-s-OFDM_PI/2_BPSK_RB1@1	23.30	21.01	0.126	2.00	Pass
15MHz_15kHz_2682.495MHz_DFT-s-OFDM_PI/2_BPSK_RB1@77	23.50	21.21	0.132	2.00	Pass
15MHz_15kHz_2682.495MHz_DFT-s-OFDM_PI/2_BPSK_RB36@18	23.48	21.19	0.132	2.00	Pass
15MHz_15kHz_2682.495MHz_DFT-s-OFDM_PI/2_BPSK_RB75@0	22.98	20.69	0.117	2.00	Pass
15MHz_15kHz_2682.495MHz_DFT-s-OFDM_QPSK_RB1@1	23.40	21.11	0.129	2.00	Pass
15MHz_15kHz_2682.495MHz_DFT-s-OFDM_QPSK_RB1@77	23.49	21.2	0.132	2.00	Pass
15MHz_15kHz_2682.495MHz_DFT-s-OFDM_QPSK_RB36@18	23.46	21.17	0.131	2.00	Pass
15MHz_15kHz_2682.495MHz_DFT-s-OFDM_QPSK_RB75@0	22.44	20.15	0.104	2.00	Pass
15MHz_30kHz_2503.5MHz_CP-OFDM_16_QAM_RB38@0	20.50	18.21	0.066	2.00	Pass
15MHz_30kHz_2503.5MHz_CP-OFDM_256_QAM_RB38@0	17.07	14.78	0.03	2.00	Pass
15MHz_30kHz_2503.5MHz_CP-OFDM_64_QAM_RB38@0	19.97	17.68	0.059	2.00	Pass
15MHz_30kHz_2503.5MHz_CP-OFDM_QPSK_RB1@1	21.82	19.53	0.09	2.00	Pass
15MHz_30kHz_2503.5MHz_CP-OFDM_QPSK_RB1@36	21.77	19.48	0.089	2.00	Pass
15MHz_30kHz_2503.5MHz_CP-OFDM_QPSK_RB19@9	22.02	19.73	0.094	2.00	Pass
15MHz_30kHz_2503.5MHz_CP-OFDM_QPSK_RB38@0	20.50	18.21	0.066	2.00	Pass
15MHz_30kHz_2503.5MHz_DFT-s-OFDM_16_QAM_RB36@0	21.54	19.25	0.084	2.00	Pass
15MHz_30kHz_2503.5MHz_DFT-s-OFDM_256_QAM_RB36@0	19.01	16.72	0.047	2.00	Pass
15MHz_30kHz_2503.5MHz_DFT-s-OFDM_64_QAM_RB36@0	20.98	18.69	0.074	2.00	Pass
15MHz_30kHz_2503.5MHz_DFT-s-OFDM_PI/2_BPSK_RB1@1	23.33	21.04	0.127	2.00	Pass
15MHz_30kHz_2503.5MHz_DFT-s-OFDM_PI/2_BPSK_RB1@36	23.36	21.07	0.128	2.00	Pass
15MHz_30kHz_2503.5MHz_DFT-s-OFDM_PI/2_BPSK_RB18@9	23.49	21.2	0.132	2.00	Pass
15MHz_30kHz_2503.5MHz_DFT-s-OFDM_PI/2_BPSK_RB36@0	22.93	20.64	0.116	2.00	Pass
15MHz_30kHz_2503.5MHz_DFT-s-OFDM_QPSK_RB1@1	23.30	21.01	0.126	2.00	Pass
15MHz_30kHz_2503.5MHz_DFT-s-OFDM_QPSK_RB1@36	23.41	21.12	0.129	2.00	Pass
15MHz_30kHz_2503.5MHz_DFT-s-OFDM_QPSK_RB18@9	23.47	21.18	0.131	2.00	Pass
15MHz_30kHz_2503.5MHz_DFT-s-OFDM_QPSK_RB36@0	22.47	20.18	0.104	2.00	Pass
15MHz_30kHz_2592.99MHz_CP-OFDM_16_QAM_RB38@0	20.52	18.23	0.067	2.00	Pass
15MHz_30kHz_2592.99MHz_CP-OFDM_256_QAM_RB38@0	17.07	14.78	0.03	2.00	Pass

15MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB38@0	20.02	17.73	0.059	2.00	Pass
15MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	21.70	19.41	0.087	2.00	Pass
15MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@36	21.76	19.47	0.089	2.00	Pass
15MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB19@9	21.91	19.62	0.092	2.00	Pass
15MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB38@0	20.52	18.23	0.067	2.00	Pass
15MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB36@0	21.54	19.25	0.084	2.00	Pass
15MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB36@0	19.04	16.75	0.047	2.00	Pass
15MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB36@0	21.08	18.79	0.076	2.00	Pass
15MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.40	21.11	0.129	2.00	Pass
15MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@36	23.44	21.15	0.13	2.00	Pass
15MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB18@9	23.56	21.27	0.134	2.00	Pass
15MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB36@0	23.02	20.73	0.118	2.00	Pass
15MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	23.37	21.08	0.128	2.00	Pass
15MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@36	23.33	21.04	0.127	2.00	Pass
15MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB18@9	23.41	21.12	0.129	2.00	Pass
15MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB36@0	22.50	20.21	0.105	2.00	Pass
15MHz_30kHz_2682.48MHz_CP-OFDM 16 QAM_RB38@0	20.74	18.45	0.07	2.00	Pass
15MHz_30kHz_2682.48MHz_CP-OFDM 256 QAM_RB38@0	17.18	14.89	0.031	2.00	Pass
15MHz_30kHz_2682.48MHz_CP-OFDM 64 QAM_RB38@0	20.05	17.76	0.06	2.00	Pass
15MHz_30kHz_2682.48MHz_CP-OFDM QPSK_RB1@1	21.79	19.5	0.089	2.00	Pass
15MHz_30kHz_2682.48MHz_CP-OFDM QPSK_RB1@36	22.16	19.87	0.097	2.00	Pass
15MHz_30kHz_2682.48MHz_CP-OFDM QPSK_RB19@9	22.10	19.81	0.096	2.00	Pass
15MHz_30kHz_2682.48MHz_CP-OFDM QPSK_RB38@0	20.41	18.12	0.065	2.00	Pass
15MHz_30kHz_2682.48MHz_DFT-s-OFDM 16 QAM_RB36@0	21.58	19.29	0.085	2.00	Pass
15MHz_30kHz_2682.48MHz_DFT-s-OFDM 256 QAM_RB36@0	19.00	16.71	0.047	2.00	Pass
15MHz_30kHz_2682.48MHz_DFT-s-OFDM 64 QAM_RB36@0	21.15	18.86	0.077	2.00	Pass
15MHz_30kHz_2682.48MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.35	21.06	0.128	2.00	Pass
15MHz_30kHz_2682.48MHz_DFT-s-OFDM PI/2 BPSK_RB1@36	23.55	21.26	0.134	2.00	Pass
15MHz_30kHz_2682.48MHz_DFT-s-OFDM PI/2 BPSK_RB18@9	23.54	21.25	0.133	2.00	Pass
15MHz_30kHz_2682.48MHz_DFT-s-OFDM PI/2 BPSK_RB36@0	23.08	20.79	0.12	2.00	Pass
15MHz_30kHz_2682.48MHz_DFT-s-OFDM QPSK_RB1@1	23.37	21.08	0.128	2.00	Pass

15MHz_30kHz_2682.48MHz_DFT-s-OFDM_QPSK_RB1@36	23.60	21.31	0.135	2.00	Pass
15MHz_30kHz_2682.48MHz_DFT-s-OFDM_QPSK_RB18@9	23.48	21.19	0.132	2.00	Pass
15MHz_30kHz_2682.48MHz_DFT-s-OFDM_QPSK_RB36@0	22.54	20.25	0.106	2.00	Pass
20MHz_15kHz_2506.005MHz_CP-OFDM_16_QAM_RB106@0	20.32	18.03	0.064	2.00	Pass
20MHz_15kHz_2506.005MHz_CP-OFDM_256_QAM_RB106@0	16.85	14.56	0.029	2.00	Pass
20MHz_15kHz_2506.005MHz_CP-OFDM_64_QAM_RB106@0	19.88	17.59	0.057	2.00	Pass
20MHz_15kHz_2506.005MHz_CP-OFDM_QPSK_RB1@1	21.86	19.57	0.091	2.00	Pass
20MHz_15kHz_2506.005MHz_CP-OFDM_QPSK_RB1@104	21.72	19.43	0.088	2.00	Pass
20MHz_15kHz_2506.005MHz_CP-OFDM_QPSK_RB106@0	20.36	18.07	0.064	2.00	Pass
20MHz_15kHz_2506.005MHz_CP-OFDM_QPSK_RB53@26	21.87	19.58	0.091	2.00	Pass
20MHz_15kHz_2506.005MHz_DFT-s-OFDM_16_QAM_RB100@0	21.38	19.09	0.081	2.00	Pass
20MHz_15kHz_2506.005MHz_DFT-s-OFDM_256_QAM_RB100@0	18.85	16.56	0.045	2.00	Pass
20MHz_15kHz_2506.005MHz_DFT-s-OFDM_64_QAM_RB100@0	20.87	18.58	0.072	2.00	Pass
20MHz_15kHz_2506.005MHz_DFT-s-OFDM_PI/2_BPSK_RB1@1	23.29	21	0.126	2.00	Pass
20MHz_15kHz_2506.005MHz_DFT-s-OFDM_PI/2_BPSK_RB1@104	23.25	20.96	0.125	2.00	Pass
20MHz_15kHz_2506.005MHz_DFT-s-OFDM_PI/2_BPSK_RB100@0	22.83	20.54	0.113	2.00	Pass
20MHz_15kHz_2506.005MHz_DFT-s-OFDM_PI/2_BPSK_RB50@25	23.32	21.03	0.127	2.00	Pass
20MHz_15kHz_2506.005MHz_DFT-s-OFDM_QPSK_RB1@1	23.26	20.97	0.125	2.00	Pass
20MHz_15kHz_2506.005MHz_DFT-s-OFDM_QPSK_RB1@104	23.20	20.91	0.123	2.00	Pass
20MHz_15kHz_2506.005MHz_DFT-s-OFDM_QPSK_RB100@0	22.34	20.05	0.101	2.00	Pass
20MHz_15kHz_2506.005MHz_DFT-s-OFDM_QPSK_RB50@25	23.32	21.03	0.127	2.00	Pass
20MHz_15kHz_2593.005MHz_CP-OFDM_16_QAM_RB106@0	20.39	18.1	0.065	2.00	Pass
20MHz_15kHz_2593.005MHz_CP-OFDM_256_QAM_RB106@0	16.96	14.67	0.029	2.00	Pass
20MHz_15kHz_2593.005MHz_CP-OFDM_64_QAM_RB106@0	19.90	17.61	0.058	2.00	Pass
20MHz_15kHz_2593.005MHz_CP-OFDM_QPSK_RB1@1	21.75	19.46	0.088	2.00	Pass
20MHz_15kHz_2593.005MHz_CP-OFDM_QPSK_RB1@104	21.70	19.41	0.087	2.00	Pass
20MHz_15kHz_2593.005MHz_CP-OFDM_QPSK_RB106@0	20.38	18.09	0.064	2.00	Pass
20MHz_15kHz_2593.005MHz_CP-OFDM_QPSK_RB53@26	21.89	19.6	0.091	2.00	Pass
20MHz_15kHz_2593.005MHz_DFT-s-OFDM_16_QAM_RB100@0	21.43	19.14	0.082	2.00	Pass
20MHz_15kHz_2593.005MHz_DFT-s-OFDM_256_QAM_RB100@0	18.94	16.65	0.046	2.00	Pass
20MHz_15kHz_2593.005MHz_DFT-s-OFDM_64_QAM_RB100@0	20.90	18.61	0.073	2.00	Pass

20MHz_15kHz_2593.005MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.32	21.03	0.127	2.00	Pass
20MHz_15kHz_2593.005MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	23.32	21.03	0.127	2.00	Pass
20MHz_15kHz_2593.005MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	22.86	20.57	0.114	2.00	Pass
20MHz_15kHz_2593.005MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	23.40	21.11	0.129	2.00	Pass
20MHz_15kHz_2593.005MHz_DFT-s-OFDM QPSK_RB1@1	23.32	21.03	0.127	2.00	Pass
20MHz_15kHz_2593.005MHz_DFT-s-OFDM QPSK_RB1@104	23.35	21.06	0.128	2.00	Pass
20MHz_15kHz_2593.005MHz_DFT-s-OFDM QPSK_RB100@0	22.34	20.05	0.101	2.00	Pass
20MHz_15kHz_2593.005MHz_DFT-s-OFDM QPSK_RB50@25	23.39	21.1	0.129	2.00	Pass
20MHz_15kHz_2679.99MHz_CP-OFDM 16 QAM_RB106@0	20.47	18.18	0.066	2.00	Pass
20MHz_15kHz_2679.99MHz_CP-OFDM 256 QAM_RB106@0	17.00	14.71	0.03	2.00	Pass
20MHz_15kHz_2679.99MHz_CP-OFDM 64 QAM_RB106@0	19.99	17.7	0.059	2.00	Pass
20MHz_15kHz_2679.99MHz_CP-OFDM QPSK_RB1@1	21.69	19.4	0.087	2.00	Pass
20MHz_15kHz_2679.99MHz_CP-OFDM QPSK_RB1@104	21.95	19.66	0.092	2.00	Pass
20MHz_15kHz_2679.99MHz_CP-OFDM QPSK_RB106@0	20.55	18.26	0.067	2.00	Pass
20MHz_15kHz_2679.99MHz_CP-OFDM QPSK_RB53@26	21.99	19.7	0.093	2.00	Pass
20MHz_15kHz_2679.99MHz_DFT-s-OFDM 16 QAM_RB100@0	21.50	19.21	0.083	2.00	Pass
20MHz_15kHz_2679.99MHz_DFT-s-OFDM 256 QAM_RB100@0	19.02	16.73	0.047	2.00	Pass
20MHz_15kHz_2679.99MHz_DFT-s-OFDM 64 QAM_RB100@0	21.05	18.76	0.075	2.00	Pass
20MHz_15kHz_2679.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.34	21.05	0.127	2.00	Pass
20MHz_15kHz_2679.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	23.53	21.24	0.133	2.00	Pass
20MHz_15kHz_2679.99MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	22.97	20.68	0.117	2.00	Pass
20MHz_15kHz_2679.99MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	23.48	21.19	0.132	2.00	Pass
20MHz_15kHz_2679.99MHz_DFT-s-OFDM QPSK_RB1@1	23.28	20.99	0.126	2.00	Pass
20MHz_15kHz_2679.99MHz_DFT-s-OFDM QPSK_RB1@104	23.53	21.24	0.133	2.00	Pass
20MHz_15kHz_2679.99MHz_DFT-s-OFDM QPSK_RB100@0	22.54	20.25	0.106	2.00	Pass
20MHz_15kHz_2679.99MHz_DFT-s-OFDM QPSK_RB50@25	23.49	21.2	0.132	2.00	Pass
20MHz_30kHz_2506.02MHz_CP-OFDM 16 QAM_RB51@0	20.42	18.13	0.065	2.00	Pass
20MHz_30kHz_2506.02MHz_CP-OFDM 256 QAM_RB51@0	16.97	14.68	0.029	2.00	Pass
20MHz_30kHz_2506.02MHz_CP-OFDM 64 QAM_RB51@0	19.86	17.57	0.057	2.00	Pass
20MHz_30kHz_2506.02MHz_CP-OFDM QPSK_RB1@1	21.79	19.5	0.089	2.00	Pass
20MHz_30kHz_2506.02MHz_CP-OFDM QPSK_RB1@49	21.78	19.49	0.089	2.00	Pass

20MHz_30kHz_2506.02MHz_CP-OFDM_QPSK_RB25@12	21.87	19.58	0.091	2.00	Pass
20MHz_30kHz_2506.02MHz_CP-OFDM_QPSK_RB51@0	20.38	18.09	0.064	2.00	Pass
20MHz_30kHz_2506.02MHz_DFT-s-OFDM_16_QAM_RB50@0	21.47	19.18	0.083	2.00	Pass
20MHz_30kHz_2506.02MHz_DFT-s-OFDM_256_QAM_RB50@0	18.91	16.62	0.046	2.00	Pass
20MHz_30kHz_2506.02MHz_DFT-s-OFDM_64_QAM_RB50@0	20.98	18.69	0.074	2.00	Pass
20MHz_30kHz_2506.02MHz_DFT-s-OFDM_PI/2_BPSK_RB1@1	23.38	21.09	0.129	2.00	Pass
20MHz_30kHz_2506.02MHz_DFT-s-OFDM_PI/2_BPSK_RB1@49	23.30	21.01	0.126	2.00	Pass
20MHz_30kHz_2506.02MHz_DFT-s-OFDM_PI/2_BPSK_RB25@12	23.42	21.13	0.13	2.00	Pass
20MHz_30kHz_2506.02MHz_DFT-s-OFDM_PI/2_BPSK_RB50@0	22.94	20.65	0.116	2.00	Pass
20MHz_30kHz_2506.02MHz_DFT-s-OFDM_QPSK_RB1@1	23.30	21.01	0.126	2.00	Pass
20MHz_30kHz_2506.02MHz_DFT-s-OFDM_QPSK_RB1@49	23.33	21.04	0.127	2.00	Pass
20MHz_30kHz_2506.02MHz_DFT-s-OFDM_QPSK_RB25@12	23.48	21.19	0.132	2.00	Pass
20MHz_30kHz_2506.02MHz_DFT-s-OFDM_QPSK_RB50@0	22.50	20.21	0.105	2.00	Pass
20MHz_30kHz_2592.99MHz_CP-OFDM_16_QAM_RB51@0	20.50	18.21	0.066	2.00	Pass
20MHz_30kHz_2592.99MHz_CP-OFDM_256_QAM_RB51@0	17.06	14.77	0.03	2.00	Pass
20MHz_30kHz_2592.99MHz_CP-OFDM_64_QAM_RB51@0	19.91	17.62	0.058	2.00	Pass
20MHz_30kHz_2592.99MHz_CP-OFDM_QPSK_RB1@1	21.79	19.5	0.089	2.00	Pass
20MHz_30kHz_2592.99MHz_CP-OFDM_QPSK_RB1@49	21.91	19.62	0.092	2.00	Pass
20MHz_30kHz_2592.99MHz_CP-OFDM_QPSK_RB25@12	21.93	19.64	0.092	2.00	Pass
20MHz_30kHz_2592.99MHz_CP-OFDM_QPSK_RB51@0	20.37	18.08	0.064	2.00	Pass
20MHz_30kHz_2592.99MHz_DFT-s-OFDM_16_QAM_RB50@0	21.46	19.17	0.083	2.00	Pass
20MHz_30kHz_2592.99MHz_DFT-s-OFDM_256_QAM_RB50@0	18.99	16.7	0.047	2.00	Pass
20MHz_30kHz_2592.99MHz_DFT-s-OFDM_64_QAM_RB50@0	20.96	18.67	0.074	2.00	Pass
20MHz_30kHz_2592.99MHz_DFT-s-OFDM_PI/2_BPSK_RB1@1	23.40	21.11	0.129	2.00	Pass
20MHz_30kHz_2592.99MHz_DFT-s-OFDM_PI/2_BPSK_RB1@49	23.45	21.16	0.131	2.00	Pass
20MHz_30kHz_2592.99MHz_DFT-s-OFDM_PI/2_BPSK_RB25@12	23.49	21.2	0.132	2.00	Pass
20MHz_30kHz_2592.99MHz_DFT-s-OFDM_PI/2_BPSK_RB50@0	22.99	20.7	0.117	2.00	Pass
20MHz_30kHz_2592.99MHz_DFT-s-OFDM_QPSK_RB1@1	23.38	21.09	0.129	2.00	Pass
20MHz_30kHz_2592.99MHz_DFT-s-OFDM_QPSK_RB1@49	23.43	21.14	0.13	2.00	Pass
20MHz_30kHz_2592.99MHz_DFT-s-OFDM_QPSK_RB25@12	23.45	21.16	0.131	2.00	Pass
20MHz_30kHz_2592.99MHz_DFT-s-OFDM_QPSK_RB50@0	22.46	20.17	0.104	2.00	Pass

20MHz_30kHz_2679.99MHz_CP-OFDM 16_QAM_RB51@0	20.61	18.32	0.068	2.00	Pass
20MHz_30kHz_2679.99MHz_CP-OFDM 256_QAM_RB51@0	17.07	14.78	0.03	2.00	Pass
20MHz_30kHz_2679.99MHz_CP-OFDM 64_QAM_RB51@0	20.04	17.75	0.06	2.00	Pass
20MHz_30kHz_2679.99MHz_CP-OFDM QPSK_RB1@1	22.02	19.73	0.094	2.00	Pass
20MHz_30kHz_2679.99MHz_CP-OFDM QPSK_RB1@49	22.07	19.78	0.095	2.00	Pass
20MHz_30kHz_2679.99MHz_CP-OFDM QPSK_RB25@12	22.04	19.75	0.094	2.00	Pass
20MHz_30kHz_2679.99MHz_CP-OFDM QPSK_RB51@0	20.48	18.19	0.066	2.00	Pass
20MHz_30kHz_2679.99MHz_DFT-s-OFDM 16_QAM_RB50@0	21.59	19.3	0.085	2.00	Pass
20MHz_30kHz_2679.99MHz_DFT-s-OFDM 256_QAM_RB50@0	19.02	16.73	0.047	2.00	Pass
20MHz_30kHz_2679.99MHz_DFT-s-OFDM 64_QAM_RB50@0	21.10	18.81	0.076	2.00	Pass
20MHz_30kHz_2679.99MHz_DFT-s-OFDM PI/2_BPSK_RB1@1	23.39	21.1	0.129	2.00	Pass
20MHz_30kHz_2679.99MHz_DFT-s-OFDM PI/2_BPSK_RB1@49	23.62	21.33	0.136	2.00	Pass
20MHz_30kHz_2679.99MHz_DFT-s-OFDM PI/2_BPSK_RB25@12	23.58	21.29	0.135	2.00	Pass
20MHz_30kHz_2679.99MHz_DFT-s-OFDM PI/2_BPSK_RB50@0	23.09	20.8	0.12	2.00	Pass
20MHz_30kHz_2679.99MHz_DFT-s-OFDM QPSK_RB1@1	23.40	21.11	0.129	2.00	Pass
20MHz_30kHz_2679.99MHz_DFT-s-OFDM QPSK_RB1@49	23.60	21.31	0.135	2.00	Pass
20MHz_30kHz_2679.99MHz_DFT-s-OFDM QPSK_RB25@12	23.61	21.32	0.136	2.00	Pass
20MHz_30kHz_2679.99MHz_DFT-s-OFDM QPSK_RB50@0	22.48	20.19	0.104	2.00	Pass
30MHz_15kHz_2511MHz_CP-OFDM 16_QAM_RB160@0	20.25	17.96	0.063	2.00	Pass
30MHz_15kHz_2511MHz_CP-OFDM 256_QAM_RB160@0	16.81	14.52	0.028	2.00	Pass
30MHz_15kHz_2511MHz_CP-OFDM 64_QAM_RB160@0	19.80	17.51	0.056	2.00	Pass
30MHz_15kHz_2511MHz_CP-OFDM QPSK_RB1@1	21.76	19.47	0.089	2.00	Pass
30MHz_15kHz_2511MHz_CP-OFDM QPSK_RB1@158	21.40	19.11	0.081	2.00	Pass
30MHz_15kHz_2511MHz_CP-OFDM QPSK_RB160@0	20.27	17.98	0.063	2.00	Pass
30MHz_15kHz_2511MHz_CP-OFDM QPSK_RB80@40	21.79	19.5	0.089	2.00	Pass
30MHz_15kHz_2511MHz_DFT-s-OFDM 16_QAM_RB160@0	21.30	19.01	0.08	2.00	Pass
30MHz_15kHz_2511MHz_DFT-s-OFDM 256_QAM_RB160@0	18.79	16.5	0.045	2.00	Pass
30MHz_15kHz_2511MHz_DFT-s-OFDM 64_QAM_RB160@0	20.81	18.52	0.071	2.00	Pass
30MHz_15kHz_2511MHz_DFT-s-OFDM PI/2_BPSK_RB1@1	23.17	20.88	0.122	2.00	Pass
30MHz_15kHz_2511MHz_DFT-s-OFDM PI/2_BPSK_RB1@158	23.15	20.86	0.122	2.00	Pass
30MHz_15kHz_2511MHz_DFT-s-OFDM PI/2_BPSK_RB160@0	22.76	20.47	0.111	2.00	Pass

30MHz_15kHz_2511MHz_DFT-s-OFDM PI/2_BPSK_RB80@40	23.28	20.99	0.126	2.00	Pass
30MHz_15kHz_2511MHz_DFT-s-OFDM QPSK_RB1@1	23.14	20.85	0.122	2.00	Pass
30MHz_15kHz_2511MHz_DFT-s-OFDM QPSK_RB1@158	23.12	20.83	0.121	2.00	Pass
30MHz_15kHz_2511MHz_DFT-s-OFDM QPSK_RB160@0	22.27	19.98	0.1	2.00	Pass
30MHz_15kHz_2511MHz_DFT-s-OFDM QPSK_RB80@40	23.30	21.01	0.126	2.00	Pass
30MHz_15kHz_2593.005MHz_CP-OFDM 16 QAM_RB160@0	20.37	18.08	0.064	2.00	Pass
30MHz_15kHz_2593.005MHz_CP-OFDM 256 QAM_RB160@0	16.86	14.57	0.029	2.00	Pass
30MHz_15kHz_2593.005MHz_CP-OFDM 64 QAM_RB160@0	19.86	17.57	0.057	2.00	Pass
30MHz_15kHz_2593.005MHz_CP-OFDM QPSK_RB1@1	21.56	19.27	0.085	2.00	Pass
30MHz_15kHz_2593.005MHz_CP-OFDM QPSK_RB1@158	21.78	19.49	0.089	2.00	Pass
30MHz_15kHz_2593.005MHz_CP-OFDM QPSK_RB160@0	20.32	18.03	0.064	2.00	Pass
30MHz_15kHz_2593.005MHz_CP-OFDM QPSK_RB80@40	21.88	19.59	0.091	2.00	Pass
30MHz_15kHz_2593.005MHz_DFT-s-OFDM 16 QAM_RB160@0	21.37	19.08	0.081	2.00	Pass
30MHz_15kHz_2593.005MHz_DFT-s-OFDM 256 QAM_RB160@0	18.88	16.59	0.046	2.00	Pass
30MHz_15kHz_2593.005MHz_DFT-s-OFDM 64 QAM_RB160@0	20.85	18.56	0.072	2.00	Pass
30MHz_15kHz_2593.005MHz_DFT-s-OFDM PI/2_BPSK_RB1@1	23.20	20.91	0.123	2.00	Pass
30MHz_15kHz_2593.005MHz_DFT-s-OFDM PI/2_BPSK_RB1@158	23.31	21.02	0.126	2.00	Pass
30MHz_15kHz_2593.005MHz_DFT-s-OFDM PI/2_BPSK_RB160@0	22.81	20.52	0.113	2.00	Pass
30MHz_15kHz_2593.005MHz_DFT-s-OFDM PI/2_BPSK_RB80@40	23.33	21.04	0.127	2.00	Pass
30MHz_15kHz_2593.005MHz_DFT-s-OFDM QPSK_RB1@1	23.18	20.89	0.123	2.00	Pass
30MHz_15kHz_2593.005MHz_DFT-s-OFDM QPSK_RB1@158	23.29	21	0.126	2.00	Pass
30MHz_15kHz_2593.005MHz_DFT-s-OFDM QPSK_RB160@0	22.39	20.1	0.102	2.00	Pass
30MHz_15kHz_2593.005MHz_DFT-s-OFDM QPSK_RB80@40	23.37	21.08	0.128	2.00	Pass
30MHz_15kHz_2674.995MHz_CP-OFDM 16 QAM_RB160@0	20.46	18.17	0.066	2.00	Pass
30MHz_15kHz_2674.995MHz_CP-OFDM 256 QAM_RB160@0	17.04	14.75	0.03	2.00	Pass
30MHz_15kHz_2674.995MHz_CP-OFDM 64 QAM_RB160@0	20.02	17.73	0.059	2.00	Pass
30MHz_15kHz_2674.995MHz_CP-OFDM QPSK_RB1@1	21.56	19.27	0.085	2.00	Pass
30MHz_15kHz_2674.995MHz_CP-OFDM QPSK_RB1@158	22.09	19.8	0.095	2.00	Pass
30MHz_15kHz_2674.995MHz_CP-OFDM QPSK_RB160@0	20.47	18.18	0.066	2.00	Pass
30MHz_15kHz_2674.995MHz_CP-OFDM QPSK_RB80@40	21.97	19.68	0.093	2.00	Pass
30MHz_15kHz_2674.995MHz_DFT-s-OFDM 16 QAM_RB160@0	21.62	19.33	0.086	2.00	Pass

30MHz_15kHz_2674.995MHz_DFT-s-OFDM_256_QAM_RB160@0	19.03	16.74	0.047	2.00	Pass
30MHz_15kHz_2674.995MHz_DFT-s-OFDM_64_QAM_RB160@0	21.01	18.72	0.074	2.00	Pass
30MHz_15kHz_2674.995MHz_DFT-s-OFDM_PI/2_BPSK_RB1@1	23.16	20.87	0.122	2.00	Pass
30MHz_15kHz_2674.995MHz_DFT-s-OFDM_PI/2_BPSK_RB1@158	23.46	21.17	0.131	2.00	Pass
30MHz_15kHz_2674.995MHz_DFT-s-OFDM_PI/2_BPSK_RB160@0	22.95	20.66	0.116	2.00	Pass
30MHz_15kHz_2674.995MHz_DFT-s-OFDM_PI/2_BPSK_RB80@40	23.49	21.2	0.132	2.00	Pass
30MHz_15kHz_2674.995MHz_DFT-s-OFDM_QPSK_RB1@1	23.16	20.87	0.122	2.00	Pass
30MHz_15kHz_2674.995MHz_DFT-s-OFDM_QPSK_RB1@158	23.42	21.13	0.13	2.00	Pass
30MHz_15kHz_2674.995MHz_DFT-s-OFDM_QPSK_RB160@0	22.59	20.3	0.107	2.00	Pass
30MHz_15kHz_2674.995MHz_DFT-s-OFDM_QPSK_RB80@40	23.49	21.2	0.132	2.00	Pass
30MHz_30kHz_2511MHz_CP-OFDM_16_QAM_RB78@0	20.44	18.15	0.065	2.00	Pass
30MHz_30kHz_2511MHz_CP-OFDM_256_QAM_RB78@0	16.99	14.7	0.03	2.00	Pass
30MHz_30kHz_2511MHz_CP-OFDM_64_QAM_RB78@0	19.86	17.57	0.057	2.00	Pass
30MHz_30kHz_2511MHz_CP-OFDM_QPSK_RB1@1	21.78	19.49	0.089	2.00	Pass
30MHz_30kHz_2511MHz_CP-OFDM_QPSK_RB1@76	21.59	19.3	0.085	2.00	Pass
30MHz_30kHz_2511MHz_CP-OFDM_QPSK_RB39@19	21.87	19.58	0.091	2.00	Pass
30MHz_30kHz_2511MHz_CP-OFDM_QPSK_RB78@0	20.39	18.1	0.065	2.00	Pass
30MHz_30kHz_2511MHz_DFT-s-OFDM_16_QAM_RB75@0	21.35	19.06	0.081	2.00	Pass
30MHz_30kHz_2511MHz_DFT-s-OFDM_256_QAM_RB75@0	18.89	16.6	0.046	2.00	Pass
30MHz_30kHz_2511MHz_DFT-s-OFDM_64_QAM_RB75@0	20.94	18.65	0.073	2.00	Pass
30MHz_30kHz_2511MHz_DFT-s-OFDM_PI/2_BPSK_RB1@1	23.28	20.99	0.126	2.00	Pass
30MHz_30kHz_2511MHz_DFT-s-OFDM_PI/2_BPSK_RB1@76	23.19	20.9	0.123	2.00	Pass
30MHz_30kHz_2511MHz_DFT-s-OFDM_PI/2_BPSK_RB36@18	23.35	21.06	0.128	2.00	Pass
30MHz_30kHz_2511MHz_DFT-s-OFDM_PI/2_BPSK_RB75@0	22.87	20.58	0.114	2.00	Pass
30MHz_30kHz_2511MHz_DFT-s-OFDM_QPSK_RB1@1	23.26	20.97	0.125	2.00	Pass
30MHz_30kHz_2511MHz_DFT-s-OFDM_QPSK_RB1@76	23.22	20.93	0.124	2.00	Pass
30MHz_30kHz_2511MHz_DFT-s-OFDM_QPSK_RB36@18	23.38	21.09	0.129	2.00	Pass
30MHz_30kHz_2511MHz_DFT-s-OFDM_QPSK_RB75@0	22.36	20.07	0.102	2.00	Pass
30MHz_30kHz_2592.99MHz_CP-OFDM_16_QAM_RB78@0	20.52	18.23	0.067	2.00	Pass
30MHz_30kHz_2592.99MHz_CP-OFDM_256_QAM_RB78@0	17.01	14.72	0.03	2.00	Pass
30MHz_30kHz_2592.99MHz_CP-OFDM_64_QAM_RB78@0	19.97	17.68	0.059	2.00	Pass

30MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	21.69	19.4	0.087	2.00	Pass
30MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@76	21.73	19.44	0.088	2.00	Pass
30MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB39@19	21.98	19.69	0.093	2.00	Pass
30MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB78@0	20.43	18.14	0.065	2.00	Pass
30MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB75@0	21.41	19.12	0.082	2.00	Pass
30MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB75@0	18.96	16.67	0.046	2.00	Pass
30MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB75@0	20.96	18.67	0.074	2.00	Pass
30MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.29	21	0.126	2.00	Pass
30MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@76	23.38	21.09	0.129	2.00	Pass
30MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	23.40	21.11	0.129	2.00	Pass
30MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	22.91	20.62	0.115	2.00	Pass
30MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	23.26	20.97	0.125	2.00	Pass
30MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@76	23.39	21.1	0.129	2.00	Pass
30MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB36@18	23.43	21.14	0.13	2.00	Pass
30MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB75@0	22.45	20.16	0.104	2.00	Pass
30MHz_30kHz_2674.98MHz_CP-OFDM 16 QAM_RB78@0	20.62	18.33	0.068	2.00	Pass
30MHz_30kHz_2674.98MHz_CP-OFDM 256 QAM_RB78@0	17.16	14.87	0.031	2.00	Pass
30MHz_30kHz_2674.98MHz_CP-OFDM 64 QAM_RB78@0	20.09	17.8	0.06	2.00	Pass
30MHz_30kHz_2674.98MHz_CP-OFDM QPSK_RB1@1	21.71	19.42	0.087	2.00	Pass
30MHz_30kHz_2674.98MHz_CP-OFDM QPSK_RB1@76	22.18	19.89	0.097	2.00	Pass
30MHz_30kHz_2674.98MHz_CP-OFDM QPSK_RB39@19	22.07	19.78	0.095	2.00	Pass
30MHz_30kHz_2674.98MHz_CP-OFDM QPSK_RB78@0	20.61	18.32	0.068	2.00	Pass
30MHz_30kHz_2674.98MHz_DFT-s-OFDM 16 QAM_RB75@0	21.53	19.24	0.084	2.00	Pass
30MHz_30kHz_2674.98MHz_DFT-s-OFDM 256 QAM_RB75@0	19.06	16.77	0.048	2.00	Pass
30MHz_30kHz_2674.98MHz_DFT-s-OFDM 64 QAM_RB75@0	21.09	18.8	0.076	2.00	Pass
30MHz_30kHz_2674.98MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.32	21.03	0.127	2.00	Pass
30MHz_30kHz_2674.98MHz_DFT-s-OFDM PI/2 BPSK_RB1@76	23.56	21.27	0.134	2.00	Pass
30MHz_30kHz_2674.98MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	23.53	21.24	0.133	2.00	Pass
30MHz_30kHz_2674.98MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	23.04	20.75	0.119	2.00	Pass
30MHz_30kHz_2674.98MHz_DFT-s-OFDM QPSK_RB1@1	23.25	20.96	0.125	2.00	Pass
30MHz_30kHz_2674.98MHz_DFT-s-OFDM QPSK_RB1@76	23.49	21.2	0.132	2.00	Pass

30MHz_30kHz_2674.98MHz_DFT-s-OFDM_QPSK_RB36@18	23.53	21.24	0.133	2.00	Pass
30MHz_30kHz_2674.98MHz_DFT-s-OFDM_QPSK_RB75@0	22.57	20.28	0.107	2.00	Pass
40MHz_15kHz_2516.01MHz_CP-OFDM_16_QAM_RB216@0	20.27	17.98	0.063	2.00	Pass
40MHz_15kHz_2516.01MHz_CP-OFDM_256_QAM_RB216@0	16.73	14.44	0.028	2.00	Pass
40MHz_15kHz_2516.01MHz_CP-OFDM_64_QAM_RB216@0	19.78	17.49	0.056	2.00	Pass
40MHz_15kHz_2516.01MHz_CP-OFDM_QPSK_RB1@1	21.66	19.37	0.086	2.00	Pass
40MHz_15kHz_2516.01MHz_CP-OFDM_QPSK_RB1@214	21.53	19.24	0.084	2.00	Pass
40MHz_15kHz_2516.01MHz_CP-OFDM_QPSK_RB108@54	21.78	19.49	0.089	2.00	Pass
40MHz_15kHz_2516.01MHz_CP-OFDM_QPSK_RB216@0	20.26	17.97	0.063	2.00	Pass
40MHz_15kHz_2516.01MHz_DFT-s-OFDM_16_QAM_RB216@0	21.19	18.9	0.078	2.00	Pass
40MHz_15kHz_2516.01MHz_DFT-s-OFDM_256_QAM_RB216@0	18.75	16.46	0.044	2.00	Pass
40MHz_15kHz_2516.01MHz_DFT-s-OFDM_64_QAM_RB216@0	20.78	18.49	0.071	2.00	Pass
40MHz_15kHz_2516.01MHz_DFT-s-OFDM_PI/2_BPSK_RB1@1	23.19	20.9	0.123	2.00	Pass
40MHz_15kHz_2516.01MHz_DFT-s-OFDM_PI/2_BPSK_RB1@214	23.19	20.9	0.123	2.00	Pass
40MHz_15kHz_2516.01MHz_DFT-s-OFDM_PI/2_BPSK_RB108@54	23.24	20.95	0.124	2.00	Pass
40MHz_15kHz_2516.01MHz_DFT-s-OFDM_PI/2_BPSK_RB216@0	22.73	20.44	0.111	2.00	Pass
40MHz_15kHz_2516.01MHz_DFT-s-OFDM_QPSK_RB1@1	23.27	20.98	0.125	2.00	Pass
40MHz_15kHz_2516.01MHz_DFT-s-OFDM_QPSK_RB1@214	23.25	20.96	0.125	2.00	Pass
40MHz_15kHz_2516.01MHz_DFT-s-OFDM_QPSK_RB108@54	23.25	20.96	0.125	2.00	Pass
40MHz_15kHz_2516.01MHz_DFT-s-OFDM_QPSK_RB216@0	22.21	19.92	0.098	2.00	Pass
40MHz_15kHz_2593.005MHz_CP-OFDM_16_QAM_RB216@0	20.33	18.04	0.064	2.00	Pass
40MHz_15kHz_2593.005MHz_CP-OFDM_256_QAM_RB216@0	16.82	14.53	0.028	2.00	Pass
40MHz_15kHz_2593.005MHz_CP-OFDM_64_QAM_RB216@0	19.83	17.54	0.057	2.00	Pass
40MHz_15kHz_2593.005MHz_CP-OFDM_QPSK_RB1@1	21.53	19.24	0.084	2.00	Pass
40MHz_15kHz_2593.005MHz_CP-OFDM_QPSK_RB1@214	21.84	19.55	0.09	2.00	Pass
40MHz_15kHz_2593.005MHz_CP-OFDM_QPSK_RB108@54	21.84	19.55	0.09	2.00	Pass
40MHz_15kHz_2593.005MHz_CP-OFDM_QPSK_RB216@0	20.34	18.05	0.064	2.00	Pass
40MHz_15kHz_2593.005MHz_DFT-s-OFDM_16_QAM_RB216@0	21.25	18.96	0.079	2.00	Pass
40MHz_15kHz_2593.005MHz_DFT-s-OFDM_256_QAM_RB216@0	18.81	16.52	0.045	2.00	Pass
40MHz_15kHz_2593.005MHz_DFT-s-OFDM_64_QAM_RB216@0	20.83	18.54	0.071	2.00	Pass
40MHz_15kHz_2593.005MHz_DFT-s-OFDM_PI/2_BPSK_RB1@1	23.13	20.84	0.121	2.00	Pass

40MHz_15kHz_2593.005MHz_DFT-s-OFDM PI/2 BPSK_RB1@214	23.38	21.09	0.129	2.00	Pass
40MHz_15kHz_2593.005MHz_DFT-s-OFDM PI/2 BPSK_RB108@54	23.33	21.04	0.127	2.00	Pass
40MHz_15kHz_2593.005MHz_DFT-s-OFDM PI/2 BPSK_RB216@0	22.78	20.49	0.112	2.00	Pass
40MHz_15kHz_2593.005MHz_DFT-s-OFDM QPSK_RB1@1	23.15	20.86	0.122	2.00	Pass
40MHz_15kHz_2593.005MHz_DFT-s-OFDM QPSK_RB1@214	23.37	21.08	0.128	2.00	Pass
40MHz_15kHz_2593.005MHz_DFT-s-OFDM QPSK_RB108@54	23.29	21	0.126	2.00	Pass
40MHz_15kHz_2593.005MHz_DFT-s-OFDM QPSK_RB216@0	22.27	19.98	0.1	2.00	Pass
40MHz_15kHz_2670MHz_CP-OFDM 16 QAM_RB216@0	20.45	18.16	0.065	2.00	Pass
40MHz_15kHz_2670MHz_CP-OFDM 256 QAM_RB216@0	17.00	14.71	0.03	2.00	Pass
40MHz_15kHz_2670MHz_CP-OFDM 64 QAM_RB216@0	19.97	17.68	0.059	2.00	Pass
40MHz_15kHz_2670MHz_CP-OFDM QPSK_RB1@1	21.51	19.22	0.084	2.00	Pass
40MHz_15kHz_2670MHz_CP-OFDM QPSK_RB1@214	21.90	19.61	0.091	2.00	Pass
40MHz_15kHz_2670MHz_CP-OFDM QPSK_RB108@54	21.93	19.64	0.092	2.00	Pass
40MHz_15kHz_2670MHz_CP-OFDM QPSK_RB216@0	20.47	18.18	0.066	2.00	Pass
40MHz_15kHz_2670MHz_DFT-s-OFDM 16 QAM_RB216@0	21.44	19.15	0.082	2.00	Pass
40MHz_15kHz_2670MHz_DFT-s-OFDM 256 QAM_RB216@0	18.98	16.69	0.047	2.00	Pass
40MHz_15kHz_2670MHz_DFT-s-OFDM 64 QAM_RB216@0	20.94	18.65	0.073	2.00	Pass
40MHz_15kHz_2670MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.26	20.97	0.125	2.00	Pass
40MHz_15kHz_2670MHz_DFT-s-OFDM PI/2 BPSK_RB1@214	23.50	21.21	0.132	2.00	Pass
40MHz_15kHz_2670MHz_DFT-s-OFDM PI/2 BPSK_RB108@54	23.33	21.04	0.127	2.00	Pass
40MHz_15kHz_2670MHz_DFT-s-OFDM PI/2 BPSK_RB216@0	22.91	20.62	0.115	2.00	Pass
40MHz_15kHz_2670MHz_DFT-s-OFDM QPSK_RB1@1	23.18	20.89	0.123	2.00	Pass
40MHz_15kHz_2670MHz_DFT-s-OFDM QPSK_RB1@214	23.50	21.21	0.132	2.00	Pass
40MHz_15kHz_2670MHz_DFT-s-OFDM QPSK_RB108@54	23.49	21.2	0.132	2.00	Pass
40MHz_15kHz_2670MHz_DFT-s-OFDM QPSK_RB216@0	22.45	20.16	0.104	2.00	Pass
40MHz_30kHz_2516.01MHz_CP-OFDM 16 QAM_RB106@0	20.41	18.12	0.065	2.00	Pass
40MHz_30kHz_2516.01MHz_CP-OFDM 256 QAM_RB106@0	16.88	14.59	0.029	2.00	Pass
40MHz_30kHz_2516.01MHz_CP-OFDM 64 QAM_RB106@0	19.90	17.61	0.058	2.00	Pass
40MHz_30kHz_2516.01MHz_CP-OFDM QPSK_RB1@1	21.72	19.43	0.088	2.00	Pass
40MHz_30kHz_2516.01MHz_CP-OFDM QPSK_RB1@104	21.72	19.43	0.088	2.00	Pass
40MHz_30kHz_2516.01MHz_CP-OFDM QPSK_RB106@0	20.38	18.09	0.064	2.00	Pass

40MHz_30kHz_2516.01MHz_CP-OFDM_QPSK_RB53@26	21.86	19.57	0.091	2.00	Pass
40MHz_30kHz_2516.01MHz_DFT-s-OFDM_16_QAM_RB100@0	21.40	19.11	0.081	2.00	Pass
40MHz_30kHz_2516.01MHz_DFT-s-OFDM_256_QAM_RB100@0	18.90	16.61	0.046	2.00	Pass
40MHz_30kHz_2516.01MHz_DFT-s-OFDM_64_QAM_RB100@0	20.92	18.63	0.073	2.00	Pass
40MHz_30kHz_2516.01MHz_DFT-s-OFDM_PI/2_BPSK_RB1@1	23.30	21.01	0.126	2.00	Pass
40MHz_30kHz_2516.01MHz_DFT-s-OFDM_PI/2_BPSK_RB1@104	23.33	21.04	0.127	2.00	Pass
40MHz_30kHz_2516.01MHz_DFT-s-OFDM_PI/2_BPSK_RB100@0	22.85	20.56	0.114	2.00	Pass
40MHz_30kHz_2516.01MHz_DFT-s-OFDM_PI/2_BPSK_RB50@25	23.35	21.06	0.128	2.00	Pass
40MHz_30kHz_2516.01MHz_DFT-s-OFDM_QPSK_RB1@1	23.21	20.92	0.124	2.00	Pass
40MHz_30kHz_2516.01MHz_DFT-s-OFDM_QPSK_RB1@104	23.28	20.99	0.126	2.00	Pass
40MHz_30kHz_2516.01MHz_DFT-s-OFDM_QPSK_RB100@0	22.39	20.1	0.102	2.00	Pass
40MHz_30kHz_2516.01MHz_DFT-s-OFDM_QPSK_RB50@25	23.34	21.05	0.127	2.00	Pass
40MHz_30kHz_2592.99MHz_CP-OFDM_16_QAM_RB106@0	20.46	18.17	0.066	2.00	Pass
40MHz_30kHz_2592.99MHz_CP-OFDM_256_QAM_RB106@0	16.98	14.69	0.029	2.00	Pass
40MHz_30kHz_2592.99MHz_CP-OFDM_64_QAM_RB106@0	19.93	17.64	0.058	2.00	Pass
40MHz_30kHz_2592.99MHz_CP-OFDM_QPSK_RB1@1	21.59	19.3	0.085	2.00	Pass
40MHz_30kHz_2592.99MHz_CP-OFDM_QPSK_RB1@104	21.87	19.58	0.091	2.00	Pass
40MHz_30kHz_2592.99MHz_CP-OFDM_QPSK_RB106@0	20.43	18.14	0.065	2.00	Pass
40MHz_30kHz_2592.99MHz_CP-OFDM_QPSK_RB53@26	21.88	19.59	0.091	2.00	Pass
40MHz_30kHz_2592.99MHz_DFT-s-OFDM_16_QAM_RB100@0	21.42	19.13	0.082	2.00	Pass
40MHz_30kHz_2592.99MHz_DFT-s-OFDM_256_QAM_RB100@0	18.94	16.65	0.046	2.00	Pass
40MHz_30kHz_2592.99MHz_DFT-s-OFDM_64_QAM_RB100@0	20.96	18.67	0.074	2.00	Pass
40MHz_30kHz_2592.99MHz_DFT-s-OFDM_PI/2_BPSK_RB1@1	23.23	20.94	0.124	2.00	Pass
40MHz_30kHz_2592.99MHz_DFT-s-OFDM_PI/2_BPSK_RB1@104	23.37	21.08	0.128	2.00	Pass
40MHz_30kHz_2592.99MHz_DFT-s-OFDM_PI/2_BPSK_RB100@0	22.90	20.61	0.115	2.00	Pass
40MHz_30kHz_2592.99MHz_DFT-s-OFDM_PI/2_BPSK_RB50@25	23.41	21.12	0.129	2.00	Pass
40MHz_30kHz_2592.99MHz_DFT-s-OFDM_QPSK_RB1@1	23.21	20.92	0.124	2.00	Pass
40MHz_30kHz_2592.99MHz_DFT-s-OFDM_QPSK_RB1@104	23.38	21.09	0.129	2.00	Pass
40MHz_30kHz_2592.99MHz_DFT-s-OFDM_QPSK_RB100@0	22.40	20.11	0.103	2.00	Pass
40MHz_30kHz_2592.99MHz_DFT-s-OFDM_QPSK_RB50@25	23.39	21.1	0.129	2.00	Pass
40MHz_30kHz_2670MHz_CP-OFDM_16_QAM_RB106@0	20.60	18.31	0.068	2.00	Pass

40MHz_30kHz_2670MHz_CP-OFDM_256_QAM_RB106@0	17.12	14.83	0.03	2.00	Pass
40MHz_30kHz_2670MHz_CP-OFDM_64_QAM_RB106@0	20.07	17.78	0.06	2.00	Pass
40MHz_30kHz_2670MHz_CP-OFDM_QPSK_RB1@1	21.76	19.47	0.089	2.00	Pass
40MHz_30kHz_2670MHz_CP-OFDM_QPSK_RB1@104	21.97	19.68	0.093	2.00	Pass
40MHz_30kHz_2670MHz_CP-OFDM_QPSK_RB106@0	20.61	18.32	0.068	2.00	Pass
40MHz_30kHz_2670MHz_CP-OFDM_QPSK_RB53@26	22.00	19.71	0.094	2.00	Pass
40MHz_30kHz_2670MHz_DFT-s-OFDM_16_QAM_RB100@0	21.55	19.26	0.084	2.00	Pass
40MHz_30kHz_2670MHz_DFT-s-OFDM_256_QAM_RB100@0	19.03	16.74	0.047	2.00	Pass
40MHz_30kHz_2670MHz_DFT-s-OFDM_64_QAM_RB100@0	21.03	18.74	0.075	2.00	Pass
40MHz_30kHz_2670MHz_DFT-s-OFDM_PI/2_BPSK_RB1@1	23.45	21.16	0.131	2.00	Pass
40MHz_30kHz_2670MHz_DFT-s-OFDM_PI/2_BPSK_RB1@104	23.56	21.27	0.134	2.00	Pass
40MHz_30kHz_2670MHz_DFT-s-OFDM_PI/2_BPSK_RB100@0	23.03	20.74	0.119	2.00	Pass
40MHz_30kHz_2670MHz_DFT-s-OFDM_PI/2_BPSK_RB50@25	23.65	21.36	0.137	2.00	Pass
40MHz_30kHz_2670MHz_DFT-s-OFDM_QPSK_RB1@1	23.21	20.92	0.124	2.00	Pass
40MHz_30kHz_2670MHz_DFT-s-OFDM_QPSK_RB1@104	23.51	21.22	0.132	2.00	Pass
40MHz_30kHz_2670MHz_DFT-s-OFDM_QPSK_RB100@0	22.55	20.26	0.106	2.00	Pass
40MHz_30kHz_2670MHz_DFT-s-OFDM_QPSK_RB50@25	23.48	21.19	0.132	2.00	Pass
50MHz_15kHz_2521.005MHz_CP-OFDM_16_QAM_RB270@0	20.30	18.01	0.063	2.00	Pass
50MHz_15kHz_2521.005MHz_CP-OFDM_256_QAM_RB270@0	16.81	14.52	0.028	2.00	Pass
50MHz_15kHz_2521.005MHz_CP-OFDM_64_QAM_RB270@0	19.80	17.51	0.056	2.00	Pass
50MHz_15kHz_2521.005MHz_CP-OFDM_QPSK_RB1@1	21.58	19.29	0.085	2.00	Pass
50MHz_15kHz_2521.005MHz_CP-OFDM_QPSK_RB1@268	21.55	19.26	0.084	2.00	Pass
50MHz_15kHz_2521.005MHz_CP-OFDM_QPSK_RB135@67	21.81	19.52	0.09	2.00	Pass
50MHz_15kHz_2521.005MHz_CP-OFDM_QPSK_RB270@0	20.35	18.06	0.064	2.00	Pass
50MHz_15kHz_2521.005MHz_DFT-s-OFDM_16_QAM_RB270@0	21.31	19.02	0.08	2.00	Pass
50MHz_15kHz_2521.005MHz_DFT-s-OFDM_256_QAM_RB270@0	18.79	16.5	0.045	2.00	Pass
50MHz_15kHz_2521.005MHz_DFT-s-OFDM_64_QAM_RB270@0	20.80	18.51	0.071	2.00	Pass
50MHz_15kHz_2521.005MHz_DFT-s-OFDM_PI/2_BPSK_RB1@1	23.15	20.86	0.122	2.00	Pass
50MHz_15kHz_2521.005MHz_DFT-s-OFDM_PI/2_BPSK_RB1@268	23.13	20.84	0.121	2.00	Pass
50MHz_15kHz_2521.005MHz_DFT-s-OFDM_PI/2_BPSK_RB135@67	23.24	20.95	0.124	2.00	Pass
50MHz_15kHz_2521.005MHz_DFT-s-OFDM_PI/2_BPSK_RB270@0	22.76	20.47	0.111	2.00	Pass

50MHz_15kHz_2521.005MHz_DFT-s-OFDM_QPSK_RB1@1	23.12	20.83	0.121	2.00	Pass
50MHz_15kHz_2521.005MHz_DFT-s-OFDM_QPSK_RB1@268	23.18	20.89	0.123	2.00	Pass
50MHz_15kHz_2521.005MHz_DFT-s-OFDM_QPSK_RB135@67	23.26	20.97	0.125	2.00	Pass
50MHz_15kHz_2521.005MHz_DFT-s-OFDM_QPSK_RB270@0	22.29	20	0.1	2.00	Pass
50MHz_15kHz_2593.005MHz_CP-OFDM_16_QAM_RB270@0	20.27	17.98	0.063	2.00	Pass
50MHz_15kHz_2593.005MHz_CP-OFDM_256_QAM_RB270@0	16.81	14.52	0.028	2.00	Pass
50MHz_15kHz_2593.005MHz_CP-OFDM_64_QAM_RB270@0	19.82	17.53	0.057	2.00	Pass
50MHz_15kHz_2593.005MHz_CP-OFDM_QPSK_RB1@1	21.65	19.36	0.086	2.00	Pass
50MHz_15kHz_2593.005MHz_CP-OFDM_QPSK_RB1@268	21.78	19.49	0.089	2.00	Pass
50MHz_15kHz_2593.005MHz_CP-OFDM_QPSK_RB135@67	21.86	19.57	0.091	2.00	Pass
50MHz_15kHz_2593.005MHz_CP-OFDM_QPSK_RB270@0	20.33	18.04	0.064	2.00	Pass
50MHz_15kHz_2593.005MHz_DFT-s-OFDM_16_QAM_RB270@0	21.31	19.02	0.08	2.00	Pass
50MHz_15kHz_2593.005MHz_DFT-s-OFDM_256_QAM_RB270@0	18.79	16.5	0.045	2.00	Pass
50MHz_15kHz_2593.005MHz_DFT-s-OFDM_64_QAM_RB270@0	20.78	18.49	0.071	2.00	Pass
50MHz_15kHz_2593.005MHz_DFT-s-OFDM_PI/2_BPSK_RB1@1	23.04	20.75	0.119	2.00	Pass
50MHz_15kHz_2593.005MHz_DFT-s-OFDM_PI/2_BPSK_RB1@268	23.30	21.01	0.126	2.00	Pass
50MHz_15kHz_2593.005MHz_DFT-s-OFDM_PI/2_BPSK_RB135@67	23.30	21.01	0.126	2.00	Pass
50MHz_15kHz_2593.005MHz_DFT-s-OFDM_PI/2_BPSK_RB270@0	22.74	20.45	0.111	2.00	Pass
50MHz_15kHz_2593.005MHz_DFT-s-OFDM_QPSK_RB1@1	23.03	20.74	0.119	2.00	Pass
50MHz_15kHz_2593.005MHz_DFT-s-OFDM_QPSK_RB1@268	23.30	21.01	0.126	2.00	Pass
50MHz_15kHz_2593.005MHz_DFT-s-OFDM_QPSK_RB135@67	23.32	21.03	0.127	2.00	Pass
50MHz_15kHz_2593.005MHz_DFT-s-OFDM_QPSK_RB270@0	22.26	19.97	0.099	2.00	Pass
50MHz_15kHz_2664.99MHz_CP-OFDM_16_QAM_RB270@0	20.45	18.16	0.065	2.00	Pass
50MHz_15kHz_2664.99MHz_CP-OFDM_256_QAM_RB270@0	17.05	14.76	0.03	2.00	Pass
50MHz_15kHz_2664.99MHz_CP-OFDM_64_QAM_RB270@0	19.99	17.7	0.059	2.00	Pass
50MHz_15kHz_2664.99MHz_CP-OFDM_QPSK_RB1@1	21.52	19.23	0.084	2.00	Pass
50MHz_15kHz_2664.99MHz_CP-OFDM_QPSK_RB1@268	22.09	19.8	0.095	2.00	Pass
50MHz_15kHz_2664.99MHz_CP-OFDM_QPSK_RB135@67	21.89	19.6	0.091	2.00	Pass
50MHz_15kHz_2664.99MHz_CP-OFDM_QPSK_RB270@0	20.45	18.16	0.065	2.00	Pass
50MHz_15kHz_2664.99MHz_DFT-s-OFDM_16_QAM_RB270@0	21.43	19.14	0.082	2.00	Pass
50MHz_15kHz_2664.99MHz_DFT-s-OFDM_256_QAM_RB270@0	18.95	16.66	0.046	2.00	Pass

50MHz_15kHz_2664.99MHz_DFT-s-OFDM_64_QAM_RB270@0	20.96	18.67	0.074	2.00	Pass
50MHz_15kHz_2664.99MHz_DFT-s-OFDM_PI/2_BPSK_RB1@1	23.09	20.8	0.12	2.00	Pass
50MHz_15kHz_2664.99MHz_DFT-s-OFDM_PI/2_BPSK_RB1@268	23.46	21.17	0.131	2.00	Pass
50MHz_15kHz_2664.99MHz_DFT-s-OFDM_PI/2_BPSK_RB135@67	23.44	21.15	0.13	2.00	Pass
50MHz_15kHz_2664.99MHz_DFT-s-OFDM_PI/2_BPSK_RB270@0	22.91	20.62	0.115	2.00	Pass
50MHz_15kHz_2664.99MHz_DFT-s-OFDM_QPSK_RB1@1	23.05	20.76	0.119	2.00	Pass
50MHz_15kHz_2664.99MHz_DFT-s-OFDM_QPSK_RB1@268	23.53	21.24	0.133	2.00	Pass
50MHz_15kHz_2664.99MHz_DFT-s-OFDM_QPSK_RB135@67	23.40	21.11	0.129	2.00	Pass
50MHz_15kHz_2664.99MHz_DFT-s-OFDM_QPSK_RB270@0	22.45	20.16	0.104	2.00	Pass
50MHz_30kHz_2521.02MHz_CP-OFDM_16_QAM_RB133@0	20.39	18.1	0.065	2.00	Pass
50MHz_30kHz_2521.02MHz_CP-OFDM_256_QAM_RB133@0	16.95	14.66	0.029	2.00	Pass
50MHz_30kHz_2521.02MHz_CP-OFDM_64_QAM_RB133@0	19.96	17.67	0.058	2.00	Pass
50MHz_30kHz_2521.02MHz_CP-OFDM_QPSK_RB1@1	21.71	19.42	0.087	2.00	Pass
50MHz_30kHz_2521.02MHz_CP-OFDM_QPSK_RB1@131	21.67	19.38	0.087	2.00	Pass
50MHz_30kHz_2521.02MHz_CP-OFDM_QPSK_RB133@0	20.44	18.15	0.065	2.00	Pass
50MHz_30kHz_2521.02MHz_CP-OFDM_QPSK_RB67@33	21.86	19.57	0.091	2.00	Pass
50MHz_30kHz_2521.02MHz_DFT-s-OFDM_16_QAM_RB128@0	21.46	19.17	0.083	2.00	Pass
50MHz_30kHz_2521.02MHz_DFT-s-OFDM_256_QAM_RB128@0	18.95	16.66	0.046	2.00	Pass
50MHz_30kHz_2521.02MHz_DFT-s-OFDM_64_QAM_RB128@0	20.90	18.61	0.073	2.00	Pass
50MHz_30kHz_2521.02MHz_DFT-s-OFDM_PI/2_BPSK_RB1@1	23.28	20.99	0.126	2.00	Pass
50MHz_30kHz_2521.02MHz_DFT-s-OFDM_PI/2_BPSK_RB1@131	23.26	20.97	0.125	2.00	Pass
50MHz_30kHz_2521.02MHz_DFT-s-OFDM_PI/2_BPSK_RB128@0	22.85	20.56	0.114	2.00	Pass
50MHz_30kHz_2521.02MHz_DFT-s-OFDM_PI/2_BPSK_RB64@32	23.41	21.12	0.129	2.00	Pass
50MHz_30kHz_2521.02MHz_DFT-s-OFDM_QPSK_RB1@1	23.27	20.98	0.125	2.00	Pass
50MHz_30kHz_2521.02MHz_DFT-s-OFDM_QPSK_RB1@131	23.21	20.92	0.124	2.00	Pass
50MHz_30kHz_2521.02MHz_DFT-s-OFDM_QPSK_RB128@0	22.36	20.07	0.102	2.00	Pass
50MHz_30kHz_2521.02MHz_DFT-s-OFDM_QPSK_RB64@32	23.39	21.1	0.129	2.00	Pass
50MHz_30kHz_2592.99MHz_CP-OFDM_16_QAM_RB133@0	20.40	18.11	0.065	2.00	Pass
50MHz_30kHz_2592.99MHz_CP-OFDM_256_QAM_RB133@0	16.92	14.63	0.029	2.00	Pass
50MHz_30kHz_2592.99MHz_CP-OFDM_64_QAM_RB133@0	19.92	17.63	0.058	2.00	Pass
50MHz_30kHz_2592.99MHz_CP-OFDM_QPSK_RB1@1	21.56	19.27	0.085	2.00	Pass

50MHz_30kHz_2592.99MHz_CP-OFDM_QPSK_RB1@131	21.91	19.62	0.092	2.00	Pass
50MHz_30kHz_2592.99MHz_CP-OFDM_QPSK_RB133@0	20.37	18.08	0.064	2.00	Pass
50MHz_30kHz_2592.99MHz_CP-OFDM_QPSK_RB67@33	21.87	19.58	0.091	2.00	Pass
50MHz_30kHz_2592.99MHz_DFT-s-OFDM_16_QAM_RB128@0	21.40	19.11	0.081	2.00	Pass
50MHz_30kHz_2592.99MHz_DFT-s-OFDM_256_QAM_RB128@0	18.93	16.64	0.046	2.00	Pass
50MHz_30kHz_2592.99MHz_DFT-s-OFDM_64_QAM_RB128@0	20.93	18.64	0.073	2.00	Pass
50MHz_30kHz_2592.99MHz_DFT-s-OFDM_PI/2_BPSK_RB1@1	23.17	20.88	0.122	2.00	Pass
50MHz_30kHz_2592.99MHz_DFT-s-OFDM_PI/2_BPSK_RB1@131	23.43	21.14	0.13	2.00	Pass
50MHz_30kHz_2592.99MHz_DFT-s-OFDM_PI/2_BPSK_RB128@0	22.84	20.55	0.114	2.00	Pass
50MHz_30kHz_2592.99MHz_DFT-s-OFDM_PI/2_BPSK_RB64@32	23.41	21.12	0.129	2.00	Pass
50MHz_30kHz_2592.99MHz_DFT-s-OFDM_QPSK_RB1@1	23.16	20.87	0.122	2.00	Pass
50MHz_30kHz_2592.99MHz_DFT-s-OFDM_QPSK_RB1@131	23.41	21.12	0.129	2.00	Pass
50MHz_30kHz_2592.99MHz_DFT-s-OFDM_QPSK_RB128@0	22.38	20.09	0.102	2.00	Pass
50MHz_30kHz_2592.99MHz_DFT-s-OFDM_QPSK_RB64@32	23.46	21.17	0.131	2.00	Pass
50MHz_30kHz_2664.99MHz_CP-OFDM_16_QAM_RB133@0	20.58	18.29	0.067	2.00	Pass
50MHz_30kHz_2664.99MHz_CP-OFDM_256_QAM_RB133@0	17.13	14.84	0.03	2.00	Pass
50MHz_30kHz_2664.99MHz_CP-OFDM_64_QAM_RB133@0	20.04	17.75	0.06	2.00	Pass
50MHz_30kHz_2664.99MHz_CP-OFDM_QPSK_RB1@1	21.78	19.49	0.089	2.00	Pass
50MHz_30kHz_2664.99MHz_CP-OFDM_QPSK_RB1@131	22.14	19.85	0.097	2.00	Pass
50MHz_30kHz_2664.99MHz_CP-OFDM_QPSK_RB133@0	20.53	18.24	0.067	2.00	Pass
50MHz_30kHz_2664.99MHz_CP-OFDM_QPSK_RB67@33	21.96	19.67	0.093	2.00	Pass
50MHz_30kHz_2664.99MHz_DFT-s-OFDM_16_QAM_RB128@0	21.49	19.2	0.083	2.00	Pass
50MHz_30kHz_2664.99MHz_DFT-s-OFDM_256_QAM_RB128@0	19.08	16.79	0.048	2.00	Pass
50MHz_30kHz_2664.99MHz_DFT-s-OFDM_64_QAM_RB128@0	21.04	18.75	0.075	2.00	Pass
50MHz_30kHz_2664.99MHz_DFT-s-OFDM_PI/2_BPSK_RB1@1	23.22	20.93	0.124	2.00	Pass
50MHz_30kHz_2664.99MHz_DFT-s-OFDM_PI/2_BPSK_RB1@131	23.55	21.26	0.134	2.00	Pass
50MHz_30kHz_2664.99MHz_DFT-s-OFDM_PI/2_BPSK_RB128@0	23.00	20.71	0.118	2.00	Pass
50MHz_30kHz_2664.99MHz_DFT-s-OFDM_PI/2_BPSK_RB64@32	23.49	21.2	0.132	2.00	Pass
50MHz_30kHz_2664.99MHz_DFT-s-OFDM_QPSK_RB1@1	23.19	20.9	0.123	2.00	Pass
50MHz_30kHz_2664.99MHz_DFT-s-OFDM_QPSK_RB1@131	23.50	21.21	0.132	2.00	Pass
50MHz_30kHz_2664.99MHz_DFT-s-OFDM_QPSK_RB128@0	22.52	20.23	0.105	2.00	Pass

50MHz_30kHz_2664.99MHz_DFT-s-OFDM_QPSK_RB64@32	23.55	21.26	0.134	2.00	Pass
60MHz_30kHz_2526MHz_CP-OFDM_16_QAM_RB162@0	20.34	18.05	0.064	2.00	Pass
60MHz_30kHz_2526MHz_CP-OFDM_256_QAM_RB162@0	16.95	14.66	0.029	2.00	Pass
60MHz_30kHz_2526MHz_CP-OFDM_64_QAM_RB162@0	19.86	17.57	0.057	2.00	Pass
60MHz_30kHz_2526MHz_CP-OFDM_QPSK_RB1@1	21.74	19.45	0.088	2.00	Pass
60MHz_30kHz_2526MHz_CP-OFDM_QPSK_RB1@160	21.72	19.43	0.088	2.00	Pass
60MHz_30kHz_2526MHz_CP-OFDM_QPSK_RB162@0	20.42	18.13	0.065	2.00	Pass
60MHz_30kHz_2526MHz_CP-OFDM_QPSK_RB81@40	21.90	19.61	0.091	2.00	Pass
60MHz_30kHz_2526MHz_DFT-s-OFDM_16_QAM_RB162@0	21.43	19.14	0.082	2.00	Pass
60MHz_30kHz_2526MHz_DFT-s-OFDM_256_QAM_RB162@0	18.95	16.66	0.046	2.00	Pass
60MHz_30kHz_2526MHz_DFT-s-OFDM_64_QAM_RB162@0	20.93	18.64	0.073	2.00	Pass
60MHz_30kHz_2526MHz_DFT-s-OFDM_PI/2_BPSK_RB1@1	23.27	20.98	0.125	2.00	Pass
60MHz_30kHz_2526MHz_DFT-s-OFDM_PI/2_BPSK_RB1@160	23.21	20.92	0.124	2.00	Pass
60MHz_30kHz_2526MHz_DFT-s-OFDM_PI/2_BPSK_RB162@0	22.83	20.54	0.113	2.00	Pass
60MHz_30kHz_2526MHz_DFT-s-OFDM_PI/2_BPSK_RB81@40	23.34	21.05	0.127	2.00	Pass
60MHz_30kHz_2526MHz_DFT-s-OFDM_QPSK_RB1@1	23.20	20.91	0.123	2.00	Pass
60MHz_30kHz_2526MHz_DFT-s-OFDM_QPSK_RB1@160	23.22	20.93	0.124	2.00	Pass
60MHz_30kHz_2526MHz_DFT-s-OFDM_QPSK_RB162@0	22.34	20.05	0.101	2.00	Pass
60MHz_30kHz_2526MHz_DFT-s-OFDM_QPSK_RB81@40	23.37	21.08	0.128	2.00	Pass
60MHz_30kHz_2592.99MHz_CP-OFDM_16_QAM_RB162@0	20.40	18.11	0.065	2.00	Pass
60MHz_30kHz_2592.99MHz_CP-OFDM_256_QAM_RB162@0	16.87	14.58	0.029	2.00	Pass
60MHz_30kHz_2592.99MHz_CP-OFDM_64_QAM_RB162@0	19.89	17.6	0.058	2.00	Pass
60MHz_30kHz_2592.99MHz_CP-OFDM_QPSK_RB1@1	21.49	19.2	0.083	2.00	Pass
60MHz_30kHz_2592.99MHz_CP-OFDM_QPSK_RB1@160	21.90	19.61	0.091	2.00	Pass
60MHz_30kHz_2592.99MHz_CP-OFDM_QPSK_RB162@0	20.38	18.09	0.064	2.00	Pass
60MHz_30kHz_2592.99MHz_CP-OFDM_QPSK_RB81@40	21.93	19.64	0.092	2.00	Pass
60MHz_30kHz_2592.99MHz_DFT-s-OFDM_16_QAM_RB162@0	21.40	19.11	0.081	2.00	Pass
60MHz_30kHz_2592.99MHz_DFT-s-OFDM_256_QAM_RB162@0	18.93	16.64	0.046	2.00	Pass
60MHz_30kHz_2592.99MHz_DFT-s-OFDM_64_QAM_RB162@0	21.00	18.71	0.074	2.00	Pass
60MHz_30kHz_2592.99MHz_DFT-s-OFDM_PI/2_BPSK_RB1@1	23.14	20.85	0.122	2.00	Pass
60MHz_30kHz_2592.99MHz_DFT-s-OFDM_PI/2_BPSK_RB1@160	23.54	21.25	0.133	2.00	Pass

60MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB162@0	22.85	20.56	0.114	2.00	Pass
60MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB81@40	23.42	21.13	0.13	2.00	Pass
60MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	23.13	20.84	0.121	2.00	Pass
60MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@160	23.44	21.15	0.13	2.00	Pass
60MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB162@0	22.41	20.12	0.103	2.00	Pass
60MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB81@40	23.45	21.16	0.131	2.00	Pass
60MHz_30kHz_2659.98MHz_CP-OFDM 16 QAM_RB162@0	20.55	18.26	0.067	2.00	Pass
60MHz_30kHz_2659.98MHz_CP-OFDM 256 QAM_RB162@0	17.16	14.87	0.031	2.00	Pass
60MHz_30kHz_2659.98MHz_CP-OFDM 64 QAM_RB162@0	20.04	17.75	0.06	2.00	Pass
60MHz_30kHz_2659.98MHz_CP-OFDM QPSK_RB1@1	21.56	19.27	0.085	2.00	Pass
60MHz_30kHz_2659.98MHz_CP-OFDM QPSK_RB1@160	21.94	19.65	0.092	2.00	Pass
60MHz_30kHz_2659.98MHz_CP-OFDM QPSK_RB162@0	20.53	18.24	0.067	2.00	Pass
60MHz_30kHz_2659.98MHz_CP-OFDM QPSK_RB81@40	22.04	19.75	0.094	2.00	Pass
60MHz_30kHz_2659.98MHz_DFT-s-OFDM 16 QAM_RB162@0	21.59	19.3	0.085	2.00	Pass
60MHz_30kHz_2659.98MHz_DFT-s-OFDM 256 QAM_RB162@0	19.11	16.82	0.048	2.00	Pass
60MHz_30kHz_2659.98MHz_DFT-s-OFDM 64 QAM_RB162@0	21.12	18.83	0.076	2.00	Pass
60MHz_30kHz_2659.98MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.16	20.87	0.122	2.00	Pass
60MHz_30kHz_2659.98MHz_DFT-s-OFDM PI/2 BPSK_RB1@160	23.55	21.26	0.134	2.00	Pass
60MHz_30kHz_2659.98MHz_DFT-s-OFDM PI/2 BPSK_RB162@0	22.91	20.62	0.115	2.00	Pass
60MHz_30kHz_2659.98MHz_DFT-s-OFDM PI/2 BPSK_RB81@40	23.48	21.19	0.132	2.00	Pass
60MHz_30kHz_2659.98MHz_DFT-s-OFDM QPSK_RB1@1	23.12	20.83	0.121	2.00	Pass
60MHz_30kHz_2659.98MHz_DFT-s-OFDM QPSK_RB1@160	23.53	21.24	0.133	2.00	Pass
60MHz_30kHz_2659.98MHz_DFT-s-OFDM QPSK_RB162@0	22.51	20.22	0.105	2.00	Pass
60MHz_30kHz_2659.98MHz_DFT-s-OFDM QPSK_RB81@40	23.50	21.21	0.132	2.00	Pass
80MHz_30kHz_2536.02MHz_CP-OFDM 16 QAM_RB217@0	20.60	18.31	0.068	2.00	Pass
80MHz_30kHz_2536.02MHz_CP-OFDM 256 QAM_RB217@0	17.11	14.82	0.03	2.00	Pass
80MHz_30kHz_2536.02MHz_CP-OFDM 64 QAM_RB217@0	20.09	17.8	0.06	2.00	Pass
80MHz_30kHz_2536.02MHz_CP-OFDM QPSK_RB1@1	21.95	19.66	0.092	2.00	Pass
80MHz_30kHz_2536.02MHz_CP-OFDM QPSK_RB1@215	21.86	19.57	0.091	2.00	Pass
80MHz_30kHz_2536.02MHz_CP-OFDM QPSK_RB109@54	22.01	19.72	0.094	2.00	Pass
80MHz_30kHz_2536.02MHz_CP-OFDM QPSK_RB217@0	20.60	18.31	0.068	2.00	Pass

80MHz_30kHz_2536.02MHz_DFT-s-OFDM_16_QAM_RB216@0	21.63	19.34	0.086	2.00	Pass
80MHz_30kHz_2536.02MHz_DFT-s-OFDM_256_QAM_RB216@0	19.13	16.84	0.048	2.00	Pass
80MHz_30kHz_2536.02MHz_DFT-s-OFDM_64_QAM_RB216@0	21.06	18.77	0.075	2.00	Pass
80MHz_30kHz_2536.02MHz_DFT-s-OFDM_PI/2_BPSK_RB1@1	23.47	21.18	0.131	2.00	Pass
80MHz_30kHz_2536.02MHz_DFT-s-OFDM_PI/2_BPSK_RB1@215	23.45	21.16	0.131	2.00	Pass
80MHz_30kHz_2536.02MHz_DFT-s-OFDM_PI/2_BPSK_RB108@54	23.47	21.18	0.131	2.00	Pass
80MHz_30kHz_2536.02MHz_DFT-s-OFDM_PI/2_BPSK_RB216@0	23.00	20.71	0.118	2.00	Pass
80MHz_30kHz_2536.02MHz_DFT-s-OFDM_QPSK_RB1@1	23.45	21.16	0.131	2.00	Pass
80MHz_30kHz_2536.02MHz_DFT-s-OFDM_QPSK_RB1@215	23.48	21.19	0.132	2.00	Pass
80MHz_30kHz_2536.02MHz_DFT-s-OFDM_QPSK_RB108@54	23.48	21.19	0.132	2.00	Pass
80MHz_30kHz_2536.02MHz_DFT-s-OFDM_QPSK_RB216@0	22.51	20.22	0.105	2.00	Pass
80MHz_30kHz_2592.99MHz_CP-OFDM_16_QAM_RB217@0	20.48	18.19	0.066	2.00	Pass
80MHz_30kHz_2592.99MHz_CP-OFDM_256_QAM_RB217@0	17.05	14.76	0.03	2.00	Pass
80MHz_30kHz_2592.99MHz_CP-OFDM_64_QAM_RB217@0	20.00	17.71	0.059	2.00	Pass
80MHz_30kHz_2592.99MHz_CP-OFDM_QPSK_RB1@1	21.68	19.39	0.087	2.00	Pass
80MHz_30kHz_2592.99MHz_CP-OFDM_QPSK_RB1@215	22.03	19.74	0.094	2.00	Pass
80MHz_30kHz_2592.99MHz_CP-OFDM_QPSK_RB109@54	22.02	19.73	0.094	2.00	Pass
80MHz_30kHz_2592.99MHz_CP-OFDM_QPSK_RB217@0	20.48	18.19	0.066	2.00	Pass
80MHz_30kHz_2592.99MHz_DFT-s-OFDM_16_QAM_RB216@0	21.48	19.19	0.083	2.00	Pass
80MHz_30kHz_2592.99MHz_DFT-s-OFDM_256_QAM_RB216@0	19.02	16.73	0.047	2.00	Pass
80MHz_30kHz_2592.99MHz_DFT-s-OFDM_64_QAM_RB216@0	20.98	18.69	0.074	2.00	Pass
80MHz_30kHz_2592.99MHz_DFT-s-OFDM_PI/2_BPSK_RB1@1	23.32	21.03	0.127	2.00	Pass
80MHz_30kHz_2592.99MHz_DFT-s-OFDM_PI/2_BPSK_RB1@215	23.63	21.34	0.136	2.00	Pass
80MHz_30kHz_2592.99MHz_DFT-s-OFDM_PI/2_BPSK_RB108@54	23.56	21.27	0.134	2.00	Pass
80MHz_30kHz_2592.99MHz_DFT-s-OFDM_PI/2_BPSK_RB216@0	22.97	20.68	0.117	2.00	Pass
80MHz_30kHz_2592.99MHz_DFT-s-OFDM_QPSK_RB1@1	23.31	21.02	0.126	2.00	Pass
80MHz_30kHz_2592.99MHz_DFT-s-OFDM_QPSK_RB1@215	23.65	21.36	0.137	2.00	Pass
80MHz_30kHz_2592.99MHz_DFT-s-OFDM_QPSK_RB108@54	23.58	21.29	0.135	2.00	Pass
80MHz_30kHz_2592.99MHz_DFT-s-OFDM_QPSK_RB216@0	22.49	20.2	0.105	2.00	Pass
80MHz_30kHz_2649.99MHz_CP-OFDM_16_QAM_RB217@0	20.75	18.46	0.07	2.00	Pass
80MHz_30kHz_2649.99MHz_CP-OFDM_256_QAM_RB217@0	17.31	15.02	0.032	2.00	Pass

80MHz_30kHz_2649.99MHz_CP-OFDM_64_QAM_RB217@0	20.27	17.98	0.063	2.00	Pass
80MHz_30kHz_2649.99MHz_CP-OFDM_QPSK_RB1@1	21.72	19.43	0.088	2.00	Pass
80MHz_30kHz_2649.99MHz_CP-OFDM_QPSK_RB1@215	22.26	19.97	0.099	2.00	Pass
80MHz_30kHz_2649.99MHz_CP-OFDM_QPSK_RB109@54	22.11	19.82	0.096	2.00	Pass
80MHz_30kHz_2649.99MHz_CP-OFDM_QPSK_RB217@0	20.75	18.46	0.07	2.00	Pass
80MHz_30kHz_2649.99MHz_DFT-s-OFDM_16_QAM_RB216@0	21.75	19.46	0.088	2.00	Pass
80MHz_30kHz_2649.99MHz_DFT-s-OFDM_256_QAM_RB216@0	19.28	16.99	0.05	2.00	Pass
80MHz_30kHz_2649.99MHz_DFT-s-OFDM_64_QAM_RB216@0	21.32	19.03	0.08	2.00	Pass
80MHz_30kHz_2649.99MHz_DFT-s-OFDM_PI/2_BPSK_RB1@1	23.25	20.96	0.125	2.00	Pass
80MHz_30kHz_2649.99MHz_DFT-s-OFDM_PI/2_BPSK_RB1@215	23.84	21.55	0.143	2.00	Pass
80MHz_30kHz_2649.99MHz_DFT-s-OFDM_PI/2_BPSK_RB108@54	23.58	21.29	0.135	2.00	Pass
80MHz_30kHz_2649.99MHz_DFT-s-OFDM_PI/2_BPSK_RB216@0	23.18	20.89	0.123	2.00	Pass
80MHz_30kHz_2649.99MHz_DFT-s-OFDM_QPSK_RB1@1	23.33	21.04	0.127	2.00	Pass
80MHz_30kHz_2649.99MHz_DFT-s-OFDM_QPSK_RB1@215	23.81	21.52	0.142	2.00	Pass
80MHz_30kHz_2649.99MHz_DFT-s-OFDM_QPSK_RB108@54	23.59	21.3	0.135	2.00	Pass
80MHz_30kHz_2649.99MHz_DFT-s-OFDM_QPSK_RB216@0	22.72	20.43	0.11	2.00	Pass
90MHz_30kHz_2541MHz_CP-OFDM_16_QAM_RB245@0	20.66	18.37	0.069	2.00	Pass
90MHz_30kHz_2541MHz_CP-OFDM_256_QAM_RB245@0	17.25	14.96	0.031	2.00	Pass
90MHz_30kHz_2541MHz_CP-OFDM_64_QAM_RB245@0	20.13	17.84	0.061	2.00	Pass
90MHz_30kHz_2541MHz_CP-OFDM_QPSK_RB1@1	22.14	19.85	0.097	2.00	Pass
90MHz_30kHz_2541MHz_CP-OFDM_QPSK_RB1@243	21.95	19.66	0.092	2.00	Pass
90MHz_30kHz_2541MHz_CP-OFDM_QPSK_RB123@61	22.07	19.78	0.095	2.00	Pass
90MHz_30kHz_2541MHz_CP-OFDM_QPSK_RB245@0	20.68	18.39	0.069	2.00	Pass
90MHz_30kHz_2541MHz_DFT-s-OFDM_16_QAM_RB243@0	21.66	19.37	0.086	2.00	Pass
90MHz_30kHz_2541MHz_DFT-s-OFDM_256_QAM_RB243@0	19.21	16.92	0.049	2.00	Pass
90MHz_30kHz_2541MHz_DFT-s-OFDM_64_QAM_RB243@0	21.20	18.91	0.078	2.00	Pass
90MHz_30kHz_2541MHz_DFT-s-OFDM_PI/2_BPSK_RB1@1	23.51	21.22	0.132	2.00	Pass
90MHz_30kHz_2541MHz_DFT-s-OFDM_PI/2_BPSK_RB1@243	23.54	21.25	0.133	2.00	Pass
90MHz_30kHz_2541MHz_DFT-s-OFDM_PI/2_BPSK_RB120@60	23.51	21.22	0.132	2.00	Pass
90MHz_30kHz_2541MHz_DFT-s-OFDM_PI/2_BPSK_RB243@0	23.08	20.79	0.12	2.00	Pass
90MHz_30kHz_2541MHz_DFT-s-OFDM_QPSK_RB1@1	23.44	21.15	0.13	2.00	Pass

90MHz_30kHz_2541MHz_DFT-s-OFDM_QPSK_RB1@243	23.53	21.24	0.133	2.00	Pass
90MHz_30kHz_2541MHz_DFT-s-OFDM_QPSK_RB120@60	23.52	21.23	0.133	2.00	Pass
90MHz_30kHz_2541MHz_DFT-s-OFDM_QPSK_RB243@0	22.64	20.35	0.108	2.00	Pass
90MHz_30kHz_2592.99MHz_CP-OFDM_16_QAM_RB245@0	20.45	18.16	0.065	2.00	Pass
90MHz_30kHz_2592.99MHz_CP-OFDM_256_QAM_RB245@0	17.06	14.77	0.03	2.00	Pass
90MHz_30kHz_2592.99MHz_CP-OFDM_64_QAM_RB245@0	19.98	17.69	0.059	2.00	Pass
90MHz_30kHz_2592.99MHz_CP-OFDM_QPSK_RB1@1	21.70	19.41	0.087	2.00	Pass
90MHz_30kHz_2592.99MHz_CP-OFDM_QPSK_RB1@243	22.11	19.82	0.096	2.00	Pass
90MHz_30kHz_2592.99MHz_CP-OFDM_QPSK_RB123@61	22.03	19.74	0.094	2.00	Pass
90MHz_30kHz_2592.99MHz_CP-OFDM_QPSK_RB245@0	20.49	18.2	0.066	2.00	Pass
90MHz_30kHz_2592.99MHz_DFT-s-OFDM_16_QAM_RB243@0	21.52	19.23	0.084	2.00	Pass
90MHz_30kHz_2592.99MHz_DFT-s-OFDM_256_QAM_RB243@0	19.05	16.76	0.047	2.00	Pass
90MHz_30kHz_2592.99MHz_DFT-s-OFDM_64_QAM_RB243@0	20.98	18.69	0.074	2.00	Pass
90MHz_30kHz_2592.99MHz_DFT-s-OFDM_PI/2_BPSK_RB1@1	23.27	20.98	0.125	2.00	Pass
90MHz_30kHz_2592.99MHz_DFT-s-OFDM_PI/2_BPSK_RB1@243	23.57	21.28	0.134	2.00	Pass
90MHz_30kHz_2592.99MHz_DFT-s-OFDM_PI/2_BPSK_RB120@60	23.56	21.27	0.134	2.00	Pass
90MHz_30kHz_2592.99MHz_DFT-s-OFDM_PI/2_BPSK_RB243@0	22.98	20.69	0.117	2.00	Pass
90MHz_30kHz_2592.99MHz_DFT-s-OFDM_QPSK_RB1@1	23.28	20.99	0.126	2.00	Pass
90MHz_30kHz_2592.99MHz_DFT-s-OFDM_QPSK_RB1@243	23.63	21.34	0.136	2.00	Pass
90MHz_30kHz_2592.99MHz_DFT-s-OFDM_QPSK_RB120@60	23.49	21.2	0.132	2.00	Pass
90MHz_30kHz_2592.99MHz_DFT-s-OFDM_QPSK_RB243@0	22.52	20.23	0.105	2.00	Pass
90MHz_30kHz_2644.98MHz_CP-OFDM_16_QAM_RB245@0	20.76	18.47	0.07	2.00	Pass
90MHz_30kHz_2644.98MHz_CP-OFDM_256_QAM_RB245@0	17.34	15.05	0.032	2.00	Pass
90MHz_30kHz_2644.98MHz_CP-OFDM_64_QAM_RB245@0	20.28	17.99	0.063	2.00	Pass
90MHz_30kHz_2644.98MHz_CP-OFDM_QPSK_RB1@1	21.64	19.35	0.086	2.00	Pass
90MHz_30kHz_2644.98MHz_CP-OFDM_QPSK_RB1@243	22.48	20.19	0.104	2.00	Pass
90MHz_30kHz_2644.98MHz_CP-OFDM_QPSK_RB123@61	22.11	19.82	0.096	2.00	Pass
90MHz_30kHz_2644.98MHz_CP-OFDM_QPSK_RB245@0	20.75	18.46	0.07	2.00	Pass
90MHz_30kHz_2644.98MHz_DFT-s-OFDM_16_QAM_RB243@0	21.72	19.43	0.088	2.00	Pass
90MHz_30kHz_2644.98MHz_DFT-s-OFDM_256_QAM_RB243@0	19.31	17.02	0.05	2.00	Pass
90MHz_30kHz_2644.98MHz_DFT-s-OFDM_64_QAM_RB243@0	21.33	19.04	0.08	2.00	Pass

90MHz_30kHz_2644.98MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.25	20.96	0.125	2.00	Pass
90MHz_30kHz_2644.98MHz_DFT-s-OFDM PI/2 BPSK_RB1@243	23.82	21.53	0.142	2.00	Pass
90MHz_30kHz_2644.98MHz_DFT-s-OFDM PI/2 BPSK_RB120@60	23.61	21.32	0.136	2.00	Pass
90MHz_30kHz_2644.98MHz_DFT-s-OFDM PI/2 BPSK_RB243@0	23.23	20.94	0.124	2.00	Pass
90MHz_30kHz_2644.98MHz_DFT-s-OFDM QPSK_RB1@1	23.28	20.99	0.126	2.00	Pass
90MHz_30kHz_2644.98MHz_DFT-s-OFDM QPSK_RB1@243	23.80	21.51	0.142	2.00	Pass
90MHz_30kHz_2644.98MHz_DFT-s-OFDM QPSK_RB120@60	23.59	21.3	0.135	2.00	Pass
90MHz_30kHz_2644.98MHz_DFT-s-OFDM QPSK_RB243@0	22.73	20.44	0.111	2.00	Pass
100MHz_30kHz_2546.01MHz_CP-OFDM 16 QAM_RB273@0	20.67	18.38	0.069	2.00	Pass
100MHz_30kHz_2546.01MHz_CP-OFDM 256 QAM_RB273@0	17.24	14.95	0.031	2.00	Pass
100MHz_30kHz_2546.01MHz_CP-OFDM 64 QAM_RB273@0	20.16	17.87	0.061	2.00	Pass
100MHz_30kHz_2546.01MHz_CP-OFDM QPSK_RB1@1	21.96	19.67	0.093	2.00	Pass
100MHz_30kHz_2546.01MHz_CP-OFDM QPSK_RB1@271	21.90	19.61	0.091	2.00	Pass
100MHz_30kHz_2546.01MHz_CP-OFDM QPSK_RB137@68	22.05	19.76	0.095	2.00	Pass
100MHz_30kHz_2546.01MHz_CP-OFDM QPSK_RB273@0	20.66	18.37	0.069	2.00	Pass
100MHz_30kHz_2546.01MHz_DFT-s-OFDM 16 QAM_RB270@0	21.65	19.36	0.086	2.00	Pass
100MHz_30kHz_2546.01MHz_DFT-s-OFDM 256 QAM_RB270@0	19.19	16.9	0.049	2.00	Pass
100MHz_30kHz_2546.01MHz_DFT-s-OFDM 64 QAM_RB270@0	21.22	18.93	0.078	2.00	Pass
100MHz_30kHz_2546.01MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.51	21.22	0.132	2.00	Pass
100MHz_30kHz_2546.01MHz_DFT-s-OFDM PI/2 BPSK_RB1@271	23.53	21.24	0.133	2.00	Pass
100MHz_30kHz_2546.01MHz_DFT-s-OFDM PI/2 BPSK_RB135@67	23.50	21.21	0.132	2.00	Pass
100MHz_30kHz_2546.01MHz_DFT-s-OFDM PI/2 BPSK_RB270@0	23.13	20.84	0.121	2.00	Pass
100MHz_30kHz_2546.01MHz_DFT-s-OFDM QPSK_RB1@1	23.43	21.14	0.13	2.00	Pass
100MHz_30kHz_2546.01MHz_DFT-s-OFDM QPSK_RB1@271	23.70	21.41	0.138	2.00	Pass
100MHz_30kHz_2546.01MHz_DFT-s-OFDM QPSK_RB135@67	23.50	21.21	0.132	2.00	Pass
100MHz_30kHz_2546.01MHz_DFT-s-OFDM QPSK_RB270@0	22.64	20.35	0.108	2.00	Pass
100MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB273@0	20.47	18.18	0.066	2.00	Pass
100MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB273@0	16.98	14.69	0.029	2.00	Pass
100MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB273@0	19.98	17.69	0.059	2.00	Pass
100MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	21.68	19.39	0.087	2.00	Pass
100MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@271	22.10	19.81	0.096	2.00	Pass

100MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB137@68	21.99	19.7	0.093	2.00	Pass
100MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB273@0	20.49	18.2	0.066	2.00	Pass
100MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB270@0	21.49	19.2	0.083	2.00	Pass
100MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB270@0	18.98	16.69	0.047	2.00	Pass
100MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB270@0	20.96	18.67	0.074	2.00	Pass
100MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.25	20.96	0.125	2.00	Pass
100MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@271	23.68	21.39	0.138	2.00	Pass
100MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB135@67	23.52	21.23	0.133	2.00	Pass
100MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB270@0	22.93	20.64	0.116	2.00	Pass
100MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	23.08	20.79	0.12	2.00	Pass
100MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@271	23.62	21.33	0.136	2.00	Pass
100MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB135@67	23.49	21.2	0.132	2.00	Pass
100MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB270@0	22.50	20.21	0.105	2.00	Pass
100MHz_30kHz_2640MHz_CP-OFDM 16 QAM_RB273@0	20.80	18.51	0.071	2.00	Pass
100MHz_30kHz_2640MHz_CP-OFDM 256 QAM_RB273@0	17.31	15.02	0.032	2.00	Pass
100MHz_30kHz_2640MHz_CP-OFDM 64 QAM_RB273@0	20.31	18.02	0.063	2.00	Pass
100MHz_30kHz_2640MHz_CP-OFDM QPSK_RB1@1	21.73	19.44	0.088	2.00	Pass
100MHz_30kHz_2640MHz_CP-OFDM QPSK_RB1@271	22.48	20.19	0.104	2.00	Pass
100MHz_30kHz_2640MHz_CP-OFDM QPSK_RB137@68	22.11	19.82	0.096	2.00	Pass
100MHz_30kHz_2640MHz_CP-OFDM QPSK_RB273@0	20.83	18.54	0.071	2.00	Pass
100MHz_30kHz_2640MHz_DFT-s-OFDM 16 QAM_RB270@0	21.82	19.53	0.09	2.00	Pass
100MHz_30kHz_2640MHz_DFT-s-OFDM 256 QAM_RB270@0	19.30	17.01	0.05	2.00	Pass
100MHz_30kHz_2640MHz_DFT-s-OFDM 64 QAM_RB270@0	21.35	19.06	0.081	2.00	Pass
100MHz_30kHz_2640MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.29	21	0.126	2.00	Pass
100MHz_30kHz_2640MHz_DFT-s-OFDM PI/2 BPSK_RB1@271	23.85	21.56	0.143	2.00	Pass
100MHz_30kHz_2640MHz_DFT-s-OFDM PI/2 BPSK_RB135@67	23.58	21.29	0.135	2.00	Pass
100MHz_30kHz_2640MHz_DFT-s-OFDM PI/2 BPSK_RB270@0	23.24	20.95	0.124	2.00	Pass
100MHz_30kHz_2640MHz_DFT-s-OFDM QPSK_RB1@1	23.30	21.01	0.126	2.00	Pass
100MHz_30kHz_2640MHz_DFT-s-OFDM QPSK_RB1@271	23.81	21.52	0.142	2.00	Pass
100MHz_30kHz_2640MHz_DFT-s-OFDM QPSK_RB135@67	23.56	21.27	0.134	2.00	Pass
100MHz_30kHz_2640MHz_DFT-s-OFDM QPSK_RB270@0	22.73	20.44	0.111	2.00	Pass

Note: **$EIRP = \text{Conducted Power(dBm)} - LC(\text{dB}) + GT(\text{dBi})$** **n41:****1.Ant Gain = -1.49 dBi;****2.CL = signal attenuation in the connecting cable
between the transmitter and antenna in 0.8dB**