

TEST REPORT

Reference No	WTX23X05095105R1W
FCC ID :	2AUARMVO8
Applicant	THINKCAR TECH CO., LTD.
Address	2606, building 4, phase II, TiananYungu, Gangtou community, Bantian Longgang District, Shenzhen, China
Manufacturer	The same as Applicant
Address	The same as Applicant
Product Name :	Automotive Diagnostic Tool
Model No	VO8
Standards	FCC Part 2.1093, IEEE Std C95.1: 2019 IEEE Std C95.3: 2002 + Rev. 2008
Date of Receipt sample :	2023-05-05; 2023-09-25
Date of Test :	2023-05-05 to 2023-05-12; 2023-09-25 to 2023-09-27
Date of Issue :	2023-09-26
Test Report Form No :	WTX_Part2_1093W
Test Result	Pass A A A A A A A A A A A A A A A A A A

Remarks:

The results shown in this test report refer only to the sample(s) tested, this test report cannot be reproduced, except in full, without prior written permission of the company. The report would be invalid without specific stamp of test institute and the signatures of approver.

Prepared By:

Waltek Testing Group (Shenzhen) Co., Ltd.

Address: 1/F., Room 101, Building 1, Hongwei Industrial Park, Liuxian 2nd Road, Block 70 Bao'an District, Shenzhen, Guangdong, China Tel.: +86-755-33663308 Fax.: +86-755-33663309 Email: sem@waltek.com.cn

Tested by:

ack sun

Jack Sun

Approved by:

Silin Chen

Silin Chen

Waltek Testing Group (Shenzhen) Co., Ltd. Http://www.waltek.com.cn

Page 1 of 40



TABLE OF CONTENTS

1. General Information	
1.1 Product Description for Equipment Under Test (EUT)	
1.2 Test Standards	
1.3 Test Methodology	
1.4 Test Facility	
2. Summary of Test Results	
3. Specific Absorption Rate (SAR)	
3.1 Introduction	
3.2 SAR Definition	
4. SAR Measurement System	
4.1 The Measurement System	
4.2 Probe 4.3 Probe Calibration Process	
4.3 Probe Calibration Process	
4.5 Device Holder	
4.6 Test Equipment List	
5. Tissue Simulating Liquids	
5.1 Composition of Tissue Simulating Liquid	
5.2 Tissue Dielectric Parameters for Head and Body Phantoms	
5.3 Tissue Calibration Result	
6. SAR Measurement Evaluation	
6.1 Purpose of System Performance Check	
6.2 System Setup	
6.3 Validation Results	
7. EUT Testing Position	
7.1 Body Position	
7.2 EUT Antenna Position 7.3 EUT Testing Position	
8. SAR Measurement Procedures	
8.1 Measurement Procedures	
8.1 Measurement Procedures	
8.3 Area & Zoom Scan Procedures	
8.4 Volume Scan Procedures	
8.5 SAR Averaged Methods	
8.6 Power Drift Monitoring	
9. SAR Test Result	23
9.1 Conducted RF Output Power	
9.2 Test Results for Standalone SAR Test	
10. Measurement Uncertainty	
10.1 Uncertainty for SAR Test	
Annex A. Plots of System Performance Check	
Annex B. Plots of SAR Measurement	
Annex C. EUT Photos	
Annex D. Test Setup Photos	
Annex E. Calibration Certificate	



VIII -

Report version

ê	Version No.	Date of issue	Description
	Rev.00	2023-05-15	Original report WTX23X05095105W.
2 EV	Rev.01	2023-09-27	Refer the old report WTX23X05095105W, updated the EUT appearance photos, test setup photos, battery capacity, and added differential testing data, but the circuit and the electronic construction do not change, declared by the manufacturer. So the test data from the original report.
	at 1 st	at state state	a second when we are the set



1. General Information

1.1 Product Description for Equipment Under Test (EUT)

Product Name:	Automotive Diagnostic Tool
Trade Name:	MUCAR, THINKCAR, dollarfix
Model No.:	VO8
Adding Model(s):	with 1 second and the state white white
Rated Voltage:	DC 3.8V
Battery Capacity:	12600mAh
Software Version:	V1.0
Hardware Version:	V1.0



- 20- /

Technical Characteristics of EUT	at the set out whit whit whe we
WIFI(2.4GHz)	
Support Standards:	802.11b, 802.11g, 802.11n-HT20/HT40
	2412-2462MHz for 802.11b/g/n(HT20),
Frequency Range:	2422-2452MHz for 802.11n(HT40)
RF Output Power:	15.70dBm (Conducted)
Type of Modulation:	DBPSK,BPSK,DQPSK,QPSK,16QAM,64QAM
Quantity of Channels:	11 for 802.11b/g/n-HT20,7 for 802.11b/g/n-HT40
Channel Separation:	5MHz
Antenna Type:	PIFA Antenna
Antenna Gain:	0dBi
Bluetooth	
Bluetooth Version:	Bluetooth V5.0
Frequency Range:	2402-2480MHz
RF Output Power:	3.06dBm (Conducted)
Modulation:	GFSK, π/4 DQPSK, 8DPSK
Quantity of Channels:	79/40
Channel Separation:	1MHz/2MHz
Antenna Type:	PIFA Antenna
Antenna Gain:	0dBi



è

1.2 Test Standards

The following report is accordance with FCC 47 CFR Part 2.1093, IEEE Std C95.1: 2019, IEEE Std C95.3: 2002 + Rev. 2008, IEC/IEEE 62209-1528 Ed. 1.0 (2020-10), and KDB 865664 D01 v01r04 and KDB 865664 D02 v01r02 and KDB 616217 D04 v01r02 and 248227 D01 802 11 Wi-Fi SAR v02r02.

The objective is to determine compliance with FCC Part 2.1093 of the Federal Communication Commissions rules.

Maintenance of compliance is the responsibility of the manufacturer. Any modification of the product, which is result in lowering the emission, should be checked to ensure compliance has been maintained.

1.3 Test Methodology

All measurements contained in this report were conducted with KDB 865664 D01 v01r04 and KDB 865664 D02 v01r02. The public notice KDB 447498 D01 v06 for Mobile and Portable Devices RF Exposure Procedure also.

1.4 Test Facility

Address of the test laboratory

Laboratory: Waltek Testing Group (Shenzhen) Co., Ltd. Address: 1/F., Room 101, Building 1, Hongwei Industrial Park, Liuxian 2nd Road, Block 70 Bao'an District, Shenzhen, Guangdong, China

FCC – Registration No.: 125990

Waltek Testing Group (Shenzhen) Co., Ltd. EMC Laboratory has been registered and fully described in a report filed with the FCC (Federal Communications Commission). The acceptance letter from the FCC is maintained in our files. The Designation Number is CN5010.Test Firm Registration Number is 125990.

Industry Canada (IC) Registration No.: 11464A

The 3m Semi-anechoic chamber of Waltek Testing Group (Shenzhen) Co., Ltd. has been registered by Certification and Engineering Bureau of Industry Canada for radio equipment testing with Registration No.: 11464A.



2. Summary of Test Results

The maximum results of Specific Absorption Rate (SAR) have found during testing are as follows:

N VILLA	Frequency Band	Body (0mm Gap) Maximum SAR _{1g} (W/kg)	SAR _{1g} Limit (W/kg)
W CLAN	WLAN 2.4GHz	0.584	1.6

Differential testing

TEX MITEX MITEX MATEX MALTER WA	Body (0mm Gap)	SAR _{1g} Limit
Frequency Band	Maximum SAR _{1g} (W/kg)	(W/kg)
WLAN 2.4GHz	0.610	1.6

The device is in compliance with Specific Absorption Rate (SAR) for general population/uncontrolled exposure limits (1.6 W/kg) specified in FCC 47 CFR Part 2.1093 and IEEE Std C95.1: 2019, and had been tested in accordance with the measurement methods and procedure specified in KDB 865664 D01 v01r04, KDB 865664 D02 v01r02 and IEC 62209-2:2010+AMD1 (2019).

9

3. Specific Absorption Rate (SAR)

3.1 Introduction

SAR is related to the rate at which energy is absorbed per unit mass in an object exposed to a radio field. The SAR distribution in a biological body is complicated and is usually carried out by experimental techniques or numerical modeling. The standard recommends limits for two tiers of groups, occupational/controlled and general population/uncontrolled, based on a person's awareness and ability to exercise control over his or her exposure. In general, occupational/controlled exposure limits are higher than the limits for general population/uncontrolled.

3.2 SAR Definition

The SAR definition is the time derivative (rate) of the incremental energy (dW) absorbed by (dissipated in) an incremental mass (dm) contained in a volume element (dv) of a given density (ρ). The equation description is as below:

$$SAR = \frac{d}{dt} \left(\frac{dW}{dm} \right) = \frac{d}{dt} \left(\frac{dW}{\rho dv} \right)$$

SAR is expressed in units of Watts per kilogram (W/kg) SAR measurement can be either related to the temperature elevation in tissue by

$$SAR = C\left(\frac{\delta T}{\delta t}\right)$$

Where: C is the specific heat capacity, δ T is the temperature rise and δ t is the exposure duration, or related to the

electrical field in the tissue by

$$SAR = \frac{\sigma |E|^2}{\rho}$$

Where: σ is the conductivity of the tissue, ρ is the mass density of the tissue and E is the RMS electrical field strength.

However for evaluating SAR of low power transmitter, electrical field measurement is typically applied.

\bigotimes

4. SAR Measurement System

4.1 The Measurement System

Comosar is a system that is able to determine the SAR distribution inside a phantom of human being according to different standards. The Comosar system consists of the following items:

- Main computer to control all the system
- 6 axis robot
- Data acquisition system
- Miniature E-field probe
- Phone holder
- Head simulating tissue
- The following figure shows the system.




The EUT under test operating at the maximum power level is placed in the phone holder, under the phantom, which is filled with head simulating liquid. The E-Field probe measures the electric field inside the phantom. The OpenSAR software computes the results to give a SAR value in a 1g or 10g mass.

4.2 Probe

For the measurements the Specific Dosimetric E-Field Probe SSE2 SN 18/21 EPGO356, and refer to the calibration report for probe parameters.

Probe calibration is realized, in compliance with EN 62209-1 and IEC/IEEE 62209-1528 Ed. 1.0 (2020-10) STD, with CALISAR, Antenna proprietary calibration system. The calibration is performed with the EN 62209-1 annexes technique using reference guide at the five frequencies.





$$SAR = \frac{4\left(P_{fw} - P_{bw}\right)}{ab\delta} \cos^2\left(\pi \frac{y}{a}\right) e^{-(2z/\delta)}$$

Where :

Pfw = Forward Power Pbw = Backward Power a and b =Waveguide dimensions I = Skin depth

Keithley configuration:

Rate = Medium; Filter = ON; RDGS = 10; Filter type = Moving Average; Range auto after each calibration, a SAR measurement is performed on a validation dipole and compared with a NPL calibrated probe, to verify it.

The calibration factors, CF(N), for the 3 sensors corresponding to dipole 1, dipole 2 and dipole 3 are:

CF(N)=SAR(N)/Vlin(N) (N=1,2,3)

The linearised output voltage Vlin(N) is obtained from the displayed output voltage V(N) using

Vlin(N)=V(N)*(1+V(N)/DCP(N)) (N=1,2,3)

where DCP is the diode compression point in mV.

Waltek Testing Group (Shenzhen) Co., Ltd.

Http://www.waltek.com.cn

Page 10 of 40



E

4.3 Probe Calibration Process

Dosimetric Assessment Procedure

Each E-Probe/Probe Amplifier combination has unique calibration parameters. SATIMO Probe calibration procedure is conducted to determine the proper amplifier settings to enter in the probe parameters. The amplifier settings are determined for a given frequency by subjecting the probe to a known E-field density (1 mW/cm2) using an with CALISAR, Antenna proprietary calibration system.

Free Space Assessment Procedure

The free space E-field from amplified probe outputs is determined in a test chamber. This calibration can be performed in a TEM cell if the frequency is below 1 GHz and in a waveguide or other methodologies above 1 GHz for free space. For the free space calibration, the probe is placed in the volumetric center of the cavity and at the proper orientation with the field. The probe is rotated 360 degrees until the three channels show the maximum reading. The power density readings equates to 1mW/cm2.

Temperature Assessment Procedure

E-field temperature correlation calibration is performed in a flat phantom filled with the appropriate simulated head tissue. The E-field in the medium correlates with the temperature rise in the dielectric medium. For temperature correlation calibration a RF transparent thermistor-based temperature probe is used in conjunction with the E-field probe.

Where:

SAR =
$$C\frac{\Delta T}{\Delta t}$$

 Δ t = exposure time (30 seconds), C = heat capacity of tissue (brain or muscle), Δ T = temperature increase due to RF exposure.

SAR is proportional to $\Delta T/\Delta t$, the initial rate of tissue heating, before thermal diffusion takes place. The electric field in the simulated tissue can be used to estimate SAR by equating the thermally derived SAR to that with the E- field component.

$$SAR = \frac{|E|^2 \cdot \sigma}{\rho}$$

- Where:
- σ = simulated tissue conductivity,
- ρ = Tissue density (1.25 g/cm3 for brain tissue)

4.4 Phantom

For the measurements the Specific Anthropomorphic Mannequin (SAM) defined by the IEEE SCC-34/SC2 group is used. The phantom is a polyurethane shell integrated in a wooden table. The thickness of the phantom amounts to 2mm +/- 0.2mm. It enables the dosimetric evaluation of left and right phone usage and includes an additional flat phantom part for the simplified performance check. The phantom set-up includes a

```
Waltek Testing Group (Shenzhen) Co., Ltd.
Http://www.waltek.com.cn
```




Г

P

cover, which prevents the evaporation of the liquid.

4.5 Device Holder

The positioning system allows obtaining cheek and tilting position with a very good accuracy. In compliance with CENELEC, the tilt angle uncertainty is lower than 1°.



System Material	Permittivity	Loss Tangent
Delrin	3.7	0.005



4.6 Test Equipment List

Description	Manufacturer	Model	Serial Number	Cal. Date	Due. Date
E-Field Probe	MVG	SSE2	SN 18/21 EPGO356	2022-07-08	2023-07-07
2450MHz Dipole	MVG	SID2450	SN 09/15 DIP	2020-08-29	2023-08-28
Dielectric Probe	SATIMO	SCLMP	SN 47/12 OCPG49	2023-02-25	2024-02-24
SAM Phantom	SATIMO	SAM	SN/ 47/12 SAM95	N/A	N/A
Multi Meter	Keithley	Keithley 2000	4006367	2023-02-25	2024-02-24
Power meter	Keithley	3500	JC-2017-09-001	2023-02-25	2024-02-24
Power meter	Keithley	3500	JC-2017-09-001	2023-02-25	2024-02-24
Power Sensor	HP	11636B	JC-2017-10-002	2023-02-25	2024-02-24
EXG Analog Signal Generator	KEYSIGHT	N5173B	MY61252892	2023-02-25	2024-02-24
Universal Tester	Rohde & Schwarz	CMU200	112315	2023-02-25	2024-02-24
Universal Radio Communication Tester	Rohde & Schwarz	CMW500	148650	2023-02-25	2024-02-24
Network Analyzer	HP	8753C	2901A00831	2023-02-25	2024-02-24

Description	Manufacturer	Model	Serial Number	Cal. Date	Due. Date
E-Field Probe	MVG	SSE2	SN 18/21 EPGO356	2023-07-07	2024-07-06
2450MHz Dipole	MVG	SID2450	SN 13/15 DIP 2G450-363	2023-08-20	2026-08-19
Dielectric Probe	SATIMO	SCLMP	SN 47/12 OCPG49	2023-02-25	2024-02-24
SAM Phantom	SATIMO	SAM	SN/ 47/12 SAM95	N/A	N/A
Multi Meter	Keithley	Keithley 2000	4006367	2023-02-25	2024-02-24
Power meter	Keithley	3500	JC-2017-09-001(A)	2023-02-25	2024-02-24
Power meter	Keithley	3500	JC-2017-09-001(B)	2023-02-25	2024-02-24
Power Sensor	HP	11636B	JC-2017-10-002	2023-02-25	2024-02-24
EXG Analog Signal Generator	KEYSIGHT	N5173B	MY61252892	2023-02-25	2024-02-24
Universal Tester	Rohde & Schwarz	CMU200	112315	2023-02-25	2024-02-24
Universal Radio Communication Tester	Rohde & Schwarz	CMW500	148650	2023-02-25	2024-02-24
Network Analyzer	HP	8753C	2901A00831	2023-02-25	2024-02-24

Waltek Testing Group (Shenzhen) Co., Ltd. Http://www.waltek.com.cn



Ŧ

15

5. Tissue Simulating Liquids

5.1 Composition of Tissue Simulating Liquid

For the measurement of the field distribution inside the SAM phantom with SMTIMO, the phantom must be filled with around 25 liters of homogeneous body tissue simulating liquid. For head SAR testing, the liquid height from the ear reference point (ERP) of the phantom to the liquid top surface is larger than 15 cm. For body SAR testing, the liquid height from the center of the flat phantom to the liquid top surface is larger than 15 cm. For 15 cm. Please see the following photos for the liquid height.



Liquid Height for Head/Body SAR

The Composition of Tissue Simulating Liquid

Frequency	Water	Salt	1,2-Propane	HEC	Preventol	DGBE
(MHz)	(%)	(%)	diol (%)	(%)	(%)	(%)
to the	Let Set	NUTER MUTE	Head/Body	In In	4	t at a
2450	55.0	0.1	_0 _/-	<u></u> 0	0	44.9



5.2 Tissue Dielectric Parameters for Head and Body Phantoms

According to FCC KDBs, IEC/IEEE 62209-1528 Ed. 1.0 (2020-10) and CEI/IEC 62209 standards state that the system validation measurements must be performed using a reference dipole meeting the fore mentioned return loss and mechanical dimension requirements. The validation measurement must be performed against a liquid filled flat phantom, with the phantom constructed as outlined in the fore mentioned standards. Per the standards, the dipole shall be positioned below the bottom of the phantom, with the dipole length centered and parallel to the longest dimension of the flat phantom, with the top surface of the dipole at the described distance from the bottom surface of the phantom.

Tennet Frennen er	He	ad	Во	dy
Target Frequency	Conductivity	Permittivity	Conductivity	Permittivity
(MHz)	(σ)	(<i>E</i> ,)	(σ)	(& r)
150	0.76	52.3	0.80	61.9
300	0.87	45.3	0.92	58.2
450	0.87	43.5	0.94	56.7
750	0.89	41.9	0.96	55.5
835	0.90	41.5	0.97	55.2
900	0.97	41.5	1.05	55.0
915	0.98	41.5	1.06	55.0
1450	1.20	40.5	1.30	54.0
1610	1.29	40.3	1.40	53.8
1800-2000	1.40	40.0	1.52	53.3
2450	1.80	39.2	1.95	52.7
2600	1.96	39.0	2.16	52.5
3000	2.40	38.5	2.73	52.0
5200	4.66	36.0	5.30	49.0
5400	4.86	35.8	5.53	48.7
5600	5.07	35.5	5.77	48.5
5800	5.27	35.3	6.00	48.2

٢



5.3 Tissue Calibration Result

The dielectric parameters of the liquids were verified prior to the SAR evaluation using COMOSAR Dielectric Probe Kit and an Agilent Network Analyzer.

Calibration Result for Dielectric Parameters of Tissue Simulating Liquid

			Head/E	Body Tissu	le Simulatin	g Liquid			
Бира	-	С	onductivit	y	F	Permittivity	/	1 : :	
Freq.	Temp.	Reading	Target	Delta	Reading	Target	Delta		Date
MHz.	(°C)	(σ)	(σ)	(%)	(<i>^E</i> r)	(<i>^ɛ</i> r)	(%)	(%)	
2450	21.2	1.83	1.80	1.67	40.06	39.2	2.19	±5	2023-05-12
2412	21.2	1.83	1.80	1.67	40.05	39.2	2.17	±5	2023-05-12
2437	21.2	1.83	1.80	1.67	40.05	39.2	2.17	±5	2023-05-12
2462	21.2	1.83	<1.80 <i>S</i>	1.67	40.06	39.2	2.19	±5	2023-05-12

	Head Tissue Simulating Liquid												
From	req. Temp. Hz. (°C)	Conductivity			F	Permittivity	Limit						
-		Reading	Target	Delta	Reading	Target	Delta		Date				
		(^{<i>σ</i>})	(^σ)	(%)	(<i>^E</i> r)	(<i>^ɛ</i> r)	(%)	(%)					
2450	22.2	1.81	1.80	0.56	39.01	39.2	-0.48	±5	2023-09-26				
2412	22.2	1.79	1.80	-0.56	39.03	39.2	-0.43	±5	2023-09-26				
2437	22.2	1.81	1.80	0.56	39.02	39.2	-0.46	±5	2023-09-26				
2462	22.2	1.82	1.80	1.11	39.00	39.2	-0.51	±5	2023-09-26				




6. SAR Measurement Evaluation

6.1 Purpose of System Performance Check

The system performance check verifies that the system operates within its specifications. System and operator errors can be detected and corrected. It is recommended that the system performance check be performed prior to any usage of the system in order to guarantee reproducible results. The system performance check uses normal SAR measurements in a simplified setup with a well characterized source. This setup was selected to give a high sensitivity to all parameters that might fail or vary over time. The system check does not intend to replace the calibration of the components, but indicates situations where the system uncertainty is exceeded due to drift or failure.

6.2 System Setup

In the simplified setup for system evaluation, the EUT is replaced by a calibrated dipole and the power source is replaced by a continuous wave which comes from a signal generator at frequency 2450MHz and 5000MHz. The calibrated dipole must be placed beneath the flat phantom section of the SAM twin phantom with the correct distance holder. The distance holder should touch the phantom surface with a light pressure at the reference marking and be oriented parallel to the long side of the phantom.



System Verification Setup Block Diagram

Waltek Testing Group (Shenzhen) Co., Ltd. Http://www.waltek.com.cn





Setup Photo of Dipole Antenna

The output power on dipole port must be calibrated to 24 dBm(250 mW) before dipole is connected.

6.3 Validation Results

Comparing to the original SAR value provided by SATIMO, the validation data should be within its specification of 10 %. Table 6.1 shows the target SAR and measured SAR after normalized to 1W input power. The table below indicates the system performance check can meet the variation criterion.

Frequency Targeted SAR _{1g}		Measured SAR_{1g}	Normalized SAR _{1g}	Tolerance	Date						
MHz	Hz (W/kg) (W/kg) (W/kg		(W/kg)	(%)	untite when						
	Head/Body										
2450	54.31	13.03	52.12	-4.03	2023-05-12						

Frequency	Liquid	TargetedMeasuredSAR1gSAR1g		Normalized SAR _{1g}	Tolerance	Date	
MHz	(Head/Body)	(W/kg)	(W/kg)	(W/kg)	(%)		
2450	Head/Body	54.31	13.747	54.988	1.25	2023-09-26	

Targeted and Measurement SAR

Please refer to Annex A for the plots of system performance check.

Waltek Testing Group (Shenzhen) Co., Ltd. Http://www.waltek.com.cn

7. EUT Testing Position

7.1 Body Position

- (a) To position the device parallel to the phantom surface with each side.
- (b) To adjust the device parallel to the flat phantom.
- (c) To adjust the distance between the device surface and the flat phantom to 0mm.




Illustration for Body Position

7.2 EUT Antenna Position




Fig 7.2 Block Diagram for EUT Antenna Position

Waltek Testing Group (Shenzhen) Co., Ltd. Http://www.waltek.com.cn

Page 19 of 40





		Distance of EU	T antenna-to-e	dge/surface(mi	m),					
	Test distance:0mm									
Antennas	Back side	Front side	Left Edge	Right Edge	Top Edge	Bottom Edge				
WLAN/BT	<25	<25	<25	185	<25	120				

7.3 EUT Testing Position

Body mode SAR assessments are required for this device. This EUT was tested in different positions for different SAR test modes, more information as below:

	Body SAR tests, Test distance: 0mm										
	Antennas	Front	Back	Left Side	Right Side	Top Side	Bottom Side				
5	WLAN/BT	Yes	Yes	No	Yes	Yes	No				

Remark:

- 1. Referring to KDB 616217 D04 v01r02, KDB 248227 D01 v02r02 and KDB 447498 D01 v06, this device is overall diagonal dimension(>20cm) tablet, tested in direct contact (no gap) with flat phantom.
- Referring to KDB 616217 D04 v01r02, Exposures from antennas through the front (top) surface of the display section of a full-size tablet, away from the edges, are generally limited to the user's hands. Exposures to hands for typical consumer transmitters used in tablets are not expected to exceed the extremity SAR limit; therefore, SAR evaluation for the front surface of tablet display screens are generally not necessary.

Please refer to Annex D for the EUT test setup photos.

8. SAR Measurement Procedures

8.1 Measurement Procedures

The measurement procedures are as follows:

(a) Use base station simulator (if applicable) or engineering software to transmit RF power continuously (continuous Tx) in the highest power channel.

- (b) Keep EUT to radiate maximum output power or 100% factor (if applicable)
- (c) Measure output power through RF cable and power meter.
- (d) Place the EUT in the positions as Annex D demonstrates.
- (e) Set scan area, grid size and other setting on the SATIMO software.
- (f) Measure SAR results for the highest power channel on each testing position.
- (g) Find out the largest SAR result on these testing positions of each band

(h) Measure SAR results for other channels in worst SAR testing position if the SAR of highest power channel

is larger than 0.8 W/kg

According to the test standard, the recommended procedure for assessing the peak spatial-average SAR value consists of the following steps:

- (a) Power reference measurement
- (b) Area scan
- (c) Zoom scan
- (d) Power drift measurement

8.2 Spatial Peak SAR Evaluation

The procedure for spatial peak SAR evaluation has been implemented according to the test standard. It can be conducted for 1g and 10g, as well as for user-specific masses. The SATIMO software includes all numerical procedures necessary to evaluate the spatial peak SAR value.

The base for the evaluation is a "cube" measurement. The measured volume must include the 1g and 10g cubes with the highest averaged SAR values. For that purpose, the center of the measured volume is aligned to the interpolated peak SAR value of a previously performed area scan.

The entire evaluation of the spatial peak values is performed within the post-processing engine. The system always gives the maximum values for the 1g and 10g cubes. The algorithm to find the cube with highest averaged SAR is divided into the following stages:

- (a) Extraction of the measured data (grid and values) from the Zoom Scan
- (b) Calculation of the SAR value at every measurement point based on all stored data
- (c) Generation of a high-resolution mesh within the measured volume
- (d) Interpolation of all measured values form the measurement grid to the high-resolution grid

(e) Extrapolation of the entire 3D field distribution to the phantom surface over the distance from sensor to surface

(f) Calculation of the averaged SAR within masses of 1g and 10g



8.3 Area & Zoom Scan Procedures

First Area Scan is used to locate the approximate location(s) of the local peak SAR value(s). The measurement grid within an Area Scan is defined by the grid extent, grid step size and grid offset. Next, in order to determine the EM field distribution in a three-dimensional spatial extension, Zoom Scan is required. The Zoom Scan measures 5x5x7 points with step size 8, 8 and 5 mm for 300 MHz to 3 GHz, and 8x8x8 points with step size 4, 4 and 2.5 mm for 3 GHz to 6 GHz. The Zoom Scan is performed around the highest E-field value to determine the averaged SAR-distribution over 10 g.

8.4 Volume Scan Procedures

The volume scan is used for assess overlapping SAR distributions for antennas transmitting in different frequency bands. It is equivalent to an oversized zoom scan used in standalone measurements. The measurement volume will be used to enclose all the simultaneous transmitting antennas. For antennas transmitting simultaneously in different frequency bands, the volume scan is measured separately in each frequency band. In order to sum correctly to compute the 1g aggregate SAR, the EUT remain in the same test position for all measurements and all volume scan use the same spatial resolution and grid spacing (step-size is 4, 4 and 2.5 mm). When all volume scan were completed, the software can combine and subsequently superpose these measurement data to calculating the multiband SAR.

8.5 SAR Averaged Methods

The local SAR inside the phantom is measured using small dipole sensing elements inside a probe body. The probe tip must not be in contact with the phantom surface in order to minimize measurements errors, but the highest local SAR will occur at the surface of the phantom.

An extrapolation is using to determinate this highest local SAR values. The extrapolation is based on a fourth-order least-square polynomial fit of measured data. The local SAR value is then extrapolated from the liquid surface with a 1mm step.

The measurements have to be performed over a limited time (due to the duration of the battery) so the step of measurement is high. It could vary between 5 and 8 mm. To obtain an accurate assessment of the maximum SAR averaged over 10g and 1 g requires a very fine resolution in the three dimensional scanned data array.

8.6 Power Drift Monitoring

All SAR testing is under the EUT install full charged battery and transmit maximum output power. In SATIMO measurement software, the power reference measurement and power drift measurement procedures are used for monitoring the power drift of EUT during SAR test. Both these procedures measure the field at a specified reference position before and after the SAR testing. The software will calculate the field difference in dB. If the power drift more than 5%, the SAR will be retested.



9. SAR Test Result

9.1 Conducted RF Output Power

		WLAN(2.40	Hz)		
Test Mode	Data Rate	Channel	Frequency (MHz)	Conducted Power (dBm)	Tune-up power (dBm)
- nute intre and	me me	CH 01	2412	15.39	16.0
802.11b	1Mbps	CH 06	2437	15.70	16.0
THE NUMBER OF		CH 11	2462	14.81	16.0
h an a	t it	CH 01	2412	14.71	15.5
802.11g	6Mbps	CH 06	2437	14.70	15.5
er mer en s		CH 11	2462	15.23	15.5
the set set is	ite intra int	CH 01	2412	13.22	/13.5
802.11n (20MHz)	MCS0	CH 06	2437	13.02	13.5
at set at		CH 11	2462	12.64	J 13.5
me me m	4. 4	CH 03	2422	11.58	12.0
802.11n (40MHz)	MCS0	CH 06	2437	11.50	12.0
inter which which		CH 09	2452	11.41	J12.0 V

Remark:

1. Per KDB 248227 D01 v02r02, For 802.11b DSSS SAR measurements, DSSS SAR procedure applies to fixed exposure test position and initial test position procedure applies to multiple exposure test positions.

2. Per KDB 248227 D01 v02r02, For 802.11b DSSS SAR measurements ,when the reported SAR of the highest measured maximum output power channel (see 3.1) for the exposure configuration is \leq 0.8 W/kg, no further SAR testing is required for 802.11b DSSS in that exposure configuration. When the reported SAR is > 0.8 W/kg, SAR is required for that exposure configuration using the next highest measured output power channel. When any reported SAR is > 1.2 W/kg, SAR is required for the third channel; i.e., all channels require testing.

3 .For OFDM modes (802.11g/n), SAR is not required when the highest reported SAR for DSSS is adjusted by the ratio of OFDM to DSSS specified maximum output power and it is <= 1.2W/kg.



	Bluetooth - Maximum Average Power										
Test Mode	Data Rate	Conducted Power (dBm)	Conducted Power (dBm)	Conducted Power (dBm)	Tune-up power						
		Low	Middle	High	(dBm)						
GFSK	1Mbps	2.87	3.01	2.94	3.5						
π/4 DQPSK	2Mbps	2.69	2.74	2.75	3.5						
8DPSK	3Mbps	2.73	2.91	2.8	3.5						

	Blu	Bluetooth - Maximum Average Power											
Test Mode	Data Rate	Channel	Frequency (MHz)	Conducted Power (dBm)	Tune-up power (dBm)								
LIE WITH WALL	me m	CH 00	2402	2.89	3.5								
BLE	1Mbps	CH 19	2440	3.06	3.5								
	and which a	CH 39	2480	2.94	3.5								

Note: The WIFI/BT Output power are provided by the customer.

Remark:

Bluetooth maximum output power is 3.06dBm and Maximum Tune-Up output power is 3.5dBm,. Per KDB 447498 D01 V06, the 1-g and 10-g SAR test exclusion thresholds for 100 MHz to 6 GHz at test separation distances \leq 50 mm are determined by:

[(max. power of channel, including tune-up tolerance, mW)/(min. test separation distance, mm)] $\cdot [\sqrt{f(GHz)}] \le 3.0$ for 1-g SAR and ≤ 7.5 for 10-g extremity SAR,16 where

- f(GHz) is the RF channel transmit frequency in GHz

- Power and distance are rounded to the nearest mW and mm before calculation17

- The result is rounded to one decimal place for comparison

Bluetooth:

Tune-Up Power (dBm)	Max. Power (mW)	Distance (mm)	Frequency (GHz)	Result	Limit
3.5	2.24	5	2.48	0.71	3

The exclusion thresholds is 0.71< 3, therefore, the RF exposure evaluation is not required.

9.2 Test Results for Standalone SAR Test

\bigotimes

- XP

1

Body SAR

			WLAN 2.4	4GHz –Be	ody SAR Te	est(0mm)			
Plot		Test	Frequ	iency	Output Power (dBm)	Rated	Scaling	SAR1g (W/kg)	Scaled
No.	Mode	Position Body	СН.	MHz		Limit (dBm)	Factor		SAR1g (W/kg)
* .	802.11b	Back Face	CH 06	2437	15.70	16.0	1.072	0.127	0.136
in.	802.11b	Front Face	CH 06	2437	15.70	16.0	1.072	0.468	0.501
	802.11b	Left Side	CH 06	2437	15.70	16.0	1.072	0.067	0.072
m.	802.11b	Top Side	CH 06	2437	15.70	16.0	1.072	0.075	0.080
At	802.11b	Front Face	CH 01	2412	15.39	16.0	1.151	0.386	0.444
1.	802.11b	Front Face	CH 11	2462	14.81	16.0	1.315	0.444	0.584

Differential testing

Body SAR

			WLAN 2.4	4GHz –Bo	ody SAR Te	est(0mm)			
Plot No.		Test	Frequency		Output	Rated	Scaling	SAR1g	Scaled
	Mode	Position Body	CH.	MHz	Power (dBm)	Limit (dBm)	Factor	(W/kg)	SAR1g (W/kg)
	802.11b	Back Face	CH 06	2437	15.70	16.0	1.072	0.154	0.165
1. S.	802.11b	Front Face	CH 06	2437	15.70	16.0	1.072	0.483	0.518
20	802.11b	Left Side	CH 06	2437	15.70	16.0	1.072	0.086	0.092
5	802.11b	Top Side	CH 06	2437	15.70	16.0	1.072	0.092	0.099
m.	802.11b	Front Face	CH 01	2412	15.39	16.0	1.151	0.411	0.473
2.	802.11b	Front Face	CH 11	2462	14.81	16.0	1.315	0.464	0.610

Remark:

- 1. Per KDB 447498 D01 v06, if the highest output channel SAR for each exposure position ≤ 0.8 W/kg other channels SAR tests are not necessary.
- 2. WLAN and Bluetooth share the same antenna and cannot transmit at the same time.



è

10. Measurement Uncertainty

10.1 Uncertainty for SAR Test

а	b	с	d	e= f(d,k)	f	g	h= c*f/e	i= c*g/e	k
Uncertainty Component	Sec.	Tol	Prob.	Div.	Ci (1g)	Ci (10g)	1g Ui	10g Ui	Vi
		(+- %)	Dist.				(+-%)	(+-%)	
Measurement System	it i	d .3	er.	iner wh	no in	- Mr	-m	5	d.
Probe calibration	E.2.1	7.0	Ν	_ 1 _	- 1	- 1,14	7.00	7.00	x
Axial Isotropy	E.2.2	2.5	R	$\sqrt{3}$	(1_Cp)^1/2	(1_Cp)^1/2	1.02	1.02	×
Hemispherical Isotropy	E.2.2	4.0	R	√3	(Cp)^1/2	(Cp)^1/2	1.63	1.63	x
Boundary effect	E.2.3	1.0	R	√3	1	1	0.58	0.58	x
Linearity	E.2.4	5.0	R	√3	ند ۱ ا	1. 1. m	2.89	2.89	x
System detection limits	E.2.5	1.0	R	√3	1	8 1 A	0.58	0.58	x
Readout Electronics	E.2.6	0.02	N	in the	1100	-1	0.02	0.02	x
Reponse Time	E.2.7	3.0	R	$\sqrt{3}$	1	1	1.73	1.73	x
Integration Time	E.2.8	2.0	R	√3	1	1	1.15	1.15	×
RF ambient Conditions – Noise	E.6.1	0	R	√3	1	IN I'LL	1.73	1.73	x
RF ambient Conditions - Reflections	E.6.1	0	R	√3	1	.d+ 1 .s	1.73	1.73	x
Probe positioner Mechanical Tolerance	E.6.2	2.0	R	√3	+ 1	1 Milt	1.15	1.15	x
Probe positioning with respect to Phantom Shell	E.6.3	0.05	R	√3	1 Jet		0.03	0.03	×
Extrapolation, interpolation and integration Algoritms for Max. SAR Evaluation	E.5	5.0	R R	√3	NI 1	trek wo	2.89	2.89	×
Test Sample Related	2 20			*	de la	at de	*	NUTE	MART
Test sample positioning	E.4.2	0.03	Ν	1 1 m	1.15	1	0.03	0.03	N-1
Device Holder Uncertainty	E.4.1	5.00	Ν	1	1	1,1	5.00	5.00	5
Output power Variation - SAR drift measurement	E.2.9	12.02	R	√3	1		6.94	6.94	x
SAR scaling	E6.5	0.0	R	√3	J 1	1 N	0.0	0.0	x
Phantom and Tissue Parameters	n 1	w.			.st	de la	d 5	5 50	
Phantom Uncertainty (Shape and thickness tolerances)	E.3.1	0.05	R	√3	1	10 ¹¹	0.03	0.03	x
Uncertainty in SAR correction for deviations in permittivity and conductivity	E3.2	1.9	R	√3	J. C.	0.84	1.10	0.90	x

Waltek Testing Group (Shenzhen) Co., Ltd.

Http://www.waltek.com.cn

Reference No.: WTX23X05095105R1W

	- C								
Liquid conductivity - deviation from target value	E.3.2	0	R	√3	0	0.43	0, set	0.1	x
Liquid conductivity - measurement uncertainty	E.3.3	4.00	N	1	0.64	0.43	1.10	1.10	x
Liquid permittivity - deviation from target value	E.3.2	0	R	√3	0	0.49		0	x
Liquid permittivity - measurement uncertainty	E.3.3	5.00	N	1 ¹¹ 1 1	0.6	0.49	1.47	1.47	x
Combined Standard Uncertainty	d . 3	17 J	RSS	a m	-m.	20	10.20	10.00	A
Expanded Uncertainty (95% Confidence interval)	1 1 EX	56	K=2	* white	L WILLIE	WALTER	20.40	20.00	

0

S



Annex A. Plots of System Performance Check

MEASUREMENT 1


Type: Validation measurement (Fast, 75.00 %) Date of measurement: 2023-05-12 Measurement duration: 12 minutes 21 seconds E-field Probe: SSE2 - SN 18/21 EPGO356; ConvF: 2.29; Calibrated: 2022-07-08

A. Experimental conditions

Area Scan	dx=8mm dy=8mm
Zoom Scan	dx=5mm dy=5mm dz=4mm
Phantom	Validation plane
Device Position	Dipole
Band	CW2450
Signal	CW (Crest factor: 1.0)

B. SAR Measurement Results

Frequency (MHz)	2450.000000	
Relative Permittivity (real part)	40.063275	
Conductivity (S/m)	1.832149	
Power Variation (%)	-1.050000	
Ambient Temperature	21.2	
Liquid Temperature	21.2	




Waltek Testing Group (Shenzhen) Co., Ltd. Http://www.waltek.com.cn


Page 28 of 40



Maximum	location:	X=0.00.	Y = 0.00

SAR 10g (W/Kg)	5.821735
SAR 1g (W/Kg)	13.031201





Waltek Testing Group (Shenzhen) Co., Ltd. Http://www.waltek.com.cn



MEASUREMENT 2

Type: Validation measurement (Fast, 75.00 %) Date of measurement: 2023-09-26 Measurement duration: 12 minutes 21 seconds E-field Probe: SSE2 - SN 18/21 EPGO356; ConvF: 2.29; Calibrated: 2023-07-07


A. Experimental conditions

Area Scan	dx=8mm dy=8mm dx=5mm dy=5mm dz=4mm		
Zoom Scan			
Phantom	Validation plane		
Device Position	Dipole		
Band	CW2450		
Signal	CW (Crest factor: 1.0)		

B. SAR Measurement Results

Frequency (MHz)	2450.000000		
Relative Permittivity (real part)	39.012289		
Conductivity (S/m)	1.811482		
Power Variation (%)	1.475200		
Ambient Temperature	22.2		
Liquid Temperature	22.2		

C. SAR Surface and Volume



Waltek Testing Group (Shenzhen) Co., Ltd. Http://www.waltek.com.cn

Page 30 of 40


R



Maximum location: X=7.00, Y=0.00 D. SAR 1g & 10g


SAR 10g (W/Kg)	6.149024
SAR 1g (W/Kg)	13.746586

Z (mm)	0.00	4.00	8.00	12.00	16.00
SAR (W/Kg)	28.7959	15.1301	7.5430	3.7436	1.9810



E. Z Axis Scan







Annex B. Plots of SAR Measurement

MEASUREMENT 1

Type: measurement (Complete) Date of measurement: 2023-05-12 Measurement duration: 12 minutes 3 seconds


A. Experimental conditions

dx=8mm dy=8mm		
dx=5mm dy=5mm dz=4mm		
Flat Plane		
Front		
WiFi_802.11b		
High		
Duty Cycle 1:1		

B. SAR Measurement Results

Frequency (MHz)	2462.000000	
Relative Permittivity (real part)	40.062689	
Conductivity (S/m)	1.831572	
Power Variation (%)	-0.450000	
Ambient Temperature	21.2	
Liquid Temperature	21.2	

C. SAR Surface and Volume



Waltek Testing Group (Shenzhen) Co., Ltd. Http://www.waltek.com.cn

'S

j

E

C

Maximum location: X=0.00, Y=2.00 D. SAR 1g & 10g

SAR 10g (W/Kg)	0.204391
SAR 1g (W/Kg)	0.444141

E. Z Axis Sc	an
--------------	----

Z (mm)	0.00	4.00	6.00	8.00	10.00	12.00	14.00	16.00	18.00
SAR (W/Kg)	0.9603	0.4437	0.2966	0.1993	0.1391	0.1025	0.0805	0.0674	0.0595



F. 3D Image

- 50	3D screen shot	MALL WALL ON	Hot spot position	et .1et .5
uni -				et.
575 24		W/kg 0.444		Wikg 0.398
M		0.388 0.333 0.278 0.222 0.187 0.111 0.066 0.001		0.348 0.299 0.199 0.149 0.100 0.050 0.050



MEASUREMENT 2

Type: measurement (Complete) Date of measurement: 2023-09-26 Measurement duration: 12 minutes 3 seconds

A. Experimental conditions

Area Scan	dx=8mm dy=8mm		
Zoom Scan	dx=5mm dy=5mm dz=4mm		
Phantom	Flat Plane		
Device Position	Front		
Band	WiFi_802.11b		
Channels	High At S		
Signal	Duty Cycle 1:1		

B. SAR Measurement Results

Frequency (MHz)	2462.000000
Relative Permittivity (real part)	39.004391
Conductivity (S/m)	1.824141
Power Variation (%)	-0.241050
Ambient Temperature	22.2
Liquid Temperature	22.2

C. SAR Surface and Volume

SURFACE SAR		The a	VOLUME SAR		
P		W/kg 0.494 0.432 0.371 0.309 0.248 0.187	VOLOML OAK	W/kg 0.504 0.443 0.381 0.320 0.258 0.197	
		0.125 0.064 0.002		0.135 0.074 0.012	

Maximum location: X=8.00, Y=-3.00

Waltek Testing Group (Shenzhen) Co., Ltd. Http://www.waltek.com.cn

Page 34 of 40



D. SAR 1g & 10g


SAR 10g (W/Kg)	0.224042
SAR 1g (W/Kg)	0.463827

E. Z Axis Scan

Z (mm)	0.00	4.00	8.00	12.00	16.00
SAR (W/Kg) 0.8899		0.5043 0.2741		0.1465	0.0792



F. 3D Image





/


-

Annex C. EUT Photos

EUT View 1



EUT View 2




Waltek Testing Group (Shenzhen) Co., Ltd. Http://www.waltek.com.cn

Page 36 of 40



Antenna View



Waltek Testing Group (Shenzhen) Co., Ltd. Http://www.waltek.com.cn

Page 37 of 40



2000 ----

1

Annex D. Test Setup Photos

Body mode Exposure Conditions Test distance: 0mm



Body Front




Waltek Testing Group (Shenzhen) Co., Ltd. Http://www.waltek.com.cn

Page 38 of 40



Body Left





Waltek Testing Group (Shenzhen) Co., Ltd. Http://www.waltek.com.cn

Page 39 of 40



Annex E. Calibration Certificate

Please refer to the exhibit for the calibration certificate

***** END OF REPORT *****

Waltek Testing Group (Shenzhen) Co., Ltd. Http://www.waltek.com.cn

Page 40 of 40