



18.14. LTE Band Edge_out-of-band(NTNV)(Subtest:14, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-24.2	Pass	401




18.15. LTE Band Edge_out-of-band(NTNV)(Subtest:15, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-17.92	Pass	401




18.16. LTE Band Edge_out-of-band(NTNV)(Subtest:16, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-26.93	Pass	401




18.17. LTE Band Edge_out-of-band(NTNV)(Subtest:17, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.95	-24.01	Pass	401




18.18. LTE Band Edge_out-of-band(NTNV)(Subtest:18, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.95	-28.51	Pass	401




18.19. LTE Band Edge_out-of-band(NTNV)(Subtest:19, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.95	-23.36	Pass	401




18.20. LTE Band Edge_out-of-band(NTNV)(Subtest:20, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.95	-31.64	Pass	401




18.21. LTE Band Edge_out-of-band(NTNV)(Subtest:21, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-23.68	Pass	401




18.22. LTE Band Edge_out-of-band(NTNV)(Subtest:22, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-27.22	Pass	401




18.23. LTE Band Edge_out-of-band(NTNV)(Subtest:23, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-23.17	Pass	401




18.24. LTE Band Edge_out-of-band(NTNV)(Subtest:24, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-30.8	Pass	401




18.25. LTE Band Edge_out-of-band(NTNV)(Subtest:25, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.95	-36.31	Pass	401




18.26. LTE Band Edge_out-of-band(NTNV)(Subtest:26, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.95	-32.32	Pass	401




18.27. LTE Band Edge_out-of-band(NTNV)(Subtest:27, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.925	-33.73	Pass	401




18.28. LTE Band Edge_out-of-band(NTNV)(Subtest:28, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.95	-35.2	Pass	401




18.29. LTE Band Edge_out-of-band(NTNV)(Subtest:29, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-34.94	Pass	401




18.30. LTE Band Edge_out-of-band(NTNV)(Subtest:30, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-30.55	Pass	401




18.31. LTE Band Edge_out-of-band(NTNV)(Subtest:31, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-31.64	Pass	401




18.32. LTE Band Edge_out-of-band(NTNV)(Subtest:32, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-33.49	Pass	401




18.33. LTE Band Edge_out-of-band(NTNV)(Subtest:33, Channel:26765, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.95	-35.48	Pass	401




18.34. LTE Band Edge_out-of-band(NTNV)(Subtest:34, Channel:26765, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.95	-33.24	Pass	401




18.35. LTE Band Edge_out-of-band(NTNV)(Subtest:35, Channel:26765, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.95	-35.45	Pass	401



18.36. LTE Band Edge_out-of-band(NTNV)(Subtest:36, Channel:26765, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.925	-37.24	Pass	401



19. LTE_Band38


19.1. LTE Band Edge(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2564	1	RMS	2563.953	-45.33	-25	Pass	401
2564	2565	1	RMS	2564.988	-44.28	-13	Pass	401
2565	2569	1	RMS	2569	-34.06	-10	Pass	41
2569	2570	0.1	RMS	2570	-17.25	-10	Pass	401
2570	2575	0.1	RMS	2570.35	20.37	30	Pass	401




19.2. LTE Band Edge(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2564	1	RMS	2564	-29.88	-25	Pass	401
2564	2565	1	RMS	2564.995	-29.18	-13	Pass	401
2565	2569	1	RMS	2569	-25.93	-10	Pass	41
2569	2570	0.1	RMS	2569.993	-24.76	-10	Pass	401
2570	2575	0.1	RMS	2571.288	6.06	30	Pass	401




19.3. LTE Band Edge(NTNV)(Subtest:3, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2564	1	RMS	2563.905	-45.44	-25	Pass	401
2564	2565	1	RMS	2564.988	-44.53	-13	Pass	401
2565	2569	1	RMS	2569	-33.29	-10	Pass	41
2569	2570	0.1	RMS	2569.998	-17.05	-10	Pass	401
2570	2575	0.1	RMS	2570.338	19.64	30	Pass	401




19.4. LTE Band Edge(NTNV)(Subtest:4, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2564	1	RMS	2564	-31.37	-25	Pass	401
2564	2565	1	RMS	2564.988	-28.94	-13	Pass	401
2565	2569	1	RMS	2568.9	-24.66	-10	Pass	41
2569	2570	0.1	RMS	2569.993	-27.25	-10	Pass	401
2570	2575	0.1	RMS	2573.313	5.22	30	Pass	401




19.5. LTE Band Edge(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2615	2620	0.1	RMS	2619.663	20.54	30	Pass	401
2620	2621	0.1	RMS	2620.003	-16.56	-10	Pass	401
2621	2625	1	RMS	2621	-32.34	-10	Pass	41
2625	2626	1	RMS	2625.035	-44.12	-13	Pass	401
2626	2645	1	RMS	2626.048	-45.18	-25	Pass	401




19.6. LTE Band Edge(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2615	2620	0.1	RMS	2616.088	6.09	30	Pass	401
2620	2621	0.1	RMS	2620.003	-25.53	-10	Pass	401
2621	2625	1	RMS	2621.1	-26.53	-10	Pass	41
2625	2626	1	RMS	2625.985	-31.74	-13	Pass	401
2626	2645	1	RMS	2626.808	-31.89	-25	Pass	401




19.7. LTE Band Edge(NTNV)(Subtest:7, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2615	2620	0.1	RMS	2619.663	19.62	30	Pass	401
2620	2621	0.1	RMS	2620	-16.71	-10	Pass	401
2621	2625	1	RMS	2621	-32.74	-10	Pass	41
2625	2626	1	RMS	2625.025	-44.51	-13	Pass	401
2626	2645	1	RMS	2626	-45.41	-25	Pass	401




19.8. LTE Band Edge(NTNV)(Subtest:8, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2615	2620	0.1	RMS	2618.963	5.17	30	Pass	401
2620	2621	0.1	RMS	2620	-28.05	-10	Pass	401
2621	2625	1	RMS	2621	-25.16	-10	Pass	41
2625	2626	1	RMS	2625.005	-31	-13	Pass	401
2626	2645	1	RMS	2626	-33.2	-25	Pass	401




19.9. LTE Band Edge(NTNV)(Subtest:9, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2560	1	RMS	2559.963	-46.32	-25	Pass	401
2560	2565	1	RMS	2564.988	-44.72	-13	Pass	401
2565	2569	1	RMS	2569	-36.69	-10	Pass	41
2569	2570	0.2	RMS	2569.998	-23.2	-10	Pass	401
2570	2580	0.1	RMS	2570.575	20.05	30	Pass	401




19.10. LTE Band Edge(NTNV)(Subtest:10, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2560	1	RMS	2560	-32.3	-25	Pass	401
2560	2565	1	RMS	2564.813	-29.68	-13	Pass	401
2565	2569	1	RMS	2568.6	-27.9	-10	Pass	41
2569	2570	0.2	RMS	2569.998	-26.39	-10	Pass	401
2570	2580	0.1	RMS	2573.35	3.34	30	Pass	401




19.11. LTE Band Edge(NTNV)(Subtest:11, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2560	1	RMS	2559.888	-46.58	-25	Pass	401
2560	2565	1	RMS	2564.575	-44.04	-13	Pass	401
2565	2569	1	RMS	2569	-36.09	-10	Pass	41
2569	2570	0.2	RMS	2569.998	-22.72	-10	Pass	401
2570	2580	0.1	RMS	2570.6	19.16	30	Pass	401




19.12. LTE Band Edge(NTNV)(Subtest:12, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2560	1	RMS	2559.888	-32.48	-25	Pass	401
2560	2565	1	RMS	2565	-28.7	-13	Pass	401
2565	2569	1	RMS	2568.2	-27.24	-10	Pass	41
2569	2570	0.2	RMS	2569.998	-30.12	-10	Pass	401
2570	2580	0.1	RMS	2573.35	2.07	30	Pass	401




19.13. LTE Band Edge(NTNV)(Subtest:13, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2610	2620	0.1	RMS	2619.4	20.02	30	Pass	401
2620	2621	0.2	RMS	2620.003	-23.4	-10	Pass	401
2621	2625	1	RMS	2621	-38.16	-10	Pass	41
2625	2630	1	RMS	2625.05	-44.42	-13	Pass	401
2630	2645	1	RMS	2632.513	-46.54	-25	Pass	401




19.14. LTE Band Edge(NTNV)(Subtest:14, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2610	2620	0.1	RMS	2613.825	3.55	30	Pass	401
2620	2621	0.2	RMS	2620	-28.15	-10	Pass	401
2621	2625	1	RMS	2621	-29.58	-10	Pass	41
2625	2630	1	RMS	2627.725	-31.1	-13	Pass	401
2630	2645	1	RMS	2633.825	-35.12	-25	Pass	401



19.15. LTE Band Edge(NTNV)(Subtest:15, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2610	2620	0.1	RMS	2619.4	19.27	30	Pass	401
2620	2621	0.2	RMS	2620	-25.54	-10	Pass	401
2621	2625	1	RMS	2621	-39.15	-10	Pass	41
2625	2630	1	RMS	2625.313	-44.47	-13	Pass	401
2630	2645	1	RMS	2630.3	-46.77	-25	Pass	401




19.16. LTE Band Edge(NTNV)(Subtest:16, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2610	2620	0.1	RMS	2613.225	1.77	30	Pass	401
2620	2621	0.2	RMS	2620.003	-30.69	-10	Pass	401
2621	2625	1	RMS	2621.1	-28.55	-10	Pass	41
2625	2630	1	RMS	2625.025	-29.46	-13	Pass	401
2630	2645	1	RMS	2630.113	-34.3	-25	Pass	401




19.17. LTE Band Edge(NTNV)(Subtest:17, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2555	1	RMS	2550.925	-46.76	-25	Pass	401
2555	2565	1	RMS	2562.05	-43.45	-13	Pass	401
2565	2569	1	RMS	2569	-39.21	-10	Pass	41
2569	2570	0.3	RMS	2569.995	-24.01	-10	Pass	401
2570	2585	0.1	RMS	2570.863	19.92	30	Pass	401




19.18. LTE Band Edge(NTNV)(Subtest:18, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2555	1	RMS	2554.125	-37.56	-25	Pass	401
2555	2565	1	RMS	2563.85	-30.69	-13	Pass	401
2565	2569	1	RMS	2568	-30.7	-10	Pass	41
2569	2570	0.3	RMS	2569.998	-26.66	-10	Pass	401
2570	2585	0.1	RMS	2576.413	1.59	30	Pass	401




19.19. LTE Band Edge(NTNV)(Subtest:19, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2555	1	RMS	2550.925	-46.98	-25	Pass	401
2555	2565	1	RMS	2564.225	-42.99	-13	Pass	401
2565	2569	1	RMS	2569	-36.67	-10	Pass	41
2569	2570	0.3	RMS	2569.998	-24.26	-10	Pass	401
2570	2585	0.1	RMS	2570.825	19.33	30	Pass	401




19.20. LTE Band Edge(NTNV)(Subtest:20, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2555	1	RMS	2554.975	-37.65	-25	Pass	401
2555	2565	1	RMS	2563.7	-30.62	-13	Pass	401
2565	2569	1	RMS	2567.4	-30.63	-10	Pass	41
2569	2570	0.3	RMS	2570	-32.79	-10	Pass	401
2570	2585	0.1	RMS	2574.988	0.46	30	Pass	401




19.21. LTE Band Edge(NTNV)(Subtest:21, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2605	2620	0.1	RMS	2619.175	20.42	30	Pass	401
2620	2621	0.3	RMS	2620	-24.66	-10	Pass	401
2621	2625	1	RMS	2621.6	-38.76	-10	Pass	41
2625	2635	1	RMS	2625.825	-39.36	-13	Pass	401
2635	2645	1	RMS	2639.025	-46.64	-25	Pass	401




19.22. LTE Band Edge(NTNV)(Subtest:22, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2605	2620	0.1	RMS	2611.9	1.58	30	Pass	401
2620	2621	0.3	RMS	2620	-27.3	-10	Pass	401
2621	2625	1	RMS	2621	-29.56	-10	Pass	41
2625	2635	1	RMS	2625	-31.73	-13	Pass	401
2635	2645	1	RMS	2635.175	-35.8	-25	Pass	401




19.23. LTE Band Edge(NTNV)(Subtest:23, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2605	2620	0.1	RMS	2619.138	19.61	30	Pass	401
2620	2621	0.3	RMS	2620	-25.47	-10	Pass	401
2621	2625	1	RMS	2621.5	-39.83	-10	Pass	41
2625	2635	1	RMS	2625.85	-40.38	-13	Pass	401
2635	2645	1	RMS	2638.775	-46.97	-25	Pass	401



19.24. LTE Band Edge(NTNV)(Subtest:24, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2605	2620	0.1	RMS	2610.4	0.98	30	Pass	401
2620	2621	0.3	RMS	2620.008	-31.26	-10	Pass	401
2621	2625	1	RMS	2621	-29.37	-10	Pass	41
2625	2635	1	RMS	2625.05	-30.53	-13	Pass	401
2635	2645	1	RMS	2635.075	-35.53	-25	Pass	401




19.25. LTE Band Edge(NTNV)(Subtest:25, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2549.638	-47.04	-25	Pass	401
2550	2565	1	RMS	2560.163	-44	-13	Pass	401
2565	2569	1	RMS	2569	-39.73	-10	Pass	41
2569	2570	0.51	RMS	2570	-21.16	-10	Pass	401
2570	2590	0.1	RMS	2571.1	20.05	30	Pass	401




19.26. LTE Band Edge(NTNV)(Subtest:26, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2549.863	-37.63	-25	Pass	401
2550	2565	1	RMS	2564.138	-31.59	-13	Pass	401
2565	2569	1	RMS	2569	-30.86	-10	Pass	41
2569	2570	0.51	RMS	2569.995	-26.76	-10	Pass	401
2570	2590	0.1	RMS	2578.95	-0.11	30	Pass	401




19.27. LTE Band Edge(NTNV)(Subtest:27, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2549.788	-47.26	-25	Pass	401
2550	2565	1	RMS	2562.225	-44.39	-13	Pass	401
2565	2569	1	RMS	2569	-36.06	-10	Pass	41
2569	2570	0.51	RMS	2570	-20.96	-10	Pass	401
2570	2590	0.1	RMS	2571.05	19.48	30	Pass	401




19.28. LTE Band Edge(NTNV)(Subtest:28, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2549.963	-38.54	-25	Pass	401
2550	2565	1	RMS	2565	-31.89	-13	Pass	401
2565	2569	1	RMS	2569	-30.79	-10	Pass	41
2569	2570	0.51	RMS	2570	-31.37	-10	Pass	401
2570	2590	0.1	RMS	2579.25	-0.74	30	Pass	401




19.29. LTE Band Edge(NTNV)(Subtest:29, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	0.1	RMS	2618.95	19.76	30	Pass	401
2620	2621	0.51	RMS	2620.005	-22.27	-10	Pass	401
2621	2625	1	RMS	2621.3	-38.91	-10	Pass	41
2625	2640	1	RMS	2627.775	-41.38	-13	Pass	401
2640	2645	1	RMS	2644.975	-47.02	-25	Pass	401




19.30. LTE Band Edge(NTNV)(Subtest:30, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	0.1	RMS	2606.25	0.64	30	Pass	401
2620	2621	0.51	RMS	2620	-26.74	-10	Pass	401
2621	2625	1	RMS	2622.2	-31.11	-10	Pass	41
2625	2640	1	RMS	2625.788	-31.48	-13	Pass	401
2640	2645	1	RMS	2642.263	-39.84	-25	Pass	401




19.31. LTE Band Edge(NTNV)(Subtest:31, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	0.1	RMS	2618.9	19.17	30	Pass	401
2620	2621	0.51	RMS	2620.003	-22.51	-10	Pass	401
2621	2625	1	RMS	2621.3	-39.51	-10	Pass	41
2625	2640	1	RMS	2627.813	-42.29	-13	Pass	401
2640	2645	1	RMS	2640.963	-47.24	-25	Pass	401



19.32. LTE Band Edge(NTNV)(Subtest:32, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	0.1	RMS	2612.85	-0.59	30	Pass	401
2620	2621	0.51	RMS	2620.003	-31.24	-10	Pass	401
2621	2625	1	RMS	2621.2	-31.27	-10	Pass	41
2625	2640	1	RMS	2626.388	-30.95	-13	Pass	401
2640	2645	1	RMS	2640.013	-38.76	-25	Pass	401



20. LTE_Band41 full


20.1. LTE Band Edge(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-40.34	-25	Pass	401
2490	2495	1	RMS	2495	-28.06	-13	Pass	51
2495	2496	0.051	RMS	2495.998	-19.71	-13	Pass	401
2496	2501	0.1	RMS	2496.338	21.74	30	Pass	401




20.2. LTE Band Edge(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-26.82	-25	Pass*	401
2490	2495	1	RMS	2495	-19.52	-13	Pass	51
2495	2496	0.051	RMS	2495.998	-25.32	-13	Pass	401
2496	2501	0.1	RMS	2497.688	8.12	30	Pass	401




20.3. LTE Band Edge(NTNV)(Subtest:3, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.925	-39.94	-25	Pass	401
2490	2495	1	RMS	2495	-26.35	-13	Pass	51
2495	2496	0.051	RMS	2495.998	-19.36	-13	Pass	401
2496	2501	0.1	RMS	2496.338	21.81	30	Pass	401




20.4. LTE Band Edge(NTNV)(Subtest:4, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-28.39	-25	Pass	401
2490	2495	1	RMS	2494.9	-20.74	-13	Pass	51
2495	2496	0.051	RMS	2495.998	-28.45	-13	Pass	401
2496	2501	0.1	RMS	2499.313	6.61	30	Pass	401



20.5. LTE Band Edge(NTNV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2685	2690	0.1	RMS	2689.663	22.11	30	Pass	401
2690	2691	0.1	RMS	2690	-14.1	-10	Pass	401
2691	2695	1	RMS	2691	-27.16	-10	Pass	41
2695	2696	1	RMS	2695.055	-38.49	-13	Pass	401
2696	2715	1	RMS	2696	-40.13	-25	Pass	401




20.6. LTE Band Edge(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2685	2690	0.1	RMS	2689.363	7.5	30	Pass	401
2690	2691	0.1	RMS	2690.003	-22.65	-10	Pass	401
2691	2695	1	RMS	2691.1	-17.62	-10	Pass	41
2695	2696	1	RMS	2695.008	-24.13	-13	Pass	401
2696	2715	1	RMS	2696.808	-25.24	-25	Pass*	401




20.7. LTE Band Edge(NTNV)(Subtest:7, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2685	2690	0.1	RMS	2689.65	21.66	30	Pass	401
2690	2691	0.1	RMS	2690	-14.79	-10	Pass	401
2691	2695	1	RMS	2691	-26.57	-10	Pass	41
2695	2696	1	RMS	2695.073	-37.93	-13	Pass	401
2696	2715	1	RMS	2696.143	-39.39	-25	Pass	401




20.8. LTE Band Edge(NTNV)(Subtest:8, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2685	2690	0.1	RMS	2688.988	7.12	30	Pass	401
2690	2691	0.1	RMS	2690	-22.76	-10	Pass	401
2691	2695	1	RMS	2691	-18.37	-10	Pass	41
2695	2696	1	RMS	2695.033	-24.85	-13	Pass	401
2696	2715	1	RMS	2696.048	-26.77	-25	Pass*	401




20.9. LTE Band Edge(NTNV)(Subtest:9, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2487.863	-40.97	-25	Pass	401
2490	2495	1	RMS	2495	-34.44	-13	Pass	51
2495	2496	0.1	RMS	2495.998	-26.31	-13	Pass	401
2496	2506	0.1	RMS	2496.575	22.26	30	Pass	401




20.10. LTE Band Edge(NTNV)(Subtest:10, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-26.74	-25	Pass*	401
2490	2495	1	RMS	2494.9	-22.91	-13	Pass	51
2495	2496	0.1	RMS	2495.993	-27.32	-13	Pass	401
2496	2506	0.1	RMS	2499.375	5.04	30	Pass	401




20.11. LTE Band Edge(NTNV)(Subtest:11, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2487.788	-40.76	-25	Pass	401
2490	2495	1	RMS	2495	-33.08	-13	Pass	51
2495	2496	0.1	RMS	2496	-25.65	-13	Pass	401
2496	2506	0.1	RMS	2496.6	21.73	30	Pass	401




20.12. LTE Band Edge(NTNV)(Subtest:12, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-26.42	-25	Pass*	401
2490	2495	1	RMS	2494.2	-24.16	-13	Pass	51
2495	2496	0.1	RMS	2495.998	-31.31	-13	Pass	401
2496	2506	0.1	RMS	2499.35	4.14	30	Pass	401



20.13. LTE Band Edge(NTNV)(Subtest:13, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2680	2690	0.1	RMS	2689.425	22.95	30	Pass	401
2690	2691	0.2	RMS	2690.003	-21	-10	Pass	401
2691	2695	1	RMS	2691	-35.54	-10	Pass	41
2695	2700	1	RMS	2695.65	-43.3	-13	Pass	401
2700	2715	1	RMS	2700.038	-46.17	-25	Pass	401




20.14. LTE Band Edge(NTNV)(Subtest:14, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2680	2690	0.1	RMS	2683.875	4.42	30	Pass	401
2690	2691	0.2	RMS	2690.003	-23.48	-10	Pass	401
2691	2695	1	RMS	2691	-20.04	-10	Pass	41
2695	2700	1	RMS	2695.038	-22.18	-13	Pass	401
2700	2715	1	RMS	2700.188	-27.94	-25	Pass*	401




20.15. LTE Band Edge(NTNV)(Subtest:15, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2680	2690	0.1	RMS	2689.425	21.74	30	Pass	401
2690	2691	0.2	RMS	2690	-22.76	-10	Pass	401
2691	2695	1	RMS	2691	-36.93	-10	Pass	41
2695	2700	1	RMS	2695.525	-43.24	-13	Pass	401
2700	2715	1	RMS	2700	-46.44	-25	Pass	401




20.16. LTE Band Edge(NTNV)(Subtest:16, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2680	2690	0.1	RMS	2685.4	4.44	30	Pass	401
2690	2691	0.2	RMS	2690.013	-23.89	-10	Pass	401
2691	2695	1	RMS	2691	-20.12	-10	Pass	41
2695	2700	1	RMS	2695.05	-22.31	-13	Pass	401
2700	2715	1	RMS	2700	-28.8	-25	Pass	401




20.17. LTE Band Edge(NTNV)(Subtest:17, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2483.513	-40.18	-25	Pass	401
2490	2495	1	RMS	2495	-35.95	-13	Pass	51
2495	2496	0.15	RMS	2495.998	-27.04	-13	Pass	401
2496	2511	0.1	RMS	2496.863	22.34	30	Pass	401




20.18. LTE Band Edge(NTNV)(Subtest:18, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-26.53	-25	Pass*	401
2490	2495	1	RMS	2494.6	-23.81	-13	Pass	51
2495	2496	0.15	RMS	2495.983	-26.66	-13	Pass	401
2496	2511	0.1	RMS	2502.375	3.74	30	Pass	401




20.19. LTE Band Edge(NTNV)(Subtest:19, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2483.588	-41.12	-25	Pass	401
2490	2495	1	RMS	2495	-34.84	-13	Pass	51
2495	2496	0.15	RMS	2495.993	-27.91	-13	Pass	401
2496	2511	0.1	RMS	2496.825	21.22	30	Pass	401




20.20. LTE Band Edge(NTNV)(Subtest:20, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.775	-26.08	-25	Pass*	401
2490	2495	1	RMS	2495	-24.6	-13	Pass	51
2495	2496	0.15	RMS	2495.703	-30.29	-13	Pass	401
2496	2511	0.1	RMS	2500.988	2.06	30	Pass	401




20.21. LTE Band Edge(NTNV)(Subtest:21, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2675	2690	0.1	RMS	2689.175	22.08	30	Pass	401
2690	2691	0.3	RMS	2690	-24.05	-10	Pass	401
2691	2695	1	RMS	2691	-37.94	-10	Pass	41
2695	2705	1	RMS	2697.65	-40.02	-13	Pass	401
2705	2715	1	RMS	2708.95	-46.78	-25	Pass	401




20.22. LTE Band Edge(NTNV)(Subtest:22, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2675	2690	0.1	RMS	2681.938	3.36	30	Pass	401
2690	2691	0.3	RMS	2690.018	-22.61	-10	Pass	401
2691	2695	1	RMS	2691	-20.68	-10	Pass	41
2695	2705	1	RMS	2695	-23.21	-13	Pass	401
2705	2715	1	RMS	2705.45	-28.58	-25	Pass	401




20.23. LTE Band Edge(NTNV)(Subtest:23, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2675	2690	0.1	RMS	2689.138	20.98	30	Pass	401
2690	2691	0.3	RMS	2690.003	-25.16	-10	Pass	401
2691	2695	1	RMS	2691	-39.12	-10	Pass	41
2695	2705	1	RMS	2695.8	-42.64	-13	Pass	401
2705	2715	1	RMS	2709.15	-46.87	-25	Pass	401




20.24. LTE Band Edge(NTNV)(Subtest:24, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2675	2690	0.1	RMS	2680.438	1.88	30	Pass	401
2690	2691	0.3	RMS	2690.493	-24.45	-10	Pass	401
2691	2695	1	RMS	2691	-21.17	-10	Pass	41
2695	2705	1	RMS	2695.225	-23.75	-13	Pass	401
2705	2715	1	RMS	2705.125	-29.64	-25	Pass	401




20.25. LTE Band Edge(NTNV)(Subtest:25, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2479.313	-41.52	-25	Pass	401
2490	2495	1	RMS	2495	-37.25	-13	Pass	51
2495	2496	0.2	RMS	2495.993	-28.12	-13	Pass	401
2496	2516	0.1	RMS	2497.1	22.18	30	Pass	401




20.26. LTE Band Edge(NTNV)(Subtest:26, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-27.21	-25	Pass*	401
2490	2495	1	RMS	2495	-24.59	-13	Pass	51
2495	2496	0.2	RMS	2495.998	-27.49	-13	Pass	401
2496	2516	0.1	RMS	2504.95	2.85	30	Pass	401




20.27. LTE Band Edge(NTNV)(Subtest:27, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2488.088	-41.81	-25	Pass	401
2490	2495	1	RMS	2495	-36.9	-13	Pass	51
2495	2496	0.2	RMS	2495.998	-28.52	-13	Pass	401
2496	2516	0.1	RMS	2497.1	20.86	30	Pass	401




20.28. LTE Band Edge(NTNV)(Subtest:28, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.925	-26.59	-25	Pass*	401
2490	2495	1	RMS	2494.6	-26.32	-13	Pass	51
2495	2496	0.2	RMS	2495.998	-31.73	-13	Pass	401
2496	2516	0.1	RMS	2505.2	1.31	30	Pass	401




20.29. LTE Band Edge(NTNV)(Subtest:29, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2670	2690	0.1	RMS	2688.9	21.73	30	Pass	401
2690	2691	0.51	RMS	2690.003	-22.37	-10	Pass	401
2691	2695	1	RMS	2691	-39.3	-10	Pass	41
2695	2710	1	RMS	2697.925	-38.77	-13	Pass	401
2710	2715	1	RMS	2711.925	-32.1	-25	Pass	401




20.30. LTE Band Edge(NTNV)(Subtest:30, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2670	2690	0.1	RMS	2677.85	1.76	30	Pass	401
2690	2691	0.51	RMS	2690.093	-23.27	-10	Pass	401
2691	2695	1	RMS	2691.1	-22.91	-10	Pass	41
2695	2710	1	RMS	2695	-24.54	-13	Pass	401
2710	2715	1	RMS	2710.313	-32.6	-25	Pass	401




20.31. LTE Band Edge(NTNV)(Subtest:31, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2670	2690	0.1	RMS	2688.95	21.07	30	Pass	401
2690	2691	0.51	RMS	2690.003	-21.79	-10	Pass	401
2691	2695	1	RMS	2691	-39.68	-10	Pass	41
2695	2710	1	RMS	2697.85	-39.47	-13	Pass	401
2710	2715	1	RMS	2711.925	-33.94	-25	Pass	401



20.32. LTE Band Edge(NTNV)(Subtest:32, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2670	2690	0.1	RMS	2682.85	0.78	30	Pass	401
2690	2691	0.51	RMS	2690.003	-25.69	-10	Pass	401
2691	2695	1	RMS	2691.1	-23.94	-10	Pass	41
2695	2710	1	RMS	2695.038	-24.94	-13	Pass	401
2710	2715	1	RMS	2710.063	-33.68	-25	Pass	401




CA

21. CA_41C_full


21.1. CA Band Edge(NTNV)(Subtest:1, Channel:39750+39867, Bandwidth:20+5, Modulation:QPSK, RB Number:1+1, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2478.6	-34.89	-25	Pass	401
2490	2495	1	RMS	2490.2	-47.11	-13	Pass	51
2495	2496	0.3	RMS	2495.998	-39.63	-13	Pass	401
2496	2521	0.1	RMS	2515.5	8.53	30	Pass	401




21.2. CA Band Edge(NTNV)(Subtest:2, Channel:39750+39867, Bandwidth:20+5, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2475.038	-40.79	-25	Pass	401
2490	2495	1	RMS	2495	-47.87	-13	Pass	51
2495	2496	0.3	RMS	2495.998	-39.48	-13	Pass	401
2496	2521	0.1	RMS	2497.063	8.93	30	Pass	401




21.3. CA Band Edge(NTNV)(Subtest:3, Channel:39750+39867, Bandwidth:20+5, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-28.01	-25	Pass	401
2490	2495	1	RMS	2495	-25.92	-13	Pass	51
2495	2496	0.3	RMS	2496	-28.34	-13	Pass	401
2496	2521	0.1	RMS	2517.688	2.08	30	Pass	401




21.4. CA Band Edge(NTNV)(Subtest:4, Channel:39750+39867, Bandwidth:20+5, Modulation:16QAM, RB Number:1+1, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2478.638	-35.16	-25	Pass	401
2490	2495	1	RMS	2490.2	-47.25	-13	Pass	51
2495	2496	0.3	RMS	2495.998	-39.33	-13	Pass	401
2496	2521	0.1	RMS	2497.125	8.59	30	Pass	401




21.5. CA Band Edge(NTNV)(Subtest:5, Channel:39750+39867, Bandwidth:20+5, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2475.038	-41.07	-25	Pass	401
2490	2495	1	RMS	2494.8	-47.76	-13	Pass	51
2495	2496	0.3	RMS	2495.995	-39.24	-13	Pass	401
2496	2521	0.1	RMS	2497.063	9.08	30	Pass	401




21.6. CA Band Edge(NTNV)(Subtest:6, Channel:39750+39867, Bandwidth:20+5, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.85	-30.26	-25	Pass	401
2490	2495	1	RMS	2495	-28.14	-13	Pass	51
2495	2496	0.3	RMS	2495.993	-31.71	-13	Pass	401
2496	2521	0.1	RMS	2515.875	1.36	30	Pass	401




21.7. CA Band Edge(NTNV)(Subtest:7, Channel:41440+41557, Bandwidth:20+5, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2665	2690	0.1	RMS	2688.875	9.35	30	Pass	401
2690	2691	0.51	RMS	2690.135	-42.34	-10	Pass	401
2691	2695	1	RMS	2691	-46.67	-10	Pass	41
2695	2715	3	RMS	2711.4	-28.21	-13	Pass	401
2715	2735	1	RMS	2734.35	-40.78	-25	Pass	401




21.8. CA Band Edge(NTNV)(Subtest:8, Channel:41440+41557, Bandwidth:20+5, Modulation:QPSK, RB Number:1+1, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2665	2690	0.1	RMS	2688.875	13.35	30	Pass	401
2690	2691	0.51	RMS	2690.148	-36.86	-10	Pass	401
2691	2695	1	RMS	2693.6	-22.51	-10	Pass	41
2695	2715	3	RMS	2695	-23.73	-13	Pass	401
2715	2735	1	RMS	2718.6	-47.03	-25	Pass	401




21.9. CA Band Edge(NTNV)(Subtest:9, Channel:41440+41557, Bandwidth:20+5, Modulation:QPSK, RB Number:Full+Full, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2665	2690	0.1	RMS	2687.688	2.57	30	Pass	401
2690	2691	0.51	RMS	2690.168	-29.37	-10	Pass	401
2691	2695	1	RMS	2695	-26.91	-10	Pass	41
2695	2715	3	RMS	2695.8	-21.1	-13	Pass	401
2715	2735	1	RMS	2715.05	-39.71	-25	Pass	401




21.10. CA Band Edge(NTNV)(Subtest:10, Channel:41440+41557, Bandwidth:20+5, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2665	2690	0.1	RMS	2688.875	8.66	30	Pass	401
2690	2691	0.51	RMS	2690.01	-40.31	-10	Pass	401
2691	2695	1	RMS	2691	-46.74	-10	Pass	41
2695	2715	3	RMS	2711.5	-27.75	-13	Pass	401
2715	2735	1	RMS	2734.3	-40.94	-25	Pass	401




21.11. CA Band Edge(NTNV)(Subtest:11, Channel:41440+41557, Bandwidth:20+5, Modulation:16QAM, RB Number:1+1, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2665	2690	0.1	RMS	2688.875	12.92	30	Pass	401
2690	2691	0.51	RMS	2690.055	-37.04	-10	Pass	401
2691	2695	1	RMS	2693.8	-22.27	-10	Pass	41
2695	2715	3	RMS	2695.05	-24.26	-13	Pass	401
2715	2735	1	RMS	2718.8	-47.01	-25	Pass	401




21.12. CA Band Edge(NTNV)(Subtest:12, Channel:41440+41557, Bandwidth:20+5, Modulation:16QAM, RB Number:Full+Full, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2665	2690	0.1	RMS	2687.313	1.15	30	Pass	401
2690	2691	0.51	RMS	2690.153	-30.06	-10	Pass	401
2691	2695	1	RMS	2691.4	-28.42	-10	Pass	41
2695	2715	3	RMS	2695.05	-24.08	-13	Pass	401
2715	2735	1	RMS	2715	-40.87	-25	Pass	401




21.13. CA Band Edge(NTNV)(Subtest:13, Channel:39750+39948, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2477.288	-32.53	-25	Pass	401
2490	2495	1	RMS	2494.8	-46.9	-13	Pass	51
2495	2496	0.51	RMS	2496	-37.38	-13	Pass	401
2496	2536	0.1	RMS	2516.9	4.83	30	Pass	401




21.14. CA Band Edge(NTNV)(Subtest:14, Channel:39750+39948, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2478.3	-47.88	-25	Pass	401
2490	2495	1	RMS	2494.6	-47.41	-13	Pass	51
2495	2496	0.51	RMS	2495.998	-32.37	-13	Pass	401
2496	2536	0.1	RMS	2534.7	5.13	30	Pass	401




21.15. CA Band Edge(NTNV)(Subtest:15, Channel:39750+39948, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-32.62	-25	Pass	401
2490	2495	1	RMS	2494.2	-31.63	-13	Pass	51
2495	2496	0.51	RMS	2495.94	-28.29	-13	Pass	401
2496	2536	0.1	RMS	2502.3	-4.4	30	Pass	401




21.16. CA Band Edge(NTNV)(Subtest:16, Channel:39750+39948, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2477.25	-29.4	-25	Pass	401
2490	2495	1	RMS	2494.8	-46.25	-13	Pass	51
2495	2496	0.51	RMS	2495.998	-29.9	-13	Pass	401
2496	2536	0.1	RMS	2516.9	12.67	30	Pass	401




21.17. CA Band Edge(NTNV)(Subtest:17, Channel:39750+39948, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2478.188	-47.5	-25	Pass	401
2490	2495	1	RMS	2494.5	-47.47	-13	Pass	51
2495	2496	0.51	RMS	2496	-30.3	-13	Pass	401
2496	2536	0.1	RMS	2534.7	8.36	30	Pass	401




21.18. CA Band Edge(NTNV)(Subtest:18, Channel:39750+39948, Bandwidth:20+20, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.813	-38.09	-25	Pass	401
2490	2495	1	RMS	2493.8	-36.04	-13	Pass	51
2495	2496	0.51	RMS	2496	-36.78	-13	Pass	401
2496	2536	0.1	RMS	2517.8	-5.93	30	Pass	401




21.19. CA Band Edge(NTNV)(Subtest:19, Channel:41292+41490, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2690	0.1	RMS	2688.9	5.38	30	Pass	401
2690	2691	1	RMS	2690	-28.75	-10	Pass	11
2691	2695	1	RMS	2691.4	-47.29	-10	Pass	41
2695	2730	3	RMS	2726.675	-31.64	-13	Pass	401
2730	2735	1	RMS	2734.788	-47.38	-25	Pass	401




21.20. CA Band Edge(NTNV)(Subtest:20, Channel:41292+41490, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2690	0.1	RMS	2688.9	14.59	30	Pass	401
2690	2691	1	RMS	2690	-23.93	-10	Pass	11
2691	2695	1	RMS	2691	-44.64	-10	Pass	41
2695	2730	3	RMS	2708.65	-23.22	-13	Pass	401
2730	2735	1	RMS	2730.013	-47.28	-25	Pass	401




21.21. CA Band Edge(NTNV)(Subtest:21, Channel:41292+41490, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2690	0.1	RMS	2687.7	-3.52	30	Pass	401
2690	2691	1	RMS	2690	-27.61	-10	Pass	11
2691	2695	1	RMS	2692.1	-32.86	-10	Pass	41
2695	2730	3	RMS	2695.088	-28.61	-13	Pass	401
2730	2735	1	RMS	2730.088	-43.91	-25	Pass	401




21.22. CA Band Edge(NTNV)(Subtest:22, Channel:41292+41490, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2690	0.1	RMS	2651.3	8.91	30	Pass	401
2690	2691	1	RMS	2690	-27.89	-10	Pass	11
2691	2695	1	RMS	2691.9	-44.73	-10	Pass	41
2695	2730	3	RMS	2726.5	-30.67	-13	Pass	401
2730	2735	1	RMS	2730.063	-46.59	-25	Pass	401




21.23. CA Band Edge(NTNV)(Subtest:23, Channel:41292+41490, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2690	0.1	RMS	2669.1	12.17	30	Pass	401
2690	2691	1	RMS	2690	-23.3	-10	Pass	11
2691	2695	1	RMS	2691	-45.05	-10	Pass	41
2695	2730	3	RMS	2708.388	-23.28	-13	Pass	401
2730	2735	1	RMS	2730.038	-47.33	-25	Pass	401



21.24. CA Band Edge(NTNV)(Subtest:24, Channel:41292+41490, Bandwidth:20+20, Modulation:16QAM, RB Number:Full+Full, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2690	0.1	RMS	2659.4	-5.8	30	Pass	401
2690	2691	1	RMS	2690	-33.36	-10	Pass	11
2691	2695	1	RMS	2692.3	-35.46	-10	Pass	41
2695	2730	3	RMS	2695.525	-30.6	-13	Pass	401
2730	2735	1	RMS	2730.113	-45.36	-25	Pass	401



END