


Annex A.5 Spurious Emission at Antenna Terminals

GSM

1. GSM_GSM850


1.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-54.88	-13	Pass	401
0.15	30	0.01	Peak	0.28	-54.34	-13	Pass	2986
30	500	0.1	Peak	472.8	-42.92	-13	Pass	4701
500	1000	0.1	Peak	824.1	31.85	-13	N/A	5001
1000	10000	1	Peak	8946.97	-21.04	-13	Pass	9001




1.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-54.74	-13	Pass	401
0.15	30	0.01	Peak	0.47	-53.55	-13	Pass	2986
30	500	0.1	Peak	353.4	-42.71	-13	Pass	4701
500	1000	0.1	Peak	836.7	32.49	-13	N/A	5001
1000	10000	1	Peak	7696.817	-21.4	-13	Pass	9001



1.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-56.02	-13	Pass	401
0.15	30	0.01	Peak	0.19	-53.29	-13	Pass	2986
30	500	0.1	Peak	479.6	-42.45	-13	Pass	4701
500	1000	0.1	Peak	848.9	32.79	-13	N/A	5001
1000	10000	1	Peak	9574	-21.42	-13	Pass	9001



2. GSM_PCS


2.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-62.08	-13	Pass	401
0.15	30	0.01	Peak	0.18	-59.63	-13	Pass	2986
30	1000	0.1	Peak	990.394	-48.17	-13	Pass	9700
1000	3000	1	Peak	1850	28.93	-13	N/A	2001
3000	20000	1	Peak	19588	-19.81	-13	Pass	17001




2.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-61.73	-13	Pass	401
0.15	30	0.01	Peak	0.17	-58.98	-13	Pass	2986
30	1000	0.1	Peak	486.656	-47.88	-13	Pass	9700
1000	3000	1	Peak	1879	25.41	-13	N/A	2001
3000	20000	1	Peak	19834	-19.79	-13	Pass	17001



2.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:810)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-61.47	-13	Pass	401
0.15	30	0.01	Peak	0.18	-60.41	-13	Pass	2986
30	1000	0.1	Peak	989.893	-48.3	-13	Pass	9700
1000	3000	1	Peak	1910	28.35	-13	N/A	2001
3000	20000	1	Peak	19824	-19.76	-13	Pass	17001




EGPRS

3. EGPRS_GSM850


3.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-55.1	-13	Pass	401
0.15	30	0.01	Peak	0.18	-53.96	-13	Pass	2986
30	500	0.1	Peak	439.8	-43.72	-13	Pass	4701
500	1000	0.1	Peak	824.2	28.71	-13	N/A	5001
1000	10000	1	Peak	7961.85	-21.68	-13	Pass	9001




3.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-55.73	-13	Pass	401
0.15	30	0.01	Peak	0.2	-53.18	-13	Pass	2986
30	500	0.1	Peak	456.1	-41.86	-13	Pass	4701
500	1000	0.1	Peak	836.6	28.73	-13	N/A	5001
1000	10000	1	Peak	9789	-21.19	-13	Pass	9001



3.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-54.73	-13	Pass	401
0.15	30	0.01	Peak	0.22	-53.79	-13	Pass	2986
30	500	0.1	Peak	358.2	-43.48	-13	Pass	4701
500	1000	0.1	Peak	848.8	29.1	-13	N/A	5001
1000	10000	1	Peak	7955.849	-21.51	-13	Pass	9001



4. EGPRS_PCS


4.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-60.94	-13	Pass	401
0.15	30	0.01	Peak	0.25	-59.37	-13	Pass	2986
30	1000	0.1	Peak	762.189	-48.6	-13	Pass	9700
1000	3000	1	Peak	1850	25.83	-13	N/A	2001
3000	20000	1	Peak	19279.987	-19.67	-13	Pass	17001




4.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-61.32	-13	Pass	401
0.15	30	0.01	Peak	0.2	-59.42	-13	Pass	2986
30	1000	0.1	Peak	606.97	-48.15	-13	Pass	9700
1000	3000	1	Peak	1881	23.65	-13	N/A	2001
3000	20000	1	Peak	19786	-19.77	-13	Pass	17001



4.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:810)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-60.76	-13	Pass	401
0.15	30	0.01	Peak	0.17	-60.19	-13	Pass	2986
30	1000	0.1	Peak	792.893	-48.94	-13	Pass	9700
1000	3000	1	Peak	1910	27.7	-13	N/A	2001
3000	20000	1	Peak	19786	-20.22	-13	Pass	17001




WCDMA

5. WCDMA_Band2


5.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-65.7	-13	Pass	401
0.15	30	0.01	Peak	0.29	-63.59	-13	Pass	2986
30	1000	0.1	Peak	901.535	-52.45	-13	Pass	9700
1000	3000	1	Peak	1851	22.22	-13	N/A	2001
3000	20000	1	Peak	19806	-23.41	-13	Pass	17001




5.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.27	-13	Pass	401
0.15	30	0.01	Peak	0.26	-63.39	-13	Pass	2986
30	1000	0.1	Peak	998.599	-52.69	-13	Pass	9700
1000	3000	1	Peak	1879	21.97	-13	N/A	2001
3000	20000	1	Peak	19696	-23.99	-13	Pass	17001



5.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.16	-13	Pass	401
0.15	30	0.01	Peak	0.26	-64.23	-13	Pass	2986
30	1000	0.1	Peak	873.016	-52.61	-13	Pass	9700
1000	3000	1	Peak	1906	22.37	-13	N/A	2001
3000	20000	1	Peak	19798	-23.99	-13	Pass	17001



6. WCDMA_Band4


6.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.82	-13	Pass	401
0.15	30	0.01	Peak	0.19	-63.76	-13	Pass	2986
30	1000	0.1	Peak	925.851	-52.6	-13	Pass	9700
1000	3000	1	Peak	1711	21.57	-13	N/A	2001
3000	20000	1	Peak	19961	-24.59	-13	Pass	17001




6.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.52	-13	Pass	401
0.15	30	0.01	Peak	0.49	-63.62	-13	Pass	2986
30	1000	0.1	Peak	871.815	-52.84	-13	Pass	9700
1000	3000	1	Peak	1731	21.59	-13	N/A	2001
3000	20000	1	Peak	19313.991	-23.78	-13	Pass	17001



6.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.47	-13	Pass	401
0.15	30	0.01	Peak	0.5	-64.34	-13	Pass	2986
30	1000	0.1	Peak	529.361	-52.07	-13	Pass	9700
1000	3000	1	Peak	1751	21.5	-13	N/A	2001
3000	20000	1	Peak	19808	-24.34	-13	Pass	17001



7. WCDMA_Band5


7.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-65	-13	Pass	401
0.15	30	0.01	Peak	0.2	-63.81	-13	Pass	2986
30	500	0.1	Peak	497.5	-53.15	-13	Pass	4701
500	1000	0.1	Peak	826.9	17.2	-13	N/A	5001
1000	10000	1	Peak	9530	-31.34	-13	Pass	9001




7.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-66.26	-13	Pass	401
0.15	30	0.01	Peak	0.19	-62.75	-13	Pass	2986
30	500	0.1	Peak	468.5	-53.32	-13	Pass	4701
500	1000	0.1	Peak	837	17.76	-13	N/A	5001
1000	10000	1	Peak	8822.955	-31.47	-13	Pass	9001



7.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4233)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.59	-13	Pass	401
0.15	30	0.01	Peak	0.15	-63.76	-13	Pass	2986
30	500	0.1	Peak	339.6	-53.17	-13	Pass	4701
500	1000	0.1	Peak	847.3	16.57	-13	N/A	5001
1000	10000	1	Peak	9541	-31.77	-13	Pass	9001




LTE

8. LTE_Band2


8.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.08	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.41	-13	Pass	2986
30	1000	0.1	RMS	988.993	-64.08	-13	Pass	9700
1000	1840	1	RMS	1840	-51.74	-13	Pass	841
1840	1920	1	RMS	1850.2	21.69	60	Pass	401
1920	3000	1	RMS	2958	-50.26	-13	Pass	1081
3000	12000	1	RMS	11126.992	-42.96	-13	Pass	9001
12000	20000	1	RMS	19636	-35.27	-13	Pass	8001




8.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.8	-13	Pass	2986
30	1000	0.1	RMS	881.622	-64.18	-13	Pass	9700
1000	1840	1	RMS	1840	-52.18	-13	Pass	841
1840	1920	1	RMS	1850.2	20.7	60	Pass	401
1920	3000	1	RMS	2843	-50.3	-13	Pass	1081
3000	12000	1	RMS	11885	-43.04	-13	Pass	9001
12000	20000	1	RMS	19801	-35.73	-13	Pass	8001




8.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.96	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.22	-13	Pass	2986
30	1000	0.1	RMS	733.186	-64.12	-13	Pass	9700
1000	1840	1	RMS	1803	-52.99	-13	Pass	841
1840	1920	1	RMS	1879.4	21.52	60	Pass	401
1920	3000	1	RMS	2949	-50.23	-13	Pass	1081
3000	12000	1	RMS	11008.978	-42.83	-13	Pass	9001
12000	20000	1	RMS	19793	-35.77	-13	Pass	8001




8.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.15	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.13	-13	Pass	2986
30	1000	0.1	RMS	855.504	-64.12	-13	Pass	9700
1000	1840	1	RMS	1836	-52.79	-13	Pass	841
1840	1920	1	RMS	1879.4	20.69	60	Pass	401
1920	3000	1	RMS	2954	-50.19	-13	Pass	1081
3000	12000	1	RMS	7135.505	-41.47	-13	Pass	9001
12000	20000	1	RMS	19802	-35.79	-13	Pass	8001




**8.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.55	-13	Pass	401
0.15	30	0.01	RMS	0.23	-71.82	-13	Pass	2986
30	1000	0.1	RMS	878.119	-64.13	-13	Pass	9700
1000	1840	1	RMS	1840	-52.87	-13	Pass	841
1840	1920	1	RMS	1908.8	21.41	60	Pass	401
1920	3000	1	RMS	2950	-50.24	-13	Pass	1081
3000	12000	1	RMS	11337	-43.01	-13	Pass	9001
12000	20000	1	RMS	19801	-35.77	-13	Pass	8001




8.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.61	-13	Pass	2986
30	1000	0.1	RMS	861.308	-64.24	-13	Pass	9700
1000	1840	1	RMS	1840	-52.97	-13	Pass	841
1840	1920	1	RMS	1908.8	20.64	60	Pass	401
1920	3000	1	RMS	2956	-50.28	-13	Pass	1081
3000	12000	1	RMS	11013.978	-43.01	-13	Pass	9001
12000	20000	1	RMS	19806	-35.84	-13	Pass	8001




8.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.34	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.31	-13	Pass	2986
30	1000	0.1	RMS	890.728	-64.07	-13	Pass	9700
1000	1840	1	RMS	1840	-51.5	-13	Pass	841
1840	1920	1	RMS	1850.2	21.78	60	Pass	401
1920	3000	1	RMS	2841	-50.16	-13	Pass	1081
3000	12000	1	RMS	11127.992	-42.98	-13	Pass	9001
12000	20000	1	RMS	19643	-35	-13	Pass	8001




8.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.73	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.22	-13	Pass	2986
30	1000	0.1	RMS	989.493	-64.14	-13	Pass	9700
1000	1840	1	RMS	1840	-51.75	-13	Pass	841
1840	1920	1	RMS	1850.2	20.93	60	Pass	401
1920	3000	1	RMS	2951	-50.18	-13	Pass	1081
3000	12000	1	RMS	11011.978	-43.03	-13	Pass	9001
12000	20000	1	RMS	19808	-35.82	-13	Pass	8001




8.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.07	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.82	-13	Pass	2986
30	1000	0.1	RMS	872.115	-64.08	-13	Pass	9700
1000	1840	1	RMS	1827	-53.05	-13	Pass	841
1840	1920	1	RMS	1878.6	21.65	60	Pass	401
1920	3000	1	RMS	2951	-50.22	-13	Pass	1081
3000	12000	1	RMS	7120.503	-41.3	-13	Pass	9001
12000	20000	1	RMS	19794	-35.83	-13	Pass	8001




**8.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.6	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.47	-13	Pass	2986
30	1000	0.1	RMS	860.808	-64.27	-13	Pass	9700
1000	1840	1	RMS	1839	-53.01	-13	Pass	841
1840	1920	1	RMS	1878.6	20.76	60	Pass	401
1920	3000	1	RMS	2952	-50.13	-13	Pass	1081
3000	12000	1	RMS	11127.992	-43.02	-13	Pass	9001
12000	20000	1	RMS	19805	-35.88	-13	Pass	8001




**8.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.55	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.83	-13	Pass	2986
30	1000	0.1	RMS	870.414	-64.08	-13	Pass	9700
1000	1840	1	RMS	1838	-52.91	-13	Pass	841
1840	1920	1	RMS	1907.2	21.54	60	Pass	401
1920	3000	1	RMS	2945	-50.25	-13	Pass	1081
3000	12000	1	RMS	11130.993	-42.92	-13	Pass	9001
12000	20000	1	RMS	19795	-35.75	-13	Pass	8001




8.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.68	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.39	-13	Pass	2986
30	1000	0.1	RMS	985.39	-64.23	-13	Pass	9700
1000	1840	1	RMS	1838	-52.84	-13	Pass	841
1840	1920	1	RMS	1907.2	20.73	60	Pass	401
1920	3000	1	RMS	2952	-50.15	-13	Pass	1081
3000	12000	1	RMS	11857	-42.81	-13	Pass	9001
12000	20000	1	RMS	19799	-35.7	-13	Pass	8001




8.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.03	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.7	-13	Pass	2986
30	1000	0.1	RMS	868.513	-64.22	-13	Pass	9700
1000	1840	1	RMS	1840	-51.64	-13	Pass	841
1840	1920	1	RMS	1850.2	21.85	60	Pass	401
1920	3000	1	RMS	2956	-50.23	-13	Pass	1081
3000	12000	1	RMS	11126.992	-43	-13	Pass	9001
12000	20000	1	RMS	19652	-34.99	-13	Pass	8001




**8.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.99	-13	Pass	2986
30	1000	0.1	RMS	994.096	-64.18	-13	Pass	9700
1000	1840	1	RMS	1840	-51.9	-13	Pass	841
1840	1920	1	RMS	1850.2	20.98	60	Pass	401
1920	3000	1	RMS	2947	-50.2	-13	Pass	1081
3000	12000	1	RMS	7131.504	-41.25	-13	Pass	9001
12000	20000	1	RMS	19800	-35.79	-13	Pass	8001




**8.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.74	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.38	-13	Pass	2986
30	1000	0.1	RMS	871.215	-64.15	-13	Pass	9700
1000	1840	1	RMS	1837	-52.97	-13	Pass	841
1840	1920	1	RMS	1877.8	21.67	60	Pass	401
1920	3000	1	RMS	2954	-50.23	-13	Pass	1081
3000	12000	1	RMS	11875	-43.01	-13	Pass	9001
12000	20000	1	RMS	19800	-35.74	-13	Pass	8001




8.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.52	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.63	-13	Pass	2986
30	1000	0.1	RMS	874.117	-64.22	-13	Pass	9700
1000	1840	1	RMS	1836	-53.01	-13	Pass	841
1840	1920	1	RMS	1877.8	20.89	60	Pass	401
1920	3000	1	RMS	2956	-50.22	-13	Pass	1081
3000	12000	1	RMS	11010.978	-43.02	-13	Pass	9001
12000	20000	1	RMS	19805	-35.75	-13	Pass	8001




**8.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.21	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.19	-13	Pass	2986
30	1000	0.1	RMS	903.336	-64.14	-13	Pass	9700
1000	1840	1	RMS	1836	-52.95	-13	Pass	841
1840	1920	1	RMS	1905.2	21.58	60	Pass	401
1920	3000	1	RMS	2954	-50.25	-13	Pass	1081
3000	12000	1	RMS	11009.978	-43.01	-13	Pass	9001
12000	20000	1	RMS	19789	-35.79	-13	Pass	8001




**8.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.37	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.09	-13	Pass	2986
30	1000	0.1	RMS	859.107	-64.09	-13	Pass	9700
1000	1840	1	RMS	1837	-53	-13	Pass	841
1840	1920	1	RMS	1905.2	20.93	60	Pass	401
1920	3000	1	RMS	2950	-50.25	-13	Pass	1081
3000	12000	1	RMS	11876	-42.91	-13	Pass	9001
12000	20000	1	RMS	19797	-35.71	-13	Pass	8001




**8.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.87	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.38	-13	Pass	2986
30	1000	0.1	RMS	878.92	-63.83	-13	Pass	9700
1000	1840	1	RMS	1840	-51.61	-13	Pass	841
1840	1920	1	RMS	1850.4	21.72	60	Pass	401
1920	3000	1	RMS	2952	-50.21	-13	Pass	1081
3000	12000	1	RMS	7137.505	-41.71	-13	Pass	9001
12000	20000	1	RMS	19648	-35.39	-13	Pass	8001




8.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.73	-13	Pass	2986
30	1000	0.1	RMS	986.091	-64.09	-13	Pass	9700
1000	1840	1	RMS	1840	-51.68	-13	Pass	841
1840	1920	1	RMS	1850.4	20.89	60	Pass	401
1920	3000	1	RMS	2953	-50.03	-13	Pass	1081
3000	12000	1	RMS	11009.978	-42.74	-13	Pass	9001
12000	20000	1	RMS	19791	-35.75	-13	Pass	8001




**8.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.6	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.3	-13	Pass	2986
30	1000	0.1	RMS	882.822	-64.16	-13	Pass	9700
1000	1840	1	RMS	1839	-52.81	-13	Pass	841
1840	1920	1	RMS	1875.6	21.6	60	Pass	401
1920	3000	1	RMS	2948	-50.09	-13	Pass	1081
3000	12000	1	RMS	11016.979	-42.98	-13	Pass	9001
12000	20000	1	RMS	19800	-35.79	-13	Pass	8001




**8.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.23	-13	Pass	2986
30	1000	0.1	RMS	870.914	-64.12	-13	Pass	9700
1000	1840	1	RMS	1838	-52.99	-13	Pass	841
1840	1920	1	RMS	1875.4	20.73	60	Pass	401
1920	3000	1	RMS	2951	-50.25	-13	Pass	1081
3000	12000	1	RMS	11339	-43.05	-13	Pass	9001
12000	20000	1	RMS	19802	-35.75	-13	Pass	8001




**8.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.92	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.25	-13	Pass	2986
30	1000	0.1	RMS	877.619	-63.91	-13	Pass	9700
1000	1840	1	RMS	1799	-52.99	-13	Pass	841
1840	1920	1	RMS	1900.6	21.49	60	Pass	401
1920	3000	1	RMS	2953	-50.28	-13	Pass	1081
3000	12000	1	RMS	11015.979	-42.84	-13	Pass	9001
12000	20000	1	RMS	19803	-35.7	-13	Pass	8001




**8.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.23	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.73	-13	Pass	2986
30	1000	0.1	RMS	995.897	-63.91	-13	Pass	9700
1000	1840	1	RMS	1832	-53	-13	Pass	841
1840	1920	1	RMS	1900.4	20.75	60	Pass	401
1920	3000	1	RMS	2954	-50.19	-13	Pass	1081
3000	12000	1	RMS	7120.503	-41.26	-13	Pass	9001
12000	20000	1	RMS	19796	-35.78	-13	Pass	8001




**8.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.53	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.85	-13	Pass	2986
30	1000	0.1	RMS	857.506	-64.18	-13	Pass	9700
1000	1840	1	RMS	1840	-51.62	-13	Pass	841
1840	1920	1	RMS	1850.8	21.77	60	Pass	401
1920	3000	1	RMS	2950	-50.18	-13	Pass	1081
3000	12000	1	RMS	11019.979	-43.01	-13	Pass	9001
12000	20000	1	RMS	19643	-35.06	-13	Pass	8001




**8.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.51	-13	Pass	2986
30	1000	0.1	RMS	983.389	-64.04	-13	Pass	9700
1000	1840	1	RMS	1840	-51.88	-13	Pass	841
1840	1920	1	RMS	1850.8	21.04	60	Pass	401
1920	3000	1	RMS	2944	-50.24	-13	Pass	1081
3000	12000	1	RMS	11345	-43.05	-13	Pass	9001
12000	20000	1	RMS	19798	-35.81	-13	Pass	8001




**8.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.16	-13	Pass	401
0.15	30	0.01	RMS	0.26	-72.2	-13	Pass	2986
30	1000	0.1	RMS	870.314	-64.13	-13	Pass	9700
1000	1840	1	RMS	1839	-53.01	-13	Pass	841
1840	1920	1	RMS	1873.2	21.62	60	Pass	401
1920	3000	1	RMS	2953	-50.22	-13	Pass	1081
3000	12000	1	RMS	11017.979	-42.92	-13	Pass	9001
12000	20000	1	RMS	19804	-35.77	-13	Pass	8001




**8.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.3	-13	Pass	401
0.15	30	0.01	RMS	0.25	-72.36	-13	Pass	2986
30	1000	0.1	RMS	734.686	-61.89	-13	Pass	9700
1000	1840	1	RMS	1815	-52.78	-13	Pass	841
1840	1920	1	RMS	1873.2	20.8	60	Pass	401
1920	3000	1	RMS	2951	-50.04	-13	Pass	1081
3000	12000	1	RMS	11012.978	-42.66	-13	Pass	9001
12000	20000	1	RMS	19804	-35.67	-13	Pass	8001




**8.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.58	-13	Pass	401
0.15	30	0.01	RMS	0.24	-72.4	-13	Pass	2986
30	1000	0.1	RMS	997.799	-64.18	-13	Pass	9700
1000	1840	1	RMS	1814	-52.81	-13	Pass	841
1840	1920	1	RMS	1895.8	21.57	60	Pass	401
1920	3000	1	RMS	2943	-50.23	-13	Pass	1081
3000	12000	1	RMS	7142.506	-41.52	-13	Pass	9001
12000	20000	1	RMS	19804	-35.8	-13	Pass	8001




**8.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.67	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.35	-13	Pass	2986
30	1000	0.1	RMS	851.802	-64.11	-13	Pass	9700
1000	1840	1	RMS	1818	-53.04	-13	Pass	841
1840	1920	1	RMS	1895.8	20.88	60	Pass	401
1920	3000	1	RMS	2951	-50.25	-13	Pass	1081
3000	12000	1	RMS	11128.992	-43.02	-13	Pass	9001
12000	20000	1	RMS	19654	-35.11	-13	Pass	8001




**8.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31,
Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.24	-13	Pass	2986
30	1000	0.1	RMS	886.325	-64.06	-13	Pass	9700
1000	1840	1	RMS	1840	-51.02	-13	Pass	841
1840	1920	1	RMS	1851	21.8	60	Pass	401
1920	3000	1	RMS	2947	-50.19	-13	Pass	1081
3000	12000	1	RMS	11011.978	-43.04	-13	Pass	9001
12000	20000	1	RMS	19801	-35.78	-13	Pass	8001




**8.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.92	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.36	-13	Pass	2986
30	1000	0.1	RMS	885.124	-64.17	-13	Pass	9700
1000	1840	1	RMS	1840	-51.81	-13	Pass	841
1840	1920	1	RMS	1851	21.07	60	Pass	401
1920	3000	1	RMS	2840	-50.21	-13	Pass	1081
3000	12000	1	RMS	11127.992	-42.97	-13	Pass	9001
12000	20000	1	RMS	19801	-35.68	-13	Pass	8001




**8.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,
Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.96	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.75	-13	Pass	2986
30	1000	0.1	RMS	883.323	-64.18	-13	Pass	9700
1000	1840	1	RMS	1829	-52.93	-13	Pass	841
1840	1920	1	RMS	1871	21.69	60	Pass	401
1920	3000	1	RMS	2949	-50.23	-13	Pass	1081
3000	12000	1	RMS	11010.978	-42.87	-13	Pass	9001
12000	20000	1	RMS	19799	-35.72	-13	Pass	8001




**8.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.05	-13	Pass	401
0.15	30	0.01	RMS	0.24	-72.45	-13	Pass	2986
30	1000	0.1	RMS	851.902	-64.12	-13	Pass	9700
1000	1840	1	RMS	1814	-53.03	-13	Pass	841
1840	1920	1	RMS	1871	20.81	60	Pass	401
1920	3000	1	RMS	2955	-50.27	-13	Pass	1081
3000	12000	1	RMS	7129.504	-41.34	-13	Pass	9001
12000	20000	1	RMS	19798	-35.7	-13	Pass	8001




**8.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.81	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.18	-13	Pass	2986
30	1000	0.1	RMS	988.993	-64.05	-13	Pass	9700
1000	1840	1	RMS	1840	-52.88	-13	Pass	841
1840	1920	1	RMS	1891	21.49	60	Pass	401
1920	3000	1	RMS	2951	-50.2	-13	Pass	1081
3000	12000	1	RMS	11009.978	-42.91	-13	Pass	9001
12000	20000	1	RMS	19661	-34.83	-13	Pass	8001



**8.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.75	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.79	-13	Pass	2986
30	1000	0.1	RMS	114.61	-63.47	-13	Pass	9700
1000	1840	1	RMS	1807	-52.73	-13	Pass	841
1840	1920	1	RMS	1891	20.72	60	Pass	401
1920	3000	1	RMS	2955	-50.18	-13	Pass	1081
3000	12000	1	RMS	11128.992	-42.83	-13	Pass	9001
12000	20000	1	RMS	19787	-35.65	-13	Pass	8001



9. LTE_Band4


9.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.32	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.3	-13	Pass	2986
30	1000	0.1	RMS	876.618	-64	-13	Pass	9700
1000	1700	1	RMS	1700	-51.96	-13	Pass	701
1700	1765	1	RMS	1710.238	21.07	60	Pass	401
1765	3000	1	RMS	2952	-50.08	-13	Pass	1236
3000	12000	1	RMS	11017.979	-42.9	-13	Pass	9001
12000	20000	1	RMS	19797	-35.76	-13	Pass	8001




9.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.22	-13	Pass	401
0.15	30	0.01	RMS	0.36	-72.36	-13	Pass	2986
30	1000	0.1	RMS	888.826	-64.16	-13	Pass	9700
1000	1700	1	RMS	1700	-52.22	-13	Pass	701
1700	1765	1	RMS	1710.238	20.13	60	Pass	401
1765	3000	1	RMS	2954	-50.21	-13	Pass	1236
3000	12000	1	RMS	11009.978	-42.96	-13	Pass	9001
12000	20000	1	RMS	19803	-35.76	-13	Pass	8001




**9.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.58	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.69	-13	Pass	2986
30	1000	0.1	RMS	873.116	-64.18	-13	Pass	9700
1000	1700	1	RMS	1699	-53.26	-13	Pass	701
1700	1765	1	RMS	1732.013	20.97	60	Pass	401
1765	3000	1	RMS	2950	-50.24	-13	Pass	1236
3000	12000	1	RMS	7126.504	-41.94	-13	Pass	9001
12000	20000	1	RMS	19807	-35.74	-13	Pass	8001




9.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.03	-13	Pass	2986
30	1000	0.1	RMS	877.519	-64.18	-13	Pass	9700
1000	1700	1	RMS	1699	-53.31	-13	Pass	701
1700	1765	1	RMS	1732.013	20.05	60	Pass	401
1765	3000	1	RMS	2952	-50.24	-13	Pass	1236
3000	12000	1	RMS	11009.978	-43.01	-13	Pass	9001
12000	20000	1	RMS	19644	-35.16	-13	Pass	8001




**9.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.82	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.94	-13	Pass	2986
30	1000	0.1	RMS	892.128	-64.18	-13	Pass	9700
1000	1700	1	RMS	1700	-53.29	-13	Pass	701
1700	1765	1	RMS	1753.788	21	60	Pass	401
1765	3000	1	RMS	2951	-50.22	-13	Pass	1236
3000	12000	1	RMS	11009.978	-42.95	-13	Pass	9001
12000	20000	1	RMS	19799	-35.78	-13	Pass	8001




**9.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.74	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.57	-13	Pass	2986
30	1000	0.1	RMS	989.293	-64.09	-13	Pass	9700
1000	1700	1	RMS	1700	-53.31	-13	Pass	701
1700	1765	1	RMS	1753.788	20.17	60	Pass	401
1765	3000	1	RMS	2950	-50.23	-13	Pass	1236
3000	12000	1	RMS	11009.978	-42.92	-13	Pass	9001
12000	20000	1	RMS	19804	-35.74	-13	Pass	8001




**9.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.07	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.01	-13	Pass	2986
30	1000	0.1	RMS	978.085	-64.14	-13	Pass	9700
1000	1700	1	RMS	1700	-51.8	-13	Pass	701
1700	1765	1	RMS	1710.238	21.12	60	Pass	401
1765	3000	1	RMS	2949	-50.19	-13	Pass	1236
3000	12000	1	RMS	11879	-42.88	-13	Pass	9001
12000	20000	1	RMS	19800	-35.68	-13	Pass	8001




9.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.3	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.27	-13	Pass	2986
30	1000	0.1	RMS	979.787	-62.21	-13	Pass	9700
1000	1700	1	RMS	1700	-51.65	-13	Pass	701
1700	1765	1	RMS	1710.075	20.35	60	Pass	401
1765	3000	1	RMS	2842	-49.93	-13	Pass	1236
3000	12000	1	RMS	7140.505	-41.14	-13	Pass	9001
12000	20000	1	RMS	19795	-35.58	-13	Pass	8001




**9.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.7	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.42	-13	Pass	2986
30	1000	0.1	RMS	997.298	-63.99	-13	Pass	9700
1000	1700	1	RMS	1698	-53.22	-13	Pass	701
1700	1765	1	RMS	1731.2	21.05	60	Pass	401
1765	3000	1	RMS	2951	-50.14	-13	Pass	1236
3000	12000	1	RMS	11012.978	-42.94	-13	Pass	9001
12000	20000	1	RMS	19800	-35.78	-13	Pass	8001




**9.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.23	-13	Pass	2986
30	1000	0.1	RMS	977.385	-64.15	-13	Pass	9700
1000	1700	1	RMS	1698	-53.19	-13	Pass	701
1700	1765	1	RMS	1731.2	20.11	60	Pass	401
1765	3000	1	RMS	2954	-50.09	-13	Pass	1236
3000	12000	1	RMS	11010.978	-43.06	-13	Pass	9001
12000	20000	1	RMS	19652	-35.25	-13	Pass	8001




**9.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.43	-13	Pass	401
0.15	30	0.01	RMS	0.29	-72.44	-13	Pass	2986
30	1000	0.1	RMS	875.117	-64.05	-13	Pass	9700
1000	1700	1	RMS	1695	-53.33	-13	Pass	701
1700	1765	1	RMS	1752.163	21.09	60	Pass	401
1765	3000	1	RMS	2951	-50.22	-13	Pass	1236
3000	12000	1	RMS	11009.978	-43.01	-13	Pass	9001
12000	20000	1	RMS	19797	-35.74	-13	Pass	8001




**9.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.25	-13	Pass	2986
30	1000	0.1	RMS	877.319	-64.15	-13	Pass	9700
1000	1700	1	RMS	1697	-53.31	-13	Pass	701
1700	1765	1	RMS	1752.163	20.25	60	Pass	401
1765	3000	1	RMS	2949	-50.19	-13	Pass	1236
3000	12000	1	RMS	11128.992	-42.98	-13	Pass	9001
12000	20000	1	RMS	19800	-35.7	-13	Pass	8001




**9.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.85	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.75	-13	Pass	2986
30	1000	0.1	RMS	846.9	-64.16	-13	Pass	9700
1000	1700	1	RMS	1700	-51.81	-13	Pass	701
1700	1765	1	RMS	1710.238	21.19	60	Pass	401
1765	3000	1	RMS	2957	-50.24	-13	Pass	1236
3000	12000	1	RMS	7120.503	-41.16	-13	Pass	9001
12000	20000	1	RMS	19802	-35.82	-13	Pass	8001




**9.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.48	-13	Pass	2986
30	1000	0.1	RMS	870.514	-64.23	-13	Pass	9700
1000	1700	1	RMS	1700	-52.11	-13	Pass	701
1700	1765	1	RMS	1710.238	20.31	60	Pass	401
1765	3000	1	RMS	2951	-50.25	-13	Pass	1236
3000	12000	1	RMS	11012.978	-42.99	-13	Pass	9001
12000	20000	1	RMS	19798	-35.84	-13	Pass	8001




**9.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.96	-13	Pass	2986
30	1000	0.1	RMS	988.492	-64.25	-13	Pass	9700
1000	1700	1	RMS	1700	-53.3	-13	Pass	701
1700	1765	1	RMS	1730.225	21.09	60	Pass	401
1765	3000	1	RMS	2950	-50.25	-13	Pass	1236
3000	12000	1	RMS	11018.979	-42.99	-13	Pass	9001
12000	20000	1	RMS	19654	-34.96	-13	Pass	8001




**9.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.99	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.37	-13	Pass	2986
30	1000	0.1	RMS	869.313	-64.09	-13	Pass	9700
1000	1700	1	RMS	1700	-53.2	-13	Pass	701
1700	1765	1	RMS	1730.225	20.37	60	Pass	401
1765	3000	1	RMS	2960	-50.06	-13	Pass	1236
3000	12000	1	RMS	11872	-42.74	-13	Pass	9001
12000	20000	1	RMS	19786	-35.69	-13	Pass	8001




**9.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.72	-13	Pass	401
0.15	30	0.01	RMS	9.05	-70.86	-13	Pass	2986
30	1000	0.1	RMS	737.486	-61.97	-13	Pass	9700
1000	1700	1	RMS	1700	-53.07	-13	Pass	701
1700	1765	1	RMS	1750.213	21.08	60	Pass	401
1765	3000	1	RMS	1768	-48.3	-13	Pass	1236
3000	12000	1	RMS	11018.979	-42.94	-13	Pass	9001
12000	20000	1	RMS	19799	-35.79	-13	Pass	8001




**9.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.77	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.67	-13	Pass	2986
30	1000	0.1	RMS	893.629	-64.13	-13	Pass	9700
1000	1700	1	RMS	1700	-53.32	-13	Pass	701
1700	1765	1	RMS	1750.213	20.42	60	Pass	401
1765	3000	1	RMS	1768	-48.8	-13	Pass	1236
3000	12000	1	RMS	7134.505	-41.6	-13	Pass	9001
12000	20000	1	RMS	19797	-35.73	-13	Pass	8001




**9.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.23	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.39	-13	Pass	2986
30	1000	0.1	RMS	899.533	-63.99	-13	Pass	9700
1000	1700	1	RMS	1700	-51.84	-13	Pass	701
1700	1765	1	RMS	1710.563	21.25	60	Pass	401
1765	3000	1	RMS	2850	-50.2	-13	Pass	1236
3000	12000	1	RMS	11873	-43.04	-13	Pass	9001
12000	20000	1	RMS	19803	-35.77	-13	Pass	8001




**9.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.92	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.31	-13	Pass	2986
30	1000	0.1	RMS	893.029	-64.15	-13	Pass	9700
1000	1700	1	RMS	1700	-52.16	-13	Pass	701
1700	1765	1	RMS	1710.563	20.4	60	Pass	401
1765	3000	1	RMS	2955	-50.21	-13	Pass	1236
3000	12000	1	RMS	11010.978	-42.98	-13	Pass	9001
12000	20000	1	RMS	19644	-35.17	-13	Pass	8001




**9.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.64	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.86	-13	Pass	2986
30	1000	0.1	RMS	886.225	-64.12	-13	Pass	9700
1000	1700	1	RMS	1700	-53.24	-13	Pass	701
1700	1765	1	RMS	1727.95	21.07	60	Pass	401
1765	3000	1	RMS	2954	-50.2	-13	Pass	1236
3000	12000	1	RMS	11009.978	-42.98	-13	Pass	9001
12000	20000	1	RMS	19807	-35.79	-13	Pass	8001




**9.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.75	-13	Pass	401
0.15	30	0.01	RMS	0.37	-72.22	-13	Pass	2986
30	1000	0.1	RMS	988.592	-64.2	-13	Pass	9700
1000	1700	1	RMS	1693	-53.3	-13	Pass	701
1700	1765	1	RMS	1727.95	20.18	60	Pass	401
1765	3000	1	RMS	2949	-50.15	-13	Pass	1236
3000	12000	1	RMS	11333	-43	-13	Pass	9001
12000	20000	1	RMS	19800	-35.8	-13	Pass	8001




**9.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.7	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.2	-13	Pass	2986
30	1000	0.1	RMS	985.29	-64.08	-13	Pass	9700
1000	1700	1	RMS	1700	-53.29	-13	Pass	701
1700	1765	1	RMS	1745.5	21.19	60	Pass	401
1765	3000	1	RMS	1781	-48.75	-13	Pass	1236
3000	12000	1	RMS	7132.504	-41.98	-13	Pass	9001
12000	20000	1	RMS	19799	-35.79	-13	Pass	8001




**9.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.48	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.51	-13	Pass	2986
30	1000	0.1	RMS	860.708	-63.97	-13	Pass	9700
1000	1700	1	RMS	1697	-53.17	-13	Pass	701
1700	1765	1	RMS	1745.5	20.29	60	Pass	401
1765	3000	1	RMS	1781	-49.59	-13	Pass	1236
3000	12000	1	RMS	11123.992	-42.66	-13	Pass	9001
12000	20000	1	RMS	19801	-35.7	-13	Pass	8001




**9.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.57	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.44	-13	Pass	2986
30	1000	0.1	RMS	851.301	-64.14	-13	Pass	9700
1000	1700	1	RMS	1698	-51.75	-13	Pass	701
1700	1765	1	RMS	1710.725	21.36	60	Pass	401
1765	3000	1	RMS	2952	-50.19	-13	Pass	1236
3000	12000	1	RMS	11011.978	-42.93	-13	Pass	9001
12000	20000	1	RMS	19654	-35.33	-13	Pass	8001




**9.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.12	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.06	-13	Pass	2986
30	1000	0.1	RMS	863.91	-64.15	-13	Pass	9700
1000	1700	1	RMS	1698	-51.93	-13	Pass	701
1700	1765	1	RMS	1710.725	20.61	60	Pass	401
1765	3000	1	RMS	2948	-50.22	-13	Pass	1236
3000	12000	1	RMS	11640	-42.97	-13	Pass	9001
12000	20000	1	RMS	19805	-35.8	-13	Pass	8001




**9.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.77	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.01	-13	Pass	2986
30	1000	0.1	RMS	884.123	-64.04	-13	Pass	9700
1000	1700	1	RMS	1699	-52.83	-13	Pass	701
1700	1765	1	RMS	1725.838	21.15	60	Pass	401
1765	3000	1	RMS	2952	-50.17	-13	Pass	1236
3000	12000	1	RMS	11874	-43.08	-13	Pass	9001
12000	20000	1	RMS	19796	-35.79	-13	Pass	8001




**9.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.16	-13	Pass	2986
30	1000	0.1	RMS	879.42	-63.99	-13	Pass	9700
1000	1700	1	RMS	1699	-52.91	-13	Pass	701
1700	1765	1	RMS	1725.838	20.27	60	Pass	401
1765	3000	1	RMS	2839	-50.22	-13	Pass	1236
3000	12000	1	RMS	7122.503	-41.45	-13	Pass	9001
12000	20000	1	RMS	19797	-35.78	-13	Pass	8001




**9.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.92	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.61	-13	Pass	2986
30	1000	0.1	RMS	901.535	-64.21	-13	Pass	9700
1000	1700	1	RMS	1699	-53.25	-13	Pass	701
1700	1765	1	RMS	1740.788	21.19	60	Pass	401
1765	3000	1	RMS	1767	-40.69	-13	Pass	1236
3000	12000	1	RMS	11129.992	-43.03	-13	Pass	9001
12000	20000	1	RMS	19803	-35.72	-13	Pass	8001




**9.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.98	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.1	-13	Pass	2986
30	1000	0.1	RMS	871.715	-64.13	-13	Pass	9700
1000	1700	1	RMS	1697	-53.27	-13	Pass	701
1700	1765	1	RMS	1740.788	20.39	60	Pass	401
1765	3000	1	RMS	1767	-39.85	-13	Pass	1236
3000	12000	1	RMS	11009.978	-43.03	-13	Pass	9001
12000	20000	1	RMS	19643	-35.05	-13	Pass	8001




**9.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31,
Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.5	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.71	-13	Pass	2986
30	1000	0.1	RMS	894.33	-64.07	-13	Pass	9700
1000	1700	1	RMS	1700	-51.07	-13	Pass	701
1700	1765	1	RMS	1711.05	21.36	60	Pass	401
1765	3000	1	RMS	1782	-49.92	-13	Pass	1236
3000	12000	1	RMS	11013.978	-43.02	-13	Pass	9001
12000	20000	1	RMS	19800	-35.75	-13	Pass	8001




**9.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.14	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.92	-13	Pass	2986
30	1000	0.1	RMS	994.997	-64.06	-13	Pass	9700
1000	1700	1	RMS	1700	-51.58	-13	Pass	701
1700	1765	1	RMS	1711.05	20.51	60	Pass	401
1765	3000	1	RMS	2948	-50.2	-13	Pass	1236
3000	12000	1	RMS	11129.992	-43.02	-13	Pass	9001
12000	20000	1	RMS	19796	-35.8	-13	Pass	8001




**9.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,
Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.43	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.33	-13	Pass	2986
30	1000	0.1	RMS	993.596	-64.16	-13	Pass	9700
1000	1700	1	RMS	1697	-52.94	-13	Pass	701
1700	1765	1	RMS	1723.563	21.2	60	Pass	401
1765	3000	1	RMS	2950	-50.07	-13	Pass	1236
3000	12000	1	RMS	7135.505	-42.05	-13	Pass	9001
12000	20000	1	RMS	19799	-35.69	-13	Pass	8001




**9.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.32	-13	Pass	2986
30	1000	0.1	RMS	989.893	-64.02	-13	Pass	9700
1000	1700	1	RMS	1697	-53.04	-13	Pass	701
1700	1765	1	RMS	1723.563	20.27	60	Pass	401
1765	3000	1	RMS	2958	-50.26	-13	Pass	1236
3000	12000	1	RMS	11008.978	-43.02	-13	Pass	9001
12000	20000	1	RMS	19800	-35.75	-13	Pass	8001




**9.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.07	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.91	-13	Pass	2986
30	1000	0.1	RMS	906.938	-64.21	-13	Pass	9700
1000	1700	1	RMS	1700	-52.84	-13	Pass	701
1700	1765	1	RMS	1736.075	21.17	60	Pass	401
1765	3000	1	RMS	1772	-36.02	-13	Pass	1236
3000	12000	1	RMS	11641	-43.03	-13	Pass	9001
12000	20000	1	RMS	19647	-35.51	-13	Pass	8001



**9.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.98	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.91	-13	Pass	2986
30	1000	0.1	RMS	878.62	-64.01	-13	Pass	9700
1000	1700	1	RMS	1700	-52.69	-13	Pass	701
1700	1765	1	RMS	1736.075	20.4	60	Pass	401
1765	3000	1	RMS	1772	-36.75	-13	Pass	1236
3000	12000	1	RMS	11010.978	-42.97	-13	Pass	9001
12000	20000	1	RMS	19798	-35.78	-13	Pass	8001



10. LTE_Band5


10.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.3	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.05	-13	Pass	2986
30	814	0.1	RMS	813.6	-64.24	-13	Pass	7841
814	860	0.1	RMS	824.2	19.52	60	Pass	461
860	1000	0.1	RMS	877.2	-64.11	-13	Pass	1401
1000	3000	1	RMS	1648	-49.27	-13	Pass	2001
3000	10000	1	RMS	9989	-43.66	-13	Pass	7001




10.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.3	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.06	-13	Pass	2986
30	814	0.1	RMS	813.5	-63.99	-13	Pass	7841
814	860	0.1	RMS	824.2	18.67	60	Pass	461
860	1000	0.1	RMS	881.2	-64.17	-13	Pass	1401
1000	3000	1	RMS	1648	-49.82	-13	Pass	2001
3000	10000	1	RMS	7110	-43.64	-13	Pass	7001




**10.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.19	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.34	-13	Pass	2986
30	814	0.1	RMS	488.6	-64.53	-13	Pass	7841
814	860	0.1	RMS	836	19.46	60	Pass	461
860	1000	0.1	RMS	974.1	-64.3	-13	Pass	1401
1000	3000	1	RMS	2948	-50.18	-13	Pass	2001
3000	10000	1	RMS	9990	-43.79	-13	Pass	7001




10.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.95	-13	Pass	2986
30	814	0.1	RMS	472	-64.52	-13	Pass	7841
814	860	0.1	RMS	836	18.73	60	Pass	461
860	1000	0.1	RMS	992.3	-64.27	-13	Pass	1401
1000	3000	1	RMS	2950	-50.18	-13	Pass	2001
3000	10000	1	RMS	7109	-43.72	-13	Pass	7001




10.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.39	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.14	-13	Pass	2986
30	814	0.1	RMS	478.3	-64.49	-13	Pass	7841
814	860	0.1	RMS	847.8	19.27	60	Pass	461
860	1000	0.1	RMS	991.5	-64.33	-13	Pass	1401
1000	3000	1	RMS	1695	-49.97	-13	Pass	2001
3000	10000	1	RMS	7109	-43.65	-13	Pass	7001




10.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.22	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.24	-13	Pass	2986
30	814	0.1	RMS	479.5	-64.4	-13	Pass	7841
814	860	0.1	RMS	847.8	18.46	60	Pass	461
860	1000	0.1	RMS	903.1	-64.29	-13	Pass	1401
1000	3000	1	RMS	2949	-50.2	-13	Pass	2001
3000	10000	1	RMS	9992	-43.77	-13	Pass	7001




10.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.78	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.01	-13	Pass	2986
30	814	0.1	RMS	813.5	-63.82	-13	Pass	7841
814	860	0.1	RMS	824.2	19.92	60	Pass	461
860	1000	0.1	RMS	862.6	-64.33	-13	Pass	1401
1000	3000	1	RMS	1648	-49.3	-13	Pass	2001
3000	10000	1	RMS	9991	-43.73	-13	Pass	7001




**10.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.63	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.68	-13	Pass	2986
30	814	0.1	RMS	813.5	-63.91	-13	Pass	7841
814	860	0.1	RMS	824.2	19.29	60	Pass	461
860	1000	0.1	RMS	862.2	-64.28	-13	Pass	1401
1000	3000	1	RMS	1648	-49.62	-13	Pass	2001
3000	10000	1	RMS	7110	-43.73	-13	Pass	7001




10.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.19	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.84	-13	Pass	2986
30	814	0.1	RMS	469.5	-64.55	-13	Pass	7841
814	860	0.1	RMS	835.2	19.91	60	Pass	461
860	1000	0.1	RMS	883.8	-64.23	-13	Pass	1401
1000	3000	1	RMS	1670	-49.6	-13	Pass	2001
3000	10000	1	RMS	9989	-43.7	-13	Pass	7001




10.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.85	-13	Pass	2986
30	814	0.1	RMS	471.5	-64.46	-13	Pass	7841
814	860	0.1	RMS	835.2	19.23	60	Pass	461
860	1000	0.1	RMS	864.8	-64.26	-13	Pass	1401
1000	3000	1	RMS	1670	-50.18	-13	Pass	2001
3000	10000	1	RMS	9993	-43.75	-13	Pass	7001




10.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.73	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.87	-13	Pass	2986
30	814	0.1	RMS	480.8	-64.54	-13	Pass	7841
814	860	0.1	RMS	846.2	19.63	60	Pass	461
860	1000	0.1	RMS	876.6	-64.32	-13	Pass	1401
1000	3000	1	RMS	1692	-49.24	-13	Pass	2001
3000	10000	1	RMS	7111	-43.6	-13	Pass	7001




10.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.27	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.99	-13	Pass	2986
30	814	0.1	RMS	476.3	-64.6	-13	Pass	7841
814	860	0.1	RMS	846.2	18.92	60	Pass	461
860	1000	0.1	RMS	881	-64.33	-13	Pass	1401
1000	3000	1	RMS	1692	-49.78	-13	Pass	2001
3000	10000	1	RMS	8790	-43.78	-13	Pass	7001




10.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.04	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.57	-13	Pass	2986
30	814	0.1	RMS	813.6	-63.96	-13	Pass	7841
814	860	0.1	RMS	824.3	19.8	60	Pass	461
860	1000	0.1	RMS	869.7	-64.37	-13	Pass	1401
1000	3000	1	RMS	1648	-49.36	-13	Pass	2001
3000	10000	1	RMS	7108	-43.74	-13	Pass	7001




**10.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.39	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.24	-13	Pass	2986
30	814	0.1	RMS	813.6	-63.86	-13	Pass	7841
814	860	0.1	RMS	824.3	19.08	60	Pass	461
860	1000	0.1	RMS	903.6	-64.38	-13	Pass	1401
1000	3000	1	RMS	1648	-49.85	-13	Pass	2001
3000	10000	1	RMS	9991	-43.73	-13	Pass	7001




**10.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.01	-13	Pass	2986
30	814	0.1	RMS	720.8	-64.53	-13	Pass	7841
814	860	0.1	RMS	834.3	19.7	60	Pass	461
860	1000	0.1	RMS	991.1	-64.21	-13	Pass	1401
1000	3000	1	RMS	1668	-49.63	-13	Pass	2001
3000	10000	1	RMS	7107	-43.86	-13	Pass	7001




**10.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.44	-13	Pass	401
0.15	30	0.01	RMS	0.24	-72.04	-13	Pass	2986
30	814	0.1	RMS	467.2	-64.66	-13	Pass	7841
814	860	0.1	RMS	834.3	19.3	60	Pass	461
860	1000	0.1	RMS	998.3	-64.27	-13	Pass	1401
1000	3000	1	RMS	1668	-50.13	-13	Pass	2001
3000	10000	1	RMS	9991	-43.75	-13	Pass	7001




**10.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.17	-13	Pass	401
0.15	30	0.01	RMS	0.33	-72.07	-13	Pass	2986
30	814	0.1	RMS	501.7	-64.56	-13	Pass	7841
814	860	0.1	RMS	844.3	19.68	60	Pass	461
860	1000	0.1	RMS	988.1	-64.26	-13	Pass	1401
1000	3000	1	RMS	1688	-49.05	-13	Pass	2001
3000	10000	1	RMS	7111	-43.73	-13	Pass	7001




**10.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.52	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.36	-13	Pass	2986
30	814	0.1	RMS	472.5	-64.45	-13	Pass	7841
814	860	0.1	RMS	844.3	19.01	60	Pass	461
860	1000	0.1	RMS	879.5	-64.43	-13	Pass	1401
1000	3000	1	RMS	1688	-49.35	-13	Pass	2001
3000	10000	1	RMS	7110	-43.72	-13	Pass	7001




**10.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.88	-13	Pass	2986
30	814	0.1	RMS	813.9	-63.49	-13	Pass	7841
814	860	0.1	RMS	824.6	20.23	60	Pass	461
860	1000	0.1	RMS	885.5	-64.18	-13	Pass	1401
1000	3000	1	RMS	1649	-49.64	-13	Pass	2001
3000	10000	1	RMS	7106	-43.76	-13	Pass	7001




**10.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.98	-13	Pass	401
0.15	30	0.01	RMS	0.23	-71.56	-13	Pass	2986
30	814	0.1	RMS	813.9	-63.67	-13	Pass	7841
814	860	0.1	RMS	824.6	19.57	60	Pass	461
860	1000	0.1	RMS	881.4	-64.41	-13	Pass	1401
1000	3000	1	RMS	1649	-50.04	-13	Pass	2001
3000	10000	1	RMS	7109	-43.78	-13	Pass	7001




**10.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.56	-13	Pass	2986
30	814	0.1	RMS	466	-64.53	-13	Pass	7841
814	860	0.1	RMS	832.1	20.27	60	Pass	461
860	1000	0.1	RMS	876.7	-64.33	-13	Pass	1401
1000	3000	1	RMS	1664	-50.09	-13	Pass	2001
3000	10000	1	RMS	8793	-43.77	-13	Pass	7001




**10.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.66	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.43	-13	Pass	2986
30	814	0.1	RMS	468.8	-64.55	-13	Pass	7841
814	860	0.1	RMS	832.1	19.45	60	Pass	461
860	1000	0.1	RMS	870.3	-64.27	-13	Pass	1401
1000	3000	1	RMS	2952	-50.27	-13	Pass	2001
3000	10000	1	RMS	7108	-43.8	-13	Pass	7001




**10.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.41	-13	Pass	401
0.15	30	0.01	RMS	0.24	-72.07	-13	Pass	2986
30	814	0.1	RMS	486.2	-64.66	-13	Pass	7841
814	860	0.1	RMS	839.6	20.11	60	Pass	461
860	1000	0.1	RMS	866.3	-64.35	-13	Pass	1401
1000	3000	1	RMS	1679	-49.7	-13	Pass	2001
3000	10000	1	RMS	7105	-43.79	-13	Pass	7001



**10.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.78	-13	Pass	401
0.15	30	0.01	RMS	0.23	-71.78	-13	Pass	2986
30	814	0.1	RMS	464.6	-64.59	-13	Pass	7841
814	860	0.1	RMS	839.6	19.42	60	Pass	461
860	1000	0.1	RMS	899.1	-64.27	-13	Pass	1401
1000	3000	1	RMS	1679	-50.12	-13	Pass	2001
3000	10000	1	RMS	7110	-43.73	-13	Pass	7001



11. LTE_Band7


11.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.01	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.98	-25	Pass	2986
30	1000	0.1	RMS	880.221	-64.19	-25	Pass	9700
1000	2490	1	RMS	2488	-51.2	-25	Pass	1491
2490	2580	1	RMS	2500.125	-0.93	60	Pass	401
2580	3000	1	RMS	2951	-50.24	-25	Pass	421
3000	12000	1	RMS	7085.499	-51.08	-25	Pass	9001
12000	26000	1	RMS	25902	-39.7	-25	Pass	14001




11.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.29	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.6	-25	Pass	2986
30	1000	0.1	RMS	986.591	-64.16	-25	Pass	9700
1000	2490	1	RMS	2489	-51.1	-25	Pass	1491
2490	2580	1	RMS	2500.125	-0.63	60	Pass	401
2580	3000	1	RMS	2949	-50.28	-25	Pass	421
3000	12000	1	RMS	11590	-52.72	-25	Pass	9001
12000	26000	1	RMS	25895	-39.6	-25	Pass	14001




11.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.59	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.24	-25	Pass	2986
30	1000	0.1	RMS	988.993	-64.19	-25	Pass	9700
1000	2490	1	RMS	2486	-51.12	-25	Pass	1491
2490	2580	1	RMS	2532.75	-0.7	60	Pass	401
2580	3000	1	RMS	2951	-50.26	-25	Pass	421
3000	12000	1	RMS	11579	-52.75	-25	Pass	9001
12000	26000	1	RMS	25897	-39.67	-25	Pass	14001




11.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.88	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.95	-25	Pass	2986
30	1000	0.1	RMS	878.519	-64.23	-25	Pass	9700
1000	2490	1	RMS	2489	-51.04	-25	Pass	1491
2490	2580	1	RMS	2532.75	-0.57	60	Pass	401
2580	3000	1	RMS	2843	-50.25	-25	Pass	421
3000	12000	1	RMS	11578	-52.74	-25	Pass	9001
12000	26000	1	RMS	25889	-39.61	-25	Pass	14001




11.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.77	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.87	-25	Pass	2986
30	1000	0.1	RMS	976.484	-64.11	-25	Pass	9700
1000	2490	1	RMS	2488	-51.08	-25	Pass	1491
2490	2580	1	RMS	2565.15	-0.93	60	Pass	401
2580	3000	1	RMS	2840	-50.29	-25	Pass	421
3000	12000	1	RMS	11580	-52.74	-25	Pass	9001
12000	26000	1	RMS	25888	-39.69	-25	Pass	14001




11.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.82	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.22	-25	Pass	2986
30	1000	0.1	RMS	907.739	-64.08	-25	Pass	9700
1000	2490	1	RMS	2490	-51.02	-25	Pass	1491
2490	2580	1	RMS	2565.15	-0.69	60	Pass	401
2580	3000	1	RMS	2952	-50.24	-25	Pass	421
3000	12000	1	RMS	7053.495	-50.7	-25	Pass	9001
12000	26000	1	RMS	25900	-39.68	-25	Pass	14001




**11.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.86	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.2	-25	Pass	2986
30	1000	0.1	RMS	896.531	-64.04	-25	Pass	9700
1000	2490	1	RMS	2490	-50.9	-25	Pass	1491
2490	2580	1	RMS	2500.575	-1.01	60	Pass	401
2580	3000	1	RMS	2954	-50.08	-25	Pass	421
3000	12000	1	RMS	11580	-52.55	-25	Pass	9001
12000	26000	1	RMS	25896	-39.61	-25	Pass	14001




11.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.87	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.56	-25	Pass	2986
30	1000	0.1	RMS	865.711	-62.02	-25	Pass	9700
1000	2490	1	RMS	2485	-50.85	-25	Pass	1491
2490	2580	1	RMS	2500.575	-0.74	60	Pass	401
2580	3000	1	RMS	2950	-50.02	-25	Pass	421
3000	12000	1	RMS	11581	-52.63	-25	Pass	9001
12000	26000	1	RMS	25878	-39.5	-25	Pass	14001




**11.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.84	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.55	-25	Pass	2986
30	1000	0.1	RMS	617.872	-62.43	-25	Pass	9700
1000	2490	1	RMS	2487	-50.96	-25	Pass	1491
2490	2580	1	RMS	2530.5	-0.65	60	Pass	401
2580	3000	1	RMS	2843	-50.1	-25	Pass	421
3000	12000	1	RMS	11585	-52.64	-25	Pass	9001
12000	26000	1	RMS	25902	-39.59	-25	Pass	14001



11.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.27	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.02	-25	Pass	2986
30	1000	0.1	RMS	854.704	-64.13	-25	Pass	9700
1000	2490	1	RMS	2488	-51.05	-25	Pass	1491
2490	2580	1	RMS	2530.5	-0.63	60	Pass	401
2580	3000	1	RMS	2953	-50.2	-25	Pass	421
3000	12000	1	RMS	11583	-52.7	-25	Pass	9001
12000	26000	1	RMS	25901	-39.61	-25	Pass	14001




**11.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.16	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.82	-25	Pass	2986
30	1000	0.1	RMS	472.854	-64.2	-25	Pass	9700
1000	2490	1	RMS	2486	-51.03	-25	Pass	1491
2490	2580	1	RMS	2560.425	-0.93	60	Pass	401
2580	3000	1	RMS	2950	-50.21	-25	Pass	421
3000	12000	1	RMS	7034.492	-50.43	-25	Pass	9001
12000	26000	1	RMS	25906	-39.69	-25	Pass	14001




11.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.81	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.26	-25	Pass	2986
30	1000	0.1	RMS	902.435	-64.18	-25	Pass	9700
1000	2490	1	RMS	2487	-51.04	-25	Pass	1491
2490	2580	1	RMS	2560.425	-0.63	60	Pass	401
2580	3000	1	RMS	2948	-50.23	-25	Pass	421
3000	12000	1	RMS	11575	-52.72	-25	Pass	9001
12000	26000	1	RMS	25889	-39.58	-25	Pass	14001




**11.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.17	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.28	-25	Pass	2986
30	1000	0.1	RMS	877.119	-61.75	-25	Pass	9700
1000	2490	1	RMS	2490	-50.87	-25	Pass	1491
2490	2580	1	RMS	2500.8	-0.96	60	Pass	401
2580	3000	1	RMS	2846	-50.04	-25	Pass	421
3000	12000	1	RMS	11578	-52.52	-25	Pass	9001
12000	26000	1	RMS	25902	-39.47	-25	Pass	14001




**11.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.68	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.96	-25	Pass	2986
30	1000	0.1	RMS	981.988	-64.11	-25	Pass	9700
1000	2490	1	RMS	2488	-51.06	-25	Pass	1491
2490	2580	1	RMS	2500.8	-0.75	60	Pass	401
2580	3000	1	RMS	2949	-50.15	-25	Pass	421
3000	12000	1	RMS	11578	-52.69	-25	Pass	9001
12000	26000	1	RMS	25896	-39.62	-25	Pass	14001




**11.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.05	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.1	-25	Pass	2986
30	1000	0.1	RMS	877.319	-64.05	-25	Pass	9700
1000	2490	1	RMS	2489	-51.08	-25	Pass	1491
2490	2580	1	RMS	2528.25	-0.72	60	Pass	401
2580	3000	1	RMS	2952	-50.21	-25	Pass	421
3000	12000	1	RMS	11585	-52.61	-25	Pass	9001
12000	26000	1	RMS	25890	-39.65	-25	Pass	14001




**11.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.38	-25	Pass	401
0.15	30	0.01	RMS	0.22	-72.08	-25	Pass	2986
30	1000	0.1	RMS	977.985	-64.03	-25	Pass	9700
1000	2490	1	RMS	2490	-50.96	-25	Pass	1491
2490	2580	1	RMS	2528.25	-0.58	60	Pass	401
2580	3000	1	RMS	2848	-50.16	-25	Pass	421
3000	12000	1	RMS	7061.496	-50.59	-25	Pass	9001
12000	26000	1	RMS	25903	-39.53	-25	Pass	14001




**11.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.81	-25	Pass	401
0.15	30	0.01	RMS	0.24	-71.71	-25	Pass	2986
30	1000	0.1	RMS	874.617	-64.09	-25	Pass	9700
1000	2490	1	RMS	2488	-51.04	-25	Pass	1491
2490	2580	1	RMS	2555.7	-0.8	60	Pass	401
2580	3000	1	RMS	2951	-50.19	-25	Pass	421
3000	12000	1	RMS	11581	-52.61	-25	Pass	9001
12000	26000	1	RMS	25900	-39.56	-25	Pass	14001




**11.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.8	-25	Pass	401
0.15	30	0.01	RMS	0.42	-72.32	-25	Pass	2986
30	1000	0.1	RMS	888.526	-64.19	-25	Pass	9700
1000	2490	1	RMS	2488	-50.96	-25	Pass	1491
2490	2580	1	RMS	2555.7	-0.51	60	Pass	401
2580	3000	1	RMS	2949	-50.17	-25	Pass	421
3000	12000	1	RMS	11581	-52.65	-25	Pass	9001
12000	26000	1	RMS	25884	-39.62	-25	Pass	14001




**11.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.38	-25	Pass	401
0.15	30	0.01	RMS	0.23	-71.78	-25	Pass	2986
30	1000	0.1	RMS	852.202	-64.09	-25	Pass	9700
1000	2490	1	RMS	2488	-51.09	-25	Pass	1491
2490	2580	1	RMS	2501.025	-0.89	60	Pass	401
2580	3000	1	RMS	2953	-50.16	-25	Pass	421
3000	12000	1	RMS	11581	-52.55	-25	Pass	9001
12000	26000	1	RMS	25905	-39.57	-25	Pass	14001




**11.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.34	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.27	-25	Pass	2986
30	1000	0.1	RMS	993.195	-64.07	-25	Pass	9700
1000	2490	1	RMS	2486	-51.1	-25	Pass	1491
2490	2580	1	RMS	2501.025	-0.71	60	Pass	401
2580	3000	1	RMS	2847	-50.24	-25	Pass	421
3000	12000	1	RMS	11582	-52.67	-25	Pass	9001
12000	26000	1	RMS	25894	-39.63	-25	Pass	14001




**11.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.3	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.67	-25	Pass	2986
30	1000	0.1	RMS	878.72	-64.03	-25	Pass	9700
1000	2490	1	RMS	2486	-51.08	-25	Pass	1491
2490	2580	1	RMS	2526	-0.78	60	Pass	401
2580	3000	1	RMS	2952	-50.18	-25	Pass	421
3000	12000	1	RMS	7058.495	-50.78	-25	Pass	9001
12000	26000	1	RMS	25900	-39.51	-25	Pass	14001




11.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.26	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.78	-25	Pass	2986
30	1000	0.1	RMS	981.087	-64.17	-25	Pass	9700
1000	2490	1	RMS	2489	-51.03	-25	Pass	1491
2490	2580	1	RMS	2526	-0.6	60	Pass	401
2580	3000	1	RMS	2952	-50.14	-25	Pass	421
3000	12000	1	RMS	11580	-52.65	-25	Pass	9001
12000	26000	1	RMS	25901	-39.62	-25	Pass	14001




**11.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.99	-25	Pass	401
0.15	30	0.01	RMS	0.21	-72.14	-25	Pass	2986
30	1000	0.1	RMS	876.118	-64.05	-25	Pass	9700
1000	2490	1	RMS	2489	-51.07	-25	Pass	1491
2490	2580	1	RMS	2550.975	-0.75	60	Pass	401
2580	3000	1	RMS	2948	-50.2	-25	Pass	421
3000	12000	1	RMS	11582	-52.63	-25	Pass	9001
12000	26000	1	RMS	25900	-39.61	-25	Pass	14001



11.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.34	-25	Pass	401
0.15	30	0.01	RMS	0.2	-72.2	-25	Pass	2986
30	1000	0.1	RMS	900.034	-64.09	-25	Pass	9700
1000	2490	1	RMS	2490	-51.03	-25	Pass	1491
2490	2580	1	RMS	2550.975	-0.54	60	Pass	401
2580	3000	1	RMS	2845	-50.2	-25	Pass	421
3000	12000	1	RMS	11585	-52.67	-25	Pass	9001
12000	26000	1	RMS	25888	-39.62	-25	Pass	14001



12. LTE_Band38


12.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.14	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.07	-25	Pass	2986
30	1000	0.1	RMS	998.699	-64.11	-25	Pass	9700
1000	2560	1	RMS	2560	-49.51	-25	Pass	1561
2560	2630	1	RMS	2570.15	18.7	60	Pass	401
2630	3000	1	RMS	2950.975	-50.15	-25	Pass	401
3000	12000	1	RMS	7077.498	-50.73	-25	Pass	9001
12000	26500	1	RMS	25889	-39.62	-25	Pass	14501




12.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.43	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.74	-25	Pass	2986
30	1000	0.1	RMS	987.091	-64.11	-25	Pass	9700
1000	2560	1	RMS	2559	-50.36	-25	Pass	1561
2560	2630	1	RMS	2570.15	18.59	60	Pass	401
2630	3000	1	RMS	2951.9	-50.18	-25	Pass	401
3000	12000	1	RMS	10280.889	-52.19	-25	Pass	9001
12000	26500	1	RMS	25903	-39.63	-25	Pass	14501




12.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.08	-25	Pass	401
0.15	30	0.01	RMS	0.2	-71.62	-25	Pass	2986
30	1000	0.1	RMS	881.521	-64.11	-25	Pass	9700
1000	2560	1	RMS	2518	-50.58	-25	Pass	1561
2560	2630	1	RMS	2592.9	19.38	60	Pass	401
2630	3000	1	RMS	2949.125	-50.17	-25	Pass	401
3000	12000	1	RMS	10370.9	-50.85	-25	Pass	9001
12000	26500	1	RMS	25888	-39.6	-25	Pass	14501




12.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.52	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.09	-25	Pass	2986
30	1000	0.1	RMS	995.497	-64.08	-25	Pass	9700
1000	2560	1	RMS	2515	-50.68	-25	Pass	1561
2560	2630	1	RMS	2592.9	17.92	60	Pass	401
2630	3000	1	RMS	2946.35	-50.19	-25	Pass	401
3000	12000	1	RMS	10370.9	-50.59	-25	Pass	9001
12000	26500	1	RMS	25901	-39.66	-25	Pass	14501




**12.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.63	-25	Pass	401
0.15	30	0.01	RMS	0.25	-72.14	-25	Pass	2986
30	1000	0.1	RMS	847	-64.09	-25	Pass	9700
1000	2560	1	RMS	2515	-50.62	-25	Pass	1561
2560	2630	1	RMS	2615.125	19.19	60	Pass	401
2630	3000	1	RMS	2949.125	-50.19	-25	Pass	401
3000	12000	1	RMS	7846.592	-49.66	-25	Pass	9001
12000	26500	1	RMS	25900	-39.6	-25	Pass	14501




12.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.42	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.21	-25	Pass	2986
30	1000	0.1	RMS	866.712	-64.14	-25	Pass	9700
1000	2560	1	RMS	2514	-50.61	-25	Pass	1561
2560	2630	1	RMS	2615.125	18.83	60	Pass	401
2630	3000	1	RMS	2950.975	-50.18	-25	Pass	401
3000	12000	1	RMS	7063.496	-50.77	-25	Pass	9001
12000	26500	1	RMS	25896	-39.65	-25	Pass	14501




**12.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.22	-25	Pass	401
0.15	30	0.01	RMS	0.23	-72.09	-25	Pass	2986
30	1000	0.1	RMS	869.013	-64.09	-25	Pass	9700
1000	2560	1	RMS	2558	-50.24	-25	Pass	1561
2560	2630	1	RMS	2570.5	19.38	60	Pass	401
2630	3000	1	RMS	2949.125	-50.19	-25	Pass	401
3000	12000	1	RMS	5141.261	-52.52	-25	Pass	9001
12000	26500	1	RMS	25898	-39.62	-25	Pass	14501




12.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.24	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.07	-25	Pass	2986
30	1000	0.1	RMS	913.843	-64.22	-25	Pass	9700
1000	2560	1	RMS	2558	-50.32	-25	Pass	1561
2560	2630	1	RMS	2570.5	18.02	60	Pass	401
2630	3000	1	RMS	2842.75	-50.24	-25	Pass	401
3000	12000	1	RMS	7711.575	-52.42	-25	Pass	9001
12000	26500	1	RMS	25882	-39.61	-25	Pass	14501




**12.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.92	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.74	-25	Pass	2986
30	1000	0.1	RMS	635.174	-62.2	-25	Pass	9700
1000	2560	1	RMS	2522	-50.42	-25	Pass	1561
2560	2630	1	RMS	2590.45	19.21	60	Pass	401
2630	3000	1	RMS	2950.05	-49.99	-25	Pass	401
3000	12000	1	RMS	10361.899	-50.16	-25	Pass	9001
12000	26500	1	RMS	25889	-39.56	-25	Pass	14501



**12.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.06	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.22	-25	Pass	2986
30	1000	0.1	RMS	870.414	-64.05	-25	Pass	9700
1000	2560	1	RMS	2536	-50.49	-25	Pass	1561
2560	2630	1	RMS	2590.45	18.61	60	Pass	401
2630	3000	1	RMS	2950.975	-50.12	-25	Pass	401
3000	12000	1	RMS	10361.899	-51.31	-25	Pass	9001
12000	26500	1	RMS	25893	-39.63	-25	Pass	14501




**12.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.54	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.31	-25	Pass	2986
30	1000	0.1	RMS	875.117	-64.02	-25	Pass	9700
1000	2560	1	RMS	2512	-50.56	-25	Pass	1561
2560	2630	1	RMS	2610.575	19.33	60	Pass	401
2630	3000	1	RMS	2950.975	-50.2	-25	Pass	401
3000	12000	1	RMS	7036.493	-50.27	-25	Pass	9001
12000	26500	1	RMS	25900	-39.54	-25	Pass	14501



12.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.13	-25	Pass	401
0.15	30	0.01	RMS	0.21	-71.58	-25	Pass	2986
30	1000	0.1	RMS	862.209	-64.1	-25	Pass	9700
1000	2560	1	RMS	2518	-50.68	-25	Pass	1561
2560	2630	1	RMS	2610.4	18.46	60	Pass	401
2630	3000	1	RMS	2947.275	-50.2	-25	Pass	401
3000	12000	1	RMS	10442.909	-51.58	-25	Pass	9001
12000	26500	1	RMS	25880	-39.5	-25	Pass	14501




**12.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.75	-25	Pass	401
0.15	30	0.01	RMS	0.22	-72.11	-25	Pass	2986
30	1000	0.1	RMS	893.229	-64.17	-25	Pass	9700
1000	2560	1	RMS	2558	-50.32	-25	Pass	1561
2560	2630	1	RMS	2570.675	19.26	60	Pass	401
2630	3000	1	RMS	2950.975	-50.18	-25	Pass	401
3000	12000	1	RMS	7712.575	-51.81	-25	Pass	9001
12000	26500	1	RMS	25885	-39.57	-25	Pass	14501




**12.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.94	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.34	-25	Pass	2986
30	1000	0.1	RMS	846.5	-62.1	-25	Pass	9700
1000	2560	1	RMS	2560	-49.71	-25	Pass	1561
2560	2630	1	RMS	2570.675	18.16	60	Pass	401
2630	3000	1	RMS	2953.75	-50.01	-25	Pass	401
3000	12000	1	RMS	7712.575	-52.3	-25	Pass	9001
12000	26500	1	RMS	25888	-39.54	-25	Pass	14501




**12.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.75	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.87	-25	Pass	2986
30	1000	0.1	RMS	847.2	-64.05	-25	Pass	9700
1000	2560	1	RMS	2518	-50.64	-25	Pass	1561
2560	2630	1	RMS	2588.175	19.42	60	Pass	401
2630	3000	1	RMS	2950.975	-50.2	-25	Pass	401
3000	12000	1	RMS	10353.898	-51.3	-25	Pass	9001
12000	26500	1	RMS	25894	-39.58	-25	Pass	14501




**12.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.9	-25	Pass	401
0.15	30	0.01	RMS	0.25	-71.97	-25	Pass	2986
30	1000	0.1	RMS	897.632	-64.04	-25	Pass	9700
1000	2560	1	RMS	2515	-50.61	-25	Pass	1561
2560	2630	1	RMS	2588.35	18.14	60	Pass	401
2630	3000	1	RMS	2950.05	-50.11	-25	Pass	401
3000	12000	1	RMS	7060.496	-49.87	-25	Pass	9001
12000	26500	1	RMS	25891	-39.63	-25	Pass	14501




**12.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.65	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.87	-25	Pass	2986
30	1000	0.1	RMS	869.013	-63.92	-25	Pass	9700
1000	2560	1	RMS	2512	-50.61	-25	Pass	1561
2560	2630	1	RMS	2605.85	18.98	60	Pass	401
2630	3000	1	RMS	2842.75	-50.17	-25	Pass	401
3000	12000	1	RMS	7817.588	-49.3	-25	Pass	9001
12000	26500	1	RMS	25895	-39.6	-25	Pass	14501




**12.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.78	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.39	-25	Pass	2986
30	1000	0.1	RMS	896.231	-64.07	-25	Pass	9700
1000	2560	1	RMS	2540	-50.63	-25	Pass	1561
2560	2630	1	RMS	2605.675	18.77	60	Pass	401
2630	3000	1	RMS	2950.05	-50.13	-25	Pass	401
3000	12000	1	RMS	7817.588	-50.11	-25	Pass	9001
12000	26500	1	RMS	25879	-39.58	-25	Pass	14501




**12.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-73.02	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.52	-25	Pass	2986
30	1000	0.1	RMS	880.321	-64.12	-25	Pass	9700
1000	2560	1	RMS	2559	-49.91	-25	Pass	1561
2560	2630	1	RMS	2570.85	19.41	60	Pass	401
2630	3000	1	RMS	2952.825	-50.21	-25	Pass	401
3000	12000	1	RMS	10284.889	-51.71	-25	Pass	9001
12000	26500	1	RMS	25903	-39.65	-25	Pass	14501




**12.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.35	-25	Pass	401
0.15	30	0.01	RMS	0.22	-72.52	-25	Pass	2986
30	1000	0.1	RMS	982.088	-64.08	-25	Pass	9700
1000	2560	1	RMS	2560	-49.55	-25	Pass	1561
2560	2630	1	RMS	2570.85	17.92	60	Pass	401
2630	3000	1	RMS	2951.9	-50.16	-25	Pass	401
3000	12000	1	RMS	11582	-52.67	-25	Pass	9001
12000	26500	1	RMS	25900	-39.57	-25	Pass	14501




**12.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.52	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.77	-25	Pass	2986
30	1000	0.1	RMS	880.721	-64.03	-25	Pass	9700
1000	2560	1	RMS	2518	-50.59	-25	Pass	1561
2560	2630	1	RMS	2585.9	19.33	60	Pass	401
2630	3000	1	RMS	2850.15	-50.18	-25	Pass	401
3000	12000	1	RMS	10344.897	-49.94	-25	Pass	9001
12000	26500	1	RMS	25901	-39.52	-25	Pass	14501




**12.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.46	-25	Pass	401
0.15	30	0.01	RMS	0.23	-71.69	-25	Pass	2986
30	1000	0.1	RMS	848	-62.06	-25	Pass	9700
1000	2560	1	RMS	2512	-50.38	-25	Pass	1561
2560	2630	1	RMS	2585.9	18.57	60	Pass	401
2630	3000	1	RMS	2950.975	-50	-25	Pass	401
3000	12000	1	RMS	10343.896	-50.49	-25	Pass	9001
12000	26500	1	RMS	25899	-39.48	-25	Pass	14501




**12.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.72	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.19	-25	Pass	2986
30	1000	0.1	RMS	976.384	-61.9	-25	Pass	9700
1000	2560	1	RMS	2510	-50.37	-25	Pass	1561
2560	2630	1	RMS	2600.95	19.53	60	Pass	401
2630	3000	1	RMS	2949.125	-50.15	-25	Pass	401
3000	12000	1	RMS	10404.904	-50.1	-25	Pass	9001
12000	26500	1	RMS	25881	-39.67	-25	Pass	14501



12.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.72	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.74	-25	Pass	2986
30	1000	0.1	RMS	896.932	-64.15	-25	Pass	9700
1000	2560	1	RMS	2513	-50.62	-25	Pass	1561
2560	2630	1	RMS	2601.125	17.92	60	Pass	401
2630	3000	1	RMS	2952.825	-50.2	-25	Pass	401
3000	12000	1	RMS	7802.586	-52.23	-25	Pass	9001
12000	26500	1	RMS	25892	-39.54	-25	Pass	14501



END