

# 1. Effective (Isotropic) Radiated Power Output Data

## 1.1 CA\_7C\_NTNV\_EIRP(ANT13)

### 1.1.1 Test Result

Band: CA_7C / NTN										
BW (MHz)	Modulation	Frequency (MHz)	RB Allocation	Conducted Power (dBm)			Gain (dBi)	EIRP (dBm)		Verdict
				CC1	CC2	Sum		Result	Limit	
CC1:10 CC2:20	CC1: QPSK CC2: QPSK	CC1:2505 CC2:2519.4	CC1: 1@0 CC2: 0@0	22.80	-25.82	22.80	0.90	23.70	<=33.01	Pass
			CC1: 1@49 CC2: 1@0	19.89	19.86	22.89	0.90	23.79	<=33.01	Pass
			CC1: 25@0 CC2: 50@50	16.61	16.15	19.40	0.90	20.30	<=33.01	Pass
			CC1: 25@25 CC2: 50@0	17.97	17.80	20.90	0.90	21.80	<=33.01	Pass
			CC1: 50@0 CC2: 100@0	18.05	17.72	20.89	0.90	21.79	<=33.01	Pass
		CC1:2525.3 CC2:2539.7	CC1: 1@0 CC2: 0@0	22.95	-25.74	22.95	0.90	23.85	<=33.01	Pass
			CC1: 1@49 CC2: 1@0	19.95	19.98	22.97	0.90	23.87	<=33.01	Pass
			CC1: 25@0 CC2: 50@50	16.47	16.26	19.37	0.90	20.27	<=33.01	Pass
			CC1: 25@25 CC2: 50@0	17.87	17.86	20.87	0.90	21.77	<=33.01	Pass
			CC1: 50@0 CC2: 100@0	17.90	17.80	20.86	0.90	21.76	<=33.01	Pass
		CC1:2545.6 CC2:2560	CC1: 1@0 CC2: 0@0	22.73	-25.76	22.74	0.90	23.64	<=33.01	Pass
			CC1: 1@49 CC2: 1@0	19.76	19.72	22.75	0.90	23.65	<=33.01	Pass
			CC1: 25@0 CC2: 50@50	16.66	15.92	19.31	0.90	20.21	<=33.01	Pass
			CC1: 25@25 CC2: 50@0	17.89	17.71	20.81	0.90	21.71	<=33.01	Pass
			CC1: 50@0 CC2: 100@0	18.00	17.54	20.78	0.90	21.68	<=33.01	Pass
	CC1: 16QAM CC2: 16QAM	CC1:2505 CC2:2519.4	CC1: 1@0 CC2: 0@0	21.60	-25.98	21.60	0.90	22.50	<=33.01	Pass
			CC1: 1@49 CC2: 1@0	18.73	18.69	21.72	0.90	22.62	<=33.01	Pass
			CC1: 25@0 CC2: 50@50	16.66	16.09	19.39	0.90	20.29	<=33.01	Pass
			CC1: 25@25 CC2: 50@0	17.01	16.75	19.89	0.90	20.79	<=33.01	Pass
			CC1: 50@0 CC2: 100@0	17.02	16.64	19.85	0.90	20.75	<=33.01	Pass
		CC1:2525.3 CC2:2539.7	CC1: 1@0 CC2: 0@0	22.38	-25.88	22.39	0.90	23.29	<=33.01	Pass
			CC1: 1@49 CC2: 1@0	19.35	18.95	22.17	0.90	23.07	<=33.01	Pass
			CC1: 25@0 CC2: 50@50	16.49	16.26	19.38	0.90	20.28	<=33.01	Pass
			CC1: 25@25 CC2: 50@0	16.92	16.88	19.91	0.90	20.81	<=33.01	Pass
		CC1: 50@0 CC2: 100@0	16.96	16.86	19.92	0.90	20.82	<=33.01	Pass	

		CC1:2545.6 CC2:2560	CC1: 1@0 CC2: 0@0	21.81	-25.90	21.81	0.90	22.71	<=33.01	Pass
			CC1: 1@49 CC2: 1@0	18.76	18.65	21.72	0.90	22.62	<=33.01	Pass
			CC1: 25@0 CC2: 50@50	16.62	15.87	19.27	0.90	20.17	<=33.01	Pass
			CC1: 25@25 CC2: 50@0	16.87	16.68	19.79	0.90	20.69	<=33.01	Pass
			CC1: 50@0 CC2: 100@0	17.01	16.52	19.78	0.90	20.68	<=33.01	Pass
	CC1: 64QAM CC2: 64QAM	CC1:2505 CC2:2519.4	CC1: 1@0 CC2: 0@0	20.43	-26.18	20.43	0.90	21.33	<=33.01	Pass
			CC1: 1@49 CC2: 1@0	16.47	16.59	19.54	0.90	20.44	<=33.01	Pass
			CC1: 25@0 CC2: 50@50	16.64	16.11	19.39	0.90	20.29	<=33.01	Pass
			CC1: 25@25 CC2: 50@0	16.98	16.76	19.88	0.90	20.78	<=33.01	Pass
			CC1: 50@0 CC2: 100@0	17.04	16.67	19.87	0.90	20.77	<=33.01	Pass
		CC1:2525.3 CC2:2539.7	CC1: 1@0 CC2: 0@0	21.04	-25.99	21.05	0.90	21.95	<=33.01	Pass
			CC1: 1@49 CC2: 1@0	17.00	16.75	19.89	0.90	20.79	<=33.01	Pass
			CC1: 25@0 CC2: 50@50	16.46	16.20	19.34	0.90	20.24	<=33.01	Pass
			CC1: 25@25 CC2: 50@0	16.89	16.82	19.87	0.90	20.77	<=33.01	Pass
			CC1: 50@0 CC2: 100@0	16.91	16.76	19.84	0.90	20.74	<=33.01	Pass
		CC1:2545.6 CC2:2560	CC1: 1@0 CC2: 0@0	20.70	-26.06	20.70	0.90	21.60	<=33.01	Pass
			CC1: 1@49 CC2: 1@0	16.71	16.56	19.65	0.90	20.55	<=33.01	Pass
			CC1: 25@0 CC2: 50@50	16.69	15.82	19.29	0.90	20.19	<=33.01	Pass
			CC1: 25@25 CC2: 50@0	16.95	16.64	19.81	0.90	20.71	<=33.01	Pass
			CC1: 50@0 CC2: 100@0	17.01	16.50	19.77	0.90	20.67	<=33.01	Pass
	CC1:15 CC2:10	CC1:2507.5 CC2:2519.5	CC1: 1@0 CC2: 0@0	22.84	-28.14	22.84	0.90	23.74	<=33.01	Pass
			CC1: 1@74 CC2: 1@0	19.94	19.92	22.94	0.90	23.84	<=33.01	Pass
			CC1: 36@0 CC2: 25@25	16.50	16.03	19.28	0.90	20.18	<=33.01	Pass
			CC1: 36@39 CC2: 25@0	17.90	17.76	20.84	0.90	21.74	<=33.01	Pass
			CC1: 75@0 CC2: 50@0	17.97	17.65	20.82	0.90	21.72	<=33.01	Pass
CC1:2530.3 CC2:2542.3		CC1: 1@0 CC2: 0@0	22.85	-28.08	22.85	0.90	23.75	<=33.01	Pass	
		CC1: 1@74 CC2: 1@0	19.81	19.80	22.82	0.90	23.72	<=33.01	Pass	
		CC1: 36@0 CC2: 25@25	16.37	16.18	19.29	0.90	20.19	<=33.01	Pass	
		CC1: 36@39 CC2: 25@0	17.83	17.81	20.83	0.90	21.73	<=33.01	Pass	
		CC1: 75@0 CC2: 50@0	17.85	17.74	20.81	0.90	21.71	<=33.01	Pass	
CC1:2553	CC1: 1@0	22.67	-28.35	22.68	0.90	23.58	<=33.01	Pass		

		CC2:2565	CC2: 0@0									
			CC1: 1@74 CC2: 1@0	19.66	19.67	22.68	0.90	23.58	<=33.01	Pass		
			CC1: 36@0 CC2: 25@25	16.57	15.74	19.18	0.90	20.08	<=33.01	Pass		
			CC1: 36@39 CC2: 25@0	17.82	17.52	20.68	0.90	21.58	<=33.01	Pass		
			CC1: 75@0 CC2: 50@0	17.93	17.36	20.67	0.90	21.57	<=33.01	Pass		
	CC1: 16QAM CC2: 16QAM	CC1:2507.5 CC2:2519.5		CC1: 1@0 CC2: 0@0	22.36	-28.34	22.37	0.90	23.27	<=33.01	Pass	
				CC1: 1@74 CC2: 1@0	19.37	18.92	22.16	0.90	23.06	<=33.01	Pass	
				CC1: 36@0 CC2: 25@25	16.48	15.97	19.24	0.90	20.14	<=33.01	Pass	
				CC1: 36@39 CC2: 25@0	16.91	16.71	19.82	0.90	20.72	<=33.01	Pass	
				CC1: 75@0 CC2: 50@0	16.98	16.68	19.84	0.90	20.74	<=33.01	Pass	
		CC1:2530.3 CC2:2542.3		CC1: 1@0 CC2: 0@0	21.95	-28.17	21.95	0.90	22.85	<=33.01	Pass	
				CC1: 1@74 CC2: 1@0	18.82	18.72	21.79	0.90	22.69	<=33.01	Pass	
				CC1: 36@0 CC2: 25@25	16.38	16.14	19.27	0.90	20.17	<=33.01	Pass	
				CC1: 36@39 CC2: 25@0	16.83	16.76	19.80	0.90	20.70	<=33.01	Pass	
				CC1: 75@0 CC2: 50@0	16.90	16.78	19.85	0.90	20.75	<=33.01	Pass	
		CC1:2553 CC2:2565		CC1: 1@0 CC2: 0@0	21.90	-28.37	21.91	0.90	22.81	<=33.01	Pass	
				CC1: 1@74 CC2: 1@0	18.82	18.56	21.71	0.90	22.61	<=33.01	Pass	
				CC1: 36@0 CC2: 25@25	16.53	15.74	19.17	0.90	20.07	<=33.01	Pass	
				CC1: 36@39 CC2: 25@0	16.79	16.54	19.68	0.90	20.58	<=33.01	Pass	
				CC1: 75@0 CC2: 50@0	16.94	16.37	19.68	0.90	20.58	<=33.01	Pass	
		CC1: 64QAM CC2: 64QAM	CC1:2507.5 CC2:2519.5		CC1: 1@0 CC2: 0@0	20.92	-28.71	20.92	0.90	21.82	<=33.01	Pass
					CC1: 1@74 CC2: 1@0	16.96	16.66	19.82	0.90	20.72	<=33.01	Pass
					CC1: 36@0 CC2: 25@25	16.46	15.99	19.24	0.90	20.14	<=33.01	Pass
					CC1: 36@39 CC2: 25@0	16.84	16.71	19.79	0.90	20.69	<=33.01	Pass
					CC1: 75@0 CC2: 50@0	16.91	16.55	19.74	0.90	20.64	<=33.01	Pass
	CC1:2530.3 CC2:2542.3			CC1: 1@0 CC2: 0@0	21.09	-28.47	21.09	0.90	21.99	<=33.01	Pass	
				CC1: 1@74 CC2: 1@0	16.98	16.70	19.86	0.90	20.76	<=33.01	Pass	
CC1: 36@0 CC2: 25@25				16.40	16.21	19.32	0.90	20.22	<=33.01	Pass		
CC1: 36@39 CC2: 25@0				16.88	16.87	19.89	0.90	20.79	<=33.01	Pass		
CC1: 75@0 CC2: 50@0				16.90	16.74	19.84	0.90	20.74	<=33.01	Pass		
CC1:2553 CC2:2565			CC1: 1@0 CC2: 0@0	20.73	-28.64	20.73	0.90	21.63	<=33.01	Pass		

			CC1: 1@74 CC2: 1@0	16.68	16.45	19.58	0.90	20.48	<=33.01	Pass
			CC1: 36@0 CC2: 25@25	16.58	15.66	19.16	0.90	20.06	<=33.01	Pass
			CC1: 36@39 CC2: 25@0	16.83	16.45	19.66	0.90	20.56	<=33.01	Pass
			CC1: 75@0 CC2: 50@0	16.95	16.33	19.66	0.90	20.56	<=33.01	Pass
CC1:15 CC2:15	CC1: QPSK CC2: QPSK	CC1:2507.5 CC2:2522.5	CC1: 1@0 CC2: 0@0	22.71	-27.26	22.70	0.90	23.60	<=33.01	Pass
			CC1: 1@74 CC2: 1@0	19.90	19.90	22.90	0.90	23.80	<=33.01	Pass
			CC1: 36@0 CC2: 36@39	16.53	15.99	19.28	0.90	20.18	<=33.01	Pass
			CC1: 36@39 CC2: 36@0	18.94	18.71	21.84	0.90	22.74	<=33.01	Pass
			CC1: 75@0 CC2: 75@0	18.00	17.62	20.83	0.90	21.73	<=33.01	Pass
		CC1:2527.5 CC2:2542.5	CC1: 1@0 CC2: 0@0	22.91	-27.07	22.90	0.90	23.80	<=33.01	Pass
			CC1: 1@74 CC2: 1@0	19.89	19.83	22.86	0.90	23.76	<=33.01	Pass
			CC1: 36@0 CC2: 36@39	16.41	16.15	19.29	0.90	20.19	<=33.01	Pass
			CC1: 36@39 CC2: 36@0	18.84	18.75	21.81	0.90	22.71	<=33.01	Pass
			CC1: 75@0 CC2: 75@0	17.85	17.69	20.78	0.90	21.68	<=33.01	Pass
		CC1:2547.5 CC2:2562.5	CC1: 1@0 CC2: 0@0	22.72	-27.16	22.71	0.90	23.61	<=33.01	Pass
			CC1: 1@74 CC2: 1@0	19.66	19.55	22.61	0.90	23.51	<=33.01	Pass
	CC1: 36@0 CC2: 36@39		16.57	15.67	19.15	0.90	20.05	<=33.01	Pass	
	CC1: 36@39 CC2: 36@0		18.84	18.55	21.71	0.90	22.61	<=33.01	Pass	
	CC1: 75@0 CC2: 75@0		17.96	17.37	20.68	0.90	21.58	<=33.01	Pass	
	CC1: 16QAM CC2: 16QAM	CC1:2507.5 CC2:2522.5	CC1: 1@0 CC2: 0@0	21.91	-27.39	21.90	0.90	22.80	<=33.01	Pass
			CC1: 1@74 CC2: 1@0	19.00	18.71	21.86	0.90	22.76	<=33.01	Pass
			CC1: 36@0 CC2: 36@39	16.50	15.90	19.22	0.90	20.12	<=33.01	Pass
			CC1: 36@39 CC2: 36@0	17.87	17.58	20.74	0.90	21.64	<=33.01	Pass
			CC1: 75@0 CC2: 75@0	16.96	16.59	19.79	0.90	20.69	<=33.01	Pass
		CC1:2527.5 CC2:2542.5	CC1: 1@0 CC2: 0@0	22.39	-27.18	22.38	0.90	23.28	<=33.01	Pass
			CC1: 1@74 CC2: 1@0	19.40	18.92	22.17	0.90	23.07	<=33.01	Pass
			CC1: 36@0 CC2: 36@39	16.41	16.12	19.28	0.90	20.18	<=33.01	Pass
			CC1: 36@39 CC2: 36@0	17.89	17.78	20.85	0.90	21.75	<=33.01	Pass
CC1: 75@0 CC2: 75@0			16.92	16.72	19.83	0.90	20.73	<=33.01	Pass	
CC1:2547.5 CC2:2562.5		CC1: 1@0 CC2: 0@0	21.86	-27.23	21.85	0.90	22.75	<=33.01	Pass	
		CC1: 1@74	18.77	18.58	21.68	0.90	22.58	<=33.01	Pass	

			CC2: 1@0								
			CC1: 36@0 CC2: 36@39	16.59	15.65	19.15	0.90	20.05	<=33.01	Pass	
			CC1: 36@39 CC2: 36@0	17.82	17.50	20.67	0.90	21.57	<=33.01	Pass	
			CC1: 75@0 CC2: 75@0	16.97	16.38	19.70	0.90	20.60	<=33.01	Pass	
	CC1: 64QAM CC2: 64QAM	CC1:2507.5 CC2:2522.5		CC1: 1@0 CC2: 0@0	20.87	-27.61	20.85	0.90	21.75	<=33.01	Pass
				CC1: 1@74 CC2: 1@0	16.96	16.94	19.95	0.90	20.85	<=33.01	Pass
				CC1: 36@0 CC2: 36@39	16.51	16.02	19.28	0.90	20.18	<=33.01	Pass
				CC1: 36@39 CC2: 36@0	16.89	16.70	19.81	0.90	20.71	<=33.01	Pass
				CC1: 75@0 CC2: 75@0	17.03	16.67	19.86	0.90	20.76	<=33.01	Pass
		CC1:2527.5 CC2:2542.5		CC1: 1@0 CC2: 0@0	21.11	-27.37	21.10	0.90	22.00	<=33.01	Pass
				CC1: 1@74 CC2: 1@0	17.04	16.70	19.88	0.90	20.78	<=33.01	Pass
				CC1: 36@0 CC2: 36@39	16.44	16.12	19.30	0.90	20.20	<=33.01	Pass
				CC1: 36@39 CC2: 36@0	16.90	16.76	19.84	0.90	20.74	<=33.01	Pass
				CC1: 75@0 CC2: 75@0	16.93	16.75	19.85	0.90	20.75	<=33.01	Pass
		CC1:2547.5 CC2:2562.5		CC1: 1@0 CC2: 0@0	20.74	-27.40	20.73	0.90	21.63	<=33.01	Pass
				CC1: 1@74 CC2: 1@0	16.75	16.54	19.65	0.90	20.55	<=33.01	Pass
				CC1: 36@0 CC2: 36@39	16.62	15.66	19.18	0.90	20.08	<=33.01	Pass
				CC1: 36@39 CC2: 36@0	16.89	16.55	19.74	0.90	20.64	<=33.01	Pass
				CC1: 75@0 CC2: 75@0	17.01	16.40	19.73	0.90	20.63	<=33.01	Pass
		CC1:15 CC2:20	CC1: QPSK CC2: QPSK	CC1:2507.5 CC2:2524.6	CC1: 1@0 CC2: 0@0	22.69	-25.94	22.68	0.90	23.58	<=33.01
CC1: 1@74 CC2: 1@0	19.87				19.88	22.88	0.90	23.78	<=33.01	Pass	
CC1: 36@0 CC2: 50@50	16.55				16.03	19.31	0.90	20.21	<=33.01	Pass	
CC1: 36@39 CC2: 50@0	17.94				17.73	20.84	0.90	21.74	<=33.01	Pass	
CC1: 75@0 CC2: 100@0	17.97				17.60	20.80	0.90	21.70	<=33.01	Pass	
CC1:2525.2 CC2:2542.3				CC1: 1@0 CC2: 0@0	22.89	-25.82	22.88	0.90	23.78	<=33.01	Pass
				CC1: 1@74 CC2: 1@0	19.92	19.88	22.91	0.90	23.81	<=33.01	Pass
				CC1: 36@0 CC2: 50@50	16.42	16.14	19.29	0.90	20.19	<=33.01	Pass
				CC1: 36@39 CC2: 50@0	17.83	17.78	20.81	0.90	21.71	<=33.01	Pass
				CC1: 75@0 CC2: 100@0	17.87	17.71	20.80	0.90	21.70	<=33.01	Pass
CC1:2542.9 CC2:2560				CC1: 1@0 CC2: 0@0	22.77	-25.87	22.75	0.90	23.65	<=33.01	Pass
				CC1: 1@74 CC2: 1@0	19.73	19.61	22.68	0.90	23.58	<=33.01	Pass

			CC1: 36@0 CC2: 50@50	16.60	15.77	19.21	0.90	20.11	<=33.01	Pass	
			CC1: 36@39 CC2: 50@0	17.86	17.65	20.77	0.90	21.67	<=33.01	Pass	
			CC1: 75@0 CC2: 100@0	17.96	17.43	20.71	0.90	21.61	<=33.01	Pass	
CC1: 16QAM CC2: 16QAM	CC1:2507.5 CC2:2524.6		CC1: 1@0 CC2: 0@0	21.92	-26.07	21.91	0.90	22.81	<=33.01	Pass	
			CC1: 1@74 CC2: 1@0	19.05	18.78	21.92	0.90	22.82	<=33.01	Pass	
			CC1: 36@0 CC2: 50@50	16.52	16.00	19.28	0.90	20.18	<=33.01	Pass	
			CC1: 36@39 CC2: 50@0	16.91	16.71	19.83	0.90	20.73	<=33.01	Pass	
			CC1: 75@0 CC2: 100@0	17.01	16.63	19.83	0.90	20.73	<=33.01	Pass	
			CC1: 1@0 CC2: 0@0	22.38	-25.95	22.37	0.90	23.27	<=33.01	Pass	
	CC1:2525.2 CC2:2542.3		CC1: 1@74 CC2: 1@0	19.34	18.86	22.11	0.90	23.01	<=33.01	Pass	
			CC1: 36@0 CC2: 50@50	16.48	16.21	19.36	0.90	20.26	<=33.01	Pass	
			CC1: 36@39 CC2: 50@0	16.86	16.82	19.85	0.90	20.75	<=33.01	Pass	
			CC1: 75@0 CC2: 100@0	16.91	16.77	19.85	0.90	20.75	<=33.01	Pass	
			CC1: 1@0 CC2: 0@0	21.89	-25.94	21.89	0.90	22.79	<=33.01	Pass	
	CC1:2542.9 CC2:2560		CC1: 1@74 CC2: 1@0	18.80	18.63	21.72	0.90	22.62	<=33.01	Pass	
			CC1: 36@0 CC2: 50@50	16.60	15.78	19.22	0.90	20.12	<=33.01	Pass	
			CC1: 36@39 CC2: 50@0	16.84	16.63	19.75	0.90	20.65	<=33.01	Pass	
			CC1: 75@0 CC2: 100@0	17.00	16.44	19.74	0.90	20.64	<=33.01	Pass	
			CC1: 1@0 CC2: 0@0	20.88	-26.33	20.86	0.90	21.76	<=33.01	Pass	
	CC1: 64QAM CC2: 64QAM	CC1:2507.5 CC2:2524.6		CC1: 1@74 CC2: 1@0	16.96	16.97	19.97	0.90	20.87	<=33.01	Pass
				CC1: 36@0 CC2: 50@50	16.53	16.10	19.33	0.90	20.23	<=33.01	Pass
CC1: 36@39 CC2: 50@0				16.89	16.78	19.84	0.90	20.74	<=33.01	Pass	
CC1: 75@0 CC2: 100@0				16.99	16.65	19.83	0.90	20.73	<=33.01	Pass	
CC1: 1@0 CC2: 0@0				21.09	-26.09	21.08	0.90	21.98	<=33.01	Pass	
CC1: 1@74 CC2: 1@0				17.05	16.72	19.90	0.90	20.80	<=33.01	Pass	
CC1:2525.2 CC2:2542.3			CC1: 36@0 CC2: 50@50	16.47	16.14	19.32	0.90	20.22	<=33.01	Pass	
			CC1: 36@39 CC2: 50@0	16.85	16.77	19.82	0.90	20.72	<=33.01	Pass	
			CC1: 75@0 CC2: 100@0	16.92	16.73	19.83	0.90	20.73	<=33.01	Pass	
			CC1: 1@0 CC2: 0@0	20.78	-26.09	20.77	0.90	21.67	<=33.01	Pass	
			CC1: 1@74 CC2: 1@0	16.75	16.54	19.65	0.90	20.55	<=33.01	Pass	
CC1:2542.9 CC2:2560			CC1: 36@0	16.64	15.75	19.23	0.90	20.13	<=33.01	Pass	

			CC2: 50@50								
			CC1: 36@39 CC2: 50@0	16.88	16.60	19.75	0.90	20.65	<=33.01	Pass	
			CC1: 75@0 CC2: 100@0	16.99	16.44	19.73	0.90	20.63	<=33.01	Pass	
CC1:20 CC2:10	CC1: QPSK CC2: QPSK	CC1:2510 CC2:2524.4	CC1: 1@0 CC2: 0@0	22.82	-28.98	22.83	0.90	23.73	<=33.01	Pass	
			CC1: 1@99 CC2: 1@0	19.87	19.83	22.86	0.90	23.76	<=33.01	Pass	
			CC1: 50@0 CC2: 25@25	16.55	16.01	19.30	0.90	20.20	<=33.01	Pass	
			CC1: 50@50 CC2: 25@0	17.93	17.69	20.82	0.90	21.72	<=33.01	Pass	
			CC1: 100@0 CC2: 50@0	17.99	17.60	20.81	0.90	21.71	<=33.01	Pass	
		CC1:2530.3 CC2:2544.7	CC1: 1@0 CC2: 0@0	22.83	-28.86	22.83	0.90	23.73	<=33.01	Pass	
			CC1: 1@99 CC2: 1@0	19.70	19.57	22.65	0.90	23.55	<=33.01	Pass	
			CC1: 50@0 CC2: 25@25	16.40	16.12	19.27	0.90	20.17	<=33.01	Pass	
			CC1: 50@50 CC2: 25@0	17.87	17.72	20.81	0.90	21.71	<=33.01	Pass	
			CC1: 100@0 CC2: 50@0	17.89	17.67	20.79	0.90	21.69	<=33.01	Pass	
		CC1:2550.6 CC2:2565	CC1: 1@0 CC2: 0@0	22.77	-28.88	22.77	0.90	23.67	<=33.01	Pass	
			CC1: 1@99 CC2: 1@0	19.62	19.46	22.55	0.90	23.45	<=33.01	Pass	
	CC1: 50@0 CC2: 25@25		16.61	15.64	19.16	0.90	20.06	<=33.01	Pass		
	CC1: 50@50 CC2: 25@0		17.89	17.45	20.69	0.90	21.59	<=33.01	Pass		
	CC1: 100@0 CC2: 50@0		17.98	17.26	20.65	0.90	21.55	<=33.01	Pass		
	CC1: 16QAM CC2: 16QAM	CC1:2510 CC2:2524.4	CC1: 1@0 CC2: 0@0	21.87	-29.02	21.87	0.90	22.77	<=33.01	Pass	
			CC1: 1@99 CC2: 1@0	18.99	18.55	21.79	0.90	22.69	<=33.01	Pass	
			CC1: 50@0 CC2: 25@25	16.53	16.01	19.29	0.90	20.19	<=33.01	Pass	
			CC1: 50@50 CC2: 25@0	16.93	16.72	19.84	0.90	20.74	<=33.01	Pass	
			CC1: 100@0 CC2: 50@0	17.01	16.60	19.82	0.90	20.72	<=33.01	Pass	
		CC1:2530.3 CC2:2544.7	CC1: 1@0 CC2: 0@0	21.98	-28.86	21.98	0.90	22.88	<=33.01	Pass	
			CC1: 1@99 CC2: 1@0	18.88	18.63	21.77	0.90	22.67	<=33.01	Pass	
			CC1: 50@0 CC2: 25@25	16.44	16.11	19.29	0.90	20.19	<=33.01	Pass	
			CC1: 50@50 CC2: 25@0	16.88	16.70	19.80	0.90	20.70	<=33.01	Pass	
CC1: 100@0 CC2: 50@0			16.92	16.70	19.82	0.90	20.72	<=33.01	Pass		
CC1:2550.6 CC2:2565		CC1: 1@0 CC2: 0@0	22.33	-28.92	22.33	0.90	23.23	<=33.01	Pass		
		CC1: 1@99 CC2: 1@0	19.16	18.44	21.83	0.90	22.73	<=33.01	Pass		
	CC1: 50@0 CC2: 25@25	16.62	15.60	19.15	0.90	20.05	<=33.01	Pass			





			CC2: 36@0									
			CC1: 100@0 CC2: 75@0	17.98	17.31	20.67	0.90	21.57	<=33.01	Pass		
CC1: 16QAM CC2: 16QAM	CC1:2510 CC2:2527.1		CC1: 1@0 CC2: 0@0	21.87	-27.37	21.88	0.90	22.78	<=33.01	Pass		
			CC1: 1@99 CC2: 1@0	18.96	18.55	21.78	0.90	22.68	<=33.01	Pass		
			CC1: 50@0 CC2: 36@39	16.53	15.93	19.25	0.90	20.15	<=33.01	Pass		
			CC1: 50@50 CC2: 36@0	16.92	16.66	19.80	0.90	20.70	<=33.01	Pass		
			CC1: 100@0 CC2: 75@0	17.02	16.57	19.81	0.90	20.71	<=33.01	Pass		
			CC1:2527.7 CC2:2544.8		CC1: 1@0 CC2: 0@0	21.95	-27.25	21.95	0.90	22.85	<=33.01	Pass
					CC1: 1@99 CC2: 1@0	18.84	18.64	21.76	0.90	22.66	<=33.01	Pass
					CC1: 50@0 CC2: 36@39	16.43	16.00	19.23	0.90	20.13	<=33.01	Pass
					CC1: 50@50 CC2: 36@0	16.87	16.65	19.77	0.90	20.67	<=33.01	Pass
					CC1: 100@0 CC2: 75@0	16.90	16.64	19.78	0.90	20.68	<=33.01	Pass
	CC1:2545.4 CC2:2562.5		CC1: 1@0 CC2: 0@0	22.33	-27.25	22.34	0.90	23.24	<=33.01	Pass		
			CC1: 1@99 CC2: 1@0	19.18	18.52	21.87	0.90	22.77	<=33.01	Pass		
			CC1: 50@0 CC2: 36@39	16.65	15.67	19.20	0.90	20.10	<=33.01	Pass		
			CC1: 50@50 CC2: 36@0	16.85	16.50	19.69	0.90	20.59	<=33.01	Pass		
			CC1: 100@0 CC2: 75@0	17.00	16.32	19.68	0.90	20.58	<=33.01	Pass		
	CC1: 64QAM CC2: 64QAM	CC1:2510 CC2:2527.1		CC1: 1@0 CC2: 0@0	20.77	-27.58	20.77	0.90	21.67	<=33.01	Pass	
				CC1: 1@99 CC2: 1@0	16.92	16.69	19.82	0.90	20.72	<=33.01	Pass	
				CC1: 50@0 CC2: 36@39	16.61	15.98	19.32	0.90	20.22	<=33.01	Pass	
				CC1: 50@50 CC2: 36@0	17.00	16.69	19.86	0.90	20.76	<=33.01	Pass	
				CC1: 100@0 CC2: 75@0	17.03	16.62	19.84	0.90	20.74	<=33.01	Pass	
CC1:2527.7 CC2:2544.8					CC1: 1@0 CC2: 0@0	20.91	-27.48	20.91	0.90	21.81	<=33.01	Pass
		CC1: 1@99 CC2: 1@0	16.88		16.79	19.85	0.90	20.75	<=33.01	Pass		
		CC1: 50@0 CC2: 36@39	16.47		16.07	19.28	0.90	20.18	<=33.01	Pass		
		CC1: 50@50 CC2: 36@0	16.91		16.73	19.83	0.90	20.73	<=33.01	Pass		
		CC1: 100@0 CC2: 75@0	16.89		16.66	19.79	0.90	20.69	<=33.01	Pass		
CC1:2545.4 CC2:2562.5			CC1: 1@0 CC2: 0@0	20.51	-27.51	20.51	0.90	21.41	<=33.01	Pass		
			CC1: 1@99 CC2: 1@0	16.42	16.51	19.48	0.90	20.38	<=33.01	Pass		
			CC1: 50@0 CC2: 36@39	16.67	15.65	19.20	0.90	20.10	<=33.01	Pass		
			CC1: 50@50 CC2: 36@0	16.86	16.47	19.68	0.90	20.58	<=33.01	Pass		

			CC1: 100@0 CC2: 75@0	17.02	16.31	19.69	0.90	20.59	<=33.01	Pass
CC1:20 CC2:20	CC1: QPSK CC2: QPSK	CC1:2510 CC2:2529.8	CC1: 1@0 CC2: 0@0	22.73	-26.30	22.74	0.90	23.64	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	19.82	19.82	22.84	0.90	23.74	<=33.01	Pass
			CC1: 50@0 CC2: 50@50	16.50	15.92	19.24	0.90	20.14	<=33.01	Pass
			CC1: 50@50 CC2: 50@0	18.90	18.69	21.81	0.90	22.71	<=33.01	Pass
			CC1: 100@0 CC2: 100@0	17.98	17.58	20.79	0.90	21.69	<=33.01	Pass
		CC1:2525.1 CC2:2544.9	CC1: 1@0 CC2: 0@0	22.76	-26.15	22.77	0.90	23.67	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	19.68	19.60	22.65	0.90	23.55	<=33.01	Pass
			CC1: 50@0 CC2: 50@50	16.41	16.00	19.22	0.90	20.12	<=33.01	Pass
			CC1: 50@50 CC2: 50@0	18.84	18.73	21.80	0.90	22.70	<=33.01	Pass
			CC1: 100@0 CC2: 100@0	17.88	17.62	20.76	0.90	21.66	<=33.01	Pass
		CC1:2540.2 CC2:2560	CC1: 1@0 CC2: 0@0	22.76	-26.17	22.76	0.90	23.66	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	19.67	19.54	22.62	0.90	23.52	<=33.01	Pass
			CC1: 50@0 CC2: 50@50	16.62	15.69	19.19	0.90	20.09	<=33.01	Pass
			CC1: 50@50 CC2: 50@0	18.84	18.54	21.70	0.90	22.60	<=33.01	Pass
			CC1: 100@0 CC2: 100@0	17.96	17.35	20.67	0.90	21.57	<=33.01	Pass
	CC1: 16QAM CC2: 16QAM	CC1:2510 CC2:2529.8	CC1: 1@0 CC2: 0@0	21.82	-26.36	21.83	0.90	22.73	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	18.96	18.57	21.78	0.90	22.68	<=33.01	Pass
			CC1: 50@0 CC2: 50@50	16.52	15.94	19.25	0.90	20.15	<=33.01	Pass
			CC1: 50@50 CC2: 50@0	17.92	17.71	20.83	0.90	21.73	<=33.01	Pass
			CC1: 100@0 CC2: 100@0	16.98	16.57	19.79	0.90	20.69	<=33.01	Pass
		CC1:2525.1 CC2:2544.9	CC1: 1@0 CC2: 0@0	21.91	-26.20	21.91	0.90	22.81	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	18.87	18.66	21.78	0.90	22.68	<=33.01	Pass
			CC1: 50@0 CC2: 50@50	16.44	16.02	19.25	0.90	20.15	<=33.01	Pass
			CC1: 50@50 CC2: 50@0	17.86	17.74	20.81	0.90	21.71	<=33.01	Pass
			CC1: 100@0 CC2: 100@0	16.91	16.65	19.79	0.90	20.69	<=33.01	Pass
		CC1:2540.2 CC2:2560	CC1: 1@0 CC2: 0@0	22.34	-26.14	22.34	0.90	23.24	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	19.23	18.55	21.92	0.90	22.82	<=33.01	Pass
			CC1: 50@0 CC2: 50@50	16.63	15.69	19.20	0.90	20.10	<=33.01	Pass
			CC1: 50@50 CC2: 50@0	17.88	17.56	20.73	0.90	21.63	<=33.01	Pass
			CC1: 100@0	17.00	16.36	19.70	0.90	20.60	<=33.01	Pass

			CC2: 100@0								
	CC1: 64QAM CC2: 64QAM	CC1:2510 CC2:2529.8	CC1: 1@0 CC2: 0@0	20.75	-26.50	20.76	0.90	21.66	<=33.01	Pass	
CC1: 1@99 CC2: 1@0			16.90	16.69	19.81	0.90	20.71	<=33.01	Pass		
CC1: 50@0 CC2: 50@50			16.58	15.95	19.28	0.90	20.18	<=33.01	Pass		
CC1: 50@50 CC2: 50@0			16.94	16.69	19.83	0.90	20.73	<=33.01	Pass		
CC1: 100@0 CC2: 100@0			16.96	16.54	19.77	0.90	20.67	<=33.01	Pass		
CC1:2525.1 CC2:2544.9		CC1: 1@0 CC2: 0@0	20.88	-26.38	20.89	0.90	21.79	<=33.01	Pass		
		CC1: 1@99 CC2: 1@0	16.88	16.79	19.85	0.90	20.75	<=33.01	Pass		
		CC1: 50@0 CC2: 50@50	16.48	16.02	19.27	0.90	20.17	<=33.01	Pass		
		CC1: 50@50 CC2: 50@0	16.90	16.75	19.83	0.90	20.73	<=33.01	Pass		
		CC1: 100@0 CC2: 100@0	16.93	16.69	19.82	0.90	20.72	<=33.01	Pass		
CC1:2540.2 CC2:2560		CC1: 1@0 CC2: 0@0	20.53	-26.39	20.53	0.90	21.43	<=33.01	Pass		
		CC1: 1@99 CC2: 1@0	16.45	16.54	19.51	0.90	20.41	<=33.01	Pass		
		CC1: 50@0 CC2: 50@50	16.65	15.68	19.20	0.90	20.10	<=33.01	Pass		
		CC1: 50@50 CC2: 50@0	16.93	16.58	19.77	0.90	20.67	<=33.01	Pass		
		CC1: 100@0 CC2: 100@0	17.04	16.40	19.74	0.90	20.64	<=33.01	Pass		
Note1: EIRP=Conducted Power+Antenna Gain											

## 2. 99% & 26dB Bandwidth

### 2.1 CA\_7C\_NTNV\_OBW



#### 2.1.1 Test Result



Band: CA_7C / NTN						
BW (MHz)	Modulation	Frequency (MHz)	RB Allocation	99% Occupied Bandwidth (MHz)		Verdict
				Sum	Limit	
CC1:10 CC2:20	CC1: QPSK CC2: QPSK	CC1:2505 CC2:2519.4	CC1: 50@0 CC2: 100@0	28.19	/	Pass
		CC1:2545.6 CC2:2560	CC1: 50@0 CC2: 100@0	28.17	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:2505 CC2:2519.4	CC1: 50@0 CC2: 100@0	28.09	/	Pass
		CC1:2545.6 CC2:2560	CC1: 50@0 CC2: 100@0	28.09	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:2505 CC2:2519.4	CC1: 50@0 CC2: 100@0	28.22	/	Pass
		CC1:2545.6 CC2:2560	CC1: 50@0 CC2: 100@0	28.08	/	Pass
CC1:15 CC2:10	CC1: QPSK CC2:	CC1:2507.5 CC2:2519.5	CC1: 75@0 CC2: 50@0	23.25	/	Pass
		CC1:2553	CC1: 75@0	23.27	/	Pass



	QPSK	CC2:2565	CC2: 50@0			
	CC1: 16QAM	CC1:2507.5 CC2:2519.5	CC1: 75@0 CC2: 50@0	23.19	/	Pass
	CC2: 16QAM	CC1:2553 CC2:2565	CC1: 75@0 CC2: 50@0	23.26	/	Pass
	CC1: 64QAM	CC1:2507.5 CC2:2519.5	CC1: 75@0 CC2: 50@0	23.24	/	Pass
	CC2: 64QAM	CC1:2553 CC2:2565	CC1: 75@0 CC2: 50@0	23.21	/	Pass
CC1:15 CC2:15	CC1: QPSK	CC1:2507.5 CC2:2522.5	CC1: 75@0 CC2: 75@0	28.84	/	Pass
	CC2: QPSK	CC1:2547.5 CC2:2562.5	CC1: 75@0 CC2: 75@0	28.75	/	Pass
	CC1: 16QAM	CC1:2507.5 CC2:2522.5	CC1: 75@0 CC2: 75@0	28.73	/	Pass
	CC2: 16QAM	CC1:2547.5 CC2:2562.5	CC1: 75@0 CC2: 75@0	28.78	/	Pass
	CC1: 64QAM	CC1:2507.5 CC2:2522.5	CC1: 75@0 CC2: 75@0	28.73	/	Pass
	CC2: 64QAM	CC1:2547.5 CC2:2562.5	CC1: 75@0 CC2: 75@0	28.81	/	Pass
CC1:15 CC2:20	CC1: QPSK	CC1:2507.5 CC2:2524.6	CC1: 75@0 CC2: 100@0	32.99	/	Pass
	CC2: QPSK	CC1:2542.9 CC2:2560	CC1: 75@0 CC2: 100@0	32.97	/	Pass
	CC1: 16QAM	CC1:2507.5 CC2:2524.6	CC1: 75@0 CC2: 100@0	32.95	/	Pass
	CC2: 16QAM	CC1:2542.9 CC2:2560	CC1: 75@0 CC2: 100@0	32.91	/	Pass
	CC1: 64QAM	CC1:2507.5 CC2:2524.6	CC1: 75@0 CC2: 100@0	33.03	/	Pass
	CC2: 64QAM	CC1:2542.9 CC2:2560	CC1: 75@0 CC2: 100@0	32.99	/	Pass
CC1:20 CC2:10	CC1: QPSK	CC1:2510 CC2:2524.4	CC1: 100@0 CC2: 50@0	28.26	/	Pass
	CC2: QPSK	CC1:2550.6 CC2:2565	CC1: 100@0 CC2: 50@0	28.18	/	Pass
	CC1: 16QAM	CC1:2510 CC2:2524.4	CC1: 100@0 CC2: 50@0	28.29	/	Pass
	CC2: 16QAM	CC1:2550.6 CC2:2565	CC1: 100@0 CC2: 50@0	28.12	/	Pass
	CC1: 64QAM	CC1:2510 CC2:2524.4	CC1: 100@0 CC2: 50@0	28.25	/	Pass
	CC2: 64QAM	CC1:2550.6 CC2:2565	CC1: 100@0 CC2: 50@0	28.22	/	Pass
CC1:20 CC2:15	CC1: QPSK	CC1:2510 CC2:2527.1	CC1: 100@0 CC2: 75@0	33.03	/	Pass
	CC2: QPSK	CC1:2545.4 CC2:2562.5	CC1: 100@0 CC2: 75@0	32.96	/	Pass
	CC1: 16QAM	CC1:2510 CC2:2527.1	CC1: 100@0 CC2: 75@0	33.07	/	Pass
	CC2: 16QAM	CC1:2545.4 CC2:2562.5	CC1: 100@0 CC2: 75@0	32.90	/	Pass
	CC1: 64QAM	CC1:2510 CC2:2527.1	CC1: 100@0 CC2: 75@0	32.99	/	Pass
	CC2: 64QAM	CC1:2545.4 CC2:2562.5	CC1: 100@0 CC2: 75@0	33.02	/	Pass
CC1:20 CC2:20	CC1: QPSK	CC1:2510 CC2:2529.8	CC1: 100@0 CC2: 100@0	37.98	/	Pass
	CC2: QPSK	CC1:2540.2 CC2:2560	CC1: 100@0 CC2: 100@0	37.87	/	Pass

	CC1: 16QAM	CC1:2510 CC2:2529.8	CC1: 100@0 CC2: 100@0	37.81	/	Pass
	CC2: 16QAM	CC1:2540.2 CC2:2560	CC1: 100@0 CC2: 100@0	37.93	/	Pass
	CC1: 64QAM	CC1:2510 CC2:2529.8	CC1: 100@0 CC2: 100@0	37.77	/	Pass
	CC2: 64QAM	CC1:2540.2 CC2:2560	CC1: 100@0 CC2: 100@0	37.86	/	Pass



## 2.1.2 Test Graph





















































































## 2.2 CA\_7C\_NTNV\_XDB



### 2.2.1 Test Result



Band: CA_7C / NTN						
BW (MHz)	Modulation	Frequency (MHz)	RB Allocation	26dB Bandwidth (MHz)		Verdict
				Sum	Limit	
CC1:10 CC2:20	CC1: QPSK CC2: QPSK	CC1:2505	CC1: 50@0	30.44	/	Pass
		CC2:2519.4	CC2: 100@0			
	CC1: QPSK CC2: QPSK	CC1:2545.6	CC1: 50@0	30.43	/	Pass
		CC2:2560	CC2: 100@0			
	CC1: 16QAM CC2: 16QAM	CC1:2505	CC1: 50@0	30.11	/	Pass
		CC2:2519.4	CC2: 100@0			
CC1: 16QAM CC2: 16QAM	CC1:2545.6	CC1: 50@0	30.22	/	Pass	
	CC2:2560	CC2: 100@0				
CC1: 64QAM CC2: 64QAM	CC1:2505	CC1: 50@0	30.25	/	Pass	
	CC2:2519.4	CC2: 100@0				
CC1: 64QAM CC2: 64QAM	CC1:2545.6	CC1: 50@0	30.22	/	Pass	
	CC2:2560	CC2: 100@0				
CC1:15 CC2:10	CC1: QPSK CC2: QPSK	CC1:2507.5	CC1: 75@0	24.81	/	Pass
		CC2:2519.5	CC2: 50@0			
	CC1: QPSK CC2: QPSK	CC1:2553	CC1: 75@0	24.66	/	Pass
		CC2:2565	CC2: 50@0			
	CC1: 16QAM CC2: 16QAM	CC1:2507.5	CC1: 75@0	24.79	/	Pass
		CC2:2519.5	CC2: 50@0			
CC1: 16QAM CC2: 16QAM	CC1:2553	CC1: 75@0	24.69	/	Pass	
	CC2:2565	CC2: 50@0				
CC1: 64QAM CC2: 64QAM	CC1:2507.5	CC1: 75@0	24.70	/	Pass	
	CC2:2519.5	CC2: 50@0				
CC1: 64QAM CC2: 64QAM	CC1:2553	CC1: 75@0	24.68	/	Pass	
	CC2:2565	CC2: 50@0				
CC1:15 CC2:15	CC1: QPSK CC2: QPSK	CC1:2507.5	CC1: 75@0	31.02	/	Pass
		CC2:2522.5	CC2: 75@0			
	CC1: QPSK CC2: QPSK	CC1:2547.5	CC1: 75@0	31.02	/	Pass
		CC2:2562.5	CC2: 75@0			
	CC1: 16QAM CC2: 16QAM	CC1:2507.5	CC1: 75@0	31.06	/	Pass
		CC2:2522.5	CC2: 75@0			
CC1: 16QAM CC2: 16QAM	CC1:2547.5	CC1: 75@0	31.12	/	Pass	
	CC2:2562.5	CC2: 75@0				
CC1: 64QAM CC2: 64QAM	CC1:2507.5	CC1: 75@0	31.00	/	Pass	
	CC2:2522.5	CC2: 75@0				
CC1: 64QAM CC2: 64QAM	CC1:2547.5	CC1: 75@0	30.97	/	Pass	
	CC2:2562.5	CC2: 75@0				
CC1:15 CC2:20	CC1: QPSK CC2: QPSK	CC1:2507.5	CC1: 75@0	35.34	/	Pass
		CC2:2524.6	CC2: 100@0			
	CC1: QPSK CC2: QPSK	CC1:2542.9	CC1: 75@0	35.41	/	Pass
		CC2:2560	CC2: 100@0			
	CC1: 16QAM CC2: 16QAM	CC1:2507.5	CC1: 75@0	35.36	/	Pass
		CC2:2524.6	CC2: 100@0			
CC1: 16QAM CC2: 16QAM	CC1:2542.9	CC1: 75@0	35.42	/	Pass	
	CC2:2560	CC2: 100@0				
CC1: 64QAM CC2: 64QAM	CC1:2507.5	CC1: 75@0	35.40	/	Pass	
	CC2:2524.6	CC2: 100@0				
CC1: 64QAM CC2: 64QAM	CC1:2542.9	CC1: 75@0	35.27	/	Pass	
	CC2:2560	CC2: 100@0				
CC1:20 CC2:10	CC1: QPSK	CC1:2510	CC1: 100@0	30.37	/	Pass



	CC2: QPSK	CC1:2550.6 CC2:2565	CC1: 100@0 CC2: 50@0	30.31	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:2510 CC2:2524.4	CC1: 100@0 CC2: 50@0	30.36	/	Pass
		CC1:2550.6 CC2:2565	CC1: 100@0 CC2: 50@0	30.37	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:2510 CC2:2524.4	CC1: 100@0 CC2: 50@0	30.41	/	Pass
		CC1:2550.6 CC2:2565	CC1: 100@0 CC2: 50@0	30.30	/	Pass
CC1:20 CC2:15	CC1: QPSK CC2: QPSK	CC1:2510 CC2:2527.1	CC1: 100@0 CC2: 75@0	35.40	/	Pass
		CC1:2545.4 CC2:2562.5	CC1: 100@0 CC2: 75@0	35.44	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:2510 CC2:2527.1	CC1: 100@0 CC2: 75@0	35.41	/	Pass
		CC1:2545.4 CC2:2562.5	CC1: 100@0 CC2: 75@0	35.37	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:2510 CC2:2527.1	CC1: 100@0 CC2: 75@0	35.41	/	Pass
		CC1:2545.4 CC2:2562.5	CC1: 100@0 CC2: 75@0	35.24	/	Pass
CC1:20 CC2:20	CC1: QPSK CC2: QPSK	CC1:2510 CC2:2529.8	CC1: 100@0 CC2: 100@0	40.24	/	Pass
		CC1:2540.2 CC2:2560	CC1: 100@0 CC2: 100@0	40.31	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:2510 CC2:2529.8	CC1: 100@0 CC2: 100@0	40.41	/	Pass
		CC1:2540.2 CC2:2560	CC1: 100@0 CC2: 100@0	40.34	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:2510 CC2:2529.8	CC1: 100@0 CC2: 100@0	40.36	/	Pass
		CC1:2540.2 CC2:2560	CC1: 100@0 CC2: 100@0	40.30	/	Pass

## 2.2.2 Test Graph



















































































### 3. Spurious Emission & Band Edges



#### 3.1 CA\_7C\_NTNV



##### 3.1.1 Test Result


Band: CA_7C / NTNv								
BW (MHz)	Modulation	Frequency (MHz)	RB Allocation	Spurious Emission				Verdict
				CC1	CC2	Sum	Limit	
CC1:10 CC2:20	CC1: QPSK CC2: QPSK	CC1:2505 CC2:2519.4	CC1: 1@0 CC2: 1@0	Refer To Test Graph			Pass	
			CC1: 50@0 CC2: 100@0	Refer To Test Graph			Pass	
		CC1:2545.6 CC2:2560	CC1: 1@0 CC2: 1@0	Refer To Test Graph			Pass	
			CC1: 1@49 CC2: 1@99	Refer To Test Graph			Pass	
			CC1: 50@0 CC2: 100@0	Refer To Test Graph			Pass	
CC1:15 CC2:10	CC1: QPSK CC2: QPSK	CC1:2507.5 CC2:2519.5	CC1: 1@0 CC2: 1@0	Refer To Test Graph			Pass	
			CC1: 75@0 CC2: 50@0	Refer To Test Graph			Pass	
		CC1:2553 CC2:2565	CC1: 1@0 CC2: 1@0	Refer To Test Graph			Pass	
			CC1: 1@74 CC2: 1@49	Refer To Test Graph			Pass	
			CC1: 75@0 CC2: 50@0	Refer To Test Graph			Pass	
CC1:15 CC2:15	CC1: QPSK CC2: QPSK	CC1:2507.5 CC2:2522.5	CC1: 1@0 CC2: 1@0	Refer To Test Graph			Pass	
			CC1: 75@0 CC2: 75@0	Refer To Test Graph			Pass	
		CC1:2547.5 CC2:2562.5	CC1: 1@0 CC2: 1@0	Refer To Test Graph			Pass	
			CC1: 1@74 CC2: 1@74	Refer To Test Graph			Pass	
			CC1: 75@0 CC2: 75@0	Refer To Test Graph			Pass	
CC1:15 CC2:20	CC1: QPSK CC2: QPSK	CC1:2507.5 CC2:2524.6	CC1: 1@0 CC2: 1@0	Refer To Test Graph			Pass	
			CC1: 75@0 CC2: 100@0	Refer To Test Graph			Pass	
		CC1:2542.9 CC2:2560	CC1: 1@0 CC2: 1@0	Refer To Test Graph			Pass	
			CC1: 1@74 CC2: 1@99	Refer To Test Graph			Pass	
			CC1: 75@0 CC2: 100@0	Refer To Test Graph			Pass	
CC1:20 CC2:10	CC1: QPSK CC2: QPSK	CC1:2510 CC2:2524.4	CC1: 1@0 CC2: 1@0	Refer To Test Graph			Pass	
			CC1: 100@0 CC2: 50@0	Refer To Test Graph			Pass	
		CC1:2550.6 CC2:2565	CC1: 1@0 CC2: 1@0	Refer To Test Graph			Pass	
			CC1: 1@99 CC2: 1@49	Refer To Test Graph			Pass	

			CC1: 100@0 CC2: 50@0	Refer To Test Graph	Pass
CC1:20 CC2:15	CC1: QPSK CC2: QPSK	CC1:2510 CC2:2527.1	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 100@0 CC2: 75@0	Refer To Test Graph	Pass
		CC1:2545.4 CC2:2562.5	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 1@99 CC2: 1@74	Refer To Test Graph	Pass
			CC1: 100@0 CC2: 75@0	Refer To Test Graph	Pass
CC1:20 CC2:20	CC1: QPSK CC2: QPSK	CC1:2510 CC2:2529.8	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 100@0 CC2: 100@0	Refer To Test Graph	Pass
		CC1:2540.2 CC2:2560	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 1@99 CC2: 1@99	Refer To Test Graph	Pass
			CC1: 100@0 CC2: 100@0	Refer To Test Graph	Pass


### 3.1.2 Test Graph













Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2499	1	CHP	1	2489.470	-36.10	-25	Pass
2499	2500	0.2	/	2	2500.000	-35.62	-10	Pass
2500	2515	0.2	/	/	/	/	/	/
















Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2540	2570	0.5	/	/	/	/	/	/
2570	2571	0.5	/	1	2570.000	-30.98	-10	Pass
2571	2580	1	CHP	2	2571.520	-49.21	-10	Pass




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2540	2570	0.5	/	/	/	/	/	/
2570	2571	0.5	/	1	2570.040	-33.83	-10	Pass
2571	2580	1	CHP	2	2575.640	-36.79	-13	Pass











Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2499	1	CHP	1	2486.463	-29.53	-13	Pass
2499	2500	0.3	/	2	2500.000	-27.94	-10	Pass
2500	2522.5	0.3	/	/	/	/	/	/













Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2499	1	CHP	1	2494.488	-35.04	-13	Pass
2499	2500	0.3	/	2	2500.000	-35.96	-10	Pass
2500	2522.5	0.3	/	/	/	/	/	/



















Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2555	2570	0.2	/	1	2570.000	-36.07	-10	Pass
2571	2585	1	CHP	2	2580.530	-35.95	-25	Pass











Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2499	1	CHP	1	2485.750	-27.31	-13	Pass
2499	2500	0.3	/	2	2500.000	-26.84	-10	Pass
2500	2522.5	0.3	/	/	/	/	/	/













Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2499	1	CHP	1	2494.488	-35.04	-13	Pass
2499	2500	0.3	/	2	2500.000	-35.45	-10	Pass
2500	2522.5	0.3	/	/	/	/	/	/
















Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2547.5	2570	0.3	/	1	2570.005	-27.84	-10	Pass
2570	2571	0.3	/	1	2570.005	-27.84	-10	Pass
2571	2582.5	1	CHP	2	2575.535	-48.03	-13	Pass




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2547.5	2570	0.3	/	/	/	/	/	/
2570	2571	0.3	/	1	2570.040	-34.75	-10	Pass
2571	2582.5	1	CHP	2	2576.480	-35.24	-13	Pass











Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2499	1	CHP	1	2485.900	-27.14	-13	Pass
2499	2500	0.3	/	2	2500.000	-26.54	-10	Pass
2500	2522.5	0.3	/	/	/	/	/	/











Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2499	1	CHP	1	2494.488	-36.04	-13	Pass
2499	2500	0.3	/	2	2499.887	-34.79	-10	Pass
2500	2522.5	0.3	/	/	/	/	/	/






Marker:  
1 6984.500 MHz  
-35.60 dBm
















Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2540	2570	0.5	/	1	2570.360	-36.53	-10	Pass
2571	2580	1	CHP	2	2575.720	-36.31	-13	Pass











Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2499	1	CHP	1	2494.495	-48.63	-13	Pass
2499	2500	0.5	/	2	2499.985	-30.47	-10	Pass
2500	2530	0.5	/	/	/	/	/	/











Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2499	1	CHP	1	2494.360	-35.80	-13	Pass
2499	2500	0.5	/	2	2499.850	-35.29	-10	Pass
2500	2530	0.5	/	/	/	/	/	/






Marker:  
1 2550.000 MHz  
-30.06 dBm
















Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2555	2570	0.2	/	1	2570.000	-39.25	-10	Pass
2571	2585	1	CHP	2	2580.860	-36.02	-25	Pass











Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2499	1	CHP	1	2494.495	-48.02	-13	Pass
2499	2500	0.5	/	2	2499.985	-28.35	-10	Pass
2500	2530	0.5	/	/	/	/	/	/











Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2499	1	CHP	1	2493.595	-36.31	-13	Pass
2499	2500	0.5	/	2	2499.895	-34.14	-10	Pass
2500	2530	0.5	/	/	/	/	/	/





Marker:  
1. 2565.500 MHz  
-32.90 dBm














Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2547.5	2570	0.3	/	1	2570.005	-28.16	-10	Pass
2570	2571	0.3	/	1	2570.005	-28.16	-10	Pass
2571	2582.5	1	CHP	2	2575.535	-48.08	-13	Pass




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2547.5	2570	0.3	/	1	2570.040	-36.28	-10	Pass
2570	2571	0.3	/	1	2570.040	-36.28	-10	Pass
2571	2582.5	1	CHP	2	2575.535	-36.25	-13	Pass











Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2499	1	CHP	1	2498.455	-42.32	-10	Pass
2499	2500	0.5	/	2	2499.985	-26.91	-10	Pass
2500	2530	0.5	/	/	/	/	/	/













Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2499	1	CHP	1	2495.755	-35.83	-13	Pass
2499	2500	0.5	/	2	2499.760	-34.73	-10	Pass
2500	2530	0.5	/	/	/	/	/	/















Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2540	2570	0.5	/	/	/	/	/	/
2570	2571	0.5	/	1	2570.000	-27.02	-10	Pass
2571	2580	1	CHP	2	2571.520	-44.18	-10	Pass



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2540	2570	0.5						
2570	2571	0.5		1	2570.040	-34.67	-10	Pass
2571	2580	1	CHP	2	2575.520	-36.35	-13	Pass





#### 4. Field Strength of Spurious Radiation

CA 7C -Low channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
5002.0	-62.61	-25	-37.61	-68.18	4.57	10.14	Horizontal	Pass
7503.0	-60.86	-25	-35.86	-67.66	4.94	11.74	Horizontal	Pass
10004.0	-56.89	-25	-31.89	-64.46	5.46	13.03	Horizontal	Pass
5002.0	-62.57	-25	-37.57	-68.14	4.57	10.14	Vertical	Pass
7503.0	-60.41	-25	-35.41	-67.21	4.94	11.74	Vertical	Pass
10004.0	-57.29	-25	-32.29	-64.86	5.46	13.03	Vertical	Pass

CA 7C -Middle channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
5032.2	-62.82	-25	-37.82	-68.4	4.58	10.16	Horizontal	Pass
7548.3	-60.53	-25	-35.53	-67.39	4.94	11.8	Horizontal	Pass
10004.0	-56.86	-25	-31.86	-64.43	5.46	13.03	Horizontal	Pass
5032.2	-63.15	-25	-38.15	-68.73	4.58	10.16	Vertical	Pass
7548.3	-60.51	-25	-35.51	-67.37	4.94	11.8	Vertical	Pass
10004.0	-57.38	-25	-32.38	-64.95	5.46	13.03	Vertical	Pass

CA 7C -High channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
5062.2	-63.2	-25	-38.2	-68.79	4.59	10.18	Horizontal	Pass
7693.2	-59.58	-25	-34.58	-66.59	4.96	11.97	Horizontal	Pass
10124.4	-56.61	-25	-31.61	-64.18	5.48	13.05	Horizontal	Pass
5062.2	-63.05	-25	-38.05	-68.64	4.59	10.18	Vertical	Pass
7693.2	-60.14	-25	-35.14	-67.15	4.96	11.97	Vertical	Pass
10124.4	-57.43	-25	-32.43	-65.0	5.48	13.05	Vertical	Pass

1) All antennas of RSE are tested, and only the worst data is presented.

---End of Attachment---