

## Effective (Isotropic) Radiated Power Output Data for SA

### Test Result

Ant13

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Power (dBm)	ERP (dBm)	Limit	Verdict
N26-824-849	15	5	DFT-PI2BPSK	L	1@1	23.34	16.79	38.45	PASS
N26-824-849	15	5	DFT-PI2BPSK	L	1@23	23.37	16.82	38.45	PASS
N26-824-849	15	5	DFT-PI2BPSK	L	25@0	22.93	16.38	38.45	PASS
N26-824-849	15	5	DFT-QPSK	L	1@1	23.38	16.83	38.45	PASS
N26-824-849	15	5	DFT-QPSK	L	1@23	23.40	16.85	38.45	PASS
N26-824-849	15	5	DFT-QPSK	L	25@0	22.43	15.88	38.45	PASS
N26-824-849	15	5	DFT-16QAM	L	1@1	22.49	15.94	38.45	PASS
N26-824-849	15	5	DFT-16QAM	L	1@23	22.55	16	38.45	PASS
N26-824-849	15	5	DFT-16QAM	L	25@0	21.41	14.86	38.45	PASS
N26-824-849	15	5	DFT-64QAM	L	1@1	20.60	14.05	38.45	PASS
N26-824-849	15	5	DFT-64QAM	L	1@23	20.62	14.07	38.45	PASS
N26-824-849	15	5	DFT-64QAM	L	25@0	20.91	14.36	38.45	PASS
N26-824-849	15	5	DFT-256QAM	L	1@1	18.78	12.23	38.45	PASS
N26-824-849	15	5	DFT-256QAM	L	1@23	18.82	12.27	38.45	PASS
N26-824-849	15	5	DFT-256QAM	L	25@0	18.87	12.32	38.45	PASS
N26-824-849	15	5	DFT-PI2BPSK	M	1@1	23.60	17.05	38.45	PASS
N26-824-849	15	5	DFT-PI2BPSK	M	1@23	23.58	17.03	38.45	PASS
N26-824-849	15	5	DFT-PI2BPSK	M	25@0	23.22	16.67	38.45	PASS
N26-824-849	15	5	DFT-QPSK	M	1@1	23.67	17.12	38.45	PASS
N26-824-849	15	5	DFT-QPSK	M	1@23	23.63	17.08	38.45	PASS
N26-824-849	15	5	DFT-QPSK	M	25@0	22.71	16.16	38.45	PASS
N26-824-849	15	5	DFT-16QAM	M	1@1	22.79	16.24	38.45	PASS
N26-824-849	15	5	DFT-16QAM	M	1@23	22.70	16.15	38.45	PASS
N26-824-849	15	5	DFT-16QAM	M	25@0	21.68	15.13	38.45	PASS
N26-824-849	15	5	DFT-64QAM	M	1@1	20.92	14.37	38.45	PASS
N26-824-849	15	5	DFT-64QAM	M	1@23	20.85	14.3	38.45	PASS
N26-824-849	15	5	DFT-64QAM	M	25@0	21.21	14.66	38.45	PASS
N26-824-849	15	5	DFT-256QAM	M	1@1	19.09	12.54	38.45	PASS
N26-824-849	15	5	DFT-256QAM	M	1@23	19.08	12.53	38.45	PASS
N26-824-849	15	5	DFT-256QAM	M	25@0	19.15	12.6	38.45	PASS
N26-824-849	15	5	DFT-PI2BPSK	H	1@1	23.50	16.95	38.45	PASS
N26-824-849	15	5	DFT-PI2BPSK	H	1@23	23.32	16.77	38.45	PASS
N26-824-849	15	5	DFT-PI2BPSK	H	25@0	23.08	16.53	38.45	PASS
N26-824-849	15	5	DFT-QPSK	H	1@1	23.53	16.98	38.45	PASS
N26-824-849	15	5	DFT-QPSK	H	1@23	23.39	16.84	38.45	PASS
N26-824-849	15	5	DFT-QPSK	H	25@0	22.51	15.96	38.45	PASS

N26-824-849	15	5	DFT-16QAM	H	1@1	22.61	16.06	38.45	PASS
N26-824-849	15	5	DFT-16QAM	H	1@23	22.50	15.95	38.45	PASS
N26-824-849	15	5	DFT-16QAM	H	25@0	21.52	14.97	38.45	PASS
N26-824-849	15	5	DFT-64QAM	H	1@1	20.76	14.21	38.45	PASS
N26-824-849	15	5	DFT-64QAM	H	1@23	20.66	14.11	38.45	PASS
N26-824-849	15	5	DFT-64QAM	H	25@0	21.05	14.5	38.45	PASS
N26-824-849	15	5	DFT-256QAM	H	1@1	18.97	12.42	38.45	PASS
N26-824-849	15	5	DFT-256QAM	H	1@23	18.82	12.27	38.45	PASS
N26-824-849	15	5	DFT-256QAM	H	25@0	18.93	12.38	38.45	PASS
N26-824-849	15	10	DFT-PI2BPSK	L	1@1	23.49	16.94	38.45	PASS
N26-824-849	15	10	DFT-PI2BPSK	L	1@50	23.65	17.1	38.45	PASS
N26-824-849	15	10	DFT-PI2BPSK	L	50@0	23.07	16.52	38.45	PASS
N26-824-849	15	10	DFT-QPSK	L	1@1	23.53	16.98	38.45	PASS
N26-824-849	15	10	DFT-QPSK	L	1@50	23.76	17.21	38.45	PASS
N26-824-849	15	10	DFT-QPSK	L	50@0	22.54	15.99	38.45	PASS
N26-824-849	15	10	DFT-16QAM	L	1@1	22.62	16.07	38.45	PASS
N26-824-849	15	10	DFT-16QAM	L	1@50	22.89	16.34	38.45	PASS
N26-824-849	15	10	DFT-16QAM	L	50@0	21.57	15.02	38.45	PASS
N26-824-849	15	10	DFT-64QAM	L	1@1	20.80	14.25	38.45	PASS
N26-824-849	15	10	DFT-64QAM	L	1@50	20.99	14.44	38.45	PASS
N26-824-849	15	10	DFT-64QAM	L	50@0	21.01	14.46	38.45	PASS
N26-824-849	15	10	DFT-256QAM	L	1@1	18.98	12.43	38.45	PASS
N26-824-849	15	10	DFT-256QAM	L	1@50	19.15	12.6	38.45	PASS
N26-824-849	15	10	DFT-256QAM	L	50@0	19.05	12.5	38.45	PASS
N26-824-849	15	10	DFT-PI2BPSK	M	1@1	23.67	17.12	38.45	PASS
N26-824-849	15	10	DFT-PI2BPSK	M	1@50	23.56	17.01	38.45	PASS
N26-824-849	15	10	DFT-PI2BPSK	M	50@0	23.12	16.57	38.45	PASS
N26-824-849	15	10	DFT-QPSK	M	1@1	23.74	17.19	38.45	PASS
N26-824-849	15	10	DFT-QPSK	M	1@50	23.61	17.06	38.45	PASS
N26-824-849	15	10	DFT-QPSK	M	50@0	22.62	16.07	38.45	PASS
N26-824-849	15	10	DFT-16QAM	M	1@1	22.82	16.27	38.45	PASS
N26-824-849	15	10	DFT-16QAM	M	1@50	22.77	16.22	38.45	PASS
N26-824-849	15	10	DFT-16QAM	M	50@0	21.64	15.09	38.45	PASS
N26-824-849	15	10	DFT-64QAM	M	1@1	20.95	14.4	38.45	PASS
N26-824-849	15	10	DFT-64QAM	M	1@50	20.88	14.33	38.45	PASS
N26-824-849	15	10	DFT-64QAM	M	50@0	21.14	14.59	38.45	PASS
N26-824-849	15	10	DFT-256QAM	M	1@1	19.22	12.67	38.45	PASS
N26-824-849	15	10	DFT-256QAM	M	1@50	19.01	12.46	38.45	PASS
N26-824-849	15	10	DFT-256QAM	M	50@0	19.07	12.52	38.45	PASS
N26-824-849	15	10	DFT-PI2BPSK	H	1@1	23.55	17	38.45	PASS
N26-824-849	15	10	DFT-PI2BPSK	H	1@50	23.33	16.78	38.45	PASS
N26-824-849	15	10	DFT-PI2BPSK	H	50@0	22.95	16.4	38.45	PASS
N26-824-849	15	10	DFT-QPSK	H	1@1	23.65	17.1	38.45	PASS

N26-824-849	15	10	DFT-QPSK	H	1@50	23.39	16.84	38.45	PASS
N26-824-849	15	10	DFT-QPSK	H	50@0	22.48	15.93	38.45	PASS
N26-824-849	15	10	DFT-16QAM	H	1@1	22.76	16.21	38.45	PASS
N26-824-849	15	10	DFT-16QAM	H	1@50	22.56	16.01	38.45	PASS
N26-824-849	15	10	DFT-16QAM	H	50@0	21.48	14.93	38.45	PASS
N26-824-849	15	10	DFT-64QAM	H	1@1	20.91	14.36	38.45	PASS
N26-824-849	15	10	DFT-64QAM	H	1@50	20.68	14.13	38.45	PASS
N26-824-849	15	10	DFT-64QAM	H	50@0	20.99	14.44	38.45	PASS
N26-824-849	15	10	DFT-256QAM	H	1@1	19.05	12.5	38.45	PASS
N26-824-849	15	10	DFT-256QAM	H	1@50	18.85	12.3	38.45	PASS
N26-824-849	15	10	DFT-256QAM	H	50@0	18.95	12.4	38.45	PASS
N26-824-849	15	15	DFT-PI2BPSK	L	1@1	23.37	16.82	38.45	PASS
N26-824-849	15	15	DFT-PI2BPSK	L	1@77	23.60	17.05	38.45	PASS
N26-824-849	15	15	DFT-PI2BPSK	L	75@0	23.09	16.54	38.45	PASS
N26-824-849	15	15	DFT-QPSK	L	1@1	23.41	16.86	38.45	PASS
N26-824-849	15	15	DFT-QPSK	L	1@77	23.61	17.06	38.45	PASS
N26-824-849	15	15	DFT-QPSK	L	75@0	22.61	16.06	38.45	PASS
N26-824-849	15	15	DFT-16QAM	L	1@1	22.51	15.96	38.45	PASS
N26-824-849	15	15	DFT-16QAM	L	1@77	22.71	16.16	38.45	PASS
N26-824-849	15	15	DFT-16QAM	L	75@0	21.58	15.03	38.45	PASS
N26-824-849	15	15	DFT-64QAM	L	1@1	20.71	14.16	38.45	PASS
N26-824-849	15	15	DFT-64QAM	L	1@77	20.90	14.35	38.45	PASS
N26-824-849	15	15	DFT-64QAM	L	75@0	21.12	14.57	38.45	PASS
N26-824-849	15	15	DFT-256QAM	L	1@1	18.85	12.3	38.45	PASS
N26-824-849	15	15	DFT-256QAM	L	1@77	19.05	12.5	38.45	PASS
N26-824-849	15	15	DFT-256QAM	L	75@0	19.05	12.5	38.45	PASS
N26-824-849	15	15	DFT-PI2BPSK	M	1@1	23.51	16.96	38.45	PASS
N26-824-849	15	15	DFT-PI2BPSK	M	1@77	23.44	16.89	38.45	PASS
N26-824-849	15	15	DFT-PI2BPSK	M	75@0	23.18	16.63	38.45	PASS
N26-824-849	15	15	DFT-QPSK	M	1@1	23.59	17.04	38.45	PASS
N26-824-849	15	15	DFT-QPSK	M	1@77	23.48	16.93	38.45	PASS
N26-824-849	15	15	DFT-QPSK	M	75@0	22.71	16.16	38.45	PASS
N26-824-849	15	15	DFT-16QAM	M	1@1	22.71	16.16	38.45	PASS
N26-824-849	15	15	DFT-16QAM	M	1@77	22.67	16.12	38.45	PASS
N26-824-849	15	15	DFT-16QAM	M	75@0	21.70	15.15	38.45	PASS
N26-824-849	15	15	DFT-64QAM	M	1@1	20.84	14.29	38.45	PASS
N26-824-849	15	15	DFT-64QAM	M	1@77	20.79	14.24	38.45	PASS
N26-824-849	15	15	DFT-64QAM	M	75@0	21.19	14.64	38.45	PASS
N26-824-849	15	15	DFT-256QAM	M	1@1	19.07	12.52	38.45	PASS
N26-824-849	15	15	DFT-256QAM	M	1@77	18.97	12.42	38.45	PASS
N26-824-849	15	15	DFT-256QAM	M	75@0	19.12	12.57	38.45	PASS
N26-824-849	15	15	DFT-PI2BPSK	H	1@1	23.58	17.03	38.45	PASS
N26-824-849	15	15	DFT-PI2BPSK	H	1@77	23.25	16.7	38.45	PASS

N26-824-849	15	15	DFT-PI2BPSK	H	75@0	23.11	16.56	38.45	PASS
N26-824-849	15	15	DFT-QPSK	H	1@1	23.65	17.1	38.45	PASS
N26-824-849	15	15	DFT-QPSK	H	1@77	23.36	16.81	38.45	PASS
N26-824-849	15	15	DFT-QPSK	H	75@0	22.55	16	38.45	PASS
N26-824-849	15	15	DFT-16QAM	H	1@1	22.77	16.22	38.45	PASS
N26-824-849	15	15	DFT-16QAM	H	1@77	22.39	15.84	38.45	PASS
N26-824-849	15	15	DFT-16QAM	H	75@0	21.55	15	38.45	PASS
N26-824-849	15	15	DFT-64QAM	H	1@1	20.87	14.32	38.45	PASS
N26-824-849	15	15	DFT-64QAM	H	1@77	20.64	14.09	38.45	PASS
N26-824-849	15	15	DFT-64QAM	H	75@0	21.10	14.55	38.45	PASS
N26-824-849	15	15	DFT-256QAM	H	1@1	19.06	12.51	38.45	PASS
N26-824-849	15	15	DFT-256QAM	H	1@77	18.78	12.23	38.45	PASS
N26-824-849	15	15	DFT-256QAM	H	75@0	19.06	12.51	38.45	PASS
N26-824-849	15	20	DFT-PI2BPSK	L	1@1	23.35	16.8	38.45	PASS
N26-824-849	15	20	DFT-PI2BPSK	L	1@104	23.42	16.87	38.45	PASS
N26-824-849	15	20	DFT-PI2BPSK	L	100@0	23.09	16.54	38.45	PASS
N26-824-849	15	20	DFT-QPSK	L	1@1	23.40	16.85	38.45	PASS
N26-824-849	15	20	DFT-QPSK	L	1@104	23.48	16.93	38.45	PASS
N26-824-849	15	20	DFT-QPSK	L	100@0	22.58	16.03	38.45	PASS
N26-824-849	15	20	DFT-16QAM	L	1@1	22.52	15.97	38.45	PASS
N26-824-849	15	20	DFT-16QAM	L	1@104	22.62	16.07	38.45	PASS
N26-824-849	15	20	DFT-16QAM	L	100@0	21.58	15.03	38.45	PASS
N26-824-849	15	20	DFT-64QAM	L	1@1	20.66	14.11	38.45	PASS
N26-824-849	15	20	DFT-64QAM	L	1@104	20.77	14.22	38.45	PASS
N26-824-849	15	20	DFT-64QAM	L	100@0	21.08	14.53	38.45	PASS
N26-824-849	15	20	DFT-256QAM	L	1@1	18.85	12.3	38.45	PASS
N26-824-849	15	20	DFT-256QAM	L	1@104	18.95	12.4	38.45	PASS
N26-824-849	15	20	DFT-256QAM	L	100@0	19.06	12.51	38.45	PASS
N26-824-849	15	20	DFT-PI2BPSK	M	1@1	23.44	16.89	38.45	PASS
N26-824-849	15	20	DFT-PI2BPSK	M	1@104	23.34	16.79	38.45	PASS
N26-824-849	15	20	DFT-PI2BPSK	M	100@0	23.14	16.59	38.45	PASS
N26-824-849	15	20	DFT-QPSK	M	1@1	23.51	16.96	38.45	PASS
N26-824-849	15	20	DFT-QPSK	M	1@104	23.39	16.84	38.45	PASS
N26-824-849	15	20	DFT-QPSK	M	100@0	22.61	16.06	38.45	PASS
N26-824-849	15	20	DFT-16QAM	M	1@1	22.63	16.08	38.45	PASS
N26-824-849	15	20	DFT-16QAM	M	1@104	22.59	16.04	38.45	PASS
N26-824-849	15	20	DFT-16QAM	M	100@0	21.60	15.05	38.45	PASS
N26-824-849	15	20	DFT-64QAM	M	1@1	20.77	14.22	38.45	PASS
N26-824-849	15	20	DFT-64QAM	M	1@104	20.70	14.15	38.45	PASS
N26-824-849	15	20	DFT-64QAM	M	100@0	21.09	14.54	38.45	PASS
N26-824-849	15	20	DFT-256QAM	M	1@1	18.91	12.36	38.45	PASS
N26-824-849	15	20	DFT-256QAM	M	1@104	18.81	12.26	38.45	PASS
N26-824-849	15	20	DFT-256QAM	M	100@0	19.13	12.58	38.45	PASS

N26-824-849	15	20	DFT-PI2BPSK	H	1@1	23.47	16.92	38.45	PASS
N26-824-849	15	20	DFT-PI2BPSK	H	1@104	23.28	16.73	38.45	PASS
N26-824-849	15	20	DFT-PI2BPSK	H	100@0	23.11	16.56	38.45	PASS
N26-824-849	15	20	DFT-QPSK	H	1@1	23.48	16.93	38.45	PASS
N26-824-849	15	20	DFT-QPSK	H	1@104	23.32	16.77	38.45	PASS
N26-824-849	15	20	DFT-QPSK	H	100@0	22.62	16.07	38.45	PASS
N26-824-849	15	20	DFT-16QAM	H	1@1	22.68	16.13	38.45	PASS
N26-824-849	15	20	DFT-16QAM	H	1@104	22.43	15.88	38.45	PASS
N26-824-849	15	20	DFT-16QAM	H	100@0	21.57	15.02	38.45	PASS
N26-824-849	15	20	DFT-64QAM	H	1@1	20.79	14.24	38.45	PASS
N26-824-849	15	20	DFT-64QAM	H	1@104	20.60	14.05	38.45	PASS
N26-824-849	15	20	DFT-64QAM	H	100@0	21.12	14.57	38.45	PASS
N26-824-849	15	20	DFT-256QAM	H	1@1	19.01	12.46	38.45	PASS
N26-824-849	15	20	DFT-256QAM	H	1@104	18.78	12.23	38.45	PASS
N26-824-849	15	20	DFT-256QAM	H	100@0	19.12	12.57	38.45	PASS

# Peak-to-Average Ratio for SA

## Peak-to-Average Ratio(CCDF)

### Test Graphs



1-N26-824-849-PC3-15-20-L-1-NS\_01-DFT-256QAM-Outer\_Full-100@0-6.99-PASS



1-N26-824-849-PC3-15-20-L-2-NS\_01-CP-256QAM-Outer\_Full-106@0-8.73-PASS



1-N26-824-849-PC3-15-20-M-1-NS\_01-DFT-256QAM-Outer\_Full-100@0-7.03-PASS



1-N26-824-849-PC3-15-20-M-2-NS\_01-CP-256QAM-Outer\_Full-106@0-8.69-PASS



1-N26-824-849-PC3-15-20-H-1-NS\_01-DFT-256QAM-Outer\_Full-100@0-7.06-PASS



1-N26-824-849-PC3-15-20-H-2-NS\_01-CP-256QAM-Outer\_Full-106@0-8.76-PASS



## 26dB Bandwidth and Occupied Bandwidth for SA


### Test Result

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result (99%)	Result (26dB)	Verdict
N26-824-849	15	5	DFT-QPSK	L	25@0	4.4824	4.887	PASS
N26-824-849	15	5	DFT-PI2BPSK	L	25@0	4.5125	4.926	PASS
N26-824-849	15	5	DFT-16QAM	L	25@0	4.4804	4.847	PASS
N26-824-849	15	5	DFT-64QAM	L	25@0	4.5023	4.871	PASS
N26-824-849	15	5	DFT-256QAM	L	25@0	4.4922	4.907	PASS
N26-824-849	15	5	CP-QPSK	L	25@0	4.4854	4.902	PASS
N26-824-849	15	5	CP-16QAM	L	25@0	4.5109	4.849	PASS
N26-824-849	15	5	CP-64QAM	L	25@0	4.4943	4.852	PASS
N26-824-849	15	5	CP-256QAM	L	25@0	4.4994	4.922	PASS
N26-824-849	15	5	DFT-QPSK	M	25@0	4.4841	4.856	PASS
N26-824-849	15	5	DFT-PI2BPSK	M	25@0	4.4873	4.918	PASS
N26-824-849	15	5	DFT-16QAM	M	25@0	4.4746	4.900	PASS
N26-824-849	15	5	DFT-64QAM	M	25@0	4.5037	4.863	PASS
N26-824-849	15	5	DFT-256QAM	M	25@0	4.4890	4.863	PASS
N26-824-849	15	5	CP-QPSK	M	25@0	4.4902	4.923	PASS
N26-824-849	15	5	CP-16QAM	M	25@0	4.5021	4.865	PASS
N26-824-849	15	5	CP-64QAM	M	25@0	4.5041	4.888	PASS
N26-824-849	15	5	CP-256QAM	M	25@0	4.4890	4.873	PASS
N26-824-849	15	5	DFT-QPSK	H	25@0	4.4801	4.901	PASS
N26-824-849	15	5	DFT-PI2BPSK	H	25@0	4.4770	4.921	PASS
N26-824-849	15	5	DFT-16QAM	H	25@0	4.4702	4.908	PASS
N26-824-849	15	5	DFT-64QAM	H	25@0	4.4979	4.885	PASS
N26-824-849	15	5	DFT-256QAM	H	25@0	4.4911	4.878	PASS
N26-824-849	15	5	CP-QPSK	H	25@0	4.4891	4.854	PASS
N26-824-849	15	5	CP-16QAM	H	25@0	4.4850	4.870	PASS
N26-824-849	15	5	CP-64QAM	H	25@0	4.4916	4.825	PASS
N26-824-849	15	5	CP-256QAM	H	25@0	4.4871	4.927	PASS
N26-824-849	15	10	DFT-QPSK	L	50@0	8.9111	9.382	PASS
N26-824-849	15	10	DFT-PI2BPSK	L	50@0	8.9301	9.410	PASS
N26-824-849	15	10	DFT-16QAM	L	50@0	8.8994	9.426	PASS
N26-824-849	15	10	DFT-64QAM	L	50@0	8.9245	9.377	PASS
N26-824-849	15	10	DFT-256QAM	L	50@0	8.9144	9.382	PASS
N26-824-849	15	10	CP-QPSK	L	52@0	9.2922	9.729	PASS
N26-824-849	15	10	CP-16QAM	L	52@0	9.2642	9.760	PASS
N26-824-849	15	10	CP-64QAM	L	52@0	9.2908	9.713	PASS
N26-824-849	15	10	CP-256QAM	L	52@0	9.2747	9.744	PASS


N26-824-849	15	10	DFT-QPSK	M	50@0	8.9073	9.324	PASS
N26-824-849	15	10	DFT-PI2BPSK	M	50@0	8.9439	9.377	PASS
N26-824-849	15	10	DFT-16QAM	M	50@0	8.9116	9.394	PASS
N26-824-849	15	10	DFT-64QAM	M	50@0	8.9335	9.384	PASS
N26-824-849	15	10	DFT-256QAM	M	50@0	8.8979	9.277	PASS
N26-824-849	15	10	CP-QPSK	M	52@0	9.2771	9.721	PASS
N26-824-849	15	10	CP-16QAM	M	52@0	9.2784	9.755	PASS
N26-824-849	15	10	CP-64QAM	M	52@0	9.2953	9.701	PASS
N26-824-849	15	10	CP-256QAM	M	52@0	9.2608	9.741	PASS
N26-824-849	15	10	DFT-QPSK	H	50@0	8.9002	9.375	PASS
N26-824-849	15	10	DFT-PI2BPSK	H	50@0	8.9215	9.388	PASS
N26-824-849	15	10	DFT-16QAM	H	50@0	8.9305	9.414	PASS
N26-824-849	15	10	DFT-64QAM	H	50@0	8.9321	9.375	PASS
N26-824-849	15	10	DFT-256QAM	H	50@0	8.8856	9.340	PASS
N26-824-849	15	10	CP-QPSK	H	52@0	9.2635	9.709	PASS
N26-824-849	15	10	CP-16QAM	H	52@0	9.2694	9.731	PASS
N26-824-849	15	10	CP-64QAM	H	52@0	9.2857	9.712	PASS
N26-824-849	15	10	CP-256QAM	H	52@0	9.2529	9.692	PASS
N26-824-849	15	15	DFT-QPSK	L	75@0	13.487	14.21	PASS
N26-824-849	15	15	DFT-PI2BPSK	L	75@0	13.486	14.22	PASS
N26-824-849	15	15	DFT-16QAM	L	75@0	13.489	14.20	PASS
N26-824-849	15	15	DFT-64QAM	L	75@0	13.493	14.20	PASS
N26-824-849	15	15	DFT-256QAM	L	75@0	13.438	14.24	PASS
N26-824-849	15	15	CP-QPSK	L	79@0	14.131	14.88	PASS
N26-824-849	15	15	CP-16QAM	L	79@0	14.188	14.88	PASS
N26-824-849	15	15	CP-64QAM	L	79@0	14.154	14.88	PASS
N26-824-849	15	15	CP-256QAM	L	79@0	14.191	14.93	PASS
N26-824-849	15	15	DFT-QPSK	M	75@0	13.473	14.20	PASS
N26-824-849	15	15	DFT-PI2BPSK	M	75@0	13.473	14.28	PASS
N26-824-849	15	15	DFT-16QAM	M	75@0	13.476	14.18	PASS
N26-824-849	15	15	DFT-64QAM	M	75@0	13.462	14.17	PASS
N26-824-849	15	15	DFT-256QAM	M	75@0	13.475	14.24	PASS
N26-824-849	15	15	CP-QPSK	M	79@0	14.124	14.88	PASS
N26-824-849	15	15	CP-16QAM	M	79@0	14.156	14.93	PASS
N26-824-849	15	15	CP-64QAM	M	79@0	14.189	14.96	PASS
N26-824-849	15	15	CP-256QAM	M	79@0	14.179	14.93	PASS
N26-824-849	15	15	DFT-QPSK	H	75@0	13.448	14.21	PASS
N26-824-849	15	15	DFT-PI2BPSK	H	75@0	13.453	14.23	PASS
N26-824-849	15	15	DFT-16QAM	H	75@0	13.459	14.19	PASS
N26-824-849	15	15	DFT-64QAM	H	75@0	13.487	14.20	PASS
N26-824-849	15	15	DFT-256QAM	H	75@0	13.449	14.25	PASS
N26-824-849	15	15	CP-QPSK	H	79@0	14.133	14.87	PASS
N26-824-849	15	15	CP-16QAM	H	79@0	14.167	14.88	PASS

N26-824-849	15	15	CP-64QAM	H	79@0	14.176	15.03	PASS
N26-824-849	15	15	CP-256QAM	H	79@0	14.151	14.89	PASS
N26-824-849	15	20	DFT-QPSK	L	100@0	17.952	18.72	PASS
N26-824-849	15	20	DFT-PI2BPSK	L	100@0	17.907	18.74	PASS
N26-824-849	15	20	DFT-16QAM	L	100@0	17.902	18.68	PASS
N26-824-849	15	20	DFT-64QAM	L	100@0	17.918	18.76	PASS
N26-824-849	15	20	DFT-256QAM	L	100@0	17.888	18.74	PASS
N26-824-849	15	20	CP-QPSK	L	106@0	18.974	19.82	PASS
N26-824-849	15	20	CP-16QAM	L	106@0	18.887	19.79	PASS
N26-824-849	15	20	CP-64QAM	L	106@0	18.926	19.80	PASS
N26-824-849	15	20	CP-256QAM	L	106@0	18.924	19.83	PASS
N26-824-849	15	20	DFT-QPSK	M	100@0	17.882	18.74	PASS
N26-824-849	15	20	DFT-PI2BPSK	M	100@0	17.915	18.74	PASS
N26-824-849	15	20	DFT-16QAM	M	100@0	17.865	18.66	PASS
N26-824-849	15	20	DFT-64QAM	M	100@0	17.939	18.73	PASS
N26-824-849	15	20	DFT-256QAM	M	100@0	17.875	18.67	PASS
N26-824-849	15	20	CP-QPSK	M	106@0	18.940	19.90	PASS
N26-824-849	15	20	CP-16QAM	M	106@0	18.937	19.89	PASS
N26-824-849	15	20	CP-64QAM	M	106@0	18.906	19.80	PASS
N26-824-849	15	20	CP-256QAM	M	106@0	18.922	19.85	PASS
N26-824-849	15	20	DFT-QPSK	H	100@0	17.917	18.80	PASS
N26-824-849	15	20	DFT-PI2BPSK	H	100@0	17.898	18.70	PASS
N26-824-849	15	20	DFT-16QAM	H	100@0	17.852	18.77	PASS
N26-824-849	15	20	DFT-64QAM	H	100@0	17.926	18.74	PASS
N26-824-849	15	20	DFT-256QAM	H	100@0	17.865	18.71	PASS
N26-824-849	15	20	CP-QPSK	H	106@0	18.934	19.80	PASS
N26-824-849	15	20	CP-16QAM	H	106@0	18.895	19.77	PASS
N26-824-849	15	20	CP-64QAM	H	106@0	18.927	19.85	PASS
N26-824-849	15	20	CP-256QAM	H	106@0	18.894	19.77	PASS


# Test Graphs




1-N26-824-849-PC3-15-5-L-1-DFT-QPSK-Outer\_Full-25@0-Ant13-4.4824-4.887-≤5-PASS



1-N26-824-849-PC3-15-5-L-2-DFT-PI2BPSK-Outer\_Full-25@0-Ant13-4.5125-4.926-≤5-PASS



1-N26-824-849-PC3-15-5-L-3-DFT-16QAM-Outer\_Full-25@0-Ant13-4.4804-4.847-≤5-PASS



1-N26-824-849-PC3-15-5-L-4-DFT-64QAM-Outer\_Full-25@0-Ant13-4.5023-4.871-≤5-PASS



1-N26-824-849-PC3-15-5-L-5-DFT-256QAM-Outer\_Full-25@0-Ant13-4.4922-4.907-≤5-PASS




1-N26-824-849-PC3-15-5-L-6-CP-QPSK-Outer\_Full-25@0-Ant13-4.4854-4.902-≤5-PASS




1-N26-824-849-PC3-15-5-L-7-CP-16QAM-Outer\_Full-25@0-Ant13-4.5109-4.849-≤5-PASS



1-N26-824-849-PC3-15-5-L-8-CP-64QAM-Outer\_Full-25@0-Ant13-4.4943-4.852-≤5-PASS




1-N26-824-849-PC3-15-5-L-9-CP-256QAM-Outer\_Full-25@0-Ant13-4.4994-4.922-≤5-PASS




1-N26-824-849-PC3-15-5-M-1-DFT-QPSK-Outer\_Full-25@0-Ant13-4.4841-4.856-≤5-PASS



1-N26-824-849-PC3-15-5-M-2-DFT-PI2BPSK-Outer\_Full-25@0-Ant13-4.4873-4.918-≤5-PASS



1-N26-824-849-PC3-15-5-M-3-DFT-16QAM-Outer\_Full-25@0-Ant13-4.4746-4.900-≤5-PASS



1-N26-824-849-PC3-15-5-M-4-DFT-64QAM-Outer\_Full-25@0-Ant13-4.5037-4.863-≤5-PASS



1-N26-824-849-PC3-15-5-M-5-DFT-256QAM-Outer\_Full-25@0-Ant13-4.4890-4.863-≤5-PASS







1-N26-824-849-PC3-15-5-M-6-CP-QPSK-Outer\_Full-25@0-Ant13-4.4902-4.923-<5-PASS




1-N26-824-849-PC3-15-5-M-7-CP-16QAM-Outer\_Full-25@0-Ant13-4.5021-4.865-<5-PASS



1-N26-824-849-PC3-15-5-M-8-CP-64QAM-Outer\_Full-25@0-Ant13-4.5041-4.888-<5-PASS




1-N26-824-849-PC3-15-5-M-9-CP-25QAM-Outer\_Full-25@0-Ant13-4.4890-4.873-≤5-PASS




1-N26-824-849-PC3-15-5-H-1-DFT-QPSK-Outer\_Full-25@0-Ant13-4.4801-4.901-≤5-PASS



1-N26-824-849-PC3-15-5-H-2-DFT-PI2BPSK-Outer\_Full-25@0-Ant13-4.4770-4.921-≤5-PASS




1-N26-824-849-PC3-15-5-H-3-DFT-16QAM-Outer\_Full-25@0-Ant13-4.4702-4.908-≤5-PASS




1-N26-824-849-PC3-15-5-H-4-DFT-64QAM-Outer\_Full-25@0-Ant13-4.4979-4.885-≤5-PASS




1-N26-824-849-PC3-15-5-H-5-DFT-256QAM-Outer\_Full-25@0-Ant13-4.4911-4.878-≤5-PASS




1-N26-824-849-PC3-15-5-H-6-CP-QPSK-Outer\_Full-25@0-Ant13-4.4891-4.854-≤5-PASS



1-N26-824-849-PC3-15-5-H-7-CP-16QAM-Outer\_Full-25@0-Ant13-4.4850-4.870-≤5-PASS



1-N26-824-849-PC3-15-5-H-8-CP-64QAM-Outer\_Full-25@0-Ant13-4.4916-4.825-≤5-PASS



1-N26-824-849-PC3-15-5-H-9-CP-256QAM-Outer\_Full-25@0-Ant13-4.4871-4.927-≤5-PASS




1-N26-824-849-PC3-15-10-L-1-DFT-QPSK-Outer\_Full-50@0-Ant13-8.9111-9.382-≤10-PASS



1-N26-824-849-PC3-15-10-L-2-DFT-PI2BPSK-Outer\_Full-50@0-Ant13-8.9301-9.410-≤10-PASS




1-N26-824-849-PC3-15-10-L-3-DFT-16QAM-Outer\_Full-50@0-Ant13-8.8994-9.426-≤10-PASS



1-N26-824-849-PC3-15-10-L-4-DFT-64QAM-Outer\_Full-50@0-Ant13-8.9245-9.377-≤10-PASS



1-N26-824-849-PC3-15-10-L-5-DFT-256QAM-Outer\_Full-50@0-Ant13-8.9144-9.382-≤10-PASS




1-N26-824-849-PC3-15-10-L-6-CP-QPSK-Outer\_Full-52@0-Ant13-9.2922-9.729-≤10-PASS




1-N26-824-849-PC3-15-10-L-7-CP-16QAM-Outer\_Full-52@0-Ant13-9.2642-9.760-≤10-PASS



1-N26-824-849-PC3-15-10-L-8-CP-64QAM-Outer\_Full-52@0-Ant13-9.2908-9.713-≤10-PASS



1-N26-824-849-PC3-15-10-L-9-CP-256QAM-Outer\_Full-52@0-Ant13-9.2747-9.744-≤10-PASS



1-N26-824-849-PC3-15-10-M-1-DFT-QPSK-Outer\_Full-50@0-Ant13-8.9073-9.324-≤10-PASS



1-N26-824-849-PC3-15-10-M-2-DFT-PI2BPSK-Outer\_Full-50@0-Ant13-8.9439-9.377-≤10-PASS






1-N26-824-849-PC3-15-10-M-3-DFT-16QAM-Outer\_Full-50@0-Ant13-8.9116-9.394-≤10-PASS



1-N26-824-849-PC3-15-10-M-4-DFT-64QAM-Outer\_Full-50@0-Ant13-8.9335-9.384-≤10-PASS



1-N26-824-849-PC3-15-10-M-5-DFT-256QAM-Outer\_Full-50@0-Ant13-8.8979-9.277-≤10-PASS



1-N26-824-849-PC3-15-10-M-6-CP-QPSK-Outer\_Full-52@0-Ant13-9.2771-9.721-≤10-PASS



1-N26-824-849-PC3-15-10-M-7-CP-16QAM-Outer\_Full-52@0-Ant13-9.2784-9.755-≤10-PASS




1-N26-824-849-PC3-15-10-M-8-CP-64QAM-Outer\_Full-52@0-Ant13-9.2953-9.701-≤10-PASS



1-N26-824-849-PC3-15-10-M-9-CP-256QAM-Outer\_Full-52@0-Ant13-9.2608-9.741-≤10-PASS



1-N26-824-849-PC3-15-10-H-1-DFT-QPSK-Outer\_Full-50@0-Ant13-8.9002-9.375-≤10-PASS



1-N26-824-849-PC3-15-10-H-2-DFT-PI2BPSK-Outer\_Full-50@0-Ant13-8.9215-9.388-≤10-PASS




1-N26-824-849-PC3-15-10-H-3-DFT-16QAM-Outer\_Full-50@0-Ant13-8.9305-9.414-≤10-PASS



1-N26-824-849-PC3-15-10-H-4-DFT-64QAM-Outer\_Full-50@0-Ant13-8.9321-9.375-≤10-PASS



1-N26-824-849-PC3-15-10-H-5-DFT-256QAM-Outer\_Full-50@0-Ant13-8.8856-9.340-≤10-PASS




1-N26-824-849-PC3-15-10-H-6-CP-QPSK-Outer\_Full-52@0-Ant13-9.2635-9.709-≤10-PASS



1-N26-824-849-PC3-15-10-H-7-CP-16QAM-Outer\_Full-52@0-Ant13-9.2694-9.731-≤10-PASS




1-N26-824-849-PC3-15-10-H-8-CP-64QAM-Outer\_Full-52@0-Ant13-9.2857-9.712-≤10-PASS




1-N26-824-849-PC3-15-10-H-9-CP-256QAM-Outer\_Full-52@0-Ant13-9.2529-9.692-≤10-PASS




1-N26-824-849-PC3-15-15-L-1-DFT-QPSK-Outer\_Full-75@0-Ant13-13.487-14.21-≤15-PASS




1-N26-824-849-PC3-15-15-L-2-DFT-PI2BPSK-Outer\_Full-75@0-Ant13-13.486-14.22-≤15-PASS




1-N26-824-849-PC3-15-15-L-3-DFT-16QAM-Outer\_Full-75@0-Ant13-13.489-14.20-≤15-PASS




1-N26-824-849-PC3-15-15-L-4-DFT-64QAM-Outer\_Full-75@0-Ant13-13.493-14.20-≤15-PASS




1-N26-824-849-PC3-15-15-L-5-DFT-256QAM-Outer\_Full-75@0-Ant13-13.438-14.24-≤15-PASS



1-N26-824-849-PC3-15-15-L-6-CP-QPSK-Outer\_Full-79@0-Ant13-14.131-14.88-≤15-PASS




1-N26-824-849-PC3-15-15-L-7-CP-16QAM-Outer\_Full-79@0-Ant13-14.188-14.88-≤15-PASS




1-N26-824-849-PC3-15-15-L-8-CP-64QAM-Outer\_Full-79@0-Ant13-14.154-14.88-≤15-PASS







1-N26-824-849-PC3-15-15-L-9-CP-256QAM-Outer\_Full-79@0-Ant13-14.191-14.93-≤15-PASS




1-N26-824-849-PC3-15-15-M-1-DFT-QPSK-Outer\_Full-75@0-Ant13-13.473-14.20-≤15-PASS



1-N26-824-849-PC3-15-15-M-2-DFT-PI2BPSK-Outer\_Full-75@0-Ant13-13.473-14.28-≤15-PASS




1-N26-824-849-PC3-15-15-M-3-DFT-16QAM-Outer\_Full-75@0-Ant13-13.476-14.18-≤15-PASS




1-N26-824-849-PC3-15-15-M-4-DFT-64QAM-Outer\_Full-75@0-Ant13-13.462-14.17-≤15-PASS



1-N26-824-849-PC3-15-15-M-5-DFT-256QAM-Outer\_Full-75@0-Ant13-13.475-14.24-≤15-PASS




1-N26-824-849-PC3-15-15-M-6-CP-QPSK-Outer\_Full-79@0-Ant13-14.124-14.88-≤15-PASS



1-N26-824-849-PC3-15-15-M-7-CP-16QAM-Outer\_Full-79@0-Ant13-14.156-14.93-≤15-PASS



1-N26-824-849-PC3-15-15-M-8-CP-64QAM-Outer\_Full-79@0-Ant13-14.189-14.96-≤15-PASS



1-N26-824-849-PC3-15-15-M-9-CP-256QAM-Outer\_Full-79@0-Ant13-14.179-14.93-≤15-PASS




1-N26-824-849-PC3-15-15-H-1-DFT-QPSK-Outer\_Full-75@0-Ant13-13.448-14.21-≤15-PASS



1-N26-824-849-PC3-15-15-H-2-DFT-PI2BPSK-Outer\_Full-75@0-Ant13-13.453-14.23-≤15-PASS




1-N26-824-849-PC3-15-15-H-3-DFT-16QAM-Outer\_Full-75@0-Ant13-13.459-14.19-≤15-PASS




1-N26-824-849-PC3-15-15-H-4-DFT-64QAM-Outer\_Full-75@0-Ant13-13.487-14.20-≤15-PASS



1-N26-824-849-PC3-15-15-H-5-DFT-256QAM-Outer\_Full-75@0-Ant13-13.449-14.25-≤15-PASS




1-N26-824-849-PC3-15-15-H-6-CP-QPSK-Outer\_Full-79@0-Ant13-14.133-14.87-≤15-PASS



1-N26-824-849-PC3-15-15-H-7-CP-16QAM-Outer\_Full-79@0-Ant13-14.167-14.88-≤15-PASS



1-N26-824-849-PC3-15-15-H-8-CP-64QAM-Outer\_Full-79@0-Ant13-14.176-15.03-≤15-PASS




1-N26-824-849-PC3-15-15-H-9-CP-256QAM-Outer\_Full-79@0-Ant13-14.151-14.89-≤15-PASS



1-N26-824-849-PC3-15-20-L-1-DFT-QPSK-Outer\_Full-100@0-Ant13-17.952-18.72-≤20-PASS



1-N26-824-849-PC3-15-20-L-2-DFT-PI2BPSK-Outer\_Full-100@0-Ant13-17.907-18.74-≤20-PASS



1-N26-824-849-PC3-15-20-L-3-DFT-16QAM-Outer\_Full-100@0-Ant13-17.902-18.68-≤20-PASS




1-N26-824-849-PC3-15-20-L-4-DFT-64QAM-Outer\_Full-100@0-Ant13-17.918-18.76-≤20-PASS



1-N26-824-849-PC3-15-20-L-5-DFT-256QAM-Outer\_Full-100@0-Ant13-17.888-18.74-≤20-PASS






1-N26-824-849-PC3-15-20-L-6-CP-QPSK-Outer\_Full-106@0-Ant13-18.974-19.82-≤20-PASS



1-N26-824-849-PC3-15-20-L-7-CP-16QAM-Outer\_Full-106@0-Ant13-18.887-19.79-≤20-PASS




1-N26-824-849-PC3-15-20-L-8-CP-64QAM-Outer\_Full-106@0-Ant13-18.926-19.80-≤20-PASS



1-N26-824-849-PC3-15-20-L-9-CP-256QAM-Outer\_Full-106@0-Ant13-18.924-19.83-≤20-PASS



1-N26-824-849-PC3-15-20-M-1-DFT-QPSK-Outer\_Full-100@0-Ant13-17.882-18.74-≤20-PASS



1-N26-824-849-PC3-15-20-M-2-DFT-PI2BPSK-Outer\_Full-100@0-Ant13-17.915-18.74-≤20-PASS




1-N26-824-849-PC3-15-20-M-3-DFT-16QAM-Outer\_Full-100@0-Ant13-17.865-18.66-≤20-PASS



1-N26-824-849-PC3-15-20-M-4-DFT-64QAM-Outer\_Full-100@0-Ant13-17.939-18.73-≤20-PASS



1-N26-824-849-PC3-15-20-M-5-DFT-256QAM-Outer\_Full-100@0-Ant13-17.875-18.67-≤20-PASS




1-N26-824-849-PC3-15-20-M-6-CP-QPSK-Outer\_Full-106@0-Ant13-18.940-19.90-≤20-PASS



1-N26-824-849-PC3-15-20-M-7-CP-16QAM-Outer\_Full-106@0-Ant13-18.937-19.89-≤20-PASS



1-N26-824-849-PC3-15-20-M-8-CP-64QAM-Outer\_Full-106@0-Ant13-18.906-19.80-≤20-PASS




1-N26-824-849-PC3-15-20-M-9-CP-256QAM-Outer\_Full-106@0-Ant13-18.922-19.85-≤20-PASS



1-N26-824-849-PC3-15-20-H-1-DFT-QPSK-Outer\_Full-100@0-Ant13-17.917-18.80-≤20-PASS



1-N26-824-849-PC3-15-20-H-2-DFT-PI2BPSK-Outer\_Full-100@0-Ant13-17.898-18.70-≤20-PASS



1-N26-824-849-PC3-15-20-H-3-DFT-16QAM-Outer\_Full-100@0-Ant13-17.852-18.77-<20-PASS



1-N26-824-849-PC3-15-20-H-4-DFT-64QAM-Outer\_Full-100@0-Ant13-17.926-18.74-<20-PASS



1-N26-824-849-PC3-15-20-H-5-DFT-256QAM-Outer\_Full-100@0-Ant13-17.865-18.71-<20-PASS




1-N26-824-849-PC3-15-20-H-6-CP-QPSK-Outer\_Full-106@0-Ant13-18.934-19.80-≤20-PASS



1-N26-824-849-PC3-15-20-H-7-CP-16QAM-Outer\_Full-106@0-Ant13-18.895-19.77-≤20-PASS



1-N26-824-849-PC3-15-20-H-8-CP-64QAM-Outer\_Full-106@0-Ant13-18.927-19.85-≤20-PASS




1-N26-824-849-PC3-15-20-H-9-CP-256QAM-Outer\_Full-106@0-Ant13-18.894-19.77-≤20-PASS




# Band Edge for SA


## Test Graphs




1-N26-824-849-PC3-15-5-L-1-DFT-PI2BPSK-Edge\_1RB\_Left-1@0-Ant13-819.00-15.52--28.52-PASS




1-N26-824-849-PC3-15-5-L-3-DFT-PI2BPSK-Outer\_Full-25@0-Ant13-819.00-23.69--36.69-PASS




1-N26-824-849-PC3-15-5-L-4-CP-QPSK-Edge\_1RB\_Left-1@0-Ant13-819.00-16.72--29.72-PASS




1-N26-824-849-PC3-15-5-L-6-CP-QPSK-Outer\_Full-25@0-Ant13-818.99-23.25--36.25-PASS




1-N26-824-849-PC3-15-5-H-2-DFT-PI2BPSK-Edge\_1RB\_Right-1@24-Ant13-849.00-15.93--28.93-PASS




1-N26-824-849-PC3-15-5-H-3-DFT-PI2BPSK-Outer\_Full-25@0-Ant13-849.00-26.04--39.04-PASS




1-N26-824-849-PC3-15-5-H-5-CP-QPSK-Edge\_1RB\_Right-1@24-Ant13-849.00-17.15--30.15-PASS




1-N26-824-849-PC3-15-5-H-6-CP-QPSK-Outer\_Full-25@0-Ant13-849.00-23.57--36.57-PASS




1-N26-824-849-PC3-15-10-L-1-DFT-PI2BPSK-Edge\_1RB\_Left-1@0-Ant13-824.00-22.28--35.28-PASS




1-N26-824-849-PC3-15-10-L-3-DFT-PI2BPSK-Outer\_Full-50@0-Ant13-823.99-25.42--38.42-PASS




1-N26-824-849-PC3-15-10-L-4-CP-QPSK-Edge\_1RB\_Left-1@0-Ant13-824.00-20.41--33.41-PASS




1-N26-824-849-PC3-15-10-L-6-CP-QPSK-Outer\_Full-52@0-Ant13-823.99-22.86--35.86-PASS




1-N26-824-849-PC3-15-10-H-2-DFT-PI2BPSK-Edge\_1RB\_Right-1@51-Ant13-849.00-21.83--34.83-PASS




1-N26-824-849-PC3-15-10-H-3-DFT-PI2BPSK-Outer\_Full-50@0-Ant13-849.24-30.07--43.07-PASS




1-N26-824-849-PC3-15-10-H-5-CP-QPSK-Edge\_1RB\_Right-1@51-Ant13-849.00-21.89--34.89-PASS




1-N26-824-849-PC3-15-10-H-6-CP-QPSK-Outer\_Full-52@0-Ant13-849.03-25.24--38.24-PASS




1-N26-824-849-PC3-15-15-L-1-DFT-PI2BPSK-Edge\_1RB\_Left-1@0-Ant13-824.00-25.33--38.33-PASS




1-N26-824-849-PC3-15-15-L-3-DFT-PI2BPSK-Outter\_Full-75@0-Ant13-824.00-23.97--36.97-PASS




1-N26-824-849-PC3-15-15-L-4-CP-QPSK-Edge\_1RB\_Left-1@0-Ant13-824.00-23.32--36.32-PASS




1-N26-824-849-PC3-15-15-L-6-CP-QPSK-Outter\_Full-79@0-Ant13-823.36-22.61--35.61-PASS



1-N26-824-849-PC3-15-15-H-2-DFT-PI2BPSK-Edge\_1RB\_Right-1@78-Ant13-849.01-24.36--37.36-PASS




1-N26-824-849-PC3-15-15-H-3-DFT-PI2BPSK-Outer\_Full-75@0-Ant13-849.02-28.19--41.19-PASS




1-N26-824-849-PC3-15-15-H-5-CP-QPSK-Edge\_1RB\_Right-1@78-Ant13-849.01-24.16--37.16-PASS







1-N26-824-849-PC3-15-15-H-6-CP-QPSK-Outer\_Full-79@0-Ant13-849.01-23.87--36.87-PASS




1-N26-824-849-PC3-15-20-L-1-DFT-PI2BPSK-Edge\_1RB\_Left-1@0-Ant13-824.00-25.60--38.60-PASS




1-N26-824-849-PC3-15-20-L-3-DFT-PI2BPSK-Outer\_Full-100@0-Ant13-823.99-23.74--36.74-PASS




1-N26-824-849-PC3-15-20-L-4-CP-QPSK-Edge\_1RB\_Left-1@0-Ant13-824.00-24.67--37.67-PASS




1-N26-824-849-PC3-15-20-L-6-CP-QPSK-Outer\_Full-106@0-Ant13-823.80-22.79--35.79-PASS




1-N26-824-849-PC3-15-20-H-2-DFT-PI2BPSK-Edge\_1RB\_Right-1@105-Ant13-849.00-24.72--37.72-PASS



1-N26-824-849-PC3-15-20-H-3-DFT-PI2BPSK-Outer\_Full-100@0-Ant13-849.72-28.81--41.81-PASS



1-N26-824-849-PC3-15-20-H-5-CP-QPSK-Edge\_1RB\_Right-1@105-Ant13-849.00-25.19--38.19-PASS




1-N26-824-849-PC3-15-20-H-6-CP-QPSK-Outer\_Full-106@0-Ant13-849.11-24.03--37.03-PASS

## Conducted Spurious Emission for SA

### Test Result

Band	SCS	Bandwidth	Modulation	Channel	StartFreq	StopFreq	RB Config	Result	Limit	Verdict
N26-824-849	15	20	DFT-PI2BPSK	L	0.009	0.15	1@1	-64.64	-33	PASS
N26-824-849	15	20	DFT-PI2BPSK	L	0.15	30	1@1	-65.65	-23	PASS
N26-824-849	15	20	DFT-PI2BPSK	L	30	1000	1@1	-44.71	-13	PASS
N26-824-849	15	20	DFT-PI2BPSK	L	1000	3000	1@1	-38.90	-13	PASS
N26-824-849	15	20	DFT-PI2BPSK	L	3000	12000	1@1	-46.57	-13	PASS
N26-824-849	15	20	DFT-PI2BPSK	L	12000	20000	1@1	-43.86	-13	PASS
N26-824-849	15	20	DFT-PI2BPSK	M	0.009	0.15	1@1	-65.75	-33	PASS
N26-824-849	15	20	DFT-PI2BPSK	M	0.15	30	1@1	-66.24	-23	PASS
N26-824-849	15	20	DFT-PI2BPSK	M	30	1000	1@1	-42.01	-13	PASS
N26-824-849	15	20	DFT-PI2BPSK	M	1000	3000	1@1	-38.85	-13	PASS
N26-824-849	15	20	DFT-PI2BPSK	M	3000	12000	1@1	-46.69	-13	PASS
N26-824-849	15	20	DFT-PI2BPSK	M	12000	20000	1@1	-43.81	-13	PASS
N26-824-849	15	20	DFT-PI2BPSK	H	0.009	0.15	1@1	-65.45	-33	PASS
N26-824-849	15	20	DFT-PI2BPSK	H	0.15	30	1@1	-62.42	-23	PASS
N26-824-849	15	20	DFT-PI2BPSK	H	30	1000	1@1	-45.42	-13	PASS
N26-824-849	15	20	DFT-PI2BPSK	H	1000	3000	1@1	-38.78	-13	PASS
N26-824-849	15	20	DFT-PI2BPSK	H	3000	12000	1@1	-46.11	-13	PASS
N26-824-849	15	20	DFT-PI2BPSK	H	12000	20000	1@1	-43.76	-13	PASS


# Test Graphs



1-N26-824-849-PC3-15-20-L-1-NS\_01-DFT-PI2BPSK-Inner\_1RB\_Left-1@1-0.009-0.15-Ant13-0.01--64.64--33-PASS



1-N26-824-849-PC3-15-20-L-1-NS\_01-DFT-PI2BPSK-Inner\_1RB\_Left-1@1-0.15-30-Ant13-0.15--65.65--23-PASS



1-N26-824-849-PC3-15-20-L-1-NS\_01-DFT-PI2BPSK-Inner\_1RB\_Left-1@1-30-1000-Ant13-853.92--44.71--  
13-PASS



1-N26-824-849-PC3-15-20-L-1-NS\_01-DFT-PI2BPSK-Inner\_1RB\_Left-1@1-1000-3000-Ant13-2677.60--38.  
90--13-PASS



1-N26-824-849-PC3-15-20-L-1-NS\_01-DFT-PI2BPSK-Inner\_1RB\_Left-1@1-3000-12000-Ant13-5894.85--46.57--13-PASS



1-N26-824-849-PC3-15-20-L-1-NS\_01-DFT-PI2BPSK-Inner\_1RB\_Left-1@1-12000-20000-Ant13-18812.00--43.86--13-PASS



1-N26-824-849-PC3-15-20-M-1-NS\_01-DFT-PI2BPSK-Inner\_1RB\_Left-1@1-0.009-0.15-Ant13-0.01--65.75--33-PASS



1-N26-824-849-PC3-15-20-M-1-NS\_01-DFT-PI2BPSK-Inner\_1RB\_Left-1@1-0.15-30-Ant13-0.15--66.24--23-PASS





1-N26-824-849-PC3-15-20-M-1-NS\_01-DFT-PI2BPSK-Inner\_1RB\_Left-1@1-30-1000-Ant13-850.23--42.01--13-PASS



1-N26-824-849-PC3-15-20-M-1-NS\_01-DFT-PI2BPSK-Inner\_1RB\_Left-1@1-1000-3000-Ant13-2669.60--38.85--13-PASS



1-N26-824-849-PC3-15-20-M-1-NS\_01-DFT-PI2BPSK-Inner\_1RB\_Left-1@1-3000-12000-Ant13-5827.35--4  
6.69--13-PASS




1-N26-824-849-PC3-15-20-M-1-NS\_01-DFT-PI2BPSK-Inner\_1RB\_Left-1@1-12000-20000-Ant13-18755.20-  
-43.81--13-PASS



1-N26-824-849-PC3-15-20-H-1-NS\_01-DFT-PI2BPSK-Inner\_1RB\_Left-1@1-0.009-0.15-Ant13-0.01--65.45--33-PASS



1-N26-824-849-PC3-15-20-H-1-NS\_01-DFT-PI2BPSK-Inner\_1RB\_Left-1@1-0.15-30-Ant13-0.15--62.42--23-PASS



1-N26-824-849-PC3-15-20-H-1-NS\_01-DFT-PI2BPSK-Inner\_1RB\_Left-1@1-30-1000-Ant13-852.75--45.42--13-PASS



1-N26-824-849-PC3-15-20-H-1-NS\_01-DFT-PI2BPSK-Inner\_1RB\_Left-1@1-1000-3000-Ant13-2665.60--38.78--13-PASS



1-N26-824-849-PC3-15-20-H-1-NS\_01-DFT-PI2BPSK-Inner\_1RB\_Left-1@1-3000-12000-Ant13-5765.70--46.11--13-PASS



1-N26-824-849-PC3-15-20-H-1-NS\_01-DFT-PI2BPSK-Inner\_1RB\_Left-1@1-12000-20000-Ant13-18794.00--43.76--13-PASS

## Field Strength of Spurious Radiation

SA Band 26_15M ANT13-Low channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1650.0	-71.1	-13	-58.1	-73.98	2.62	5.5	Horizontal	Pass
2475.0	-68.46	-13	-55.46	-71.16	3.06	5.76	Horizontal	Pass
3300.0	-67.44	-13	-54.44	-71.81	3.3	7.67	Horizontal	Pass
1650.0	-69.43	-13	-56.43	-72.31	2.62	5.5	Vertical	Pass
2475.0	-69.54	-13	-56.54	-72.24	3.06	5.76	Vertical	Pass
3300.0	-66.97	-13	-53.97	-71.34	3.3	7.67	Vertical	Pass

SA Band 26_15M ANT13- Middle channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1650.0	-71.32	-13	-58.32	-74.2	2.62	5.5	Horizontal	Pass
2482.5	-68.89	-13	-55.89	-71.6	3.07	5.78	Horizontal	Pass
3310.0	-67.36	-13	-54.36	-71.76	3.3	7.7	Horizontal	Pass
1650.0	-70.13	-13	-57.13	-73.01	2.62	5.5	Vertical	Pass
2482.5	-67.52	-13	-54.52	-70.23	3.07	5.78	Vertical	Pass
3310.0	-67.44	-13	-54.44	-71.84	3.3	7.7	Vertical	Pass

SA Band 26_15M ANT13-High channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1660.0	-71.3	-13	-58.3	-74.16	2.62	5.48	Horizontal	Pass
2490.0	-66.35	-13	-53.35	-69.08	3.07	5.8	Horizontal	Pass
3320.0	-67.36	-13	-54.36	-71.77	3.31	7.72	Horizontal	Pass
1660.0	-70.57	-13	-57.57	-73.43	2.62	5.48	Vertical	Pass
2490.0	-67.35	-13	-54.35	-70.08	3.07	5.8	Vertical	Pass
3320.0	-67.39	-13	-54.39	-71.8	3.31	7.72	Vertical	Pass

DC_7A_n26A -Low channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
5002.0	-62.58	-13	-49.58	-68.15	4.57	10.14	Horizontal	Pass
7503.0	-60.69	-13	-47.69	-67.49	4.94	11.74	Horizontal	Pass
10004.0	-57.09	-13	-44.09	-64.66	5.46	13.03	Horizontal	Pass
5002.0	-62.61	-13	-49.61	-68.18	4.57	10.14	Vertical	Pass
7503.0	-60.39	-13	-47.39	-67.19	4.94	11.74	Vertical	Pass
10004.0	-57.18	-13	-44.18	-64.75	5.46	13.03	Vertical	Pass

DC_7A_n26A -Middle channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
5052.0	-62.89	-13	-49.89	-68.47	4.59	10.17	Horizontal	Pass
7578.0	-60.56	-13	-47.56	-67.44	4.95	11.83	Horizontal	Pass
10104.0	-53.05	-13	-40.05	-60.62	5.48	13.05	Horizontal	Pass
5052.0	-62.13	-13	-49.13	-67.71	4.59	10.17	Vertical	Pass
7578.0	-60.06	-13	-47.06	-66.94	4.95	11.83	Vertical	Pass
10104.0	-55.81	-13	-42.81	-63.38	5.48	13.05	Vertical	Pass

DC_7A_n26A -High channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
5102.0	-63.42	-13	-50.42	-69.02	4.6	10.2	Horizontal	Pass
7653.0	-60.06	-13	-47.06	-67.03	4.95	11.92	Horizontal	Pass
10204.0	-57.2	-13	-44.2	-64.78	5.49	13.07	Horizontal	Pass
5102.0	-62.88	-13	-49.88	-68.48	4.6	10.2	Vertical	Pass
7653.0	-60.26	-13	-47.26	-67.23	4.95	11.92	Vertical	Pass
10204.0	-57.5	-13	-44.5	-65.08	5.49	13.07	Vertical	Pass

Remark:

1) All antennas of RSE are tested, and only the worst data is presented.

# Frequency Stability for SA

## Test Result

### Frequency Error VS. Voltage

Voltage											
Band	SCS	Band width	Modulation	Channel	RB Config	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
N26-824-849	15	20	DFT-PI2BPSK	M	100@0	VH	NT	-9.50	-0.01	±2.5	PASS
N26-824-849	15	20	DFT-PI2BPSK	M	100@0	VN	NT	-6.00	-0.01	±2.5	PASS
N26-824-849	15	20	DFT-PI2BPSK	M	100@0	VL	NT	-7.30	-0.01	±2.5	PASS
N26-824-849	15	20	CP-QPSK	M	106@0	VH	NT	-7.00	-0.01	±2.5	PASS
N26-824-849	15	20	CP-QPSK	M	106@0	VN	NT	-8.70	-0.01	±2.5	PASS
N26-824-849	15	20	CP-QPSK	M	106@0	VL	NT	-8.80	-0.01	±2.5	PASS

### Frequency Error VS. Temperature

Temperature											
Band	SCS	Band width	Modulation	Channel	RB Config	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
N26-824-849	15	20	DFT-PI2BPSK	M	100@0	NV	50	-9.300000	-0.011118	±2.5	PASS
N26-824-849	15	20	DFT-PI2BPSK	M	100@0	NV	-20	-7.100000	-0.008488	±2.5	PASS
N26-824-849	15	20	DFT-PI2BPSK	M	100@0	NV	-10	-8.900000	-0.010640	±2.5	PASS
N26-824-849	15	20	DFT-PI2BPSK	M	100@0	NV	0	-8.300000	-0.009922	±2.5	PASS
N26-824-849	15	20	DFT-PI2BPSK	M	100@0	NV	10	-6.300000	-0.007531	±2.5	PASS
N26-824-849	15	20	DFT-PI2BPSK	M	100@0	NV	20	-8.600000	-0.010281	±2.5	PASS
N26-824-849	15	20	DFT-PI2BPSK	M	100@0	NV	30	-7.800000	-0.009325	±2.5	PASS
N26-824-849	15	20	DFT-PI2BPSK	M	100@0	NV	-30	-8.300000	-0.009922	±2.5	PASS
N26-824-849	15	20	DFT-PI2BPSK	M	100@0	NV	40	-7.400000	-0.008846	±2.5	PASS
N26-824-849	15	20	CP-QPSK	M	106@0	NV	50	-7.100000	-0.008488	±2.5	PASS
N26-824-849	15	20	CP-QPSK	M	106@0	NV	-20	-7.500000	-0.008966	±2.5	PASS
N26-824-849	15	20	CP-QPSK	M	106@0	NV	-10	-7.900000	-0.009444	±2.5	PASS
N26-824-849	15	20	CP-QPSK	M	106@0	NV	0	-7.400000	-0.008846	±2.5	PASS
N26-824-849	15	20	CP-QPSK	M	106@0	NV	10	-6.900000	-0.008249	±2.5	PASS
N26-824-849	15	20	CP-QPSK	M	106@0	NV	20	-4.700000	-0.005619	±2.5	PASS
N26-824-849	15	20	CP-QPSK	M	106@0	NV	30	-5.200000	-0.006216	±2.5	PASS
N26-824-849	15	20	CP-QPSK	M	106@0	NV	40	-8.300000	-0.009922	±2.5	PASS
N26-824-849	15	20	CP-QPSK	M	106@0	NV	-30	-7.700000	-0.009205	±2.5	PASS

---End of Attachment---