

Appendix A: Conducted Output Power

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band4	1.4MHz	QPSK	19957	1RB#0	23.05	PASS
Band4	1.4MHz	QPSK	19957	1RB#2	23.13	PASS
Band4	1.4MHz	QPSK	19957	1RB#5	23.01	PASS
Band4	1.4MHz	QPSK	19957	3RB#1	23.08	PASS
Band4	1.4MHz	QPSK	19957	3RB#0	23.11	PASS
Band4	1.4MHz	QPSK	19957	3RB#3	23.11	PASS
Band4	1.4MHz	QPSK	19957	6RB#0	22.10	PASS
Band4	1.4MHz	QPSK	20175	1RB#5	23.16	PASS
Band4	1.4MHz	QPSK	20175	1RB#0	23.19	PASS
Band4	1.4MHz	QPSK	20175	1RB#2	23.33	PASS
Band4	1.4MHz	QPSK	20175	3RB#0	23.28	PASS
Band4	1.4MHz	QPSK	20175	3RB#1	23.28	PASS
Band4	1.4MHz	QPSK	20175	3RB#3	23.27	PASS
Band4	1.4MHz	QPSK	20175	6RB#0	22.24	PASS
Band4	1.4MHz	QPSK	20393	1RB#2	23.17	PASS
Band4	1.4MHz	QPSK	20393	1RB#0	23.09	PASS
Band4	1.4MHz	QPSK	20393	1RB#5	23.07	PASS
Band4	1.4MHz	QPSK	20393	3RB#1	23.16	PASS
Band4	1.4MHz	QPSK	20393	3RB#3	23.20	PASS
Band4	1.4MHz	QPSK	20393	3RB#0	23.15	PASS
Band4	1.4MHz	QPSK	20393	6RB#0	22.14	PASS
Band4	1.4MHz	16QAM	19957	1RB#2	22.32	PASS
Band4	1.4MHz	16QAM	19957	1RB#0	22.14	PASS
Band4	1.4MHz	16QAM	19957	1RB#5	22.16	PASS
Band4	1.4MHz	16QAM	19957	3RB#1	23.14	PASS
Band4	1.4MHz	16QAM	19957	3RB#0	23.13	PASS
Band4	1.4MHz	16QAM	19957	3RB#3	23.12	PASS
Band4	1.4MHz	16QAM	19957	6RB#0	21.11	PASS
Band4	1.4MHz	16QAM	20175	1RB#2	22.43	PASS
Band4	1.4MHz	16QAM	20175	1RB#5	22.27	PASS
Band4	1.4MHz	16QAM	20175	1RB#0	22.31	PASS
Band4	1.4MHz	16QAM	20175	3RB#1	23.30	PASS

Band4	1.4MHz	16QAM	20175	3RB#0	23.26	PASS
Band4	1.4MHz	16QAM	20175	3RB#3	23.28	PASS
Band4	1.4MHz	16QAM	20175	6RB#0	21.28	PASS
Band4	1.4MHz	16QAM	20393	1RB#5	22.21	PASS
Band4	1.4MHz	16QAM	20393	1RB#2	22.36	PASS
Band4	1.4MHz	16QAM	20393	1RB#0	22.18	PASS
Band4	1.4MHz	16QAM	20393	3RB#3	23.21	PASS
Band4	1.4MHz	16QAM	20393	3RB#0	23.14	PASS
Band4	1.4MHz	16QAM	20393	3RB#1	23.15	PASS
Band4	1.4MHz	16QAM	20393	6RB#0	21.03	PASS
Band4	3MHz	QPSK	19965	1RB#0	23.07	PASS
Band4	3MHz	QPSK	19965	1RB#8	23.11	PASS
Band4	3MHz	QPSK	19965	1RB#14	23.12	PASS
Band4	3MHz	QPSK	19965	8RB#4	22.25	PASS
Band4	3MHz	QPSK	19965	8RB#7	22.22	PASS
Band4	3MHz	QPSK	19965	8RB#0	22.31	PASS
Band4	3MHz	QPSK	19965	15RB#0	22.06	PASS
Band4	3MHz	QPSK	20175	1RB#14	23.25	PASS
Band4	3MHz	QPSK	20175	1RB#8	23.28	PASS
Band4	3MHz	QPSK	20175	1RB#0	23.26	PASS
Band4	3MHz	QPSK	20175	8RB#0	22.16	PASS
Band4	3MHz	QPSK	20175	8RB#7	22.15	PASS
Band4	3MHz	QPSK	20175	8RB#4	22.15	PASS
Band4	3MHz	QPSK	20175	15RB#0	22.22	PASS
Band4	3MHz	QPSK	20385	1RB#8	23.10	PASS
Band4	3MHz	QPSK	20385	1RB#14	23.11	PASS
Band4	3MHz	QPSK	20385	1RB#0	23.08	PASS
Band4	3MHz	QPSK	20385	8RB#7	22.23	PASS
Band4	3MHz	QPSK	20385	8RB#0	22.24	PASS
Band4	3MHz	QPSK	20385	8RB#4	22.27	PASS
Band4	3MHz	QPSK	20385	15RB#0	22.10	PASS
Band4	3MHz	16QAM	19965	1RB#14	22.23	PASS
Band4	3MHz	16QAM	19965	1RB#8	22.23	PASS
Band4	3MHz	16QAM	19965	1RB#0	22.26	PASS
Band4	3MHz	16QAM	19965	8RB#7	22.21	PASS
Band4	3MHz	16QAM	19965	8RB#0	22.27	PASS
Band4	3MHz	16QAM	19965	8RB#4	22.24	PASS

Band4	3MHz	16QAM	19965	15RB#0	21.01	PASS
Band4	3MHz	16QAM	20175	1RB#14	22.14	PASS
Band4	3MHz	16QAM	20175	1RB#8	22.16	PASS
Band4	3MHz	16QAM	20175	1RB#0	22.11	PASS
Band4	3MHz	16QAM	20175	8RB#4	22.15	PASS
Band4	3MHz	16QAM	20175	8RB#7	22.14	PASS
Band4	3MHz	16QAM	20175	8RB#0	22.15	PASS
Band4	3MHz	16QAM	20175	15RB#0	21.18	PASS
Band4	3MHz	16QAM	20385	1RB#14	22.26	PASS
Band4	3MHz	16QAM	20385	1RB#0	22.27	PASS
Band4	3MHz	16QAM	20385	1RB#8	22.26	PASS
Band4	3MHz	16QAM	20385	8RB#4	22.24	PASS
Band4	3MHz	16QAM	20385	8RB#0	22.25	PASS
Band4	3MHz	16QAM	20385	8RB#7	22.24	PASS
Band4	3MHz	16QAM	20385	15RB#0	21.11	PASS
Band4	5MHz	QPSK	19975	1RB#24	23.08	PASS
Band4	5MHz	QPSK	19975	1RB#0	23.08	PASS
Band4	5MHz	QPSK	19975	1RB#12	23.19	PASS
Band4	5MHz	QPSK	19975	12RB#13	22.11	PASS
Band4	5MHz	QPSK	19975	12RB#6	22.09	PASS
Band4	5MHz	QPSK	19975	12RB#0	22.07	PASS
Band4	5MHz	QPSK	19975	25RB#0	22.11	PASS
Band4	5MHz	QPSK	20175	1RB#24	23.15	PASS
Band4	5MHz	QPSK	20175	1RB#12	23.30	PASS
Band4	5MHz	QPSK	20175	1RB#0	23.19	PASS
Band4	5MHz	QPSK	20175	12RB#0	22.23	PASS
Band4	5MHz	QPSK	20175	12RB#13	22.21	PASS
Band4	5MHz	QPSK	20175	12RB#6	22.26	PASS
Band4	5MHz	QPSK	20175	25RB#0	22.27	PASS
Band4	5MHz	QPSK	20375	1RB#12	23.23	PASS
Band4	5MHz	QPSK	20375	1RB#0	23.10	PASS
Band4	5MHz	QPSK	20375	1RB#24	23.08	PASS
Band4	5MHz	QPSK	20375	12RB#0	22.18	PASS
Band4	5MHz	QPSK	20375	12RB#13	22.08	PASS
Band4	5MHz	QPSK	20375	12RB#6	22.16	PASS
Band4	5MHz	QPSK	20375	25RB#0	22.20	PASS
Band4	5MHz	16QAM	19975	1RB#12	22.36	PASS

Band4	5MHz	16QAM	19975	1RB#24	22.24	PASS
Band4	5MHz	16QAM	19975	1RB#0	22.23	PASS
Band4	5MHz	16QAM	19975	12RB#0	22.09	PASS
Band4	5MHz	16QAM	19975	12RB#6	22.05	PASS
Band4	5MHz	16QAM	19975	12RB#13	22.09	PASS
Band4	5MHz	16QAM	19975	25RB#0	21.08	PASS
Band4	5MHz	16QAM	20175	1RB#24	22.19	PASS
Band4	5MHz	16QAM	20175	1RB#12	22.30	PASS
Band4	5MHz	16QAM	20175	1RB#0	22.19	PASS
Band4	5MHz	16QAM	20175	12RB#0	22.27	PASS
Band4	5MHz	16QAM	20175	12RB#13	22.22	PASS
Band4	5MHz	16QAM	20175	12RB#6	22.20	PASS
Band4	5MHz	16QAM	20175	25RB#0	21.24	PASS
Band4	5MHz	16QAM	20375	1RB#12	22.41	PASS
Band4	5MHz	16QAM	20375	1RB#24	22.32	PASS
Band4	5MHz	16QAM	20375	1RB#0	22.25	PASS
Band4	5MHz	16QAM	20375	12RB#13	22.17	PASS
Band4	5MHz	16QAM	20375	12RB#0	22.16	PASS
Band4	5MHz	16QAM	20375	12RB#6	22.16	PASS
Band4	5MHz	16QAM	20375	25RB#0	21.17	PASS
Band4	10MHz	QPSK	20000	1RB#0	23.08	PASS
Band4	10MHz	QPSK	20000	1RB#24	23.20	PASS
Band4	10MHz	QPSK	20000	1RB#49	23.17	PASS
Band4	10MHz	QPSK	20000	25RB#0	22.18	PASS
Band4	10MHz	QPSK	20000	25RB#25	22.26	PASS
Band4	10MHz	QPSK	20000	25RB#12	22.18	PASS
Band4	10MHz	QPSK	20000	50RB#0	22.21	PASS
Band4	10MHz	QPSK	20175	1RB#24	23.39	PASS
Band4	10MHz	QPSK	20175	1RB#0	23.24	PASS
Band4	10MHz	QPSK	20175	1RB#49	23.15	PASS
Band4	10MHz	QPSK	20175	25RB#25	22.30	PASS
Band4	10MHz	QPSK	20175	25RB#12	22.34	PASS
Band4	10MHz	QPSK	20175	25RB#0	22.33	PASS
Band4	10MHz	QPSK	20175	50RB#0	22.29	PASS
Band4	10MHz	QPSK	20350	1RB#0	23.08	PASS
Band4	10MHz	QPSK	20350	1RB#24	23.24	PASS
Band4	10MHz	QPSK	20350	1RB#49	23.09	PASS

Band4	10MHz	QPSK	20350	25RB#25	22.14	PASS
Band4	10MHz	QPSK	20350	25RB#12	22.25	PASS
Band4	10MHz	QPSK	20350	25RB#0	22.26	PASS
Band4	10MHz	QPSK	20350	50RB#0	22.20	PASS
Band4	10MHz	16QAM	20000	1RB#24	22.48	PASS
Band4	10MHz	16QAM	20000	1RB#0	22.24	PASS
Band4	10MHz	16QAM	20000	1RB#49	22.33	PASS
Band4	10MHz	16QAM	20000	25RB#0	22.19	PASS
Band4	10MHz	16QAM	20000	25RB#25	22.27	PASS
Band4	10MHz	16QAM	20000	25RB#12	22.22	PASS
Band4	10MHz	16QAM	20000	50RB#0	21.21	PASS
Band4	10MHz	16QAM	20175	1RB#24	22.55	PASS
Band4	10MHz	16QAM	20175	1RB#0	22.43	PASS
Band4	10MHz	16QAM	20175	1RB#49	22.31	PASS
Band4	10MHz	16QAM	20175	25RB#25	22.31	PASS
Band4	10MHz	16QAM	20175	25RB#12	22.34	PASS
Band4	10MHz	16QAM	20175	25RB#0	22.33	PASS
Band4	10MHz	16QAM	20175	50RB#0	21.29	PASS
Band4	10MHz	16QAM	20350	1RB#0	22.25	PASS
Band4	10MHz	16QAM	20350	1RB#24	22.35	PASS
Band4	10MHz	16QAM	20350	1RB#49	22.16	PASS
Band4	10MHz	16QAM	20350	25RB#0	22.23	PASS
Band4	10MHz	16QAM	20350	25RB#12	22.26	PASS
Band4	10MHz	16QAM	20350	25RB#25	22.17	PASS
Band4	10MHz	16QAM	20350	50RB#0	21.16	PASS
Band4	15MHz	QPSK	20025	1RB#0	23.03	PASS
Band4	15MHz	QPSK	20025	1RB#38	23.22	PASS
Band4	15MHz	QPSK	20025	1RB#74	23.23	PASS
Band4	15MHz	QPSK	20025	38RB#37	22.49	PASS
Band4	15MHz	QPSK	20025	38RB#18	22.44	PASS
Band4	15MHz	QPSK	20025	38RB#0	22.26	PASS
Band4	15MHz	QPSK	20025	75RB#0	22.34	PASS
Band4	15MHz	QPSK	20175	1RB#0	23.13	PASS
Band4	15MHz	QPSK	20175	1RB#74	22.98	PASS
Band4	15MHz	QPSK	20175	1RB#38	23.21	PASS
Band4	15MHz	QPSK	20175	38RB#37	22.20	PASS
Band4	15MHz	QPSK	20175	38RB#0	22.30	PASS

Band4	15MHz	QPSK	20175	38RB#18	22.40	PASS
Band4	15MHz	QPSK	20175	75RB#0	22.31	PASS
Band4	15MHz	QPSK	20325	1RB#38	23.03	PASS
Band4	15MHz	QPSK	20325	1RB#0	23.03	PASS
Band4	15MHz	QPSK	20325	1RB#74	22.52	PASS
Band4	15MHz	QPSK	20325	38RB#0	21.97	PASS
Band4	15MHz	QPSK	20325	38RB#18	22.17	PASS
Band4	15MHz	QPSK	20325	38RB#37	22.08	PASS
Band4	15MHz	QPSK	20325	75RB#0	22.27	PASS
Band4	15MHz	16QAM	20025	1RB#38	22.47	PASS
Band4	15MHz	16QAM	20025	1RB#0	22.28	PASS
Band4	15MHz	16QAM	20025	1RB#74	22.51	PASS
Band4	15MHz	16QAM	20025	38RB#0	22.25	PASS
Band4	15MHz	16QAM	20025	38RB#37	22.49	PASS
Band4	15MHz	16QAM	20025	38RB#18	22.49	PASS
Band4	15MHz	16QAM	20025	75RB#0	21.26	PASS
Band4	15MHz	16QAM	20175	1RB#0	22.29	PASS
Band4	15MHz	16QAM	20175	1RB#38	22.41	PASS
Band4	15MHz	16QAM	20175	1RB#74	22.17	PASS
Band4	15MHz	16QAM	20175	38RB#18	22.41	PASS
Band4	15MHz	16QAM	20175	38RB#0	22.23	PASS
Band4	15MHz	16QAM	20175	38RB#37	22.14	PASS
Band4	15MHz	16QAM	20175	75RB#0	21.25	PASS
Band4	15MHz	16QAM	20325	1RB#0	22.24	PASS
Band4	15MHz	16QAM	20325	1RB#38	22.33	PASS
Band4	15MHz	16QAM	20325	1RB#74	21.79	PASS
Band4	15MHz	16QAM	20325	38RB#0	22.10	PASS
Band4	15MHz	16QAM	20325	38RB#18	22.35	PASS
Band4	15MHz	16QAM	20325	38RB#37	21.84	PASS
Band4	15MHz	16QAM	20325	75RB#0	21.18	PASS
Band4	20MHz	QPSK	20050	1RB#0	22.91	PASS
Band4	20MHz	QPSK	20050	1RB#49	23.41	PASS
Band4	20MHz	QPSK	20050	1RB#99	23.17	PASS
Band4	20MHz	QPSK	20050	50RB#25	22.20	PASS
Band4	20MHz	QPSK	20050	50RB#0	22.17	PASS
Band4	20MHz	QPSK	20050	50RB#50	22.41	PASS
Band4	20MHz	QPSK	20050	100RB#0	22.31	PASS

Band4	20MHz	QPSK	20175	1RB#99	22.70	PASS
Band4	20MHz	QPSK	20175	1RB#0	23.00	PASS
Band4	20MHz	QPSK	20175	1RB#49	23.40	PASS
Band4	20MHz	QPSK	20175	50RB#0	22.28	PASS
Band4	20MHz	QPSK	20175	50RB#25	22.28	PASS
Band4	20MHz	QPSK	20175	50RB#50	22.23	PASS
Band4	20MHz	QPSK	20175	100RB#0	22.23	PASS
Band4	20MHz	QPSK	20300	1RB#49	23.21	PASS
Band4	20MHz	QPSK	20300	1RB#0	23.00	PASS
Band4	20MHz	QPSK	20300	1RB#99	22.40	PASS
Band4	20MHz	QPSK	20300	50RB#25	22.20	PASS
Band4	20MHz	QPSK	20300	50RB#50	22.06	PASS
Band4	20MHz	QPSK	20300	50RB#0	22.15	PASS
Band4	20MHz	QPSK	20300	100RB#0	21.95	PASS
Band4	20MHz	16QAM	20050	1RB#49	22.49	PASS
Band4	20MHz	16QAM	20050	1RB#0	22.03	PASS
Band4	20MHz	16QAM	20050	1RB#99	22.32	PASS
Band4	20MHz	16QAM	20050	50RB#25	22.19	PASS
Band4	20MHz	16QAM	20050	50RB#0	22.21	PASS
Band4	20MHz	16QAM	20050	50RB#50	22.41	PASS
Band4	20MHz	16QAM	20050	100RB#0	21.28	PASS
Band4	20MHz	16QAM	20175	1RB#49	22.41	PASS
Band4	20MHz	16QAM	20175	1RB#99	21.83	PASS
Band4	20MHz	16QAM	20175	1RB#0	22.02	PASS
Band4	20MHz	16QAM	20175	50RB#25	22.32	PASS
Band4	20MHz	16QAM	20175	50RB#0	22.27	PASS
Band4	20MHz	16QAM	20175	50RB#50	22.24	PASS
Band4	20MHz	16QAM	20175	100RB#0	21.22	PASS
Band4	20MHz	16QAM	20300	1RB#99	21.55	PASS
Band4	20MHz	16QAM	20300	1RB#49	22.12	PASS
Band4	20MHz	16QAM	20300	1RB#0	21.74	PASS
Band4	20MHz	16QAM	20300	50RB#50	21.93	PASS
Band4	20MHz	16QAM	20300	50RB#0	22.14	PASS
Band4	20MHz	16QAM	20300	50RB#25	22.22	PASS
Band4	20MHz	16QAM	20300	100RB#0	21.12	PASS
Band7	5MHz	QPSK	20775	1RB#0	22.60	PASS
Band7	5MHz	QPSK	20775	1RB#12	22.68	PASS

Band7	5MHz	QPSK	20775	1RB#24	22.62	PASS
Band7	5MHz	QPSK	20775	12RB#6	21.62	PASS
Band7	5MHz	QPSK	20775	12RB#13	21.65	PASS
Band7	5MHz	QPSK	20775	12RB#0	21.63	PASS
Band7	5MHz	QPSK	20775	25RB#0	21.66	PASS
Band7	5MHz	QPSK	21100	1RB#24	22.80	PASS
Band7	5MHz	QPSK	21100	1RB#12	22.95	PASS
Band7	5MHz	QPSK	21100	1RB#0	22.87	PASS
Band7	5MHz	QPSK	21100	12RB#0	21.89	PASS
Band7	5MHz	QPSK	21100	12RB#13	21.85	PASS
Band7	5MHz	QPSK	21100	12RB#6	21.85	PASS
Band7	5MHz	QPSK	21100	25RB#0	21.92	PASS
Band7	5MHz	QPSK	21425	1RB#12	22.60	PASS
Band7	5MHz	QPSK	21425	1RB#24	22.48	PASS
Band7	5MHz	QPSK	21425	1RB#0	22.50	PASS
Band7	5MHz	QPSK	21425	12RB#13	21.54	PASS
Band7	5MHz	QPSK	21425	12RB#0	21.57	PASS
Band7	5MHz	QPSK	21425	12RB#6	21.55	PASS
Band7	5MHz	QPSK	21425	25RB#0	21.57	PASS
Band7	5MHz	16QAM	20775	1RB#24	21.79	PASS
Band7	5MHz	16QAM	20775	1RB#12	21.88	PASS
Band7	5MHz	16QAM	20775	1RB#0	21.79	PASS
Band7	5MHz	16QAM	20775	12RB#13	21.67	PASS
Band7	5MHz	16QAM	20775	12RB#0	21.66	PASS
Band7	5MHz	16QAM	20775	12RB#6	21.63	PASS
Band7	5MHz	16QAM	20775	25RB#0	20.66	PASS
Band7	5MHz	16QAM	21100	1RB#24	21.83	PASS
Band7	5MHz	16QAM	21100	1RB#12	21.94	PASS
Band7	5MHz	16QAM	21100	1RB#0	21.88	PASS
Band7	5MHz	16QAM	21100	12RB#6	21.94	PASS
Band7	5MHz	16QAM	21100	12RB#13	21.83	PASS
Band7	5MHz	16QAM	21100	12RB#0	21.92	PASS
Band7	5MHz	16QAM	21100	25RB#0	20.97	PASS
Band7	5MHz	16QAM	21425	1RB#24	21.50	PASS
Band7	5MHz	16QAM	21425	1RB#0	21.52	PASS
Band7	5MHz	16QAM	21425	1RB#12	21.62	PASS
Band7	5MHz	16QAM	21425	12RB#6	21.56	PASS

Band7	5MHz	16QAM	21425	12RB#0	21.57	PASS
Band7	5MHz	16QAM	21425	12RB#13	21.55	PASS
Band7	5MHz	16QAM	21425	25RB#0	20.57	PASS
Band7	10MHz	QPSK	20800	1RB#49	22.66	PASS
Band7	10MHz	QPSK	20800	1RB#0	22.60	PASS
Band7	10MHz	QPSK	20800	1RB#24	22.80	PASS
Band7	10MHz	QPSK	20800	25RB#25	21.77	PASS
Band7	10MHz	QPSK	20800	25RB#12	21.72	PASS
Band7	10MHz	QPSK	20800	25RB#0	21.70	PASS
Band7	10MHz	QPSK	20800	50RB#0	21.70	PASS
Band7	10MHz	QPSK	21100	1RB#49	22.88	PASS
Band7	10MHz	QPSK	21100	1RB#24	23.06	PASS
Band7	10MHz	QPSK	21100	1RB#0	22.91	PASS
Band7	10MHz	QPSK	21100	25RB#0	21.97	PASS
Band7	10MHz	QPSK	21100	25RB#25	21.95	PASS
Band7	10MHz	QPSK	21100	25RB#12	21.98	PASS
Band7	10MHz	QPSK	21100	50RB#0	21.95	PASS
Band7	10MHz	QPSK	21400	1RB#24	22.54	PASS
Band7	10MHz	QPSK	21400	1RB#0	22.46	PASS
Band7	10MHz	QPSK	21400	1RB#49	22.44	PASS
Band7	10MHz	QPSK	21400	25RB#0	21.63	PASS
Band7	10MHz	QPSK	21400	25RB#25	21.64	PASS
Band7	10MHz	QPSK	21400	25RB#12	21.63	PASS
Band7	10MHz	QPSK	21400	50RB#0	21.63	PASS
Band7	10MHz	16QAM	20800	1RB#0	21.79	PASS
Band7	10MHz	16QAM	20800	1RB#49	21.80	PASS
Band7	10MHz	16QAM	20800	1RB#24	21.94	PASS
Band7	10MHz	16QAM	20800	25RB#0	21.69	PASS
Band7	10MHz	16QAM	20800	25RB#12	21.71	PASS
Band7	10MHz	16QAM	20800	25RB#25	21.79	PASS
Band7	10MHz	16QAM	20800	50RB#0	20.71	PASS
Band7	10MHz	16QAM	21100	1RB#49	21.73	PASS
Band7	10MHz	16QAM	21100	1RB#24	21.92	PASS
Band7	10MHz	16QAM	21100	1RB#0	21.84	PASS
Band7	10MHz	16QAM	21100	25RB#0	22.00	PASS
Band7	10MHz	16QAM	21100	25RB#25	21.91	PASS
Band7	10MHz	16QAM	21100	25RB#12	22.00	PASS

Band7	10MHz	16QAM	21100	50RB#0	20.91	PASS
Band7	10MHz	16QAM	21400	1RB#24	21.81	PASS
Band7	10MHz	16QAM	21400	1RB#49	21.68	PASS
Band7	10MHz	16QAM	21400	1RB#0	21.69	PASS
Band7	10MHz	16QAM	21400	25RB#25	21.64	PASS
Band7	10MHz	16QAM	21400	25RB#0	21.61	PASS
Band7	10MHz	16QAM	21400	25RB#12	21.64	PASS
Band7	10MHz	16QAM	21400	50RB#0	20.63	PASS
Band7	15MHz	QPSK	20825	1RB#0	22.56	PASS
Band7	15MHz	QPSK	20825	1RB#38	22.71	PASS
Band7	15MHz	QPSK	20825	1RB#74	22.55	PASS
Band7	15MHz	QPSK	20825	38RB#0	21.84	PASS
Band7	15MHz	QPSK	20825	38RB#37	21.82	PASS
Band7	15MHz	QPSK	20825	38RB#18	21.92	PASS
Band7	15MHz	QPSK	20825	75RB#0	21.80	PASS
Band7	15MHz	QPSK	21100	1RB#38	22.92	PASS
Band7	15MHz	QPSK	21100	1RB#0	22.90	PASS
Band7	15MHz	QPSK	21100	1RB#74	22.76	PASS
Band7	15MHz	QPSK	21100	38RB#37	21.66	PASS
Band7	15MHz	QPSK	21100	38RB#18	21.78	PASS
Band7	15MHz	QPSK	21100	38RB#0	21.76	PASS
Band7	15MHz	QPSK	21100	75RB#0	21.99	PASS
Band7	15MHz	QPSK	21375	1RB#0	22.43	PASS
Band7	15MHz	QPSK	21375	1RB#38	22.50	PASS
Band7	15MHz	QPSK	21375	1RB#74	22.38	PASS
Band7	15MHz	QPSK	21375	38RB#37	21.59	PASS
Band7	15MHz	QPSK	21375	38RB#18	21.74	PASS
Band7	15MHz	QPSK	21375	38RB#0	21.64	PASS
Band7	15MHz	QPSK	21375	75RB#0	21.64	PASS
Band7	15MHz	16QAM	20825	1RB#38	21.95	PASS
Band7	15MHz	16QAM	20825	1RB#0	21.84	PASS
Band7	15MHz	16QAM	20825	1RB#74	21.87	PASS
Band7	15MHz	16QAM	20825	38RB#0	21.85	PASS
Band7	15MHz	16QAM	20825	38RB#37	21.88	PASS
Band7	15MHz	16QAM	20825	38RB#18	21.94	PASS
Band7	15MHz	16QAM	20825	75RB#0	20.76	PASS
Band7	15MHz	16QAM	21100	1RB#38	21.81	PASS

Band7	15MHz	16QAM	21100	1RB#0	21.80	PASS
Band7	15MHz	16QAM	21100	1RB#74	21.67	PASS
Band7	15MHz	16QAM	21100	38RB#37	21.62	PASS
Band7	15MHz	16QAM	21100	38RB#18	21.84	PASS
Band7	15MHz	16QAM	21100	38RB#0	21.77	PASS
Band7	15MHz	16QAM	21100	75RB#0	20.91	PASS
Band7	15MHz	16QAM	21375	1RB#0	21.64	PASS
Band7	15MHz	16QAM	21375	1RB#38	21.74	PASS
Band7	15MHz	16QAM	21375	1RB#74	21.58	PASS
Band7	15MHz	16QAM	21375	38RB#0	21.67	PASS
Band7	15MHz	16QAM	21375	38RB#18	21.72	PASS
Band7	15MHz	16QAM	21375	38RB#37	21.58	PASS
Band7	15MHz	16QAM	21375	75RB#0	20.58	PASS
Band7	20MHz	QPSK	20850	1RB#0	22.57	PASS
Band7	20MHz	QPSK	20850	1RB#49	22.95	PASS
Band7	20MHz	QPSK	20850	1RB#99	22.63	PASS
Band7	20MHz	QPSK	20850	50RB#50	21.83	PASS
Band7	20MHz	QPSK	20850	50RB#25	21.72	PASS
Band7	20MHz	QPSK	20850	50RB#0	21.79	PASS
Band7	20MHz	QPSK	20850	100RB#0	21.75	PASS
Band7	20MHz	QPSK	21100	1RB#0	22.59	PASS
Band7	20MHz	QPSK	21100	1RB#99	22.44	PASS
Band7	20MHz	QPSK	21100	1RB#49	22.82	PASS
Band7	20MHz	QPSK	21100	50RB#50	21.87	PASS
Band7	20MHz	QPSK	21100	50RB#0	21.87	PASS
Band7	20MHz	QPSK	21100	50RB#25	21.86	PASS
Band7	20MHz	QPSK	21100	100RB#0	21.90	PASS
Band7	20MHz	QPSK	21350	1RB#49	22.70	PASS
Band7	20MHz	QPSK	21350	1RB#0	22.36	PASS
Band7	20MHz	QPSK	21350	1RB#99	22.32	PASS
Band7	20MHz	QPSK	21350	50RB#0	21.66	PASS
Band7	20MHz	QPSK	21350	50RB#25	21.66	PASS
Band7	20MHz	QPSK	21350	50RB#50	21.60	PASS
Band7	20MHz	QPSK	21350	100RB#0	21.59	PASS
Band7	20MHz	16QAM	20850	1RB#49	22.05	PASS
Band7	20MHz	16QAM	20850	1RB#0	21.68	PASS
Band7	20MHz	16QAM	20850	1RB#99	21.84	PASS

Band7	20MHz	16QAM	20850	50RB#0	21.76	PASS
Band7	20MHz	16QAM	20850	50RB#50	21.85	PASS
Band7	20MHz	16QAM	20850	50RB#25	21.76	PASS
Band7	20MHz	16QAM	20850	100RB#0	20.73	PASS
Band7	20MHz	16QAM	21100	1RB#0	21.71	PASS
Band7	20MHz	16QAM	21100	1RB#49	21.99	PASS
Band7	20MHz	16QAM	21100	1RB#99	21.57	PASS
Band7	20MHz	16QAM	21100	50RB#25	21.92	PASS
Band7	20MHz	16QAM	21100	50RB#0	21.89	PASS
Band7	20MHz	16QAM	21100	50RB#50	21.87	PASS
Band7	20MHz	16QAM	21100	100RB#0	20.84	PASS
Band7	20MHz	16QAM	21350	1RB#0	21.37	PASS
Band7	20MHz	16QAM	21350	1RB#49	21.75	PASS
Band7	20MHz	16QAM	21350	1RB#99	21.29	PASS
Band7	20MHz	16QAM	21350	50RB#0	21.61	PASS
Band7	20MHz	16QAM	21350	50RB#25	21.62	PASS
Band7	20MHz	16QAM	21350	50RB#50	21.58	PASS
Band7	20MHz	16QAM	21350	100RB#0	20.57	PASS

Appendix B: Peak-to-Average Ratio(CCDF)


Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band4	1.4MHz	QPSK	19957	1RB#0	4.73	13	PASS
Band4	1.4MHz	QPSK	19957	6RB#0	5.14	13	PASS
Band4	1.4MHz	QPSK	20175	1RB#0	4.75	13	PASS
Band4	1.4MHz	QPSK	20175	6RB#0	5.36	13	PASS
Band4	1.4MHz	QPSK	20393	1RB#0	4.57	13	PASS
Band4	1.4MHz	QPSK	20393	6RB#0	5.01	13	PASS
Band4	1.4MHz	16QAM	19957	1RB#0	5.55	13	PASS
Band4	1.4MHz	16QAM	19957	6RB#0	5.97	13	PASS
Band4	1.4MHz	16QAM	20175	1RB#0	5.41	13	PASS
Band4	1.4MHz	16QAM	20175	6RB#0	6.14	13	PASS
Band4	1.4MHz	16QAM	20393	1RB#0	5.57	13	PASS
Band4	1.4MHz	16QAM	20393	6RB#0	5.93	13	PASS
Band4	3MHz	QPSK	19965	1RB#0	4.56	13	PASS
Band4	3MHz	QPSK	19965	15RB#0	5.26	13	PASS
Band4	3MHz	QPSK	20175	1RB#0	4.81	13	PASS
Band4	3MHz	QPSK	20175	15RB#0	5.42	13	PASS
Band4	3MHz	QPSK	20385	1RB#0	4.41	13	PASS
Band4	3MHz	QPSK	20385	15RB#0	5.12	13	PASS
Band4	3MHz	16QAM	19965	1RB#0	5.41	13	PASS
Band4	3MHz	16QAM	19965	15RB#0	6.07	13	PASS
Band4	3MHz	16QAM	20175	1RB#0	5.63	13	PASS
Band4	3MHz	16QAM	20175	15RB#0	6.28	13	PASS
Band4	3MHz	16QAM	20385	1RB#0	5.18	13	PASS
Band4	3MHz	16QAM	20385	15RB#0	5.96	13	PASS
Band4	5MHz	QPSK	19975	1RB#0	4.93	13	PASS
Band4	5MHz	QPSK	19975	25RB#0	5.28	13	PASS
Band4	5MHz	QPSK	20175	1RB#0	4.85	13	PASS
Band4	5MHz	QPSK	20175	25RB#0	5.39	13	PASS
Band4	5MHz	QPSK	20375	1RB#0	4.53	13	PASS
Band4	5MHz	QPSK	20375	25RB#0	5.18	13	PASS
Band4	5MHz	16QAM	19975	1RB#0	5.53	13	PASS
Band4	5MHz	16QAM	19975	25RB#0	6.08	13	PASS
Band4	5MHz	16QAM	20175	1RB#0	5.62	13	PASS
Band4	5MHz	16QAM	20175	25RB#0	6.20	13	PASS
Band4	5MHz	16QAM	20375	1RB#0	5.15	13	PASS

Band4	5MHz	16QAM	20375	25RB#0	5.98	13	PASS
Band4	10MHz	QPSK	20000	1RB#0	4.73	13	PASS
Band4	10MHz	QPSK	20000	50RB#0	5.26	13	PASS
Band4	10MHz	QPSK	20175	1RB#0	4.83	13	PASS
Band4	10MHz	QPSK	20175	50RB#0	5.37	13	PASS
Band4	10MHz	QPSK	20350	1RB#0	4.48	13	PASS
Band4	10MHz	QPSK	20350	50RB#0	5.13	13	PASS
Band4	10MHz	16QAM	20000	1RB#0	5.57	13	PASS
Band4	10MHz	16QAM	20000	50RB#0	6.07	13	PASS
Band4	10MHz	16QAM	20175	1RB#0	5.48	13	PASS
Band4	10MHz	16QAM	20175	50RB#0	6.17	13	PASS
Band4	10MHz	16QAM	20350	1RB#0	5.45	13	PASS
Band4	10MHz	16QAM	20350	50RB#0	5.99	13	PASS
Band4	15MHz	QPSK	20025	1RB#0	4.71	13	PASS
Band4	15MHz	QPSK	20025	75RB#0	5.64	13	PASS
Band4	15MHz	QPSK	20175	1RB#0	4.96	13	PASS
Band4	15MHz	QPSK	20175	75RB#0	5.67	13	PASS
Band4	15MHz	QPSK	20325	1RB#0	4.71	13	PASS
Band4	15MHz	QPSK	20325	75RB#0	5.47	13	PASS
Band4	15MHz	16QAM	20025	1RB#0	5.55	13	PASS
Band4	15MHz	16QAM	20025	75RB#0	6.24	13	PASS
Band4	15MHz	16QAM	20175	1RB#0	5.91	13	PASS
Band4	15MHz	16QAM	20175	75RB#0	6.24	13	PASS
Band4	15MHz	16QAM	20325	1RB#0	5.39	13	PASS
Band4	15MHz	16QAM	20325	75RB#0	6.07	13	PASS
Band4	20MHz	QPSK	20050	1RB#0	4.94	13	PASS
Band4	20MHz	QPSK	20050	100RB#0	5.52	13	PASS
Band4	20MHz	QPSK	20175	1RB#0	5.00	13	PASS
Band4	20MHz	QPSK	20175	100RB#0	5.46	13	PASS
Band4	20MHz	QPSK	20300	1RB#0	4.97	13	PASS
Band4	20MHz	QPSK	20300	100RB#0	5.41	13	PASS
Band4	20MHz	16QAM	20050	1RB#0	5.65	13	PASS
Band4	20MHz	16QAM	20050	100RB#0	6.27	13	PASS
Band4	20MHz	16QAM	20175	1RB#0	5.43	13	PASS
Band4	20MHz	16QAM	20175	100RB#0	6.26	13	PASS
Band4	20MHz	16QAM	20300	1RB#0	6.19	13	PASS
Band4	20MHz	16QAM	20300	100RB#0	6.14	13	PASS
Band7	5MHz	QPSK	20775	1RB#0	4.00	13	PASS
Band7	5MHz	QPSK	20775	25RB#0	5.04	13	PASS
Band7	5MHz	QPSK	21100	1RB#0	4.42	13	PASS
Band7	5MHz	QPSK	21100	25RB#0	5.26	13	PASS
Band7	5MHz	QPSK	21425	1RB#0	4.13	13	PASS
Band7	5MHz	QPSK	21425	25RB#0	5.01	13	PASS


Band7	5MHz	16QAM	20775	1RB#0	4.92	13	PASS
Band7	5MHz	16QAM	20775	25RB#0	5.90	13	PASS
Band7	5MHz	16QAM	21100	1RB#0	5.18	13	PASS
Band7	5MHz	16QAM	21100	25RB#0	6.09	13	PASS
Band7	5MHz	16QAM	21425	1RB#0	4.95	13	PASS
Band7	5MHz	16QAM	21425	25RB#0	5.87	13	PASS
Band7	10MHz	QPSK	20800	1RB#0	3.92	13	PASS
Band7	10MHz	QPSK	20800	50RB#0	5.06	13	PASS
Band7	10MHz	QPSK	21100	1RB#0	4.39	13	PASS
Band7	10MHz	QPSK	21100	50RB#0	5.27	13	PASS
Band7	10MHz	QPSK	21400	1RB#0	4.09	13	PASS
Band7	10MHz	QPSK	21400	50RB#0	5.05	13	PASS
Band7	10MHz	16QAM	20800	1RB#0	4.76	13	PASS
Band7	10MHz	16QAM	20800	50RB#0	5.92	13	PASS
Band7	10MHz	16QAM	21100	1RB#0	5.21	13	PASS
Band7	10MHz	16QAM	21100	50RB#0	6.13	13	PASS
Band7	10MHz	16QAM	21400	1RB#0	5.09	13	PASS
Band7	10MHz	16QAM	21400	50RB#0	5.97	13	PASS
Band7	15MHz	QPSK	20825	1RB#0	3.98	13	PASS
Band7	15MHz	QPSK	20825	75RB#0	5.39	13	PASS
Band7	15MHz	QPSK	21100	1RB#0	4.53	13	PASS
Band7	15MHz	QPSK	21100	75RB#0	5.58	13	PASS
Band7	15MHz	QPSK	21375	1RB#0	4.10	13	PASS
Band7	15MHz	QPSK	21375	75RB#0	5.42	13	PASS
Band7	15MHz	16QAM	20825	1RB#0	4.73	13	PASS
Band7	15MHz	16QAM	20825	75RB#0	6.06	13	PASS
Band7	15MHz	16QAM	21100	1RB#0	5.32	13	PASS
Band7	15MHz	16QAM	21100	75RB#0	6.21	13	PASS
Band7	15MHz	16QAM	21375	1RB#0	4.92	13	PASS
Band7	15MHz	16QAM	21375	75RB#0	6.12	13	PASS
Band7	20MHz	QPSK	20850	1RB#0	4.12	13	PASS
Band7	20MHz	QPSK	20850	100RB#0	5.35	13	PASS
Band7	20MHz	QPSK	21100	1RB#0	4.72	13	PASS
Band7	20MHz	QPSK	21100	100RB#0	5.48	13	PASS
Band7	20MHz	QPSK	21350	1RB#0	4.20	13	PASS
Band7	20MHz	QPSK	21350	100RB#0	5.34	13	PASS
Band7	20MHz	16QAM	20850	1RB#0	4.90	13	PASS
Band7	20MHz	16QAM	20850	100RB#0	6.15	13	PASS
Band7	20MHz	16QAM	21100	1RB#0	5.69	13	PASS
Band7	20MHz	16QAM	21100	100RB#0	6.22	13	PASS
Band7	20MHz	16QAM	21350	1RB#0	4.88	13	PASS
Band7	20MHz	16QAM	21350	100RB#0	6.12	13	PASS

Test Graphs







Band4-1.4MHz-QPSK-20175-6RB#0




Band4-1.4MHz-QPSK-20393-1RB#0




Band4-1.4MHz-QPSK-20393-6RB#0




Band4-1.4MHz-16QAM-19957-1RB#0




Band4-1.4MHz-16QAM-19957-6RB#0




Band4-1.4MHz-16QAM-20175-1RB#0




Band4-1.4MHz-16QAM-20175-6RB#0




Band4-1.4MHz-16QAM-20393-1RB#0




Band4-1.4MHz-16QAM-20393-6RB#0




Band4-3MHz-QPSK-19965-1RB#0




Band4-3MHz-QPSK-19965-15RB#0




Band4-3MHz-QPSK-20175-1RB#0




Band4-3MHz-QPSK-20175-15RB#0




Band4-3MHz-QPSK-20385-1RB#0




Band4-3MHz-QPSK-20385-15RB#0




Band4-3MHz-16QAM-19965-1RB#0




Band4-3MHz-16QAM-19965-15RB#0




Band4-3MHz-16QAM-20175-1RB#0




Band4-3MHz-16QAM-20175-15RB#0




Band4-3MHz-16QAM-20385-1RB#0




Band4-3MHz-16QAM-20385-15RB#0




Band4-5MHz-QPSK-19975-1RB#0




Band4-5MHz-QPSK-19975-25RB#0




Band4-5MHz-QPSK-20175-1RB#0




Band4-5MHz-QPSK-20175-25RB#0




Band4-5MHz-QPSK-20375-1RB#0




Band4-5MHz-QPSK-20375-25RB#0




Band4-5MHz-16QAM-19975-1RB#0




Band4-5MHz-16QAM-19975-25RB#0




Band4-5MHz-16QAM-20175-1RB#0




Band4-5MHz-16QAM-20175-25RB#0




Band4-5MHz-16QAM-20375-1RB#0




Band4-5MHz-16QAM-20375-25RB#0




Band4-10MHz-QPSK-20000-1RB#0




Band4-10MHz-QPSK-20000-50RB#0




Band4-10MHz-QPSK-20175-1RB#0




Band4-10MHz-QPSK-20175-50RB#0




Band4-10MHz-QPSK-20350-1RB#0




Band4-10MHz-QPSK-20350-50RB#0




Band4-10MHz-16QAM-20000-1RB#0




Band4-10MHz-16QAM-20000-50RB#0




Band4-10MHz-16QAM-20175-1RB#0




Band4-10MHz-16QAM-20175-50RB#0




Band4-10MHz-16QAM-20350-1RB#0




Band4-10MHz-16QAM-20350-50RB#0




Band4-15MHz-QPSK-20025-1RB#0




Band4-15MHz-QPSK-20025-75RB#0




Band4-15MHz-QPSK-20175-1RB#0




Band4-15MHz-QPSK-20175-75RB#0




Band4-15MHz-QPSK-20325-1RB#0




Band4-15MHz-QPSK-20325-75RB#0




Band4-15MHz-16QAM-20025-1RB#0




Band4-15MHz-16QAM-20025-75RB#0




Band4-15MHz-16QAM-20175-1RB#0




Band4-15MHz-16QAM-20175-75RB#0




Band4-15MHz-16QAM-20325-1RB#0




Band4-15MHz-16QAM-20325-75RB#0




Band4-20MHz-QPSK-20050-1RB#0




Band4-20MHz-QPSK-20050-100RB#0




Band4-20MHz-QPSK-20175-1RB#0




Band4-20MHz-QPSK-20175-100RB#0




Band4-20MHz-QPSK-20300-1RB#0




Band4-20MHz-QPSK-20300-100RB#0




Band4-20MHz-16QAM-20050-1RB#0




Band4-20MHz-16QAM-20050-100RB#0




Band4-20MHz-16QAM-20175-1RB#0



Band4-20MHz-16QAM-20175-100RB#0



Band4-20MHz-16QAM-20300-1RB#0



Band4-20MHz-16QAM-20300-100RB#0