

Report

1 Conducted output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	NB Index	Modulation	Power (dBm)	high Limit (dBm)	Verdict
Band12	1.4	23017	1	#0	0	QPSK	0.00	37	PASS
Band12	1.4	23017	6	#0	0	QPSK	16.11	37	PASS
Band12	1.4	23017	1	#0	0	QAM16	16.97	37	PASS
Band12	1.4	23017	6	#0	0	QAM16	16.06	37	PASS
Band12	1.4	23095	1	#0	0	QPSK	18.18	37	PASS
Band12	1.4	23095	6	#0	0	QPSK	16.09	37	PASS
Band12	1.4	23095	1	#0	0	QAM16	16.95	37	PASS
Band12	1.4	23095	6	#0	0	QAM16	16.05	37	PASS
Band12	1.4	23173	1	#Max	0	QPSK	0.00	37	PASS
Band12	1.4	23173	6	#Max	0	QPSK	15.78	37	PASS
Band12	1.4	23173	1	#Max	0	QAM16	0.00	37	PASS
Band12	1.4	23173	6	#Max	0	QAM16	16.07	37	PASS
Band12	3	23025	1	#0	0	QPSK	18.19	37	PASS
Band12	3	23025	6	#0	0	QPSK	16.12	37	PASS
Band12	3	23025	1	#0	0	QAM16	16.91	37	PASS
Band12	3	23025	6	#0	0	QAM16	16.04	37	PASS
Band12	3	23095	1	#0	0	QPSK	18.30	37	PASS
Band12	3	23095	6	#0	0	QPSK	16.17	37	PASS
Band12	3	23095	1	#0	0	QAM16	16.98	37	PASS
Band12	3	23095	6	#0	0	QAM16	16.16	37	PASS
Band12	3	23165	1	#Max	1	QPSK	0.00	37	PASS
Band12	3	23165	6	#Max	1	QPSK	15.83	37	PASS
Band12	3	23165	1	#Max	1	QAM16	0.00	37	PASS
Band12	3	23165	6	#Max	1	QAM16	16.03	37	PASS
Band12	5	23035	1	#0	0	QPSK	18.17	37	PASS
Band12	5	23035	6	#0	0	QPSK	17.07	37	PASS
Band12	5	23035	1	#0	0	QAM16	18.00	37	PASS
Band12	5	23035	6	#0	0	QAM16	17.01	37	PASS
Band12	5	23095	1	#0	0	QPSK	18.07	37	PASS
Band12	5	23095	6	#0	0	QPSK	17.02	37	PASS
Band12	5	23095	1	#0	0	QAM16	18.07	37	PASS
Band12	5	23095	6	#0	0	QAM16	16.98	37	PASS
Band12	5	23155	1	#Max	3	QPSK	17.81	37	PASS
Band12	5	23155	6	#Max	3	QPSK	16.98	37	PASS
Band12	5	23155	1	#Max	3	QAM16	17.97	37	PASS
Band12	5	23155	6	#Max	3	QAM16	16.90	37	PASS
Band12	10	23060	1	#0	0	QPSK	18.06	37	PASS
Band12	10	23060	4	#0	0	QPSK	17.93	37	PASS
Band12	10	23060	1	#0	0	QAM16	18.12	37	PASS
Band12	10	23060	4	#0	0	QAM16	17.83	37	PASS

Report

Band12	10	23095	1	#0	0	QPSK	18.12	37	PASS
Band12	10	23095	4	#0	0	QPSK	18.11	37	PASS
Band12	10	23095	1	#0	0	QAM16	18.38	37	PASS
Band12	10	23095	4	#0	0	QAM16	18.28	37	PASS
Band12	10	23130	1	#Max	7	QPSK	17.96	37	PASS
Band12	10	23130	4	#Max	7	QPSK	17.96	37	PASS
Band12	10	23130	1	#Max	7	QAM16	17.76	37	PASS
Band12	10	23130	4	#Max	7	QAM16	18.03	37	PASS
Band13	5	23205	1	#0	0	QPSK	0.00	37	PASS
Band13	5	23205	6	#0	0	QPSK	17.90	37	PASS
Band13	5	23205	1	#0	0	QAM16	19.44	37	PASS
Band13	5	23205	6	#0	0	QAM16	17.85	37	PASS
Band13	5	23230	1	#0	0	QPSK	18.98	37	PASS
Band13	5	23230	6	#0	0	QPSK	17.93	37	PASS
Band13	5	23230	1	#0	0	QAM16	19.04	37	PASS
Band13	5	23230	6	#0	0	QAM16	17.89	37	PASS
Band13	5	23255	1	#Max	3	QPSK	19.08	37	PASS
Band13	5	23255	6	#Max	3	QPSK	18.30	37	PASS
Band13	5	23255	1	#Max	3	QAM16	19.03	37	PASS
Band13	5	23255	6	#Max	3	QAM16	18.06	37	PASS
Band13	10	23230	1	#0	0	QPSK	19.26	37	PASS
Band13	10	23230	4	#0	0	QPSK	18.90	37	PASS
Band13	10	23230	1	#0	0	QAM16	19.27	37	PASS
Band13	10	23230	4	#0	0	QAM16	18.89	37	PASS
Band2	1.4	18607	1	#0	0	QPSK	0.00	37	PASS
Band2	1.4	18607	6	#0	0	QPSK	18.60	37	PASS
Band2	1.4	18607	1	#0	0	QAM16	19.44	37	PASS
Band2	1.4	18607	6	#0	0	QAM16	18.48	37	PASS
Band2	1.4	18900	1	#0	0	QPSK	20.40	37	PASS
Band2	1.4	18900	6	#0	0	QPSK	18.14	37	PASS
Band2	1.4	18900	1	#0	0	QAM16	19.34	37	PASS
Band2	1.4	18900	6	#0	0	QAM16	18.52	37	PASS
Band2	1.4	19193	1	#Max	0	QPSK	20.30	37	PASS
Band2	1.4	19193	6	#Max	0	QPSK	18.55	37	PASS
Band2	1.4	19193	1	#Max	0	QAM16	19.32	37	PASS
Band2	1.4	19193	6	#Max	0	QAM16	18.47	37	PASS
Band2	3	18615	1	#0	0	QPSK	20.53	37	PASS
Band2	3	18615	6	#0	0	QPSK	18.60	37	PASS
Band2	3	18615	1	#0	0	QAM16	19.49	37	PASS
Band2	3	18615	6	#0	0	QAM16	18.37	37	PASS
Band2	3	18900	1	#0	0	QPSK	20.45	37	PASS
Band2	3	18900	6	#0	0	QPSK	18.55	37	PASS
Band2	3	18900	1	#0	0	QAM16	19.44	37	PASS
Band2	3	18900	6	#0	0	QAM16	18.53	37	PASS

Report

Band2	3	19185	1	#Max	1	QPSK	20.35	37	PASS
Band2	3	19185	6	#Max	1	QPSK	18.58	37	PASS
Band2	3	19185	1	#Max	1	QAM16	19.41	37	PASS
Band2	3	19185	6	#Max	1	QAM16	18.57	37	PASS
Band2	5	18625	1	#0	0	QPSK	20.86	37	PASS
Band2	5	18625	6	#0	0	QPSK	19.67	37	PASS
Band2	5	18625	1	#0	0	QAM16	20.80	37	PASS
Band2	5	18625	6	#0	0	QAM16	19.59	37	PASS
Band2	5	18900	1	#0	0	QPSK	20.44	37	PASS
Band2	5	18900	6	#0	0	QPSK	19.42	37	PASS
Band2	5	18900	1	#0	0	QAM16	20.61	37	PASS
Band2	5	18900	6	#0	0	QAM16	19.60	37	PASS
Band2	5	19175	1	#Max	3	QPSK	20.25	37	PASS
Band2	5	19175	6	#Max	3	QPSK	19.47	37	PASS
Band2	5	19175	1	#Max	3	QAM16	20.49	37	PASS
Band2	5	19175	6	#Max	3	QAM16	19.45	37	PASS
Band2	10	18650	1	#0	0	QPSK	20.50	37	PASS
Band2	10	18650	4	#0	0	QPSK	20.61	37	PASS
Band2	10	18650	1	#0	0	QAM16	20.67	37	PASS
Band2	10	18650	4	#0	0	QAM16	20.57	37	PASS
Band2	10	18900	1	#0	0	QPSK	20.65	37	PASS
Band2	10	18900	4	#0	0	QPSK	20.73	37	PASS
Band2	10	18900	1	#0	0	QAM16	20.68	37	PASS
Band2	10	18900	4	#0	0	QAM16	20.50	37	PASS
Band2	10	19150	1	#Max	7	QPSK	20.27	37	PASS
Band2	10	19150	4	#Max	7	QPSK	20.37	37	PASS
Band2	10	19150	1	#Max	7	QAM16	20.64	37	PASS
Band2	10	19150	4	#Max	7	QAM16	20.62	37	PASS
Band2	15	18675	1	#0	7	QPSK	20.52	37	PASS
Band2	15	18675	6	#0	7	QPSK	20.62	37	PASS
Band2	15	18675	1	#0	0	QAM16	20.65	37	PASS
Band2	15	18675	6	#0	0	QAM16	20.60	37	PASS
Band2	15	18900	1	#0	7	QPSK	20.52	37	PASS
Band2	15	18900	6	#0	7	QPSK	20.51	37	PASS
Band2	15	18900	1	#0	0	QAM16	20.71	37	PASS
Band2	15	18900	6	#0	0	QAM16	20.68	37	PASS
Band2	15	19125	1	#Max	11	QPSK	20.21	37	PASS
Band2	15	19125	6	#Max	11	QPSK	20.47	37	PASS
Band2	15	19125	1	#Max	11	QAM16	20.63	37	PASS
Band2	15	19125	6	#Max	1	QAM16	20.40	37	PASS
Band2	20	18700	1	#0	0	QPSK	20.50	37	PASS
Band2	20	18700	6	#0	0	QPSK	20.48	37	PASS
Band2	20	18700	1	#0	0	QAM16	20.68	37	PASS
Band2	20	18700	6	#0	0	QAM16	20.59	37	PASS

Report

Band2	20	18900	1	#0	0	QPSK	20.66	37	PASS
Band2	20	18900	6	#0	0	QPSK	20.67	37	PASS
Band2	20	18900	1	#0	0	QAM16	20.75	37	PASS
Band2	20	18900	6	#0	0	QAM16	20.65	37	PASS
Band2	20	19100	1	#Max	15	QPSK	20.48	37	PASS
Band2	20	19100	6	#Max	15	QPSK	20.68	37	PASS
Band2	20	19100	1	#Max	15	QAM16	20.61	37	PASS
Band2	20	19100	6	#Max	15	QAM16	20.42	37	PASS
Band4	1.4	19957	1	#0	0	QPSK	0.00	37	PASS
Band4	1.4	19957	6	#0	0	QPSK	17.46	37	PASS
Band4	1.4	19957	1	#0	0	QAM16	18.54	37	PASS
Band4	1.4	19957	6	#0	0	QAM16	17.46	37	PASS
Band4	1.4	20175	1	#0	0	QPSK	19.65	37	PASS
Band4	1.4	20175	6	#0	0	QPSK	17.56	37	PASS
Band4	1.4	20175	1	#0	0	QAM16	18.44	37	PASS
Band4	1.4	20175	6	#0	0	QAM16	17.55	37	PASS
Band4	1.4	20393	1	#Max	0	QPSK	19.11	37	PASS
Band4	1.4	20393	6	#Max	0	QPSK	17.32	37	PASS
Band4	1.4	20393	1	#Max	0	QAM16	17.81	37	PASS
Band4	1.4	20393	6	#Max	0	QAM16	17.31	37	PASS
Band4	3	19965	1	#0	0	QPSK	19.59	37	PASS
Band4	3	19965	6	#0	0	QPSK	17.43	37	PASS
Band4	3	19965	1	#0	0	QAM16	18.41	37	PASS
Band4	3	19965	6	#0	0	QAM16	17.41	37	PASS
Band4	3	20175	1	#0	0	QPSK	19.56	37	PASS
Band4	3	20175	6	#0	0	QPSK	17.50	37	PASS
Band4	3	20175	1	#0	0	QAM16	18.47	37	PASS
Band4	3	20175	6	#0	0	QAM16	17.59	37	PASS
Band4	3	20385	1	#Max	1	QPSK	19.21	37	PASS
Band4	3	20385	6	#Max	1	QPSK	17.38	37	PASS
Band4	3	20385	1	#Max	1	QAM16	18.05	37	PASS
Band4	3	20385	6	#Max	1	QAM16	17.28	37	PASS
Band4	5	19975	1	#0	0	QPSK	19.66	37	PASS
Band4	5	19975	6	#0	0	QPSK	18.50	37	PASS
Band4	5	19975	1	#0	0	QAM16	19.84	37	PASS
Band4	5	19975	6	#0	0	QAM16	18.50	37	PASS
Band4	5	20175	1	#0	0	QPSK	19.48	37	PASS
Band4	5	20175	6	#0	0	QPSK	18.54	37	PASS
Band4	5	20175	1	#0	0	QAM16	19.39	37	PASS
Band4	5	20175	6	#0	0	QAM16	18.56	37	PASS
Band4	5	20375	1	#Max	3	QPSK	19.29	37	PASS
Band4	5	20375	6	#Max	3	QPSK	18.18	37	PASS
Band4	5	20375	1	#Max	3	QAM16	19.25	37	PASS
Band4	5	20375	6	#Max	3	QAM16	18.18	37	PASS

Report

Band4	10	20000	1	#0	0	QPSK	19.92	37	PASS
Band4	10	20000	4	#0	0	QPSK	19.66	37	PASS
Band4	10	20000	1	#0	0	QAM16	19.47	37	PASS
Band4	10	20000	4	#0	0	QAM16	19.42	37	PASS
Band4	10	20175	1	#0	0	QPSK	19.58	37	PASS
Band4	10	20175	4	#0	0	QPSK	19.60	37	PASS
Band4	10	20175	1	#0	0	QAM16	19.57	37	PASS
Band4	10	20175	4	#0	0	QAM16	19.41	37	PASS
Band4	10	20350	1	#Max	7	QPSK	19.29	37	PASS
Band4	10	20350	4	#Max	7	QPSK	19.32	37	PASS
Band4	10	20350	1	#Max	7	QAM16	19.44	37	PASS
Band4	10	20350	4	#Max	7	QAM16	19.18	37	PASS
Band4	15	20025	1	#0	7	QPSK	19.65	37	PASS
Band4	15	20025	6	#0	7	QPSK	19.54	37	PASS
Band4	15	20025	1	#0	0	QAM16	19.63	37	PASS
Band4	15	20025	6	#0	0	QAM16	19.45	37	PASS
Band4	15	20175	1	#0	7	QPSK	19.61	37	PASS
Band4	15	20175	6	#0	7	QPSK	19.47	37	PASS
Band4	15	20175	1	#0	0	QAM16	19.64	37	PASS
Band4	15	20175	6	#0	0	QAM16	19.49	37	PASS
Band4	15	20325	1	#Max	11	QPSK	19.22	37	PASS
Band4	15	20325	6	#Max	11	QPSK	19.24	37	PASS
Band4	15	20325	1	#Max	11	QAM16	19.28	37	PASS
Band4	15	20325	6	#Max	1	QAM16	19.44	37	PASS
Band4	20	20050	1	#0	0	QPSK	19.50	37	PASS
Band4	20	20050	6	#0	0	QPSK	19.49	37	PASS
Band4	20	20050	1	#0	0	QAM16	19.76	37	PASS
Band4	20	20050	6	#0	0	QAM16	19.50	37	PASS
Band4	20	20175	1	#0	0	QPSK	19.57	37	PASS
Band4	20	20175	6	#0	0	QPSK	19.43	37	PASS
Band4	20	20175	1	#0	0	QAM16	19.67	37	PASS
Band4	20	20175	6	#0	0	QAM16	19.44	37	PASS
Band4	20	20300	1	#Max	15	QPSK	19.44	37	PASS
Band4	20	20300	6	#Max	15	QPSK	19.41	37	PASS
Band4	20	20300	1	#Max	15	QAM16	19.43	37	PASS
Band4	20	20300	6	#Max	15	QAM16	19.49	37	PASS

2 Frequency stability

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	NB Index	Modulation	Result(Hz)	Result (ppm)	Low Limit (ppm)	high Limit (ppm)	Verdict
Band12	10	23060	6	#0	0	QPSK	5.12	0.007	-2.5	2.5	PASS
Band12	10	23060	6	#0	0	QAM16	5.19	0.007	-2.5	2.5	PASS
Band12	10	23095	6	#0	0	QPSK	-1.43	-0.002	-2.5	2.5	PASS

Report

Band12	10	23095	6	#0	0	QAM16	-0.97	-0.001	-2.5	2.5	PASS
Band12	10	23130	6	#0	0	QPSK	0	0.000	-2.5	2.5	PASS
Band12	10	23130	6	#0	0	QAM16	0	0.000	-2.5	2.5	PASS
Band13	10	23230	6	#0	0	QPSK	7.48	0.010	-2.5	2.5	PASS
Band13	10	23230	6	#0	0	QAM16	7.42	0.009	-2.5	2.5	PASS
Band2	20	18700	6	#0	0	QPSK	-10.15	-0.005	-2.5	2.5	PASS
Band2	20	18700	6	#0	0	QAM16	-10.55	-0.006	-2.5	2.5	PASS
Band2	20	18900	6	#0	0	QPSK	1.83	0.001	-2.5	2.5	PASS
Band2	20	18900	6	#0	0	QAM16	3.01	0.002	-2.5	2.5	PASS
Band2	20	19100	6	#0	0	QPSK	-6.78	-0.004	-2.5	2.5	PASS
Band2	20	19100	6	#0	0	QAM16	-6.72	-0.004	-2.5	2.5	PASS
Band4	20	20050	6	#0	0	QPSK	-10.88	-0.006	-2.5	2.5	PASS
Band4	20	20050	6	#0	0	QAM16	-9.19	-0.005	-2.5	2.5	PASS
Band4	20	20175	6	#0	0	QPSK	-2.2	-0.001	-2.5	2.5	PASS
Band4	20	20175	6	#0	0	QAM16	-1.68	-0.001	-2.5	2.5	PASS
Band4	20	20300	6	#0	0	QPSK	-4.07	-0.002	-2.5	2.5	PASS
Band4	20	20300	6	#0	0	QAM16	-4.49	-0.003	-2.5	2.5	PASS


3 Peak-to-Average Ratio

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	NB Index	Modulation	Result (dB)	high Limit (dB)	Verdict
Band12	1.4	23095	6	#0	0	QPSK	8.73	13	PASS
Band12	1.4	23095	6	#0	0	QAM16	11.08	13	PASS
Band12	3	23095	6	#0	0	QPSK	9.19	13	PASS
Band12	3	23095	6	#0	0	QAM16	9.71	13	PASS
Band12	5	23095	6	#0	0	QPSK	9.74	13	PASS
Band12	5	23095	6	#0	0	QAM16	11.47	13	PASS
Band12	10	23095	6	#0	0	QPSK	9.84	13	PASS
Band12	10	23095	6	#0	0	QAM16	12.03	13	PASS
Band13	5	23230	6	#0	0	QPSK	10.25	13	PASS
Band13	5	23230	6	#0	0	QAM16	8.30	13	PASS
Band13	10	23230	6	#0	0	QPSK	10.40	13	PASS
Band13	10	23230	6	#0	0	QAM16	9.64	13	PASS
Band2	1.4	18900	6	#0	0	QPSK	8.98	13	PASS
Band2	1.4	18900	6	#0	0	QAM16	8.78	13	PASS
Band2	3	18900	6	#0	0	QPSK	10.59	13	PASS
Band2	3	18900	6	#0	0	QAM16	9.03	13	PASS
Band2	5	18900	6	#0	0	QPSK	11.72	13	PASS
Band2	5	18900	6	#0	0	QAM16	8.51	13	PASS
Band2	10	18900	6	#0	0	QPSK	9.38	13	PASS
Band2	10	18900	6	#0	0	QAM16	8.15	13	PASS
Band2	15	18900	6	#0	0	QPSK	9.12	13	PASS
Band2	15	18900	6	#0	0	QAM16	7.33	13	PASS
Band2	20	18900	6	#0	0	QPSK	7.79	13	PASS


Report

Band2	20	18900	6	#0	0	QAM16	8.43	13	PASS
Band4	1.4	20175	6	#0	0	QPSK	10.55	13	PASS
Band4	1.4	20175	6	#0	0	QAM16	8.20	13	PASS
Band4	3	20175	6	#0	0	QPSK	9.24	13	PASS
Band4	3	20175	6	#0	0	QAM16	9.48	13	PASS
Band4	5	20175	6	#0	0	QPSK	10.18	13	PASS
Band4	5	20175	6	#0	0	QAM16	9.26	13	PASS
Band4	10	20175	6	#0	0	QPSK	9.05	13	PASS
Band4	10	20175	6	#0	0	QAM16	10.82	13	PASS
Band4	15	20175	6	#0	0	QPSK	9.99	13	PASS
Band4	15	20175	6	#0	0	QAM16	9.28	13	PASS
Band4	20	20175	6	#0	0	QPSK	10.03	13	PASS
Band4	20	20175	6	#0	0	QAM16	9.50	13	PASS


Band12 QPSK BW=1.4MHz Channel=23095 RB Size=6 Position=#0 NB Index=0




Band12 QAM16 BW=1.4MHz Channel=23095 RB Size=6 Position=#0 NB Index=0




Band12 QPSK BW=3MHz Channel=23095 RB Size=6 Position=#0 NB Index=0




Band12 QAM16 BW=3MHz Channel=23095 RB Size=6 Position=#0 NB Index=0




Band12 QPSK BW=5MHz Channel=23095 RB Size=6 Position=#0 NB Index=0




Band12 QAM16 BW=5MHz Channel=23095 RB Size=6 Position=#0 NB Index=0




Band12 QPSK BW=10MHz Channel=23095 RB Size=6 Position=#0 NB Index=0




Band12 QAM16 BW=10MHz Channel=23095 RB Size=6 Position=#0 NB Index=0




Band13 QPSK BW=5MHz Channel=23230 RB Size=6 Position=#0 NB Index=0




Band13 QAM16 BW=5MHz Channel=23230 RB Size=6 Position=#0 NB Index=0




Band13 QPSK BW=10MHz Channel=23230 RB Size=6 Position=#0 NB Index=0




Band13 QAM16 BW=10MHz Channel=23230 RB Size=6 Position=#0 NB Index=0




Band2 QPSK BW=1.4MHz Channel=18900 RB Size=6 Position=#0 NB Index=0




Band2 QAM16 BW=1.4MHz Channel=18900 RB Size=6 Position=#0 NB Index=0




Band2 QPSK BW=3MHz Channel=18900 RB Size=6 Position=#0 NB Index=0




Band2 QAM16 BW=3MHz Channel=18900 RB Size=6 Position=#0 NB Index=0




Band2 QPSK BW=5MHz Channel=18900 RB Size=6 Position=#0 NB Index=0




Band2 QAM16 BW=5MHz Channel=18900 RB Size=6 Position=#0 NB Index=0




Band2 QPSK BW=10MHz Channel=18900 RB Size=6 Position=#0 NB Index=0




Band2 QAM16 BW=10MHz Channel=18900 RB Size=6 Position=#0 NB Index=0




Band2 QPSK BW=15MHz Channel=18900 RB Size=6 Position=#0 NB Index=0




Band2 QAM16 BW=15MHz Channel=18900 RB Size=6 Position=#0 NB Index=0




Band2 QPSK BW=20MHz Channel=18900 RB Size=6 Position=#0 NB Index=0




Band2 QAM16 BW=20MHz Channel=18900 RB Size=6 Position=#0 NB Index=0




Band4 QPSK BW=1.4MHz Channel=20175 RB Size=6 Position=#0 NB Index=0




Band4 QAM16 BW=1.4MHz Channel=20175 RB Size=6 Position=#0 NB Index=0




Band4 QPSK BW=3MHz Channel=20175 RB Size=6 Position=#0 NB Index=0




Band4 QAM16 BW=3MHz Channel=20175 RB Size=6 Position=#0 NB Index=0




Band4 QPSK BW=5MHz Channel=20175 RB Size=6 Position=#0 NB Index=0




Band4 QAM16 BW=5MHz Channel=20175 RB Size=6 Position=#0 NB Index=0




Band4 QPSK BW=10MHz Channel=20175 RB Size=6 Position=#0 NB Index=0




Band4 QAM16 BW=10MHz Channel=20175 RB Size=6 Position=#0 NB Index=0




Band4 QPSK BW=15MHz Channel=20175 RB Size=6 Position=#0 NB Index=0




Band4 QAM16 BW=15MHz Channel=20175 RB Size=6 Position=#0 NB Index=0



Band4 QPSK BW=20MHz Channel=20175 RB Size=6 Position=#0 NB Index=0



Band4 QAM16 BW=20MHz Channel=20175 RB Size=6 Position=#0 NB Index=0




4 Occupied bandwidth

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	NB Index	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
Band12	1.4	23095	6	#0	0	QPSK	1.09607888	1.282	PASS
Band12	1.4	23095	6	#0	0	QAM16	1.083551682	1.245	PASS
Band12	3	23095	6	#0	0	QPSK	1.127089181	1.321	PASS
Band12	3	23095	6	#0	0	QAM16	1.115014435	1.333	PASS
Band12	5	23095	6	#0	0	QPSK	1.180186206	1.395	PASS
Band12	5	23095	6	#0	0	QAM16	1.168782435	1.428	PASS
Band12	10	23095	6	#0	0	QPSK	1.316799506	1.684	PASS
Band12	10	23095	6	#0	0	QAM16	1.318575013	1.795	PASS
Band13	5	23230	6	#0	0	QPSK	1.175057051	1.737	PASS
Band13	5	23230	6	#0	0	QAM16	1.179336835	1.494	PASS
Band13	10	23230	6	#0	0	QPSK	1.328153786	1.846	PASS
Band13	10	23230	6	#0	0	QAM16	1.324993659	1.586	PASS
Band2	1.4	18900	6	#0	0	QPSK	1.086660043	1.254	PASS
Band2	1.4	18900	6	#0	0	QAM16	1.094026838	1.267	PASS
Band2	3	18900	6	#0	0	QPSK	1.116592093	1.318	PASS
Band2	3	18900	6	#0	0	QAM16	1.119822187	1.348	PASS
Band2	5	18900	6	#0	0	QPSK	1.186082509	1.407	PASS
Band2	5	18900	6	#0	0	QAM16	1.170922727	1.403	PASS
Band2	10	18900	6	#0	0	QPSK	1.329307814	1.582	PASS
Band2	10	18900	6	#0	0	QAM16	1.325870191	2.638	PASS

Report


Band2	15	18900	6	#0	0	QPSK	1.516343522	1.905	PASS
Band2	15	18900	6	#0	0	QAM16	1.517516862	2.085	PASS
Band2	20	18900	6	#0	0	QPSK	1.730834415	2.192	PASS
Band2	20	18900	6	#0	0	QAM16	1.763318493	2.233	PASS
Band4	1.4	20175	6	#0	0	QPSK	1.086427596	1.265	PASS
Band4	1.4	20175	6	#0	0	QAM16	1.092403221	1.273	PASS
Band4	3	20175	6	#0	0	QPSK	1.118763231	1.324	PASS
Band4	3	20175	6	#0	0	QAM16	1.108819328	1.406	PASS
Band4	5	20175	6	#0	0	QPSK	1.180485901	1.411	PASS
Band4	5	20175	6	#0	0	QAM16	1.184426652	1.446	PASS
Band4	10	20175	6	#0	0	QPSK	1.31028265	1.607	PASS
Band4	10	20175	6	#0	0	QAM16	1.309548416	1.580	PASS
Band4	15	20175	6	#0	0	QPSK	1.476418932	2.137	PASS
Band4	15	20175	6	#0	0	QAM16	1.514535688	1.858	PASS
Band4	20	20175	6	#0	0	QPSK	1.72627359	3.536	PASS
Band4	20	20175	6	#0	0	QAM16	1.715105545	2.174	PASS

Band12 QPSK BW=1.4MHz Channel=23095 RB Size=6 Position=#0 NB Index=0




Band12 QAM16 BW=1.4MHz Channel=23095 RB Size=6 Position=#0 NB Index=0

Report




Band12 QPSK BW=3MHz Channel=23095 RB Size=6 Position=#0 NB Index=0




Band12 QAM16 BW=3MHz Channel=23095 RB Size=6 Position=#0 NB Index=0

Report




Band12 QPSK BW=5MHz Channel=23095 RB Size=6 Position=#0 NB Index=0




Band12 QAM16 BW=5MHz Channel=23095 RB Size=6 Position=#0 NB Index=0

Report




Band12 QPSK BW=10MHz Channel=23095 RB Size=6 Position=#0 NB Index=0




Band12 QAM16 BW=10MHz Channel=23095 RB Size=6 Position=#0 NB Index=0

Report




Band13 QPSK BW=5MHz Channel=23230 RB Size=6 Position=#0 NB Index=0




Band13 QAM16 BW=5MHz Channel=23230 RB Size=6 Position=#0 NB Index=0

Report




Band13 QAM16 BW=10MHz Channel=23230 RB Size=6 Position=#0 NB Index=0




Band13 QPSK BW=10MHz Channel=23230 RB Size=6 Position=#0 NB Index=0

Report




Band2 QPSK BW=1.4MHz Channel=18900 RB Size=6 Position=#0 NB Index=0




Band2 QAM16 BW=1.4MHz Channel=18900 RB Size=6 Position=#0 NB Index=0

Report




Band2 QPSK BW=3MHz Channel=18900 RB Size=6 Position=#0 NB Index=0




Band2 QAM16 BW=3MHz Channel=18900 RB Size=6 Position=#0 NB Index=0

Report




Band2 QPSK BW=5MHz Channel=18900 RB Size=6 Position=#0 NB Index=0




Band2 QAM16 BW=5MHz Channel=18900 RB Size=6 Position=#0 NB Index=0

Report




Band2 QPSK BW=10MHz Channel=18900 RB Size=6 Position=#0 NB Index=0




Band2 QAM16 BW=10MHz Channel=18900 RB Size=6 Position=#0 NB Index=0

Report




Band2 QPSK BW=15MHz Channel=18900 RB Size=6 Position=#0 NB Index=0




Band2 QAM16 BW=15MHz Channel=18900 RB Size=6 Position=#0 NB Index=0

Report




Band2 QPSK BW=20MHz Channel=18900 RB Size=6 Position=#0 NB Index=0




Band2 QAM16 BW=20MHz Channel=18900 RB Size=6 Position=#0 NB Index=0

Report




Band4 QPSK BW=1.4MHz Channel=20175 RB Size=6 Position=#0 NB Index=0




Band4 QAM16 BW=1.4MHz Channel=20175 RB Size=6 Position=#0 NB Index=0

Report




Band4 QPSK BW=3MHz Channel=20175 RB Size=6 Position=#0 NB Index=0




Band4 QAM16 BW=3MHz Channel=20175 RB Size=6 Position=#0 NB Index=0

Report




Band4 QPSK BW=5MHz Channel=20175 RB Size=6 Position=#0 NB Index=0




Band4 QAM16 BW=5MHz Channel=20175 RB Size=6 Position=#0 NB Index=0

Report




Band4 QPSK BW=10MHz Channel=20175 RB Size=6 Position=#0 NB Index=0




Band4 QAM16 BW=10MHz Channel=20175 RB Size=6 Position=#0 NB Index=0

Report




Band4 QPSK BW=15MHz Channel=20175 RB Size=6 Position=#0 NB Index=0




Band4 QAM16 BW=15MHz Channel=20175 RB Size=6 Position=#0 NB Index=0

Report




Band4 QPSK BW=20MHz Channel=20175 RB Size=6 Position=#0 NB Index=0



Band4 QAM16 BW=20MHz Channel=20175 RB Size=6 Position=#0 NB Index=0

Report



5 Band edge

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	NB Index	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band12	1.4	23017	1	#0	0	QPSK	699	-31.48	-13	PASS
Band12	1.4	23017	6	#0	0	QPSK	698.9916	-39.78	-13	PASS
Band12	1.4	23017	1	#0	0	QAM16	698.9524	-38.52	-13	PASS
Band12	1.4	23017	6	#0	0	QAM16	699	-40.56	-13	PASS
Band12	1.4	23173	1	#Max	0	QPSK	716.0168	-36.85	-13	PASS
Band12	1.4	23173	6	#Max	0	QPSK	716.014	-38.41	-13	PASS
Band12	1.4	23173	1	#Max	0	QAM16	716	-36.39	-13	PASS
Band12	1.4	23173	6	#Max	0	QAM16	716.0084	-38.29	-13	PASS
Band12	3	23025	1	#0	0	QPSK	698.982	-36.27	-13	PASS
Band12	3	23025	6	#0	0	QPSK	698.91	-39.77	-13	PASS
Band12	3	23025	1	#0	0	QAM16	698.934	-38.89	-13	PASS
Band12	3	23025	6	#0	0	QAM16	698.922	-41.73	-13	PASS
Band12	3	23165	1	#Max	1	QPSK	716.21	-39.03	-13	PASS
Band12	3	23165	6	#Max	1	QPSK	716.204	-40.27	-13	PASS
Band12	3	23165	1	#Max	1	QAM16	716.054	-37.95	-13	PASS
Band12	3	23165	6	#Max	1	QAM16	716.024	-39.93	-13	PASS
Band12	5	23035	1	#0	0	QPSK	698.67	-39.65	-13	PASS
Band12	5	23035	6	#0	0	QPSK	698.97	-35.56	-13	PASS
Band12	5	23035	1	#0	0	QAM16	698.95	-42.36	-13	PASS
Band12	5	23035	6	#0	0	QAM16	698.87	-32.43	-13	PASS

Report

Band12	5	23155	1	#Max	3	QPSK	716.08	-34.41	-13	PASS
Band12	5	23155	6	#Max	3	QPSK	716.02	-31.66	-13	PASS
Band12	5	23155	1	#Max	3	QAM16	716.13	-36.83	-13	PASS
Band12	5	23155	6	#Max	3	QAM16	716.02	-34.03	-13	PASS
Band12	10	23060	1	#0	0	QPSK	698.94	-36.33	-13	PASS
Band12	10	23060	4	#0	0	QPSK	698.12	-40.68	-13	PASS
Band12	10	23060	1	#0	0	QAM16	698.32	-46.11	-13	PASS
Band12	10	23060	4	#0	0	QAM16	699	-39.17	-13	PASS
Band12	10	23130	1	#Max	7	QPSK	716.44	-38.89	-13	PASS
Band12	10	23130	4	#Max	7	QPSK	716.08	-32.84	-13	PASS
Band12	10	23130	1	#Max	7	QAM16	716.42	-40.76	-13	PASS
Band12	10	23130	4	#Max	7	QAM16	716	-37.83	-13	PASS
Band13	5	23205	1	#0	0	QPSK	776.8031	-31.05	-13	PASS
Band13	5	23205	6	#0	0	QPSK	776.3091	-32.20	-13	PASS
Band13	5	23205	1	#0	0	QAM16	776.8943	-32.40	-13	PASS
Band13	5	23205	6	#0	0	QAM16	776.7841	-30.48	-13	PASS
Band13	5	23255	1	#Max	3	QPSK	787.0863	-35.39	-13	PASS
Band13	5	23255	6	#Max	3	QPSK	787.4127	-32.69	-13	PASS
Band13	5	23255	1	#Max	3	QAM16	787.1531	-34.88	-13	PASS
Band13	5	23255	6	#Max	3	QAM16	787.3124	-33.10	-13	PASS
Band13	10	23230	1	#0	0	QPSK	776.7955	-36.56	-13	PASS
Band13	10	23230	4	#0	0	QPSK	776.824	-32.86	-13	PASS
Band13	10	23230	1	#0	0	QAM16	776.8639	-41.25	-13	PASS
Band13	10	23230	4	#0	0	QAM16	776.8886	-35.49	-13	PASS
Band2	1.4	18607	1	#0	0	QPSK	1849.9944	-23.06	-13	PASS
Band2	1.4	18607	6	#0	0	QPSK	1850	-30.74	-13	PASS
Band2	1.4	18607	1	#0	0	QAM16	1849.9972	-24.69	-13	PASS
Band2	1.4	18607	6	#0	0	QAM16	1850	-30.34	-13	PASS
Band2	1.4	19193	1	#Max	0	QPSK	1910.0056	-23.64	-13	PASS
Band2	1.4	19193	6	#Max	0	QPSK	1910.0056	-28.33	-13	PASS
Band2	1.4	19193	1	#Max	0	QAM16	1910.0084	-24.81	-13	PASS
Band2	1.4	19193	6	#Max	0	QAM16	1910	-29.71	-13	PASS
Band2	3	18615	1	#0	0	QPSK	1849.928	-28.73	-13	PASS
Band2	3	18615	6	#0	0	QPSK	1849.91	-32.90	-13	PASS
Band2	3	18615	1	#0	0	QAM16	1850	-29.81	-13	PASS
Band2	3	18615	6	#0	0	QAM16	1850	-32.05	-13	PASS
Band2	3	19185	1	#Max	1	QPSK	1910.24	-28.38	-13	PASS
Band2	3	19185	6	#Max	1	QPSK	1910.072	-28.10	-13	PASS
Band2	3	19185	1	#Max	1	QAM16	1910	-28.29	-13	PASS
Band2	3	19185	6	#Max	1	QAM16	1910.048	-28.13	-13	PASS
Band2	5	18625	1	#0	0	QPSK	1850	-27.94	-13	PASS
Band2	5	18625	6	#0	0	QPSK	1850	-25.58	-13	PASS
Band2	5	18625	1	#0	0	QAM16	1850	-25.58	-13	PASS
Band2	5	18625	6	#0	0	QAM16	1849.98	-26.30	-13	PASS

Report


Band2	5	19175	1	#Max	3	QPSK	1910.09	-22.99	-13	PASS
Band2	5	19175	6	#Max	3	QPSK	1910.12	-21.28	-13	PASS
Band2	5	19175	1	#Max	3	QAM16	1910.02	-24.64	-13	PASS
Band2	5	19175	6	#Max	3	QAM16	1910.06	-21.48	-13	PASS
Band2	10	18650	1	#0	0	QPSK	1849.3	-30.94	-13	PASS
Band2	10	18650	4	#0	0	QPSK	1850	-22.97	-13	PASS
Band2	10	18650	1	#0	0	QAM16	1849.78	-32.42	-13	PASS
Band2	10	18650	4	#0	0	QAM16	1850	-26.69	-13	PASS
Band2	10	19150	1	#Max	7	QPSK	1910.48	-26.79	-13	PASS
Band2	10	19150	4	#Max	7	QPSK	1910	-19.99	-13	PASS
Band2	10	19150	1	#Max	7	QAM16	1910.98	-33.27	-13	PASS
Band2	10	19150	4	#Max	7	QAM16	1910	-21.19	-13	PASS
Band2	15	18675	1	#0	7	QPSK	1848.05	-45.27	-13	PASS
Band2	15	18675	6	#0	7	QPSK	1843.79	-45.45	-13	PASS
Band2	15	18675	1	#0	0	QAM16	1849.82	-30.01	-13	PASS
Band2	15	18675	6	#0	0	QAM16	1849.94	-26.57	-13	PASS
Band2	15	19125	1	#Max	11	QPSK	1910.75	-25.24	-13	PASS
Band2	15	19125	6	#Max	11	QPSK	1910	-22.29	-13	PASS
Band2	15	19125	1	#Max	11	QAM16	1910.3	-31.85	-13	PASS
Band2	15	19125	6	#Max	1	QAM16	1916.75	-44.48	-13	PASS
Band2	20	18700	1	#0	0	QPSK	1847.72	-40.68	-13	PASS
Band2	20	18700	6	#0	0	QPSK	1848.6	-31.46	-13	PASS
Band2	20	18700	1	#0	0	QAM16	1849.4	-31.63	-13	PASS
Band2	20	18700	6	#0	0	QAM16	1849.64	-25.67	-13	PASS
Band2	20	19100	1	#Max	15	QPSK	1912.72	-34.38	-13	PASS
Band2	20	19100	6	#Max	15	QPSK	1910	-32.46	-13	PASS
Band2	20	19100	1	#Max	15	QAM16	1913.08	-37.90	-13	PASS
Band2	20	19100	6	#Max	15	QAM16	1910.16	-30.19	-13	PASS
Band4	1.4	19957	1	#0	0	QPSK	1709.9972	-29.72	-13	PASS
Band4	1.4	19957	6	#0	0	QPSK	1710	-38.13	-13	PASS
Band4	1.4	19957	1	#0	0	QAM16	1709.9972	-31.41	-13	PASS
Band4	1.4	19957	6	#0	0	QAM16	1710	-38.53	-13	PASS
Band4	1.4	20393	1	#Max	0	QPSK	1755.0028	-30.96	-13	PASS
Band4	1.4	20393	6	#Max	0	QPSK	1755.0196	-37.36	-13	PASS
Band4	1.4	20393	1	#Max	0	QAM16	1755.1036	-33.85	-13	PASS
Band4	1.4	20393	6	#Max	0	QAM16	1755.0056	-39.52	-13	PASS
Band4	3	19965	1	#0	0	QPSK	1710	-33.80	-13	PASS
Band4	3	19965	6	#0	0	QPSK	1710	-41.27	-13	PASS
Band4	3	19965	1	#0	0	QAM16	1709.976	-33.21	-13	PASS
Band4	3	19965	6	#0	0	QAM16	1709.91	-41.04	-13	PASS
Band4	3	20385	1	#Max	1	QPSK	1755.102	-35.83	-13	PASS
Band4	3	20385	6	#Max	1	QPSK	1755.054	-37.50	-13	PASS
Band4	3	20385	1	#Max	1	QAM16	1755.036	-34.09	-13	PASS
Band4	3	20385	6	#Max	1	QAM16	1755.162	-35.62	-13	PASS

Report


Band4	5	19975	1	#0	0	QPSK	1709.95	-34.65	-13	PASS
Band4	5	19975	6	#0	0	QPSK	1710	-34.91	-13	PASS
Band4	5	19975	1	#0	0	QAM16	1710	-31.49	-13	PASS
Band4	5	19975	6	#0	0	QAM16	1710	-35.34	-13	PASS
Band4	5	20375	1	#Max	3	QPSK	1755.19	-32.84	-13	PASS
Band4	5	20375	6	#Max	3	QPSK	1755.1	-30.94	-13	PASS
Band4	5	20375	1	#Max	3	QAM16	1755.02	-33.06	-13	PASS
Band4	5	20375	6	#Max	3	QAM16	1755.09	-30.08	-13	PASS
Band4	10	20000	1	#0	0	QPSK	1710	-32.44	-13	PASS
Band4	10	20000	4	#0	0	QPSK	1709.36	-34.16	-13	PASS
Band4	10	20000	1	#0	0	QAM16	1708.94	-34.95	-13	PASS
Band4	10	20000	4	#0	0	QAM16	1709.96	-37.14	-13	PASS
Band4	10	20350	1	#Max	7	QPSK	1755.16	-31.98	-13	PASS
Band4	10	20350	4	#Max	7	QPSK	1756.06	-32.20	-13	PASS
Band4	10	20350	1	#Max	7	QAM16	1755.92	-39.74	-13	PASS
Band4	10	20350	4	#Max	7	QAM16	1755.02	-37.01	-13	PASS
Band4	15	20025	1	#0	7	QPSK	1710	-50.97	-13	PASS
Band4	15	20025	6	#0	7	QPSK	1703.61	-50.49	-13	PASS
Band4	15	20025	1	#0	0	QAM16	1707.57	-46.69	-13	PASS
Band4	15	20025	6	#0	0	QAM16	1709.91	-34.44	-13	PASS
Band4	15	20325	1	#Max	11	QPSK	1755.42	-30.61	-13	PASS
Band4	15	20325	6	#Max	11	QPSK	1755	-24.94	-13	PASS
Band4	15	20325	1	#Max	11	QAM16	1756.47	-41.96	-13	PASS
Band4	15	20325	6	#Max	1	QAM16	1767.42	-50.97	-13	PASS
Band4	20	20050	1	#0	0	QPSK	1708.52	-44.70	-13	PASS
Band4	20	20050	6	#0	0	QPSK	1709.96	-39.87	-13	PASS
Band4	20	20050	1	#0	0	QAM16	1707.12	-46.06	-13	PASS
Band4	20	20050	6	#0	0	QAM16	1709.68	-39.40	-13	PASS
Band4	20	20300	1	#Max	15	QPSK	1756.16	-33.85	-13	PASS
Band4	20	20300	6	#Max	15	QPSK	1755.16	-26.83	-13	PASS
Band4	20	20300	1	#Max	15	QAM16	1755.96	-36.11	-13	PASS
Band4	20	20300	6	#Max	15	QAM16	1755.08	-26.81	-13	PASS

Band12 QPSK BW=1.4MHz Channel=23017 RB Size=1 Position=#0 NB Index=0

Report




Band12 QPSK BW=1.4MHz Channel=23017 RB Size=6 Position=#0 NB Index=0



Band12 QAM16 BW=1.4MHz Channel=23017 RB Size=1 Position=#0 NB Index=0

Report




Band12 QAM16 BW=1.4MHz Channel=23017 RB Size=6 Position=#0 NB Index=0




Band12 QPSK BW=1.4MHz Channel=23173 RB Size=1 Position=#Max NB Index=0


Report




Band12 QAM16 BW=1.4MHz Channel=23173 RB Size=1 Position=#Max NB Index=0



Band12 QPSK BW=1.4MHz Channel=23173 RB Size=6 Position=#Max NB Index=0




Band12 QAM16 BW=1.4MHz Channel=23173 RB Size=6 Position=#Max NB Index=0




Band12 QPSK BW=3MHz Channel=23025 RB Size=1 Position=#0 NB Index=0

Report




Band12 QPSK BW=3MHz Channel=23165 RB Size=6 Position=#Max NB Index=1




Band12 QAM16 BW=3MHz Channel=23165 RB Size=1 Position=#Max NB Index=1


Report




Band12 QAM16 BW=3MHz Channel=23165 RB Size=6 Position=#Max NB Index=1



Band12 QPSK BW=5MHz Channel=23035 RB Size=6 Position=#0 NB Index=0




Band12 QPSK BW=5MHz Channel=23035 RB Size=1 Position=#0 NB Index=0




Band12 QAM16 BW=5MHz Channel=23035 RB Size=1 Position=#0 NB Index=0

Report




Band12 QAM16 BW=5MHz Channel=23035 RB Size=6 Position=#0 NB Index=0




Band12 QPSK BW=5MHz Channel=23155 RB Size=1 Position=#Max NB Index=3

Report



Band12 QPSK BW=5MHz Channel=23155 RB Size=6 Position=#Max NB Index=3



Band12 QAM16 BW=5MHz Channel=23155 RB Size=1 Position=#Max NB Index=3

