

Appendix A: Effective (Isotropic) Radiated Power Output Data

Test Result

BAND	Bandwidth	Modulation	Channel	RB Configuration	Result (dBm)	ERP/EIRP (dBm)	Limit (dBm)	Verdict
Band2	1.4MHz	QPSK	18607	1RB#0	23.08	27.38	33	PASS
Band2	1.4MHz	QPSK	18607	1RB#2	22.82	27.12	33	PASS
Band2	1.4MHz	QPSK	18607	1RB#5	22.97	27.27	33	PASS
Band2	1.4MHz	QPSK	18607	3RB#0	23.12	27.42	33	PASS
Band2	1.4MHz	QPSK	18607	3RB#1	23.26	27.56	33	PASS
Band2	1.4MHz	QPSK	18607	3RB#3	23.07	27.37	33	PASS
Band2	1.4MHz	QPSK	18607	6RB#0	22.1	26.4	33	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	22.97	27.27	33	PASS
Band2	1.4MHz	QPSK	18900	1RB#2	23.26	27.56	33	PASS
Band2	1.4MHz	QPSK	18900	1RB#5	22.97	27.27	33	PASS
Band2	1.4MHz	QPSK	18900	3RB#0	23.17	27.47	33	PASS
Band2	1.4MHz	QPSK	18900	3RB#1	23.29	27.59	33	PASS
Band2	1.4MHz	QPSK	18900	3RB#3	23.41	27.71	33	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	22.27	26.57	33	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	22.95	27.25	33	PASS
Band2	1.4MHz	QPSK	19193	1RB#2	22.89	27.19	33	PASS
Band2	1.4MHz	QPSK	19193	1RB#5	23.02	27.32	33	PASS
Band2	1.4MHz	QPSK	19193	3RB#0	23.22	27.52	33	PASS
Band2	1.4MHz	QPSK	19193	3RB#1	23.37	27.67	33	PASS
Band2	1.4MHz	QPSK	19193	3RB#3	23.25	27.55	33	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	22.35	26.65	33	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	21.9	26.2	33	PASS
Band2	1.4MHz	16QAM	18607	1RB#2	21.9	26.2	33	PASS
Band2	1.4MHz	16QAM	18607	1RB#5	21.85	26.15	33	PASS
Band2	1.4MHz	16QAM	18607	3RB#0	22.35	26.65	33	PASS
Band2	1.4MHz	16QAM	18607	3RB#1	22.22	26.52	33	PASS
Band2	1.4MHz	16QAM	18607	3RB#3	22.26	26.56	33	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	20.96	25.26	33	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	21.82	26.12	33	PASS
Band2	1.4MHz	16QAM	18900	1RB#2	21.93	26.23	33	PASS
Band2	1.4MHz	16QAM	18900	1RB#5	21.85	26.15	33	PASS
Band2	1.4MHz	16QAM	18900	3RB#0	22.34	26.64	33	PASS
Band2	1.4MHz	16QAM	18900	3RB#1	22.47	26.77	33	PASS
Band2	1.4MHz	16QAM	18900	3RB#3	22.39	26.69	33	PASS

Band2	1.4MHz	16QAM	18900	6RB#0	21.3	25.6	33	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	21.81	26.11	33	PASS
Band2	1.4MHz	16QAM	19193	1RB#2	22.05	26.35	33	PASS
Band2	1.4MHz	16QAM	19193	1RB#5	21.88	26.18	33	PASS
Band2	1.4MHz	16QAM	19193	3RB#0	22.36	26.66	33	PASS
Band2	1.4MHz	16QAM	19193	3RB#1	22.41	26.71	33	PASS
Band2	1.4MHz	16QAM	19193	3RB#3	22.38	26.68	33	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	21.14	25.44	33	PASS
Band2	3MHz	QPSK	18615	1RB#0	22.98	27.28	33	PASS
Band2	3MHz	QPSK	18615	1RB#8	23.17	27.47	33	PASS
Band2	3MHz	QPSK	18615	1RB#14	22.98	27.28	33	PASS
Band2	3MHz	QPSK	18615	8RB#0	22.09	26.39	33	PASS
Band2	3MHz	QPSK	18615	8RB#4	22.1	26.4	33	PASS
Band2	3MHz	QPSK	18615	8RB#7	22	26.3	33	PASS
Band2	3MHz	QPSK	18615	15RB#0	21.97	26.27	33	PASS
Band2	3MHz	QPSK	18900	1RB#0	22.78	27.08	33	PASS
Band2	3MHz	QPSK	18900	1RB#8	23.16	27.46	33	PASS
Band2	3MHz	QPSK	18900	1RB#14	23.04	27.34	33	PASS
Band2	3MHz	QPSK	18900	8RB#0	22.12	26.42	33	PASS
Band2	3MHz	QPSK	18900	8RB#4	22.18	26.48	33	PASS
Band2	3MHz	QPSK	18900	8RB#7	22.17	26.47	33	PASS
Band2	3MHz	QPSK	18900	15RB#0	22.14	26.44	33	PASS
Band2	3MHz	QPSK	19185	1RB#0	23.05	27.35	33	PASS
Band2	3MHz	QPSK	19185	1RB#8	23.31	27.61	33	PASS
Band2	3MHz	QPSK	19185	1RB#14	23.02	27.32	33	PASS
Band2	3MHz	QPSK	19185	8RB#0	22.18	26.48	33	PASS
Band2	3MHz	QPSK	19185	8RB#4	22.32	26.62	33	PASS
Band2	3MHz	QPSK	19185	8RB#7	22.27	26.57	33	PASS
Band2	3MHz	QPSK	19185	15RB#0	22.23	26.53	33	PASS
Band2	3MHz	16QAM	18615	1RB#0	21.74	26.04	33	PASS
Band2	3MHz	16QAM	18615	1RB#8	21.92	26.22	33	PASS
Band2	3MHz	16QAM	18615	1RB#14	21.83	26.13	33	PASS
Band2	3MHz	16QAM	18615	8RB#0	21.03	25.33	33	PASS
Band2	3MHz	16QAM	18615	8RB#4	20.84	25.14	33	PASS
Band2	3MHz	16QAM	18615	8RB#7	21.12	25.42	33	PASS
Band2	3MHz	16QAM	18615	15RB#0	21.12	25.42	33	PASS
Band2	3MHz	16QAM	18900	1RB#0	21.43	25.73	33	PASS
Band2	3MHz	16QAM	18900	1RB#8	21.72	26.02	33	PASS
Band2	3MHz	16QAM	18900	1RB#14	21.75	26.05	33	PASS
Band2	3MHz	16QAM	18900	8RB#0	21.15	25.45	33	PASS

Band2	3MHz	16QAM	18900	8RB#4	21.11	25.41	33	PASS
Band2	3MHz	16QAM	18900	8RB#7	21.22	25.52	33	PASS
Band2	3MHz	16QAM	18900	15RB#0	21.21	25.51	33	PASS
Band2	3MHz	16QAM	19185	1RB#0	21.84	26.14	33	PASS
Band2	3MHz	16QAM	19185	1RB#8	21.87	26.17	33	PASS
Band2	3MHz	16QAM	19185	1RB#14	21.87	26.17	33	PASS
Band2	3MHz	16QAM	19185	8RB#0	21.08	25.38	33	PASS
Band2	3MHz	16QAM	19185	8RB#4	21.1	25.4	33	PASS
Band2	3MHz	16QAM	19185	8RB#7	21.13	25.43	33	PASS
Band2	3MHz	16QAM	19185	15RB#0	21.29	25.59	33	PASS
Band2	5MHz	QPSK	18625	1RB#0	23	27.3	33	PASS
Band2	5MHz	QPSK	18625	1RB#12	23.13	27.43	33	PASS
Band2	5MHz	QPSK	18625	1RB#24	23	27.3	33	PASS
Band2	5MHz	QPSK	18625	12RB#0	22.09	26.39	33	PASS
Band2	5MHz	QPSK	18625	12RB#6	22.19	26.49	33	PASS
Band2	5MHz	QPSK	18625	12RB#13	22.2	26.5	33	PASS
Band2	5MHz	QPSK	18625	25RB#0	22.16	26.46	33	PASS
Band2	5MHz	QPSK	18900	1RB#0	22.91	27.21	33	PASS
Band2	5MHz	QPSK	18900	1RB#12	23.11	27.41	33	PASS
Band2	5MHz	QPSK	18900	1RB#24	22.86	27.16	33	PASS
Band2	5MHz	QPSK	18900	12RB#0	22	26.3	33	PASS
Band2	5MHz	QPSK	18900	12RB#6	22.23	26.53	33	PASS
Band2	5MHz	QPSK	18900	12RB#13	22.28	26.58	33	PASS
Band2	5MHz	QPSK	18900	25RB#0	22.11	26.41	33	PASS
Band2	5MHz	QPSK	19175	1RB#0	22.91	27.21	33	PASS
Band2	5MHz	QPSK	19175	1RB#12	23.2	27.5	33	PASS
Band2	5MHz	QPSK	19175	1RB#24	23.13	27.43	33	PASS
Band2	5MHz	QPSK	19175	12RB#0	22.08	26.38	33	PASS
Band2	5MHz	QPSK	19175	12RB#6	22.28	26.58	33	PASS
Band2	5MHz	QPSK	19175	12RB#13	22.29	26.59	33	PASS
Band2	5MHz	QPSK	19175	25RB#0	22.05	26.35	33	PASS
Band2	5MHz	16QAM	18625	1RB#0	21.59	25.89	33	PASS
Band2	5MHz	16QAM	18625	1RB#12	22.15	26.45	33	PASS
Band2	5MHz	16QAM	18625	1RB#24	21.84	26.14	33	PASS
Band2	5MHz	16QAM	18625	12RB#0	20.91	25.21	33	PASS
Band2	5MHz	16QAM	18625	12RB#6	21	25.3	33	PASS
Band2	5MHz	16QAM	18625	12RB#13	21.12	25.42	33	PASS
Band2	5MHz	16QAM	18625	25RB#0	21.31	25.61	33	PASS
Band2	5MHz	16QAM	18900	1RB#0	21.7	26	33	PASS
Band2	5MHz	16QAM	18900	1RB#12	22.29	26.59	33	PASS

Band2	5MHz	16QAM	18900	1RB#24	21.57	25.87	33	PASS
Band2	5MHz	16QAM	18900	12RB#0	21.1	25.4	33	PASS
Band2	5MHz	16QAM	18900	12RB#6	21.26	25.56	33	PASS
Band2	5MHz	16QAM	18900	12RB#13	20.97	25.27	33	PASS
Band2	5MHz	16QAM	18900	25RB#0	21.3	25.6	33	PASS
Band2	5MHz	16QAM	19175	1RB#0	21.74	26.04	33	PASS
Band2	5MHz	16QAM	19175	1RB#12	22	26.3	33	PASS
Band2	5MHz	16QAM	19175	1RB#24	21.81	26.11	33	PASS
Band2	5MHz	16QAM	19175	12RB#0	20.92	25.22	33	PASS
Band2	5MHz	16QAM	19175	12RB#6	21.02	25.32	33	PASS
Band2	5MHz	16QAM	19175	12RB#13	21.05	25.35	33	PASS
Band2	5MHz	16QAM	19175	25RB#0	21.22	25.52	33	PASS
Band2	10MHz	QPSK	18650	1RB#0	22.96	27.26	33	PASS
Band2	10MHz	QPSK	18650	1RB#24	23.78	28.08	33	PASS
Band2	10MHz	QPSK	18650	1RB#49	22.67	26.97	33	PASS
Band2	10MHz	QPSK	18650	25RB#0	22.39	26.69	33	PASS
Band2	10MHz	QPSK	18650	25RB#12	22.58	26.88	33	PASS
Band2	10MHz	QPSK	18650	25RB#25	22.07	26.37	33	PASS
Band2	10MHz	QPSK	18650	50RB#0	22.2	26.5	33	PASS
Band2	10MHz	QPSK	18900	1RB#0	23.03	27.33	33	PASS
Band2	10MHz	QPSK	18900	1RB#24	23.75	28.05	33	PASS
Band2	10MHz	QPSK	18900	1RB#49	22.79	27.09	33	PASS
Band2	10MHz	QPSK	18900	25RB#0	22.09	26.39	33	PASS
Band2	10MHz	QPSK	18900	25RB#12	22.31	26.61	33	PASS
Band2	10MHz	QPSK	18900	25RB#25	22.19	26.49	33	PASS
Band2	10MHz	QPSK	18900	50RB#0	21.98	26.28	33	PASS
Band2	10MHz	QPSK	19150	1RB#0	22.98	27.28	33	PASS
Band2	10MHz	QPSK	19150	1RB#24	23.5	27.8	33	PASS
Band2	10MHz	QPSK	19150	1RB#49	22.95	27.25	33	PASS
Band2	10MHz	QPSK	19150	25RB#0	22.19	26.49	33	PASS
Band2	10MHz	QPSK	19150	25RB#12	22.29	26.59	33	PASS
Band2	10MHz	QPSK	19150	25RB#25	22.19	26.49	33	PASS
Band2	10MHz	QPSK	19150	50RB#0	22.14	26.44	33	PASS
Band2	10MHz	16QAM	18650	1RB#0	21.88	26.18	33	PASS
Band2	10MHz	16QAM	18650	1RB#24	21.84	26.14	33	PASS
Band2	10MHz	16QAM	18650	1RB#49	21.85	26.15	33	PASS
Band2	10MHz	16QAM	18650	25RB#0	21.35	25.65	33	PASS
Band2	10MHz	16QAM	18650	25RB#12	21.36	25.66	33	PASS
Band2	10MHz	16QAM	18650	25RB#25	21.33	25.63	33	PASS
Band2	10MHz	16QAM	18650	50RB#0	21.17	25.47	33	PASS

Band2	10MHz	16QAM	18900	1RB#0	22.03	26.33	33	PASS
Band2	10MHz	16QAM	18900	1RB#24	21.87	26.17	33	PASS
Band2	10MHz	16QAM	18900	1RB#49	21.78	26.08	33	PASS
Band2	10MHz	16QAM	18900	25RB#0	21.12	25.42	33	PASS
Band2	10MHz	16QAM	18900	25RB#12	21.3	25.6	33	PASS
Band2	10MHz	16QAM	18900	25RB#25	21.21	25.51	33	PASS
Band2	10MHz	16QAM	18900	50RB#0	21.14	25.44	33	PASS
Band2	10MHz	16QAM	19150	1RB#0	21.79	26.09	33	PASS
Band2	10MHz	16QAM	19150	1RB#24	21.72	26.02	33	PASS
Band2	10MHz	16QAM	19150	1RB#49	21.76	26.06	33	PASS
Band2	10MHz	16QAM	19150	25RB#0	21.18	25.48	33	PASS
Band2	10MHz	16QAM	19150	25RB#12	21.28	25.58	33	PASS
Band2	10MHz	16QAM	19150	25RB#25	21.22	25.52	33	PASS
Band2	10MHz	16QAM	19150	50RB#0	21.24	25.54	33	PASS
Band2	15MHz	QPSK	18675	1RB#0	22.92	27.22	33	PASS
Band2	15MHz	QPSK	18675	1RB#38	23.44	27.74	33	PASS
Band2	15MHz	QPSK	18675	1RB#74	22.2	26.5	33	PASS
Band2	15MHz	QPSK	18675	36RB#0	22.39	26.69	33	PASS
Band2	15MHz	QPSK	18675	36RB#18	22.31	26.61	33	PASS
Band2	15MHz	QPSK	18675	36RB#39	21.92	26.22	33	PASS
Band2	15MHz	QPSK	18675	75RB#0	22.17	26.47	33	PASS
Band2	15MHz	QPSK	18900	1RB#0	22.95	27.25	33	PASS
Band2	15MHz	QPSK	18900	1RB#38	23.49	27.79	33	PASS
Band2	15MHz	QPSK	18900	1RB#74	22.6	26.9	33	PASS
Band2	15MHz	QPSK	18900	36RB#0	22.13	26.43	33	PASS
Band2	15MHz	QPSK	18900	36RB#18	22.33	26.63	33	PASS
Band2	15MHz	QPSK	18900	36RB#39	22.15	26.45	33	PASS
Band2	15MHz	QPSK	18900	75RB#0	22.02	26.32	33	PASS
Band2	15MHz	QPSK	19125	1RB#0	22.79	27.09	33	PASS
Band2	15MHz	QPSK	19125	1RB#38	23.19	27.49	33	PASS
Band2	15MHz	QPSK	19125	1RB#74	22.92	27.22	33	PASS
Band2	15MHz	QPSK	19125	36RB#0	22.23	26.53	33	PASS
Band2	15MHz	QPSK	19125	36RB#18	22.12	26.42	33	PASS
Band2	15MHz	QPSK	19125	36RB#39	21.98	26.28	33	PASS
Band2	15MHz	QPSK	19125	75RB#0	22.27	26.57	33	PASS
Band2	15MHz	16QAM	18675	1RB#0	21.72	26.02	33	PASS
Band2	15MHz	16QAM	18675	1RB#38	21.69	25.99	33	PASS
Band2	15MHz	16QAM	18675	1RB#74	21.9	26.2	33	PASS
Band2	15MHz	16QAM	18675	36RB#0	21.23	25.53	33	PASS
Band2	15MHz	16QAM	18675	36RB#18	21.29	25.59	33	PASS

Band2	15MHz	16QAM	18675	36RB#39	21.12	25.42	33	PASS
Band2	15MHz	16QAM	18675	75RB#0	21.15	25.45	33	PASS
Band2	15MHz	16QAM	18900	1RB#0	21.9	26.2	33	PASS
Band2	15MHz	16QAM	18900	1RB#38	21.5	25.8	33	PASS
Band2	15MHz	16QAM	18900	1RB#74	21.58	25.88	33	PASS
Band2	15MHz	16QAM	18900	36RB#0	21.07	25.37	33	PASS
Band2	15MHz	16QAM	18900	36RB#18	21.09	25.39	33	PASS
Band2	15MHz	16QAM	18900	36RB#39	20.98	25.28	33	PASS
Band2	15MHz	16QAM	18900	75RB#0	21.25	25.55	33	PASS
Band2	15MHz	16QAM	19125	1RB#0	21.67	25.97	33	PASS
Band2	15MHz	16QAM	19125	1RB#38	21.83	26.13	33	PASS
Band2	15MHz	16QAM	19125	1RB#74	21.79	26.09	33	PASS
Band2	15MHz	16QAM	19125	36RB#0	21.11	25.41	33	PASS
Band2	15MHz	16QAM	19125	36RB#18	21.25	25.55	33	PASS
Band2	15MHz	16QAM	19125	36RB#39	21.18	25.48	33	PASS
Band2	15MHz	16QAM	19125	75RB#0	21.2	25.5	33	PASS
Band2	20MHz	QPSK	18700	1RB#0	23	27.3	33	PASS
Band2	20MHz	QPSK	18700	1RB#49	23.8	28.1	33	PASS
Band2	20MHz	QPSK	18700	1RB#99	22.72	27.02	33	PASS
Band2	20MHz	QPSK	18700	50RB#0	22.53	26.83	33	PASS
Band2	20MHz	QPSK	18700	50RB#25	22.32	26.62	33	PASS
Band2	20MHz	QPSK	18700	50RB#50	21.99	26.29	33	PASS
Band2	20MHz	QPSK	18700	100RB#0	22.19	26.49	33	PASS
Band2	20MHz	QPSK	18900	1RB#0	22.97	27.27	33	PASS
Band2	20MHz	QPSK	18900	1RB#49	24.64	28.94	33	PASS
Band2	20MHz	QPSK	18900	1RB#99	22.96	27.26	33	PASS
Band2	20MHz	QPSK	18900	50RB#0	22.17	26.47	33	PASS
Band2	20MHz	QPSK	18900	50RB#25	22.6	26.9	33	PASS
Band2	20MHz	QPSK	18900	50RB#50	22.25	26.55	33	PASS
Band2	20MHz	QPSK	18900	100RB#0	22.04	26.34	33	PASS
Band2	20MHz	QPSK	19100	1RB#0	22.94	27.24	33	PASS
Band2	20MHz	QPSK	19100	1RB#49	23.2	27.5	33	PASS
Band2	20MHz	QPSK	19100	1RB#99	22.65	26.95	33	PASS
Band2	20MHz	QPSK	19100	50RB#0	22.31	26.61	33	PASS
Band2	20MHz	QPSK	19100	50RB#25	22.09	26.39	33	PASS
Band2	20MHz	QPSK	19100	50RB#50	21.79	26.09	33	PASS
Band2	20MHz	QPSK	19100	100RB#0	22.26	26.56	33	PASS
Band2	20MHz	16QAM	18700	1RB#0	21.81	26.11	33	PASS
Band2	20MHz	16QAM	18700	1RB#49	21.74	26.04	33	PASS
Band2	20MHz	16QAM	18700	1RB#99	21.95	26.25	33	PASS

Band2	20MHz	16QAM	18700	50RB#0	21.26	25.56	33	PASS
Band2	20MHz	16QAM	18700	50RB#25	21.26	25.56	33	PASS
Band2	20MHz	16QAM	18700	50RB#50	21.18	25.48	33	PASS
Band2	20MHz	16QAM	18700	100RB#0	21.19	25.49	33	PASS
Band2	20MHz	16QAM	18900	1RB#0	21.88	26.18	33	PASS
Band2	20MHz	16QAM	18900	1RB#49	21.93	26.23	33	PASS
Band2	20MHz	16QAM	18900	1RB#99	21.85	26.15	33	PASS
Band2	20MHz	16QAM	18900	50RB#0	21.25	25.55	33	PASS
Band2	20MHz	16QAM	18900	50RB#25	21.22	25.52	33	PASS
Band2	20MHz	16QAM	18900	50RB#50	21.17	25.47	33	PASS
Band2	20MHz	16QAM	18900	100RB#0	21.09	25.39	33	PASS
Band2	20MHz	16QAM	19100	1RB#0	21.84	26.14	33	PASS
Band2	20MHz	16QAM	19100	1RB#49	21.89	26.19	33	PASS
Band2	20MHz	16QAM	19100	1RB#99	21.88	26.18	33	PASS
Band2	20MHz	16QAM	19100	50RB#0	21.28	25.58	33	PASS
Band2	20MHz	16QAM	19100	50RB#25	21.21	25.51	33	PASS
Band2	20MHz	16QAM	19100	50RB#50	21.23	25.53	33	PASS
Band2	20MHz	16QAM	19100	100RB#0	21.12	25.42	33	PASS
Band4	1.4MHz	QPSK	19957	1RB#0	23.04	25.94	30	PASS
Band4	1.4MHz	QPSK	19957	1RB#2	23.12	26.02	30	PASS
Band4	1.4MHz	QPSK	19957	1RB#5	23.21	26.11	30	PASS
Band4	1.4MHz	QPSK	19957	3RB#0	23.18	26.08	30	PASS
Band4	1.4MHz	QPSK	19957	3RB#1	23.37	26.27	30	PASS
Band4	1.4MHz	QPSK	19957	3RB#3	23.41	26.31	30	PASS
Band4	1.4MHz	QPSK	19957	6RB#0	22.41	25.31	30	PASS
Band4	1.4MHz	QPSK	20175	1RB#0	23.03	25.93	30	PASS
Band4	1.4MHz	QPSK	20175	1RB#2	23.11	26.01	30	PASS
Band4	1.4MHz	QPSK	20175	1RB#5	23.14	26.04	30	PASS
Band4	1.4MHz	QPSK	20175	3RB#0	23.06	25.96	30	PASS
Band4	1.4MHz	QPSK	20175	3RB#1	23.31	26.21	30	PASS
Band4	1.4MHz	QPSK	20175	3RB#3	23.25	26.15	30	PASS
Band4	1.4MHz	QPSK	20175	6RB#0	22.17	25.07	30	PASS
Band4	1.4MHz	QPSK	20393	1RB#0	22.97	25.87	30	PASS
Band4	1.4MHz	QPSK	20393	1RB#2	23.11	26.01	30	PASS
Band4	1.4MHz	QPSK	20393	1RB#5	23.02	25.92	30	PASS
Band4	1.4MHz	QPSK	20393	3RB#0	23.04	25.94	30	PASS
Band4	1.4MHz	QPSK	20393	3RB#1	23.27	26.17	30	PASS
Band4	1.4MHz	QPSK	20393	3RB#3	23.24	26.14	30	PASS
Band4	1.4MHz	QPSK	20393	6RB#0	22.23	25.13	30	PASS
Band4	1.4MHz	16QAM	19957	1RB#0	21.94	24.84	30	PASS

Band4	1.4MHz	16QAM	19957	1RB#2	22.07	24.97	30	PASS
Band4	1.4MHz	16QAM	19957	1RB#5	21.96	24.86	30	PASS
Band4	1.4MHz	16QAM	19957	3RB#0	22.47	25.37	30	PASS
Band4	1.4MHz	16QAM	19957	3RB#1	22.59	25.49	30	PASS
Band4	1.4MHz	16QAM	19957	3RB#3	22.43	25.33	30	PASS
Band4	1.4MHz	16QAM	19957	6RB#0	21.45	24.35	30	PASS
Band4	1.4MHz	16QAM	20175	1RB#0	21.76	24.66	30	PASS
Band4	1.4MHz	16QAM	20175	1RB#2	22.03	24.93	30	PASS
Band4	1.4MHz	16QAM	20175	1RB#5	21.77	24.67	30	PASS
Band4	1.4MHz	16QAM	20175	3RB#0	22.44	25.34	30	PASS
Band4	1.4MHz	16QAM	20175	3RB#1	22.41	25.31	30	PASS
Band4	1.4MHz	16QAM	20175	3RB#3	22.44	25.34	30	PASS
Band4	1.4MHz	16QAM	20175	6RB#0	21.26	24.16	30	PASS
Band4	1.4MHz	16QAM	20393	1RB#0	21.72	24.62	30	PASS
Band4	1.4MHz	16QAM	20393	1RB#2	21.84	24.74	30	PASS
Band4	1.4MHz	16QAM	20393	1RB#5	21.7	24.6	30	PASS
Band4	1.4MHz	16QAM	20393	3RB#0	22.29	25.19	30	PASS
Band4	1.4MHz	16QAM	20393	3RB#1	22.53	25.43	30	PASS
Band4	1.4MHz	16QAM	20393	3RB#3	22.48	25.38	30	PASS
Band4	1.4MHz	16QAM	20393	6RB#0	21.42	24.32	30	PASS
Band4	3MHz	QPSK	19965	1RB#0	23.14	26.04	30	PASS
Band4	3MHz	QPSK	19965	1RB#8	23.26	26.16	30	PASS
Band4	3MHz	QPSK	19965	1RB#14	23.07	25.97	30	PASS
Band4	3MHz	QPSK	19965	8RB#0	22.36	25.26	30	PASS
Band4	3MHz	QPSK	19965	8RB#4	22.35	25.25	30	PASS
Band4	3MHz	QPSK	19965	8RB#7	22.23	25.13	30	PASS
Band4	3MHz	QPSK	19965	15RB#0	22.41	25.31	30	PASS
Band4	3MHz	QPSK	20175	1RB#0	23.1	26	30	PASS
Band4	3MHz	QPSK	20175	1RB#8	23.09	25.99	30	PASS
Band4	3MHz	QPSK	20175	1RB#14	23.16	26.06	30	PASS
Band4	3MHz	QPSK	20175	8RB#0	22.24	25.14	30	PASS
Band4	3MHz	QPSK	20175	8RB#4	22.26	25.16	30	PASS
Band4	3MHz	QPSK	20175	8RB#7	22.14	25.04	30	PASS
Band4	3MHz	QPSK	20175	15RB#0	22.16	25.06	30	PASS
Band4	3MHz	QPSK	20385	1RB#0	23.06	25.96	30	PASS
Band4	3MHz	QPSK	20385	1RB#8	22.77	25.67	30	PASS
Band4	3MHz	QPSK	20385	1RB#14	22.97	25.87	30	PASS
Band4	3MHz	QPSK	20385	8RB#0	22.12	25.02	30	PASS
Band4	3MHz	QPSK	20385	8RB#4	22.07	24.97	30	PASS
Band4	3MHz	QPSK	20385	8RB#7	22.12	25.02	30	PASS

Band4	3MHz	QPSK	20385	15RB#0	22.13	25.03	30	PASS
Band4	3MHz	16QAM	19965	1RB#0	21.95	24.85	30	PASS
Band4	3MHz	16QAM	19965	1RB#8	21.88	24.78	30	PASS
Band4	3MHz	16QAM	19965	1RB#14	21.98	24.88	30	PASS
Band4	3MHz	16QAM	19965	8RB#0	21.21	24.11	30	PASS
Band4	3MHz	16QAM	19965	8RB#4	21.29	24.19	30	PASS
Band4	3MHz	16QAM	19965	8RB#7	21.26	24.16	30	PASS
Band4	3MHz	16QAM	19965	15RB#0	21.37	24.27	30	PASS
Band4	3MHz	16QAM	20175	1RB#0	21.8	24.7	30	PASS
Band4	3MHz	16QAM	20175	1RB#8	21.76	24.66	30	PASS
Band4	3MHz	16QAM	20175	1RB#14	21.77	24.67	30	PASS
Band4	3MHz	16QAM	20175	8RB#0	21.14	24.04	30	PASS
Band4	3MHz	16QAM	20175	8RB#4	21.1	24	30	PASS
Band4	3MHz	16QAM	20175	8RB#7	21.16	24.06	30	PASS
Band4	3MHz	16QAM	20175	15RB#0	21.3	24.2	30	PASS
Band4	3MHz	16QAM	20385	1RB#0	21.61	24.51	30	PASS
Band4	3MHz	16QAM	20385	1RB#8	21.73	24.63	30	PASS
Band4	3MHz	16QAM	20385	1RB#14	21.82	24.72	30	PASS
Band4	3MHz	16QAM	20385	8RB#0	21.1	24	30	PASS
Band4	3MHz	16QAM	20385	8RB#4	21	23.9	30	PASS
Band4	3MHz	16QAM	20385	8RB#7	21.04	23.94	30	PASS
Band4	3MHz	16QAM	20385	15RB#0	21.3	24.2	30	PASS
Band4	5MHz	QPSK	19975	1RB#0	23.07	25.97	30	PASS
Band4	5MHz	QPSK	19975	1RB#12	22.84	25.74	30	PASS
Band4	5MHz	QPSK	19975	1RB#24	22.91	25.81	30	PASS
Band4	5MHz	QPSK	19975	12RB#0	22.43	25.33	30	PASS
Band4	5MHz	QPSK	19975	12RB#6	22.25	25.15	30	PASS
Band4	5MHz	QPSK	19975	12RB#13	22.23	25.13	30	PASS
Band4	5MHz	QPSK	19975	25RB#0	22.27	25.17	30	PASS
Band4	5MHz	QPSK	20175	1RB#0	22.99	25.89	30	PASS
Band4	5MHz	QPSK	20175	1RB#12	23.18	26.08	30	PASS
Band4	5MHz	QPSK	20175	1RB#24	23.13	26.03	30	PASS
Band4	5MHz	QPSK	20175	12RB#0	22.16	25.06	30	PASS
Band4	5MHz	QPSK	20175	12RB#6	22.23	25.13	30	PASS
Band4	5MHz	QPSK	20175	12RB#13	22.32	25.22	30	PASS
Band4	5MHz	QPSK	20175	25RB#0	22.15	25.05	30	PASS
Band4	5MHz	QPSK	20375	1RB#0	23.08	25.98	30	PASS
Band4	5MHz	QPSK	20375	1RB#12	23.09	25.99	30	PASS
Band4	5MHz	QPSK	20375	1RB#24	22.85	25.75	30	PASS
Band4	5MHz	QPSK	20375	12RB#0	22.22	25.12	30	PASS

Band4	5MHz	QPSK	20375	12RB#6	22.14	25.04	30	PASS
Band4	5MHz	QPSK	20375	12RB#13	22.13	25.03	30	PASS
Band4	5MHz	QPSK	20375	25RB#0	22.29	25.19	30	PASS
Band4	5MHz	16QAM	19975	1RB#0	21.94	24.84	30	PASS
Band4	5MHz	16QAM	19975	1RB#12	22.25	25.15	30	PASS
Band4	5MHz	16QAM	19975	1RB#24	21.89	24.79	30	PASS
Band4	5MHz	16QAM	19975	12RB#0	21.27	24.17	30	PASS
Band4	5MHz	16QAM	19975	12RB#6	21.24	24.14	30	PASS
Band4	5MHz	16QAM	19975	12RB#13	21.13	24.03	30	PASS
Band4	5MHz	16QAM	19975	25RB#0	21.35	24.25	30	PASS
Band4	5MHz	16QAM	20175	1RB#0	21.82	24.72	30	PASS
Band4	5MHz	16QAM	20175	1RB#12	22.26	25.16	30	PASS
Band4	5MHz	16QAM	20175	1RB#24	21.8	24.7	30	PASS
Band4	5MHz	16QAM	20175	12RB#0	21.13	24.03	30	PASS
Band4	5MHz	16QAM	20175	12RB#6	21.16	24.06	30	PASS
Band4	5MHz	16QAM	20175	12RB#13	21.11	24.01	30	PASS
Band4	5MHz	16QAM	20175	25RB#0	21.1	24	30	PASS
Band4	5MHz	16QAM	20375	1RB#0	21.68	24.58	30	PASS
Band4	5MHz	16QAM	20375	1RB#12	21.92	24.82	30	PASS
Band4	5MHz	16QAM	20375	1RB#24	21.97	24.87	30	PASS
Band4	5MHz	16QAM	20375	12RB#0	21.2	24.1	30	PASS
Band4	5MHz	16QAM	20375	12RB#6	21.06	23.96	30	PASS
Band4	5MHz	16QAM	20375	12RB#13	21.25	24.15	30	PASS
Band4	5MHz	16QAM	20375	25RB#0	21.27	24.17	30	PASS
Band4	10MHz	QPSK	20000	1RB#0	23.23	26.13	30	PASS
Band4	10MHz	QPSK	20000	1RB#24	23.69	26.59	30	PASS
Band4	10MHz	QPSK	20000	1RB#49	22.79	25.69	30	PASS
Band4	10MHz	QPSK	20000	25RB#0	23.86	26.76	30	PASS
Band4	10MHz	QPSK	20000	25RB#12	22.55	25.45	30	PASS
Band4	10MHz	QPSK	20000	25RB#25	22.2	25.1	30	PASS
Band4	10MHz	QPSK	20000	50RB#0	22.43	25.33	30	PASS
Band4	10MHz	QPSK	20175	1RB#0	22.96	25.86	30	PASS
Band4	10MHz	QPSK	20175	1RB#24	23.83	26.73	30	PASS
Band4	10MHz	QPSK	20175	1RB#49	22.83	25.73	30	PASS
Band4	10MHz	QPSK	20175	25RB#0	22.31	25.21	30	PASS
Band4	10MHz	QPSK	20175	25RB#12	22.47	25.37	30	PASS
Band4	10MHz	QPSK	20175	25RB#25	22.25	25.15	30	PASS
Band4	10MHz	QPSK	20175	50RB#0	22.14	25.04	30	PASS
Band4	10MHz	QPSK	20350	1RB#0	22.86	25.76	30	PASS
Band4	10MHz	QPSK	20350	1RB#24	23.43	26.33	30	PASS

Band4	10MHz	QPSK	20350	1RB#49	22.65	25.55	30	PASS
Band4	10MHz	QPSK	20350	25RB#0	22.41	25.31	30	PASS
Band4	10MHz	QPSK	20350	25RB#12	22.31	25.21	30	PASS
Band4	10MHz	QPSK	20350	25RB#25	22.13	25.03	30	PASS
Band4	10MHz	QPSK	20350	50RB#0	22.24	25.14	30	PASS
Band4	10MHz	16QAM	20000	1RB#0	22.09	24.99	30	PASS
Band4	10MHz	16QAM	20000	1RB#24	22.2	25.1	30	PASS
Band4	10MHz	16QAM	20000	1RB#49	22.09	24.99	30	PASS
Band4	10MHz	16QAM	20000	25RB#0	21.51	24.41	30	PASS
Band4	10MHz	16QAM	20000	25RB#12	21.4	24.3	30	PASS
Band4	10MHz	16QAM	20000	25RB#25	21.32	24.22	30	PASS
Band4	10MHz	16QAM	20000	50RB#0	21.53	24.43	30	PASS
Band4	10MHz	16QAM	20175	1RB#0	21.8	24.7	30	PASS
Band4	10MHz	16QAM	20175	1RB#24	22.06	24.96	30	PASS
Band4	10MHz	16QAM	20175	1RB#49	21.84	24.74	30	PASS
Band4	10MHz	16QAM	20175	25RB#0	21.34	24.24	30	PASS
Band4	10MHz	16QAM	20175	25RB#12	21.43	24.33	30	PASS
Band4	10MHz	16QAM	20175	25RB#25	21.33	24.23	30	PASS
Band4	10MHz	16QAM	20175	50RB#0	21.2	24.1	30	PASS
Band4	10MHz	16QAM	20350	1RB#0	21.94	24.84	30	PASS
Band4	10MHz	16QAM	20350	1RB#24	21.85	24.75	30	PASS
Band4	10MHz	16QAM	20350	1RB#49	22.1	25	30	PASS
Band4	10MHz	16QAM	20350	25RB#0	21.27	24.17	30	PASS
Band4	10MHz	16QAM	20350	25RB#12	21.25	24.15	30	PASS
Band4	10MHz	16QAM	20350	25RB#25	21.3	24.2	30	PASS
Band4	10MHz	16QAM	20350	50RB#0	21.15	24.05	30	PASS
Band4	15MHz	QPSK	20025	1RB#0	23.11	26.01	30	PASS
Band4	15MHz	QPSK	20025	1RB#38	23.76	26.66	30	PASS
Band4	15MHz	QPSK	20025	1RB#74	22.72	25.62	30	PASS
Band4	15MHz	QPSK	20025	36RB#0	23.66	26.56	30	PASS
Band4	15MHz	QPSK	20025	36RB#18	22.58	25.48	30	PASS
Band4	15MHz	QPSK	20025	36RB#39	22.26	25.16	30	PASS
Band4	15MHz	QPSK	20025	75RB#0	22.59	25.49	30	PASS
Band4	15MHz	QPSK	20175	1RB#0	22.97	25.87	30	PASS
Band4	15MHz	QPSK	20175	1RB#38	24.91	27.81	30	PASS
Band4	15MHz	QPSK	20175	1RB#74	22.88	25.78	30	PASS
Band4	15MHz	QPSK	20175	36RB#0	22.33	25.23	30	PASS
Band4	15MHz	QPSK	20175	36RB#18	22.46	25.36	30	PASS
Band4	15MHz	QPSK	20175	36RB#39	22.39	25.29	30	PASS
Band4	15MHz	QPSK	20175	75RB#0	22.25	25.15	30	PASS

Band4	15MHz	QPSK	20325	1RB#0	23.15	26.05	30	PASS
Band4	15MHz	QPSK	20325	1RB#38	23.34	26.24	30	PASS
Band4	15MHz	QPSK	20325	1RB#74	22.74	25.64	30	PASS
Band4	15MHz	QPSK	20325	36RB#0	22.58	25.48	30	PASS
Band4	15MHz	QPSK	20325	36RB#18	22.29	25.19	30	PASS
Band4	15MHz	QPSK	20325	36RB#39	22.07	24.97	30	PASS
Band4	15MHz	QPSK	20325	75RB#0	22.27	25.17	30	PASS
Band4	15MHz	16QAM	20025	1RB#0	21.99	24.89	30	PASS
Band4	15MHz	16QAM	20025	1RB#38	21.95	24.85	30	PASS
Band4	15MHz	16QAM	20025	1RB#74	21.95	24.85	30	PASS
Band4	15MHz	16QAM	20025	36RB#0	21.43	24.33	30	PASS
Band4	15MHz	16QAM	20025	36RB#18	21.42	24.32	30	PASS
Band4	15MHz	16QAM	20025	36RB#39	21.45	24.35	30	PASS
Band4	15MHz	16QAM	20025	75RB#0	21.48	24.38	30	PASS
Band4	15MHz	16QAM	20175	1RB#0	21.84	24.74	30	PASS
Band4	15MHz	16QAM	20175	1RB#38	21.74	24.64	30	PASS
Band4	15MHz	16QAM	20175	1RB#74	21.78	24.68	30	PASS
Band4	15MHz	16QAM	20175	36RB#0	21.27	24.17	30	PASS
Band4	15MHz	16QAM	20175	36RB#18	21.26	24.16	30	PASS
Band4	15MHz	16QAM	20175	36RB#39	21.2	24.1	30	PASS
Band4	15MHz	16QAM	20175	75RB#0	21.3	24.2	30	PASS
Band4	15MHz	16QAM	20325	1RB#0	22.06	24.96	30	PASS
Band4	15MHz	16QAM	20325	1RB#38	21.97	24.87	30	PASS
Band4	15MHz	16QAM	20325	1RB#74	22.05	24.95	30	PASS
Band4	15MHz	16QAM	20325	36RB#0	21.35	24.25	30	PASS
Band4	15MHz	16QAM	20325	36RB#18	21.26	24.16	30	PASS
Band4	15MHz	16QAM	20325	36RB#39	21.33	24.23	30	PASS
Band4	15MHz	16QAM	20325	75RB#0	21.27	24.17	30	PASS
Band4	20MHz	QPSK	20050	1RB#0	22.98	25.88	30	PASS
Band4	20MHz	QPSK	20050	1RB#49	23.61	26.51	30	PASS
Band4	20MHz	QPSK	20050	1RB#99	22.79	25.69	30	PASS
Band4	20MHz	QPSK	20050	50RB#0	23.45	26.35	30	PASS
Band4	20MHz	QPSK	20050	50RB#25	22.67	25.57	30	PASS
Band4	20MHz	QPSK	20050	50RB#50	22.37	25.27	30	PASS
Band4	20MHz	QPSK	20050	100RB#0	22.51	25.41	30	PASS
Band4	20MHz	QPSK	20175	1RB#0	22.46	25.36	30	PASS
Band4	20MHz	QPSK	20175	1RB#49	24.89	27.79	30	PASS
Band4	20MHz	QPSK	20175	1RB#99	23.18	26.08	30	PASS
Band4	20MHz	QPSK	20175	50RB#0	22.42	25.32	30	PASS
Band4	20MHz	QPSK	20175	50RB#25	22.53	25.43	30	PASS

Band4	20MHz	QPSK	20175	50RB#50	22.36	25.26	30	PASS
Band4	20MHz	QPSK	20175	100RB#0	22.25	25.15	30	PASS
Band4	20MHz	QPSK	20300	1RB#0	23.14	26.04	30	PASS
Band4	20MHz	QPSK	20300	1RB#49	23.89	26.79	30	PASS
Band4	20MHz	QPSK	20300	1RB#99	22	24.9	30	PASS
Band4	20MHz	QPSK	20300	50RB#0	22.19	25.09	30	PASS
Band4	20MHz	QPSK	20300	50RB#25	22.41	25.31	30	PASS
Band4	20MHz	QPSK	20300	50RB#50	21.89	24.79	30	PASS
Band4	20MHz	QPSK	20300	100RB#0	22.42	25.32	30	PASS
Band4	20MHz	16QAM	20050	1RB#0	22.11	25.01	30	PASS
Band4	20MHz	16QAM	20050	1RB#49	22.17	25.07	30	PASS
Band4	20MHz	16QAM	20050	1RB#99	22.07	24.97	30	PASS
Band4	20MHz	16QAM	20050	50RB#0	21.57	24.47	30	PASS
Band4	20MHz	16QAM	20050	50RB#25	21.52	24.42	30	PASS
Band4	20MHz	16QAM	20050	50RB#50	21.55	24.45	30	PASS
Band4	20MHz	16QAM	20050	100RB#0	21.61	24.51	30	PASS
Band4	20MHz	16QAM	20175	1RB#0	21.72	24.62	30	PASS
Band4	20MHz	16QAM	20175	1RB#49	22.01	24.91	30	PASS
Band4	20MHz	16QAM	20175	1RB#99	21.96	24.86	30	PASS
Band4	20MHz	16QAM	20175	50RB#0	21.35	24.25	30	PASS
Band4	20MHz	16QAM	20175	50RB#25	21.33	24.23	30	PASS
Band4	20MHz	16QAM	20175	50RB#50	21.33	24.23	30	PASS
Band4	20MHz	16QAM	20175	100RB#0	21.18	24.08	30	PASS
Band4	20MHz	16QAM	20300	1RB#0	22.05	24.95	30	PASS
Band4	20MHz	16QAM	20300	1RB#49	21.71	24.61	30	PASS
Band4	20MHz	16QAM	20300	1RB#99	21.87	24.77	30	PASS
Band4	20MHz	16QAM	20300	50RB#0	21.49	24.39	30	PASS
Band4	20MHz	16QAM	20300	50RB#25	21.38	24.28	30	PASS
Band4	20MHz	16QAM	20300	50RB#50	21.36	24.26	30	PASS
Band4	20MHz	16QAM	20300	100RB#0	21.53	24.43	30	PASS
Band5	1.4MHz	QPSK	20407	1RB#0	23.01	23.33	38.45	PASS
Band5	1.4MHz	QPSK	20407	1RB#2	23.23	23.55	38.45	PASS
Band5	1.4MHz	QPSK	20407	1RB#5	23.38	23.7	38.45	PASS
Band5	1.4MHz	QPSK	20407	3RB#0	23.47	23.79	38.45	PASS
Band5	1.4MHz	QPSK	20407	3RB#1	23.5	23.82	38.45	PASS
Band5	1.4MHz	QPSK	20407	3RB#3	23.46	23.78	38.45	PASS
Band5	1.4MHz	QPSK	20407	6RB#0	22.5	22.82	38.45	PASS
Band5	1.4MHz	QPSK	20525	1RB#0	23.25	23.57	38.45	PASS
Band5	1.4MHz	QPSK	20525	1RB#2	23.3	23.62	38.45	PASS
Band5	1.4MHz	QPSK	20525	1RB#5	23.18	23.5	38.45	PASS

Band5	1.4MHz	QPSK	20525	3RB#0	23.33	23.65	38.45	PASS
Band5	1.4MHz	QPSK	20525	3RB#1	23.36	23.68	38.45	PASS
Band5	1.4MHz	QPSK	20525	3RB#3	23.37	23.69	38.45	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	22.28	22.6	38.45	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	23.29	23.61	38.45	PASS
Band5	1.4MHz	QPSK	20643	1RB#2	23.36	23.68	38.45	PASS
Band5	1.4MHz	QPSK	20643	1RB#5	23.31	23.63	38.45	PASS
Band5	1.4MHz	QPSK	20643	3RB#0	23.41	23.73	38.45	PASS
Band5	1.4MHz	QPSK	20643	3RB#1	23.44	23.76	38.45	PASS
Band5	1.4MHz	QPSK	20643	3RB#3	23.33	23.65	38.45	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	22.48	22.8	38.45	PASS
Band5	1.4MHz	16QAM	20407	1RB#0	21.99	22.31	38.45	PASS
Band5	1.4MHz	16QAM	20407	1RB#2	22.21	22.53	38.45	PASS
Band5	1.4MHz	16QAM	20407	1RB#5	22.07	22.39	38.45	PASS
Band5	1.4MHz	16QAM	20407	3RB#0	22.63	22.95	38.45	PASS
Band5	1.4MHz	16QAM	20407	3RB#1	22.52	22.84	38.45	PASS
Band5	1.4MHz	16QAM	20407	3RB#3	22.73	23.05	38.45	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	21.28	21.6	38.45	PASS
Band5	1.4MHz	16QAM	20525	1RB#0	22.11	22.43	38.45	PASS
Band5	1.4MHz	16QAM	20525	1RB#2	22.1	22.42	38.45	PASS
Band5	1.4MHz	16QAM	20525	1RB#5	21.88	22.2	38.45	PASS
Band5	1.4MHz	16QAM	20525	3RB#0	22.49	22.81	38.45	PASS
Band5	1.4MHz	16QAM	20525	3RB#1	22.29	22.61	38.45	PASS
Band5	1.4MHz	16QAM	20525	3RB#3	22.41	22.73	38.45	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	21.31	21.63	38.45	PASS
Band5	1.4MHz	16QAM	20643	1RB#0	22.02	22.34	38.45	PASS
Band5	1.4MHz	16QAM	20643	1RB#2	21.94	22.26	38.45	PASS
Band5	1.4MHz	16QAM	20643	1RB#5	21.79	22.11	38.45	PASS
Band5	1.4MHz	16QAM	20643	3RB#0	22.62	22.94	38.45	PASS
Band5	1.4MHz	16QAM	20643	3RB#1	22.46	22.78	38.45	PASS
Band5	1.4MHz	16QAM	20643	3RB#3	22.6	22.92	38.45	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	21.29	21.61	38.45	PASS
Band5	3MHz	QPSK	20415	1RB#0	23.47	23.79	38.45	PASS
Band5	3MHz	QPSK	20415	1RB#8	23.49	23.81	38.45	PASS
Band5	3MHz	QPSK	20415	1RB#14	23.3	23.62	38.45	PASS
Band5	3MHz	QPSK	20415	8RB#0	22.6	22.92	38.45	PASS
Band5	3MHz	QPSK	20415	8RB#4	22.51	22.83	38.45	PASS
Band5	3MHz	QPSK	20415	8RB#7	22.58	22.9	38.45	PASS
Band5	3MHz	QPSK	20415	15RB#0	22.55	22.87	38.45	PASS
Band5	3MHz	QPSK	20525	1RB#0	23.4	23.72	38.45	PASS

Band5	3MHz	QPSK	20525	1RB#8	23.32	23.64	38.45	PASS
Band5	3MHz	QPSK	20525	1RB#14	23.04	23.36	38.45	PASS
Band5	3MHz	QPSK	20525	8RB#0	22.43	22.75	38.45	PASS
Band5	3MHz	QPSK	20525	8RB#4	22.51	22.83	38.45	PASS
Band5	3MHz	QPSK	20525	8RB#7	22.31	22.63	38.45	PASS
Band5	3MHz	QPSK	20525	15RB#0	22.32	22.64	38.45	PASS
Band5	3MHz	QPSK	20635	1RB#0	23.47	23.79	38.45	PASS
Band5	3MHz	QPSK	20635	1RB#8	23.57	23.89	38.45	PASS
Band5	3MHz	QPSK	20635	1RB#14	23.27	23.59	38.45	PASS
Band5	3MHz	QPSK	20635	8RB#0	22.56	22.88	38.45	PASS
Band5	3MHz	QPSK	20635	8RB#4	22.48	22.8	38.45	PASS
Band5	3MHz	QPSK	20635	8RB#7	22.45	22.77	38.45	PASS
Band5	3MHz	QPSK	20635	15RB#0	22.51	22.83	38.45	PASS
Band5	3MHz	16QAM	20415	1RB#0	22.09	22.41	38.45	PASS
Band5	3MHz	16QAM	20415	1RB#8	22.01	22.33	38.45	PASS
Band5	3MHz	16QAM	20415	1RB#14	21.73	22.05	38.45	PASS
Band5	3MHz	16QAM	20415	8RB#0	21.39	21.71	38.45	PASS
Band5	3MHz	16QAM	20415	8RB#4	21.47	21.79	38.45	PASS
Band5	3MHz	16QAM	20415	8RB#7	21.46	21.78	38.45	PASS
Band5	3MHz	16QAM	20415	15RB#0	21.55	21.87	38.45	PASS
Band5	3MHz	16QAM	20525	1RB#0	22.17	22.49	38.45	PASS
Band5	3MHz	16QAM	20525	1RB#8	22.06	22.38	38.45	PASS
Band5	3MHz	16QAM	20525	1RB#14	22.06	22.38	38.45	PASS
Band5	3MHz	16QAM	20525	8RB#0	21.32	21.64	38.45	PASS
Band5	3MHz	16QAM	20525	8RB#4	21.23	21.55	38.45	PASS
Band5	3MHz	16QAM	20525	8RB#7	21.28	21.6	38.45	PASS
Band5	3MHz	16QAM	20525	15RB#0	21.56	21.88	38.45	PASS
Band5	3MHz	16QAM	20635	1RB#0	22.14	22.46	38.45	PASS
Band5	3MHz	16QAM	20635	1RB#8	22.09	22.41	38.45	PASS
Band5	3MHz	16QAM	20635	1RB#14	22.07	22.39	38.45	PASS
Band5	3MHz	16QAM	20635	8RB#0	21.28	21.6	38.45	PASS
Band5	3MHz	16QAM	20635	8RB#4	21.31	21.63	38.45	PASS
Band5	3MHz	16QAM	20635	8RB#7	21.44	21.76	38.45	PASS
Band5	3MHz	16QAM	20635	15RB#0	21.49	21.81	38.45	PASS
Band5	5MHz	QPSK	20425	1RB#0	23.41	23.73	38.45	PASS
Band5	5MHz	QPSK	20425	1RB#12	23.43	23.75	38.45	PASS
Band5	5MHz	QPSK	20425	1RB#24	23.24	23.56	38.45	PASS
Band5	5MHz	QPSK	20425	12RB#0	22.68	23	38.45	PASS
Band5	5MHz	QPSK	20425	12RB#6	22.56	22.88	38.45	PASS
Band5	5MHz	QPSK	20425	12RB#13	22.49	22.81	38.45	PASS

Band5	5MHz	QPSK	20425	25RB#0	22.55	22.87	38.45	PASS
Band5	5MHz	QPSK	20525	1RB#0	23.11	23.43	38.45	PASS
Band5	5MHz	QPSK	20525	1RB#12	23.29	23.61	38.45	PASS
Band5	5MHz	QPSK	20525	1RB#24	23.15	23.47	38.45	PASS
Band5	5MHz	QPSK	20525	12RB#0	22.48	22.8	38.45	PASS
Band5	5MHz	QPSK	20525	12RB#6	22.46	22.78	38.45	PASS
Band5	5MHz	QPSK	20525	12RB#13	22.46	22.78	38.45	PASS
Band5	5MHz	QPSK	20525	25RB#0	22.41	22.73	38.45	PASS
Band5	5MHz	QPSK	20625	1RB#0	23.13	23.45	38.45	PASS
Band5	5MHz	QPSK	20625	1RB#12	23.4	23.72	38.45	PASS
Band5	5MHz	QPSK	20625	1RB#24	23.33	23.65	38.45	PASS
Band5	5MHz	QPSK	20625	12RB#0	22.45	22.77	38.45	PASS
Band5	5MHz	QPSK	20625	12RB#6	22.58	22.9	38.45	PASS
Band5	5MHz	QPSK	20625	12RB#13	22.37	22.69	38.45	PASS
Band5	5MHz	QPSK	20625	25RB#0	22.39	22.71	38.45	PASS
Band5	5MHz	16QAM	20425	1RB#0	21.87	22.19	38.45	PASS
Band5	5MHz	16QAM	20425	1RB#12	22.31	22.63	38.45	PASS
Band5	5MHz	16QAM	20425	1RB#24	21.55	21.87	38.45	PASS
Band5	5MHz	16QAM	20425	12RB#0	21.45	21.77	38.45	PASS
Band5	5MHz	16QAM	20425	12RB#6	21.44	21.76	38.45	PASS
Band5	5MHz	16QAM	20425	12RB#13	21.23	21.55	38.45	PASS
Band5	5MHz	16QAM	20425	25RB#0	21.48	21.8	38.45	PASS
Band5	5MHz	16QAM	20525	1RB#0	21.85	22.17	38.45	PASS
Band5	5MHz	16QAM	20525	1RB#12	22.36	22.68	38.45	PASS
Band5	5MHz	16QAM	20525	1RB#24	21.96	22.28	38.45	PASS
Band5	5MHz	16QAM	20525	12RB#0	21.36	21.68	38.45	PASS
Band5	5MHz	16QAM	20525	12RB#6	21.21	21.53	38.45	PASS
Band5	5MHz	16QAM	20525	12RB#13	21.2	21.52	38.45	PASS
Band5	5MHz	16QAM	20525	25RB#0	21.43	21.75	38.45	PASS
Band5	5MHz	16QAM	20625	1RB#0	21.95	22.27	38.45	PASS
Band5	5MHz	16QAM	20625	1RB#12	22.52	22.84	38.45	PASS
Band5	5MHz	16QAM	20625	1RB#24	21.96	22.28	38.45	PASS
Band5	5MHz	16QAM	20625	12RB#0	21.43	21.75	38.45	PASS
Band5	5MHz	16QAM	20625	12RB#6	21.3	21.62	38.45	PASS
Band5	5MHz	16QAM	20625	12RB#13	21.26	21.58	38.45	PASS
Band5	5MHz	16QAM	20625	25RB#0	21.25	21.57	38.45	PASS
Band5	10MHz	QPSK	20450	1RB#0	23.51	23.83	38.45	PASS
Band5	10MHz	QPSK	20450	1RB#24	23.53	23.85	38.45	PASS
Band5	10MHz	QPSK	20450	1RB#49	23.04	23.36	38.45	PASS
Band5	10MHz	QPSK	20450	25RB#0	22.61	22.93	38.45	PASS

Band5	10MHz	QPSK	20450	25RB#12	22.66	22.98	38.45	PASS
Band5	10MHz	QPSK	20450	25RB#25	22.28	22.6	38.45	PASS
Band5	10MHz	QPSK	20450	50RB#0	22.38	22.7	38.45	PASS
Band5	10MHz	QPSK	20525	1RB#0	23.22	23.54	38.45	PASS
Band5	10MHz	QPSK	20525	1RB#24	24	24.32	38.45	PASS
Band5	10MHz	QPSK	20525	1RB#49	23.03	23.35	38.45	PASS
Band5	10MHz	QPSK	20525	25RB#0	22.57	22.89	38.45	PASS
Band5	10MHz	QPSK	20525	25RB#12	22.53	22.85	38.45	PASS
Band5	10MHz	QPSK	20525	25RB#25	22.33	22.65	38.45	PASS
Band5	10MHz	QPSK	20525	50RB#0	22.43	22.75	38.45	PASS
Band5	10MHz	QPSK	20600	1RB#0	23.3	23.62	38.45	PASS
Band5	10MHz	QPSK	20600	1RB#24	23.54	23.86	38.45	PASS
Band5	10MHz	QPSK	20600	1RB#49	23	23.32	38.45	PASS
Band5	10MHz	QPSK	20600	25RB#0	22.51	22.83	38.45	PASS
Band5	10MHz	QPSK	20600	25RB#12	22.45	22.77	38.45	PASS
Band5	10MHz	QPSK	20600	25RB#25	22.35	22.67	38.45	PASS
Band5	10MHz	QPSK	20600	50RB#0	22.43	22.75	38.45	PASS
Band5	10MHz	16QAM	20450	1RB#0	22.12	22.44	38.45	PASS
Band5	10MHz	16QAM	20450	1RB#24	22.04	22.36	38.45	PASS
Band5	10MHz	16QAM	20450	1RB#49	22.06	22.38	38.45	PASS
Band5	10MHz	16QAM	20450	25RB#0	21.59	21.91	38.45	PASS
Band5	10MHz	16QAM	20450	25RB#12	21.53	21.85	38.45	PASS
Band5	10MHz	16QAM	20450	25RB#25	21.33	21.65	38.45	PASS
Band5	10MHz	16QAM	20450	50RB#0	21.3	21.62	38.45	PASS
Band5	10MHz	16QAM	20525	1RB#0	22.06	22.38	38.45	PASS
Band5	10MHz	16QAM	20525	1RB#24	21.98	22.3	38.45	PASS
Band5	10MHz	16QAM	20525	1RB#49	21.94	22.26	38.45	PASS
Band5	10MHz	16QAM	20525	25RB#0	21.52	21.84	38.45	PASS
Band5	10MHz	16QAM	20525	25RB#12	21.65	21.97	38.45	PASS
Band5	10MHz	16QAM	20525	25RB#25	21.41	21.73	38.45	PASS
Band5	10MHz	16QAM	20525	50RB#0	21.48	21.8	38.45	PASS
Band5	10MHz	16QAM	20600	1RB#0	22.17	22.49	38.45	PASS
Band5	10MHz	16QAM	20600	1RB#24	22.01	22.33	38.45	PASS
Band5	10MHz	16QAM	20600	1RB#49	21.99	22.31	38.45	PASS
Band5	10MHz	16QAM	20600	25RB#0	21.5	21.82	38.45	PASS
Band5	10MHz	16QAM	20600	25RB#12	21.32	21.64	38.45	PASS
Band5	10MHz	16QAM	20600	25RB#25	21.31	21.63	38.45	PASS
Band5	10MHz	16QAM	20600	50RB#0	21.44	21.76	38.45	PASS
Band7	5MHz	QPSK	20775	1RB#0	22.8	25.3	33	PASS
Band7	5MHz	QPSK	20775	1RB#12	23.05	25.55	33	PASS

Band7	5MHz	QPSK	20775	1RB#24	22.57	25.07	33	PASS
Band7	5MHz	QPSK	20775	12RB#0	22.05	24.55	33	PASS
Band7	5MHz	QPSK	20775	12RB#6	22.1	24.6	33	PASS
Band7	5MHz	QPSK	20775	12RB#13	21.89	24.39	33	PASS
Band7	5MHz	QPSK	20775	25RB#0	22.04	24.54	33	PASS
Band7	5MHz	QPSK	21100	1RB#0	22.89	25.39	33	PASS
Band7	5MHz	QPSK	21100	1RB#12	23.05	25.55	33	PASS
Band7	5MHz	QPSK	21100	1RB#24	22.73	25.23	33	PASS
Band7	5MHz	QPSK	21100	12RB#0	22.05	24.55	33	PASS
Band7	5MHz	QPSK	21100	12RB#6	22.03	24.53	33	PASS
Band7	5MHz	QPSK	21100	12RB#13	21.93	24.43	33	PASS
Band7	5MHz	QPSK	21100	25RB#0	21.96	24.46	33	PASS
Band7	5MHz	QPSK	21425	1RB#0	22.89	25.39	33	PASS
Band7	5MHz	QPSK	21425	1RB#12	22.99	25.49	33	PASS
Band7	5MHz	QPSK	21425	1RB#24	22.75	25.25	33	PASS
Band7	5MHz	QPSK	21425	12RB#0	22.28	24.78	33	PASS
Band7	5MHz	QPSK	21425	12RB#6	22.11	24.61	33	PASS
Band7	5MHz	QPSK	21425	12RB#13	21.97	24.47	33	PASS
Band7	5MHz	QPSK	21425	25RB#0	22.2	24.7	33	PASS
Band7	5MHz	16QAM	20775	1RB#0	21.62	24.12	33	PASS
Band7	5MHz	16QAM	20775	1RB#12	21.91	24.41	33	PASS
Band7	5MHz	16QAM	20775	1RB#24	21.6	24.1	33	PASS
Band7	5MHz	16QAM	20775	12RB#0	21.04	23.54	33	PASS
Band7	5MHz	16QAM	20775	12RB#6	21.09	23.59	33	PASS
Band7	5MHz	16QAM	20775	12RB#13	20.77	23.27	33	PASS
Band7	5MHz	16QAM	20775	25RB#0	21.08	23.58	33	PASS
Band7	5MHz	16QAM	21100	1RB#0	21.71	24.21	33	PASS
Band7	5MHz	16QAM	21100	1RB#12	22.04	24.54	33	PASS
Band7	5MHz	16QAM	21100	1RB#24	21.66	24.16	33	PASS
Band7	5MHz	16QAM	21100	12RB#0	20.93	23.43	33	PASS
Band7	5MHz	16QAM	21100	12RB#6	21.01	23.51	33	PASS
Band7	5MHz	16QAM	21100	12RB#13	20.99	23.49	33	PASS
Band7	5MHz	16QAM	21100	25RB#0	21	23.5	33	PASS
Band7	5MHz	16QAM	21425	1RB#0	21.6	24.1	33	PASS
Band7	5MHz	16QAM	21425	1RB#12	22	24.5	33	PASS
Band7	5MHz	16QAM	21425	1RB#24	21.78	24.28	33	PASS
Band7	5MHz	16QAM	21425	12RB#0	21.05	23.55	33	PASS
Band7	5MHz	16QAM	21425	12RB#6	21.1	23.6	33	PASS
Band7	5MHz	16QAM	21425	12RB#13	20.91	23.41	33	PASS
Band7	5MHz	16QAM	21425	25RB#0	21.17	23.67	33	PASS

Band7	10MHz	QPSK	20800	1RB#0	22.91	25.41	33	PASS
Band7	10MHz	QPSK	20800	1RB#24	23.45	25.95	33	PASS
Band7	10MHz	QPSK	20800	1RB#49	22.64	25.14	33	PASS
Band7	10MHz	QPSK	20800	25RB#0	22.24	24.74	33	PASS
Band7	10MHz	QPSK	20800	25RB#12	22.18	24.68	33	PASS
Band7	10MHz	QPSK	20800	25RB#25	21.97	24.47	33	PASS
Band7	10MHz	QPSK	20800	50RB#0	22.17	24.67	33	PASS
Band7	10MHz	QPSK	21100	1RB#0	23.07	25.57	33	PASS
Band7	10MHz	QPSK	21100	1RB#24	23.71	26.21	33	PASS
Band7	10MHz	QPSK	21100	1RB#49	22.64	25.14	33	PASS
Band7	10MHz	QPSK	21100	25RB#0	22.34	24.84	33	PASS
Band7	10MHz	QPSK	21100	25RB#12	22.2	24.7	33	PASS
Band7	10MHz	QPSK	21100	25RB#25	21.94	24.44	33	PASS
Band7	10MHz	QPSK	21100	50RB#0	22.06	24.56	33	PASS
Band7	10MHz	QPSK	21400	1RB#0	23.04	25.54	33	PASS
Band7	10MHz	QPSK	21400	1RB#24	23.38	25.88	33	PASS
Band7	10MHz	QPSK	21400	1RB#49	22.38	24.88	33	PASS
Band7	10MHz	QPSK	21400	25RB#0	22.42	24.92	33	PASS
Band7	10MHz	QPSK	21400	25RB#12	22.36	24.86	33	PASS
Band7	10MHz	QPSK	21400	25RB#25	22.1	24.6	33	PASS
Band7	10MHz	QPSK	21400	50RB#0	22.2	24.7	33	PASS
Band7	10MHz	16QAM	20800	1RB#0	21.62	24.12	33	PASS
Band7	10MHz	16QAM	20800	1RB#24	21.88	24.38	33	PASS
Band7	10MHz	16QAM	20800	1RB#49	21.76	24.26	33	PASS
Band7	10MHz	16QAM	20800	25RB#0	20.97	23.47	33	PASS
Band7	10MHz	16QAM	20800	25RB#12	21.11	23.61	33	PASS
Band7	10MHz	16QAM	20800	25RB#25	21.09	23.59	33	PASS
Band7	10MHz	16QAM	20800	50RB#0	21.2	23.7	33	PASS
Band7	10MHz	16QAM	21100	1RB#0	21.86	24.36	33	PASS
Band7	10MHz	16QAM	21100	1RB#24	21.93	24.43	33	PASS
Band7	10MHz	16QAM	21100	1RB#49	21.82	24.32	33	PASS
Band7	10MHz	16QAM	21100	25RB#0	21.13	23.63	33	PASS
Band7	10MHz	16QAM	21100	25RB#12	21.01	23.51	33	PASS
Band7	10MHz	16QAM	21100	25RB#25	21.05	23.55	33	PASS
Band7	10MHz	16QAM	21100	50RB#0	21.1	23.6	33	PASS
Band7	10MHz	16QAM	21400	1RB#0	21.77	24.27	33	PASS
Band7	10MHz	16QAM	21400	1RB#24	21.77	24.27	33	PASS
Band7	10MHz	16QAM	21400	1RB#49	21.87	24.37	33	PASS
Band7	10MHz	16QAM	21400	25RB#0	21.2	23.7	33	PASS
Band7	10MHz	16QAM	21400	25RB#12	21.08	23.58	33	PASS

Band7	10MHz	16QAM	21400	25RB#25	21.22	23.72	33	PASS
Band7	10MHz	16QAM	21400	50RB#0	21.06	23.56	33	PASS
Band7	15MHz	QPSK	20825	1RB#0	23.02	25.52	33	PASS
Band7	15MHz	QPSK	20825	1RB#38	23.39	25.89	33	PASS
Band7	15MHz	QPSK	20825	1RB#74	22.72	25.22	33	PASS
Band7	15MHz	QPSK	20825	36RB#0	22.25	24.75	33	PASS
Band7	15MHz	QPSK	20825	36RB#18	22.17	24.67	33	PASS
Band7	15MHz	QPSK	20825	36RB#39	21.96	24.46	33	PASS
Band7	15MHz	QPSK	20825	75RB#0	22.18	24.68	33	PASS
Band7	15MHz	QPSK	21100	1RB#0	23.04	25.54	33	PASS
Band7	15MHz	QPSK	21100	1RB#38	23.39	25.89	33	PASS
Band7	15MHz	QPSK	21100	1RB#74	22.63	25.13	33	PASS
Band7	15MHz	QPSK	21100	36RB#0	22.37	24.87	33	PASS
Band7	15MHz	QPSK	21100	36RB#18	22.33	24.83	33	PASS
Band7	15MHz	QPSK	21100	36RB#39	21.96	24.46	33	PASS
Band7	15MHz	QPSK	21100	75RB#0	22.22	24.72	33	PASS
Band7	15MHz	QPSK	21375	1RB#0	23.05	25.55	33	PASS
Band7	15MHz	QPSK	21375	1RB#38	23.39	25.89	33	PASS
Band7	15MHz	QPSK	21375	1RB#74	22.66	25.16	33	PASS
Band7	15MHz	QPSK	21375	36RB#0	22.38	24.88	33	PASS
Band7	15MHz	QPSK	21375	36RB#18	22.26	24.76	33	PASS
Band7	15MHz	QPSK	21375	36RB#39	22	24.5	33	PASS
Band7	15MHz	QPSK	21375	75RB#0	22.26	24.76	33	PASS
Band7	15MHz	16QAM	20825	1RB#0	21.77	24.27	33	PASS
Band7	15MHz	16QAM	20825	1RB#38	21.81	24.31	33	PASS
Band7	15MHz	16QAM	20825	1RB#74	21.44	23.94	33	PASS
Band7	15MHz	16QAM	20825	36RB#0	21.09	23.59	33	PASS
Band7	15MHz	16QAM	20825	36RB#18	21.08	23.58	33	PASS
Band7	15MHz	16QAM	20825	36RB#39	21.1	23.6	33	PASS
Band7	15MHz	16QAM	20825	75RB#0	21.3	23.8	33	PASS
Band7	15MHz	16QAM	21100	1RB#0	21.72	24.22	33	PASS
Band7	15MHz	16QAM	21100	1RB#38	21.87	24.37	33	PASS
Band7	15MHz	16QAM	21100	1RB#74	21.83	24.33	33	PASS
Band7	15MHz	16QAM	21100	36RB#0	21.21	23.71	33	PASS
Band7	15MHz	16QAM	21100	36RB#18	21.14	23.64	33	PASS
Band7	15MHz	16QAM	21100	36RB#39	21.18	23.68	33	PASS
Band7	15MHz	16QAM	21100	75RB#0	21.16	23.66	33	PASS
Band7	15MHz	16QAM	21375	1RB#0	21.9	24.4	33	PASS
Band7	15MHz	16QAM	21375	1RB#38	21.95	24.45	33	PASS
Band7	15MHz	16QAM	21375	1RB#74	21.97	24.47	33	PASS

Band7	15MHz	16QAM	21375	36RB#0	21.16	23.66	33	PASS
Band7	15MHz	16QAM	21375	36RB#18	21.21	23.71	33	PASS
Band7	15MHz	16QAM	21375	36RB#39	21.14	23.64	33	PASS
Band7	15MHz	16QAM	21375	75RB#0	21.2	23.7	33	PASS
Band7	20MHz	QPSK	20850	1RB#0	22.88	25.38	33	PASS
Band7	20MHz	QPSK	20850	1RB#49	23.55	26.05	33	PASS
Band7	20MHz	QPSK	20850	1RB#99	22.75	25.25	33	PASS
Band7	20MHz	QPSK	20850	50RB#0	22.27	24.77	33	PASS
Band7	20MHz	QPSK	20850	50RB#25	22.39	24.89	33	PASS
Band7	20MHz	QPSK	20850	50RB#50	22.09	24.59	33	PASS
Band7	20MHz	QPSK	20850	100RB#0	22.1	24.6	33	PASS
Band7	20MHz	QPSK	21100	1RB#0	23.05	25.55	33	PASS
Band7	20MHz	QPSK	21100	1RB#49	23.73	26.23	33	PASS
Band7	20MHz	QPSK	21100	1RB#99	22.62	25.12	33	PASS
Band7	20MHz	QPSK	21100	50RB#0	22.37	24.87	33	PASS
Band7	20MHz	QPSK	21100	50RB#25	22.34	24.84	33	PASS
Band7	20MHz	QPSK	21100	50RB#50	21.96	24.46	33	PASS
Band7	20MHz	QPSK	21100	100RB#0	22.21	24.71	33	PASS
Band7	20MHz	QPSK	21350	1RB#0	23.02	25.52	33	PASS
Band7	20MHz	QPSK	21350	1RB#49	23.87	26.37	33	PASS
Band7	20MHz	QPSK	21350	1RB#99	22.47	24.97	33	PASS
Band7	20MHz	QPSK	21350	50RB#0	22.42	24.92	33	PASS
Band7	20MHz	QPSK	21350	50RB#25	22.38	24.88	33	PASS
Band7	20MHz	QPSK	21350	50RB#50	22.03	24.53	33	PASS
Band7	20MHz	QPSK	21350	100RB#0	22.24	24.74	33	PASS
Band7	20MHz	16QAM	20850	1RB#0	21.73	24.23	33	PASS
Band7	20MHz	16QAM	20850	1RB#49	22.02	24.52	33	PASS
Band7	20MHz	16QAM	20850	1RB#99	21.79	24.29	33	PASS
Band7	20MHz	16QAM	20850	50RB#0	21.3	23.8	33	PASS
Band7	20MHz	16QAM	20850	50RB#25	21.21	23.71	33	PASS
Band7	20MHz	16QAM	20850	50RB#50	21.04	23.54	33	PASS
Band7	20MHz	16QAM	20850	100RB#0	21.13	23.63	33	PASS
Band7	20MHz	16QAM	21100	1RB#0	21.87	24.37	33	PASS
Band7	20MHz	16QAM	21100	1RB#49	22.02	24.52	33	PASS
Band7	20MHz	16QAM	21100	1RB#99	21.64	24.14	33	PASS
Band7	20MHz	16QAM	21100	50RB#0	21.33	23.83	33	PASS
Band7	20MHz	16QAM	21100	50RB#25	21.2	23.7	33	PASS
Band7	20MHz	16QAM	21100	50RB#50	21.16	23.66	33	PASS
Band7	20MHz	16QAM	21100	100RB#0	21.25	23.75	33	PASS
Band7	20MHz	16QAM	21350	1RB#0	21.85	24.35	33	PASS

Band7	20MHz	16QAM	21350	1RB#49	21.93	24.43	33	PASS
Band7	20MHz	16QAM	21350	1RB#99	21.77	24.27	33	PASS
Band7	20MHz	16QAM	21350	50RB#0	21.27	23.77	33	PASS
Band7	20MHz	16QAM	21350	50RB#25	21.24	23.74	33	PASS
Band7	20MHz	16QAM	21350	50RB#50	21.18	23.68	33	PASS
Band7	20MHz	16QAM	21350	100RB#0	21.18	23.68	33	PASS
Band12	1.4MHz	QPSK	23017	1RB#0	23.22	20.6	34.77	PASS
Band12	1.4MHz	QPSK	23017	1RB#2	23.5	20.88	34.77	PASS
Band12	1.4MHz	QPSK	23017	1RB#5	23.34	20.72	34.77	PASS
Band12	1.4MHz	QPSK	23017	3RB#0	23.62	21	34.77	PASS
Band12	1.4MHz	QPSK	23017	3RB#1	23.56	20.94	34.77	PASS
Band12	1.4MHz	QPSK	23017	3RB#3	23.46	20.84	34.77	PASS
Band12	1.4MHz	QPSK	23017	6RB#0	22.54	19.92	34.77	PASS
Band12	1.4MHz	QPSK	23095	1RB#0	23.42	20.8	34.77	PASS
Band12	1.4MHz	QPSK	23095	1RB#2	23.64	21.02	34.77	PASS
Band12	1.4MHz	QPSK	23095	1RB#5	23.54	20.92	34.77	PASS
Band12	1.4MHz	QPSK	23095	3RB#0	23.44	20.82	34.77	PASS
Band12	1.4MHz	QPSK	23095	3RB#1	23.61	20.99	34.77	PASS
Band12	1.4MHz	QPSK	23095	3RB#3	23.65	21.03	34.77	PASS
Band12	1.4MHz	QPSK	23095	6RB#0	22.55	19.93	34.77	PASS
Band12	1.4MHz	QPSK	23173	1RB#0	23.22	20.6	34.77	PASS
Band12	1.4MHz	QPSK	23173	1RB#2	23.39	20.77	34.77	PASS
Band12	1.4MHz	QPSK	23173	1RB#5	23.49	20.87	34.77	PASS
Band12	1.4MHz	QPSK	23173	3RB#0	23.4	20.78	34.77	PASS
Band12	1.4MHz	QPSK	23173	3RB#1	23.49	20.87	34.77	PASS
Band12	1.4MHz	QPSK	23173	3RB#3	23.48	20.86	34.77	PASS
Band12	1.4MHz	QPSK	23173	6RB#0	22.47	19.85	34.77	PASS
Band12	1.4MHz	16QAM	23017	1RB#0	22.2	19.58	34.77	PASS
Band12	1.4MHz	16QAM	23017	1RB#2	22.21	19.59	34.77	PASS
Band12	1.4MHz	16QAM	23017	1RB#5	22.01	19.39	34.77	PASS
Band12	1.4MHz	16QAM	23017	3RB#0	22.82	20.2	34.77	PASS
Band12	1.4MHz	16QAM	23017	3RB#1	22.64	20.02	34.77	PASS
Band12	1.4MHz	16QAM	23017	3RB#3	22.6	19.98	34.77	PASS
Band12	1.4MHz	16QAM	23017	6RB#0	21.47	18.85	34.77	PASS
Band12	1.4MHz	16QAM	23095	1RB#0	21.96	19.34	34.77	PASS
Band12	1.4MHz	16QAM	23095	1RB#2	22.2	19.58	34.77	PASS
Band12	1.4MHz	16QAM	23095	1RB#5	21.91	19.29	34.77	PASS
Band12	1.4MHz	16QAM	23095	3RB#0	22.71	20.09	34.77	PASS
Band12	1.4MHz	16QAM	23095	3RB#1	22.78	20.16	34.77	PASS
Band12	1.4MHz	16QAM	23095	3RB#3	22.68	20.06	34.77	PASS

Band12	1.4MHz	16QAM	23095	6RB#0	21.46	18.84	34.77	PASS
Band12	1.4MHz	16QAM	23173	1RB#0	22.07	19.45	34.77	PASS
Band12	1.4MHz	16QAM	23173	1RB#2	22.18	19.56	34.77	PASS
Band12	1.4MHz	16QAM	23173	1RB#5	21.95	19.33	34.77	PASS
Band12	1.4MHz	16QAM	23173	3RB#0	22.68	20.06	34.77	PASS
Band12	1.4MHz	16QAM	23173	3RB#1	22.59	19.97	34.77	PASS
Band12	1.4MHz	16QAM	23173	3RB#3	22.61	19.99	34.77	PASS
Band12	1.4MHz	16QAM	23173	6RB#0	21.31	18.69	34.77	PASS
Band12	3MHz	QPSK	23025	1RB#0	23.57	20.95	34.77	PASS
Band12	3MHz	QPSK	23025	1RB#8	23.49	20.87	34.77	PASS
Band12	3MHz	QPSK	23025	1RB#14	23.28	20.66	34.77	PASS
Band12	3MHz	QPSK	23025	8RB#0	22.39	19.77	34.77	PASS
Band12	3MHz	QPSK	23025	8RB#4	22.43	19.81	34.77	PASS
Band12	3MHz	QPSK	23025	8RB#7	22.46	19.84	34.77	PASS
Band12	3MHz	QPSK	23025	15RB#0	22.5	19.88	34.77	PASS
Band12	3MHz	QPSK	23095	1RB#0	23.47	20.85	34.77	PASS
Band12	3MHz	QPSK	23095	1RB#8	23.62	21	34.77	PASS
Band12	3MHz	QPSK	23095	1RB#14	23.36	20.74	34.77	PASS
Band12	3MHz	QPSK	23095	8RB#0	22.54	19.92	34.77	PASS
Band12	3MHz	QPSK	23095	8RB#4	22.59	19.97	34.77	PASS
Band12	3MHz	QPSK	23095	8RB#7	22.51	19.89	34.77	PASS
Band12	3MHz	QPSK	23095	15RB#0	22.54	19.92	34.77	PASS
Band12	3MHz	QPSK	23165	1RB#0	23.38	20.76	34.77	PASS
Band12	3MHz	QPSK	23165	1RB#8	23.18	20.56	34.77	PASS
Band12	3MHz	QPSK	23165	1RB#14	23.27	20.65	34.77	PASS
Band12	3MHz	QPSK	23165	8RB#0	22.47	19.85	34.77	PASS
Band12	3MHz	QPSK	23165	8RB#4	22.33	19.71	34.77	PASS
Band12	3MHz	QPSK	23165	8RB#7	22.35	19.73	34.77	PASS
Band12	3MHz	QPSK	23165	15RB#0	22.47	19.85	34.77	PASS
Band12	3MHz	16QAM	23025	1RB#0	22.07	19.45	34.77	PASS
Band12	3MHz	16QAM	23025	1RB#8	21.96	19.34	34.77	PASS
Band12	3MHz	16QAM	23025	1RB#14	22.14	19.52	34.77	PASS
Band12	3MHz	16QAM	23025	8RB#0	21.18	18.56	34.77	PASS
Band12	3MHz	16QAM	23025	8RB#4	21.32	18.7	34.77	PASS
Band12	3MHz	16QAM	23025	8RB#7	21.53	18.91	34.77	PASS
Band12	3MHz	16QAM	23025	15RB#0	21.71	19.09	34.77	PASS
Band12	3MHz	16QAM	23095	1RB#0	22.06	19.44	34.77	PASS
Band12	3MHz	16QAM	23095	1RB#8	21.95	19.33	34.77	PASS
Band12	3MHz	16QAM	23095	1RB#14	22.04	19.42	34.77	PASS
Band12	3MHz	16QAM	23095	8RB#0	21.23	18.61	34.77	PASS

Band12	3MHz	16QAM	23095	8RB#4	21.22	18.6	34.77	PASS
Band12	3MHz	16QAM	23095	8RB#7	21.37	18.75	34.77	PASS
Band12	3MHz	16QAM	23095	15RB#0	21.66	19.04	34.77	PASS
Band12	3MHz	16QAM	23165	1RB#0	21.88	19.26	34.77	PASS
Band12	3MHz	16QAM	23165	1RB#8	22.15	19.53	34.77	PASS
Band12	3MHz	16QAM	23165	1RB#14	21.99	19.37	34.77	PASS
Band12	3MHz	16QAM	23165	8RB#0	21.17	18.55	34.77	PASS
Band12	3MHz	16QAM	23165	8RB#4	21.23	18.61	34.77	PASS
Band12	3MHz	16QAM	23165	8RB#7	21.23	18.61	34.77	PASS
Band12	3MHz	16QAM	23165	15RB#0	21.28	18.66	34.77	PASS
Band12	5MHz	QPSK	23035	1RB#0	23.37	20.75	34.77	PASS
Band12	5MHz	QPSK	23035	1RB#12	23.3	20.68	34.77	PASS
Band12	5MHz	QPSK	23035	1RB#24	23.47	20.85	34.77	PASS
Band12	5MHz	QPSK	23035	12RB#0	22.44	19.82	34.77	PASS
Band12	5MHz	QPSK	23035	12RB#6	22.49	19.87	34.77	PASS
Band12	5MHz	QPSK	23035	12RB#13	22.47	19.85	34.77	PASS
Band12	5MHz	QPSK	23035	25RB#0	22.43	19.81	34.77	PASS
Band12	5MHz	QPSK	23095	1RB#0	23.24	20.62	34.77	PASS
Band12	5MHz	QPSK	23095	1RB#12	23.81	21.19	34.77	PASS
Band12	5MHz	QPSK	23095	1RB#24	23.18	20.56	34.77	PASS
Band12	5MHz	QPSK	23095	12RB#0	22.47	19.85	34.77	PASS
Band12	5MHz	QPSK	23095	12RB#6	22.66	20.04	34.77	PASS
Band12	5MHz	QPSK	23095	12RB#13	22.43	19.81	34.77	PASS
Band12	5MHz	QPSK	23095	25RB#0	22.53	19.91	34.77	PASS
Band12	5MHz	QPSK	23155	1RB#0	23.32	20.7	34.77	PASS
Band12	5MHz	QPSK	23155	1RB#12	23.22	20.6	34.77	PASS
Band12	5MHz	QPSK	23155	1RB#24	22.8	20.18	34.77	PASS
Band12	5MHz	QPSK	23155	12RB#0	22.44	19.82	34.77	PASS
Band12	5MHz	QPSK	23155	12RB#6	22.35	19.73	34.77	PASS
Band12	5MHz	QPSK	23155	12RB#13	22.26	19.64	34.77	PASS
Band12	5MHz	QPSK	23155	25RB#0	22.45	19.83	34.77	PASS
Band12	5MHz	16QAM	23035	1RB#0	22.02	19.4	34.77	PASS
Band12	5MHz	16QAM	23035	1RB#12	22.34	19.72	34.77	PASS
Band12	5MHz	16QAM	23035	1RB#24	22.07	19.45	34.77	PASS
Band12	5MHz	16QAM	23035	12RB#0	21.45	18.83	34.77	PASS
Band12	5MHz	16QAM	23035	12RB#6	21.55	18.93	34.77	PASS
Band12	5MHz	16QAM	23035	12RB#13	21.4	18.78	34.77	PASS
Band12	5MHz	16QAM	23035	25RB#0	21.55	18.93	34.77	PASS
Band12	5MHz	16QAM	23095	1RB#0	22	19.38	34.77	PASS
Band12	5MHz	16QAM	23095	1RB#12	22.6	19.98	34.77	PASS

Band12	5MHz	16QAM	23095	1RB#24	21.88	19.26	34.77	PASS
Band12	5MHz	16QAM	23095	12RB#0	21.45	18.83	34.77	PASS
Band12	5MHz	16QAM	23095	12RB#6	21.51	18.89	34.77	PASS
Band12	5MHz	16QAM	23095	12RB#13	21.17	18.55	34.77	PASS
Band12	5MHz	16QAM	23095	25RB#0	21.64	19.02	34.77	PASS
Band12	5MHz	16QAM	23155	1RB#0	22.05	19.43	34.77	PASS
Band12	5MHz	16QAM	23155	1RB#12	22.3	19.68	34.77	PASS
Band12	5MHz	16QAM	23155	1RB#24	22.01	19.39	34.77	PASS
Band12	5MHz	16QAM	23155	12RB#0	21.27	18.65	34.77	PASS
Band12	5MHz	16QAM	23155	12RB#6	21.45	18.83	34.77	PASS
Band12	5MHz	16QAM	23155	12RB#13	21.18	18.56	34.77	PASS
Band12	5MHz	16QAM	23155	25RB#0	21.35	18.73	34.77	PASS
Band12	10MHz	QPSK	23060	1RB#0	23.19	20.57	34.77	PASS
Band12	10MHz	QPSK	23060	1RB#24	23.97	21.35	34.77	PASS
Band12	10MHz	QPSK	23060	1RB#49	23.27	20.65	34.77	PASS
Band12	10MHz	QPSK	23060	25RB#0	22.42	19.8	34.77	PASS
Band12	10MHz	QPSK	23060	25RB#12	22.68	20.06	34.77	PASS
Band12	10MHz	QPSK	23060	25RB#25	22.48	19.86	34.77	PASS
Band12	10MHz	QPSK	23060	50RB#0	22.46	19.84	34.77	PASS
Band12	10MHz	QPSK	23095	1RB#0	23.25	20.63	34.77	PASS
Band12	10MHz	QPSK	23095	1RB#24	24.3	21.68	34.77	PASS
Band12	10MHz	QPSK	23095	1RB#49	22.87	20.25	34.77	PASS
Band12	10MHz	QPSK	23095	25RB#0	22.66	20.04	34.77	PASS
Band12	10MHz	QPSK	23095	25RB#12	22.8	20.18	34.77	PASS
Band12	10MHz	QPSK	23095	25RB#25	22.41	19.79	34.77	PASS
Band12	10MHz	QPSK	23095	50RB#0	22.47	19.85	34.77	PASS
Band12	10MHz	QPSK	23130	1RB#0	23.36	20.74	34.77	PASS
Band12	10MHz	QPSK	23130	1RB#24	24.01	21.39	34.77	PASS
Band12	10MHz	QPSK	23130	1RB#49	22.72	20.1	34.77	PASS
Band12	10MHz	QPSK	23130	25RB#0	22.73	20.11	34.77	PASS
Band12	10MHz	QPSK	23130	25RB#12	22.57	19.95	34.77	PASS
Band12	10MHz	QPSK	23130	25RB#25	22.39	19.77	34.77	PASS
Band12	10MHz	QPSK	23130	50RB#0	22.41	19.79	34.77	PASS
Band12	10MHz	16QAM	23060	1RB#0	22.04	19.42	34.77	PASS
Band12	10MHz	16QAM	23060	1RB#24	22.14	19.52	34.77	PASS
Band12	10MHz	16QAM	23060	1RB#49	22.02	19.4	34.77	PASS
Band12	10MHz	16QAM	23060	25RB#0	21.51	18.89	34.77	PASS
Band12	10MHz	16QAM	23060	25RB#12	21.59	18.97	34.77	PASS
Band12	10MHz	16QAM	23060	25RB#25	21.49	18.87	34.77	PASS
Band12	10MHz	16QAM	23060	50RB#0	21.61	18.99	34.77	PASS

Band12	10MHz	16QAM	23095	1RB#0	22.06	19.44	34.77	PASS
Band12	10MHz	16QAM	23095	1RB#24	22.28	19.66	34.77	PASS
Band12	10MHz	16QAM	23095	1RB#49	22.11	19.49	34.77	PASS
Band12	10MHz	16QAM	23095	25RB#0	21.6	18.98	34.77	PASS
Band12	10MHz	16QAM	23095	25RB#12	21.55	18.93	34.77	PASS
Band12	10MHz	16QAM	23095	25RB#25	21.39	18.77	34.77	PASS
Band12	10MHz	16QAM	23095	50RB#0	21.5	18.88	34.77	PASS
Band12	10MHz	16QAM	23130	1RB#0	22.23	19.61	34.77	PASS
Band12	10MHz	16QAM	23130	1RB#24	22.25	19.63	34.77	PASS
Band12	10MHz	16QAM	23130	1RB#49	21.94	19.32	34.77	PASS
Band12	10MHz	16QAM	23130	25RB#0	21.63	19.01	34.77	PASS
Band12	10MHz	16QAM	23130	25RB#12	21.54	18.92	34.77	PASS
Band12	10MHz	16QAM	23130	25RB#25	21.46	18.84	34.77	PASS
Band12	10MHz	16QAM	23130	50RB#0	21.41	18.79	34.77	PASS
Band13	5MHz	QPSK	23205	1RB#0	23.68	22.01	34.77	PASS
Band13	5MHz	QPSK	23205	1RB#12	23.28	21.61	34.77	PASS
Band13	5MHz	QPSK	23205	1RB#24	23.63	21.96	34.77	PASS
Band13	5MHz	QPSK	23205	12RB#0	22.62	20.95	34.77	PASS
Band13	5MHz	QPSK	23205	12RB#6	22.61	20.94	34.77	PASS
Band13	5MHz	QPSK	23205	12RB#13	22.55	20.88	34.77	PASS
Band13	5MHz	QPSK	23205	25RB#0	22.65	20.98	34.77	PASS
Band13	5MHz	QPSK	23230	1RB#0	23.67	22	34.77	PASS
Band13	5MHz	QPSK	23230	1RB#12	23.85	22.18	34.77	PASS
Band13	5MHz	QPSK	23230	1RB#24	23.82	22.15	34.77	PASS
Band13	5MHz	QPSK	23230	12RB#0	22.54	20.87	34.77	PASS
Band13	5MHz	QPSK	23230	12RB#6	22.74	21.07	34.77	PASS
Band13	5MHz	QPSK	23230	12RB#13	22.72	21.05	34.77	PASS
Band13	5MHz	QPSK	23230	25RB#0	22.6	20.93	34.77	PASS
Band13	5MHz	QPSK	23255	1RB#0	23.62	21.95	34.77	PASS
Band13	5MHz	QPSK	23255	1RB#12	24.13	22.46	34.77	PASS
Band13	5MHz	QPSK	23255	1RB#24	23.75	22.08	34.77	PASS
Band13	5MHz	QPSK	23255	12RB#0	22.52	20.85	34.77	PASS
Band13	5MHz	QPSK	23255	12RB#6	22.67	21	34.77	PASS
Band13	5MHz	QPSK	23255	12RB#13	22.65	20.98	34.77	PASS
Band13	5MHz	QPSK	23255	25RB#0	22.58	20.91	34.77	PASS
Band13	5MHz	16QAM	23205	1RB#0	22.19	20.52	34.77	PASS
Band13	5MHz	16QAM	23205	1RB#12	22.6	20.93	34.77	PASS
Band13	5MHz	16QAM	23205	1RB#24	21.89	20.22	34.77	PASS
Band13	5MHz	16QAM	23205	12RB#0	21.54	19.87	34.77	PASS
Band13	5MHz	16QAM	23205	12RB#6	21.56	19.89	34.77	PASS

Band13	5MHz	16QAM	23205	12RB#13	21.61	19.94	34.77	PASS
Band13	5MHz	16QAM	23205	25RB#0	21.68	20.01	34.77	PASS
Band13	5MHz	16QAM	23230	1RB#0	22.11	20.44	34.77	PASS
Band13	5MHz	16QAM	23230	1RB#12	22.29	20.62	34.77	PASS
Band13	5MHz	16QAM	23230	1RB#24	22.04	20.37	34.77	PASS
Band13	5MHz	16QAM	23230	12RB#0	21.66	19.99	34.77	PASS
Band13	5MHz	16QAM	23230	12RB#6	21.64	19.97	34.77	PASS
Band13	5MHz	16QAM	23230	12RB#13	21.5	19.83	34.77	PASS
Band13	5MHz	16QAM	23230	25RB#0	21.72	20.05	34.77	PASS
Band13	5MHz	16QAM	23255	1RB#0	22.23	20.56	34.77	PASS
Band13	5MHz	16QAM	23255	1RB#12	22.44	20.77	34.77	PASS
Band13	5MHz	16QAM	23255	1RB#24	22.19	20.52	34.77	PASS
Band13	5MHz	16QAM	23255	12RB#0	21.48	19.81	34.77	PASS
Band13	5MHz	16QAM	23255	12RB#6	21.55	19.88	34.77	PASS
Band13	5MHz	16QAM	23255	12RB#13	21.31	19.64	34.77	PASS
Band13	5MHz	16QAM	23255	25RB#0	21.51	19.84	34.77	PASS
Band13	10MHz	QPSK	23230	1RB#0	23.6	21.93	34.77	PASS
Band13	10MHz	QPSK	23230	1RB#24	23.95	22.28	34.77	PASS
Band13	10MHz	QPSK	23230	1RB#49	23.62	21.95	34.77	PASS
Band13	10MHz	QPSK	23230	25RB#0	22.53	20.86	34.77	PASS
Band13	10MHz	QPSK	23230	25RB#12	22.71	21.04	34.77	PASS
Band13	10MHz	QPSK	23230	25RB#25	22.5	20.83	34.77	PASS
Band13	10MHz	QPSK	23230	50RB#0	22.58	20.91	34.77	PASS
Band13	10MHz	16QAM	23230	1RB#0	22.3	20.63	34.77	PASS
Band13	10MHz	16QAM	23230	1RB#24	22.34	20.67	34.77	PASS
Band13	10MHz	16QAM	23230	1RB#49	22.31	20.64	34.77	PASS
Band13	10MHz	16QAM	23230	25RB#0	21.59	19.92	34.77	PASS
Band13	10MHz	16QAM	23230	25RB#12	21.58	19.91	34.77	PASS
Band13	10MHz	16QAM	23230	25RB#25	21.6	19.93	34.77	PASS
Band13	10MHz	16QAM	23230	50RB#0	21.7	20.03	34.77	PASS
Band25	1.4MHz	QPSK	26047	1RB#0	22.98	27.28	33	PASS
Band25	1.4MHz	QPSK	26047	1RB#2	23.33	27.63	33	PASS
Band25	1.4MHz	QPSK	26047	1RB#5	23.09	27.39	33	PASS
Band25	1.4MHz	QPSK	26047	3RB#0	23.34	27.64	33	PASS
Band25	1.4MHz	QPSK	26047	3RB#1	23.46	27.76	33	PASS
Band25	1.4MHz	QPSK	26047	3RB#3	23.54	27.84	33	PASS
Band25	1.4MHz	QPSK	26047	6RB#0	22.48	26.78	33	PASS
Band25	1.4MHz	QPSK	26365	1RB#0	23.09	27.39	33	PASS
Band25	1.4MHz	QPSK	26365	1RB#2	23.45	27.75	33	PASS
Band25	1.4MHz	QPSK	26365	1RB#5	23.26	27.56	33	PASS

Band25	1.4MHz	QPSK	26365	3RB#0	23.47	27.77	33	PASS
Band25	1.4MHz	QPSK	26365	3RB#1	23.81	28.11	33	PASS
Band25	1.4MHz	QPSK	26365	3RB#3	23.58	27.88	33	PASS
Band25	1.4MHz	QPSK	26365	6RB#0	22.46	26.76	33	PASS
Band25	1.4MHz	QPSK	26683	1RB#0	23.06	27.36	33	PASS
Band25	1.4MHz	QPSK	26683	1RB#2	22.65	26.95	33	PASS
Band25	1.4MHz	QPSK	26683	1RB#5	22	26.3	33	PASS
Band25	1.4MHz	QPSK	26683	3RB#0	22.75	27.05	33	PASS
Band25	1.4MHz	QPSK	26683	3RB#1	22.56	26.86	33	PASS
Band25	1.4MHz	QPSK	26683	3RB#3	22.2	26.5	33	PASS
Band25	1.4MHz	QPSK	26683	6RB#0	22.37	26.67	33	PASS
Band25	1.4MHz	16QAM	26047	1RB#0	21.93	26.23	33	PASS
Band25	1.4MHz	16QAM	26047	1RB#2	22.16	26.46	33	PASS
Band25	1.4MHz	16QAM	26047	1RB#5	22.11	26.41	33	PASS
Band25	1.4MHz	16QAM	26047	3RB#0	22.53	26.83	33	PASS
Band25	1.4MHz	16QAM	26047	3RB#1	22.66	26.96	33	PASS
Band25	1.4MHz	16QAM	26047	3RB#3	22.77	27.07	33	PASS
Band25	1.4MHz	16QAM	26047	6RB#0	21.34	25.64	33	PASS
Band25	1.4MHz	16QAM	26365	1RB#0	21.95	26.25	33	PASS
Band25	1.4MHz	16QAM	26365	1RB#2	22.1	26.4	33	PASS
Band25	1.4MHz	16QAM	26365	1RB#5	22.06	26.36	33	PASS
Band25	1.4MHz	16QAM	26365	3RB#0	22.69	26.99	33	PASS
Band25	1.4MHz	16QAM	26365	3RB#1	22.67	26.97	33	PASS
Band25	1.4MHz	16QAM	26365	3RB#3	22.57	26.87	33	PASS
Band25	1.4MHz	16QAM	26365	6RB#0	21.51	25.81	33	PASS
Band25	1.4MHz	16QAM	26683	1RB#0	21.94	26.24	33	PASS
Band25	1.4MHz	16QAM	26683	1RB#2	21.98	26.28	33	PASS
Band25	1.4MHz	16QAM	26683	1RB#5	21.34	25.64	33	PASS
Band25	1.4MHz	16QAM	26683	3RB#0	21.97	26.27	33	PASS
Band25	1.4MHz	QPSK	26047	1RB#0	22.98	27.28	33	PASS
Band25	1.4MHz	QPSK	26047	1RB#2	23.33	27.63	33	PASS
Band25	1.4MHz	QPSK	26047	1RB#5	23.09	27.39	33	PASS
Band25	1.4MHz	QPSK	26047	3RB#0	23.34	27.64	33	PASS
Band25	1.4MHz	QPSK	26047	3RB#1	23.46	27.76	33	PASS
Band25	1.4MHz	QPSK	26047	3RB#3	23.54	27.84	33	PASS
Band25	1.4MHz	QPSK	26047	6RB#0	22.48	26.78	33	PASS
Band25	1.4MHz	QPSK	26365	1RB#0	23.09	27.39	33	PASS
Band25	1.4MHz	QPSK	26365	1RB#2	23.45	27.75	33	PASS
Band25	1.4MHz	QPSK	26365	1RB#5	23.26	27.56	33	PASS
Band25	1.4MHz	QPSK	26365	3RB#0	23.47	27.77	33	PASS

Band25	1.4MHz	QPSK	26365	3RB#1	23.81	28.11	33	PASS
Band25	1.4MHz	QPSK	26365	3RB#3	23.58	27.88	33	PASS
Band25	1.4MHz	QPSK	26365	6RB#0	22.46	26.76	33	PASS
Band25	1.4MHz	QPSK	26683	1RB#0	23.06	27.36	33	PASS
Band25	1.4MHz	QPSK	26683	1RB#2	22.65	26.95	33	PASS
Band25	1.4MHz	QPSK	26683	1RB#5	22	26.3	33	PASS
Band25	1.4MHz	QPSK	26683	3RB#0	22.75	27.05	33	PASS
Band25	1.4MHz	QPSK	26683	3RB#1	22.56	26.86	33	PASS
Band25	1.4MHz	QPSK	26683	3RB#3	22.2	26.5	33	PASS
Band25	1.4MHz	QPSK	26683	6RB#0	22.37	26.67	33	PASS
Band25	1.4MHz	16QAM	26047	1RB#0	21.93	26.23	33	PASS
Band25	1.4MHz	16QAM	26047	1RB#2	22.16	26.46	33	PASS
Band25	1.4MHz	16QAM	26047	1RB#5	22.11	26.41	33	PASS
Band25	1.4MHz	16QAM	26047	3RB#0	22.53	26.83	33	PASS
Band25	1.4MHz	16QAM	26047	3RB#1	22.66	26.96	33	PASS
Band25	1.4MHz	16QAM	26047	3RB#3	22.77	27.07	33	PASS
Band25	1.4MHz	16QAM	26047	6RB#0	21.34	25.64	33	PASS
Band25	1.4MHz	16QAM	26365	1RB#0	21.95	26.25	33	PASS
Band25	1.4MHz	16QAM	26365	1RB#2	22.1	26.4	33	PASS
Band25	1.4MHz	16QAM	26365	1RB#5	22.06	26.36	33	PASS
Band25	1.4MHz	16QAM	26365	3RB#0	22.69	26.99	33	PASS
Band25	1.4MHz	16QAM	26365	3RB#1	22.67	26.97	33	PASS
Band25	1.4MHz	16QAM	26365	3RB#3	22.57	26.87	33	PASS
Band25	1.4MHz	16QAM	26365	6RB#0	21.51	25.81	33	PASS
Band25	1.4MHz	16QAM	26683	1RB#0	21.94	26.24	33	PASS
Band25	1.4MHz	16QAM	26683	1RB#2	21.98	26.28	33	PASS
Band25	1.4MHz	16QAM	26683	1RB#5	21.34	25.64	33	PASS
Band25	1.4MHz	16QAM	26683	3RB#0	21.97	26.27	33	PASS
Band25	1.4MHz	16QAM	26683	3RB#1	21.79	26.09	33	PASS
Band25	1.4MHz	16QAM	26683	3RB#3	21.9	26.2	33	PASS
Band25	1.4MHz	16QAM	26683	6RB#0	21.58	25.88	33	PASS
Band25	3MHz	QPSK	26055	1RB#0	23.43	27.73	33	PASS
Band25	3MHz	QPSK	26055	1RB#8	23.53	27.83	33	PASS
Band25	3MHz	QPSK	26055	1RB#14	23.42	27.72	33	PASS
Band25	3MHz	QPSK	26055	8RB#0	22.54	26.84	33	PASS
Band25	3MHz	QPSK	26055	8RB#4	22.57	26.87	33	PASS
Band25	3MHz	QPSK	26055	8RB#7	22.56	26.86	33	PASS
Band25	3MHz	QPSK	26055	15RB#0	22.6	26.9	33	PASS
Band25	3MHz	QPSK	26365	1RB#0	23.19	27.49	33	PASS
Band25	3MHz	QPSK	26365	1RB#8	23.66	27.96	33	PASS

Band25	3MHz	QPSK	26365	1RB#14	23.36	27.66	33	PASS
Band25	3MHz	QPSK	26365	8RB#0	22.62	26.92	33	PASS
Band25	3MHz	QPSK	26365	8RB#4	22.64	26.94	33	PASS
Band25	3MHz	QPSK	26365	8RB#7	22.61	26.91	33	PASS
Band25	3MHz	QPSK	26365	15RB#0	22.52	26.82	33	PASS
Band25	3MHz	QPSK	26675	1RB#0	23.6	27.9	33	PASS
Band25	3MHz	QPSK	26675	1RB#8	23	27.3	33	PASS
Band25	3MHz	QPSK	26675	1RB#14	21.78	26.08	33	PASS
Band25	3MHz	QPSK	26675	8RB#0	23.57	27.87	33	PASS
Band25	3MHz	QPSK	26675	8RB#4	22.25	26.55	33	PASS
Band25	3MHz	QPSK	26675	8RB#7	22.24	26.54	33	PASS
Band25	3MHz	QPSK	26675	15RB#0	22.94	27.24	33	PASS
Band25	3MHz	16QAM	26055	1RB#0	22.14	26.44	33	PASS
Band25	3MHz	16QAM	26055	1RB#8	22.21	26.51	33	PASS
Band25	3MHz	16QAM	26055	1RB#14	22.1	26.4	33	PASS
Band25	3MHz	16QAM	26055	8RB#0	21.26	25.56	33	PASS
Band25	3MHz	16QAM	26055	8RB#4	21.26	25.56	33	PASS
Band25	3MHz	16QAM	26055	8RB#7	21.37	25.67	33	PASS
Band25	3MHz	16QAM	26055	15RB#0	21.48	25.78	33	PASS
Band25	3MHz	16QAM	26365	1RB#0	22.14	26.44	33	PASS
Band25	3MHz	16QAM	26365	1RB#8	22.12	26.42	33	PASS
Band25	3MHz	16QAM	26365	1RB#14	22.25	26.55	33	PASS
Band25	3MHz	16QAM	26365	8RB#0	21.35	25.65	33	PASS
Band25	3MHz	16QAM	26365	8RB#4	21.38	25.68	33	PASS
Band25	3MHz	16QAM	26365	8RB#7	21.45	25.75	33	PASS
Band25	3MHz	16QAM	26365	15RB#0	21.57	25.87	33	PASS
Band25	3MHz	16QAM	26675	1RB#0	22.18	26.48	33	PASS
Band25	3MHz	16QAM	26675	1RB#8	22.08	26.38	33	PASS
Band25	3MHz	16QAM	26675	1RB#14	20.33	24.63	33	PASS
Band25	3MHz	16QAM	26675	8RB#0	21.35	25.65	33	PASS
Band25	3MHz	16QAM	26675	8RB#4	21.36	25.66	33	PASS
Band25	3MHz	16QAM	26675	8RB#7	21.35	25.65	33	PASS
Band25	3MHz	16QAM	26675	15RB#0	21.66	25.96	33	PASS
Band25	5MHz	QPSK	26065	1RB#0	23.35	27.65	33	PASS
Band25	5MHz	QPSK	26065	1RB#12	23.44	27.74	33	PASS
Band25	5MHz	QPSK	26065	1RB#24	23.54	27.84	33	PASS
Band25	5MHz	QPSK	26065	12RB#0	22.59	26.89	33	PASS
Band25	5MHz	QPSK	26065	12RB#6	22.55	26.85	33	PASS
Band25	5MHz	QPSK	26065	12RB#13	22.61	26.91	33	PASS
Band25	5MHz	QPSK	26065	25RB#0	22.58	26.88	33	PASS

Band25	5MHz	QPSK	26365	1RB#0	23.39	27.69	33	PASS
Band25	5MHz	QPSK	26365	1RB#12	23.5	27.8	33	PASS
Band25	5MHz	QPSK	26365	1RB#24	23.32	27.62	33	PASS
Band25	5MHz	QPSK	26365	12RB#0	22.58	26.88	33	PASS
Band25	5MHz	QPSK	26365	12RB#6	22.73	27.03	33	PASS
Band25	5MHz	QPSK	26365	12RB#13	22.49	26.79	33	PASS
Band25	5MHz	QPSK	26365	25RB#0	22.53	26.83	33	PASS
Band25	5MHz	QPSK	26665	1RB#0	23.47	27.77	33	PASS
Band25	5MHz	QPSK	26665	1RB#12	23.27	27.57	33	PASS
Band25	5MHz	QPSK	26665	1RB#24	21.73	26.03	33	PASS
Band25	5MHz	QPSK	26665	12RB#0	21.36	25.66	33	PASS
Band25	5MHz	QPSK	26665	12RB#6	22.41	26.71	33	PASS
Band25	5MHz	QPSK	26665	12RB#13	22.09	26.39	33	PASS
Band25	5MHz	QPSK	26665	25RB#0	22.55	26.85	33	PASS
Band25	5MHz	16QAM	26065	1RB#0	22.02	26.32	33	PASS
Band25	5MHz	16QAM	26065	1RB#12	22.63	26.93	33	PASS
Band25	5MHz	16QAM	26065	1RB#24	22.04	26.34	33	PASS
Band25	5MHz	16QAM	26065	12RB#0	21.28	25.58	33	PASS
Band25	5MHz	16QAM	26065	12RB#6	21.55	25.85	33	PASS
Band25	5MHz	16QAM	26065	12RB#13	21.53	25.83	33	PASS
Band25	5MHz	16QAM	26065	25RB#0	21.43	25.73	33	PASS
Band25	5MHz	16QAM	26365	1RB#0	21.75	26.05	33	PASS
Band25	5MHz	16QAM	26365	1RB#12	22.55	26.85	33	PASS
Band25	5MHz	16QAM	26365	1RB#24	22.1	26.4	33	PASS
Band25	5MHz	16QAM	26365	12RB#0	21.37	25.67	33	PASS
Band25	5MHz	16QAM	26365	12RB#6	21.51	25.81	33	PASS
Band25	5MHz	16QAM	26365	12RB#13	21.53	25.83	33	PASS
Band25	5MHz	16QAM	26365	25RB#0	21.49	25.79	33	PASS
Band25	5MHz	16QAM	26665	1RB#0	22.13	26.43	33	PASS
Band25	5MHz	16QAM	26665	1RB#12	22.54	26.84	33	PASS
Band25	5MHz	16QAM	26665	1RB#24	21.13	25.43	33	PASS
Band25	5MHz	16QAM	26665	12RB#0	21.47	25.77	33	PASS
Band25	5MHz	16QAM	26665	12RB#6	21.57	25.87	33	PASS
Band25	5MHz	16QAM	26665	12RB#13	21.34	25.64	33	PASS
Band25	5MHz	16QAM	26665	25RB#0	21.57	25.87	33	PASS
Band25	10MHz	QPSK	26090	1RB#0	23.55	27.85	33	PASS
Band25	10MHz	QPSK	26090	1RB#24	23.94	28.24	33	PASS
Band25	10MHz	QPSK	26090	1RB#49	23.14	27.44	33	PASS
Band25	10MHz	QPSK	26090	25RB#0	22.69	26.99	33	PASS
Band25	10MHz	QPSK	26090	25RB#12	22.75	27.05	33	PASS

Band25	10MHz	QPSK	26090	25RB#25	22.53	26.83	33	PASS
Band25	10MHz	QPSK	26090	50RB#0	22.58	26.88	33	PASS
Band25	10MHz	QPSK	26365	1RB#0	23.32	27.62	33	PASS
Band25	10MHz	QPSK	26365	1RB#24	23.83	28.13	33	PASS
Band25	10MHz	QPSK	26365	1RB#49	23.4	27.7	33	PASS
Band25	10MHz	QPSK	26365	25RB#0	22.57	26.87	33	PASS
Band25	10MHz	QPSK	26365	25RB#12	22.77	27.07	33	PASS
Band25	10MHz	QPSK	26365	25RB#25	22.54	26.84	33	PASS
Band25	10MHz	QPSK	26365	50RB#0	22.58	26.88	33	PASS
Band25	10MHz	QPSK	26640	1RB#0	22.86	27.16	33	PASS
Band25	10MHz	QPSK	26640	1RB#24	24.55	28.85	33	PASS
Band25	10MHz	QPSK	26640	1RB#49	21.38	25.68	33	PASS
Band25	10MHz	QPSK	26640	25RB#0	23.99	28.29	33	PASS
Band25	10MHz	QPSK	26640	25RB#12	22.63	26.93	33	PASS
Band25	10MHz	QPSK	26640	25RB#25	22.32	26.62	33	PASS
Band25	10MHz	QPSK	26640	50RB#0	22.46	26.76	33	PASS
Band25	10MHz	16QAM	26090	1RB#0	22.31	26.61	33	PASS
Band25	10MHz	16QAM	26090	1RB#24	22.12	26.42	33	PASS
Band25	10MHz	16QAM	26090	1RB#49	22.09	26.39	33	PASS
Band25	10MHz	16QAM	26090	25RB#0	21.76	26.06	33	PASS
Band25	10MHz	16QAM	26090	25RB#12	21.51	25.81	33	PASS
Band25	10MHz	16QAM	26090	25RB#25	21.6	25.9	33	PASS
Band25	10MHz	16QAM	26090	50RB#0	21.56	25.86	33	PASS
Band25	10MHz	16QAM	26365	1RB#0	22.12	26.42	33	PASS
Band25	10MHz	16QAM	26365	1RB#24	22.25	26.55	33	PASS
Band25	10MHz	16QAM	26365	1RB#49	22.21	26.51	33	PASS
Band25	10MHz	16QAM	26365	25RB#0	21.58	25.88	33	PASS
Band25	10MHz	16QAM	26365	25RB#12	21.63	25.93	33	PASS
Band25	10MHz	16QAM	26365	25RB#25	21.51	25.81	33	PASS
Band25	10MHz	16QAM	26365	50RB#0	21.6	25.9	33	PASS
Band25	10MHz	16QAM	26640	1RB#0	22.16	26.46	33	PASS
Band25	10MHz	16QAM	26640	1RB#24	22.3	26.6	33	PASS
Band25	10MHz	16QAM	26640	1RB#49	22.03	26.33	33	PASS
Band25	10MHz	16QAM	26640	25RB#0	21.52	25.82	33	PASS
Band25	10MHz	16QAM	26640	25RB#12	21.56	25.86	33	PASS
Band25	10MHz	16QAM	26640	25RB#25	21.41	25.71	33	PASS
Band25	10MHz	16QAM	26640	50RB#0	21.53	25.83	33	PASS
Band25	15MHz	QPSK	26115	1RB#0	23.59	27.89	33	PASS
Band25	15MHz	QPSK	26115	1RB#38	23.86	28.16	33	PASS
Band25	15MHz	QPSK	26115	1RB#74	22.92	27.22	33	PASS

Band25	15MHz	QPSK	26115	36RB#0	22.78	27.08	33	PASS
Band25	15MHz	QPSK	26115	36RB#18	22.71	27.01	33	PASS
Band25	15MHz	QPSK	26115	36RB#39	22.33	26.63	33	PASS
Band25	15MHz	QPSK	26115	75RB#0	22.61	26.91	33	PASS
Band25	15MHz	QPSK	26365	1RB#0	23.26	27.56	33	PASS
Band25	15MHz	QPSK	26365	1RB#38	23.66	27.96	33	PASS
Band25	15MHz	QPSK	26365	1RB#74	23.36	27.66	33	PASS
Band25	15MHz	QPSK	26365	36RB#0	22.44	26.74	33	PASS
Band25	15MHz	QPSK	26365	36RB#18	22.81	27.11	33	PASS
Band25	15MHz	QPSK	26365	36RB#39	22.44	26.74	33	PASS
Band25	15MHz	QPSK	26365	75RB#0	22.57	26.87	33	PASS
Band25	15MHz	QPSK	26615	1RB#0	23.06	27.36	33	PASS
Band25	15MHz	QPSK	26615	1RB#38	24.12	28.42	33	PASS
Band25	15MHz	QPSK	26615	1RB#74	21.46	25.76	33	PASS
Band25	15MHz	QPSK	26615	36RB#0	23.45	27.75	33	PASS
Band25	15MHz	QPSK	26615	36RB#18	22.75	27.05	33	PASS
Band25	15MHz	QPSK	26615	36RB#39	22.52	26.82	33	PASS
Band25	15MHz	QPSK	26615	75RB#0	22.49	26.79	33	PASS
Band25	15MHz	16QAM	26115	1RB#0	22.37	26.67	33	PASS
Band25	15MHz	16QAM	26115	1RB#38	22.01	26.31	33	PASS
Band25	15MHz	16QAM	26115	1RB#74	22.16	26.46	33	PASS
Band25	15MHz	16QAM	26115	36RB#0	21.61	25.91	33	PASS
Band25	15MHz	16QAM	26115	36RB#18	21.69	25.99	33	PASS
Band25	15MHz	16QAM	26115	36RB#39	21.69	25.99	33	PASS
Band25	15MHz	16QAM	26115	75RB#0	21.58	25.88	33	PASS
Band25	15MHz	16QAM	26365	1RB#0	22.12	26.42	33	PASS
Band25	15MHz	16QAM	26365	1RB#38	22.2	26.5	33	PASS
Band25	15MHz	16QAM	26365	1RB#74	22.27	26.57	33	PASS
Band25	15MHz	16QAM	26365	36RB#0	21.65	25.95	33	PASS
Band25	15MHz	16QAM	26365	36RB#18	21.5	25.8	33	PASS
Band25	15MHz	16QAM	26365	36RB#39	21.65	25.95	33	PASS
Band25	15MHz	16QAM	26365	75RB#0	21.62	25.92	33	PASS
Band25	15MHz	16QAM	26615	1RB#0	22.41	26.71	33	PASS
Band25	15MHz	16QAM	26615	1RB#38	22.11	26.41	33	PASS
Band25	15MHz	16QAM	26615	1RB#74	22.43	26.73	33	PASS
Band25	15MHz	16QAM	26615	36RB#0	21.68	25.98	33	PASS
Band25	15MHz	16QAM	26615	36RB#18	21.44	25.74	33	PASS
Band25	15MHz	16QAM	26615	36RB#39	21.58	25.88	33	PASS
Band25	15MHz	16QAM	26615	75RB#0	21.53	25.83	33	PASS
Band25	20MHz	QPSK	26140	1RB#0	23.5	27.8	33	PASS

Band25	20MHz	QPSK	26140	1RB#49	23.8	28.1	33	PASS
Band25	20MHz	QPSK	26140	1RB#99	23.02	27.32	33	PASS
Band25	20MHz	QPSK	26140	50RB#0	23.31	27.61	33	PASS
Band25	20MHz	QPSK	26140	50RB#25	22.81	27.11	33	PASS
Band25	20MHz	QPSK	26140	50RB#50	22.07	26.37	33	PASS
Band25	20MHz	QPSK	26140	100RB#0	22.72	27.02	33	PASS
Band25	20MHz	QPSK	26365	1RB#0	23.08	27.38	33	PASS
Band25	20MHz	QPSK	26365	1RB#49	23.24	27.54	33	PASS
Band25	20MHz	QPSK	26365	1RB#99	23.23	27.53	33	PASS
Band25	20MHz	QPSK	26365	50RB#0	22.52	26.82	33	PASS
Band25	20MHz	QPSK	26365	50RB#25	23	27.3	33	PASS
Band25	20MHz	QPSK	26365	50RB#50	22.37	26.67	33	PASS
Band25	20MHz	QPSK	26365	100RB#0	22.57	26.87	33	PASS
Band25	20MHz	QPSK	26590	1RB#0	23.46	27.76	33	PASS
Band25	20MHz	QPSK	26590	1RB#49	23.44	27.74	33	PASS
Band25	20MHz	QPSK	26590	1RB#99	21.48	25.78	33	PASS
Band25	20MHz	QPSK	26590	50RB#0	23.87	28.17	33	PASS
Band25	20MHz	QPSK	26590	50RB#25	22.76	27.06	33	PASS
Band25	20MHz	QPSK	26590	50RB#50	22.59	26.89	33	PASS
Band25	20MHz	QPSK	26590	100RB#0	22.54	26.84	33	PASS
Band25	20MHz	16QAM	26140	1RB#0	22.27	26.57	33	PASS
Band25	20MHz	16QAM	26140	1RB#49	22.31	26.61	33	PASS
Band25	20MHz	16QAM	26140	1RB#99	22.22	26.52	33	PASS
Band25	20MHz	16QAM	26140	50RB#0	21.68	25.98	33	PASS
Band25	20MHz	16QAM	26140	50RB#25	21.62	25.92	33	PASS
Band25	20MHz	16QAM	26140	50RB#50	21.71	26.01	33	PASS
Band25	20MHz	16QAM	26140	100RB#0	21.61	25.91	33	PASS
Band25	20MHz	16QAM	26365	1RB#0	22.3	26.6	33	PASS
Band25	20MHz	16QAM	26365	1RB#49	22.37	26.67	33	PASS
Band25	20MHz	16QAM	26365	1RB#99	22.16	26.46	33	PASS
Band25	20MHz	16QAM	26365	50RB#0	21.69	25.99	33	PASS
Band25	20MHz	16QAM	26365	50RB#25	21.62	25.92	33	PASS
Band25	20MHz	16QAM	26365	50RB#50	21.57	25.87	33	PASS
Band25	20MHz	16QAM	26365	100RB#0	21.62	25.92	33	PASS
Band25	20MHz	16QAM	26590	1RB#0	22.25	26.55	33	PASS
Band25	20MHz	16QAM	26590	1RB#49	22.23	26.53	33	PASS
Band25	20MHz	16QAM	26590	1RB#99	21.03	25.33	33	PASS
Band25	20MHz	16QAM	26590	50RB#0	21.55	25.85	33	PASS
Band25	20MHz	16QAM	26590	50RB#25	21.7	26	33	PASS
Band25	20MHz	16QAM	26590	50RB#50	21.53	25.83	33	PASS

Band25	20MHz	16QAM	26590	100RB#0	21.53	25.83	33	PASS
Band26	1.4MHz	QPSK	26697	1RB#0	23.4	25.87	38.45	PASS
Band26	1.4MHz	QPSK	26697	1RB#2	23.31	25.78	38.45	PASS
Band26	1.4MHz	QPSK	26697	1RB#5	23.17	25.64	38.45	PASS
Band26	1.4MHz	QPSK	26697	3RB#0	23.38	25.85	38.45	PASS
Band26	1.4MHz	QPSK	26697	3RB#1	23.57	26.04	38.45	PASS
Band26	1.4MHz	QPSK	26697	3RB#3	23.58	26.05	38.45	PASS
Band26	1.4MHz	QPSK	26697	6RB#0	22.51	24.98	38.45	PASS
Band26	1.4MHz	QPSK	26740	1RB#0	23.57	26.04	38.45	PASS
Band26	1.4MHz	QPSK	26740	1RB#2	23.57	26.04	38.45	PASS
Band26	1.4MHz	QPSK	26740	1RB#5	23.59	26.06	38.45	PASS
Band26	1.4MHz	QPSK	26740	3RB#0	23.7	26.17	38.45	PASS
Band26	1.4MHz	QPSK	26740	3RB#1	23.73	26.2	38.45	PASS
Band26	1.4MHz	QPSK	26740	3RB#3	23.9	26.37	38.45	PASS
Band26	1.4MHz	QPSK	26740	6RB#0	22.72	25.19	38.45	PASS
Band26	1.4MHz	QPSK	26783	1RB#0	23.44	25.91	38.45	PASS
Band26	1.4MHz	QPSK	26783	1RB#2	23.65	26.12	38.45	PASS
Band26	1.4MHz	QPSK	26783	1RB#5	23.44	25.91	38.45	PASS
Band26	1.4MHz	QPSK	26783	3RB#0	23.66	26.13	38.45	PASS
Band26	1.4MHz	QPSK	26783	3RB#1	23.82	26.29	38.45	PASS
Band26	1.4MHz	QPSK	26783	3RB#3	23.83	26.3	38.45	PASS
Band26	1.4MHz	QPSK	26783	6RB#0	22.63	25.1	38.45	PASS
Band26	1.4MHz	16QAM	26697	1RB#0	22.19	24.66	38.45	PASS
Band26	1.4MHz	16QAM	26697	1RB#2	22.28	24.75	38.45	PASS
Band26	1.4MHz	16QAM	26697	1RB#5	22.24	24.71	38.45	PASS
Band26	1.4MHz	16QAM	26697	3RB#0	22.65	25.12	38.45	PASS
Band26	1.4MHz	16QAM	26697	3RB#1	22.59	25.06	38.45	PASS
Band26	1.4MHz	16QAM	26697	3RB#3	22.61	25.08	38.45	PASS
Band26	1.4MHz	16QAM	26697	6RB#0	21.51	23.98	38.45	PASS
Band26	1.4MHz	16QAM	26740	1RB#0	22.21	24.68	38.45	PASS
Band26	1.4MHz	16QAM	26740	1RB#2	22.23	24.7	38.45	PASS
Band26	1.4MHz	16QAM	26740	1RB#5	22.07	24.54	38.45	PASS
Band26	1.4MHz	16QAM	26740	3RB#0	22.91	25.38	38.45	PASS
Band26	1.4MHz	16QAM	26740	3RB#1	22.95	25.42	38.45	PASS
Band26	1.4MHz	16QAM	26740	3RB#3	22.79	25.26	38.45	PASS
Band26	1.4MHz	16QAM	26740	6RB#0	21.68	24.15	38.45	PASS
Band26	1.4MHz	16QAM	26783	1RB#0	22.28	24.75	38.45	PASS
Band26	1.4MHz	16QAM	26783	1RB#2	22.36	24.83	38.45	PASS
Band26	1.4MHz	16QAM	26783	1RB#5	22.16	24.63	38.45	PASS
Band26	1.4MHz	16QAM	26783	3RB#0	22.87	25.34	38.45	PASS

Band26	1.4MHz	16QAM	26783	3RB#1	22.86	25.33	38.45	PASS
Band26	1.4MHz	16QAM	26783	3RB#3	22.78	25.25	38.45	PASS
Band26	1.4MHz	16QAM	26783	6RB#0	21.67	24.14	38.45	PASS
Band26	3MHz	QPSK	26705	1RB#0	23.54	26.01	38.45	PASS
Band26	3MHz	QPSK	26705	1RB#8	23.55	26.02	38.45	PASS
Band26	3MHz	QPSK	26705	1RB#14	23.53	26	38.45	PASS
Band26	3MHz	QPSK	26705	8RB#0	22.66	25.13	38.45	PASS
Band26	3MHz	QPSK	26705	8RB#4	22.53	25	38.45	PASS
Band26	3MHz	QPSK	26705	8RB#7	22.5	24.97	38.45	PASS
Band26	3MHz	QPSK	26705	15RB#0	22.58	25.05	38.45	PASS
Band26	3MHz	QPSK	26740	1RB#0	23.58	26.05	38.45	PASS
Band26	3MHz	QPSK	26740	1RB#8	23.75	26.22	38.45	PASS
Band26	3MHz	QPSK	26740	1RB#14	23.64	26.11	38.45	PASS
Band26	3MHz	QPSK	26740	8RB#0	22.79	25.26	38.45	PASS
Band26	3MHz	QPSK	26740	8RB#4	22.73	25.2	38.45	PASS
Band26	3MHz	QPSK	26740	8RB#7	22.69	25.16	38.45	PASS
Band26	3MHz	QPSK	26740	15RB#0	22.69	25.16	38.45	PASS
Band26	3MHz	QPSK	26775	1RB#0	23.62	26.09	38.45	PASS
Band26	3MHz	QPSK	26775	1RB#8	23.7	26.17	38.45	PASS
Band26	3MHz	QPSK	26775	1RB#14	23.22	25.69	38.45	PASS
Band26	3MHz	QPSK	26775	8RB#0	22.77	25.24	38.45	PASS
Band26	3MHz	QPSK	26775	8RB#4	22.76	25.23	38.45	PASS
Band26	3MHz	QPSK	26775	8RB#7	22.7	25.17	38.45	PASS
Band26	3MHz	QPSK	26775	15RB#0	22.72	25.19	38.45	PASS
Band26	3MHz	16QAM	26705	1RB#0	22.18	24.65	38.45	PASS
Band26	3MHz	16QAM	26705	1RB#8	22.16	24.63	38.45	PASS
Band26	3MHz	16QAM	26705	1RB#14	22.19	24.66	38.45	PASS
Band26	3MHz	16QAM	26705	8RB#0	21.45	23.92	38.45	PASS
Band26	3MHz	16QAM	26705	8RB#4	21.42	23.89	38.45	PASS
Band26	3MHz	16QAM	26705	8RB#7	21.39	23.86	38.45	PASS
Band26	3MHz	16QAM	26705	15RB#0	21.51	23.98	38.45	PASS
Band26	3MHz	16QAM	26740	1RB#0	22.36	24.83	38.45	PASS
Band26	3MHz	16QAM	26740	1RB#8	22.29	24.76	38.45	PASS
Band26	3MHz	16QAM	26740	1RB#14	22.28	24.75	38.45	PASS
Band26	3MHz	16QAM	26740	8RB#0	21.89	24.36	38.45	PASS
Band26	3MHz	16QAM	26740	8RB#4	21.59	24.06	38.45	PASS
Band26	3MHz	16QAM	26740	8RB#7	21.58	24.05	38.45	PASS
Band26	3MHz	16QAM	26740	15RB#0	21.93	24.4	38.45	PASS
Band26	3MHz	16QAM	26775	1RB#0	22.1	24.57	38.45	PASS
Band26	3MHz	16QAM	26775	1RB#8	22.27	24.74	38.45	PASS

Band26	3MHz	16QAM	26775	1RB#14	22.06	24.53	38.45	PASS
Band26	3MHz	16QAM	26775	8RB#0	21.58	24.05	38.45	PASS
Band26	3MHz	16QAM	26775	8RB#4	21.62	24.09	38.45	PASS
Band26	3MHz	16QAM	26775	8RB#7	21.68	24.15	38.45	PASS
Band26	3MHz	16QAM	26775	15RB#0	21.84	24.31	38.45	PASS
Band26	5MHz	QPSK	26715	1RB#0	23.43	25.9	38.45	PASS
Band26	5MHz	QPSK	26715	1RB#12	23.71	26.18	38.45	PASS
Band26	5MHz	QPSK	26715	1RB#24	23.53	26	38.45	PASS
Band26	5MHz	QPSK	26715	12RB#0	22.64	25.11	38.45	PASS
Band26	5MHz	QPSK	26715	12RB#6	22.58	25.05	38.45	PASS
Band26	5MHz	QPSK	26715	12RB#13	22.68	25.15	38.45	PASS
Band26	5MHz	QPSK	26715	25RB#0	22.6	25.07	38.45	PASS
Band26	5MHz	QPSK	26740	1RB#0	23.42	25.89	38.45	PASS
Band26	5MHz	QPSK	26740	1RB#12	23.83	26.3	38.45	PASS
Band26	5MHz	QPSK	26740	1RB#24	23.29	25.76	38.45	PASS
Band26	5MHz	QPSK	26740	12RB#0	22.74	25.21	38.45	PASS
Band26	5MHz	QPSK	26740	12RB#6	22.83	25.3	38.45	PASS
Band26	5MHz	QPSK	26740	12RB#13	22.71	25.18	38.45	PASS
Band26	5MHz	QPSK	26740	25RB#0	22.65	25.12	38.45	PASS
Band26	5MHz	QPSK	26765	1RB#0	23.3	25.77	38.45	PASS
Band26	5MHz	QPSK	26765	1RB#12	23.67	26.14	38.45	PASS
Band26	5MHz	QPSK	26765	1RB#24	23.18	25.65	38.45	PASS
Band26	5MHz	QPSK	26765	12RB#0	22.7	25.17	38.45	PASS
Band26	5MHz	QPSK	26765	12RB#6	22.62	25.09	38.45	PASS
Band26	5MHz	QPSK	26765	12RB#13	22.65	25.12	38.45	PASS
Band26	5MHz	QPSK	26765	25RB#0	22.75	25.22	38.45	PASS
Band26	5MHz	16QAM	26715	1RB#0	22.11	24.58	38.45	PASS
Band26	5MHz	16QAM	26715	1RB#12	22.5	24.97	38.45	PASS
Band26	5MHz	16QAM	26715	1RB#24	22.05	24.52	38.45	PASS
Band26	5MHz	16QAM	26715	12RB#0	21.56	24.03	38.45	PASS
Band26	5MHz	16QAM	26715	12RB#6	21.52	23.99	38.45	PASS
Band26	5MHz	16QAM	26715	12RB#13	21.42	23.89	38.45	PASS
Band26	5MHz	16QAM	26715	25RB#0	21.52	23.99	38.45	PASS
Band26	5MHz	16QAM	26740	1RB#0	22.25	24.72	38.45	PASS
Band26	5MHz	16QAM	26740	1RB#12	22.5	24.97	38.45	PASS
Band26	5MHz	16QAM	26740	1RB#24	22.25	24.72	38.45	PASS
Band26	5MHz	16QAM	26740	12RB#0	21.72	24.19	38.45	PASS
Band26	5MHz	16QAM	26740	12RB#6	21.7	24.17	38.45	PASS
Band26	5MHz	16QAM	26740	12RB#13	21.41	23.88	38.45	PASS
Band26	5MHz	16QAM	26740	25RB#0	21.61	24.08	38.45	PASS

Band26	5MHz	16QAM	26765	1RB#0	22.13	24.6	38.45	PASS
Band26	5MHz	16QAM	26765	1RB#12	22.67	25.14	38.45	PASS
Band26	5MHz	16QAM	26765	1RB#24	21.78	24.25	38.45	PASS
Band26	5MHz	16QAM	26765	12RB#0	21.51	23.98	38.45	PASS
Band26	5MHz	16QAM	26765	12RB#6	21.67	24.14	38.45	PASS
Band26	5MHz	16QAM	26765	12RB#13	21.61	24.08	38.45	PASS
Band26	5MHz	16QAM	26765	25RB#0	21.58	24.05	38.45	PASS
Band26	10MHz	QPSK	26740	1RB#0	23.42	25.89	38.45	PASS
Band26	10MHz	QPSK	26740	1RB#24	24.07	26.54	38.45	PASS
Band26	10MHz	QPSK	26740	1RB#49	23.27	25.74	38.45	PASS
Band26	10MHz	QPSK	26740	25RB#0	22.79	25.26	38.45	PASS
Band26	10MHz	QPSK	26740	25RB#12	22.85	25.32	38.45	PASS
Band26	10MHz	QPSK	26740	25RB#25	22.66	25.13	38.45	PASS
Band26	10MHz	QPSK	26740	50RB#0	22.64	25.11	38.45	PASS
Band26	10MHz	16QAM	26740	1RB#0	22.34	24.81	38.45	PASS
Band26	10MHz	16QAM	26740	1RB#24	22.4	24.87	38.45	PASS
Band26	10MHz	16QAM	26740	1RB#49	22.4	24.87	38.45	PASS
Band26	10MHz	16QAM	26740	25RB#0	21.57	24.04	38.45	PASS
Band26	10MHz	16QAM	26740	25RB#12	21.7	24.17	38.45	PASS
Band26	10MHz	16QAM	26740	25RB#25	21.66	24.13	38.45	PASS
Band26	10MHz	16QAM	26740	50RB#0	21.56	24.03	38.45	PASS
Band26	10MHz	QPSK	26990	1RB#0	23.29	25.76	38.45	PASS
Band26	10MHz	QPSK	26990	1RB#24	23.94	26.41	38.45	PASS
Band26	10MHz	QPSK	26990	1RB#49	22.77	25.24	38.45	PASS
Band26	10MHz	QPSK	26990	25RB#0	22.67	25.14	38.45	PASS
Band26	10MHz	QPSK	26990	25RB#12	22.57	25.04	38.45	PASS
Band26	10MHz	QPSK	26990	25RB#25	22.25	24.72	38.45	PASS
Band26	10MHz	QPSK	26990	50RB#0	22.43	24.9	38.45	PASS
Band26	10MHz	16QAM	26840	1RB#0	22.04	24.51	38.45	PASS
Band26	10MHz	16QAM	26840	1RB#24	22.15	24.62	38.45	PASS
Band26	10MHz	16QAM	26840	1RB#49	22.12	24.59	38.45	PASS
Band26	10MHz	16QAM	26840	25RB#0	21.46	23.93	38.45	PASS
Band26	10MHz	16QAM	26840	25RB#12	21.6	24.07	38.45	PASS
Band26	10MHz	16QAM	26840	25RB#25	21.5	23.97	38.45	PASS
Band26	10MHz	16QAM	26840	50RB#0	21.56	24.03	38.45	PASS
Band26	10MHz	16QAM	26915	1RB#0	22.32	24.79	38.45	PASS
Band26	10MHz	16QAM	26915	1RB#24	22.24	24.71	38.45	PASS
Band26	10MHz	16QAM	26915	1RB#49	22.14	24.61	38.45	PASS
Band26	10MHz	16QAM	26915	25RB#0	21.33	23.8	38.45	PASS
Band26	10MHz	16QAM	26915	25RB#12	21.55	24.02	38.45	PASS

Band26	10MHz	16QAM	26915	25RB#25	21.43	23.9	38.45	PASS
Band26	10MHz	16QAM	26915	50RB#0	21.47	23.94	38.45	PASS
Band26	10MHz	16QAM	26990	1RB#0	22.15	24.62	38.45	PASS
Band26	10MHz	16QAM	26990	1RB#24	21.84	24.31	38.45	PASS
Band26	10MHz	16QAM	26990	1RB#49	21.96	24.43	38.45	PASS
Band26	10MHz	16QAM	26990	25RB#0	21.35	23.82	38.45	PASS
Band26	10MHz	16QAM	26990	25RB#12	21.51	23.98	38.45	PASS
Band26	10MHz	16QAM	26990	25RB#25	21.49	23.96	38.45	PASS
Band26	10MHz	16QAM	26990	50RB#0	21.55	24.02	38.45	PASS
Band26	1.4MHz	QPSK	26797	1RB#0	23.11	23.43	38.45	PASS
Band26	1.4MHz	QPSK	26797	1RB#2	23.25	23.57	38.45	PASS
Band26	1.4MHz	QPSK	26797	1RB#5	23.34	23.66	38.45	PASS
Band26	1.4MHz	QPSK	26797	3RB#0	23.47	23.79	38.45	PASS
Band26	1.4MHz	QPSK	26797	3RB#1	23.49	23.81	38.45	PASS
Band26	1.4MHz	QPSK	26797	3RB#3	23.47	23.79	38.45	PASS
Band26	1.4MHz	QPSK	26797	6RB#0	22.39	22.71	38.45	PASS
Band26	1.4MHz	QPSK	26915	1RB#0	23.43	23.75	38.45	PASS
Band26	1.4MHz	QPSK	26915	1RB#2	23.49	23.81	38.45	PASS
Band26	1.4MHz	QPSK	26915	1RB#5	23.37	23.69	38.45	PASS
Band26	1.4MHz	QPSK	26915	3RB#0	23.64	23.96	38.45	PASS
Band26	1.4MHz	QPSK	26915	3RB#1	23.65	23.97	38.45	PASS
Band26	1.4MHz	QPSK	26915	3RB#3	23.57	23.89	38.45	PASS
Band26	1.4MHz	QPSK	26915	6RB#0	22.48	22.8	38.45	PASS
Band26	1.4MHz	QPSK	27033	1RB#0	23.18	23.5	38.45	PASS
Band26	1.4MHz	QPSK	27033	1RB#2	23.42	23.74	38.45	PASS
Band26	1.4MHz	QPSK	27033	1RB#5	23	23.32	38.45	PASS
Band26	1.4MHz	QPSK	27033	3RB#0	23.4	23.72	38.45	PASS
Band26	1.4MHz	QPSK	27033	3RB#1	23.43	23.75	38.45	PASS
Band26	1.4MHz	QPSK	27033	3RB#3	23.42	23.74	38.45	PASS
Band26	1.4MHz	QPSK	27033	6RB#0	22.47	22.79	38.45	PASS
Band26	1.4MHz	16QAM	26797	1RB#0	22.08	22.4	38.45	PASS
Band26	1.4MHz	16QAM	26797	1RB#2	22.14	22.46	38.45	PASS
Band26	1.4MHz	16QAM	26797	1RB#5	22.12	22.44	38.45	PASS
Band26	1.4MHz	16QAM	26797	3RB#0	22.56	22.88	38.45	PASS
Band26	1.4MHz	16QAM	26797	3RB#1	22.63	22.95	38.45	PASS
Band26	1.4MHz	16QAM	26797	3RB#3	22.49	22.81	38.45	PASS
Band26	1.4MHz	16QAM	26797	6RB#0	21.41	21.73	38.45	PASS
Band26	1.4MHz	16QAM	26915	1RB#0	22.22	22.54	38.45	PASS
Band26	1.4MHz	16QAM	26915	1RB#2	22.27	22.59	38.45	PASS
Band26	1.4MHz	16QAM	26915	1RB#5	22.15	22.47	38.45	PASS

Band26	1.4MHz	16QAM	26915	3RB#0	22.63	22.95	38.45	PASS
Band26	1.4MHz	16QAM	26915	3RB#1	22.64	22.96	38.45	PASS
Band26	1.4MHz	16QAM	26915	3RB#3	22.62	22.94	38.45	PASS
Band26	1.4MHz	16QAM	26915	6RB#0	21.28	21.6	38.45	PASS
Band26	1.4MHz	16QAM	27033	1RB#0	22.08	22.4	38.45	PASS
Band26	1.4MHz	16QAM	27033	1RB#2	22.18	22.5	38.45	PASS
Band26	1.4MHz	16QAM	27033	1RB#5	22	22.32	38.45	PASS
Band26	1.4MHz	16QAM	27033	3RB#0	22.76	23.08	38.45	PASS
Band26	1.4MHz	16QAM	27033	3RB#1	22.59	22.91	38.45	PASS
Band26	1.4MHz	16QAM	27033	3RB#3	22.53	22.85	38.45	PASS
Band26	1.4MHz	16QAM	27033	6RB#0	21.35	21.67	38.45	PASS
Band26	3MHz	QPSK	26805	1RB#0	23.32	23.64	38.45	PASS
Band26	3MHz	QPSK	26805	1RB#8	23.38	23.7	38.45	PASS
Band26	3MHz	QPSK	26805	1RB#14	23.51	23.83	38.45	PASS
Band26	3MHz	QPSK	26805	8RB#0	22.5	22.82	38.45	PASS
Band26	3MHz	QPSK	26805	8RB#4	22.5	22.82	38.45	PASS
Band26	3MHz	QPSK	26805	8RB#7	22.46	22.78	38.45	PASS
Band26	3MHz	QPSK	26805	15RB#0	22.53	22.85	38.45	PASS
Band26	3MHz	QPSK	26915	1RB#0	23.35	23.67	38.45	PASS
Band26	3MHz	QPSK	26915	1RB#8	23.37	23.69	38.45	PASS
Band26	3MHz	QPSK	26915	1RB#14	23.37	23.69	38.45	PASS
Band26	3MHz	QPSK	26915	8RB#0	22.44	22.76	38.45	PASS
Band26	3MHz	QPSK	26915	8RB#4	22.4	22.72	38.45	PASS
Band26	3MHz	QPSK	26915	8RB#7	22.45	22.77	38.45	PASS
Band26	3MHz	QPSK	26915	15RB#0	22.46	22.78	38.45	PASS
Band26	3MHz	QPSK	27025	1RB#0	23.42	23.74	38.45	PASS
Band26	3MHz	QPSK	27025	1RB#8	23.27	23.59	38.45	PASS
Band26	3MHz	QPSK	27025	1RB#14	23.13	23.45	38.45	PASS
Band26	3MHz	QPSK	27025	8RB#0	22.59	22.91	38.45	PASS
Band26	3MHz	QPSK	27025	8RB#4	22.51	22.83	38.45	PASS
Band26	3MHz	QPSK	27025	8RB#7	22.38	22.7	38.45	PASS
Band26	3MHz	QPSK	27025	15RB#0	22.46	22.78	38.45	PASS
Band26	3MHz	16QAM	26805	1RB#0	22.04	22.36	38.45	PASS
Band26	3MHz	16QAM	26805	1RB#8	22.03	22.35	38.45	PASS
Band26	3MHz	16QAM	26805	1RB#14	22.08	22.4	38.45	PASS
Band26	3MHz	16QAM	26805	8RB#0	21.13	21.45	38.45	PASS
Band26	3MHz	16QAM	26805	8RB#4	21.35	21.67	38.45	PASS
Band26	3MHz	16QAM	26805	8RB#7	21.45	21.77	38.45	PASS
Band26	3MHz	16QAM	26805	15RB#0	21.44	21.76	38.45	PASS
Band26	3MHz	16QAM	26915	1RB#0	22.04	22.36	38.45	PASS

Band26	3MHz	16QAM	26915	1RB#8	22.15	22.47	38.45	PASS
Band26	3MHz	16QAM	26915	1RB#14	21.98	22.3	38.45	PASS
Band26	3MHz	16QAM	26915	8RB#0	21.16	21.48	38.45	PASS
Band26	3MHz	16QAM	26915	8RB#4	21.26	21.58	38.45	PASS
Band26	3MHz	16QAM	26915	8RB#7	21.21	21.53	38.45	PASS
Band26	3MHz	16QAM	26915	15RB#0	21.57	21.89	38.45	PASS
Band26	3MHz	16QAM	27025	1RB#0	22.03	22.35	38.45	PASS
Band26	3MHz	16QAM	27025	1RB#8	21.95	22.27	38.45	PASS
Band26	3MHz	16QAM	27025	1RB#14	22.03	22.35	38.45	PASS
Band26	3MHz	16QAM	27025	8RB#0	21.21	21.53	38.45	PASS
Band26	3MHz	16QAM	27025	8RB#4	21.2	21.52	38.45	PASS
Band26	3MHz	16QAM	27025	8RB#7	21.26	21.58	38.45	PASS
Band26	3MHz	16QAM	27025	15RB#0	21.41	21.73	38.45	PASS
Band26	5MHz	QPSK	26815	1RB#0	23.14	23.46	38.45	PASS
Band26	5MHz	QPSK	26815	1RB#12	23.45	23.77	38.45	PASS
Band26	5MHz	QPSK	26815	1RB#24	23.12	23.44	38.45	PASS
Band26	5MHz	QPSK	26815	12RB#0	22.56	22.88	38.45	PASS
Band26	5MHz	QPSK	26815	12RB#6	22.47	22.79	38.45	PASS
Band26	5MHz	QPSK	26815	12RB#13	22.37	22.69	38.45	PASS
Band26	5MHz	QPSK	26815	25RB#0	22.44	22.76	38.45	PASS
Band26	5MHz	QPSK	26915	1RB#0	23.25	23.57	38.45	PASS
Band26	5MHz	QPSK	26915	1RB#12	23.64	23.96	38.45	PASS
Band26	5MHz	QPSK	26915	1RB#24	23.31	23.63	38.45	PASS
Band26	5MHz	QPSK	26915	12RB#0	22.41	22.73	38.45	PASS
Band26	5MHz	QPSK	26915	12RB#6	22.48	22.8	38.45	PASS
Band26	5MHz	QPSK	26915	12RB#13	22.34	22.66	38.45	PASS
Band26	5MHz	QPSK	26915	25RB#0	22.42	22.74	38.45	PASS
Band26	5MHz	QPSK	27015	1RB#0	23.27	23.59	38.45	PASS
Band26	5MHz	QPSK	27015	1RB#12	23.42	23.74	38.45	PASS
Band26	5MHz	QPSK	27015	1RB#24	22.86	23.18	38.45	PASS
Band26	5MHz	QPSK	27015	12RB#0	22.55	22.87	38.45	PASS
Band26	5MHz	QPSK	27015	12RB#6	22.33	22.65	38.45	PASS
Band26	5MHz	QPSK	27015	12RB#13	22.29	22.61	38.45	PASS
Band26	5MHz	QPSK	27015	25RB#0	22.48	22.8	38.45	PASS
Band26	5MHz	16QAM	26815	1RB#0	22.03	22.35	38.45	PASS
Band26	5MHz	16QAM	26815	1RB#12	22.41	22.73	38.45	PASS
Band26	5MHz	16QAM	26815	1RB#24	21.93	22.25	38.45	PASS
Band26	5MHz	16QAM	26815	12RB#0	21.42	21.74	38.45	PASS
Band26	5MHz	16QAM	26815	12RB#6	21.35	21.67	38.45	PASS
Band26	5MHz	16QAM	26815	12RB#13	21.35	21.67	38.45	PASS

Band26	5MHz	16QAM	26815	25RB#0	21.34	21.66	38.45	PASS
Band26	5MHz	16QAM	26915	1RB#0	21.86	22.18	38.45	PASS
Band26	5MHz	16QAM	26915	1RB#12	22.42	22.74	38.45	PASS
Band26	5MHz	16QAM	26915	1RB#24	21.76	22.08	38.45	PASS
Band26	5MHz	16QAM	26915	12RB#0	21.29	21.61	38.45	PASS
Band26	5MHz	16QAM	26915	12RB#6	21.23	21.55	38.45	PASS
Band26	5MHz	16QAM	26915	12RB#13	21.36	21.68	38.45	PASS
Band26	5MHz	16QAM	26915	25RB#0	21.44	21.76	38.45	PASS
Band26	5MHz	16QAM	27015	1RB#0	22.02	22.34	38.45	PASS
Band26	5MHz	16QAM	27015	1RB#12	22.51	22.83	38.45	PASS
Band26	5MHz	16QAM	27015	1RB#24	22.04	22.36	38.45	PASS
Band26	5MHz	16QAM	27015	12RB#0	21.42	21.74	38.45	PASS
Band26	5MHz	16QAM	27015	12RB#6	21.4	21.72	38.45	PASS
Band26	5MHz	16QAM	27015	12RB#13	21.24	21.56	38.45	PASS
Band26	5MHz	16QAM	27015	25RB#0	21.36	21.68	38.45	PASS
Band26	10MHz	QPSK	26840	1RB#0	23.26	23.58	38.45	PASS
Band26	10MHz	QPSK	26840	1RB#24	23.78	24.1	38.45	PASS
Band26	10MHz	QPSK	26840	1RB#49	23	23.32	38.45	PASS
Band26	10MHz	QPSK	26840	25RB#0	22.69	23.01	38.45	PASS
Band26	10MHz	QPSK	26840	25RB#12	22.72	23.04	38.45	PASS
Band26	10MHz	QPSK	26840	25RB#25	22.46	22.78	38.45	PASS
Band26	10MHz	QPSK	26840	50RB#0	22.44	22.76	38.45	PASS
Band26	10MHz	QPSK	26915	1RB#0	23.17	23.49	38.45	PASS
Band26	10MHz	QPSK	26915	1RB#24	23.84	24.16	38.45	PASS
Band26	10MHz	QPSK	26915	1RB#49	22.84	23.16	38.45	PASS
Band26	10MHz	QPSK	26915	25RB#0	22.58	22.9	38.45	PASS
Band26	10MHz	QPSK	26915	25RB#12	22.71	23.03	38.45	PASS
Band26	10MHz	QPSK	26915	25RB#25	22.26	22.58	38.45	PASS
Band26	10MHz	QPSK	26915	50RB#0	22.55	22.87	38.45	PASS
Band26	10MHz	QPSK	26990	1RB#0	23.29	23.61	38.45	PASS
Band26	10MHz	QPSK	26990	1RB#24	23.94	24.26	38.45	PASS
Band26	10MHz	QPSK	26990	1RB#49	22.77	23.09	38.45	PASS
Band26	10MHz	QPSK	26990	25RB#0	22.67	22.99	38.45	PASS
Band26	10MHz	QPSK	26990	25RB#12	22.57	22.89	38.45	PASS
Band26	10MHz	QPSK	26990	25RB#25	22.25	22.57	38.45	PASS
Band26	10MHz	QPSK	26990	50RB#0	22.43	22.75	38.45	PASS
Band26	10MHz	16QAM	26840	1RB#0	22.04	22.36	38.45	PASS
Band26	10MHz	16QAM	26840	1RB#24	22.15	22.47	38.45	PASS
Band26	10MHz	16QAM	26840	1RB#49	22.12	22.44	38.45	PASS
Band26	10MHz	16QAM	26840	25RB#0	21.46	21.78	38.45	PASS

Band26	10MHz	16QAM	26840	25RB#12	21.6	21.92	38.45	PASS
Band26	10MHz	16QAM	26840	25RB#25	21.5	21.82	38.45	PASS
Band26	10MHz	16QAM	26840	50RB#0	21.56	21.88	38.45	PASS
Band26	10MHz	16QAM	26915	1RB#0	22.32	22.64	38.45	PASS
Band26	10MHz	16QAM	26915	1RB#24	22.24	22.56	38.45	PASS
Band26	10MHz	16QAM	26915	1RB#49	22.14	22.46	38.45	PASS
Band26	10MHz	16QAM	26915	25RB#0	21.33	21.65	38.45	PASS
Band26	10MHz	16QAM	26915	25RB#12	21.55	21.87	38.45	PASS
Band26	10MHz	16QAM	26915	25RB#25	21.43	21.75	38.45	PASS
Band26	10MHz	16QAM	26915	50RB#0	21.47	21.79	38.45	PASS
Band26	10MHz	16QAM	26990	1RB#0	22.15	22.47	38.45	PASS
Band26	10MHz	16QAM	26990	1RB#24	21.84	22.16	38.45	PASS
Band26	10MHz	16QAM	26990	1RB#49	21.96	22.28	38.45	PASS
Band26	10MHz	16QAM	26990	25RB#0	21.35	21.67	38.45	PASS
Band26	10MHz	16QAM	26990	25RB#12	21.51	21.83	38.45	PASS
Band26	10MHz	16QAM	26990	25RB#25	21.49	21.81	38.45	PASS
Band26	10MHz	16QAM	26990	50RB#0	21.55	21.87	38.45	PASS
Band26	15MHz	QPSK	26865	1RB#0	23.39	23.71	38.45	PASS
Band26	15MHz	QPSK	26865	1RB#38	23.74	24.06	38.45	PASS
Band26	15MHz	QPSK	26865	1RB#74	22.77	23.09	38.45	PASS
Band26	15MHz	QPSK	26865	36RB#0	22.62	22.94	38.45	PASS
Band26	15MHz	QPSK	26865	36RB#18	22.67	22.99	38.45	PASS
Band26	15MHz	QPSK	26865	36RB#39	22.44	22.76	38.45	PASS
Band26	15MHz	QPSK	26865	75RB#0	22.47	22.79	38.45	PASS
Band26	15MHz	QPSK	26915	1RB#0	23.2	23.52	38.45	PASS
Band26	15MHz	QPSK	26915	1RB#38	23.68	24	38.45	PASS
Band26	15MHz	QPSK	26915	1RB#74	22.89	23.21	38.45	PASS
Band26	15MHz	QPSK	26915	36RB#0	22.6	22.92	38.45	PASS
Band26	15MHz	QPSK	26915	36RB#18	22.63	22.95	38.45	PASS
Band26	15MHz	QPSK	26915	36RB#39	22.31	22.63	38.45	PASS
Band26	15MHz	QPSK	26915	75RB#0	22.46	22.78	38.45	PASS
Band26	15MHz	QPSK	26965	1RB#0	23.26	23.58	38.45	PASS
Band26	15MHz	QPSK	26965	1RB#38	23.7	24.02	38.45	PASS
Band26	15MHz	QPSK	26965	1RB#74	22.71	23.03	38.45	PASS
Band26	15MHz	QPSK	26965	36RB#0	22.7	23.02	38.45	PASS
Band26	15MHz	QPSK	26965	36RB#18	22.54	22.86	38.45	PASS
Band26	15MHz	QPSK	26965	36RB#39	22.42	22.74	38.45	PASS
Band26	15MHz	QPSK	26965	75RB#0	22.59	22.91	38.45	PASS
Band26	15MHz	16QAM	26865	1RB#0	21.95	22.27	38.45	PASS
Band26	15MHz	16QAM	26865	1RB#38	22.06	22.38	38.45	PASS

Band26	15MHz	16QAM	26865	1RB#74	22.06	22.38	38.45	PASS
Band26	15MHz	16QAM	26865	36RB#0	21.45	21.77	38.45	PASS
Band26	15MHz	16QAM	26865	36RB#18	21.47	21.79	38.45	PASS
Band26	15MHz	16QAM	26865	36RB#39	21.47	21.79	38.45	PASS
Band26	15MHz	16QAM	26865	75RB#0	21.48	21.8	38.45	PASS
Band26	15MHz	16QAM	26915	1RB#0	22.17	22.49	38.45	PASS
Band26	15MHz	16QAM	26915	1RB#38	22.24	22.56	38.45	PASS
Band26	15MHz	16QAM	26915	1RB#74	22.14	22.46	38.45	PASS
Band26	15MHz	16QAM	26915	36RB#0	21.56	21.88	38.45	PASS
Band26	15MHz	16QAM	26915	36RB#18	21.42	21.74	38.45	PASS
Band26	15MHz	16QAM	26915	36RB#39	21.46	21.78	38.45	PASS
Band26	15MHz	16QAM	26915	75RB#0	21.39	21.71	38.45	PASS
Band26	15MHz	16QAM	26965	1RB#0	22.07	22.39	38.45	PASS
Band26	15MHz	16QAM	26965	1RB#38	22.12	22.44	38.45	PASS
Band26	15MHz	16QAM	26965	1RB#74	22.1	22.42	38.45	PASS
Band26	15MHz	16QAM	26965	36RB#0	21.53	21.85	38.45	PASS
Band26	15MHz	16QAM	26965	36RB#18	21.49	21.81	38.45	PASS
Band26	15MHz	16QAM	26965	36RB#39	21.44	21.76	38.45	PASS
Band26	15MHz	16QAM	26965	75RB#0	21.42	21.74	38.45	PASS
Band38	5MHz	QPSK	37775	1RB#0	23.39	24.35	33	PASS
Band38	5MHz	QPSK	37775	1RB#12	23.55	24.51	33	PASS
Band38	5MHz	QPSK	37775	1RB#24	23.46	24.42	33	PASS
Band38	5MHz	QPSK	37775	12RB#0	22.53	23.49	33	PASS
Band38	5MHz	QPSK	37775	12RB#6	22.51	23.47	33	PASS
Band38	5MHz	QPSK	37775	12RB#13	22.44	23.4	33	PASS
Band38	5MHz	QPSK	37775	25RB#0	22.44	23.4	33	PASS
Band38	5MHz	QPSK	38000	1RB#0	23.35	24.31	33	PASS
Band38	5MHz	QPSK	38000	1RB#12	23.78	24.74	33	PASS
Band38	5MHz	QPSK	38000	1RB#24	23.4	24.36	33	PASS
Band38	5MHz	QPSK	38000	12RB#0	22.48	23.44	33	PASS
Band38	5MHz	QPSK	38000	12RB#6	22.54	23.5	33	PASS
Band38	5MHz	QPSK	38000	12RB#13	22.47	23.43	33	PASS
Band38	5MHz	QPSK	38000	25RB#0	22.47	23.43	33	PASS
Band38	5MHz	QPSK	38225	1RB#0	23.32	24.28	33	PASS
Band38	5MHz	QPSK	38225	1RB#12	23.63	24.59	33	PASS
Band38	5MHz	QPSK	38225	1RB#24	23.49	24.45	33	PASS
Band38	5MHz	QPSK	38225	12RB#0	22.45	23.41	33	PASS
Band38	5MHz	QPSK	38225	12RB#6	22.36	23.32	33	PASS
Band38	5MHz	QPSK	38225	12RB#13	22.41	23.37	33	PASS
Band38	5MHz	QPSK	38225	25RB#0	22.43	23.39	33	PASS

Band38	5MHz	16QAM	37775	1RB#0	22.03	22.99	33	PASS
Band38	5MHz	16QAM	37775	1RB#12	22.24	23.2	33	PASS
Band38	5MHz	16QAM	37775	1RB#24	21.74	22.7	33	PASS
Band38	5MHz	16QAM	37775	12RB#0	21.4	22.36	33	PASS
Band38	5MHz	16QAM	37775	12RB#6	21.48	22.44	33	PASS
Band38	5MHz	16QAM	37775	12RB#13	21.31	22.27	33	PASS
Band38	5MHz	16QAM	37775	25RB#0	21.4	22.36	33	PASS
Band38	5MHz	16QAM	38000	1RB#0	21.94	22.9	33	PASS
Band38	5MHz	16QAM	38000	1RB#12	22.28	23.24	33	PASS
Band38	5MHz	16QAM	38000	1RB#24	21.99	22.95	33	PASS
Band38	5MHz	16QAM	38000	12RB#0	21.43	22.39	33	PASS
Band38	5MHz	16QAM	38000	12RB#6	21.42	22.38	33	PASS
Band38	5MHz	16QAM	38000	12RB#13	21.37	22.33	33	PASS
Band38	5MHz	16QAM	38000	25RB#0	21.35	22.31	33	PASS
Band38	5MHz	16QAM	38225	1RB#0	21.95	22.91	33	PASS
Band38	5MHz	16QAM	38225	1RB#12	22.14	23.1	33	PASS
Band38	5MHz	16QAM	38225	1RB#24	21.91	22.87	33	PASS
Band38	5MHz	16QAM	38225	12RB#0	21.37	22.33	33	PASS
Band38	5MHz	16QAM	38225	12RB#6	21.25	22.21	33	PASS
Band38	5MHz	16QAM	38225	12RB#13	21.36	22.32	33	PASS
Band38	5MHz	16QAM	38225	25RB#0	21.26	22.22	33	PASS
Band38	10MHz	QPSK	37800	1RB#0	23.62	24.58	33	PASS
Band38	10MHz	QPSK	37800	1RB#24	23.75	24.71	33	PASS
Band38	10MHz	QPSK	37800	1RB#49	23.25	24.21	33	PASS
Band38	10MHz	QPSK	37800	25RB#0	22.66	23.62	33	PASS
Band38	10MHz	QPSK	37800	25RB#12	22.58	23.54	33	PASS
Band38	10MHz	QPSK	37800	25RB#25	22.34	23.3	33	PASS
Band38	10MHz	QPSK	37800	50RB#0	22.44	23.4	33	PASS
Band38	10MHz	QPSK	38000	1RB#0	23.38	24.34	33	PASS
Band38	10MHz	QPSK	38000	1RB#24	23.89	24.85	33	PASS
Band38	10MHz	QPSK	38000	1RB#49	23.25	24.21	33	PASS
Band38	10MHz	QPSK	38000	25RB#0	22.52	23.48	33	PASS
Band38	10MHz	QPSK	38000	25RB#12	22.53	23.49	33	PASS
Band38	10MHz	QPSK	38000	25RB#25	22.37	23.33	33	PASS
Band38	10MHz	QPSK	38000	50RB#0	22.45	23.41	33	PASS
Band38	10MHz	QPSK	38200	1RB#0	23.26	24.22	33	PASS
Band38	10MHz	QPSK	38200	1RB#24	23.73	24.69	33	PASS
Band38	10MHz	QPSK	38200	1RB#49	23.17	24.13	33	PASS
Band38	10MHz	QPSK	38200	25RB#0	22.58	23.54	33	PASS
Band38	10MHz	QPSK	38200	25RB#12	22.43	23.39	33	PASS

Band38	10MHz	QPSK	38200	25RB#25	22.3	23.26	33	PASS
Band38	10MHz	QPSK	38200	50RB#0	22.39	23.35	33	PASS
Band38	10MHz	16QAM	37800	1RB#0	22.12	23.08	33	PASS
Band38	10MHz	16QAM	37800	1RB#24	22.08	23.04	33	PASS
Band38	10MHz	16QAM	37800	1RB#49	22.08	23.04	33	PASS
Band38	10MHz	16QAM	37800	25RB#0	21.49	22.45	33	PASS
Band38	10MHz	16QAM	37800	25RB#12	21.54	22.5	33	PASS
Band38	10MHz	16QAM	37800	25RB#25	21.42	22.38	33	PASS
Band38	10MHz	16QAM	37800	50RB#0	21.37	22.33	33	PASS
Band38	10MHz	16QAM	38000	1RB#0	22.09	23.05	33	PASS
Band38	10MHz	16QAM	38000	1RB#24	22.19	23.15	33	PASS
Band38	10MHz	16QAM	38000	1RB#49	22.03	22.99	33	PASS
Band38	10MHz	16QAM	38000	25RB#0	21.37	22.33	33	PASS
Band38	10MHz	16QAM	38000	25RB#12	21.43	22.39	33	PASS
Band38	10MHz	16QAM	38000	25RB#25	21.55	22.51	33	PASS
Band38	10MHz	16QAM	38000	50RB#0	21.31	22.27	33	PASS
Band38	10MHz	16QAM	38200	1RB#0	21.94	22.9	33	PASS
Band38	10MHz	16QAM	38200	1RB#24	22.22	23.18	33	PASS
Band38	10MHz	16QAM	38200	1RB#49	22.01	22.97	33	PASS
Band38	10MHz	16QAM	38200	25RB#0	21.5	22.46	33	PASS
Band38	10MHz	16QAM	38200	25RB#12	21.4	22.36	33	PASS
Band38	10MHz	16QAM	38200	25RB#25	21.37	22.33	33	PASS
Band38	10MHz	16QAM	38200	50RB#0	21.34	22.3	33	PASS
Band38	15MHz	QPSK	37825	1RB#0	23.54	24.5	33	PASS
Band38	15MHz	QPSK	37825	1RB#38	23.65	24.61	33	PASS
Band38	15MHz	QPSK	37825	1RB#74	23.2	24.16	33	PASS
Band38	15MHz	QPSK	37825	36RB#0	22.51	23.47	33	PASS
Band38	15MHz	QPSK	37825	36RB#18	22.56	23.52	33	PASS
Band38	15MHz	QPSK	37825	36RB#39	22.41	23.37	33	PASS
Band38	15MHz	QPSK	37825	75RB#0	22.41	23.37	33	PASS
Band38	15MHz	QPSK	38000	1RB#0	23.41	24.37	33	PASS
Band38	15MHz	QPSK	38000	1RB#38	23.66	24.62	33	PASS
Band38	15MHz	QPSK	38000	1RB#74	23.29	24.25	33	PASS
Band38	15MHz	QPSK	38000	36RB#0	22.53	23.49	33	PASS
Band38	15MHz	QPSK	38000	36RB#18	22.57	23.53	33	PASS
Band38	15MHz	QPSK	38000	36RB#39	22.4	23.36	33	PASS
Band38	15MHz	QPSK	38000	75RB#0	22.5	23.46	33	PASS
Band38	15MHz	QPSK	38175	1RB#0	23.36	24.32	33	PASS
Band38	15MHz	QPSK	38175	1RB#38	23.53	24.49	33	PASS
Band38	15MHz	QPSK	38175	1RB#74	23.24	24.2	33	PASS

Band38	15MHz	QPSK	38175	36RB#0	22.56	23.52	33	PASS
Band38	15MHz	QPSK	38175	36RB#18	22.51	23.47	33	PASS
Band38	15MHz	QPSK	38175	36RB#39	22.31	23.27	33	PASS
Band38	15MHz	QPSK	38175	75RB#0	22.37	23.33	33	PASS
Band38	15MHz	16QAM	37825	1RB#0	22.21	23.17	33	PASS
Band38	15MHz	16QAM	37825	1RB#38	22.07	23.03	33	PASS
Band38	15MHz	16QAM	37825	1RB#74	21.86	22.82	33	PASS
Band38	15MHz	16QAM	37825	36RB#0	21.42	22.38	33	PASS
Band38	15MHz	16QAM	37825	36RB#18	21.36	22.32	33	PASS
Band38	15MHz	16QAM	37825	36RB#39	21.35	22.31	33	PASS
Band38	15MHz	16QAM	37825	75RB#0	21.44	22.4	33	PASS
Band38	15MHz	16QAM	38000	1RB#0	22.1	23.06	33	PASS
Band38	15MHz	16QAM	38000	1RB#38	21.95	22.91	33	PASS
Band38	15MHz	16QAM	38000	1RB#74	21.98	22.94	33	PASS
Band38	15MHz	16QAM	38000	36RB#0	21.47	22.43	33	PASS
Band38	15MHz	16QAM	38000	36RB#18	21.34	22.3	33	PASS
Band38	15MHz	16QAM	38000	36RB#39	21.47	22.43	33	PASS
Band38	15MHz	16QAM	38000	75RB#0	21.43	22.39	33	PASS
Band38	15MHz	16QAM	38175	1RB#0	22.27	23.23	33	PASS
Band38	15MHz	16QAM	38175	1RB#38	21.82	22.78	33	PASS
Band38	15MHz	16QAM	38175	1RB#74	22.05	23.01	33	PASS
Band38	15MHz	16QAM	38175	36RB#0	21.32	22.28	33	PASS
Band38	15MHz	16QAM	38175	36RB#18	21.44	22.4	33	PASS
Band38	15MHz	16QAM	38175	36RB#39	21.27	22.23	33	PASS
Band38	15MHz	16QAM	38175	75RB#0	21.3	22.26	33	PASS
Band38	20MHz	QPSK	37850	1RB#0	23.48	24.44	33	PASS
Band38	20MHz	QPSK	37850	1RB#49	23.86	24.82	33	PASS
Band38	20MHz	QPSK	37850	1RB#99	23.03	23.99	33	PASS
Band38	20MHz	QPSK	37850	50RB#0	22.55	23.51	33	PASS
Band38	20MHz	QPSK	37850	50RB#25	22.64	23.6	33	PASS
Band38	20MHz	QPSK	37850	50RB#50	22.34	23.3	33	PASS
Band38	20MHz	QPSK	37850	100RB#0	22.47	23.43	33	PASS
Band38	20MHz	QPSK	38000	1RB#0	23.32	24.28	33	PASS
Band38	20MHz	QPSK	38000	1RB#49	23.88	24.84	33	PASS
Band38	20MHz	QPSK	38000	1RB#99	23.12	24.08	33	PASS
Band38	20MHz	QPSK	38000	50RB#0	22.55	23.51	33	PASS
Band38	20MHz	QPSK	38000	50RB#25	22.57	23.53	33	PASS
Band38	20MHz	QPSK	38000	50RB#50	22.36	23.32	33	PASS
Band38	20MHz	QPSK	38000	100RB#0	22.4	23.36	33	PASS
Band38	20MHz	QPSK	38150	1RB#0	23.44	24.4	33	PASS

Band38	20MHz	QPSK	38150	1RB#49	23.68	24.64	33	PASS
Band38	20MHz	QPSK	38150	1RB#99	23.14	24.1	33	PASS
Band38	20MHz	QPSK	38150	50RB#0	22.59	23.55	33	PASS
Band38	20MHz	QPSK	38150	50RB#25	22.57	23.53	33	PASS
Band38	20MHz	QPSK	38150	50RB#50	22.32	23.28	33	PASS
Band38	20MHz	QPSK	38150	100RB#0	22.41	23.37	33	PASS
Band38	20MHz	16QAM	37850	1RB#0	22.2	23.16	33	PASS
Band38	20MHz	16QAM	37850	1RB#49	22.41	23.37	33	PASS
Band38	20MHz	16QAM	37850	1RB#99	21.91	22.87	33	PASS
Band38	20MHz	16QAM	37850	50RB#0	21.38	22.34	33	PASS
Band38	20MHz	16QAM	37850	50RB#25	21.38	22.34	33	PASS
Band38	20MHz	16QAM	37850	50RB#50	21.3	22.26	33	PASS
Band38	20MHz	16QAM	37850	100RB#0	21.42	22.38	33	PASS
Band38	20MHz	16QAM	38000	1RB#0	21.92	22.88	33	PASS
Band38	20MHz	16QAM	38000	1RB#49	22.17	23.13	33	PASS
Band38	20MHz	16QAM	38000	1RB#99	21.98	22.94	33	PASS
Band38	20MHz	16QAM	38000	50RB#0	21.38	22.34	33	PASS
Band38	20MHz	16QAM	38000	50RB#25	21.33	22.29	33	PASS
Band38	20MHz	16QAM	38000	50RB#50	21.42	22.38	33	PASS
Band38	20MHz	16QAM	38000	100RB#0	21.48	22.44	33	PASS
Band38	20MHz	16QAM	38150	1RB#0	22.17	23.13	33	PASS
Band38	20MHz	16QAM	38150	1RB#49	22.19	23.15	33	PASS
Band38	20MHz	16QAM	38150	1RB#99	22.03	22.99	33	PASS
Band38	20MHz	16QAM	38150	50RB#0	21.45	22.41	33	PASS
Band38	20MHz	16QAM	38150	50RB#25	21.33	22.29	33	PASS
Band38	20MHz	16QAM	38150	50RB#50	21.26	22.22	33	PASS
Band38	20MHz	16QAM	38150	100RB#0	21.39	22.35	33	PASS
Band41	5MHz	QPSK	39675	1RB#0	23.42	25.92	33	PASS
Band41	5MHz	QPSK	39675	1RB#12	23.78	26.28	33	PASS
Band41	5MHz	QPSK	39675	1RB#24	23.6	26.1	33	PASS
Band41	5MHz	QPSK	39675	12RB#0	22.62	25.12	33	PASS
Band41	5MHz	QPSK	39675	12RB#6	22.67	25.17	33	PASS
Band41	5MHz	QPSK	39675	12RB#13	22.53	25.03	33	PASS
Band41	5MHz	QPSK	39675	25RB#0	22.58	25.08	33	PASS
Band41	5MHz	QPSK	40620	1RB#0	23.46	25.96	33	PASS
Band41	5MHz	QPSK	40620	1RB#12	23.91	26.41	33	PASS
Band41	5MHz	QPSK	40620	1RB#24	23.57	26.07	33	PASS
Band41	5MHz	QPSK	40620	12RB#0	22.61	25.11	33	PASS
Band41	5MHz	QPSK	40620	12RB#6	22.61	25.11	33	PASS
Band41	5MHz	QPSK	40620	12RB#13	22.42	24.92	33	PASS

Band41	5MHz	QPSK	40620	25RB#0	22.53	25.03	33	PASS
Band41	5MHz	QPSK	41565	1RB#0	23.42	25.92	33	PASS
Band41	5MHz	QPSK	41565	1RB#12	23.47	25.97	33	PASS
Band41	5MHz	QPSK	41565	1RB#24	23.27	25.77	33	PASS
Band41	5MHz	QPSK	41565	12RB#0	22.53	25.03	33	PASS
Band41	5MHz	QPSK	41565	12RB#6	22.47	24.97	33	PASS
Band41	5MHz	QPSK	41565	12RB#13	22.44	24.94	33	PASS
Band41	5MHz	QPSK	41565	25RB#0	22.52	25.02	33	PASS
Band41	5MHz	16QAM	39675	1RB#0	22.11	24.61	33	PASS
Band41	5MHz	16QAM	39675	1RB#12	22.16	24.66	33	PASS
Band41	5MHz	16QAM	39675	1RB#24	22.08	24.58	33	PASS
Band41	5MHz	16QAM	39675	12RB#0	21.51	24.01	33	PASS
Band41	5MHz	16QAM	39675	12RB#6	21.64	24.14	33	PASS
Band41	5MHz	16QAM	39675	12RB#13	21.49	23.99	33	PASS
Band41	5MHz	16QAM	39675	25RB#0	21.55	24.05	33	PASS
Band41	5MHz	16QAM	40620	1RB#0	22.03	24.53	33	PASS
Band41	5MHz	16QAM	40620	1RB#12	22.22	24.72	33	PASS
Band41	5MHz	16QAM	40620	1RB#24	21.92	24.42	33	PASS
Band41	5MHz	16QAM	40620	12RB#0	21.41	23.91	33	PASS
Band41	5MHz	16QAM	40620	12RB#6	21.4	23.9	33	PASS
Band41	5MHz	16QAM	40620	12RB#13	21.32	23.82	33	PASS
Band41	5MHz	16QAM	40620	25RB#0	21.51	24.01	33	PASS
Band41	5MHz	16QAM	41565	1RB#0	22.14	24.64	33	PASS
Band41	5MHz	16QAM	41565	1RB#12	22.38	24.88	33	PASS
Band41	5MHz	16QAM	41565	1RB#24	21.99	24.49	33	PASS
Band41	5MHz	16QAM	41565	12RB#0	21.4	23.9	33	PASS
Band41	5MHz	16QAM	41565	12RB#6	21.4	23.9	33	PASS
Band41	5MHz	16QAM	41565	12RB#13	21.34	23.84	33	PASS
Band41	5MHz	16QAM	41565	25RB#0	21.4	23.9	33	PASS
Band41	10MHz	QPSK	39700	1RB#0	23.61	26.11	33	PASS
Band41	10MHz	QPSK	39700	1RB#24	23.85	26.35	33	PASS
Band41	10MHz	QPSK	39700	1RB#49	23.48	25.98	33	PASS
Band41	10MHz	QPSK	39700	25RB#0	22.62	25.12	33	PASS
Band41	10MHz	QPSK	39700	25RB#12	22.72	25.22	33	PASS
Band41	10MHz	QPSK	39700	25RB#25	22.5	25	33	PASS
Band41	10MHz	QPSK	39700	50RB#0	22.66	25.16	33	PASS
Band41	10MHz	QPSK	40620	1RB#0	23.48	25.98	33	PASS
Band41	10MHz	QPSK	40620	1RB#24	23.86	26.36	33	PASS
Band41	10MHz	QPSK	40620	1RB#49	23.24	25.74	33	PASS
Band41	10MHz	QPSK	40620	25RB#0	22.68	25.18	33	PASS

Band41	10MHz	QPSK	40620	25RB#12	22.62	25.12	33	PASS
Band41	10MHz	QPSK	40620	25RB#25	22.46	24.96	33	PASS
Band41	10MHz	QPSK	40620	50RB#0	22.57	25.07	33	PASS
Band41	10MHz	QPSK	41540	1RB#0	23.57	26.07	33	PASS
Band41	10MHz	QPSK	41540	1RB#24	23.78	26.28	33	PASS
Band41	10MHz	QPSK	41540	1RB#49	23.28	25.78	33	PASS
Band41	10MHz	QPSK	41540	25RB#0	22.7	25.2	33	PASS
Band41	10MHz	QPSK	41540	25RB#12	22.6	25.1	33	PASS
Band41	10MHz	QPSK	41540	25RB#25	22.38	24.88	33	PASS
Band41	10MHz	QPSK	41540	50RB#0	22.59	25.09	33	PASS
Band41	10MHz	16QAM	39700	1RB#0	22.16	24.66	33	PASS
Band41	10MHz	16QAM	39700	1RB#24	22.29	24.79	33	PASS
Band41	10MHz	16QAM	39700	1RB#49	22.19	24.69	33	PASS
Band41	10MHz	16QAM	39700	25RB#0	21.58	24.08	33	PASS
Band41	10MHz	16QAM	39700	25RB#12	21.62	24.12	33	PASS
Band41	10MHz	16QAM	39700	25RB#25	21.55	24.05	33	PASS
Band41	10MHz	16QAM	39700	50RB#0	21.57	24.07	33	PASS
Band41	10MHz	16QAM	40620	1RB#0	22.24	24.74	33	PASS
Band41	10MHz	16QAM	40620	1RB#24	22.29	24.79	33	PASS
Band41	10MHz	16QAM	40620	1RB#49	22.08	24.58	33	PASS
Band41	10MHz	16QAM	40620	25RB#0	21.54	24.04	33	PASS
Band41	10MHz	16QAM	40620	25RB#12	21.49	23.99	33	PASS
Band41	10MHz	16QAM	40620	25RB#25	21.56	24.06	33	PASS
Band41	10MHz	16QAM	40620	50RB#0	21.43	23.93	33	PASS
Band41	10MHz	16QAM	41540	1RB#0	22.17	24.67	33	PASS
Band41	10MHz	16QAM	41540	1RB#24	22.34	24.84	33	PASS
Band41	10MHz	16QAM	41540	1RB#49	22.05	24.55	33	PASS
Band41	10MHz	16QAM	41540	25RB#0	21.55	24.05	33	PASS
Band41	10MHz	16QAM	41540	25RB#12	21.56	24.06	33	PASS
Band41	10MHz	16QAM	41540	25RB#25	21.55	24.05	33	PASS
Band41	10MHz	16QAM	41540	50RB#0	21.49	23.99	33	PASS
Band41	15MHz	QPSK	39725	1RB#0	23.4	25.9	33	PASS
Band41	15MHz	QPSK	39725	1RB#38	23.68	26.18	33	PASS
Band41	15MHz	QPSK	39725	1RB#74	23.22	25.72	33	PASS
Band41	15MHz	QPSK	39725	36RB#0	22.61	25.11	33	PASS
Band41	15MHz	QPSK	39725	36RB#18	22.56	25.06	33	PASS
Band41	15MHz	QPSK	39725	36RB#39	22.51	25.01	33	PASS
Band41	15MHz	QPSK	39725	75RB#0	22.54	25.04	33	PASS
Band41	15MHz	QPSK	40620	1RB#0	23.49	25.99	33	PASS
Band41	15MHz	QPSK	40620	1RB#38	23.69	26.19	33	PASS

Band41	15MHz	QPSK	40620	1RB#74	23.23	25.73	33	PASS
Band41	15MHz	QPSK	40620	36RB#0	22.72	25.22	33	PASS
Band41	15MHz	QPSK	40620	36RB#18	22.62	25.12	33	PASS
Band41	15MHz	QPSK	40620	36RB#39	22.44	24.94	33	PASS
Band41	15MHz	QPSK	40620	75RB#0	22.57	25.07	33	PASS
Band41	15MHz	QPSK	41515	1RB#0	23.48	25.98	33	PASS
Band41	15MHz	QPSK	41515	1RB#38	23.63	26.13	33	PASS
Band41	15MHz	QPSK	41515	1RB#74	23.37	25.87	33	PASS
Band41	15MHz	QPSK	41515	36RB#0	22.69	25.19	33	PASS
Band41	15MHz	QPSK	41515	36RB#18	22.55	25.05	33	PASS
Band41	15MHz	QPSK	41515	36RB#39	22.41	24.91	33	PASS
Band41	15MHz	QPSK	41515	75RB#0	22.57	25.07	33	PASS
Band41	15MHz	16QAM	39725	1RB#0	22.15	24.65	33	PASS
Band41	15MHz	16QAM	39725	1RB#38	22.08	24.58	33	PASS
Band41	15MHz	16QAM	39725	1RB#74	22.07	24.57	33	PASS
Band41	15MHz	16QAM	39725	36RB#0	21.45	23.95	33	PASS
Band41	15MHz	16QAM	39725	36RB#18	21.39	23.89	33	PASS
Band41	15MHz	16QAM	39725	36RB#39	21.47	23.97	33	PASS
Band41	15MHz	16QAM	39725	75RB#0	21.47	23.97	33	PASS
Band41	15MHz	16QAM	40620	1RB#0	22.31	24.81	33	PASS
Band41	15MHz	16QAM	40620	1RB#38	21.93	24.43	33	PASS
Band41	15MHz	16QAM	40620	1RB#74	22.11	24.61	33	PASS
Band41	15MHz	16QAM	40620	36RB#0	21.69	24.19	33	PASS
Band41	15MHz	16QAM	40620	36RB#18	21.65	24.15	33	PASS
Band41	15MHz	16QAM	40620	36RB#39	21.63	24.13	33	PASS
Band41	15MHz	16QAM	40620	75RB#0	21.52	24.02	33	PASS
Band41	15MHz	16QAM	41515	1RB#0	22.12	24.62	33	PASS
Band41	15MHz	16QAM	41515	1RB#38	22.05	24.55	33	PASS
Band41	15MHz	16QAM	41515	1RB#74	21.93	24.43	33	PASS
Band41	15MHz	16QAM	41515	36RB#0	21.57	24.07	33	PASS
Band41	15MHz	16QAM	41515	36RB#18	21.42	23.92	33	PASS
Band41	15MHz	16QAM	41515	36RB#39	21.42	23.92	33	PASS
Band41	15MHz	16QAM	41515	75RB#0	21.57	24.07	33	PASS
Band41	20MHz	QPSK	39750	1RB#0	23.33	25.83	33	PASS
Band41	20MHz	QPSK	39750	1RB#49	23.81	26.31	33	PASS
Band41	20MHz	QPSK	39750	1RB#99	23.14	25.64	33	PASS
Band41	20MHz	QPSK	39750	50RB#0	22.54	25.04	33	PASS
Band41	20MHz	QPSK	39750	50RB#25	22.66	25.16	33	PASS
Band41	20MHz	QPSK	39750	50RB#50	22.46	24.96	33	PASS
Band41	20MHz	QPSK	39750	100RB#0	22.56	25.06	33	PASS

Band41	20MHz	QPSK	40620	1RB#0	23.39	25.89	33	PASS
Band41	20MHz	QPSK	40620	1RB#49	23.81	26.31	33	PASS
Band41	20MHz	QPSK	40620	1RB#99	23.07	25.57	33	PASS
Band41	20MHz	QPSK	40620	50RB#0	22.65	25.15	33	PASS
Band41	20MHz	QPSK	40620	50RB#25	22.62	25.12	33	PASS
Band41	20MHz	QPSK	40620	50RB#50	22.47	24.97	33	PASS
Band41	20MHz	QPSK	40620	100RB#0	22.57	25.07	33	PASS
Band41	20MHz	QPSK	41490	1RB#0	23.48	25.98	33	PASS
Band41	20MHz	QPSK	41490	1RB#49	23.85	26.35	33	PASS
Band41	20MHz	QPSK	41490	1RB#99	23.07	25.57	33	PASS
Band41	20MHz	QPSK	41490	50RB#0	22.62	25.12	33	PASS
Band41	20MHz	QPSK	41490	50RB#25	22.64	25.14	33	PASS
Band41	20MHz	QPSK	41490	50RB#50	22.43	24.93	33	PASS
Band41	20MHz	QPSK	41490	100RB#0	22.57	25.07	33	PASS
Band41	20MHz	16QAM	39750	1RB#0	21.96	24.46	33	PASS
Band41	20MHz	16QAM	39750	1RB#49	22.31	24.81	33	PASS
Band41	20MHz	16QAM	39750	1RB#99	21.91	24.41	33	PASS
Band41	20MHz	16QAM	39750	50RB#0	21.46	23.96	33	PASS
Band41	20MHz	16QAM	39750	50RB#25	21.49	23.99	33	PASS
Band41	20MHz	16QAM	39750	50RB#50	21.44	23.94	33	PASS
Band41	20MHz	16QAM	39750	100RB#0	21.43	23.93	33	PASS
Band41	20MHz	16QAM	40620	1RB#0	22.2	24.7	33	PASS
Band41	20MHz	16QAM	40620	1RB#49	22.27	24.77	33	PASS
Band41	20MHz	16QAM	40620	1RB#99	21.9	24.4	33	PASS
Band41	20MHz	16QAM	40620	50RB#0	21.49	23.99	33	PASS
Band41	20MHz	16QAM	40620	50RB#25	21.43	23.93	33	PASS
Band41	20MHz	16QAM	40620	50RB#50	21.45	23.95	33	PASS
Band41	20MHz	16QAM	40620	100RB#0	21.55	24.05	33	PASS
Band41	20MHz	16QAM	41490	1RB#0	22.13	24.63	33	PASS
Band41	20MHz	16QAM	41490	1RB#49	22.34	24.84	33	PASS
Band41	20MHz	16QAM	41490	1RB#99	21.9	24.4	33	PASS
Band41	20MHz	16QAM	41490	50RB#0	21.51	24.01	33	PASS
Band41	20MHz	16QAM	41490	50RB#25	21.49	23.99	33	PASS
Band41	20MHz	16QAM	41490	50RB#50	21.43	23.93	33	PASS
Band41	20MHz	16QAM	41490	100RB#0	21.52	24.02	33	PASS

Note: EIRP (dBm) = Burst Average power (dBm) + Antenna Gain (dBi).

ERP (dBm) = EIRP (dBm) - 2.15 (dB).

Spot Check Test Result

BAND	Bandwidth	Modulation	Channel	RB Configuration	Result (dBm)	ERP/EIRP (dBm)	Limit (dBm)	Verdict
Band2	1.4MHz	QPSK	18607	1RB#0	22.26	26.56	33	PASS
Band2	1.4MHz	QPSK	18607	1RB#2	21.94	26.24	33	PASS
Band2	1.4MHz	QPSK	18607	1RB#5	22.11	26.41	33	PASS
Band2	1.4MHz	QPSK	18607	3RB#0	22.47	26.77	33	PASS
Band2	1.4MHz	QPSK	18607	3RB#1	22.41	26.71	33	PASS
Band2	1.4MHz	QPSK	18607	3RB#3	22.72	27.02	33	PASS
Band2	1.4MHz	QPSK	18607	6RB#0	22.03	26.33	33	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	22.49	26.79	33	PASS
Band2	1.4MHz	QPSK	18900	1RB#2	22.76	27.06	33	PASS
Band2	1.4MHz	QPSK	18900	1RB#5	22.08	26.38	33	PASS
Band2	1.4MHz	QPSK	18900	3RB#0	22.36	26.66	33	PASS
Band2	1.4MHz	QPSK	18900	3RB#1	22.4	26.7	33	PASS
Band2	1.4MHz	QPSK	18900	3RB#3	23.01	27.31	33	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	22.14	26.44	33	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	21.96	26.26	33	PASS
Band2	1.4MHz	QPSK	19193	1RB#2	21.95	26.25	33	PASS
Band2	1.4MHz	QPSK	19193	1RB#5	22.14	26.44	33	PASS
Band2	1.4MHz	QPSK	19193	3RB#0	22.37	26.67	33	PASS
Band2	1.4MHz	QPSK	19193	3RB#1	22.94	27.24	33	PASS
Band2	1.4MHz	QPSK	19193	3RB#3	22.98	27.28	33	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	22.24	26.54	33	PASS
Band4	1.4MHz	QPSK	19957	1RB#0	22.25	25.15	30	PASS
Band4	1.4MHz	QPSK	19957	1RB#2	22.74	25.64	30	PASS
Band4	1.4MHz	QPSK	19957	1RB#5	22.41	25.31	30	PASS
Band4	1.4MHz	QPSK	19957	3RB#0	23.04	25.94	30	PASS
Band4	1.4MHz	QPSK	19957	3RB#1	22.69	25.59	30	PASS
Band4	1.4MHz	QPSK	19957	3RB#3	22.77	25.67	30	PASS
Band4	1.4MHz	QPSK	19957	6RB#0	21.84	24.74	30	PASS
Band4	1.4MHz	QPSK	20175	1RB#0	22.48	25.38	30	PASS
Band4	1.4MHz	QPSK	20175	1RB#2	22.45	25.35	30	PASS
Band4	1.4MHz	QPSK	20175	1RB#5	22.25	25.15	30	PASS
Band4	1.4MHz	QPSK	20175	3RB#0	22.90	25.80	30	PASS
Band4	1.4MHz	QPSK	20175	3RB#1	23.21	26.11	30	PASS
Band4	1.4MHz	QPSK	20175	3RB#3	22.80	25.70	30	PASS
Band4	1.4MHz	QPSK	20175	6RB#0	21.83	24.73	30	PASS
Band4	1.4MHz	QPSK	20393	1RB#0	22.39	25.29	30	PASS

Band4	1.4MHz	QPSK	20393	1RB#2	22.70	25.60	30	PASS
Band4	1.4MHz	QPSK	20393	1RB#5	22.56	25.46	30	PASS
Band4	1.4MHz	QPSK	20393	3RB#0	22.23	25.13	30	PASS
Band4	1.4MHz	QPSK	20393	3RB#1	22.40	25.30	30	PASS
Band4	1.4MHz	QPSK	20393	3RB#3	22.72	25.62	30	PASS
Band4	1.4MHz	QPSK	20393	6RB#0	21.81	24.71	30	PASS
Band5	1.4MHz	QPSK	20407	1RB#0	22.41	23.49	38.45	PASS
Band5	1.4MHz	QPSK	20407	1RB#2	22.23	23.31	38.45	PASS
Band5	1.4MHz	QPSK	20407	1RB#5	23.12	24.2	38.45	PASS
Band5	1.4MHz	QPSK	20407	3RB#0	22.48	23.56	38.45	PASS
Band5	1.4MHz	QPSK	20407	3RB#1	22.86	23.94	38.45	PASS
Band5	1.4MHz	QPSK	20407	3RB#3	23.4	24.48	38.45	PASS
Band5	1.4MHz	QPSK	20407	6RB#0	22.49	23.57	38.45	PASS
Band5	1.4MHz	QPSK	20525	1RB#0	22.93	24.01	38.45	PASS
Band5	1.4MHz	QPSK	20525	1RB#2	22.49	23.57	38.45	PASS
Band5	1.4MHz	QPSK	20525	1RB#5	22.93	24.01	38.45	PASS
Band5	1.4MHz	QPSK	20525	3RB#0	22.45	23.53	38.45	PASS
Band5	1.4MHz	QPSK	20525	3RB#1	23.19	24.27	38.45	PASS
Band5	1.4MHz	QPSK	20525	3RB#3	22.63	23.71	38.45	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	21.59	22.67	38.45	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	23.09	24.17	38.45	PASS
Band5	1.4MHz	QPSK	20643	1RB#2	22.49	23.57	38.45	PASS
Band5	1.4MHz	QPSK	20643	1RB#5	23.26	24.34	38.45	PASS
Band5	1.4MHz	QPSK	20643	3RB#0	23.4	24.48	38.45	PASS
Band5	1.4MHz	QPSK	20643	3RB#1	23.33	24.41	38.45	PASS
Band5	1.4MHz	QPSK	20643	3RB#3	22.66	23.74	38.45	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	21.87	22.95	38.45	PASS
Band7	5MHz	QPSK	20775	1RB#0	22.11	24.61	33	PASS
Band7	5MHz	QPSK	20775	1RB#12	22.78	25.28	33	PASS
Band7	5MHz	QPSK	20775	1RB#24	21.63	24.13	33	PASS
Band7	5MHz	QPSK	20775	12RB#0	21.67	24.17	33	PASS
Band7	5MHz	QPSK	20775	12RB#6	21.26	23.76	33	PASS
Band7	5MHz	QPSK	20775	12RB#13	21.63	24.13	33	PASS
Band7	5MHz	QPSK	20775	25RB#0	21.71	24.21	33	PASS
Band7	5MHz	QPSK	21100	1RB#0	22.68	25.18	33	PASS
Band7	5MHz	QPSK	21100	1RB#12	22.84	25.34	33	PASS
Band7	5MHz	QPSK	21100	1RB#24	21.81	24.31	33	PASS
Band7	5MHz	QPSK	21100	12RB#0	21.43	23.93	33	PASS
Band7	5MHz	QPSK	21100	12RB#6	21.13	23.63	33	PASS
Band7	5MHz	QPSK	21100	12RB#13	21.77	24.27	33	PASS

Band7	5MHz	QPSK	21100	25RB#0	21.08	23.58	33	PASS
Band7	5MHz	QPSK	21425	1RB#0	22.7	25.2	33	PASS
Band7	5MHz	QPSK	21425	1RB#12	22.25	24.75	33	PASS
Band7	5MHz	QPSK	21425	1RB#24	22.33	24.83	33	PASS
Band7	5MHz	QPSK	21425	12RB#0	22.21	24.71	33	PASS
Band7	5MHz	QPSK	21425	12RB#6	21.27	23.77	33	PASS
Band7	5MHz	QPSK	21425	12RB#13	21.57	24.07	33	PASS
Band7	5MHz	QPSK	21425	25RB#0	21.67	24.17	33	PASS
Band12	1.4MHz	QPSK	23017	1RB#0	22.82	20.2	34.77	PASS
Band12	1.4MHz	QPSK	23017	1RB#2	22.94	20.32	34.77	PASS
Band12	1.4MHz	QPSK	23017	1RB#5	22.77	20.15	34.77	PASS
Band12	1.4MHz	QPSK	23017	3RB#0	23.07	20.45	34.77	PASS
Band12	1.4MHz	QPSK	23017	3RB#1	23	20.38	34.77	PASS
Band12	1.4MHz	QPSK	23017	3RB#3	23.4	20.78	34.77	PASS
Band12	1.4MHz	QPSK	23017	6RB#0	21.7	19.08	34.77	PASS
Band12	1.4MHz	QPSK	23095	1RB#0	22.66	20.04	34.77	PASS
Band12	1.4MHz	QPSK	23095	1RB#2	22.99	20.37	34.77	PASS
Band12	1.4MHz	QPSK	23095	1RB#5	22.93	20.31	34.77	PASS
Band12	1.4MHz	QPSK	23095	3RB#0	22.65	20.03	34.77	PASS
Band12	1.4MHz	QPSK	23095	3RB#1	22.86	20.24	34.77	PASS
Band12	1.4MHz	QPSK	23095	3RB#3	22.81	20.19	34.77	PASS
Band12	1.4MHz	QPSK	23095	6RB#0	21.96	19.34	34.77	PASS
Band12	1.4MHz	QPSK	23173	1RB#0	22.79	20.17	34.77	PASS
Band12	1.4MHz	QPSK	23173	1RB#2	22.88	20.26	34.77	PASS
Band12	1.4MHz	QPSK	23173	1RB#5	23.02	20.4	34.77	PASS
Band12	1.4MHz	QPSK	23173	3RB#0	22.43	19.81	34.77	PASS
Band12	1.4MHz	QPSK	23173	3RB#1	23.32	20.7	34.77	PASS
Band12	1.4MHz	QPSK	23173	3RB#3	23.05	20.43	34.77	PASS
Band12	1.4MHz	QPSK	23173	6RB#0	22.06	19.44	34.77	PASS
Band13	5MHz	QPSK	23205	1RB#0	23.63	21.96	34.77	PASS
Band13	5MHz	QPSK	23205	1RB#12	22.91	21.24	34.77	PASS
Band13	5MHz	QPSK	23205	1RB#24	23.03	21.36	34.77	PASS
Band13	5MHz	QPSK	23205	12RB#0	22.61	20.94	34.77	PASS
Band13	5MHz	QPSK	23205	12RB#6	22.14	20.47	34.77	PASS
Band13	5MHz	QPSK	23205	12RB#13	22.4	20.73	34.77	PASS
Band13	5MHz	QPSK	23205	25RB#0	22.59	20.92	34.77	PASS
Band13	5MHz	QPSK	23230	1RB#0	23.45	21.78	34.77	PASS
Band13	5MHz	QPSK	23230	1RB#12	23.15	21.48	34.77	PASS
Band13	5MHz	QPSK	23230	1RB#24	23.78	22.11	34.77	PASS
Band13	5MHz	QPSK	23230	12RB#0	22.11	20.44	34.77	PASS

Band13	5MHz	QPSK	23230	12RB#6	22.03	20.36	34.77	PASS
Band13	5MHz	QPSK	23230	12RB#13	22.36	20.69	34.77	PASS
Band13	5MHz	QPSK	23230	25RB#0	22.37	20.7	34.77	PASS
Band13	5MHz	QPSK	23255	1RB#0	23.08	21.41	34.77	PASS
Band13	5MHz	QPSK	23255	1RB#12	23.15	21.48	34.77	PASS
Band13	5MHz	QPSK	23255	1RB#24	23.59	21.92	34.77	PASS
Band13	5MHz	QPSK	23255	12RB#0	22.31	20.64	34.77	PASS
Band13	5MHz	QPSK	23255	12RB#6	22.13	20.46	34.77	PASS
Band13	5MHz	QPSK	23255	12RB#13	22.09	20.42	34.77	PASS
Band13	5MHz	QPSK	23255	25RB#0	22.11	20.44	34.77	PASS
Band25	1.4MHz	QPSK	26047	1RB#0	22.26	26.56	33	PASS
Band25	1.4MHz	QPSK	26047	1RB#2	23.14	27.44	33	PASS
Band25	1.4MHz	QPSK	26047	1RB#5	22.59	26.89	33	PASS
Band25	1.4MHz	QPSK	26047	3RB#0	22.73	27.03	33	PASS
Band25	1.4MHz	QPSK	26047	3RB#1	23.1	27.4	33	PASS
Band25	1.4MHz	QPSK	26047	3RB#3	22.81	27.11	33	PASS
Band25	1.4MHz	QPSK	26047	6RB#0	21.55	25.85	33	PASS
Band25	1.4MHz	QPSK	26365	1RB#0	22.59	26.89	33	PASS
Band25	1.4MHz	QPSK	26365	1RB#2	22.64	26.94	33	PASS
Band25	1.4MHz	QPSK	26365	1RB#5	22.45	26.75	33	PASS
Band25	1.4MHz	QPSK	26365	3RB#0	23.21	27.51	33	PASS
Band25	1.4MHz	QPSK	26365	3RB#1	22.99	27.29	33	PASS
Band25	1.4MHz	QPSK	26365	3RB#3	23.11	27.41	33	PASS
Band25	1.4MHz	QPSK	26365	6RB#0	22.05	26.35	33	PASS
Band25	1.4MHz	QPSK	26683	1RB#0	22.82	27.12	33	PASS
Band25	1.4MHz	QPSK	26683	1RB#2	21.67	25.97	33	PASS
Band25	1.4MHz	QPSK	26683	1RB#5	21.85	26.15	33	PASS
Band25	1.4MHz	QPSK	26683	3RB#0	22.59	26.89	33	PASS
Band25	1.4MHz	QPSK	26683	3RB#1	22.28	26.58	33	PASS
Band25	1.4MHz	QPSK	26683	3RB#3	21.85	26.15	33	PASS
Band25	1.4MHz	QPSK	26683	6RB#0	22.26	26.56	33	PASS
Band26	1.4MHz	QPSK	26697	1RB#0	22.89	25.36	38.45	PASS
Band26	1.4MHz	QPSK	26697	1RB#2	22.45	24.92	38.45	PASS
Band26	1.4MHz	QPSK	26697	1RB#5	23	25.47	38.45	PASS
Band26	1.4MHz	QPSK	26697	3RB#0	22.9	25.37	38.45	PASS
Band26	1.4MHz	QPSK	26697	3RB#1	23.22	25.69	38.45	PASS
Band26	1.4MHz	QPSK	26697	3RB#3	22.95	25.42	38.45	PASS
Band26	1.4MHz	QPSK	26697	6RB#0	22.32	24.79	38.45	PASS
Band26	1.4MHz	QPSK	26740	1RB#0	23.5	25.97	38.45	PASS
Band26	1.4MHz	QPSK	26740	1RB#2	23.07	25.54	38.45	PASS

Band26	1.4MHz	QPSK	26740	1RB#5	23.27	25.74	38.45	PASS
Band26	1.4MHz	QPSK	26740	3RB#0	22.77	25.24	38.45	PASS
Band26	1.4MHz	QPSK	26740	3RB#1	23.71	26.18	38.45	PASS
Band26	1.4MHz	QPSK	26740	3RB#3	23.33	25.8	38.45	PASS
Band26	1.4MHz	QPSK	26740	6RB#0	21.74	24.21	38.45	PASS
Band26	1.4MHz	QPSK	26783	1RB#0	22.63	25.1	38.45	PASS
Band26	1.4MHz	QPSK	26783	1RB#2	23.01	25.48	38.45	PASS
Band26	1.4MHz	QPSK	26783	1RB#5	22.62	25.09	38.45	PASS
Band26	1.4MHz	QPSK	26783	3RB#0	22.91	25.38	38.45	PASS
Band26	1.4MHz	QPSK	26783	3RB#1	23.7	26.17	38.45	PASS
Band26	1.4MHz	QPSK	26783	3RB#3	23.1	25.57	38.45	PASS
Band26	1.4MHz	QPSK	26783	6RB#0	22.58	25.05	38.45	PASS
Band26	1.4MHz	QPSK	26797	1RB#0	22.24	22.56	38.45	PASS
Band26	1.4MHz	QPSK	26797	1RB#2	23.04	23.36	38.45	PASS
Band26	1.4MHz	QPSK	26797	1RB#5	23.1	23.42	38.45	PASS
Band26	1.4MHz	QPSK	26797	3RB#0	23.36	23.68	38.45	PASS
Band26	1.4MHz	QPSK	26797	3RB#1	23.29	23.61	38.45	PASS
Band26	1.4MHz	QPSK	26797	3RB#3	22.54	22.86	38.45	PASS
Band26	1.4MHz	QPSK	26797	6RB#0	21.68	22	38.45	PASS
Band26	1.4MHz	QPSK	26915	1RB#0	22.95	23.27	38.45	PASS
Band26	1.4MHz	QPSK	26915	1RB#2	22.93	23.25	38.45	PASS
Band26	1.4MHz	QPSK	26915	1RB#5	22.56	22.88	38.45	PASS
Band26	1.4MHz	QPSK	26915	3RB#0	23.15	23.47	38.45	PASS
Band26	1.4MHz	QPSK	26915	3RB#1	22.94	23.26	38.45	PASS
Band26	1.4MHz	QPSK	26915	3RB#3	23.23	23.55	38.45	PASS
Band26	1.4MHz	QPSK	26915	6RB#0	21.54	21.86	38.45	PASS
Band26	1.4MHz	QPSK	27033	1RB#0	23.04	23.36	38.45	PASS
Band26	1.4MHz	QPSK	27033	1RB#2	22.78	23.1	38.45	PASS
Band26	1.4MHz	QPSK	27033	1RB#5	22.54	22.86	38.45	PASS
Band26	1.4MHz	QPSK	27033	3RB#0	22.92	23.24	38.45	PASS
Band26	1.4MHz	QPSK	27033	3RB#1	22.49	22.81	38.45	PASS
Band26	1.4MHz	QPSK	27033	3RB#3	22.89	23.21	38.45	PASS
Band26	1.4MHz	QPSK	27033	6RB#0	22.31	22.63	38.45	PASS
Band38	5MHz	QPSK	37775	1RB#0	23.21	24.17	33	PASS
Band38	5MHz	QPSK	37775	1RB#12	23.05	24.01	33	PASS
Band38	5MHz	QPSK	37775	1RB#24	22.83	23.79	33	PASS
Band38	5MHz	QPSK	37775	12RB#0	22.22	23.18	33	PASS
Band38	5MHz	QPSK	37775	12RB#6	21.51	22.47	33	PASS
Band38	5MHz	QPSK	37775	12RB#13	22.18	23.14	33	PASS
Band38	5MHz	QPSK	37775	25RB#0	22.28	23.24	33	PASS

Band38	5MHz	QPSK	38000	1RB#0	22.91	23.87	33	PASS
Band38	5MHz	QPSK	38000	1RB#12	22.8	23.76	33	PASS
Band38	5MHz	QPSK	38000	1RB#24	23.17	24.13	33	PASS
Band38	5MHz	QPSK	38000	12RB#0	21.99	22.95	33	PASS
Band38	5MHz	QPSK	38000	12RB#6	21.55	22.51	33	PASS
Band38	5MHz	QPSK	38000	12RB#13	22.09	23.05	33	PASS
Band38	5MHz	QPSK	38000	25RB#0	22.45	23.41	33	PASS
Band38	5MHz	QPSK	38225	1RB#0	22.36	23.32	33	PASS
Band38	5MHz	QPSK	38225	1RB#12	22.71	23.67	33	PASS
Band38	5MHz	QPSK	38225	1RB#24	23.14	24.1	33	PASS
Band38	5MHz	QPSK	38225	12RB#0	21.52	22.48	33	PASS
Band38	5MHz	QPSK	38225	12RB#6	22.15	23.11	33	PASS
Band38	5MHz	QPSK	38225	12RB#13	21.96	22.92	33	PASS
Band38	5MHz	QPSK	38225	25RB#0	22.41	23.37	33	PASS
Band41	5MHz	QPSK	39675	1RB#0	22.44	24.94	33	PASS
Band41	5MHz	QPSK	39675	1RB#12	23.25	25.75	33	PASS
Band41	5MHz	QPSK	39675	1RB#24	22.73	25.23	33	PASS
Band41	5MHz	QPSK	39675	12RB#0	22.1	24.6	33	PASS
Band41	5MHz	QPSK	39675	12RB#6	22.13	24.63	33	PASS
Band41	5MHz	QPSK	39675	12RB#13	21.84	24.34	33	PASS
Band41	5MHz	QPSK	39675	25RB#0	22.24	24.74	33	PASS
Band41	5MHz	QPSK	40620	1RB#0	22.61	25.11	33	PASS
Band41	5MHz	QPSK	40620	1RB#12	23.15	25.65	33	PASS
Band41	5MHz	QPSK	40620	1RB#24	22.98	25.48	33	PASS
Band41	5MHz	QPSK	40620	12RB#0	21.96	24.46	33	PASS
Band41	5MHz	QPSK	40620	12RB#6	22.58	25.08	33	PASS
Band41	5MHz	QPSK	40620	12RB#13	22.34	24.84	33	PASS
Band41	5MHz	QPSK	40620	25RB#0	21.82	24.32	33	PASS
Band41	5MHz	QPSK	41565	1RB#0	23.18	25.68	33	PASS
Band41	5MHz	QPSK	41565	1RB#12	23.19	25.69	33	PASS
Band41	5MHz	QPSK	41565	1RB#24	22.43	24.93	33	PASS
Band41	5MHz	QPSK	41565	12RB#0	22.29	24.79	33	PASS
Band41	5MHz	QPSK	41565	12RB#6	22.29	24.79	33	PASS
Band41	5MHz	QPSK	41565	12RB#13	21.88	24.38	33	PASS
Band41	5MHz	QPSK	41565	25RB#0	22.28	24.78	33	PASS

Note: EIRP (dBm) = Burst Average power (dBm) + Antenna Gain (dBi).

ERP (dBm) = EIRP (dBm) - 2.15 (dBi).