

Annex A.6 Band Edge

GSM

1. GSM_GSM850


1.1. GSM Band Edge(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
820	823	0.1	RMS	822.955	-54.49	-13	Pass	401
823	824	0.003	RMS	823.98	-27.62	-13	Pass	401
824	824.5	0.01	RMS	824.181	14.66	35	Pass	401



1.2. GSM Band Edge(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
848.5	849	0.01	RMS	848.79	14.07	35	Pass	401
849	850	0.003	RMS	849.018	-26.39	-13	Pass	401
850	855	0.1	RMS	850	-53.8	-13	Pass	401



2. GSM_PCS


2.1. GSM Band Edge(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1845	1849	1	RMS	1849	-42.08	-13	Pass	41
1849	1850	0.003	RMS	1849.98	-29.86	-13	Pass	401
1850	1851	0.01	RMS	1850.19	11.04	35	Pass	401



2.2. GSM Band Edge(NTNV)(Channel:810)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1909	1910	0.01	RMS	1909.815	11.19	35	Pass	401
1910	1911	0.003	RMS	1910.033	-28.18	-13	Pass	401
1911	1915	1	RMS	1911	-41.88	-13	Pass	41




EGPRS

3. EGPRS_GSM850


3.1. EGPRS Band Edge(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
820	823	0.1	RMS	822.963	-53.82	-13	Pass	401
823	824	0.003	RMS	823.983	-37.54	-13	Pass	401
824	824.5	0.01	RMS	824.203	7.94	35	Pass	401



3.2. EGPRS Band Edge(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
848.5	849	0.01	RMS	848.796	7.48	35	Pass	401
849	850	0.003	RMS	849.015	-38.56	-13	Pass	401
850	855	0.1	RMS	850.013	-53.54	-13	Pass	401



4. EGPRS_PCS


4.1. EGPRS Band Edge(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1845	1849	1	RMS	1849	-42.03	-13	Pass	41
1849	1850	0.003	RMS	1849.988	-38	-13	Pass	401
1850	1851	0.01	RMS	1850.233	6.68	35	Pass	401



4.2. EGPRS Band Edge(NTNV)(Channel:810)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1909	1910	0.01	RMS	1909.83	6.9	35	Pass	401
1910	1911	0.003	RMS	1910.033	-36.7	-13	Pass	401
1911	1915	1	RMS	1911	-42.2	-13	Pass	41




WCDMA

5. WCDMA_Band2


5.1. WCDMA Band Edge(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1845	1849	1	RMS	1848.7	-24.41	-13	Pass	41
1849	1850	0.051	RMS	1850	-27.68	-13	Pass	401
1850	1855	0.1	RMS	1851.575	8.51	35	Pass	401



5.2. WCDMA Band Edge(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	0.1	RMS	1906.725	8.84	35	Pass	401
1910	1911	0.051	RMS	1910	-23.99	-13	Pass	401
1911	1915	1	RMS	1911	-21.67	-13	Pass	41



6. WCDMA_Band4

6.1. WCDMA Band Edge(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1705	1709	1	RMS	1708.5	-26.75	-13	Pass	41
1709	1710	0.051	RMS	1709.88	-27.43	-13	Pass	401
1710	1715	0.1	RMS	1712.375	8.46	35	Pass	401



6.2. WCDMA Band Edge(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1751.725	8.65	35	Pass	401
1755	1756	0.051	RMS	1755	-27.16	-13	Pass	401
1756	1760	1	RMS	1756.1	-27.8	-13	Pass	41



7. WCDMA_Band5


7.1. WCDMA Band Edge(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
820	823	0.1	RMS	822.715	-32.35	-13	Pass	401
823	824	0.051	RMS	824	-27.37	-13	Pass	401
824	829	0.1	RMS	825.513	8.92	35	Pass	401



7.2. WCDMA Band Edge(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	845.763	8.67	35	Pass	401
849	850	0.051	RMS	849	-28.75	-13	Pass	401
850	855	0.1	RMS	850.213	-32.86	-13	Pass	401



8. LTE_Band2


8.1. LTE Band Edge(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-40.26	-13	Pass	401
1848	1849	1	RMS	1849	-36.08	-13	Pass	2
1849	1850	0.02	RMS	1850	-21.68	-13	Pass	401
1850	1852	0.1	RMS	1850.25	20.93	30	Pass	401




8.2. LTE Band Edge(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-29.93	-13	Pass	401
1848	1849	1	RMS	1849	-21.73	-13	Pass	2
1849	1850	0.02	RMS	1850	-27.77	-13	Pass	401
1850	1852	0.1	RMS	1850.28	12.51	30	Pass	401




8.3. LTE Band Edge(NTNV)(Subtest:3, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-40.82	-13	Pass	401
1848	1849	1	RMS	1849	-36.89	-13	Pass	2
1849	1850	0.02	RMS	1850	-22.26	-13	Pass	401
1850	1852	0.1	RMS	1850.245	19.82	30	Pass	401




8.4. LTE Band Edge(NTNV)(Subtest:4, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-32.26	-13	Pass	401
1848	1849	1	RMS	1849	-23.38	-13	Pass	2
1849	1850	0.02	RMS	1850	-28.67	-13	Pass	401
1850	1852	0.1	RMS	1850.72	11.44	30	Pass	401




8.5. LTE Band Edge(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1908	1910	0.1	RMS	1909.745	21.1	30	Pass	401
1910	1911	0.02	RMS	1910	-18.39	-13	Pass	401
1911	1912	1	RMS	1911	-35.48	-13	Pass	2
1912	1920	1	RMS	1912	-39.81	-13	Pass	401




8.6. LTE Band Edge(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1908	1910	0.1	RMS	1908.965	12.61	30	Pass	401
1910	1911	0.02	RMS	1910	-24.69	-13	Pass	401
1911	1912	1	RMS	1911	-20.69	-13	Pass	2
1912	1920	1	RMS	1912	-30.93	-13	Pass	401




8.7. LTE Band Edge(NTNV)(Subtest:7, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1908	1910	0.1	RMS	1909.745	20.09	30	Pass	401
1910	1911	0.02	RMS	1910	-20.07	-13	Pass	401
1911	1912	1	RMS	1911	-36.57	-13	Pass	2
1912	1920	1	RMS	1912	-40.58	-13	Pass	401




8.8. LTE Band Edge(NTNV)(Subtest:8, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1908	1910	0.1	RMS	1908.96	11.74	30	Pass	401
1910	1911	0.02	RMS	1910	-26.8	-13	Pass	401
1911	1912	1	RMS	1911	-22.97	-13	Pass	2
1912	1920	1	RMS	1912	-32.73	-13	Pass	401




8.9. LTE Band Edge(NTNV)(Subtest:9, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-41.57	-13	Pass	401
1848	1849	1	RMS	1849	-36.79	-13	Pass	2
1849	1850	0.03	RMS	1850	-19.4	-13	Pass	401
1850	1853	0.1	RMS	1850.24	20.99	30	Pass	401




8.10. LTE Band Edge(NTNV)(Subtest:10, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-23.18	-13	Pass	401
1848	1849	1	RMS	1849	-20.93	-13	Pass	2
1849	1850	0.03	RMS	1850	-29.86	-13	Pass	401
1850	1853	0.1	RMS	1850.27	8.66	30	Pass	401




8.11. LTE Band Edge(NTNV)(Subtest:11, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-42.07	-13	Pass	401
1848	1849	1	RMS	1849	-37.63	-13	Pass	2
1849	1850	0.03	RMS	1850	-20.41	-13	Pass	401
1850	1853	0.1	RMS	1850.233	20.07	30	Pass	401




8.12. LTE Band Edge(NTNV)(Subtest:12, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-24.73	-13	Pass	401
1848	1849	1	RMS	1849	-21.22	-13	Pass	2
1849	1850	0.03	RMS	1850	-31.13	-13	Pass	401
1850	1853	0.1	RMS	1850.368	7.65	30	Pass	401




8.13. LTE Band Edge(NTNV)(Subtest:13, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1907	1910	0.1	RMS	1909.76	20.65	30	Pass	401
1910	1911	0.03	RMS	1910	-16.49	-13	Pass	401
1911	1912	1	RMS	1911	-37.02	-13	Pass	2
1912	1920	1	RMS	1912	-40.62	-13	Pass	401




8.14. LTE Band Edge(NTNV)(Subtest:14, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1907	1910	0.1	RMS	1907.285	8.84	30	Pass	401
1910	1911	0.03	RMS	1910	-27.72	-13	Pass	401
1911	1912	1	RMS	1911	-17.84	-13	Pass	2
1912	1920	1	RMS	1912	-22.12	-13	Pass	401




8.15. LTE Band Edge(NTNV)(Subtest:15, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1907	1910	0.1	RMS	1909.768	20.14	30	Pass	401
1910	1911	0.03	RMS	1910	-17.96	-13	Pass	401
1911	1912	1	RMS	1911	-37.77	-13	Pass	2
1912	1920	1	RMS	1912.06	-41.46	-13	Pass	401




8.16. LTE Band Edge(NTNV)(Subtest:16, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1907	1910	0.1	RMS	1907.48	7.84	30	Pass	401
1910	1911	0.03	RMS	1910	-28.77	-13	Pass	401
1911	1912	1	RMS	1911	-19.69	-13	Pass	2
1912	1920	1	RMS	1912	-24.39	-13	Pass	401




8.17. LTE Band Edge(NTNV)(Subtest:17, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-40.2	-13	Pass	401
1848	1849	1	RMS	1849	-36.96	-13	Pass	2
1849	1850	0.051	RMS	1849.998	-18.05	-13	Pass	401
1850	1855	0.1	RMS	1850.325	20.88	30	Pass	401




8.18. LTE Band Edge(NTNV)(Subtest:18, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.96	-23.16	-13	Pass	401
1848	1849	1	RMS	1849	-22.5	-13	Pass	2
1849	1850	0.051	RMS	1850	-29.48	-13	Pass	401
1850	1855	0.1	RMS	1851.675	6.61	30	Pass	401




8.19. LTE Band Edge(NTNV)(Subtest:19, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-41.21	-13	Pass	401
1848	1849	1	RMS	1849	-38.28	-13	Pass	2
1849	1850	0.051	RMS	1850	-18.58	-13	Pass	401
1850	1855	0.1	RMS	1850.35	20.02	30	Pass	401




8.20. LTE Band Edge(NTNV)(Subtest:20, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-23.63	-13	Pass	401
1848	1849	1	RMS	1849	-22.62	-13	Pass	2
1849	1850	0.051	RMS	1850	-30.1	-13	Pass	401
1850	1855	0.1	RMS	1851.663	5.5	30	Pass	401




8.21. LTE Band Edge(NTNV)(Subtest:21, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	0.1	RMS	1909.663	21.14	30	Pass	401
1910	1911	0.051	RMS	1910	-16.98	-13	Pass	401
1911	1912	1	RMS	1911	-37.47	-13	Pass	2
1912	1920	1	RMS	1912	-40.58	-13	Pass	401




8.22. LTE Band Edge(NTNV)(Subtest:22, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	0.1	RMS	1906.85	6.69	30	Pass	401
1910	1911	0.051	RMS	1910.003	-28.29	-13	Pass	401
1911	1912	1	RMS	1911	-20.19	-13	Pass	2
1912	1920	1	RMS	1912.04	-21.71	-13	Pass	401




8.23. LTE Band Edge(NTNV)(Subtest:23, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	0.1	RMS	1909.663	20.19	30	Pass	401
1910	1911	0.051	RMS	1910	-16.96	-13	Pass	401
1911	1912	1	RMS	1911	-37.68	-13	Pass	2
1912	1920	1	RMS	1912	-41.36	-13	Pass	401




8.24. LTE Band Edge(NTNV)(Subtest:24, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	0.1	RMS	1905.575	5.68	30	Pass	401
1910	1911	0.051	RMS	1910.003	-29.56	-13	Pass	401
1911	1912	1	RMS	1911	-22.15	-13	Pass	2
1912	1920	1	RMS	1912	-23.87	-13	Pass	401




8.25. LTE Band Edge(NTNV)(Subtest:25, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-42.44	-13	Pass	401
1848	1849	1	RMS	1849	-38.07	-13	Pass	2
1849	1850	0.1	RMS	1850	-21.88	-13	Pass	401
1850	1860	0.1	RMS	1850.575	20.95	30	Pass	401




8.26. LTE Band Edge(NTNV)(Subtest:26, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-25.83	-13	Pass	401
1848	1849	1	RMS	1849	-25.3	-13	Pass	2
1849	1850	0.1	RMS	1849.998	-32.04	-13	Pass	401
1850	1860	0.1	RMS	1851.925	3.64	30	Pass	401




8.27. LTE Band Edge(NTNV)(Subtest:27, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1846.22	-43.31	-13	Pass	401
1848	1849	1	RMS	1849	-39.36	-13	Pass	2
1849	1850	0.1	RMS	1850	-23	-13	Pass	401
1850	1860	0.1	RMS	1850.6	20.12	30	Pass	401




8.28. LTE Band Edge(NTNV)(Subtest:28, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-25.84	-13	Pass	401
1848	1849	1	RMS	1849	-25.25	-13	Pass	2
1849	1850	0.1	RMS	1849.993	-33.08	-13	Pass	401
1850	1860	0.1	RMS	1851.9	2.4	30	Pass	401




8.29. LTE Band Edge(NTNV)(Subtest:29, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1910	0.1	RMS	1909.425	21.06	30	Pass	401
1910	1911	0.1	RMS	1910	-20.43	-13	Pass	401
1911	1912	1	RMS	1911	-38.61	-13	Pass	2
1912	1920	1	RMS	1912.4	-39.89	-13	Pass	401




8.30. LTE Band Edge(NTNV)(Subtest:30, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1910	0.1	RMS	1907.525	3.68	30	Pass	401
1910	1911	0.1	RMS	1910.01	-31.71	-13	Pass	401
1911	1912	1	RMS	1911	-24.44	-13	Pass	2
1912	1920	1	RMS	1912.02	-24.58	-13	Pass	401




8.31. LTE Band Edge(NTNV)(Subtest:31, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1910	0.1	RMS	1909.425	20.06	30	Pass	401
1910	1911	0.1	RMS	1910	-21.8	-13	Pass	401
1911	1912	1	RMS	1911	-39.5	-13	Pass	2
1912	1920	1	RMS	1912	-43.83	-13	Pass	401




8.32. LTE Band Edge(NTNV)(Subtest:32, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1910	0.1	RMS	1907.55	2.59	30	Pass	401
1910	1911	0.1	RMS	1910.003	-33.25	-13	Pass	401
1911	1912	1	RMS	1911	-25.89	-13	Pass	2
1912	1920	1	RMS	1912.02	-26.37	-13	Pass	401




8.33. LTE Band Edge(NTNV)(Subtest:33, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1844.52	-42.16	-13	Pass	401
1848	1849	1	RMS	1849	-36.32	-13	Pass	2
1849	1850	0.15	RMS	1849.998	-22.52	-13	Pass	401
1850	1865	0.1	RMS	1850.825	20.78	30	Pass	401




8.34. LTE Band Edge(NTNV)(Subtest:34, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.3	-26.21	-13	Pass	401
1848	1849	1	RMS	1848	-26.68	-13	Pass	2
1849	1850	0.15	RMS	1849.998	-33.23	-13	Pass	401
1850	1865	0.1	RMS	1852.775	1.85	30	Pass	401




8.35. LTE Band Edge(NTNV)(Subtest:35, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1844.68	-42.92	-13	Pass	401
1848	1849	1	RMS	1849	-37.12	-13	Pass	2
1849	1850	0.15	RMS	1849.998	-23.08	-13	Pass	401
1850	1865	0.1	RMS	1850.825	19.94	30	Pass	401




8.36. LTE Band Edge(NTNV)(Subtest:36, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.88	-26.31	-13	Pass	401
1848	1849	1	RMS	1848	-26.36	-13	Pass	2
1849	1850	0.15	RMS	1849.995	-33.48	-13	Pass	401
1850	1865	0.1	RMS	1852.025	0.95	30	Pass	401




8.37. LTE Band Edge(NTNV)(Subtest:37, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1910	0.1	RMS	1909.175	20.99	30	Pass	401
1910	1911	0.15	RMS	1910.005	-22.46	-13	Pass	401
1911	1912	1	RMS	1911	-37.82	-13	Pass	2
1912	1920	1	RMS	1912	-43.86	-13	Pass	401




8.38. LTE Band Edge(NTNV)(Subtest:38, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1910	0.1	RMS	1895.863	2.16	30	Pass	401
1910	1911	0.15	RMS	1910	-31.49	-13	Pass	401
1911	1912	1	RMS	1911	-25.28	-13	Pass	2
1912	1920	1	RMS	1912.7	-25.3	-13	Pass	401




8.39. LTE Band Edge(NTNV)(Subtest:39, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1910	0.1	RMS	1909.175	19.95	30	Pass	401
1910	1911	0.15	RMS	1910.005	-23.01	-13	Pass	401
1911	1912	1	RMS	1911	-38.33	-13	Pass	2
1912	1920	1	RMS	1912.04	-40.63	-13	Pass	401




8.40. LTE Band Edge(NTNV)(Subtest:40, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1910	0.1	RMS	1895.938	1.07	30	Pass	401
1910	1911	0.15	RMS	1910.005	-33.39	-13	Pass	401
1911	1912	1	RMS	1912	-27.37	-13	Pass	2
1912	1920	1	RMS	1912.08	-27.33	-13	Pass	401




8.41. LTE Band Edge(NTNV)(Subtest:41, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.96	-42.94	-13	Pass	401
1848	1849	1	RMS	1849	-37.69	-13	Pass	2
1849	1850	0.2	RMS	1850	-25.54	-13	Pass	401
1850	1870	0.1	RMS	1851.1	20.72	30	Pass	401




8.42. LTE Band Edge(NTNV)(Subtest:42, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-29.22	-13	Pass	401
1848	1849	1	RMS	1849	-28.35	-13	Pass	2
1849	1850	0.2	RMS	1849.913	-33.95	-13	Pass	401
1850	1870	0.1	RMS	1853.85	0.7	30	Pass	401




8.43. LTE Band Edge(NTNV)(Subtest:43, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-43.6	-13	Pass	401
1848	1849	1	RMS	1849	-38.31	-13	Pass	2
1849	1850	0.2	RMS	1850	-25.36	-13	Pass	401
1850	1870	0.1	RMS	1851.1	19.89	30	Pass	401




8.44. LTE Band Edge(NTNV)(Subtest:44, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-28.62	-13	Pass	401
1848	1849	1	RMS	1849	-27.92	-13	Pass	2
1849	1850	0.2	RMS	1849.998	-33.74	-13	Pass	401
1850	1870	0.1	RMS	1854.75	-0.28	30	Pass	401




8.45. LTE Band Edge(NTNV)(Subtest:45, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	0.1	RMS	1908.9	20.83	30	Pass	401
1910	1911	0.2	RMS	1910.003	-24.85	-13	Pass	401
1911	1912	1	RMS	1911	-37.59	-13	Pass	2
1912	1920	1	RMS	1912	-40.51	-13	Pass	401




8.46. LTE Band Edge(NTNV)(Subtest:46, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	0.1	RMS	1891.85	1.27	30	Pass	401
1910	1911	0.2	RMS	1910.008	-32.83	-13	Pass	401
1911	1912	1	RMS	1911	-27.47	-13	Pass	2
1912	1920	1	RMS	1912	-28.03	-13	Pass	401




8.47. LTE Band Edge(NTNV)(Subtest:47, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	0.1	RMS	1908.9	19.84	30	Pass	401
1910	1911	0.2	RMS	1910	-25.1	-13	Pass	401
1911	1912	1	RMS	1911	-38.75	-13	Pass	2
1912	1920	1	RMS	1912	-44.1	-13	Pass	401



8.48. LTE Band Edge(NTNV)(Subtest:48, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	0.1	RMS	1892.15	0.15	30	Pass	401
1910	1911	0.2	RMS	1910.005	-34.32	-13	Pass	401
1911	1912	1	RMS	1911	-28.83	-13	Pass	2
1912	1920	1	RMS	1912.04	-29.27	-13	Pass	401



9. LTE_Band4


9.1. LTE Band Edge(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-40.81	-13	Pass	401
1708	1709	1	RMS	1709	-36.32	-13	Pass	2
1709	1710	0.02	RMS	1710	-19.8	-13	Pass	401
1710	1712	0.1	RMS	1710.25	21.04	30	Pass	401




9.2. LTE Band Edge(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-30.01	-13	Pass	401
1708	1709	1	RMS	1709	-23.66	-13	Pass	2
1709	1710	0.02	RMS	1709.998	-28.41	-13	Pass	401
1710	1712	0.1	RMS	1711.1	12.57	30	Pass	401




9.3. LTE Band Edge(NTNV)(Subtest:3, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-41.49	-13	Pass	401
1708	1709	1	RMS	1709	-37.25	-13	Pass	2
1709	1710	0.02	RMS	1710	-20.96	-13	Pass	401
1710	1712	0.1	RMS	1710.25	19.96	30	Pass	401




9.4. LTE Band Edge(NTNV)(Subtest:4, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-32.07	-13	Pass	401
1708	1709	1	RMS	1709	-24.69	-13	Pass	2
1709	1710	0.02	RMS	1710	-28.75	-13	Pass	401
1710	1712	0.1	RMS	1711.11	11.59	30	Pass	401




9.5. LTE Band Edge(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1753	1755	0.1	RMS	1754.745	21.11	30	Pass	401
1755	1756	0.02	RMS	1755	-19.94	-13	Pass	401
1756	1757	1	RMS	1756	-36.21	-13	Pass	2
1757	1765	1	RMS	1757	-40.02	-13	Pass	401




9.6. LTE Band Edge(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1753	1755	0.1	RMS	1753.91	12.66	30	Pass	401
1755	1756	0.02	RMS	1755	-27.54	-13	Pass	401
1756	1757	1	RMS	1756	-23.24	-13	Pass	2
1757	1765	1	RMS	1757	-30.83	-13	Pass	401




9.7. LTE Band Edge(NTNV)(Subtest:7, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1753	1755	0.1	RMS	1754.745	20.11	30	Pass	401
1755	1756	0.02	RMS	1755	-20.96	-13	Pass	401
1756	1757	1	RMS	1756	-35.76	-13	Pass	2
1757	1765	1	RMS	1757.02	-40.2	-13	Pass	401




9.8. LTE Band Edge(NTNV)(Subtest:8, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1753	1755	0.1	RMS	1754.17	11.71	30	Pass	401
1755	1756	0.02	RMS	1755	-29.14	-13	Pass	401
1756	1757	1	RMS	1756	-24.56	-13	Pass	2
1757	1765	1	RMS	1757	-32.85	-13	Pass	401




9.9. LTE Band Edge(NTNV)(Subtest:9, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-42.27	-13	Pass	401
1708	1709	1	RMS	1709	-37.13	-13	Pass	2
1709	1710	0.002	RMS	1710	-28.6	-13	Pass	500
1710	1713	0.1	RMS	1710.248	21.02	30	Pass	401




9.10. LTE Band Edge(NTNV)(Subtest:10, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.96	-26.46	-13	Pass	401
1708	1709	1	RMS	1709	-24.28	-13	Pass	2
1709	1710	0.03	RMS	1710	-30.22	-13	Pass	401
1710	1713	0.1	RMS	1712.708	8.87	30	Pass	401




9.11. LTE Band Edge(NTNV)(Subtest:11, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.96	-42.85	-13	Pass	401
1708	1709	1	RMS	1709	-38.11	-13	Pass	2
1709	1710	0.03	RMS	1710	-19.11	-13	Pass	401
1710	1713	0.1	RMS	1710.233	20.13	30	Pass	401




9.12. LTE Band Edge(NTNV)(Subtest:12, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-27.12	-13	Pass	401
1708	1709	1	RMS	1709	-24.04	-13	Pass	2
1709	1710	0.03	RMS	1710	-31.48	-13	Pass	401
1710	1713	0.1	RMS	1712.423	7.82	30	Pass	401




9.13. LTE Band Edge(NTNV)(Subtest:13, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1752	1755	0.1	RMS	1754.768	21.15	30	Pass	401
1755	1756	0.002	RMS	1755	-29.55	-13	Pass	500
1756	1757	1	RMS	1756	-37.05	-13	Pass	2
1757	1765	1	RMS	1757.02	-41.96	-13	Pass	401




9.14. LTE Band Edge(NTNV)(Subtest:14, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1752	1755	0.1	RMS	1752.255	8.87	30	Pass	401
1755	1756	0.03	RMS	1755	-31.02	-13	Pass	401
1756	1757	1	RMS	1756	-23.48	-13	Pass	2
1757	1765	1	RMS	1757	-25.66	-13	Pass	401




9.15. LTE Band Edge(NTNV)(Subtest:15, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1752	1755	0.1	RMS	1754.753	20.13	30	Pass	401
1755	1756	0.03	RMS	1755	-19.33	-13	Pass	401
1756	1757	1	RMS	1756	-37.31	-13	Pass	2
1757	1765	1	RMS	1757	-41.49	-13	Pass	401




9.16. LTE Band Edge(NTNV)(Subtest:16, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1752	1755	0.1	RMS	1752.465	7.88	30	Pass	401
1755	1756	0.03	RMS	1755	-31.04	-13	Pass	401
1756	1757	1	RMS	1756	-23.62	-13	Pass	2
1757	1765	1	RMS	1757	-27.02	-13	Pass	401




9.17. LTE Band Edge(NTNV)(Subtest:17, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-40.56	-13	Pass	401
1708	1709	1	RMS	1709	-37.8	-13	Pass	2
1709	1710	0.051	RMS	1710	-17.35	-13	Pass	401
1710	1715	0.1	RMS	1710.325	20.96	30	Pass	401




9.18. LTE Band Edge(NTNV)(Subtest:18, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-26.93	-13	Pass	401
1708	1709	1	RMS	1709	-25.87	-13	Pass	2
1709	1710	0.051	RMS	1710	-29.95	-13	Pass	401
1710	1715	0.1	RMS	1713.375	6.52	30	Pass	401




9.19. LTE Band Edge(NTNV)(Subtest:19, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-41.47	-13	Pass	401
1708	1709	1	RMS	1709	-39.14	-13	Pass	2
1709	1710	0.051	RMS	1710	-17.95	-13	Pass	401
1710	1715	0.1	RMS	1710.35	20.09	30	Pass	401




9.20. LTE Band Edge(NTNV)(Subtest:20, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-27.02	-13	Pass	401
1708	1709	1	RMS	1709	-25.83	-13	Pass	2
1709	1710	0.051	RMS	1709.998	-30.95	-13	Pass	401
1710	1715	0.1	RMS	1713.325	5.55	30	Pass	401




9.21. LTE Band Edge(NTNV)(Subtest:21, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1754.663	21.13	30	Pass	401
1755	1756	0.051	RMS	1755	-17.25	-13	Pass	401
1756	1757	1	RMS	1756	-37.75	-13	Pass	2
1757	1765	1	RMS	1757.02	-41.17	-13	Pass	401




9.22. LTE Band Edge(NTNV)(Subtest:22, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1751.863	6.71	30	Pass	401
1755	1756	0.051	RMS	1755.005	-30.26	-13	Pass	401
1756	1757	1	RMS	1756	-24.46	-13	Pass	2
1757	1765	1	RMS	1757.04	-25.5	-13	Pass	401




9.23. LTE Band Edge(NTNV)(Subtest:23, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1754.663	20.23	30	Pass	401
1755	1756	0.051	RMS	1755	-17.25	-13	Pass	401
1756	1757	1	RMS	1756	-37.9	-13	Pass	2
1757	1765	1	RMS	1757	-41.53	-13	Pass	401




9.24. LTE Band Edge(NTNV)(Subtest:24, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1750.613	5.8	30	Pass	401
1755	1756	0.051	RMS	1755	-30.99	-13	Pass	401
1756	1757	1	RMS	1756	-25.15	-13	Pass	2
1757	1765	1	RMS	1757.04	-26.28	-13	Pass	401




9.25. LTE Band Edge(NTNV)(Subtest:25, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1706.22	-42.95	-13	Pass	401
1708	1709	1	RMS	1709	-39.52	-13	Pass	2
1709	1710	0.1	RMS	1710	-21.73	-13	Pass	401
1710	1720	0.1	RMS	1710.6	21	30	Pass	401




9.26. LTE Band Edge(NTNV)(Subtest:26, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-28.9	-13	Pass	401
1708	1709	1	RMS	1709	-28	-13	Pass	2
1709	1710	0.1	RMS	1710	-34.15	-13	Pass	401
1710	1720	0.1	RMS	1717.975	3.77	30	Pass	401




9.27. LTE Band Edge(NTNV)(Subtest:27, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1706.16	-43.64	-13	Pass	401
1708	1709	1	RMS	1709	-40.17	-13	Pass	2
1709	1710	0.1	RMS	1710	-22.62	-13	Pass	401
1710	1720	0.1	RMS	1710.6	20.15	30	Pass	401




9.28. LTE Band Edge(NTNV)(Subtest:28, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-28.61	-13	Pass	401
1708	1709	1	RMS	1709	-28.02	-13	Pass	2
1709	1710	0.1	RMS	1710	-35.14	-13	Pass	401
1710	1720	0.1	RMS	1718.35	2.69	30	Pass	401




9.29. LTE Band Edge(NTNV)(Subtest:29, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1745	1755	0.1	RMS	1754.4	21.07	30	Pass	401
1755	1756	0.1	RMS	1755	-20.75	-13	Pass	401
1756	1757	1	RMS	1756	-38.42	-13	Pass	2
1757	1765	1	RMS	1757.12	-41.27	-13	Pass	401




9.30. LTE Band Edge(NTNV)(Subtest:30, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1745	1755	0.1	RMS	1748.85	3.71	30	Pass	401
1755	1756	0.1	RMS	1755	-33.69	-13	Pass	401
1756	1757	1	RMS	1756	-26.76	-13	Pass	2
1757	1765	1	RMS	1757.04	-27.43	-13	Pass	401




9.31. LTE Band Edge(NTNV)(Subtest:31, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1745	1755	0.1	RMS	1754.4	20.07	30	Pass	401
1755	1756	0.1	RMS	1755.003	-22.11	-13	Pass	401
1756	1757	1	RMS	1756	-39.61	-13	Pass	2
1757	1765	1	RMS	1757.12	-42.91	-13	Pass	401




9.32. LTE Band Edge(NTNV)(Subtest:32, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1745	1755	0.1	RMS	1746.875	2.65	30	Pass	401
1755	1756	0.1	RMS	1755	-34.68	-13	Pass	401
1756	1757	1	RMS	1756	-27.49	-13	Pass	2
1757	1765	1	RMS	1757.04	-28.07	-13	Pass	401




9.33. LTE Band Edge(NTNV)(Subtest:33, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1704.68	-42.9	-13	Pass	401
1708	1709	1	RMS	1709	-38.11	-13	Pass	2
1709	1710	0.15	RMS	1710	-22.62	-13	Pass	401
1710	1725	0.1	RMS	1710.825	20.82	30	Pass	401




9.34. LTE Band Edge(NTNV)(Subtest:34, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.1	-28.59	-13	Pass	401
1708	1709	1	RMS	1709	-28.64	-13	Pass	2
1709	1710	0.15	RMS	1710	-35.28	-13	Pass	401
1710	1725	0.1	RMS	1723.2	1.9	30	Pass	401




9.35. LTE Band Edge(NTNV)(Subtest:35, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1704.7	-43.56	-13	Pass	401
1708	1709	1	RMS	1709	-38.54	-13	Pass	2
1709	1710	0.15	RMS	1710	-23.05	-13	Pass	401
1710	1725	0.1	RMS	1710.825	19.94	30	Pass	401




9.36. LTE Band Edge(NTNV)(Subtest:36, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.6	-29.53	-13	Pass	401
1708	1709	1	RMS	1708	-29.66	-13	Pass	2
1709	1710	0.15	RMS	1709.998	-35.72	-13	Pass	401
1710	1725	0.1	RMS	1721.775	0.93	30	Pass	401




9.37. LTE Band Edge(NTNV)(Subtest:37, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1755	0.1	RMS	1754.175	20.98	30	Pass	401
1755	1756	0.15	RMS	1755.003	-22.8	-13	Pass	401
1756	1757	1	RMS	1756	-38.51	-13	Pass	2
1757	1765	1	RMS	1760.68	-41.45	-13	Pass	401




9.38. LTE Band Edge(NTNV)(Subtest:38, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1755	0.1	RMS	1743.938	1.87	30	Pass	401
1755	1756	0.15	RMS	1755	-33.82	-13	Pass	401
1756	1757	1	RMS	1756	-27.18	-13	Pass	2
1757	1765	1	RMS	1757.92	-27.03	-13	Pass	401



9.39. LTE Band Edge(NTNV)(Subtest:39, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1755	0.1	RMS	1754.175	19.93	30	Pass	401
1755	1756	0.15	RMS	1755.005	-23.18	-13	Pass	401
1756	1757	1	RMS	1756	-38.77	-13	Pass	2
1757	1765	1	RMS	1759.84	-42.27	-13	Pass	401




9.40. LTE Band Edge(NTNV)(Subtest:40, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1755	0.1	RMS	1746.113	0.85	30	Pass	401
1755	1756	0.15	RMS	1755.015	-35.01	-13	Pass	401
1756	1757	1	RMS	1756	-29.06	-13	Pass	2
1757	1765	1	RMS	1757.78	-28.79	-13	Pass	401




9.41. LTE Band Edge(NTNV)(Subtest:41, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.3	-42.31	-13	Pass	401
1708	1709	1	RMS	1709	-39.43	-13	Pass	2
1709	1710	0.2	RMS	1709.995	-25.66	-13	Pass	401
1710	1730	0.1	RMS	1711.1	20.88	30	Pass	401




9.42. LTE Band Edge(NTNV)(Subtest:42, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.96	-31.55	-13	Pass	401
1708	1709	1	RMS	1709	-30.43	-13	Pass	2
1709	1710	0.2	RMS	1710	-36.07	-13	Pass	401
1710	1730	0.1	RMS	1725.85	0.59	30	Pass	401




9.43. LTE Band Edge(NTNV)(Subtest:43, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-44.53	-13	Pass	401
1708	1709	1	RMS	1709	-39.62	-13	Pass	2
1709	1710	0.2	RMS	1709.998	-25.59	-13	Pass	401
1710	1730	0.1	RMS	1711.1	19.96	30	Pass	401




9.44. LTE Band Edge(NTNV)(Subtest:44, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.96	-31.44	-13	Pass	401
1708	1709	1	RMS	1709	-30.49	-13	Pass	2
1709	1710	0.2	RMS	1709.995	-36.1	-13	Pass	401
1710	1730	0.1	RMS	1722.95	-0.47	30	Pass	401




9.45. LTE Band Edge(NTNV)(Subtest:45, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1735	1755	0.1	RMS	1753.9	20.85	30	Pass	401
1755	1756	0.2	RMS	1755.003	-25.18	-13	Pass	401
1756	1757	1	RMS	1756	-38.46	-13	Pass	2
1757	1765	1	RMS	1757.02	-42.45	-13	Pass	401




9.46. LTE Band Edge(NTNV)(Subtest:46, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1735	1755	0.1	RMS	1740.35	0.63	30	Pass	401
1755	1756	0.2	RMS	1755.005	-35.29	-13	Pass	401
1756	1757	1	RMS	1756	-30.2	-13	Pass	2
1757	1765	1	RMS	1757.02	-30.84	-13	Pass	401




9.47. LTE Band Edge(NTNV)(Subtest:47, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1735	1755	0.1	RMS	1753.9	19.9	30	Pass	401
1755	1756	0.2	RMS	1755	-25.43	-13	Pass	401
1756	1757	1	RMS	1756	-39.07	-13	Pass	2
1757	1765	1	RMS	1757.08	-42.27	-13	Pass	401



9.48. LTE Band Edge(NTNV)(Subtest:48, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1735	1755	0.1	RMS	1741.95	-0.45	30	Pass	401
1755	1756	0.2	RMS	1755.008	-35.82	-13	Pass	401
1756	1757	1	RMS	1756	-30.25	-13	Pass	2
1757	1765	1	RMS	1757	-30.83	-13	Pass	401



10. LTE_Band5


10.1. LTE Band Edge(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.96	-49.56	-13	Pass	401
823	824	0.02	RMS	824	-21.8	-13	Pass	401
824	826	0.1	RMS	824.24	21.23	30	Pass	401




10.2. LTE Band Edge(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-42.46	-13	Pass	401
823	824	0.02	RMS	824	-27.57	-13	Pass	401
824	826	0.1	RMS	824.785	12.73	30	Pass	401




10.3. LTE Band Edge(NTNV)(Subtest:3, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.64	-49.61	-13	Pass	401
823	824	0.02	RMS	824	-22.9	-13	Pass	401
824	826	0.1	RMS	824.25	20.3	30	Pass	401




10.4. LTE Band Edge(NTNV)(Subtest:4, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-42.32	-13	Pass	401
823	824	0.02	RMS	824	-28.56	-13	Pass	401
824	826	0.1	RMS	824.295	11.71	30	Pass	401




10.5. LTE Band Edge(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.765	21.22	30	Pass	401
849	850	0.02	RMS	849	-21.63	-13	Pass	401
850	860	0.1	RMS	850	-50.22	-13	Pass	401




10.6. LTE Band Edge(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	847.895	12.83	30	Pass	401
849	850	0.02	RMS	849	-28.9	-13	Pass	401
850	860	0.1	RMS	850	-40	-13	Pass	401




10.7. LTE Band Edge(NTNV)(Subtest:7, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.745	20.18	30	Pass	401
849	850	0.02	RMS	849	-22.26	-13	Pass	401
850	860	0.1	RMS	850.05	-50.43	-13	Pass	401




10.8. LTE Band Edge(NTNV)(Subtest:8, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.715	11.84	30	Pass	401
849	850	0.02	RMS	849	-29.49	-13	Pass	401
850	860	0.1	RMS	850	-40.18	-13	Pass	401




10.9. LTE Band Edge(NTNV)(Subtest:9, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-49.46	-13	Pass	401
823	824	0.03	RMS	824	-20.33	-13	Pass	401
824	827	0.1	RMS	824.24	21.25	30	Pass	401




10.10. LTE Band Edge(NTNV)(Subtest:10, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.96	-31.24	-13	Pass	401
823	824	0.03	RMS	824	-29.19	-13	Pass	401
824	827	0.1	RMS	825.455	8.88	30	Pass	401




10.11. LTE Band Edge(NTNV)(Subtest:11, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-50.04	-13	Pass	401
823	824	0.03	RMS	824	-21	-13	Pass	401
824	827	0.1	RMS	824.24	20.35	30	Pass	401




10.12. LTE Band Edge(NTNV)(Subtest:12, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-32.22	-13	Pass	401
823	824	0.03	RMS	824	-31.13	-13	Pass	401
824	827	0.1	RMS	825.208	7.85	30	Pass	401



10.13. LTE Band Edge(NTNV)(Subtest:13, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	848.76	21.33	30	Pass	401
849	850	0.03	RMS	849	-19.81	-13	Pass	401
850	860	0.1	RMS	850	-50.46	-13	Pass	401




10.14. LTE Band Edge(NTNV)(Subtest:14, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	847.065	9.1	30	Pass	401
849	850	0.03	RMS	849.003	-31.69	-13	Pass	401
850	860	0.1	RMS	850	-32.79	-13	Pass	401




10.15. LTE Band Edge(NTNV)(Subtest:15, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	848.768	20.3	30	Pass	401
849	850	0.03	RMS	849	-21.07	-13	Pass	401
850	860	0.1	RMS	850	-50.95	-13	Pass	401




10.16. LTE Band Edge(NTNV)(Subtest:16, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	846.48	8	30	Pass	401
849	850	0.03	RMS	849	-31.41	-13	Pass	401
850	860	0.1	RMS	850	-32.85	-13	Pass	401




10.17. LTE Band Edge(NTNV)(Subtest:17, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.08	-49.86	-13	Pass	401
823	824	0.051	RMS	823.998	-18.21	-13	Pass	401
824	829	0.1	RMS	824.325	21.11	30	Pass	401




10.18. LTE Band Edge(NTNV)(Subtest:18, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-31.75	-13	Pass	401
823	824	0.051	RMS	823.998	-28.75	-13	Pass	401
824	829	0.1	RMS	825.638	6.87	30	Pass	401




10.19. LTE Band Edge(NTNV)(Subtest:19, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.1	-50.58	-13	Pass	401
823	824	0.051	RMS	824	-18.51	-13	Pass	401
824	829	0.1	RMS	824.35	20.25	30	Pass	401




10.20. LTE Band Edge(NTNV)(Subtest:20, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-32.9	-13	Pass	401
823	824	0.051	RMS	824	-29.99	-13	Pass	401
824	829	0.1	RMS	825.675	5.89	30	Pass	401




10.21. LTE Band Edge(NTNV)(Subtest:21, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.663	21.23	30	Pass	401
849	850	0.051	RMS	849	-18.36	-13	Pass	401
850	860	0.1	RMS	850.9	-50.6	-13	Pass	401




10.22. LTE Band Edge(NTNV)(Subtest:22, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	845.863	6.88	30	Pass	401
849	850	0.051	RMS	849.005	-30.47	-13	Pass	401
850	860	0.1	RMS	850.05	-34.3	-13	Pass	401




10.23. LTE Band Edge(NTNV)(Subtest:23, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.663	20.33	30	Pass	401
849	850	0.051	RMS	849	-18.37	-13	Pass	401
850	860	0.1	RMS	850	-50.5	-13	Pass	401




10.24. LTE Band Edge(NTNV)(Subtest:24, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	844.613	5.85	30	Pass	401
849	850	0.051	RMS	849.003	-31.03	-13	Pass	401
850	860	0.1	RMS	850.1	-34.34	-13	Pass	401




10.25. LTE Band Edge(NTNV)(Subtest:25, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	820.12	-50.94	-13	Pass	401
823	824	0.1	RMS	824	-21.69	-13	Pass	401
824	834	0.1	RMS	824.6	21.15	30	Pass	401




10.26. LTE Band Edge(NTNV)(Subtest:26, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-33.12	-13	Pass	401
823	824	0.1	RMS	823.993	-30.11	-13	Pass	401
824	834	0.1	RMS	825.925	4.12	30	Pass	401




10.27. LTE Band Edge(NTNV)(Subtest:27, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	820.12	-51.32	-13	Pass	401
823	824	0.1	RMS	824	-22.71	-13	Pass	401
824	834	0.1	RMS	824.6	20.33	30	Pass	401




10.28. LTE Band Edge(NTNV)(Subtest:28, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.94	-34.5	-13	Pass	401
823	824	0.1	RMS	823.993	-32.05	-13	Pass	401
824	834	0.1	RMS	825.725	2.92	30	Pass	401




10.29. LTE Band Edge(NTNV)(Subtest:29, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	21.25	30	Pass	401
849	850	0.1	RMS	849	-21.26	-13	Pass	401
850	860	0.1	RMS	850.025	-51.56	-13	Pass	401




10.30. LTE Band Edge(NTNV)(Subtest:30, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	841.05	3.93	30	Pass	401
849	850	0.1	RMS	849.01	-31.74	-13	Pass	401
850	860	0.1	RMS	850.025	-34.56	-13	Pass	401




10.31. LTE Band Edge(NTNV)(Subtest:31, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	20.19	30	Pass	401
849	850	0.1	RMS	849	-22.59	-13	Pass	401
850	860	0.1	RMS	850.05	-52.5	-13	Pass	401



10.32. LTE Band Edge(NTNV)(Subtest:32, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	841.575	2.89	30	Pass	401
849	850	0.1	RMS	849	-32.72	-13	Pass	401
850	860	0.1	RMS	850.075	-34.81	-13	Pass	401



11. LTE_Band7


11.1. LTE Band Edge(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2493.953	-49.01	-25	Pass	401
2494	2496	1	RMS	2495.99	-45.06	-13	Pass	401
2496	2499	1	RMS	2499	-36.65	-10	Pass	4
2499	2500	0.1	RMS	2500	-14.73	-10	Pass	401
2500	2505	0.1	RMS	2500.338	20.7	30	Pass	401




11.2. LTE Band Edge(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2493.953	-35.04	-25	Pass	401
2494	2496	1	RMS	2495.98	-28.85	-13	Pass	401
2496	2499	1	RMS	2499	-27.11	-10	Pass	4
2499	2500	0.1	RMS	2499.998	-27.91	-10	Pass	401
2500	2505	0.1	RMS	2504.538	6.33	30	Pass	401




11.3. LTE Band Edge(NTNV)(Subtest:3, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-49.21	-25	Pass	401
2494	2496	1	RMS	2496	-45.62	-13	Pass	401
2496	2499	1	RMS	2499	-37.79	-10	Pass	4
2499	2500	0.1	RMS	2500	-15.4	-10	Pass	401
2500	2505	0.1	RMS	2500.35	19.78	30	Pass	401




11.4. LTE Band Edge(NTNV)(Subtest:4, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-35.88	-25	Pass	401
2494	2496	1	RMS	2496	-31.29	-13	Pass	401
2496	2499	1	RMS	2499	-27.21	-10	Pass	4
2499	2500	0.1	RMS	2500	-28.84	-10	Pass	401
2500	2505	0.1	RMS	2503.7	5.26	30	Pass	401




11.5. LTE Band Edge(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2565	2570	0.1	RMS	2569.663	20.7	30	Pass	401
2570	2571	0.1	RMS	2570	-14.89	-10	Pass	401
2571	2575	1	RMS	2571	-36.91	-10	Pass	5
2575	2576	1	RMS	2575.003	-47.74	-13	Pass	401
2576	2595	1	RMS	2576	-49.36	-25	Pass	401




11.6. LTE Band Edge(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2565	2570	0.1	RMS	2566.075	6.44	30	Pass	401
2570	2571	0.1	RMS	2570.003	-28.2	-10	Pass	401
2571	2575	1	RMS	2571	-24.43	-10	Pass	5
2575	2576	1	RMS	2575.005	-31.73	-13	Pass	401
2576	2595	1	RMS	2576	-35.43	-25	Pass	401




11.7. LTE Band Edge(NTNV)(Subtest:7, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2565	2570	0.1	RMS	2569.65	19.78	30	Pass	401
2570	2571	0.1	RMS	2570	-14.97	-10	Pass	401
2571	2575	1	RMS	2571	-37.37	-10	Pass	5
2575	2576	1	RMS	2575.008	-47.95	-13	Pass	401
2576	2595	1	RMS	2576	-49.48	-25	Pass	401




11.8. LTE Band Edge(NTNV)(Subtest:8, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2565	2570	0.1	RMS	2565.625	5.53	30	Pass	401
2570	2571	0.1	RMS	2570.003	-28.89	-10	Pass	401
2571	2575	1	RMS	2571	-25.62	-10	Pass	5
2575	2576	1	RMS	2575.003	-33.88	-13	Pass	401
2576	2595	1	RMS	2576	-36.96	-25	Pass	401




11.9. LTE Band Edge(NTNV)(Subtest:9, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-49.87	-25	Pass	401
2490	2496	1	RMS	2495.97	-43.41	-13	Pass	401
2496	2499	1	RMS	2499	-38.54	-10	Pass	4
2499	2500	0.2	RMS	2500	-18.37	-10	Pass	401
2500	2510	0.1	RMS	2500.6	20.73	30	Pass	401




11.10. LTE Band Edge(NTNV)(Subtest:10, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-39.77	-25	Pass	401
2490	2496	1	RMS	2495.745	-32.07	-13	Pass	401
2496	2499	1	RMS	2499	-30.67	-10	Pass	4
2499	2500	0.2	RMS	2499.995	-32.15	-10	Pass	401
2500	2510	0.1	RMS	2508.025	3.55	30	Pass	401




11.11. LTE Band Edge(NTNV)(Subtest:11, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-50.04	-25	Pass	401
2490	2496	1	RMS	2496	-44.09	-13	Pass	401
2496	2499	1	RMS	2499	-38.89	-10	Pass	4
2499	2500	0.2	RMS	2499.998	-19.29	-10	Pass	401
2500	2510	0.1	RMS	2500.6	19.87	30	Pass	401




11.12. LTE Band Edge(NTNV)(Subtest:12, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-40.05	-25	Pass	401
2490	2496	1	RMS	2496	-32.23	-13	Pass	401
2496	2499	1	RMS	2499	-30.54	-10	Pass	4
2499	2500	0.2	RMS	2500	-33.09	-10	Pass	401
2500	2510	0.1	RMS	2508.375	2.53	30	Pass	401




11.13. LTE Band Edge(NTNV)(Subtest:13, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2560	2570	0.1	RMS	2569.4	20.66	30	Pass	401
2570	2571	0.2	RMS	2570	-17.76	-10	Pass	401
2571	2575	1	RMS	2571	-38.62	-10	Pass	5
2575	2580	1	RMS	2577.1	-47.37	-13	Pass	401
2580	2595	1	RMS	2580.038	-50.13	-25	Pass	401




11.14. LTE Band Edge(NTNV)(Subtest:14, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2560	2570	0.1	RMS	2562.175	3.27	30	Pass	401
2570	2571	0.2	RMS	2570.005	-32.33	-10	Pass	401
2571	2575	1	RMS	2571	-28.76	-10	Pass	5
2575	2580	1	RMS	2575.488	-31.24	-13	Pass	401
2580	2595	1	RMS	2580	-37.59	-25	Pass	401




11.15. LTE Band Edge(NTNV)(Subtest:15, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2560	2570	0.1	RMS	2569.425	19.62	30	Pass	401
2570	2571	0.2	RMS	2570.003	-18.99	-10	Pass	401
2571	2575	1	RMS	2571	-39.41	-10	Pass	5
2575	2580	1	RMS	2575	-47.8	-13	Pass	401
2580	2595	1	RMS	2580	-50.12	-25	Pass	401




11.16. LTE Band Edge(NTNV)(Subtest:16, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2560	2570	0.1	RMS	2562.525	2.24	30	Pass	401
2570	2571	0.2	RMS	2570.003	-32.77	-10	Pass	401
2571	2575	1	RMS	2571	-29.09	-10	Pass	5
2575	2580	1	RMS	2575.088	-32.24	-13	Pass	401
2580	2595	1	RMS	2580.038	-39.31	-25	Pass	401




11.17. LTE Band Edge(NTNV)(Subtest:17, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.513	-49.03	-25	Pass	401
2490	2496	1	RMS	2494.875	-42.59	-13	Pass	401
2496	2499	1	RMS	2499	-37.85	-10	Pass	4
2499	2500	0.3	RMS	2500	-18.98	-10	Pass	401
2500	2515	0.1	RMS	2500.825	20.57	30	Pass	401




11.18. LTE Band Edge(NTNV)(Subtest:18, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.213	-35.48	-25	Pass	401
2490	2496	1	RMS	2495.76	-32.98	-13	Pass	401
2496	2499	1	RMS	2498	-30.67	-10	Pass	4
2499	2500	0.3	RMS	2499.993	-33.94	-10	Pass	401
2500	2515	0.1	RMS	2510.725	1.63	30	Pass	401




11.19. LTE Band Edge(NTNV)(Subtest:19, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.625	-49.28	-25	Pass	401
2490	2496	1	RMS	2494.8	-43.23	-13	Pass	401
2496	2499	1	RMS	2499	-38.16	-10	Pass	4
2499	2500	0.3	RMS	2500	-19.44	-10	Pass	401
2500	2515	0.1	RMS	2500.825	19.7	30	Pass	401




11.20. LTE Band Edge(NTNV)(Subtest:20, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.213	-38.1	-25	Pass	401
2490	2496	1	RMS	2495.955	-33.8	-13	Pass	401
2496	2499	1	RMS	2498	-31.77	-10	Pass	4
2499	2500	0.3	RMS	2500	-34.39	-10	Pass	401
2500	2515	0.1	RMS	2511.775	0.6	30	Pass	401




11.21. LTE Band Edge(NTNV)(Subtest:21, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2555	2570	0.1	RMS	2569.175	20.57	30	Pass	401
2570	2571	0.3	RMS	2570.005	-19.56	-10	Pass	401
2571	2575	1	RMS	2571	-38.64	-10	Pass	5
2575	2585	1	RMS	2575.375	-42.64	-13	Pass	401
2585	2595	1	RMS	2585.3	-50.61	-25	Pass	401




11.22. LTE Band Edge(NTNV)(Subtest:22, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2555	2570	0.1	RMS	2561.188	1.42	30	Pass	401
2570	2571	0.3	RMS	2570	-32.31	-10	Pass	401
2571	2575	1	RMS	2572	-28.8	-10	Pass	5
2575	2585	1	RMS	2575.05	-31.44	-13	Pass	401
2585	2595	1	RMS	2585	-43.14	-25	Pass	401




11.23. LTE Band Edge(NTNV)(Subtest:23, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2555	2570	0.1	RMS	2569.175	19.55	30	Pass	401
2570	2571	0.3	RMS	2570.008	-20.04	-10	Pass	401
2571	2575	1	RMS	2571	-39.06	-10	Pass	5
2575	2585	1	RMS	2575.25	-43.83	-13	Pass	401
2585	2595	1	RMS	2585.35	-50.63	-25	Pass	401




11.24. LTE Band Edge(NTNV)(Subtest:24, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2555	2570	0.1	RMS	2565.463	0.41	30	Pass	401
2570	2571	0.3	RMS	2570.003	-33.23	-10	Pass	401
2571	2575	1	RMS	2572	-30.29	-10	Pass	5
2575	2585	1	RMS	2575.075	-33.01	-13	Pass	401
2585	2595	1	RMS	2585	-44.26	-25	Pass	401




11.25. LTE Band Edge(NTNV)(Subtest:25, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.813	-49.51	-25	Pass	401
2490	2496	1	RMS	2492.1	-45.81	-13	Pass	401
2496	2499	1	RMS	2499	-39.17	-10	Pass	4
2499	2500	0.51	RMS	2499.995	-19.37	-10	Pass	401
2500	2520	0.1	RMS	2501.1	20.52	30	Pass	401




11.26. LTE Band Edge(NTNV)(Subtest:26, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2488.875	-39.16	-25	Pass	401
2490	2496	1	RMS	2495.805	-36.16	-13	Pass	401
2496	2499	1	RMS	2499	-34.78	-10	Pass	4
2499	2500	0.51	RMS	2500	-34.5	-10	Pass	401
2500	2520	0.1	RMS	2507.85	0.27	30	Pass	401




11.27. LTE Band Edge(NTNV)(Subtest:27, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.813	-49.62	-25	Pass	401
2490	2496	1	RMS	2492.175	-46.52	-13	Pass	401
2496	2499	1	RMS	2499	-39.36	-10	Pass	4
2499	2500	0.51	RMS	2500	-19.32	-10	Pass	401
2500	2520	0.1	RMS	2501.1	19.75	30	Pass	401




11.28. LTE Band Edge(NTNV)(Subtest:28, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.925	-39.06	-25	Pass	401
2490	2496	1	RMS	2495.925	-35.33	-13	Pass	401
2496	2499	1	RMS	2499	-33.7	-10	Pass	4
2499	2500	0.51	RMS	2500	-34.25	-10	Pass	401
2500	2520	0.1	RMS	2510	-0.7	30	Pass	401




11.29. LTE Band Edge(NTNV)(Subtest:29, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	0.1	RMS	2568.9	20.45	30	Pass	401
2570	2571	0.51	RMS	2570	-19.5	-10	Pass	401
2571	2575	1	RMS	2571	-39.49	-10	Pass	5
2575	2590	1	RMS	2577.738	-44.65	-13	Pass	401
2590	2595	1	RMS	2594.663	-50.67	-25	Pass	401




11.30. LTE Band Edge(NTNV)(Subtest:30, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	0.1	RMS	2564.8	0.28	30	Pass	401
2570	2571	0.51	RMS	2570	-31.98	-10	Pass	401
2571	2575	1	RMS	2571	-31.3	-10	Pass	5
2575	2590	1	RMS	2575.075	-33.64	-13	Pass	401
2590	2595	1	RMS	2594.888	-48.56	-25	Pass	401




11.31. LTE Band Edge(NTNV)(Subtest:31, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	0.1	RMS	2568.9	19.49	30	Pass	401
2570	2571	0.51	RMS	2570.003	-19.54	-10	Pass	401
2571	2575	1	RMS	2571	-38.24	-10	Pass	5
2575	2590	1	RMS	2577.738	-45.54	-13	Pass	401
2590	2595	1	RMS	2592.675	-50.69	-25	Pass	401



11.32. LTE Band Edge(NTNV)(Subtest:32, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	0.1	RMS	2562.9	-0.73	30	Pass	401
2570	2571	0.51	RMS	2570.003	-32.59	-10	Pass	401
2571	2575	1	RMS	2571	-31.52	-10	Pass	5
2575	2590	1	RMS	2575	-33.69	-13	Pass	401
2590	2595	1	RMS	2594.95	-49.37	-25	Pass	401



12. LTE_Band12


12.1. LTE Band Edge(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-25.39	-13	Pass	401
698.9	699	0.03	RMS	698.999	-20.02	-13	Pass	401
699	701	0.1	RMS	699.25	21.41	30	Pass	401




12.2. LTE Band Edge(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-30.25	-13	Pass	401
698.9	699	0.03	RMS	699	-28.39	-13	Pass	401
699	701	0.1	RMS	700.105	12.89	30	Pass	401




12.3. LTE Band Edge(NTNV)(Subtest:3, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-26.62	-13	Pass	401
698.9	699	0.03	RMS	699	-20.77	-13	Pass	401
699	701	0.1	RMS	699.265	20.28	30	Pass	401




12.4. LTE Band Edge(NTNV)(Subtest:4, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-30.9	-13	Pass	401
698.9	699	0.03	RMS	699	-28.37	-13	Pass	401
699	701	0.1	RMS	700.1	11.91	30	Pass	401




12.5. LTE Band Edge(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
714	716	0.1	RMS	715.75	21.39	30	Pass	401
716	716.1	0.03	RMS	716.001	-20.19	-13	Pass	401
716.1	725	0.1	RMS	716.1	-25.07	-13	Pass	401




12.6. LTE Band Edge(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
714	716	0.1	RMS	714.905	12.98	30	Pass	401
716	716.1	0.03	RMS	716	-28.52	-13	Pass	401
716.1	725	0.1	RMS	716.1	-31.41	-13	Pass	401




12.7. LTE Band Edge(NTNV)(Subtest:7, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
714	716	0.1	RMS	715.76	20.43	30	Pass	401
716	716.1	0.03	RMS	716.001	-21.18	-13	Pass	401
716.1	725	0.1	RMS	716.1	-26.22	-13	Pass	401




12.8. LTE Band Edge(NTNV)(Subtest:8, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
714	716	0.1	RMS	714.955	12.03	30	Pass	401
716	716.1	0.03	RMS	716	-29.86	-13	Pass	401
716.1	725	0.1	RMS	716.1	-33.45	-13	Pass	401




12.9. LTE Band Edge(NTNV)(Subtest:9, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-25.8	-13	Pass	401
698.9	699	0.03	RMS	699	-20.4	-13	Pass	401
699	702	0.1	RMS	699.24	21.34	30	Pass	401




12.10. LTE Band Edge(NTNV)(Subtest:10, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-33.91	-13	Pass	401
698.9	699	0.03	RMS	699	-31.45	-13	Pass	401
699	702	0.1	RMS	701.708	9.08	30	Pass	401




12.11. LTE Band Edge(NTNV)(Subtest:11, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-26.05	-13	Pass	401
698.9	699	0.03	RMS	699	-21.02	-13	Pass	401
699	702	0.1	RMS	699.255	20.5	30	Pass	401




12.12. LTE Band Edge(NTNV)(Subtest:12, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-34.77	-13	Pass	401
698.9	699	0.03	RMS	699	-33.17	-13	Pass	401
699	702	0.1	RMS	701.453	8.06	30	Pass	401




12.13. LTE Band Edge(NTNV)(Subtest:13, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
713	716	0.1	RMS	715.753	21.46	30	Pass	401
716	716.1	0.03	RMS	716	-20.49	-13	Pass	401
716.1	725	0.1	RMS	716.1	-24.74	-13	Pass	401




12.14. LTE Band Edge(NTNV)(Subtest:14, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
713	716	0.1	RMS	714.088	9.18	30	Pass	401
716	716.1	0.03	RMS	716.001	-33.56	-13	Pass	401
716.1	725	0.1	RMS	716.1	-35.32	-13	Pass	401




12.15. LTE Band Edge(NTNV)(Subtest:15, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
713	716	0.1	RMS	715.76	20.41	30	Pass	401
716	716.1	0.03	RMS	716	-21.5	-13	Pass	401
716.1	725	0.1	RMS	716.1	-26.5	-13	Pass	401




12.16. LTE Band Edge(NTNV)(Subtest:16, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
713	716	0.1	RMS	713.45	8.13	30	Pass	401
716	716.1	0.03	RMS	716.001	-33.99	-13	Pass	401
716.1	725	0.1	RMS	716.1	-36.63	-13	Pass	401




12.17. LTE Band Edge(NTNV)(Subtest:17, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-21.44	-13	Pass	401
698.9	699	0.03	RMS	699	-20.47	-13	Pass	401
699	704	0.1	RMS	699.338	21.21	30	Pass	401




12.18. LTE Band Edge(NTNV)(Subtest:18, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-33.29	-13	Pass	401
698.9	699	0.03	RMS	699	-33.46	-13	Pass	401
699	704	0.1	RMS	700.663	6.92	30	Pass	401




12.19. LTE Band Edge(NTNV)(Subtest:19, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-21.83	-13	Pass	401
698.9	699	0.03	RMS	699	-21.05	-13	Pass	401
699	704	0.1	RMS	699.338	20.36	30	Pass	401




12.20. LTE Band Edge(NTNV)(Subtest:20, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-34.05	-13	Pass	401
698.9	699	0.03	RMS	699	-34.46	-13	Pass	401
699	704	0.1	RMS	700.688	5.83	30	Pass	401




12.21. LTE Band Edge(NTNV)(Subtest:21, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	715.663	21.4	30	Pass	401
716	716.1	0.03	RMS	716.001	-20.84	-13	Pass	401
716.1	725	0.1	RMS	716.1	-21.69	-13	Pass	401




12.22. LTE Band Edge(NTNV)(Subtest:22, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	712.1	6.91	30	Pass	401
716	716.1	0.03	RMS	716	-33.95	-13	Pass	401
716.1	725	0.1	RMS	716.1	-33.93	-13	Pass	401




12.23. LTE Band Edge(NTNV)(Subtest:23, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	715.663	20.46	30	Pass	401
716	716.1	0.03	RMS	716.001	-20.57	-13	Pass	401
716.1	725	0.1	RMS	716.1	-21.52	-13	Pass	401




12.24. LTE Band Edge(NTNV)(Subtest:24, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	711.575	5.9	30	Pass	401
716	716.1	0.03	RMS	716	-35.08	-13	Pass	401
716.1	725	0.1	RMS	716.1	-34.91	-13	Pass	401




12.25. LTE Band Edge(NTNV)(Subtest:25, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-26.2	-13	Pass	401
698.9	699	0.03	RMS	699	-27.54	-13	Pass	401
699	709	0.1	RMS	699.6	21.31	30	Pass	401




12.26. LTE Band Edge(NTNV)(Subtest:26, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-38.92	-13	Pass	401
698.9	699	0.03	RMS	699	-41.16	-13	Pass	401
699	709	0.1	RMS	706.975	3.98	30	Pass	401




12.27. LTE Band Edge(NTNV)(Subtest:27, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-27.03	-13	Pass	401
698.9	699	0.03	RMS	698.999	-28.23	-13	Pass	401
699	709	0.1	RMS	699.6	20.53	30	Pass	401




12.28. LTE Band Edge(NTNV)(Subtest:28, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-39.9	-13	Pass	401
698.9	699	0.03	RMS	699	-42.72	-13	Pass	401
699	709	0.1	RMS	705.6	2.91	30	Pass	401




12.29. LTE Band Edge(NTNV)(Subtest:29, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	715.425	21.31	30	Pass	401
716	716.1	0.03	RMS	716	-27	-13	Pass	401
716.1	725	0.1	RMS	716.1	-25.74	-13	Pass	401




12.30. LTE Band Edge(NTNV)(Subtest:30, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	709.85	3.89	30	Pass	401
716	716.1	0.03	RMS	716.005	-41.87	-13	Pass	401
716.1	725	0.1	RMS	716.1	-38.97	-13	Pass	401




12.31. LTE Band Edge(NTNV)(Subtest:31, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	715.4	20.29	30	Pass	401
716	716.1	0.03	RMS	716	-28.13	-13	Pass	401
716.1	725	0.1	RMS	716.1	-26.91	-13	Pass	401



12.32. LTE Band Edge(NTNV)(Subtest:32, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	709.225	2.88	30	Pass	401
716	716.1	0.03	RMS	716	-42.83	-13	Pass	401
716.1	725	0.1	RMS	716.1	-40.56	-13	Pass	401



13. LTE_Band17


13.1. LTE Band Edge(NTNV)(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-21.17	-13	Pass	401
703.9	704	0.03	RMS	703.999	-20.53	-13	Pass	401
704	709	0.1	RMS	704.338	21.25	30	Pass	401




13.2. LTE Band Edge(NTNV)(Subtest:2, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-33.23	-13	Pass	401
703.9	704	0.03	RMS	704	-33.11	-13	Pass	401
704	709	0.1	RMS	705.663	6.96	30	Pass	401




13.3. LTE Band Edge(NTNV)(Subtest:3, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-21.69	-13	Pass	401
703.9	704	0.03	RMS	704	-20.99	-13	Pass	401
704	709	0.1	RMS	704.338	20.36	30	Pass	401




13.4. LTE Band Edge(NTNV)(Subtest:4, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-34.07	-13	Pass	401
703.9	704	0.03	RMS	704	-34.28	-13	Pass	401
704	709	0.1	RMS	705.688	5.94	30	Pass	401




13.5. LTE Band Edge(NTNV)(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	715.663	21.43	30	Pass	401
716	716.1	0.03	RMS	716	-20.76	-13	Pass	401
716.1	725	0.1	RMS	716.1	-21.76	-13	Pass	401




13.6. LTE Band Edge(NTNV)(Subtest:6, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	712.05	6.98	30	Pass	401
716	716.1	0.03	RMS	716	-33.86	-13	Pass	401
716.1	725	0.1	RMS	716.1	-33.89	-13	Pass	401




13.7. LTE Band Edge(NTNV)(Subtest:7, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	715.65	20.52	30	Pass	401
716	716.1	0.03	RMS	716.001	-20.56	-13	Pass	401
716.1	725	0.1	RMS	716.1	-21.46	-13	Pass	401




13.8. LTE Band Edge(NTNV)(Subtest:8, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	711.588	5.95	30	Pass	401
716	716.1	0.03	RMS	716	-34.99	-13	Pass	401
716.1	725	0.1	RMS	716.1	-34.89	-13	Pass	401




13.9. LTE Band Edge(NTNV)(Subtest:9, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-26.11	-13	Pass	401
703.9	704	0.03	RMS	704	-27.39	-13	Pass	401
704	714	0.1	RMS	704.6	21.29	30	Pass	401




13.10. LTE Band Edge(NTNV)(Subtest:10, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-38.3	-13	Pass	401
703.9	704	0.03	RMS	704	-40.83	-13	Pass	401
704	714	0.1	RMS	705.925	4.06	30	Pass	401




13.11. LTE Band Edge(NTNV)(Subtest:11, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-26.92	-13	Pass	401
703.9	704	0.03	RMS	703.999	-28.25	-13	Pass	401
704	714	0.1	RMS	704.6	20.45	30	Pass	401




13.12. LTE Band Edge(NTNV)(Subtest:12, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-40.16	-13	Pass	401
703.9	704	0.03	RMS	703.998	-42.59	-13	Pass	401
704	714	0.1	RMS	705.75	2.85	30	Pass	401




13.13. LTE Band Edge(NTNV)(Subtest:13, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	715.4	21.35	30	Pass	401
716	716.1	0.03	RMS	716	-26.95	-13	Pass	401
716.1	725	0.1	RMS	716.1	-25.65	-13	Pass	401




13.14. LTE Band Edge(NTNV)(Subtest:14, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	709.875	3.93	30	Pass	401
716	716.1	0.03	RMS	716.006	-41.84	-13	Pass	401
716.1	725	0.1	RMS	716.1	-38.82	-13	Pass	401




13.15. LTE Band Edge(NTNV)(Subtest:15, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	715.4	20.33	30	Pass	401
716	716.1	0.03	RMS	716.001	-28	-13	Pass	401
716.1	725	0.1	RMS	716.1	-26.95	-13	Pass	401



13.16. LTE Band Edge(NTNV)(Subtest:16, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	707.25	2.92	30	Pass	401
716	716.1	0.03	RMS	716.003	-42.81	-13	Pass	401
716.1	725	0.1	RMS	716.1	-40.46	-13	Pass	401



14. LTE_Band26(part22)


14.1. LTE Band Edge(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.82	-49.48	-13	Pass	401
823	824	0.02	RMS	824	-21.88	-13	Pass	401
824	826	0.1	RMS	824.24	21.26	30	Pass	401




14.2. LTE Band Edge(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-42.58	-13	Pass	401
823	824	0.02	RMS	824	-28.14	-13	Pass	401
824	826	0.1	RMS	824.275	12.77	30	Pass	401




14.3. LTE Band Edge(NTNV)(Subtest:3, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.6	-49.4	-13	Pass	401
823	824	0.02	RMS	824	-22.58	-13	Pass	401
824	826	0.1	RMS	824.26	20.13	30	Pass	401




14.4. LTE Band Edge(NTNV)(Subtest:4, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-42.38	-13	Pass	401
823	824	0.02	RMS	824	-28.86	-13	Pass	401
824	826	0.1	RMS	825.12	11.8	30	Pass	401




14.5. LTE Band Edge(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.74	21.31	30	Pass	401
849	850	0.02	RMS	849	-21.7	-13	Pass	401
850	860	0.1	RMS	850.025	-50.2	-13	Pass	401




14.6. LTE Band Edge(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.435	12.78	30	Pass	401
849	850	0.02	RMS	849	-28.74	-13	Pass	401
850	860	0.1	RMS	850	-40.13	-13	Pass	401




14.7. LTE Band Edge(NTNV)(Subtest:7, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.745	20.3	30	Pass	401
849	850	0.02	RMS	849	-22.78	-13	Pass	401
850	860	0.1	RMS	850.075	-50.35	-13	Pass	401




14.8. LTE Band Edge(NTNV)(Subtest:8, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.155	11.87	30	Pass	401
849	850	0.02	RMS	849	-29.69	-13	Pass	401
850	860	0.1	RMS	850	-40.35	-13	Pass	401




14.9. LTE Band Edge(NTNV)(Subtest:9, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-49.33	-13	Pass	401
823	824	0.03	RMS	824	-20.13	-13	Pass	401
824	827	0.1	RMS	824.233	21.23	30	Pass	401




14.10. LTE Band Edge(NTNV)(Subtest:10, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.96	-31.34	-13	Pass	401
823	824	0.03	RMS	824	-29.28	-13	Pass	401
824	827	0.1	RMS	825.8	8.87	30	Pass	401




14.11. LTE Band Edge(NTNV)(Subtest:11, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-50.3	-13	Pass	401
823	824	0.03	RMS	824	-20.95	-13	Pass	401
824	827	0.1	RMS	824.24	20.31	30	Pass	401




14.12. LTE Band Edge(NTNV)(Subtest:12, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-32.23	-13	Pass	401
823	824	0.03	RMS	824	-31.21	-13	Pass	401
824	827	0.1	RMS	825.2	7.84	30	Pass	401




14.13. LTE Band Edge(NTNV)(Subtest:13, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	848.775	21.31	30	Pass	401
849	850	0.03	RMS	849	-19.62	-13	Pass	401
850	860	0.1	RMS	850	-50.49	-13	Pass	401




14.14. LTE Band Edge(NTNV)(Subtest:14, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	846.27	9	30	Pass	401
849	850	0.03	RMS	849	-31.66	-13	Pass	401
850	860	0.1	RMS	850.1	-32.83	-13	Pass	401




14.15. LTE Band Edge(NTNV)(Subtest:15, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	848.775	20.29	30	Pass	401
849	850	0.03	RMS	849	-21.08	-13	Pass	401
850	860	0.1	RMS	850	-51.06	-13	Pass	401




14.16. LTE Band Edge(NTNV)(Subtest:16, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	846.473	7.95	30	Pass	401
849	850	0.03	RMS	849	-31.46	-13	Pass	401
850	860	0.1	RMS	850.05	-32.51	-13	Pass	401




14.17. LTE Band Edge(NTNV)(Subtest:17, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.12	-49.78	-13	Pass	401
823	824	0.051	RMS	824	-18.13	-13	Pass	401
824	829	0.1	RMS	824.338	21.11	30	Pass	401




14.18. LTE Band Edge(NTNV)(Subtest:18, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.96	-31.84	-13	Pass	401
823	824	0.051	RMS	823.998	-28.75	-13	Pass	401
824	829	0.1	RMS	825.688	6.89	30	Pass	401




14.19. LTE Band Edge(NTNV)(Subtest:19, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.08	-50.54	-13	Pass	401
823	824	0.051	RMS	824	-18.44	-13	Pass	401
824	829	0.1	RMS	824.35	20.3	30	Pass	401




14.20. LTE Band Edge(NTNV)(Subtest:20, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-32.89	-13	Pass	401
823	824	0.051	RMS	824	-30.07	-13	Pass	401
824	829	0.1	RMS	825.7	5.89	30	Pass	401




14.21. LTE Band Edge(NTNV)(Subtest:21, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.65	21.25	30	Pass	401
849	850	0.051	RMS	849	-18.32	-13	Pass	401
850	860	0.1	RMS	850.9	-50.39	-13	Pass	401




14.22. LTE Band Edge(NTNV)(Subtest:22, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	845.888	6.8	30	Pass	401
849	850	0.051	RMS	849.003	-30.46	-13	Pass	401
850	860	0.1	RMS	850.1	-34.34	-13	Pass	401




14.23. LTE Band Edge(NTNV)(Subtest:23, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.663	20.34	30	Pass	401
849	850	0.051	RMS	849.005	-18.33	-13	Pass	401
850	860	0.1	RMS	850	-50.56	-13	Pass	401




14.24. LTE Band Edge(NTNV)(Subtest:24, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	844.6	5.85	30	Pass	401
849	850	0.051	RMS	849	-31.02	-13	Pass	401
850	860	0.1	RMS	850.1	-34.35	-13	Pass	401




14.25. LTE Band Edge(NTNV)(Subtest:25, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	820.1	-50.77	-13	Pass	401
823	824	0.1	RMS	824	-21.69	-13	Pass	401
824	834	0.1	RMS	824.6	21.19	30	Pass	401




14.26. LTE Band Edge(NTNV)(Subtest:26, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-33.2	-13	Pass	401
823	824	0.1	RMS	823.995	-30.22	-13	Pass	401
824	834	0.1	RMS	825.925	4.11	30	Pass	401




14.27. LTE Band Edge(NTNV)(Subtest:27, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	820.1	-51.68	-13	Pass	401
823	824	0.1	RMS	824	-22.77	-13	Pass	401
824	834	0.1	RMS	824.575	20.32	30	Pass	401




14.28. LTE Band Edge(NTNV)(Subtest:28, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.9	-34.5	-13	Pass	401
823	824	0.1	RMS	823.993	-32.07	-13	Pass	401
824	834	0.1	RMS	825.75	2.97	30	Pass	401




14.29. LTE Band Edge(NTNV)(Subtest:29, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	21.19	30	Pass	401
849	850	0.1	RMS	849	-21.28	-13	Pass	401
850	860	0.1	RMS	850	-51.57	-13	Pass	401




14.30. LTE Band Edge(NTNV)(Subtest:30, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	841.15	3.93	30	Pass	401
849	850	0.1	RMS	849.005	-31.49	-13	Pass	401
850	860	0.1	RMS	850	-33.93	-13	Pass	401




14.31. LTE Band Edge(NTNV)(Subtest:31, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	20.16	30	Pass	401
849	850	0.1	RMS	849.003	-22.58	-13	Pass	401
850	860	0.1	RMS	850	-52.24	-13	Pass	401




14.32. LTE Band Edge(NTNV)(Subtest:32, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	841.5	2.95	30	Pass	401
849	850	0.1	RMS	849	-32.76	-13	Pass	401
850	860	0.1	RMS	850.075	-34.95	-13	Pass	401




14.33. LTE Band Edge(NTNV)(Subtest:33, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-46.16	-13	Pass	401
823	824	0.15	RMS	823.993	-22.42	-13	Pass	401
824	839	0.1	RMS	824.825	21.01	30	Pass	401




14.34. LTE Band Edge(NTNV)(Subtest:34, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.8	-33.44	-13	Pass	401
823	824	0.15	RMS	823.995	-31	-13	Pass	401
824	839	0.1	RMS	825.838	2.37	30	Pass	401




14.35. LTE Band Edge(NTNV)(Subtest:35, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	818.92	-47.33	-13	Pass	401
823	824	0.15	RMS	824	-22.66	-13	Pass	401
824	839	0.1	RMS	824.825	20.21	30	Pass	401




14.36. LTE Band Edge(NTNV)(Subtest:36, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.9	-34.95	-13	Pass	401
823	824	0.15	RMS	823.995	-32.61	-13	Pass	401
824	839	0.1	RMS	826.025	1.47	30	Pass	401




14.37. LTE Band Edge(NTNV)(Subtest:37, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
834	849	0.1	RMS	848.175	21.1	30	Pass	401
849	850	0.15	RMS	849.005	-22.97	-13	Pass	401
850	860	0.1	RMS	850	-51.45	-13	Pass	401




14.38. LTE Band Edge(NTNV)(Subtest:38, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
834	849	0.1	RMS	840.825	2.1	30	Pass	401
849	850	0.15	RMS	849	-32.26	-13	Pass	401
850	860	0.1	RMS	850	-35.26	-13	Pass	401




14.39. LTE Band Edge(NTNV)(Subtest:39, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
834	849	0.1	RMS	848.175	20.07	30	Pass	401
849	850	0.15	RMS	849.005	-23.36	-13	Pass	401
850	860	0.1	RMS	850	-52.5	-13	Pass	401




14.40. LTE Band Edge(NTNV)(Subtest:40, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
834	849	0.1	RMS	841.2	0.99	30	Pass	401
849	850	0.15	RMS	849	-33.43	-13	Pass	401
850	860	0.1	RMS	850.2	-36.57	-13	Pass	401




15. LTE_Band26(part90)


15.1. LTE Band Edge_in-band(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)




15.2. LTE Band Edge_in-band(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)




15.3. LTE Band Edge_in-band(NTNV)(Subtest:3, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)



15.4. LTE Band Edge_in-band(NTNV)(Subtest:4, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)




15.5. LTE Band Edge_in-band(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)



15.6. LTE Band Edge_in-band(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)




15.7. LTE Band Edge_in-band(NTNV)(Subtest:7, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)




15.8. LTE Band Edge_in-band(NTNV)(Subtest:8, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)




15.9. LTE Band Edge_in-band(NTNV)(Subtest:9, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)




15.10. LTE Band Edge_in-band(NTNV)(Subtest:10, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)




15.11. LTE Band Edge_in-band(NTNV)(Subtest:11, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)



15.12. LTE Band Edge_in-band(NTNV)(Subtest:12, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)




15.13. LTE Band Edge_in-band(NTNV)(Subtest:13, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)



15.14. LTE Band Edge_in-band(NTNV)(Subtest:14, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)




15.15. LTE Band Edge_in-band(NTNV)(Subtest:15, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)




15.16. LTE Band Edge_in-band(NTNV)(Subtest:16, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)




15.17. LTE Band Edge_in-band(NTNV)(Subtest:17, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)




15.18. LTE Band Edge_in-band(NTNV)(Subtest:18, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)




15.19. LTE Band Edge_in-band(NTNV)(Subtest:19, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)



15.20. LTE Band Edge_in-band(NTNV)(Subtest:20, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)




15.21. LTE Band Edge_in-band(NTNV)(Subtest:21, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)




15.22. LTE Band Edge_in-band(NTNV)(Subtest:22, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)




15.23. LTE Band Edge_in-band(NTNV)(Subtest:23, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)




15.24. LTE Band Edge_in-band(NTNV)(Subtest:24, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)




15.25. LTE Band Edge_in-band(NTNV)(Subtest:25, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




15.26. LTE Band Edge_in-band(NTNV)(Subtest:26, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)




15.27. LTE Band Edge_in-band(NTNV)(Subtest:27, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)




15.28. LTE Band Edge_in-band(NTNV)(Subtest:28, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)




15.29. LTE Band Edge_in-band(NTNV)(Subtest:29, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)



15.30. LTE Band Edge_in-band(NTNV)(Subtest:30, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)



15.31. LTE Band Edge_in-band(NTNV)(Subtest:31, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)




15.32. LTE Band Edge_in-band(NTNV)(Subtest:32, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)




16. LTE_Band26(part90)


16.1. LTE Band Edge_out-of-band(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)




16.2. LTE Band Edge_out-of-band(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)




16.3. LTE Band Edge_out-of-band(NTNV)(Subtest:3, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)




16.4. LTE Band Edge_out-of-band(NTNV)(Subtest:4, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)




16.5. LTE Band Edge_out-of-band(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)




16.6. LTE Band Edge_out-of-band(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)




16.7. LTE Band Edge_out-of-band(NTNV)(Subtest:7, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)




16.8. LTE Band Edge_out-of-band(NTNV)(Subtest:8, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)




16.9. LTE Band Edge_out-of-band(NTNV)(Subtest:9, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)




16.10. LTE Band Edge_out-of-band(NTNV)(Subtest:10, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)




16.11. LTE Band Edge_out-of-band(NTNV)(Subtest:11, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)




16.12. LTE Band Edge_out-of-band(NTNV)(Subtest:12, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)




16.13. LTE Band Edge_out-of-band(NTNV)(Subtest:13, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)




16.14. LTE Band Edge_out-of-band(NTNV)(Subtest:14, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)




16.15. LTE Band Edge_out-of-band(NTNV)(Subtest:15, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)




16.16. LTE Band Edge_out-of-band(NTNV)(Subtest:16, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)




16.17. LTE Band Edge_out-of-band(NTNV)(Subtest:17, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)




16.18. LTE Band Edge_out-of-band(NTNV)(Subtest:18, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)




16.19. LTE Band Edge_out-of-band(NTNV)(Subtest:19, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)




16.20. LTE Band Edge_out-of-band(NTNV)(Subtest:20, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)




16.21. LTE Band Edge_out-of-band(NTNV)(Subtest:21, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)




16.22. LTE Band Edge_out-of-band(NTNV)(Subtest:22, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)




16.23. LTE Band Edge_out-of-band(NTNV)(Subtest:23, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)




16.24. LTE Band Edge_out-of-band(NTNV)(Subtest:24, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)




16.25. LTE Band Edge_out-of-band(NTNV)(Subtest:25, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




16.26. LTE Band Edge_out-of-band(NTNV)(Subtest:26, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)




16.27. LTE Band Edge_out-of-band(NTNV)(Subtest:27, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)




16.28. LTE Band Edge_out-of-band(NTNV)(Subtest:28, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)




16.29. LTE Band Edge_out-of-band(NTNV)(Subtest:29, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)



16.30. LTE Band Edge_out-of-band(NTNV)(Subtest:30, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)



16.31. LTE Band Edge_out-of-band(NTNV)(Subtest:31, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)




16.32. LTE Band Edge_out-of-band(NTNV)(Subtest:32, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)



17. LTE_Band38


17.1. LTE Band Edge(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2564	1	RMS	2564	-41.89	-25	Pass	401
2564	2565	1	RMS	2564.998	-34.57	-13	Pass	401
2565	2569	1	RMS	2569	-21.59	-10	Pass	5
2569	2570	0.1	RMS	2570	-13.42	-10	Pass	401
2570	2575	0.1	RMS	2570.363	21.54	30	Pass	401




17.2. LTE Band Edge(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2564	1	RMS	2564	-33.29	-25	Pass	401
2564	2565	1	RMS	2564.985	-31.18	-13	Pass	401
2565	2569	1	RMS	2569	-21.98	-10	Pass	5
2569	2570	0.1	RMS	2569.995	-24.64	-10	Pass	401
2570	2575	0.1	RMS	2571.688	7.28	30	Pass	401




17.3. LTE Band Edge(NTNV)(Subtest:3, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2564	1	RMS	2564	-42.2	-25	Pass	401
2564	2565	1	RMS	2564.995	-35.34	-13	Pass	401
2565	2569	1	RMS	2569	-22.62	-10	Pass	5
2569	2570	0.1	RMS	2569.998	-13.58	-10	Pass	401
2570	2575	0.1	RMS	2570.338	21.06	30	Pass	401




17.4. LTE Band Edge(NTNV)(Subtest:4, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2564	1	RMS	2564	-34.4	-25	Pass	401
2564	2565	1	RMS	2564.995	-31.3	-13	Pass	401
2565	2569	1	RMS	2569	-22.1	-10	Pass	5
2569	2570	0.1	RMS	2569.998	-25.59	-10	Pass	401
2570	2575	0.1	RMS	2573.663	6.11	30	Pass	401




17.5. LTE Band Edge(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2615	2620	0.1	RMS	2619.675	21.23	30	Pass	401
2620	2621	0.1	RMS	2620	-14.08	-10	Pass	11
2621	2625	1	RMS	2621	-19.25	-10	Pass	5
2625	2626	1	RMS	2625.008	-31.31	-13	Pass	401
2626	2645	1	RMS	2626.048	-40.42	-25	Pass	401




17.6. LTE Band Edge(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2615	2620	0.1	RMS	2616.1	7.43	30	Pass	401
2620	2621	0.1	RMS	2620	-25.73	-10	Pass	401
2621	2625	1	RMS	2621	-22.22	-10	Pass	5
2625	2626	1	RMS	2625.06	-30.61	-13	Pass	401
2626	2645	1	RMS	2626	-32.86	-25	Pass	401




17.7. LTE Band Edge(NTNV)(Subtest:7, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2615	2620	0.1	RMS	2619.65	20.64	30	Pass	401
2620	2621	0.1	RMS	2620	-14.09	-10	Pass	11
2621	2625	1	RMS	2621	-21.12	-10	Pass	5
2625	2626	1	RMS	2625.005	-32.33	-13	Pass	401
2626	2645	1	RMS	2626.048	-41.33	-25	Pass	401




17.8. LTE Band Edge(NTNV)(Subtest:8, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2615	2620	0.1	RMS	2619	6.3	30	Pass	401
2620	2621	0.1	RMS	2620	-26.3	-10	Pass	401
2621	2625	1	RMS	2621	-23.26	-10	Pass	5
2625	2626	1	RMS	2625.033	-32.36	-13	Pass	401
2626	2645	1	RMS	2626.048	-34.72	-25	Pass	401




17.9. LTE Band Edge(NTNV)(Subtest:9, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2560	1	RMS	2560	-40.9	-25	Pass	401
2560	2565	1	RMS	2564.963	-35.88	-13	Pass	401
2565	2569	1	RMS	2569	-22.63	-10	Pass	5
2569	2570	0.2	RMS	2569.995	-16.26	-10	Pass	401
2570	2580	0.1	RMS	2570.6	21.4	30	Pass	401




17.10. LTE Band Edge(NTNV)(Subtest:10, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2560	1	RMS	2559.888	-35.89	-25	Pass	401
2560	2565	1	RMS	2565	-27.89	-13	Pass	401
2565	2569	1	RMS	2569	-24.86	-10	Pass	5
2569	2570	0.2	RMS	2569.998	-27.53	-10	Pass	401
2570	2580	0.1	RMS	2577.975	3.75	30	Pass	401




17.11. LTE Band Edge(NTNV)(Subtest:11, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2560	1	RMS	2560	-40.51	-25	Pass	401
2560	2565	1	RMS	2565	-36.3	-13	Pass	401
2565	2569	1	RMS	2569	-24.1	-10	Pass	5
2569	2570	0.2	RMS	2570	-16.96	-10	Pass	401
2570	2580	0.1	RMS	2570.6	20.18	30	Pass	401




17.12. LTE Band Edge(NTNV)(Subtest:12, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2560	1	RMS	2560	-36.44	-25	Pass	401
2560	2565	1	RMS	2565	-29.28	-13	Pass	401
2565	2569	1	RMS	2569	-25.69	-10	Pass	5
2569	2570	0.2	RMS	2569.995	-29.32	-10	Pass	401
2570	2580	0.1	RMS	2578.375	2.98	30	Pass	401




17.13. LTE Band Edge(NTNV)(Subtest:13, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2610	2620	0.1	RMS	2619.425	21.94	30	Pass	401
2620	2621	0.2	RMS	2620.005	-15.47	-10	Pass	401
2621	2625	1	RMS	2621	-23.51	-10	Pass	5
2625	2630	1	RMS	2628.063	-36.69	-13	Pass	401
2630	2645	1	RMS	2630.3	-41.44	-25	Pass	401




17.14. LTE Band Edge(NTNV)(Subtest:14, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2610	2620	0.1	RMS	2613.825	4	30	Pass	401
2620	2621	0.2	RMS	2620	-28.53	-10	Pass	401
2621	2625	1	RMS	2621	-24.56	-10	Pass	5
2625	2630	1	RMS	2625.275	-27.76	-13	Pass	401
2630	2645	1	RMS	2630.038	-33.96	-25	Pass	401




17.15. LTE Band Edge(NTNV)(Subtest:15, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2610	2620	0.1	RMS	2619.4	20.84	30	Pass	401
2620	2621	0.2	RMS	2620.003	-17.38	-10	Pass	401
2621	2625	1	RMS	2621	-24.61	-10	Pass	5
2625	2630	1	RMS	2628.4	-37.54	-13	Pass	401
2630	2645	1	RMS	2630.113	-43.94	-25	Pass	401




17.16. LTE Band Edge(NTNV)(Subtest:16, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2610	2620	0.1	RMS	2612.525	2.77	30	Pass	401
2620	2621	0.2	RMS	2620.003	-29.25	-10	Pass	401
2621	2625	1	RMS	2621	-25.82	-10	Pass	5
2625	2630	1	RMS	2625.063	-28.56	-13	Pass	401
2630	2645	1	RMS	2630.038	-36.19	-25	Pass	401




17.17. LTE Band Edge(NTNV)(Subtest:17, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2555	1	RMS	2554.65	-42.45	-25	Pass	401
2555	2565	1	RMS	2564.525	-31.99	-13	Pass	401
2565	2569	1	RMS	2569	-26.23	-10	Pass	5
2569	2570	0.3	RMS	2570	-18.46	-10	Pass	401
2570	2585	0.1	RMS	2570.825	21.4	30	Pass	401




17.18. LTE Band Edge(NTNV)(Subtest:18, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2555	1	RMS	2554.55	-36.22	-25	Pass	401
2555	2565	1	RMS	2563.5	-28.67	-13	Pass	401
2565	2569	1	RMS	2568	-25.83	-10	Pass	5
2569	2570	0.3	RMS	2569.995	-29.86	-10	Pass	401
2570	2585	0.1	RMS	2573.6	2.4	30	Pass	401




17.19. LTE Band Edge(NTNV)(Subtest:19, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2555	1	RMS	2554.25	-43.47	-25	Pass	401
2555	2565	1	RMS	2564.8	-33.63	-13	Pass	401
2565	2569	1	RMS	2569	-27.25	-10	Pass	5
2569	2570	0.3	RMS	2569.995	-18.4	-10	Pass	401
2570	2585	0.1	RMS	2570.825	20.1	30	Pass	401




17.20. LTE Band Edge(NTNV)(Subtest:20, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2555	1	RMS	2554.925	-37.23	-25	Pass	401
2555	2565	1	RMS	2564.95	-29.24	-13	Pass	401
2565	2569	1	RMS	2569	-26.67	-10	Pass	5
2569	2570	0.3	RMS	2569.985	-29.61	-10	Pass	401
2570	2585	0.1	RMS	2583.238	1.52	30	Pass	401




17.21. LTE Band Edge(NTNV)(Subtest:21, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2605	2620	0.1	RMS	2619.138	21.09	30	Pass	401
2620	2621	0.3	RMS	2620.005	-18.3	-10	Pass	401
2621	2625	1	RMS	2621	-27.14	-10	Pass	5
2625	2635	1	RMS	2625.475	-32.87	-13	Pass	401
2635	2645	1	RMS	2635.575	-42.71	-25	Pass	401




17.22. LTE Band Edge(NTNV)(Subtest:22, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2605	2620	0.1	RMS	2608.863	2.77	30	Pass	401
2620	2621	0.3	RMS	2620.003	-27.68	-10	Pass	401
2621	2625	1	RMS	2622	-24.76	-10	Pass	5
2625	2635	1	RMS	2625.3	-26.73	-13	Pass	401
2635	2645	1	RMS	2635.275	-34.5	-25	Pass	401




17.23. LTE Band Edge(NTNV)(Subtest:23, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2605	2620	0.1	RMS	2619.138	20.31	30	Pass	401
2620	2621	0.3	RMS	2620.008	-19.62	-10	Pass	401
2621	2625	1	RMS	2621	-28.28	-10	Pass	5
2625	2635	1	RMS	2625.5	-32.83	-13	Pass	401
2635	2645	1	RMS	2635.8	-42.82	-25	Pass	401




17.24. LTE Band Edge(NTNV)(Subtest:24, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2605	2620	0.1	RMS	2605.938	1.46	30	Pass	401
2620	2621	0.3	RMS	2620.003	-29.47	-10	Pass	401
2621	2625	1	RMS	2621	-26.63	-10	Pass	5
2625	2635	1	RMS	2625.05	-28.39	-13	Pass	401
2635	2645	1	RMS	2635.25	-35.91	-25	Pass	401




17.25. LTE Band Edge(NTNV)(Subtest:25, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2549.988	-45.05	-25	Pass	401
2550	2565	1	RMS	2564.55	-30.81	-13	Pass	401
2565	2569	1	RMS	2569	-24.39	-10	Pass	5
2569	2570	0.51	RMS	2570	-18.09	-10	Pass	401
2570	2590	0.1	RMS	2571.1	21.79	30	Pass	401




17.26. LTE Band Edge(NTNV)(Subtest:26, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2550	-39	-25	Pass	401
2550	2565	1	RMS	2564.925	-30.39	-13	Pass	401
2565	2569	1	RMS	2569	-27.7	-10	Pass	5
2569	2570	0.51	RMS	2570	-27.78	-10	Pass	401
2570	2590	0.1	RMS	2579	1.38	30	Pass	401




17.27. LTE Band Edge(NTNV)(Subtest:27, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2550	-44.74	-25	Pass	401
2550	2565	1	RMS	2564.775	-31.03	-13	Pass	401
2565	2569	1	RMS	2569	-24.57	-10	Pass	5
2569	2570	0.51	RMS	2569.998	-17.17	-10	Pass	401
2570	2590	0.1	RMS	2571.1	20.19	30	Pass	401




17.28. LTE Band Edge(NTNV)(Subtest:28, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2549.963	-39.67	-25	Pass	401
2550	2565	1	RMS	2564.963	-30.13	-13	Pass	401
2565	2569	1	RMS	2569	-27.79	-10	Pass	5
2569	2570	0.51	RMS	2569.973	-28.66	-10	Pass	401
2570	2590	0.1	RMS	2579.25	0.54	30	Pass	401




17.29. LTE Band Edge(NTNV)(Subtest:29, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	0.1	RMS	2618.9	20.7	30	Pass	401
2620	2621	0.51	RMS	2620.003	-17.79	-10	Pass	401
2621	2625	1	RMS	2621	-27.01	-10	Pass	5
2625	2640	1	RMS	2625.038	-33.1	-13	Pass	401
2640	2645	1	RMS	2640.038	-44.88	-25	Pass	401




17.30. LTE Band Edge(NTNV)(Subtest:30, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	0.1	RMS	2606.3	1.26	30	Pass	401
2620	2621	0.51	RMS	2620.01	-28.23	-10	Pass	401
2621	2625	1	RMS	2621	-27.43	-10	Pass	5
2625	2640	1	RMS	2625.113	-29.08	-13	Pass	401
2640	2645	1	RMS	2640.175	-36.73	-25	Pass	401




17.31. LTE Band Edge(NTNV)(Subtest:31, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	0.1	RMS	2618.9	20.11	30	Pass	401
2620	2621	0.51	RMS	2620.003	-18.36	-10	Pass	401
2621	2625	1	RMS	2621	-26.18	-10	Pass	5
2625	2640	1	RMS	2625	-31.99	-13	Pass	401
2640	2645	1	RMS	2640	-44.62	-25	Pass	401



17.32. LTE Band Edge(NTNV)(Subtest:32, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	0.1	RMS	2606	0.74	30	Pass	401
2620	2621	0.51	RMS	2620.008	-28.63	-10	Pass	401
2621	2625	1	RMS	2621	-27.99	-10	Pass	5
2625	2640	1	RMS	2625.113	-29.27	-13	Pass	401
2640	2645	1	RMS	2640.013	-38.64	-25	Pass	401



18. LTE_Band41 full


18.1. LTE Band Edge(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-41.96	-25	Pass	401
2490	2495	1	RMS	2495	-21.3	-13	Pass	6
2495	2496	0.051	RMS	2496	-16.91	-13	Pass	401
2496	2501	0.1	RMS	2496.325	21.75	30	Pass	401




18.2. LTE Band Edge(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-32.66	-25	Pass	401
2490	2495	1	RMS	2495	-22.31	-13	Pass	6
2495	2496	0.051	RMS	2495.998	-27.67	-13	Pass	401
2496	2501	0.1	RMS	2497.688	7.67	30	Pass	401




18.3. LTE Band Edge(NTNV)(Subtest:3, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-42.27	-25	Pass	401
2490	2495	1	RMS	2495	-22.45	-13	Pass	6
2495	2496	0.051	RMS	2496	-17.92	-13	Pass	401
2496	2501	0.1	RMS	2496.35	20.68	30	Pass	401




18.4. LTE Band Edge(NTNV)(Subtest:4, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-34.52	-25	Pass	401
2490	2495	1	RMS	2495	-22.4	-13	Pass	6
2495	2496	0.051	RMS	2495.983	-28.83	-13	Pass	401
2496	2501	0.1	RMS	2499.663	6.72	30	Pass	401




18.5. LTE Band Edge(NTNV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2685	2690	0.1	RMS	2689.65	21.85	30	Pass	401
2690	2691	0.1	RMS	2690	-13.66	-10	Pass	11
2691	2695	1	RMS	2691	-19.03	-10	Pass	5
2695	2696	1	RMS	2695.015	-30.71	-13	Pass	401
2696	2715	1	RMS	2696	-39.76	-25	Pass	401




18.6. LTE Band Edge(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2685	2690	0.1	RMS	2687.55	7.48	30	Pass	401
2690	2691	0.1	RMS	2690.003	-25.02	-10	Pass	401
2691	2695	1	RMS	2691	-20.83	-10	Pass	5
2695	2696	1	RMS	2695.01	-29.08	-13	Pass	401
2696	2715	1	RMS	2696.048	-32.63	-25	Pass	401




18.7. LTE Band Edge(NTNV)(Subtest:7, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2685	2690	0.1	RMS	2689.65	21.29	30	Pass	401
2690	2691	0.1	RMS	2690	-13.79	-10	Pass	11
2691	2695	1	RMS	2691	-20.47	-10	Pass	5
2695	2696	1	RMS	2695.008	-31.83	-13	Pass	401
2696	2715	1	RMS	2696	-39.92	-25	Pass	401




18.8. LTE Band Edge(NTNV)(Subtest:8, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2685	2690	0.1	RMS	2688.963	6.83	30	Pass	401
2690	2691	0.1	RMS	2690	-25.43	-10	Pass	401
2691	2695	1	RMS	2691	-21.44	-10	Pass	5
2695	2696	1	RMS	2695.035	-30.85	-13	Pass	401
2696	2715	1	RMS	2696	-34.39	-25	Pass	401




18.9. LTE Band Edge(NTNV)(Subtest:9, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2488.838	-35.72	-25	Pass	401
2490	2495	1	RMS	2495	-22.39	-13	Pass	6
2495	2496	0.1	RMS	2496	-20.69	-13	Pass	401
2496	2506	0.1	RMS	2496.6	21.86	30	Pass	401




18.10. LTE Band Edge(NTNV)(Subtest:10, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-28.87	-25	Pass	401
2490	2495	1	RMS	2495	-25.06	-13	Pass	6
2495	2496	0.1	RMS	2496	-31.89	-13	Pass	401
2496	2506	0.1	RMS	2503.975	4.29	30	Pass	401




18.11. LTE Band Edge(NTNV)(Subtest:11, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.325	-36.94	-25	Pass	401
2490	2495	1	RMS	2495	-23.79	-13	Pass	6
2495	2496	0.1	RMS	2496	-21.21	-13	Pass	401
2496	2506	0.1	RMS	2496.6	20.65	30	Pass	401




18.12. LTE Band Edge(NTNV)(Subtest:12, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-30.93	-25	Pass	16
2490	2495	1	RMS	2495	-26.03	-13	Pass	6
2495	2496	0.1	RMS	2496	-32.92	-13	Pass	401
2496	2506	0.1	RMS	2504.425	3.54	30	Pass	401




18.13. LTE Band Edge(NTNV)(Subtest:13, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2680	2690	0.1	RMS	2689.4	21.78	30	Pass	401
2690	2691	0.2	RMS	2690.005	-14.92	-10	Pass	401
2691	2695	1	RMS	2691	-22.62	-10	Pass	5
2695	2700	1	RMS	2695.013	-35.79	-13	Pass	401
2700	2715	1	RMS	2700	-41.46	-25	Pass	401




18.14. LTE Band Edge(NTNV)(Subtest:14, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2680	2690	0.1	RMS	2683.825	4.59	30	Pass	401
2690	2691	0.2	RMS	2690.003	-27.5	-10	Pass	401
2691	2695	1	RMS	2691	-22.74	-10	Pass	5
2695	2700	1	RMS	2695	-25.82	-13	Pass	401
2700	2715	1	RMS	2700	-32.72	-25	Pass	401




18.15. LTE Band Edge(NTNV)(Subtest:15, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2680	2690	0.1	RMS	2689.4	21.2	30	Pass	401
2690	2691	0.2	RMS	2690	-16.45	-10	Pass	401
2691	2695	1	RMS	2691	-23.86	-10	Pass	5
2695	2700	1	RMS	2696.863	-37.06	-13	Pass	401
2700	2715	1	RMS	2700.038	-42.7	-25	Pass	401




18.16. LTE Band Edge(NTNV)(Subtest:16, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2680	2690	0.1	RMS	2688.775	3.38	30	Pass	401
2690	2691	0.2	RMS	2690.01	-27.69	-10	Pass	401
2691	2695	1	RMS	2691	-23.71	-10	Pass	5
2695	2700	1	RMS	2695	-26.78	-13	Pass	401
2700	2715	1	RMS	2700.038	-35.03	-25	Pass	401




18.17. LTE Band Edge(NTNV)(Subtest:17, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.888	-32.37	-25	Pass	401
2490	2495	1	RMS	2495	-26.06	-13	Pass	6
2495	2496	0.15	RMS	2496	-22.09	-13	Pass	401
2496	2511	0.1	RMS	2496.863	21.56	30	Pass	401




18.18. LTE Band Edge(NTNV)(Subtest:18, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.663	-29.09	-25	Pass	401
2490	2495	1	RMS	2494	-26.04	-13	Pass	6
2495	2496	0.15	RMS	2495.998	-33.41	-13	Pass	401
2496	2511	0.1	RMS	2509.163	2.51	30	Pass	401




18.19. LTE Band Edge(NTNV)(Subtest:19, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-33.68	-25	Pass	401
2490	2495	1	RMS	2495	-27.11	-13	Pass	6
2495	2496	0.15	RMS	2496	-22.77	-13	Pass	401
2496	2511	0.1	RMS	2496.825	20.79	30	Pass	401




18.20. LTE Band Edge(NTNV)(Subtest:20, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-30.63	-25	Pass	16
2490	2495	1	RMS	2495	-27.1	-13	Pass	6
2495	2496	0.15	RMS	2496	-33.16	-13	Pass	401
2496	2511	0.1	RMS	2509.238	1.8	30	Pass	401




18.21. LTE Band Edge(NTNV)(Subtest:21, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2675	2690	0.1	RMS	2689.138	21.37	30	Pass	401
2690	2691	0.3	RMS	2690	-17.93	-10	Pass	401
2691	2695	1	RMS	2691	-26.72	-10	Pass	5
2695	2705	1	RMS	2695.4	-32.16	-13	Pass	401
2705	2715	1	RMS	2705.775	-43.25	-25	Pass	401




18.22. LTE Band Edge(NTNV)(Subtest:22, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2675	2690	0.1	RMS	2688.688	3.31	30	Pass	401
2690	2691	0.3	RMS	2690.005	-26.77	-10	Pass	401
2691	2695	1	RMS	2692	-23.82	-10	Pass	5
2695	2705	1	RMS	2695.025	-26.27	-13	Pass	401
2705	2715	1	RMS	2705.125	-34.02	-25	Pass	401




18.23. LTE Band Edge(NTNV)(Subtest:23, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2675	2690	0.1	RMS	2689.138	20.54	30	Pass	401
2690	2691	0.3	RMS	2690.003	-19.48	-10	Pass	401
2691	2695	1	RMS	2691	-27.85	-10	Pass	5
2695	2705	1	RMS	2695.375	-32.16	-13	Pass	401
2705	2715	1	RMS	2705.975	-43.28	-25	Pass	401




18.24. LTE Band Edge(NTNV)(Subtest:24, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2675	2690	0.1	RMS	2687.9	2.08	30	Pass	401
2690	2691	0.3	RMS	2690.008	-27.84	-10	Pass	401
2691	2695	1	RMS	2691	-24.37	-10	Pass	5
2695	2705	1	RMS	2695.025	-26.62	-13	Pass	401
2705	2715	1	RMS	2705.2	-36.08	-25	Pass	401




18.25. LTE Band Edge(NTNV)(Subtest:25, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-31.29	-25	Pass	401
2490	2495	1	RMS	2495	-24.17	-13	Pass	6
2495	2496	0.2	RMS	2495.998	-23.81	-13	Pass	401
2496	2516	0.1	RMS	2497.05	21.51	30	Pass	401




18.26. LTE Band Edge(NTNV)(Subtest:26, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-31.55	-25	Pass	16
2490	2495	1	RMS	2495	-27.85	-13	Pass	6
2495	2496	0.2	RMS	2495.975	-32.32	-13	Pass	401
2496	2516	0.1	RMS	2501.8	1.73	30	Pass	401




18.27. LTE Band Edge(NTNV)(Subtest:27, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.925	-31.46	-25	Pass	401
2490	2495	1	RMS	2495	-24.38	-13	Pass	6
2495	2496	0.2	RMS	2496	-23.69	-13	Pass	401
2496	2516	0.1	RMS	2497.05	20.33	30	Pass	401




18.28. LTE Band Edge(NTNV)(Subtest:28, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-31.62	-25	Pass	16
2490	2495	1	RMS	2495	-28.2	-13	Pass	6
2495	2496	0.2	RMS	2495.888	-32.38	-13	Pass	401
2496	2516	0.1	RMS	2509.6	0.19	30	Pass	401




18.29. LTE Band Edge(NTNV)(Subtest:29, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2670	2690	0.1	RMS	2688.9	21.97	30	Pass	401
2690	2691	0.51	RMS	2690	-17.34	-10	Pass	401
2691	2695	1	RMS	2691	-26.54	-10	Pass	5
2695	2710	1	RMS	2695.15	-32.57	-13	Pass	401
2710	2715	1	RMS	2710	-45.36	-25	Pass	401




18.30. LTE Band Edge(NTNV)(Subtest:30, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2670	2690	0.1	RMS	2676.3	1.68	30	Pass	401
2690	2691	0.51	RMS	2690.015	-25.38	-10	Pass	401
2691	2695	1	RMS	2691	-25.12	-10	Pass	5
2695	2710	1	RMS	2695.075	-27.22	-13	Pass	401
2710	2715	1	RMS	2710.025	-39.46	-25	Pass	401




18.31. LTE Band Edge(NTNV)(Subtest:31, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2670	2690	0.1	RMS	2688.9	21.02	30	Pass	401
2690	2691	0.51	RMS	2690.008	-18.06	-10	Pass	401
2691	2695	1	RMS	2691	-25.7	-10	Pass	5
2695	2710	1	RMS	2695.113	-31.48	-13	Pass	401
2710	2715	1	RMS	2710	-45.19	-25	Pass	401



18.32. LTE Band Edge(NTNV)(Subtest:32, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2670	2690	0.1	RMS	2673.3	0.64	30	Pass	401
2690	2691	0.51	RMS	2690.018	-26.52	-10	Pass	401
2691	2695	1	RMS	2691	-25.86	-10	Pass	5
2695	2710	1	RMS	2695	-27.23	-13	Pass	401
2710	2715	1	RMS	2710	-40.74	-25	Pass	401



19. LTE_Band66


19.1. LTE Band Edge(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-40.73	-13	Pass	401
1708	1709	1	RMS	1709	-36.2	-13	Pass	2
1709	1710	0.02	RMS	1710	-20.2	-13	Pass	401
1710	1712	0.1	RMS	1710.25	21.03	30	Pass	401




19.2. LTE Band Edge(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-29.95	-13	Pass	401
1708	1709	1	RMS	1709	-23.63	-13	Pass	2
1709	1710	0.02	RMS	1709.998	-28.38	-13	Pass	401
1710	1712	0.1	RMS	1711.115	12.57	30	Pass	401




19.3. LTE Band Edge(NTNV)(Subtest:3, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-41.41	-13	Pass	401
1708	1709	1	RMS	1709	-37.25	-13	Pass	2
1709	1710	0.02	RMS	1710	-20.81	-13	Pass	401
1710	1712	0.1	RMS	1710.255	19.95	30	Pass	401




19.4. LTE Band Edge(NTNV)(Subtest:4, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-31.97	-13	Pass	401
1708	1709	1	RMS	1709	-24.64	-13	Pass	2
1709	1710	0.02	RMS	1710	-28.84	-13	Pass	401
1710	1712	0.1	RMS	1711.105	11.63	30	Pass	401




19.5. LTE Band Edge(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.74	21.05	30	Pass	401
1780	1781	0.02	RMS	1780	-19.64	-13	Pass	401
1781	1782	1	RMS	1781	-36.2	-13	Pass	2
1782	1790	1	RMS	1782	-39.97	-13	Pass	401




19.6. LTE Band Edge(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1778	1780	0.1	RMS	1778.95	12.6	30	Pass	401
1780	1781	0.02	RMS	1780	-27.73	-13	Pass	401
1781	1782	1	RMS	1781	-24.49	-13	Pass	2
1782	1790	1	RMS	1782	-30.86	-13	Pass	401




19.7. LTE Band Edge(NTNV)(Subtest:7, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.755	20.06	30	Pass	401
1780	1781	0.02	RMS	1780	-21.12	-13	Pass	401
1781	1782	1	RMS	1781	-36.99	-13	Pass	2
1782	1790	1	RMS	1782	-40.7	-13	Pass	401




19.8. LTE Band Edge(NTNV)(Subtest:8, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1778	1780	0.1	RMS	1778.965	11.64	30	Pass	401
1780	1781	0.02	RMS	1780	-29.28	-13	Pass	401
1781	1782	1	RMS	1781	-25.48	-13	Pass	2
1782	1790	1	RMS	1782	-32.52	-13	Pass	401




19.9. LTE Band Edge(NTNV)(Subtest:9, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-42.28	-13	Pass	401
1708	1709	1	RMS	1709	-37.17	-13	Pass	2
1709	1710	0.002	RMS	1709.998	-29.32	-13	Pass	500
1710	1713	0.1	RMS	1710.233	21.1	30	Pass	401




19.10. LTE Band Edge(NTNV)(Subtest:10, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-26.5	-13	Pass	401
1708	1709	1	RMS	1709	-24.36	-13	Pass	2
1709	1710	0.03	RMS	1710	-30.24	-13	Pass	401
1710	1713	0.1	RMS	1712.708	8.88	30	Pass	401




19.11. LTE Band Edge(NTNV)(Subtest:11, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-42.79	-13	Pass	401
1708	1709	1	RMS	1709	-38.17	-13	Pass	2
1709	1710	0.03	RMS	1710	-19.15	-13	Pass	401
1710	1713	0.1	RMS	1710.24	20.16	30	Pass	401




19.12. LTE Band Edge(NTNV)(Subtest:12, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-27.14	-13	Pass	401
1708	1709	1	RMS	1709	-24.04	-13	Pass	2
1709	1710	0.03	RMS	1710	-31.68	-13	Pass	401
1710	1713	0.1	RMS	1712.423	7.8	30	Pass	401




19.13. LTE Band Edge(NTNV)(Subtest:13, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1777	1780	0.1	RMS	1779.76	21.12	30	Pass	401
1780	1781	0.002	RMS	1780	-29.99	-13	Pass	500
1781	1782	1	RMS	1781	-36.93	-13	Pass	2
1782	1790	1	RMS	1784.7	-41.83	-13	Pass	401




19.14. LTE Band Edge(NTNV)(Subtest:14, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1777	1780	0.1	RMS	1777.263	8.79	30	Pass	401
1780	1781	0.03	RMS	1780	-31.01	-13	Pass	401
1781	1782	1	RMS	1781	-24.66	-13	Pass	2
1782	1790	1	RMS	1782	-27.5	-13	Pass	401




19.15. LTE Band Edge(NTNV)(Subtest:15, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1777	1780	0.1	RMS	1779.768	20.08	30	Pass	401
1780	1781	0.03	RMS	1780	-19.39	-13	Pass	401
1781	1782	1	RMS	1781	-38.07	-13	Pass	2
1782	1790	1	RMS	1782	-42.87	-13	Pass	401




19.16. LTE Band Edge(NTNV)(Subtest:16, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1777	1780	0.1	RMS	1777.45	7.83	30	Pass	401
1780	1781	0.03	RMS	1780	-31.62	-13	Pass	401
1781	1782	1	RMS	1781	-25.13	-13	Pass	2
1782	1790	1	RMS	1782	-28.33	-13	Pass	401




19.17. LTE Band Edge(NTNV)(Subtest:17, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-40.64	-13	Pass	401
1708	1709	1	RMS	1709	-37.88	-13	Pass	2
1709	1710	0.051	RMS	1710	-17.28	-13	Pass	401
1710	1715	0.1	RMS	1710.338	20.99	30	Pass	401




19.18. LTE Band Edge(NTNV)(Subtest:18, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-27.18	-13	Pass	401
1708	1709	1	RMS	1709	-25.99	-13	Pass	2
1709	1710	0.051	RMS	1709.995	-30.19	-13	Pass	401
1710	1715	0.1	RMS	1714.55	6.48	30	Pass	401




19.19. LTE Band Edge(NTNV)(Subtest:19, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-41.64	-13	Pass	401
1708	1709	1	RMS	1709	-39.11	-13	Pass	2
1709	1710	0.051	RMS	1710	-17.86	-13	Pass	401
1710	1715	0.1	RMS	1710.338	20.08	30	Pass	401




19.20. LTE Band Edge(NTNV)(Subtest:20, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-27.04	-13	Pass	401
1708	1709	1	RMS	1709	-25.84	-13	Pass	2
1709	1710	0.051	RMS	1709.998	-31.02	-13	Pass	401
1710	1715	0.1	RMS	1713.325	5.5	30	Pass	401




19.21. LTE Band Edge(NTNV)(Subtest:21, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1775	1780	0.1	RMS	1779.65	21.05	30	Pass	401
1780	1781	0.051	RMS	1780	-17.22	-13	Pass	401
1781	1782	1	RMS	1781	-38.03	-13	Pass	2
1782	1790	1	RMS	1782	-38.8	-13	Pass	401




19.22. LTE Band Edge(NTNV)(Subtest:22, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1775	1780	0.1	RMS	1776.075	6.63	30	Pass	401
1780	1781	0.051	RMS	1780	-30.34	-13	Pass	401
1781	1782	1	RMS	1781	-25.87	-13	Pass	2
1782	1790	1	RMS	1782.02	-26.81	-13	Pass	401




19.23. LTE Band Edge(NTNV)(Subtest:23, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1775	1780	0.1	RMS	1779.65	20.15	30	Pass	401
1780	1781	0.051	RMS	1780	-17.13	-13	Pass	401
1781	1782	1	RMS	1781	-38.36	-13	Pass	2
1782	1790	1	RMS	1782	-41.52	-13	Pass	401




19.24. LTE Band Edge(NTNV)(Subtest:24, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1775	1780	0.1	RMS	1775.588	5.76	30	Pass	401
1780	1781	0.051	RMS	1780	-31.45	-13	Pass	401
1781	1782	1	RMS	1781	-26.9	-13	Pass	2
1782	1790	1	RMS	1782.02	-27.92	-13	Pass	401




19.25. LTE Band Edge(NTNV)(Subtest:25, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1706.18	-43.08	-13	Pass	401
1708	1709	1	RMS	1709	-39.64	-13	Pass	2
1709	1710	0.1	RMS	1710	-21.73	-13	Pass	401
1710	1720	0.1	RMS	1710.6	20.97	30	Pass	401




19.26. LTE Band Edge(NTNV)(Subtest:26, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-28.68	-13	Pass	401
1708	1709	1	RMS	1709	-27.96	-13	Pass	2
1709	1710	0.1	RMS	1710	-34.21	-13	Pass	401
1710	1720	0.1	RMS	1717.975	3.79	30	Pass	401




19.27. LTE Band Edge(NTNV)(Subtest:27, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1706.2	-43.77	-13	Pass	401
1708	1709	1	RMS	1709	-40.19	-13	Pass	2
1709	1710	0.1	RMS	1710	-22.7	-13	Pass	401
1710	1720	0.1	RMS	1710.6	20.19	30	Pass	401




19.28. LTE Band Edge(NTNV)(Subtest:28, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.94	-28.74	-13	Pass	401
1708	1709	1	RMS	1709	-28.13	-13	Pass	2
1709	1710	0.1	RMS	1710	-35.05	-13	Pass	401
1710	1720	0.1	RMS	1718.4	2.74	30	Pass	401




19.29. LTE Band Edge(NTNV)(Subtest:29, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1770	1780	0.1	RMS	1779.4	21.02	30	Pass	401
1780	1781	0.1	RMS	1780	-20.87	-13	Pass	401
1781	1782	1	RMS	1781	-39.62	-13	Pass	2
1782	1790	1	RMS	1783.86	-42.64	-13	Pass	401




19.30. LTE Band Edge(NTNV)(Subtest:30, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1770	1780	0.1	RMS	1772.1	3.6	30	Pass	401
1780	1781	0.1	RMS	1780	-34.56	-13	Pass	401
1781	1782	1	RMS	1781	-28.3	-13	Pass	2
1782	1790	1	RMS	1782.06	-28.82	-13	Pass	401




19.31. LTE Band Edge(NTNV)(Subtest:31, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1770	1780	0.1	RMS	1779.425	19.91	30	Pass	401
1780	1781	0.1	RMS	1780	-22.01	-13	Pass	401
1781	1782	1	RMS	1781	-40.24	-13	Pass	2
1782	1790	1	RMS	1783.7	-43.56	-13	Pass	401




19.32. LTE Band Edge(NTNV)(Subtest:32, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1770	1780	0.1	RMS	1771.825	2.64	30	Pass	401
1780	1781	0.1	RMS	1780.005	-35.83	-13	Pass	401
1781	1782	1	RMS	1781	-29.33	-13	Pass	2
1782	1790	1	RMS	1782.06	-29.56	-13	Pass	401




19.33. LTE Band Edge(NTNV)(Subtest:33, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1704.56	-42.85	-13	Pass	401
1708	1709	1	RMS	1709	-38.15	-13	Pass	2
1709	1710	0.15	RMS	1710	-22.59	-13	Pass	401
1710	1725	0.1	RMS	1710.825	20.9	30	Pass	401




19.34. LTE Band Edge(NTNV)(Subtest:34, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.22	-28.82	-13	Pass	401
1708	1709	1	RMS	1709	-28.86	-13	Pass	2
1709	1710	0.15	RMS	1709.995	-35.39	-13	Pass	401
1710	1725	0.1	RMS	1723.388	1.98	30	Pass	401




19.35. LTE Band Edge(NTNV)(Subtest:35, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1704.68	-43.6	-13	Pass	401
1708	1709	1	RMS	1709	-38.56	-13	Pass	2
1709	1710	0.15	RMS	1710	-23.08	-13	Pass	401
1710	1725	0.1	RMS	1710.863	19.93	30	Pass	401




19.36. LTE Band Edge(NTNV)(Subtest:36, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.52	-29.57	-13	Pass	401
1708	1709	1	RMS	1708	-29.7	-13	Pass	2
1709	1710	0.15	RMS	1710	-35.75	-13	Pass	401
1710	1725	0.1	RMS	1723.238	0.92	30	Pass	401




19.37. LTE Band Edge(NTNV)(Subtest:37, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1765	1780	0.1	RMS	1779.175	20.93	30	Pass	401
1780	1781	0.15	RMS	1780	-22.62	-13	Pass	401
1781	1782	1	RMS	1781	-38.91	-13	Pass	2
1782	1790	1	RMS	1785.58	-41.76	-13	Pass	401




19.38. LTE Band Edge(NTNV)(Subtest:38, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1765	1780	0.1	RMS	1767.438	1.85	30	Pass	401
1780	1781	0.15	RMS	1780	-34.86	-13	Pass	401
1781	1782	1	RMS	1781	-28.99	-13	Pass	2
1782	1790	1	RMS	1782.84	-28.26	-13	Pass	401




19.39. LTE Band Edge(NTNV)(Subtest:39, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1765	1780	0.1	RMS	1779.175	19.88	30	Pass	401
1780	1781	0.15	RMS	1780	-23.04	-13	Pass	401
1781	1782	1	RMS	1781	-39.19	-13	Pass	2
1782	1790	1	RMS	1785.44	-42.61	-13	Pass	401




19.40. LTE Band Edge(NTNV)(Subtest:40, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1765	1780	0.1	RMS	1767.625	0.92	30	Pass	401
1780	1781	0.15	RMS	1780	-36.09	-13	Pass	401
1781	1782	1	RMS	1782	-30.74	-13	Pass	2
1782	1790	1	RMS	1782.48	-30.34	-13	Pass	401




19.41. LTE Band Edge(NTNV)(Subtest:41, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-43.72	-13	Pass	401
1708	1709	1	RMS	1709	-39.55	-13	Pass	2
1709	1710	0.2	RMS	1710	-25.83	-13	Pass	401
1710	1730	0.1	RMS	1711.1	20.85	30	Pass	401




19.42. LTE Band Edge(NTNV)(Subtest:42, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.96	-31.64	-13	Pass	401
1708	1709	1	RMS	1709	-30.5	-13	Pass	2
1709	1710	0.2	RMS	1709.99	-36.09	-13	Pass	401
1710	1730	0.1	RMS	1725.85	0.63	30	Pass	401




19.43. LTE Band Edge(NTNV)(Subtest:43, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.56	-43.42	-13	Pass	401
1708	1709	1	RMS	1709	-39.64	-13	Pass	2
1709	1710	0.2	RMS	1710	-25.71	-13	Pass	401
1710	1730	0.1	RMS	1711.1	19.96	30	Pass	401




19.44. LTE Band Edge(NTNV)(Subtest:44, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-31.45	-13	Pass	401
1708	1709	1	RMS	1709	-30.53	-13	Pass	2
1709	1710	0.2	RMS	1710	-36.12	-13	Pass	401
1710	1730	0.1	RMS	1719.95	-0.43	30	Pass	401




19.45. LTE Band Edge(NTNV)(Subtest:45, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	0.1	RMS	1778.9	20.8	30	Pass	401
1780	1781	0.2	RMS	1780.005	-25.25	-13	Pass	401
1781	1782	1	RMS	1781	-39.49	-13	Pass	2
1782	1790	1	RMS	1787.8	-43.44	-13	Pass	401




19.46. LTE Band Edge(NTNV)(Subtest:46, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	0.1	RMS	1765.35	0.6	30	Pass	401
1780	1781	0.2	RMS	1780.01	-36.37	-13	Pass	401
1781	1782	1	RMS	1781	-31.19	-13	Pass	2
1782	1790	1	RMS	1782.92	-31.85	-13	Pass	401




19.47. LTE Band Edge(NTNV)(Subtest:47, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	0.1	RMS	1778.9	19.79	30	Pass	401
1780	1781	0.2	RMS	1780.005	-25.62	-13	Pass	401
1781	1782	1	RMS	1781	-39.79	-13	Pass	2
1782	1790	1	RMS	1782.06	-44.06	-13	Pass	401



19.48. LTE Band Edge(NTNV)(Subtest:48, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	0.1	RMS	1766	-0.41	30	Pass	401
1780	1781	0.2	RMS	1780	-37.18	-13	Pass	401
1781	1782	1	RMS	1781	-31.75	-13	Pass	2
1782	1790	1	RMS	1782.08	-32.32	-13	Pass	401




CA

20. CA_7C


20.1. CA Band Edge(NTNV)(Subtest:1, Channel:20850+20994, Bandwidth:20+10, Modulation:QPSK, RB Number:1+1, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.925	-50.37	-25	Pass	601
2490	2496	1	RMS	2495.61	-49.75	-13	Pass	601
2496	2499	1	RMS	2499	-44.53	-10	Pass	601
2499	2500	1	RMS	2500	-29.28	-10	Pass	2
2500	2530	0.1	RMS	2520	7.45	30	Pass	601




20.2. CA Band Edge(NTNV)(Subtest:2, Channel:20850+20994, Bandwidth:20+10, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.925	-50.39	-25	Pass	601
2490	2496	1	RMS	2495.67	-49.72	-13	Pass	601
2496	2499	1	RMS	2499	-44.84	-10	Pass	601
2499	2500	1	RMS	2500	-29.66	-10	Pass	2
2500	2530	0.1	RMS	2528.8	7.73	30	Pass	601




20.3. CA Band Edge(NTNV)(Subtest:3, Channel:20850+20994, Bandwidth:20+10, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-33.01	-25	Pass	601
2490	2496	1	RMS	2495.99	-30.29	-13	Pass	601
2496	2499	1	RMS	2498.91	-29.04	-10	Pass	601
2499	2500	1	RMS	2500	-28.75	-10	Pass	2
2500	2530	0.1	RMS	2527.85	-2.17	30	Pass	601




20.4. CA Band Edge(NTNV)(Subtest:4, Channel:20850+20994, Bandwidth:20+10, Modulation:16QAM, RB Number:1+1, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.425	-50.33	-25	Pass	601
2490	2496	1	RMS	2495.57	-49.52	-13	Pass	601
2496	2499	1	RMS	2499	-44.07	-10	Pass	601
2499	2500	1	RMS	2500	-28.71	-10	Pass	2
2500	2530	0.1	RMS	2520	7.35	30	Pass	601




20.5. CA Band Edge(NTNV)(Subtest:5, Channel:20850+20994, Bandwidth:20+10, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.975	-50.33	-25	Pass	601
2490	2496	1	RMS	2495.68	-49.7	-13	Pass	601
2496	2499	1	RMS	2499	-44.24	-10	Pass	601
2499	2500	1	RMS	2500	-28.75	-10	Pass	2
2500	2530	0.1	RMS	2528.8	7.56	30	Pass	601




20.6. CA Band Edge(NTNV)(Subtest:6, Channel:20850+20994, Bandwidth:20+10, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-35.58	-25	Pass	601
2490	2496	1	RMS	2495.98	-31.3	-13	Pass	601
2496	2499	1	RMS	2499	-29.97	-10	Pass	601
2499	2500	1	RMS	2500	-29.69	-10	Pass	2
2500	2530	0.1	RMS	2527.85	-3.13	30	Pass	601




20.7. CA Band Edge(NTNV)(Subtest:7, Channel:21251+21395, Bandwidth:20+10, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2540	2570	0.1	RMS	2541.2	8.03	30	Pass	601
2570	2571	1	RMS	2570	-36.96	-10	Pass	2
2571	2575	1	RMS	2571.007	-47.77	-10	Pass	601
2575	2600	1	RMS	2596.625	-42.61	-13	Pass	601
2600	2615	1	RMS	2614.85	-49.47	-25	Pass	601




20.8. CA Band Edge(NTNV)(Subtest:8, Channel:21251+21395, Bandwidth:20+10, Modulation:QPSK, RB Number:1+1, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2540	2570	0.1	RMS	2559	7.71	30	Pass	601
2570	2571	1	RMS	2570	-35.88	-10	Pass	2
2571	2575	1	RMS	2571	-47.4	-10	Pass	601
2575	2600	1	RMS	2578.792	-32.01	-13	Pass	601
2600	2615	1	RMS	2614.95	-49.5	-25	Pass	601




20.9. CA Band Edge(NTNV)(Subtest:9, Channel:21251+21395, Bandwidth:20+10, Modulation:QPSK, RB Number:Full+Full, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2540	2570	0.1	RMS	2563.75	-2.17	30	Pass	601
2570	2571	1	RMS	2570	-29.61	-10	Pass	2
2571	2575	1	RMS	2572.353	-29.13	-10	Pass	601
2575	2600	1	RMS	2575.125	-29.57	-13	Pass	601
2600	2615	1	RMS	2600.225	-49.38	-25	Pass	601




20.10. CA Band Edge(NTNV)(Subtest:10, Channel:21251+21395, Bandwidth:20+10, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2540	2570	0.1	RMS	2541.2	7.94	30	Pass	601
2570	2571	1	RMS	2570	-36.96	-10	Pass	2
2571	2575	1	RMS	2571	-47.28	-10	Pass	601
2575	2600	1	RMS	2596.583	-42.78	-13	Pass	601
2600	2615	1	RMS	2613.7	-49.47	-25	Pass	601




20.11. CA Band Edge(NTNV)(Subtest:11, Channel:21251+21395, Bandwidth:20+10, Modulation:16QAM, RB Number:1+1, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2540	2570	0.1	RMS	2559	7.82	30	Pass	601
2570	2571	1	RMS	2570	-36.02	-10	Pass	2
2571	2575	1	RMS	2571	-47.33	-10	Pass	601
2575	2600	1	RMS	2578.833	-32.15	-13	Pass	601
2600	2615	1	RMS	2607.475	-49.48	-25	Pass	601




20.12. CA Band Edge(NTNV)(Subtest:12, Channel:21251+21395, Bandwidth:20+10, Modulation:16QAM, RB Number:Full+Full, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2540	2570	0.1	RMS	2563.7	-3.16	30	Pass	601
2570	2571	1	RMS	2570	-29.68	-10	Pass	2
2571	2575	1	RMS	2571.113	-29.57	-10	Pass	601
2575	2600	1	RMS	2575	-30.58	-13	Pass	601
2600	2615	1	RMS	2614.25	-49.44	-25	Pass	601




20.13. CA Band Edge(NTNV)(Subtest:13, Channel:20850+21048, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.9	-50.39	-25	Pass	601
2490	2496	1	RMS	2495.64	-49.77	-13	Pass	601
2496	2499	1	RMS	2499	-44.57	-10	Pass	601
2499	2500	1	RMS	2500	-29.49	-10	Pass	2
2500	2540	0.1	RMS	2520.867	7.28	30	Pass	601




20.14. CA Band Edge(NTNV)(Subtest:14, Channel:20850+21048, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.65	-50.41	-25	Pass	601
2490	2496	1	RMS	2495.5	-49.55	-13	Pass	601
2496	2499	1	RMS	2499	-44.99	-10	Pass	601
2499	2500	1	RMS	2500	-30.35	-10	Pass	2
2500	2540	0.1	RMS	2538.733	7.62	30	Pass	601




20.15. CA Band Edge(NTNV)(Subtest:15, Channel:20850+21048, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.975	-32.21	-25	Pass	601
2490	2496	1	RMS	2495.9	-30.1	-13	Pass	601
2496	2499	1	RMS	2498.835	-29.83	-10	Pass	601
2499	2500	1	RMS	2500	-29.86	-10	Pass	2
2500	2540	0.1	RMS	2533.133	-4.38	30	Pass	601




20.16. CA Band Edge(NTNV)(Subtest:16, Channel:20850+21048, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.8	-50.34	-25	Pass	601
2490	2496	1	RMS	2495.72	-49.66	-13	Pass	601
2496	2499	1	RMS	2499	-44.18	-10	Pass	601
2499	2500	1	RMS	2500	-28.87	-10	Pass	2
2500	2540	0.1	RMS	2520.867	7.1	30	Pass	601




20.17. CA Band Edge(NTNV)(Subtest:17, Channel:20850+21048, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-50.4	-25	Pass	601
2490	2496	1	RMS	2495.56	-49.9	-13	Pass	601
2496	2499	1	RMS	2499	-44.74	-10	Pass	601
2499	2500	1	RMS	2500	-29.73	-10	Pass	2
2500	2540	0.1	RMS	2538.733	7.52	30	Pass	601




20.18. CA Band Edge(NTNV)(Subtest:18, Channel:20850+21048, Bandwidth:20+20, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.975	-34.81	-25	Pass	601
2490	2496	1	RMS	2495.96	-31.37	-13	Pass	601
2496	2499	1	RMS	2498.955	-30.76	-10	Pass	601
2499	2500	1	RMS	2500	-30.5	-10	Pass	2
2500	2540	0.1	RMS	2533.067	-5.3	30	Pass	601




20.19. CA Band Edge(NTNV)(Subtest:19, Channel:21152+21350, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2570	0.1	RMS	2531.267	7.82	30	Pass	601
2570	2571	1	RMS	2570	-29.74	-10	Pass	2
2571	2575	1	RMS	2571	-44.8	-10	Pass	601
2575	2610	1	RMS	2575.058	-49.23	-13	Pass	601
2610	2615	1	RMS	2614.958	-49.48	-25	Pass	601




20.20. CA Band Edge(NTNV)(Subtest:20, Channel:21152+21350, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2570	0.1	RMS	2549.133	7.54	30	Pass	601
2570	2571	1	RMS	2570	-28.97	-10	Pass	2
2571	2575	1	RMS	2571	-44.4	-10	Pass	601
2575	2610	1	RMS	2588.708	-42.67	-13	Pass	601
2610	2615	1	RMS	2613.217	-49.48	-25	Pass	601




20.21. CA Band Edge(NTNV)(Subtest:21, Channel:21152+21350, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2570	0.1	RMS	2536.067	-4	30	Pass	601
2570	2571	1	RMS	2570	-30.34	-10	Pass	2
2571	2575	1	RMS	2571.02	-30.48	-10	Pass	601
2575	2610	1	RMS	2575	-31.4	-13	Pass	601
2610	2615	1	RMS	2610.583	-49.46	-25	Pass	601




20.22. CA Band Edge(NTNV)(Subtest:22, Channel:21152+21350, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2570	0.1	RMS	2531.267	7.85	30	Pass	601
2570	2571	1	RMS	2570	-29.42	-10	Pass	2
2571	2575	1	RMS	2571	-44.44	-10	Pass	601
2575	2610	1	RMS	2575	-49.12	-13	Pass	601
2610	2615	1	RMS	2613.717	-49.47	-25	Pass	601




20.23. CA Band Edge(NTNV)(Subtest:23, Channel:21152+21350, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2570	0.1	RMS	2549.133	7.46	30	Pass	601
2570	2571	1	RMS	2570	-28.52	-10	Pass	2
2571	2575	1	RMS	2571	-44.2	-10	Pass	601
2575	2610	1	RMS	2588.767	-42.75	-13	Pass	601
2610	2615	1	RMS	2611.167	-49.48	-25	Pass	601



20.24. CA Band Edge(NTNV)(Subtest:24, Channel:21152+21350, Bandwidth:20+20, Modulation:16QAM, RB Number:Full+Full, RB Position:High+High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2570	0.1	RMS	2537.933	-4.9	30	Pass	601
2570	2571	1	RMS	2570	-31.24	-10	Pass	2
2571	2575	1	RMS	2571.027	-31.69	-10	Pass	601
2575	2610	1	RMS	2575.117	-32.91	-13	Pass	601
2610	2615	1	RMS	2613.992	-49.46	-25	Pass	601



21. CA_38C


21.1. CA Band Edge(NTNV)(Subtest:1, Channel:37825+37975, Bandwidth:15+15, Modulation:QPSK, RB Number:1+1, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2540	1	RMS	2540	-41.65	-25	Pass	601
2540	2565	1	RMS	2555.833	-24.83	-13	Pass	601
2565	2569	1	RMS	2569	-34.45	-10	Pass	601
2569	2570	1	RMS	2570	-21.43	-10	Pass	2
2570	2600	0.1	RMS	2585.85	9.15	30	Pass	601




21.2. CA Band Edge(NTNV)(Subtest:2, Channel:37825+37975, Bandwidth:15+15, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2540	1	RMS	2539.6	-45.41	-25	Pass	601
2540	2565	1	RMS	2542.542	-24.79	-13	Pass	601
2565	2569	1	RMS	2568.987	-33.6	-10	Pass	601
2569	2570	1	RMS	2570	-20.97	-10	Pass	2
2570	2600	0.1	RMS	2570.8	8.6	30	Pass	601




21.3. CA Band Edge(NTNV)(Subtest:3, Channel:37825+37975, Bandwidth:15+15, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2540	1	RMS	2539.725	-39.05	-25	Pass	601
2540	2565	1	RMS	2564.958	-29.6	-13	Pass	601
2565	2569	1	RMS	2569	-29.33	-10	Pass	601
2569	2570	1	RMS	2570	-27.17	-10	Pass	2
2570	2600	0.1	RMS	2580.35	-2.65	30	Pass	601




21.4. CA Band Edge(NTNV)(Subtest:4, Channel:37825+37975, Bandwidth:15+15, Modulation:16QAM, RB Number:1+1, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2540	1	RMS	2540	-41.82	-25	Pass	601
2540	2565	1	RMS	2555.792	-25.15	-13	Pass	601
2565	2569	1	RMS	2569	-34.67	-10	Pass	601
2569	2570	1	RMS	2570	-22.22	-10	Pass	2
2570	2600	0.1	RMS	2585.85	8.99	30	Pass	601




21.5. CA Band Edge(NTNV)(Subtest:5, Channel:37825+37975, Bandwidth:15+15, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2540	1	RMS	2539.55	-45.29	-25	Pass	601
2540	2565	1	RMS	2542.542	-24.98	-13	Pass	601
2565	2569	1	RMS	2568.993	-33.4	-10	Pass	601
2569	2570	1	RMS	2570	-21.38	-10	Pass	2
2570	2600	0.1	RMS	2570.8	9.21	30	Pass	601




21.6. CA Band Edge(NTNV)(Subtest:6, Channel:37825+37975, Bandwidth:15+15, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2540	1	RMS	2539.875	-40.36	-25	Pass	601
2540	2565	1	RMS	2564.833	-31.57	-13	Pass	601
2565	2569	1	RMS	2568.947	-30.07	-10	Pass	601
2569	2570	1	RMS	2570	-28.68	-10	Pass	2
2570	2600	0.1	RMS	2579.65	-3.58	30	Pass	601




21.7. CA Band Edge(NTNV)(Subtest:7, Channel:38025+38175, Bandwidth:15+15, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2620	0.1	RMS	2590.85	8.97	30	Pass	601
2620	2621	1	RMS	2620	-23.51	-10	Pass	2
2621	2625	1	RMS	2621	-35.1	-10	Pass	601
2625	2650	1	RMS	2647.417	-26.77	-13	Pass	601
2650	2665	1	RMS	2662.975	-44.78	-25	Pass	601




21.8. CA Band Edge(NTNV)(Subtest:8, Channel:38025+38175, Bandwidth:15+15, Modulation:QPSK, RB Number:1+1, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2620	0.1	RMS	2604.2	9.12	30	Pass	601
2620	2621	1	RMS	2620	-22.31	-10	Pass	2
2621	2625	1	RMS	2621.007	-34.84	-10	Pass	601
2625	2650	1	RMS	2634.208	-26.49	-13	Pass	601
2650	2665	1	RMS	2650.025	-42.2	-25	Pass	601




21.9. CA Band Edge(NTNV)(Subtest:9, Channel:38025+38175, Bandwidth:15+15, Modulation:QPSK, RB Number:Full+Full, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2620	0.1	RMS	2593.1	-2	30	Pass	601
2620	2621	1	RMS	2620	-28.42	-10	Pass	2
2621	2625	1	RMS	2621.4	-29.8	-10	Pass	601
2625	2650	1	RMS	2625.375	-30.32	-13	Pass	601
2650	2665	1	RMS	2650	-38.27	-25	Pass	601




21.10. CA Band Edge(NTNV)(Subtest:10, Channel:38025+38175, Bandwidth:15+15, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2620	0.1	RMS	2590.85	9.5	30	Pass	601
2620	2621	1	RMS	2620	-22.46	-10	Pass	2
2621	2625	1	RMS	2621	-35.49	-10	Pass	601
2625	2650	1	RMS	2647.458	-27.41	-13	Pass	601
2650	2665	1	RMS	2664.975	-44.76	-25	Pass	601




21.11. CA Band Edge(NTNV)(Subtest:11, Channel:38025+38175, Bandwidth:15+15, Modulation:16QAM, RB Number:1+1, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2620	0.1	RMS	2604.15	8.79	30	Pass	601
2620	2621	1	RMS	2620	-22.7	-10	Pass	2
2621	2625	1	RMS	2621.007	-35.67	-10	Pass	601
2625	2650	1	RMS	2634.125	-26.51	-13	Pass	601
2650	2665	1	RMS	2650	-41.95	-25	Pass	601




21.12. CA Band Edge(NTNV)(Subtest:12, Channel:38025+38175, Bandwidth:15+15, Modulation:16QAM, RB Number:Full+Full, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2620	0.1	RMS	2595	-2.63	30	Pass	601
2620	2621	1	RMS	2620	-29.39	-10	Pass	2
2621	2625	1	RMS	2621.027	-31.44	-10	Pass	601
2625	2650	1	RMS	2625.042	-32.15	-13	Pass	601
2650	2665	1	RMS	2650.025	-40.23	-25	Pass	601




21.13. CA Band Edge(NTNV)(Subtest:13, Channel:37850+38048, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2529.983	-45.48	-25	Pass	601
2530	2565	1	RMS	2551.35	-24.3	-13	Pass	601
2565	2569	1	RMS	2568.987	-38.75	-10	Pass	601
2569	2570	1	RMS	2570	-26.55	-10	Pass	2
2570	2610	0.1	RMS	2571.067	8.61	30	Pass	601




21.14. CA Band Edge(NTNV)(Subtest:14, Channel:37850+38048, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2529.808	-45.55	-25	Pass	601
2530	2565	1	RMS	2533.383	-24.61	-13	Pass	601
2565	2569	1	RMS	2569	-37.46	-10	Pass	601
2569	2570	1	RMS	2570	-25.79	-10	Pass	2
2570	2610	0.1	RMS	2571.133	8.7	30	Pass	601




21.15. CA Band Edge(NTNV)(Subtest:15, Channel:37850+38048, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2529.917	-40.42	-25	Pass	601
2530	2565	1	RMS	2564.942	-31.52	-13	Pass	601
2565	2569	1	RMS	2568.953	-31.28	-10	Pass	601
2569	2570	1	RMS	2570	-30.4	-10	Pass	2
2570	2610	0.1	RMS	2581	-3.43	30	Pass	601




21.16. CA Band Edge(NTNV)(Subtest:16, Channel:37850+38048, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2529.942	-45.52	-25	Pass	601
2530	2565	1	RMS	2551.35	-25.19	-13	Pass	601
2565	2569	1	RMS	2568.973	-37.63	-10	Pass	601
2569	2570	1	RMS	2570	-26.32	-10	Pass	2
2570	2610	0.1	RMS	2571.133	8.56	30	Pass	601




21.17. CA Band Edge(NTNV)(Subtest:17, Channel:37850+38048, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2529.4	-45.54	-25	Pass	601
2530	2565	1	RMS	2533.383	-25.05	-13	Pass	601
2565	2569	1	RMS	2568.98	-37.07	-10	Pass	601
2569	2570	1	RMS	2570	-25.64	-10	Pass	2
2570	2610	0.1	RMS	2571.067	8.56	30	Pass	601




21.18. CA Band Edge(NTNV)(Subtest:18, Channel:37850+38048, Bandwidth:20+20, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2529.958	-41.22	-25	Pass	601
2530	2565	1	RMS	2564.65	-32.48	-13	Pass	601
2565	2569	1	RMS	2568.833	-31.95	-10	Pass	601
2569	2570	1	RMS	2570	-31.4	-10	Pass	2
2570	2610	0.1	RMS	2578.533	-4.05	30	Pass	601




21.19. CA Band Edge(NTNV)(Subtest:19, Channel:37952+38150, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	0.1	RMS	2581.267	9.03	30	Pass	601
2620	2621	1	RMS	2620	-28.87	-10	Pass	2
2621	2625	1	RMS	2621.02	-40.2	-10	Pass	601
2625	2660	1	RMS	2656.558	-27.97	-13	Pass	601
2660	2665	1	RMS	2661.658	-44.78	-25	Pass	601




21.20. CA Band Edge(NTNV)(Subtest:20, Channel:37952+38150, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	0.1	RMS	2599.067	8.41	30	Pass	601
2620	2621	1	RMS	2620	-28.45	-10	Pass	2
2621	2625	1	RMS	2621.007	-39.95	-10	Pass	601
2625	2660	1	RMS	2638.767	-26.57	-13	Pass	601
2660	2665	1	RMS	2661.8	-44.79	-25	Pass	601




21.21. CA Band Edge(NTNV)(Subtest:21, Channel:37952+38150, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	0.1	RMS	2586.2	-2.92	30	Pass	601
2620	2621	1	RMS	2620	-31.99	-10	Pass	2
2621	2625	1	RMS	2621.02	-32.09	-10	Pass	601
2625	2660	1	RMS	2625.583	-32.55	-13	Pass	601
2660	2665	1	RMS	2660.083	-40.42	-25	Pass	601




21.22. CA Band Edge(NTNV)(Subtest:22, Channel:37952+38150, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	0.1	RMS	2581.333	8.33	30	Pass	601
2620	2621	1	RMS	2620	-28.96	-10	Pass	2
2621	2625	1	RMS	2621.007	-40.45	-10	Pass	601
2625	2660	1	RMS	2656.558	-28.49	-13	Pass	601
2660	2665	1	RMS	2664.133	-44.8	-25	Pass	601




21.23. CA Band Edge(NTNV)(Subtest:23, Channel:37952+38150, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	0.1	RMS	2599.067	8.15	30	Pass	601
2620	2621	1	RMS	2620	-27.91	-10	Pass	2
2621	2625	1	RMS	2621.007	-40.2	-10	Pass	601
2625	2660	1	RMS	2638.708	-27.46	-13	Pass	601
2660	2665	1	RMS	2664.85	-44.78	-25	Pass	601



21.24. CA Band Edge(NTNV)(Subtest:24, Channel:37952+38150, Bandwidth:20+20, Modulation:16QAM, RB Number:Full+Full, RB Position:High+High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	0.1	RMS	2588.733	-3.94	30	Pass	601
2620	2621	1	RMS	2620	-32.98	-10	Pass	2
2621	2625	1	RMS	2621.507	-33.61	-10	Pass	601
2625	2660	1	RMS	2625.758	-33.8	-13	Pass	601
2660	2665	1	RMS	2660.058	-41.56	-25	Pass	601



22. CA_41C_full


22.1. CA Band Edge(NTNV)(Subtest:1, Channel:39750+39867, Bandwidth:20+5, Modulation:QPSK, RB Number:1+1, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2478.625	-32.99	-25	Pass	601
2490	2495	1	RMS	2495	-40.89	-13	Pass	6
2495	2496	0.3	RMS	2496	-34.46	-13	Pass	601
2496	2521	0.1	RMS	2515.542	8.82	30	Pass	601




22.2. CA Band Edge(NTNV)(Subtest:2, Channel:39750+39867, Bandwidth:20+5, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2475.025	-45.3	-25	Pass	601
2490	2495	1	RMS	2495	-41.2	-13	Pass	6
2495	2496	0.3	RMS	2495.997	-35.6	-13	Pass	601
2496	2521	0.1	RMS	2519.875	7.96	30	Pass	601




22.3. CA Band Edge(NTNV)(Subtest:3, Channel:39750+39867, Bandwidth:20+5, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.95	-33.72	-25	Pass	601
2490	2495	1	RMS	2495	-33.05	-13	Pass	6
2495	2496	0.3	RMS	2495.985	-36.73	-13	Pass	601
2496	2521	0.1	RMS	2517.708	1.76	30	Pass	601




22.4. CA Band Edge(NTNV)(Subtest:4, Channel:39750+39867, Bandwidth:20+5, Modulation:16QAM, RB Number:1+1, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2478.6	-39.49	-25	Pass	601
2490	2495	1	RMS	2495	-40.87	-13	Pass	6
2495	2496	0.3	RMS	2495.997	-35.5	-13	Pass	601
2496	2521	0.1	RMS	2515.583	7.59	30	Pass	601




22.5. CA Band Edge(NTNV)(Subtest:5, Channel:39750+39867, Bandwidth:20+5, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.9	-45.28	-25	Pass	601
2490	2495	1	RMS	2495	-40.52	-13	Pass	6
2495	2496	0.3	RMS	2496	-34.25	-13	Pass	601
2496	2521	0.1	RMS	2519.875	7.56	30	Pass	601




22.6. CA Band Edge(NTNV)(Subtest:6, Channel:39750+39867, Bandwidth:20+5, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.9	-35.39	-25	Pass	601
2490	2495	1	RMS	2495	-34.03	-13	Pass	6
2495	2496	0.3	RMS	2495.987	-37.18	-13	Pass	601
2496	2521	0.1	RMS	2517.75	0.64	30	Pass	601




22.7. CA Band Edge(NTNV)(Subtest:7, Channel:41440+41557, Bandwidth:20+5, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2665	2690	0.1	RMS	2688.875	8.35	30	Pass	601
2690	2691	0.51	RMS	2690.003	-39.22	-10	Pass	601
2691	2695	1	RMS	2691	-41.24	-10	Pass	5
2695	2715	3	RMS	2711.433	-29.92	-13	Pass	601
2715	2735	1	RMS	2715.067	-45.42	-25	Pass	601




22.8. CA Band Edge(NTNV)(Subtest:8, Channel:41440+41557, Bandwidth:20+5, Modulation:QPSK, RB Number:1+1, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2665	2690	0.1	RMS	2688.833	8.44	30	Pass	601
2690	2691	0.51	RMS	2690.015	-40.63	-10	Pass	601
2691	2695	1	RMS	2694	-26.35	-10	Pass	5
2695	2715	3	RMS	2695.033	-27.94	-13	Pass	601
2715	2735	1	RMS	2715.467	-45.41	-25	Pass	601




22.9. CA Band Edge(NTNV)(Subtest:9, Channel:41440+41557, Bandwidth:20+5, Modulation:QPSK, RB Number:Full+Full, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2665	2690	0.1	RMS	2686.417	2.41	30	Pass	601
2690	2691	0.51	RMS	2690.002	-30.08	-10	Pass	601
2691	2695	1	RMS	2695	-27.88	-10	Pass	5
2695	2715	3	RMS	2696.2	-22.44	-13	Pass	601
2715	2735	1	RMS	2715.2	-41.29	-25	Pass	601




22.10. CA Band Edge(NTNV)(Subtest:10, Channel:41440+41557, Bandwidth:20+5, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2665	2690	0.1	RMS	2688.875	7.75	30	Pass	601
2690	2691	0.51	RMS	2690	-40.14	-10	Pass	601
2691	2695	1	RMS	2691	-41.79	-10	Pass	5
2695	2715	3	RMS	2711.433	-30.27	-13	Pass	601
2715	2735	1	RMS	2715.467	-45.42	-25	Pass	601




22.11. CA Band Edge(NTNV)(Subtest:11, Channel:41440+41557, Bandwidth:20+5, Modulation:16QAM, RB Number:1+1, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2665	2690	0.1	RMS	2683.875	8.72	30	Pass	601
2690	2691	0.51	RMS	2690.013	-40.66	-10	Pass	601
2691	2695	1	RMS	2694	-27.09	-10	Pass	5
2695	2715	3	RMS	2695.033	-28.15	-13	Pass	601
2715	2735	1	RMS	2715.267	-45.39	-25	Pass	601




22.12. CA Band Edge(NTNV)(Subtest:12, Channel:41440+41557, Bandwidth:20+5, Modulation:16QAM, RB Number:Full+Full, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2665	2690	0.1	RMS	2687.292	1.06	30	Pass	601
2690	2691	0.51	RMS	2690.008	-30.27	-10	Pass	601
2691	2695	1	RMS	2691	-28.66	-10	Pass	5
2695	2715	3	RMS	2695.3	-23.73	-13	Pass	601
2715	2735	1	RMS	2715.1	-42.33	-25	Pass	601




22.13. CA Band Edge(NTNV)(Subtest:13, Channel:39750+39948, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2477.3	-34.78	-25	Pass	601
2490	2495	1	RMS	2495	-41.9	-13	Pass	6
2495	2496	0.51	RMS	2495.998	-32.11	-13	Pass	601
2496	2536	0.1	RMS	2516.867	7.44	30	Pass	601




22.14. CA Band Edge(NTNV)(Subtest:14, Channel:39750+39948, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.975	-45.57	-25	Pass	601
2490	2495	1	RMS	2495	-41.31	-13	Pass	6
2495	2496	0.51	RMS	2496	-31.11	-13	Pass	601
2496	2536	0.1	RMS	2497.067	7.66	30	Pass	601




22.15. CA Band Edge(NTNV)(Subtest:15, Channel:39750+39948, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.95	-34.38	-25	Pass	601
2490	2495	1	RMS	2495	-33.9	-13	Pass	6
2495	2496	0.51	RMS	2495.992	-34.63	-13	Pass	601
2496	2536	0.1	RMS	2506.333	-3.79	30	Pass	601




22.16. CA Band Edge(NTNV)(Subtest:16, Channel:39750+39948, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2477.275	-35.29	-25	Pass	601
2490	2495	1	RMS	2495	-40.73	-13	Pass	6
2495	2496	0.51	RMS	2495.998	-30.75	-13	Pass	601
2496	2536	0.1	RMS	2516.867	7.72	30	Pass	601




22.17. CA Band Edge(NTNV)(Subtest:17, Channel:39750+39948, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-44.97	-25	Pass	601
2490	2495	1	RMS	2495	-39.73	-13	Pass	6
2495	2496	0.51	RMS	2495.995	-30.18	-13	Pass	601
2496	2536	0.1	RMS	2497.067	8.17	30	Pass	601




22.18. CA Band Edge(NTNV)(Subtest:18, Channel:39750+39948, Bandwidth:20+20, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.975	-35.36	-25	Pass	601
2490	2495	1	RMS	2495	-34.81	-13	Pass	6
2495	2496	0.51	RMS	2495.985	-35.97	-13	Pass	601
2496	2536	0.1	RMS	2509.4	-4.89	30	Pass	601




22.19. CA Band Edge(NTNV)(Subtest:19, Channel:41292+41490, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2690	0.1	RMS	2651.267	7.66	30	Pass	601
2690	2691	1	RMS	2690	-27.38	-10	Pass	2
2691	2695	1	RMS	2691	-40.37	-10	Pass	5
2695	2730	3	RMS	2695.058	-39.1	-13	Pass	601
2730	2735	1	RMS	2730	-45.77	-25	Pass	601




22.20. CA Band Edge(NTNV)(Subtest:20, Channel:41292+41490, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2690	0.1	RMS	2688.933	8.79	30	Pass	601
2690	2691	1	RMS	2690	-26.57	-10	Pass	2
2691	2695	1	RMS	2691	-40.32	-10	Pass	5
2695	2730	3	RMS	2708.592	-29.01	-13	Pass	601
2730	2735	1	RMS	2731.275	-45.77	-25	Pass	601




22.21. CA Band Edge(NTNV)(Subtest:21, Channel:41292+41490, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2690	0.1	RMS	2677	-3.48	30	Pass	601
2690	2691	1	RMS	2690.003	-15.43	-10	Pass	601
2691	2695	1	RMS	2691	-29.57	-10	Pass	5
2695	2730	3	RMS	2695.175	-23.94	-13	Pass	601
2730	2735	1	RMS	2730.35	-45.71	-25	Pass	601




22.22. CA Band Edge(NTNV)(Subtest:22, Channel:41292+41490, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2690	0.1	RMS	2688.867	7.94	30	Pass	601
2690	2691	1	RMS	2690	-26.75	-10	Pass	2
2691	2695	1	RMS	2691	-41.48	-10	Pass	5
2695	2730	3	RMS	2695	-39.27	-13	Pass	601
2730	2735	1	RMS	2733.7	-45.77	-25	Pass	601




22.23. CA Band Edge(NTNV)(Subtest:23, Channel:41292+41490, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2690	0.1	RMS	2688.867	8.08	30	Pass	601
2690	2691	1	RMS	2690	-26.56	-10	Pass	2
2691	2695	1	RMS	2691	-40.63	-10	Pass	5
2695	2730	3	RMS	2708.592	-29.59	-13	Pass	601
2730	2735	1	RMS	2730.983	-45.76	-25	Pass	601



22.24. CA Band Edge(NTNV)(Subtest:24, Channel:41292+41490, Bandwidth:20+20, Modulation:16QAM, RB Number:Full+Full, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2690	0.1	RMS	2679.6	-4.69	30	Pass	601
2690	2691	1	RMS	2690.002	-16.84	-10	Pass	601
2691	2695	1	RMS	2691	-30.73	-10	Pass	5
2695	2730	3	RMS	2695.117	-25.72	-13	Pass	601
2730	2735	1	RMS	2730.567	-45.75	-25	Pass	601




NR

23. n5 15kHz


23.1. Band Edge for SA(NTNV)(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.1	-48.18	-13	Pass	401
823	824	0.051	RMS	824	-20.31	-13	Pass	401
824	844	0.1	RMS	824.35	18.83	30	Pass	401




23.2. Band Edge for SA(NTNV)(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.76	-33.35	-13	Pass	401
823	824	0.051	RMS	823.998	-29.29	-13	Pass	401
824	844	0.1	RMS	827.2	6.15	30	Pass	401




23.3. Band Edge for SA(NTNV)(Subtest:3, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.16	-48.4	-13	Pass	401
823	824	0.051	RMS	824	-19.02	-13	Pass	401
824	844	0.1	RMS	824.35	20.38	30	Pass	401




23.4. Band Edge for SA(NTNV)(Subtest:4, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-32.36	-13	Pass	401
823	824	0.051	RMS	823.97	-30	-13	Pass	401
824	844	0.1	RMS	825.35	7.36	30	Pass	401




23.5. Band Edge for SA(NTNV)(Subtest:5, Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.65	18.98	30	Pass	401
849	850	0.051	RMS	849	-20.68	-13	Pass	401
850	874	0.1	RMS	850	-49.17	-13	Pass	401




23.6. Band Edge for SA(NTNV)(Subtest:6, Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	847.15	6.19	30	Pass	401
849	850	0.051	RMS	849.003	-30.33	-13	Pass	401
850	874	0.1	RMS	850	-33.57	-13	Pass	401




23.7. Band Edge for SA(NTNV)(Subtest:7, Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.65	20.1	30	Pass	401
849	850	0.051	RMS	849.005	-18.41	-13	Pass	401
850	874	0.1	RMS	850	-48.78	-13	Pass	401




23.8. Band Edge for SA(NTNV)(Subtest:8, Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	845.35	7.31	30	Pass	401
849	850	0.051	RMS	849.005	-29.77	-13	Pass	401
850	874	0.1	RMS	850.06	-33.82	-13	Pass	401




23.9. Band Edge for SA(NTNV)(Subtest:9, Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	818.5	-49.34	-13	Pass	401
823	824	0.15	RMS	824	-18.84	-13	Pass	401
824	844	0.1	RMS	824.5	18.99	30	Pass	401




23.10. Band Edge for SA(NTNV)(Subtest:10, Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.94	-35.69	-13	Pass	401
823	824	0.15	RMS	823.985	-31.21	-13	Pass	401
824	844	0.1	RMS	825.3	2.43	30	Pass	401




23.11. Band Edge for SA(NTNV)(Subtest:11, Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	818.56	-48.5	-13	Pass	401
823	824	0.15	RMS	823.99	-18.33	-13	Pass	401
824	844	0.1	RMS	824.5	20.24	30	Pass	401




23.12. Band Edge for SA(NTNV)(Subtest:12, Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.76	-34.36	-13	Pass	401
823	824	0.15	RMS	823.998	-29.09	-13	Pass	401
824	844	0.1	RMS	825.35	2.85	30	Pass	401




23.13. Band Edge for SA(NTNV)(Subtest:13, Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.5	18.91	30	Pass	401
849	850	0.15	RMS	849.008	-20.22	-13	Pass	401
850	874	0.1	RMS	850.06	-49.68	-13	Pass	401




23.14. Band Edge for SA(NTNV)(Subtest:14, Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	847.75	1.69	30	Pass	401
849	850	0.15	RMS	849.03	-34	-13	Pass	401
850	874	0.1	RMS	850.12	-37.27	-13	Pass	401




23.15. Band Edge for SA(NTNV)(Subtest:15, Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.55	20.2	30	Pass	401
849	850	0.15	RMS	849.005	-17.96	-13	Pass	401
850	874	0.1	RMS	850	-49.25	-13	Pass	401




23.16. Band Edge for SA(NTNV)(Subtest:16, Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	841.1	2.9	30	Pass	401
849	850	0.15	RMS	849.858	-35.78	-13	Pass	401
850	874	0.1	RMS	850	-38.65	-13	Pass	401




23.17. Band Edge for SA(NTNV)(Subtest:17, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-48.04	-13	Pass	401
823	824	0.2	RMS	824	-17.2	-13	Pass	6
824	844	0.1	RMS	824.55	18.6	30	Pass	401




23.18. Band Edge for SA(NTNV)(Subtest:18, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.7	-37.53	-13	Pass	401
823	824	0.2	RMS	823.993	-29.64	-13	Pass	401
824	844	0.1	RMS	827.9	0.81	30	Pass	401




23.19. Band Edge for SA(NTNV)(Subtest:19, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-47.63	-13	Pass	401
823	824	0.05	RMS	824	-22.43	-13	Pass	21
824	844	0.1	RMS	824.55	20.01	30	Pass	401




23.20. Band Edge for SA(NTNV)(Subtest:20, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.7	-36.36	-13	Pass	401
823	824	0.2	RMS	823.998	-29.85	-13	Pass	401
824	844	0.1	RMS	825.5	1.59	30	Pass	401




23.21. Band Edge for SA(NTNV)(Subtest:21, Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.45	18.92	30	Pass	401
849	850	0.2	RMS	849.008	-16.19	-13	Pass	401
850	874	0.1	RMS	850	-48.69	-13	Pass	401




23.22. Band Edge for SA(NTNV)(Subtest:22, Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	842.05	0.75	30	Pass	401
849	850	0.2	RMS	849.03	-36.98	-13	Pass	401
850	874	0.1	RMS	850.12	-40.4	-13	Pass	401




23.23. Band Edge for SA(NTNV)(Subtest:23, Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.45	20.14	30	Pass	401
849	850	0.05	RMS	849	-21.02	-13	Pass	21
850	874	0.1	RMS	850	-46.24	-13	Pass	401



23.24. Band Edge for SA(NTNV)(Subtest:24, Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	831.95	1.25	30	Pass	401
849	850	0.2	RMS	849.128	-36.6	-13	Pass	401
850	874	0.1	RMS	850.42	-40.14	-13	Pass	401



24. n7 15kHz


24.1. Band Edge for SA(NTNV)(Subtest:1, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-48.07	-25	Pass	401
2494	2496	1	RMS	2495.91	-42.91	-13	Pass	401
2496	2499	1	RMS	2499	-37.8	-10	Pass	4
2499	2500	0.051	RMS	2499.998	-20.6	-10	Pass	401
2500	2520	1	RMS	2500.35	20.91	30	Pass	401




24.2. Band Edge for SA(NTNV)(Subtest:2, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2493.953	-38.4	-25	Pass	401
2494	2496	1	RMS	2495.995	-33.83	-13	Pass	401
2496	2499	1	RMS	2499	-27.29	-10	Pass	4
2499	2500	0.1	RMS	2500	-29.72	-10	Pass	401
2500	2520	1	RMS	2502.55	14.84	30	Pass	401




24.3. Band Edge for SA(NTNV)(Subtest:3, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2493.953	-47.79	-25	Pass	401
2494	2496	1	RMS	2495.98	-42.65	-13	Pass	401
2496	2499	1	RMS	2499	-37.58	-10	Pass	4
2499	2500	0.051	RMS	2500	-18.18	-10	Pass	401
2500	2520	1	RMS	2500.35	21.82	30	Pass	401




24.4. Band Edge for SA(NTNV)(Subtest:4, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-37.43	-25	Pass	401
2494	2496	1	RMS	2495.99	-31.47	-13	Pass	401
2496	2499	1	RMS	2499	-25.19	-10	Pass	4
2499	2500	0.1	RMS	2499.995	-28.44	-10	Pass	401
2500	2520	1	RMS	2503.25	15.74	30	Pass	401




24.5. Band Edge for SA(NTNV)(Subtest:5, Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.7	21.06	30	Pass	401
2570	2571	0.051	RMS	2570	-21.01	-10	Pass	401
2571	2575	1	RMS	2571	-37.71	-10	Pass	5
2575	2576	1	RMS	2575.098	-44.97	-13	Pass	401
2576	2595	1	RMS	2576	-48.14	-25	Pass	401




24.6. Band Edge for SA(NTNV)(Subtest:6, Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2567.5	14.98	30	Pass	401
2570	2571	0.1	RMS	2570.008	-27.94	-10	Pass	401
2571	2575	1	RMS	2571	-24.98	-10	Pass	5
2575	2576	1	RMS	2575.008	-35.85	-13	Pass	401
2576	2595	1	RMS	2576	-38.05	-25	Pass	401




24.7. Band Edge for SA(NTNV)(Subtest:7, Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.65	21.98	30	Pass	401
2570	2571	0.051	RMS	2570.005	-22.04	-10	Pass	401
2571	2575	1	RMS	2571	-37.27	-10	Pass	5
2575	2576	1	RMS	2575.015	-44.93	-13	Pass	401
2576	2595	1	RMS	2576	-47.99	-25	Pass	401




24.8. Band Edge for SA(NTNV)(Subtest:8, Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2566.35	15.88	30	Pass	401
2570	2571	0.1	RMS	2570.005	-26.66	-10	Pass	401
2571	2575	1	RMS	2571	-22.05	-10	Pass	5
2575	2576	1	RMS	2575.01	-34.98	-13	Pass	401
2576	2595	1	RMS	2576	-37.25	-25	Pass	401




24.9. Band Edge for SA(NTNV)(Subtest:9, Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2484.925	-49.89	-25	Pass	401
2485	2496	1	RMS	2493.47	-42.67	-13	Pass	401
2496	2499	1	RMS	2499	-37.29	-10	Pass	4
2499	2500	0.051	RMS	2499.993	-25.54	-10	Pass	401
2500	2520	1	RMS	2500.5	20.82	30	Pass	401




24.10. Band Edge for SA(NTNV)(Subtest:10, Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2484.975	-45	-25	Pass	401
2485	2496	1	RMS	2496	-31.92	-13	Pass	401
2496	2499	1	RMS	2499	-30.55	-10	Pass	4
2499	2500	0.3	RMS	2499.998	-25.7	-10	Pass	401
2500	2520	1	RMS	2512.4	10.06	30	Pass	401




24.11. Band Edge for SA(NTNV)(Subtest:11, Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2484.775	-49.81	-25	Pass	401
2485	2496	1	RMS	2486.65	-48.17	-13	Pass	401
2496	2499	1	RMS	2499	-34.87	-10	Pass	4
2499	2500	0.051	RMS	2499.995	-23.45	-10	Pass	401
2500	2520	1	RMS	2500.5	21.8	30	Pass	401




24.12. Band Edge for SA(NTNV)(Subtest:12, Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2485	-44.1	-25	Pass	401
2485	2496	1	RMS	2495.643	-30.12	-13	Pass	401
2496	2499	1	RMS	2499	-28.26	-10	Pass	4
2499	2500	0.3	RMS	2499.995	-25.09	-10	Pass	401
2500	2520	1	RMS	2512.35	11.07	30	Pass	401




24.13. Band Edge for SA(NTNV)(Subtest:13, Channel:512500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.55	20.9	30	Pass	401
2570	2571	0.051	RMS	2570.003	-26.49	-10	Pass	401
2571	2575	1	RMS	2571	-36.83	-10	Pass	5
2575	2585	1	RMS	2575.75	-43.22	-13	Pass	401
2585	2595	1	RMS	2585	-49.45	-25	Pass	401




24.14. Band Edge for SA(NTNV)(Subtest:14, Channel:512500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2560.55	10.2	30	Pass	401
2570	2571	0.3	RMS	2570.02	-33.77	-10	Pass	401
2571	2575	1	RMS	2571	-30.61	-10	Pass	5
2575	2585	1	RMS	2575.1	-32.91	-13	Pass	401
2585	2595	1	RMS	2585.2	-43.37	-25	Pass	401




24.15. Band Edge for SA(NTNV)(Subtest:15, Channel:512500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.5	21.78	30	Pass	401
2570	2571	0.051	RMS	2570.01	-25.67	-10	Pass	401
2571	2575	1	RMS	2571	-37.17	-10	Pass	5
2575	2585	1	RMS	2575.75	-42.74	-13	Pass	401
2585	2595	1	RMS	2585.075	-49.58	-25	Pass	401




24.16. Band Edge for SA(NTNV)(Subtest:16, Channel:512500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2557.85	11.28	30	Pass	401
2570	2571	0.3	RMS	2570.168	-31.56	-10	Pass	401
2571	2575	1	RMS	2571	-27.74	-10	Pass	5
2575	2585	1	RMS	2575	-30.38	-13	Pass	401
2585	2595	1	RMS	2585	-43.08	-25	Pass	401




24.17. Band Edge for SA(NTNV)(Subtest:17, Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2479.975	-50.81	-25	Pass	401
2480	2496	1	RMS	2491.28	-44.79	-13	Pass	401
2496	2499	1	RMS	2499	-33.99	-10	Pass	4
2499	2500	0.051	RMS	2499.988	-23.33	-10	Pass	401
2500	2520	1	RMS	2500.5	20.82	30	Pass	401




24.18. Band Edge for SA(NTNV)(Subtest:18, Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2479.988	-48.97	-25	Pass	401
2480	2496	1	RMS	2495.8	-32.94	-13	Pass	401
2496	2499	1	RMS	2499	-31.56	-10	Pass	4
2499	2500	0.5	RMS	2500	-29.07	-10	Pass	3
2500	2520	1	RMS	2516.55	8.87	30	Pass	401




24.19. Band Edge for SA(NTNV)(Subtest:19, Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2479.875	-50.86	-25	Pass	401
2480	2496	1	RMS	2491.36	-44.6	-13	Pass	401
2496	2499	1	RMS	2499	-31.33	-10	Pass	4
2499	2500	0.051	RMS	2499.995	-20.28	-10	Pass	401
2500	2520	1	RMS	2500.55	21.76	30	Pass	401




24.20. Band Edge for SA(NTNV)(Subtest:20, Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2479.938	-48.54	-25	Pass	401
2480	2496	1	RMS	2495.92	-30.51	-13	Pass	401
2496	2499	1	RMS	2499	-28.59	-10	Pass	4
2499	2500	0.5	RMS	2500	-25.76	-10	Pass	3
2500	2520	1	RMS	2515.75	9.86	30	Pass	401




24.21. Band Edge for SA(NTNV)(Subtest:21, Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.45	20.92	30	Pass	401
2570	2571	0.051	RMS	2570.003	-23.5	-10	Pass	401
2571	2575	1	RMS	2571	-33.42	-10	Pass	5
2575	2590	1	RMS	2578.675	-44.57	-13	Pass	401
2590	2595	1	RMS	2594.913	-50.55	-25	Pass	401




24.22. Band Edge for SA(NTNV)(Subtest:22, Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2555.7	8.95	30	Pass	401
2570	2571	0.51	RMS	2570.008	-33.34	-10	Pass	401
2571	2575	1	RMS	2571	-31.4	-10	Pass	5
2575	2590	1	RMS	2575.113	-33.43	-13	Pass	401
2590	2595	1	RMS	2590.138	-47.28	-25	Pass	401




24.23. Band Edge for SA(NTNV)(Subtest:23, Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.45	21.82	30	Pass	401
2570	2571	0.051	RMS	2570.018	-23.61	-10	Pass	401
2571	2575	1	RMS	2571	-34.83	-10	Pass	5
2575	2590	1	RMS	2578.638	-43.85	-13	Pass	401
2590	2595	1	RMS	2590.463	-50.51	-25	Pass	401



24.24. Band Edge for SA(NTNV)(Subtest:24, Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2554.55	10.19	30	Pass	401
2570	2571	0.51	RMS	2570.11	-31.14	-10	Pass	401
2571	2575	1	RMS	2571	-29.13	-10	Pass	5
2575	2590	1	RMS	2575.075	-30.83	-13	Pass	401
2590	2595	1	RMS	2590.113	-47.24	-25	Pass	401



25. NR_n38_SCS30_10M_L_Edge_1RB_Left(16QAM)

25.1. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2465	2560	1	RMS	2560	-48.45	-25	Pass	401
2560	2565	1	RMS	2564.95	-44.28	-13	Pass	401
2565	2569	1	RMS	2569	-35.57	-10	Pass	5
2569	2570	0.1	RMS	2569.998	-27.49	-10	Pass	401
2570	2670	0.1	RMS	2570.901	15.44	30	Pass	1000



25. NR_n38_SCS30_10M_L_Outer_Full(16QAM)

25.2. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2465	2560	1	RMS	2560	-38	-25	Pass	401
2560	2565	1	RMS	2564.963	-31.81	-13	Pass	401
2565	2569	1	RMS	2569	-29.29	-10	Pass	5
2569	2570	0.1	RMS	2569.99	-35.66	-10	Pass	401
2570	2670	0.1	RMS	2576.306	2.95	30	Pass	1000



25. NR_n38_SCS30_10M_L_Edge_1RB_Left(QPSK)

25.3. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2465	2560	1	RMS	2560	-48.53	-25	Pass	401
2560	2565	1	RMS	2564.95	-44.21	-13	Pass	401
2565	2569	1	RMS	2569	-33.89	-10	Pass	5
2569	2570	0.1	RMS	2569.993	-25.85	-10	Pass	401
2570	2670	0.1	RMS	2570.901	17.03	30	Pass	1000



25. NR_n38_SCS30_10M_L_Outer_Full(QPSK)

25.4. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2465	2560	1	RMS	2560	-38.39	-25	Pass	401
2560	2565	1	RMS	2564.938	-30.21	-13	Pass	401
2565	2569	1	RMS	2569	-28.3	-10	Pass	5
2569	2570	0.1	RMS	2569.998	-35.14	-10	Pass	401
2570	2670	0.1	RMS	2576.907	3.89	30	Pass	1000



25. NR_n38_SCS30_10M_H_Edge_1RB_Right(16QAM)

25.5. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2520	2620	0.1	RMS	2619.199	18.29	30	Pass	1000
2620	2621	0.2	RMS	2620	-53.62	-10	Pass	6
2621	2625	1	RMS	2621	-19.48	-10	Pass	401
2625	2630	1	RMS	2625.013	-41.13	-13	Pass	401
2630	2725	1	RMS	2630	-45.39	-25	Pass	401



25. NR_n38_SCS30_10M_H_Outer_Full(16QAM)

25.6. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2520	2620	0.1	RMS	2618.098	5.76	30	Pass	1000
2620	2621	0.2	RMS	2620.4	-55.07	-10	Pass	6
2621	2625	1	RMS	2621	-27.51	-10	Pass	401
2625	2630	1	RMS	2625.05	-30.26	-13	Pass	401
2630	2725	1	RMS	2630	-34.32	-25	Pass	401



25. NR_n38_SCS30_10M_H_Edge_1RB_Right(QPSK)

25.7. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2520	2620	0.1	RMS	2619.199	19.66	30	Pass	1000
2620	2621	0.2	RMS	2620	-53.6	-10	Pass	6
2621	2625	1	RMS	2621	-18.2	-10	Pass	401
2625	2630	1	RMS	2625.05	-41.01	-13	Pass	401
2630	2725	1	RMS	2630	-45.24	-25	Pass	401



25. NR_n38_SCS30_10M_H_Outer_Full(QPSK)

25.8. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2520	2620	0.1	RMS	2615.596	6.81	30	Pass	1000
2620	2621	0.2	RMS	2620.2	-55.02	-10	Pass	6
2621	2625	1	RMS	2621	-26.94	-10	Pass	401
2625	2630	1	RMS	2625.425	-29.93	-13	Pass	401
2630	2725	1	RMS	2630.238	-34.75	-25	Pass	401



25. NR_n38_SCS30_15M_L_Edge_1RB_Left(16QAM)

25.9. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2465	2555	1	RMS	2554.775	-48.78	-25	Pass	401
2555	2565	1	RMS	2564.325	-41.34	-13	Pass	401
2565	2569	1	RMS	2569	-34.27	-10	Pass	5
2569	2570	0.2	RMS	2570	-22.43	-10	Pass	401
2570	2670	0.1	RMS	2570.901	15.88	30	Pass	1000



25. NR_n38_SCS30_15M_L_Outer_Full(16QAM)

25.10. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2465	2555	1	RMS	2555	-39.74	-25	Pass	401
2555	2565	1	RMS	2564.95	-31.89	-13	Pass	401
2565	2569	1	RMS	2569	-30.65	-10	Pass	5
2569	2570	0.2	RMS	2569.995	-32.69	-10	Pass	401
2570	2670	0.1	RMS	2582.112	1.15	30	Pass	1000



25. NR_n38_SCS30_15M_L_Edge_1RB_Left(QPSK)

25.11. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2465	2555	1	RMS	2554.775	-48.77	-25	Pass	401
2555	2565	1	RMS	2564.35	-40.78	-13	Pass	401
2565	2569	1	RMS	2569	-32.42	-10	Pass	5
2569	2570	0.2	RMS	2569.995	-20.89	-10	Pass	401
2570	2670	0.1	RMS	2570.901	16.8	30	Pass	1000



25. NR_n38_SCS30_15M_L_Outer_Full(QPSK)

25.12. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2465	2555	1	RMS	2555	-40.2	-25	Pass	401
2555	2565	1	RMS	2564.825	-30.52	-13	Pass	401
2565	2569	1	RMS	2569	-29.7	-10	Pass	5
2569	2570	0.2	RMS	2569.993	-31.35	-10	Pass	401
2570	2670	0.1	RMS	2574.404	1.99	30	Pass	1000



25. NR_n38_SCS30_15M_H_Edge_1RB_Right(16QAM)

25.13. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2520	2620	0.1	RMS	2619.199	18.43	30	Pass	1000
2620	2621	0.4	RMS	2620	-14.74	-10	Pass	4
2621	2625	1	RMS	2621	-18.59	-10	Pass	401
2625	2635	1	RMS	2625.375	-38.82	-13	Pass	401
2635	2725	1	RMS	2635	-45.7	-25	Pass	401



25. NR_n38_SCS30_15M_H_Outer_Full(16QAM)

25.14. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2520	2620	0.1	RMS	2610.891	4.57	30	Pass	1000
2620	2621	0.4	RMS	2620	-33.36	-10	Pass	4
2621	2625	1	RMS	2621.02	-29.83	-10	Pass	401
2625	2635	1	RMS	2625.05	-30.85	-13	Pass	401
2635	2725	1	RMS	2635	-36.45	-25	Pass	401



25. NR_n38_SCS30_15M_H_Edge_1RB_Right(QPSK)

25.15. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2520	2620	0.1	RMS	2619.199	19.65	30	Pass	1000
2620	2621	0.4	RMS	2620	-13.65	-10	Pass	4
2621	2625	1	RMS	2621	-16.83	-10	Pass	401
2625	2635	1	RMS	2625.675	-38.11	-13	Pass	401
2635	2725	1	RMS	2635	-45.68	-25	Pass	401



25. NR_n38_SCS30_15M_H_Outer_Full(QPSK)

25.16. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2520	2620	0.1	RMS	2614.194	5.72	30	Pass	1000
2620	2621	0.4	RMS	2620	-33.57	-10	Pass	4
2621	2625	1	RMS	2621	-29.23	-10	Pass	401
2625	2635	1	RMS	2625.2	-30.67	-13	Pass	401
2635	2725	1	RMS	2635	-36.52	-25	Pass	401



25. NR_n38_SCS30_20M_L_Edge_1RB_Left(16QAM)

25.17. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2465	2550	1	RMS	2550	-50.3	-25	Pass	401
2550	2565	1	RMS	2562.075	-43.38	-13	Pass	401
2565	2569	1	RMS	2569	-33.68	-10	Pass	5
2569	2570	0.2	RMS	2570	-23.48	-10	Pass	401
2570	2670	0.1	RMS	2571.101	15.66	30	Pass	1000



25. NR_n38_SCS30_20M_L_Outer_Full(16QAM)

25.18. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2465	2550	1	RMS	2550	-41.03	-25	Pass	401
2550	2565	1	RMS	2564.888	-32.52	-13	Pass	401
2565	2569	1	RMS	2569	-32.23	-10	Pass	5
2569	2570	0.2	RMS	2570	-35.82	-10	Pass	401
2570	2670	0.1	RMS	2586.316	-0.21	30	Pass	1000



25. NR_n38_SCS30_20M_L_Edge_1RB_Left(QPSK)

25.19. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2465	2550	1	RMS	2549.575	-50.26	-25	Pass	401
2550	2565	1	RMS	2562.075	-42.78	-13	Pass	401
2565	2569	1	RMS	2569	-32.67	-10	Pass	5
2569	2570	0.2	RMS	2569.995	-22.1	-10	Pass	401
2570	2670	0.1	RMS	2571.101	16.98	30	Pass	1000



25. NR_n38_SCS30_20M_L_Outer_Full(QPSK)

25.20. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2465	2550	1	RMS	2540.65	-41.33	-25	Pass	401
2550	2565	1	RMS	2565	-31.41	-13	Pass	401
2565	2569	1	RMS	2569	-30.82	-10	Pass	5
2569	2570	0.2	RMS	2569.995	-33.04	-10	Pass	401
2570	2670	0.1	RMS	2573.504	0.93	30	Pass	1000



25. NR_n38_SCS30_20M_H_Edge_1RB_Right(16QAM)

25.21. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2520	2620	0.1	RMS	2618.999	18.43	30	Pass	1000
2620	2621	0.4	RMS	2620	-17.28	-10	Pass	4
2621	2625	1	RMS	2621	-23.5	-10	Pass	401
2625	2640	1	RMS	2628.075	-40.48	-13	Pass	401
2640	2725	1	RMS	2640	-47.24	-25	Pass	401



25. NR_n38_SCS30_20M_H_Outer_Full(16QAM)

25.22. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2520	2620	0.1	RMS	2612.593	2.68	30	Pass	1000
2620	2621	0.4	RMS	2620	-33.5	-10	Pass	4
2621	2625	1	RMS	2621.05	-30.45	-10	Pass	401
2625	2640	1	RMS	2625	-31.34	-13	Pass	401
2640	2725	1	RMS	2641.275	-37.21	-25	Pass	401



25. NR_n38_SCS30_20M_H_Edge_1RB_Right(QPSK)

25.23. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2520	2620	0.1	RMS	2619.099	19.43	30	Pass	1000
2620	2621	0.4	RMS	2620	-16.24	-10	Pass	4
2621	2625	1	RMS	2621	-22.52	-10	Pass	401
2625	2640	1	RMS	2627.888	-39.94	-13	Pass	401
2640	2725	1	RMS	2640	-47.16	-25	Pass	401



25. NR_n38_SCS30_20M_H_Outer_Full(QPSK)

25.24. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2520	2620	0.1	RMS	2615.596	4.16	30	Pass	1000
2620	2621	0.4	RMS	2620	-32.93	-10	Pass	4
2621	2625	1	RMS	2621.86	-29.95	-10	Pass	401
2625	2640	1	RMS	2625	-31.2	-13	Pass	401
2640	2725	1	RMS	2640.85	-37.29	-25	Pass	401



26. n41 30kHz_PC3


26.1. Band Edge for SA(NTNV)(Subtest:1, Channel:500202, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-45.28	-25	Pass	401
2490	2495	1	RMS	2495	-25.36	-13	Pass	401
2495	2496	0.051	RMS	2496	-26.88	-10	Pass	401
2496	2596	1	RMS	2496.75	20.61	30	Pass	401




26.2. Band Edge for SA(NTNV)(Subtest:2, Channel:500202, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-34.46	-25	Pass	401
2490	2495	1	RMS	2494.988	-28.18	-13	Pass	401
2495	2496	0.2	RMS	2496	-57.92	-10	Pass	6
2496	2596	1	RMS	2504	12.11	30	Pass	401




26.3. Band Edge for SA(NTNV)(Subtest:3, Channel:500202, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-45.04	-25	Pass	401
2490	2495	1	RMS	2495	-25.38	-13	Pass	401
2495	2496	0.051	RMS	2496	-26.82	-10	Pass	401
2496	2596	1	RMS	2496.75	21.74	30	Pass	401




26.4. Band Edge for SA(NTNV)(Subtest:4, Channel:500202, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-32.42	-25	Pass	401
2490	2495	1	RMS	2495	-26.91	-13	Pass	401
2495	2496	0.2	RMS	2495.4	-58.14	-10	Pass	6
2496	2596	1	RMS	2501.5	13.27	30	Pass	401




26.5. Band Edge for SA(NTNV)(Subtest:5, Channel:537000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	20.26	30	Pass	401
2690	2691	0.1	RMS	2690.003	-25.25	-10	Pass	401
2691	2695	1	RMS	2691	-26.68	-10	Pass	401
2695	2700	1	RMS	2695	-44.69	-13	Pass	401
2700	2795	1	RMS	2700	-48.48	-25	Pass	401




26.6. Band Edge for SA(NTNV)(Subtest:6, Channel:537000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2682.5	11.66	30	Pass	401
2690	2691	0.2	RMS	2691	-57.88	-10	Pass	6
2691	2695	1	RMS	2691	-31.62	-10	Pass	401
2695	2700	1	RMS	2695.088	-33.7	-13	Pass	401
2700	2705	1	RMS	2700.038	-38.25	-25	Pass	401
2705	2795	1	RMS	2705	-43.1	-25	Pass	401




26.7. Band Edge for SA(NTNV)(Subtest:7, Channel:537000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689.25	21.27	30	Pass	401
2690	2691	0.1	RMS	2690	-24.1	-10	Pass	401
2691	2695	1	RMS	2691	-25.41	-10	Pass	401
2695	2700	1	RMS	2695.05	-44.47	-13	Pass	401
2700	2795	1	RMS	2700	-48.5	-25	Pass	401




26.8. Band Edge for SA(NTNV)(Subtest:8, Channel:537000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2685	12.86	30	Pass	401
2690	2691	0.2	RMS	2690	-57.57	-10	Pass	6
2691	2695	1	RMS	2691.02	-30.74	-10	Pass	401
2695	2700	1	RMS	2695.038	-33.23	-13	Pass	401
2700	2705	1	RMS	2700.138	-38.51	-25	Pass	401
2705	2795	1	RMS	2705	-41.24	-25	Pass	401




26.9. Band Edge for SA(NTNV)(Subtest:9, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-46.58	-25	Pass	401
2490	2495	1	RMS	2495	-28.82	-13	Pass	401
2495	2496	0.051	RMS	2495.985	-28.7	-10	Pass	401
2496	2596	1	RMS	2497	20.33	30	Pass	401




26.10. Band Edge for SA(NTNV)(Subtest:10, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.505	-38.83	-25	Pass	401
2490	2495	1	RMS	2495	-36.88	-13	Pass	401
2495	2496	1	RMS	2496	-31.56	-10	Pass	2
2496	2596	1	RMS	2532	4.1	30	Pass	401




26.11. Band Edge for SA(NTNV)(Subtest:11, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-46.33	-25	Pass	401
2490	2495	1	RMS	2495	-27	-13	Pass	401
2495	2496	0.051	RMS	2495.998	-26.44	-10	Pass	401
2496	2596	1	RMS	2497	21.55	30	Pass	401




26.12. Band Edge for SA(NTNV)(Subtest:12, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-37.04	-25	Pass	401
2490	2495	1	RMS	2494.938	-35.24	-13	Pass	401
2495	2496	1.2	RMS	2496	-29.02	-10	Pass	2
2496	2596	1	RMS	2541.5	5.24	30	Pass	401



26.13. Band Edge for SA(NTNV)(Subtest:13, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	19.87	30	Pass	401
2690	2691	0.1	RMS	2690.005	-26.79	-10	Pass	401
2691	2695	1	RMS	2691	-29.97	-10	Pass	401
2695	2750	1	RMS	2695	-45.79	-13	Pass	401
2750	2795	1	RMS	2788.138	-49.9	-25	Pass	401




26.14. Band Edge for SA(NTNV)(Subtest:14, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2653	3.6	30	Pass	401
2690	2691	1	RMS	2690	-31.99	-10	Pass	2
2691	2695	1	RMS	2691	-38.35	-10	Pass	401
2695	2750	1	RMS	2695.138	-40.08	-13	Pass	401
2750	2795	1	RMS	2771.15	-49.9	-25	Pass	401




26.15. Band Edge for SA(NTNV)(Subtest:15, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	21.04	30	Pass	401
2690	2691	0.1	RMS	2690.005	-23.73	-10	Pass	401
2691	2695	1	RMS	2691	-27.52	-10	Pass	401
2695	2750	1	RMS	2695	-45.5	-13	Pass	401
2750	2795	1	RMS	2773.288	-49.96	-25	Pass	401




26.16. Band Edge for SA(NTNV)(Subtest:16, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2653.5	4.57	30	Pass	401
2690	2691	1	RMS	2690	-32.95	-10	Pass	2
2691	2695	1	RMS	2691.01	-38.83	-10	Pass	401
2695	2750	1	RMS	2696.513	-39.84	-13	Pass	401
2750	2795	1	RMS	2778.013	-49.93	-25	Pass	401




26.17. Band Edge for SA(NTNV)(Subtest:17, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.753	-45.93	-25	Pass	401
2490	2495	1	RMS	2495	-28.93	-13	Pass	401
2495	2496	0.051	RMS	2495.998	-29.74	-10	Pass	401
2496	2596	1	RMS	2497	19.64	30	Pass	401




26.18. Band Edge for SA(NTNV)(Subtest:18, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2488.515	-40.06	-25	Pass	401
2490	2495	1	RMS	2495	-38.82	-13	Pass	401
2495	2496	1	RMS	2496	-35.49	-13	Pass	2
2496	2596	1	RMS	2579	1.61	30	Pass	401




26.19. Band Edge for SA(NTNV)(Subtest:19, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-45.37	-25	Pass	401
2490	2495	1	RMS	2494.988	-27.7	-13	Pass	401
2495	2496	0.051	RMS	2496	-28.22	-10	Pass	401
2496	2596	1	RMS	2497	21.07	30	Pass	401




26.20. Band Edge for SA(NTNV)(Subtest:20, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.01	-37.41	-25	Pass	401
2490	2495	1	RMS	2494.963	-36.53	-13	Pass	401
2495	2496	1	RMS	2496	-33.28	-13	Pass	2
2496	2596	1	RMS	2579.5	2.68	30	Pass	401




26.21. Band Edge for SA(NTNV)(Subtest:21, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	19.16	30	Pass	401
2690	2691	0.1	RMS	2690.008	-27.09	-10	Pass	401
2691	2695	1	RMS	2691.01	-29.5	-10	Pass	401
2695	2790	1	RMS	2710.438	-44.3	-13	Pass	401
2790	2795	1	RMS	2790.675	-49.92	-25	Pass	401




26.22. Band Edge for SA(NTNV)(Subtest:22, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2641.5	1.32	30	Pass	401
2690	2691	1	RMS	2690	-41.01	-10	Pass	2
2691	2695	1	RMS	2692.19	-40.45	-10	Pass	401
2695	2790	1	RMS	2697.85	-40.54	-13	Pass	401
2790	2795	1	RMS	2790.125	-50.02	-25	Pass	401




26.23. Band Edge for SA(NTNV)(Subtest:23, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	20.46	30	Pass	401
2690	2691	0.1	RMS	2690.005	-25.15	-10	Pass	401
2691	2695	1	RMS	2691	-27.71	-10	Pass	401
2695	2790	1	RMS	2710.675	-43.65	-13	Pass	401
2790	2795	1	RMS	2791.638	-49.96	-25	Pass	401



26.24. Band Edge for SA(NTNV)(Subtest:24, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2612.5	2.46	30	Pass	401
2690	2691	1	RMS	2690	-39.68	-10	Pass	2
2691	2695	1	RMS	2694.93	-38.69	-10	Pass	401
2695	2790	1	RMS	2695.475	-38.43	-13	Pass	401
2790	2795	1	RMS	2793.913	-49.98	-25	Pass	401



END