


A.5 Spurious Emission at Antenna Terminals

1. GSM_GSM850


1.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-58.71	-13	Pass	401
0.15	30	0.01	Peak	0.52	-55.29	-13	Pass	2985
30	500	0.1	Peak	398.178	-43.75	-13	Pass	4700
500	1000	0.1	Peak	824.165	31.51	-13	N/A	5000
1000	10000	1	Peak	6987.731	-22.37	-13	Pass	9000




1.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-57.67	-13	Pass	401
0.15	30	0.01	Peak	0.21	-54.48	-13	Pass	2985
30	500	0.1	Peak	498.8	-44.46	-13	Pass	4700
500	1000	0.1	Peak	836.567	31.87	-13	N/A	5000
1000	10000	1	Peak	7192.756	-22.39	-13	Pass	9000



1.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-57.66	-13	Pass	401
0.15	30	0.01	Peak	0.35	-54.2	-13	Pass	2985
30	500	0.1	Peak	472.594	-43.5	-13	Pass	4700
500	1000	0.1	Peak	848.67	18.64	-13	N/A	5000
1000	10000	1	Peak	6994.732	-22.53	-13	Pass	9000



2. GSM_PCS


2.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-63.8	-13	Pass	401
0.15	30	0.01	Peak	0.24	-60.19	-13	Pass	2985
30	1000	0.1	Peak	712.083	-50.06	-13	Pass	9699
1000	3000	1	Peak	1849.425	26.9	-13	N/A	2000
3000	20000	1	Peak	19737.574	-45.49	-13	Pass	17000




2.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-64.17	-13	Pass	401
0.15	30	0.01	Peak	0.16	-60.09	-13	Pass	2985
30	1000	0.1	Peak	548.963	-49.93	-13	Pass	9699
1000	3000	1	Peak	1880.44	27.58	-13	N/A	2000
3000	20000	1	Peak	19761.613	-45.17	-13	Pass	17000



2.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-64.17	-13	Pass	401
0.15	30	0.01	Peak	0.22	-61.28	-13	Pass	2985
30	1000	0.1	Peak	995.995	-49.84	-13	Pass	9699
1000	3000	1	Peak	1909.455	29.95	-13	N/A	2000
3000	20000	1	Peak	14194.367	-45.09	-13	Pass	17000



3. EGPRS_GSM850


3.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-58.97	-13	Pass	401
0.15	30	0.01	Peak	0.15	-53.94	-13	Pass	2985
30	500	0.1	Peak	357.77	-44.54	-13	Pass	4700
500	1000	0.1	Peak	824.265	23.82	-13	N/A	5000
1000	10000	1	Peak	7205.758	-22.37	-13	Pass	9000




3.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-57.04	-13	Pass	401
0.15	30	0.01	Peak	0.4	-54.76	-13	Pass	2985
30	500	0.1	Peak	471.294	-44.4	-13	Pass	4700
500	1000	0.1	Peak	836.567	25.24	-13	N/A	5000
1000	10000	1	Peak	7072.741	-22.08	-13	Pass	9000



3.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-58.34	-13	Pass	401
0.15	30	0.01	Peak	0.24	-54.16	-13	Pass	2985
30	500	0.1	Peak	482.296	-44.06	-13	Pass	4700
500	1000	0.1	Peak	848.77	27.67	-13	N/A	5000
1000	10000	1	Peak	7473.79	-21.28	-13	Pass	9000



4. EGPRS_PCS


4.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-63.67	-13	Pass	401
0.15	30	0.01	Peak	0.26	-59.66	-13	Pass	2985
30	1000	0.1	Peak	828.597	-50.05	-13	Pass	9699
1000	3000	1	Peak	1851.426	22.24	-13	N/A	2000
3000	20000	1	Peak	19800.676	-44.8	-13	Pass	17000




4.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-62.55	-13	Pass	401
0.15	30	0.01	Peak	0.36	-59.69	-13	Pass	2985
30	1000	0.1	Peak	336.837	-49.74	-13	Pass	9699
1000	3000	1	Peak	1880.44	28.83	-13	N/A	2000
3000	20000	1	Peak	19662.452	-44.83	-13	Pass	17000



4.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-63.39	-13	Pass	401
0.15	30	0.01	Peak	0.39	-61.1	-13	Pass	2985
30	1000	0.1	Peak	815.796	-49.15	-13	Pass	9699
1000	3000	1	Peak	1908.454	16.75	-13	N/A	2000
3000	20000	1	Peak	19394.016	-45.15	-13	Pass	17000



5. WCDMA_Band2


5.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.64	-13	Pass	401
0.15	30	0.01	Peak	0.28	-64.75	-13	Pass	2985
30	1000	0.1	Peak	891.156	-54.2	-13	Pass	9699
1000	3000	1	Peak	1853.427	23.3	-13	N/A	2000
3000	20000	1	Peak	19679.48	-23.11	-13	Pass	17000




5.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.37	-13	Pass	401
0.15	30	0.01	Peak	1.08	-64.8	-13	Pass	2985
30	1000	0.1	Peak	990.387	-53.77	-13	Pass	9699
1000	3000	1	Peak	1881.441	23.31	-13	N/A	2000
3000	20000	1	Peak	19684.488	-24.24	-13	Pass	17000



5.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-67.5	-13	Pass	401
0.15	30	0.01	Peak	0.64	-65.07	-13	Pass	2985
30	1000	0.1	Peak	863.319	-53.91	-13	Pass	9699
1000	3000	1	Peak	1908.454	23.2	-13	N/A	2000
3000	20000	1	Peak	19671.467	-24.13	-13	Pass	17000



6. WCDMA_Band4


6.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-68.29	-13	Pass	401
0.15	30	0.01	Peak	0.15	-65.56	-13	Pass	2985
30	1000	0.1	Peak	835.898	-53.2	-13	Pass	9699
1000	3000	1	Peak	1713.357	23.47	-13	N/A	2000
3000	20000	1	Peak	19731.564	-24.06	-13	Pass	17000




6.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.89	-13	Pass	401
0.15	30	0.01	Peak	0.19	-65.18	-13	Pass	2985
30	1000	0.1	Peak	823.797	-53.63	-13	Pass	9699
1000	3000	1	Peak	1733.367	23.49	-13	N/A	2000
3000	20000	1	Peak	19637.411	-24.34	-13	Pass	17000



6.4. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-68.24	-13	Pass	401
0.15	30	0.01	Peak	0.19	-65.17	-13	Pass	2985
30	1000	0.1	Peak	848	-53.67	-13	Pass	9699
1000	3000	1	Peak	1751.376	23.2	-13	N/A	2000
3000	20000	1	Peak	19680.481	-24.19	-13	Pass	17000



7. WCDMA_Band5


7.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-68.93	-13	Pass	401
0.15	30	0.01	Peak	0.2	-64.44	-13	Pass	2985
30	500	0.1	Peak	441.087	-54.38	-13	Pass	4700
500	1000	0.1	Peak	827.065	18.28	-13	N/A	5000
1000	10000	1	Peak	6833.712	-32.4	-13	Pass	9000




7.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.98	-13	Pass	401
0.15	30	0.01	Peak	0.23	-64.52	-13	Pass	2985
30	500	0.1	Peak	417.783	-53.66	-13	Pass	4700
500	1000	0.1	Peak	836.967	19.28	-13	N/A	5000
1000	10000	1	Peak	7205.758	-32.84	-13	Pass	9000



7.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.52	-13	Pass	401
0.15	30	0.01	Peak	0.31	-64.13	-13	Pass	2985
30	500	0.1	Peak	473.794	-54.23	-13	Pass	4700
500	1000	0.1	Peak	846.269	18.04	-13	N/A	5000
1000	10000	1	Peak	7094.744	-32.24	-13	Pass	9000



8. LTE_Band2


8.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.13	-13	Pass	2985
30	1000	0.1	RMS	843.599	-64.87	-13	Pass	9699
1000	1840	1	RMS	1840	-50.46	-13	Pass	840
1840	1920	1	RMS	1850.2	22.2	60	Pass	401
1920	3000	1	RMS	2950.955	-49.83	-13	Pass	1080
3000	12000	1	RMS	12000	-43.4	-13	Pass	9000
12000	20000	1	RMS	19678.96	-35.12	-13	Pass	8000




**8.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.52	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.32	-13	Pass	2985
30	1000	0.1	RMS	842.599	-64.86	-13	Pass	9699
1000	1840	1	RMS	1840	-50.77	-13	Pass	840
1840	1920	1	RMS	1850.2	21.28	60	Pass	401
1920	3000	1	RMS	2950.955	-49.78	-13	Pass	1080
3000	12000	1	RMS	12000	-43.39	-13	Pass	9000
12000	20000	1	RMS	19678.96	-35.21	-13	Pass	8000




**8.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.42	-13	Pass	401
0.15	30	0.01	RMS	0.19	-73.23	-13	Pass	2985
30	1000	0.1	RMS	848.8	-64.8	-13	Pass	9699
1000	1840	1	RMS	1840	-53.27	-13	Pass	840
1840	1920	1	RMS	1879.4	22.41	60	Pass	401
1920	3000	1	RMS	2949.954	-49.89	-13	Pass	1080
3000	12000	1	RMS	11998.999	-43.36	-13	Pass	9000
12000	20000	1	RMS	19681.96	-35.12	-13	Pass	8000




**8.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.27	-13	Pass	2985
30	1000	0.1	RMS	842.699	-64.89	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.22	-13	Pass	840
1840	1920	1	RMS	1879.4	21.1	60	Pass	401
1920	3000	1	RMS	2948.953	-49.85	-13	Pass	1080
3000	12000	1	RMS	12000	-43.39	-13	Pass	9000
12000	20000	1	RMS	19674.959	-35.19	-13	Pass	8000




8.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.14	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.83	-13	Pass	2985
30	1000	0.1	RMS	829.298	-64.75	-13	Pass	9699
1000	1840	1	RMS	1840	-53.3	-13	Pass	840
1840	1920	1	RMS	1908.8	22.23	60	Pass	401
1920	3000	1	RMS	2944.949	-49.83	-13	Pass	1080
3000	12000	1	RMS	11997.998	-43.37	-13	Pass	9000
12000	20000	1	RMS	19680.96	-35.19	-13	Pass	8000




**8.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.48	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.61	-13	Pass	2985
30	1000	0.1	RMS	832.398	-64.73	-13	Pass	9699
1000	1840	1	RMS	1840	-53.31	-13	Pass	840
1840	1920	1	RMS	1908.8	21.29	60	Pass	401
1920	3000	1	RMS	2948.953	-49.88	-13	Pass	1080
3000	12000	1	RMS	11996.996	-43.4	-13	Pass	9000
12000	20000	1	RMS	19678.96	-35.16	-13	Pass	8000




**8.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.46	-13	Pass	401
0.15	30	0.01	RMS	0.19	-73.04	-13	Pass	2985
30	1000	0.1	RMS	865.922	-64.74	-13	Pass	9699
1000	1840	1	RMS	1838.999	-49.62	-13	Pass	840
1840	1920	1	RMS	1850.2	22.21	60	Pass	401
1920	3000	1	RMS	2945.95	-49.82	-13	Pass	1080
3000	12000	1	RMS	12000	-43.31	-13	Pass	9000
12000	20000	1	RMS	19676.96	-35.1	-13	Pass	8000




**8.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.95	-13	Pass	2985
30	1000	0.1	RMS	827.597	-64.82	-13	Pass	9699
1000	1840	1	RMS	1840	-50.7	-13	Pass	840
1840	1920	1	RMS	1850.2	21.47	60	Pass	401
1920	3000	1	RMS	2947.952	-49.8	-13	Pass	1080
3000	12000	1	RMS	12000	-43.33	-13	Pass	9000
12000	20000	1	RMS	19683.96	-35.14	-13	Pass	8000




**8.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.72	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.3	-13	Pass	2985
30	1000	0.1	RMS	839.499	-64.74	-13	Pass	9699
1000	1840	1	RMS	1840	-53.2	-13	Pass	840
1840	1920	1	RMS	1878.6	22.38	60	Pass	401
1920	3000	1	RMS	2951.956	-49.82	-13	Pass	1080
3000	12000	1	RMS	11997.998	-43.42	-13	Pass	9000
12000	20000	1	RMS	19681.96	-35.12	-13	Pass	8000




**8.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.61	-13	Pass	2985
30	1000	0.1	RMS	837.599	-64.76	-13	Pass	9699
1000	1840	1	RMS	1840	-53.21	-13	Pass	840
1840	1920	1	RMS	1878.6	21.38	60	Pass	401
1920	3000	1	RMS	2944.949	-49.83	-13	Pass	1080
3000	12000	1	RMS	11998.999	-43.4	-13	Pass	9000
12000	20000	1	RMS	19682.96	-35.13	-13	Pass	8000




**8.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.15	-13	Pass	401
0.15	30	0.01	RMS	0.31	-72.45	-13	Pass	2985
30	1000	0.1	RMS	837.499	-64.88	-13	Pass	9699
1000	1840	1	RMS	1840	-53.27	-13	Pass	840
1840	1920	1	RMS	1907.2	22.36	60	Pass	401
1920	3000	1	RMS	2947.952	-49.8	-13	Pass	1080
3000	12000	1	RMS	11996.996	-43.34	-13	Pass	9000
12000	20000	1	RMS	19677.96	-35.07	-13	Pass	8000




**8.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.8	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.35	-13	Pass	2985
30	1000	0.1	RMS	850.301	-64.8	-13	Pass	9699
1000	1840	1	RMS	1840	-53.28	-13	Pass	840
1840	1920	1	RMS	1907.2	21.49	60	Pass	401
1920	3000	1	RMS	2951.956	-49.78	-13	Pass	1080
3000	12000	1	RMS	12000	-43.43	-13	Pass	9000
12000	20000	1	RMS	19676.96	-35.17	-13	Pass	8000




**8.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.6	-13	Pass	2985
30	1000	0.1	RMS	823.397	-64.87	-13	Pass	9699
1000	1840	1	RMS	1840	-50.45	-13	Pass	840
1840	1920	1	RMS	1850.2	22.25	60	Pass	401
1920	3000	1	RMS	2949.954	-49.86	-13	Pass	1080
3000	12000	1	RMS	11996.996	-43.39	-13	Pass	9000
12000	20000	1	RMS	19680.96	-35.16	-13	Pass	8000




**8.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.26	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.6	-13	Pass	2985
30	1000	0.1	RMS	840.999	-64.79	-13	Pass	9699
1000	1840	1	RMS	1840	-50.77	-13	Pass	840
1840	1920	1	RMS	1850.2	21.42	60	Pass	401
1920	3000	1	RMS	2950.955	-49.87	-13	Pass	1080
3000	12000	1	RMS	12000	-43.32	-13	Pass	9000
12000	20000	1	RMS	19675.959	-35.13	-13	Pass	8000




**8.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.43	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.12	-13	Pass	2985
30	1000	0.1	RMS	848.4	-64.95	-13	Pass	9699
1000	1840	1	RMS	1840	-53.16	-13	Pass	840
1840	1920	1	RMS	1877.8	22.22	60	Pass	401
1920	3000	1	RMS	2944.949	-49.8	-13	Pass	1080
3000	12000	1	RMS	11997.998	-43.39	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.07	-13	Pass	8000




**8.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.59	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.35	-13	Pass	2985
30	1000	0.1	RMS	849.2	-64.92	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.27	-13	Pass	840
1840	1920	1	RMS	1877.8	21.49	60	Pass	401
1920	3000	1	RMS	2949.954	-49.82	-13	Pass	1080
3000	12000	1	RMS	11993.993	-43.48	-13	Pass	9000
12000	20000	1	RMS	19683.96	-35.14	-13	Pass	8000




**8.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.94	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.47	-13	Pass	2985
30	1000	0.1	RMS	833.498	-64.88	-13	Pass	9699
1000	1840	1	RMS	1837.998	-53.3	-13	Pass	840
1840	1920	1	RMS	1905.2	22.35	60	Pass	401
1920	3000	1	RMS	2948.953	-49.79	-13	Pass	1080
3000	12000	1	RMS	12000	-43.38	-13	Pass	9000
12000	20000	1	RMS	19680.96	-35.11	-13	Pass	8000




**8.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.11	-13	Pass	2985
30	1000	0.1	RMS	845.8	-64.78	-13	Pass	9699
1000	1840	1	RMS	1840	-53.24	-13	Pass	840
1840	1920	1	RMS	1905.2	21.66	60	Pass	401
1920	3000	1	RMS	2946.951	-49.85	-13	Pass	1080
3000	12000	1	RMS	12000	-43.44	-13	Pass	9000
12000	20000	1	RMS	19681.96	-35.12	-13	Pass	8000




**8.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.64	-13	Pass	401
0.15	30	0.01	RMS	0.23	-72.88	-13	Pass	2985
30	1000	0.1	RMS	830.298	-64.89	-13	Pass	9699
1000	1840	1	RMS	1840	-50.21	-13	Pass	840
1840	1920	1	RMS	1850.4	22.13	60	Pass	401
1920	3000	1	RMS	2944.949	-49.86	-13	Pass	1080
3000	12000	1	RMS	12000	-43.37	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.14	-13	Pass	8000




**8.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.32	-13	Pass	2985
30	1000	0.1	RMS	836.198	-64.98	-13	Pass	9699
1000	1840	1	RMS	1840	-50.71	-13	Pass	840
1840	1920	1	RMS	1850.4	21.27	60	Pass	401
1920	3000	1	RMS	2946.951	-49.84	-13	Pass	1080
3000	12000	1	RMS	11998.999	-43.3	-13	Pass	9000
12000	20000	1	RMS	19681.96	-35.15	-13	Pass	8000




**8.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.79	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.77	-13	Pass	2985
30	1000	0.1	RMS	832.298	-64.87	-13	Pass	9699
1000	1840	1	RMS	1840	-53.17	-13	Pass	840
1840	1920	1	RMS	1875.4	22.3	60	Pass	401
1920	3000	1	RMS	2943.948	-49.83	-13	Pass	1080
3000	12000	1	RMS	11998.999	-43.44	-13	Pass	9000
12000	20000	1	RMS	19676.96	-35.18	-13	Pass	8000




**8.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.63	-13	Pass	2985
30	1000	0.1	RMS	844.599	-64.81	-13	Pass	9699
1000	1840	1	RMS	1840	-53.16	-13	Pass	840
1840	1920	1	RMS	1875.4	21.31	60	Pass	401
1920	3000	1	RMS	2950.955	-49.86	-13	Pass	1080
3000	12000	1	RMS	11994.994	-43.44	-13	Pass	9000
12000	20000	1	RMS	19683.96	-35.07	-13	Pass	8000




**8.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.91	-13	Pass	2985
30	1000	0.1	RMS	836.898	-64.84	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.08	-13	Pass	840
1840	1920	1	RMS	1900.6	22.24	60	Pass	401
1920	3000	1	RMS	2948.953	-49.87	-13	Pass	1080
3000	12000	1	RMS	12000	-43.34	-13	Pass	9000
12000	20000	1	RMS	19680.96	-35.14	-13	Pass	8000




**8.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.8	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.51	-13	Pass	2985
30	1000	0.1	RMS	830.998	-64.75	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.17	-13	Pass	840
1840	1920	1	RMS	1900.4	21.5	60	Pass	401
1920	3000	1	RMS	2949.954	-49.82	-13	Pass	1080
3000	12000	1	RMS	11994.994	-43.35	-13	Pass	9000
12000	20000	1	RMS	19678.96	-35.12	-13	Pass	8000




**8.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.9	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.38	-13	Pass	2985
30	1000	0.1	RMS	852.004	-64.65	-13	Pass	9699
1000	1840	1	RMS	1837.998	-36.86	-13	Pass	840
1840	1920	1	RMS	1850.8	22.23	60	Pass	401
1920	3000	1	RMS	2946.951	-49.83	-13	Pass	1080
3000	12000	1	RMS	11998.999	-43.37	-13	Pass	9000
12000	20000	1	RMS	19680.96	-35.14	-13	Pass	8000




**8.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.67	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.77	-13	Pass	2985
30	1000	0.1	RMS	834.098	-64.9	-13	Pass	9699
1000	1840	1	RMS	1837.998	-37.71	-13	Pass	840
1840	1920	1	RMS	1850.8	21.57	60	Pass	401
1920	3000	1	RMS	2945.95	-49.88	-13	Pass	1080
3000	12000	1	RMS	11998.999	-43.41	-13	Pass	9000
12000	20000	1	RMS	19677.96	-35.12	-13	Pass	8000




**8.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.68	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.63	-13	Pass	2985
30	1000	0.1	RMS	851.603	-64.92	-13	Pass	9699
1000	1840	1	RMS	1840	-53.1	-13	Pass	840
1840	1920	1	RMS	1873.2	22.48	60	Pass	401
1920	3000	1	RMS	2948.953	-49.82	-13	Pass	1080
3000	12000	1	RMS	11995.995	-43.43	-13	Pass	9000
12000	20000	1	RMS	19677.96	-35.21	-13	Pass	8000




**8.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.76	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.23	-13	Pass	2985
30	1000	0.1	RMS	838.599	-64.94	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.19	-13	Pass	840
1840	1920	1	RMS	1873.2	21.5	60	Pass	401
1920	3000	1	RMS	2948.953	-49.8	-13	Pass	1080
3000	12000	1	RMS	12000	-43.38	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.1	-13	Pass	8000




**8.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.85	-13	Pass	2985
30	1000	0.1	RMS	840.699	-64.82	-13	Pass	9699
1000	1840	1	RMS	1840	-53.26	-13	Pass	840
1840	1920	1	RMS	1895.8	22.34	60	Pass	401
1920	3000	1	RMS	2951.956	-49.84	-13	Pass	1080
3000	12000	1	RMS	11998.999	-43.36	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.1	-13	Pass	8000




**8.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.62	-13	Pass	401
0.15	30	0.01	RMS	0.16	-73.05	-13	Pass	2985
30	1000	0.1	RMS	825.697	-64.83	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.24	-13	Pass	840
1840	1920	1	RMS	1895.8	21.62	60	Pass	401
1920	3000	1	RMS	2944.949	-49.83	-13	Pass	1080
3000	12000	1	RMS	12000	-43.42	-13	Pass	9000
12000	20000	1	RMS	19671.959	-35.19	-13	Pass	8000




**8.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31,
Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-73.27	-13	Pass	2985
30	1000	0.1	RMS	843.599	-64.78	-13	Pass	9699
1000	1840	1	RMS	1840	-49.22	-13	Pass	840
1840	1920	1	RMS	1851	22.33	60	Pass	401
1920	3000	1	RMS	2953.957	-49.83	-13	Pass	1080
3000	12000	1	RMS	11997.998	-43.43	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.17	-13	Pass	8000




**8.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.6	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.2	-13	Pass	2985
30	1000	0.1	RMS	866.323	-64.86	-13	Pass	9699
1000	1840	1	RMS	1840	-48.84	-13	Pass	840
1840	1920	1	RMS	1851	21.7	60	Pass	401
1920	3000	1	RMS	2950.955	-49.84	-13	Pass	1080
3000	12000	1	RMS	12000	-43.35	-13	Pass	9000
12000	20000	1	RMS	19684.961	-35.12	-13	Pass	8000




**8.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,
Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.21	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.66	-13	Pass	2985
30	1000	0.1	RMS	857.11	-64.8	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.06	-13	Pass	840
1840	1920	1	RMS	1871	22.47	60	Pass	401
1920	3000	1	RMS	2945.95	-49.84	-13	Pass	1080
3000	12000	1	RMS	11997.998	-43.41	-13	Pass	9000
12000	20000	1	RMS	19675.959	-35.15	-13	Pass	8000




**8.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.56	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.61	-13	Pass	2985
30	1000	0.1	RMS	837.599	-64.81	-13	Pass	9699
1000	1840	1	RMS	1840	-53.09	-13	Pass	840
1840	1920	1	RMS	1871	21.62	60	Pass	401
1920	3000	1	RMS	2948.953	-49.82	-13	Pass	1080
3000	12000	1	RMS	11998.999	-43.38	-13	Pass	9000
12000	20000	1	RMS	19677.96	-35.1	-13	Pass	8000




**8.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.09	-13	Pass	2985
30	1000	0.1	RMS	857.411	-64.92	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.19	-13	Pass	840
1840	1920	1	RMS	1891	22.35	60	Pass	401
1920	3000	1	RMS	2948.953	-49.81	-13	Pass	1080
3000	12000	1	RMS	11997.998	-43.35	-13	Pass	9000
12000	20000	1	RMS	19678.96	-35.12	-13	Pass	8000



**8.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.96	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.78	-13	Pass	2985
30	1000	0.1	RMS	826.697	-64.86	-13	Pass	9699
1000	1840	1	RMS	1836.996	-53.22	-13	Pass	840
1840	1920	1	RMS	1891	21.73	60	Pass	401
1920	3000	1	RMS	2949.954	-49.73	-13	Pass	1080
3000	12000	1	RMS	11998.999	-43.4	-13	Pass	9000
12000	20000	1	RMS	19683.96	-35.15	-13	Pass	8000



9. LTE_Band4


9.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.99	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.11	-13	Pass	2985
30	1000	0.1	RMS	843.799	-64.71	-13	Pass	9699
1000	1700	1	RMS	1698.999	-50.44	-13	Pass	700
1700	1765	1	RMS	1710.238	22.86	60	Pass	401
1765	3000	1	RMS	2948.959	-49.93	-13	Pass	1235
3000	12000	1	RMS	12000	-43.46	-13	Pass	9000
12000	20000	1	RMS	19682.96	-35.21	-13	Pass	8000




**9.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.39	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.27	-13	Pass	2985
30	1000	0.1	RMS	841.099	-64.83	-13	Pass	9699
1000	1700	1	RMS	1700	-50.96	-13	Pass	700
1700	1765	1	RMS	1710.238	21.97	60	Pass	401
1765	3000	1	RMS	2949.959	-49.89	-13	Pass	1235
3000	12000	1	RMS	11997.998	-43.36	-13	Pass	9000
12000	20000	1	RMS	19683.96	-35.2	-13	Pass	8000




**9.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.53	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.88	-13	Pass	2985
30	1000	0.1	RMS	855.709	-64.84	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.57	-13	Pass	700
1700	1765	1	RMS	1732.013	22.8	60	Pass	401
1765	3000	1	RMS	2948.959	-49.89	-13	Pass	1235
3000	12000	1	RMS	11995.995	-43.43	-13	Pass	9000
12000	20000	1	RMS	19681.96	-35.19	-13	Pass	8000




**9.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.03	-13	Pass	2985
30	1000	0.1	RMS	858.612	-64.86	-13	Pass	9699
1000	1700	1	RMS	1700	-53.64	-13	Pass	700
1700	1765	1	RMS	1731.85	21.8	60	Pass	401
1765	3000	1	RMS	2946.957	-49.89	-13	Pass	1235
3000	12000	1	RMS	11995.995	-43.47	-13	Pass	9000
12000	20000	1	RMS	19677.96	-35.15	-13	Pass	8000




9.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.73	-13	Pass	2985
30	1000	0.1	RMS	846.8	-64.97	-13	Pass	9699
1000	1700	1	RMS	1700	-53.67	-13	Pass	700
1700	1765	1	RMS	1753.788	22.81	60	Pass	401
1765	3000	1	RMS	2943.955	-49.89	-13	Pass	1235
3000	12000	1	RMS	11998.999	-43.42	-13	Pass	9000
12000	20000	1	RMS	19677.96	-35.14	-13	Pass	8000




**9.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.66	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.31	-13	Pass	2985
30	1000	0.1	RMS	856.109	-64.91	-13	Pass	9699
1000	1700	1	RMS	1692.99	-53.72	-13	Pass	700
1700	1765	1	RMS	1753.788	22.03	60	Pass	401
1765	3000	1	RMS	2952.962	-49.89	-13	Pass	1235
3000	12000	1	RMS	12000	-43.34	-13	Pass	9000
12000	20000	1	RMS	19684.961	-35.18	-13	Pass	8000




**9.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.31	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.35	-13	Pass	2985
30	1000	0.1	RMS	838.099	-64.91	-13	Pass	9699
1000	1700	1	RMS	1700	-50.07	-13	Pass	700
1700	1765	1	RMS	1710.075	22.98	60	Pass	401
1765	3000	1	RMS	2956.965	-49.9	-13	Pass	1235
3000	12000	1	RMS	11997.998	-43.42	-13	Pass	9000
12000	20000	1	RMS	19677.96	-35.1	-13	Pass	8000




**9.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.49	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.06	-13	Pass	2985
30	1000	0.1	RMS	848.2	-64.73	-13	Pass	9699
1000	1700	1	RMS	1697.997	-50.8	-13	Pass	700
1700	1765	1	RMS	1710.238	22.09	60	Pass	401
1765	3000	1	RMS	2949.959	-49.85	-13	Pass	1235
3000	12000	1	RMS	11996.996	-43.53	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.09	-13	Pass	8000




**9.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.42	-13	Pass	2985
30	1000	0.1	RMS	844.799	-64.74	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.55	-13	Pass	700
1700	1765	1	RMS	1731.2	22.85	60	Pass	401
1765	3000	1	RMS	2944.955	-49.87	-13	Pass	1235
3000	12000	1	RMS	11998.999	-43.48	-13	Pass	9000
12000	20000	1	RMS	19681.96	-35.23	-13	Pass	8000




**9.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.25	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.34	-13	Pass	2985
30	1000	0.1	RMS	828.297	-64.88	-13	Pass	9699
1000	1700	1	RMS	1700	-53.6	-13	Pass	700
1700	1765	1	RMS	1731.2	21.97	60	Pass	401
1765	3000	1	RMS	2948.959	-49.87	-13	Pass	1235
3000	12000	1	RMS	11996.996	-43.56	-13	Pass	9000
12000	20000	1	RMS	19678.96	-35.13	-13	Pass	8000




**9.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.82	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.44	-13	Pass	2985
30	1000	0.1	RMS	838.999	-64.77	-13	Pass	9699
1000	1700	1	RMS	1694.993	-53.65	-13	Pass	700
1700	1765	1	RMS	1752.163	22.88	60	Pass	401
1765	3000	1	RMS	2949.959	-49.83	-13	Pass	1235
3000	12000	1	RMS	11997.998	-43.45	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.14	-13	Pass	8000




**9.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.89	-13	Pass	2985
30	1000	0.1	RMS	838.899	-65	-13	Pass	9699
1000	1700	1	RMS	1700	-53.69	-13	Pass	700
1700	1765	1	RMS	1752.163	21.84	60	Pass	401
1765	3000	1	RMS	2945.956	-49.95	-13	Pass	1235
3000	12000	1	RMS	11997.998	-43.42	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.15	-13	Pass	8000




**9.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.66	-13	Pass	2985
30	1000	0.1	RMS	844.799	-64.76	-13	Pass	9699
1000	1700	1	RMS	1700	-50.4	-13	Pass	700
1700	1765	1	RMS	1710.238	22.91	60	Pass	401
1765	3000	1	RMS	2950.96	-49.85	-13	Pass	1235
3000	12000	1	RMS	11997.998	-43.43	-13	Pass	9000
12000	20000	1	RMS	19680.96	-35.18	-13	Pass	8000




**9.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.24	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.61	-13	Pass	2985
30	1000	0.1	RMS	858.012	-64.93	-13	Pass	9699
1000	1700	1	RMS	1700	-50.31	-13	Pass	700
1700	1765	1	RMS	1710.238	22.08	60	Pass	401
1765	3000	1	RMS	2947.958	-49.88	-13	Pass	1235
3000	12000	1	RMS	11998.999	-43.42	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.07	-13	Pass	8000




**9.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.09	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.49	-13	Pass	2985
30	1000	0.1	RMS	832.498	-64.95	-13	Pass	9699
1000	1700	1	RMS	1700	-53.56	-13	Pass	700
1700	1765	1	RMS	1730.225	22.87	60	Pass	401
1765	3000	1	RMS	2952.962	-49.88	-13	Pass	1235
3000	12000	1	RMS	11998.999	-43.44	-13	Pass	9000
12000	20000	1	RMS	19681.96	-35.13	-13	Pass	8000




**9.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.04	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.44	-13	Pass	2985
30	1000	0.1	RMS	837.199	-64.88	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.63	-13	Pass	700
1700	1765	1	RMS	1730.225	21.97	60	Pass	401
1765	3000	1	RMS	2952.962	-49.93	-13	Pass	1235
3000	12000	1	RMS	12000	-43.38	-13	Pass	9000
12000	20000	1	RMS	19683.96	-35.17	-13	Pass	8000




**9.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.56	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.02	-13	Pass	2985
30	1000	0.1	RMS	863.018	-64.97	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.65	-13	Pass	700
1700	1765	1	RMS	1750.213	22.78	60	Pass	401
1765	3000	1	RMS	2956.965	-49.88	-13	Pass	1235
3000	12000	1	RMS	11997.998	-43.4	-13	Pass	9000
12000	20000	1	RMS	19680.96	-35.2	-13	Pass	8000




**9.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.33	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.84	-13	Pass	2985
30	1000	0.1	RMS	868.626	-65.02	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.74	-13	Pass	700
1700	1765	1	RMS	1750.213	22.21	60	Pass	401
1765	3000	1	RMS	2949.959	-49.87	-13	Pass	1235
3000	12000	1	RMS	11997.998	-43.49	-13	Pass	9000
12000	20000	1	RMS	19675.959	-35.11	-13	Pass	8000




**9.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-74.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.82	-13	Pass	2985
30	1000	0.1	RMS	839.399	-64.97	-13	Pass	9699
1000	1700	1	RMS	1700	-50.06	-13	Pass	700
1700	1765	1	RMS	1710.563	23	60	Pass	401
1765	3000	1	RMS	2948.959	-49.89	-13	Pass	1235
3000	12000	1	RMS	11996.996	-43.47	-13	Pass	9000
12000	20000	1	RMS	19680.96	-35.15	-13	Pass	8000




**9.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.66	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.27	-13	Pass	2985
30	1000	0.1	RMS	855.809	-64.77	-13	Pass	9699
1000	1700	1	RMS	1700	-50.59	-13	Pass	700
1700	1765	1	RMS	1710.4	22.16	60	Pass	401
1765	3000	1	RMS	2948.959	-49.89	-13	Pass	1235
3000	12000	1	RMS	11996.996	-43.42	-13	Pass	9000
12000	20000	1	RMS	19678.96	-35.08	-13	Pass	8000




**9.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.15	-13	Pass	2985
30	1000	0.1	RMS	832.498	-64.97	-13	Pass	9699
1000	1700	1	RMS	1700	-53.37	-13	Pass	700
1700	1765	1	RMS	1727.95	22.91	60	Pass	401
1765	3000	1	RMS	2944.955	-49.87	-13	Pass	1235
3000	12000	1	RMS	11998.999	-43.44	-13	Pass	9000
12000	20000	1	RMS	19682.96	-35.16	-13	Pass	8000




**9.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.79	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.66	-13	Pass	2985
30	1000	0.1	RMS	839.399	-64.91	-13	Pass	9699
1000	1700	1	RMS	1695.994	-53.54	-13	Pass	700
1700	1765	1	RMS	1727.95	22	60	Pass	401
1765	3000	1	RMS	2948.959	-49.84	-13	Pass	1235
3000	12000	1	RMS	11998.999	-43.46	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.11	-13	Pass	8000




**9.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.23	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.74	-13	Pass	2985
30	1000	0.1	RMS	854.107	-64.79	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.57	-13	Pass	700
1700	1765	1	RMS	1745.5	22.93	60	Pass	401
1765	3000	1	RMS	2948.959	-49.91	-13	Pass	1235
3000	12000	1	RMS	11996.996	-43.48	-13	Pass	9000
12000	20000	1	RMS	19682.96	-35.19	-13	Pass	8000




**9.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.16	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.3	-13	Pass	2985
30	1000	0.1	RMS	851.803	-64.85	-13	Pass	9699
1000	1700	1	RMS	1693.991	-53.61	-13	Pass	700
1700	1765	1	RMS	1745.5	22.02	60	Pass	401
1765	3000	1	RMS	2950.96	-49.85	-13	Pass	1235
3000	12000	1	RMS	11997.998	-43.42	-13	Pass	9000
12000	20000	1	RMS	19683.96	-35.18	-13	Pass	8000




9.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.17	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.96	-13	Pass	2985
30	1000	0.1	RMS	825.797	-64.73	-13	Pass	9699
1000	1700	1	RMS	1697.997	-32.41	-13	Pass	700
1700	1765	1	RMS	1710.725	22.98	60	Pass	401
1765	3000	1	RMS	2949.959	-49.9	-13	Pass	1235
3000	12000	1	RMS	11998.999	-43.47	-13	Pass	9000
12000	20000	1	RMS	19678.96	-35.21	-13	Pass	8000




**9.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.71	-13	Pass	401
0.15	30	0.01	RMS	0.24	-72	-13	Pass	2985
30	1000	0.1	RMS	837.399	-64.81	-13	Pass	9699
1000	1700	1	RMS	1697.997	-33.31	-13	Pass	700
1700	1765	1	RMS	1710.725	22.21	60	Pass	401
1765	3000	1	RMS	2944.955	-49.9	-13	Pass	1235
3000	12000	1	RMS	12000	-43.47	-13	Pass	9000
12000	20000	1	RMS	19684.961	-35.15	-13	Pass	8000




**9.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.73	-13	Pass	2985
30	1000	0.1	RMS	845.6	-64.81	-13	Pass	9699
1000	1700	1	RMS	1698.999	-51.32	-13	Pass	700
1700	1765	1	RMS	1725.838	22.92	60	Pass	401
1765	3000	1	RMS	2948.959	-49.86	-13	Pass	1235
3000	12000	1	RMS	11996.996	-43.49	-13	Pass	9000
12000	20000	1	RMS	19681.96	-35.24	-13	Pass	8000




**9.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.08	-13	Pass	2985
30	1000	0.1	RMS	823.497	-64.81	-13	Pass	9699
1000	1700	1	RMS	1698.999	-51.74	-13	Pass	700
1700	1765	1	RMS	1725.675	22.16	60	Pass	401
1765	3000	1	RMS	2950.96	-49.88	-13	Pass	1235
3000	12000	1	RMS	11997.998	-43.39	-13	Pass	9000
12000	20000	1	RMS	19682.96	-35.23	-13	Pass	8000




**9.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.33	-13	Pass	2985
30	1000	0.1	RMS	854.807	-64.88	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.45	-13	Pass	700
1700	1765	1	RMS	1740.788	22.9	60	Pass	401
1765	3000	1	RMS	1767.002	-47.94	-13	Pass	1235
3000	12000	1	RMS	11997.998	-43.43	-13	Pass	9000
12000	20000	1	RMS	19680.96	-35.15	-13	Pass	8000




**9.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.98	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.8	-13	Pass	2985
30	1000	0.1	RMS	837.399	-64.8	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.53	-13	Pass	700
1700	1765	1	RMS	1740.788	22.2	60	Pass	401
1765	3000	1	RMS	1767.002	-48.07	-13	Pass	1235
3000	12000	1	RMS	12000	-43.47	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.18	-13	Pass	8000




9.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.75	-13	Pass	2985
30	1000	0.1	RMS	853.706	-64.78	-13	Pass	9699
1000	1700	1	RMS	1692.99	-31.65	-13	Pass	700
1700	1765	1	RMS	1711.05	22.98	60	Pass	401
1765	3000	1	RMS	2948.959	-49.88	-13	Pass	1235
3000	12000	1	RMS	12000	-43.42	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.09	-13	Pass	8000




**9.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.24	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.69	-13	Pass	2985
30	1000	0.1	RMS	861.316	-64.88	-13	Pass	9699
1000	1700	1	RMS	1692.99	-32.65	-13	Pass	700
1700	1765	1	RMS	1711.05	22.24	60	Pass	401
1765	3000	1	RMS	2946.957	-49.91	-13	Pass	1235
3000	12000	1	RMS	12000	-43.42	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.1	-13	Pass	8000




**9.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,
Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.99	-13	Pass	2985
30	1000	0.1	RMS	836.498	-64.82	-13	Pass	9699
1000	1700	1	RMS	1687.983	-53.09	-13	Pass	700
1700	1765	1	RMS	1723.563	22.97	60	Pass	401
1765	3000	1	RMS	2949.959	-49.79	-13	Pass	1235
3000	12000	1	RMS	11996.996	-43.43	-13	Pass	9000
12000	20000	1	RMS	19678.96	-35.17	-13	Pass	8000




**9.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.15	-13	Pass	2985
30	1000	0.1	RMS	836.798	-64.93	-13	Pass	9699
1000	1700	1	RMS	1687.983	-53.19	-13	Pass	700
1700	1765	1	RMS	1723.563	22.12	60	Pass	401
1765	3000	1	RMS	2948.959	-49.89	-13	Pass	1235
3000	12000	1	RMS	11994.994	-43.43	-13	Pass	9000
12000	20000	1	RMS	19677.96	-35.19	-13	Pass	8000




**9.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.81	-13	Pass	2985
30	1000	0.1	RMS	833.098	-64.98	-13	Pass	9699
1000	1700	1	RMS	1700	-52.59	-13	Pass	700
1700	1765	1	RMS	1736.075	22.85	60	Pass	401
1765	3000	1	RMS	1772.006	-47.76	-13	Pass	1235
3000	12000	1	RMS	11994.994	-43.39	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.15	-13	Pass	8000



**9.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.57	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.07	-13	Pass	2985
30	1000	0.1	RMS	846.7	-64.86	-13	Pass	9699
1000	1700	1	RMS	1700	-52.55	-13	Pass	700
1700	1765	1	RMS	1736.075	22.09	60	Pass	401
1765	3000	1	RMS	1772.006	-48.55	-13	Pass	1235
3000	12000	1	RMS	11998.999	-43.38	-13	Pass	9000
12000	20000	1	RMS	19688.961	-35.2	-13	Pass	8000



10. LTE_Band5


10.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.43	-13	Pass	2985
30	814	0.1	RMS	813.1	-61.31	-13	Pass	7840
814	860	0.1	RMS	824.222	20.07	60	Pass	460
860	1000	0.1	RMS	933.452	-64.99	-13	Pass	1400
1000	3000	1	RMS	1648.324	-49	-13	Pass	2000
3000	10000	1	RMS	6958.566	-44.09	-13	Pass	7000




**10.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-75.22	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.19	-13	Pass	2985
30	814	0.1	RMS	813.5	-62.97	-13	Pass	7840
814	860	0.1	RMS	824.222	20.01	60	Pass	460
860	1000	0.1	RMS	862.502	-64.94	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.91	-13	Pass	2000
3000	10000	1	RMS	7210.602	-44.1	-13	Pass	7000




10.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.73	-13	Pass	2985
30	814	0.1	RMS	808.799	-64.95	-13	Pass	7840
814	860	0.1	RMS	836.048	20.41	60	Pass	460
860	1000	0.1	RMS	865.104	-64.92	-13	Pass	1400
1000	3000	1	RMS	1671.336	-48.7	-13	Pass	2000
3000	10000	1	RMS	6964.566	-44.1	-13	Pass	7000




**10.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.56	-13	Pass	2985
30	814	0.1	RMS	808.499	-64.96	-13	Pass	7840
814	860	0.1	RMS	836.048	19.86	60	Pass	460
860	1000	0.1	RMS	867.305	-64.79	-13	Pass	1400
1000	3000	1	RMS	1671.336	-49.2	-13	Pass	2000
3000	10000	1	RMS	6964.566	-44.07	-13	Pass	7000




**10.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.77	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.35	-13	Pass	2985
30	814	0.1	RMS	813.4	-64.95	-13	Pass	7840
814	860	0.1	RMS	847.874	19.9	60	Pass	460
860	1000	0.1	RMS	860.5	-65	-13	Pass	1400
1000	3000	1	RMS	1695.348	-48.06	-13	Pass	2000
3000	10000	1	RMS	6959.566	-44.07	-13	Pass	7000




**10.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.22	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.24	-13	Pass	2985
30	814	0.1	RMS	812.4	-64.85	-13	Pass	7840
814	860	0.1	RMS	847.874	19.55	60	Pass	460
860	1000	0.1	RMS	861.701	-64.83	-13	Pass	1400
1000	3000	1	RMS	1695.348	-48.08	-13	Pass	2000
3000	10000	1	RMS	6961.566	-44.04	-13	Pass	7000




**10.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.54	-13	Pass	401
0.15	30	0.01	RMS	0.28	-72.5	-13	Pass	2985
30	814	0.1	RMS	813.5	-63.11	-13	Pass	7840
814	860	0.1	RMS	824.222	20.19	60	Pass	460
860	1000	0.1	RMS	868.506	-65.01	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.83	-13	Pass	2000
3000	10000	1	RMS	6966.567	-44.05	-13	Pass	7000




**10.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.97	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.9	-13	Pass	2985
30	814	0.1	RMS	813.6	-62.96	-13	Pass	7840
814	860	0.1	RMS	824.222	19.93	60	Pass	460
860	1000	0.1	RMS	957.069	-65.01	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.88	-13	Pass	2000
3000	10000	1	RMS	6958.566	-44.07	-13	Pass	7000




**10.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-73.18	-13	Pass	2985
30	814	0.1	RMS	811.8	-64.88	-13	Pass	7840
814	860	0.1	RMS	835.246	20.47	60	Pass	460
860	1000	0.1	RMS	863.603	-64.98	-13	Pass	1400
1000	3000	1	RMS	1670.335	-48.91	-13	Pass	2000
3000	10000	1	RMS	6968.567	-44.06	-13	Pass	7000




**10.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.04	-13	Pass	2985
30	814	0.1	RMS	811.4	-64.97	-13	Pass	7840
814	860	0.1	RMS	835.246	19.88	60	Pass	460
860	1000	0.1	RMS	994.596	-65.03	-13	Pass	1400
1000	3000	1	RMS	1670.335	-48.94	-13	Pass	2000
3000	10000	1	RMS	7203.601	-44.06	-13	Pass	7000




**10.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.48	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.9	-13	Pass	2985
30	814	0.1	RMS	811.6	-65.05	-13	Pass	7840
814	860	0.1	RMS	846.27	19.92	60	Pass	460
860	1000	0.1	RMS	865.704	-65.01	-13	Pass	1400
1000	3000	1	RMS	1692.346	-48.57	-13	Pass	2000
3000	10000	1	RMS	7210.602	-44.08	-13	Pass	7000




**10.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.62	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.55	-13	Pass	2985
30	814	0.1	RMS	812	-64.95	-13	Pass	7840
814	860	0.1	RMS	846.27	19.79	60	Pass	460
860	1000	0.1	RMS	868.306	-65.1	-13	Pass	1400
1000	3000	1	RMS	1692.346	-48.41	-13	Pass	2000
3000	10000	1	RMS	6957.565	-44.11	-13	Pass	7000




**10.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.31	-13	Pass	2985
30	814	0.1	RMS	813.6	-62.66	-13	Pass	7840
814	860	0.1	RMS	824.322	20.03	60	Pass	460
860	1000	0.1	RMS	876.412	-65.01	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.21	-13	Pass	2000
3000	10000	1	RMS	6962.566	-44.12	-13	Pass	7000




**10.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.33	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.54	-13	Pass	2985
30	814	0.1	RMS	813.6	-62.7	-13	Pass	7840
814	860	0.1	RMS	824.322	20.05	60	Pass	460
860	1000	0.1	RMS	865.104	-65.03	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.18	-13	Pass	2000
3000	10000	1	RMS	6964.566	-44.12	-13	Pass	7000




**10.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.57	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.67	-13	Pass	2985
30	814	0.1	RMS	812.4	-64.93	-13	Pass	7840
814	860	0.1	RMS	834.344	20.01	60	Pass	460
860	1000	0.1	RMS	860.5	-65.01	-13	Pass	1400
1000	3000	1	RMS	1668.334	-48.33	-13	Pass	2000
3000	10000	1	RMS	6959.566	-44.11	-13	Pass	7000




**10.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.55	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.73	-13	Pass	2985
30	814	0.1	RMS	813.2	-64.94	-13	Pass	7840
814	860	0.1	RMS	834.344	19.94	60	Pass	460
860	1000	0.1	RMS	864.003	-65.09	-13	Pass	1400
1000	3000	1	RMS	1668.334	-48.35	-13	Pass	2000
3000	10000	1	RMS	6960.566	-44.17	-13	Pass	7000




**10.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.1	-13	Pass	2985
30	814	0.1	RMS	813.7	-65.06	-13	Pass	7840
814	860	0.1	RMS	844.366	20.02	60	Pass	460
860	1000	0.1	RMS	899.228	-65.06	-13	Pass	1400
1000	3000	1	RMS	1688.344	-48.03	-13	Pass	2000
3000	10000	1	RMS	6962.566	-44.13	-13	Pass	7000




**10.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.21	-13	Pass	401
0.15	30	0.01	RMS	0.16	-73.14	-13	Pass	2985
30	814	0.1	RMS	811.6	-64.92	-13	Pass	7840
814	860	0.1	RMS	844.366	19.42	60	Pass	460
860	1000	0.1	RMS	872.709	-65.04	-13	Pass	1400
1000	3000	1	RMS	1688.344	-47.82	-13	Pass	2000
3000	10000	1	RMS	6968.567	-44.07	-13	Pass	7000




**10.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.22	-13	Pass	2985
30	814	0.1	RMS	813.9	-62.44	-13	Pass	7840
814	860	0.1	RMS	824.623	19.81	60	Pass	460
860	1000	0.1	RMS	863.603	-65.07	-13	Pass	1400
1000	3000	1	RMS	1648.324	-49.15	-13	Pass	2000
3000	10000	1	RMS	6963.566	-44.09	-13	Pass	7000




**10.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.87	-13	Pass	2985
30	814	0.1	RMS	813.9	-62.39	-13	Pass	7840
814	860	0.1	RMS	824.623	19.6	60	Pass	460
860	1000	0.1	RMS	875.211	-64.91	-13	Pass	1400
1000	3000	1	RMS	1648.324	-49.13	-13	Pass	2000
3000	10000	1	RMS	6966.567	-44.08	-13	Pass	7000




10.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.04	-13	Pass	2985
30	814	0.1	RMS	813.3	-64.98	-13	Pass	7840
814	860	0.1	RMS	832.039	19.5	60	Pass	460
860	1000	0.1	RMS	861.701	-65.1	-13	Pass	1400
1000	3000	1	RMS	1663.332	-48.93	-13	Pass	2000
3000	10000	1	RMS	6962.566	-44.13	-13	Pass	7000




**10.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.09	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.4	-13	Pass	2985
30	814	0.1	RMS	813.9	-64.81	-13	Pass	7840
814	860	0.1	RMS	832.139	19.38	60	Pass	460
860	1000	0.1	RMS	861.101	-64.91	-13	Pass	1400
1000	3000	1	RMS	1663.332	-48.71	-13	Pass	2000
3000	10000	1	RMS	6956.565	-44.15	-13	Pass	7000




10.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.86	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.85	-13	Pass	2985
30	814	0.1	RMS	812.6	-64.95	-13	Pass	7840
814	860	0.1	RMS	839.556	19.89	60	Pass	460
860	1000	0.1	RMS	861.501	-65.04	-13	Pass	1400
1000	3000	1	RMS	1678.339	-48.59	-13	Pass	2000
3000	10000	1	RMS	6960.566	-44.13	-13	Pass	7000



**10.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.43	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.65	-13	Pass	2985
30	814	0.1	RMS	813	-65.01	-13	Pass	7840
814	860	0.1	RMS	839.556	19.63	60	Pass	460
860	1000	0.1	RMS	860.801	-65.11	-13	Pass	1400
1000	3000	1	RMS	1678.339	-48.92	-13	Pass	2000
3000	10000	1	RMS	6963.566	-44.09	-13	Pass	7000



11. LTE_Band7


11.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.03	-25	Pass	401
0.15	30	0.01	RMS	0.16	-73.03	-25	Pass	2985
30	1000	0.1	RMS	844.299	-64.88	-25	Pass	9699
1000	2480	1	RMS	2474.997	-51.93	-25	Pass	1480
2480	2590	1	RMS	2500.075	22.31	60	Pass	401
2590	3000	1	RMS	2944.866	-49.92	-25	Pass	410
3000	12000	1	RMS	11818.776	-53.98	-25	Pass	9000
12000	26000	1	RMS	26000	-39.47	-25	Pass	14000




**11.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.87	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.24	-25	Pass	2985
30	1000	0.1	RMS	847.7	-64.85	-25	Pass	9699
1000	2480	1	RMS	2480	-51.75	-25	Pass	1480
2480	2590	1	RMS	2500.075	21.52	60	Pass	401
2590	3000	1	RMS	2947.873	-49.89	-25	Pass	410
3000	12000	1	RMS	11794.746	-53.93	-25	Pass	9000
12000	26000	1	RMS	26000	-39.49	-25	Pass	14000




**11.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.06	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.87	-25	Pass	2985
30	1000	0.1	RMS	572.166	-64.35	-25	Pass	9699
1000	2480	1	RMS	2477.999	-51.92	-25	Pass	1480
2480	2590	1	RMS	2532.8	22.32	60	Pass	401
2590	3000	1	RMS	2945.868	-49.93	-25	Pass	410
3000	12000	1	RMS	8250.641	-53.92	-25	Pass	9000
12000	26000	1	RMS	26000	-39.44	-25	Pass	14000




**11.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.25	-25	Pass	401
0.15	30	0.01	RMS	0.27	-72.94	-25	Pass	2985
30	1000	0.1	RMS	572.166	-64.5	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51.84	-25	Pass	1480
2480	2590	1	RMS	2532.8	21.65	60	Pass	401
2590	3000	1	RMS	2948.875	-49.87	-25	Pass	410
3000	12000	1	RMS	11820.778	-53.9	-25	Pass	9000
12000	26000	1	RMS	25992.999	-39.44	-25	Pass	14000




**11.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.35	-25	Pass	401
0.15	30	0.01	RMS	0.2	-72.3	-25	Pass	2985
30	1000	0.1	RMS	604.67	-62.29	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51.88	-25	Pass	1480
2480	2590	1	RMS	2565.25	22.35	60	Pass	401
2590	3000	1	RMS	2948.875	-49.95	-25	Pass	410
3000	12000	1	RMS	11797.75	-53.91	-25	Pass	9000
12000	26000	1	RMS	25989.998	-39.43	-25	Pass	14000




**11.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.75	-25	Pass	401
0.15	30	0.01	RMS	0.23	-72.49	-25	Pass	2985
30	1000	0.1	RMS	604.67	-62.97	-25	Pass	9699
1000	2480	1	RMS	2474.997	-51.88	-25	Pass	1480
2480	2590	1	RMS	2565.25	21.93	60	Pass	401
2590	3000	1	RMS	2947.873	-49.94	-25	Pass	410
3000	12000	1	RMS	11191	-53.96	-25	Pass	9000
12000	26000	1	RMS	25986.998	-39.52	-25	Pass	14000




**11.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.19	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.81	-25	Pass	2985
30	1000	0.1	RMS	836.298	-64.99	-25	Pass	9699
1000	2480	1	RMS	2480	-51.8	-25	Pass	1480
2480	2590	1	RMS	2500.35	22.43	60	Pass	401
2590	3000	1	RMS	2949.878	-49.91	-25	Pass	410
3000	12000	1	RMS	11803.757	-53.94	-25	Pass	9000
12000	26000	1	RMS	25999	-39.4	-25	Pass	14000




**11.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.16	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.82	-25	Pass	2985
30	1000	0.1	RMS	853.506	-64.74	-25	Pass	9699
1000	2480	1	RMS	2480	-51.93	-25	Pass	1480
2480	2590	1	RMS	2500.35	21.72	60	Pass	401
2590	3000	1	RMS	2951.883	-49.91	-25	Pass	410
3000	12000	1	RMS	11810.766	-53.92	-25	Pass	9000
12000	26000	1	RMS	25998	-39.42	-25	Pass	14000




**11.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.66	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.77	-25	Pass	2985
30	1000	0.1	RMS	569.866	-64.29	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51.81	-25	Pass	1480
2480	2590	1	RMS	2530.325	22.32	60	Pass	401
2590	3000	1	RMS	2950.88	-49.91	-25	Pass	410
3000	12000	1	RMS	11815.772	-53.95	-25	Pass	9000
12000	26000	1	RMS	25998	-39.4	-25	Pass	14000




**11.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.12	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.31	-25	Pass	2985
30	1000	0.1	RMS	569.866	-64.44	-25	Pass	9699
1000	2480	1	RMS	2480	-51.85	-25	Pass	1480
2480	2590	1	RMS	2530.325	21.64	60	Pass	401
2590	3000	1	RMS	2948.875	-49.93	-25	Pass	410
3000	12000	1	RMS	11803.757	-53.87	-25	Pass	9000
12000	26000	1	RMS	25993.999	-39.47	-25	Pass	14000




11.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.45	-25	Pass	401
0.15	30	0.01	RMS	0.2	-73.42	-25	Pass	2985
30	1000	0.1	RMS	599.87	-61.85	-25	Pass	9699
1000	2480	1	RMS	2480	-51.95	-25	Pass	1480
2480	2590	1	RMS	2560.575	22.45	60	Pass	401
2590	3000	1	RMS	2944.866	-49.92	-25	Pass	410
3000	12000	1	RMS	11819.777	-53.96	-25	Pass	9000
12000	26000	1	RMS	25999	-39.5	-25	Pass	14000




**11.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.6	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.29	-25	Pass	2985
30	1000	0.1	RMS	599.87	-62.41	-25	Pass	9699
1000	2480	1	RMS	2476.998	-51.96	-25	Pass	1480
2480	2590	1	RMS	2560.575	21.45	60	Pass	401
2590	3000	1	RMS	2949.878	-49.92	-25	Pass	410
3000	12000	1	RMS	11807.762	-53.94	-25	Pass	9000
12000	26000	1	RMS	25999	-39.48	-25	Pass	14000




**11.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.8	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.25	-25	Pass	2985
30	1000	0.1	RMS	845.9	-64.97	-25	Pass	9699
1000	2480	1	RMS	2480	-51.82	-25	Pass	1480
2480	2590	1	RMS	2500.625	22.42	60	Pass	401
2590	3000	1	RMS	2949.878	-49.91	-25	Pass	410
3000	12000	1	RMS	11811.767	-53.93	-25	Pass	9000
12000	26000	1	RMS	25992.999	-39.35	-25	Pass	14000




**11.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.52	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.51	-25	Pass	2985
30	1000	0.1	RMS	828.197	-64.87	-25	Pass	9699
1000	2480	1	RMS	2480	-51.88	-25	Pass	1480
2480	2590	1	RMS	2500.625	21.89	60	Pass	401
2590	3000	1	RMS	2947.873	-49.92	-25	Pass	410
3000	12000	1	RMS	11809.765	-53.95	-25	Pass	9000
12000	26000	1	RMS	25986.998	-39.38	-25	Pass	14000




**11.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.71	-25	Pass	401
0.15	30	0.01	RMS	0.23	-72.29	-25	Pass	2985
30	1000	0.1	RMS	567.666	-64.5	-25	Pass	9699
1000	2480	1	RMS	2477.999	-51.92	-25	Pass	1480
2480	2590	1	RMS	2528.125	22.47	60	Pass	401
2590	3000	1	RMS	2950.88	-49.94	-25	Pass	410
3000	12000	1	RMS	11813.77	-53.87	-25	Pass	9000
12000	26000	1	RMS	25983.997	-39.45	-25	Pass	14000




**11.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.9	-25	Pass	401
0.15	30	0.01	RMS	0.16	-73.03	-25	Pass	2985
30	1000	0.1	RMS	840.199	-64.78	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51.93	-25	Pass	1480
2480	2590	1	RMS	2528.125	21.8	60	Pass	401
2590	3000	1	RMS	2952.885	-49.94	-25	Pass	410
3000	12000	1	RMS	11819.777	-53.91	-25	Pass	9000
12000	26000	1	RMS	25999	-39.45	-25	Pass	14000




**11.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.94	-25	Pass	401
0.15	30	0.01	RMS	0.26	-72.83	-25	Pass	2985
30	1000	0.1	RMS	595.169	-61.87	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51.87	-25	Pass	1480
2480	2590	1	RMS	2555.625	22.47	60	Pass	401
2590	3000	1	RMS	2949.878	-49.9	-25	Pass	410
3000	12000	1	RMS	11802.756	-53.92	-25	Pass	9000
12000	26000	1	RMS	25972.995	-39.34	-25	Pass	14000




**11.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.8	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.76	-25	Pass	2985
30	1000	0.1	RMS	595.169	-62.12	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51.89	-25	Pass	1480
2480	2590	1	RMS	2555.625	21.65	60	Pass	401
2590	3000	1	RMS	2949.878	-49.92	-25	Pass	410
3000	12000	1	RMS	11820.778	-53.93	-25	Pass	9000
12000	26000	1	RMS	25994.999	-39.35	-25	Pass	14000




**11.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.63	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.55	-25	Pass	2985
30	1000	0.1	RMS	839.599	-64.84	-25	Pass	9699
1000	2480	1	RMS	2474.997	-51.93	-25	Pass	1480
2480	2590	1	RMS	2500.9	22.48	60	Pass	401
2590	3000	1	RMS	2949.878	-49.92	-25	Pass	410
3000	12000	1	RMS	11803.757	-53.92	-25	Pass	9000
12000	26000	1	RMS	25993.999	-39.47	-25	Pass	14000




**11.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.97	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.95	-25	Pass	2985
30	1000	0.1	RMS	843.499	-64.94	-25	Pass	9699
1000	2480	1	RMS	2480	-51.79	-25	Pass	1480
2480	2590	1	RMS	2500.9	21.75	60	Pass	401
2590	3000	1	RMS	2947.873	-49.92	-25	Pass	410
3000	12000	1	RMS	11799.752	-53.98	-25	Pass	9000
12000	26000	1	RMS	25981.997	-39.47	-25	Pass	14000




11.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.82	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.66	-25	Pass	2985
30	1000	0.1	RMS	847.4	-64.95	-25	Pass	9699
1000	2480	1	RMS	2451.981	-51.97	-25	Pass	1480
2480	2590	1	RMS	2525.925	22.49	60	Pass	401
2590	3000	1	RMS	2947.873	-49.94	-25	Pass	410
3000	12000	1	RMS	11814.771	-53.96	-25	Pass	9000
12000	26000	1	RMS	25991.999	-39.46	-25	Pass	14000




**11.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.35	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.53	-25	Pass	2985
30	1000	0.1	RMS	968.158	-64.96	-25	Pass	9699
1000	2480	1	RMS	2480	-51.92	-25	Pass	1480
2480	2590	1	RMS	2525.925	21.64	60	Pass	401
2590	3000	1	RMS	2950.88	-49.95	-25	Pass	410
3000	12000	1	RMS	11816.773	-53.94	-25	Pass	9000
12000	26000	1	RMS	26000	-39.45	-25	Pass	14000




11.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.12	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.62	-25	Pass	2985
30	1000	0.1	RMS	590.368	-62.09	-25	Pass	9699
1000	2480	1	RMS	2480	-51.97	-25	Pass	1480
2480	2590	1	RMS	2550.95	22.59	60	Pass	401
2590	3000	1	RMS	2946.87	-49.93	-25	Pass	410
3000	12000	1	RMS	11802.756	-53.97	-25	Pass	9000
12000	26000	1	RMS	25998	-39.49	-25	Pass	14000



**11.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.49	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.9	-25	Pass	2985
30	1000	0.1	RMS	590.368	-62.34	-25	Pass	9699
1000	2480	1	RMS	2480	-51.97	-25	Pass	1480
2480	2590	1	RMS	2550.95	21.67	60	Pass	401
2590	3000	1	RMS	2947.873	-49.9	-25	Pass	410
3000	12000	1	RMS	11805.76	-53.94	-25	Pass	9000
12000	26000	1	RMS	25976.996	-39.49	-25	Pass	14000



12. LTE_Band12


12.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.98	-13	Pass	2985
30	689	0.1	RMS	449.964	-64.66	-13	Pass	6590
689	726	0.1	RMS	699.268	20.98	60	Pass	401
726	1000	0.1	RMS	899.963	-63.28	-13	Pass	2740
1000	3000	1	RMS	1398.199	-48.19	-13	Pass	2000
3000	10000	1	RMS	7106.587	-44.21	-13	Pass	7000




**12.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.25	-13	Pass	2985
30	689	0.1	RMS	449.964	-64.54	-13	Pass	6590
689	726	0.1	RMS	699.268	20.14	60	Pass	401
726	1000	0.1	RMS	899.963	-62.99	-13	Pass	2740
1000	3000	1	RMS	1398.199	-48.93	-13	Pass	2000
3000	10000	1	RMS	7108.587	-44.21	-13	Pass	7000




**12.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.92	-13	Pass	2985
30	689	0.1	RMS	474.968	-64.68	-13	Pass	6590
689	726	0.1	RMS	707.038	21.13	60	Pass	401
726	1000	0.1	RMS	899.963	-63.28	-13	Pass	2740
1000	3000	1	RMS	1413.207	-48.36	-13	Pass	2000
3000	10000	1	RMS	7101.586	-44.2	-13	Pass	7000




**12.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.03	-13	Pass	2985
30	689	0.1	RMS	476.768	-64.52	-13	Pass	6590
689	726	0.1	RMS	707.038	20.09	60	Pass	401
726	1000	0.1	RMS	998.7	-63.65	-13	Pass	2740
1000	3000	1	RMS	1413.207	-49.19	-13	Pass	2000
3000	10000	1	RMS	7103.586	-44.16	-13	Pass	7000




**12.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.66	-13	Pass	2985
30	689	0.1	RMS	477.568	-64.53	-13	Pass	6590
689	726	0.1	RMS	714.808	20.5	60	Pass	401
726	1000	0.1	RMS	900.064	-63.55	-13	Pass	2740
1000	3000	1	RMS	1429.215	-48.41	-13	Pass	2000
3000	10000	1	RMS	7090.584	-44.17	-13	Pass	7000




**12.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.74	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.38	-13	Pass	2985
30	689	0.1	RMS	449.964	-64.57	-13	Pass	6590
689	726	0.1	RMS	714.808	19.63	60	Pass	401
726	1000	0.1	RMS	899.963	-63.71	-13	Pass	2740
1000	3000	1	RMS	1429.215	-49.13	-13	Pass	2000
3000	10000	1	RMS	7105.587	-44.17	-13	Pass	7000




**12.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.53	-13	Pass	401
0.15	30	0.01	RMS	0.17	-69.33	-13	Pass	2985
30	689	0.1	RMS	474.968	-64.56	-13	Pass	6590
689	726	0.1	RMS	699.268	20.99	60	Pass	401
726	1000	0.1	RMS	899.963	-63.42	-13	Pass	2740
1000	3000	1	RMS	1398.199	-48.09	-13	Pass	2000
3000	10000	1	RMS	7101.586	-44.23	-13	Pass	7000




**12.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.73	-13	Pass	2985
30	689	0.1	RMS	482.469	-64.47	-13	Pass	6590
689	726	0.1	RMS	699.268	20.16	60	Pass	401
726	1000	0.1	RMS	899.963	-63.31	-13	Pass	2740
1000	3000	1	RMS	1398.199	-48.69	-13	Pass	2000
3000	10000	1	RMS	7100.586	-44.22	-13	Pass	7000




**12.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.28	-13	Pass	2985
30	689	0.1	RMS	475.968	-64.72	-13	Pass	6590
689	726	0.1	RMS	706.205	20.84	60	Pass	401
726	1000	0.1	RMS	899.963	-63.61	-13	Pass	2740
1000	3000	1	RMS	1412.206	-47.88	-13	Pass	2000
3000	10000	1	RMS	7094.585	-44.19	-13	Pass	7000




**12.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:23095, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.75	-13	Pass	2985
30	689	0.1	RMS	474.968	-64.62	-13	Pass	6590
689	726	0.1	RMS	706.205	19.84	60	Pass	401
726	1000	0.1	RMS	899.963	-63.22	-13	Pass	2740
1000	3000	1	RMS	1412.206	-48.67	-13	Pass	2000
3000	10000	1	RMS	7100.586	-44.17	-13	Pass	7000




**12.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-67.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.61	-13	Pass	2985
30	689	0.1	RMS	449.964	-64.54	-13	Pass	6590
689	726	0.1	RMS	713.235	21.2	60	Pass	401
726	1000	0.1	RMS	899.963	-63.64	-13	Pass	2740
1000	3000	1	RMS	1426.213	-48.69	-13	Pass	2000
3000	10000	1	RMS	7108.587	-44.28	-13	Pass	7000




12.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.28	-13	Pass	2985
30	689	0.1	RMS	474.968	-64.74	-13	Pass	6590
689	726	0.1	RMS	713.235	20.27	60	Pass	401
726	1000	0.1	RMS	899.963	-63.5	-13	Pass	2740
1000	3000	1	RMS	1426.213	-49.33	-13	Pass	2000
3000	10000	1	RMS	7106.587	-44.18	-13	Pass	7000




**12.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.16	-13	Pass	2985
30	689	0.1	RMS	449.964	-64.62	-13	Pass	6590
689	726	0.1	RMS	699.36	21.03	60	Pass	401
726	1000	0.1	RMS	900.064	-63.62	-13	Pass	2740
1000	3000	1	RMS	1398.199	-47.87	-13	Pass	2000
3000	10000	1	RMS	7106.587	-44.25	-13	Pass	7000




**12.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.63	-13	Pass	2985
30	689	0.1	RMS	479.968	-64.65	-13	Pass	6590
689	726	0.1	RMS	699.36	20.22	60	Pass	401
726	1000	0.1	RMS	899.963	-63.26	-13	Pass	2740
1000	3000	1	RMS	1398.199	-48.52	-13	Pass	2000
3000	10000	1	RMS	7095.585	-44.23	-13	Pass	7000




**12.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.41	-13	Pass	2985
30	689	0.1	RMS	500.071	-64.77	-13	Pass	6590
689	726	0.1	RMS	705.373	20.79	60	Pass	401
726	1000	0.1	RMS	900.064	-63.08	-13	Pass	2740
1000	3000	1	RMS	1410.205	-47.48	-13	Pass	2000
3000	10000	1	RMS	7100.586	-44.26	-13	Pass	7000




**12.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:23095, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.91	-13	Pass	2985
30	689	0.1	RMS	474.968	-64.61	-13	Pass	6590
689	726	0.1	RMS	705.373	20.1	60	Pass	401
726	1000	0.1	RMS	899.963	-63.35	-13	Pass	2740
1000	3000	1	RMS	1410.205	-48.2	-13	Pass	2000
3000	10000	1	RMS	7102.586	-44.17	-13	Pass	7000




**12.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.38	-13	Pass	401
0.15	30	0.01	RMS	0.16	-68.75	-13	Pass	2985
30	689	0.1	RMS	490.57	-64.65	-13	Pass	6590
689	726	0.1	RMS	711.293	20.6	60	Pass	401
726	1000	0.1	RMS	899.963	-63.24	-13	Pass	2740
1000	3000	1	RMS	1422.211	-48.25	-13	Pass	2000
3000	10000	1	RMS	7098.586	-44.21	-13	Pass	7000




**12.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.2	-13	Pass	2985
30	689	0.1	RMS	449.964	-64.57	-13	Pass	6590
689	726	0.1	RMS	711.293	19.76	60	Pass	401
726	1000	0.1	RMS	899.963	-63.35	-13	Pass	2740
1000	3000	1	RMS	1422.211	-48.94	-13	Pass	2000
3000	10000	1	RMS	7102.586	-44.15	-13	Pass	7000




**12.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.01	-13	Pass	2985
30	689	0.1	RMS	474.968	-64.5	-13	Pass	6590
689	726	0.1	RMS	699.545	20.58	60	Pass	401
726	1000	0.1	RMS	899.963	-63.53	-13	Pass	2740
1000	3000	1	RMS	1398.199	-49.19	-13	Pass	2000
3000	10000	1	RMS	7095.585	-44.25	-13	Pass	7000




**12.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.99	-13	Pass	2985
30	689	0.1	RMS	486.669	-64.6	-13	Pass	6590
689	726	0.1	RMS	699.545	19.7	60	Pass	401
726	1000	0.1	RMS	899.963	-63.68	-13	Pass	2740
1000	3000	1	RMS	2851.926	-49.4	-13	Pass	2000
3000	10000	1	RMS	7098.586	-44.22	-13	Pass	7000




**12.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.29	-13	Pass	2985
30	689	0.1	RMS	449.964	-64.73	-13	Pass	6590
689	726	0.1	RMS	703.06	20.81	60	Pass	401
726	1000	0.1	RMS	900.064	-63.66	-13	Pass	2740
1000	3000	1	RMS	1405.203	-48.91	-13	Pass	2000
3000	10000	1	RMS	7094.585	-44.27	-13	Pass	7000




**12.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.9	-13	Pass	2985
30	689	0.1	RMS	474.968	-64.63	-13	Pass	6590
689	726	0.1	RMS	703.06	19.98	60	Pass	401
726	1000	0.1	RMS	899.963	-63.23	-13	Pass	2740
1000	3000	1	RMS	2854.927	-49.41	-13	Pass	2000
3000	10000	1	RMS	7106.587	-44.22	-13	Pass	7000




12.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.05	-13	Pass	2985
30	689	0.1	RMS	475.068	-64.79	-13	Pass	6590
689	726	0.1	RMS	706.575	21.13	60	Pass	401
726	1000	0.1	RMS	899.963	-63.59	-13	Pass	2740
1000	3000	1	RMS	1412.206	-48.79	-13	Pass	2000
3000	10000	1	RMS	7100.586	-44.13	-13	Pass	7000



**12.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.63	-13	Pass	401
0.15	30	0.01	RMS	0.17	-69.27	-13	Pass	2985
30	689	0.1	RMS	449.964	-64.7	-13	Pass	6590
689	726	0.1	RMS	706.575	20.18	60	Pass	401
726	1000	0.1	RMS	899.963	-63.27	-13	Pass	2740
1000	3000	1	RMS	2858.929	-49.42	-13	Pass	2000
3000	10000	1	RMS	7098.586	-44.27	-13	Pass	7000



13. LTE_Band13


13.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.21	-13	Pass	2985
30	767	0.1	RMS	737.096	-64.09	-13	Pass	7370
767	797	0.1	RMS	777.35	20.98	60	Pass	401
797	1000	0.1	RMS	874.838	-63.75	-13	Pass	2030
1000	3000	1	RMS	1554.277	-45.99	-13	Pass	2000
3000	10000	1	RMS	7108.587	-44.18	-13	Pass	7000




**13.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.82	-13	Pass	2985
30	767	0.1	RMS	729.695	-64.19	-13	Pass	7370
767	797	0.1	RMS	777.35	20.52	60	Pass	401
797	1000	0.1	RMS	900.051	-63.7	-13	Pass	2030
1000	3000	1	RMS	1554.277	-46.7	-13	Pass	2000
3000	10000	1	RMS	7109.587	-44.22	-13	Pass	7000




**13.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:23230, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.76	-13	Pass	2985
30	767	0.1	RMS	737.096	-64.2	-13	Pass	7370
767	797	0.1	RMS	779.825	20.96	60	Pass	401
797	1000	0.1	RMS	987.394	-63.84	-13	Pass	2030
1000	3000	1	RMS	1559.28	-46.12	-13	Pass	2000
3000	10000	1	RMS	7106.587	-44.15	-13	Pass	7000




**13.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:23230, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.46	-13	Pass	401
0.15	30	0.01	RMS	0.16	-69.84	-13	Pass	2985
30	767	0.1	RMS	736.896	-64.09	-13	Pass	7370
767	797	0.1	RMS	779.825	20.3	60	Pass	401
797	1000	0.1	RMS	899.951	-63.45	-13	Pass	2030
1000	3000	1	RMS	1559.28	-46.86	-13	Pass	2000
3000	10000	1	RMS	7094.585	-44.13	-13	Pass	7000




**13.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.32	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.18	-13	Pass	2985
30	767	0.1	RMS	735.096	-64.26	-13	Pass	7370
767	797	0.1	RMS	782.375	20.87	60	Pass	401
797	1000	0.1	RMS	997.399	-63.79	-13	Pass	2030
1000	3000	1	RMS	1564.282	-46.12	-13	Pass	2000
3000	10000	1	RMS	7100.586	-44.12	-13	Pass	7000




**13.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.25	-13	Pass	2985
30	767	0.1	RMS	740.396	-64.17	-13	Pass	7370
767	797	0.1	RMS	782.375	20.02	60	Pass	401
797	1000	0.1	RMS	995.198	-63.71	-13	Pass	2030
1000	3000	1	RMS	1564.282	-46.78	-13	Pass	2000
3000	10000	1	RMS	7111.587	-44.13	-13	Pass	7000




13.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.82	-13	Pass	2985
30	767	0.1	RMS	728.195	-64.17	-13	Pass	7370
767	797	0.1	RMS	777.575	21.18	60	Pass	401
797	1000	0.1	RMS	900.051	-63.59	-13	Pass	2030
1000	3000	1	RMS	1554.277	-47.07	-13	Pass	2000
3000	10000	1	RMS	7104.586	-44.2	-13	Pass	7000



**13.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.05	-13	Pass	2985
30	767	0.1	RMS	737.996	-64.21	-13	Pass	7370
767	797	0.1	RMS	777.575	20.29	60	Pass	401
797	1000	0.1	RMS	992.897	-63.62	-13	Pass	2030
1000	3000	1	RMS	1554.277	-47.66	-13	Pass	2000
3000	10000	1	RMS	7100.586	-44.14	-13	Pass	7000



14. LTE_Band17


14.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-67.17	-13	Pass	2985
30	694	0.1	RMS	691.2	-61.48	-13	Pass	6640
694	726	0.1	RMS	704.32	20.92	60	Pass	401
726	1000	0.1	RMS	991.697	-63.43	-13	Pass	2740
1000	3000	1	RMS	1408.204	-47.76	-13	Pass	2000
3000	10000	1	RMS	7105.587	-44.26	-13	Pass	7000




**14.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.39	-13	Pass	2985
30	694	0.1	RMS	691.2	-61.99	-13	Pass	6640
694	726	0.1	RMS	704.32	20.14	60	Pass	401
726	1000	0.1	RMS	899.963	-63.48	-13	Pass	2740
1000	3000	1	RMS	1408.204	-48.51	-13	Pass	2000
3000	10000	1	RMS	7110.587	-44.22	-13	Pass	7000




**14.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.84	-13	Pass	401
0.15	30	0.01	RMS	0.16	-69.98	-13	Pass	2985
30	694	0.1	RMS	694	-63.9	-13	Pass	6640
694	726	0.1	RMS	707.84	21.11	60	Pass	401
726	1000	0.1	RMS	899.963	-63.44	-13	Pass	2740
1000	3000	1	RMS	1415.208	-47.6	-13	Pass	2000
3000	10000	1	RMS	7077.583	-44.23	-13	Pass	7000




**14.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:23790, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.94	-13	Pass	401
0.15	30	0.01	RMS	0.16	-68.72	-13	Pass	2985
30	694	0.1	RMS	694	-63.98	-13	Pass	6640
694	726	0.1	RMS	707.84	20.5	60	Pass	401
726	1000	0.1	RMS	899.963	-63.46	-13	Pass	2740
1000	3000	1	RMS	1415.208	-48.33	-13	Pass	2000
3000	10000	1	RMS	7090.584	-44.22	-13	Pass	7000




**14.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.02	-13	Pass	2985
30	694	0.1	RMS	691.2	-63.32	-13	Pass	6640
694	726	0.1	RMS	711.36	20.72	60	Pass	401
726	1000	0.1	RMS	899.963	-63.27	-13	Pass	2740
1000	3000	1	RMS	1422.211	-48.37	-13	Pass	2000
3000	10000	1	RMS	7093.585	-44.21	-13	Pass	7000




**14.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.22	-13	Pass	2985
30	694	0.1	RMS	691.2	-63.11	-13	Pass	6640
694	726	0.1	RMS	711.36	20.28	60	Pass	401
726	1000	0.1	RMS	899.963	-63.43	-13	Pass	2740
1000	3000	1	RMS	1422.211	-48.82	-13	Pass	2000
3000	10000	1	RMS	7107.587	-44.19	-13	Pass	7000




14.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.37	-13	Pass	2985
30	694	0.1	RMS	691.7	-63.1	-13	Pass	6640
694	726	0.1	RMS	704.56	20.96	60	Pass	401
726	1000	0.1	RMS	900.064	-63.41	-13	Pass	2740
1000	3000	1	RMS	1408.204	-48.97	-13	Pass	2000
3000	10000	1	RMS	7099.586	-44.19	-13	Pass	7000




**14.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.57	-13	Pass	2985
30	694	0.1	RMS	691.7	-63.2	-13	Pass	6640
694	726	0.1	RMS	704.56	20.11	60	Pass	401
726	1000	0.1	RMS	899.963	-63.43	-13	Pass	2740
1000	3000	1	RMS	2855.928	-49.42	-13	Pass	2000
3000	10000	1	RMS	7110.587	-44.12	-13	Pass	7000




**14.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.51	-13	Pass	2985
30	694	0.1	RMS	692.6	-62.09	-13	Pass	6640
694	726	0.1	RMS	705.6	21.08	60	Pass	401
726	1000	0.1	RMS	899.963	-63.21	-13	Pass	2740
1000	3000	1	RMS	1410.205	-48.8	-13	Pass	2000
3000	10000	1	RMS	7094.585	-44.21	-13	Pass	7000




**14.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.23	-13	Pass	2985
30	694	0.1	RMS	692.5	-62.53	-13	Pass	6640
694	726	0.1	RMS	705.6	20.25	60	Pass	401
726	1000	0.1	RMS	899.963	-63.32	-13	Pass	2740
1000	3000	1	RMS	2855.928	-49.4	-13	Pass	2000
3000	10000	1	RMS	7096.585	-44.12	-13	Pass	7000




**14.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.54	-13	Pass	401
0.15	30	0.01	RMS	0.17	-69.72	-13	Pass	2985
30	694	0.1	RMS	693.6	-61.74	-13	Pass	6640
694	726	0.1	RMS	706.56	21.11	60	Pass	401
726	1000	0.1	RMS	899.963	-63.31	-13	Pass	2740
1000	3000	1	RMS	1412.206	-48.78	-13	Pass	2000
3000	10000	1	RMS	7102.586	-44.2	-13	Pass	7000



**14.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.27	-13	Pass	2985
30	694	0.1	RMS	693.8	-62.29	-13	Pass	6640
694	726	0.1	RMS	706.56	20.09	60	Pass	401
726	1000	0.1	RMS	983.194	-63.62	-13	Pass	2740
1000	3000	1	RMS	1412.206	-49.32	-13	Pass	2000
3000	10000	1	RMS	7100.586	-44.16	-13	Pass	7000



15. LTE_Band26(part22)


15.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.67	-13	Pass	2985
30	814	0.1	RMS	813.5	-62.99	-13	Pass	7840
814	860	0.1	RMS	824.222	19.92	60	Pass	460
860	1000	0.1	RMS	860.5	-65.08	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.84	-13	Pass	2000
3000	10000	1	RMS	6959.566	-44.15	-13	Pass	7000




**15.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.5	-13	Pass	2985
30	814	0.1	RMS	813.6	-62.77	-13	Pass	7840
814	860	0.1	RMS	824.222	19.48	60	Pass	460
860	1000	0.1	RMS	863.503	-65.07	-13	Pass	1400
1000	3000	1	RMS	1648.324	-49.13	-13	Pass	2000
3000	10000	1	RMS	6962.566	-44.16	-13	Pass	7000




15.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.63	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.96	-13	Pass	2985
30	814	0.1	RMS	812.5	-64.9	-13	Pass	7840
814	860	0.1	RMS	836.048	20.12	60	Pass	460
860	1000	0.1	RMS	865.304	-65.12	-13	Pass	1400
1000	3000	1	RMS	1671.336	-48.63	-13	Pass	2000
3000	10000	1	RMS	6962.566	-44.17	-13	Pass	7000




**15.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:26915, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.91	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72	-13	Pass	2985
30	814	0.1	RMS	813.1	-65.05	-13	Pass	7840
814	860	0.1	RMS	836.048	19.86	60	Pass	460
860	1000	0.1	RMS	882.016	-65.13	-13	Pass	1400
1000	3000	1	RMS	1671.336	-48.72	-13	Pass	2000
3000	10000	1	RMS	6961.566	-44.15	-13	Pass	7000




15.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-74.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.63	-13	Pass	2985
30	814	0.1	RMS	809.699	-65.17	-13	Pass	7840
814	860	0.1	RMS	847.874	19.87	60	Pass	460
860	1000	0.1	RMS	977.284	-65.16	-13	Pass	1400
1000	3000	1	RMS	1695.348	-48.19	-13	Pass	2000
3000	10000	1	RMS	6962.566	-44.12	-13	Pass	7000




**15.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.85	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.79	-13	Pass	2985
30	814	0.1	RMS	812.2	-65.08	-13	Pass	7840
814	860	0.1	RMS	847.874	19.63	60	Pass	460
860	1000	0.1	RMS	860.2	-65.02	-13	Pass	1400
1000	3000	1	RMS	1695.348	-47.95	-13	Pass	2000
3000	10000	1	RMS	6962.566	-44.17	-13	Pass	7000




**15.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.03	-13	Pass	401
0.15	30	0.01	RMS	0.27	-72.73	-13	Pass	2985
30	814	0.1	RMS	813.5	-62.65	-13	Pass	7840
814	860	0.1	RMS	824.222	20.16	60	Pass	460
860	1000	0.1	RMS	869.107	-65.11	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.97	-13	Pass	2000
3000	10000	1	RMS	7207.601	-44.16	-13	Pass	7000




**15.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.61	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.99	-13	Pass	2985
30	814	0.1	RMS	813.5	-62.82	-13	Pass	7840
814	860	0.1	RMS	824.222	19.76	60	Pass	460
860	1000	0.1	RMS	879.014	-65.03	-13	Pass	1400
1000	3000	1	RMS	1648.324	-49.06	-13	Pass	2000
3000	10000	1	RMS	7205.601	-44.16	-13	Pass	7000




**15.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.8	-13	Pass	2985
30	814	0.1	RMS	813.2	-65.02	-13	Pass	7840
814	860	0.1	RMS	835.246	20.27	60	Pass	460
860	1000	0.1	RMS	865.904	-65.07	-13	Pass	1400
1000	3000	1	RMS	1670.335	-49.02	-13	Pass	2000
3000	10000	1	RMS	6959.566	-44.15	-13	Pass	7000




15.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:26915, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.83	-13	Pass	2985
30	814	0.1	RMS	812.6	-64.82	-13	Pass	7840
814	860	0.1	RMS	835.246	20.22	60	Pass	460
860	1000	0.1	RMS	863.202	-65.11	-13	Pass	1400
1000	3000	1	RMS	1670.335	-49.04	-13	Pass	2000
3000	10000	1	RMS	6966.567	-44.11	-13	Pass	7000




**15.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.68	-13	Pass	2985
30	814	0.1	RMS	813.9	-64.92	-13	Pass	7840
814	860	0.1	RMS	846.27	19.9	60	Pass	460
860	1000	0.1	RMS	862.802	-64.9	-13	Pass	1400
1000	3000	1	RMS	1692.346	-48.4	-13	Pass	2000
3000	10000	1	RMS	6961.566	-44.07	-13	Pass	7000




**15.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.78	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.69	-13	Pass	2985
30	814	0.1	RMS	814	-65.1	-13	Pass	7840
814	860	0.1	RMS	846.27	19.46	60	Pass	460
860	1000	0.1	RMS	870.107	-65.06	-13	Pass	1400
1000	3000	1	RMS	1692.346	-48.34	-13	Pass	2000
3000	10000	1	RMS	6962.566	-44.15	-13	Pass	7000




**15.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.2	-13	Pass	2985
30	814	0.1	RMS	813.6	-62.96	-13	Pass	7840
814	860	0.1	RMS	824.322	20.05	60	Pass	460
860	1000	0.1	RMS	861.301	-64.95	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.45	-13	Pass	2000
3000	10000	1	RMS	6962.566	-44.17	-13	Pass	7000




**15.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.72	-13	Pass	2985
30	814	0.1	RMS	813.6	-62.6	-13	Pass	7840
814	860	0.1	RMS	824.322	19.74	60	Pass	460
860	1000	0.1	RMS	979.986	-64.98	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.61	-13	Pass	2000
3000	10000	1	RMS	6960.566	-44.13	-13	Pass	7000




**15.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.46	-13	Pass	401
0.15	30	0.01	RMS	0.26	-73.19	-13	Pass	2985
30	814	0.1	RMS	812.3	-65.15	-13	Pass	7840
814	860	0.1	RMS	834.344	20.33	60	Pass	460
860	1000	0.1	RMS	871.108	-65.07	-13	Pass	1400
1000	3000	1	RMS	1668.334	-48.43	-13	Pass	2000
3000	10000	1	RMS	6962.566	-44.19	-13	Pass	7000




**15.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:26915, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.58	-13	Pass	2985
30	814	0.1	RMS	807.899	-65.06	-13	Pass	7840
814	860	0.1	RMS	834.344	19.9	60	Pass	460
860	1000	0.1	RMS	863.503	-65	-13	Pass	1400
1000	3000	1	RMS	1668.334	-48.34	-13	Pass	2000
3000	10000	1	RMS	6962.566	-44.14	-13	Pass	7000




**15.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.34	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.3	-13	Pass	2985
30	814	0.1	RMS	813.2	-65.17	-13	Pass	7840
814	860	0.1	RMS	844.366	19.77	60	Pass	460
860	1000	0.1	RMS	861.601	-65.09	-13	Pass	1400
1000	3000	1	RMS	1688.344	-47.98	-13	Pass	2000
3000	10000	1	RMS	6967.567	-44.15	-13	Pass	7000




**15.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.47	-13	Pass	2985
30	814	0.1	RMS	811.5	-65.09	-13	Pass	7840
814	860	0.1	RMS	844.366	19.86	60	Pass	460
860	1000	0.1	RMS	865.104	-64.95	-13	Pass	1400
1000	3000	1	RMS	1688.344	-48.11	-13	Pass	2000
3000	10000	1	RMS	6957.565	-44.14	-13	Pass	7000




15.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.92	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.95	-13	Pass	2985
30	814	0.1	RMS	813.9	-62.45	-13	Pass	7840
814	860	0.1	RMS	824.623	19.79	60	Pass	460
860	1000	0.1	RMS	862.302	-65.12	-13	Pass	1400
1000	3000	1	RMS	1648.324	-49.05	-13	Pass	2000
3000	10000	1	RMS	6961.566	-44.05	-13	Pass	7000




**15.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.23	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.33	-13	Pass	2985
30	814	0.1	RMS	813.9	-62.16	-13	Pass	7840
814	860	0.1	RMS	824.623	19.79	60	Pass	460
860	1000	0.1	RMS	861.601	-65.05	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.67	-13	Pass	2000
3000	10000	1	RMS	6961.566	-44.12	-13	Pass	7000




15.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.59	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.99	-13	Pass	2985
30	814	0.1	RMS	812.9	-64.96	-13	Pass	7840
814	860	0.1	RMS	832.039	19.51	60	Pass	460
860	1000	0.1	RMS	994.796	-65.06	-13	Pass	1400
1000	3000	1	RMS	1663.332	-49.05	-13	Pass	2000
3000	10000	1	RMS	6966.567	-44.11	-13	Pass	7000




**15.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:26915, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.6	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.72	-13	Pass	2985
30	814	0.1	RMS	811.9	-65	-13	Pass	7840
814	860	0.1	RMS	832.139	19.05	60	Pass	460
860	1000	0.1	RMS	870.207	-65.04	-13	Pass	1400
1000	3000	1	RMS	1663.332	-49.16	-13	Pass	2000
3000	10000	1	RMS	6962.566	-44.1	-13	Pass	7000




**15.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.01	-13	Pass	2985
30	814	0.1	RMS	811.6	-64.93	-13	Pass	7840
814	860	0.1	RMS	839.556	20.05	60	Pass	460
860	1000	0.1	RMS	863.202	-65.12	-13	Pass	1400
1000	3000	1	RMS	1678.339	-48.75	-13	Pass	2000
3000	10000	1	RMS	6963.566	-44.16	-13	Pass	7000




**15.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.53	-13	Pass	2985
30	814	0.1	RMS	812.9	-64.88	-13	Pass	7840
814	860	0.1	RMS	839.556	19.6	60	Pass	460
860	1000	0.1	RMS	860.901	-65.07	-13	Pass	1400
1000	3000	1	RMS	1678.339	-48.82	-13	Pass	2000
3000	10000	1	RMS	6963.566	-44.17	-13	Pass	7000




**15.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.17	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.51	-13	Pass	2985
30	814	0.1	RMS	813.7	-62.55	-13	Pass	7840
814	860	0.1	RMS	824.824	20.07	60	Pass	460
860	1000	0.1	RMS	866.805	-64.96	-13	Pass	1400
1000	3000	1	RMS	1649.325	-48.58	-13	Pass	2000
3000	10000	1	RMS	6961.566	-44.07	-13	Pass	7000




**15.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.89	-13	Pass	2985
30	814	0.1	RMS	810.8	-61.1	-13	Pass	7840
814	860	0.1	RMS	824.824	19.76	60	Pass	460
860	1000	0.1	RMS	906.033	-65.07	-13	Pass	1400
1000	3000	1	RMS	1649.325	-48.44	-13	Pass	2000
3000	10000	1	RMS	6963.566	-44.13	-13	Pass	7000




15.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27, Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.05	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.67	-13	Pass	2985
30	814	0.1	RMS	813.1	-64.11	-13	Pass	7840
814	860	0.1	RMS	829.834	20.13	60	Pass	460
860	1000	0.1	RMS	862.202	-65.05	-13	Pass	1400
1000	3000	1	RMS	1659.33	-48.55	-13	Pass	2000
3000	10000	1	RMS	6965.567	-44.16	-13	Pass	7000




**15.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.12	-13	Pass	2985
30	814	0.1	RMS	813	-64.22	-13	Pass	7840
814	860	0.1	RMS	829.834	19.68	60	Pass	460
860	1000	0.1	RMS	872.109	-65.08	-13	Pass	1400
1000	3000	1	RMS	1659.33	-48.7	-13	Pass	2000
3000	10000	1	RMS	6956.565	-44.13	-13	Pass	7000




**15.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.91	-13	Pass	2985
30	814	0.1	RMS	812.8	-64.63	-13	Pass	7840
814	860	0.1	RMS	834.845	20.18	60	Pass	460
860	1000	0.1	RMS	883.917	-65.14	-13	Pass	1400
1000	3000	1	RMS	1669.335	-48.53	-13	Pass	2000
3000	10000	1	RMS	6957.565	-44.11	-13	Pass	7000



**15.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.74	-13	Pass	401
0.15	30	0.01	RMS	0.16	-73.03	-13	Pass	2985
30	814	0.1	RMS	812.8	-64.43	-13	Pass	7840
814	860	0.1	RMS	834.845	19.95	60	Pass	460
860	1000	0.1	RMS	864.403	-65.09	-13	Pass	1400
1000	3000	1	RMS	1669.335	-48.49	-13	Pass	2000
3000	10000	1	RMS	6964.566	-44.09	-13	Pass	7000



16. LTE_Band26(part90)


16.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.94	-13	Pass	401
0.15	30	0.01	Peak	0.16	-64.32	-13	Pass	2985
30	809	0.1	Peak	808.8	-47.93	-13	Pass	7790
809	829	0.1	Peak	814.3	25.31	60	Pass	401
829	1000	0.1	Peak	832.402	-53	-13	Pass	1710
1000	3000	1	Peak	1628.314	-38.1	-13	Pass	2000
3000	10000	1	Peak	6969.567	-32.95	-13	Pass	7000




**16.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-67.49	-13	Pass	401
0.15	30	0.01	Peak	0.58	-65.67	-13	Pass	2985
30	809	0.1	Peak	808.8	-49.7	-13	Pass	7790
809	829	0.1	Peak	814.2	26.28	60	Pass	401
829	1000	0.1	Peak	837.805	-54.02	-13	Pass	1710
1000	3000	1	Peak	1628.314	-37.51	-13	Pass	2000
3000	10000	1	Peak	7248.607	-32.5	-13	Pass	7000




16.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.41	-13	Pass	401
0.15	30	0.01	Peak	0.15	-62.66	-13	Pass	2985
30	809	0.1	Peak	808.2	-51.3	-13	Pass	7790
809	829	0.1	Peak	818.5	25.21	60	Pass	401
829	1000	0.1	Peak	833.002	-48.08	-13	Pass	1710
1000	3000	1	Peak	1637.319	-38.38	-13	Pass	2000
3000	10000	1	Peak	6953.565	-32.19	-13	Pass	7000




**16.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.01	-13	Pass	401
0.15	30	0.01	Peak	0.23	-65.21	-13	Pass	2985
30	809	0.1	Peak	659.881	-53.41	-13	Pass	7790
809	829	0.1	Peak	818.5	25.67	60	Pass	401
829	1000	0.1	Peak	829.1	-49.63	-13	Pass	1710
1000	3000	1	Peak	1637.319	-37.91	-13	Pass	2000
3000	10000	1	Peak	8186.741	-32.96	-13	Pass	7000




16.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.47	-13	Pass	401
0.15	30	0.01	Peak	0.27	-62.71	-13	Pass	2985
30	809	0.1	Peak	807.4	-52.28	-13	Pass	7790
809	829	0.1	Peak	822.9	25.32	60	Pass	401
829	1000	0.1	Peak	830.801	-44.29	-13	Pass	1710
1000	3000	1	Peak	2952.976	-38.23	-13	Pass	2000
3000	10000	1	Peak	7352.622	-32.92	-13	Pass	7000




**16.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.56	-13	Pass	401
0.15	30	0.01	Peak	0.16	-64.21	-13	Pass	2985
30	809	0.1	Peak	808.4	-52.7	-13	Pass	7790
809	829	0.1	Peak	822.9	25.9	60	Pass	401
829	1000	0.1	Peak	833.303	-49.49	-13	Pass	1710
1000	3000	1	Peak	2931.966	-38.24	-13	Pass	2000
3000	10000	1	Peak	6706.53	-32.84	-13	Pass	7000




**16.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-68.65	-13	Pass	401
0.15	30	0.01	Peak	0.16	-64.68	-13	Pass	2985
30	809	0.1	Peak	808.7	-48.94	-13	Pass	7790
809	829	0.1	Peak	814.3	25.44	60	Pass	401
829	1000	0.1	Peak	987.993	-53.94	-13	Pass	1710
1000	3000	1	Peak	2974.987	-38.08	-13	Pass	2000
3000	10000	1	Peak	6991.57	-32.89	-13	Pass	7000




**16.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.28	-13	Pass	401
0.15	30	0.01	Peak	0.16	-64.45	-13	Pass	2985
30	809	0.1	Peak	807.6	-43.86	-13	Pass	7790
809	829	0.1	Peak	814.2	26.28	60	Pass	401
829	1000	0.1	Peak	831.702	-53.37	-13	Pass	1710
1000	3000	1	Peak	2938.969	-37.47	-13	Pass	2000
3000	10000	1	Peak	7206.601	-32.55	-13	Pass	7000




**16.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-68.75	-13	Pass	401
0.15	30	0.01	Peak	0.16	-65.18	-13	Pass	2985
30	809	0.1	Peak	807.4	-48.11	-13	Pass	7790
809	829	0.1	Peak	817.75	25.47	60	Pass	401
829	1000	0.1	Peak	830.801	-49.2	-13	Pass	1710
1000	3000	1	Peak	2943.972	-38.03	-13	Pass	2000
3000	10000	1	Peak	7224.604	-32.72	-13	Pass	7000




**16.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-68.47	-13	Pass	401
0.15	30	0.01	Peak	0.17	-62.93	-13	Pass	2985
30	809	0.1	Peak	807.7	-49.54	-13	Pass	7790
809	829	0.1	Peak	817.75	26.34	60	Pass	401
829	1000	0.1	Peak	875.327	-53.62	-13	Pass	1710
1000	3000	1	Peak	1635.318	-36.87	-13	Pass	2000
3000	10000	1	Peak	6946.564	-32.59	-13	Pass	7000




**16.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.63	-13	Pass	401
0.15	30	0.01	Peak	0.17	-64.41	-13	Pass	2985
30	809	0.1	Peak	746.192	-53.51	-13	Pass	7790
809	829	0.1	Peak	821.3	25.4	60	Pass	401
829	1000	0.1	Peak	830.201	-48.39	-13	Pass	1710
1000	3000	1	Peak	1642.321	-38.41	-13	Pass	2000
3000	10000	1	Peak	6964.566	-33.2	-13	Pass	7000




**16.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.72	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.8	-13	Pass	2985
30	809	0.1	Peak	782.997	-54.03	-13	Pass	7790
809	829	0.1	Peak	821.25	25.72	60	Pass	401
829	1000	0.1	Peak	830.101	-42.85	-13	Pass	1710
1000	3000	1	Peak	1642.321	-37.75	-13	Pass	2000
3000	10000	1	Peak	7019.574	-32.69	-13	Pass	7000




**16.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.46	-13	Pass	401
0.15	30	0.01	Peak	0.17	-64.77	-13	Pass	2985
30	809	0.1	Peak	808.7	-48.43	-13	Pass	7790
809	829	0.1	Peak	814.3	25.54	60	Pass	401
829	1000	0.1	Peak	830.301	-49.9	-13	Pass	1710
1000	3000	1	Peak	1628.314	-38.23	-13	Pass	2000
3000	10000	1	Peak	7293.613	-32.83	-13	Pass	7000




**16.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.76	-13	Pass	401
0.15	30	0.01	Peak	0.16	-64.91	-13	Pass	2985
30	809	0.1	Peak	808.7	-50.44	-13	Pass	7790
809	829	0.1	Peak	814.3	26.49	60	Pass	401
829	1000	0.1	Peak	833.603	-51.65	-13	Pass	1710
1000	3000	1	Peak	2942.971	-37.61	-13	Pass	2000
3000	10000	1	Peak	7241.606	-32.56	-13	Pass	7000




**16.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-68.03	-13	Pass	401
0.15	30	0.01	Peak	0.25	-65.02	-13	Pass	2985
30	809	0.1	Peak	808.4	-50.32	-13	Pass	7790
809	829	0.1	Peak	816.85	25.59	60	Pass	401
829	1000	0.1	Peak	831.001	-49.45	-13	Pass	1710
1000	3000	1	Peak	1633.317	-38.13	-13	Pass	2000
3000	10000	1	Peak	7454.636	-32.81	-13	Pass	7000




**16.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:26740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-68.13	-13	Pass	401
0.15	30	0.01	Peak	0.18	-64.69	-13	Pass	2985
30	809	0.1	Peak	806.1	-53.55	-13	Pass	7790
809	829	0.1	Peak	816.8	26.01	60	Pass	401
829	1000	0.1	Peak	829.6	-47.49	-13	Pass	1710
1000	3000	1	Peak	1633.317	-37.9	-13	Pass	2000
3000	10000	1	Peak	7378.626	-32.31	-13	Pass	7000




**16.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.77	-13	Pass	401
0.15	30	0.01	Peak	0.27	-64.3	-13	Pass	2985
30	809	0.1	Peak	808.6	-47.91	-13	Pass	7790
809	829	0.1	Peak	819.3	25.29	60	Pass	401
829	1000	0.1	Peak	835.204	-49.33	-13	Pass	1710
1000	3000	1	Peak	2959.98	-38.17	-13	Pass	2000
3000	10000	1	Peak	6952.565	-32.3	-13	Pass	7000




**16.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-67.53	-13	Pass	401
0.15	30	0.01	Peak	0.27	-65.06	-13	Pass	2985
30	809	0.1	Peak	807.7	-51.88	-13	Pass	7790
809	829	0.1	Peak	819.35	25.97	60	Pass	401
829	1000	0.1	Peak	853.314	-45.23	-13	Pass	1710
1000	3000	1	Peak	1638.319	-38.03	-13	Pass	2000
3000	10000	1	Peak	7203.601	-32.32	-13	Pass	7000




16.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-67.24	-13	Pass	401
0.15	30	0.01	Peak	0.38	-64.52	-13	Pass	2985
30	809	0.1	Peak	809	-48.91	-13	Pass	7790
809	829	0.1	Peak	814.55	25.64	60	Pass	401
829	1000	0.1	Peak	831.201	-52.13	-13	Pass	1710
1000	3000	1	Peak	1629.315	-38.39	-13	Pass	2000
3000	10000	1	Peak	9323.903	-32.9	-13	Pass	7000



**16.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.46	-13	Pass	401
0.15	30	0.01	Peak	0.18	-65.5	-13	Pass	2985
30	809	0.1	Peak	808.5	-45.08	-13	Pass	7790
809	829	0.1	Peak	814.55	26.24	60	Pass	401
829	1000	0.1	Peak	829.6	-51.93	-13	Pass	1710
1000	3000	1	Peak	1629.315	-37.35	-13	Pass	2000
3000	10000	1	Peak	8423.775	-32.41	-13	Pass	7000



17. LTE_Band38


17.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.19	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.91	-25	Pass	2985
30	1000	0.1	RMS	609.571	-61.56	-25	Pass	9699
1000	2550	1	RMS	2455.939	-48.15	-25	Pass	1550
2550	2640	1	RMS	2570.25	22.62	60	Pass	401
2640	3000	1	RMS	2946	-46.92	-25	Pass	401
3000	12000	1	RMS	11792.743	-50.95	-25	Pass	9000
12000	26500	1	RMS	26029.925	-36.4	-25	Pass	14500




**17.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.5	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.96	-25	Pass	2985
30	1000	0.1	RMS	609.571	-60.68	-25	Pass	9699
1000	2550	1	RMS	2460.943	-48.06	-25	Pass	1550
2550	2640	1	RMS	2570.25	22.09	60	Pass	401
2640	3000	1	RMS	2949.6	-46.95	-25	Pass	401
3000	12000	1	RMS	11817.774	-50.9	-25	Pass	9000
12000	26500	1	RMS	26000.921	-36.36	-25	Pass	14500




**17.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.9	-25	Pass	401
0.15	30	0.01	RMS	0.19	-69.96	-25	Pass	2985
30	1000	0.1	RMS	838.299	-61.73	-25	Pass	9699
1000	2550	1	RMS	2455.939	-47.83	-25	Pass	1550
2550	2640	1	RMS	2592.75	22.58	60	Pass	401
2640	3000	1	RMS	2949.6	-46.95	-25	Pass	401
3000	12000	1	RMS	11812.768	-50.9	-25	Pass	9000
12000	26500	1	RMS	26014.923	-36.36	-25	Pass	14500




**17.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.8	-25	Pass	401
0.15	30	0.01	RMS	0.2	-69.7	-25	Pass	2985
30	1000	0.1	RMS	857.611	-61.87	-25	Pass	9699
1000	2550	1	RMS	2494.964	-48.69	-25	Pass	1550
2550	2640	1	RMS	2592.525	21.03	60	Pass	401
2640	3000	1	RMS	2943.3	-46.95	-25	Pass	401
3000	12000	1	RMS	11801.755	-50.87	-25	Pass	9000
12000	26500	1	RMS	25989.919	-36.4	-25	Pass	14500




**17.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.61	-25	Pass	401
0.15	30	0.01	RMS	0.2	-69.21	-25	Pass	2985
30	1000	0.1	RMS	841.099	-61.78	-25	Pass	9699
1000	2550	1	RMS	2487.96	-48.71	-25	Pass	1550
2550	2640	1	RMS	2615.025	22.08	60	Pass	401
2640	3000	1	RMS	2948.7	-46.92	-25	Pass	401
3000	12000	1	RMS	11812.768	-50.9	-25	Pass	9000
12000	26500	1	RMS	26009.922	-36.37	-25	Pass	14500




**17.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.3	-25	Pass	401
0.15	30	0.01	RMS	0.18	-69.66	-25	Pass	2985
30	1000	0.1	RMS	837.299	-61.92	-25	Pass	9699
1000	2550	1	RMS	2486.959	-48.72	-25	Pass	1550
2550	2640	1	RMS	2615.25	21.19	60	Pass	401
2640	3000	1	RMS	2948.7	-46.95	-25	Pass	401
3000	12000	1	RMS	11827.787	-50.84	-25	Pass	9000
12000	26500	1	RMS	26000.921	-36.4	-25	Pass	14500




**17.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.27	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.86	-25	Pass	2985
30	1000	0.1	RMS	609.871	-61.19	-25	Pass	9699
1000	2550	1	RMS	2547.999	-48.14	-25	Pass	1550
2550	2640	1	RMS	2570.25	22.28	60	Pass	401
2640	3000	1	RMS	2945.1	-46.95	-25	Pass	401
3000	12000	1	RMS	11796.748	-50.85	-25	Pass	9000
12000	26500	1	RMS	26002.921	-36.33	-25	Pass	14500




**17.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.16	-25	Pass	401
0.15	30	0.01	RMS	0.35	-69.82	-25	Pass	2985
30	1000	0.1	RMS	609.971	-61.52	-25	Pass	9699
1000	2550	1	RMS	2548.999	-48.29	-25	Pass	1550
2550	2640	1	RMS	2570.475	21.44	60	Pass	401
2640	3000	1	RMS	2946.9	-46.94	-25	Pass	401
3000	12000	1	RMS	11820.778	-50.87	-25	Pass	9000
12000	26500	1	RMS	26012.923	-36.36	-25	Pass	14500




17.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.06	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.46	-25	Pass	2985
30	1000	0.1	RMS	840.299	-61.65	-25	Pass	9699
1000	2550	1	RMS	2455.939	-48.14	-25	Pass	1550
2550	2640	1	RMS	2590.5	22.07	60	Pass	401
2640	3000	1	RMS	2948.7	-46.94	-25	Pass	401
3000	12000	1	RMS	11818.776	-50.88	-25	Pass	9000
12000	26500	1	RMS	26015.923	-36.36	-25	Pass	14500




**17.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.58	-25	Pass	401
0.15	30	0.01	RMS	0.23	-70.05	-25	Pass	2985
30	1000	0.1	RMS	853.305	-61.8	-25	Pass	9699
1000	2550	1	RMS	2460.943	-48.4	-25	Pass	1550
2550	2640	1	RMS	2590.275	20.88	60	Pass	401
2640	3000	1	RMS	2945.1	-46.95	-25	Pass	401
3000	12000	1	RMS	11815.772	-50.93	-25	Pass	9000
12000	26500	1	RMS	26008.922	-36.37	-25	Pass	14500




17.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.69	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.63	-25	Pass	2985
30	1000	0.1	RMS	868.025	-61.9	-25	Pass	9699
1000	2550	1	RMS	2459.942	-48.68	-25	Pass	1550
2550	2640	1	RMS	2610.525	22.4	60	Pass	401
2640	3000	1	RMS	2946	-46.94	-25	Pass	401
3000	12000	1	RMS	8249.641	-50.89	-25	Pass	9000
12000	26500	1	RMS	25997.92	-36.42	-25	Pass	14500




**17.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.24	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.7	-25	Pass	2985
30	1000	0.1	RMS	822.697	-61.8	-25	Pass	9699
1000	2550	1	RMS	2460.943	-48.52	-25	Pass	1550
2550	2640	1	RMS	2610.3	20.95	60	Pass	401
2640	3000	1	RMS	2944.2	-46.97	-25	Pass	401
3000	12000	1	RMS	11801.755	-50.87	-25	Pass	9000
12000	26500	1	RMS	26005.922	-36.18	-25	Pass	14500




**17.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.87	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.14	-25	Pass	2985
30	1000	0.1	RMS	610.171	-60.35	-25	Pass	9699
1000	2550	1	RMS	2547.999	-48.11	-25	Pass	1550
2550	2640	1	RMS	2570.925	22.22	60	Pass	401
2640	3000	1	RMS	2947.8	-46.96	-25	Pass	401
3000	12000	1	RMS	11791.742	-50.91	-25	Pass	9000
12000	26500	1	RMS	26000.921	-36.4	-25	Pass	14500




**17.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.3	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.95	-25	Pass	2985
30	1000	0.1	RMS	838.099	-61.84	-25	Pass	9699
1000	2550	1	RMS	2550	-48.19	-25	Pass	1550
2550	2640	1	RMS	2570.7	21.49	60	Pass	401
2640	3000	1	RMS	2952.3	-46.96	-25	Pass	401
3000	12000	1	RMS	11797.75	-50.88	-25	Pass	9000
12000	26500	1	RMS	25995.92	-36.44	-25	Pass	14500




**17.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.95	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.94	-25	Pass	2985
30	1000	0.1	RMS	627.673	-61.65	-25	Pass	9699
1000	2550	1	RMS	2459.942	-48.38	-25	Pass	1550
2550	2640	1	RMS	2588.25	22.64	60	Pass	401
2640	3000	1	RMS	2949.6	-46.95	-25	Pass	401
3000	12000	1	RMS	11800.753	-50.92	-25	Pass	9000
12000	26500	1	RMS	25999.921	-36.36	-25	Pass	14500




**17.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.07	-25	Pass	401
0.15	30	0.01	RMS	0.18	-70.28	-25	Pass	2985
30	1000	0.1	RMS	824.997	-61.83	-25	Pass	9699
1000	2550	1	RMS	2493.964	-48.7	-25	Pass	1550
2550	2640	1	RMS	2588.25	21.43	60	Pass	401
2640	3000	1	RMS	2949.6	-46.94	-25	Pass	401
3000	12000	1	RMS	11799.752	-50.91	-25	Pass	9000
12000	26500	1	RMS	26016.923	-36.35	-25	Pass	14500




17.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.22	-25	Pass	401
0.15	30	0.01	RMS	0.19	-70.28	-25	Pass	2985
30	1000	0.1	RMS	845.3	-61.76	-25	Pass	9699
1000	2550	1	RMS	2454.939	-48.17	-25	Pass	1550
2550	2640	1	RMS	2605.575	22.35	60	Pass	401
2640	3000	1	RMS	2945.1	-46.97	-25	Pass	401
3000	12000	1	RMS	11796.748	-50.9	-25	Pass	9000
12000	26500	1	RMS	25993.92	-36.37	-25	Pass	14500




**17.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.27	-25	Pass	401
0.15	30	0.01	RMS	0.2	-69.74	-25	Pass	2985
30	1000	0.1	RMS	839.399	-61.86	-25	Pass	9699
1000	2550	1	RMS	2500.968	-48.7	-25	Pass	1550
2550	2640	1	RMS	2605.8	21.23	60	Pass	401
2640	3000	1	RMS	2947.8	-46.94	-25	Pass	401
3000	12000	1	RMS	8251.641	-50.9	-25	Pass	9000
12000	26500	1	RMS	26006.922	-36.41	-25	Pass	14500




**17.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.46	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.79	-25	Pass	2985
30	1000	0.1	RMS	842.199	-61.8	-25	Pass	9699
1000	2550	1	RMS	2550	-47.84	-25	Pass	1550
2550	2640	1	RMS	2570.925	22.77	60	Pass	401
2640	3000	1	RMS	2945.1	-46.94	-25	Pass	401
3000	12000	1	RMS	11805.76	-50.89	-25	Pass	9000
12000	26500	1	RMS	26001.921	-36.38	-25	Pass	14500




**17.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.79	-25	Pass	401
0.15	30	0.01	RMS	0.2	-69.42	-25	Pass	2985
30	1000	0.1	RMS	610.371	-60.33	-25	Pass	9699
1000	2550	1	RMS	2550	-47.93	-25	Pass	1550
2550	2640	1	RMS	2570.925	21.75	60	Pass	401
2640	3000	1	RMS	2949.6	-46.91	-25	Pass	401
3000	12000	1	RMS	11800.753	-50.78	-25	Pass	9000
12000	26500	1	RMS	25990.919	-36.39	-25	Pass	14500




**17.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.72	-25	Pass	401
0.15	30	0.01	RMS	0.22	-69.93	-25	Pass	2985
30	1000	0.1	RMS	822.297	-61.84	-25	Pass	9699
1000	2550	1	RMS	2489.961	-48.69	-25	Pass	1550
2550	2640	1	RMS	2585.775	22.25	60	Pass	401
2640	3000	1	RMS	2945.1	-46.97	-25	Pass	401
3000	12000	1	RMS	11795.747	-50.85	-25	Pass	9000
12000	26500	1	RMS	25993.92	-36.37	-25	Pass	14500




**17.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.99	-25	Pass	401
0.15	30	0.01	RMS	0.21	-69.88	-25	Pass	2985
30	1000	0.1	RMS	837.699	-61.75	-25	Pass	9699
1000	2550	1	RMS	2490.962	-48.68	-25	Pass	1550
2550	2640	1	RMS	2586	21.31	60	Pass	401
2640	3000	1	RMS	2945.1	-46.96	-25	Pass	401
3000	12000	1	RMS	11792.743	-50.9	-25	Pass	9000
12000	26500	1	RMS	26010.922	-36.41	-25	Pass	14500




**17.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.62	-25	Pass	401
0.15	30	0.01	RMS	0.24	-69.9	-25	Pass	2985
30	1000	0.1	RMS	840.699	-61.81	-25	Pass	9699
1000	2550	1	RMS	2463.944	-48.58	-25	Pass	1550
2550	2640	1	RMS	2601.075	22.14	60	Pass	401
2640	3000	1	RMS	2950.5	-46.93	-25	Pass	401
3000	12000	1	RMS	11800.753	-50.91	-25	Pass	9000
12000	26500	1	RMS	26000.921	-36.4	-25	Pass	14500



**17.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.78	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.1	-25	Pass	2985
30	1000	0.1	RMS	845.2	-61.84	-25	Pass	9699
1000	2550	1	RMS	2459.942	-48.52	-25	Pass	1550
2550	2640	1	RMS	2600.85	21.44	60	Pass	401
2640	3000	1	RMS	2946.9	-46.94	-25	Pass	401
3000	12000	1	RMS	11799.752	-50.82	-25	Pass	9000
12000	26500	1	RMS	26038.927	-36.4	-25	Pass	14500



18. LTE_Band41 full


18.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.53	-25	Pass	401
0.15	30	0.01	RMS	0.19	-69.91	-25	Pass	2985
30	1000	0.1	RMS	839.499	-61.74	-25	Pass	9699
1000	2476	1	RMS	2476	-48.65	-25	Pass	1476
2476	2710	1	RMS	2495.89	21.09	60	Pass	401
2710	3000	1	RMS	2944.9	-46.91	-25	Pass	401
3000	12000	1	RMS	11796.748	-50.84	-25	Pass	9000
12000	27000	1	RMS	26004.854	-36.37	-25	Pass	15000




**18.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.06	-25	Pass	401
0.15	30	0.01	RMS	0.2	-69.54	-25	Pass	2985
30	1000	0.1	RMS	835.898	-61.7	-25	Pass	9699
1000	2476	1	RMS	2474.999	-48.83	-25	Pass	1476
2476	2710	1	RMS	2495.89	21.5	60	Pass	401
2710	3000	1	RMS	2947.075	-46.9	-25	Pass	401
3000	12000	1	RMS	11796.748	-50.78	-25	Pass	9000
12000	27000	1	RMS	26005.854	-36.41	-25	Pass	15000




**18.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.47	-25	Pass	401
0.15	30	0.01	RMS	0.18	-69.79	-25	Pass	2985
30	1000	0.1	RMS	846.6	-61.74	-25	Pass	9699
1000	2476	1	RMS	2476	-48.89	-25	Pass	1476
2476	2710	1	RMS	2590.66	20.91	60	Pass	401
2710	3000	1	RMS	2948.525	-46.9	-25	Pass	401
3000	12000	1	RMS	6957.483	-50.79	-25	Pass	9000
12000	27000	1	RMS	25982.851	-36.32	-25	Pass	15000




**18.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.6	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.76	-25	Pass	2985
30	1000	0.1	RMS	841.899	-61.73	-25	Pass	9699
1000	2476	1	RMS	2474.999	-48.82	-25	Pass	1476
2476	2710	1	RMS	2590.66	21.13	60	Pass	401
2710	3000	1	RMS	2946.35	-46.83	-25	Pass	401
3000	12000	1	RMS	11812.768	-50.85	-25	Pass	9000
12000	27000	1	RMS	25993.852	-36.36	-25	Pass	15000




**18.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.73	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.01	-25	Pass	2985
30	1000	0.1	RMS	724.685	-60.68	-25	Pass	9699
1000	2476	1	RMS	2456.987	-48.85	-25	Pass	1476
2476	2710	1	RMS	2685.43	20.77	60	Pass	401
2710	3000	1	RMS	2953.6	-46.91	-25	Pass	401
3000	12000	1	RMS	11789.74	-50.78	-25	Pass	9000
12000	27000	1	RMS	25983.851	-36.32	-25	Pass	15000




**18.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.9	-25	Pass	401
0.15	30	0.01	RMS	0.22	-69.63	-25	Pass	2985
30	1000	0.1	RMS	724.585	-60.91	-25	Pass	9699
1000	2476	1	RMS	2476	-48.9	-25	Pass	1476
2476	2710	1	RMS	2684.845	21.28	60	Pass	401
2710	3000	1	RMS	2949.25	-46.94	-25	Pass	401
3000	12000	1	RMS	11820.778	-50.89	-25	Pass	9000
12000	27000	1	RMS	25991.852	-36.37	-25	Pass	15000




18.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.72	-25	Pass	401
0.15	30	0.01	RMS	0.18	-69.33	-25	Pass	2985
30	1000	0.1	RMS	831.998	-61.75	-25	Pass	9699
1000	2476	1	RMS	2474.999	-48.87	-25	Pass	1476
2476	2710	1	RMS	2496.475	21.62	60	Pass	401
2710	3000	1	RMS	2949.975	-46.92	-25	Pass	401
3000	12000	1	RMS	11821.779	-50.91	-25	Pass	9000
12000	27000	1	RMS	25994.852	-36.4	-25	Pass	15000




**18.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.57	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.28	-25	Pass	2985
30	1000	0.1	RMS	844.099	-61.88	-25	Pass	9699
1000	2476	1	RMS	2476	-48.76	-25	Pass	1476
2476	2710	1	RMS	2496.475	21.38	60	Pass	401
2710	3000	1	RMS	2947.8	-46.95	-25	Pass	401
3000	12000	1	RMS	11795.747	-50.87	-25	Pass	9000
12000	27000	1	RMS	25999.853	-36.39	-25	Pass	15000




**18.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.17	-25	Pass	401
0.15	30	0.01	RMS	0.2	-69.74	-25	Pass	2985
30	1000	0.1	RMS	837.699	-61.94	-25	Pass	9699
1000	2476	1	RMS	2474.999	-48.92	-25	Pass	1476
2476	2710	1	RMS	2588.32	22.33	60	Pass	401
2710	3000	1	RMS	2944.175	-46.98	-25	Pass	401
3000	12000	1	RMS	11808.763	-50.91	-25	Pass	9000
12000	27000	1	RMS	26003.854	-36.42	-25	Pass	15000




**18.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.84	-25	Pass	401
0.15	30	0.01	RMS	0.21	-69.7	-25	Pass	2985
30	1000	0.1	RMS	832.798	-61.95	-25	Pass	9699
1000	2476	1	RMS	2469.996	-48.96	-25	Pass	1476
2476	2710	1	RMS	2588.32	20.79	60	Pass	401
2710	3000	1	RMS	2949.25	-46.99	-25	Pass	401
3000	12000	1	RMS	11816.773	-50.97	-25	Pass	9000
12000	27000	1	RMS	25996.853	-36.42	-25	Pass	15000




18.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.62	-25	Pass	401
0.15	30	0.01	RMS	0.2	-69.91	-25	Pass	2985
30	1000	0.1	RMS	719.984	-61.74	-25	Pass	9699
1000	2476	1	RMS	2458.988	-48.89	-25	Pass	1476
2476	2710	1	RMS	2680.165	21.65	60	Pass	401
2710	3000	1	RMS	2950.7	-47	-25	Pass	401
3000	12000	1	RMS	11801.755	-50.96	-25	Pass	9000
12000	27000	1	RMS	26008.854	-36.39	-25	Pass	15000




**18.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.77	-25	Pass	401
0.15	30	0.01	RMS	0.17	-70.01	-25	Pass	2985
30	1000	0.1	RMS	839.299	-61.93	-25	Pass	9699
1000	2476	1	RMS	2472.998	-48.89	-25	Pass	1476
2476	2710	1	RMS	2680.165	20.36	60	Pass	401
2710	3000	1	RMS	2948.525	-46.95	-25	Pass	401
3000	12000	1	RMS	11807.762	-50.9	-25	Pass	9000
12000	27000	1	RMS	25999.853	-36.35	-25	Pass	15000




**18.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.44	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.61	-25	Pass	2985
30	1000	0.1	RMS	834.998	-61.85	-25	Pass	9699
1000	2476	1	RMS	2474.999	-48.86	-25	Pass	1476
2476	2710	1	RMS	2496.475	22.12	60	Pass	401
2710	3000	1	RMS	2944.9	-46.99	-25	Pass	401
3000	12000	1	RMS	11803.757	-50.89	-25	Pass	9000
12000	27000	1	RMS	26000.853	-36.27	-25	Pass	15000




**18.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.02	-25	Pass	401
0.15	30	0.01	RMS	0.23	-69.7	-25	Pass	2985
30	1000	0.1	RMS	860.916	-61.78	-25	Pass	9699
1000	2476	1	RMS	2474.999	-48.88	-25	Pass	1476
2476	2710	1	RMS	2496.475	20.08	60	Pass	401
2710	3000	1	RMS	2950.7	-46.95	-25	Pass	401
3000	12000	1	RMS	11821.779	-50.94	-25	Pass	9000
12000	27000	1	RMS	25999.853	-36.38	-25	Pass	15000




**18.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:40620, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.67	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.8	-25	Pass	2985
30	1000	0.1	RMS	625.673	-61.86	-25	Pass	9699
1000	2476	1	RMS	2476	-48.94	-25	Pass	1476
2476	2710	1	RMS	2585.98	21.88	60	Pass	401
2710	3000	1	RMS	2949.25	-46.99	-25	Pass	401
3000	12000	1	RMS	11809.765	-50.96	-25	Pass	9000
12000	27000	1	RMS	25997.853	-36.37	-25	Pass	15000




**18.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:40620, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.55	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.21	-25	Pass	2985
30	1000	0.1	RMS	864.42	-61.89	-25	Pass	9699
1000	2476	1	RMS	2473.999	-48.91	-25	Pass	1476
2476	2710	1	RMS	2585.98	19.83	60	Pass	401
2710	3000	1	RMS	2950.7	-46.98	-25	Pass	401
3000	12000	1	RMS	11800.753	-50.93	-25	Pass	9000
12000	27000	1	RMS	26000.853	-36.35	-25	Pass	15000




**18.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.81	-25	Pass	401
0.15	30	0.01	RMS	0.19	-69.68	-25	Pass	2985
30	1000	0.1	RMS	715.084	-61.33	-25	Pass	9699
1000	2476	1	RMS	2474.999	-48.92	-25	Pass	1476
2476	2710	1	RMS	2675.485	21.6	60	Pass	401
2710	3000	1	RMS	2950.7	-46.99	-25	Pass	401
3000	12000	1	RMS	11801.755	-50.95	-25	Pass	9000
12000	27000	1	RMS	25995.853	-36.44	-25	Pass	15000




**18.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.62	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.54	-25	Pass	2985
30	1000	0.1	RMS	715.084	-61.53	-25	Pass	9699
1000	2476	1	RMS	2472.998	-48.9	-25	Pass	1476
2476	2710	1	RMS	2675.485	20.52	60	Pass	401
2710	3000	1	RMS	2947.075	-46.97	-25	Pass	401
3000	12000	1	RMS	11801.755	-50.8	-25	Pass	9000
12000	27000	1	RMS	26020.856	-36.41	-25	Pass	15000




**18.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.09	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.73	-25	Pass	2985
30	1000	0.1	RMS	839.899	-61.7	-25	Pass	9699
1000	2476	1	RMS	2473.999	-48.82	-25	Pass	1476
2476	2710	1	RMS	2497.06	21.37	60	Pass	401
2710	3000	1	RMS	2949.975	-46.98	-25	Pass	401
3000	12000	1	RMS	11782.731	-50.93	-25	Pass	9000
12000	27000	1	RMS	26010.855	-36.4	-25	Pass	15000




**18.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.47	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.46	-25	Pass	2985
30	1000	0.1	RMS	849.2	-61.93	-25	Pass	9699
1000	2476	1	RMS	2476	-48.66	-25	Pass	1476
2476	2710	1	RMS	2496.475	20.39	60	Pass	401
2710	3000	1	RMS	2950.7	-46.98	-25	Pass	401
3000	12000	1	RMS	11819.777	-50.92	-25	Pass	9000
12000	27000	1	RMS	26028.857	-36.42	-25	Pass	15000




**18.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.25	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.51	-25	Pass	2985
30	1000	0.1	RMS	623.372	-61.32	-25	Pass	9699
1000	2476	1	RMS	2476	-48.92	-25	Pass	1476
2476	2710	1	RMS	2583.64	21.39	60	Pass	401
2710	3000	1	RMS	2945.625	-46.99	-25	Pass	401
3000	12000	1	RMS	11812.768	-50.84	-25	Pass	9000
12000	27000	1	RMS	26029.858	-36.4	-25	Pass	15000




**18.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.72	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.08	-25	Pass	2985
30	1000	0.1	RMS	846.8	-61.74	-25	Pass	9699
1000	2476	1	RMS	2476	-48.92	-25	Pass	1476
2476	2710	1	RMS	2583.64	21.17	60	Pass	401
2710	3000	1	RMS	2947.075	-46.95	-25	Pass	401
3000	12000	1	RMS	11805.76	-50.92	-25	Pass	9000
12000	27000	1	RMS	26000.853	-36.33	-25	Pass	15000




**18.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.16	-25	Pass	401
0.15	30	0.01	RMS	0.18	-69.72	-25	Pass	2985
30	1000	0.1	RMS	849.5	-61.84	-25	Pass	9699
1000	2476	1	RMS	2473.999	-48.9	-25	Pass	1476
2476	2710	1	RMS	2670.805	22.01	60	Pass	401
2710	3000	1	RMS	2947.075	-46.96	-25	Pass	401
3000	12000	1	RMS	11798.751	-50.91	-25	Pass	9000
12000	27000	1	RMS	25998.853	-36.33	-25	Pass	15000



**18.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.07	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.73	-25	Pass	2985
30	1000	0.1	RMS	839.999	-61.85	-25	Pass	9699
1000	2476	1	RMS	2471.997	-48.94	-25	Pass	1476
2476	2710	1	RMS	2670.805	21.74	60	Pass	401
2710	3000	1	RMS	2952.15	-46.97	-25	Pass	401
3000	12000	1	RMS	6961.484	-50.96	-25	Pass	9000
12000	27000	1	RMS	26016.856	-36.46	-25	Pass	15000



19. LTE_Band66


19.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.92	-13	Pass	2985
30	1000	0.1	RMS	837.399	-64.88	-13	Pass	9699
1000	1700	1	RMS	1700	-50.5	-13	Pass	700
1700	1790	1	RMS	1710.125	22.87	60	Pass	401
1790	3000	1	RMS	2950.959	-49.9	-13	Pass	1210
3000	12000	1	RMS	11992.991	-43.44	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.2	-13	Pass	8000




19.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.43	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.27	-13	Pass	2985
30	1000	0.1	RMS	846.3	-64.8	-13	Pass	9699
1000	1700	1	RMS	1700	-50.87	-13	Pass	700
1700	1790	1	RMS	1710.125	22.09	60	Pass	401
1790	3000	1	RMS	2951.96	-49.86	-13	Pass	1210
3000	12000	1	RMS	11996.996	-43.36	-13	Pass	9000
12000	20000	1	RMS	19682.96	-35.16	-13	Pass	8000




**19.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.32	-13	Pass	2985
30	1000	0.1	RMS	866.523	-64.96	-13	Pass	9699
1000	1700	1	RMS	1689.986	-53.7	-13	Pass	700
1700	1790	1	RMS	1744.325	22.69	60	Pass	401
1790	3000	1	RMS	2943.954	-49.85	-13	Pass	1210
3000	12000	1	RMS	11998.999	-43.51	-13	Pass	9000
12000	20000	1	RMS	19676.96	-35.15	-13	Pass	8000




**19.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.23	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.45	-13	Pass	2985
30	1000	0.1	RMS	857.511	-64.85	-13	Pass	9699
1000	1700	1	RMS	1689.986	-53.68	-13	Pass	700
1700	1790	1	RMS	1744.325	21.88	60	Pass	401
1790	3000	1	RMS	2954.963	-49.9	-13	Pass	1210
3000	12000	1	RMS	12000	-43.42	-13	Pass	9000
12000	20000	1	RMS	19674.959	-35.15	-13	Pass	8000




**19.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.98	-13	Pass	2985
30	1000	0.1	RMS	837.399	-64.82	-13	Pass	9699
1000	1700	1	RMS	1695.994	-53.72	-13	Pass	700
1700	1790	1	RMS	1778.75	22.71	60	Pass	401
1790	3000	1	RMS	2948.958	-49.88	-13	Pass	1210
3000	12000	1	RMS	12000	-43.46	-13	Pass	9000
12000	20000	1	RMS	19684.961	-35.2	-13	Pass	8000




**19.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.09	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.47	-13	Pass	2985
30	1000	0.1	RMS	842.699	-64.99	-13	Pass	9699
1000	1700	1	RMS	1694.993	-53.74	-13	Pass	700
1700	1790	1	RMS	1778.75	21.8	60	Pass	401
1790	3000	1	RMS	2949.959	-49.86	-13	Pass	1210
3000	12000	1	RMS	11994.994	-43.47	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.11	-13	Pass	8000




19.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.01	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.92	-13	Pass	2985
30	1000	0.1	RMS	842.199	-64.82	-13	Pass	9699
1000	1700	1	RMS	1700	-50.35	-13	Pass	700
1700	1790	1	RMS	1710.125	22.93	60	Pass	401
1790	3000	1	RMS	2949.959	-49.91	-13	Pass	1210
3000	12000	1	RMS	11998.999	-43.34	-13	Pass	9000
12000	20000	1	RMS	19681.96	-35.15	-13	Pass	8000




**19.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.84	-13	Pass	2985
30	1000	0.1	RMS	840.599	-64.9	-13	Pass	9699
1000	1700	1	RMS	1700	-50.79	-13	Pass	700
1700	1790	1	RMS	1710.125	22.23	60	Pass	401
1790	3000	1	RMS	2946.956	-49.9	-13	Pass	1210
3000	12000	1	RMS	11998.999	-43.44	-13	Pass	9000
12000	20000	1	RMS	19676.96	-35.13	-13	Pass	8000




19.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.22	-13	Pass	2985
30	1000	0.1	RMS	846.9	-64.71	-13	Pass	9699
1000	1700	1	RMS	1689.986	-53.69	-13	Pass	700
1700	1790	1	RMS	1743.65	22.81	60	Pass	401
1790	3000	1	RMS	2944.955	-49.89	-13	Pass	1210
3000	12000	1	RMS	12000	-43.38	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.19	-13	Pass	8000




**19.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.8	-13	Pass	2985
30	1000	0.1	RMS	853.205	-64.8	-13	Pass	9699
1000	1700	1	RMS	1689.986	-53.69	-13	Pass	700
1700	1790	1	RMS	1743.65	21.9	60	Pass	401
1790	3000	1	RMS	2945.955	-49.89	-13	Pass	1210
3000	12000	1	RMS	11996.996	-43.42	-13	Pass	9000
12000	20000	1	RMS	19678.96	-35.14	-13	Pass	8000




19.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.6	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.33	-13	Pass	2985
30	1000	0.1	RMS	849.2	-64.94	-13	Pass	9699
1000	1700	1	RMS	1689.986	-53.68	-13	Pass	700
1700	1790	1	RMS	1777.175	22.86	60	Pass	401
1790	3000	1	RMS	2948.958	-49.91	-13	Pass	1210
3000	12000	1	RMS	11997.998	-43.46	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.19	-13	Pass	8000




**19.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.42	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.55	-13	Pass	2985
30	1000	0.1	RMS	835.498	-64.88	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.72	-13	Pass	700
1700	1790	1	RMS	1777.175	22.04	60	Pass	401
1790	3000	1	RMS	2947.957	-49.85	-13	Pass	1210
3000	12000	1	RMS	12000	-43.42	-13	Pass	9000
12000	20000	1	RMS	19681.96	-35.16	-13	Pass	8000




19.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.99	-13	Pass	2985
30	1000	0.1	RMS	866.623	-64.84	-13	Pass	9699
1000	1700	1	RMS	1700	-49.45	-13	Pass	700
1700	1790	1	RMS	1710.125	22.84	60	Pass	401
1790	3000	1	RMS	2949.959	-49.91	-13	Pass	1210
3000	12000	1	RMS	12000	-43.48	-13	Pass	9000
12000	20000	1	RMS	19682.96	-35.16	-13	Pass	8000




**19.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.22	-13	Pass	2985
30	1000	0.1	RMS	870.228	-64.93	-13	Pass	9699
1000	1700	1	RMS	1698.999	-50.16	-13	Pass	700
1700	1790	1	RMS	1710.125	22.02	60	Pass	401
1790	3000	1	RMS	2946.956	-49.89	-13	Pass	1210
3000	12000	1	RMS	12000	-43.45	-13	Pass	9000
12000	20000	1	RMS	19680.96	-35.17	-13	Pass	8000




**19.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.28	-13	Pass	2985
30	1000	0.1	RMS	855.208	-65.02	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.66	-13	Pass	700
1700	1790	1	RMS	1742.75	22.77	60	Pass	401
1790	3000	1	RMS	2951.96	-49.87	-13	Pass	1210
3000	12000	1	RMS	11998.999	-43.39	-13	Pass	9000
12000	20000	1	RMS	19680.96	-35.23	-13	Pass	8000




**19.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.47	-13	Pass	2985
30	1000	0.1	RMS	849.901	-64.91	-13	Pass	9699
1000	1700	1	RMS	1693.991	-53.66	-13	Pass	700
1700	1790	1	RMS	1742.75	22	60	Pass	401
1790	3000	1	RMS	2952.961	-49.87	-13	Pass	1210
3000	12000	1	RMS	12000	-43.46	-13	Pass	9000
12000	20000	1	RMS	19681.96	-35.13	-13	Pass	8000




**19.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.4	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.38	-13	Pass	2985
30	1000	0.1	RMS	852.404	-64.88	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.73	-13	Pass	700
1700	1790	1	RMS	1775.15	22.76	60	Pass	401
1790	3000	1	RMS	2949.959	-49.81	-13	Pass	1210
3000	12000	1	RMS	12000	-43.49	-13	Pass	9000
12000	20000	1	RMS	19676.96	-35.14	-13	Pass	8000




**19.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.7	-13	Pass	2985
30	1000	0.1	RMS	849.5	-64.8	-13	Pass	9699
1000	1700	1	RMS	1700	-53.74	-13	Pass	700
1700	1790	1	RMS	1775.15	21.88	60	Pass	401
1790	3000	1	RMS	2949.959	-49.86	-13	Pass	1210
3000	12000	1	RMS	12000	-43.37	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.13	-13	Pass	8000




19.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.97	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.54	-13	Pass	2985
30	1000	0.1	RMS	834.098	-64.85	-13	Pass	9699
1000	1700	1	RMS	1700	-49.33	-13	Pass	700
1700	1790	1	RMS	1710.35	22.84	60	Pass	401
1790	3000	1	RMS	2949.959	-49.94	-13	Pass	1210
3000	12000	1	RMS	12000	-43.4	-13	Pass	9000
12000	20000	1	RMS	19678.96	-35.19	-13	Pass	8000




**19.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.33	-13	Pass	2985
30	1000	0.1	RMS	848.1	-64.87	-13	Pass	9699
1000	1700	1	RMS	1700	-50.26	-13	Pass	700
1700	1790	1	RMS	1710.575	22.15	60	Pass	401
1790	3000	1	RMS	2946.956	-49.87	-13	Pass	1210
3000	12000	1	RMS	12000	-43.39	-13	Pass	9000
12000	20000	1	RMS	19686.961	-35.13	-13	Pass	8000




19.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.43	-13	Pass	2985
30	1000	0.1	RMS	845.099	-64.93	-13	Pass	9699
1000	1700	1	RMS	1700	-53.58	-13	Pass	700
1700	1790	1	RMS	1740.5	22.85	60	Pass	401
1790	3000	1	RMS	2951.96	-49.91	-13	Pass	1210
3000	12000	1	RMS	11997.998	-43.53	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.17	-13	Pass	8000




**19.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.66	-13	Pass	2985
30	1000	0.1	RMS	869.427	-64.98	-13	Pass	9699
1000	1700	1	RMS	1692.99	-53.58	-13	Pass	700
1700	1790	1	RMS	1740.5	21.96	60	Pass	401
1790	3000	1	RMS	2944.955	-49.84	-13	Pass	1210
3000	12000	1	RMS	11995.995	-43.47	-13	Pass	9000
12000	20000	1	RMS	19681.96	-35.15	-13	Pass	8000




19.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.75	-13	Pass	2985
30	1000	0.1	RMS	842.099	-64.92	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.6	-13	Pass	700
1700	1790	1	RMS	1770.425	22.85	60	Pass	401
1790	3000	1	RMS	2950.959	-49.89	-13	Pass	1210
3000	12000	1	RMS	11997.998	-43.44	-13	Pass	9000
12000	20000	1	RMS	19682.96	-35.18	-13	Pass	8000




**19.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-73.1	-13	Pass	2985
30	1000	0.1	RMS	843.299	-64.83	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.64	-13	Pass	700
1700	1790	1	RMS	1770.425	22.12	60	Pass	401
1790	3000	1	RMS	2945.955	-49.92	-13	Pass	1210
3000	12000	1	RMS	11998.999	-43.41	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.16	-13	Pass	8000




**19.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.74	-13	Pass	2985
30	1000	0.1	RMS	839.699	-64.79	-13	Pass	9699
1000	1700	1	RMS	1697.997	-32.63	-13	Pass	700
1700	1790	1	RMS	1710.8	22.76	60	Pass	401
1790	3000	1	RMS	2955.964	-49.92	-13	Pass	1210
3000	12000	1	RMS	11994.994	-43.47	-13	Pass	9000
12000	20000	1	RMS	19684.961	-35.17	-13	Pass	8000




**19.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.28	-13	Pass	2985
30	1000	0.1	RMS	831.398	-64.83	-13	Pass	9699
1000	1700	1	RMS	1697.997	-34.16	-13	Pass	700
1700	1790	1	RMS	1710.8	22.12	60	Pass	401
1790	3000	1	RMS	2947.957	-49.85	-13	Pass	1210
3000	12000	1	RMS	11998.999	-43.4	-13	Pass	9000
12000	20000	1	RMS	19684.961	-35.22	-13	Pass	8000




**19.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.71	-13	Pass	2985
30	1000	0.1	RMS	856.51	-64.96	-13	Pass	9699
1000	1700	1	RMS	1700	-53.57	-13	Pass	700
1700	1790	1	RMS	1738.25	22.81	60	Pass	401
1790	3000	1	RMS	2949.959	-49.86	-13	Pass	1210
3000	12000	1	RMS	11994.994	-43.34	-13	Pass	9000
12000	20000	1	RMS	19681.96	-35.11	-13	Pass	8000



**19.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.05	-13	Pass	2985
30	1000	0.1	RMS	829.898	-64.9	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.58	-13	Pass	700
1700	1790	1	RMS	1738.25	22.25	60	Pass	401
1790	3000	1	RMS	2947.957	-49.88	-13	Pass	1210
3000	12000	1	RMS	12000	-43.44	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.12	-13	Pass	8000



**19.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.5	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.64	-13	Pass	2985
30	1000	0.1	RMS	846.3	-64.79	-13	Pass	9699
1000	1700	1	RMS	1695.994	-53.49	-13	Pass	700
1700	1790	1	RMS	1765.7	22.9	60	Pass	401
1790	3000	1	RMS	2946.956	-49.88	-13	Pass	1210
3000	12000	1	RMS	12000	-43.31	-13	Pass	9000
12000	20000	1	RMS	19680.96	-35.2	-13	Pass	8000

