

10.2. Peak-to-Average Ratio(PAPR)

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result	Limit	Verdict
N38	30kHz	20MHz	DFT-QPSK	Mid	Outer_Full	9.05	≤13	PASS
N38	30kHz	20MHz	DFT-16QAM	Mid	Outer_Full	9.29	≤13	PASS
N38	30kHz	20MHz	DFT-64QAM	Mid	Outer_Full	9.06	≤13	PASS
N38	30kHz	20MHz	DFT-256QAM	Mid	Outer_Full	9.14	≤13	PASS
N38	30kHz	20MHz	CP-QPSK	Mid	Outer_Full	9.88	≤13	PASS
N38	30kHz	20MHz	CP-16QAM	Mid	Outer_Full	9.42	≤13	PASS
N38	30kHz	20MHz	CP-64QAM	Mid	Outer_Full	9.98	≤13	PASS
N38	30kHz	20MHz	CP-256QAM	Mid	Outer_Full	10.05	≤13	PASS
N41	30kHz	100MHz	DFT-QPSK	Mid	Outer_Full	9.39	≤13	PASS
N41	30kHz	100MHz	DFT-16QAM	Mid	Outer_Full	9.31	≤13	PASS
N41	30kHz	100MHz	DFT-64QAM	Mid	Outer_Full	9.04	≤13	PASS
N41	30kHz	100MHz	DFT-256QAM	Mid	Outer_Full	9.54	≤13	PASS
N41	30kHz	100MHz	CP-QPSK	Mid	Outer_Full	9.06	≤13	PASS
N41	30kHz	100MHz	CP-16QAM	Mid	Outer_Full	10.09	≤13	PASS
N41	30kHz	100MHz	CP-64QAM	Mid	Outer_Full	9.86	≤13	PASS
N41	30kHz	100MHz	CP-256QAM	Mid	Outer_Full	9.48	≤13	PASS

11. APPENDIX C: 26DB BANDWIDTH AND OCCUPIED BANDWIDTH

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result (99%)	Result (26dB)	Verdict
N38	30kHz	20MHz	DFT-QPSK	Low	Outer_Full	17.979	20.320	PASS
N38	30kHz	20MHz	DFT-QPSK	Mid	Outer_Full	17.972	20.160	PASS
N38	30kHz	20MHz	DFT-QPSK	High	Outer_Full	17.979	20.200	PASS
N38	30kHz	20MHz	DFT-16QAM	Low	Outer_Full	18.037	20.760	PASS
N38	30kHz	20MHz	DFT-16QAM	Mid	Outer_Full	18.028	20.840	PASS
N38	30kHz	20MHz	DFT-16QAM	High	Outer_Full	18.015	20.320	PASS
N38	30kHz	20MHz	DFT-64QAM	Low	Outer_Full	17.996	19.760	PASS
N38	30kHz	20MHz	DFT-64QAM	Mid	Outer_Full	17.975	19.760	PASS
N38	30kHz	20MHz	DFT-64QAM	High	Outer_Full	17.973	19.880	PASS
N38	30kHz	20MHz	DFT-256QAM	Low	Outer_Full	17.969	19.600	PASS
N38	30kHz	20MHz	DFT-256QAM	Mid	Outer_Full	17.925	19.200	PASS
N38	30kHz	20MHz	DFT-256QAM	High	Outer_Full	18.227	19.320	PASS
N38	30kHz	20MHz	CP-QPSK	Low	Outer_Full	18.291	20.720	PASS
N38	30kHz	20MHz	CP-QPSK	Mid	Outer_Full	18.286	20.880	PASS
N38	30kHz	20MHz	CP-QPSK	High	Outer_Full	18.393	19.840	PASS
N38	30kHz	20MHz	CP-16QAM	Low	Outer_Full	18.4	21.680	PASS
N38	30kHz	20MHz	CP-16QAM	Mid	Outer_Full	18.328	21.880	PASS
N38	30kHz	20MHz	CP-16QAM	High	Outer_Full	18.333	21.480	PASS
N38	30kHz	20MHz	CP-64QAM	Low	Outer_Full	18.369	21.640	PASS
N38	30kHz	20MHz	CP-64QAM	Mid	Outer_Full	18.338	20.640	PASS
N38	30kHz	20MHz	CP-64QAM	High	Outer_Full	18.347	20.440	PASS
N38	30kHz	20MHz	CP-256QAM	Low	Outer_Full	18.365	20.160	PASS
N38	30kHz	20MHz	CP-256QAM	Mid	Outer_Full	18.332	20.160	PASS
N38	30kHz	20MHz	CP-256QAM	High	Outer_Full	18.319	23.000	PASS
N41	30kHz	20MHz	DFT-QPSK	Low	Outer_Full	17.949	19.960	PASS
N41	30kHz	20MHz	DFT-QPSK	Mid	Outer_Full	17.98	19.840	PASS
N41	30kHz	20MHz	DFT-QPSK	High	Outer_Full	17.986	19.880	PASS
N41	30kHz	20MHz	DFT-16QAM	Low	Outer_Full	17.982	20.720	PASS
N41	30kHz	20MHz	DFT-16QAM	Mid	Outer_Full	18.006	20.280	PASS
N41	30kHz	20MHz	DFT-16QAM	High	Outer_Full	18.044	20.480	PASS
N41	30kHz	20MHz	DFT-64QAM	Low	Outer_Full	17.957	19.920	PASS
N41	30kHz	20MHz	DFT-64QAM	Mid	Outer_Full	17.978	19.800	PASS
N41	30kHz	20MHz	DFT-64QAM	High	Outer_Full	17.994	19.960	PASS
N41	30kHz	20MHz	DFT-256QAM	Low	Outer_Full	17.952	19.720	PASS
N41	30kHz	20MHz	DFT-256QAM	Mid	Outer_Full	17.964	19.640	PASS
N41	30kHz	20MHz	DFT-256QAM	High	Outer_Full	17.977	19.720	PASS
N41	30kHz	20MHz	CP-QPSK	Low	Outer_Full	18.258	19.920	PASS
N41	30kHz	20MHz	CP-QPSK	Mid	Outer_Full	18.254	19.720	PASS
N41	30kHz	20MHz	CP-QPSK	High	Outer_Full	18.284	19.760	PASS
N41	30kHz	20MHz	CP-16QAM	Low	Outer_Full	18.26	20.120	PASS
N41	30kHz	20MHz	CP-16QAM	Mid	Outer_Full	18.248	20.920	PASS
N41	30kHz	20MHz	CP-16QAM	High	Outer_Full	18.38	19.920	PASS
N41	30kHz	20MHz	CP-64QAM	Low	Outer_Full	18.309	20.040	PASS
N41	30kHz	20MHz	CP-64QAM	Mid	Outer_Full	18.329	20.480	PASS
N41	30kHz	20MHz	CP-64QAM	High	Outer_Full	18.365	21.080	PASS
N41	30kHz	20MHz	CP-256QAM	Low	Outer_Full	18.323	19.960	PASS
N41	30kHz	20MHz	CP-256QAM	Mid	Outer_Full	18.314	20.080	PASS
N41	30kHz	20MHz	CP-256QAM	High	Outer_Full	18.342	20.160	PASS
N41	30kHz	30MHz	DFT-QPSK	Low	Outer_Full	27.008	29.520	PASS
N41	30kHz	30MHz	DFT-QPSK	Mid	Outer_Full	27.053	29.460	PASS
N41	30kHz	30MHz	DFT-QPSK	High	Outer_Full	27.079	29.460	PASS
N41	30kHz	30MHz	DFT-16QAM	Low	Outer_Full	26.98	29.280	PASS
N41	30kHz	30MHz	DFT-16QAM	Mid	Outer_Full	27.098	29.400	PASS
N41	30kHz	30MHz	DFT-16QAM	High	Outer_Full	27.132	29.400	PASS
N41	30kHz	30MHz	DFT-64QAM	Low	Outer_Full	27.174	29.460	PASS

N41	30kHz	30MHz	DFT-64QAM	Mid	Outer_Full	27.223	29.520	PASS
N41	30kHz	30MHz	DFT-64QAM	High	Outer_Full	27.255	29.460	PASS
N41	30kHz	30MHz	DFT-256QAM	Low	Outer_Full	26.911	29.340	PASS
N41	30kHz	30MHz	DFT-256QAM	Mid	Outer_Full	27.03	29.280	PASS
N41	30kHz	30MHz	DFT-256QAM	High	Outer_Full	27.097	29.820	PASS
N41	30kHz	30MHz	CP-QPSK	Low	Outer_Full	28.337	30.000	PASS
N41	30kHz	30MHz	CP-QPSK	Mid	Outer_Full	28.001	30.480	PASS
N41	30kHz	30MHz	CP-QPSK	High	Outer_Full	28.132	30.480	PASS
N41	30kHz	30MHz	CP-16QAM	Low	Outer_Full	27.925	30.480	PASS
N41	30kHz	30MHz	CP-16QAM	Mid	Outer_Full	28.028	30.600	PASS
N41	30kHz	30MHz	CP-16QAM	High	Outer_Full	28.117	30.720	PASS
N41	30kHz	30MHz	CP-64QAM	Low	Outer_Full	27.986	30.540	PASS
N41	30kHz	30MHz	CP-64QAM	Mid	Outer_Full	28.066	30.540	PASS
N41	30kHz	30MHz	CP-64QAM	High	Outer_Full	28.138	30.600	PASS
N41	30kHz	30MHz	CP-256QAM	Low	Outer_Full	27.935	30.360	PASS
N41	30kHz	30MHz	CP-256QAM	Mid	Outer_Full	28.015	30.480	PASS
N41	30kHz	30MHz	CP-256QAM	High	Outer_Full	28.051	30.480	PASS
N41	30kHz	40MHz	DFT-QPSK	Low	Outer_Full	35.706	38.560	PASS
N41	30kHz	40MHz	DFT-QPSK	Mid	Outer_Full	35.754	38.400	PASS
N41	30kHz	40MHz	DFT-QPSK	High	Outer_Full	35.842	38.480	PASS
N41	30kHz	40MHz	DFT-16QAM	Low	Outer_Full	35.783	38.400	PASS
N41	30kHz	40MHz	DFT-16QAM	Mid	Outer_Full	35.935	38.560	PASS
N41	30kHz	40MHz	DFT-16QAM	High	Outer_Full	35.953	38.560	PASS
N41	30kHz	40MHz	DFT-64QAM	Low	Outer_Full	35.667	38.400	PASS
N41	30kHz	40MHz	DFT-64QAM	Mid	Outer_Full	35.773	38.400	PASS
N41	30kHz	40MHz	DFT-64QAM	High	Outer_Full	35.833	38.480	PASS
N41	30kHz	40MHz	DFT-256QAM	Low	Outer_Full	36.219	37.680	PASS
N41	30kHz	40MHz	DFT-256QAM	Mid	Outer_Full	35.771	38.560	PASS
N41	30kHz	40MHz	DFT-256QAM	High	Outer_Full	35.823	38.400	PASS
N41	30kHz	40MHz	CP-QPSK	Low	Outer_Full	37.73	40.480	PASS
N41	30kHz	40MHz	CP-QPSK	Mid	Outer_Full	37.828	40.640	PASS
N41	30kHz	40MHz	CP-QPSK	High	Outer_Full	37.882	40.160	PASS
N41	30kHz	40MHz	CP-16QAM	Low	Outer_Full	37.929	40.560	PASS
N41	30kHz	40MHz	CP-16QAM	Mid	Outer_Full	37.988	40.560	PASS
N41	30kHz	40MHz	CP-16QAM	High	Outer_Full	38.069	40.720	PASS
N41	30kHz	40MHz	CP-64QAM	Low	Outer_Full	37.895	40.560	PASS
N41	30kHz	40MHz	CP-64QAM	Mid	Outer_Full	37.955	40.800	PASS
N41	30kHz	40MHz	CP-64QAM	High	Outer_Full	38.033	41.440	PASS
N41	30kHz	40MHz	CP-256QAM	Low	Outer_Full	37.78	40.720	PASS
N41	30kHz	40MHz	CP-256QAM	Mid	Outer_Full	37.878	40.480	PASS
N41	30kHz	40MHz	CP-256QAM	High	Outer_Full	37.914	40.800	PASS
N41	30kHz	50MHz	DFT-QPSK	Low	Outer_Full	45.799	48.500	PASS
N41	30kHz	50MHz	DFT-QPSK	Mid	Outer_Full	45.839	48.600	PASS
N41	30kHz	50MHz	DFT-QPSK	High	Outer_Full	45.868	48.700	PASS
N41	30kHz	50MHz	DFT-16QAM	Low	Outer_Full	45.755	48.500	PASS
N41	30kHz	50MHz	DFT-16QAM	Mid	Outer_Full	45.769	48.500	PASS
N41	30kHz	50MHz	DFT-16QAM	High	Outer_Full	45.75	48.500	PASS
N41	30kHz	50MHz	DFT-64QAM	Low	Outer_Full	45.828	48.600	PASS
N41	30kHz	50MHz	DFT-64QAM	Mid	Outer_Full	45.852	48.600	PASS
N41	30kHz	50MHz	DFT-64QAM	High	Outer_Full	45.894	48.500	PASS
N41	30kHz	50MHz	DFT-256QAM	Low	Outer_Full	45.803	48.500	PASS
N41	30kHz	50MHz	DFT-256QAM	Mid	Outer_Full	45.815	48.600	PASS
N41	30kHz	50MHz	DFT-256QAM	High	Outer_Full	45.851	48.600	PASS
N41	30kHz	50MHz	CP-QPSK	Low	Outer_Full	47.352	49.700	PASS
N41	30kHz	50MHz	CP-QPSK	Mid	Outer_Full	47.469	50.500	PASS
N41	30kHz	50MHz	CP-QPSK	High	Outer_Full	47.713	49.600	PASS
N41	30kHz	50MHz	CP-16QAM	Low	Outer_Full	47.5	50.300	PASS
N41	30kHz	50MHz	CP-16QAM	Mid	Outer_Full	47.41	50.000	PASS
N41	30kHz	50MHz	CP-16QAM	High	Outer_Full	47.486	50.400	PASS
N41	30kHz	50MHz	CP-64QAM	Low	Outer_Full	47.408	50.400	PASS
N41	30kHz	50MHz	CP-64QAM	Mid	Outer_Full	47.456	50.600	PASS

N41	30kHz	50MHz	CP-64QAM	High	Outer_Full	47.47	50.400	PASS
N41	30kHz	50MHz	CP-256QAM	Low	Outer_Full	47.416	50.500	PASS
N41	30kHz	50MHz	CP-256QAM	Mid	Outer_Full	47.437	50.300	PASS
N41	30kHz	50MHz	CP-256QAM	High	Outer_Full	47.445	50.400	PASS
N41	30kHz	60MHz	DFT-QPSK	Low	Outer_Full	58.288	63.000	PASS
N41	30kHz	60MHz	DFT-QPSK	Mid	Outer_Full	58.285	63.120	PASS
N41	30kHz	60MHz	DFT-QPSK	High	Outer_Full	58.181	63.000	PASS
N41	30kHz	60MHz	DFT-16QAM	Low	Outer_Full	58.556	63.000	PASS
N41	30kHz	60MHz	DFT-16QAM	Mid	Outer_Full	58.549	62.880	PASS
N41	30kHz	60MHz	DFT-16QAM	High	Outer_Full	58.429	62.880	PASS
N41	30kHz	60MHz	DFT-64QAM	Low	Outer_Full	58.186	63.120	PASS
N41	30kHz	60MHz	DFT-64QAM	Mid	Outer_Full	58.352	63.120	PASS
N41	30kHz	60MHz	DFT-64QAM	High	Outer_Full	58.27	62.880	PASS
N41	30kHz	60MHz	DFT-256QAM	Low	Outer_Full	58.166	62.760	PASS
N41	30kHz	60MHz	DFT-256QAM	Mid	Outer_Full	58.209	62.880	PASS
N41	30kHz	60MHz	DFT-256QAM	High	Outer_Full	58.102	62.760	PASS
N41	30kHz	60MHz	CP-QPSK	Low	Outer_Full	58.246	62.400	PASS
N41	30kHz	60MHz	CP-QPSK	Mid	Outer_Full	58.093	62.880	PASS
N41	30kHz	60MHz	CP-QPSK	High	Outer_Full	57.819	61.560	PASS
N41	30kHz	60MHz	CP-16QAM	Low	Outer_Full	58.153	63.000	PASS
N41	30kHz	60MHz	CP-16QAM	Mid	Outer_Full	58.169	63.000	PASS
N41	30kHz	60MHz	CP-16QAM	High	Outer_Full	58.025	63.120	PASS
N41	30kHz	60MHz	CP-64QAM	Low	Outer_Full	58.221	63.000	PASS
N41	30kHz	60MHz	CP-64QAM	Mid	Outer_Full	58.316	63.120	PASS
N41	30kHz	60MHz	CP-64QAM	High	Outer_Full	58.14	63.000	PASS
N41	30kHz	60MHz	CP-256QAM	Low	Outer_Full	58.325	63.000	PASS
N41	30kHz	60MHz	CP-256QAM	Mid	Outer_Full	58.313	63.120	PASS
N41	30kHz	60MHz	CP-256QAM	High	Outer_Full	58.06	61.920	PASS
N41	30kHz	80MHz	DFT-QPSK	Low	Outer_Full	77.122	82.240	PASS
N41	30kHz	80MHz	DFT-QPSK	Mid	Outer_Full	77.411	82.560	PASS
N41	30kHz	80MHz	DFT-QPSK	High	Outer_Full	77.001	82.400	PASS
N41	30kHz	80MHz	DFT-16QAM	Low	Outer_Full	77.12	82.240	PASS
N41	30kHz	80MHz	DFT-16QAM	Mid	Outer_Full	77.235	82.400	PASS
N41	30kHz	80MHz	DFT-16QAM	High	Outer_Full	77.004	82.400	PASS
N41	30kHz	80MHz	DFT-64QAM	Low	Outer_Full	77.339	82.560	PASS
N41	30kHz	80MHz	DFT-64QAM	Mid	Outer_Full	77.628	82.560	PASS
N41	30kHz	80MHz	DFT-64QAM	High	Outer_Full	77.201	82.240	PASS
N41	30kHz	80MHz	DFT-256QAM	Low	Outer_Full	77.023	82.080	PASS
N41	30kHz	80MHz	DFT-256QAM	Mid	Outer_Full	77.284	82.240	PASS
N41	30kHz	80MHz	DFT-256QAM	High	Outer_Full	76.93	82.400	PASS
N41	30kHz	80MHz	CP-QPSK	Low	Outer_Full	77.422	81.120	PASS
N41	30kHz	80MHz	CP-QPSK	Mid	Outer_Full	78.169	83.040	PASS
N41	30kHz	80MHz	CP-QPSK	High	Outer_Full	78.419	81.600	PASS
N41	30kHz	80MHz	CP-16QAM	Low	Outer_Full	77.423	82.720	PASS
N41	30kHz	80MHz	CP-16QAM	Mid	Outer_Full	77.716	82.720	PASS
N41	30kHz	80MHz	CP-16QAM	High	Outer_Full	77.361	82.560	PASS
N41	30kHz	80MHz	CP-64QAM	Low	Outer_Full	77.316	82.720	PASS
N41	30kHz	80MHz	CP-64QAM	Mid	Outer_Full	77.789	83.040	PASS
N41	30kHz	80MHz	CP-64QAM	High	Outer_Full	77.263	82.720	PASS
N41	30kHz	80MHz	CP-256QAM	Low	Outer_Full	77.587	82.560	PASS
N41	30kHz	80MHz	CP-256QAM	Mid	Outer_Full	77.858	82.880	PASS
N41	30kHz	80MHz	CP-256QAM	High	Outer_Full	77.425	82.560	PASS
N41	30kHz	90MHz	DFT-QPSK	Low	Outer_Full	85.743	91.260	PASS
N41	30kHz	90MHz	DFT-QPSK	Mid	Outer_Full	86.078	91.440	PASS
N41	30kHz	90MHz	DFT-QPSK	High	Outer_Full	85.602	91.080	PASS
N41	30kHz	90MHz	DFT-16QAM	Low	Outer_Full	85.569	90.900	PASS
N41	30kHz	90MHz	DFT-16QAM	Mid	Outer_Full	85.913	91.260	PASS
N41	30kHz	90MHz	DFT-16QAM	High	Outer_Full	85.362	90.900	PASS
N41	30kHz	90MHz	DFT-64QAM	Low	Outer_Full	85.738	91.080	PASS
N41	30kHz	90MHz	DFT-64QAM	Mid	Outer_Full	86.077	91.260	PASS
N41	30kHz	90MHz	DFT-64QAM	High	Outer_Full	85.59	90.900	PASS

N41	30kHz	90MHz	DFT-256QAM	Low	Outer_Full	85.25	89.100	PASS
N41	30kHz	90MHz	DFT-256QAM	Mid	Outer_Full	85.881	91.080	PASS
N41	30kHz	90MHz	DFT-256QAM	High	Outer_Full	85.386	90.900	PASS
N41	30kHz	90MHz	CP-QPSK	Low	Outer_Full	87.181	92.880	PASS
N41	30kHz	90MHz	CP-QPSK	Mid	Outer_Full	88.608	91.800	PASS
N41	30kHz	90MHz	CP-QPSK	High	Outer_Full	87.219	92.700	PASS
N41	30kHz	90MHz	CP-16QAM	Low	Outer_Full	87.526	92.880	PASS
N41	30kHz	90MHz	CP-16QAM	Mid	Outer_Full	87.822	93.240	PASS
N41	30kHz	90MHz	CP-16QAM	High	Outer_Full	87.319	92.700	PASS
N41	30kHz	90MHz	CP-64QAM	Low	Outer_Full	87.37	93.060	PASS
N41	30kHz	90MHz	CP-64QAM	Mid	Outer_Full	87.776	93.060	PASS
N41	30kHz	90MHz	CP-64QAM	High	Outer_Full	87.285	92.700	PASS
N41	30kHz	90MHz	CP-256QAM	Low	Outer_Full	87.413	92.880	PASS
N41	30kHz	90MHz	CP-256QAM	Mid	Outer_Full	87.636	92.880	PASS
N41	30kHz	90MHz	CP-256QAM	High	Outer_Full	87.1	92.700	PASS
N41	30kHz	100MHz	DFT-QPSK	Low	Outer_Full	96.341	101.800	PASS
N41	30kHz	100MHz	DFT-QPSK	Mid	Outer_Full	96.715	102.200	PASS
N41	30kHz	100MHz	DFT-QPSK	High	Outer_Full	96.383	102.000	PASS
N41	30kHz	100MHz	DFT-16QAM	Low	Outer_Full	96.309	101.800	PASS
N41	30kHz	100MHz	DFT-16QAM	Mid	Outer_Full	96.61	101.800	PASS
N41	30kHz	100MHz	DFT-16QAM	High	Outer_Full	96.253	102.000	PASS
N41	30kHz	100MHz	DFT-64QAM	Low	Outer_Full	96.552	101.800	PASS
N41	30kHz	100MHz	DFT-64QAM	Mid	Outer_Full	96.804	102.200	PASS
N41	30kHz	100MHz	DFT-64QAM	High	Outer_Full	96.375	101.800	PASS
N41	30kHz	100MHz	DFT-256QAM	Low	Outer_Full	96.179	101.800	PASS
N41	30kHz	100MHz	DFT-256QAM	Mid	Outer_Full	96.562	102.000	PASS
N41	30kHz	100MHz	DFT-256QAM	High	Outer_Full	96.182	101.800	PASS
N41	30kHz	100MHz	CP-QPSK	Low	Outer_Full	97.402	103.000	PASS
N41	30kHz	100MHz	CP-QPSK	Mid	Outer_Full	97.414	101.600	PASS
N41	30kHz	100MHz	CP-QPSK	High	Outer_Full	97.202	101.200	PASS
N41	30kHz	100MHz	CP-16QAM	Low	Outer_Full	97.198	102.800	PASS
N41	30kHz	100MHz	CP-16QAM	Mid	Outer_Full	97.576	103.400	PASS
N41	30kHz	100MHz	CP-16QAM	High	Outer_Full	97.283	103.000	PASS
N41	30kHz	100MHz	CP-64QAM	Low	Outer_Full	97.273	103.000	PASS
N41	30kHz	100MHz	CP-64QAM	Mid	Outer_Full	97.642	103.200	PASS
N41	30kHz	100MHz	CP-64QAM	High	Outer_Full	97.198	103.000	PASS
N41	30kHz	100MHz	CP-256QAM	Low	Outer_Full	97.313	102.800	PASS
N41	30kHz	100MHz	CP-256QAM	Mid	Outer_Full	97.623	103.000	PASS
N41	30kHz	100MHz	CP-256QAM	High	Outer_Full	97.292	102.800	PASS
N5	15kHz	5MHz	DFT-QPSK	Low	Outer_Full	4.476	4.900	PASS
N5	15kHz	5MHz	DFT-QPSK	Mid	Outer_Full	4.477	4.920	PASS
N5	15kHz	5MHz	DFT-QPSK	High	Outer_Full	4.475	4.920	PASS
N5	15kHz	5MHz	DFT-16QAM	Low	Outer_Full	4.466	4.900	PASS
N5	15kHz	5MHz	DFT-16QAM	Mid	Outer_Full	4.471	4.900	PASS
N5	15kHz	5MHz	DFT-16QAM	High	Outer_Full	4.465	4.890	PASS
N5	15kHz	5MHz	DFT-64QAM	Low	Outer_Full	4.468	4.910	PASS
N5	15kHz	5MHz	DFT-64QAM	Mid	Outer_Full	4.477	4.940	PASS
N5	15kHz	5MHz	DFT-64QAM	High	Outer_Full	4.469	4.960	PASS
N5	15kHz	5MHz	DFT-256QAM	Low	Outer_Full	4.44	4.800	PASS
N5	15kHz	5MHz	DFT-256QAM	Mid	Outer_Full	4.472	4.920	PASS
N5	15kHz	5MHz	DFT-256QAM	High	Outer_Full	4.443	4.850	PASS
N5	15kHz	5MHz	CP-QPSK	Low	Outer_Full	4.464	4.950	PASS
N5	15kHz	5MHz	CP-QPSK	Mid	Outer_Full	4.456	4.910	PASS
N5	15kHz	5MHz	CP-QPSK	High	Outer_Full	4.456	4.930	PASS
N5	15kHz	5MHz	CP-16QAM	Low	Outer_Full	4.468	4.910	PASS
N5	15kHz	5MHz	CP-16QAM	Mid	Outer_Full	4.471	4.980	PASS
N5	15kHz	5MHz	CP-16QAM	High	Outer_Full	4.473	4.940	PASS
N5	15kHz	5MHz	CP-64QAM	Low	Outer_Full	4.472	4.990	PASS
N5	15kHz	5MHz	CP-64QAM	Mid	Outer_Full	4.482	4.980	PASS
N5	15kHz	5MHz	CP-64QAM	High	Outer_Full	4.467	4.960	PASS
N5	15kHz	5MHz	CP-256QAM	Low	Outer_Full	4.471	4.820	PASS


N5	15kHz	5MHz	CP-256QAM	Mid	Outer_Full	4.447	4.840	PASS
N5	15kHz	5MHz	CP-256QAM	High	Outer_Full	4.444	4.870	PASS
N5	15kHz	10MHz	DFT-QPSK	Low	Outer_Full	8.93	9.560	PASS
N5	15kHz	10MHz	DFT-QPSK	Mid	Outer_Full	8.937	9.540	PASS
N5	15kHz	10MHz	DFT-QPSK	High	Outer_Full	8.916	9.520	PASS
N5	15kHz	10MHz	DFT-16QAM	Low	Outer_Full	8.938	9.540	PASS
N5	15kHz	10MHz	DFT-16QAM	Mid	Outer_Full	8.951	9.520	PASS
N5	15kHz	10MHz	DFT-16QAM	High	Outer_Full	8.924	9.520	PASS
N5	15kHz	10MHz	DFT-64QAM	Low	Outer_Full	8.931	9.580	PASS
N5	15kHz	10MHz	DFT-64QAM	Mid	Outer_Full	8.929	9.620	PASS
N5	15kHz	10MHz	DFT-64QAM	High	Outer_Full	8.906	9.560	PASS
N5	15kHz	10MHz	DFT-256QAM	Low	Outer_Full	8.888	9.460	PASS
N5	15kHz	10MHz	DFT-256QAM	Mid	Outer_Full	8.936	9.600	PASS
N5	15kHz	10MHz	DFT-256QAM	High	Outer_Full	8.898	9.380	PASS
N5	15kHz	10MHz	CP-QPSK	Low	Outer_Full	9.284	9.940	PASS
N5	15kHz	10MHz	CP-QPSK	Mid	Outer_Full	9.293	9.960	PASS
N5	15kHz	10MHz	CP-QPSK	High	Outer_Full	9.281	9.960	PASS
N5	15kHz	10MHz	CP-16QAM	Low	Outer_Full	9.273	9.940	PASS
N5	15kHz	10MHz	CP-16QAM	Mid	Outer_Full	9.274	9.960	PASS
N5	15kHz	10MHz	CP-16QAM	High	Outer_Full	9.255	9.920	PASS
N5	15kHz	10MHz	CP-64QAM	Low	Outer_Full	9.284	9.980	PASS
N5	15kHz	10MHz	CP-64QAM	Mid	Outer_Full	9.297	9.960	PASS
N5	15kHz	10MHz	CP-64QAM	High	Outer_Full	9.276	9.940	PASS
N5	15kHz	10MHz	CP-256QAM	Low	Outer_Full	9.233	9.740	PASS
N5	15kHz	10MHz	CP-256QAM	Mid	Outer_Full	9.29	9.980	PASS
N5	15kHz	10MHz	CP-256QAM	High	Outer_Full	9.207	9.620	PASS
N5	15kHz	15MHz	DFT-QPSK	Low	Outer_Full	13.464	14.520	PASS
N5	15kHz	15MHz	DFT-QPSK	Mid	Outer_Full	13.444	15.930	PASS
N5	15kHz	15MHz	DFT-QPSK	High	Outer_Full	13.371	14.430	PASS
N5	15kHz	15MHz	DFT-16QAM	Low	Outer_Full	13.514	14.490	PASS
N5	15kHz	15MHz	DFT-16QAM	Mid	Outer_Full	13.513	14.490	PASS
N5	15kHz	15MHz	DFT-16QAM	High	Outer_Full	13.451	14.430	PASS
N5	15kHz	15MHz	DFT-64QAM	Low	Outer_Full	13.473	14.580	PASS
N5	15kHz	15MHz	DFT-64QAM	Mid	Outer_Full	13.459	14.490	PASS
N5	15kHz	15MHz	DFT-64QAM	High	Outer_Full	13.387	14.430	PASS
N5	15kHz	15MHz	DFT-256QAM	Low	Outer_Full	13.483	14.460	PASS
N5	15kHz	15MHz	DFT-256QAM	Mid	Outer_Full	13.463	14.430	PASS
N5	15kHz	15MHz	DFT-256QAM	High	Outer_Full	13.478	14.310	PASS
N5	15kHz	15MHz	CP-QPSK	Low	Outer_Full	14.212	15.180	PASS
N5	15kHz	15MHz	CP-QPSK	Mid	Outer_Full	14.187	15.180	PASS
N5	15kHz	15MHz	CP-QPSK	High	Outer_Full	14.197	15.120	PASS
N5	15kHz	15MHz	CP-16QAM	Low	Outer_Full	14.18	15.630	PASS
N5	15kHz	15MHz	CP-16QAM	Mid	Outer_Full	14.156	15.180	PASS
N5	15kHz	15MHz	CP-16QAM	High	Outer_Full	14.1	15.090	PASS
N5	15kHz	15MHz	CP-64QAM	Low	Outer_Full	14.232	16.440	PASS
N5	15kHz	15MHz	CP-64QAM	Mid	Outer_Full	14.184	16.110	PASS
N5	15kHz	15MHz	CP-64QAM	High	Outer_Full	14.117	15.090	PASS
N5	15kHz	15MHz	CP-256QAM	Low	Outer_Full	14.203	15.240	PASS
N5	15kHz	15MHz	CP-256QAM	Mid	Outer_Full	14.167	15.210	PASS
N5	15kHz	15MHz	CP-256QAM	High	Outer_Full	14.162	14.940	PASS
N5	15kHz	20MHz	DFT-QPSK	Low	Outer_Full	17.94	19.040	PASS
N5	15kHz	20MHz	DFT-QPSK	Mid	Outer_Full	17.905	18.920	PASS
N5	15kHz	20MHz	DFT-QPSK	High	Outer_Full	17.885	18.960	PASS
N5	15kHz	20MHz	DFT-16QAM	Low	Outer_Full	17.962	19.000	PASS
N5	15kHz	20MHz	DFT-16QAM	Mid	Outer_Full	17.914	18.920	PASS
N5	15kHz	20MHz	DFT-16QAM	High	Outer_Full	17.886	18.960	PASS
N5	15kHz	20MHz	DFT-64QAM	Low	Outer_Full	17.912	19.080	PASS
N5	15kHz	20MHz	DFT-64QAM	Mid	Outer_Full	17.871	18.960	PASS
N5	15kHz	20MHz	DFT-64QAM	High	Outer_Full	17.831	18.960	PASS
N5	15kHz	20MHz	DFT-256QAM	Low	Outer_Full	17.942	19.040	PASS
N5	15kHz	20MHz	DFT-256QAM	Mid	Outer_Full	17.894	18.920	PASS

N5	15kHz	20MHz	DFT-256QAM	High	Outer_Full	17.905	18.920	PASS
N5	15kHz	20MHz	CP-QPSK	Low	Outer_Full	18.983	21.360	PASS
N5	15kHz	20MHz	CP-QPSK	Mid	Outer_Full	18.941	20.080	PASS
N5	15kHz	20MHz	CP-QPSK	High	Outer_Full	19.081	19.880	PASS
N5	15kHz	20MHz	CP-16QAM	Low	Outer_Full	19.018	23.440	PASS
N5	15kHz	20MHz	CP-16QAM	Mid	Outer_Full	18.976	22.000	PASS
N5	15kHz	20MHz	CP-16QAM	High	Outer_Full	18.93	21.560	PASS
N5	15kHz	20MHz	CP-64QAM	Low	Outer_Full	19.003	24.400	PASS
N5	15kHz	20MHz	CP-64QAM	Mid	Outer_Full	18.968	24.160	PASS
N5	15kHz	20MHz	CP-64QAM	High	Outer_Full	18.925	24.600	PASS
N5	15kHz	20MHz	CP-256QAM	Low	Outer_Full	18.924	19.720	PASS
N5	15kHz	20MHz	CP-256QAM	Mid	Outer_Full	18.918	20.040	PASS
N5	15kHz	20MHz	CP-256QAM	High	Outer_Full	18.863	20.000	PASS
N66	15kHz	5MHz	DFT-QPSK	Low	Outer_Full	4.473	4.930	PASS
N66	15kHz	5MHz	DFT-QPSK	Mid	Outer_Full	4.478	4.920	PASS
N66	15kHz	5MHz	DFT-QPSK	High	Outer_Full	4.473	4.920	PASS
N66	15kHz	5MHz	DFT-16QAM	Low	Outer_Full	4.466	4.900	PASS
N66	15kHz	5MHz	DFT-16QAM	Mid	Outer_Full	4.477	4.920	PASS
N66	15kHz	5MHz	DFT-16QAM	High	Outer_Full	4.468	4.910	PASS
N66	15kHz	5MHz	DFT-64QAM	Low	Outer_Full	4.46	4.930	PASS
N66	15kHz	5MHz	DFT-64QAM	Mid	Outer_Full	4.459	4.930	PASS
N66	15kHz	5MHz	DFT-64QAM	High	Outer_Full	4.459	4.930	PASS
N66	15kHz	5MHz	DFT-256QAM	Low	Outer_Full	4.467	4.910	PASS
N66	15kHz	5MHz	DFT-256QAM	Mid	Outer_Full	4.467	4.920	PASS
N66	15kHz	5MHz	DFT-256QAM	High	Outer_Full	4.466	4.920	PASS
N66	15kHz	5MHz	CP-QPSK	Low	Outer_Full	4.461	4.970	PASS
N66	15kHz	5MHz	CP-QPSK	Mid	Outer_Full	4.463	4.990	PASS
N66	15kHz	5MHz	CP-QPSK	High	Outer_Full	4.468	5.010	PASS
N66	15kHz	5MHz	CP-16QAM	Low	Outer_Full	4.459	4.930	PASS
N66	15kHz	5MHz	CP-16QAM	Mid	Outer_Full	4.459	4.890	PASS
N66	15kHz	5MHz	CP-16QAM	High	Outer_Full	4.459	4.890	PASS
N66	15kHz	5MHz	CP-64QAM	Low	Outer_Full	4.469	4.960	PASS
N66	15kHz	5MHz	CP-64QAM	Mid	Outer_Full	4.47	4.950	PASS
N66	15kHz	5MHz	CP-64QAM	High	Outer_Full	4.47	4.960	PASS
N66	15kHz	5MHz	CP-256QAM	Low	Outer_Full	4.479	4.960	PASS
N66	15kHz	5MHz	CP-256QAM	Mid	Outer_Full	4.48	4.960	PASS
N66	15kHz	5MHz	CP-256QAM	High	Outer_Full	4.479	4.950	PASS
N66	15kHz	10MHz	DFT-QPSK	Low	Outer_Full	8.921	9.520	PASS
N66	15kHz	10MHz	DFT-QPSK	Mid	Outer_Full	8.921	9.500	PASS
N66	15kHz	10MHz	DFT-QPSK	High	Outer_Full	8.923	9.540	PASS
N66	15kHz	10MHz	DFT-16QAM	Low	Outer_Full	8.932	9.520	PASS
N66	15kHz	10MHz	DFT-16QAM	Mid	Outer_Full	8.932	9.580	PASS
N66	15kHz	10MHz	DFT-16QAM	High	Outer_Full	8.936	9.560	PASS
N66	15kHz	10MHz	DFT-64QAM	Low	Outer_Full	8.92	9.560	PASS
N66	15kHz	10MHz	DFT-64QAM	Mid	Outer_Full	8.919	9.620	PASS
N66	15kHz	10MHz	DFT-64QAM	High	Outer_Full	8.925	9.660	PASS
N66	15kHz	10MHz	DFT-256QAM	Low	Outer_Full	8.931	9.600	PASS
N66	15kHz	10MHz	DFT-256QAM	Mid	Outer_Full	8.918	9.480	PASS
N66	15kHz	10MHz	DFT-256QAM	High	Outer_Full	8.929	9.580	PASS
N66	15kHz	10MHz	CP-QPSK	Low	Outer_Full	9.277	9.960	PASS
N66	15kHz	10MHz	CP-QPSK	Mid	Outer_Full	9.28	9.980	PASS
N66	15kHz	10MHz	CP-QPSK	High	Outer_Full	9.275	9.960	PASS
N66	15kHz	10MHz	CP-16QAM	Low	Outer_Full	9.265	9.940	PASS
N66	15kHz	10MHz	CP-16QAM	Mid	Outer_Full	9.266	9.960	PASS
N66	15kHz	10MHz	CP-16QAM	High	Outer_Full	9.265	9.900	PASS
N66	15kHz	10MHz	CP-64QAM	Low	Outer_Full	9.277	10.000	PASS
N66	15kHz	10MHz	CP-64QAM	Mid	Outer_Full	9.286	10.060	PASS
N66	15kHz	10MHz	CP-64QAM	High	Outer_Full	9.284	9.980	PASS
N66	15kHz	10MHz	CP-256QAM	Low	Outer_Full	9.265	9.900	PASS
N66	15kHz	10MHz	CP-256QAM	Mid	Outer_Full	9.27	9.880	PASS
N66	15kHz	10MHz	CP-256QAM	High	Outer_Full	9.276	9.940	PASS


N66	15kHz	15MHz	DFT-QPSK	Low	Outer_Full	13.422	14.490	PASS
N66	15kHz	15MHz	DFT-QPSK	Mid	Outer_Full	13.408	14.460	PASS
N66	15kHz	15MHz	DFT-QPSK	High	Outer_Full	13.426	14.490	PASS
N66	15kHz	15MHz	DFT-16QAM	Low	Outer_Full	13.49	14.520	PASS
N66	15kHz	15MHz	DFT-16QAM	Mid	Outer_Full	13.472	14.460	PASS
N66	15kHz	15MHz	DFT-16QAM	High	Outer_Full	13.493	14.520	PASS
N66	15kHz	15MHz	DFT-64QAM	Low	Outer_Full	13.424	14.490	PASS
N66	15kHz	15MHz	DFT-64QAM	Mid	Outer_Full	13.42	14.520	PASS
N66	15kHz	15MHz	DFT-64QAM	High	Outer_Full	13.42	14.430	PASS
N66	15kHz	15MHz	DFT-256QAM	Low	Outer_Full	13.434	14.400	PASS
N66	15kHz	15MHz	DFT-256QAM	Mid	Outer_Full	13.428	14.400	PASS
N66	15kHz	15MHz	DFT-256QAM	High	Outer_Full	13.451	14.520	PASS
N66	15kHz	15MHz	CP-QPSK	Low	Outer_Full	14.162	15.150	PASS
N66	15kHz	15MHz	CP-QPSK	Mid	Outer_Full	14.153	15.150	PASS
N66	15kHz	15MHz	CP-QPSK	High	Outer_Full	14.163	15.150	PASS
N66	15kHz	15MHz	CP-16QAM	Low	Outer_Full	14.132	15.180	PASS
N66	15kHz	15MHz	CP-16QAM	Mid	Outer_Full	14.119	15.150	PASS
N66	15kHz	15MHz	CP-16QAM	High	Outer_Full	14.127	15.090	PASS
N66	15kHz	15MHz	CP-64QAM	Low	Outer_Full	14.157	16.830	PASS
N66	15kHz	15MHz	CP-64QAM	Mid	Outer_Full	14.155	15.090	PASS
N66	15kHz	15MHz	CP-64QAM	High	Outer_Full	14.163	16.650	PASS
N66	15kHz	15MHz	CP-256QAM	Low	Outer_Full	14.141	15.150	PASS
N66	15kHz	15MHz	CP-256QAM	Mid	Outer_Full	14.139	15.180	PASS
N66	15kHz	15MHz	CP-256QAM	High	Outer_Full	14.149	15.000	PASS
N66	15kHz	20MHz	DFT-QPSK	Low	Outer_Full	17.876	18.960	PASS
N66	15kHz	20MHz	DFT-QPSK	Mid	Outer_Full	17.899	19.000	PASS
N66	15kHz	20MHz	DFT-QPSK	High	Outer_Full	17.899	18.960	PASS
N66	15kHz	20MHz	DFT-16QAM	Low	Outer_Full	17.901	19.000	PASS
N66	15kHz	20MHz	DFT-16QAM	Mid	Outer_Full	17.891	19.000	PASS
N66	15kHz	20MHz	DFT-16QAM	High	Outer_Full	17.906	19.000	PASS
N66	15kHz	20MHz	DFT-64QAM	Low	Outer_Full	17.848	19.080	PASS
N66	15kHz	20MHz	DFT-64QAM	Mid	Outer_Full	17.839	19.040	PASS
N66	15kHz	20MHz	DFT-64QAM	High	Outer_Full	17.864	19.080	PASS
N66	15kHz	20MHz	DFT-256QAM	Low	Outer_Full	17.954	18.880	PASS
N66	15kHz	20MHz	DFT-256QAM	Mid	Outer_Full	17.861	18.960	PASS
N66	15kHz	20MHz	DFT-256QAM	High	Outer_Full	17.883	19.040	PASS
N66	15kHz	20MHz	CP-QPSK	Low	Outer_Full	18.907	19.960	PASS
N66	15kHz	20MHz	CP-QPSK	Mid	Outer_Full	18.903	20.000	PASS
N66	15kHz	20MHz	CP-QPSK	High	Outer_Full	18.896	19.760	PASS
N66	15kHz	20MHz	CP-16QAM	Low	Outer_Full	18.938	21.160	PASS
N66	15kHz	20MHz	CP-16QAM	Mid	Outer_Full	18.926	21.520	PASS
N66	15kHz	20MHz	CP-16QAM	High	Outer_Full	18.96	21.840	PASS
N66	15kHz	20MHz	CP-64QAM	Low	Outer_Full	18.928	22.400	PASS
N66	15kHz	20MHz	CP-64QAM	Mid	Outer_Full	18.915	22.960	PASS
N66	15kHz	20MHz	CP-64QAM	High	Outer_Full	18.948	23.160	PASS
N66	15kHz	20MHz	CP-256QAM	Low	Outer_Full	18.79	19.600	PASS
N66	15kHz	20MHz	CP-256QAM	Mid	Outer_Full	18.87	20.040	PASS
N66	15kHz	20MHz	CP-256QAM	High	Outer_Full	18.907	20.120	PASS
N7	15kHz	5MHz	DFT-QPSK	Low	Outer_Full	4.504	5.050	PASS
N7	15kHz	5MHz	DFT-QPSK	Mid	Outer_Full	4.499	5.040	PASS
N7	15kHz	5MHz	DFT-QPSK	High	Outer_Full	4.5	5.050	PASS
N7	15kHz	5MHz	DFT-16QAM	Low	Outer_Full	4.5	5.010	PASS
N7	15kHz	5MHz	DFT-16QAM	Mid	Outer_Full	4.489	5.000	PASS
N7	15kHz	5MHz	DFT-16QAM	High	Outer_Full	4.496	5.030	PASS
N7	15kHz	5MHz	DFT-64QAM	Low	Outer_Full	4.511	5.060	PASS
N7	15kHz	5MHz	DFT-64QAM	Mid	Outer_Full	4.512	5.060	PASS
N7	15kHz	5MHz	DFT-64QAM	High	Outer_Full	4.513	5.080	PASS
N7	15kHz	5MHz	DFT-256QAM	Low	Outer_Full	4.493	5.040	PASS
N7	15kHz	5MHz	DFT-256QAM	Mid	Outer_Full	4.501	4.820	PASS
N7	15kHz	5MHz	DFT-256QAM	High	Outer_Full	4.491	5.040	PASS
N7	15kHz	5MHz	CP-QPSK	Low	Outer_Full	4.484	5.060	PASS

N7	15kHz	5MHz	CP-QPSK	Mid	Outer_Full	4.489	5.070	PASS
N7	15kHz	5MHz	CP-QPSK	High	Outer_Full	4.493	5.080	PASS
N7	15kHz	5MHz	CP-16QAM	Low	Outer_Full	4.501	5.050	PASS
N7	15kHz	5MHz	CP-16QAM	Mid	Outer_Full	4.494	5.050	PASS
N7	15kHz	5MHz	CP-16QAM	High	Outer_Full	4.495	5.070	PASS
N7	15kHz	5MHz	CP-64QAM	Low	Outer_Full	4.514	5.100	PASS
N7	15kHz	5MHz	CP-64QAM	Mid	Outer_Full	4.514	5.080	PASS
N7	15kHz	5MHz	CP-64QAM	High	Outer_Full	4.512	5.070	PASS
N7	15kHz	5MHz	CP-256QAM	Low	Outer_Full	4.512	5.050	PASS
N7	15kHz	5MHz	CP-256QAM	Mid	Outer_Full	4.511	5.050	PASS
N7	15kHz	5MHz	CP-256QAM	High	Outer_Full	4.452	4.930	PASS
N7	15kHz	10MHz	DFT-QPSK	Low	Outer_Full	9.038	10.120	PASS
N7	15kHz	10MHz	DFT-QPSK	Mid	Outer_Full	9.053	9.900	PASS
N7	15kHz	10MHz	DFT-QPSK	High	Outer_Full	9.053	10.000	PASS
N7	15kHz	10MHz	DFT-16QAM	Low	Outer_Full	9.057	9.900	PASS
N7	15kHz	10MHz	DFT-16QAM	Mid	Outer_Full	9.058	9.900	PASS
N7	15kHz	10MHz	DFT-16QAM	High	Outer_Full	9.059	9.900	PASS
N7	15kHz	10MHz	DFT-64QAM	Low	Outer_Full	8.997	10.040	PASS
N7	15kHz	10MHz	DFT-64QAM	Mid	Outer_Full	9.014	10.000	PASS
N7	15kHz	10MHz	DFT-64QAM	High	Outer_Full	9.022	9.920	PASS
N7	15kHz	10MHz	DFT-256QAM	Low	Outer_Full	9.037	9.900	PASS
N7	15kHz	10MHz	DFT-256QAM	Mid	Outer_Full	9.051	9.800	PASS
N7	15kHz	10MHz	DFT-256QAM	High	Outer_Full	9.041	9.940	PASS
N7	15kHz	10MHz	CP-QPSK	Low	Outer_Full	9.368	10.300	PASS
N7	15kHz	10MHz	CP-QPSK	Mid	Outer_Full	9.364	10.320	PASS
N7	15kHz	10MHz	CP-QPSK	High	Outer_Full	9.354	10.280	PASS
N7	15kHz	10MHz	CP-16QAM	Low	Outer_Full	9.369	10.300	PASS
N7	15kHz	10MHz	CP-16QAM	Mid	Outer_Full	9.366	10.260	PASS
N7	15kHz	10MHz	CP-16QAM	High	Outer_Full	9.36	10.240	PASS
N7	15kHz	10MHz	CP-64QAM	Low	Outer_Full	9.381	10.380	PASS
N7	15kHz	10MHz	CP-64QAM	Mid	Outer_Full	9.374	10.340	PASS
N7	15kHz	10MHz	CP-64QAM	High	Outer_Full	9.362	10.260	PASS
N7	15kHz	10MHz	CP-256QAM	Low	Outer_Full	9.379	10.280	PASS
N7	15kHz	10MHz	CP-256QAM	Mid	Outer_Full	9.388	10.320	PASS
N7	15kHz	10MHz	CP-256QAM	High	Outer_Full	9.377	10.320	PASS
N7	15kHz	15MHz	DFT-QPSK	Low	Outer_Full	13.436	14.520	PASS
N7	15kHz	15MHz	DFT-QPSK	Mid	Outer_Full	13.457	14.460	PASS
N7	15kHz	15MHz	DFT-QPSK	High	Outer_Full	13.445	14.490	PASS
N7	15kHz	15MHz	DFT-16QAM	Low	Outer_Full	13.485	14.610	PASS
N7	15kHz	15MHz	DFT-16QAM	Mid	Outer_Full	13.498	14.760	PASS
N7	15kHz	15MHz	DFT-16QAM	High	Outer_Full	13.487	14.460	PASS
N7	15kHz	15MHz	DFT-64QAM	Low	Outer_Full	13.422	14.430	PASS
N7	15kHz	15MHz	DFT-64QAM	Mid	Outer_Full	13.441	15.540	PASS
N7	15kHz	15MHz	DFT-64QAM	High	Outer_Full	13.434	14.520	PASS
N7	15kHz	15MHz	DFT-256QAM	Low	Outer_Full	13.455	14.490	PASS
N7	15kHz	15MHz	DFT-256QAM	Mid	Outer_Full	13.447	14.370	PASS
N7	15kHz	15MHz	DFT-256QAM	High	Outer_Full	13.455	14.250	PASS
N7	15kHz	15MHz	CP-QPSK	Low	Outer_Full	14.165	15.150	PASS
N7	15kHz	15MHz	CP-QPSK	Mid	Outer_Full	14.173	15.120	PASS
N7	15kHz	15MHz	CP-QPSK	High	Outer_Full	14.168	15.180	PASS
N7	15kHz	15MHz	CP-16QAM	Low	Outer_Full	14.137	15.180	PASS
N7	15kHz	15MHz	CP-16QAM	Mid	Outer_Full	14.149	15.180	PASS
N7	15kHz	15MHz	CP-16QAM	High	Outer_Full	14.134	15.180	PASS
N7	15kHz	15MHz	CP-64QAM	Low	Outer_Full	14.161	15.180	PASS
N7	15kHz	15MHz	CP-64QAM	Mid	Outer_Full	14.176	16.530	PASS
N7	15kHz	15MHz	CP-64QAM	High	Outer_Full	14.179	15.150	PASS
N7	15kHz	15MHz	CP-256QAM	Low	Outer_Full	14.159	15.000	PASS
N7	15kHz	15MHz	CP-256QAM	Mid	Outer_Full	14.157	18.300	PASS
N7	15kHz	15MHz	CP-256QAM	High	Outer_Full	14.162	15.150	PASS
N7	15kHz	20MHz	DFT-QPSK	Low	Outer_Full	17.967	19.320	PASS
N7	15kHz	20MHz	DFT-QPSK	Mid	Outer_Full	17.995	19.440	PASS


N7	15kHz	20MHz	DFT-QPSK	High	Outer_Full	17.97	19.720	PASS
N7	15kHz	20MHz	DFT-16QAM	Low	Outer_Full	18.027	20.080	PASS
N7	15kHz	20MHz	DFT-16QAM	Mid	Outer_Full	18.059	19.280	PASS
N7	15kHz	20MHz	DFT-16QAM	High	Outer_Full	18.037	19.280	PASS
N7	15kHz	20MHz	DFT-64QAM	Low	Outer_Full	17.898	19.320	PASS
N7	15kHz	20MHz	DFT-64QAM	Mid	Outer_Full	17.937	19.320	PASS
N7	15kHz	20MHz	DFT-64QAM	High	Outer_Full	17.901	19.320	PASS
N7	15kHz	20MHz	DFT-256QAM	Low	Outer_Full	17.863	19.080	PASS
N7	15kHz	20MHz	DFT-256QAM	Mid	Outer_Full	17.958	19.320	PASS
N7	15kHz	20MHz	DFT-256QAM	High	Outer_Full	17.944	19.320	PASS
N7	15kHz	20MHz	CP-QPSK	Low	Outer_Full	18.952	20.760	PASS
N7	15kHz	20MHz	CP-QPSK	Mid	Outer_Full	19.01	21.680	PASS
N7	15kHz	20MHz	CP-QPSK	High	Outer_Full	18.965	20.800	PASS
N7	15kHz	20MHz	CP-16QAM	Low	Outer_Full	19.03	22.480	PASS
N7	15kHz	20MHz	CP-16QAM	Mid	Outer_Full	19.072	23.280	PASS
N7	15kHz	20MHz	CP-16QAM	High	Outer_Full	19.044	22.200	PASS
N7	15kHz	20MHz	CP-64QAM	Low	Outer_Full	18.992	24.240	PASS
N7	15kHz	20MHz	CP-64QAM	Mid	Outer_Full	19.051	25.880	PASS
N7	15kHz	20MHz	CP-64QAM	High	Outer_Full	19.013	24.160	PASS
N7	15kHz	20MHz	CP-256QAM	Low	Outer_Full	18.785	19.880	PASS
N7	15kHz	20MHz	CP-256QAM	Mid	Outer_Full	19.027	20.040	PASS
N7	15kHz	20MHz	CP-256QAM	High	Outer_Full	18.916	20.040	PASS




N38-30kHz-20MHz-DFT-QPSK-Low-Outer_Full--Ant1-PASS




N38-30kHz-20MHz-DFT-QPSK-Mid-Outer_Full--Ant1-PASS




N38-30kHz-20MHz-DFT-QPSK-High-Outer_Full--Ant1-PASS




N38-30kHz-20MHz-DFT-16QAM-Low-Outer_Full--Ant1-PASS




N38-30kHz-20MHz-DFT-16QAM-Mid-Outer_Full--Ant1-PASS




N38-30kHz-20MHz-DFT-16QAM-High-Outer_Full--Ant1-PASS



N38-30kHz-20MHz-DFT-64QAM-Low-Outer_Full--Ant1-PASS



N38-30kHz-20MHz-DFT-64QAM-Mid-Outer_Full-Ant1-PASS




N38-30kHz-20MHz-DFT-64QAM-High-Outer_Full-Ant1-PASS




N38-30kHz-20MHz-DFT-256QAM-Low-Outer_Full-Ant1-PASS




N38-30kHz-20MHz-DFT-256QAM-Mid-Outer_Full-Ant1-PASS




N38-30kHz-20MHz-DFT-256QAM-High-Outer_Full-Ant1-PASS




N38-30kHz-20MHz-CP-QPSK-Low-Outer_Full-Ant1-PASS




N38-30kHz-20MHz-CP-QPSK-Mid-Outer_Full-Ant1-PASS




N38-30kHz-20MHz-CP-QPSK-High-Outer_Full-Ant1-PASS




N38-30kHz-20MHz-CP-16QAM-Low-Outer_Full--Ant1-PASS




N38-30kHz-20MHz-CP-16QAM-Mid-Outer_Full--Ant1-PASS




N38-30kHz-20MHz-CP-16QAM-High-Outer_Full--Ant1-PASS




N38-30kHz-20MHz-CP-64QAM-Low-Outer_Full--Ant1-PASS




N38-30kHz-20MHz-CP-64QAM-Mid-Outer_Full--Ant1-PASS




N38-30kHz-20MHz-CP-64QAM-High-Outer_Full--Ant1-PASS




N38-30kHz-20MHz-CP-256QAM-Low-Outer_Full--Ant1-PASS




N38-30kHz-20MHz-CP-256QAM-Mid-Outer_Full--Ant1-PASS




N38-30kHz-20MHz-CP-256QAM-High-Outer_Full--Ant1-PASS




N41-30kHz-20MHz-DFT-QPSK-Low-Outer_Full---PASS




N41-30kHz-20MHz-DFT-QPSK-Mid-Outer_Full---PASS




N41-30kHz-20MHz-DFT-QPSK-High-Outer_Full---PASS




N41-30kHz-20MHz-DFT-16QAM-Low-Outer_Full---PASS




N41-30kHz-20MHz-DFT-16QAM-Mid-Outer_Full---PASS




N41-30kHz-20MHz-DFT-16QAM-High-Outer_Full---PASS




N41-30kHz-20MHz-DFT-64QAM-Low-Outer_Full---PASS




N41-30kHz-20MHz-DFT-64QAM-Mid-Outer_Full---PASS




N41-30kHz-20MHz-DFT-64QAM-High-Outer_Full---PASS




N41-30kHz-20MHz-DFT-256QAM-Low-Outer_Full---PASS




N41-30kHz-20MHz-DFT-256QAM-Mid-Outer_Full---PASS




N41-30kHz-20MHz-DFT-256QAM-High-Outer_Full---PASS




N41-30kHz-20MHz-CP-QPSK-Low-Outer_Full---PASS




N41-30kHz-20MHz-CP-QPSK-Mid-Outer_Full---PASS




N41-30kHz-20MHz-CP-QPSK-High-Outer_Full---PASS



N41-30kHz-20MHz-CP-16QAM-Low-Outer_Full---PASS




N41-30kHz-20MHz-CP-16QAM-Mid-Outer_Full---PASS




N41-30kHz-20MHz-CP-16QAM-High-Outer_Full---PASS




N41-30kHz-20MHz-CP-64QAM-Low-Outer_Full---PASS




N41-30kHz-20MHz-CP-64QAM-Mid-Outer_Full---PASS




N41-30kHz-20MHz-CP-64QAM-High-Outer_Full---PASS




N41-30kHz-20MHz-CP-256QAM-Low-Outer_Full---PASS




N41-30kHz-20MHz-CP-256QAM-Mid-Outer_Full---PASS




N41-30kHz-20MHz-CP-256QAM-High-Outer_Full---PASS




N41-30kHz-30MHz-DFT-QPSK-Low-Outer_Full---PASS




N41-30kHz-30MHz-DFT-QPSK-Mid-Outer_Full---PASS




N41-30kHz-30MHz-DFT-QPSK-High-Outer_Full---PASS




N41-30kHz-30MHz-DFT-16QAM-Low-Outer_Full---PASS




N41-30kHz-30MHz-DFT-16QAM-Mid-Outer_Full---PASS




N41-30kHz-30MHz-DFT-16QAM-High-Outer_Full---PASS




N41-30kHz-30MHz-DFT-64QAM-Low-Outer_Full---PASS




N41-30kHz-30MHz-DFT-64QAM-Mid-Outer_Full---PASS




N41-30kHz-30MHz-DFT-64QAM-High-Outer_Full---PASS




N41-30kHz-30MHz-DFT-256QAM-Low-Outer_Full---PASS




N41-30kHz-30MHz-DFT-256QAM-Mid-Outer_Full---PASS




N41-30kHz-30MHz-DFT-256QAM-High-Outer_Full---PASS




N41-30kHz-30MHz-CP-QPSK-Low-Outer_Full---PASS




N41-30kHz-30MHz-CP-QPSK-Mid-Outer_Full---PASS




N41-30kHz-30MHz-CP-QPSK-High-Outer_Full---PASS




N41-30kHz-30MHz-CP-16QAM-Low-Outer_Full---PASS




N41-30kHz-30MHz-CP-16QAM-Mid-Outer_Full---PASS




N41-30kHz-30MHz-CP-16QAM-High-Outer_Full---PASS




N41-30kHz-30MHz-CP-64QAM-Low-Outer_Full---PASS




N41-30kHz-30MHz-CP-64QAM-Mid-Outer_Full---PASS




N41-30kHz-30MHz-CP-64QAM-High-Outer_Full---PASS




N41-30kHz-30MHz-CP-256QAM-Low-Outer_Full---
PASS




N41-30kHz-30MHz-CP-256QAM-Mid-Outer_Full---
PASS




N41-30kHz-30MHz-CP-256QAM-High-Outer_Full---
PASS




N41-30kHz-40MHz-DFT-QPSK-Low-Outer_Full---
PASS



N41-30kHz-40MHz-DFT-QPSK-Mid-Outer_Full---PASS



N41-30kHz-40MHz-DFT-QPSK-High-Outer_Full---
PASS



N41-30kHz-40MHz-DFT-16QAM-Low-Outer_Full---
PASS