



# TEST REPORT

No. I21N03262-RF-NR

for

**Realme Chongqing Mobile Telecommunications Corp., Ltd.**

**Mobile Phone**

**Model Name: RMX3393**

**FCC ID: 2AUYFRMX3393**

with

**Hardware Version: 11**

**Software Version: ColorOS 12.1**

**Issued Date: 2021-12-06**

**Note:**

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of SAICT.

**Test Laboratory:**

**SAICT, Shenzhen Academy of Information and Communications Technology**

Building G, Shenzhen International Innovation Center, No.1006 Shennan Road, Futian District, Shenzhen, Guangdong, P. R. China 518000.

Tel:+86(0)755-33322000, Fax:+86(0)755-33322001

Email: yewu@caict.ac.cn. www.saict.ac.cn



No. I21N03262-RF-NR

## **REPORT HISTORY**

<b>Report Number</b>	<b>Revision</b>	<b>Description</b>	<b>Issue Date</b>
I21N03262-RF-NR	Rev.0	1st edition	2021-12-06



**CONTENTS**

1. SUMMARY OF TEST REPORT ..... 4

1.1. TEST ITEMS..... 4

1.2. TEST STANDARDS ..... 4

1.3. TEST RESULT ..... 4

1.4. TESTING LOCATION ..... 4

1.5. PROJECT DATA ..... 4

1.6. SIGNATURE..... 4

2. CLIENT INFORMATION ..... 5

2.1. APPLICANT INFORMATION..... 5

2.2. MANUFACTURER INFORMATION..... 5

3. EQUIPMENT UNDER TEST (EUT) AND ANCILLARY EQUIPMENT (AE) ..... 6

3.1. ABOUT EUT..... 6

3.2. INTERNAL IDENTIFICATION OF EUT USED DURING THE TEST ..... 6

3.3. INTERNAL IDENTIFICATION OF AE USED DURING THE TEST..... 6

3.4. GENERAL DESCRIPTION ..... 7

4. REFERENCE DOCUMENTS..... 8

5. LABORATORY ENVIRONMENT..... 9

6. SUMMARY OF TEST RESULTS..... 10

7. STATEMENT ..... 12

8. TEST EQUIPMENTS UTILIZED ..... 13

**ANNEX A: MEASUREMENT RESULTS ..... 14**

A.1 OUTPUT POWER ..... 14

A.2 FIELD STRENGTH OF SPURIOUS RADIATION..... 304

A.3 FREQUENCY STABILITY ..... 324

A.4 OCCUPIED BANDWIDTH&26dB EMISSION BANDWIDTH ..... 330

A.5 BAND EDGE COMPLIANCE ..... 358

A.6 CONDUCTED SPURIOUS EMISSION ..... 378

A.7 PEAK-TO-AVERAGE POWER RATIO ..... 408



## 1. SUMMARY OF TEST REPORT

### 1.1. Test Items

Description	Mobile Phone
Model Name	RMX3393
Applicant's name	Realme Chongqing Mobile Telecommunications Corp., Ltd.
Manufacturer's Name	Realme Chongqing Mobile Telecommunications Corp., Ltd.

### 1.2. Test Standards

FCC Part 2/22/27	10-1-19 Edition
ANSI C63.26	2015
KDB971168 D01	v03r01

### 1.3. Test Result

All test items are pass. Please refer to "6 Summary of Test Results" for detail.

### 1.4. Testing Location

Address: Building G, Shenzhen International Innovation Center, No.1006 Shennan Road, Futian District, Shenzhen, Guangdong, P. R. China 518000

### 1.5. Project Data

Testing Start Date: 2021-11-01

Testing End Date: 2021-11-29

### 1.6. Signature

Lai Minghua

(Prepared this test report)

Huang Qiuqin

(Reviewed this test report)

Zhang Hao

(Approved this test report)



## **2. CLIENT INFORMATION**

### **2.1. Applicant Information**

Company Name: Realme Chongqing Mobile Telecommunications Corp., Ltd.  
Address /Post: No.178 Yulong Avenue, Yufengshan, Yubei District, Chongqing,China.  
Contact: Yang LiangPing  
Email: ylp@realme.net  
Telephone: (86)13798864426  
Fax: /

### **2.2. Manufacturer Information**

Company Name: Realme Chongqing Mobile Telecommunications Corp., Ltd.  
Address /Post: No.178 Yulong Avenue, Yufengshan, Yubei District, Chongqing,China.  
Contact: Yang LiangPing  
Email: ylp@realme.net  
Telephone: (86)13798864426  
Fax: /

**3. EQUIPMENT UNDER TEST (EUT) AND ANCILLARY EQUIPMENT****(AE)****3.1. About EUT**

Description	Mobile Phone
Model Name	RMX3393
FCC ID	2AUYFRMX3393
NR Bands	n5,n7,n38,n41,n66
EN-DC Bands	DC_66A_n5,DC_7A_n5,DC_5A_n7,DC_66A_n7, DC_26A_n41
Antenna	Integrated
Extreme vol. Limits	3.6V to 4.45V (nominal: 3.87V)
Extreme temp. Tolerance	-30°C to +50°C
Condition of EUT as received	No abnormality in appearance

Note: Components list, please refer to documents of the manufacturer; it is also included in the original test record of SAICT.

**3.2. Internal Identification of EUT used during the test**

EUT ID*	IMEI	HW Version	SW Version	Sample Arrival Date
UT05aa	868912050022117	11	ColorOS 12.1	2021-10-25
	868912050022109			
UT08aa	868912050021259	11	ColorOS 12.1	2021-12-01
	868912050021242			

\*EUT ID: is used to identify the test sample in the lab internally.

UT08aa is used for conduction test, UT05aa is used for radiation test.

**3.3. Internal Identification of AE used during the test**

AE ID*	Description	SN
AE1	Battery	/
AE2	Charger	/
AE3	USB Cable	/
AE4	Headset	/
AE5	RF Cable	/

**AE1-1**

Model	BLP837
Manufacturer	Sunwoda Electronic Co., Ltd.
Capacity	4400mAh
Nominal Voltage	3.87 V

**AE2-1**

Model	VCA7JAEH
Manufacturer	Huizhou Golden Lake Industrial Co., Ltd.
Specification	Europe Standard Charger

**AE3**



Model DL129  
Manufacturer /  
AE4  
Model MH156  
Manufacturer /

\*AE ID: is used to identify the test sample in the lab internally.

**3.4. General Description**

The Equipment Under Test (EUT) is a model Mobile Phone with PIFA antenna. It consists of normal options: lithium battery, charger. Manual and specifications of the EUT were provided to fulfil the test. Samples undergoing test were selected by the Client.

Note: NR Operating Band information as follow:

NR Bands	Uplink (UL)	Downlink (DL)	SCS (kHz)	Bandwidths(MHz)
n5	824 MHz-849 MHz	869 MHz-894 MHz	15	5/10/15/20
n7	2500 MHz-2570 MHz	2620MHz-2690MHz	15	5/10/15/20/25/30/40/50
n38	2570 MHz-2620MHz	2570MHz-2620MHz	30	20/30/40
n41	2496MHz-2690MHz	2496MHz-2690MHz	30	20/30/40/50/60/80/90/100
n66	1710 MHz-1780 MHz	2110MHz-2180MHz	15	5/10/15/20/30/40

NR modulation: DFT-s-OFDM Pi/2 BPSK,QPSK, 16QAM, 64QAM; CP-OFDM QPSK, 16QAM,64QAM;



#### **4. REFERENCE DOCUMENTS**

The following documents listed in this section are referred for testing.

<b>Reference</b>	<b>Title</b>	<b>Version</b>
FCC Part 22	PUBLIC MOBILE SERVICES	10-1-19 Edition
FCC Part 2	FREQUENCY ALLOCATIONS AND RADIO TREATY MATTERS; GENERAL RULES AND REGULATIONS	10-1-19 Edition
FCC Part 27	MISCELLANEOUS WIRELESS COMMUNICATIONS SERVICES	10-1-19 Edition
ANSI C63.26	American National Standard for Compliance Testing of Transmitters Used in Licensed Radio Services	2015
KDB971168 D01	Power Meas License Digital Systems	v03r01





## 5. LABORATORY ENVIRONMENT

**Shielded room** did not exceed following limits along the RF testing:

Temperature	Min. = 15 °C, Max. = 35 °C
Relative humidity	Min. = 15 %, Max. = 75 %
Shielding effectiveness	0.014MHz-1MHz>60 dB; 1MHz-18000MHz>90 dB
Electrical insulation	>2 MΩ
Ground system resistance	< 4 Ω

**Fully-anechoic chamber** did not exceed following limits along the EMC testing

Temperature	Min. = 15 °C, Max. = 35 °C
Relative humidity	Min. = 15 %, Max. = 75 %
Shielding effectiveness	0.014MHz-1MHz> 60 dB; 1MHz-18000MHz>90 dB
Electrical insulation	> 2MΩ
Ground system resistance	< 4 Ω
Voltage Standing Wave Ratio (VSWR)	≤ 6 dB, from 1 to 18 GHz, 3 m distance
Uniformity of field strength	Between 0 and 6 dB, from 80 to 6000 MHz



## 6. SUMMARY OF TEST RESULTS

Abbreviations used in this clause:		
Verdict Column	P	Pass
	F	Fail
	NA	Not applicable
	NM	Not measured
Location Column	A/B/C/D	The test is performed in test location A, B, C or D which are described in section 1.4 of this report

This devices supports 5G NR(EN-DC),the technical specifications are below:

DC\_66A\_n5, DC\_7A\_n5,DC\_5A\_n7,DC\_66A\_n7, DC\_26A\_n41

The test results given in the report are tested under the worst combinations below:

DC\_66A\_n5,DC\_5A\_n7,DC\_66A\_n7, DC\_26A\_n41

n5

Items	Test Name	Clause in FCC rules	Section in this report	Verdict
1	Output Power	2.1046/22.913	A.1	P
2	Field Strength of Spurious Radiation	2.1053/22.917	A.2	P
3	Frequency Stability	2.1055/22.355	A.3	P
4	Occupied Bandwidth	2.1049/22.917	A.4	P
5	Emission Bandwidth	2.1049/22.917	A.4	P
6	Band Edge Compliance	2.1051/22.917	A.5	P
7	Conducted Spurious Emission	2.1051/22.917	A.6	P
8	Peak-to-Average Power Ratio	KDB971168 D01	A.7	P

n7

Items	Test Name	Clause in FCC rules	Section in this report	Verdict
1	Output Power	2.1046/27.50(h)	A.1	P
2	Field Strength of Spurious Radiation	2.1053/27.53(m)	A.2	P
3	Frequency Stability	2.1055/27.54	A.3	P
4	Occupied Bandwidth	2.1049/27.53(m)	A.4	P
5	Emission Bandwidth	2.1049/27.53(m)	A.4	P
6	Band Edge Compliance	2.1051/27.53(m)	A.5	P
7	Conducted Spurious Emission	2.1051/27.53(m)	A.6	P
8	Peak-to-Average Power Ratio	27.50(a)/ KDB971168 D01	A.7	P



n66

Items	Test Name	Clause in FCC rules	Section in this report	Verdict
1	Output Power	2.1046/27.50(d)	A.1	P
2	Field Strength of Spurious Radiation	2.1053/27.53(h)	A.2	P
3	Frequency Stability	2.1055/27.54	A.3	P
4	Occupied Bandwidth	2.1049/27.53(h)	A.4	P
5	Emission Bandwidth	2.1049/27.53(h)	A.4	P
6	Band Edge Compliance	2.1051/27.53(h)	A.5	P
7	Conducted Spurious Emission	2.1051/27.53(h)	A.6	P
8	Peak-to-Average Power Ratio	27.50(a)/ KDB971168 D01	A.7	P

n38

Items	Test Name	Clause in FCC rules	Section in this report	Verdict
1	Output Power	2.1046/27.50(h)	A.1	P
2	Field Strength of Spurious Radiation	2.1053/27.53(m)	A.2	P
3	Frequency Stability	2.1055/27.54	A.3	P
4	Occupied Bandwidth	2.1049/27.53(m)	A.4	P
5	Emission Bandwidth	2.1049/27.53(m)	A.4	P
6	Band Edge Compliance	2.1051/27.53(m)	A.5	P
7	Conducted Spurious Emission	2.1051/27.53(m)	A.6	P
8	Peak-to-Average Power Ratio	27.50(a)/ KDB971168 D01	A.7	P

n41

Items	Test Name	Clause in FCC rules	Section in this report	Verdict
1	Output Power	2.1046/27.50(h)	A.1	P
2	Field Strength of Spurious Radiation	2.1053/27.53(m)	A.2	P
3	Frequency Stability	2.1055/27.54	A.3	P
4	Occupied Bandwidth	2.1049/27.53(m)	A.4	P
5	Emission Bandwidth	2.1049/27.53(m)	A.4	P
6	Band Edge Compliance	2.1051/27.53(m)	A.5	P
7	Conducted Spurious Emission	2.1051/27.53(m)	A.6	P
8	Peak-to-Average Power Ratio	27.50(a)/ KDB971168 D01	A.7	P



No. I21N03262-RF-NR

## **7. STATEMENT**

Since the information of samples in this report is provided by the client, the laboratory is not responsible for the authenticity of sample information.

This report takes measured values as criterion of test conclusion. The test conclusion meets the limit requirements.



**8. TEST EQUIPMENTS UTILIZED**

NO.	Description	TYPE	Manufacture	series number	CAL DUE DATE
1	Test Receiver	ESR7	R&S	101676	2022-11-24
2	BiLog Antenna	3142E	ETS-Lindgren	0224831	2024-05-27
3	Horn Antenna	3117	ETS-Lindgren	00066577	2022-04-02
4	Horn Antenna	QSH-SL-18-26-S-20	Q-par	17013	2023-01-06
5	Antenna	BBHA 9120D	Schwarzbeck	1593	2022-12-05
6	Antenna	VUBA 9117	Schwarzbeck	207	2023-07-15
7	Antenna	QWH-SL-18-40-K-SG	Q-par	15979	2023-01-06
8	preamplifier	83017A	Agilent	MY39501110	/
9	Signal Generator	SMB100A	R&S	179725	2022-11-24
10	Fully Anechoic Chamber	FACT3-2.0	ETS-Lindgren	1285	2023-05-29
11	Spectrum Analyzer	FSV40	R&S	101192	2022-01-13
12	Temperature Chamber	SH-241	ESPEC	92007516	2022-10-15
13	DC Power Supply	U3606A	Agilent Technologies	MY50450012	2022-11-13
14	Universal Radio Communication Tester	E7515B	Keysight	MY59322022	2022-04-14
15	Universal Radio Communication Tester	MT8821C	Anritsu	6262025268	2022-03-08
16	Universal Radio Communication Tester	MT8000A	Anritsu	6261987936	2022-03-16
17	Spectrum Analyzer	FSW26	R&S	102197	2022-11-24
18	Spectrum Analyzer	N9030B	Keysight	MY57143271	2022-11-24

**Test software**

Item	Name	Vesion
Radiated	EMC32	V10.50.40



**ANNEX A: MEASUREMENT RESULTS**

**A.1 OUTPUT POWER**

**Reference**

FCC: CFR Part 2.1046, 22.913, 27.50.

**A.1.1 Summary**

During the process of testing, the EUT was controlled via Rhode & Schwarz Digital Radio Communication tester to ensure max power transmission and proper modulation.

This result contains peak output power and ERP/EIRP measurements for the EUT.

In all cases, output power is within the specified limits.

**A.1.2 Conducted**

**A.1.2.1 Method of Measurements**

The EUT was set up for the max output power with pseudo random data modulation.

These measurements were done at 3 frequencies (bottom, middle and top of operational frequency range) for each bandwidth.

**A.1.2.2 Measurement result**

**SA**

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n5	5	15	826.5	DFT	16QAM	Edge_1RB_Left	21.24
n5	5	15	826.5	DFT	16QAM	Edge_1RB_Right	20.95
n5	5	15	826.5	DFT	16QAM	Inner_Full	22.46
n5	5	15	826.5	DFT	16QAM	Outer_Full	21.31
n5	5	15	826.5	DFT	64QAM	Edge_1RB_Left	20.71
n5	5	15	826.5	DFT	64QAM	Edge_1RB_Right	20.63
n5	5	15	826.5	DFT	64QAM	Inner_Full	20.89
n5	5	15	826.5	DFT	64QAM	Outer_Full	20.80
n5	5	15	826.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.29
n5	5	15	826.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.24
n5	5	15	826.5	DFT	pi/2 BPSK	Inner_Full	23.41
n5	5	15	826.5	DFT	pi/2 BPSK	Outer_Full	22.38
n5	5	15	826.5	DFT	QPSK	Edge_1RB_Left	22.42
n5	5	15	826.5	DFT	QPSK	Edge_1RB_Right	22.16
n5	5	15	826.5	DFT	QPSK	Inner_Full	23.37
n5	5	15	826.5	DFT	QPSK	Outer_Full	22.38
n5	5	15	826.5	CP	16QAM	Edge_1RB_Left	21.16
n5	5	15	826.5	CP	16QAM	Edge_1RB_Right	21.07
n5	5	15	826.5	CP	16QAM	Inner_Full	22.45
n5	5	15	826.5	CP	16QAM	Outer_Full	21.38



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n5	5	15	826.5	CP	64QAM	Edge_1RB_Left	20.51
n5	5	15	826.5	CP	64QAM	Edge_1RB_Right	20.62
n5	5	15	826.5	CP	64QAM	Inner_Full	20.89
n5	5	15	826.5	CP	64QAM	Outer_Full	20.87
n5	5	15	826.5	CP	QPSK	Edge_1RB_Left	22.43
n5	5	15	826.5	CP	QPSK	Edge_1RB_Right	22.39
n5	5	15	826.5	CP	QPSK	Inner_Full	23.39
n5	5	15	826.5	CP	QPSK	Outer_Full	22.37
n5	5	15	836.5	DFT	16QAM	Edge_1RB_Left	21.11
n5	5	15	836.5	DFT	16QAM	Edge_1RB_Right	21.00
n5	5	15	836.5	DFT	16QAM	Inner_Full	22.37
n5	5	15	836.5	DFT	16QAM	Outer_Full	21.31
n5	5	15	836.5	DFT	64QAM	Edge_1RB_Left	20.64
n5	5	15	836.5	DFT	64QAM	Edge_1RB_Right	20.62
n5	5	15	836.5	DFT	64QAM	Inner_Full	20.91
n5	5	15	836.5	DFT	64QAM	Outer_Full	20.82
n5	5	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.17
n5	5	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.21
n5	5	15	836.5	DFT	pi/2 BPSK	Inner_Full	20.77
n5	5	15	836.5	DFT	pi/2 BPSK	Outer_Full	22.33
n5	5	15	836.5	DFT	QPSK	Edge_1RB_Left	22.35
n5	5	15	836.5	DFT	QPSK	Edge_1RB_Right	22.22
n5	5	15	836.5	DFT	QPSK	Inner_Full	23.36
n5	5	15	836.5	DFT	QPSK	Outer_Full	22.33
n5	5	15	836.5	CP	16QAM	Edge_1RB_Left	20.94
n5	5	15	836.5	CP	16QAM	Edge_1RB_Right	21.00
n5	5	15	836.5	CP	16QAM	Inner_Full	22.38
n5	5	15	836.5	CP	16QAM	Outer_Full	21.35
n5	5	15	836.5	CP	64QAM	Edge_1RB_Left	20.38
n5	5	15	836.5	CP	64QAM	Edge_1RB_Right	20.37
n5	5	15	836.5	CP	64QAM	Inner_Full	20.91
n5	5	15	836.5	CP	64QAM	Outer_Full	20.81
n5	5	15	836.5	CP	QPSK	Edge_1RB_Left	22.31
n5	5	15	836.5	CP	QPSK	Edge_1RB_Right	22.29



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n5	5	15	836.5	CP	QPSK	Inner_Full	23.37
n5	5	15	836.5	CP	QPSK	Outer_Full	22.36
n5	5	15	846.5	DFT	16QAM	Edge_1RB_Left	20.93
n5	5	15	846.5	DFT	16QAM	Edge_1RB_Right	21.13
n5	5	15	846.5	DFT	16QAM	Inner_Full	22.33
n5	5	15	846.5	DFT	16QAM	Outer_Full	21.33
n5	5	15	846.5	DFT	64QAM	Edge_1RB_Left	20.61
n5	5	15	846.5	DFT	64QAM	Edge_1RB_Right	20.52
n5	5	15	846.5	DFT	64QAM	Inner_Full	20.70
n5	5	15	846.5	DFT	64QAM	Outer_Full	20.87
n5	5	15	846.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.20
n5	5	15	846.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.21
n5	5	15	846.5	DFT	pi/2 BPSK	Inner_Full	20.80
n5	5	15	846.5	DFT	pi/2 BPSK	Outer_Full	22.32
n5	5	15	846.5	DFT	QPSK	Edge_1RB_Left	22.33
n5	5	15	846.5	DFT	QPSK	Edge_1RB_Right	22.18
n5	5	15	846.5	DFT	QPSK	Inner_Full	23.32
n5	5	15	846.5	DFT	QPSK	Outer_Full	22.28
n5	5	15	846.5	CP	16QAM	Edge_1RB_Left	21.10
n5	5	15	846.5	CP	16QAM	Edge_1RB_Right	21.11
n5	5	15	846.5	CP	16QAM	Inner_Full	22.29
n5	5	15	846.5	CP	16QAM	Outer_Full	21.33
n5	5	15	846.5	CP	64QAM	Edge_1RB_Left	20.66
n5	5	15	846.5	CP	64QAM	Edge_1RB_Right	20.30
n5	5	15	846.5	CP	64QAM	Inner_Full	20.68
n5	5	15	846.5	CP	64QAM	Outer_Full	20.82
n5	5	15	846.5	CP	QPSK	Edge_1RB_Left	22.34
n5	5	15	846.5	CP	QPSK	Edge_1RB_Right	22.27
n5	5	15	846.5	CP	QPSK	Inner_Full	23.29
n5	5	15	846.5	CP	QPSK	Outer_Full	22.34
n5	10	15	829	DFT	16QAM	Edge_1RB_Left	21.01
n5	10	15	829	DFT	16QAM	Edge_1RB_Right	20.85
n5	10	15	829	DFT	16QAM	Inner_Full	22.17
n5	10	15	829	DFT	16QAM	Outer_Full	21.19





BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n5	10	15	829	DFT	64QAM	Edge_1RB_Left	20.53
n5	10	15	829	DFT	64QAM	Edge_1RB_Right	20.39
n5	10	15	829	DFT	64QAM	Inner_Full	20.67
n5	10	15	829	DFT	64QAM	Outer_Full	20.66
n5	10	15	829	DFT	pi/2 BPSK	Edge_1RB_Left	22.08
n5	10	15	829	DFT	pi/2 BPSK	Edge_1RB_Right	22.00
n5	10	15	829	DFT	pi/2 BPSK	Inner_Full	20.71
n5	10	15	829	DFT	pi/2 BPSK	Outer_Full	22.16
n5	10	15	829	DFT	QPSK	Edge_1RB_Left	22.17
n5	10	15	829	DFT	QPSK	Edge_1RB_Right	21.94
n5	10	15	829	DFT	QPSK	Inner_Full	23.18
n5	10	15	829	DFT	QPSK	Outer_Full	22.19
n5	10	15	829	CP	16QAM	Edge_1RB_Left	20.82
n5	10	15	829	CP	16QAM	Edge_1RB_Right	20.71
n5	10	15	829	CP	16QAM	Inner_Full	21.10
n5	10	15	829	CP	16QAM	Outer_Full	21.27
n5	10	15	829	CP	64QAM	Edge_1RB_Left	20.32
n5	10	15	829	CP	64QAM	Edge_1RB_Right	20.39
n5	10	15	829	CP	64QAM	Inner_Full	20.61
n5	10	15	829	CP	64QAM	Outer_Full	20.71
n5	10	15	829	CP	QPSK	Edge_1RB_Left	22.15
n5	10	15	829	CP	QPSK	Edge_1RB_Right	22.06
n5	10	15	829	CP	QPSK	Inner_Full	22.12
n5	10	15	829	CP	QPSK	Outer_Full	22.21
n5	10	15	836.5	DFT	16QAM	Edge_1RB_Left	20.69
n5	10	15	836.5	DFT	16QAM	Edge_1RB_Right	20.91
n5	10	15	836.5	DFT	16QAM	Inner_Full	22.21
n5	10	15	836.5	DFT	16QAM	Outer_Full	21.15
n5	10	15	836.5	DFT	64QAM	Edge_1RB_Left	20.47
n5	10	15	836.5	DFT	64QAM	Edge_1RB_Right	20.44
n5	10	15	836.5	DFT	64QAM	Inner_Full	20.65
n5	10	15	836.5	DFT	64QAM	Outer_Full	20.63
n5	10	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.99
n5	10	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.02



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n5	10	15	836.5	DFT	pi/2 BPSK	Inner_Full	20.62
n5	10	15	836.5	DFT	pi/2 BPSK	Outer_Full	22.15
n5	10	15	836.5	DFT	QPSK	Edge_1RB_Left	22.04
n5	10	15	836.5	DFT	QPSK	Edge_1RB_Right	22.04
n5	10	15	836.5	DFT	QPSK	Inner_Full	23.14
n5	10	15	836.5	DFT	QPSK	Outer_Full	22.13
n5	10	15	836.5	CP	16QAM	Edge_1RB_Left	20.91
n5	10	15	836.5	CP	16QAM	Edge_1RB_Right	20.96
n5	10	15	836.5	CP	16QAM	Inner_Full	21.11
n5	10	15	836.5	CP	16QAM	Outer_Full	21.17
n5	10	15	836.5	CP	64QAM	Edge_1RB_Left	20.79
n5	10	15	836.5	CP	64QAM	Edge_1RB_Right	20.73
n5	10	15	836.5	CP	64QAM	Inner_Full	20.56
n5	10	15	836.5	CP	64QAM	Outer_Full	20.55
n5	10	15	836.5	CP	QPSK	Edge_1RB_Left	22.12
n5	10	15	836.5	CP	QPSK	Edge_1RB_Right	22.10
n5	10	15	836.5	CP	QPSK	Inner_Full	22.07
n5	10	15	836.5	CP	QPSK	Outer_Full	22.14
n5	10	15	844	DFT	16QAM	Edge_1RB_Left	20.93
n5	10	15	844	DFT	16QAM	Edge_1RB_Right	20.88
n5	10	15	844	DFT	16QAM	Inner_Full	22.22
n5	10	15	844	DFT	16QAM	Outer_Full	21.08
n5	10	15	844	DFT	64QAM	Edge_1RB_Left	20.46
n5	10	15	844	DFT	64QAM	Edge_1RB_Right	20.37
n5	10	15	844	DFT	64QAM	Inner_Full	20.65
n5	10	15	844	DFT	64QAM	Outer_Full	20.61
n5	10	15	844	DFT	pi/2 BPSK	Edge_1RB_Left	21.96
n5	10	15	844	DFT	pi/2 BPSK	Edge_1RB_Right	21.96
n5	10	15	844	DFT	pi/2 BPSK	Inner_Full	20.64
n5	10	15	844	DFT	pi/2 BPSK	Outer_Full	22.13
n5	10	15	844	DFT	QPSK	Edge_1RB_Left	22.05
n5	10	15	844	DFT	QPSK	Edge_1RB_Right	22.08
n5	10	15	844	DFT	QPSK	Inner_Full	23.09
n5	10	15	844	DFT	QPSK	Outer_Full	22.11



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n5	10	15	844	CP	16QAM	Edge_1RB_Left	20.74
n5	10	15	844	CP	16QAM	Edge_1RB_Right	20.89
n5	10	15	844	CP	16QAM	Inner_Full	21.06
n5	10	15	844	CP	16QAM	Outer_Full	21.16
n5	10	15	844	CP	64QAM	Edge_1RB_Left	20.20
n5	10	15	844	CP	64QAM	Edge_1RB_Right	20.38
n5	10	15	844	CP	64QAM	Inner_Full	20.55
n5	10	15	844	CP	64QAM	Outer_Full	20.59
n5	10	15	844	CP	QPSK	Edge_1RB_Left	22.07
n5	10	15	844	CP	QPSK	Edge_1RB_Right	22.01
n5	10	15	844	CP	QPSK	Inner_Full	22.08
n5	10	15	844	CP	QPSK	Outer_Full	22.11
n5	15	15	831.5	DFT	16QAM	Edge_1RB_Left	21.10
n5	15	15	831.5	DFT	16QAM	Edge_1RB_Right	21.12
n5	15	15	831.5	DFT	16QAM	Inner_Full	22.28
n5	15	15	831.5	DFT	16QAM	Outer_Full	21.33
n5	15	15	831.5	DFT	64QAM	Edge_1RB_Left	20.89
n5	15	15	831.5	DFT	64QAM	Edge_1RB_Right	20.79
n5	15	15	831.5	DFT	64QAM	Inner_Full	20.76
n5	15	15	831.5	DFT	64QAM	Outer_Full	20.90
n5	15	15	831.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.15
n5	15	15	831.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.10
n5	15	15	831.5	DFT	pi/2 BPSK	Inner_Full	20.83
n5	15	15	831.5	DFT	pi/2 BPSK	Outer_Full	22.33
n5	15	15	831.5	DFT	QPSK	Edge_1RB_Left	22.32
n5	15	15	831.5	DFT	QPSK	Edge_1RB_Right	22.27
n5	15	15	831.5	DFT	QPSK	Inner_Full	23.35
n5	15	15	831.5	DFT	QPSK	Outer_Full	22.39
n5	15	15	831.5	CP	16QAM	Edge_1RB_Left	21.15
n5	15	15	831.5	CP	16QAM	Edge_1RB_Right	21.07
n5	15	15	831.5	CP	16QAM	Inner_Full	21.30
n5	15	15	831.5	CP	16QAM	Outer_Full	21.41
n5	15	15	831.5	CP	64QAM	Edge_1RB_Left	20.93
n5	15	15	831.5	CP	64QAM	Edge_1RB_Right	20.49



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n5	15	15	831.5	CP	64QAM	Inner_Full	20.76
n5	15	15	831.5	CP	64QAM	Outer_Full	20.88
n5	15	15	831.5	CP	QPSK	Edge_1RB_Left	22.30
n5	15	15	831.5	CP	QPSK	Edge_1RB_Right	22.26
n5	15	15	831.5	CP	QPSK	Inner_Full	22.28
n5	15	15	831.5	CP	QPSK	Outer_Full	22.33
n5	15	15	836.5	DFT	16QAM	Edge_1RB_Left	21.01
n5	15	15	836.5	DFT	16QAM	Edge_1RB_Right	21.05
n5	15	15	836.5	DFT	16QAM	Inner_Full	22.26
n5	15	15	836.5	DFT	16QAM	Outer_Full	21.28
n5	15	15	836.5	DFT	64QAM	Edge_1RB_Left	20.86
n5	15	15	836.5	DFT	64QAM	Edge_1RB_Right	20.38
n5	15	15	836.5	DFT	64QAM	Inner_Full	20.72
n5	15	15	836.5	DFT	64QAM	Outer_Full	20.78
n5	15	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.09
n5	15	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.10
n5	15	15	836.5	DFT	pi/2 BPSK	Inner_Full	20.81
n5	15	15	836.5	DFT	pi/2 BPSK	Outer_Full	22.33
n5	15	15	836.5	DFT	QPSK	Edge_1RB_Left	22.20
n5	15	15	836.5	DFT	QPSK	Edge_1RB_Right	22.14
n5	15	15	836.5	DFT	QPSK	Inner_Full	23.27
n5	15	15	836.5	DFT	QPSK	Outer_Full	22.32
n5	15	15	836.5	CP	16QAM	Edge_1RB_Left	21.01
n5	15	15	836.5	CP	16QAM	Edge_1RB_Right	20.99
n5	15	15	836.5	CP	16QAM	Inner_Full	21.30
n5	15	15	836.5	CP	16QAM	Outer_Full	21.33
n5	15	15	836.5	CP	64QAM	Edge_1RB_Left	20.39
n5	15	15	836.5	CP	64QAM	Edge_1RB_Right	20.44
n5	15	15	836.5	CP	64QAM	Inner_Full	20.70
n5	15	15	836.5	CP	64QAM	Outer_Full	20.81
n5	15	15	836.5	CP	QPSK	Edge_1RB_Left	22.29
n5	15	15	836.5	CP	QPSK	Edge_1RB_Right	22.19
n5	15	15	836.5	CP	QPSK	Inner_Full	22.28
n5	15	15	836.5	CP	QPSK	Outer_Full	22.25



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n5	15	15	841.5	DFT	16QAM	Edge_1RB_Left	20.96
n5	15	15	841.5	DFT	16QAM	Edge_1RB_Right	21.05
n5	15	15	841.5	DFT	16QAM	Inner_Full	22.28
n5	15	15	841.5	DFT	16QAM	Outer_Full	21.24
n5	15	15	841.5	DFT	64QAM	Edge_1RB_Left	20.49
n5	15	15	841.5	DFT	64QAM	Edge_1RB_Right	20.18
n5	15	15	841.5	DFT	64QAM	Inner_Full	20.68
n5	15	15	841.5	DFT	64QAM	Outer_Full	20.72
n5	15	15	841.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.03
n5	15	15	841.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.01
n5	15	15	841.5	DFT	pi/2 BPSK	Inner_Full	20.78
n5	15	15	841.5	DFT	pi/2 BPSK	Outer_Full	22.26
n5	15	15	841.5	DFT	QPSK	Edge_1RB_Left	22.13
n5	15	15	841.5	DFT	QPSK	Edge_1RB_Right	22.14
n5	15	15	841.5	DFT	QPSK	Inner_Full	23.29
n5	15	15	841.5	DFT	QPSK	Outer_Full	22.18
n5	15	15	841.5	CP	16QAM	Edge_1RB_Left	20.78
n5	15	15	841.5	CP	16QAM	Edge_1RB_Right	20.76
n5	15	15	841.5	CP	16QAM	Inner_Full	21.26
n5	15	15	841.5	CP	16QAM	Outer_Full	21.24
n5	15	15	841.5	CP	64QAM	Edge_1RB_Left	20.49
n5	15	15	841.5	CP	64QAM	Edge_1RB_Right	20.24
n5	15	15	841.5	CP	64QAM	Inner_Full	20.75
n5	15	15	841.5	CP	64QAM	Outer_Full	20.72
n5	15	15	841.5	CP	QPSK	Edge_1RB_Left	22.13
n5	15	15	841.5	CP	QPSK	Edge_1RB_Right	22.12
n5	15	15	841.5	CP	QPSK	Inner_Full	22.28
n5	15	15	841.5	CP	QPSK	Outer_Full	22.22
n5	20	15	834	DFT	16QAM	Edge_1RB_Left	21.04
n5	20	15	834	DFT	16QAM	Edge_1RB_Right	21.04
n5	20	15	834	DFT	16QAM	Inner_Full	22.32
n5	20	15	834	DFT	16QAM	Outer_Full	21.38
n5	20	15	834	DFT	64QAM	Edge_1RB_Left	20.38
n5	20	15	834	DFT	64QAM	Edge_1RB_Right	20.20



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n5	20	15	834	DFT	64QAM	Inner_Full	20.82
n5	20	15	834	DFT	64QAM	Outer_Full	20.89
n5	20	15	834	DFT	pi/2 BPSK	Edge_1RB_Left	22.12
n5	20	15	834	DFT	pi/2 BPSK	Edge_1RB_Right	22.07
n5	20	15	834	DFT	pi/2 BPSK	Inner_Full	20.84
n5	20	15	834	DFT	pi/2 BPSK	Outer_Full	22.42
n5	20	15	834	DFT	QPSK	Edge_1RB_Left	22.17
n5	20	15	834	DFT	QPSK	Edge_1RB_Right	22.12
n5	20	15	834	DFT	QPSK	Inner_Full	23.33
n5	20	15	834	DFT	QPSK	Outer_Full	22.44
n5	20	15	834	CP	16QAM	Edge_1RB_Left	20.85
n5	20	15	834	CP	16QAM	Edge_1RB_Right	20.86
n5	20	15	834	CP	16QAM	Inner_Full	21.39
n5	20	15	834	CP	16QAM	Outer_Full	21.37
n5	20	15	834	CP	64QAM	Edge_1RB_Left	20.39
n5	20	15	834	CP	64QAM	Edge_1RB_Right	20.20
n5	20	15	834	CP	64QAM	Inner_Full	20.82
n5	20	15	834	CP	64QAM	Outer_Full	20.92
n5	20	15	834	CP	QPSK	Edge_1RB_Left	22.20
n5	20	15	834	CP	QPSK	Edge_1RB_Right	22.13
n5	20	15	834	CP	QPSK	Inner_Full	22.36
n5	20	15	834	CP	QPSK	Outer_Full	22.42
n5	20	15	836.5	DFT	16QAM	Edge_1RB_Left	20.96
n5	20	15	836.5	DFT	16QAM	Edge_1RB_Right	20.96
n5	20	15	836.5	DFT	16QAM	Inner_Full	22.34
n5	20	15	836.5	DFT	16QAM	Outer_Full	21.30
n5	20	15	836.5	DFT	64QAM	Edge_1RB_Left	20.59
n5	20	15	836.5	DFT	64QAM	Edge_1RB_Right	20.55
n5	20	15	836.5	DFT	64QAM	Inner_Full	20.76
n5	20	15	836.5	DFT	64QAM	Outer_Full	20.83
n5	20	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.06
n5	20	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.02
n5	20	15	836.5	DFT	pi/2 BPSK	Inner_Full	20.76
n5	20	15	836.5	DFT	pi/2 BPSK	Outer_Full	22.36



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n5	20	15	836.5	DFT	QPSK	Edge_1RB_Left	22.16
n5	20	15	836.5	DFT	QPSK	Edge_1RB_Right	22.13
n5	20	15	836.5	DFT	QPSK	Inner_Full	23.29
n5	20	15	836.5	DFT	QPSK	Outer_Full	22.37
n5	20	15	836.5	CP	16QAM	Edge_1RB_Left	21.04
n5	20	15	836.5	CP	16QAM	Edge_1RB_Right	20.84
n5	20	15	836.5	CP	16QAM	Inner_Full	21.31
n5	20	15	836.5	CP	16QAM	Outer_Full	21.36
n5	20	15	836.5	CP	64QAM	Edge_1RB_Left	20.32
n5	20	15	836.5	CP	64QAM	Edge_1RB_Right	20.30
n5	20	15	836.5	CP	64QAM	Inner_Full	20.83
n5	20	15	836.5	CP	64QAM	Outer_Full	20.83
n5	20	15	836.5	CP	QPSK	Edge_1RB_Left	22.16
n5	20	15	836.5	CP	QPSK	Edge_1RB_Right	22.12
n5	20	15	836.5	CP	QPSK	Inner_Full	22.34
n5	20	15	836.5	CP	QPSK	Outer_Full	22.35
n5	20	15	839	DFT	16QAM	Edge_1RB_Left	20.79
n5	20	15	839	DFT	16QAM	Edge_1RB_Right	20.77
n5	20	15	839	DFT	16QAM	Inner_Full	22.32
n5	20	15	839	DFT	16QAM	Outer_Full	21.20
n5	20	15	839	DFT	64QAM	Edge_1RB_Left	20.50
n5	20	15	839	DFT	64QAM	Edge_1RB_Right	20.23
n5	20	15	839	DFT	64QAM	Inner_Full	20.78
n5	20	15	839	DFT	64QAM	Outer_Full	20.72
n5	20	15	839	DFT	pi/2 BPSK	Edge_1RB_Left	22.07
n5	20	15	839	DFT	pi/2 BPSK	Edge_1RB_Right	21.98
n5	20	15	839	DFT	pi/2 BPSK	Inner_Full	20.76
n5	20	15	839	DFT	pi/2 BPSK	Outer_Full	22.25
n5	20	15	839	DFT	QPSK	Edge_1RB_Left	22.13
n5	20	15	839	DFT	QPSK	Edge_1RB_Right	22.09
n5	20	15	839	DFT	QPSK	Inner_Full	23.30
n5	20	15	839	DFT	QPSK	Outer_Full	22.23
n5	20	15	839	CP	16QAM	Edge_1RB_Left	20.78
n5	20	15	839	CP	16QAM	Edge_1RB_Right	20.99



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n5	20	15	839	CP	16QAM	Inner_Full	21.32
n5	20	15	839	CP	16QAM	Outer_Full	21.28
n5	20	15	839	CP	64QAM	Edge_1RB_Left	20.55
n5	20	15	839	CP	64QAM	Edge_1RB_Right	20.49
n5	20	15	839	CP	64QAM	Inner_Full	20.79
n5	20	15	839	CP	64QAM	Outer_Full	20.74
n5	20	15	839	CP	QPSK	Edge_1RB_Left	22.19
n5	20	15	839	CP	QPSK	Edge_1RB_Right	22.12
n5	20	15	839	CP	QPSK	Inner_Full	22.36
n5	20	15	839	CP	QPSK	Outer_Full	22.22
n7	5	15	2502.5	DFT	16QAM	Inner_Full	21.76
n7	5	15	2502.5	DFT	16QAM	Edge_1RB_Left	20.88
n7	5	15	2502.5	DFT	16QAM	Edge_1RB_Right	20.85
n7	5	15	2502.5	DFT	16QAM	Outer_Full	20.81
n7	5	15	2502.5	DFT	64QAM	Inner_Full	20.37
n7	5	15	2502.5	DFT	64QAM	Edge_1RB_Left	19.87
n7	5	15	2502.5	DFT	64QAM	Edge_1RB_Right	20.09
n7	5	15	2502.5	DFT	64QAM	Outer_Full	20.28
n7	5	15	2502.5	DFT	pi/2 BPSK	Inner_Full	20.23
n7	5	15	2502.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.67
n7	5	15	2502.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.67
n7	5	15	2502.5	DFT	pi/2 BPSK	Outer_Full	21.75
n7	5	15	2502.5	DFT	QPSK	Inner_Full	22.67
n7	5	15	2502.5	DFT	QPSK	Edge_1RB_Left	21.80
n7	5	15	2502.5	DFT	QPSK	Outer_Full	21.82
n7	5	15	2502.5	DFT	QPSK	Edge_1RB_Right	21.73
n7	5	15	2502.5	CP	16QAM	Inner_Full	21.81
n7	5	15	2502.5	CP	16QAM	Edge_1RB_Left	20.67
n7	5	15	2502.5	CP	16QAM	Edge_1RB_Right	20.64
n7	5	15	2502.5	CP	16QAM	Outer_Full	20.87
n7	5	15	2502.5	CP	64QAM	Inner_Full	20.23
n7	5	15	2502.5	CP	64QAM	Edge_1RB_Left	20.17
n7	5	15	2502.5	CP	64QAM	Edge_1RB_Right	20.13
n7	5	15	2502.5	CP	64QAM	Outer_Full	20.29
n7	5	15	2502.5	CP	QPSK	Inner_Full	22.60
n7	5	15	2502.5	CP	QPSK	Edge_1RB_Left	21.75
n7	5	15	2502.5	CP	QPSK	Edge_1RB_Right	21.71
n7	5	15	2502.5	CP	QPSK	Outer_Full	21.82
n7	5	15	2535	DFT	16QAM	Inner_Full	21.54





BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n7	5	15	2535	DFT	16QAM	Edge_1RB_Left	20.46
n7	5	15	2535	DFT	16QAM	Edge_1RB_Right	20.42
n7	5	15	2535	DFT	16QAM	Outer_Full	20.50
n7	5	15	2535	DFT	64QAM	Inner_Full	20.04
n7	5	15	2535	DFT	64QAM	Edge_1RB_Left	19.62
n7	5	15	2535	DFT	64QAM	Edge_1RB_Right	19.94
n7	5	15	2535	DFT	64QAM	Outer_Full	20.01
n7	5	15	2535	DFT	pi/2 BPSK	Inner_Full	19.94
n7	5	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	21.53
n7	5	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	21.50
n7	5	15	2535	DFT	pi/2 BPSK	Outer_Full	21.52
n7	5	15	2535	DFT	QPSK	Inner_Full	22.39
n7	5	15	2535	DFT	QPSK	Edge_1RB_Left	21.52
n7	5	15	2535	DFT	QPSK	Outer_Full	21.54
n7	5	15	2535	DFT	QPSK	Edge_1RB_Right	21.51
n7	5	15	2535	CP	16QAM	Inner_Full	21.60
n7	5	15	2535	CP	16QAM	Edge_1RB_Left	20.64
n7	5	15	2535	CP	16QAM	Edge_1RB_Right	20.42
n7	5	15	2535	CP	16QAM	Outer_Full	20.54
n7	5	15	2535	CP	64QAM	Inner_Full	20.16
n7	5	15	2535	CP	64QAM	Edge_1RB_Left	19.93
n7	5	15	2535	CP	64QAM	Edge_1RB_Right	19.95
n7	5	15	2535	CP	64QAM	Outer_Full	20.05
n7	5	15	2535	CP	QPSK	Inner_Full	22.37
n7	5	15	2535	CP	QPSK	Edge_1RB_Left	21.56
n7	5	15	2535	CP	QPSK	Edge_1RB_Right	21.51
n7	5	15	2535	CP	QPSK	Outer_Full	21.52
n7	5	15	2567.5	DFT	16QAM	Inner_Full	21.25
n7	5	15	2567.5	DFT	16QAM	Edge_1RB_Left	20.35
n7	5	15	2567.5	DFT	16QAM	Edge_1RB_Right	20.24
n7	5	15	2567.5	DFT	16QAM	Outer_Full	20.26
n7	5	15	2567.5	DFT	64QAM	Inner_Full	19.68
n7	5	15	2567.5	DFT	64QAM	Edge_1RB_Left	19.34
n7	5	15	2567.5	DFT	64QAM	Edge_1RB_Right	19.50
n7	5	15	2567.5	DFT	64QAM	Outer_Full	19.76
n7	5	15	2567.5	DFT	pi/2 BPSK	Inner_Full	19.71
n7	5	15	2567.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.23
n7	5	15	2567.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.25
n7	5	15	2567.5	DFT	pi/2 BPSK	Outer_Full	21.28
n7	5	15	2567.5	DFT	QPSK	Inner_Full	22.01



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n7	5	15	2567.5	DFT	QPSK	Edge_1RB_Left	21.18
n7	5	15	2567.5	DFT	QPSK	Outer_Full	21.27
n7	5	15	2567.5	DFT	QPSK	Edge_1RB_Right	21.07
n7	5	15	2567.5	CP	16QAM	Inner_Full	21.26
n7	5	15	2567.5	CP	16QAM	Edge_1RB_Left	20.33
n7	5	15	2567.5	CP	16QAM	Edge_1RB_Right	20.27
n7	5	15	2567.5	CP	16QAM	Outer_Full	20.23
n7	5	15	2567.5	CP	64QAM	Inner_Full	19.78
n7	5	15	2567.5	CP	64QAM	Edge_1RB_Left	19.64
n7	5	15	2567.5	CP	64QAM	Edge_1RB_Right	19.27
n7	5	15	2567.5	CP	64QAM	Outer_Full	19.74
n7	5	15	2567.5	CP	QPSK	Inner_Full	22.04
n7	5	15	2567.5	CP	QPSK	Edge_1RB_Left	21.17
n7	5	15	2567.5	CP	QPSK	Edge_1RB_Right	21.07
n7	5	15	2567.5	CP	QPSK	Outer_Full	21.28
n7	10	15	2505	DFT	16QAM	Inner_Full	21.56
n7	10	15	2505	DFT	16QAM	Edge_1RB_Left	20.59
n7	10	15	2505	DFT	16QAM	Edge_1RB_Right	20.60
n7	10	15	2505	DFT	16QAM	Outer_Full	20.57
n7	10	15	2505	DFT	64QAM	Inner_Full	20.08
n7	10	15	2505	DFT	64QAM	Edge_1RB_Left	19.67
n7	10	15	2505	DFT	64QAM	Edge_1RB_Right	19.61
n7	10	15	2505	DFT	64QAM	Outer_Full	20.09
n7	10	15	2505	DFT	pi/2 BPSK	Inner_Full	20.09
n7	10	15	2505	DFT	pi/2 BPSK	Edge_1RB_Left	21.47
n7	10	15	2505	DFT	pi/2 BPSK	Edge_1RB_Right	21.44
n7	10	15	2505	DFT	pi/2 BPSK	Outer_Full	21.60
n7	10	15	2505	DFT	QPSK	Inner_Full	22.43
n7	10	15	2505	DFT	QPSK	Edge_1RB_Left	21.50
n7	10	15	2505	DFT	QPSK	Outer_Full	21.61
n7	10	15	2505	DFT	QPSK	Edge_1RB_Right	21.42
n7	10	15	2505	CP	16QAM	Inner_Full	20.52
n7	10	15	2505	CP	16QAM	Edge_1RB_Left	20.59
n7	10	15	2505	CP	16QAM	Edge_1RB_Right	20.60
n7	10	15	2505	CP	16QAM	Outer_Full	20.67
n7	10	15	2505	CP	64QAM	Inner_Full	20.05
n7	10	15	2505	CP	64QAM	Edge_1RB_Left	19.65
n7	10	15	2505	CP	64QAM	Edge_1RB_Right	19.96
n7	10	15	2505	CP	64QAM	Outer_Full	20.06
n7	10	15	2505	CP	QPSK	Inner_Full	21.54



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n7	10	15	2505	CP	QPSK	Edge_1RB_Left	21.55
n7	10	15	2505	CP	QPSK	Edge_1RB_Right	21.51
n7	10	15	2505	CP	QPSK	Outer_Full	21.59
n7	10	15	2535	DFT	16QAM	Inner_Full	21.33
n7	10	15	2535	DFT	16QAM	Edge_1RB_Left	20.26
n7	10	15	2535	DFT	16QAM	Edge_1RB_Right	20.20
n7	10	15	2535	DFT	16QAM	Outer_Full	20.40
n7	10	15	2535	DFT	64QAM	Inner_Full	19.82
n7	10	15	2535	DFT	64QAM	Edge_1RB_Left	19.73
n7	10	15	2535	DFT	64QAM	Edge_1RB_Right	19.37
n7	10	15	2535	DFT	64QAM	Outer_Full	19.84
n7	10	15	2535	DFT	pi/2 BPSK	Inner_Full	19.90
n7	10	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	21.29
n7	10	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	21.20
n7	10	15	2535	DFT	pi/2 BPSK	Outer_Full	21.35
n7	10	15	2535	DFT	QPSK	Inner_Full	22.17
n7	10	15	2535	DFT	QPSK	Edge_1RB_Left	21.31
n7	10	15	2535	DFT	QPSK	Outer_Full	21.39
n7	10	15	2535	DFT	QPSK	Edge_1RB_Right	21.26
n7	10	15	2535	CP	16QAM	Inner_Full	20.31
n7	10	15	2535	CP	16QAM	Edge_1RB_Left	20.41
n7	10	15	2535	CP	16QAM	Edge_1RB_Right	20.20
n7	10	15	2535	CP	16QAM	Outer_Full	20.35
n7	10	15	2535	CP	64QAM	Inner_Full	19.88
n7	10	15	2535	CP	64QAM	Edge_1RB_Left	19.76
n7	10	15	2535	CP	64QAM	Edge_1RB_Right	19.40
n7	10	15	2535	CP	64QAM	Outer_Full	19.82
n7	10	15	2535	CP	QPSK	Inner_Full	21.36
n7	10	15	2535	CP	QPSK	Edge_1RB_Left	21.30
n7	10	15	2535	CP	QPSK	Edge_1RB_Right	21.20
n7	10	15	2535	CP	QPSK	Outer_Full	21.39
n7	10	15	2565	DFT	16QAM	Inner_Full	21.10
n7	10	15	2565	DFT	16QAM	Edge_1RB_Left	20.15
n7	10	15	2565	DFT	16QAM	Edge_1RB_Right	20.03
n7	10	15	2565	DFT	16QAM	Outer_Full	20.05
n7	10	15	2565	DFT	64QAM	Inner_Full	19.54
n7	10	15	2565	DFT	64QAM	Edge_1RB_Left	19.49
n7	10	15	2565	DFT	64QAM	Edge_1RB_Right	19.32
n7	10	15	2565	DFT	64QAM	Outer_Full	19.57
n7	10	15	2565	DFT	pi/2 BPSK	Inner_Full	19.59



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n7	10	15	2565	DFT	pi/2 BPSK	Edge_1RB_Left	21.00
n7	10	15	2565	DFT	pi/2 BPSK	Edge_1RB_Right	20.94
n7	10	15	2565	DFT	pi/2 BPSK	Outer_Full	21.01
n7	10	15	2565	DFT	QPSK	Inner_Full	21.89
n7	10	15	2565	DFT	QPSK	Edge_1RB_Left	21.04
n7	10	15	2565	DFT	QPSK	Outer_Full	21.01
n7	10	15	2565	DFT	QPSK	Edge_1RB_Right	20.86
n7	10	15	2565	CP	16QAM	Inner_Full	19.98
n7	10	15	2565	CP	16QAM	Edge_1RB_Left	20.16
n7	10	15	2565	CP	16QAM	Edge_1RB_Right	19.88
n7	10	15	2565	CP	16QAM	Outer_Full	20.01
n7	10	15	2565	CP	64QAM	Inner_Full	19.54
n7	10	15	2565	CP	64QAM	Edge_1RB_Left	19.22
n7	10	15	2565	CP	64QAM	Edge_1RB_Right	19.08
n7	10	15	2565	CP	64QAM	Outer_Full	19.53
n7	10	15	2565	CP	QPSK	Inner_Full	21.05
n7	10	15	2565	CP	QPSK	Edge_1RB_Left	21.01
n7	10	15	2565	CP	QPSK	Edge_1RB_Right	20.95
n7	10	15	2565	CP	QPSK	Outer_Full	21.02
n7	15	15	2507.5	DFT	16QAM	Inner_Full	21.71
n7	15	15	2507.5	DFT	16QAM	Edge_1RB_Left	20.70
n7	15	15	2507.5	DFT	16QAM	Edge_1RB_Right	20.60
n7	15	15	2507.5	DFT	16QAM	Outer_Full	20.68
n7	15	15	2507.5	DFT	64QAM	Inner_Full	20.13
n7	15	15	2507.5	DFT	64QAM	Edge_1RB_Left	20.13
n7	15	15	2507.5	DFT	64QAM	Edge_1RB_Right	20.07
n7	15	15	2507.5	DFT	64QAM	Outer_Full	20.27
n7	15	15	2507.5	DFT	pi/2 BPSK	Inner_Full	20.18
n7	15	15	2507.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.53
n7	15	15	2507.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.61
n7	15	15	2507.5	DFT	pi/2 BPSK	Outer_Full	21.74
n7	15	15	2507.5	DFT	QPSK	Inner_Full	22.53
n7	15	15	2507.5	DFT	QPSK	Edge_1RB_Left	21.58
n7	15	15	2507.5	DFT	QPSK	Outer_Full	21.76
n7	15	15	2507.5	DFT	QPSK	Edge_1RB_Right	21.55
n7	15	15	2507.5	CP	16QAM	Inner_Full	20.59
n7	15	15	2507.5	CP	16QAM	Edge_1RB_Left	20.52
n7	15	15	2507.5	CP	16QAM	Edge_1RB_Right	20.62
n7	15	15	2507.5	CP	16QAM	Outer_Full	20.69
n7	15	15	2507.5	CP	64QAM	Inner_Full	20.09



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n7	15	15	2507.5	CP	64QAM	Edge_1RB_Left	20.05
n7	15	15	2507.5	CP	64QAM	Edge_1RB_Right	20.13
n7	15	15	2507.5	CP	64QAM	Outer_Full	20.21
n7	15	15	2507.5	CP	QPSK	Inner_Full	21.70
n7	15	15	2507.5	CP	QPSK	Edge_1RB_Left	21.65
n7	15	15	2507.5	CP	QPSK	Edge_1RB_Right	21.54
n7	15	15	2507.5	CP	QPSK	Outer_Full	21.70
n7	15	15	2535	DFT	16QAM	Inner_Full	21.51
n7	15	15	2535	DFT	16QAM	Edge_1RB_Left	20.32
n7	15	15	2535	DFT	16QAM	Edge_1RB_Right	20.26
n7	15	15	2535	DFT	16QAM	Outer_Full	20.50
n7	15	15	2535	DFT	64QAM	Inner_Full	19.94
n7	15	15	2535	DFT	64QAM	Edge_1RB_Left	19.98
n7	15	15	2535	DFT	64QAM	Edge_1RB_Right	19.88
n7	15	15	2535	DFT	64QAM	Outer_Full	19.97
n7	15	15	2535	DFT	pi/2 BPSK	Inner_Full	20.07
n7	15	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	21.41
n7	15	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	21.21
n7	15	15	2535	DFT	pi/2 BPSK	Outer_Full	21.47
n7	15	15	2535	DFT	QPSK	Inner_Full	22.36
n7	15	15	2535	DFT	QPSK	Edge_1RB_Left	21.47
n7	15	15	2535	DFT	QPSK	Outer_Full	21.51
n7	15	15	2535	DFT	QPSK	Edge_1RB_Right	21.23
n7	15	15	2535	CP	16QAM	Inner_Full	20.44
n7	15	15	2535	CP	16QAM	Edge_1RB_Left	20.50
n7	15	15	2535	CP	16QAM	Edge_1RB_Right	20.40
n7	15	15	2535	CP	16QAM	Outer_Full	20.53
n7	15	15	2535	CP	64QAM	Inner_Full	20.00
n7	15	15	2535	CP	64QAM	Edge_1RB_Left	19.54
n7	15	15	2535	CP	64QAM	Edge_1RB_Right	19.41
n7	15	15	2535	CP	64QAM	Outer_Full	20.05
n7	15	15	2535	CP	QPSK	Inner_Full	21.54
n7	15	15	2535	CP	QPSK	Edge_1RB_Left	21.45
n7	15	15	2535	CP	QPSK	Edge_1RB_Right	21.23
n7	15	15	2535	CP	QPSK	Outer_Full	21.52
n7	15	15	2562.5	DFT	16QAM	Inner_Full	21.24
n7	15	15	2562.5	DFT	16QAM	Edge_1RB_Left	20.29
n7	15	15	2562.5	DFT	16QAM	Edge_1RB_Right	20.09
n7	15	15	2562.5	DFT	16QAM	Outer_Full	20.18
n7	15	15	2562.5	DFT	64QAM	Inner_Full	19.70



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n7	15	15	2562.5	DFT	64QAM	Edge_1RB_Left	19.62
n7	15	15	2562.5	DFT	64QAM	Edge_1RB_Right	19.45
n7	15	15	2562.5	DFT	64QAM	Outer_Full	19.78
n7	15	15	2562.5	DFT	pi/2 BPSK	Inner_Full	19.75
n7	15	15	2562.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.13
n7	15	15	2562.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.02
n7	15	15	2562.5	DFT	pi/2 BPSK	Outer_Full	21.20
n7	15	15	2562.5	DFT	QPSK	Inner_Full	22.10
n7	15	15	2562.5	DFT	QPSK	Edge_1RB_Left	21.20
n7	15	15	2562.5	DFT	QPSK	Outer_Full	21.26
n7	15	15	2562.5	DFT	QPSK	Edge_1RB_Right	21.02
n7	15	15	2562.5	CP	16QAM	Inner_Full	20.19
n7	15	15	2562.5	CP	16QAM	Edge_1RB_Left	20.17
n7	15	15	2562.5	CP	16QAM	Edge_1RB_Right	19.96
n7	15	15	2562.5	CP	16QAM	Outer_Full	20.19
n7	15	15	2562.5	CP	64QAM	Inner_Full	19.63
n7	15	15	2562.5	CP	64QAM	Edge_1RB_Left	19.61
n7	15	15	2562.5	CP	64QAM	Edge_1RB_Right	19.15
n7	15	15	2562.5	CP	64QAM	Outer_Full	19.67
n7	15	15	2562.5	CP	QPSK	Inner_Full	21.23
n7	15	15	2562.5	CP	QPSK	Edge_1RB_Left	21.18
n7	15	15	2562.5	CP	QPSK	Edge_1RB_Right	21.01
n7	15	15	2562.5	CP	QPSK	Outer_Full	21.20
n7	20	15	2510	DFT	16QAM	Inner_Full	21.77
n7	20	15	2510	DFT	16QAM	Edge_1RB_Left	20.65
n7	20	15	2510	DFT	16QAM	Edge_1RB_Right	20.61
n7	20	15	2510	DFT	16QAM	Outer_Full	20.72
n7	20	15	2510	DFT	64QAM	Inner_Full	20.18
n7	20	15	2510	DFT	64QAM	Edge_1RB_Left	19.69
n7	20	15	2510	DFT	64QAM	Edge_1RB_Right	19.64
n7	20	15	2510	DFT	64QAM	Outer_Full	20.21
n7	20	15	2510	DFT	pi/2 BPSK	Inner_Full	20.14
n7	20	15	2510	DFT	pi/2 BPSK	Edge_1RB_Left	21.49
n7	20	15	2510	DFT	pi/2 BPSK	Edge_1RB_Right	21.47
n7	20	15	2510	DFT	pi/2 BPSK	Outer_Full	21.68
n7	20	15	2510	DFT	QPSK	Inner_Full	22.50
n7	20	15	2510	DFT	QPSK	Edge_1RB_Left	21.54
n7	20	15	2510	DFT	QPSK	Outer_Full	21.72
n7	20	15	2510	DFT	QPSK	Edge_1RB_Right	21.51
n7	20	15	2510	CP	16QAM	Inner_Full	20.78



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n7	20	15	2510	CP	16QAM	Edge_1RB_Left	20.66
n7	20	15	2510	CP	16QAM	Edge_1RB_Right	20.61
n7	20	15	2510	CP	16QAM	Outer_Full	20.77
n7	20	15	2510	CP	64QAM	Inner_Full	20.22
n7	20	15	2510	CP	64QAM	Edge_1RB_Left	19.62
n7	20	15	2510	CP	64QAM	Edge_1RB_Right	19.65
n7	20	15	2510	CP	64QAM	Outer_Full	20.19
n7	20	15	2510	CP	QPSK	Inner_Full	21.74
n7	20	15	2510	CP	QPSK	Edge_1RB_Left	21.56
n7	20	15	2510	CP	QPSK	Edge_1RB_Right	21.50
n7	20	15	2510	CP	QPSK	Outer_Full	21.70
n7	20	15	2535	DFT	16QAM	Inner_Full	21.54
n7	20	15	2535	DFT	16QAM	Edge_1RB_Left	20.47
n7	20	15	2535	DFT	16QAM	Edge_1RB_Right	20.32
n7	20	15	2535	DFT	16QAM	Outer_Full	20.48
n7	20	15	2535	DFT	64QAM	Inner_Full	20.02
n7	20	15	2535	DFT	64QAM	Edge_1RB_Left	19.81
n7	20	15	2535	DFT	64QAM	Edge_1RB_Right	19.36
n7	20	15	2535	DFT	64QAM	Outer_Full	19.99
n7	20	15	2535	DFT	pi/2 BPSK	Inner_Full	20.04
n7	20	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	21.41
n7	20	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	21.24
n7	20	15	2535	DFT	pi/2 BPSK	Outer_Full	21.55
n7	20	15	2535	DFT	QPSK	Inner_Full	22.36
n7	20	15	2535	DFT	QPSK	Edge_1RB_Left	21.41
n7	20	15	2535	DFT	QPSK	Outer_Full	21.52
n7	20	15	2535	DFT	QPSK	Edge_1RB_Right	21.22
n7	20	15	2535	CP	16QAM	Inner_Full	20.55
n7	20	15	2535	CP	16QAM	Edge_1RB_Left	20.49
n7	20	15	2535	CP	16QAM	Edge_1RB_Right	20.42
n7	20	15	2535	CP	16QAM	Outer_Full	20.45
n7	20	15	2535	CP	64QAM	Inner_Full	20.05
n7	20	15	2535	CP	64QAM	Edge_1RB_Left	19.92
n7	20	15	2535	CP	64QAM	Edge_1RB_Right	19.78
n7	20	15	2535	CP	64QAM	Outer_Full	20.00
n7	20	15	2535	CP	QPSK	Inner_Full	21.56
n7	20	15	2535	CP	QPSK	Edge_1RB_Left	21.41
n7	20	15	2535	CP	QPSK	Edge_1RB_Right	21.22
n7	20	15	2535	CP	QPSK	Outer_Full	21.53
n7	20	15	2560	DFT	16QAM	Inner_Full	21.30



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n7	20	15	2560	DFT	16QAM	Edge_1RB_Left	20.17
n7	20	15	2560	DFT	16QAM	Edge_1RB_Right	20.00
n7	20	15	2560	DFT	16QAM	Outer_Full	20.16
n7	20	15	2560	DFT	64QAM	Inner_Full	19.77
n7	20	15	2560	DFT	64QAM	Edge_1RB_Left	19.34
n7	20	15	2560	DFT	64QAM	Edge_1RB_Right	19.16
n7	20	15	2560	DFT	64QAM	Outer_Full	19.69
n7	20	15	2560	DFT	pi/2 BPSK	Inner_Full	19.76
n7	20	15	2560	DFT	pi/2 BPSK	Edge_1RB_Left	21.18
n7	20	15	2560	DFT	pi/2 BPSK	Edge_1RB_Right	21.00
n7	20	15	2560	DFT	pi/2 BPSK	Outer_Full	21.19
n7	20	15	2560	DFT	QPSK	Inner_Full	22.14
n7	20	15	2560	DFT	QPSK	Edge_1RB_Left	21.22
n7	20	15	2560	DFT	QPSK	Outer_Full	21.22
n7	20	15	2560	DFT	QPSK	Edge_1RB_Right	21.01
n7	20	15	2560	CP	16QAM	Inner_Full	20.37
n7	20	15	2560	CP	16QAM	Edge_1RB_Left	20.37
n7	20	15	2560	CP	16QAM	Edge_1RB_Right	19.98
n7	20	15	2560	CP	16QAM	Outer_Full	20.22
n7	20	15	2560	CP	64QAM	Inner_Full	19.79
n7	20	15	2560	CP	64QAM	Edge_1RB_Left	19.63
n7	20	15	2560	CP	64QAM	Edge_1RB_Right	19.44
n7	20	15	2560	CP	64QAM	Outer_Full	19.69
n7	20	15	2560	CP	QPSK	Inner_Full	21.27
n7	20	15	2560	CP	QPSK	Edge_1RB_Left	21.18
n7	20	15	2560	CP	QPSK	Edge_1RB_Right	20.96
n7	20	15	2560	CP	QPSK	Outer_Full	21.17
n7	25	15	2512.5	DFT	16QAM	Inner_Full	21.95
n7	25	15	2512.5	DFT	16QAM	Edge_1RB_Left	21.05
n7	25	15	2512.5	DFT	16QAM	Edge_1RB_Right	20.99
n7	25	15	2512.5	DFT	16QAM	Outer_Full	20.98
n7	25	15	2512.5	DFT	64QAM	Inner_Full	20.57
n7	25	15	2512.5	DFT	64QAM	Edge_1RB_Left	20.05
n7	25	15	2512.5	DFT	64QAM	Edge_1RB_Right	20.24
n7	25	15	2512.5	DFT	64QAM	Outer_Full	20.46
n7	25	15	2512.5	DFT	pi/2 BPSK	Inner_Full	20.45
n7	25	15	2512.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.87
n7	25	15	2512.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.84
n7	25	15	2512.5	DFT	pi/2 BPSK	Outer_Full	21.95
n7	25	15	2512.5	DFT	QPSK	Inner_Full	22.82





BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n7	25	15	2512.5	DFT	QPSK	Edge_1RB_Left	21.99
n7	25	15	2512.5	DFT	QPSK	Outer_Full	21.95
n7	25	15	2512.5	DFT	QPSK	Edge_1RB_Right	21.89
n7	25	15	2512.5	CP	16QAM	Inner_Full	21.96
n7	25	15	2512.5	CP	16QAM	Edge_1RB_Left	20.80
n7	25	15	2512.5	CP	16QAM	Edge_1RB_Right	20.74
n7	25	15	2512.5	CP	16QAM	Outer_Full	21.00
n7	25	15	2512.5	CP	64QAM	Inner_Full	20.39
n7	25	15	2512.5	CP	64QAM	Edge_1RB_Left	20.31
n7	25	15	2512.5	CP	64QAM	Edge_1RB_Right	20.24
n7	25	15	2512.5	CP	64QAM	Outer_Full	20.43
n7	25	15	2512.5	CP	QPSK	Inner_Full	22.71
n7	25	15	2512.5	CP	QPSK	Edge_1RB_Left	21.90
n7	25	15	2512.5	CP	QPSK	Edge_1RB_Right	21.83
n7	25	15	2512.5	CP	QPSK	Outer_Full	21.97
n7	25	15	2535	DFT	16QAM	Inner_Full	21.73
n7	25	15	2535	DFT	16QAM	Edge_1RB_Left	20.63
n7	25	15	2535	DFT	16QAM	Edge_1RB_Right	20.56
n7	25	15	2535	DFT	16QAM	Outer_Full	20.67
n7	25	15	2535	DFT	64QAM	Inner_Full	20.24
n7	25	15	2535	DFT	64QAM	Edge_1RB_Left	19.84
n7	25	15	2535	DFT	64QAM	Edge_1RB_Right	20.09
n7	25	15	2535	DFT	64QAM	Outer_Full	20.19
n7	25	15	2535	DFT	pi/2 BPSK	Inner_Full	20.16
n7	25	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	21.73
n7	25	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	21.67
n7	25	15	2535	DFT	pi/2 BPSK	Outer_Full	21.72
n7	25	15	2535	DFT	QPSK	Inner_Full	22.54
n7	25	15	2535	DFT	QPSK	Edge_1RB_Left	21.71
n7	25	15	2535	DFT	QPSK	Outer_Full	21.73
n7	25	15	2535	DFT	QPSK	Edge_1RB_Right	21.67
n7	25	15	2535	CP	16QAM	Inner_Full	21.75
n7	25	15	2535	CP	16QAM	Edge_1RB_Left	20.77
n7	25	15	2535	CP	16QAM	Edge_1RB_Right	20.52
n7	25	15	2535	CP	16QAM	Outer_Full	20.67
n7	25	15	2535	CP	64QAM	Inner_Full	20.32
n7	25	15	2535	CP	64QAM	Edge_1RB_Left	20.07
n7	25	15	2535	CP	64QAM	Edge_1RB_Right	20.06
n7	25	15	2535	CP	64QAM	Outer_Full	20.19
n7	25	15	2535	CP	QPSK	Inner_Full	22.48



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n7	25	15	2535	CP	QPSK	Edge_1RB_Left	21.71
n7	25	15	2535	CP	QPSK	Edge_1RB_Right	21.63
n7	25	15	2535	CP	QPSK	Outer_Full	21.67
n7	25	15	2557.5	DFT	16QAM	Inner_Full	21.44
n7	25	15	2557.5	DFT	16QAM	Edge_1RB_Left	20.52
n7	25	15	2557.5	DFT	16QAM	Edge_1RB_Right	20.38
n7	25	15	2557.5	DFT	16QAM	Outer_Full	20.43
n7	25	15	2557.5	DFT	64QAM	Inner_Full	19.92
n7	25	15	2557.5	DFT	64QAM	Edge_1RB_Left	19.56
n7	25	15	2557.5	DFT	64QAM	Edge_1RB_Right	19.69
n7	25	15	2557.5	DFT	64QAM	Outer_Full	19.98
n7	25	15	2557.5	DFT	pi/2 BPSK	Inner_Full	19.97
n7	25	15	2557.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.43
n7	25	15	2557.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.42
n7	25	15	2557.5	DFT	pi/2 BPSK	Outer_Full	21.48
n7	25	15	2557.5	DFT	QPSK	Inner_Full	22.16
n7	25	15	2557.5	DFT	QPSK	Edge_1RB_Left	21.37
n7	25	15	2557.5	DFT	QPSK	Outer_Full	21.46
n7	25	15	2557.5	DFT	QPSK	Edge_1RB_Right	21.23
n7	25	15	2557.5	CP	16QAM	Inner_Full	21.41
n7	25	15	2557.5	CP	16QAM	Edge_1RB_Left	20.46
n7	25	15	2557.5	CP	16QAM	Edge_1RB_Right	20.37
n7	25	15	2557.5	CP	16QAM	Outer_Full	20.36
n7	25	15	2557.5	CP	64QAM	Inner_Full	19.98
n7	25	15	2557.5	CP	64QAM	Edge_1RB_Left	19.82
n7	25	15	2557.5	CP	64QAM	Edge_1RB_Right	19.42
n7	25	15	2557.5	CP	64QAM	Outer_Full	19.92
n7	25	15	2557.5	CP	QPSK	Inner_Full	22.15
n7	25	15	2557.5	CP	QPSK	Edge_1RB_Left	21.32
n7	25	15	2557.5	CP	QPSK	Edge_1RB_Right	21.19
n7	25	15	2557.5	CP	QPSK	Outer_Full	21.43
n7	30	15	2515	DFT	16QAM	Inner_Full	21.75
n7	30	15	2515	DFT	16QAM	Edge_1RB_Left	20.76
n7	30	15	2515	DFT	16QAM	Edge_1RB_Right	20.74
n7	30	15	2515	DFT	16QAM	Outer_Full	20.74
n7	30	15	2515	DFT	64QAM	Inner_Full	20.28
n7	30	15	2515	DFT	64QAM	Edge_1RB_Left	19.89
n7	30	15	2515	DFT	64QAM	Edge_1RB_Right	19.80
n7	30	15	2515	DFT	64QAM	Outer_Full	20.27
n7	30	15	2515	DFT	pi/2 BPSK	Inner_Full	20.31



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n7	30	15	2515	DFT	pi/2 BPSK	Edge_1RB_Left	21.67
n7	30	15	2515	DFT	pi/2 BPSK	Edge_1RB_Right	21.61
n7	30	15	2515	DFT	pi/2 BPSK	Outer_Full	21.80
n7	30	15	2515	DFT	QPSK	Inner_Full	22.58
n7	30	15	2515	DFT	QPSK	Edge_1RB_Left	21.69
n7	30	15	2515	DFT	QPSK	Outer_Full	21.80
n7	30	15	2515	DFT	QPSK	Edge_1RB_Right	21.58
n7	30	15	2515	CP	16QAM	Inner_Full	20.67
n7	30	15	2515	CP	16QAM	Edge_1RB_Left	20.72
n7	30	15	2515	CP	16QAM	Edge_1RB_Right	20.70
n7	30	15	2515	CP	16QAM	Outer_Full	20.80
n7	30	15	2515	CP	64QAM	Inner_Full	20.21
n7	30	15	2515	CP	64QAM	Edge_1RB_Left	19.83
n7	30	15	2515	CP	64QAM	Edge_1RB_Right	20.07
n7	30	15	2515	CP	64QAM	Outer_Full	20.20
n7	30	15	2515	CP	QPSK	Inner_Full	21.71
n7	30	15	2515	CP	QPSK	Edge_1RB_Left	21.70
n7	30	15	2515	CP	QPSK	Edge_1RB_Right	21.63
n7	30	15	2515	CP	QPSK	Outer_Full	21.74
n7	30	15	2535	DFT	16QAM	Inner_Full	21.52
n7	30	15	2535	DFT	16QAM	Edge_1RB_Left	20.43
n7	30	15	2535	DFT	16QAM	Edge_1RB_Right	20.34
n7	30	15	2535	DFT	16QAM	Outer_Full	20.57
n7	30	15	2535	DFT	64QAM	Inner_Full	20.02
n7	30	15	2535	DFT	64QAM	Edge_1RB_Left	19.95
n7	30	15	2535	DFT	64QAM	Edge_1RB_Right	19.56
n7	30	15	2535	DFT	64QAM	Outer_Full	20.02
n7	30	15	2535	DFT	pi/2 BPSK	Inner_Full	20.12
n7	30	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	21.49
n7	30	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	21.37
n7	30	15	2535	DFT	pi/2 BPSK	Outer_Full	21.55
n7	30	15	2535	DFT	QPSK	Inner_Full	22.32
n7	30	15	2535	DFT	QPSK	Edge_1RB_Left	21.50
n7	30	15	2535	DFT	QPSK	Outer_Full	21.58
n7	30	15	2535	DFT	QPSK	Edge_1RB_Right	21.42
n7	30	15	2535	CP	16QAM	Inner_Full	20.46
n7	30	15	2535	CP	16QAM	Edge_1RB_Left	20.54
n7	30	15	2535	CP	16QAM	Edge_1RB_Right	20.30
n7	30	15	2535	CP	16QAM	Outer_Full	20.48
n7	30	15	2535	CP	64QAM	Inner_Full	20.04



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n7	30	15	2535	CP	64QAM	Edge_1RB_Left	19.94
n7	30	15	2535	CP	64QAM	Edge_1RB_Right	19.55
n7	30	15	2535	CP	64QAM	Outer_Full	20.00
n7	30	15	2535	CP	QPSK	Inner_Full	21.53
n7	30	15	2535	CP	QPSK	Edge_1RB_Left	21.45
n7	30	15	2535	CP	QPSK	Edge_1RB_Right	21.32
n7	30	15	2535	CP	QPSK	Outer_Full	21.54
n7	30	15	2555	DFT	16QAM	Inner_Full	21.29
n7	30	15	2555	DFT	16QAM	Edge_1RB_Left	20.32
n7	30	15	2555	DFT	16QAM	Edge_1RB_Right	20.17
n7	30	15	2555	DFT	16QAM	Outer_Full	20.22
n7	30	15	2555	DFT	64QAM	Inner_Full	19.78
n7	30	15	2555	DFT	64QAM	Edge_1RB_Left	19.71
n7	30	15	2555	DFT	64QAM	Edge_1RB_Right	19.51
n7	30	15	2555	DFT	64QAM	Outer_Full	19.79
n7	30	15	2555	DFT	pi/2 BPSK	Inner_Full	19.85
n7	30	15	2555	DFT	pi/2 BPSK	Edge_1RB_Left	21.20
n7	30	15	2555	DFT	pi/2 BPSK	Edge_1RB_Right	21.11
n7	30	15	2555	DFT	pi/2 BPSK	Outer_Full	21.21
n7	30	15	2555	DFT	QPSK	Inner_Full	22.04
n7	30	15	2555	DFT	QPSK	Edge_1RB_Left	21.23
n7	30	15	2555	DFT	QPSK	Outer_Full	21.20
n7	30	15	2555	DFT	QPSK	Edge_1RB_Right	21.02
n7	30	15	2555	CP	16QAM	Inner_Full	20.13
n7	30	15	2555	CP	16QAM	Edge_1RB_Left	20.29
n7	30	15	2555	CP	16QAM	Edge_1RB_Right	20.02
n7	30	15	2555	CP	16QAM	Outer_Full	20.14
n7	30	15	2555	CP	64QAM	Inner_Full	19.74
n7	30	15	2555	CP	64QAM	Edge_1RB_Left	19.40
n7	30	15	2555	CP	64QAM	Edge_1RB_Right	19.23
n7	30	15	2555	CP	64QAM	Outer_Full	19.71
n7	30	15	2555	CP	QPSK	Inner_Full	21.22
n7	30	15	2555	CP	QPSK	Edge_1RB_Left	21.16
n7	30	15	2555	CP	QPSK	Edge_1RB_Right	21.07
n7	30	15	2555	CP	QPSK	Outer_Full	21.17
n7	40	15	2520	DFT	16QAM	Inner_Full	21.90
n7	40	15	2520	DFT	16QAM	Edge_1RB_Left	20.87
n7	40	15	2520	DFT	16QAM	Edge_1RB_Right	20.74
n7	40	15	2520	DFT	16QAM	Outer_Full	20.85
n7	40	15	2520	DFT	64QAM	Inner_Full	20.33



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n7	40	15	2520	DFT	64QAM	Edge_1RB_Left	20.31
n7	40	15	2520	DFT	64QAM	Edge_1RB_Right	20.22
n7	40	15	2520	DFT	64QAM	Outer_Full	20.45
n7	40	15	2520	DFT	pi/2 BPSK	Inner_Full	20.40
n7	40	15	2520	DFT	pi/2 BPSK	Edge_1RB_Left	21.73
n7	40	15	2520	DFT	pi/2 BPSK	Edge_1RB_Right	21.78
n7	40	15	2520	DFT	pi/2 BPSK	Outer_Full	21.94
n7	40	15	2520	DFT	QPSK	Inner_Full	22.68
n7	40	15	2520	DFT	QPSK	Edge_1RB_Left	21.77
n7	40	15	2520	DFT	QPSK	Outer_Full	21.95
n7	40	15	2520	DFT	QPSK	Edge_1RB_Right	21.71
n7	40	15	2520	CP	16QAM	Inner_Full	20.74
n7	40	15	2520	CP	16QAM	Edge_1RB_Left	20.65
n7	40	15	2520	CP	16QAM	Edge_1RB_Right	20.72
n7	40	15	2520	CP	16QAM	Outer_Full	20.82
n7	40	15	2520	CP	64QAM	Inner_Full	20.25
n7	40	15	2520	CP	64QAM	Edge_1RB_Left	20.19
n7	40	15	2520	CP	64QAM	Edge_1RB_Right	20.24
n7	40	15	2520	CP	64QAM	Outer_Full	20.35
n7	40	15	2520	CP	QPSK	Inner_Full	21.87
n7	40	15	2520	CP	QPSK	Edge_1RB_Left	21.80
n7	40	15	2520	CP	QPSK	Edge_1RB_Right	21.66
n7	40	15	2520	CP	QPSK	Outer_Full	21.85
n7	40	15	2535	DFT	16QAM	Inner_Full	21.70
n7	40	15	2535	DFT	16QAM	Edge_1RB_Left	20.49
n7	40	15	2535	DFT	16QAM	Edge_1RB_Right	20.40
n7	40	15	2535	DFT	16QAM	Outer_Full	20.67
n7	40	15	2535	DFT	64QAM	Inner_Full	20.14
n7	40	15	2535	DFT	64QAM	Edge_1RB_Left	20.16
n7	40	15	2535	DFT	64QAM	Edge_1RB_Right	20.03
n7	40	15	2535	DFT	64QAM	Outer_Full	20.15
n7	40	15	2535	DFT	pi/2 BPSK	Inner_Full	20.29
n7	40	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	21.61
n7	40	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	21.38
n7	40	15	2535	DFT	pi/2 BPSK	Outer_Full	21.67
n7	40	15	2535	DFT	QPSK	Inner_Full	22.51
n7	40	15	2535	DFT	QPSK	Edge_1RB_Left	21.66
n7	40	15	2535	DFT	QPSK	Outer_Full	21.70
n7	40	15	2535	DFT	QPSK	Edge_1RB_Right	21.39
n7	40	15	2535	CP	16QAM	Inner_Full	20.59



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n7	40	15	2535	CP	16QAM	Edge_1RB_Left	20.63
n7	40	15	2535	CP	16QAM	Edge_1RB_Right	20.50
n7	40	15	2535	CP	16QAM	Outer_Full	20.66
n7	40	15	2535	CP	64QAM	Inner_Full	20.16
n7	40	15	2535	CP	64QAM	Edge_1RB_Left	19.72
n7	40	15	2535	CP	64QAM	Edge_1RB_Right	19.56
n7	40	15	2535	CP	64QAM	Outer_Full	20.19
n7	40	15	2535	CP	QPSK	Inner_Full	21.71
n7	40	15	2535	CP	QPSK	Edge_1RB_Left	21.60
n7	40	15	2535	CP	QPSK	Edge_1RB_Right	21.35
n7	40	15	2535	CP	QPSK	Outer_Full	21.67
n7	40	15	2550	DFT	16QAM	Inner_Full	21.43
n7	40	15	2550	DFT	16QAM	Edge_1RB_Left	20.46
n7	40	15	2550	DFT	16QAM	Edge_1RB_Right	20.23
n7	40	15	2550	DFT	16QAM	Outer_Full	20.35
n7	40	15	2550	DFT	64QAM	Inner_Full	19.94
n7	40	15	2550	DFT	64QAM	Edge_1RB_Left	19.84
n7	40	15	2550	DFT	64QAM	Edge_1RB_Right	19.64
n7	40	15	2550	DFT	64QAM	Outer_Full	20.00
n7	40	15	2550	DFT	pi/2 BPSK	Inner_Full	20.01
n7	40	15	2550	DFT	pi/2 BPSK	Edge_1RB_Left	21.33
n7	40	15	2550	DFT	pi/2 BPSK	Edge_1RB_Right	21.19
n7	40	15	2550	DFT	pi/2 BPSK	Outer_Full	21.40
n7	40	15	2550	DFT	QPSK	Inner_Full	22.25
n7	40	15	2550	DFT	QPSK	Edge_1RB_Left	21.39
n7	40	15	2550	DFT	QPSK	Outer_Full	21.45
n7	40	15	2550	DFT	QPSK	Edge_1RB_Right	21.18
n7	40	15	2550	CP	16QAM	Inner_Full	20.34
n7	40	15	2550	CP	16QAM	Edge_1RB_Left	20.30
n7	40	15	2550	CP	16QAM	Edge_1RB_Right	20.06
n7	40	15	2550	CP	16QAM	Outer_Full	20.32
n7	40	15	2550	CP	64QAM	Inner_Full	19.83
n7	40	15	2550	CP	64QAM	Edge_1RB_Left	19.79
n7	40	15	2550	CP	64QAM	Edge_1RB_Right	19.30
n7	40	15	2550	CP	64QAM	Outer_Full	19.85
n7	40	15	2550	CP	QPSK	Inner_Full	21.40
n7	40	15	2550	CP	QPSK	Edge_1RB_Left	21.33
n7	40	15	2550	CP	QPSK	Edge_1RB_Right	21.13
n7	40	15	2550	CP	QPSK	Outer_Full	21.35
n7	50	15	2525	DFT	16QAM	Inner_Full	21.96



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n7	50	15	2525	DFT	16QAM	Edge_1RB_Left	20.82
n7	50	15	2525	DFT	16QAM	Edge_1RB_Right	20.75
n7	50	15	2525	DFT	16QAM	Outer_Full	20.89
n7	50	15	2525	DFT	64QAM	Inner_Full	20.38
n7	50	15	2525	DFT	64QAM	Edge_1RB_Left	19.91
n7	50	15	2525	DFT	64QAM	Edge_1RB_Right	19.83
n7	50	15	2525	DFT	64QAM	Outer_Full	20.39
n7	50	15	2525	DFT	pi/2 BPSK	Inner_Full	20.36
n7	50	15	2525	DFT	pi/2 BPSK	Edge_1RB_Left	21.69
n7	50	15	2525	DFT	pi/2 BPSK	Edge_1RB_Right	21.64
n7	50	15	2525	DFT	pi/2 BPSK	Outer_Full	21.88
n7	50	15	2525	DFT	QPSK	Inner_Full	22.65
n7	50	15	2525	DFT	QPSK	Edge_1RB_Left	21.73
n7	50	15	2525	DFT	QPSK	Outer_Full	21.91
n7	50	15	2525	DFT	QPSK	Edge_1RB_Right	21.67
n7	50	15	2525	CP	16QAM	Inner_Full	20.93
n7	50	15	2525	CP	16QAM	Edge_1RB_Left	20.79
n7	50	15	2525	CP	16QAM	Edge_1RB_Right	20.71
n7	50	15	2525	CP	16QAM	Outer_Full	20.90
n7	50	15	2525	CP	64QAM	Inner_Full	20.38
n7	50	15	2525	CP	64QAM	Edge_1RB_Left	19.80
n7	50	15	2525	CP	64QAM	Edge_1RB_Right	19.80
n7	50	15	2525	CP	64QAM	Outer_Full	20.33
n7	50	15	2525	CP	QPSK	Inner_Full	21.91
n7	50	15	2525	CP	QPSK	Edge_1RB_Left	21.71
n7	50	15	2525	CP	QPSK	Edge_1RB_Right	21.62
n7	50	15	2525	CP	QPSK	Outer_Full	21.85
n7	50	15	2535	DFT	16QAM	Inner_Full	21.73
n7	50	15	2535	DFT	16QAM	Edge_1RB_Left	20.64
n7	50	15	2535	DFT	16QAM	Edge_1RB_Right	20.46
n7	50	15	2535	DFT	16QAM	Outer_Full	20.65
n7	50	15	2535	DFT	64QAM	Inner_Full	20.22
n7	50	15	2535	DFT	64QAM	Edge_1RB_Left	20.03
n7	50	15	2535	DFT	64QAM	Edge_1RB_Right	19.55
n7	50	15	2535	DFT	64QAM	Outer_Full	20.17
n7	50	15	2535	DFT	pi/2 BPSK	Inner_Full	20.26
n7	50	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	21.61
n7	50	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	21.41
n7	50	15	2535	DFT	pi/2 BPSK	Outer_Full	21.75
n7	50	15	2535	DFT	QPSK	Inner_Full	22.51



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n7	50	15	2535	DFT	QPSK	Edge_1RB_Left	21.60
n7	50	15	2535	DFT	QPSK	Outer_Full	21.71
n7	50	15	2535	DFT	QPSK	Edge_1RB_Right	21.38
n7	50	15	2535	CP	16QAM	Inner_Full	20.70
n7	50	15	2535	CP	16QAM	Edge_1RB_Left	20.62
n7	50	15	2535	CP	16QAM	Edge_1RB_Right	20.52
n7	50	15	2535	CP	16QAM	Outer_Full	20.58
n7	50	15	2535	CP	64QAM	Inner_Full	20.21
n7	50	15	2535	CP	64QAM	Edge_1RB_Left	20.06
n7	50	15	2535	CP	64QAM	Edge_1RB_Right	19.93
n7	50	15	2535	CP	64QAM	Outer_Full	20.14
n7	50	15	2535	CP	QPSK	Inner_Full	21.73
n7	50	15	2535	CP	QPSK	Edge_1RB_Left	21.56
n7	50	15	2535	CP	QPSK	Edge_1RB_Right	21.34
n7	50	15	2535	CP	QPSK	Outer_Full	21.68
n7	50	15	2545	DFT	16QAM	Inner_Full	21.49
n7	50	15	2545	DFT	16QAM	Edge_1RB_Left	20.34
n7	50	15	2545	DFT	16QAM	Edge_1RB_Right	20.14
n7	50	15	2545	DFT	16QAM	Outer_Full	20.33
n7	50	15	2545	DFT	64QAM	Inner_Full	20.01
n7	50	15	2545	DFT	64QAM	Edge_1RB_Left	19.56
n7	50	15	2545	DFT	64QAM	Edge_1RB_Right	19.35
n7	50	15	2545	DFT	64QAM	Outer_Full	19.91
n7	50	15	2545	DFT	pi/2 BPSK	Inner_Full	20.02
n7	50	15	2545	DFT	pi/2 BPSK	Edge_1RB_Left	21.38
n7	50	15	2545	DFT	pi/2 BPSK	Edge_1RB_Right	21.17
n7	50	15	2545	DFT	pi/2 BPSK	Outer_Full	21.39
n7	50	15	2545	DFT	QPSK	Inner_Full	22.29
n7	50	15	2545	DFT	QPSK	Edge_1RB_Left	21.41
n7	50	15	2545	DFT	QPSK	Outer_Full	21.41
n7	50	15	2545	DFT	QPSK	Edge_1RB_Right	21.17
n7	50	15	2545	CP	16QAM	Inner_Full	20.52
n7	50	15	2545	CP	16QAM	Edge_1RB_Left	20.50
n7	50	15	2545	CP	16QAM	Edge_1RB_Right	20.08
n7	50	15	2545	CP	16QAM	Outer_Full	20.35
n7	50	15	2545	CP	64QAM	Inner_Full	19.99
n7	50	15	2545	CP	64QAM	Edge_1RB_Left	19.81
n7	50	15	2545	CP	64QAM	Edge_1RB_Right	19.59
n7	50	15	2545	CP	64QAM	Outer_Full	19.87
n7	50	15	2545	CP	QPSK	Inner_Full	21.44





BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n7	50	15	2545	CP	QPSK	Edge_1RB_Left	21.33
n7	50	15	2545	CP	QPSK	Edge_1RB_Right	21.08
n7	50	15	2545	CP	QPSK	Outer_Full	21.32
n38	20	30	2580	DFT	16QAM	Inner_Full	21.29
n38	20	30	2580	DFT	16QAM	Edge_1RB_Left	20.29
n38	20	30	2580	DFT	16QAM	Edge_1RB_Right	19.97
n38	20	30	2580	DFT	16QAM	Outer_Full	20.20
n38	20	30	2580	DFT	64QAM	Inner_Full	19.69
n38	20	30	2580	DFT	64QAM	Edge_1RB_Left	19.72
n38	20	30	2580	DFT	64QAM	Edge_1RB_Right	19.31
n38	20	30	2580	DFT	64QAM	Outer_Full	19.67
n38	20	30	2580	DFT	pi/2 BPSK	Inner_Full	22.10
n38	20	30	2580	DFT	pi/2 BPSK	Edge_1RB_Left	21.56
n38	20	30	2580	DFT	pi/2 BPSK	Edge_1RB_Right	21.29
n38	20	30	2580	DFT	pi/2 BPSK	Outer_Full	21.49
n38	20	30	2580	DFT	QPSK	Inner_Full	22.13
n38	20	30	2580	DFT	QPSK	Edge_1RB_Left	21.16
n38	20	30	2580	DFT	QPSK	Edge_1RB_Right	20.82
n38	20	30	2580	DFT	QPSK	Outer_Full	21.21
n38	20	30	2580	CP	16QAM	Inner_Full	20.26
n38	20	30	2580	CP	16QAM	Edge_1RB_Left	19.03
n38	20	30	2580	CP	16QAM	Edge_1RB_Right	18.68
n38	20	30	2580	CP	16QAM	Outer_Full	19.10
n38	20	30	2580	CP	64QAM	Inner_Full	18.69
n38	20	30	2580	CP	64QAM	Edge_1RB_Left	18.75
n38	20	30	2580	CP	64QAM	Edge_1RB_Right	18.32
n38	20	30	2580	CP	64QAM	Outer_Full	18.56
n38	20	30	2580	CP	QPSK	Inner_Full	20.71
n38	20	30	2580	CP	QPSK	Edge_1RB_Left	19.28
n38	20	30	2580	CP	QPSK	Edge_1RB_Right	18.88
n38	20	30	2580	CP	QPSK	Outer_Full	19.13
n38	20	30	2595	DFT	16QAM	Inner_Full	21.02
n38	20	30	2595	DFT	16QAM	Edge_1RB_Left	20.00
n38	20	30	2595	DFT	16QAM	Edge_1RB_Right	19.86
n38	20	30	2595	DFT	16QAM	Outer_Full	19.96
n38	20	30	2595	DFT	64QAM	Inner_Full	19.52
n38	20	30	2595	DFT	64QAM	Edge_1RB_Left	19.34
n38	20	30	2595	DFT	64QAM	Edge_1RB_Right	19.15
n38	20	30	2595	DFT	64QAM	Outer_Full	19.43
n38	20	30	2595	DFT	pi/2 BPSK	Inner_Full	21.88



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n38	20	30	2595	DFT	pi/2 BPSK	Edge_1RB_Left	21.30
n38	20	30	2595	DFT	pi/2 BPSK	Edge_1RB_Right	21.14
n38	20	30	2595	DFT	pi/2 BPSK	Outer_Full	21.28
n38	20	30	2595	DFT	QPSK	Inner_Full	21.88
n38	20	30	2595	DFT	QPSK	Edge_1RB_Left	20.88
n38	20	30	2595	DFT	QPSK	Edge_1RB_Right	20.71
n38	20	30	2595	DFT	QPSK	Outer_Full	20.98
n38	20	30	2595	CP	16QAM	Inner_Full	20.02
n38	20	30	2595	CP	16QAM	Edge_1RB_Left	19.05
n38	20	30	2595	CP	16QAM	Edge_1RB_Right	18.56
n38	20	30	2595	CP	16QAM	Outer_Full	18.90
n38	20	30	2595	CP	64QAM	Inner_Full	18.43
n38	20	30	2595	CP	64QAM	Edge_1RB_Left	18.38
n38	20	30	2595	CP	64QAM	Edge_1RB_Right	18.33
n38	20	30	2595	CP	64QAM	Outer_Full	18.36
n38	20	30	2595	CP	QPSK	Inner_Full	20.44
n38	20	30	2595	CP	QPSK	Edge_1RB_Left	18.99
n38	20	30	2595	CP	QPSK	Edge_1RB_Right	18.68
n38	20	30	2595	CP	QPSK	Outer_Full	18.90
n38	20	30	2610	DFT	16QAM	Inner_Full	20.81
n38	20	30	2610	DFT	16QAM	Edge_1RB_Left	19.89
n38	20	30	2610	DFT	16QAM	Edge_1RB_Right	19.54
n38	20	30	2610	DFT	16QAM	Outer_Full	19.76
n38	20	30	2610	DFT	64QAM	Inner_Full	19.25
n38	20	30	2610	DFT	64QAM	Edge_1RB_Left	19.19
n38	20	30	2610	DFT	64QAM	Edge_1RB_Right	18.88
n38	20	30	2610	DFT	64QAM	Outer_Full	19.31
n38	20	30	2610	DFT	pi/2 BPSK	Inner_Full	21.66
n38	20	30	2610	DFT	pi/2 BPSK	Edge_1RB_Left	21.17
n38	20	30	2610	DFT	pi/2 BPSK	Edge_1RB_Right	20.91
n38	20	30	2610	DFT	pi/2 BPSK	Outer_Full	21.10
n38	20	30	2610	DFT	QPSK	Inner_Full	21.62
n38	20	30	2610	DFT	QPSK	Edge_1RB_Left	20.77
n38	20	30	2610	DFT	QPSK	Edge_1RB_Right	20.44
n38	20	30	2610	DFT	QPSK	Outer_Full	20.76
n38	20	30	2610	CP	16QAM	Inner_Full	19.79
n38	20	30	2610	CP	16QAM	Edge_1RB_Left	18.63
n38	20	30	2610	CP	16QAM	Edge_1RB_Right	18.34
n38	20	30	2610	CP	16QAM	Outer_Full	18.71
n38	20	30	2610	CP	64QAM	Inner_Full	18.22



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n38	20	30	2610	CP	64QAM	Edge_1RB_Left	18.27
n38	20	30	2610	CP	64QAM	Edge_1RB_Right	17.90
n38	20	30	2610	CP	64QAM	Outer_Full	18.14
n38	20	30	2610	CP	QPSK	Inner_Full	20.24
n38	20	30	2610	CP	QPSK	Edge_1RB_Left	18.78
n38	20	30	2610	CP	QPSK	Edge_1RB_Right	18.40
n38	20	30	2610	CP	QPSK	Outer_Full	18.68
n38	30	30	2585	DFT	16QAM	Inner_Full	21.42
n38	30	30	2585	DFT	16QAM	Edge_1RB_Left	20.37
n38	30	30	2585	DFT	16QAM	Edge_1RB_Right	20.09
n38	30	30	2585	DFT	16QAM	Outer_Full	20.31
n38	30	30	2585	DFT	64QAM	Inner_Full	19.89
n38	30	30	2585	DFT	64QAM	Edge_1RB_Left	19.87
n38	30	30	2585	DFT	64QAM	Edge_1RB_Right	19.50
n38	30	30	2585	DFT	64QAM	Outer_Full	19.85
n38	30	30	2585	DFT	pi/2 BPSK	Inner_Full	22.26
n38	30	30	2585	DFT	pi/2 BPSK	Edge_1RB_Left	21.67
n38	30	30	2585	DFT	pi/2 BPSK	Edge_1RB_Right	21.44
n38	30	30	2585	DFT	pi/2 BPSK	Outer_Full	21.63
n38	30	30	2585	DFT	QPSK	Inner_Full	22.19
n38	30	30	2585	DFT	QPSK	Edge_1RB_Left	21.17
n38	30	30	2585	DFT	QPSK	Edge_1RB_Right	20.87
n38	30	30	2585	DFT	QPSK	Outer_Full	21.25
n38	30	30	2585	CP	16QAM	Inner_Full	20.34
n38	30	30	2585	CP	16QAM	Edge_1RB_Left	19.17
n38	30	30	2585	CP	16QAM	Edge_1RB_Right	18.86
n38	30	30	2585	CP	16QAM	Outer_Full	19.27
n38	30	30	2585	CP	64QAM	Inner_Full	18.88
n38	30	30	2585	CP	64QAM	Edge_1RB_Left	18.89
n38	30	30	2585	CP	64QAM	Edge_1RB_Right	18.50
n38	30	30	2585	CP	64QAM	Outer_Full	18.73
n38	30	30	2585	CP	QPSK	Inner_Full	20.79
n38	30	30	2585	CP	QPSK	Edge_1RB_Left	19.42
n38	30	30	2585	CP	QPSK	Edge_1RB_Right	19.06
n38	30	30	2585	CP	QPSK	Outer_Full	19.30
n38	30	30	2595	DFT	16QAM	Inner_Full	21.15
n38	30	30	2595	DFT	16QAM	Edge_1RB_Left	20.08
n38	30	30	2595	DFT	16QAM	Edge_1RB_Right	19.98
n38	30	30	2595	DFT	16QAM	Outer_Full	20.07
n38	30	30	2595	DFT	64QAM	Inner_Full	19.72



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n38	30	30	2595	DFT	64QAM	Edge_1RB_Left	19.49
n38	30	30	2595	DFT	64QAM	Edge_1RB_Right	19.34
n38	30	30	2595	DFT	64QAM	Outer_Full	19.61
n38	30	30	2595	DFT	pi/2 BPSK	Inner_Full	22.04
n38	30	30	2595	DFT	pi/2 BPSK	Edge_1RB_Left	21.41
n38	30	30	2595	DFT	pi/2 BPSK	Edge_1RB_Right	21.29
n38	30	30	2595	DFT	pi/2 BPSK	Outer_Full	21.42
n38	30	30	2595	DFT	QPSK	Inner_Full	21.94
n38	30	30	2595	DFT	QPSK	Edge_1RB_Left	20.89
n38	30	30	2595	DFT	QPSK	Edge_1RB_Right	20.76
n38	30	30	2595	DFT	QPSK	Outer_Full	21.02
n38	30	30	2595	CP	16QAM	Inner_Full	20.10
n38	30	30	2595	CP	16QAM	Edge_1RB_Left	19.19
n38	30	30	2595	CP	16QAM	Edge_1RB_Right	18.74
n38	30	30	2595	CP	16QAM	Outer_Full	19.07
n38	30	30	2595	CP	64QAM	Inner_Full	18.62
n38	30	30	2595	CP	64QAM	Edge_1RB_Left	18.52
n38	30	30	2595	CP	64QAM	Edge_1RB_Right	18.51
n38	30	30	2595	CP	64QAM	Outer_Full	18.53
n38	30	30	2595	CP	QPSK	Inner_Full	20.52
n38	30	30	2595	CP	QPSK	Edge_1RB_Left	19.13
n38	30	30	2595	CP	QPSK	Edge_1RB_Right	18.86
n38	30	30	2595	CP	QPSK	Outer_Full	19.07
n38	30	30	2605	DFT	16QAM	Inner_Full	20.94
n38	30	30	2605	DFT	16QAM	Edge_1RB_Left	20.08
n38	30	30	2605	DFT	16QAM	Edge_1RB_Right	19.77
n38	30	30	2605	DFT	16QAM	Outer_Full	19.98
n38	30	30	2605	DFT	64QAM	Inner_Full	19.45
n38	30	30	2605	DFT	64QAM	Edge_1RB_Left	19.34
n38	30	30	2605	DFT	64QAM	Edge_1RB_Right	19.07
n38	30	30	2605	DFT	64QAM	Outer_Full	19.49
n38	30	30	2605	DFT	pi/2 BPSK	Inner_Full	21.82
n38	30	30	2605	DFT	pi/2 BPSK	Edge_1RB_Left	21.28
n38	30	30	2605	DFT	pi/2 BPSK	Edge_1RB_Right	21.06
n38	30	30	2605	DFT	pi/2 BPSK	Outer_Full	21.24
n38	30	30	2605	DFT	QPSK	Inner_Full	21.68
n38	30	30	2605	DFT	QPSK	Edge_1RB_Left	20.78
n38	30	30	2605	DFT	QPSK	Edge_1RB_Right	20.49
n38	30	30	2605	DFT	QPSK	Outer_Full	20.80
n38	30	30	2605	CP	16QAM	Inner_Full	19.98



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n38	30	30	2605	CP	16QAM	Edge_1RB_Left	18.77
n38	30	30	2605	CP	16QAM	Edge_1RB_Right	18.52
n38	30	30	2605	CP	16QAM	Outer_Full	18.88
n38	30	30	2605	CP	64QAM	Inner_Full	18.41
n38	30	30	2605	CP	64QAM	Edge_1RB_Left	18.41
n38	30	30	2605	CP	64QAM	Edge_1RB_Right	18.08
n38	30	30	2605	CP	64QAM	Outer_Full	18.31
n38	30	30	2605	CP	QPSK	Inner_Full	20.32
n38	30	30	2605	CP	QPSK	Edge_1RB_Left	18.92
n38	30	30	2605	CP	QPSK	Edge_1RB_Right	18.58
n38	30	30	2605	CP	QPSK	Outer_Full	18.85
n38	40	30	2590	DFT	16QAM	Inner_Full	21.42
n38	40	30	2590	DFT	16QAM	Edge_1RB_Left	20.37
n38	40	30	2590	DFT	16QAM	Edge_1RB_Right	20.09
n38	40	30	2590	DFT	16QAM	Outer_Full	20.31
n38	40	30	2590	DFT	64QAM	Inner_Full	19.89
n38	40	30	2590	DFT	64QAM	Edge_1RB_Left	19.87
n38	40	30	2590	DFT	64QAM	Edge_1RB_Right	19.50
n38	40	30	2590	DFT	64QAM	Outer_Full	19.85
n38	40	30	2590	DFT	pi/2 BPSK	Inner_Full	22.26
n38	40	30	2590	DFT	pi/2 BPSK	Edge_1RB_Left	21.67
n38	40	30	2590	DFT	pi/2 BPSK	Edge_1RB_Right	21.44
n38	40	30	2590	DFT	pi/2 BPSK	Outer_Full	21.63
n38	40	30	2590	DFT	QPSK	Inner_Full	22.19
n38	40	30	2590	DFT	QPSK	Edge_1RB_Left	21.17
n38	40	30	2590	DFT	QPSK	Edge_1RB_Right	20.87
n38	40	30	2590	DFT	QPSK	Outer_Full	21.25
n38	40	30	2590	CP	16QAM	Inner_Full	20.34
n38	40	30	2590	CP	16QAM	Edge_1RB_Left	19.17
n38	40	30	2590	CP	16QAM	Edge_1RB_Right	18.86
n38	40	30	2590	CP	16QAM	Outer_Full	19.27
n38	40	30	2590	CP	64QAM	Inner_Full	18.88
n38	40	30	2590	CP	64QAM	Edge_1RB_Left	18.89
n38	40	30	2590	CP	64QAM	Edge_1RB_Right	18.50
n38	40	30	2590	CP	64QAM	Outer_Full	18.73
n38	40	30	2590	CP	QPSK	Inner_Full	20.79
n38	40	30	2590	CP	QPSK	Edge_1RB_Left	19.42
n38	40	30	2590	CP	QPSK	Edge_1RB_Right	19.06
n38	40	30	2590	CP	QPSK	Outer_Full	19.30
n38	40	30	2595	DFT	16QAM	Inner_Full	21.15



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n38	40	30	2595	DFT	16QAM	Edge_1RB_Left	20.08
n38	40	30	2595	DFT	16QAM	Edge_1RB_Right	19.98
n38	40	30	2595	DFT	16QAM	Outer_Full	20.07
n38	40	30	2595	DFT	64QAM	Inner_Full	19.72
n38	40	30	2595	DFT	64QAM	Edge_1RB_Left	19.49
n38	40	30	2595	DFT	64QAM	Edge_1RB_Right	19.34
n38	40	30	2595	DFT	64QAM	Outer_Full	19.61
n38	40	30	2595	DFT	pi/2 BPSK	Inner_Full	22.04
n38	40	30	2595	DFT	pi/2 BPSK	Edge_1RB_Left	21.41
n38	40	30	2595	DFT	pi/2 BPSK	Edge_1RB_Right	21.29
n38	40	30	2595	DFT	pi/2 BPSK	Outer_Full	21.42
n38	40	30	2595	DFT	QPSK	Inner_Full	21.94
n38	40	30	2595	DFT	QPSK	Edge_1RB_Left	20.89
n38	40	30	2595	DFT	QPSK	Edge_1RB_Right	20.76
n38	40	30	2595	DFT	QPSK	Outer_Full	21.02
n38	40	30	2595	CP	16QAM	Inner_Full	20.10
n38	40	30	2595	CP	16QAM	Edge_1RB_Left	19.19
n38	40	30	2595	CP	16QAM	Edge_1RB_Right	18.74
n38	40	30	2595	CP	16QAM	Outer_Full	19.07
n38	40	30	2595	CP	64QAM	Inner_Full	18.62
n38	40	30	2595	CP	64QAM	Edge_1RB_Left	18.52
n38	40	30	2595	CP	64QAM	Edge_1RB_Right	18.51
n38	40	30	2595	CP	64QAM	Outer_Full	18.53
n38	40	30	2595	CP	QPSK	Inner_Full	20.52
n38	40	30	2595	CP	QPSK	Edge_1RB_Left	19.13
n38	40	30	2595	CP	QPSK	Edge_1RB_Right	18.86
n38	40	30	2595	CP	QPSK	Outer_Full	19.07
n38	40	30	2600	DFT	16QAM	Inner_Full	20.94
n38	40	30	2600	DFT	16QAM	Edge_1RB_Left	20.08
n38	40	30	2600	DFT	16QAM	Edge_1RB_Right	19.77
n38	40	30	2600	DFT	16QAM	Outer_Full	19.98
n38	40	30	2600	DFT	64QAM	Inner_Full	19.45
n38	40	30	2600	DFT	64QAM	Edge_1RB_Left	19.34
n38	40	30	2600	DFT	64QAM	Edge_1RB_Right	19.07
n38	40	30	2600	DFT	64QAM	Outer_Full	19.49
n38	40	30	2600	DFT	pi/2 BPSK	Inner_Full	21.82
n38	40	30	2600	DFT	pi/2 BPSK	Edge_1RB_Left	21.28
n38	40	30	2600	DFT	pi/2 BPSK	Edge_1RB_Right	21.06
n38	40	30	2600	DFT	pi/2 BPSK	Outer_Full	21.24
n38	40	30	2600	DFT	QPSK	Inner_Full	21.68



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n38	40	30	2600	DFT	QPSK	Edge_1RB_Left	20.78
n38	40	30	2600	DFT	QPSK	Edge_1RB_Right	20.49
n38	40	30	2600	DFT	QPSK	Outer_Full	20.80
n38	40	30	2600	CP	16QAM	Inner_Full	19.98
n38	40	30	2600	CP	16QAM	Edge_1RB_Left	18.77
n38	40	30	2600	CP	16QAM	Edge_1RB_Right	18.52
n38	40	30	2600	CP	16QAM	Outer_Full	18.88
n38	40	30	2600	CP	64QAM	Inner_Full	18.41
n38	40	30	2600	CP	64QAM	Edge_1RB_Left	18.41
n38	40	30	2600	CP	64QAM	Edge_1RB_Right	18.08
n38	40	30	2600	CP	64QAM	Outer_Full	18.31
n38	40	30	2600	CP	QPSK	Inner_Full	20.32
n38	40	30	2600	CP	QPSK	Edge_1RB_Left	18.92
n38	40	30	2600	CP	QPSK	Edge_1RB_Right	18.58
n38	40	30	2600	CP	QPSK	Outer_Full	18.85
n41	20	30	2506.02	DFT	16QAM	Inner_Full	23.80
n41	20	30	2506.02	DFT	16QAM	Edge_1RB_Left	22.63
n41	20	30	2506.02	DFT	16QAM	Edge_1RB_Right	22.53
n41	20	30	2506.02	DFT	16QAM	Outer_Full	22.70
n41	20	30	2506.02	DFT	64QAM	Inner_Full	22.32
n41	20	30	2506.02	DFT	64QAM	Edge_1RB_Left	21.92
n41	20	30	2506.02	DFT	64QAM	Edge_1RB_Right	22.03
n41	20	30	2506.02	DFT	64QAM	Outer_Full	22.21
n41	20	30	2506.02	DFT	pi/2 BPSK	Inner_Full	22.26
n41	20	30	2506.02	DFT	pi/2 BPSK	Edge_1RB_Left	23.50
n41	20	30	2506.02	DFT	pi/2 BPSK	Edge_1RB_Right	23.51
n41	20	30	2506.02	DFT	pi/2 BPSK	Outer_Full	23.65
n41	20	30	2506.02	DFT	QPSK	Inner_Full	24.14
n41	20	30	2506.02	DFT	QPSK	Edge_1RB_Left	23.52
n41	20	30	2506.02	DFT	QPSK	Outer_Full	23.73
n41	20	30	2506.02	DFT	QPSK	Edge_1RB_Right	23.54
n41	20	30	2506.02	CP	16QAM	Inner_Full	23.77
n41	20	30	2506.02	CP	16QAM	Edge_1RB_Left	22.59
n41	20	30	2506.02	CP	16QAM	Edge_1RB_Right	22.58
n41	20	30	2506.02	CP	16QAM	Outer_Full	22.68
n41	20	30	2506.02	CP	64QAM	Inner_Full	22.29
n41	20	30	2506.02	CP	64QAM	Edge_1RB_Left	22.08
n41	20	30	2506.02	CP	64QAM	Edge_1RB_Right	21.90
n41	20	30	2506.02	CP	64QAM	Outer_Full	22.25
n41	20	30	2506.02	CP	QPSK	Inner_Full	24.12



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	20	30	2506.02	CP	QPSK	Edge_1RB_Left	23.54
n41	20	30	2506.02	CP	QPSK	Edge_1RB_Right	23.53
n41	20	30	2506.02	CP	QPSK	Outer_Full	23.72
n41	20	30	2592.99	DFT	16QAM	Inner_Full	22.97
n41	20	30	2592.99	DFT	16QAM	Edge_1RB_Left	21.77
n41	20	30	2592.99	DFT	16QAM	Edge_1RB_Right	21.75
n41	20	30	2592.99	DFT	16QAM	Outer_Full	21.84
n41	20	30	2592.99	DFT	64QAM	Inner_Full	21.51
n41	20	30	2592.99	DFT	64QAM	Edge_1RB_Left	20.95
n41	20	30	2592.99	DFT	64QAM	Edge_1RB_Right	20.79
n41	20	30	2592.99	DFT	64QAM	Outer_Full	21.40
n41	20	30	2592.99	DFT	pi/2 BPSK	Inner_Full	21.53
n41	20	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.77
n41	20	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.57
n41	20	30	2592.99	DFT	pi/2 BPSK	Outer_Full	22.86
n41	20	30	2592.99	DFT	QPSK	Inner_Full	23.78
n41	20	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.80
n41	20	30	2592.99	DFT	QPSK	Outer_Full	22.92
n41	20	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.59
n41	20	30	2592.99	CP	16QAM	Inner_Full	23.05
n41	20	30	2592.99	CP	16QAM	Edge_1RB_Left	21.73
n41	20	30	2592.99	CP	16QAM	Edge_1RB_Right	21.65
n41	20	30	2592.99	CP	16QAM	Outer_Full	21.82
n41	20	30	2592.99	CP	64QAM	Inner_Full	21.47
n41	20	30	2592.99	CP	64QAM	Edge_1RB_Left	21.21
n41	20	30	2592.99	CP	64QAM	Edge_1RB_Right	21.00
n41	20	30	2592.99	CP	64QAM	Outer_Full	21.44
n41	20	30	2592.99	CP	QPSK	Inner_Full	23.76
n41	20	30	2592.99	CP	QPSK	Edge_1RB_Left	22.74
n41	20	30	2592.99	CP	QPSK	Edge_1RB_Right	22.65
n41	20	30	2592.99	CP	QPSK	Outer_Full	22.91
n41	20	30	2679.99	DFT	16QAM	Inner_Full	22.35
n41	20	30	2679.99	DFT	16QAM	Edge_1RB_Left	21.07
n41	20	30	2679.99	DFT	16QAM	Edge_1RB_Right	21.19
n41	20	30	2679.99	DFT	16QAM	Outer_Full	21.24
n41	20	30	2679.99	DFT	64QAM	Inner_Full	20.83
n41	20	30	2679.99	DFT	64QAM	Edge_1RB_Left	20.52
n41	20	30	2679.99	DFT	64QAM	Edge_1RB_Right	20.50
n41	20	30	2679.99	DFT	64QAM	Outer_Full	20.77
n41	20	30	2679.99	DFT	pi/2 BPSK	Inner_Full	20.93





BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	20	30	2679.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.10
n41	20	30	2679.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.11
n41	20	30	2679.99	DFT	pi/2 BPSK	Outer_Full	22.26
n41	20	30	2679.99	DFT	QPSK	Inner_Full	23.14
n41	20	30	2679.99	DFT	QPSK	Edge_1RB_Left	22.13
n41	20	30	2679.99	DFT	QPSK	Outer_Full	22.23
n41	20	30	2679.99	DFT	QPSK	Edge_1RB_Right	22.08
n41	20	30	2679.99	CP	16QAM	Inner_Full	22.33
n41	20	30	2679.99	CP	16QAM	Edge_1RB_Left	21.10
n41	20	30	2679.99	CP	16QAM	Edge_1RB_Right	21.17
n41	20	30	2679.99	CP	16QAM	Outer_Full	21.23
n41	20	30	2679.99	CP	64QAM	Inner_Full	20.82
n41	20	30	2679.99	CP	64QAM	Edge_1RB_Left	20.48
n41	20	30	2679.99	CP	64QAM	Edge_1RB_Right	20.61
n41	20	30	2679.99	CP	64QAM	Outer_Full	20.81
n41	20	30	2679.99	CP	QPSK	Inner_Full	23.13
n41	20	30	2679.99	CP	QPSK	Edge_1RB_Left	22.10
n41	20	30	2679.99	CP	QPSK	Edge_1RB_Right	22.09
n41	20	30	2679.99	CP	QPSK	Outer_Full	22.28
n41	30	30	2511	DFT	16QAM	Inner_Full	23.68
n41	30	30	2511	DFT	16QAM	Edge_1RB_Left	22.42
n41	30	30	2511	DFT	16QAM	Edge_1RB_Right	22.24
n41	30	30	2511	DFT	16QAM	Outer_Full	22.56
n41	30	30	2511	DFT	64QAM	Inner_Full	22.06
n41	30	30	2511	DFT	64QAM	Edge_1RB_Left	21.79
n41	30	30	2511	DFT	64QAM	Edge_1RB_Right	21.59
n41	30	30	2511	DFT	64QAM	Outer_Full	21.98
n41	30	30	2511	DFT	pi/2 BPSK	Inner_Full	22.23
n41	30	30	2511	DFT	pi/2 BPSK	Edge_1RB_Left	23.30
n41	30	30	2511	DFT	pi/2 BPSK	Edge_1RB_Right	23.16
n41	30	30	2511	DFT	pi/2 BPSK	Outer_Full	23.50
n41	30	30	2511	DFT	QPSK	Inner_Full	24.18
n41	30	30	2511	DFT	QPSK	Edge_1RB_Left	23.35
n41	30	30	2511	DFT	QPSK	Outer_Full	23.55
n41	30	30	2511	DFT	QPSK	Edge_1RB_Right	23.19
n41	30	30	2511	CP	16QAM	Inner_Full	22.65
n41	30	30	2511	CP	16QAM	Edge_1RB_Left	22.43
n41	30	30	2511	CP	16QAM	Edge_1RB_Right	22.27
n41	30	30	2511	CP	16QAM	Outer_Full	22.58
n41	30	30	2511	CP	64QAM	Inner_Full	22.19



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	30	30	2511	CP	64QAM	Edge_1RB_Left	21.98
n41	30	30	2511	CP	64QAM	Edge_1RB_Right	21.56
n41	30	30	2511	CP	64QAM	Outer_Full	21.98
n41	30	30	2511	CP	QPSK	Inner_Full	23.66
n41	30	30	2511	CP	QPSK	Edge_1RB_Left	23.35
n41	30	30	2511	CP	QPSK	Edge_1RB_Right	23.15
n41	30	30	2511	CP	QPSK	Outer_Full	23.52
n41	30	30	2592.99	DFT	16QAM	Inner_Full	22.88
n41	30	30	2592.99	DFT	16QAM	Edge_1RB_Left	21.69
n41	30	30	2592.99	DFT	16QAM	Edge_1RB_Right	21.40
n41	30	30	2592.99	DFT	16QAM	Outer_Full	21.82
n41	30	30	2592.99	DFT	64QAM	Inner_Full	21.34
n41	30	30	2592.99	DFT	64QAM	Edge_1RB_Left	21.01
n41	30	30	2592.99	DFT	64QAM	Edge_1RB_Right	20.78
n41	30	30	2592.99	DFT	64QAM	Outer_Full	21.23
n41	30	30	2592.99	DFT	pi/2 BPSK	Inner_Full	21.40
n41	30	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.63
n41	30	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.33
n41	30	30	2592.99	DFT	pi/2 BPSK	Outer_Full	22.77
n41	30	30	2592.99	DFT	QPSK	Inner_Full	23.79
n41	30	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.67
n41	30	30	2592.99	DFT	QPSK	Outer_Full	22.73
n41	30	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.33
n41	30	30	2592.99	CP	16QAM	Inner_Full	21.85
n41	30	30	2592.99	CP	16QAM	Edge_1RB_Left	21.54
n41	30	30	2592.99	CP	16QAM	Edge_1RB_Right	21.29
n41	30	30	2592.99	CP	16QAM	Outer_Full	21.70
n41	30	30	2592.99	CP	64QAM	Inner_Full	21.35
n41	30	30	2592.99	CP	64QAM	Edge_1RB_Left	20.75
n41	30	30	2592.99	CP	64QAM	Edge_1RB_Right	20.52
n41	30	30	2592.99	CP	64QAM	Outer_Full	21.28
n41	30	30	2592.99	CP	QPSK	Inner_Full	22.83
n41	30	30	2592.99	CP	QPSK	Edge_1RB_Left	22.64
n41	30	30	2592.99	CP	QPSK	Edge_1RB_Right	22.28
n41	30	30	2592.99	CP	QPSK	Outer_Full	22.80
n41	30	30	2674.98	DFT	16QAM	Inner_Full	22.31
n41	30	30	2674.98	DFT	16QAM	Edge_1RB_Left	20.90
n41	30	30	2674.98	DFT	16QAM	Edge_1RB_Right	20.86
n41	30	30	2674.98	DFT	16QAM	Outer_Full	21.22
n41	30	30	2674.98	DFT	64QAM	Inner_Full	20.71



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	30	30	2674.98	DFT	64QAM	Edge_1RB_Left	20.29
n41	30	30	2674.98	DFT	64QAM	Edge_1RB_Right	20.07
n41	30	30	2674.98	DFT	64QAM	Outer_Full	20.69
n41	30	30	2674.98	DFT	pi/2 BPSK	Inner_Full	20.81
n41	30	30	2674.98	DFT	pi/2 BPSK	Edge_1RB_Left	21.96
n41	30	30	2674.98	DFT	pi/2 BPSK	Edge_1RB_Right	21.90
n41	30	30	2674.98	DFT	pi/2 BPSK	Outer_Full	22.16
n41	30	30	2674.98	DFT	QPSK	Inner_Full	23.13
n41	30	30	2674.98	DFT	QPSK	Edge_1RB_Left	21.91
n41	30	30	2674.98	DFT	QPSK	Outer_Full	22.23
n41	30	30	2674.98	DFT	QPSK	Edge_1RB_Right	21.97
n41	30	30	2674.98	CP	16QAM	Inner_Full	21.29
n41	30	30	2674.98	CP	16QAM	Edge_1RB_Left	20.87
n41	30	30	2674.98	CP	16QAM	Edge_1RB_Right	20.82
n41	30	30	2674.98	CP	16QAM	Outer_Full	21.14
n41	30	30	2674.98	CP	64QAM	Inner_Full	20.69
n41	30	30	2674.98	CP	64QAM	Edge_1RB_Left	20.06
n41	30	30	2674.98	CP	64QAM	Edge_1RB_Right	20.12
n41	30	30	2674.98	CP	64QAM	Outer_Full	20.67
n41	30	30	2674.98	CP	QPSK	Inner_Full	22.23
n41	30	30	2674.98	CP	QPSK	Edge_1RB_Left	21.95
n41	30	30	2674.98	CP	QPSK	Edge_1RB_Right	21.97
n41	30	30	2674.98	CP	QPSK	Outer_Full	22.20
n41	40	30	2516.01	DFT	16QAM	Inner_Full	23.59
n41	40	30	2516.01	DFT	16QAM	Edge_1RB_Left	22.11
n41	40	30	2516.01	DFT	16QAM	Edge_1RB_Right	21.79
n41	40	30	2516.01	DFT	16QAM	Outer_Full	22.44
n41	40	30	2516.01	DFT	64QAM	Inner_Full	22.10
n41	40	30	2516.01	DFT	64QAM	Edge_1RB_Left	21.33
n41	40	30	2516.01	DFT	64QAM	Edge_1RB_Right	20.92
n41	40	30	2516.01	DFT	64QAM	Outer_Full	21.89
n41	40	30	2516.01	DFT	pi/2 BPSK	Inner_Full	22.03
n41	40	30	2516.01	DFT	pi/2 BPSK	Edge_1RB_Left	23.11
n41	40	30	2516.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.77
n41	40	30	2516.01	DFT	pi/2 BPSK	Outer_Full	23.42
n41	40	30	2516.01	DFT	QPSK	Inner_Full	24.11
n41	40	30	2516.01	DFT	QPSK	Edge_1RB_Left	23.15
n41	40	30	2516.01	DFT	QPSK	Outer_Full	23.43
n41	40	30	2516.01	DFT	QPSK	Edge_1RB_Right	22.85
n41	40	30	2516.01	CP	16QAM	Inner_Full	22.48



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	40	30	2516.01	CP	16QAM	Edge_1RB_Left	22.15
n41	40	30	2516.01	CP	16QAM	Edge_1RB_Right	21.83
n41	40	30	2516.01	CP	16QAM	Outer_Full	22.41
n41	40	30	2516.01	CP	64QAM	Inner_Full	22.10
n41	40	30	2516.01	CP	64QAM	Edge_1RB_Left	21.32
n41	40	30	2516.01	CP	64QAM	Edge_1RB_Right	20.96
n41	40	30	2516.01	CP	64QAM	Outer_Full	21.95
n41	40	30	2516.01	CP	QPSK	Inner_Full	23.49
n41	40	30	2516.01	CP	QPSK	Edge_1RB_Left	23.23
n41	40	30	2516.01	CP	QPSK	Edge_1RB_Right	22.87
n41	40	30	2516.01	CP	QPSK	Outer_Full	23.36
n41	40	30	2592.99	DFT	16QAM	Inner_Full	22.80
n41	40	30	2592.99	DFT	16QAM	Edge_1RB_Left	21.49
n41	40	30	2592.99	DFT	16QAM	Edge_1RB_Right	21.01
n41	40	30	2592.99	DFT	16QAM	Outer_Full	21.73
n41	40	30	2592.99	DFT	64QAM	Inner_Full	21.33
n41	40	30	2592.99	DFT	64QAM	Edge_1RB_Left	20.62
n41	40	30	2592.99	DFT	64QAM	Edge_1RB_Right	20.18
n41	40	30	2592.99	DFT	64QAM	Outer_Full	21.20
n41	40	30	2592.99	DFT	pi/2 BPSK	Inner_Full	21.36
n41	40	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.42
n41	40	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.95
n41	40	30	2592.99	DFT	pi/2 BPSK	Outer_Full	22.67
n41	40	30	2592.99	DFT	QPSK	Inner_Full	23.76
n41	40	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.49
n41	40	30	2592.99	DFT	QPSK	Outer_Full	22.74
n41	40	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.99
n41	40	30	2592.99	CP	16QAM	Inner_Full	21.85
n41	40	30	2592.99	CP	16QAM	Edge_1RB_Left	21.42
n41	40	30	2592.99	CP	16QAM	Edge_1RB_Right	20.93
n41	40	30	2592.99	CP	16QAM	Outer_Full	21.68
n41	40	30	2592.99	CP	64QAM	Inner_Full	21.34
n41	40	30	2592.99	CP	64QAM	Edge_1RB_Left	20.63
n41	40	30	2592.99	CP	64QAM	Edge_1RB_Right	20.28
n41	40	30	2592.99	CP	64QAM	Outer_Full	21.20
n41	40	30	2592.99	CP	QPSK	Inner_Full	22.85
n41	40	30	2592.99	CP	QPSK	Edge_1RB_Left	22.45
n41	40	30	2592.99	CP	QPSK	Edge_1RB_Right	21.98
n41	40	30	2592.99	CP	QPSK	Outer_Full	22.71
n41	40	30	2670	DFT	16QAM	Inner_Full	22.23



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	40	30	2670	DFT	16QAM	Edge_1RB_Left	20.56
n41	40	30	2670	DFT	16QAM	Edge_1RB_Right	20.69
n41	40	30	2670	DFT	16QAM	Outer_Full	21.12
n41	40	30	2670	DFT	64QAM	Inner_Full	20.76
n41	40	30	2670	DFT	64QAM	Edge_1RB_Left	19.78
n41	40	30	2670	DFT	64QAM	Edge_1RB_Right	19.82
n41	40	30	2670	DFT	64QAM	Outer_Full	20.69
n41	40	30	2670	DFT	pi/2 BPSK	Inner_Full	20.79
n41	40	30	2670	DFT	pi/2 BPSK	Edge_1RB_Left	21.62
n41	40	30	2670	DFT	pi/2 BPSK	Edge_1RB_Right	21.61
n41	40	30	2670	DFT	pi/2 BPSK	Outer_Full	22.14
n41	40	30	2670	DFT	QPSK	Inner_Full	23.14
n41	40	30	2670	DFT	QPSK	Edge_1RB_Left	21.68
n41	40	30	2670	DFT	QPSK	Outer_Full	22.11
n41	40	30	2670	DFT	QPSK	Edge_1RB_Right	21.69
n41	40	30	2670	CP	16QAM	Inner_Full	21.28
n41	40	30	2670	CP	16QAM	Edge_1RB_Left	20.64
n41	40	30	2670	CP	16QAM	Edge_1RB_Right	20.67
n41	40	30	2670	CP	16QAM	Outer_Full	21.17
n41	40	30	2670	CP	64QAM	Inner_Full	20.73
n41	40	30	2670	CP	64QAM	Edge_1RB_Left	19.76
n41	40	30	2670	CP	64QAM	Edge_1RB_Right	19.96
n41	40	30	2670	CP	64QAM	Outer_Full	20.70
n41	40	30	2670	CP	QPSK	Inner_Full	22.20
n41	40	30	2670	CP	QPSK	Edge_1RB_Left	21.67
n41	40	30	2670	CP	QPSK	Edge_1RB_Right	21.68
n41	40	30	2670	CP	QPSK	Outer_Full	22.17
n41	50	30	2521.02	DFT	16QAM	Inner_Full	23.57
n41	50	30	2521.02	DFT	16QAM	Edge_1RB_Left	22.34
n41	50	30	2521.02	DFT	16QAM	Edge_1RB_Right	21.94
n41	50	30	2521.02	DFT	16QAM	Outer_Full	22.48
n41	50	30	2521.02	DFT	64QAM	Inner_Full	21.99
n41	50	30	2521.02	DFT	64QAM	Edge_1RB_Left	21.53
n41	50	30	2521.02	DFT	64QAM	Edge_1RB_Right	21.19
n41	50	30	2521.02	DFT	64QAM	Outer_Full	21.87
n41	50	30	2521.02	DFT	pi/2 BPSK	Inner_Full	22.04
n41	50	30	2521.02	DFT	pi/2 BPSK	Edge_1RB_Left	23.34
n41	50	30	2521.02	DFT	pi/2 BPSK	Edge_1RB_Right	23.03
n41	50	30	2521.02	DFT	pi/2 BPSK	Outer_Full	23.43
n41	50	30	2521.02	DFT	QPSK	Inner_Full	24.18



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	50	30	2521.02	DFT	QPSK	Edge_1RB_Left	23.45
n41	50	30	2521.02	DFT	QPSK	Outer_Full	23.37
n41	50	30	2521.02	DFT	QPSK	Edge_1RB_Right	23.05
n41	50	30	2521.02	CP	16QAM	Inner_Full	23.58
n41	50	30	2521.02	CP	16QAM	Edge_1RB_Left	22.33
n41	50	30	2521.02	CP	16QAM	Edge_1RB_Right	22.00
n41	50	30	2521.02	CP	16QAM	Outer_Full	22.47
n41	50	30	2521.02	CP	64QAM	Inner_Full	22.02
n41	50	30	2521.02	CP	64QAM	Edge_1RB_Left	21.77
n41	50	30	2521.02	CP	64QAM	Edge_1RB_Right	21.15
n41	50	30	2521.02	CP	64QAM	Outer_Full	21.92
n41	50	30	2521.02	CP	QPSK	Inner_Full	24.19
n41	50	30	2521.02	CP	QPSK	Edge_1RB_Left	23.44
n41	50	30	2521.02	CP	QPSK	Edge_1RB_Right	23.12
n41	50	30	2521.02	CP	QPSK	Outer_Full	23.44
n41	50	30	2592.99	DFT	16QAM	Inner_Full	22.83
n41	50	30	2592.99	DFT	16QAM	Edge_1RB_Left	21.80
n41	50	30	2592.99	DFT	16QAM	Edge_1RB_Right	21.22
n41	50	30	2592.99	DFT	16QAM	Outer_Full	21.81
n41	50	30	2592.99	DFT	64QAM	Inner_Full	21.33
n41	50	30	2592.99	DFT	64QAM	Edge_1RB_Left	20.97
n41	50	30	2592.99	DFT	64QAM	Edge_1RB_Right	20.37
n41	50	30	2592.99	DFT	64QAM	Outer_Full	21.27
n41	50	30	2592.99	DFT	pi/2 BPSK	Inner_Full	21.34
n41	50	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.84
n41	50	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.29
n41	50	30	2592.99	DFT	pi/2 BPSK	Outer_Full	22.80
n41	50	30	2592.99	DFT	QPSK	Inner_Full	23.78
n41	50	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.86
n41	50	30	2592.99	DFT	QPSK	Outer_Full	22.79
n41	50	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.31
n41	50	30	2592.99	CP	16QAM	Inner_Full	22.79
n41	50	30	2592.99	CP	16QAM	Edge_1RB_Left	21.74
n41	50	30	2592.99	CP	16QAM	Edge_1RB_Right	21.18
n41	50	30	2592.99	CP	16QAM	Outer_Full	21.79
n41	50	30	2592.99	CP	64QAM	Inner_Full	21.34
n41	50	30	2592.99	CP	64QAM	Edge_1RB_Left	20.99
n41	50	30	2592.99	CP	64QAM	Edge_1RB_Right	20.41
n41	50	30	2592.99	CP	64QAM	Outer_Full	21.30
n41	50	30	2592.99	CP	QPSK	Inner_Full	23.77



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	50	30	2592.99	CP	QPSK	Edge_1RB_Left	22.84
n41	50	30	2592.99	CP	QPSK	Edge_1RB_Right	22.31
n41	50	30	2592.99	CP	QPSK	Outer_Full	22.81
n41	50	30	2664.99	DFT	16QAM	Inner_Full	22.33
n41	50	30	2664.99	DFT	16QAM	Edge_1RB_Left	20.86
n41	50	30	2664.99	DFT	16QAM	Edge_1RB_Right	20.87
n41	50	30	2664.99	DFT	16QAM	Outer_Full	21.20
n41	50	30	2664.99	DFT	64QAM	Inner_Full	20.79
n41	50	30	2664.99	DFT	64QAM	Edge_1RB_Left	20.32
n41	50	30	2664.99	DFT	64QAM	Edge_1RB_Right	20.36
n41	50	30	2664.99	DFT	64QAM	Outer_Full	20.69
n41	50	30	2664.99	DFT	pi/2 BPSK	Inner_Full	20.82
n41	50	30	2664.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.90
n41	50	30	2664.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.94
n41	50	30	2664.99	DFT	pi/2 BPSK	Outer_Full	22.23
n41	50	30	2664.99	DFT	QPSK	Inner_Full	23.17
n41	50	30	2664.99	DFT	QPSK	Edge_1RB_Left	21.95
n41	50	30	2664.99	DFT	QPSK	Outer_Full	22.18
n41	50	30	2664.99	DFT	QPSK	Edge_1RB_Right	22.05
n41	50	30	2664.99	CP	16QAM	Inner_Full	22.33
n41	50	30	2664.99	CP	16QAM	Edge_1RB_Left	20.94
n41	50	30	2664.99	CP	16QAM	Edge_1RB_Right	20.91
n41	50	30	2664.99	CP	16QAM	Outer_Full	21.26
n41	50	30	2664.99	CP	64QAM	Inner_Full	20.83
n41	50	30	2664.99	CP	64QAM	Edge_1RB_Left	20.24
n41	50	30	2664.99	CP	64QAM	Edge_1RB_Right	20.36
n41	50	30	2664.99	CP	64QAM	Outer_Full	20.76
n41	50	30	2664.99	CP	QPSK	Inner_Full	23.22
n41	50	30	2664.99	CP	QPSK	Edge_1RB_Left	21.98
n41	50	30	2664.99	CP	QPSK	Edge_1RB_Right	22.04
n41	50	30	2664.99	CP	QPSK	Outer_Full	22.26
n41	60	30	2526	DFT	16QAM	Inner_Full	23.48
n41	60	30	2526	DFT	16QAM	Edge_1RB_Left	22.23
n41	60	30	2526	DFT	16QAM	Edge_1RB_Right	21.83
n41	60	30	2526	DFT	16QAM	Outer_Full	22.27
n41	60	30	2526	DFT	64QAM	Inner_Full	21.98
n41	60	30	2526	DFT	64QAM	Edge_1RB_Left	21.39
n41	60	30	2526	DFT	64QAM	Edge_1RB_Right	21.29
n41	60	30	2526	DFT	64QAM	Outer_Full	21.79
n41	60	30	2526	DFT	pi/2 BPSK	Inner_Full	21.93



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	60	30	2526	DFT	pi/2 BPSK	Edge_1RB_Left	23.21
n41	60	30	2526	DFT	pi/2 BPSK	Edge_1RB_Right	22.88
n41	60	30	2526	DFT	pi/2 BPSK	Outer_Full	23.22
n41	60	30	2526	DFT	QPSK	Inner_Full	24.10
n41	60	30	2526	DFT	QPSK	Edge_1RB_Left	23.25
n41	60	30	2526	DFT	QPSK	Outer_Full	23.28
n41	60	30	2526	DFT	QPSK	Edge_1RB_Right	22.86
n41	60	30	2526	CP	16QAM	Inner_Full	23.46
n41	60	30	2526	CP	16QAM	Edge_1RB_Left	22.31
n41	60	30	2526	CP	16QAM	Edge_1RB_Right	21.85
n41	60	30	2526	CP	16QAM	Outer_Full	22.24
n41	60	30	2526	CP	64QAM	Inner_Full	21.92
n41	60	30	2526	CP	64QAM	Edge_1RB_Left	21.59
n41	60	30	2526	CP	64QAM	Edge_1RB_Right	21.25
n41	60	30	2526	CP	64QAM	Outer_Full	21.81
n41	60	30	2526	CP	QPSK	Inner_Full	24.11
n41	60	30	2526	CP	QPSK	Edge_1RB_Left	23.29
n41	60	30	2526	CP	QPSK	Edge_1RB_Right	22.88
n41	60	30	2526	CP	QPSK	Outer_Full	23.25
n41	60	30	2592.99	DFT	16QAM	Inner_Full	22.83
n41	60	30	2592.99	DFT	16QAM	Edge_1RB_Left	21.85
n41	60	30	2592.99	DFT	16QAM	Edge_1RB_Right	21.15
n41	60	30	2592.99	DFT	16QAM	Outer_Full	21.69
n41	60	30	2592.99	DFT	64QAM	Inner_Full	21.24
n41	60	30	2592.99	DFT	64QAM	Edge_1RB_Left	21.28
n41	60	30	2592.99	DFT	64QAM	Edge_1RB_Right	20.48
n41	60	30	2592.99	DFT	64QAM	Outer_Full	21.22
n41	60	30	2592.99	DFT	pi/2 BPSK	Inner_Full	21.26
n41	60	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.76
n41	60	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.01
n41	60	30	2592.99	DFT	pi/2 BPSK	Outer_Full	22.66
n41	60	30	2592.99	DFT	QPSK	Inner_Full	23.70
n41	60	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.77
n41	60	30	2592.99	DFT	QPSK	Outer_Full	22.67
n41	60	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.16
n41	60	30	2592.99	CP	16QAM	Inner_Full	22.80
n41	60	30	2592.99	CP	16QAM	Edge_1RB_Left	21.84
n41	60	30	2592.99	CP	16QAM	Edge_1RB_Right	21.11
n41	60	30	2592.99	CP	16QAM	Outer_Full	21.65
n41	60	30	2592.99	CP	64QAM	Inner_Full	21.31





BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	60	30	2592.99	CP	64QAM	Edge_1RB_Left	21.18
n41	60	30	2592.99	CP	64QAM	Edge_1RB_Right	20.55
n41	60	30	2592.99	CP	64QAM	Outer_Full	21.25
n41	60	30	2592.99	CP	QPSK	Inner_Full	23.67
n41	60	30	2592.99	CP	QPSK	Edge_1RB_Left	22.82
n41	60	30	2592.99	CP	QPSK	Edge_1RB_Right	22.09
n41	60	30	2592.99	CP	QPSK	Outer_Full	22.67
n41	60	30	2659.98	DFT	16QAM	Inner_Full	22.30
n41	60	30	2659.98	DFT	16QAM	Edge_1RB_Left	21.03
n41	60	30	2659.98	DFT	16QAM	Edge_1RB_Right	20.94
n41	60	30	2659.98	DFT	16QAM	Outer_Full	21.27
n41	60	30	2659.98	DFT	64QAM	Inner_Full	20.72
n41	60	30	2659.98	DFT	64QAM	Edge_1RB_Left	20.37
n41	60	30	2659.98	DFT	64QAM	Edge_1RB_Right	20.32
n41	60	30	2659.98	DFT	64QAM	Outer_Full	20.71
n41	60	30	2659.98	DFT	pi/2 BPSK	Inner_Full	20.78
n41	60	30	2659.98	DFT	pi/2 BPSK	Edge_1RB_Left	21.94
n41	60	30	2659.98	DFT	pi/2 BPSK	Edge_1RB_Right	21.86
n41	60	30	2659.98	DFT	pi/2 BPSK	Outer_Full	22.26
n41	60	30	2659.98	DFT	QPSK	Inner_Full	23.15
n41	60	30	2659.98	DFT	QPSK	Edge_1RB_Left	21.96
n41	60	30	2659.98	DFT	QPSK	Outer_Full	22.22
n41	60	30	2659.98	DFT	QPSK	Edge_1RB_Right	21.87
n41	60	30	2659.98	CP	16QAM	Inner_Full	22.25
n41	60	30	2659.98	CP	16QAM	Edge_1RB_Left	21.02
n41	60	30	2659.98	CP	16QAM	Edge_1RB_Right	20.92
n41	60	30	2659.98	CP	16QAM	Outer_Full	21.17
n41	60	30	2659.98	CP	64QAM	Inner_Full	20.71
n41	60	30	2659.98	CP	64QAM	Edge_1RB_Left	20.50
n41	60	30	2659.98	CP	64QAM	Edge_1RB_Right	20.25
n41	60	30	2659.98	CP	64QAM	Outer_Full	20.75
n41	60	30	2659.98	CP	QPSK	Inner_Full	23.17
n41	60	30	2659.98	CP	QPSK	Edge_1RB_Left	21.99
n41	60	30	2659.98	CP	QPSK	Edge_1RB_Right	21.89
n41	60	30	2659.98	CP	QPSK	Outer_Full	22.28
n41	80	30	2536.02	DFT	16QAM	Inner_Full	23.40
n41	80	30	2536.02	DFT	16QAM	Edge_1RB_Left	22.20
n41	80	30	2536.02	DFT	16QAM	Edge_1RB_Right	21.67
n41	80	30	2536.02	DFT	16QAM	Outer_Full	22.25
n41	80	30	2536.02	DFT	64QAM	Inner_Full	21.86



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	80	30	2536.02	DFT	64QAM	Edge_1RB_Left	21.61
n41	80	30	2536.02	DFT	64QAM	Edge_1RB_Right	20.96
n41	80	30	2536.02	DFT	64QAM	Outer_Full	21.75
n41	80	30	2536.02	DFT	pi/2 BPSK	Inner_Full	21.91
n41	80	30	2536.02	DFT	pi/2 BPSK	Edge_1RB_Left	23.15
n41	80	30	2536.02	DFT	pi/2 BPSK	Edge_1RB_Right	22.54
n41	80	30	2536.02	DFT	pi/2 BPSK	Outer_Full	23.28
n41	80	30	2536.02	DFT	QPSK	Inner_Full	24.16
n41	80	30	2536.02	DFT	QPSK	Edge_1RB_Left	23.24
n41	80	30	2536.02	DFT	QPSK	Outer_Full	23.27
n41	80	30	2536.02	DFT	QPSK	Edge_1RB_Right	22.64
n41	80	30	2536.02	CP	16QAM	Inner_Full	23.46
n41	80	30	2536.02	CP	16QAM	Edge_1RB_Left	22.30
n41	80	30	2536.02	CP	16QAM	Edge_1RB_Right	21.66
n41	80	30	2536.02	CP	16QAM	Outer_Full	22.17
n41	80	30	2536.02	CP	64QAM	Inner_Full	21.88
n41	80	30	2536.02	CP	64QAM	Edge_1RB_Left	21.55
n41	80	30	2536.02	CP	64QAM	Edge_1RB_Right	20.94
n41	80	30	2536.02	CP	64QAM	Outer_Full	21.76
n41	80	30	2536.02	CP	QPSK	Inner_Full	24.13
n41	80	30	2536.02	CP	QPSK	Edge_1RB_Left	23.14
n41	80	30	2536.02	CP	QPSK	Edge_1RB_Right	22.62
n41	80	30	2536.02	CP	QPSK	Outer_Full	23.20
n41	80	30	2592.99	DFT	16QAM	Inner_Full	22.88
n41	80	30	2592.99	DFT	16QAM	Edge_1RB_Left	21.73
n41	80	30	2592.99	DFT	16QAM	Edge_1RB_Right	20.87
n41	80	30	2592.99	DFT	16QAM	Outer_Full	21.66
n41	80	30	2592.99	DFT	64QAM	Inner_Full	21.37
n41	80	30	2592.99	DFT	64QAM	Edge_1RB_Left	21.11
n41	80	30	2592.99	DFT	64QAM	Edge_1RB_Right	20.59
n41	80	30	2592.99	DFT	64QAM	Outer_Full	21.26
n41	80	30	2592.99	DFT	pi/2 BPSK	Inner_Full	21.32
n41	80	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.66
n41	80	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.87
n41	80	30	2592.99	DFT	pi/2 BPSK	Outer_Full	22.77
n41	80	30	2592.99	DFT	QPSK	Inner_Full	23.71
n41	80	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.79
n41	80	30	2592.99	DFT	QPSK	Outer_Full	22.71
n41	80	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.92
n41	80	30	2592.99	CP	16QAM	Inner_Full	22.91



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	80	30	2592.99	CP	16QAM	Edge_1RB_Left	21.74
n41	80	30	2592.99	CP	16QAM	Edge_1RB_Right	20.96
n41	80	30	2592.99	CP	16QAM	Outer_Full	21.74
n41	80	30	2592.99	CP	64QAM	Inner_Full	21.32
n41	80	30	2592.99	CP	64QAM	Edge_1RB_Left	21.16
n41	80	30	2592.99	CP	64QAM	Edge_1RB_Right	20.28
n41	80	30	2592.99	CP	64QAM	Outer_Full	21.27
n41	80	30	2592.99	CP	QPSK	Inner_Full	23.75
n41	80	30	2592.99	CP	QPSK	Edge_1RB_Left	22.76
n41	80	30	2592.99	CP	QPSK	Edge_1RB_Right	21.95
n41	80	30	2592.99	CP	QPSK	Outer_Full	22.70
n41	80	30	2649.99	DFT	16QAM	Inner_Full	22.38
n41	80	30	2649.99	DFT	16QAM	Edge_1RB_Left	20.99
n41	80	30	2649.99	DFT	16QAM	Edge_1RB_Right	20.57
n41	80	30	2649.99	DFT	16QAM	Outer_Full	21.27
n41	80	30	2649.99	DFT	64QAM	Inner_Full	20.84
n41	80	30	2649.99	DFT	64QAM	Edge_1RB_Left	20.17
n41	80	30	2649.99	DFT	64QAM	Edge_1RB_Right	19.90
n41	80	30	2649.99	DFT	64QAM	Outer_Full	20.72
n41	80	30	2649.99	DFT	pi/2 BPSK	Inner_Full	20.79
n41	80	30	2649.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.99
n41	80	30	2649.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.65
n41	80	30	2649.99	DFT	pi/2 BPSK	Outer_Full	22.30
n41	80	30	2649.99	DFT	QPSK	Inner_Full	23.12
n41	80	30	2649.99	DFT	QPSK	Edge_1RB_Left	22.11
n41	80	30	2649.99	DFT	QPSK	Outer_Full	22.27
n41	80	30	2649.99	DFT	QPSK	Edge_1RB_Right	21.78
n41	80	30	2649.99	CP	16QAM	Inner_Full	22.26
n41	80	30	2649.99	CP	16QAM	Edge_1RB_Left	20.98
n41	80	30	2649.99	CP	16QAM	Edge_1RB_Right	20.62
n41	80	30	2649.99	CP	16QAM	Outer_Full	21.28
n41	80	30	2649.99	CP	64QAM	Inner_Full	20.81
n41	80	30	2649.99	CP	64QAM	Edge_1RB_Left	20.46
n41	80	30	2649.99	CP	64QAM	Edge_1RB_Right	19.89
n41	80	30	2649.99	CP	64QAM	Outer_Full	20.77
n41	80	30	2649.99	CP	QPSK	Inner_Full	23.16
n41	80	30	2649.99	CP	QPSK	Edge_1RB_Left	22.15
n41	80	30	2649.99	CP	QPSK	Edge_1RB_Right	21.80
n41	80	30	2649.99	CP	QPSK	Outer_Full	22.29
n41	90	30	2541	DFT	16QAM	Inner_Full	23.40



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	90	30	2541	DFT	16QAM	Edge_1RB_Left	22.09
n41	90	30	2541	DFT	16QAM	Edge_1RB_Right	21.35
n41	90	30	2541	DFT	16QAM	Outer_Full	22.22
n41	90	30	2541	DFT	64QAM	Inner_Full	21.91
n41	90	30	2541	DFT	64QAM	Edge_1RB_Left	21.57
n41	90	30	2541	DFT	64QAM	Edge_1RB_Right	20.86
n41	90	30	2541	DFT	64QAM	Outer_Full	21.68
n41	90	30	2541	DFT	pi/2 BPSK	Inner_Full	21.83
n41	90	30	2541	DFT	pi/2 BPSK	Edge_1RB_Left	22.96
n41	90	30	2541	DFT	pi/2 BPSK	Edge_1RB_Right	22.30
n41	90	30	2541	DFT	pi/2 BPSK	Outer_Full	23.16
n41	90	30	2541	DFT	QPSK	Inner_Full	24.10
n41	90	30	2541	DFT	QPSK	Edge_1RB_Left	22.98
n41	90	30	2541	DFT	QPSK	Outer_Full	23.18
n41	90	30	2541	DFT	QPSK	Edge_1RB_Right	22.30
n41	90	30	2541	CP	16QAM	Inner_Full	22.33
n41	90	30	2541	CP	16QAM	Edge_1RB_Left	22.10
n41	90	30	2541	CP	16QAM	Edge_1RB_Right	21.31
n41	90	30	2541	CP	16QAM	Outer_Full	22.12
n41	90	30	2541	CP	64QAM	Inner_Full	21.81
n41	90	30	2541	CP	64QAM	Edge_1RB_Left	21.66
n41	90	30	2541	CP	64QAM	Edge_1RB_Right	20.96
n41	90	30	2541	CP	64QAM	Outer_Full	21.61
n41	90	30	2541	CP	QPSK	Inner_Full	23.36
n41	90	30	2541	CP	QPSK	Edge_1RB_Left	22.98
n41	90	30	2541	CP	QPSK	Edge_1RB_Right	22.40
n41	90	30	2541	CP	QPSK	Outer_Full	23.20
n41	90	30	2592.99	DFT	16QAM	Inner_Full	22.81
n41	90	30	2592.99	DFT	16QAM	Edge_1RB_Left	21.61
n41	90	30	2592.99	DFT	16QAM	Edge_1RB_Right	20.68
n41	90	30	2592.99	DFT	16QAM	Outer_Full	21.72
n41	90	30	2592.99	DFT	64QAM	Inner_Full	21.38
n41	90	30	2592.99	DFT	64QAM	Edge_1RB_Left	20.97
n41	90	30	2592.99	DFT	64QAM	Edge_1RB_Right	20.29
n41	90	30	2592.99	DFT	64QAM	Outer_Full	21.25
n41	90	30	2592.99	DFT	pi/2 BPSK	Inner_Full	21.34
n41	90	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.54
n41	90	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.66
n41	90	30	2592.99	DFT	pi/2 BPSK	Outer_Full	22.67
n41	90	30	2592.99	DFT	QPSK	Inner_Full	23.70



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	90	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.61
n41	90	30	2592.99	DFT	QPSK	Outer_Full	22.72
n41	90	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.72
n41	90	30	2592.99	CP	16QAM	Inner_Full	21.80
n41	90	30	2592.99	CP	16QAM	Edge_1RB_Left	21.66
n41	90	30	2592.99	CP	16QAM	Edge_1RB_Right	20.68
n41	90	30	2592.99	CP	16QAM	Outer_Full	21.62
n41	90	30	2592.99	CP	64QAM	Inner_Full	21.33
n41	90	30	2592.99	CP	64QAM	Edge_1RB_Left	21.21
n41	90	30	2592.99	CP	64QAM	Edge_1RB_Right	20.06
n41	90	30	2592.99	CP	64QAM	Outer_Full	21.14
n41	90	30	2592.99	CP	QPSK	Inner_Full	22.84
n41	90	30	2592.99	CP	QPSK	Edge_1RB_Left	22.62
n41	90	30	2592.99	CP	QPSK	Edge_1RB_Right	21.71
n41	90	30	2592.99	CP	QPSK	Outer_Full	22.69
n41	90	30	2644.98	DFT	16QAM	Inner_Full	22.36
n41	90	30	2644.98	DFT	16QAM	Edge_1RB_Left	21.05
n41	90	30	2644.98	DFT	16QAM	Edge_1RB_Right	20.63
n41	90	30	2644.98	DFT	16QAM	Outer_Full	21.26
n41	90	30	2644.98	DFT	64QAM	Inner_Full	20.80
n41	90	30	2644.98	DFT	64QAM	Edge_1RB_Left	20.66
n41	90	30	2644.98	DFT	64QAM	Edge_1RB_Right	20.25
n41	90	30	2644.98	DFT	64QAM	Outer_Full	20.78
n41	90	30	2644.98	DFT	pi/2 BPSK	Inner_Full	20.82
n41	90	30	2644.98	DFT	pi/2 BPSK	Edge_1RB_Left	21.99
n41	90	30	2644.98	DFT	pi/2 BPSK	Edge_1RB_Right	21.61
n41	90	30	2644.98	DFT	pi/2 BPSK	Outer_Full	22.27
n41	90	30	2644.98	DFT	QPSK	Inner_Full	23.10
n41	90	30	2644.98	DFT	QPSK	Edge_1RB_Left	22.09
n41	90	30	2644.98	DFT	QPSK	Outer_Full	22.29
n41	90	30	2644.98	DFT	QPSK	Edge_1RB_Right	21.64
n41	90	30	2644.98	CP	16QAM	Inner_Full	21.22
n41	90	30	2644.98	CP	16QAM	Edge_1RB_Left	21.04
n41	90	30	2644.98	CP	16QAM	Edge_1RB_Right	20.71
n41	90	30	2644.98	CP	16QAM	Outer_Full	21.31
n41	90	30	2644.98	CP	64QAM	Inner_Full	20.72
n41	90	30	2644.98	CP	64QAM	Edge_1RB_Left	20.48
n41	90	30	2644.98	CP	64QAM	Edge_1RB_Right	20.02
n41	90	30	2644.98	CP	64QAM	Outer_Full	20.82
n41	90	30	2644.98	CP	QPSK	Inner_Full	22.33



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	90	30	2644.98	CP	QPSK	Edge_1RB_Left	22.07
n41	90	30	2644.98	CP	QPSK	Edge_1RB_Right	21.70
n41	90	30	2644.98	CP	QPSK	Outer_Full	22.26
n41	100	30	2546.01	DFT	16QAM	Inner_Full	23.28
n41	100	30	2546.01	DFT	16QAM	Edge_1RB_Left	21.86
n41	100	30	2546.01	DFT	16QAM	Edge_1RB_Right	21.08
n41	100	30	2546.01	DFT	16QAM	Outer_Full	22.02
n41	100	30	2546.01	DFT	64QAM	Inner_Full	21.77
n41	100	30	2546.01	DFT	64QAM	Edge_1RB_Left	21.23
n41	100	30	2546.01	DFT	64QAM	Edge_1RB_Right	20.52
n41	100	30	2546.01	DFT	64QAM	Outer_Full	21.58
n41	100	30	2546.01	DFT	pi/2 BPSK	Inner_Full	21.75
n41	100	30	2546.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.79
n41	100	30	2546.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.04
n41	100	30	2546.01	DFT	pi/2 BPSK	Outer_Full	23.11
n41	100	30	2546.01	DFT	QPSK	Inner_Full	24.12
n41	100	30	2546.01	DFT	QPSK	Edge_1RB_Left	22.79
n41	100	30	2546.01	DFT	QPSK	Outer_Full	23.07
n41	100	30	2546.01	DFT	QPSK	Edge_1RB_Right	22.04
n41	100	30	2546.01	CP	16QAM	Inner_Full	23.28
n41	100	30	2546.01	CP	16QAM	Edge_1RB_Left	21.79
n41	100	30	2546.01	CP	16QAM	Edge_1RB_Right	21.15
n41	100	30	2546.01	CP	16QAM	Outer_Full	22.08
n41	100	30	2546.01	CP	64QAM	Inner_Full	21.75
n41	100	30	2546.01	CP	64QAM	Edge_1RB_Left	21.29
n41	100	30	2546.01	CP	64QAM	Edge_1RB_Right	20.53
n41	100	30	2546.01	CP	64QAM	Outer_Full	21.54
n41	100	30	2546.01	CP	QPSK	Inner_Full	24.13
n41	100	30	2546.01	CP	QPSK	Edge_1RB_Left	22.79
n41	100	30	2546.01	CP	QPSK	Edge_1RB_Right	22.03
n41	100	30	2546.01	CP	QPSK	Outer_Full	23.09
n41	100	30	2592.99	DFT	16QAM	Inner_Full	22.88
n41	100	30	2592.99	DFT	16QAM	Edge_1RB_Left	21.36
n41	100	30	2592.99	DFT	16QAM	Edge_1RB_Right	20.40
n41	100	30	2592.99	DFT	16QAM	Outer_Full	21.60
n41	100	30	2592.99	DFT	64QAM	Inner_Full	21.28
n41	100	30	2592.99	DFT	64QAM	Edge_1RB_Left	21.01
n41	100	30	2592.99	DFT	64QAM	Edge_1RB_Right	19.78
n41	100	30	2592.99	DFT	64QAM	Outer_Full	21.13
n41	100	30	2592.99	DFT	pi/2 BPSK	Inner_Full	21.30



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	100	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.30
n41	100	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.35
n41	100	30	2592.99	DFT	pi/2 BPSK	Outer_Full	22.61
n41	100	30	2592.99	DFT	QPSK	Inner_Full	23.59
n41	100	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.35
n41	100	30	2592.99	DFT	QPSK	Outer_Full	22.67
n41	100	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.42
n41	100	30	2592.99	CP	16QAM	Inner_Full	22.86
n41	100	30	2592.99	CP	16QAM	Edge_1RB_Left	21.36
n41	100	30	2592.99	CP	16QAM	Edge_1RB_Right	20.37
n41	100	30	2592.99	CP	16QAM	Outer_Full	21.65
n41	100	30	2592.99	CP	64QAM	Inner_Full	21.30
n41	100	30	2592.99	CP	64QAM	Edge_1RB_Left	20.98
n41	100	30	2592.99	CP	64QAM	Edge_1RB_Right	20.05
n41	100	30	2592.99	CP	64QAM	Outer_Full	21.08
n41	100	30	2592.99	CP	QPSK	Inner_Full	23.68
n41	100	30	2592.99	CP	QPSK	Edge_1RB_Left	22.37
n41	100	30	2592.99	CP	QPSK	Edge_1RB_Right	21.43
n41	100	30	2592.99	CP	QPSK	Outer_Full	22.67
n41	100	30	2640	DFT	16QAM	Inner_Full	22.31
n41	100	30	2640	DFT	16QAM	Edge_1RB_Left	20.96
n41	100	30	2640	DFT	16QAM	Edge_1RB_Right	20.39
n41	100	30	2640	DFT	16QAM	Outer_Full	21.30
n41	100	30	2640	DFT	64QAM	Inner_Full	20.76
n41	100	30	2640	DFT	64QAM	Edge_1RB_Left	20.29
n41	100	30	2640	DFT	64QAM	Edge_1RB_Right	19.77
n41	100	30	2640	DFT	64QAM	Outer_Full	20.74
n41	100	30	2640	DFT	pi/2 BPSK	Inner_Full	20.84
n41	100	30	2640	DFT	pi/2 BPSK	Edge_1RB_Left	21.90
n41	100	30	2640	DFT	pi/2 BPSK	Edge_1RB_Right	21.42
n41	100	30	2640	DFT	pi/2 BPSK	Outer_Full	22.25
n41	100	30	2640	DFT	QPSK	Inner_Full	23.16
n41	100	30	2640	DFT	QPSK	Edge_1RB_Left	21.99
n41	100	30	2640	DFT	QPSK	Outer_Full	22.28
n41	100	30	2640	DFT	QPSK	Edge_1RB_Right	21.40
n41	100	30	2640	CP	16QAM	Inner_Full	22.34
n41	100	30	2640	CP	16QAM	Edge_1RB_Left	20.95
n41	100	30	2640	CP	16QAM	Edge_1RB_Right	20.47
n41	100	30	2640	CP	16QAM	Outer_Full	21.23
n41	100	30	2640	CP	64QAM	Inner_Full	20.82



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	100	30	2640	CP	64QAM	Edge_1RB_Left	20.54
n41	100	30	2640	CP	64QAM	Edge_1RB_Right	19.82
n41	100	30	2640	CP	64QAM	Outer_Full	20.73
n41	100	30	2640	CP	QPSK	Inner_Full	23.17
n41	100	30	2640	CP	QPSK	Edge_1RB_Left	21.98
n41	100	30	2640	CP	QPSK	Edge_1RB_Right	21.45
n41	100	30	2640	CP	QPSK	Outer_Full	22.31
n66	5	15	1712.5	DFT	16QAM	Inner_Full	21.86
n66	5	15	1712.5	DFT	16QAM	Edge_1RB_Left	20.95
n66	5	15	1712.5	DFT	16QAM	Edge_1RB_Right	20.48
n66	5	15	1712.5	DFT	16QAM	Outer_Full	20.83
n66	5	15	1712.5	DFT	64QAM	Inner_Full	20.40
n66	5	15	1712.5	DFT	64QAM	Edge_1RB_Left	20.13
n66	5	15	1712.5	DFT	64QAM	Edge_1RB_Right	20.17
n66	5	15	1712.5	DFT	64QAM	Outer_Full	20.30
n66	5	15	1712.5	DFT	pi/2 BPSK	Inner_Full	22.81
n66	5	15	1712.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.25
n66	5	15	1712.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.33
n66	5	15	1712.5	DFT	pi/2 BPSK	Outer_Full	22.36
n66	5	15	1712.5	DFT	QPSK	Inner_Full	22.86
n66	5	15	1712.5	DFT	QPSK	Edge_1RB_Left	21.84
n66	5	15	1712.5	DFT	QPSK	Edge_1RB_Right	21.75
n66	5	15	1712.5	DFT	QPSK	Outer_Full	21.85
n66	5	15	1712.5	CP	16QAM	Inner_Full	20.81
n66	5	15	1712.5	CP	16QAM	Edge_1RB_Left	20.16
n66	5	15	1712.5	CP	16QAM	Edge_1RB_Right	19.76
n66	5	15	1712.5	CP	16QAM	Outer_Full	19.73
n66	5	15	1712.5	CP	64QAM	Inner_Full	19.20
n66	5	15	1712.5	CP	64QAM	Edge_1RB_Left	19.11
n66	5	15	1712.5	CP	64QAM	Edge_1RB_Right	19.01
n66	5	15	1712.5	CP	64QAM	Outer_Full	19.34
n66	5	15	1712.5	CP	QPSK	Inner_Full	21.30
n66	5	15	1712.5	CP	QPSK	Edge_1RB_Left	19.96
n66	5	15	1712.5	CP	QPSK	Edge_1RB_Right	19.94
n66	5	15	1712.5	CP	QPSK	Outer_Full	19.81
n66	5	15	1745	DFT	16QAM	Inner_Full	21.71
n66	5	15	1745	DFT	16QAM	Edge_1RB_Left	20.81
n66	5	15	1745	DFT	16QAM	Edge_1RB_Right	20.37
n66	5	15	1745	DFT	16QAM	Outer_Full	20.63
n66	5	15	1745	DFT	64QAM	Inner_Full	20.24





BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n66	5	15	1745	DFT	64QAM	Edge_1RB_Left	20.13
n66	5	15	1745	DFT	64QAM	Edge_1RB_Right	20.02
n66	5	15	1745	DFT	64QAM	Outer_Full	20.19
n66	5	15	1745	DFT	pi/2 BPSK	Inner_Full	22.73
n66	5	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	22.19
n66	5	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	22.19
n66	5	15	1745	DFT	pi/2 BPSK	Outer_Full	22.25
n66	5	15	1745	DFT	QPSK	Inner_Full	22.79
n66	5	15	1745	DFT	QPSK	Edge_1RB_Left	21.70
n66	5	15	1745	DFT	QPSK	Edge_1RB_Right	21.65
n66	5	15	1745	DFT	QPSK	Outer_Full	21.73
n66	5	15	1745	CP	16QAM	Inner_Full	20.61
n66	5	15	1745	CP	16QAM	Edge_1RB_Left	19.57
n66	5	15	1745	CP	16QAM	Edge_1RB_Right	20.00
n66	5	15	1745	CP	16QAM	Outer_Full	19.69
n66	5	15	1745	CP	64QAM	Inner_Full	18.96
n66	5	15	1745	CP	64QAM	Edge_1RB_Left	19.14
n66	5	15	1745	CP	64QAM	Edge_1RB_Right	19.20
n66	5	15	1745	CP	64QAM	Outer_Full	19.16
n66	5	15	1745	CP	QPSK	Inner_Full	21.18
n66	5	15	1745	CP	QPSK	Edge_1RB_Left	19.78
n66	5	15	1745	CP	QPSK	Edge_1RB_Right	19.68
n66	5	15	1745	CP	QPSK	Outer_Full	19.62
n66	5	15	1777.5	DFT	16QAM	Inner_Full	21.40
n66	5	15	1777.5	DFT	16QAM	Edge_1RB_Left	20.17
n66	5	15	1777.5	DFT	16QAM	Edge_1RB_Right	20.55
n66	5	15	1777.5	DFT	16QAM	Outer_Full	20.48
n66	5	15	1777.5	DFT	64QAM	Inner_Full	19.96
n66	5	15	1777.5	DFT	64QAM	Edge_1RB_Left	19.85
n66	5	15	1777.5	DFT	64QAM	Edge_1RB_Right	19.78
n66	5	15	1777.5	DFT	64QAM	Outer_Full	19.98
n66	5	15	1777.5	DFT	pi/2 BPSK	Inner_Full	22.44
n66	5	15	1777.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.94
n66	5	15	1777.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.90
n66	5	15	1777.5	DFT	pi/2 BPSK	Outer_Full	22.00
n66	5	15	1777.5	DFT	QPSK	Inner_Full	22.47
n66	5	15	1777.5	DFT	QPSK	Edge_1RB_Left	21.44
n66	5	15	1777.5	DFT	QPSK	Edge_1RB_Right	21.42
n66	5	15	1777.5	DFT	QPSK	Outer_Full	21.46
n66	5	15	1777.5	CP	16QAM	Inner_Full	20.43



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n66	5	15	1777.5	CP	16QAM	Edge_1RB_Left	19.81
n66	5	15	1777.5	CP	16QAM	Edge_1RB_Right	19.83
n66	5	15	1777.5	CP	16QAM	Outer_Full	19.37
n66	5	15	1777.5	CP	64QAM	Inner_Full	18.81
n66	5	15	1777.5	CP	64QAM	Edge_1RB_Left	18.90
n66	5	15	1777.5	CP	64QAM	Edge_1RB_Right	18.96
n66	5	15	1777.5	CP	64QAM	Outer_Full	18.89
n66	5	15	1777.5	CP	QPSK	Inner_Full	20.91
n66	5	15	1777.5	CP	QPSK	Edge_1RB_Left	19.42
n66	5	15	1777.5	CP	QPSK	Edge_1RB_Right	19.49
n66	5	15	1777.5	CP	QPSK	Outer_Full	19.45
n66	10	15	1715	DFT	16QAM	Inner_Full	21.63
n66	10	15	1715	DFT	16QAM	Edge_1RB_Left	20.71
n66	10	15	1715	DFT	16QAM	Edge_1RB_Right	20.71
n66	10	15	1715	DFT	16QAM	Outer_Full	20.57
n66	10	15	1715	DFT	64QAM	Inner_Full	20.08
n66	10	15	1715	DFT	64QAM	Edge_1RB_Left	19.91
n66	10	15	1715	DFT	64QAM	Edge_1RB_Right	19.92
n66	10	15	1715	DFT	64QAM	Outer_Full	20.10
n66	10	15	1715	DFT	pi/2 BPSK	Inner_Full	22.67
n66	10	15	1715	DFT	pi/2 BPSK	Edge_1RB_Left	22.09
n66	10	15	1715	DFT	pi/2 BPSK	Edge_1RB_Right	22.04
n66	10	15	1715	DFT	pi/2 BPSK	Outer_Full	22.13
n66	10	15	1715	DFT	QPSK	Inner_Full	22.67
n66	10	15	1715	DFT	QPSK	Edge_1RB_Left	21.63
n66	10	15	1715	DFT	QPSK	Edge_1RB_Right	21.58
n66	10	15	1715	DFT	QPSK	Outer_Full	21.57
n66	10	15	1715	CP	16QAM	Inner_Full	20.59
n66	10	15	1715	CP	16QAM	Edge_1RB_Left	19.57
n66	10	15	1715	CP	16QAM	Edge_1RB_Right	19.47
n66	10	15	1715	CP	16QAM	Outer_Full	19.64
n66	10	15	1715	CP	64QAM	Inner_Full	19.07
n66	10	15	1715	CP	64QAM	Edge_1RB_Left	19.01
n66	10	15	1715	CP	64QAM	Edge_1RB_Right	19.02
n66	10	15	1715	CP	64QAM	Outer_Full	19.16
n66	10	15	1715	CP	QPSK	Inner_Full	21.11
n66	10	15	1715	CP	QPSK	Edge_1RB_Left	19.73
n66	10	15	1715	CP	QPSK	Edge_1RB_Right	19.61
n66	10	15	1715	CP	QPSK	Outer_Full	19.61
n66	10	15	1745	DFT	16QAM	Inner_Full	21.56



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n66	10	15	1745	DFT	16QAM	Edge_1RB_Left	20.59
n66	10	15	1745	DFT	16QAM	Edge_1RB_Right	20.55
n66	10	15	1745	DFT	16QAM	Outer_Full	20.52
n66	10	15	1745	DFT	64QAM	Inner_Full	20.06
n66	10	15	1745	DFT	64QAM	Edge_1RB_Left	19.80
n66	10	15	1745	DFT	64QAM	Edge_1RB_Right	19.78
n66	10	15	1745	DFT	64QAM	Outer_Full	19.99
n66	10	15	1745	DFT	pi/2 BPSK	Inner_Full	22.61
n66	10	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	22.02
n66	10	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	21.90
n66	10	15	1745	DFT	pi/2 BPSK	Outer_Full	22.10
n66	10	15	1745	DFT	QPSK	Inner_Full	22.62
n66	10	15	1745	DFT	QPSK	Edge_1RB_Left	21.47
n66	10	15	1745	DFT	QPSK	Edge_1RB_Right	21.51
n66	10	15	1745	DFT	QPSK	Outer_Full	21.57
n66	10	15	1745	CP	16QAM	Inner_Full	20.52
n66	10	15	1745	CP	16QAM	Edge_1RB_Left	19.41
n66	10	15	1745	CP	16QAM	Edge_1RB_Right	19.65
n66	10	15	1745	CP	16QAM	Outer_Full	19.57
n66	10	15	1745	CP	64QAM	Inner_Full	19.05
n66	10	15	1745	CP	64QAM	Edge_1RB_Left	18.82
n66	10	15	1745	CP	64QAM	Edge_1RB_Right	18.93
n66	10	15	1745	CP	64QAM	Outer_Full	19.12
n66	10	15	1745	CP	QPSK	Inner_Full	21.00
n66	10	15	1745	CP	QPSK	Edge_1RB_Left	19.47
n66	10	15	1745	CP	QPSK	Edge_1RB_Right	19.47
n66	10	15	1745	CP	QPSK	Outer_Full	19.48
n66	10	15	1775	DFT	16QAM	Inner_Full	21.30
n66	10	15	1775	DFT	16QAM	Edge_1RB_Left	20.39
n66	10	15	1775	DFT	16QAM	Edge_1RB_Right	20.02
n66	10	15	1775	DFT	16QAM	Outer_Full	20.33
n66	10	15	1775	DFT	64QAM	Inner_Full	19.81
n66	10	15	1775	DFT	64QAM	Edge_1RB_Left	19.65
n66	10	15	1775	DFT	64QAM	Edge_1RB_Right	19.50
n66	10	15	1775	DFT	64QAM	Outer_Full	19.82
n66	10	15	1775	DFT	pi/2 BPSK	Inner_Full	22.33
n66	10	15	1775	DFT	pi/2 BPSK	Edge_1RB_Left	21.76
n66	10	15	1775	DFT	pi/2 BPSK	Edge_1RB_Right	21.70
n66	10	15	1775	DFT	pi/2 BPSK	Outer_Full	21.91
n66	10	15	1775	DFT	QPSK	Inner_Full	22.33



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n66	10	15	1775	DFT	QPSK	Edge_1RB_Left	21.23
n66	10	15	1775	DFT	QPSK	Edge_1RB_Right	21.18
n66	10	15	1775	DFT	QPSK	Outer_Full	21.35
n66	10	15	1775	CP	16QAM	Inner_Full	20.28
n66	10	15	1775	CP	16QAM	Edge_1RB_Left	19.09
n66	10	15	1775	CP	16QAM	Edge_1RB_Right	19.13
n66	10	15	1775	CP	16QAM	Outer_Full	19.26
n66	10	15	1775	CP	64QAM	Inner_Full	18.74
n66	10	15	1775	CP	64QAM	Edge_1RB_Left	18.71
n66	10	15	1775	CP	64QAM	Edge_1RB_Right	18.70
n66	10	15	1775	CP	64QAM	Outer_Full	18.73
n66	10	15	1775	CP	QPSK	Inner_Full	20.78
n66	10	15	1775	CP	QPSK	Edge_1RB_Left	19.28
n66	10	15	1775	CP	QPSK	Edge_1RB_Right	19.24
n66	10	15	1775	CP	QPSK	Outer_Full	19.31
n66	15	15	1717.5	DFT	16QAM	Inner_Full	21.73
n66	15	15	1717.5	DFT	16QAM	Edge_1RB_Left	20.37
n66	15	15	1717.5	DFT	16QAM	Edge_1RB_Right	20.76
n66	15	15	1717.5	DFT	16QAM	Outer_Full	20.76
n66	15	15	1717.5	DFT	64QAM	Inner_Full	20.25
n66	15	15	1717.5	DFT	64QAM	Edge_1RB_Left	20.02
n66	15	15	1717.5	DFT	64QAM	Edge_1RB_Right	20.00
n66	15	15	1717.5	DFT	64QAM	Outer_Full	20.23
n66	15	15	1717.5	DFT	pi/2 BPSK	Inner_Full	22.78
n66	15	15	1717.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.18
n66	15	15	1717.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.14
n66	15	15	1717.5	DFT	pi/2 BPSK	Outer_Full	22.22
n66	15	15	1717.5	DFT	QPSK	Inner_Full	22.78
n66	15	15	1717.5	DFT	QPSK	Edge_1RB_Left	21.71
n66	15	15	1717.5	DFT	QPSK	Edge_1RB_Right	21.66
n66	15	15	1717.5	DFT	QPSK	Outer_Full	21.72
n66	15	15	1717.5	CP	16QAM	Inner_Full	20.78
n66	15	15	1717.5	CP	16QAM	Edge_1RB_Left	19.64
n66	15	15	1717.5	CP	16QAM	Edge_1RB_Right	19.48
n66	15	15	1717.5	CP	16QAM	Outer_Full	19.72
n66	15	15	1717.5	CP	64QAM	Inner_Full	19.07
n66	15	15	1717.5	CP	64QAM	Edge_1RB_Left	19.13
n66	15	15	1717.5	CP	64QAM	Edge_1RB_Right	19.15
n66	15	15	1717.5	CP	64QAM	Outer_Full	19.22
n66	15	15	1717.5	CP	QPSK	Inner_Full	21.23



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n66	15	15	1717.5	CP	QPSK	Edge_1RB_Left	19.73
n66	15	15	1717.5	CP	QPSK	Edge_1RB_Right	19.61
n66	15	15	1717.5	CP	QPSK	Outer_Full	19.72
n66	15	15	1745	DFT	16QAM	Inner_Full	21.70
n66	15	15	1745	DFT	16QAM	Edge_1RB_Left	20.72
n66	15	15	1745	DFT	16QAM	Edge_1RB_Right	20.19
n66	15	15	1745	DFT	16QAM	Outer_Full	20.69
n66	15	15	1745	DFT	64QAM	Inner_Full	20.20
n66	15	15	1745	DFT	64QAM	Edge_1RB_Left	19.95
n66	15	15	1745	DFT	64QAM	Edge_1RB_Right	19.89
n66	15	15	1745	DFT	64QAM	Outer_Full	20.17
n66	15	15	1745	DFT	pi/2 BPSK	Inner_Full	22.70
n66	15	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	22.17
n66	15	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	21.99
n66	15	15	1745	DFT	pi/2 BPSK	Outer_Full	22.23
n66	15	15	1745	DFT	QPSK	Inner_Full	22.66
n66	15	15	1745	DFT	QPSK	Edge_1RB_Left	21.68
n66	15	15	1745	DFT	QPSK	Edge_1RB_Right	21.48
n66	15	15	1745	DFT	QPSK	Outer_Full	21.71
n66	15	15	1745	CP	16QAM	Inner_Full	20.64
n66	15	15	1745	CP	16QAM	Edge_1RB_Left	19.46
n66	15	15	1745	CP	16QAM	Edge_1RB_Right	19.28
n66	15	15	1745	CP	16QAM	Outer_Full	19.67
n66	15	15	1745	CP	64QAM	Inner_Full	19.08
n66	15	15	1745	CP	64QAM	Edge_1RB_Left	18.99
n66	15	15	1745	CP	64QAM	Edge_1RB_Right	18.91
n66	15	15	1745	CP	64QAM	Outer_Full	19.14
n66	15	15	1745	CP	QPSK	Inner_Full	21.15
n66	15	15	1745	CP	QPSK	Edge_1RB_Left	19.58
n66	15	15	1745	CP	QPSK	Edge_1RB_Right	19.52
n66	15	15	1745	CP	QPSK	Outer_Full	19.69
n66	15	15	1772.5	DFT	16QAM	Inner_Full	21.46
n66	15	15	1772.5	DFT	16QAM	Edge_1RB_Left	20.45
n66	15	15	1772.5	DFT	16QAM	Edge_1RB_Right	20.36
n66	15	15	1772.5	DFT	16QAM	Outer_Full	20.51
n66	15	15	1772.5	DFT	64QAM	Inner_Full	20.04
n66	15	15	1772.5	DFT	64QAM	Edge_1RB_Left	19.73
n66	15	15	1772.5	DFT	64QAM	Edge_1RB_Right	19.70
n66	15	15	1772.5	DFT	64QAM	Outer_Full	19.94
n66	15	15	1772.5	DFT	pi/2 BPSK	Inner_Full	22.44



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n66	15	15	1772.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.91
n66	15	15	1772.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.82
n66	15	15	1772.5	DFT	pi/2 BPSK	Outer_Full	22.00
n66	15	15	1772.5	DFT	QPSK	Inner_Full	22.53
n66	15	15	1772.5	DFT	QPSK	Edge_1RB_Left	21.44
n66	15	15	1772.5	DFT	QPSK	Edge_1RB_Right	21.35
n66	15	15	1772.5	DFT	QPSK	Outer_Full	21.50
n66	15	15	1772.5	CP	16QAM	Inner_Full	20.42
n66	15	15	1772.5	CP	16QAM	Edge_1RB_Left	19.27
n66	15	15	1772.5	CP	16QAM	Edge_1RB_Right	19.16
n66	15	15	1772.5	CP	16QAM	Outer_Full	19.48
n66	15	15	1772.5	CP	64QAM	Inner_Full	18.86
n66	15	15	1772.5	CP	64QAM	Edge_1RB_Left	18.99
n66	15	15	1772.5	CP	64QAM	Edge_1RB_Right	18.88
n66	15	15	1772.5	CP	64QAM	Outer_Full	18.92
n66	15	15	1772.5	CP	QPSK	Inner_Full	20.94
n66	15	15	1772.5	CP	QPSK	Edge_1RB_Left	19.46
n66	15	15	1772.5	CP	QPSK	Edge_1RB_Right	19.25
n66	15	15	1772.5	CP	QPSK	Outer_Full	19.48
n66	20	15	1720	DFT	16QAM	Inner_Full	21.79
n66	20	15	1720	DFT	16QAM	Edge_1RB_Left	20.74
n66	20	15	1720	DFT	16QAM	Edge_1RB_Right	20.32
n66	20	15	1720	DFT	16QAM	Outer_Full	20.65
n66	20	15	1720	DFT	64QAM	Inner_Full	20.24
n66	20	15	1720	DFT	64QAM	Edge_1RB_Left	20.02
n66	20	15	1720	DFT	64QAM	Edge_1RB_Right	19.92
n66	20	15	1720	DFT	64QAM	Outer_Full	20.14
n66	20	15	1720	DFT	pi/2 BPSK	Inner_Full	22.70
n66	20	15	1720	DFT	pi/2 BPSK	Edge_1RB_Left	22.15
n66	20	15	1720	DFT	pi/2 BPSK	Edge_1RB_Right	22.08
n66	20	15	1720	DFT	pi/2 BPSK	Outer_Full	22.13
n66	20	15	1720	DFT	QPSK	Inner_Full	22.82
n66	20	15	1720	DFT	QPSK	Edge_1RB_Left	21.66
n66	20	15	1720	DFT	QPSK	Edge_1RB_Right	21.58
n66	20	15	1720	DFT	QPSK	Outer_Full	21.65
n66	20	15	1720	CP	16QAM	Inner_Full	20.75
n66	20	15	1720	CP	16QAM	Edge_1RB_Left	20.08
n66	20	15	1720	CP	16QAM	Edge_1RB_Right	19.41
n66	20	15	1720	CP	16QAM	Outer_Full	19.64
n66	20	15	1720	CP	64QAM	Inner_Full	19.19



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n66	20	15	1720	CP	64QAM	Edge_1RB_Left	19.22
n66	20	15	1720	CP	64QAM	Edge_1RB_Right	19.05
n66	20	15	1720	CP	64QAM	Outer_Full	19.06
n66	20	15	1720	CP	QPSK	Inner_Full	21.22
n66	20	15	1720	CP	QPSK	Edge_1RB_Left	19.83
n66	20	15	1720	CP	QPSK	Edge_1RB_Right	19.49
n66	20	15	1720	CP	QPSK	Outer_Full	19.62
n66	20	15	1745	DFT	16QAM	Inner_Full	21.76
n66	20	15	1745	DFT	16QAM	Edge_1RB_Left	20.26
n66	20	15	1745	DFT	16QAM	Edge_1RB_Right	20.58
n66	20	15	1745	DFT	16QAM	Outer_Full	20.72
n66	20	15	1745	DFT	64QAM	Inner_Full	20.14
n66	20	15	1745	DFT	64QAM	Edge_1RB_Left	19.91
n66	20	15	1745	DFT	64QAM	Edge_1RB_Right	19.80
n66	20	15	1745	DFT	64QAM	Outer_Full	20.21
n66	20	15	1745	DFT	pi/2 BPSK	Inner_Full	22.69
n66	20	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	22.07
n66	20	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	21.94
n66	20	15	1745	DFT	pi/2 BPSK	Outer_Full	22.23
n66	20	15	1745	DFT	QPSK	Inner_Full	22.73
n66	20	15	1745	DFT	QPSK	Edge_1RB_Left	21.54
n66	20	15	1745	DFT	QPSK	Edge_1RB_Right	21.49
n66	20	15	1745	DFT	QPSK	Outer_Full	21.75
n66	20	15	1745	CP	16QAM	Inner_Full	20.65
n66	20	15	1745	CP	16QAM	Edge_1RB_Left	19.42
n66	20	15	1745	CP	16QAM	Edge_1RB_Right	19.78
n66	20	15	1745	CP	16QAM	Outer_Full	19.60
n66	20	15	1745	CP	64QAM	Inner_Full	19.13
n66	20	15	1745	CP	64QAM	Edge_1RB_Left	19.11
n66	20	15	1745	CP	64QAM	Edge_1RB_Right	18.95
n66	20	15	1745	CP	64QAM	Outer_Full	19.21
n66	20	15	1745	CP	QPSK	Inner_Full	21.23
n66	20	15	1745	CP	QPSK	Edge_1RB_Left	19.66
n66	20	15	1745	CP	QPSK	Edge_1RB_Right	19.42
n66	20	15	1745	CP	QPSK	Outer_Full	19.68
n66	20	15	1770	DFT	16QAM	Inner_Full	21.49
n66	20	15	1770	DFT	16QAM	Edge_1RB_Left	20.58
n66	20	15	1770	DFT	16QAM	Edge_1RB_Right	20.35
n66	20	15	1770	DFT	16QAM	Outer_Full	20.59
n66	20	15	1770	DFT	64QAM	Inner_Full	20.03



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n66	20	15	1770	DFT	64QAM	Edge_1RB_Left	19.79
n66	20	15	1770	DFT	64QAM	Edge_1RB_Right	19.63
n66	20	15	1770	DFT	64QAM	Outer_Full	20.04
n66	20	15	1770	DFT	pi/2 BPSK	Inner_Full	22.50
n66	20	15	1770	DFT	pi/2 BPSK	Edge_1RB_Left	21.91
n66	20	15	1770	DFT	pi/2 BPSK	Edge_1RB_Right	21.79
n66	20	15	1770	DFT	pi/2 BPSK	Outer_Full	22.04
n66	20	15	1770	DFT	QPSK	Inner_Full	22.53
n66	20	15	1770	DFT	QPSK	Edge_1RB_Left	21.40
n66	20	15	1770	DFT	QPSK	Edge_1RB_Right	21.29
n66	20	15	1770	DFT	QPSK	Outer_Full	21.53
n66	20	15	1770	CP	16QAM	Inner_Full	20.48
n66	20	15	1770	CP	16QAM	Edge_1RB_Left	19.68
n66	20	15	1770	CP	16QAM	Edge_1RB_Right	19.07
n66	20	15	1770	CP	16QAM	Outer_Full	19.48
n66	20	15	1770	CP	64QAM	Inner_Full	18.93
n66	20	15	1770	CP	64QAM	Edge_1RB_Left	18.71
n66	20	15	1770	CP	64QAM	Edge_1RB_Right	18.79
n66	20	15	1770	CP	64QAM	Outer_Full	19.00
n66	20	15	1770	CP	QPSK	Inner_Full	20.98
n66	20	15	1770	CP	QPSK	Edge_1RB_Left	19.40
n66	20	15	1770	CP	QPSK	Edge_1RB_Right	19.29
n66	20	15	1770	CP	QPSK	Outer_Full	19.44
n66	30	15	1770	DFT	16QAM	Inner_Full	21.65
n66	30	15	1770	DFT	16QAM	Edge_1RB_Left	20.54
n66	30	15	1770	DFT	16QAM	Edge_1RB_Right	20.37
n66	30	15	1770	DFT	16QAM	Outer_Full	20.55
n66	30	15	1770	DFT	16QAM	Inner_Full	21.70
n66	30	15	1770	DFT	16QAM	Edge_1RB_Left	20.53
n66	30	15	1770	DFT	16QAM	Edge_1RB_Right	20.34
n66	30	15	1770	DFT	16QAM	Outer_Full	20.58
n66	30	15	1770	DFT	16QAM	Inner_Full	21.64
n66	30	15	1770	DFT	16QAM	Edge_1RB_Left	20.56
n66	30	15	1770	DFT	16QAM	Edge_1RB_Right	20.36
n66	30	15	1770	DFT	16QAM	Outer_Full	20.59
n66	30	15	1770	DFT	64QAM	Inner_Full	20.16
n66	30	15	1770	DFT	64QAM	Edge_1RB_Left	19.97
n66	30	15	1770	DFT	64QAM	Edge_1RB_Right	20.01
n66	30	15	1770	DFT	64QAM	Outer_Full	20.01
n66	30	15	1770	DFT	64QAM	Inner_Full	20.12





BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n66	30	15	1770	DFT	64QAM	Edge_1RB_Left	20.01
n66	30	15	1770	DFT	64QAM	Edge_1RB_Right	20.01
n66	30	15	1770	DFT	64QAM	Outer_Full	20.03
n66	30	15	1770	DFT	64QAM	Inner_Full	20.14
n66	30	15	1770	DFT	64QAM	Edge_1RB_Left	19.87
n66	30	15	1770	DFT	64QAM	Edge_1RB_Right	19.71
n66	30	15	1770	DFT	64QAM	Outer_Full	20.02
n66	30	15	1770	DFT	pi/2 BPSK	Inner_Full	22.70
n66	30	15	1770	DFT	pi/2 BPSK	Edge_1RB_Left	21.87
n66	30	15	1770	DFT	pi/2 BPSK	Edge_1RB_Right	21.82
n66	30	15	1770	DFT	pi/2 BPSK	Outer_Full	22.11
n66	30	15	1770	DFT	pi/2 BPSK	Inner_Full	22.68
n66	30	15	1770	DFT	pi/2 BPSK	Edge_1RB_Left	21.86
n66	30	15	1770	DFT	pi/2 BPSK	Edge_1RB_Right	21.89
n66	30	15	1770	DFT	pi/2 BPSK	Outer_Full	22.05
n66	30	15	1770	DFT	pi/2 BPSK	Inner_Full	22.71
n66	30	15	1770	DFT	pi/2 BPSK	Edge_1RB_Left	21.91
n66	30	15	1770	DFT	pi/2 BPSK	Edge_1RB_Right	21.84
n66	30	15	1770	DFT	pi/2 BPSK	Outer_Full	22.02
n66	30	15	1770	DFT	QPSK	Inner_Full	22.72
n66	30	15	1770	DFT	QPSK	Edge_1RB_Left	21.40
n66	30	15	1770	DFT	QPSK	Edge_1RB_Right	21.33
n66	30	15	1770	DFT	QPSK	Outer_Full	21.57
n66	30	15	1770	DFT	QPSK	Inner_Full	22.72
n66	30	15	1770	DFT	QPSK	Edge_1RB_Left	21.48
n66	30	15	1770	DFT	QPSK	Edge_1RB_Right	21.32
n66	30	15	1770	DFT	QPSK	Outer_Full	21.56
n66	30	15	1770	DFT	QPSK	Inner_Full	22.71
n66	30	15	1770	DFT	QPSK	Edge_1RB_Left	21.38
n66	30	15	1770	DFT	QPSK	Edge_1RB_Right	21.35
n66	30	15	1770	DFT	QPSK	Outer_Full	21.60
n66	30	15	1770	CP	16QAM	Inner_Full	20.62
n66	30	15	1770	CP	16QAM	Edge_1RB_Left	19.83
n66	30	15	1770	CP	16QAM	Edge_1RB_Right	19.15
n66	30	15	1770	CP	16QAM	Outer_Full	19.47
n66	30	15	1770	CP	16QAM	Inner_Full	20.63
n66	30	15	1770	CP	16QAM	Edge_1RB_Left	19.31
n66	30	15	1770	CP	16QAM	Edge_1RB_Right	19.13
n66	30	15	1770	CP	16QAM	Outer_Full	19.46
n66	30	15	1770	CP	16QAM	Inner_Full	20.60



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n66	30	15	1770	CP	16QAM	Edge_1RB_Left	19.35
n66	30	15	1770	CP	16QAM	Edge_1RB_Right	19.72
n66	30	15	1770	CP	16QAM	Outer_Full	19.47
n66	30	15	1770	CP	64QAM	Inner_Full	19.19
n66	30	15	1770	CP	64QAM	Edge_1RB_Left	18.82
n66	30	15	1770	CP	64QAM	Edge_1RB_Right	18.80
n66	30	15	1770	CP	64QAM	Outer_Full	19.02
n66	30	15	1770	CP	64QAM	Inner_Full	19.14
n66	30	15	1770	CP	64QAM	Edge_1RB_Left	18.83
n66	30	15	1770	CP	64QAM	Edge_1RB_Right	18.92
n66	30	15	1770	CP	64QAM	Outer_Full	19.00
n66	30	15	1770	CP	64QAM	Inner_Full	19.20
n66	30	15	1770	CP	64QAM	Edge_1RB_Left	18.85
n66	30	15	1770	CP	64QAM	Edge_1RB_Right	18.78
n66	30	15	1770	CP	64QAM	Outer_Full	18.98
n66	30	15	1770	CP	QPSK	Inner_Full	21.16
n66	30	15	1770	CP	QPSK	Edge_1RB_Left	19.61
n66	30	15	1770	CP	QPSK	Edge_1RB_Right	19.41
n66	30	15	1770	CP	QPSK	Outer_Full	19.49
n66	30	15	1770	CP	QPSK	Inner_Full	21.20
n66	30	15	1770	CP	QPSK	Edge_1RB_Left	19.49
n66	30	15	1770	CP	QPSK	Edge_1RB_Right	19.27
n66	30	15	1770	CP	QPSK	Outer_Full	19.54
n66	30	15	1770	CP	QPSK	Inner_Full	21.21
n66	30	15	1770	CP	QPSK	Edge_1RB_Left	19.42
n66	30	15	1770	CP	QPSK	Edge_1RB_Right	19.32
n66	30	15	1770	CP	QPSK	Outer_Full	19.55
n66	40	15	1730	DFT	16QAM	Inner_Full	21.72
n66	40	15	1730	DFT	16QAM	Edge_1RB_Left	20.37
n66	40	15	1730	DFT	16QAM	Edge_1RB_Right	20.13
n66	40	15	1730	DFT	16QAM	Outer_Full	20.51
n66	40	15	1730	DFT	64QAM	Inner_Full	20.23
n66	40	15	1730	DFT	64QAM	Edge_1RB_Left	19.52
n66	40	15	1730	DFT	64QAM	Edge_1RB_Right	19.45
n66	40	15	1730	DFT	64QAM	Outer_Full	19.99
n66	40	15	1730	DFT	pi/2 BPSK	Inner_Full	22.71
n66	40	15	1730	DFT	pi/2 BPSK	Edge_1RB_Left	21.71
n66	40	15	1730	DFT	pi/2 BPSK	Edge_1RB_Right	21.58
n66	40	15	1730	DFT	pi/2 BPSK	Outer_Full	21.97
n66	40	15	1730	DFT	QPSK	Inner_Full	22.70



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n66	40	15	1730	DFT	QPSK	Edge_1RB_Left	21.26
n66	40	15	1730	DFT	QPSK	Edge_1RB_Right	21.14
n66	40	15	1730	DFT	QPSK	Outer_Full	21.54
n66	40	15	1730	CP	16QAM	Inner_Full	20.63
n66	40	15	1730	CP	16QAM	Edge_1RB_Left	19.09
n66	40	15	1730	CP	16QAM	Edge_1RB_Right	18.98
n66	40	15	1730	CP	16QAM	Outer_Full	19.45
n66	40	15	1730	CP	64QAM	Inner_Full	19.18
n66	40	15	1730	CP	64QAM	Edge_1RB_Left	18.75
n66	40	15	1730	CP	64QAM	Edge_1RB_Right	18.60
n66	40	15	1730	CP	64QAM	Outer_Full	18.90
n66	40	15	1730	CP	QPSK	Inner_Full	21.14
n66	40	15	1730	CP	QPSK	Edge_1RB_Left	19.39
n66	40	15	1730	CP	QPSK	Edge_1RB_Right	19.07
n66	40	15	1730	CP	QPSK	Outer_Full	19.41
n66	40	15	1745	DFT	16QAM	Inner_Full	21.69
n66	40	15	1745	DFT	16QAM	Edge_1RB_Left	20.29
n66	40	15	1745	DFT	16QAM	Edge_1RB_Right	20.05
n66	40	15	1745	DFT	16QAM	Outer_Full	20.67
n66	40	15	1745	DFT	64QAM	Inner_Full	20.13
n66	40	15	1745	DFT	64QAM	Edge_1RB_Left	19.67
n66	40	15	1745	DFT	64QAM	Edge_1RB_Right	19.36
n66	40	15	1745	DFT	64QAM	Outer_Full	20.06
n66	40	15	1745	DFT	pi/2 BPSK	Inner_Full	22.62
n66	40	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	21.64
n66	40	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	21.46
n66	40	15	1745	DFT	pi/2 BPSK	Outer_Full	22.10
n66	40	15	1745	DFT	QPSK	Inner_Full	22.66
n66	40	15	1745	DFT	QPSK	Edge_1RB_Left	21.12
n66	40	15	1745	DFT	QPSK	Edge_1RB_Right	20.96
n66	40	15	1745	DFT	QPSK	Outer_Full	21.66
n66	40	15	1745	CP	16QAM	Inner_Full	20.61
n66	40	15	1745	CP	16QAM	Edge_1RB_Left	19.44
n66	40	15	1745	CP	16QAM	Edge_1RB_Right	18.81
n66	40	15	1745	CP	16QAM	Outer_Full	19.59
n66	40	15	1745	CP	64QAM	Inner_Full	19.06
n66	40	15	1745	CP	64QAM	Edge_1RB_Left	18.73
n66	40	15	1745	CP	64QAM	Edge_1RB_Right	18.54
n66	40	15	1745	CP	64QAM	Outer_Full	19.13
n66	40	15	1745	CP	QPSK	Inner_Full	21.08



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n66	40	15	1745	CP	QPSK	Edge_1RB_Left	19.27
n66	40	15	1745	CP	QPSK	Edge_1RB_Right	19.05
n66	40	15	1745	CP	QPSK	Outer_Full	19.55
n66	40	15	1760	DFT	16QAM	Inner_Full	21.51
n66	40	15	1760	DFT	16QAM	Edge_1RB_Left	20.18
n66	40	15	1760	DFT	16QAM	Edge_1RB_Right	19.98
n66	40	15	1760	DFT	16QAM	Outer_Full	20.33
n66	40	15	1760	DFT	64QAM	Inner_Full	20.08
n66	40	15	1760	DFT	64QAM	Edge_1RB_Left	19.46
n66	40	15	1760	DFT	64QAM	Edge_1RB_Right	19.21
n66	40	15	1760	DFT	64QAM	Outer_Full	19.80
n66	40	15	1760	DFT	pi/2 BPSK	Inner_Full	22.50
n66	40	15	1760	DFT	pi/2 BPSK	Edge_1RB_Left	21.58
n66	40	15	1760	DFT	pi/2 BPSK	Edge_1RB_Right	21.40
n66	40	15	1760	DFT	pi/2 BPSK	Outer_Full	21.85
n66	40	15	1760	DFT	QPSK	Inner_Full	22.60
n66	40	15	1760	DFT	QPSK	Edge_1RB_Left	21.07
n66	40	15	1760	DFT	QPSK	Edge_1RB_Right	20.94
n66	40	15	1760	DFT	QPSK	Outer_Full	21.28
n66	40	15	1760	CP	16QAM	Inner_Full	20.48
n66	40	15	1760	CP	16QAM	Edge_1RB_Left	18.89
n66	40	15	1760	CP	16QAM	Edge_1RB_Right	18.71
n66	40	15	1760	CP	16QAM	Outer_Full	19.30
n66	40	15	1760	CP	64QAM	Inner_Full	18.99
n66	40	15	1760	CP	64QAM	Edge_1RB_Left	18.56
n66	40	15	1760	CP	64QAM	Edge_1RB_Right	18.33
n66	40	15	1760	CP	64QAM	Outer_Full	18.78
n66	40	15	1760	CP	QPSK	Inner_Full	21.00
n66	40	15	1760	CP	QPSK	Edge_1RB_Left	19.10
n66	40	15	1760	CP	QPSK	Edge_1RB_Right	18.94
n66	40	15	1760	CP	QPSK	Outer_Full	19.29

Note: Expanded measurement uncertainty is U = 0.90dB, k = 1.96

**NSA**

In all cases, LTE Bands are set under the 10MHz bandwidth, middle channel, 50RB and QPSK modulation.

BAND	BW(MHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_66A_n5A	5	826.5	DFT	16QAM	Inner_Full	23.97
DC_66A_n5A	5	826.5	DFT	16QAM	Edge_1RB_Left	23.94



BAND	BW(MHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_66A_n5A	5	826.5	DFT	16QAM	Edge_1RB_Right	23.96
DC_66A_n5A	5	826.5	DFT	16QAM	Outer_Full	23.93
DC_66A_n5A	5	826.5	DFT	64QAM	Inner_Full	23.89
DC_66A_n5A	5	826.5	DFT	64QAM	Edge_1RB_Left	23.97
DC_66A_n5A	5	826.5	DFT	64QAM	Edge_1RB_Right	23.99
DC_66A_n5A	5	826.5	DFT	64QAM	Outer_Full	23.97
DC_66A_n5A	5	826.5	DFT	pi/2 BPSK	Inner_Full	23.92
DC_66A_n5A	5	826.5	DFT	pi/2 BPSK	Edge_1RB_Left	24.91
DC_66A_n5A	5	826.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.84
DC_66A_n5A	5	826.5	DFT	pi/2 BPSK	Outer_Full	23.92
DC_66A_n5A	5	826.5	DFT	QPSK	Inner_Full	23.90
DC_66A_n5A	5	826.5	DFT	QPSK	Edge_1RB_Left	23.85
DC_66A_n5A	5	826.5	DFT	QPSK	Edge_1RB_Right	23.92
DC_66A_n5A	5	826.5	DFT	QPSK	Outer_Full	23.95
DC_66A_n5A	5	826.5	CP	16QAM	Inner_Full	23.90
DC_66A_n5A	5	826.5	CP	16QAM	Edge_1RB_Left	23.91
DC_66A_n5A	5	826.5	CP	16QAM	Edge_1RB_Right	24.00
DC_66A_n5A	5	826.5	CP	16QAM	Outer_Full	23.90
DC_66A_n5A	5	826.5	CP	64QAM	Inner_Full	23.74
DC_66A_n5A	5	826.5	CP	64QAM	Edge_1RB_Left	23.60
DC_66A_n5A	5	826.5	CP	64QAM	Edge_1RB_Right	23.68
DC_66A_n5A	5	826.5	CP	64QAM	Outer_Full	23.71
DC_66A_n5A	5	826.5	CP	QPSK	Inner_Full	23.55
DC_66A_n5A	5	826.5	CP	QPSK	Edge_1RB_Left	23.87
DC_66A_n5A	5	826.5	CP	QPSK	Edge_1RB_Right	23.88
DC_66A_n5A	5	826.5	CP	QPSK	Outer_Full	23.92
DC_66A_n5A	5	836.5	DFT	16QAM	Inner_Full	23.94
DC_66A_n5A	5	836.5	DFT	16QAM	Edge_1RB_Left	23.99
DC_66A_n5A	5	836.5	DFT	16QAM	Edge_1RB_Right	23.85
DC_66A_n5A	5	836.5	DFT	16QAM	Outer_Full	23.90



BAND	BW(MHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_66A_n5A	5	836.5	DFT	64QAM	Inner_Full	23.83
DC_66A_n5A	5	836.5	DFT	64QAM	Edge_1RB_Left	24.04
DC_66A_n5A	5	836.5	DFT	64QAM	Edge_1RB_Right	23.88
DC_66A_n5A	5	836.5	DFT	64QAM	Outer_Full	23.90
DC_66A_n5A	5	836.5	DFT	pi/2 BPSK	Inner_Full	23.88
DC_66A_n5A	5	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.90
DC_66A_n5A	5	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.73
DC_66A_n5A	5	836.5	DFT	pi/2 BPSK	Outer_Full	23.87
DC_66A_n5A	5	836.5	DFT	QPSK	Inner_Full	23.86
DC_66A_n5A	5	836.5	DFT	QPSK	Edge_1RB_Left	23.96
DC_66A_n5A	5	836.5	DFT	QPSK	Edge_1RB_Right	23.78
DC_66A_n5A	5	836.5	DFT	QPSK	Outer_Full	23.88
DC_66A_n5A	5	836.5	CP	16QAM	Inner_Full	23.90
DC_66A_n5A	5	836.5	CP	16QAM	Edge_1RB_Left	23.84
DC_66A_n5A	5	836.5	CP	16QAM	Edge_1RB_Right	23.66
DC_66A_n5A	5	836.5	CP	16QAM	Outer_Full	23.88
DC_66A_n5A	5	836.5	CP	64QAM	Inner_Full	23.69
DC_66A_n5A	5	836.5	CP	64QAM	Edge_1RB_Left	23.80
DC_66A_n5A	5	836.5	CP	64QAM	Edge_1RB_Right	23.66
DC_66A_n5A	5	836.5	CP	64QAM	Outer_Full	23.69
DC_66A_n5A	5	836.5	CP	QPSK	Inner_Full	23.86
DC_66A_n5A	5	836.5	CP	QPSK	Edge_1RB_Left	23.93
DC_66A_n5A	5	836.5	CP	QPSK	Edge_1RB_Right	23.78
DC_66A_n5A	5	836.5	CP	QPSK	Outer_Full	23.88
DC_66A_n5A	5	846.5	DFT	16QAM	Inner_Full	23.92
DC_66A_n5A	5	846.5	DFT	16QAM	Edge_1RB_Left	23.96
DC_66A_n5A	5	846.5	DFT	16QAM	Edge_1RB_Right	23.91
DC_66A_n5A	5	846.5	DFT	16QAM	Outer_Full	23.94
DC_66A_n5A	5	846.5	DFT	64QAM	Inner_Full	23.92
DC_66A_n5A	5	846.5	DFT	64QAM	Edge_1RB_Left	23.95



BAND	BW(MHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_66A_n5A	5	846.5	DFT	64QAM	Edge_1RB_Right	23.89
DC_66A_n5A	5	846.5	DFT	64QAM	Outer_Full	23.93
DC_66A_n5A	5	846.5	DFT	pi/2 BPSK	Inner_Full	23.86
DC_66A_n5A	5	846.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.86
DC_66A_n5A	5	846.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.77
DC_66A_n5A	5	846.5	DFT	pi/2 BPSK	Outer_Full	23.90
DC_66A_n5A	5	846.5	DFT	QPSK	Inner_Full	23.88
DC_66A_n5A	5	846.5	DFT	QPSK	Edge_1RB_Left	23.86
DC_66A_n5A	5	846.5	DFT	QPSK	Edge_1RB_Right	23.83
DC_66A_n5A	5	846.5	DFT	QPSK	Outer_Full	23.94
DC_66A_n5A	5	846.5	CP	16QAM	Inner_Full	23.91
DC_66A_n5A	5	846.5	CP	16QAM	Edge_1RB_Left	23.94
DC_66A_n5A	5	846.5	CP	16QAM	Edge_1RB_Right	23.81
DC_66A_n5A	5	846.5	CP	16QAM	Outer_Full	23.88
DC_66A_n5A	5	846.5	CP	64QAM	Inner_Full	23.71
DC_66A_n5A	5	846.5	CP	64QAM	Edge_1RB_Left	23.56
DC_66A_n5A	5	846.5	CP	64QAM	Edge_1RB_Right	23.60
DC_66A_n5A	5	846.5	CP	64QAM	Outer_Full	23.71
DC_66A_n5A	5	846.5	CP	QPSK	Inner_Full	19.30
DC_66A_n5A	5	846.5	CP	QPSK	Edge_1RB_Left	23.86
DC_66A_n5A	5	846.5	CP	QPSK	Edge_1RB_Right	23.81
DC_66A_n5A	5	846.5	CP	QPSK	Outer_Full	23.88
DC_66A_n5A	10	829	DFT	16QAM	Inner_Full	23.80
DC_66A_n5A	10	829	DFT	16QAM	Edge_1RB_Left	23.76
DC_66A_n5A	10	829	DFT	16QAM	Edge_1RB_Right	23.64
DC_66A_n5A	10	829	DFT	16QAM	Outer_Full	23.83
DC_66A_n5A	10	829	DFT	64QAM	Inner_Full	23.82
DC_66A_n5A	10	829	DFT	64QAM	Edge_1RB_Left	23.84
DC_66A_n5A	10	829	DFT	64QAM	Edge_1RB_Right	23.60
DC_66A_n5A	10	829	DFT	64QAM	Outer_Full	23.80



BAND	BW(MHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_66A_n5A	10	829	DFT	pi/2 BPSK	Inner_Full	23.67
DC_66A_n5A	10	829	DFT	pi/2 BPSK	Edge_1RB_Left	23.66
DC_66A_n5A	10	829	DFT	pi/2 BPSK	Edge_1RB_Right	23.60
DC_66A_n5A	10	829	DFT	pi/2 BPSK	Outer_Full	23.72
DC_66A_n5A	10	829	DFT	QPSK	Inner_Full	23.72
DC_66A_n5A	10	829	DFT	QPSK	Edge_1RB_Left	23.73
DC_66A_n5A	10	829	DFT	QPSK	Edge_1RB_Right	23.65
DC_66A_n5A	10	829	DFT	QPSK	Outer_Full	23.82
DC_66A_n5A	10	829	CP	16QAM	Inner_Full	23.50
DC_66A_n5A	10	829	CP	16QAM	Edge_1RB_Left	23.43
DC_66A_n5A	10	829	CP	16QAM	Edge_1RB_Right	23.44
DC_66A_n5A	10	829	CP	16QAM	Outer_Full	23.66
DC_66A_n5A	10	829	CP	64QAM	Inner_Full	23.49
DC_66A_n5A	10	829	CP	64QAM	Edge_1RB_Left	23.34
DC_66A_n5A	10	829	CP	64QAM	Edge_1RB_Right	23.31
DC_66A_n5A	10	829	CP	64QAM	Outer_Full	23.54
DC_66A_n5A	10	829	CP	QPSK	Inner_Full	19.85
DC_66A_n5A	10	829	CP	QPSK	Edge_1RB_Left	23.60
DC_66A_n5A	10	829	CP	QPSK	Edge_1RB_Right	23.67
DC_66A_n5A	10	829	CP	QPSK	Outer_Full	23.70
DC_66A_n5A	10	836.5	DFT	16QAM	Inner_Full	23.77
DC_66A_n5A	10	836.5	DFT	16QAM	Edge_1RB_Left	23.81
DC_66A_n5A	10	836.5	DFT	16QAM	Edge_1RB_Right	23.70
DC_66A_n5A	10	836.5	DFT	16QAM	Outer_Full	23.80
DC_66A_n5A	10	836.5	DFT	64QAM	Inner_Full	23.75
DC_66A_n5A	10	836.5	DFT	64QAM	Edge_1RB_Left	23.84
DC_66A_n5A	10	836.5	DFT	64QAM	Edge_1RB_Right	23.82
DC_66A_n5A	10	836.5	DFT	64QAM	Outer_Full	23.83
DC_66A_n5A	10	836.5	DFT	pi/2 BPSK	Inner_Full	23.58
DC_66A_n5A	10	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.74





BAND	BW(MHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_66A_n5A	10	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.79
DC_66A_n5A	10	836.5	DFT	pi/2 BPSK	Outer_Full	23.72
DC_66A_n5A	10	836.5	DFT	QPSK	Inner_Full	23.71
DC_66A_n5A	10	836.5	DFT	QPSK	Edge_1RB_Left	23.75
DC_66A_n5A	10	836.5	DFT	QPSK	Edge_1RB_Right	23.75
DC_66A_n5A	10	836.5	DFT	QPSK	Outer_Full	23.79
DC_66A_n5A	10	836.5	CP	16QAM	Inner_Full	23.65
DC_66A_n5A	10	836.5	CP	16QAM	Edge_1RB_Left	23.55
DC_66A_n5A	10	836.5	CP	16QAM	Edge_1RB_Right	23.61
DC_66A_n5A	10	836.5	CP	16QAM	Outer_Full	23.66
DC_66A_n5A	10	836.5	CP	64QAM	Inner_Full	23.32
DC_66A_n5A	10	836.5	CP	64QAM	Edge_1RB_Left	23.48
DC_66A_n5A	10	836.5	CP	64QAM	Edge_1RB_Right	23.50
DC_66A_n5A	10	836.5	CP	64QAM	Outer_Full	23.36
DC_66A_n5A	10	836.5	CP	QPSK	Inner_Full	23.43
DC_66A_n5A	10	836.5	CP	QPSK	Edge_1RB_Left	23.67
DC_66A_n5A	10	836.5	CP	QPSK	Edge_1RB_Right	23.67
DC_66A_n5A	10	836.5	CP	QPSK	Outer_Full	23.64
DC_66A_n5A	10	844	DFT	16QAM	Inner_Full	23.60
DC_66A_n5A	10	844	DFT	16QAM	Edge_1RB_Left	23.66
DC_66A_n5A	10	844	DFT	16QAM	Edge_1RB_Right	23.52
DC_66A_n5A	10	844	DFT	16QAM	Outer_Full	23.72
DC_66A_n5A	10	844	DFT	64QAM	Inner_Full	23.80
DC_66A_n5A	10	844	DFT	64QAM	Edge_1RB_Left	23.77
DC_66A_n5A	10	844	DFT	64QAM	Edge_1RB_Right	23.69
DC_66A_n5A	10	844	DFT	64QAM	Outer_Full	23.75
DC_66A_n5A	10	844	DFT	pi/2 BPSK	Inner_Full	23.69
DC_66A_n5A	10	844	DFT	pi/2 BPSK	Edge_1RB_Left	23.66
DC_66A_n5A	10	844	DFT	pi/2 BPSK	Edge_1RB_Right	23.67
DC_66A_n5A	10	844	DFT	pi/2 BPSK	Outer_Full	23.69



BAND	BW(MHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_66A_n5A	10	844	DFT	QPSK	Inner_Full	23.69
DC_66A_n5A	10	844	DFT	QPSK	Edge_1RB_Left	23.72
DC_66A_n5A	10	844	DFT	QPSK	Edge_1RB_Right	23.64
DC_66A_n5A	10	844	DFT	QPSK	Outer_Full	23.68
DC_66A_n5A	10	844	CP	16QAM	Inner_Full	23.75
DC_66A_n5A	10	844	CP	16QAM	Edge_1RB_Left	23.66
DC_66A_n5A	10	844	CP	16QAM	Edge_1RB_Right	23.61
DC_66A_n5A	10	844	CP	16QAM	Outer_Full	23.74
DC_66A_n5A	10	844	CP	64QAM	Inner_Full	23.58
DC_66A_n5A	10	844	CP	64QAM	Edge_1RB_Left	23.60
DC_66A_n5A	10	844	CP	64QAM	Edge_1RB_Right	23.43
DC_66A_n5A	10	844	CP	64QAM	Outer_Full	23.54
DC_66A_n5A	10	844	CP	QPSK	Inner_Full	23.75
DC_66A_n5A	10	844	CP	QPSK	Edge_1RB_Left	23.72
DC_66A_n5A	10	844	CP	QPSK	Edge_1RB_Right	23.67
DC_66A_n5A	10	844	CP	QPSK	Outer_Full	23.71
DC_66A_n5A	15	831.5	DFT	16QAM	Inner_Full	23.84
DC_66A_n5A	15	831.5	DFT	16QAM	Edge_1RB_Left	23.89
DC_66A_n5A	15	831.5	DFT	16QAM	Edge_1RB_Right	23.73
DC_66A_n5A	15	831.5	DFT	16QAM	Outer_Full	23.83
DC_66A_n5A	15	831.5	DFT	64QAM	Inner_Full	23.86
DC_66A_n5A	15	831.5	DFT	64QAM	Edge_1RB_Left	23.68
DC_66A_n5A	15	831.5	DFT	64QAM	Edge_1RB_Right	23.58
DC_66A_n5A	15	831.5	DFT	64QAM	Outer_Full	23.86
DC_66A_n5A	15	831.5	DFT	pi/2 BPSK	Inner_Full	22.58
DC_66A_n5A	15	831.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.80
DC_66A_n5A	15	831.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.76
DC_66A_n5A	15	831.5	DFT	pi/2 BPSK	Outer_Full	23.73
DC_66A_n5A	15	831.5	DFT	QPSK	Inner_Full	23.72
DC_66A_n5A	15	831.5	DFT	QPSK	Edge_1RB_Left	23.81



BAND	BW(MHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_66A_n5A	15	831.5	DFT	QPSK	Edge_1RB_Right	23.68
DC_66A_n5A	15	831.5	DFT	QPSK	Outer_Full	23.83
DC_66A_n5A	15	831.5	CP	16QAM	Inner_Full	23.51
DC_66A_n5A	15	831.5	CP	16QAM	Edge_1RB_Left	23.47
DC_66A_n5A	15	831.5	CP	16QAM	Edge_1RB_Right	23.34
DC_66A_n5A	15	831.5	CP	16QAM	Outer_Full	23.59
DC_66A_n5A	15	831.5	CP	64QAM	Inner_Full	23.33
DC_66A_n5A	15	831.5	CP	64QAM	Edge_1RB_Left	23.38
DC_66A_n5A	15	831.5	CP	64QAM	Edge_1RB_Right	23.35
DC_66A_n5A	15	831.5	CP	64QAM	Outer_Full	23.37
DC_66A_n5A	15	831.5	CP	QPSK	Inner_Full	23.53
DC_66A_n5A	15	831.5	CP	QPSK	Edge_1RB_Left	23.51
DC_66A_n5A	15	831.5	CP	QPSK	Edge_1RB_Right	23.45
DC_66A_n5A	15	831.5	CP	QPSK	Outer_Full	23.56
DC_66A_n5A	15	836.5	DFT	16QAM	Inner_Full	23.53
DC_66A_n5A	15	836.5	DFT	16QAM	Edge_1RB_Left	23.58
DC_66A_n5A	15	836.5	DFT	16QAM	Edge_1RB_Right	23.53
DC_66A_n5A	15	836.5	DFT	16QAM	Outer_Full	23.56
DC_66A_n5A	15	836.5	DFT	64QAM	Inner_Full	23.50
DC_66A_n5A	15	836.5	DFT	64QAM	Edge_1RB_Left	23.60
DC_66A_n5A	15	836.5	DFT	64QAM	Edge_1RB_Right	23.55
DC_66A_n5A	15	836.5	DFT	64QAM	Outer_Full	23.58
DC_66A_n5A	15	836.5	DFT	pi/2 BPSK	Inner_Full	23.45
DC_66A_n5A	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.45
DC_66A_n5A	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.40
DC_66A_n5A	15	836.5	DFT	pi/2 BPSK	Outer_Full	23.48
DC_66A_n5A	15	836.5	DFT	QPSK	Inner_Full	23.43
DC_66A_n5A	15	836.5	DFT	QPSK	Edge_1RB_Left	23.50
DC_66A_n5A	15	836.5	DFT	QPSK	Edge_1RB_Right	23.43
DC_66A_n5A	15	836.5	DFT	QPSK	Outer_Full	23.57



BAND	BW(MHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_66A_n5A	15	836.5	CP	16QAM	Inner_Full	23.45
DC_66A_n5A	15	836.5	CP	16QAM	Edge_1RB_Left	23.47
DC_66A_n5A	15	836.5	CP	16QAM	Edge_1RB_Right	23.39
DC_66A_n5A	15	836.5	CP	16QAM	Outer_Full	23.51
DC_66A_n5A	15	836.5	CP	64QAM	Inner_Full	23.27
DC_66A_n5A	15	836.5	CP	64QAM	Edge_1RB_Left	23.33
DC_66A_n5A	15	836.5	CP	64QAM	Edge_1RB_Right	23.31
DC_66A_n5A	15	836.5	CP	64QAM	Outer_Full	23.31
DC_66A_n5A	15	836.5	CP	QPSK	Inner_Full	23.47
DC_66A_n5A	15	836.5	CP	QPSK	Edge_1RB_Left	23.50
DC_66A_n5A	15	836.5	CP	QPSK	Edge_1RB_Right	23.42
DC_66A_n5A	15	836.5	CP	QPSK	Outer_Full	23.55
DC_66A_n5A	15	841.5	DFT	16QAM	Inner_Full	23.55
DC_66A_n5A	15	841.5	DFT	16QAM	Edge_1RB_Left	23.58
DC_66A_n5A	15	841.5	DFT	16QAM	Edge_1RB_Right	23.51
DC_66A_n5A	15	841.5	DFT	16QAM	Outer_Full	23.55
DC_66A_n5A	15	841.5	DFT	64QAM	Inner_Full	23.60
DC_66A_n5A	15	841.5	DFT	64QAM	Edge_1RB_Left	23.50
DC_66A_n5A	15	841.5	DFT	64QAM	Edge_1RB_Right	23.50
DC_66A_n5A	15	841.5	DFT	64QAM	Outer_Full	23.57
DC_66A_n5A	15	841.5	DFT	pi/2 BPSK	Inner_Full	23.54
DC_66A_n5A	15	841.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.44
DC_66A_n5A	15	841.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.42
DC_66A_n5A	15	841.5	DFT	pi/2 BPSK	Outer_Full	23.52
DC_66A_n5A	15	841.5	DFT	QPSK	Inner_Full	23.52
DC_66A_n5A	15	841.5	DFT	QPSK	Edge_1RB_Left	23.43
DC_66A_n5A	15	841.5	DFT	QPSK	Edge_1RB_Right	23.35
DC_66A_n5A	15	841.5	DFT	QPSK	Outer_Full	23.55
DC_66A_n5A	15	841.5	CP	16QAM	Inner_Full	23.85
DC_66A_n5A	15	841.5	CP	16QAM	Edge_1RB_Left	23.72



BAND	BW(MHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_66A_n5A	15	841.5	CP	16QAM	Edge_1RB_Right	23.67
DC_66A_n5A	15	841.5	CP	16QAM	Outer_Full	23.84
DC_66A_n5A	15	841.5	CP	64QAM	Inner_Full	23.65
DC_66A_n5A	15	841.5	CP	64QAM	Edge_1RB_Left	23.56
DC_66A_n5A	15	841.5	CP	64QAM	Edge_1RB_Right	23.43
DC_66A_n5A	15	841.5	CP	64QAM	Outer_Full	23.66
DC_66A_n5A	15	841.5	CP	QPSK	Inner_Full	23.52
DC_66A_n5A	15	841.5	CP	QPSK	Edge_1RB_Left	23.78
DC_66A_n5A	15	841.5	CP	QPSK	Edge_1RB_Right	23.70
DC_66A_n5A	15	841.5	CP	QPSK	Outer_Full	23.86
DC_66A_n5A	20	834	DFT	16QAM	Inner_Full	23.56
DC_66A_n5A	20	834	DFT	16QAM	Edge_1RB_Left	23.52
DC_66A_n5A	20	834	DFT	16QAM	Edge_1RB_Right	23.42
DC_66A_n5A	20	834	DFT	16QAM	Outer_Full	23.55
DC_66A_n5A	20	834	DFT	64QAM	Inner_Full	23.54
DC_66A_n5A	20	834	DFT	64QAM	Edge_1RB_Left	23.53
DC_66A_n5A	20	834	DFT	64QAM	Edge_1RB_Right	23.42
DC_66A_n5A	20	834	DFT	64QAM	Outer_Full	23.60
DC_66A_n5A	20	834	DFT	pi/2 BPSK	Inner_Full	23.43
DC_66A_n5A	20	834	DFT	pi/2 BPSK	Edge_1RB_Left	23.43
DC_66A_n5A	20	834	DFT	pi/2 BPSK	Edge_1RB_Right	23.37
DC_66A_n5A	20	834	DFT	pi/2 BPSK	Outer_Full	23.47
DC_66A_n5A	20	834	DFT	QPSK	Inner_Full	23.45
DC_66A_n5A	20	834	DFT	QPSK	Edge_1RB_Left	23.46
DC_66A_n5A	20	834	DFT	QPSK	Edge_1RB_Right	23.35
DC_66A_n5A	20	834	DFT	QPSK	Outer_Full	23.54
DC_66A_n5A	20	834	CP	16QAM	Inner_Full	23.53
DC_66A_n5A	20	834	CP	16QAM	Edge_1RB_Left	23.43
DC_66A_n5A	20	834	CP	16QAM	Edge_1RB_Right	23.34
DC_66A_n5A	20	834	CP	16QAM	Outer_Full	23.77



BAND	BW(MHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_66A_n5A	20	834	CP	64QAM	Inner_Full	23.48
DC_66A_n5A	20	834	CP	64QAM	Edge_1RB_Left	23.29
DC_66A_n5A	20	834	CP	64QAM	Edge_1RB_Right	23.19
DC_66A_n5A	20	834	CP	64QAM	Outer_Full	23.31
DC_66A_n5A	20	834	CP	QPSK	Inner_Full	19.89
DC_66A_n5A	20	834	CP	QPSK	Edge_1RB_Left	23.72
DC_66A_n5A	20	834	CP	QPSK	Edge_1RB_Right	23.66
DC_66A_n5A	20	834	CP	QPSK	Outer_Full	23.75
DC_66A_n5A	20	836.5	DFT	16QAM	Inner_Full	23.42
DC_66A_n5A	20	836.5	DFT	16QAM	Edge_1RB_Left	23.46
DC_66A_n5A	20	836.5	DFT	16QAM	Edge_1RB_Right	23.17
DC_66A_n5A	20	836.5	DFT	16QAM	Outer_Full	23.51
DC_66A_n5A	20	836.5	DFT	64QAM	Inner_Full	23.49
DC_66A_n5A	20	836.5	DFT	64QAM	Edge_1RB_Left	23.49
DC_66A_n5A	20	836.5	DFT	64QAM	Edge_1RB_Right	23.31
DC_66A_n5A	20	836.5	DFT	64QAM	Outer_Full	23.47
DC_66A_n5A	20	836.5	DFT	pi/2 BPSK	Inner_Full	23.34
DC_66A_n5A	20	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.39
DC_66A_n5A	20	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.25
DC_66A_n5A	20	836.5	DFT	pi/2 BPSK	Outer_Full	23.35
DC_66A_n5A	20	836.5	DFT	QPSK	Inner_Full	23.37
DC_66A_n5A	20	836.5	DFT	QPSK	Edge_1RB_Left	23.41
DC_66A_n5A	20	836.5	DFT	QPSK	Edge_1RB_Right	23.25
DC_66A_n5A	20	836.5	DFT	QPSK	Outer_Full	23.47
DC_66A_n5A	20	836.5	CP	16QAM	Inner_Full	23.50
DC_66A_n5A	20	836.5	CP	16QAM	Edge_1RB_Left	23.45
DC_66A_n5A	20	836.5	CP	16QAM	Edge_1RB_Right	23.25
DC_66A_n5A	20	836.5	CP	16QAM	Outer_Full	23.49
DC_66A_n5A	20	836.5	CP	64QAM	Inner_Full	23.26
DC_66A_n5A	20	836.5	CP	64QAM	Edge_1RB_Left	23.24



BAND	BW(MHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_66A_n5A	20	836.5	CP	64QAM	Edge_1RB_Right	23.11
DC_66A_n5A	20	836.5	CP	64QAM	Outer_Full	23.28
DC_66A_n5A	20	836.5	CP	QPSK	Inner_Full	19.87
DC_66A_n5A	20	836.5	CP	QPSK	Edge_1RB_Left	23.41
DC_66A_n5A	20	836.5	CP	QPSK	Edge_1RB_Right	23.24
DC_66A_n5A	20	836.5	CP	QPSK	Outer_Full	23.49
DC_66A_n5A	20	839	DFT	16QAM	Inner_Full	23.58
DC_66A_n5A	20	839	DFT	16QAM	Edge_1RB_Left	23.56
DC_66A_n5A	20	839	DFT	16QAM	Edge_1RB_Right	23.41
DC_66A_n5A	20	839	DFT	16QAM	Outer_Full	23.55
DC_66A_n5A	20	839	DFT	64QAM	Inner_Full	23.60
DC_66A_n5A	20	839	DFT	64QAM	Edge_1RB_Left	23.59
DC_66A_n5A	20	839	DFT	64QAM	Edge_1RB_Right	23.41
DC_66A_n5A	20	839	DFT	64QAM	Outer_Full	23.55
DC_66A_n5A	20	839	DFT	pi/2 BPSK	Inner_Full	23.73
DC_66A_n5A	20	839	DFT	pi/2 BPSK	Edge_1RB_Left	23.72
DC_66A_n5A	20	839	DFT	pi/2 BPSK	Edge_1RB_Right	23.38
DC_66A_n5A	20	839	DFT	pi/2 BPSK	Outer_Full	23.56
DC_66A_n5A	20	839	DFT	QPSK	Inner_Full	23.49
DC_66A_n5A	20	839	DFT	QPSK	Edge_1RB_Left	23.48
DC_66A_n5A	20	839	DFT	QPSK	Edge_1RB_Right	23.33
DC_66A_n5A	20	839	DFT	QPSK	Outer_Full	23.59
DC_66A_n5A	20	839	CP	16QAM	Inner_Full	23.71
DC_66A_n5A	20	839	CP	16QAM	Edge_1RB_Left	23.64
DC_66A_n5A	20	839	CP	16QAM	Edge_1RB_Right	23.44
DC_66A_n5A	20	839	CP	16QAM	Outer_Full	23.58
DC_66A_n5A	20	839	CP	64QAM	Inner_Full	23.36
DC_66A_n5A	20	839	CP	64QAM	Edge_1RB_Left	23.33
DC_66A_n5A	20	839	CP	64QAM	Edge_1RB_Right	23.20
DC_66A_n5A	20	839	CP	64QAM	Outer_Full	23.36



BAND	BW(MHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_66A_n5A	20	839	CP	QPSK	Inner_Full	19.66
DC_66A_n5A	20	839	CP	QPSK	Edge_1RB_Left	23.56
DC_66A_n5A	20	839	CP	QPSK	Edge_1RB_Right	23.44
DC_66A_n5A	20	839	CP	QPSK	Outer_Full	23.64
DC_5A_n7A	5	2502.5	DFT	16QAM	Inner_Full	21.28
DC_5A_n7A	5	2502.5	DFT	16QAM	Edge_1RB_Left	21.36
DC_5A_n7A	5	2502.5	DFT	16QAM	Edge_1RB_Right	21.33
DC_5A_n7A	5	2502.5	DFT	16QAM	Outer_Full	21.26
DC_5A_n7A	5	2502.5	DFT	64QAM	Inner_Full	21.38
DC_5A_n7A	5	2502.5	DFT	64QAM	Edge_1RB_Left	21.02
DC_5A_n7A	5	2502.5	DFT	64QAM	Edge_1RB_Right	21.23
DC_5A_n7A	5	2502.5	DFT	64QAM	Outer_Full	21.27
DC_5A_n7A	5	2502.5	DFT	pi/2 BPSK	Inner_Full	22.71
DC_5A_n7A	5	2502.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.28
DC_5A_n7A	5	2502.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.45
DC_5A_n7A	5	2502.5	DFT	pi/2 BPSK	Outer_Full	21.38
DC_5A_n7A	5	2502.5	DFT	QPSK	Inner_Full	22.74
DC_5A_n7A	5	2502.5	DFT	QPSK	Edge_1RB_Left	21.36
DC_5A_n7A	5	2502.5	DFT	QPSK	Edge_1RB_Right	21.47
DC_5A_n7A	5	2502.5	DFT	QPSK	Outer_Full	21.38
DC_5A_n7A	5	2502.5	CP	16QAM	Inner_Full	20.67
DC_5A_n7A	5	2502.5	CP	16QAM	Edge_1RB_Left	19.78
DC_5A_n7A	5	2502.5	CP	16QAM	Edge_1RB_Right	19.64
DC_5A_n7A	5	2502.5	CP	16QAM	Outer_Full	19.72
DC_5A_n7A	5	2502.5	CP	64QAM	Inner_Full	19.19
DC_5A_n7A	5	2502.5	CP	64QAM	Edge_1RB_Left	19.22
DC_5A_n7A	5	2502.5	CP	64QAM	Edge_1RB_Right	19.01
DC_5A_n7A	5	2502.5	CP	64QAM	Outer_Full	19.19
DC_5A_n7A	5	2502.5	CP	QPSK	Inner_Full	21.22
DC_5A_n7A	5	2502.5	CP	QPSK	Edge_1RB_Left	19.71





BAND	BW(MHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_5A_n7A	5	2502.5	CP	QPSK	Edge_1RB_Right	19.79
DC_5A_n7A	5	2502.5	CP	QPSK	Outer_Full	19.70
DC_5A_n7A	5	2535	DFT	16QAM	Inner_Full	21.52
DC_5A_n7A	5	2535	DFT	16QAM	Edge_1RB_Left	20.39
DC_5A_n7A	5	2535	DFT	16QAM	Edge_1RB_Right	20.26
DC_5A_n7A	5	2535	DFT	16QAM	Outer_Full	20.48
DC_5A_n7A	5	2535	DFT	64QAM	Inner_Full	20.10
DC_5A_n7A	5	2535	DFT	64QAM	Edge_1RB_Left	20.15
DC_5A_n7A	5	2535	DFT	64QAM	Edge_1RB_Right	20.04
DC_5A_n7A	5	2535	DFT	64QAM	Outer_Full	20.04
DC_5A_n7A	5	2535	DFT	pi/2 BPSK	Inner_Full	22.42
DC_5A_n7A	5	2535	DFT	pi/2 BPSK	Edge_1RB_Left	22.02
DC_5A_n7A	5	2535	DFT	pi/2 BPSK	Edge_1RB_Right	21.92
DC_5A_n7A	5	2535	DFT	pi/2 BPSK	Outer_Full	22.02
DC_5A_n7A	5	2535	DFT	QPSK	Inner_Full	22.44
DC_5A_n7A	5	2535	DFT	QPSK	Edge_1RB_Left	21.52
DC_5A_n7A	5	2535	DFT	QPSK	Edge_1RB_Right	21.38
DC_5A_n7A	5	2535	DFT	QPSK	Outer_Full	21.49
DC_5A_n7A	5	2535	CP	16QAM	Inner_Full	20.36
DC_5A_n7A	5	2535	CP	16QAM	Edge_1RB_Left	19.59
DC_5A_n7A	5	2535	CP	16QAM	Edge_1RB_Right	19.42
DC_5A_n7A	5	2535	CP	16QAM	Outer_Full	19.46
DC_5A_n7A	5	2535	CP	64QAM	Inner_Full	18.87
DC_5A_n7A	5	2535	CP	64QAM	Edge_1RB_Left	19.13
DC_5A_n7A	5	2535	CP	64QAM	Edge_1RB_Right	18.83
DC_5A_n7A	5	2535	CP	64QAM	Outer_Full	18.88
DC_5A_n7A	5	2535	CP	QPSK	Inner_Full	20.90
DC_5A_n7A	5	2535	CP	QPSK	Edge_1RB_Left	19.50
DC_5A_n7A	5	2535	CP	QPSK	Edge_1RB_Right	19.42
DC_5A_n7A	5	2535	CP	QPSK	Outer_Full	19.41



BAND	BW(MHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_5A_n7A	5	2567.5	DFT	16QAM	Inner_Full	21.18
DC_5A_n7A	5	2567.5	DFT	16QAM	Edge_1RB_Left	20.12
DC_5A_n7A	5	2567.5	DFT	16QAM	Edge_1RB_Right	19.88
DC_5A_n7A	5	2567.5	DFT	16QAM	Outer_Full	20.18
DC_5A_n7A	5	2567.5	DFT	64QAM	Inner_Full	19.69
DC_5A_n7A	5	2567.5	DFT	64QAM	Edge_1RB_Left	19.79
DC_5A_n7A	5	2567.5	DFT	64QAM	Edge_1RB_Right	19.62
DC_5A_n7A	5	2567.5	DFT	64QAM	Outer_Full	19.71
DC_5A_n7A	5	2567.5	DFT	pi/2 BPSK	Inner_Full	22.15
DC_5A_n7A	5	2567.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.75
DC_5A_n7A	5	2567.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.45
DC_5A_n7A	5	2567.5	DFT	pi/2 BPSK	Outer_Full	21.67
DC_5A_n7A	5	2567.5	DFT	QPSK	Inner_Full	22.14
DC_5A_n7A	5	2567.5	DFT	QPSK	Edge_1RB_Left	21.24
DC_5A_n7A	5	2567.5	DFT	QPSK	Edge_1RB_Right	20.96
DC_5A_n7A	5	2567.5	DFT	QPSK	Outer_Full	21.18
DC_5A_n7A	5	2567.5	CP	16QAM	Inner_Full	20.05
DC_5A_n7A	5	2567.5	CP	16QAM	Edge_1RB_Left	19.24
DC_5A_n7A	5	2567.5	CP	16QAM	Edge_1RB_Right	19.10
DC_5A_n7A	5	2567.5	CP	16QAM	Outer_Full	19.11
DC_5A_n7A	5	2567.5	CP	64QAM	Inner_Full	18.53
DC_5A_n7A	5	2567.5	CP	64QAM	Edge_1RB_Left	18.60
DC_5A_n7A	5	2567.5	CP	64QAM	Edge_1RB_Right	18.40
DC_5A_n7A	5	2567.5	CP	64QAM	Outer_Full	18.58
DC_5A_n7A	5	2567.5	CP	QPSK	Inner_Full	20.63
DC_5A_n7A	5	2567.5	CP	QPSK	Edge_1RB_Left	19.41
DC_5A_n7A	5	2567.5	CP	QPSK	Edge_1RB_Right	19.16
DC_5A_n7A	5	2567.5	CP	QPSK	Outer_Full	19.05
DC_5A_n7A	10	2505	DFT	16QAM	Inner_Full	21.52
DC_5A_n7A	10	2505	DFT	16QAM	Edge_1RB_Left	20.60



BAND	BW(MHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_5A_n7A	10	2505	DFT	16QAM	Edge_1RB_Right	20.58
DC_5A_n7A	10	2505	DFT	16QAM	Outer_Full	20.54
DC_5A_n7A	10	2505	DFT	64QAM	Inner_Full	20.09
DC_5A_n7A	10	2505	DFT	64QAM	Edge_1RB_Left	20.02
DC_5A_n7A	10	2505	DFT	64QAM	Edge_1RB_Right	19.98
DC_5A_n7A	10	2505	DFT	64QAM	Outer_Full	20.06
DC_5A_n7A	10	2505	DFT	pi/2 BPSK	Inner_Full	22.51
DC_5A_n7A	10	2505	DFT	pi/2 BPSK	Edge_1RB_Left	21.98
DC_5A_n7A	10	2505	DFT	pi/2 BPSK	Edge_1RB_Right	21.88
DC_5A_n7A	10	2505	DFT	pi/2 BPSK	Outer_Full	22.04
DC_5A_n7A	10	2505	DFT	QPSK	Inner_Full	22.52
DC_5A_n7A	10	2505	DFT	QPSK	Edge_1RB_Left	21.43
DC_5A_n7A	10	2505	DFT	QPSK	Edge_1RB_Right	21.38
DC_5A_n7A	10	2505	DFT	QPSK	Outer_Full	21.51
DC_5A_n7A	10	2505	CP	16QAM	Inner_Full	20.47
DC_5A_n7A	10	2505	CP	16QAM	Edge_1RB_Left	19.41
DC_5A_n7A	10	2505	CP	16QAM	Edge_1RB_Right	19.44
DC_5A_n7A	10	2505	CP	16QAM	Outer_Full	19.45
DC_5A_n7A	10	2505	CP	64QAM	Inner_Full	18.96
DC_5A_n7A	10	2505	CP	64QAM	Edge_1RB_Left	18.79
DC_5A_n7A	10	2505	CP	64QAM	Edge_1RB_Right	18.93
DC_5A_n7A	10	2505	CP	64QAM	Outer_Full	18.95
DC_5A_n7A	10	2505	CP	QPSK	Inner_Full	21.01
DC_5A_n7A	10	2505	CP	QPSK	Edge_1RB_Left	19.54
DC_5A_n7A	10	2505	CP	QPSK	Edge_1RB_Right	19.45
DC_5A_n7A	10	2505	CP	QPSK	Outer_Full	19.47
DC_5A_n7A	10	2535	DFT	16QAM	Inner_Full	21.35
DC_5A_n7A	10	2535	DFT	16QAM	Edge_1RB_Left	20.37
DC_5A_n7A	10	2535	DFT	16QAM	Edge_1RB_Right	20.36
DC_5A_n7A	10	2535	DFT	16QAM	Outer_Full	20.38



BAND	BW(MHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_5A_n7A	10	2535	DFT	64QAM	Inner_Full	19.84
DC_5A_n7A	10	2535	DFT	64QAM	Edge_1RB_Left	19.88
DC_5A_n7A	10	2535	DFT	64QAM	Edge_1RB_Right	19.73
DC_5A_n7A	10	2535	DFT	64QAM	Outer_Full	19.90
DC_5A_n7A	10	2535	DFT	pi/2 BPSK	Inner_Full	22.32
DC_5A_n7A	10	2535	DFT	pi/2 BPSK	Edge_1RB_Left	21.84
DC_5A_n7A	10	2535	DFT	pi/2 BPSK	Edge_1RB_Right	21.75
DC_5A_n7A	10	2535	DFT	pi/2 BPSK	Outer_Full	21.91
DC_5A_n7A	10	2535	DFT	QPSK	Inner_Full	22.33
DC_5A_n7A	10	2535	DFT	QPSK	Edge_1RB_Left	21.30
DC_5A_n7A	10	2535	DFT	QPSK	Edge_1RB_Right	21.24
DC_5A_n7A	10	2535	DFT	QPSK	Outer_Full	21.32
DC_5A_n7A	10	2535	CP	16QAM	Inner_Full	20.33
DC_5A_n7A	10	2535	CP	16QAM	Edge_1RB_Left	19.29
DC_5A_n7A	10	2535	CP	16QAM	Edge_1RB_Right	19.31
DC_5A_n7A	10	2535	CP	16QAM	Outer_Full	19.31
DC_5A_n7A	10	2535	CP	64QAM	Inner_Full	18.83
DC_5A_n7A	10	2535	CP	64QAM	Edge_1RB_Left	18.87
DC_5A_n7A	10	2535	CP	64QAM	Edge_1RB_Right	18.74
DC_5A_n7A	10	2535	CP	64QAM	Outer_Full	18.84
DC_5A_n7A	10	2535	CP	QPSK	Inner_Full	20.79
DC_5A_n7A	10	2535	CP	QPSK	Edge_1RB_Left	19.42
DC_5A_n7A	10	2535	CP	QPSK	Edge_1RB_Right	19.47
DC_5A_n7A	10	2535	CP	QPSK	Outer_Full	19.33
DC_5A_n7A	10	2565	DFT	16QAM	Inner_Full	21.00
DC_5A_n7A	10	2565	DFT	16QAM	Edge_1RB_Left	19.96
DC_5A_n7A	10	2565	DFT	16QAM	Edge_1RB_Right	19.90
DC_5A_n7A	10	2565	DFT	16QAM	Outer_Full	19.97
DC_5A_n7A	10	2565	DFT	64QAM	Inner_Full	19.61
DC_5A_n7A	10	2565	DFT	64QAM	Edge_1RB_Left	19.54



BAND	BW(MHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_5A_n7A	10	2565	DFT	64QAM	Edge_1RB_Right	19.35
DC_5A_n7A	10	2565	DFT	64QAM	Outer_Full	19.57
DC_5A_n7A	10	2565	DFT	pi/2 BPSK	Inner_Full	22.01
DC_5A_n7A	10	2565	DFT	pi/2 BPSK	Edge_1RB_Left	21.49
DC_5A_n7A	10	2565	DFT	pi/2 BPSK	Edge_1RB_Right	21.39
DC_5A_n7A	10	2565	DFT	pi/2 BPSK	Outer_Full	21.49
DC_5A_n7A	10	2565	DFT	QPSK	Inner_Full	21.97
DC_5A_n7A	10	2565	DFT	QPSK	Edge_1RB_Left	20.93
DC_5A_n7A	10	2565	DFT	QPSK	Edge_1RB_Right	20.84
DC_5A_n7A	10	2565	DFT	QPSK	Outer_Full	21.00
DC_5A_n7A	10	2565	CP	16QAM	Inner_Full	19.91
DC_5A_n7A	10	2565	CP	16QAM	Edge_1RB_Left	18.92
DC_5A_n7A	10	2565	CP	16QAM	Edge_1RB_Right	18.90
DC_5A_n7A	10	2565	CP	16QAM	Outer_Full	18.91
DC_5A_n7A	10	2565	CP	64QAM	Inner_Full	18.43
DC_5A_n7A	10	2565	CP	64QAM	Edge_1RB_Left	18.48
DC_5A_n7A	10	2565	CP	64QAM	Edge_1RB_Right	18.42
DC_5A_n7A	10	2565	CP	64QAM	Outer_Full	18.41
DC_5A_n7A	10	2565	CP	QPSK	Inner_Full	20.46
DC_5A_n7A	10	2565	CP	QPSK	Edge_1RB_Left	19.03
DC_5A_n7A	10	2565	CP	QPSK	Edge_1RB_Right	18.97
DC_5A_n7A	10	2565	CP	QPSK	Outer_Full	18.89
DC_5A_n7A	15	2507.5	DFT	16QAM	Inner_Full	21.70
DC_5A_n7A	15	2507.5	DFT	16QAM	Edge_1RB_Left	20.58
DC_5A_n7A	15	2507.5	DFT	16QAM	Edge_1RB_Right	20.55
DC_5A_n7A	15	2507.5	DFT	16QAM	Outer_Full	20.65
DC_5A_n7A	15	2507.5	DFT	64QAM	Inner_Full	20.14
DC_5A_n7A	15	2507.5	DFT	64QAM	Edge_1RB_Left	20.08
DC_5A_n7A	15	2507.5	DFT	64QAM	Edge_1RB_Right	20.07
DC_5A_n7A	15	2507.5	DFT	64QAM	Outer_Full	20.21



BAND	BW(MHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_5A_n7A	15	2507.5	DFT	pi/2 BPSK	Inner_Full	22.65
DC_5A_n7A	15	2507.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.12
DC_5A_n7A	15	2507.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.01
DC_5A_n7A	15	2507.5	DFT	pi/2 BPSK	Outer_Full	22.14
DC_5A_n7A	15	2507.5	DFT	QPSK	Inner_Full	22.61
DC_5A_n7A	15	2507.5	DFT	QPSK	Edge_1RB_Left	21.57
DC_5A_n7A	15	2507.5	DFT	QPSK	Edge_1RB_Right	21.48
DC_5A_n7A	15	2507.5	DFT	QPSK	Outer_Full	21.70
DC_5A_n7A	15	2507.5	CP	16QAM	Inner_Full	20.62
DC_5A_n7A	15	2507.5	CP	16QAM	Edge_1RB_Left	19.53
DC_5A_n7A	15	2507.5	CP	16QAM	Edge_1RB_Right	19.58
DC_5A_n7A	15	2507.5	CP	16QAM	Outer_Full	19.65
DC_5A_n7A	15	2507.5	CP	64QAM	Inner_Full	19.09
DC_5A_n7A	15	2507.5	CP	64QAM	Edge_1RB_Left	19.15
DC_5A_n7A	15	2507.5	CP	64QAM	Edge_1RB_Right	19.05
DC_5A_n7A	15	2507.5	CP	64QAM	Outer_Full	19.16
DC_5A_n7A	15	2507.5	CP	QPSK	Inner_Full	21.10
DC_5A_n7A	15	2507.5	CP	QPSK	Edge_1RB_Left	19.56
DC_5A_n7A	15	2507.5	CP	QPSK	Edge_1RB_Right	19.52
DC_5A_n7A	15	2507.5	CP	QPSK	Outer_Full	19.62
DC_5A_n7A	15	2535	DFT	16QAM	Inner_Full	21.54
DC_5A_n7A	15	2535	DFT	16QAM	Edge_1RB_Left	20.37
DC_5A_n7A	15	2535	DFT	16QAM	Edge_1RB_Right	20.37
DC_5A_n7A	15	2535	DFT	16QAM	Outer_Full	20.45
DC_5A_n7A	15	2535	DFT	64QAM	Inner_Full	20.05
DC_5A_n7A	15	2535	DFT	64QAM	Edge_1RB_Left	19.89
DC_5A_n7A	15	2535	DFT	64QAM	Edge_1RB_Right	19.78
DC_5A_n7A	15	2535	DFT	64QAM	Outer_Full	20.02
DC_5A_n7A	15	2535	DFT	pi/2 BPSK	Inner_Full	22.41
DC_5A_n7A	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	21.91



BAND	BW(MHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_5A_n7A	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	21.78
DC_5A_n7A	15	2535	DFT	pi/2 BPSK	Outer_Full	22.06
DC_5A_n7A	15	2535	DFT	QPSK	Inner_Full	22.38
DC_5A_n7A	15	2535	DFT	QPSK	Edge_1RB_Left	21.34
DC_5A_n7A	15	2535	DFT	QPSK	Edge_1RB_Right	21.21
DC_5A_n7A	15	2535	DFT	QPSK	Outer_Full	21.47
DC_5A_n7A	15	2535	CP	16QAM	Inner_Full	20.41
DC_5A_n7A	15	2535	CP	16QAM	Edge_1RB_Left	19.34
DC_5A_n7A	15	2535	CP	16QAM	Edge_1RB_Right	19.24
DC_5A_n7A	15	2535	CP	16QAM	Outer_Full	19.45
DC_5A_n7A	15	2535	CP	64QAM	Inner_Full	18.98
DC_5A_n7A	15	2535	CP	64QAM	Edge_1RB_Left	18.90
DC_5A_n7A	15	2535	CP	64QAM	Edge_1RB_Right	18.85
DC_5A_n7A	15	2535	CP	64QAM	Outer_Full	18.92
DC_5A_n7A	15	2535	CP	QPSK	Inner_Full	20.93
DC_5A_n7A	15	2535	CP	QPSK	Edge_1RB_Left	19.52
DC_5A_n7A	15	2535	CP	QPSK	Edge_1RB_Right	19.20
DC_5A_n7A	15	2535	CP	QPSK	Outer_Full	19.44
DC_5A_n7A	15	2562.5	DFT	16QAM	Inner_Full	21.12
DC_5A_n7A	15	2562.5	DFT	16QAM	Edge_1RB_Left	20.18
DC_5A_n7A	15	2562.5	DFT	16QAM	Edge_1RB_Right	19.98
DC_5A_n7A	15	2562.5	DFT	16QAM	Outer_Full	20.19
DC_5A_n7A	15	2562.5	DFT	64QAM	Inner_Full	19.74
DC_5A_n7A	15	2562.5	DFT	64QAM	Edge_1RB_Left	19.65
DC_5A_n7A	15	2562.5	DFT	64QAM	Edge_1RB_Right	19.45
DC_5A_n7A	15	2562.5	DFT	64QAM	Outer_Full	19.70
DC_5A_n7A	15	2562.5	DFT	pi/2 BPSK	Inner_Full	22.11
DC_5A_n7A	15	2562.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.60
DC_5A_n7A	15	2562.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.46
DC_5A_n7A	15	2562.5	DFT	pi/2 BPSK	Outer_Full	21.71



BAND	BW(MHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_5A_n7A	15	2562.5	DFT	QPSK	Inner_Full	22.10
DC_5A_n7A	15	2562.5	DFT	QPSK	Edge_1RB_Left	21.08
DC_5A_n7A	15	2562.5	DFT	QPSK	Edge_1RB_Right	20.94
DC_5A_n7A	15	2562.5	DFT	QPSK	Outer_Full	21.20
DC_5A_n7A	15	2562.5	CP	16QAM	Inner_Full	20.15
DC_5A_n7A	15	2562.5	CP	16QAM	Edge_1RB_Left	19.12
DC_5A_n7A	15	2562.5	CP	16QAM	Edge_1RB_Right	18.93
DC_5A_n7A	15	2562.5	CP	16QAM	Outer_Full	19.13
DC_5A_n7A	15	2562.5	CP	64QAM	Inner_Full	18.59
DC_5A_n7A	15	2562.5	CP	64QAM	Edge_1RB_Left	18.60
DC_5A_n7A	15	2562.5	CP	64QAM	Edge_1RB_Right	18.49
DC_5A_n7A	15	2562.5	CP	64QAM	Outer_Full	18.63
DC_5A_n7A	15	2562.5	CP	QPSK	Inner_Full	20.62
DC_5A_n7A	15	2562.5	CP	QPSK	Edge_1RB_Left	19.08
DC_5A_n7A	15	2562.5	CP	QPSK	Edge_1RB_Right	18.97
DC_5A_n7A	15	2562.5	CP	QPSK	Outer_Full	19.12
DC_5A_n7A	20	2510	DFT	16QAM	Inner_Full	21.57
DC_5A_n7A	20	2510	DFT	16QAM	Edge_1RB_Left	20.39
DC_5A_n7A	20	2510	DFT	16QAM	Edge_1RB_Right	20.43
DC_5A_n7A	20	2510	DFT	16QAM	Outer_Full	20.60
DC_5A_n7A	20	2510	DFT	64QAM	Inner_Full	20.12
DC_5A_n7A	20	2510	DFT	64QAM	Edge_1RB_Left	19.98
DC_5A_n7A	20	2510	DFT	64QAM	Edge_1RB_Right	19.88
DC_5A_n7A	20	2510	DFT	64QAM	Outer_Full	20.13
DC_5A_n7A	20	2510	DFT	pi/2 BPSK	Inner_Full	22.56
DC_5A_n7A	20	2510	DFT	pi/2 BPSK	Edge_1RB_Left	21.91
DC_5A_n7A	20	2510	DFT	pi/2 BPSK	Edge_1RB_Right	21.81
DC_5A_n7A	20	2510	DFT	pi/2 BPSK	Outer_Full	22.09
DC_5A_n7A	20	2510	DFT	QPSK	Inner_Full	22.61
DC_5A_n7A	20	2510	DFT	QPSK	Edge_1RB_Left	21.43





BAND	BW(MHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_5A_n7A	20	2510	DFT	QPSK	Edge_1RB_Right	21.20
DC_5A_n7A	20	2510	DFT	QPSK	Outer_Full	21.57
DC_5A_n7A	20	2510	CP	16QAM	Inner_Full	20.44
DC_5A_n7A	20	2510	CP	16QAM	Edge_1RB_Left	19.46
DC_5A_n7A	20	2510	CP	16QAM	Edge_1RB_Right	19.30
DC_5A_n7A	20	2510	CP	16QAM	Outer_Full	19.57
DC_5A_n7A	20	2510	CP	64QAM	Inner_Full	19.04
DC_5A_n7A	20	2510	CP	64QAM	Edge_1RB_Left	18.83
DC_5A_n7A	20	2510	CP	64QAM	Edge_1RB_Right	18.79
DC_5A_n7A	20	2510	CP	64QAM	Outer_Full	19.02
DC_5A_n7A	20	2510	CP	QPSK	Inner_Full	21.03
DC_5A_n7A	20	2510	CP	QPSK	Edge_1RB_Left	19.52
DC_5A_n7A	20	2510	CP	QPSK	Edge_1RB_Right	19.32
DC_5A_n7A	20	2510	CP	QPSK	Outer_Full	19.56
DC_5A_n7A	20	2535	DFT	16QAM	Inner_Full	21.54
DC_5A_n7A	20	2535	DFT	16QAM	Edge_1RB_Left	20.38
DC_5A_n7A	20	2535	DFT	16QAM	Edge_1RB_Right	20.20
DC_5A_n7A	20	2535	DFT	16QAM	Outer_Full	20.35
DC_5A_n7A	20	2535	DFT	64QAM	Inner_Full	19.96
DC_5A_n7A	20	2535	DFT	64QAM	Edge_1RB_Left	19.78
DC_5A_n7A	20	2535	DFT	64QAM	Edge_1RB_Right	19.60
DC_5A_n7A	20	2535	DFT	64QAM	Outer_Full	19.82
DC_5A_n7A	20	2535	DFT	pi/2 BPSK	Inner_Full	22.37
DC_5A_n7A	20	2535	DFT	pi/2 BPSK	Edge_1RB_Left	21.72
DC_5A_n7A	20	2535	DFT	pi/2 BPSK	Edge_1RB_Right	21.63
DC_5A_n7A	20	2535	DFT	pi/2 BPSK	Outer_Full	21.91
DC_5A_n7A	20	2535	DFT	QPSK	Inner_Full	22.43
DC_5A_n7A	20	2535	DFT	QPSK	Edge_1RB_Left	21.27
DC_5A_n7A	20	2535	DFT	QPSK	Edge_1RB_Right	21.08
DC_5A_n7A	20	2535	DFT	QPSK	Outer_Full	21.39



BAND	BW(MHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_5A_n7A	20	2535	CP	16QAM	Inner_Full	20.33
DC_5A_n7A	20	2535	CP	16QAM	Edge_1RB_Left	19.28
DC_5A_n7A	20	2535	CP	16QAM	Edge_1RB_Right	19.07
DC_5A_n7A	20	2535	CP	16QAM	Outer_Full	19.40
DC_5A_n7A	20	2535	CP	64QAM	Inner_Full	18.92
DC_5A_n7A	20	2535	CP	64QAM	Edge_1RB_Left	18.84
DC_5A_n7A	20	2535	CP	64QAM	Edge_1RB_Right	18.58
DC_5A_n7A	20	2535	CP	64QAM	Outer_Full	18.85
DC_5A_n7A	20	2535	CP	QPSK	Inner_Full	20.89
DC_5A_n7A	20	2535	CP	QPSK	Edge_1RB_Left	19.37
DC_5A_n7A	20	2535	CP	QPSK	Edge_1RB_Right	19.14
DC_5A_n7A	20	2535	CP	QPSK	Outer_Full	19.35
DC_5A_n7A	20	2560	DFT	16QAM	Inner_Full	21.19
DC_5A_n7A	20	2560	DFT	16QAM	Edge_1RB_Left	20.22
DC_5A_n7A	20	2560	DFT	16QAM	Edge_1RB_Right	19.70
DC_5A_n7A	20	2560	DFT	16QAM	Outer_Full	20.18
DC_5A_n7A	20	2560	DFT	64QAM	Inner_Full	19.69
DC_5A_n7A	20	2560	DFT	64QAM	Edge_1RB_Left	19.62
DC_5A_n7A	20	2560	DFT	64QAM	Edge_1RB_Right	19.36
DC_5A_n7A	20	2560	DFT	64QAM	Outer_Full	19.74
DC_5A_n7A	20	2560	DFT	pi/2 BPSK	Inner_Full	22.16
DC_5A_n7A	20	2560	DFT	pi/2 BPSK	Edge_1RB_Left	21.56
DC_5A_n7A	20	2560	DFT	pi/2 BPSK	Edge_1RB_Right	21.29
DC_5A_n7A	20	2560	DFT	pi/2 BPSK	Outer_Full	21.65
DC_5A_n7A	20	2560	DFT	QPSK	Inner_Full	22.17
DC_5A_n7A	20	2560	DFT	QPSK	Edge_1RB_Left	20.99
DC_5A_n7A	20	2560	DFT	QPSK	Edge_1RB_Right	20.81
DC_5A_n7A	20	2560	DFT	QPSK	Outer_Full	21.18
DC_5A_n7A	20	2560	CP	16QAM	Inner_Full	20.17
DC_5A_n7A	20	2560	CP	16QAM	Edge_1RB_Left	19.00



BAND	BW(MHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_5A_n7A	20	2560	CP	16QAM	Edge_1RB_Right	18.72
DC_5A_n7A	20	2560	CP	16QAM	Outer_Full	19.07
DC_5A_n7A	20	2560	CP	64QAM	Inner_Full	18.57
DC_5A_n7A	20	2560	CP	64QAM	Edge_1RB_Left	18.66
DC_5A_n7A	20	2560	CP	64QAM	Edge_1RB_Right	18.47
DC_5A_n7A	20	2560	CP	64QAM	Outer_Full	18.65
DC_5A_n7A	20	2560	CP	QPSK	Inner_Full	20.90
DC_5A_n7A	20	2560	CP	QPSK	Edge_1RB_Left	19.08
DC_5A_n7A	20	2560	CP	QPSK	Edge_1RB_Right	18.84
DC_5A_n7A	20	2560	CP	QPSK	Outer_Full	19.10
DC_5A_n7A	25	2512.5	DFT	16QAM	Inner_Full	22.01
DC_5A_n7A	25	2512.5	DFT	16QAM	Edge_1RB_Left	21.09
DC_5A_n7A	25	2512.5	DFT	16QAM	Edge_1RB_Right	21.00
DC_5A_n7A	25	2512.5	DFT	16QAM	Outer_Full	21.02
DC_5A_n7A	25	2512.5	DFT	64QAM	Inner_Full	20.64
DC_5A_n7A	25	2512.5	DFT	64QAM	Edge_1RB_Left	20.10
DC_5A_n7A	25	2512.5	DFT	64QAM	Edge_1RB_Right	20.26
DC_5A_n7A	25	2512.5	DFT	64QAM	Outer_Full	20.51
DC_5A_n7A	25	2512.5	DFT	pi/2 BPSK	Inner_Full	20.54
DC_5A_n7A	25	2512.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.94
DC_5A_n7A	25	2512.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.88
DC_5A_n7A	25	2512.5	DFT	pi/2 BPSK	Outer_Full	22.02
DC_5A_n7A	25	2512.5	DFT	QPSK	Inner_Full	22.84
DC_5A_n7A	25	2512.5	DFT	QPSK	Edge_1RB_Left	22.05
DC_5A_n7A	25	2512.5	DFT	QPSK	Outer_Full	21.95
DC_5A_n7A	25	2512.5	DFT	QPSK	Edge_1RB_Right	21.92
DC_5A_n7A	25	2512.5	CP	16QAM	Inner_Full	21.98
DC_5A_n7A	25	2512.5	CP	16QAM	Edge_1RB_Left	20.80
DC_5A_n7A	25	2512.5	CP	16QAM	Edge_1RB_Right	20.71
DC_5A_n7A	25	2512.5	CP	16QAM	Outer_Full	21.00



BAND	BW(MHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_5A_n7A	25	2512.5	CP	64QAM	Inner_Full	20.42
DC_5A_n7A	25	2512.5	CP	64QAM	Edge_1RB_Left	20.32
DC_5A_n7A	25	2512.5	CP	64QAM	Edge_1RB_Right	20.22
DC_5A_n7A	25	2512.5	CP	64QAM	Outer_Full	20.44
DC_5A_n7A	25	2512.5	CP	QPSK	Inner_Full	22.69
DC_5A_n7A	25	2512.5	CP	QPSK	Edge_1RB_Left	21.92
DC_5A_n7A	25	2512.5	CP	QPSK	Edge_1RB_Right	21.82
DC_5A_n7A	25	2512.5	CP	QPSK	Outer_Full	21.99
DC_5A_n7A	25	2535	DFT	16QAM	Inner_Full	21.79
DC_5A_n7A	25	2535	DFT	16QAM	Edge_1RB_Left	20.67
DC_5A_n7A	25	2535	DFT	16QAM	Edge_1RB_Right	20.57
DC_5A_n7A	25	2535	DFT	16QAM	Outer_Full	20.71
DC_5A_n7A	25	2535	DFT	64QAM	Inner_Full	20.31
DC_5A_n7A	25	2535	DFT	64QAM	Edge_1RB_Left	19.93
DC_5A_n7A	25	2535	DFT	64QAM	Edge_1RB_Right	20.11
DC_5A_n7A	25	2535	DFT	64QAM	Outer_Full	20.24
DC_5A_n7A	25	2535	DFT	pi/2 BPSK	Inner_Full	20.25
DC_5A_n7A	25	2535	DFT	pi/2 BPSK	Edge_1RB_Left	21.80
DC_5A_n7A	25	2535	DFT	pi/2 BPSK	Edge_1RB_Right	21.71
DC_5A_n7A	25	2535	DFT	pi/2 BPSK	Outer_Full	21.79
DC_5A_n7A	25	2535	DFT	QPSK	Inner_Full	22.56
DC_5A_n7A	25	2535	DFT	QPSK	Edge_1RB_Left	21.77
DC_5A_n7A	25	2535	DFT	QPSK	Outer_Full	21.79
DC_5A_n7A	25	2535	DFT	QPSK	Edge_1RB_Right	21.70
DC_5A_n7A	25	2535	CP	16QAM	Inner_Full	21.77
DC_5A_n7A	25	2535	CP	16QAM	Edge_1RB_Left	20.77
DC_5A_n7A	25	2535	CP	16QAM	Edge_1RB_Right	20.49
DC_5A_n7A	25	2535	CP	16QAM	Outer_Full	20.67
DC_5A_n7A	25	2535	CP	64QAM	Inner_Full	20.35
DC_5A_n7A	25	2535	CP	64QAM	Edge_1RB_Left	20.08



BAND	BW(MHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_5A_n7A	25	2535	CP	64QAM	Edge_1RB_Right	20.04
DC_5A_n7A	25	2535	CP	64QAM	Outer_Full	20.20
DC_5A_n7A	25	2535	CP	QPSK	Inner_Full	22.46
DC_5A_n7A	25	2535	CP	QPSK	Edge_1RB_Left	21.73
DC_5A_n7A	25	2535	CP	QPSK	Edge_1RB_Right	21.62
DC_5A_n7A	25	2535	CP	QPSK	Outer_Full	21.69
DC_5A_n7A	25	2557.5	DFT	16QAM	Inner_Full	21.50
DC_5A_n7A	25	2557.5	DFT	16QAM	Edge_1RB_Left	20.56
DC_5A_n7A	25	2557.5	DFT	16QAM	Edge_1RB_Right	20.39
DC_5A_n7A	25	2557.5	DFT	16QAM	Outer_Full	20.47
DC_5A_n7A	25	2557.5	DFT	64QAM	Inner_Full	20.03
DC_5A_n7A	25	2557.5	DFT	64QAM	Edge_1RB_Left	19.65
DC_5A_n7A	25	2557.5	DFT	64QAM	Edge_1RB_Right	19.75
DC_5A_n7A	25	2557.5	DFT	64QAM	Outer_Full	20.07
DC_5A_n7A	25	2557.5	DFT	pi/2 BPSK	Inner_Full	20.10
DC_5A_n7A	25	2557.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.50
DC_5A_n7A	25	2557.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.46
DC_5A_n7A	25	2557.5	DFT	pi/2 BPSK	Outer_Full	21.55
DC_5A_n7A	25	2557.5	DFT	QPSK	Inner_Full	22.18
DC_5A_n7A	25	2557.5	DFT	QPSK	Edge_1RB_Left	21.43
DC_5A_n7A	25	2557.5	DFT	QPSK	Outer_Full	21.52
DC_5A_n7A	25	2557.5	DFT	QPSK	Edge_1RB_Right	21.26
DC_5A_n7A	25	2557.5	CP	16QAM	Inner_Full	21.43
DC_5A_n7A	25	2557.5	CP	16QAM	Edge_1RB_Left	20.46
DC_5A_n7A	25	2557.5	CP	16QAM	Edge_1RB_Right	20.34
DC_5A_n7A	25	2557.5	CP	16QAM	Outer_Full	20.36
DC_5A_n7A	25	2557.5	CP	64QAM	Inner_Full	20.05
DC_5A_n7A	25	2557.5	CP	64QAM	Edge_1RB_Left	19.87
DC_5A_n7A	25	2557.5	CP	64QAM	Edge_1RB_Right	19.44
DC_5A_n7A	25	2557.5	CP	64QAM	Outer_Full	19.97



BAND	BW(MHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_5A_n7A	25	2557.5	CP	QPSK	Inner_Full	22.13
DC_5A_n7A	25	2557.5	CP	QPSK	Edge_1RB_Left	21.34
DC_5A_n7A	25	2557.5	CP	QPSK	Edge_1RB_Right	21.18
DC_5A_n7A	25	2557.5	CP	QPSK	Outer_Full	21.45
DC_5A_n7A	30	2515	DFT	16QAM	Inner_Full	21.81
DC_5A_n7A	30	2515	DFT	16QAM	Edge_1RB_Left	20.80
DC_5A_n7A	30	2515	DFT	16QAM	Edge_1RB_Right	20.75
DC_5A_n7A	30	2515	DFT	16QAM	Outer_Full	20.78
DC_5A_n7A	30	2515	DFT	64QAM	Inner_Full	20.35
DC_5A_n7A	30	2515	DFT	64QAM	Edge_1RB_Left	19.98
DC_5A_n7A	30	2515	DFT	64QAM	Edge_1RB_Right	19.86
DC_5A_n7A	30	2515	DFT	64QAM	Outer_Full	20.32
DC_5A_n7A	30	2515	DFT	pi/2 BPSK	Inner_Full	20.40
DC_5A_n7A	30	2515	DFT	pi/2 BPSK	Edge_1RB_Left	21.74
DC_5A_n7A	30	2515	DFT	pi/2 BPSK	Edge_1RB_Right	21.65
DC_5A_n7A	30	2515	DFT	pi/2 BPSK	Outer_Full	21.87
DC_5A_n7A	30	2515	DFT	QPSK	Inner_Full	22.60
DC_5A_n7A	30	2515	DFT	QPSK	Edge_1RB_Left	21.75
DC_5A_n7A	30	2515	DFT	QPSK	Outer_Full	21.86
DC_5A_n7A	30	2515	DFT	QPSK	Edge_1RB_Right	21.61
DC_5A_n7A	30	2515	CP	16QAM	Inner_Full	20.69
DC_5A_n7A	30	2515	CP	16QAM	Edge_1RB_Left	20.72
DC_5A_n7A	30	2515	CP	16QAM	Edge_1RB_Right	20.67
DC_5A_n7A	30	2515	CP	16QAM	Outer_Full	20.80
DC_5A_n7A	30	2515	CP	64QAM	Inner_Full	20.24
DC_5A_n7A	30	2515	CP	64QAM	Edge_1RB_Left	19.88
DC_5A_n7A	30	2515	CP	64QAM	Edge_1RB_Right	20.05
DC_5A_n7A	30	2515	CP	64QAM	Outer_Full	20.21
DC_5A_n7A	30	2515	CP	QPSK	Inner_Full	21.75
DC_5A_n7A	30	2515	CP	QPSK	Edge_1RB_Left	21.72



BAND	BW(MHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_5A_n7A	30	2515	CP	QPSK	Edge_1RB_Right	21.62
DC_5A_n7A	30	2515	CP	QPSK	Outer_Full	21.76
DC_5A_n7A	30	2535	DFT	16QAM	Inner_Full	21.58
DC_5A_n7A	30	2535	DFT	16QAM	Edge_1RB_Left	20.47
DC_5A_n7A	30	2535	DFT	16QAM	Edge_1RB_Right	20.35
DC_5A_n7A	30	2535	DFT	16QAM	Outer_Full	20.61
DC_5A_n7A	30	2535	DFT	64QAM	Inner_Full	20.09
DC_5A_n7A	30	2535	DFT	64QAM	Edge_1RB_Left	20.04
DC_5A_n7A	30	2535	DFT	64QAM	Edge_1RB_Right	19.62
DC_5A_n7A	30	2535	DFT	64QAM	Outer_Full	20.07
DC_5A_n7A	30	2535	DFT	pi/2 BPSK	Inner_Full	20.21
DC_5A_n7A	30	2535	DFT	pi/2 BPSK	Edge_1RB_Left	21.56
DC_5A_n7A	30	2535	DFT	pi/2 BPSK	Edge_1RB_Right	21.41
DC_5A_n7A	30	2535	DFT	pi/2 BPSK	Outer_Full	21.62
DC_5A_n7A	30	2535	DFT	QPSK	Inner_Full	22.34
DC_5A_n7A	30	2535	DFT	QPSK	Edge_1RB_Left	21.56
DC_5A_n7A	30	2535	DFT	QPSK	Outer_Full	21.64
DC_5A_n7A	30	2535	DFT	QPSK	Edge_1RB_Right	21.45
DC_5A_n7A	30	2535	CP	16QAM	Inner_Full	20.48
DC_5A_n7A	30	2535	CP	16QAM	Edge_1RB_Left	20.54
DC_5A_n7A	30	2535	CP	16QAM	Edge_1RB_Right	20.27
DC_5A_n7A	30	2535	CP	16QAM	Outer_Full	20.48
DC_5A_n7A	30	2535	CP	64QAM	Inner_Full	20.07
DC_5A_n7A	30	2535	CP	64QAM	Edge_1RB_Left	19.99
DC_5A_n7A	30	2535	CP	64QAM	Edge_1RB_Right	19.57
DC_5A_n7A	30	2535	CP	64QAM	Outer_Full	20.05
DC_5A_n7A	30	2535	CP	QPSK	Inner_Full	21.57
DC_5A_n7A	30	2535	CP	QPSK	Edge_1RB_Left	21.47
DC_5A_n7A	30	2535	CP	QPSK	Edge_1RB_Right	21.31
DC_5A_n7A	30	2535	CP	QPSK	Outer_Full	21.56



BAND	BW(MHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_5A_n7A	30	2555	DFT	16QAM	Inner_Full	21.35
DC_5A_n7A	30	2555	DFT	16QAM	Edge_1RB_Left	20.36
DC_5A_n7A	30	2555	DFT	16QAM	Edge_1RB_Right	20.18
DC_5A_n7A	30	2555	DFT	16QAM	Outer_Full	20.26
DC_5A_n7A	30	2555	DFT	64QAM	Inner_Full	19.89
DC_5A_n7A	30	2555	DFT	64QAM	Edge_1RB_Left	19.80
DC_5A_n7A	30	2555	DFT	64QAM	Edge_1RB_Right	19.57
DC_5A_n7A	30	2555	DFT	64QAM	Outer_Full	19.88
DC_5A_n7A	30	2555	DFT	pi/2 BPSK	Inner_Full	19.98
DC_5A_n7A	30	2555	DFT	pi/2 BPSK	Edge_1RB_Left	21.27
DC_5A_n7A	30	2555	DFT	pi/2 BPSK	Edge_1RB_Right	21.15
DC_5A_n7A	30	2555	DFT	pi/2 BPSK	Outer_Full	21.28
DC_5A_n7A	30	2555	DFT	QPSK	Inner_Full	22.06
DC_5A_n7A	30	2555	DFT	QPSK	Edge_1RB_Left	21.29
DC_5A_n7A	30	2555	DFT	QPSK	Outer_Full	21.26
DC_5A_n7A	30	2555	DFT	QPSK	Edge_1RB_Right	21.05
DC_5A_n7A	30	2555	CP	16QAM	Inner_Full	20.15
DC_5A_n7A	30	2555	CP	16QAM	Edge_1RB_Left	20.29
DC_5A_n7A	30	2555	CP	16QAM	Edge_1RB_Right	20.03
DC_5A_n7A	30	2555	CP	16QAM	Outer_Full	20.14
DC_5A_n7A	30	2555	CP	64QAM	Inner_Full	19.81
DC_5A_n7A	30	2555	CP	64QAM	Edge_1RB_Left	19.45
DC_5A_n7A	30	2555	CP	64QAM	Edge_1RB_Right	19.25
DC_5A_n7A	30	2555	CP	64QAM	Outer_Full	19.76
DC_5A_n7A	30	2555	CP	QPSK	Inner_Full	21.26
DC_5A_n7A	30	2555	CP	QPSK	Edge_1RB_Left	21.18
DC_5A_n7A	30	2555	CP	QPSK	Edge_1RB_Right	21.06
DC_5A_n7A	30	2555	CP	QPSK	Outer_Full	21.19
DC_5A_n7A	40	2520	DFT	16QAM	Inner_Full	21.96
DC_5A_n7A	40	2520	DFT	16QAM	Edge_1RB_Left	20.91





BAND	BW(MHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_5A_n7A	40	2520	DFT	16QAM	Edge_1RB_Right	20.75
DC_5A_n7A	40	2520	DFT	16QAM	Outer_Full	20.89
DC_5A_n7A	40	2520	DFT	64QAM	Inner_Full	20.40
DC_5A_n7A	40	2520	DFT	64QAM	Edge_1RB_Left	20.36
DC_5A_n7A	40	2520	DFT	64QAM	Edge_1RB_Right	20.24
DC_5A_n7A	40	2520	DFT	64QAM	Outer_Full	20.50
DC_5A_n7A	40	2520	DFT	pi/2 BPSK	Inner_Full	20.49
DC_5A_n7A	40	2520	DFT	pi/2 BPSK	Edge_1RB_Left	21.80
DC_5A_n7A	40	2520	DFT	pi/2 BPSK	Edge_1RB_Right	21.82
DC_5A_n7A	40	2520	DFT	pi/2 BPSK	Outer_Full	22.01
DC_5A_n7A	40	2520	DFT	QPSK	Inner_Full	22.70
DC_5A_n7A	40	2520	DFT	QPSK	Edge_1RB_Left	21.83
DC_5A_n7A	40	2520	DFT	QPSK	Outer_Full	22.01
DC_5A_n7A	40	2520	DFT	QPSK	Edge_1RB_Right	21.74
DC_5A_n7A	40	2520	CP	16QAM	Inner_Full	20.76
DC_5A_n7A	40	2520	CP	16QAM	Edge_1RB_Left	20.65
DC_5A_n7A	40	2520	CP	16QAM	Edge_1RB_Right	20.69
DC_5A_n7A	40	2520	CP	16QAM	Outer_Full	20.82
DC_5A_n7A	40	2520	CP	64QAM	Inner_Full	20.28
DC_5A_n7A	40	2520	CP	64QAM	Edge_1RB_Left	20.20
DC_5A_n7A	40	2520	CP	64QAM	Edge_1RB_Right	20.22
DC_5A_n7A	40	2520	CP	64QAM	Outer_Full	20.36
DC_5A_n7A	40	2520	CP	QPSK	Inner_Full	21.91
DC_5A_n7A	40	2520	CP	QPSK	Edge_1RB_Left	21.82
DC_5A_n7A	40	2520	CP	QPSK	Edge_1RB_Right	21.65
DC_5A_n7A	40	2520	CP	QPSK	Outer_Full	21.87
DC_5A_n7A	40	2535	DFT	16QAM	Inner_Full	21.76
DC_5A_n7A	40	2535	DFT	16QAM	Edge_1RB_Left	20.53
DC_5A_n7A	40	2535	DFT	16QAM	Edge_1RB_Right	20.41
DC_5A_n7A	40	2535	DFT	16QAM	Outer_Full	20.71



BAND	BW(MHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_5A_n7A	40	2535	DFT	64QAM	Inner_Full	20.21
DC_5A_n7A	40	2535	DFT	64QAM	Edge_1RB_Left	20.21
DC_5A_n7A	40	2535	DFT	64QAM	Edge_1RB_Right	20.05
DC_5A_n7A	40	2535	DFT	64QAM	Outer_Full	20.20
DC_5A_n7A	40	2535	DFT	pi/2 BPSK	Inner_Full	20.38
DC_5A_n7A	40	2535	DFT	pi/2 BPSK	Edge_1RB_Left	21.68
DC_5A_n7A	40	2535	DFT	pi/2 BPSK	Edge_1RB_Right	21.42
DC_5A_n7A	40	2535	DFT	pi/2 BPSK	Outer_Full	21.74
DC_5A_n7A	40	2535	DFT	QPSK	Inner_Full	22.53
DC_5A_n7A	40	2535	DFT	QPSK	Edge_1RB_Left	21.72
DC_5A_n7A	40	2535	DFT	QPSK	Outer_Full	21.76
DC_5A_n7A	40	2535	DFT	QPSK	Edge_1RB_Right	21.42
DC_5A_n7A	40	2535	CP	16QAM	Inner_Full	20.61
DC_5A_n7A	40	2535	CP	16QAM	Edge_1RB_Left	20.63
DC_5A_n7A	40	2535	CP	16QAM	Edge_1RB_Right	20.47
DC_5A_n7A	40	2535	CP	16QAM	Outer_Full	20.66
DC_5A_n7A	40	2535	CP	64QAM	Inner_Full	20.19
DC_5A_n7A	40	2535	CP	64QAM	Edge_1RB_Left	19.77
DC_5A_n7A	40	2535	CP	64QAM	Edge_1RB_Right	19.58
DC_5A_n7A	40	2535	CP	64QAM	Outer_Full	20.20
DC_5A_n7A	40	2535	CP	QPSK	Inner_Full	21.75
DC_5A_n7A	40	2535	CP	QPSK	Edge_1RB_Left	21.62
DC_5A_n7A	40	2535	CP	QPSK	Edge_1RB_Right	21.34
DC_5A_n7A	40	2535	CP	QPSK	Outer_Full	21.69
DC_5A_n7A	40	2550	DFT	16QAM	Inner_Full	21.49
DC_5A_n7A	40	2550	DFT	16QAM	Edge_1RB_Left	20.50
DC_5A_n7A	40	2550	DFT	16QAM	Edge_1RB_Right	20.24
DC_5A_n7A	40	2550	DFT	16QAM	Outer_Full	20.39
DC_5A_n7A	40	2550	DFT	64QAM	Inner_Full	20.05
DC_5A_n7A	40	2550	DFT	64QAM	Edge_1RB_Left	19.93



BAND	BW(MHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_5A_n7A	40	2550	DFT	64QAM	Edge_1RB_Right	19.70
DC_5A_n7A	40	2550	DFT	64QAM	Outer_Full	20.09
DC_5A_n7A	40	2550	DFT	pi/2 BPSK	Inner_Full	20.14
DC_5A_n7A	40	2550	DFT	pi/2 BPSK	Edge_1RB_Left	21.40
DC_5A_n7A	40	2550	DFT	pi/2 BPSK	Edge_1RB_Right	21.23
DC_5A_n7A	40	2550	DFT	pi/2 BPSK	Outer_Full	21.47
DC_5A_n7A	40	2550	DFT	QPSK	Inner_Full	22.27
DC_5A_n7A	40	2550	DFT	QPSK	Edge_1RB_Left	21.45
DC_5A_n7A	40	2550	DFT	QPSK	Outer_Full	21.51
DC_5A_n7A	40	2550	DFT	QPSK	Edge_1RB_Right	21.21
DC_5A_n7A	40	2550	CP	16QAM	Inner_Full	20.36
DC_5A_n7A	40	2550	CP	16QAM	Edge_1RB_Left	20.30
DC_5A_n7A	40	2550	CP	16QAM	Edge_1RB_Right	20.03
DC_5A_n7A	40	2550	CP	16QAM	Outer_Full	20.32
DC_5A_n7A	40	2550	CP	64QAM	Inner_Full	19.90
DC_5A_n7A	40	2550	CP	64QAM	Edge_1RB_Left	19.84
DC_5A_n7A	40	2550	CP	64QAM	Edge_1RB_Right	19.32
DC_5A_n7A	40	2550	CP	64QAM	Outer_Full	19.90
DC_5A_n7A	40	2550	CP	QPSK	Inner_Full	21.44
DC_5A_n7A	40	2550	CP	QPSK	Edge_1RB_Left	21.35
DC_5A_n7A	40	2550	CP	QPSK	Edge_1RB_Right	21.12
DC_5A_n7A	40	2550	CP	QPSK	Outer_Full	21.37
DC_5A_n7A	50	2525	DFT	16QAM	Inner_Full	22.02
DC_5A_n7A	50	2525	DFT	16QAM	Edge_1RB_Left	20.86
DC_5A_n7A	50	2525	DFT	16QAM	Edge_1RB_Right	20.76
DC_5A_n7A	50	2525	DFT	16QAM	Outer_Full	20.93
DC_5A_n7A	50	2525	DFT	64QAM	Inner_Full	20.45
DC_5A_n7A	50	2525	DFT	64QAM	Edge_1RB_Left	20.00
DC_5A_n7A	50	2525	DFT	64QAM	Edge_1RB_Right	19.89
DC_5A_n7A	50	2525	DFT	64QAM	Outer_Full	20.44



BAND	BW(MHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_5A_n7A	50	2525	DFT	pi/2 BPSK	Inner_Full	20.45
DC_5A_n7A	50	2525	DFT	pi/2 BPSK	Edge_1RB_Left	21.76
DC_5A_n7A	50	2525	DFT	pi/2 BPSK	Edge_1RB_Right	21.68
DC_5A_n7A	50	2525	DFT	pi/2 BPSK	Outer_Full	21.95
DC_5A_n7A	50	2525	DFT	QPSK	Inner_Full	22.67
DC_5A_n7A	50	2525	DFT	QPSK	Edge_1RB_Left	21.79
DC_5A_n7A	50	2525	DFT	QPSK	Outer_Full	21.97
DC_5A_n7A	50	2525	DFT	QPSK	Edge_1RB_Right	21.70
DC_5A_n7A	50	2525	CP	16QAM	Inner_Full	20.95
DC_5A_n7A	50	2525	CP	16QAM	Edge_1RB_Left	20.79
DC_5A_n7A	50	2525	CP	16QAM	Edge_1RB_Right	20.68
DC_5A_n7A	50	2525	CP	16QAM	Outer_Full	20.90
DC_5A_n7A	50	2525	CP	64QAM	Inner_Full	20.41
DC_5A_n7A	50	2525	CP	64QAM	Edge_1RB_Left	19.85
DC_5A_n7A	50	2525	CP	64QAM	Edge_1RB_Right	19.82
DC_5A_n7A	50	2525	CP	64QAM	Outer_Full	20.34
DC_5A_n7A	50	2525	CP	QPSK	Inner_Full	21.95
DC_5A_n7A	50	2525	CP	QPSK	Edge_1RB_Left	21.73
DC_5A_n7A	50	2525	CP	QPSK	Edge_1RB_Right	21.61
DC_5A_n7A	50	2525	CP	QPSK	Outer_Full	21.87
DC_5A_n7A	50	2535	DFT	16QAM	Inner_Full	21.79
DC_5A_n7A	50	2535	DFT	16QAM	Edge_1RB_Left	20.68
DC_5A_n7A	50	2535	DFT	16QAM	Edge_1RB_Right	20.47
DC_5A_n7A	50	2535	DFT	16QAM	Outer_Full	20.69
DC_5A_n7A	50	2535	DFT	64QAM	Inner_Full	20.29
DC_5A_n7A	50	2535	DFT	64QAM	Edge_1RB_Left	20.12
DC_5A_n7A	50	2535	DFT	64QAM	Edge_1RB_Right	19.61
DC_5A_n7A	50	2535	DFT	64QAM	Outer_Full	20.22
DC_5A_n7A	50	2535	DFT	pi/2 BPSK	Inner_Full	20.35
DC_5A_n7A	50	2535	DFT	pi/2 BPSK	Edge_1RB_Left	21.68



BAND	BW(MHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_5A_n7A	50	2535	DFT	pi/2 BPSK	Edge_1RB_Right	21.45
DC_5A_n7A	50	2535	DFT	pi/2 BPSK	Outer_Full	21.82
DC_5A_n7A	50	2535	DFT	QPSK	Inner_Full	22.53
DC_5A_n7A	50	2535	DFT	QPSK	Edge_1RB_Left	21.66
DC_5A_n7A	50	2535	DFT	QPSK	Outer_Full	21.77
DC_5A_n7A	50	2535	DFT	QPSK	Edge_1RB_Right	21.41
DC_5A_n7A	50	2535	CP	16QAM	Inner_Full	20.72
DC_5A_n7A	50	2535	CP	16QAM	Edge_1RB_Left	20.62
DC_5A_n7A	50	2535	CP	16QAM	Edge_1RB_Right	20.49
DC_5A_n7A	50	2535	CP	16QAM	Outer_Full	20.58
DC_5A_n7A	50	2535	CP	64QAM	Inner_Full	20.24
DC_5A_n7A	50	2535	CP	64QAM	Edge_1RB_Left	20.07
DC_5A_n7A	50	2535	CP	64QAM	Edge_1RB_Right	19.95
DC_5A_n7A	50	2535	CP	64QAM	Outer_Full	20.15
DC_5A_n7A	50	2535	CP	QPSK	Inner_Full	21.77
DC_5A_n7A	50	2535	CP	QPSK	Edge_1RB_Left	21.58
DC_5A_n7A	50	2535	CP	QPSK	Edge_1RB_Right	21.33
DC_5A_n7A	50	2535	CP	QPSK	Outer_Full	21.70
DC_5A_n7A	50	2545	DFT	16QAM	Inner_Full	21.55
DC_5A_n7A	50	2545	DFT	16QAM	Edge_1RB_Left	20.38
DC_5A_n7A	50	2545	DFT	16QAM	Edge_1RB_Right	20.15
DC_5A_n7A	50	2545	DFT	16QAM	Outer_Full	20.37
DC_5A_n7A	50	2545	DFT	64QAM	Inner_Full	20.12
DC_5A_n7A	50	2545	DFT	64QAM	Edge_1RB_Left	19.65
DC_5A_n7A	50	2545	DFT	64QAM	Edge_1RB_Right	19.41
DC_5A_n7A	50	2545	DFT	64QAM	Outer_Full	20.00
DC_5A_n7A	50	2545	DFT	pi/2 BPSK	Inner_Full	20.15
DC_5A_n7A	50	2545	DFT	pi/2 BPSK	Edge_1RB_Left	21.45
DC_5A_n7A	50	2545	DFT	pi/2 BPSK	Edge_1RB_Right	21.21
DC_5A_n7A	50	2545	DFT	pi/2 BPSK	Outer_Full	21.46



BAND	BW(MHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_5A_n7A	50	2545	DFT	QPSK	Inner_Full	22.31
DC_5A_n7A	50	2545	DFT	QPSK	Edge_1RB_Left	21.47
DC_5A_n7A	50	2545	DFT	QPSK	Outer_Full	21.47
DC_5A_n7A	50	2545	DFT	QPSK	Edge_1RB_Right	21.20
DC_5A_n7A	50	2545	CP	16QAM	Inner_Full	20.54
DC_5A_n7A	50	2545	CP	16QAM	Edge_1RB_Left	20.50
DC_5A_n7A	50	2545	CP	16QAM	Edge_1RB_Right	20.05
DC_5A_n7A	50	2545	CP	16QAM	Outer_Full	20.35
DC_5A_n7A	50	2545	CP	64QAM	Inner_Full	20.06
DC_5A_n7A	50	2545	CP	64QAM	Edge_1RB_Left	19.86
DC_5A_n7A	50	2545	CP	64QAM	Edge_1RB_Right	19.61
DC_5A_n7A	50	2545	CP	64QAM	Outer_Full	19.92
DC_5A_n7A	50	2545	CP	QPSK	Inner_Full	21.48
DC_5A_n7A	50	2545	CP	QPSK	Edge_1RB_Left	21.35
DC_5A_n7A	50	2545	CP	QPSK	Edge_1RB_Right	21.07
DC_5A_n7A	50	2545	CP	QPSK	Outer_Full	21.34
DC_66A_n7A	5	2502.5	DFT	16QAM	Inner_Full	21.81
DC_66A_n7A	5	2502.5	DFT	16QAM	Edge_1RB_Left	20.99
DC_66A_n7A	5	2502.5	DFT	16QAM	Edge_1RB_Right	20.41
DC_66A_n7A	5	2502.5	DFT	16QAM	Outer_Full	20.79
DC_66A_n7A	5	2502.5	DFT	64QAM	Inner_Full	20.28
DC_66A_n7A	5	2502.5	DFT	64QAM	Edge_1RB_Left	20.32
DC_66A_n7A	5	2502.5	DFT	64QAM	Edge_1RB_Right	20.20
DC_66A_n7A	5	2502.5	DFT	64QAM	Outer_Full	20.28
DC_66A_n7A	5	2502.5	DFT	pi/2 BPSK	Inner_Full	22.72
DC_66A_n7A	5	2502.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.27
DC_66A_n7A	5	2502.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.13
DC_66A_n7A	5	2502.5	DFT	pi/2 BPSK	Outer_Full	22.32
DC_66A_n7A	5	2502.5	DFT	QPSK	Inner_Full	22.71
DC_66A_n7A	5	2502.5	DFT	QPSK	Edge_1RB_Left	21.78



BAND	BW(MHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_66A_n7A	5	2502.5	DFT	QPSK	Edge_1RB_Right	21.59
DC_66A_n7A	5	2502.5	DFT	QPSK	Outer_Full	21.78
DC_66A_n7A	5	2502.5	CP	16QAM	Inner_Full	20.74
DC_66A_n7A	5	2502.5	CP	16QAM	Edge_1RB_Left	20.72
DC_66A_n7A	5	2502.5	CP	16QAM	Edge_1RB_Right	19.13
DC_66A_n7A	5	2502.5	CP	16QAM	Outer_Full	19.16
DC_66A_n7A	5	2502.5	CP	64QAM	Inner_Full	18.73
DC_66A_n7A	5	2502.5	CP	64QAM	Edge_1RB_Left	18.85
DC_66A_n7A	5	2502.5	CP	64QAM	Edge_1RB_Right	18.67
DC_66A_n7A	5	2502.5	CP	64QAM	Outer_Full	18.72
DC_66A_n7A	5	2502.5	CP	QPSK	Inner_Full	21.23
DC_66A_n7A	5	2502.5	CP	QPSK	Edge_1RB_Left	19.75
DC_66A_n7A	5	2502.5	CP	QPSK	Edge_1RB_Right	19.60
DC_66A_n7A	5	2502.5	CP	QPSK	Outer_Full	19.75
DC_66A_n7A	5	2535	DFT	16QAM	Inner_Full	21.42
DC_66A_n7A	5	2535	DFT	16QAM	Edge_1RB_Left	20.39
DC_66A_n7A	5	2535	DFT	16QAM	Edge_1RB_Right	20.25
DC_66A_n7A	5	2535	DFT	16QAM	Outer_Full	20.43
DC_66A_n7A	5	2535	DFT	64QAM	Inner_Full	19.88
DC_66A_n7A	5	2535	DFT	64QAM	Edge_1RB_Left	19.90
DC_66A_n7A	5	2535	DFT	64QAM	Edge_1RB_Right	19.67
DC_66A_n7A	5	2535	DFT	64QAM	Outer_Full	19.88
DC_66A_n7A	5	2535	DFT	pi/2 BPSK	Inner_Full	22.35
DC_66A_n7A	5	2535	DFT	pi/2 BPSK	Edge_1RB_Left	22.01
DC_66A_n7A	5	2535	DFT	pi/2 BPSK	Edge_1RB_Right	21.85
DC_66A_n7A	5	2535	DFT	pi/2 BPSK	Outer_Full	21.92
DC_66A_n7A	5	2535	DFT	QPSK	Inner_Full	22.36
DC_66A_n7A	5	2535	DFT	QPSK	Edge_1RB_Left	21.37
DC_66A_n7A	5	2535	DFT	QPSK	Edge_1RB_Right	21.26
DC_66A_n7A	5	2535	DFT	QPSK	Outer_Full	21.47



BAND	BW(MHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_66A_n7A	5	2535	CP	16QAM	Inner_Full	20.36
DC_66A_n7A	5	2535	CP	16QAM	Edge_1RB_Left	19.54
DC_66A_n7A	5	2535	CP	16QAM	Edge_1RB_Right	19.63
DC_66A_n7A	5	2535	CP	16QAM	Outer_Full	19.31
DC_66A_n7A	5	2535	CP	64QAM	Inner_Full	18.86
DC_66A_n7A	5	2535	CP	64QAM	Edge_1RB_Left	19.08
DC_66A_n7A	5	2535	CP	64QAM	Edge_1RB_Right	18.99
DC_66A_n7A	5	2535	CP	64QAM	Outer_Full	18.87
DC_66A_n7A	5	2535	CP	QPSK	Inner_Full	20.83
DC_66A_n7A	5	2535	CP	QPSK	Edge_1RB_Left	19.48
DC_66A_n7A	5	2535	CP	QPSK	Edge_1RB_Right	19.30
DC_66A_n7A	5	2535	CP	QPSK	Outer_Full	19.41
DC_66A_n7A	5	2567.5	DFT	16QAM	Inner_Full	21.67
DC_66A_n7A	5	2567.5	DFT	16QAM	Edge_1RB_Left	20.83
DC_66A_n7A	5	2567.5	DFT	16QAM	Edge_1RB_Right	20.37
DC_66A_n7A	5	2567.5	DFT	16QAM	Outer_Full	20.70
DC_66A_n7A	5	2567.5	DFT	64QAM	Inner_Full	20.19
DC_66A_n7A	5	2567.5	DFT	64QAM	Edge_1RB_Left	20.10
DC_66A_n7A	5	2567.5	DFT	64QAM	Edge_1RB_Right	19.80
DC_66A_n7A	5	2567.5	DFT	64QAM	Outer_Full	20.08
DC_66A_n7A	5	2567.5	DFT	pi/2 BPSK	Inner_Full	22.66
DC_66A_n7A	5	2567.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.31
DC_66A_n7A	5	2567.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.01
DC_66A_n7A	5	2567.5	DFT	pi/2 BPSK	Outer_Full	22.20
DC_66A_n7A	5	2567.5	DFT	QPSK	Inner_Full	22.67
DC_66A_n7A	5	2567.5	DFT	QPSK	Edge_1RB_Left	21.70
DC_66A_n7A	5	2567.5	DFT	QPSK	Edge_1RB_Right	21.43
DC_66A_n7A	5	2567.5	DFT	QPSK	Outer_Full	21.65
DC_66A_n7A	5	2567.5	CP	16QAM	Inner_Full	20.50
DC_66A_n7A	5	2567.5	CP	16QAM	Edge_1RB_Left	20.05





BAND	BW(MHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_66A_n7A	5	2567.5	CP	16QAM	Edge_1RB_Right	19.85
DC_66A_n7A	5	2567.5	CP	16QAM	Outer_Full	19.57
DC_66A_n7A	5	2567.5	CP	64QAM	Inner_Full	19.01
DC_66A_n7A	5	2567.5	CP	64QAM	Edge_1RB_Left	19.35
DC_66A_n7A	5	2567.5	CP	64QAM	Edge_1RB_Right	18.76
DC_66A_n7A	5	2567.5	CP	64QAM	Outer_Full	19.20
DC_66A_n7A	5	2567.5	CP	QPSK	Inner_Full	21.02
DC_66A_n7A	5	2567.5	CP	QPSK	Edge_1RB_Left	19.79
DC_66A_n7A	5	2567.5	CP	QPSK	Edge_1RB_Right	19.55
DC_66A_n7A	5	2567.5	CP	QPSK	Outer_Full	19.64
DC_66A_n7A	10	2505	DFT	16QAM	Inner_Full	21.04
DC_66A_n7A	10	2505	DFT	16QAM	Edge_1RB_Left	19.85
DC_66A_n7A	10	2505	DFT	16QAM	Edge_1RB_Right	20.24
DC_66A_n7A	10	2505	DFT	16QAM	Outer_Full	20.00
DC_66A_n7A	10	2505	DFT	64QAM	Inner_Full	19.54
DC_66A_n7A	10	2505	DFT	64QAM	Edge_1RB_Left	19.26
DC_66A_n7A	10	2505	DFT	64QAM	Edge_1RB_Right	19.52
DC_66A_n7A	10	2505	DFT	64QAM	Outer_Full	19.51
DC_66A_n7A	10	2505	DFT	pi/2 BPSK	Inner_Full	22.00
DC_66A_n7A	10	2505	DFT	pi/2 BPSK	Edge_1RB_Left	21.33
DC_66A_n7A	10	2505	DFT	pi/2 BPSK	Edge_1RB_Right	21.66
DC_66A_n7A	10	2505	DFT	pi/2 BPSK	Outer_Full	21.55
DC_66A_n7A	10	2505	DFT	QPSK	Inner_Full	22.05
DC_66A_n7A	10	2505	DFT	QPSK	Edge_1RB_Left	20.67
DC_66A_n7A	10	2505	DFT	QPSK	Edge_1RB_Right	21.06
DC_66A_n7A	10	2505	DFT	QPSK	Outer_Full	21.04
DC_66A_n7A	10	2505	CP	16QAM	Inner_Full	20.06
DC_66A_n7A	10	2505	CP	16QAM	Edge_1RB_Left	18.87
DC_66A_n7A	10	2505	CP	16QAM	Edge_1RB_Right	19.19
DC_66A_n7A	10	2505	CP	16QAM	Outer_Full	19.00



BAND	BW(MHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_66A_n7A	10	2505	CP	64QAM	Inner_Full	18.49
DC_66A_n7A	10	2505	CP	64QAM	Edge_1RB_Left	18.39
DC_66A_n7A	10	2505	CP	64QAM	Edge_1RB_Right	18.71
DC_66A_n7A	10	2505	CP	64QAM	Outer_Full	18.52
DC_66A_n7A	10	2505	CP	QPSK	Inner_Full	20.52
DC_66A_n7A	10	2505	CP	QPSK	Edge_1RB_Left	18.79
DC_66A_n7A	10	2505	CP	QPSK	Edge_1RB_Right	19.18
DC_66A_n7A	10	2505	CP	QPSK	Outer_Full	19.01
DC_66A_n7A	10	2535	DFT	16QAM	Inner_Full	21.19
DC_66A_n7A	10	2535	DFT	16QAM	Edge_1RB_Left	19.93
DC_66A_n7A	10	2535	DFT	16QAM	Edge_1RB_Right	20.26
DC_66A_n7A	10	2535	DFT	16QAM	Outer_Full	20.18
DC_66A_n7A	10	2535	DFT	64QAM	Inner_Full	19.62
DC_66A_n7A	10	2535	DFT	64QAM	Edge_1RB_Left	19.43
DC_66A_n7A	10	2535	DFT	64QAM	Edge_1RB_Right	19.62
DC_66A_n7A	10	2535	DFT	64QAM	Outer_Full	19.64
DC_66A_n7A	10	2535	DFT	pi/2 BPSK	Inner_Full	22.19
DC_66A_n7A	10	2535	DFT	pi/2 BPSK	Edge_1RB_Left	21.58
DC_66A_n7A	10	2535	DFT	pi/2 BPSK	Edge_1RB_Right	21.65
DC_66A_n7A	10	2535	DFT	pi/2 BPSK	Outer_Full	21.68
DC_66A_n7A	10	2535	DFT	QPSK	Inner_Full	22.15
DC_66A_n7A	10	2535	DFT	QPSK	Edge_1RB_Left	20.95
DC_66A_n7A	10	2535	DFT	QPSK	Edge_1RB_Right	21.06
DC_66A_n7A	10	2535	DFT	QPSK	Outer_Full	21.16
DC_66A_n7A	10	2535	CP	16QAM	Inner_Full	20.13
DC_66A_n7A	10	2535	CP	16QAM	Edge_1RB_Left	19.36
DC_66A_n7A	10	2535	CP	16QAM	Edge_1RB_Right	19.44
DC_66A_n7A	10	2535	CP	16QAM	Outer_Full	19.15
DC_66A_n7A	10	2535	CP	64QAM	Inner_Full	18.61
DC_66A_n7A	10	2535	CP	64QAM	Edge_1RB_Left	18.35



BAND	BW(MHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_66A_n7A	10	2535	CP	64QAM	Edge_1RB_Right	18.50
DC_66A_n7A	10	2535	CP	64QAM	Outer_Full	18.69
DC_66A_n7A	10	2535	CP	QPSK	Inner_Full	20.66
DC_66A_n7A	10	2535	CP	QPSK	Edge_1RB_Left	19.15
DC_66A_n7A	10	2535	CP	QPSK	Edge_1RB_Right	19.24
DC_66A_n7A	10	2535	CP	QPSK	Outer_Full	19.10
DC_66A_n7A	10	2565	DFT	16QAM	Inner_Full	21.35
DC_66A_n7A	10	2565	DFT	16QAM	Edge_1RB_Left	20.38
DC_66A_n7A	10	2565	DFT	16QAM	Edge_1RB_Right	20.13
DC_66A_n7A	10	2565	DFT	16QAM	Outer_Full	20.30
DC_66A_n7A	10	2565	DFT	64QAM	Inner_Full	19.78
DC_66A_n7A	10	2565	DFT	64QAM	Edge_1RB_Left	19.62
DC_66A_n7A	10	2565	DFT	64QAM	Edge_1RB_Right	19.53
DC_66A_n7A	10	2565	DFT	64QAM	Outer_Full	19.78
DC_66A_n7A	10	2565	DFT	pi/2 BPSK	Inner_Full	22.29
DC_66A_n7A	10	2565	DFT	pi/2 BPSK	Edge_1RB_Left	21.83
DC_66A_n7A	10	2565	DFT	pi/2 BPSK	Edge_1RB_Right	21.60
DC_66A_n7A	10	2565	DFT	pi/2 BPSK	Outer_Full	21.83
DC_66A_n7A	10	2565	DFT	QPSK	Inner_Full	22.26
DC_66A_n7A	10	2565	DFT	QPSK	Edge_1RB_Left	21.18
DC_66A_n7A	10	2565	DFT	QPSK	Edge_1RB_Right	21.01
DC_66A_n7A	10	2565	DFT	QPSK	Outer_Full	21.33
DC_66A_n7A	10	2565	CP	16QAM	Inner_Full	20.36
DC_66A_n7A	10	2565	CP	16QAM	Edge_1RB_Left	19.52
DC_66A_n7A	10	2565	CP	16QAM	Edge_1RB_Right	19.34
DC_66A_n7A	10	2565	CP	16QAM	Outer_Full	19.25
DC_66A_n7A	10	2565	CP	64QAM	Inner_Full	18.68
DC_66A_n7A	10	2565	CP	64QAM	Edge_1RB_Left	18.85
DC_66A_n7A	10	2565	CP	64QAM	Edge_1RB_Right	18.73
DC_66A_n7A	10	2565	CP	64QAM	Outer_Full	18.75



BAND	BW(MHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_66A_n7A	10	2565	CP	QPSK	Inner_Full	20.72
DC_66A_n7A	10	2565	CP	QPSK	Edge_1RB_Left	19.33
DC_66A_n7A	10	2565	CP	QPSK	Edge_1RB_Right	19.13
DC_66A_n7A	10	2565	CP	QPSK	Outer_Full	19.21
DC_66A_n7A	15	2507.5	DFT	16QAM	Inner_Full	21.19
DC_66A_n7A	15	2507.5	DFT	16QAM	Edge_1RB_Left	19.90
DC_66A_n7A	15	2507.5	DFT	16QAM	Edge_1RB_Right	20.32
DC_66A_n7A	15	2507.5	DFT	16QAM	Outer_Full	20.19
DC_66A_n7A	15	2507.5	DFT	64QAM	Inner_Full	19.75
DC_66A_n7A	15	2507.5	DFT	64QAM	Edge_1RB_Left	19.38
DC_66A_n7A	15	2507.5	DFT	64QAM	Edge_1RB_Right	19.81
DC_66A_n7A	15	2507.5	DFT	64QAM	Outer_Full	19.72
DC_66A_n7A	15	2507.5	DFT	pi/2 BPSK	Inner_Full	22.15
DC_66A_n7A	15	2507.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.43
DC_66A_n7A	15	2507.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.81
DC_66A_n7A	15	2507.5	DFT	pi/2 BPSK	Outer_Full	21.74
DC_66A_n7A	15	2507.5	DFT	QPSK	Inner_Full	22.22
DC_66A_n7A	15	2507.5	DFT	QPSK	Edge_1RB_Left	20.81
DC_66A_n7A	15	2507.5	DFT	QPSK	Edge_1RB_Right	21.21
DC_66A_n7A	15	2507.5	DFT	QPSK	Outer_Full	21.26
DC_66A_n7A	15	2507.5	CP	16QAM	Inner_Full	20.23
DC_66A_n7A	15	2507.5	CP	16QAM	Edge_1RB_Left	19.23
DC_66A_n7A	15	2507.5	CP	16QAM	Edge_1RB_Right	19.50
DC_66A_n7A	15	2507.5	CP	16QAM	Outer_Full	19.27
DC_66A_n7A	15	2507.5	CP	64QAM	Inner_Full	18.64
DC_66A_n7A	15	2507.5	CP	64QAM	Edge_1RB_Left	18.48
DC_66A_n7A	15	2507.5	CP	64QAM	Edge_1RB_Right	18.60
DC_66A_n7A	15	2507.5	CP	64QAM	Outer_Full	18.74
DC_66A_n7A	15	2507.5	CP	QPSK	Inner_Full	20.72
DC_66A_n7A	15	2507.5	CP	QPSK	Edge_1RB_Left	19.03



BAND	BW(MHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_66A_n7A	15	2507.5	CP	QPSK	Edge_1RB_Right	19.38
DC_66A_n7A	15	2507.5	CP	QPSK	Outer_Full	19.25
DC_66A_n7A	15	2535	DFT	16QAM	Inner_Full	21.27
DC_66A_n7A	15	2535	DFT	16QAM	Edge_1RB_Left	20.24
DC_66A_n7A	15	2535	DFT	16QAM	Edge_1RB_Right	20.55
DC_66A_n7A	15	2535	DFT	16QAM	Outer_Full	20.26
DC_66A_n7A	15	2535	DFT	64QAM	Inner_Full	19.76
DC_66A_n7A	15	2535	DFT	64QAM	Edge_1RB_Left	19.50
DC_66A_n7A	15	2535	DFT	64QAM	Edge_1RB_Right	19.53
DC_66A_n7A	15	2535	DFT	64QAM	Outer_Full	19.75
DC_66A_n7A	15	2535	DFT	pi/2 BPSK	Inner_Full	22.25
DC_66A_n7A	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	21.64
DC_66A_n7A	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	21.74
DC_66A_n7A	15	2535	DFT	pi/2 BPSK	Outer_Full	21.84
DC_66A_n7A	15	2535	DFT	QPSK	Inner_Full	22.25
DC_66A_n7A	15	2535	DFT	QPSK	Edge_1RB_Left	21.03
DC_66A_n7A	15	2535	DFT	QPSK	Edge_1RB_Right	21.14
DC_66A_n7A	15	2535	DFT	QPSK	Outer_Full	21.31
DC_66A_n7A	15	2535	CP	16QAM	Inner_Full	20.29
DC_66A_n7A	15	2535	CP	16QAM	Edge_1RB_Left	19.21
DC_66A_n7A	15	2535	CP	16QAM	Edge_1RB_Right	19.42
DC_66A_n7A	15	2535	CP	16QAM	Outer_Full	19.27
DC_66A_n7A	15	2535	CP	64QAM	Inner_Full	18.71
DC_66A_n7A	15	2535	CP	64QAM	Edge_1RB_Left	18.78
DC_66A_n7A	15	2535	CP	64QAM	Edge_1RB_Right	18.89
DC_66A_n7A	15	2535	CP	64QAM	Outer_Full	18.76
DC_66A_n7A	15	2535	CP	QPSK	Inner_Full	20.82
DC_66A_n7A	15	2535	CP	QPSK	Edge_1RB_Left	19.03
DC_66A_n7A	15	2535	CP	QPSK	Edge_1RB_Right	19.10
DC_66A_n7A	15	2535	CP	QPSK	Outer_Full	19.25



BAND	BW(MHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_66A_n7A	15	2562.5	DFT	16QAM	Inner_Full	21.33
DC_66A_n7A	15	2562.5	DFT	16QAM	Edge_1RB_Left	20.40
DC_66A_n7A	15	2562.5	DFT	16QAM	Edge_1RB_Right	20.12
DC_66A_n7A	15	2562.5	DFT	16QAM	Outer_Full	20.35
DC_66A_n7A	15	2562.5	DFT	64QAM	Inner_Full	19.88
DC_66A_n7A	15	2562.5	DFT	64QAM	Edge_1RB_Left	19.73
DC_66A_n7A	15	2562.5	DFT	64QAM	Edge_1RB_Right	19.52
DC_66A_n7A	15	2562.5	DFT	64QAM	Outer_Full	19.92
DC_66A_n7A	15	2562.5	DFT	pi/2 BPSK	Inner_Full	22.35
DC_66A_n7A	15	2562.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.87
DC_66A_n7A	15	2562.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.62
DC_66A_n7A	15	2562.5	DFT	pi/2 BPSK	Outer_Full	21.95
DC_66A_n7A	15	2562.5	DFT	QPSK	Inner_Full	22.40
DC_66A_n7A	15	2562.5	DFT	QPSK	Edge_1RB_Left	21.22
DC_66A_n7A	15	2562.5	DFT	QPSK	Edge_1RB_Right	21.01
DC_66A_n7A	15	2562.5	DFT	QPSK	Outer_Full	21.44
DC_66A_n7A	15	2562.5	CP	16QAM	Inner_Full	20.35
DC_66A_n7A	15	2562.5	CP	16QAM	Edge_1RB_Left	19.25
DC_66A_n7A	15	2562.5	CP	16QAM	Edge_1RB_Right	19.00
DC_66A_n7A	15	2562.5	CP	16QAM	Outer_Full	19.39
DC_66A_n7A	15	2562.5	CP	64QAM	Inner_Full	18.79
DC_66A_n7A	15	2562.5	CP	64QAM	Edge_1RB_Left	18.71
DC_66A_n7A	15	2562.5	CP	64QAM	Edge_1RB_Right	18.73
DC_66A_n7A	15	2562.5	CP	64QAM	Outer_Full	18.91
DC_66A_n7A	15	2562.5	CP	QPSK	Inner_Full	20.82
DC_66A_n7A	15	2562.5	CP	QPSK	Edge_1RB_Left	19.43
DC_66A_n7A	15	2562.5	CP	QPSK	Edge_1RB_Right	19.13
DC_66A_n7A	15	2562.5	CP	QPSK	Outer_Full	19.38
DC_66A_n7A	20	2510	DFT	16QAM	Inner_Full	21.26
DC_66A_n7A	20	2510	DFT	16QAM	Edge_1RB_Left	19.89



BAND	BW(MHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_66A_n7A	20	2510	DFT	16QAM	Edge_1RB_Right	20.39
DC_66A_n7A	20	2510	DFT	16QAM	Outer_Full	20.19
DC_66A_n7A	20	2510	DFT	64QAM	Inner_Full	19.76
DC_66A_n7A	20	2510	DFT	64QAM	Edge_1RB_Left	19.10
DC_66A_n7A	20	2510	DFT	64QAM	Edge_1RB_Right	19.79
DC_66A_n7A	20	2510	DFT	64QAM	Outer_Full	19.69
DC_66A_n7A	20	2510	DFT	pi/2 BPSK	Inner_Full	22.27
DC_66A_n7A	20	2510	DFT	pi/2 BPSK	Edge_1RB_Left	21.29
DC_66A_n7A	20	2510	DFT	pi/2 BPSK	Edge_1RB_Right	21.84
DC_66A_n7A	20	2510	DFT	pi/2 BPSK	Outer_Full	21.74
DC_66A_n7A	20	2510	DFT	QPSK	Inner_Full	22.25
DC_66A_n7A	20	2510	DFT	QPSK	Edge_1RB_Left	20.69
DC_66A_n7A	20	2510	DFT	QPSK	Edge_1RB_Right	21.25
DC_66A_n7A	20	2510	DFT	QPSK	Outer_Full	21.22
DC_66A_n7A	20	2510	CP	16QAM	Inner_Full	20.25
DC_66A_n7A	20	2510	CP	16QAM	Edge_1RB_Left	19.04
DC_66A_n7A	20	2510	CP	16QAM	Edge_1RB_Right	19.57
DC_66A_n7A	20	2510	CP	16QAM	Outer_Full	19.17
DC_66A_n7A	20	2510	CP	64QAM	Inner_Full	18.71
DC_66A_n7A	20	2510	CP	64QAM	Edge_1RB_Left	18.34
DC_66A_n7A	20	2510	CP	64QAM	Edge_1RB_Right	18.90
DC_66A_n7A	20	2510	CP	64QAM	Outer_Full	18.73
DC_66A_n7A	20	2510	CP	QPSK	Inner_Full	20.73
DC_66A_n7A	20	2510	CP	QPSK	Edge_1RB_Left	18.78
DC_66A_n7A	20	2510	CP	QPSK	Edge_1RB_Right	19.41
DC_66A_n7A	20	2510	CP	QPSK	Outer_Full	19.21
DC_66A_n7A	20	2535	DFT	16QAM	Inner_Full	21.32
DC_66A_n7A	20	2535	DFT	16QAM	Edge_1RB_Left	20.33
DC_66A_n7A	20	2535	DFT	16QAM	Edge_1RB_Right	20.49
DC_66A_n7A	20	2535	DFT	16QAM	Outer_Full	20.27



BAND	BW(MHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_66A_n7A	20	2535	DFT	64QAM	Inner_Full	19.78
DC_66A_n7A	20	2535	DFT	64QAM	Edge_1RB_Left	19.33
DC_66A_n7A	20	2535	DFT	64QAM	Edge_1RB_Right	19.58
DC_66A_n7A	20	2535	DFT	64QAM	Outer_Full	19.74
DC_66A_n7A	20	2535	DFT	pi/2 BPSK	Inner_Full	22.31
DC_66A_n7A	20	2535	DFT	pi/2 BPSK	Edge_1RB_Left	21.49
DC_66A_n7A	20	2535	DFT	pi/2 BPSK	Edge_1RB_Right	21.71
DC_66A_n7A	20	2535	DFT	pi/2 BPSK	Outer_Full	21.81
DC_66A_n7A	20	2535	DFT	QPSK	Inner_Full	22.28
DC_66A_n7A	20	2535	DFT	QPSK	Edge_1RB_Left	20.91
DC_66A_n7A	20	2535	DFT	QPSK	Edge_1RB_Right	21.07
DC_66A_n7A	20	2535	DFT	QPSK	Outer_Full	21.27
DC_66A_n7A	20	2535	CP	16QAM	Inner_Full	20.33
DC_66A_n7A	20	2535	CP	16QAM	Edge_1RB_Left	19.24
DC_66A_n7A	20	2535	CP	16QAM	Edge_1RB_Right	19.18
DC_66A_n7A	20	2535	CP	16QAM	Outer_Full	19.19
DC_66A_n7A	20	2535	CP	64QAM	Inner_Full	18.70
DC_66A_n7A	20	2535	CP	64QAM	Edge_1RB_Left	18.60
DC_66A_n7A	20	2535	CP	64QAM	Edge_1RB_Right	18.71
DC_66A_n7A	20	2535	CP	64QAM	Outer_Full	18.76
DC_66A_n7A	20	2535	CP	QPSK	Inner_Full	20.77
DC_66A_n7A	20	2535	CP	QPSK	Edge_1RB_Left	18.99
DC_66A_n7A	20	2535	CP	QPSK	Edge_1RB_Right	19.08
DC_66A_n7A	20	2535	CP	QPSK	Outer_Full	19.21
DC_66A_n7A	20	2560	DFT	16QAM	Inner_Full	21.41
DC_66A_n7A	20	2560	DFT	16QAM	Edge_1RB_Left	20.36
DC_66A_n7A	20	2560	DFT	16QAM	Edge_1RB_Right	20.14
DC_66A_n7A	20	2560	DFT	16QAM	Outer_Full	20.35
DC_66A_n7A	20	2560	DFT	64QAM	Inner_Full	19.78
DC_66A_n7A	20	2560	DFT	64QAM	Edge_1RB_Left	19.57





BAND	BW(MHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_66A_n7A	20	2560	DFT	64QAM	Edge_1RB_Right	19.45
DC_66A_n7A	20	2560	DFT	64QAM	Outer_Full	19.80
DC_66A_n7A	20	2560	DFT	pi/2 BPSK	Inner_Full	22.31
DC_66A_n7A	20	2560	DFT	pi/2 BPSK	Edge_1RB_Left	21.75
DC_66A_n7A	20	2560	DFT	pi/2 BPSK	Edge_1RB_Right	21.50
DC_66A_n7A	20	2560	DFT	pi/2 BPSK	Outer_Full	21.82
DC_66A_n7A	20	2560	DFT	QPSK	Inner_Full	22.37
DC_66A_n7A	20	2560	DFT	QPSK	Edge_1RB_Left	21.14
DC_66A_n7A	20	2560	DFT	QPSK	Edge_1RB_Right	20.84
DC_66A_n7A	20	2560	DFT	QPSK	Outer_Full	21.35
DC_66A_n7A	20	2560	CP	16QAM	Inner_Full	20.36
DC_66A_n7A	20	2560	CP	16QAM	Edge_1RB_Left	19.24
DC_66A_n7A	20	2560	CP	16QAM	Edge_1RB_Right	19.06
DC_66A_n7A	20	2560	CP	16QAM	Outer_Full	19.27
DC_66A_n7A	20	2560	CP	64QAM	Inner_Full	18.86
DC_66A_n7A	20	2560	CP	64QAM	Edge_1RB_Left	18.79
DC_66A_n7A	20	2560	CP	64QAM	Edge_1RB_Right	18.58
DC_66A_n7A	20	2560	CP	64QAM	Outer_Full	18.76
DC_66A_n7A	20	2560	CP	QPSK	Inner_Full	20.82
DC_66A_n7A	20	2560	CP	QPSK	Edge_1RB_Left	19.24
DC_66A_n7A	20	2560	CP	QPSK	Edge_1RB_Right	18.90
DC_66A_n7A	20	2560	CP	QPSK	Outer_Full	19.30
DC_66A_n7A	25	2512.5	DFT	16QAM	Inner_Full	22.16
DC_66A_n7A	25	2512.5	DFT	16QAM	Edge_1RB_Left	21.20
DC_66A_n7A	25	2512.5	DFT	16QAM	Edge_1RB_Right	21.05
DC_66A_n7A	25	2512.5	DFT	16QAM	Outer_Full	21.13
DC_66A_n7A	25	2512.5	DFT	64QAM	Inner_Full	20.81
DC_66A_n7A	25	2512.5	DFT	64QAM	Edge_1RB_Left	20.23
DC_66A_n7A	25	2512.5	DFT	64QAM	Edge_1RB_Right	20.33
DC_66A_n7A	25	2512.5	DFT	64QAM	Outer_Full	20.64



BAND	BW(MHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_66A_n7A	25	2512.5	DFT	pi/2 BPSK	Inner_Full	20.75
DC_66A_n7A	25	2512.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.11
DC_66A_n7A	25	2512.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.99
DC_66A_n7A	25	2512.5	DFT	pi/2 BPSK	Outer_Full	22.19
DC_66A_n7A	25	2512.5	DFT	QPSK	Inner_Full	22.91
DC_66A_n7A	25	2512.5	DFT	QPSK	Edge_1RB_Left	22.20
DC_66A_n7A	25	2512.5	DFT	QPSK	Outer_Full	21.98
DC_66A_n7A	25	2512.5	DFT	QPSK	Edge_1RB_Right	22.01
DC_66A_n7A	25	2512.5	CP	16QAM	Inner_Full	22.05
DC_66A_n7A	25	2512.5	CP	16QAM	Edge_1RB_Left	20.83
DC_66A_n7A	25	2512.5	CP	16QAM	Edge_1RB_Right	20.68
DC_66A_n7A	25	2512.5	CP	16QAM	Outer_Full	21.03
DC_66A_n7A	25	2512.5	CP	64QAM	Inner_Full	20.51
DC_66A_n7A	25	2512.5	CP	64QAM	Edge_1RB_Left	20.37
DC_66A_n7A	25	2512.5	CP	64QAM	Edge_1RB_Right	20.21
DC_66A_n7A	25	2512.5	CP	64QAM	Outer_Full	20.49
DC_66A_n7A	25	2512.5	CP	QPSK	Inner_Full	22.68
DC_66A_n7A	25	2512.5	CP	QPSK	Edge_1RB_Left	21.99
DC_66A_n7A	25	2512.5	CP	QPSK	Edge_1RB_Right	21.83
DC_66A_n7A	25	2512.5	CP	QPSK	Outer_Full	22.06
DC_66A_n7A	25	2535	DFT	16QAM	Inner_Full	21.94
DC_66A_n7A	25	2535	DFT	16QAM	Edge_1RB_Left	20.78
DC_66A_n7A	25	2535	DFT	16QAM	Edge_1RB_Right	20.62
DC_66A_n7A	25	2535	DFT	16QAM	Outer_Full	20.82
DC_66A_n7A	25	2535	DFT	64QAM	Inner_Full	20.48
DC_66A_n7A	25	2535	DFT	64QAM	Edge_1RB_Left	20.14
DC_66A_n7A	25	2535	DFT	64QAM	Edge_1RB_Right	20.18
DC_66A_n7A	25	2535	DFT	64QAM	Outer_Full	20.37
DC_66A_n7A	25	2535	DFT	pi/2 BPSK	Inner_Full	20.46
DC_66A_n7A	25	2535	DFT	pi/2 BPSK	Edge_1RB_Left	21.97



BAND	BW(MHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_66A_n7A	25	2535	DFT	pi/2 BPSK	Edge_1RB_Right	21.82
DC_66A_n7A	25	2535	DFT	pi/2 BPSK	Outer_Full	21.96
DC_66A_n7A	25	2535	DFT	QPSK	Inner_Full	22.63
DC_66A_n7A	25	2535	DFT	QPSK	Edge_1RB_Left	21.92
DC_66A_n7A	25	2535	DFT	QPSK	Outer_Full	21.94
DC_66A_n7A	25	2535	DFT	QPSK	Edge_1RB_Right	21.79
DC_66A_n7A	25	2535	CP	16QAM	Inner_Full	21.84
DC_66A_n7A	25	2535	CP	16QAM	Edge_1RB_Left	20.80
DC_66A_n7A	25	2535	CP	16QAM	Edge_1RB_Right	20.46
DC_66A_n7A	25	2535	CP	16QAM	Outer_Full	20.70
DC_66A_n7A	25	2535	CP	64QAM	Inner_Full	20.44
DC_66A_n7A	25	2535	CP	64QAM	Edge_1RB_Left	20.13
DC_66A_n7A	25	2535	CP	64QAM	Edge_1RB_Right	20.03
DC_66A_n7A	25	2535	CP	64QAM	Outer_Full	20.25
DC_66A_n7A	25	2535	CP	QPSK	Inner_Full	22.45
DC_66A_n7A	25	2535	CP	QPSK	Edge_1RB_Left	21.80
DC_66A_n7A	25	2535	CP	QPSK	Edge_1RB_Right	21.63
DC_66A_n7A	25	2535	CP	QPSK	Outer_Full	21.76
DC_66A_n7A	25	2557.5	DFT	16QAM	Inner_Full	21.65
DC_66A_n7A	25	2557.5	DFT	16QAM	Edge_1RB_Left	20.67
DC_66A_n7A	25	2557.5	DFT	16QAM	Edge_1RB_Right	20.44
DC_66A_n7A	25	2557.5	DFT	16QAM	Outer_Full	20.58
DC_66A_n7A	25	2557.5	DFT	64QAM	Inner_Full	20.28
DC_66A_n7A	25	2557.5	DFT	64QAM	Edge_1RB_Left	19.86
DC_66A_n7A	25	2557.5	DFT	64QAM	Edge_1RB_Right	19.90
DC_66A_n7A	25	2557.5	DFT	64QAM	Outer_Full	20.28
DC_66A_n7A	25	2557.5	DFT	pi/2 BPSK	Inner_Full	20.39
DC_66A_n7A	25	2557.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.67
DC_66A_n7A	25	2557.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.57
DC_66A_n7A	25	2557.5	DFT	pi/2 BPSK	Outer_Full	21.72



BAND	BW(MHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_66A_n7A	25	2557.5	DFT	QPSK	Inner_Full	22.25
DC_66A_n7A	25	2557.5	DFT	QPSK	Edge_1RB_Left	21.58
DC_66A_n7A	25	2557.5	DFT	QPSK	Outer_Full	21.67
DC_66A_n7A	25	2557.5	DFT	QPSK	Edge_1RB_Right	21.35
DC_66A_n7A	25	2557.5	CP	16QAM	Inner_Full	21.50
DC_66A_n7A	25	2557.5	CP	16QAM	Edge_1RB_Left	20.49
DC_66A_n7A	25	2557.5	CP	16QAM	Edge_1RB_Right	20.31
DC_66A_n7A	25	2557.5	CP	16QAM	Outer_Full	20.39
DC_66A_n7A	25	2557.5	CP	64QAM	Inner_Full	20.22
DC_66A_n7A	25	2557.5	CP	64QAM	Edge_1RB_Left	20.00
DC_66A_n7A	25	2557.5	CP	64QAM	Edge_1RB_Right	19.51
DC_66A_n7A	25	2557.5	CP	64QAM	Outer_Full	20.10
DC_66A_n7A	25	2557.5	CP	QPSK	Inner_Full	22.12
DC_66A_n7A	25	2557.5	CP	QPSK	Edge_1RB_Left	21.41
DC_66A_n7A	25	2557.5	CP	QPSK	Edge_1RB_Right	21.19
DC_66A_n7A	25	2557.5	CP	QPSK	Outer_Full	21.52
DC_66A_n7A	30	2515	DFT	16QAM	Inner_Full	21.96
DC_66A_n7A	30	2515	DFT	16QAM	Edge_1RB_Left	20.91
DC_66A_n7A	30	2515	DFT	16QAM	Edge_1RB_Right	20.80
DC_66A_n7A	30	2515	DFT	16QAM	Outer_Full	20.89
DC_66A_n7A	30	2515	DFT	64QAM	Inner_Full	20.52
DC_66A_n7A	30	2515	DFT	64QAM	Edge_1RB_Left	20.19
DC_66A_n7A	30	2515	DFT	64QAM	Edge_1RB_Right	20.01
DC_66A_n7A	30	2515	DFT	64QAM	Outer_Full	20.45
DC_66A_n7A	30	2515	DFT	pi/2 BPSK	Inner_Full	20.61
DC_66A_n7A	30	2515	DFT	pi/2 BPSK	Edge_1RB_Left	21.91
DC_66A_n7A	30	2515	DFT	pi/2 BPSK	Edge_1RB_Right	21.76
DC_66A_n7A	30	2515	DFT	pi/2 BPSK	Outer_Full	22.04
DC_66A_n7A	30	2515	DFT	QPSK	Inner_Full	22.67
DC_66A_n7A	30	2515	DFT	QPSK	Edge_1RB_Left	21.90



BAND	BW(MHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_66A_n7A	30	2515	DFT	QPSK	Outer_Full	22.01
DC_66A_n7A	30	2515	DFT	QPSK	Edge_1RB_Right	21.70
DC_66A_n7A	30	2515	CP	16QAM	Inner_Full	20.76
DC_66A_n7A	30	2515	CP	16QAM	Edge_1RB_Left	20.75
DC_66A_n7A	30	2515	CP	16QAM	Edge_1RB_Right	20.64
DC_66A_n7A	30	2515	CP	16QAM	Outer_Full	20.83
DC_66A_n7A	30	2515	CP	64QAM	Inner_Full	20.33
DC_66A_n7A	30	2515	CP	64QAM	Edge_1RB_Left	20.01
DC_66A_n7A	30	2515	CP	64QAM	Edge_1RB_Right	20.04
DC_66A_n7A	30	2515	CP	64QAM	Outer_Full	20.26
DC_66A_n7A	30	2515	CP	QPSK	Inner_Full	21.86
DC_66A_n7A	30	2515	CP	QPSK	Edge_1RB_Left	21.79
DC_66A_n7A	30	2515	CP	QPSK	Edge_1RB_Right	21.63
DC_66A_n7A	30	2515	CP	QPSK	Outer_Full	21.83
DC_66A_n7A	30	2535	DFT	16QAM	Inner_Full	21.73
DC_66A_n7A	30	2535	DFT	16QAM	Edge_1RB_Left	20.58
DC_66A_n7A	30	2535	DFT	16QAM	Edge_1RB_Right	20.40
DC_66A_n7A	30	2535	DFT	16QAM	Outer_Full	20.72
DC_66A_n7A	30	2535	DFT	64QAM	Inner_Full	20.26
DC_66A_n7A	30	2535	DFT	64QAM	Edge_1RB_Left	20.25
DC_66A_n7A	30	2535	DFT	64QAM	Edge_1RB_Right	19.77
DC_66A_n7A	30	2535	DFT	64QAM	Outer_Full	20.20
DC_66A_n7A	30	2535	DFT	pi/2 BPSK	Inner_Full	20.42
DC_66A_n7A	30	2535	DFT	pi/2 BPSK	Edge_1RB_Left	21.73
DC_66A_n7A	30	2535	DFT	pi/2 BPSK	Edge_1RB_Right	21.52
DC_66A_n7A	30	2535	DFT	pi/2 BPSK	Outer_Full	21.79
DC_66A_n7A	30	2535	DFT	QPSK	Inner_Full	22.41
DC_66A_n7A	30	2535	DFT	QPSK	Edge_1RB_Left	21.71
DC_66A_n7A	30	2535	DFT	QPSK	Outer_Full	21.79
DC_66A_n7A	30	2535	DFT	QPSK	Edge_1RB_Right	21.54



BAND	BW(MHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_66A_n7A	30	2535	CP	16QAM	Inner_Full	20.55
DC_66A_n7A	30	2535	CP	16QAM	Edge_1RB_Left	20.57
DC_66A_n7A	30	2535	CP	16QAM	Edge_1RB_Right	20.24
DC_66A_n7A	30	2535	CP	16QAM	Outer_Full	20.51
DC_66A_n7A	30	2535	CP	64QAM	Inner_Full	20.16
DC_66A_n7A	30	2535	CP	64QAM	Edge_1RB_Left	20.12
DC_66A_n7A	30	2535	CP	64QAM	Edge_1RB_Right	19.64
DC_66A_n7A	30	2535	CP	64QAM	Outer_Full	20.18
DC_66A_n7A	30	2535	CP	QPSK	Inner_Full	21.68
DC_66A_n7A	30	2535	CP	QPSK	Edge_1RB_Left	21.54
DC_66A_n7A	30	2535	CP	QPSK	Edge_1RB_Right	21.32
DC_66A_n7A	30	2535	CP	QPSK	Outer_Full	21.63
DC_66A_n7A	30	2555	DFT	16QAM	Inner_Full	21.50
DC_66A_n7A	30	2555	DFT	16QAM	Edge_1RB_Left	20.47
DC_66A_n7A	30	2555	DFT	16QAM	Edge_1RB_Right	20.23
DC_66A_n7A	30	2555	DFT	16QAM	Outer_Full	20.37
DC_66A_n7A	30	2555	DFT	64QAM	Inner_Full	20.14
DC_66A_n7A	30	2555	DFT	64QAM	Edge_1RB_Left	20.01
DC_66A_n7A	30	2555	DFT	64QAM	Edge_1RB_Right	19.72
DC_66A_n7A	30	2555	DFT	64QAM	Outer_Full	20.09
DC_66A_n7A	30	2555	DFT	pi/2 BPSK	Inner_Full	20.27
DC_66A_n7A	30	2555	DFT	pi/2 BPSK	Edge_1RB_Left	21.44
DC_66A_n7A	30	2555	DFT	pi/2 BPSK	Edge_1RB_Right	21.26
DC_66A_n7A	30	2555	DFT	pi/2 BPSK	Outer_Full	21.45
DC_66A_n7A	30	2555	DFT	QPSK	Inner_Full	22.13
DC_66A_n7A	30	2555	DFT	QPSK	Edge_1RB_Left	21.44
DC_66A_n7A	30	2555	DFT	QPSK	Outer_Full	21.41
DC_66A_n7A	30	2555	DFT	QPSK	Edge_1RB_Right	21.14
DC_66A_n7A	30	2555	CP	16QAM	Inner_Full	20.22
DC_66A_n7A	30	2555	CP	16QAM	Edge_1RB_Left	20.32



BAND	BW(MHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_66A_n7A	30	2555	CP	16QAM	Edge_1RB_Right	20.08
DC_66A_n7A	30	2555	CP	16QAM	Outer_Full	20.17
DC_66A_n7A	30	2555	CP	64QAM	Inner_Full	19.98
DC_66A_n7A	30	2555	CP	64QAM	Edge_1RB_Left	19.58
DC_66A_n7A	30	2555	CP	64QAM	Edge_1RB_Right	19.32
DC_66A_n7A	30	2555	CP	64QAM	Outer_Full	19.89
DC_66A_n7A	30	2555	CP	QPSK	Inner_Full	21.37
DC_66A_n7A	30	2555	CP	QPSK	Edge_1RB_Left	21.25
DC_66A_n7A	30	2555	CP	QPSK	Edge_1RB_Right	21.07
DC_66A_n7A	30	2555	CP	QPSK	Outer_Full	21.26
DC_66A_n7A	40	2520	DFT	16QAM	Inner_Full	22.11
DC_66A_n7A	40	2520	DFT	16QAM	Edge_1RB_Left	21.02
DC_66A_n7A	40	2520	DFT	16QAM	Edge_1RB_Right	20.80
DC_66A_n7A	40	2520	DFT	16QAM	Outer_Full	21.00
DC_66A_n7A	40	2520	DFT	64QAM	Inner_Full	20.57
DC_66A_n7A	40	2520	DFT	64QAM	Edge_1RB_Left	20.49
DC_66A_n7A	40	2520	DFT	64QAM	Edge_1RB_Right	20.31
DC_66A_n7A	40	2520	DFT	64QAM	Outer_Full	20.63
DC_66A_n7A	40	2520	DFT	pi/2 BPSK	Inner_Full	20.70
DC_66A_n7A	40	2520	DFT	pi/2 BPSK	Edge_1RB_Left	21.97
DC_66A_n7A	40	2520	DFT	pi/2 BPSK	Edge_1RB_Right	21.93
DC_66A_n7A	40	2520	DFT	pi/2 BPSK	Outer_Full	22.18
DC_66A_n7A	40	2520	DFT	QPSK	Inner_Full	22.77
DC_66A_n7A	40	2520	DFT	QPSK	Edge_1RB_Left	21.98
DC_66A_n7A	40	2520	DFT	QPSK	Outer_Full	22.16
DC_66A_n7A	40	2520	DFT	QPSK	Edge_1RB_Right	21.83
DC_66A_n7A	40	2520	CP	16QAM	Inner_Full	20.83
DC_66A_n7A	40	2520	CP	16QAM	Edge_1RB_Left	20.68
DC_66A_n7A	40	2520	CP	16QAM	Edge_1RB_Right	20.66
DC_66A_n7A	40	2520	CP	16QAM	Outer_Full	20.85



BAND	BW(MHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_66A_n7A	40	2520	CP	64QAM	Inner_Full	20.37
DC_66A_n7A	40	2520	CP	64QAM	Edge_1RB_Left	20.25
DC_66A_n7A	40	2520	CP	64QAM	Edge_1RB_Right	20.21
DC_66A_n7A	40	2520	CP	64QAM	Outer_Full	20.41
DC_66A_n7A	40	2520	CP	QPSK	Inner_Full	22.02
DC_66A_n7A	40	2520	CP	QPSK	Edge_1RB_Left	21.89
DC_66A_n7A	40	2520	CP	QPSK	Edge_1RB_Right	21.66
DC_66A_n7A	40	2520	CP	QPSK	Outer_Full	21.94
DC_66A_n7A	40	2535	DFT	16QAM	Inner_Full	21.91
DC_66A_n7A	40	2535	DFT	16QAM	Edge_1RB_Left	20.64
DC_66A_n7A	40	2535	DFT	16QAM	Edge_1RB_Right	20.46
DC_66A_n7A	40	2535	DFT	16QAM	Outer_Full	20.82
DC_66A_n7A	40	2535	DFT	64QAM	Inner_Full	20.38
DC_66A_n7A	40	2535	DFT	64QAM	Edge_1RB_Left	20.34
DC_66A_n7A	40	2535	DFT	64QAM	Edge_1RB_Right	20.12
DC_66A_n7A	40	2535	DFT	64QAM	Outer_Full	20.33
DC_66A_n7A	40	2535	DFT	pi/2 BPSK	Inner_Full	20.59
DC_66A_n7A	40	2535	DFT	pi/2 BPSK	Edge_1RB_Left	21.85
DC_66A_n7A	40	2535	DFT	pi/2 BPSK	Edge_1RB_Right	21.53
DC_66A_n7A	40	2535	DFT	pi/2 BPSK	Outer_Full	21.91
DC_66A_n7A	40	2535	DFT	QPSK	Inner_Full	22.60
DC_66A_n7A	40	2535	DFT	QPSK	Edge_1RB_Left	21.87
DC_66A_n7A	40	2535	DFT	QPSK	Outer_Full	21.91
DC_66A_n7A	40	2535	DFT	QPSK	Edge_1RB_Right	21.51
DC_66A_n7A	40	2535	CP	16QAM	Inner_Full	20.68
DC_66A_n7A	40	2535	CP	16QAM	Edge_1RB_Left	20.66
DC_66A_n7A	40	2535	CP	16QAM	Edge_1RB_Right	20.44
DC_66A_n7A	40	2535	CP	16QAM	Outer_Full	20.69
DC_66A_n7A	40	2535	CP	64QAM	Inner_Full	20.28
DC_66A_n7A	40	2535	CP	64QAM	Edge_1RB_Left	19.90





BAND	BW(MHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_66A_n7A	40	2535	CP	64QAM	Edge_1RB_Right	19.65
DC_66A_n7A	40	2535	CP	64QAM	Outer_Full	20.25
DC_66A_n7A	40	2535	CP	QPSK	Inner_Full	21.86
DC_66A_n7A	40	2535	CP	QPSK	Edge_1RB_Left	21.69
DC_66A_n7A	40	2535	CP	QPSK	Edge_1RB_Right	21.35
DC_66A_n7A	40	2535	CP	QPSK	Outer_Full	21.76
DC_66A_n7A	40	2550	DFT	16QAM	Inner_Full	21.64
DC_66A_n7A	40	2550	DFT	16QAM	Edge_1RB_Left	20.61
DC_66A_n7A	40	2550	DFT	16QAM	Edge_1RB_Right	20.29
DC_66A_n7A	40	2550	DFT	16QAM	Outer_Full	20.50
DC_66A_n7A	40	2550	DFT	64QAM	Inner_Full	20.30
DC_66A_n7A	40	2550	DFT	64QAM	Edge_1RB_Left	20.14
DC_66A_n7A	40	2550	DFT	64QAM	Edge_1RB_Right	19.85
DC_66A_n7A	40	2550	DFT	64QAM	Outer_Full	20.30
DC_66A_n7A	40	2550	DFT	pi/2 BPSK	Inner_Full	20.43
DC_66A_n7A	40	2550	DFT	pi/2 BPSK	Edge_1RB_Left	21.57
DC_66A_n7A	40	2550	DFT	pi/2 BPSK	Edge_1RB_Right	21.34
DC_66A_n7A	40	2550	DFT	pi/2 BPSK	Outer_Full	21.64
DC_66A_n7A	40	2550	DFT	QPSK	Inner_Full	22.34
DC_66A_n7A	40	2550	DFT	QPSK	Edge_1RB_Left	21.60
DC_66A_n7A	40	2550	DFT	QPSK	Outer_Full	21.66
DC_66A_n7A	40	2550	DFT	QPSK	Edge_1RB_Right	21.30
DC_66A_n7A	40	2550	CP	16QAM	Inner_Full	20.43
DC_66A_n7A	40	2550	CP	16QAM	Edge_1RB_Left	20.33
DC_66A_n7A	40	2550	CP	16QAM	Edge_1RB_Right	20.00
DC_66A_n7A	40	2550	CP	16QAM	Outer_Full	20.35
DC_66A_n7A	40	2550	CP	64QAM	Inner_Full	20.07
DC_66A_n7A	40	2550	CP	64QAM	Edge_1RB_Left	19.97
DC_66A_n7A	40	2550	CP	64QAM	Edge_1RB_Right	19.39
DC_66A_n7A	40	2550	CP	64QAM	Outer_Full	20.03



BAND	BW(MHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_66A_n7A	40	2550	CP	QPSK	Inner_Full	21.55
DC_66A_n7A	40	2550	CP	QPSK	Edge_1RB_Left	21.42
DC_66A_n7A	40	2550	CP	QPSK	Edge_1RB_Right	21.13
DC_66A_n7A	40	2550	CP	QPSK	Outer_Full	21.44
DC_66A_n7A	50	2525	DFT	16QAM	Inner_Full	22.17
DC_66A_n7A	50	2525	DFT	16QAM	Edge_1RB_Left	20.97
DC_66A_n7A	50	2525	DFT	16QAM	Edge_1RB_Right	20.81
DC_66A_n7A	50	2525	DFT	16QAM	Outer_Full	21.04
DC_66A_n7A	50	2525	DFT	64QAM	Inner_Full	20.62
DC_66A_n7A	50	2525	DFT	64QAM	Edge_1RB_Left	20.21
DC_66A_n7A	50	2525	DFT	64QAM	Edge_1RB_Right	20.04
DC_66A_n7A	50	2525	DFT	64QAM	Outer_Full	20.57
DC_66A_n7A	50	2525	DFT	pi/2 BPSK	Inner_Full	20.66
DC_66A_n7A	50	2525	DFT	pi/2 BPSK	Edge_1RB_Left	21.93
DC_66A_n7A	50	2525	DFT	pi/2 BPSK	Edge_1RB_Right	21.79
DC_66A_n7A	50	2525	DFT	pi/2 BPSK	Outer_Full	22.12
DC_66A_n7A	50	2525	DFT	QPSK	Inner_Full	22.74
DC_66A_n7A	50	2525	DFT	QPSK	Edge_1RB_Left	21.94
DC_66A_n7A	50	2525	DFT	QPSK	Outer_Full	22.12
DC_66A_n7A	50	2525	DFT	QPSK	Edge_1RB_Right	21.79
DC_66A_n7A	50	2525	CP	16QAM	Inner_Full	21.02
DC_66A_n7A	50	2525	CP	16QAM	Edge_1RB_Left	20.82
DC_66A_n7A	50	2525	CP	16QAM	Edge_1RB_Right	20.65
DC_66A_n7A	50	2525	CP	16QAM	Outer_Full	20.93
DC_66A_n7A	50	2525	CP	64QAM	Inner_Full	20.50
DC_66A_n7A	50	2525	CP	64QAM	Edge_1RB_Left	19.98
DC_66A_n7A	50	2525	CP	64QAM	Edge_1RB_Right	19.89
DC_66A_n7A	50	2525	CP	64QAM	Outer_Full	20.39
DC_66A_n7A	50	2525	CP	QPSK	Inner_Full	22.06
DC_66A_n7A	50	2525	CP	QPSK	Edge_1RB_Left	21.80



BAND	BW(MHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_66A_n7A	50	2525	CP	QPSK	Edge_1RB_Right	21.62
DC_66A_n7A	50	2525	CP	QPSK	Outer_Full	21.94
DC_66A_n7A	50	2535	DFT	16QAM	Inner_Full	21.94
DC_66A_n7A	50	2535	DFT	16QAM	Edge_1RB_Left	20.79
DC_66A_n7A	50	2535	DFT	16QAM	Edge_1RB_Right	20.52
DC_66A_n7A	50	2535	DFT	16QAM	Outer_Full	20.80
DC_66A_n7A	50	2535	DFT	64QAM	Inner_Full	20.46
DC_66A_n7A	50	2535	DFT	64QAM	Edge_1RB_Left	20.33
DC_66A_n7A	50	2535	DFT	64QAM	Edge_1RB_Right	19.76
DC_66A_n7A	50	2535	DFT	64QAM	Outer_Full	20.35
DC_66A_n7A	50	2535	DFT	pi/2 BPSK	Inner_Full	20.56
DC_66A_n7A	50	2535	DFT	pi/2 BPSK	Edge_1RB_Left	21.85
DC_66A_n7A	50	2535	DFT	pi/2 BPSK	Edge_1RB_Right	21.56
DC_66A_n7A	50	2535	DFT	pi/2 BPSK	Outer_Full	21.99
DC_66A_n7A	50	2535	DFT	QPSK	Inner_Full	22.60
DC_66A_n7A	50	2535	DFT	QPSK	Edge_1RB_Left	21.81
DC_66A_n7A	50	2535	DFT	QPSK	Outer_Full	21.92
DC_66A_n7A	50	2535	DFT	QPSK	Edge_1RB_Right	21.50
DC_66A_n7A	50	2535	CP	16QAM	Inner_Full	20.79
DC_66A_n7A	50	2535	CP	16QAM	Edge_1RB_Left	20.65
DC_66A_n7A	50	2535	CP	16QAM	Edge_1RB_Right	20.46
DC_66A_n7A	50	2535	CP	16QAM	Outer_Full	20.61
DC_66A_n7A	50	2535	CP	64QAM	Inner_Full	20.33
DC_66A_n7A	50	2535	CP	64QAM	Edge_1RB_Left	20.12
DC_66A_n7A	50	2535	CP	64QAM	Edge_1RB_Right	20.02
DC_66A_n7A	50	2535	CP	64QAM	Outer_Full	20.20
DC_66A_n7A	50	2535	CP	QPSK	Inner_Full	21.88
DC_66A_n7A	50	2535	CP	QPSK	Edge_1RB_Left	21.65
DC_66A_n7A	50	2535	CP	QPSK	Edge_1RB_Right	21.34
DC_66A_n7A	50	2535	CP	QPSK	Outer_Full	21.77



BAND	BW(MHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_66A_n7A	50	2545	DFT	16QAM	Inner_Full	21.70
DC_66A_n7A	50	2545	DFT	16QAM	Edge_1RB_Left	20.49
DC_66A_n7A	50	2545	DFT	16QAM	Edge_1RB_Right	20.20
DC_66A_n7A	50	2545	DFT	16QAM	Outer_Full	20.48
DC_66A_n7A	50	2545	DFT	64QAM	Inner_Full	20.37
DC_66A_n7A	50	2545	DFT	64QAM	Edge_1RB_Left	19.86
DC_66A_n7A	50	2545	DFT	64QAM	Edge_1RB_Right	19.56
DC_66A_n7A	50	2545	DFT	64QAM	Outer_Full	20.21
DC_66A_n7A	50	2545	DFT	pi/2 BPSK	Inner_Full	20.44
DC_66A_n7A	50	2545	DFT	pi/2 BPSK	Edge_1RB_Left	21.62
DC_66A_n7A	50	2545	DFT	pi/2 BPSK	Edge_1RB_Right	21.32
DC_66A_n7A	50	2545	DFT	pi/2 BPSK	Outer_Full	21.63
DC_66A_n7A	50	2545	DFT	QPSK	Inner_Full	22.38
DC_66A_n7A	50	2545	DFT	QPSK	Edge_1RB_Left	21.62
DC_66A_n7A	50	2545	DFT	QPSK	Outer_Full	21.62
DC_66A_n7A	50	2545	DFT	QPSK	Edge_1RB_Right	21.29
DC_66A_n7A	50	2545	CP	16QAM	Inner_Full	20.61
DC_66A_n7A	50	2545	CP	16QAM	Edge_1RB_Left	20.53
DC_66A_n7A	50	2545	CP	16QAM	Edge_1RB_Right	20.02
DC_66A_n7A	50	2545	CP	16QAM	Outer_Full	20.38
DC_66A_n7A	50	2545	CP	64QAM	Inner_Full	20.23
DC_66A_n7A	50	2545	CP	64QAM	Edge_1RB_Left	19.99
DC_66A_n7A	50	2545	CP	64QAM	Edge_1RB_Right	19.68
DC_66A_n7A	50	2545	CP	64QAM	Outer_Full	20.05
DC_66A_n7A	50	2545	CP	QPSK	Inner_Full	21.59
DC_66A_n7A	50	2545	CP	QPSK	Edge_1RB_Left	21.42
DC_66A_n7A	50	2545	CP	QPSK	Edge_1RB_Right	21.08
DC_66A_n7A	50	2545	CP	QPSK	Outer_Full	21.41
DC_26A_n41A	20	2506.02	DFT	16QAM	Inner_Full	23.07
DC_26A_n41A	20	2506.02	DFT	16QAM	Edge_1RB_Left	21.83



BAND	BW(MHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_26A_n41A	20	2506.02	DFT	16QAM	Edge_1RB_Right	22.24
DC_26A_n41A	20	2506.02	DFT	16QAM	Outer_Full	22.09
DC_26A_n41A	20	2506.02	DFT	64QAM	Inner_Full	21.61
DC_26A_n41A	20	2506.02	DFT	64QAM	Edge_1RB_Left	21.08
DC_26A_n41A	20	2506.02	DFT	64QAM	Edge_1RB_Right	21.40
DC_26A_n41A	20	2506.02	DFT	64QAM	Outer_Full	21.54
DC_26A_n41A	20	2506.02	DFT	pi/2 BPSK	Inner_Full	24.08
DC_26A_n41A	20	2506.02	DFT	pi/2 BPSK	Edge_1RB_Left	23.24
DC_26A_n41A	20	2506.02	DFT	pi/2 BPSK	Edge_1RB_Right	23.61
DC_26A_n41A	20	2506.02	DFT	pi/2 BPSK	Outer_Full	23.59
DC_26A_n41A	20	2506.02	DFT	QPSK	Inner_Full	24.07
DC_26A_n41A	20	2506.02	DFT	QPSK	Edge_1RB_Left	22.65
DC_26A_n41A	20	2506.02	DFT	QPSK	Edge_1RB_Right	22.96
DC_26A_n41A	20	2506.02	DFT	QPSK	Outer_Full	23.07
DC_26A_n41A	20	2506.02	CP	16QAM	Inner_Full	22.05
DC_26A_n41A	20	2506.02	CP	16QAM	Edge_1RB_Left	21.05
DC_26A_n41A	20	2506.02	CP	16QAM	Edge_1RB_Right	21.35
DC_26A_n41A	20	2506.02	CP	16QAM	Outer_Full	21.06
DC_26A_n41A	20	2506.02	CP	64QAM	Inner_Full	20.55
DC_26A_n41A	20	2506.02	CP	64QAM	Edge_1RB_Left	19.99
DC_26A_n41A	20	2506.02	CP	64QAM	Edge_1RB_Right	20.40
DC_26A_n41A	20	2506.02	CP	64QAM	Outer_Full	20.50
DC_26A_n41A	20	2506.02	CP	QPSK	Inner_Full	22.59
DC_26A_n41A	20	2506.02	CP	QPSK	Edge_1RB_Left	20.75
DC_26A_n41A	20	2506.02	CP	QPSK	Edge_1RB_Right	21.01
DC_26A_n41A	20	2506.02	CP	QPSK	Outer_Full	21.01
DC_26A_n41A	20	2592.99	DFT	16QAM	Inner_Full	23.33
DC_26A_n41A	20	2592.99	DFT	16QAM	Edge_1RB_Left	21.99
DC_26A_n41A	20	2592.99	DFT	16QAM	Edge_1RB_Right	22.15
DC_26A_n41A	20	2592.99	DFT	16QAM	Outer_Full	22.32



BAND	BW(MHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_26A_n41A	20	2592.99	DFT	64QAM	Inner_Full	21.84
DC_26A_n41A	20	2592.99	DFT	64QAM	Edge_1RB_Left	21.55
DC_26A_n41A	20	2592.99	DFT	64QAM	Edge_1RB_Right	21.79
DC_26A_n41A	20	2592.99	DFT	64QAM	Outer_Full	21.75
DC_26A_n41A	20	2592.99	DFT	pi/2 BPSK	Inner_Full	24.29
DC_26A_n41A	20	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	23.60
DC_26A_n41A	20	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	23.80
DC_26A_n41A	20	2592.99	DFT	pi/2 BPSK	Outer_Full	23.84
DC_26A_n41A	20	2592.99	DFT	QPSK	Inner_Full	24.22
DC_26A_n41A	20	2592.99	DFT	QPSK	Edge_1RB_Left	23.01
DC_26A_n41A	20	2592.99	DFT	QPSK	Edge_1RB_Right	23.17
DC_26A_n41A	20	2592.99	DFT	QPSK	Outer_Full	23.35
DC_26A_n41A	20	2592.99	CP	16QAM	Inner_Full	22.24
DC_26A_n41A	20	2592.99	CP	16QAM	Edge_1RB_Left	21.04
DC_26A_n41A	20	2592.99	CP	16QAM	Edge_1RB_Right	20.82
DC_26A_n41A	20	2592.99	CP	16QAM	Outer_Full	21.28
DC_26A_n41A	20	2592.99	CP	64QAM	Inner_Full	20.73
DC_26A_n41A	20	2592.99	CP	64QAM	Edge_1RB_Left	20.65
DC_26A_n41A	20	2592.99	CP	64QAM	Edge_1RB_Right	20.62
DC_26A_n41A	20	2592.99	CP	64QAM	Outer_Full	20.85
DC_26A_n41A	20	2592.99	CP	QPSK	Inner_Full	22.77
DC_26A_n41A	20	2592.99	CP	QPSK	Edge_1RB_Left	21.08
DC_26A_n41A	20	2592.99	CP	QPSK	Edge_1RB_Right	21.19
DC_26A_n41A	20	2592.99	CP	QPSK	Outer_Full	21.34
DC_26A_n41A	20	2679.99	DFT	16QAM	Inner_Full	23.87
DC_26A_n41A	20	2679.99	DFT	16QAM	Edge_1RB_Left	22.61
DC_26A_n41A	20	2679.99	DFT	16QAM	Edge_1RB_Right	23.18
DC_26A_n41A	20	2679.99	DFT	16QAM	Outer_Full	22.87
DC_26A_n41A	20	2679.99	DFT	64QAM	Inner_Full	22.33
DC_26A_n41A	20	2679.99	DFT	64QAM	Edge_1RB_Left	21.85



BAND	BW(MHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_26A_n41A	20	2679.99	DFT	64QAM	Edge_1RB_Right	22.22
DC_26A_n41A	20	2679.99	DFT	64QAM	Outer_Full	22.38
DC_26A_n41A	20	2679.99	DFT	pi/2 BPSK	Inner_Full	24.82
DC_26A_n41A	20	2679.99	DFT	pi/2 BPSK	Edge_1RB_Left	24.05
DC_26A_n41A	20	2679.99	DFT	pi/2 BPSK	Edge_1RB_Right	24.34
DC_26A_n41A	20	2679.99	DFT	pi/2 BPSK	Outer_Full	24.35
DC_26A_n41A	20	2679.99	DFT	QPSK	Inner_Full	24.81
DC_26A_n41A	20	2679.99	DFT	QPSK	Edge_1RB_Left	23.40
DC_26A_n41A	20	2679.99	DFT	QPSK	Edge_1RB_Right	23.72
DC_26A_n41A	20	2679.99	DFT	QPSK	Outer_Full	23.84
DC_26A_n41A	20	2679.99	CP	16QAM	Inner_Full	22.71
DC_26A_n41A	20	2679.99	CP	16QAM	Edge_1RB_Left	21.76
DC_26A_n41A	20	2679.99	CP	16QAM	Edge_1RB_Right	22.02
DC_26A_n41A	20	2679.99	CP	16QAM	Outer_Full	21.86
DC_26A_n41A	20	2679.99	CP	64QAM	Inner_Full	21.25
DC_26A_n41A	20	2679.99	CP	64QAM	Edge_1RB_Left	21.10
DC_26A_n41A	20	2679.99	CP	64QAM	Edge_1RB_Right	21.44
DC_26A_n41A	20	2679.99	CP	64QAM	Outer_Full	21.28
DC_26A_n41A	20	2679.99	CP	QPSK	Inner_Full	23.24
DC_26A_n41A	20	2679.99	CP	QPSK	Edge_1RB_Left	21.62
DC_26A_n41A	20	2679.99	CP	QPSK	Edge_1RB_Right	21.83
DC_26A_n41A	20	2679.99	CP	QPSK	Outer_Full	21.78
DC_26A_n41A	30	2511	DFT	16QAM	Inner_Full	23.05
DC_26A_n41A	30	2511	DFT	16QAM	Edge_1RB_Left	22.07
DC_26A_n41A	30	2511	DFT	16QAM	Edge_1RB_Right	22.19
DC_26A_n41A	30	2511	DFT	16QAM	Outer_Full	21.95
DC_26A_n41A	30	2511	DFT	64QAM	Inner_Full	21.55
DC_26A_n41A	30	2511	DFT	64QAM	Edge_1RB_Left	21.00
DC_26A_n41A	30	2511	DFT	64QAM	Edge_1RB_Right	21.60
DC_26A_n41A	30	2511	DFT	64QAM	Outer_Full	21.52



BAND	BW(MHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_26A_n41A	30	2511	DFT	pi/2 BPSK	Inner_Full	24.05
DC_26A_n41A	30	2511	DFT	pi/2 BPSK	Edge_1RB_Left	23.22
DC_26A_n41A	30	2511	DFT	pi/2 BPSK	Edge_1RB_Right	23.41
DC_26A_n41A	30	2511	DFT	pi/2 BPSK	Outer_Full	23.49
DC_26A_n41A	30	2511	DFT	QPSK	Inner_Full	24.05
DC_26A_n41A	30	2511	DFT	QPSK	Edge_1RB_Left	22.55
DC_26A_n41A	30	2511	DFT	QPSK	Edge_1RB_Right	22.76
DC_26A_n41A	30	2511	DFT	QPSK	Outer_Full	23.05
DC_26A_n41A	30	2511	CP	16QAM	Inner_Full	22.06
DC_26A_n41A	30	2511	CP	16QAM	Edge_1RB_Left	20.48
DC_26A_n41A	30	2511	CP	16QAM	Edge_1RB_Right	21.13
DC_26A_n41A	30	2511	CP	16QAM	Outer_Full	20.99
DC_26A_n41A	30	2511	CP	64QAM	Inner_Full	20.46
DC_26A_n41A	30	2511	CP	64QAM	Edge_1RB_Left	19.92
DC_26A_n41A	30	2511	CP	64QAM	Edge_1RB_Right	20.17
DC_26A_n41A	30	2511	CP	64QAM	Outer_Full	20.34
DC_26A_n41A	30	2511	CP	QPSK	Inner_Full	22.57
DC_26A_n41A	30	2511	CP	QPSK	Edge_1RB_Left	20.79
DC_26A_n41A	30	2511	CP	QPSK	Edge_1RB_Right	20.90
DC_26A_n41A	30	2511	CP	QPSK	Outer_Full	20.94
DC_26A_n41A	30	2592.99	DFT	16QAM	Inner_Full	23.34
DC_26A_n41A	30	2592.99	DFT	16QAM	Edge_1RB_Left	22.40
DC_26A_n41A	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.44
DC_26A_n41A	30	2592.99	DFT	16QAM	Outer_Full	22.25
DC_26A_n41A	30	2592.99	DFT	64QAM	Inner_Full	21.78
DC_26A_n41A	30	2592.99	DFT	64QAM	Edge_1RB_Left	21.81
DC_26A_n41A	30	2592.99	DFT	64QAM	Edge_1RB_Right	21.38
DC_26A_n41A	30	2592.99	DFT	64QAM	Outer_Full	21.79
DC_26A_n41A	30	2592.99	DFT	pi/2 BPSK	Inner_Full	24.27
DC_26A_n41A	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	23.52





BAND	BW(MHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_26A_n41A	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	23.57
DC_26A_n41A	30	2592.99	DFT	pi/2 BPSK	Outer_Full	23.77
DC_26A_n41A	30	2592.99	DFT	QPSK	Inner_Full	24.21
DC_26A_n41A	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.93
DC_26A_n41A	30	2592.99	DFT	QPSK	Edge_1RB_Right	23.01
DC_26A_n41A	30	2592.99	DFT	QPSK	Outer_Full	23.26
DC_26A_n41A	30	2592.99	CP	16QAM	Inner_Full	22.18
DC_26A_n41A	30	2592.99	CP	16QAM	Edge_1RB_Left	21.07
DC_26A_n41A	30	2592.99	CP	16QAM	Edge_1RB_Right	21.32
DC_26A_n41A	30	2592.99	CP	16QAM	Outer_Full	21.28
DC_26A_n41A	30	2592.99	CP	64QAM	Inner_Full	20.73
DC_26A_n41A	30	2592.99	CP	64QAM	Edge_1RB_Left	20.34
DC_26A_n41A	30	2592.99	CP	64QAM	Edge_1RB_Right	20.47
DC_26A_n41A	30	2592.99	CP	64QAM	Outer_Full	20.63
DC_26A_n41A	30	2592.99	CP	QPSK	Inner_Full	22.71
DC_26A_n41A	30	2592.99	CP	QPSK	Edge_1RB_Left	21.08
DC_26A_n41A	30	2592.99	CP	QPSK	Edge_1RB_Right	21.07
DC_26A_n41A	30	2592.99	CP	QPSK	Outer_Full	21.23
DC_26A_n41A	30	2674.98	DFT	16QAM	Inner_Full	23.61
DC_26A_n41A	30	2674.98	DFT	16QAM	Edge_1RB_Left	22.58
DC_26A_n41A	30	2674.98	DFT	16QAM	Edge_1RB_Right	22.69
DC_26A_n41A	30	2674.98	DFT	16QAM	Outer_Full	22.59
DC_26A_n41A	30	2674.98	DFT	64QAM	Inner_Full	22.24
DC_26A_n41A	30	2674.98	DFT	64QAM	Edge_1RB_Left	21.56
DC_26A_n41A	30	2674.98	DFT	64QAM	Edge_1RB_Right	22.38
DC_26A_n41A	30	2674.98	DFT	64QAM	Outer_Full	22.12
DC_26A_n41A	30	2674.98	DFT	pi/2 BPSK	Inner_Full	24.67
DC_26A_n41A	30	2674.98	DFT	pi/2 BPSK	Edge_1RB_Left	23.79
DC_26A_n41A	30	2674.98	DFT	pi/2 BPSK	Edge_1RB_Right	24.11
DC_26A_n41A	30	2674.98	DFT	pi/2 BPSK	Outer_Full	24.18



BAND	BW(MHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_26A_n41A	30	2674.98	DFT	QPSK	Inner_Full	24.67
DC_26A_n41A	30	2674.98	DFT	QPSK	Edge_1RB_Left	23.16
DC_26A_n41A	30	2674.98	DFT	QPSK	Edge_1RB_Right	23.52
DC_26A_n41A	30	2674.98	DFT	QPSK	Outer_Full	23.64
DC_26A_n41A	30	2674.98	CP	16QAM	Inner_Full	22.66
DC_26A_n41A	30	2674.98	CP	16QAM	Edge_1RB_Left	21.38
DC_26A_n41A	30	2674.98	CP	16QAM	Edge_1RB_Right	21.73
DC_26A_n41A	30	2674.98	CP	16QAM	Outer_Full	21.56
DC_26A_n41A	30	2674.98	CP	64QAM	Inner_Full	21.21
DC_26A_n41A	30	2674.98	CP	64QAM	Edge_1RB_Left	20.60
DC_26A_n41A	30	2674.98	CP	64QAM	Edge_1RB_Right	21.18
DC_26A_n41A	30	2674.98	CP	64QAM	Outer_Full	21.13
DC_26A_n41A	30	2674.98	CP	QPSK	Inner_Full	23.10
DC_26A_n41A	30	2674.98	CP	QPSK	Edge_1RB_Left	21.32
DC_26A_n41A	30	2674.98	CP	QPSK	Edge_1RB_Right	21.76
DC_26A_n41A	30	2674.98	CP	QPSK	Outer_Full	21.57
DC_26A_n41A	40	2516.01	DFT	16QAM	Inner_Full	23.08
DC_26A_n41A	40	2516.01	DFT	16QAM	Edge_1RB_Left	21.59
DC_26A_n41A	40	2516.01	DFT	16QAM	Edge_1RB_Right	21.78
DC_26A_n41A	40	2516.01	DFT	16QAM	Outer_Full	21.95
DC_26A_n41A	40	2516.01	DFT	64QAM	Inner_Full	21.54
DC_26A_n41A	40	2516.01	DFT	64QAM	Edge_1RB_Left	21.23
DC_26A_n41A	40	2516.01	DFT	64QAM	Edge_1RB_Right	21.23
DC_26A_n41A	40	2516.01	DFT	64QAM	Outer_Full	21.40
DC_26A_n41A	40	2516.01	DFT	pi/2 BPSK	Inner_Full	24.04
DC_26A_n41A	40	2516.01	DFT	pi/2 BPSK	Edge_1RB_Left	23.03
DC_26A_n41A	40	2516.01	DFT	pi/2 BPSK	Edge_1RB_Right	23.21
DC_26A_n41A	40	2516.01	DFT	pi/2 BPSK	Outer_Full	23.48
DC_26A_n41A	40	2516.01	DFT	QPSK	Inner_Full	24.03
DC_26A_n41A	40	2516.01	DFT	QPSK	Edge_1RB_Left	22.39



BAND	BW(MHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_26A_n41A	40	2516.01	DFT	QPSK	Edge_1RB_Right	22.63
DC_26A_n41A	40	2516.01	DFT	QPSK	Outer_Full	22.96
DC_26A_n41A	40	2516.01	CP	16QAM	Inner_Full	22.07
DC_26A_n41A	40	2516.01	CP	16QAM	Edge_1RB_Left	20.82
DC_26A_n41A	40	2516.01	CP	16QAM	Edge_1RB_Right	20.91
DC_26A_n41A	40	2516.01	CP	16QAM	Outer_Full	20.87
DC_26A_n41A	40	2516.01	CP	64QAM	Inner_Full	20.45
DC_26A_n41A	40	2516.01	CP	64QAM	Edge_1RB_Left	19.83
DC_26A_n41A	40	2516.01	CP	64QAM	Edge_1RB_Right	19.98
DC_26A_n41A	40	2516.01	CP	64QAM	Outer_Full	20.42
DC_26A_n41A	40	2516.01	CP	QPSK	Inner_Full	22.50
DC_26A_n41A	40	2516.01	CP	QPSK	Edge_1RB_Left	20.64
DC_26A_n41A	40	2516.01	CP	QPSK	Edge_1RB_Right	20.72
DC_26A_n41A	40	2516.01	CP	QPSK	Outer_Full	20.84
DC_26A_n41A	40	2592.99	DFT	16QAM	Inner_Full	23.34
DC_26A_n41A	40	2592.99	DFT	16QAM	Edge_1RB_Left	22.21
DC_26A_n41A	40	2592.99	DFT	16QAM	Edge_1RB_Right	21.94
DC_26A_n41A	40	2592.99	DFT	16QAM	Outer_Full	22.24
DC_26A_n41A	40	2592.99	DFT	64QAM	Inner_Full	21.78
DC_26A_n41A	40	2592.99	DFT	64QAM	Edge_1RB_Left	21.37
DC_26A_n41A	40	2592.99	DFT	64QAM	Edge_1RB_Right	21.36
DC_26A_n41A	40	2592.99	DFT	64QAM	Outer_Full	21.73
DC_26A_n41A	40	2592.99	DFT	pi/2 BPSK	Inner_Full	24.27
DC_26A_n41A	40	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	23.41
DC_26A_n41A	40	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	23.59
DC_26A_n41A	40	2592.99	DFT	pi/2 BPSK	Outer_Full	23.75
DC_26A_n41A	40	2592.99	DFT	QPSK	Inner_Full	24.29
DC_26A_n41A	40	2592.99	DFT	QPSK	Edge_1RB_Left	22.75
DC_26A_n41A	40	2592.99	DFT	QPSK	Edge_1RB_Right	22.95
DC_26A_n41A	40	2592.99	DFT	QPSK	Outer_Full	23.24



BAND	BW(MHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_26A_n41A	40	2592.99	CP	16QAM	Inner_Full	22.27
DC_26A_n41A	40	2592.99	CP	16QAM	Edge_1RB_Left	20.70
DC_26A_n41A	40	2592.99	CP	16QAM	Edge_1RB_Right	21.15
DC_26A_n41A	40	2592.99	CP	16QAM	Outer_Full	21.22
DC_26A_n41A	40	2592.99	CP	64QAM	Inner_Full	20.75
DC_26A_n41A	40	2592.99	CP	64QAM	Edge_1RB_Left	20.46
DC_26A_n41A	40	2592.99	CP	64QAM	Edge_1RB_Right	20.60
DC_26A_n41A	40	2592.99	CP	64QAM	Outer_Full	20.71
DC_26A_n41A	40	2592.99	CP	QPSK	Inner_Full	22.69
DC_26A_n41A	40	2592.99	CP	QPSK	Edge_1RB_Left	20.98
DC_26A_n41A	40	2592.99	CP	QPSK	Edge_1RB_Right	21.07
DC_26A_n41A	40	2592.99	CP	QPSK	Outer_Full	21.16
DC_26A_n41A	40	2670	DFT	16QAM	Inner_Full	23.57
DC_26A_n41A	40	2670	DFT	16QAM	Edge_1RB_Left	22.34
DC_26A_n41A	40	2670	DFT	16QAM	Edge_1RB_Right	22.81
DC_26A_n41A	40	2670	DFT	16QAM	Outer_Full	22.48
DC_26A_n41A	40	2670	DFT	64QAM	Inner_Full	22.01
DC_26A_n41A	40	2670	DFT	64QAM	Edge_1RB_Left	21.50
DC_26A_n41A	40	2670	DFT	64QAM	Edge_1RB_Right	21.97
DC_26A_n41A	40	2670	DFT	64QAM	Outer_Full	21.95
DC_26A_n41A	40	2670	DFT	pi/2 BPSK	Inner_Full	24.54
DC_26A_n41A	40	2670	DFT	pi/2 BPSK	Edge_1RB_Left	23.56
DC_26A_n41A	40	2670	DFT	pi/2 BPSK	Edge_1RB_Right	24.00
DC_26A_n41A	40	2670	DFT	pi/2 BPSK	Outer_Full	23.96
DC_26A_n41A	40	2670	DFT	QPSK	Inner_Full	24.55
DC_26A_n41A	40	2670	DFT	QPSK	Edge_1RB_Left	22.88
DC_26A_n41A	40	2670	DFT	QPSK	Edge_1RB_Right	23.34
DC_26A_n41A	40	2670	DFT	QPSK	Outer_Full	23.48
DC_26A_n41A	40	2670	CP	16QAM	Inner_Full	22.57
DC_26A_n41A	40	2670	CP	16QAM	Edge_1RB_Left	21.23



BAND	BW(MHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_26A_n41A	40	2670	CP	16QAM	Edge_1RB_Right	21.58
DC_26A_n41A	40	2670	CP	16QAM	Outer_Full	21.45
DC_26A_n41A	40	2670	CP	64QAM	Inner_Full	20.95
DC_26A_n41A	40	2670	CP	64QAM	Edge_1RB_Left	20.53
DC_26A_n41A	40	2670	CP	64QAM	Edge_1RB_Right	21.02
DC_26A_n41A	40	2670	CP	64QAM	Outer_Full	20.91
DC_26A_n41A	40	2670	CP	QPSK	Inner_Full	23.06
DC_26A_n41A	40	2670	CP	QPSK	Edge_1RB_Left	21.04
DC_26A_n41A	40	2670	CP	QPSK	Edge_1RB_Right	21.45
DC_26A_n41A	40	2670	CP	QPSK	Outer_Full	21.43
DC_26A_n41A	50	2521.02	DFT	16QAM	Inner_Full	23.15
DC_26A_n41A	50	2521.02	DFT	16QAM	Edge_1RB_Left	21.67
DC_26A_n41A	50	2521.02	DFT	16QAM	Edge_1RB_Right	21.96
DC_26A_n41A	50	2521.02	DFT	16QAM	Outer_Full	22.08
DC_26A_n41A	50	2521.02	DFT	64QAM	Inner_Full	21.64
DC_26A_n41A	50	2521.02	DFT	64QAM	Edge_1RB_Left	21.27
DC_26A_n41A	50	2521.02	DFT	64QAM	Edge_1RB_Right	21.60
DC_26A_n41A	50	2521.02	DFT	64QAM	Outer_Full	21.52
DC_26A_n41A	50	2521.02	DFT	pi/2 BPSK	Inner_Full	24.14
DC_26A_n41A	50	2521.02	DFT	pi/2 BPSK	Edge_1RB_Left	23.11
DC_26A_n41A	50	2521.02	DFT	pi/2 BPSK	Edge_1RB_Right	23.40
DC_26A_n41A	50	2521.02	DFT	pi/2 BPSK	Outer_Full	23.55
DC_26A_n41A	50	2521.02	DFT	QPSK	Inner_Full	24.16
DC_26A_n41A	50	2521.02	DFT	QPSK	Edge_1RB_Left	22.47
DC_26A_n41A	50	2521.02	DFT	QPSK	Edge_1RB_Right	22.74
DC_26A_n41A	50	2521.02	DFT	QPSK	Outer_Full	23.05
DC_26A_n41A	50	2521.02	CP	16QAM	Inner_Full	22.10
DC_26A_n41A	50	2521.02	CP	16QAM	Edge_1RB_Left	20.82
DC_26A_n41A	50	2521.02	CP	16QAM	Edge_1RB_Right	20.70
DC_26A_n41A	50	2521.02	CP	16QAM	Outer_Full	21.07



BAND	BW(MHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_26A_n41A	50	2521.02	CP	64QAM	Inner_Full	20.57
DC_26A_n41A	50	2521.02	CP	64QAM	Edge_1RB_Left	20.13
DC_26A_n41A	50	2521.02	CP	64QAM	Edge_1RB_Right	20.21
DC_26A_n41A	50	2521.02	CP	64QAM	Outer_Full	20.53
DC_26A_n41A	50	2521.02	CP	QPSK	Inner_Full	22.56
DC_26A_n41A	50	2521.02	CP	QPSK	Edge_1RB_Left	20.65
DC_26A_n41A	50	2521.02	CP	QPSK	Edge_1RB_Right	20.87
DC_26A_n41A	50	2521.02	CP	QPSK	Outer_Full	21.03
DC_26A_n41A	50	2592.99	DFT	16QAM	Inner_Full	23.41
DC_26A_n41A	50	2592.99	DFT	16QAM	Edge_1RB_Left	22.07
DC_26A_n41A	50	2592.99	DFT	16QAM	Edge_1RB_Right	22.61
DC_26A_n41A	50	2592.99	DFT	16QAM	Outer_Full	22.36
DC_26A_n41A	50	2592.99	DFT	64QAM	Inner_Full	21.93
DC_26A_n41A	50	2592.99	DFT	64QAM	Edge_1RB_Left	21.32
DC_26A_n41A	50	2592.99	DFT	64QAM	Edge_1RB_Right	21.62
DC_26A_n41A	50	2592.99	DFT	64QAM	Outer_Full	21.85
DC_26A_n41A	50	2592.99	DFT	pi/2 BPSK	Inner_Full	24.38
DC_26A_n41A	50	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	23.57
DC_26A_n41A	50	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	23.75
DC_26A_n41A	50	2592.99	DFT	pi/2 BPSK	Outer_Full	23.84
DC_26A_n41A	50	2592.99	DFT	QPSK	Inner_Full	24.36
DC_26A_n41A	50	2592.99	DFT	QPSK	Edge_1RB_Left	23.02
DC_26A_n41A	50	2592.99	DFT	QPSK	Edge_1RB_Right	23.19
DC_26A_n41A	50	2592.99	DFT	QPSK	Outer_Full	23.34
DC_26A_n41A	50	2592.99	CP	16QAM	Inner_Full	22.38
DC_26A_n41A	50	2592.99	CP	16QAM	Edge_1RB_Left	21.27
DC_26A_n41A	50	2592.99	CP	16QAM	Edge_1RB_Right	20.89
DC_26A_n41A	50	2592.99	CP	16QAM	Outer_Full	21.33
DC_26A_n41A	50	2592.99	CP	64QAM	Inner_Full	20.89
DC_26A_n41A	50	2592.99	CP	64QAM	Edge_1RB_Left	20.65



BAND	BW(MHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_26A_n41A	50	2592.99	CP	64QAM	Edge_1RB_Right	20.86
DC_26A_n41A	50	2592.99	CP	64QAM	Outer_Full	20.88
DC_26A_n41A	50	2592.99	CP	QPSK	Inner_Full	22.80
DC_26A_n41A	50	2592.99	CP	QPSK	Edge_1RB_Left	21.12
DC_26A_n41A	50	2592.99	CP	QPSK	Edge_1RB_Right	21.35
DC_26A_n41A	50	2592.99	CP	QPSK	Outer_Full	21.30
DC_26A_n41A	50	2664.99	DFT	16QAM	Inner_Full	23.67
DC_26A_n41A	50	2664.99	DFT	16QAM	Edge_1RB_Left	22.10
DC_26A_n41A	50	2664.99	DFT	16QAM	Edge_1RB_Right	23.05
DC_26A_n41A	50	2664.99	DFT	16QAM	Outer_Full	22.65
DC_26A_n41A	50	2664.99	DFT	64QAM	Inner_Full	22.17
DC_26A_n41A	50	2664.99	DFT	64QAM	Edge_1RB_Left	21.38
DC_26A_n41A	50	2664.99	DFT	64QAM	Edge_1RB_Right	22.05
DC_26A_n41A	50	2664.99	DFT	64QAM	Outer_Full	22.12
DC_26A_n41A	50	2664.99	DFT	pi/2 BPSK	Inner_Full	24.71
DC_26A_n41A	50	2664.99	DFT	pi/2 BPSK	Edge_1RB_Left	23.64
DC_26A_n41A	50	2664.99	DFT	pi/2 BPSK	Edge_1RB_Right	24.25
DC_26A_n41A	50	2664.99	DFT	pi/2 BPSK	Outer_Full	24.13
DC_26A_n41A	50	2664.99	DFT	QPSK	Inner_Full	24.69
DC_26A_n41A	50	2664.99	DFT	QPSK	Edge_1RB_Left	22.96
DC_26A_n41A	50	2664.99	DFT	QPSK	Edge_1RB_Right	23.63
DC_26A_n41A	50	2664.99	DFT	QPSK	Outer_Full	23.65
DC_26A_n41A	50	2664.99	CP	16QAM	Inner_Full	22.62
DC_26A_n41A	50	2664.99	CP	16QAM	Edge_1RB_Left	21.23
DC_26A_n41A	50	2664.99	CP	16QAM	Edge_1RB_Right	21.95
DC_26A_n41A	50	2664.99	CP	16QAM	Outer_Full	21.59
DC_26A_n41A	50	2664.99	CP	64QAM	Inner_Full	21.10
DC_26A_n41A	50	2664.99	CP	64QAM	Edge_1RB_Left	20.29
DC_26A_n41A	50	2664.99	CP	64QAM	Edge_1RB_Right	21.15
DC_26A_n41A	50	2664.99	CP	64QAM	Outer_Full	21.08



BAND	BW(MHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_26A_n41A	50	2664.99	CP	QPSK	Inner_Full	23.11
DC_26A_n41A	50	2664.99	CP	QPSK	Edge_1RB_Left	21.06
DC_26A_n41A	50	2664.99	CP	QPSK	Edge_1RB_Right	21.72
DC_26A_n41A	50	2664.99	CP	QPSK	Outer_Full	21.61
DC_26A_n41A	60	2526	DFT	16QAM	Inner_Full	23.14
DC_26A_n41A	60	2526	DFT	16QAM	Edge_1RB_Left	21.30
DC_26A_n41A	60	2526	DFT	16QAM	Edge_1RB_Right	21.67
DC_26A_n41A	60	2526	DFT	16QAM	Outer_Full	22.02
DC_26A_n41A	60	2526	DFT	64QAM	Inner_Full	21.63
DC_26A_n41A	60	2526	DFT	64QAM	Edge_1RB_Left	21.11
DC_26A_n41A	60	2526	DFT	64QAM	Edge_1RB_Right	21.18
DC_26A_n41A	60	2526	DFT	64QAM	Outer_Full	21.52
DC_26A_n41A	60	2526	DFT	pi/2 BPSK	Inner_Full	24.14
DC_26A_n41A	60	2526	DFT	pi/2 BPSK	Edge_1RB_Left	22.91
DC_26A_n41A	60	2526	DFT	pi/2 BPSK	Edge_1RB_Right	23.29
DC_26A_n41A	60	2526	DFT	pi/2 BPSK	Outer_Full	23.53
DC_26A_n41A	60	2526	DFT	QPSK	Inner_Full	24.13
DC_26A_n41A	60	2526	DFT	QPSK	Edge_1RB_Left	22.29
DC_26A_n41A	60	2526	DFT	QPSK	Edge_1RB_Right	22.64
DC_26A_n41A	60	2526	DFT	QPSK	Outer_Full	23.03
DC_26A_n41A	60	2526	CP	16QAM	Inner_Full	22.04
DC_26A_n41A	60	2526	CP	16QAM	Edge_1RB_Left	20.74
DC_26A_n41A	60	2526	CP	16QAM	Edge_1RB_Right	20.78
DC_26A_n41A	60	2526	CP	16QAM	Outer_Full	20.95
DC_26A_n41A	60	2526	CP	64QAM	Inner_Full	20.58
DC_26A_n41A	60	2526	CP	64QAM	Edge_1RB_Left	19.94
DC_26A_n41A	60	2526	CP	64QAM	Edge_1RB_Right	20.07
DC_26A_n41A	60	2526	CP	64QAM	Outer_Full	20.46
DC_26A_n41A	60	2526	CP	QPSK	Inner_Full	22.57
DC_26A_n41A	60	2526	CP	QPSK	Edge_1RB_Left	20.35





BAND	BW(MHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_26A_n41A	60	2526	CP	QPSK	Edge_1RB_Right	20.65
DC_26A_n41A	60	2526	CP	QPSK	Outer_Full	20.91
DC_26A_n41A	60	2592.99	DFT	16QAM	Inner_Full	23.43
DC_26A_n41A	60	2592.99	DFT	16QAM	Edge_1RB_Left	22.28
DC_26A_n41A	60	2592.99	DFT	16QAM	Edge_1RB_Right	22.53
DC_26A_n41A	60	2592.99	DFT	16QAM	Outer_Full	22.36
DC_26A_n41A	60	2592.99	DFT	64QAM	Inner_Full	21.93
DC_26A_n41A	60	2592.99	DFT	64QAM	Edge_1RB_Left	21.67
DC_26A_n41A	60	2592.99	DFT	64QAM	Edge_1RB_Right	21.91
DC_26A_n41A	60	2592.99	DFT	64QAM	Outer_Full	21.88
DC_26A_n41A	60	2592.99	DFT	pi/2 BPSK	Inner_Full	24.43
DC_26A_n41A	60	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	23.47
DC_26A_n41A	60	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	23.71
DC_26A_n41A	60	2592.99	DFT	pi/2 BPSK	Outer_Full	23.86
DC_26A_n41A	60	2592.99	DFT	QPSK	Inner_Full	24.35
DC_26A_n41A	60	2592.99	DFT	QPSK	Edge_1RB_Left	22.85
DC_26A_n41A	60	2592.99	DFT	QPSK	Edge_1RB_Right	23.09
DC_26A_n41A	60	2592.99	DFT	QPSK	Outer_Full	23.36
DC_26A_n41A	60	2592.99	CP	16QAM	Inner_Full	22.31
DC_26A_n41A	60	2592.99	CP	16QAM	Edge_1RB_Left	21.23
DC_26A_n41A	60	2592.99	CP	16QAM	Edge_1RB_Right	21.01
DC_26A_n41A	60	2592.99	CP	16QAM	Outer_Full	21.32
DC_26A_n41A	60	2592.99	CP	64QAM	Inner_Full	20.87
DC_26A_n41A	60	2592.99	CP	64QAM	Edge_1RB_Left	20.31
DC_26A_n41A	60	2592.99	CP	64QAM	Edge_1RB_Right	20.53
DC_26A_n41A	60	2592.99	CP	64QAM	Outer_Full	20.80
DC_26A_n41A	60	2592.99	CP	QPSK	Inner_Full	22.79
DC_26A_n41A	60	2592.99	CP	QPSK	Edge_1RB_Left	20.98
DC_26A_n41A	60	2592.99	CP	QPSK	Edge_1RB_Right	21.18
DC_26A_n41A	60	2592.99	CP	QPSK	Outer_Full	21.29



BAND	BW(MHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_26A_n41A	60	2659.98	DFT	16QAM	Inner_Full	23.65
DC_26A_n41A	60	2659.98	DFT	16QAM	Edge_1RB_Left	22.02
DC_26A_n41A	60	2659.98	DFT	16QAM	Edge_1RB_Right	22.79
DC_26A_n41A	60	2659.98	DFT	16QAM	Outer_Full	22.59
DC_26A_n41A	60	2659.98	DFT	64QAM	Inner_Full	22.16
DC_26A_n41A	60	2659.98	DFT	64QAM	Edge_1RB_Left	21.51
DC_26A_n41A	60	2659.98	DFT	64QAM	Edge_1RB_Right	22.43
DC_26A_n41A	60	2659.98	DFT	64QAM	Outer_Full	22.08
DC_26A_n41A	60	2659.98	DFT	pi/2 BPSK	Inner_Full	24.60
DC_26A_n41A	60	2659.98	DFT	pi/2 BPSK	Edge_1RB_Left	23.35
DC_26A_n41A	60	2659.98	DFT	pi/2 BPSK	Edge_1RB_Right	24.16
DC_26A_n41A	60	2659.98	DFT	pi/2 BPSK	Outer_Full	24.14
DC_26A_n41A	60	2659.98	DFT	QPSK	Inner_Full	24.56
DC_26A_n41A	60	2659.98	DFT	QPSK	Edge_1RB_Left	22.77
DC_26A_n41A	60	2659.98	DFT	QPSK	Edge_1RB_Right	23.55
DC_26A_n41A	60	2659.98	DFT	QPSK	Outer_Full	23.53
DC_26A_n41A	60	2659.98	CP	16QAM	Inner_Full	22.58
DC_26A_n41A	60	2659.98	CP	16QAM	Edge_1RB_Left	20.64
DC_26A_n41A	60	2659.98	CP	16QAM	Edge_1RB_Right	21.51
DC_26A_n41A	60	2659.98	CP	16QAM	Outer_Full	21.50
DC_26A_n41A	60	2659.98	CP	64QAM	Inner_Full	21.09
DC_26A_n41A	60	2659.98	CP	64QAM	Edge_1RB_Left	20.16
DC_26A_n41A	60	2659.98	CP	64QAM	Edge_1RB_Right	21.02
DC_26A_n41A	60	2659.98	CP	64QAM	Outer_Full	20.99
DC_26A_n41A	60	2659.98	CP	QPSK	Inner_Full	23.06
DC_26A_n41A	60	2659.98	CP	QPSK	Edge_1RB_Left	20.94
DC_26A_n41A	60	2659.98	CP	QPSK	Edge_1RB_Right	21.70
DC_26A_n41A	60	2659.98	CP	QPSK	Outer_Full	21.50
DC_26A_n41A	80	2536.02	DFT	16QAM	Inner_Full	22.97
DC_26A_n41A	80	2536.02	DFT	16QAM	Edge_1RB_Left	21.28



BAND	BW(MHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_26A_n41A	80	2536.02	DFT	16QAM	Edge_1RB_Right	21.78
DC_26A_n41A	80	2536.02	DFT	16QAM	Outer_Full	21.93
DC_26A_n41A	80	2536.02	DFT	64QAM	Inner_Full	21.49
DC_26A_n41A	80	2536.02	DFT	64QAM	Edge_1RB_Left	20.56
DC_26A_n41A	80	2536.02	DFT	64QAM	Edge_1RB_Right	21.03
DC_26A_n41A	80	2536.02	DFT	64QAM	Outer_Full	21.42
DC_26A_n41A	80	2536.02	DFT	pi/2 BPSK	Inner_Full	23.98
DC_26A_n41A	80	2536.02	DFT	pi/2 BPSK	Edge_1RB_Left	22.85
DC_26A_n41A	80	2536.02	DFT	pi/2 BPSK	Edge_1RB_Right	23.26
DC_26A_n41A	80	2536.02	DFT	pi/2 BPSK	Outer_Full	23.43
DC_26A_n41A	80	2536.02	DFT	QPSK	Inner_Full	23.97
DC_26A_n41A	80	2536.02	DFT	QPSK	Edge_1RB_Left	22.24
DC_26A_n41A	80	2536.02	DFT	QPSK	Edge_1RB_Right	22.61
DC_26A_n41A	80	2536.02	DFT	QPSK	Outer_Full	22.93
DC_26A_n41A	80	2536.02	CP	16QAM	Inner_Full	21.98
DC_26A_n41A	80	2536.02	CP	16QAM	Edge_1RB_Left	20.58
DC_26A_n41A	80	2536.02	CP	16QAM	Edge_1RB_Right	20.74
DC_26A_n41A	80	2536.02	CP	16QAM	Outer_Full	20.88
DC_26A_n41A	80	2536.02	CP	64QAM	Inner_Full	20.41
DC_26A_n41A	80	2536.02	CP	64QAM	Edge_1RB_Left	19.84
DC_26A_n41A	80	2536.02	CP	64QAM	Edge_1RB_Right	20.25
DC_26A_n41A	80	2536.02	CP	64QAM	Outer_Full	20.42
DC_26A_n41A	80	2536.02	CP	QPSK	Inner_Full	22.48
DC_26A_n41A	80	2536.02	CP	QPSK	Edge_1RB_Left	20.30
DC_26A_n41A	80	2536.02	CP	QPSK	Edge_1RB_Right	20.82
DC_26A_n41A	80	2536.02	CP	QPSK	Outer_Full	20.89
DC_26A_n41A	80	2592.99	DFT	16QAM	Inner_Full	23.32
DC_26A_n41A	80	2592.99	DFT	16QAM	Edge_1RB_Left	21.88
DC_26A_n41A	80	2592.99	DFT	16QAM	Edge_1RB_Right	22.61
DC_26A_n41A	80	2592.99	DFT	16QAM	Outer_Full	22.29



BAND	BW(MHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_26A_n41A	80	2592.99	DFT	64QAM	Inner_Full	21.80
DC_26A_n41A	80	2592.99	DFT	64QAM	Edge_1RB_Left	21.45
DC_26A_n41A	80	2592.99	DFT	64QAM	Edge_1RB_Right	21.95
DC_26A_n41A	80	2592.99	DFT	64QAM	Outer_Full	21.77
DC_26A_n41A	80	2592.99	DFT	pi/2 BPSK	Inner_Full	24.29
DC_26A_n41A	80	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	23.32
DC_26A_n41A	80	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	23.82
DC_26A_n41A	80	2592.99	DFT	pi/2 BPSK	Outer_Full	23.76
DC_26A_n41A	80	2592.99	DFT	QPSK	Inner_Full	24.30
DC_26A_n41A	80	2592.99	DFT	QPSK	Edge_1RB_Left	22.68
DC_26A_n41A	80	2592.99	DFT	QPSK	Edge_1RB_Right	23.19
DC_26A_n41A	80	2592.99	DFT	QPSK	Outer_Full	23.29
DC_26A_n41A	80	2592.99	CP	16QAM	Inner_Full	22.22
DC_26A_n41A	80	2592.99	CP	16QAM	Edge_1RB_Left	21.02
DC_26A_n41A	80	2592.99	CP	16QAM	Edge_1RB_Right	21.43
DC_26A_n41A	80	2592.99	CP	16QAM	Outer_Full	21.20
DC_26A_n41A	80	2592.99	CP	64QAM	Inner_Full	20.79
DC_26A_n41A	80	2592.99	CP	64QAM	Edge_1RB_Left	20.06
DC_26A_n41A	80	2592.99	CP	64QAM	Edge_1RB_Right	20.83
DC_26A_n41A	80	2592.99	CP	64QAM	Outer_Full	20.76
DC_26A_n41A	80	2592.99	CP	QPSK	Inner_Full	22.73
DC_26A_n41A	80	2592.99	CP	QPSK	Edge_1RB_Left	20.87
DC_26A_n41A	80	2592.99	CP	QPSK	Edge_1RB_Right	21.21
DC_26A_n41A	80	2592.99	CP	QPSK	Outer_Full	21.22
DC_26A_n41A	80	2649.99	DFT	16QAM	Inner_Full	23.54
DC_26A_n41A	80	2649.99	DFT	16QAM	Edge_1RB_Left	22.01
DC_26A_n41A	80	2649.99	DFT	16QAM	Edge_1RB_Right	22.84
DC_26A_n41A	80	2649.99	DFT	16QAM	Outer_Full	22.51
DC_26A_n41A	80	2649.99	DFT	64QAM	Inner_Full	22.03
DC_26A_n41A	80	2649.99	DFT	64QAM	Edge_1RB_Left	21.36



BAND	BW(MHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_26A_n41A	80	2649.99	DFT	64QAM	Edge_1RB_Right	22.37
DC_26A_n41A	80	2649.99	DFT	64QAM	Outer_Full	21.97
DC_26A_n41A	80	2649.99	DFT	pi/2 BPSK	Inner_Full	24.49
DC_26A_n41A	80	2649.99	DFT	pi/2 BPSK	Edge_1RB_Left	23.25
DC_26A_n41A	80	2649.99	DFT	pi/2 BPSK	Edge_1RB_Right	24.19
DC_26A_n41A	80	2649.99	DFT	pi/2 BPSK	Outer_Full	24.01
DC_26A_n41A	80	2649.99	DFT	QPSK	Inner_Full	24.51
DC_26A_n41A	80	2649.99	DFT	QPSK	Edge_1RB_Left	22.55
DC_26A_n41A	80	2649.99	DFT	QPSK	Edge_1RB_Right	23.57
DC_26A_n41A	80	2649.99	DFT	QPSK	Outer_Full	23.49
DC_26A_n41A	80	2649.99	CP	16QAM	Inner_Full	22.47
DC_26A_n41A	80	2649.99	CP	16QAM	Edge_1RB_Left	20.49
DC_26A_n41A	80	2649.99	CP	16QAM	Edge_1RB_Right	21.50
DC_26A_n41A	80	2649.99	CP	16QAM	Outer_Full	21.41
DC_26A_n41A	80	2649.99	CP	64QAM	Inner_Full	20.95
DC_26A_n41A	80	2649.99	CP	64QAM	Edge_1RB_Left	20.21
DC_26A_n41A	80	2649.99	CP	64QAM	Edge_1RB_Right	21.29
DC_26A_n41A	80	2649.99	CP	64QAM	Outer_Full	20.97
DC_26A_n41A	80	2649.99	CP	QPSK	Inner_Full	23.01
DC_26A_n41A	80	2649.99	CP	QPSK	Edge_1RB_Left	20.68
DC_26A_n41A	80	2649.99	CP	QPSK	Edge_1RB_Right	21.67
DC_26A_n41A	80	2649.99	CP	QPSK	Outer_Full	21.49
DC_26A_n41A	90	2541	DFT	16QAM	Inner_Full	22.91
DC_26A_n41A	90	2541	DFT	16QAM	Edge_1RB_Left	21.35
DC_26A_n41A	90	2541	DFT	16QAM	Edge_1RB_Right	21.66
DC_26A_n41A	90	2541	DFT	16QAM	Outer_Full	21.87
DC_26A_n41A	90	2541	DFT	64QAM	Inner_Full	21.32
DC_26A_n41A	90	2541	DFT	64QAM	Edge_1RB_Left	20.75
DC_26A_n41A	90	2541	DFT	64QAM	Edge_1RB_Right	20.77
DC_26A_n41A	90	2541	DFT	64QAM	Outer_Full	21.39



BAND	BW(MHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_26A_n41A	90	2541	DFT	pi/2 BPSK	Inner_Full	23.82
DC_26A_n41A	90	2541	DFT	pi/2 BPSK	Edge_1RB_Left	22.60
DC_26A_n41A	90	2541	DFT	pi/2 BPSK	Edge_1RB_Right	23.12
DC_26A_n41A	90	2541	DFT	pi/2 BPSK	Outer_Full	23.38
DC_26A_n41A	90	2541	DFT	QPSK	Inner_Full	23.86
DC_26A_n41A	90	2541	DFT	QPSK	Edge_1RB_Left	21.98
DC_26A_n41A	90	2541	DFT	QPSK	Edge_1RB_Right	22.43
DC_26A_n41A	90	2541	DFT	QPSK	Outer_Full	22.86
DC_26A_n41A	90	2541	CP	16QAM	Inner_Full	21.84
DC_26A_n41A	90	2541	CP	16QAM	Edge_1RB_Left	19.90
DC_26A_n41A	90	2541	CP	16QAM	Edge_1RB_Right	20.41
DC_26A_n41A	90	2541	CP	16QAM	Outer_Full	20.83
DC_26A_n41A	90	2541	CP	64QAM	Inner_Full	20.32
DC_26A_n41A	90	2541	CP	64QAM	Edge_1RB_Left	19.34
DC_26A_n41A	90	2541	CP	64QAM	Edge_1RB_Right	19.90
DC_26A_n41A	90	2541	CP	64QAM	Outer_Full	20.30
DC_26A_n41A	90	2541	CP	QPSK	Inner_Full	22.36
DC_26A_n41A	90	2541	CP	QPSK	Edge_1RB_Left	20.12
DC_26A_n41A	90	2541	CP	QPSK	Edge_1RB_Right	20.42
DC_26A_n41A	90	2541	CP	QPSK	Outer_Full	20.81
DC_26A_n41A	90	2592.99	DFT	16QAM	Inner_Full	23.28
DC_26A_n41A	90	2592.99	DFT	16QAM	Edge_1RB_Left	21.80
DC_26A_n41A	90	2592.99	DFT	16QAM	Edge_1RB_Right	22.14
DC_26A_n41A	90	2592.99	DFT	16QAM	Outer_Full	22.23
DC_26A_n41A	90	2592.99	DFT	64QAM	Inner_Full	21.66
DC_26A_n41A	90	2592.99	DFT	64QAM	Edge_1RB_Left	21.22
DC_26A_n41A	90	2592.99	DFT	64QAM	Edge_1RB_Right	21.77
DC_26A_n41A	90	2592.99	DFT	64QAM	Outer_Full	21.76
DC_26A_n41A	90	2592.99	DFT	pi/2 BPSK	Inner_Full	24.21
DC_26A_n41A	90	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	23.05



BAND	BW(MHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_26A_n41A	90	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	23.56
DC_26A_n41A	90	2592.99	DFT	pi/2 BPSK	Outer_Full	23.75
DC_26A_n41A	90	2592.99	DFT	QPSK	Inner_Full	24.19
DC_26A_n41A	90	2592.99	DFT	QPSK	Edge_1RB_Left	22.37
DC_26A_n41A	90	2592.99	DFT	QPSK	Edge_1RB_Right	22.91
DC_26A_n41A	90	2592.99	DFT	QPSK	Outer_Full	23.20
DC_26A_n41A	90	2592.99	CP	16QAM	Inner_Full	22.12
DC_26A_n41A	90	2592.99	CP	16QAM	Edge_1RB_Left	20.78
DC_26A_n41A	90	2592.99	CP	16QAM	Edge_1RB_Right	21.26
DC_26A_n41A	90	2592.99	CP	16QAM	Outer_Full	21.16
DC_26A_n41A	90	2592.99	CP	64QAM	Inner_Full	20.70
DC_26A_n41A	90	2592.99	CP	64QAM	Edge_1RB_Left	19.78
DC_26A_n41A	90	2592.99	CP	64QAM	Edge_1RB_Right	20.40
DC_26A_n41A	90	2592.99	CP	64QAM	Outer_Full	20.71
DC_26A_n41A	90	2592.99	CP	QPSK	Inner_Full	22.61
DC_26A_n41A	90	2592.99	CP	QPSK	Edge_1RB_Left	20.56
DC_26A_n41A	90	2592.99	CP	QPSK	Edge_1RB_Right	20.99
DC_26A_n41A	90	2592.99	CP	QPSK	Outer_Full	21.15
DC_26A_n41A	90	2644.98	DFT	16QAM	Inner_Full	23.38
DC_26A_n41A	90	2644.98	DFT	16QAM	Edge_1RB_Left	21.56
DC_26A_n41A	90	2644.98	DFT	16QAM	Edge_1RB_Right	22.84
DC_26A_n41A	90	2644.98	DFT	16QAM	Outer_Full	22.41
DC_26A_n41A	90	2644.98	DFT	64QAM	Inner_Full	21.85
DC_26A_n41A	90	2644.98	DFT	64QAM	Edge_1RB_Left	20.76
DC_26A_n41A	90	2644.98	DFT	64QAM	Edge_1RB_Right	22.12
DC_26A_n41A	90	2644.98	DFT	64QAM	Outer_Full	21.98
DC_26A_n41A	90	2644.98	DFT	pi/2 BPSK	Inner_Full	24.43
DC_26A_n41A	90	2644.98	DFT	pi/2 BPSK	Edge_1RB_Left	22.95
DC_26A_n41A	90	2644.98	DFT	pi/2 BPSK	Edge_1RB_Right	24.03
DC_26A_n41A	90	2644.98	DFT	pi/2 BPSK	Outer_Full	23.93



BAND	BW(MHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_26A_n41A	90	2644.98	DFT	QPSK	Inner_Full	24.38
DC_26A_n41A	90	2644.98	DFT	QPSK	Edge_1RB_Left	22.33
DC_26A_n41A	90	2644.98	DFT	QPSK	Edge_1RB_Right	23.41
DC_26A_n41A	90	2644.98	DFT	QPSK	Outer_Full	23.39
DC_26A_n41A	90	2644.98	CP	16QAM	Inner_Full	22.31
DC_26A_n41A	90	2644.98	CP	16QAM	Edge_1RB_Left	20.31
DC_26A_n41A	90	2644.98	CP	16QAM	Edge_1RB_Right	21.58
DC_26A_n41A	90	2644.98	CP	16QAM	Outer_Full	21.33
DC_26A_n41A	90	2644.98	CP	64QAM	Inner_Full	20.81
DC_26A_n41A	90	2644.98	CP	64QAM	Edge_1RB_Left	19.71
DC_26A_n41A	90	2644.98	CP	64QAM	Edge_1RB_Right	20.81
DC_26A_n41A	90	2644.98	CP	64QAM	Outer_Full	20.87
DC_26A_n41A	90	2644.98	CP	QPSK	Inner_Full	22.81
DC_26A_n41A	90	2644.98	CP	QPSK	Edge_1RB_Left	20.42
DC_26A_n41A	90	2644.98	CP	QPSK	Edge_1RB_Right	21.48
DC_26A_n41A	90	2644.98	CP	QPSK	Outer_Full	21.32
DC_26A_n41A	100	2546.01	DFT	16QAM	Inner_Full	22.96
DC_26A_n41A	100	2546.01	DFT	16QAM	Edge_1RB_Left	20.73
DC_26A_n41A	100	2546.01	DFT	16QAM	Edge_1RB_Right	21.19
DC_26A_n41A	100	2546.01	DFT	16QAM	Outer_Full	21.86
DC_26A_n41A	100	2546.01	DFT	64QAM	Inner_Full	21.46
DC_26A_n41A	100	2546.01	DFT	64QAM	Edge_1RB_Left	20.03
DC_26A_n41A	100	2546.01	DFT	64QAM	Edge_1RB_Right	20.51
DC_26A_n41A	100	2546.01	DFT	64QAM	Outer_Full	21.38
DC_26A_n41A	100	2546.01	DFT	pi/2 BPSK	Inner_Full	23.92
DC_26A_n41A	100	2546.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.22
DC_26A_n41A	100	2546.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.76
DC_26A_n41A	100	2546.01	DFT	pi/2 BPSK	Outer_Full	23.38
DC_26A_n41A	100	2546.01	DFT	QPSK	Inner_Full	23.91
DC_26A_n41A	100	2546.01	DFT	QPSK	Edge_1RB_Left	21.61





BAND	BW(MHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_26A_n41A	100	2546.01	DFT	QPSK	Edge_1RB_Right	22.11
DC_26A_n41A	100	2546.01	DFT	QPSK	Outer_Full	22.86
DC_26A_n41A	100	2546.01	CP	16QAM	Inner_Full	21.94
DC_26A_n41A	100	2546.01	CP	16QAM	Edge_1RB_Left	19.93
DC_26A_n41A	100	2546.01	CP	16QAM	Edge_1RB_Right	20.44
DC_26A_n41A	100	2546.01	CP	16QAM	Outer_Full	20.81
DC_26A_n41A	100	2546.01	CP	64QAM	Inner_Full	20.41
DC_26A_n41A	100	2546.01	CP	64QAM	Edge_1RB_Left	19.22
DC_26A_n41A	100	2546.01	CP	64QAM	Edge_1RB_Right	19.48
DC_26A_n41A	100	2546.01	CP	64QAM	Outer_Full	20.31
DC_26A_n41A	100	2546.01	CP	QPSK	Inner_Full	22.44
DC_26A_n41A	100	2546.01	CP	QPSK	Edge_1RB_Left	19.75
DC_26A_n41A	100	2546.01	CP	QPSK	Edge_1RB_Right	20.23
DC_26A_n41A	100	2546.01	CP	QPSK	Outer_Full	20.84
DC_26A_n41A	100	2592.99	DFT	16QAM	Inner_Full	23.17
DC_26A_n41A	100	2592.99	DFT	16QAM	Edge_1RB_Left	21.41
DC_26A_n41A	100	2592.99	DFT	16QAM	Edge_1RB_Right	21.96
DC_26A_n41A	100	2592.99	DFT	16QAM	Outer_Full	22.17
DC_26A_n41A	100	2592.99	DFT	64QAM	Inner_Full	21.75
DC_26A_n41A	100	2592.99	DFT	64QAM	Edge_1RB_Left	20.55
DC_26A_n41A	100	2592.99	DFT	64QAM	Edge_1RB_Right	21.13
DC_26A_n41A	100	2592.99	DFT	64QAM	Outer_Full	21.66
DC_26A_n41A	100	2592.99	DFT	pi/2 BPSK	Inner_Full	24.11
DC_26A_n41A	100	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.61
DC_26A_n41A	100	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	23.19
DC_26A_n41A	100	2592.99	DFT	pi/2 BPSK	Outer_Full	23.66
DC_26A_n41A	100	2592.99	DFT	QPSK	Inner_Full	24.15
DC_26A_n41A	100	2592.99	DFT	QPSK	Edge_1RB_Left	21.98
DC_26A_n41A	100	2592.99	DFT	QPSK	Edge_1RB_Right	22.54
DC_26A_n41A	100	2592.99	DFT	QPSK	Outer_Full	23.16



BAND	BW(MHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_26A_n41A	100	2592.99	CP	16QAM	Inner_Full	22.15
DC_26A_n41A	100	2592.99	CP	16QAM	Edge_1RB_Left	19.94
DC_26A_n41A	100	2592.99	CP	16QAM	Edge_1RB_Right	20.42
DC_26A_n41A	100	2592.99	CP	16QAM	Outer_Full	21.09
DC_26A_n41A	100	2592.99	CP	64QAM	Inner_Full	20.70
DC_26A_n41A	100	2592.99	CP	64QAM	Edge_1RB_Left	19.63
DC_26A_n41A	100	2592.99	CP	64QAM	Edge_1RB_Right	20.20
DC_26A_n41A	100	2592.99	CP	64QAM	Outer_Full	20.61
DC_26A_n41A	100	2592.99	CP	QPSK	Inner_Full	22.66
DC_26A_n41A	100	2592.99	CP	QPSK	Edge_1RB_Left	20.18
DC_26A_n41A	100	2592.99	CP	QPSK	Edge_1RB_Right	20.58
DC_26A_n41A	100	2592.99	CP	QPSK	Outer_Full	21.09
DC_26A_n41A	100	2640	DFT	16QAM	Inner_Full	23.42
DC_26A_n41A	100	2640	DFT	16QAM	Edge_1RB_Left	20.86
DC_26A_n41A	100	2640	DFT	16QAM	Edge_1RB_Right	22.08
DC_26A_n41A	100	2640	DFT	16QAM	Outer_Full	22.39
DC_26A_n41A	100	2640	DFT	64QAM	Inner_Full	21.95
DC_26A_n41A	100	2640	DFT	64QAM	Edge_1RB_Left	20.49
DC_26A_n41A	100	2640	DFT	64QAM	Edge_1RB_Right	21.72
DC_26A_n41A	100	2640	DFT	64QAM	Outer_Full	21.86
DC_26A_n41A	100	2640	DFT	pi/2 BPSK	Inner_Full	24.43
DC_26A_n41A	100	2640	DFT	pi/2 BPSK	Edge_1RB_Left	22.50
DC_26A_n41A	100	2640	DFT	pi/2 BPSK	Edge_1RB_Right	23.72
DC_26A_n41A	100	2640	DFT	pi/2 BPSK	Outer_Full	23.87
DC_26A_n41A	100	2640	DFT	QPSK	Inner_Full	24.38
DC_26A_n41A	100	2640	DFT	QPSK	Edge_1RB_Left	21.88
DC_26A_n41A	100	2640	DFT	QPSK	Edge_1RB_Right	23.06
DC_26A_n41A	100	2640	DFT	QPSK	Outer_Full	23.38
DC_26A_n41A	100	2640	CP	16QAM	Inner_Full	22.41
DC_26A_n41A	100	2640	CP	16QAM	Edge_1RB_Left	20.01



BAND	BW(MHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_26A_n41A	100	2640	CP	16QAM	Edge_1RB_Right	21.29
DC_26A_n41A	100	2640	CP	16QAM	Outer_Full	21.36
DC_26A_n41A	100	2640	CP	64QAM	Inner_Full	20.91
DC_26A_n41A	100	2640	CP	64QAM	Edge_1RB_Left	19.52
DC_26A_n41A	100	2640	CP	64QAM	Edge_1RB_Right	20.52
DC_26A_n41A	100	2640	CP	64QAM	Outer_Full	20.82
DC_26A_n41A	100	2640	CP	QPSK	Inner_Full	22.88
DC_26A_n41A	100	2640	CP	QPSK	Edge_1RB_Left	19.89
DC_26A_n41A	100	2640	CP	QPSK	Edge_1RB_Right	21.13
DC_26A_n41A	100	2640	CP	QPSK	Outer_Full	21.37

Note: Expanded measurement uncertainty is U = 0.90dB, k = 1.96



### **A.1.3 Radiated**

#### **A.1.3.1 Description**

This is the test for the maximum radiated power from the EUT.

Rule Part 24.232(b) specifies, "Mobile/portable stations are limited to 2 watts e.i.r.p. Peak power" and 24.232(c) specifies that "Peak transmit power must be measured over any interval of continuous transmission using instrumentation calibrated in terms of an rms-equivalent voltage."

Rule Part 27.50(d) specifies "Fixed, mobile, and portable (handheld) stations operating in the 1710–1755 MHz band are limited to 1 watt EIRP".

Rule Part 27.50(h)(2) specifies "Mobile stations are limited to 2.0 watts EIRP".

Rule Part 27.50(c) specifies "Portable stations (hand-held de-vices) are limited to 3 watts ERP".

Rule Part 27.50(a)(3) specifies "For mobile and portable stations transmitting in the 2305–2315 MHz band or the 2350–2360 MHz band, the average EIRP must not exceed 50 milliwatts within any 1 megahertz of authorized bandwidth, except that for mobile and portable stations compliant with 3GPP LTE standards or another advanced mobile broadband protocol that avoids concentrating energy at the edge of the operating band the average EIRP must not exceed 250 milliwatts within any 5 megahertz of authorized bandwidth but may exceed 50 milliwatts within any 1 megahertz of authorized bandwidth." Rule Part 90.635(b) specifies "The maximum output power of the transmitter for mobile stations is 100 watts (20 dBw)."

#### **A.1.3.2 Method of Measurement**

ANSI C63.26 chapter 5.2.5.5: when working in decibels (i.e., logarithmic scale), the ERP and EIRP represent the sum of the transmit antenna gain (in dBd or dBi, respectively) and the conducted RF output power (expressed in dB relative to watts or milliwatts).

The relevant equation for determining the maximum ERP or EIRP from the measured RF output power is given in Equation (1) as follows:

$$\text{ERP or EIRP} = \text{PMea} + \text{GT}$$

Where

ERP or EIRP effective radiated power or equivalent isotropically radiated power, respectively (expressed in the same units as PMea , e.g., dBm or dBW)

PMea measured transmitter output power or PSD, in dBm or dBW

GT gain of the transmitting antenna, in dBd (ERP) or dBi (EIRP)



**A.1.3.3 Measurement result**

**SA**

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n5	5	15	826.5	DFT	16QAM	Edge_1RB_Left	21.24	12.49	12.99
n5	5	15	826.5	DFT	16QAM	Edge_1RB_Right	20.95	12.20	12.70
n5	5	15	826.5	DFT	16QAM	Inner_Full	22.46	13.71	14.21
n5	5	15	826.5	DFT	16QAM	Outer_Full	21.31	12.56	13.06
n5	5	15	826.5	DFT	64QAM	Edge_1RB_Left	20.71	11.96	12.46
n5	5	15	826.5	DFT	64QAM	Edge_1RB_Right	20.63	11.88	12.38
n5	5	15	826.5	DFT	64QAM	Inner_Full	20.89	12.14	12.64
n5	5	15	826.5	DFT	64QAM	Outer_Full	20.80	12.05	12.55
n5	5	15	826.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.29	13.54	14.04
n5	5	15	826.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.24	13.49	13.99
n5	5	15	826.5	DFT	pi/2 BPSK	Inner_Full	23.41	14.66	15.16
n5	5	15	826.5	DFT	pi/2 BPSK	Outer_Full	22.38	13.63	14.13
n5	5	15	826.5	DFT	QPSK	Edge_1RB_Left	22.42	13.67	14.17
n5	5	15	826.5	DFT	QPSK	Edge_1RB_Right	22.16	13.41	13.91
n5	5	15	826.5	DFT	QPSK	Inner_Full	23.37	14.62	15.12
n5	5	15	826.5	DFT	QPSK	Outer_Full	22.38	13.63	14.13
n5	5	15	826.5	CP	16QAM	Edge_1RB_Left	21.16	12.41	12.91
n5	5	15	826.5	CP	16QAM	Edge_1RB_Right	21.07	12.32	12.82
n5	5	15	826.5	CP	16QAM	Inner_Full	22.45	13.70	14.20
n5	5	15	826.5	CP	16QAM	Outer_Full	21.38	12.63	13.13
n5	5	15	826.5	CP	64QAM	Edge_1RB_Left	20.51	11.76	12.26
n5	5	15	826.5	CP	64QAM	Edge_1RB_Right	20.62	11.87	12.37
n5	5	15	826.5	CP	64QAM	Inner_Full	20.89	12.14	12.64
n5	5	15	826.5	CP	64QAM	Outer_Full	20.87	12.12	12.62
n5	5	15	826.5	CP	QPSK	Edge_1RB_Left	22.43	13.68	14.18
n5	5	15	826.5	CP	QPSK	Edge_1RB_Right	22.39	13.64	14.14
n5	5	15	826.5	CP	QPSK	Inner_Full	23.39	14.64	15.14
n5	5	15	826.5	CP	QPSK	Outer_Full	22.37	13.62	14.12
n5	5	15	836.5	DFT	16QAM	Edge_1RB_Left	21.11	12.36	12.86
n5	5	15	836.5	DFT	16QAM	Edge_1RB_Right	21.00	12.25	12.75
n5	5	15	836.5	DFT	16QAM	Inner_Full	22.37	13.62	14.12



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n5	5	15	836.5	DFT	16QAM	Outer_Full	21.31	12.56	13.06
n5	5	15	836.5	DFT	64QAM	Edge_1RB_Left	20.64	11.89	12.39
n5	5	15	836.5	DFT	64QAM	Edge_1RB_Right	20.62	11.87	12.37
n5	5	15	836.5	DFT	64QAM	Inner_Full	20.91	12.16	12.66
n5	5	15	836.5	DFT	64QAM	Outer_Full	20.82	12.07	12.57
n5	5	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.17	13.42	13.92
n5	5	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.21	13.46	13.96
n5	5	15	836.5	DFT	pi/2 BPSK	Inner_Full	20.77	12.02	12.52
n5	5	15	836.5	DFT	pi/2 BPSK	Outer_Full	22.33	13.58	14.08
n5	5	15	836.5	DFT	QPSK	Edge_1RB_Left	22.35	13.60	14.10
n5	5	15	836.5	DFT	QPSK	Edge_1RB_Right	22.22	13.47	13.97
n5	5	15	836.5	DFT	QPSK	Inner_Full	23.36	14.61	15.11
n5	5	15	836.5	DFT	QPSK	Outer_Full	22.33	13.58	14.08
n5	5	15	836.5	CP	16QAM	Edge_1RB_Left	20.94	12.19	12.69
n5	5	15	836.5	CP	16QAM	Edge_1RB_Right	21.00	12.25	12.75
n5	5	15	836.5	CP	16QAM	Inner_Full	22.38	13.63	14.13
n5	5	15	836.5	CP	16QAM	Outer_Full	21.35	12.60	13.10
n5	5	15	836.5	CP	64QAM	Edge_1RB_Left	20.38	11.63	12.13
n5	5	15	836.5	CP	64QAM	Edge_1RB_Right	20.37	11.62	12.12
n5	5	15	836.5	CP	64QAM	Inner_Full	20.91	12.16	12.66
n5	5	15	836.5	CP	64QAM	Outer_Full	20.81	12.06	12.56
n5	5	15	836.5	CP	QPSK	Edge_1RB_Left	22.31	13.56	14.06
n5	5	15	836.5	CP	QPSK	Edge_1RB_Right	22.29	13.54	14.04
n5	5	15	836.5	CP	QPSK	Inner_Full	23.37	14.62	15.12
n5	5	15	836.5	CP	QPSK	Outer_Full	22.36	13.61	14.11
n5	5	15	846.5	DFT	16QAM	Edge_1RB_Left	20.93	12.18	12.68
n5	5	15	846.5	DFT	16QAM	Edge_1RB_Right	21.13	12.38	12.88
n5	5	15	846.5	DFT	16QAM	Inner_Full	22.33	13.58	14.08
n5	5	15	846.5	DFT	16QAM	Outer_Full	21.33	12.58	13.08
n5	5	15	846.5	DFT	64QAM	Edge_1RB_Left	20.61	11.86	12.36
n5	5	15	846.5	DFT	64QAM	Edge_1RB_Right	20.52	11.77	12.27
n5	5	15	846.5	DFT	64QAM	Inner_Full	20.70	11.95	12.45
n5	5	15	846.5	DFT	64QAM	Outer_Full	20.87	12.12	12.62



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n5	5	15	846.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.20	13.45	13.95
n5	5	15	846.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.21	13.46	13.96
n5	5	15	846.5	DFT	pi/2 BPSK	Inner_Full	20.80	12.05	12.55
n5	5	15	846.5	DFT	pi/2 BPSK	Outer_Full	22.32	13.57	14.07
n5	5	15	846.5	DFT	QPSK	Edge_1RB_Left	22.33	13.58	14.08
n5	5	15	846.5	DFT	QPSK	Edge_1RB_Right	22.18	13.43	13.93
n5	5	15	846.5	DFT	QPSK	Inner_Full	23.32	14.57	15.07
n5	5	15	846.5	DFT	QPSK	Outer_Full	22.28	13.53	14.03
n5	5	15	846.5	CP	16QAM	Edge_1RB_Left	21.10	12.35	12.85
n5	5	15	846.5	CP	16QAM	Edge_1RB_Right	21.11	12.36	12.86
n5	5	15	846.5	CP	16QAM	Inner_Full	22.29	13.54	14.04
n5	5	15	846.5	CP	16QAM	Outer_Full	21.33	12.58	13.08
n5	5	15	846.5	CP	64QAM	Edge_1RB_Left	20.66	11.91	12.41
n5	5	15	846.5	CP	64QAM	Edge_1RB_Right	20.30	11.55	12.05
n5	5	15	846.5	CP	64QAM	Inner_Full	20.68	11.93	12.43
n5	5	15	846.5	CP	64QAM	Outer_Full	20.82	12.07	12.57
n5	5	15	846.5	CP	QPSK	Edge_1RB_Left	22.34	13.59	14.09
n5	5	15	846.5	CP	QPSK	Edge_1RB_Right	22.27	13.52	14.02
n5	5	15	846.5	CP	QPSK	Inner_Full	23.29	14.54	15.04
n5	5	15	846.5	CP	QPSK	Outer_Full	22.34	13.59	14.09
n5	10	15	829	DFT	16QAM	Edge_1RB_Left	21.01	12.26	12.76
n5	10	15	829	DFT	16QAM	Edge_1RB_Right	20.85	12.10	12.60
n5	10	15	829	DFT	16QAM	Inner_Full	22.17	13.42	13.92
n5	10	15	829	DFT	16QAM	Outer_Full	21.19	12.44	12.94
n5	10	15	829	DFT	64QAM	Edge_1RB_Left	20.53	11.78	12.28
n5	10	15	829	DFT	64QAM	Edge_1RB_Right	20.39	11.64	12.14
n5	10	15	829	DFT	64QAM	Inner_Full	20.67	11.92	12.42
n5	10	15	829	DFT	64QAM	Outer_Full	20.66	11.91	12.41
n5	10	15	829	DFT	pi/2 BPSK	Edge_1RB_Left	22.08	13.33	13.83
n5	10	15	829	DFT	pi/2 BPSK	Edge_1RB_Right	22.00	13.25	13.75
n5	10	15	829	DFT	pi/2 BPSK	Inner_Full	20.71	11.96	12.46
n5	10	15	829	DFT	pi/2 BPSK	Outer_Full	22.16	13.41	13.91
n5	10	15	829	DFT	QPSK	Edge_1RB_Left	22.17	13.42	13.92



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n5	10	15	829	DFT	QPSK	Edge_1RB_Right	21.94	13.19	13.69
n5	10	15	829	DFT	QPSK	Inner_Full	23.18	14.43	14.93
n5	10	15	829	DFT	QPSK	Outer_Full	22.19	13.44	13.94
n5	10	15	829	CP	16QAM	Edge_1RB_Left	20.82	12.07	12.57
n5	10	15	829	CP	16QAM	Edge_1RB_Right	20.71	11.96	12.46
n5	10	15	829	CP	16QAM	Inner_Full	21.10	12.35	12.85
n5	10	15	829	CP	16QAM	Outer_Full	21.27	12.52	13.02
n5	10	15	829	CP	64QAM	Edge_1RB_Left	20.32	11.57	12.07
n5	10	15	829	CP	64QAM	Edge_1RB_Right	20.39	11.64	12.14
n5	10	15	829	CP	64QAM	Inner_Full	20.61	11.86	12.36
n5	10	15	829	CP	64QAM	Outer_Full	20.71	11.96	12.46
n5	10	15	829	CP	QPSK	Edge_1RB_Left	22.15	13.40	13.90
n5	10	15	829	CP	QPSK	Edge_1RB_Right	22.06	13.31	13.81
n5	10	15	829	CP	QPSK	Inner_Full	22.12	13.37	13.87
n5	10	15	829	CP	QPSK	Outer_Full	22.21	13.46	13.96
n5	10	15	836.5	DFT	16QAM	Edge_1RB_Left	20.69	11.94	12.44
n5	10	15	836.5	DFT	16QAM	Edge_1RB_Right	20.91	12.16	12.66
n5	10	15	836.5	DFT	16QAM	Inner_Full	22.21	13.46	13.96
n5	10	15	836.5	DFT	16QAM	Outer_Full	21.15	12.40	12.90
n5	10	15	836.5	DFT	64QAM	Edge_1RB_Left	20.47	11.72	12.22
n5	10	15	836.5	DFT	64QAM	Edge_1RB_Right	20.44	11.69	12.19
n5	10	15	836.5	DFT	64QAM	Inner_Full	20.65	11.90	12.40
n5	10	15	836.5	DFT	64QAM	Outer_Full	20.63	11.88	12.38
n5	10	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.99	13.24	13.74
n5	10	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.02	13.27	13.77
n5	10	15	836.5	DFT	pi/2 BPSK	Inner_Full	20.62	11.87	12.37
n5	10	15	836.5	DFT	pi/2 BPSK	Outer_Full	22.15	13.40	13.90
n5	10	15	836.5	DFT	QPSK	Edge_1RB_Left	22.04	13.29	13.79
n5	10	15	836.5	DFT	QPSK	Edge_1RB_Right	22.04	13.29	13.79
n5	10	15	836.5	DFT	QPSK	Inner_Full	23.14	14.39	14.89
n5	10	15	836.5	DFT	QPSK	Outer_Full	22.13	13.38	13.88
n5	10	15	836.5	CP	16QAM	Edge_1RB_Left	20.91	12.16	12.66
n5	10	15	836.5	CP	16QAM	Edge_1RB_Right	20.96	12.21	12.71





BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n5	10	15	836.5	CP	16QAM	Inner_Full	21.11	12.36	12.86
n5	10	15	836.5	CP	16QAM	Outer_Full	21.17	12.42	12.92
n5	10	15	836.5	CP	64QAM	Edge_1RB_Left	20.79	12.04	12.54
n5	10	15	836.5	CP	64QAM	Edge_1RB_Right	20.73	11.98	12.48
n5	10	15	836.5	CP	64QAM	Inner_Full	20.56	11.81	12.31
n5	10	15	836.5	CP	64QAM	Outer_Full	20.55	11.80	12.30
n5	10	15	836.5	CP	QPSK	Edge_1RB_Left	22.12	13.37	13.87
n5	10	15	836.5	CP	QPSK	Edge_1RB_Right	22.10	13.35	13.85
n5	10	15	836.5	CP	QPSK	Inner_Full	22.07	13.32	13.82
n5	10	15	836.5	CP	QPSK	Outer_Full	22.14	13.39	13.89
n5	10	15	844	DFT	16QAM	Edge_1RB_Left	20.93	12.18	12.68
n5	10	15	844	DFT	16QAM	Edge_1RB_Right	20.88	12.13	12.63
n5	10	15	844	DFT	16QAM	Inner_Full	22.22	13.47	13.97
n5	10	15	844	DFT	16QAM	Outer_Full	21.08	12.33	12.83
n5	10	15	844	DFT	64QAM	Edge_1RB_Left	20.46	11.71	12.21
n5	10	15	844	DFT	64QAM	Edge_1RB_Right	20.37	11.62	12.12
n5	10	15	844	DFT	64QAM	Inner_Full	20.65	11.90	12.40
n5	10	15	844	DFT	64QAM	Outer_Full	20.61	11.86	12.36
n5	10	15	844	DFT	pi/2 BPSK	Edge_1RB_Left	21.96	13.21	13.71
n5	10	15	844	DFT	pi/2 BPSK	Edge_1RB_Right	21.96	13.21	13.71
n5	10	15	844	DFT	pi/2 BPSK	Inner_Full	20.64	11.89	12.39
n5	10	15	844	DFT	pi/2 BPSK	Outer_Full	22.13	13.38	13.88
n5	10	15	844	DFT	QPSK	Edge_1RB_Left	22.05	13.30	13.80
n5	10	15	844	DFT	QPSK	Edge_1RB_Right	22.08	13.33	13.83
n5	10	15	844	DFT	QPSK	Inner_Full	23.09	14.34	14.84
n5	10	15	844	DFT	QPSK	Outer_Full	22.11	13.36	13.86
n5	10	15	844	CP	16QAM	Edge_1RB_Left	20.74	11.99	12.49
n5	10	15	844	CP	16QAM	Edge_1RB_Right	20.89	12.14	12.64
n5	10	15	844	CP	16QAM	Inner_Full	21.06	12.31	12.81
n5	10	15	844	CP	16QAM	Outer_Full	21.16	12.41	12.91
n5	10	15	844	CP	64QAM	Edge_1RB_Left	20.20	11.45	11.95
n5	10	15	844	CP	64QAM	Edge_1RB_Right	20.38	11.63	12.13
n5	10	15	844	CP	64QAM	Inner_Full	20.55	11.80	12.30



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n5	10	15	844	CP	64QAM	Outer_Full	20.59	11.84	12.34
n5	10	15	844	CP	QPSK	Edge_1RB_Left	22.07	13.32	13.82
n5	10	15	844	CP	QPSK	Edge_1RB_Right	22.01	13.26	13.76
n5	10	15	844	CP	QPSK	Inner_Full	22.08	13.33	13.83
n5	10	15	844	CP	QPSK	Outer_Full	22.11	13.36	13.86
n5	15	15	831.5	DFT	16QAM	Edge_1RB_Left	21.10	12.35	12.85
n5	15	15	831.5	DFT	16QAM	Edge_1RB_Right	21.12	12.37	12.87
n5	15	15	831.5	DFT	16QAM	Inner_Full	22.28	13.53	14.03
n5	15	15	831.5	DFT	16QAM	Outer_Full	21.33	12.58	13.08
n5	15	15	831.5	DFT	64QAM	Edge_1RB_Left	20.89	12.14	12.64
n5	15	15	831.5	DFT	64QAM	Edge_1RB_Right	20.79	12.04	12.54
n5	15	15	831.5	DFT	64QAM	Inner_Full	20.76	12.01	12.51
n5	15	15	831.5	DFT	64QAM	Outer_Full	20.90	12.15	12.65
n5	15	15	831.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.15	13.40	13.90
n5	15	15	831.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.10	13.35	13.85
n5	15	15	831.5	DFT	pi/2 BPSK	Inner_Full	20.83	12.08	12.58
n5	15	15	831.5	DFT	pi/2 BPSK	Outer_Full	22.33	13.58	14.08
n5	15	15	831.5	DFT	QPSK	Edge_1RB_Left	22.32	13.57	14.07
n5	15	15	831.5	DFT	QPSK	Edge_1RB_Right	22.27	13.52	14.02
n5	15	15	831.5	DFT	QPSK	Inner_Full	23.35	14.60	15.10
n5	15	15	831.5	DFT	QPSK	Outer_Full	22.39	13.64	14.14
n5	15	15	831.5	CP	16QAM	Edge_1RB_Left	21.15	12.40	12.90
n5	15	15	831.5	CP	16QAM	Edge_1RB_Right	21.07	12.32	12.82
n5	15	15	831.5	CP	16QAM	Inner_Full	21.30	12.55	13.05
n5	15	15	831.5	CP	16QAM	Outer_Full	21.41	12.66	13.16
n5	15	15	831.5	CP	64QAM	Edge_1RB_Left	20.93	12.18	12.68
n5	15	15	831.5	CP	64QAM	Edge_1RB_Right	20.49	11.74	12.24
n5	15	15	831.5	CP	64QAM	Inner_Full	20.76	12.01	12.51
n5	15	15	831.5	CP	64QAM	Outer_Full	20.88	12.13	12.63
n5	15	15	831.5	CP	QPSK	Edge_1RB_Left	22.30	13.55	14.05
n5	15	15	831.5	CP	QPSK	Edge_1RB_Right	22.26	13.51	14.01
n5	15	15	831.5	CP	QPSK	Inner_Full	22.28	13.53	14.03
n5	15	15	831.5	CP	QPSK	Outer_Full	22.33	13.58	14.08



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n5	15	15	836.5	DFT	16QAM	Edge_1RB_Left	21.01	12.26	12.76
n5	15	15	836.5	DFT	16QAM	Edge_1RB_Right	21.05	12.30	12.80
n5	15	15	836.5	DFT	16QAM	Inner_Full	22.26	13.51	14.01
n5	15	15	836.5	DFT	16QAM	Outer_Full	21.28	12.53	13.03
n5	15	15	836.5	DFT	64QAM	Edge_1RB_Left	20.86	12.11	12.61
n5	15	15	836.5	DFT	64QAM	Edge_1RB_Right	20.38	11.63	12.13
n5	15	15	836.5	DFT	64QAM	Inner_Full	20.72	11.97	12.47
n5	15	15	836.5	DFT	64QAM	Outer_Full	20.78	12.03	12.53
n5	15	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.09	13.34	13.84
n5	15	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.10	13.35	13.85
n5	15	15	836.5	DFT	pi/2 BPSK	Inner_Full	20.81	12.06	12.56
n5	15	15	836.5	DFT	pi/2 BPSK	Outer_Full	22.33	13.58	14.08
n5	15	15	836.5	DFT	QPSK	Edge_1RB_Left	22.20	13.45	13.95
n5	15	15	836.5	DFT	QPSK	Edge_1RB_Right	22.14	13.39	13.89
n5	15	15	836.5	DFT	QPSK	Inner_Full	23.27	14.52	15.02
n5	15	15	836.5	DFT	QPSK	Outer_Full	22.32	13.57	14.07
n5	15	15	836.5	CP	16QAM	Edge_1RB_Left	21.01	12.26	12.76
n5	15	15	836.5	CP	16QAM	Edge_1RB_Right	20.99	12.24	12.74
n5	15	15	836.5	CP	16QAM	Inner_Full	21.30	12.55	13.05
n5	15	15	836.5	CP	16QAM	Outer_Full	21.33	12.58	13.08
n5	15	15	836.5	CP	64QAM	Edge_1RB_Left	20.39	11.64	12.14
n5	15	15	836.5	CP	64QAM	Edge_1RB_Right	20.44	11.69	12.19
n5	15	15	836.5	CP	64QAM	Inner_Full	20.70	11.95	12.45
n5	15	15	836.5	CP	64QAM	Outer_Full	20.81	12.06	12.56
n5	15	15	836.5	CP	QPSK	Edge_1RB_Left	22.29	13.54	14.04
n5	15	15	836.5	CP	QPSK	Edge_1RB_Right	22.19	13.44	13.94
n5	15	15	836.5	CP	QPSK	Inner_Full	22.28	13.53	14.03
n5	15	15	836.5	CP	QPSK	Outer_Full	22.25	13.50	14.00
n5	15	15	841.5	DFT	16QAM	Edge_1RB_Left	20.96	12.21	12.71
n5	15	15	841.5	DFT	16QAM	Edge_1RB_Right	21.05	12.30	12.80
n5	15	15	841.5	DFT	16QAM	Inner_Full	22.28	13.53	14.03
n5	15	15	841.5	DFT	16QAM	Outer_Full	21.24	12.49	12.99
n5	15	15	841.5	DFT	64QAM	Edge_1RB_Left	20.49	11.74	12.24



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n5	15	15	841.5	DFT	64QAM	Edge_1RB_Right	20.18	11.43	11.93
n5	15	15	841.5	DFT	64QAM	Inner_Full	20.68	11.93	12.43
n5	15	15	841.5	DFT	64QAM	Outer_Full	20.72	11.97	12.47
n5	15	15	841.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.03	13.28	13.78
n5	15	15	841.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.01	13.26	13.76
n5	15	15	841.5	DFT	pi/2 BPSK	Inner_Full	20.78	12.03	12.53
n5	15	15	841.5	DFT	pi/2 BPSK	Outer_Full	22.26	13.51	14.01
n5	15	15	841.5	DFT	QPSK	Edge_1RB_Left	22.13	13.38	13.88
n5	15	15	841.5	DFT	QPSK	Edge_1RB_Right	22.14	13.39	13.89
n5	15	15	841.5	DFT	QPSK	Inner_Full	23.29	14.54	15.04
n5	15	15	841.5	DFT	QPSK	Outer_Full	22.18	13.43	13.93
n5	15	15	841.5	CP	16QAM	Edge_1RB_Left	20.78	12.03	12.53
n5	15	15	841.5	CP	16QAM	Edge_1RB_Right	20.76	12.01	12.51
n5	15	15	841.5	CP	16QAM	Inner_Full	21.26	12.51	13.01
n5	15	15	841.5	CP	16QAM	Outer_Full	21.24	12.49	12.99
n5	15	15	841.5	CP	64QAM	Edge_1RB_Left	20.49	11.74	12.24
n5	15	15	841.5	CP	64QAM	Edge_1RB_Right	20.24	11.49	11.99
n5	15	15	841.5	CP	64QAM	Inner_Full	20.75	12.00	12.50
n5	15	15	841.5	CP	64QAM	Outer_Full	20.72	11.97	12.47
n5	15	15	841.5	CP	QPSK	Edge_1RB_Left	22.13	13.38	13.88
n5	15	15	841.5	CP	QPSK	Edge_1RB_Right	22.12	13.37	13.87
n5	15	15	841.5	CP	QPSK	Inner_Full	22.28	13.53	14.03
n5	15	15	841.5	CP	QPSK	Outer_Full	22.22	13.47	13.97
n5	20	15	834	DFT	16QAM	Edge_1RB_Left	21.04	12.29	12.79
n5	20	15	834	DFT	16QAM	Edge_1RB_Right	21.04	12.29	12.79
n5	20	15	834	DFT	16QAM	Inner_Full	22.32	13.57	14.07
n5	20	15	834	DFT	16QAM	Outer_Full	21.38	12.63	13.13
n5	20	15	834	DFT	64QAM	Edge_1RB_Left	20.38	11.63	12.13
n5	20	15	834	DFT	64QAM	Edge_1RB_Right	20.20	11.45	11.95
n5	20	15	834	DFT	64QAM	Inner_Full	20.82	12.07	12.57
n5	20	15	834	DFT	64QAM	Outer_Full	20.89	12.14	12.64
n5	20	15	834	DFT	pi/2 BPSK	Edge_1RB_Left	22.12	13.37	13.87
n5	20	15	834	DFT	pi/2 BPSK	Edge_1RB_Right	22.07	13.32	13.82



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n5	20	15	834	DFT	pi/2 BPSK	Inner_Full	20.84	12.09	12.59
n5	20	15	834	DFT	pi/2 BPSK	Outer_Full	22.42	13.67	14.17
n5	20	15	834	DFT	QPSK	Edge_1RB_Left	22.17	13.42	13.92
n5	20	15	834	DFT	QPSK	Edge_1RB_Right	22.12	13.37	13.87
n5	20	15	834	DFT	QPSK	Inner_Full	23.33	14.58	15.08
n5	20	15	834	DFT	QPSK	Outer_Full	22.44	13.69	14.19
n5	20	15	834	CP	16QAM	Edge_1RB_Left	20.85	12.10	12.60
n5	20	15	834	CP	16QAM	Edge_1RB_Right	20.86	12.11	12.61
n5	20	15	834	CP	16QAM	Inner_Full	21.39	12.64	13.14
n5	20	15	834	CP	16QAM	Outer_Full	21.37	12.62	13.12
n5	20	15	834	CP	64QAM	Edge_1RB_Left	20.39	11.64	12.14
n5	20	15	834	CP	64QAM	Edge_1RB_Right	20.20	11.45	11.95
n5	20	15	834	CP	64QAM	Inner_Full	20.82	12.07	12.57
n5	20	15	834	CP	64QAM	Outer_Full	20.92	12.17	12.67
n5	20	15	834	CP	QPSK	Edge_1RB_Left	22.20	13.45	13.95
n5	20	15	834	CP	QPSK	Edge_1RB_Right	22.13	13.38	13.88
n5	20	15	834	CP	QPSK	Inner_Full	22.36	13.61	14.11
n5	20	15	834	CP	QPSK	Outer_Full	22.42	13.67	14.17
n5	20	15	836.5	DFT	16QAM	Edge_1RB_Left	20.96	12.21	12.71
n5	20	15	836.5	DFT	16QAM	Edge_1RB_Right	20.96	12.21	12.71
n5	20	15	836.5	DFT	16QAM	Inner_Full	22.34	13.59	14.09
n5	20	15	836.5	DFT	16QAM	Outer_Full	21.30	12.55	13.05
n5	20	15	836.5	DFT	64QAM	Edge_1RB_Left	20.59	11.84	12.34
n5	20	15	836.5	DFT	64QAM	Edge_1RB_Right	20.55	11.80	12.30
n5	20	15	836.5	DFT	64QAM	Inner_Full	20.76	12.01	12.51
n5	20	15	836.5	DFT	64QAM	Outer_Full	20.83	12.08	12.58
n5	20	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.06	13.31	13.81
n5	20	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.02	13.27	13.77
n5	20	15	836.5	DFT	pi/2 BPSK	Inner_Full	20.76	12.01	12.51
n5	20	15	836.5	DFT	pi/2 BPSK	Outer_Full	22.36	13.61	14.11
n5	20	15	836.5	DFT	QPSK	Edge_1RB_Left	22.16	13.41	13.91
n5	20	15	836.5	DFT	QPSK	Edge_1RB_Right	22.13	13.38	13.88
n5	20	15	836.5	DFT	QPSK	Inner_Full	23.29	14.54	15.04



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n5	20	15	836.5	DFT	QPSK	Outer_Full	22.37	13.62	14.12
n5	20	15	836.5	CP	16QAM	Edge_1RB_Left	21.04	12.29	12.79
n5	20	15	836.5	CP	16QAM	Edge_1RB_Right	20.84	12.09	12.59
n5	20	15	836.5	CP	16QAM	Inner_Full	21.31	12.56	13.06
n5	20	15	836.5	CP	16QAM	Outer_Full	21.36	12.61	13.11
n5	20	15	836.5	CP	64QAM	Edge_1RB_Left	20.32	11.57	12.07
n5	20	15	836.5	CP	64QAM	Edge_1RB_Right	20.30	11.55	12.05
n5	20	15	836.5	CP	64QAM	Inner_Full	20.83	12.08	12.58
n5	20	15	836.5	CP	64QAM	Outer_Full	20.83	12.08	12.58
n5	20	15	836.5	CP	QPSK	Edge_1RB_Left	22.16	13.41	13.91
n5	20	15	836.5	CP	QPSK	Edge_1RB_Right	22.12	13.37	13.87
n5	20	15	836.5	CP	QPSK	Inner_Full	22.34	13.59	14.09
n5	20	15	836.5	CP	QPSK	Outer_Full	22.35	13.60	14.10
n5	20	15	839	DFT	16QAM	Edge_1RB_Left	20.79	12.04	12.54
n5	20	15	839	DFT	16QAM	Edge_1RB_Right	20.77	12.02	12.52
n5	20	15	839	DFT	16QAM	Inner_Full	22.32	13.57	14.07
n5	20	15	839	DFT	16QAM	Outer_Full	21.20	12.45	12.95
n5	20	15	839	DFT	64QAM	Edge_1RB_Left	20.50	11.75	12.25
n5	20	15	839	DFT	64QAM	Edge_1RB_Right	20.23	11.48	11.98
n5	20	15	839	DFT	64QAM	Inner_Full	20.78	12.03	12.53
n5	20	15	839	DFT	64QAM	Outer_Full	20.72	11.97	12.47
n5	20	15	839	DFT	pi/2 BPSK	Edge_1RB_Left	22.07	13.32	13.82
n5	20	15	839	DFT	pi/2 BPSK	Edge_1RB_Right	21.98	13.23	13.73
n5	20	15	839	DFT	pi/2 BPSK	Inner_Full	20.76	12.01	12.51
n5	20	15	839	DFT	pi/2 BPSK	Outer_Full	22.25	13.50	14.00
n5	20	15	839	DFT	QPSK	Edge_1RB_Left	22.13	13.38	13.88
n5	20	15	839	DFT	QPSK	Edge_1RB_Right	22.09	13.34	13.84
n5	20	15	839	DFT	QPSK	Inner_Full	23.30	14.55	15.05
n5	20	15	839	DFT	QPSK	Outer_Full	22.23	13.48	13.98
n5	20	15	839	CP	16QAM	Edge_1RB_Left	20.78	12.03	12.53
n5	20	15	839	CP	16QAM	Edge_1RB_Right	20.99	12.24	12.74
n5	20	15	839	CP	16QAM	Inner_Full	21.32	12.57	13.07
n5	20	15	839	CP	16QAM	Outer_Full	21.28	12.53	13.03



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n5	20	15	839	CP	64QAM	Edge_1RB_Left	20.55	11.80	12.30
n5	20	15	839	CP	64QAM	Edge_1RB_Right	20.49	11.74	12.24
n5	20	15	839	CP	64QAM	Inner_Full	20.79	12.04	12.54
n5	20	15	839	CP	64QAM	Outer_Full	20.74	11.99	12.49
n5	20	15	839	CP	QPSK	Edge_1RB_Left	22.19	13.44	13.94
n5	20	15	839	CP	QPSK	Edge_1RB_Right	22.12	13.37	13.87
n5	20	15	839	CP	QPSK	Inner_Full	22.36	13.61	14.11
n5	20	15	839	CP	QPSK	Outer_Full	22.22	13.47	13.97
n7	5	15	2502.5	DFT	16QAM	Inner_Full	21.76	22.26	19.86
n7	5	15	2502.5	DFT	16QAM	Edge_1RB_Left	20.88	21.38	18.98
n7	5	15	2502.5	DFT	16QAM	Edge_1RB_Right	20.85	21.35	18.95
n7	5	15	2502.5	DFT	16QAM	Outer_Full	20.81	21.31	18.91
n7	5	15	2502.5	DFT	64QAM	Inner_Full	20.37	20.87	18.47
n7	5	15	2502.5	DFT	64QAM	Edge_1RB_Left	19.87	20.37	17.97
n7	5	15	2502.5	DFT	64QAM	Edge_1RB_Right	20.09	20.59	18.19
n7	5	15	2502.5	DFT	64QAM	Outer_Full	20.28	20.78	18.38
n7	5	15	2502.5	DFT	pi/2 BPSK	Inner_Full	20.23	20.73	18.33
n7	5	15	2502.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.67	22.17	19.77
n7	5	15	2502.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.67	22.17	19.77
n7	5	15	2502.5	DFT	pi/2 BPSK	Outer_Full	21.75	22.25	19.85
n7	5	15	2502.5	DFT	QPSK	Inner_Full	22.67	23.17	20.77
n7	5	15	2502.5	DFT	QPSK	Edge_1RB_Left	21.80	22.30	19.90
n7	5	15	2502.5	DFT	QPSK	Outer_Full	21.82	22.32	19.92
n7	5	15	2502.5	DFT	QPSK	Edge_1RB_Right	21.73	22.23	19.83
n7	5	15	2502.5	CP	16QAM	Inner_Full	21.81	22.31	19.91
n7	5	15	2502.5	CP	16QAM	Edge_1RB_Left	20.67	21.17	18.77
n7	5	15	2502.5	CP	16QAM	Edge_1RB_Right	20.64	21.14	18.74
n7	5	15	2502.5	CP	16QAM	Outer_Full	20.87	21.37	18.97
n7	5	15	2502.5	CP	64QAM	Inner_Full	20.23	20.73	18.33
n7	5	15	2502.5	CP	64QAM	Edge_1RB_Left	20.17	20.67	18.27
n7	5	15	2502.5	CP	64QAM	Edge_1RB_Right	20.13	20.63	18.23
n7	5	15	2502.5	CP	64QAM	Outer_Full	20.29	20.79	18.39
n7	5	15	2502.5	CP	QPSK	Inner_Full	22.60	23.10	20.70
n7	5	15	2502.5	CP	QPSK	Edge_1RB_Left	21.75	22.25	19.85
n7	5	15	2502.5	CP	QPSK	Edge_1RB_Right	21.71	22.21	19.81
n7	5	15	2502.5	CP	QPSK	Outer_Full	21.82	22.32	19.92
n7	5	15	2535	DFT	16QAM	Inner_Full	21.54	22.04	19.64



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	5	15	2535	DFT	16QAM	Edge_1RB_Left	20.46	20.96	18.56
n7	5	15	2535	DFT	16QAM	Edge_1RB_Right	20.42	20.92	18.52
n7	5	15	2535	DFT	16QAM	Outer_Full	20.50	21.00	18.60
n7	5	15	2535	DFT	64QAM	Inner_Full	20.04	20.54	18.14
n7	5	15	2535	DFT	64QAM	Edge_1RB_Left	19.62	20.12	17.72
n7	5	15	2535	DFT	64QAM	Edge_1RB_Right	19.94	20.44	18.04
n7	5	15	2535	DFT	64QAM	Outer_Full	20.01	20.51	18.11
n7	5	15	2535	DFT	pi/2 BPSK	Inner_Full	19.94	20.44	18.04
n7	5	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	21.53	22.03	19.63
n7	5	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	21.50	22.00	19.60
n7	5	15	2535	DFT	pi/2 BPSK	Outer_Full	21.52	22.02	19.62
n7	5	15	2535	DFT	QPSK	Inner_Full	22.39	22.89	20.49
n7	5	15	2535	DFT	QPSK	Edge_1RB_Left	21.52	22.02	19.62
n7	5	15	2535	DFT	QPSK	Outer_Full	21.54	22.04	19.64
n7	5	15	2535	DFT	QPSK	Edge_1RB_Right	21.51	22.01	19.61
n7	5	15	2535	CP	16QAM	Inner_Full	21.60	22.10	19.70
n7	5	15	2535	CP	16QAM	Edge_1RB_Left	20.64	21.14	18.74
n7	5	15	2535	CP	16QAM	Edge_1RB_Right	20.42	20.92	18.52
n7	5	15	2535	CP	16QAM	Outer_Full	20.54	21.04	18.64
n7	5	15	2535	CP	64QAM	Inner_Full	20.16	20.66	18.26
n7	5	15	2535	CP	64QAM	Edge_1RB_Left	19.93	20.43	18.03
n7	5	15	2535	CP	64QAM	Edge_1RB_Right	19.95	20.45	18.05
n7	5	15	2535	CP	64QAM	Outer_Full	20.05	20.55	18.15
n7	5	15	2535	CP	QPSK	Inner_Full	22.37	22.87	20.47
n7	5	15	2535	CP	QPSK	Edge_1RB_Left	21.56	22.06	19.66
n7	5	15	2535	CP	QPSK	Edge_1RB_Right	21.51	22.01	19.61
n7	5	15	2535	CP	QPSK	Outer_Full	21.52	22.02	19.62
n7	5	15	2567.5	DFT	16QAM	Inner_Full	21.25	21.75	19.35
n7	5	15	2567.5	DFT	16QAM	Edge_1RB_Left	20.35	20.85	18.45
n7	5	15	2567.5	DFT	16QAM	Edge_1RB_Right	20.24	20.74	18.34
n7	5	15	2567.5	DFT	16QAM	Outer_Full	20.26	20.76	18.36
n7	5	15	2567.5	DFT	64QAM	Inner_Full	19.68	20.18	17.78
n7	5	15	2567.5	DFT	64QAM	Edge_1RB_Left	19.34	19.84	17.44
n7	5	15	2567.5	DFT	64QAM	Edge_1RB_Right	19.50	20.00	17.60
n7	5	15	2567.5	DFT	64QAM	Outer_Full	19.76	20.26	17.86
n7	5	15	2567.5	DFT	pi/2 BPSK	Inner_Full	19.71	20.21	17.81
n7	5	15	2567.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.23	21.73	19.33
n7	5	15	2567.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.25	21.75	19.35





BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	5	15	2567.5	DFT	pi/2 BPSK	Outer_Full	21.28	21.78	19.38
n7	5	15	2567.5	DFT	QPSK	Inner_Full	22.01	22.51	20.11
n7	5	15	2567.5	DFT	QPSK	Edge_1RB_Left	21.18	21.68	19.28
n7	5	15	2567.5	DFT	QPSK	Outer_Full	21.27	21.77	19.37
n7	5	15	2567.5	DFT	QPSK	Edge_1RB_Right	21.07	21.57	19.17
n7	5	15	2567.5	CP	16QAM	Inner_Full	21.26	21.76	19.36
n7	5	15	2567.5	CP	16QAM	Edge_1RB_Left	20.33	20.83	18.43
n7	5	15	2567.5	CP	16QAM	Edge_1RB_Right	20.27	20.77	18.37
n7	5	15	2567.5	CP	16QAM	Outer_Full	20.23	20.73	18.33
n7	5	15	2567.5	CP	64QAM	Inner_Full	19.78	20.28	17.88
n7	5	15	2567.5	CP	64QAM	Edge_1RB_Left	19.64	20.14	17.74
n7	5	15	2567.5	CP	64QAM	Edge_1RB_Right	19.27	19.77	17.37
n7	5	15	2567.5	CP	64QAM	Outer_Full	19.74	20.24	17.84
n7	5	15	2567.5	CP	QPSK	Inner_Full	22.04	22.54	20.14
n7	5	15	2567.5	CP	QPSK	Edge_1RB_Left	21.17	21.67	19.27
n7	5	15	2567.5	CP	QPSK	Edge_1RB_Right	21.07	21.57	19.17
n7	5	15	2567.5	CP	QPSK	Outer_Full	21.28	21.78	19.38
n7	10	15	2505	DFT	16QAM	Inner_Full	21.56	22.06	19.66
n7	10	15	2505	DFT	16QAM	Edge_1RB_Left	20.59	21.09	18.69
n7	10	15	2505	DFT	16QAM	Edge_1RB_Right	20.60	21.10	18.70
n7	10	15	2505	DFT	16QAM	Outer_Full	20.57	21.07	18.67
n7	10	15	2505	DFT	64QAM	Inner_Full	20.08	20.58	18.18
n7	10	15	2505	DFT	64QAM	Edge_1RB_Left	19.67	20.17	17.77
n7	10	15	2505	DFT	64QAM	Edge_1RB_Right	19.61	20.11	17.71
n7	10	15	2505	DFT	64QAM	Outer_Full	20.09	20.59	18.19
n7	10	15	2505	DFT	pi/2 BPSK	Inner_Full	20.09	20.59	18.19
n7	10	15	2505	DFT	pi/2 BPSK	Edge_1RB_Left	21.47	21.97	19.57
n7	10	15	2505	DFT	pi/2 BPSK	Edge_1RB_Right	21.44	21.94	19.54
n7	10	15	2505	DFT	pi/2 BPSK	Outer_Full	21.60	22.10	19.70
n7	10	15	2505	DFT	QPSK	Inner_Full	22.43	22.93	20.53
n7	10	15	2505	DFT	QPSK	Edge_1RB_Left	21.50	22.00	19.60
n7	10	15	2505	DFT	QPSK	Outer_Full	21.61	22.11	19.71
n7	10	15	2505	DFT	QPSK	Edge_1RB_Right	21.42	21.92	19.52
n7	10	15	2505	CP	16QAM	Inner_Full	20.52	21.02	18.62
n7	10	15	2505	CP	16QAM	Edge_1RB_Left	20.59	21.09	18.69
n7	10	15	2505	CP	16QAM	Edge_1RB_Right	20.60	21.10	18.70
n7	10	15	2505	CP	16QAM	Outer_Full	20.67	21.17	18.77
n7	10	15	2505	CP	64QAM	Inner_Full	20.05	20.55	18.15



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	10	15	2505	CP	64QAM	Edge_1RB_Left	19.65	20.15	17.75
n7	10	15	2505	CP	64QAM	Edge_1RB_Right	19.96	20.46	18.06
n7	10	15	2505	CP	64QAM	Outer_Full	20.06	20.56	18.16
n7	10	15	2505	CP	QPSK	Inner_Full	21.54	22.04	19.64
n7	10	15	2505	CP	QPSK	Edge_1RB_Left	21.55	22.05	19.65
n7	10	15	2505	CP	QPSK	Edge_1RB_Right	21.51	22.01	19.61
n7	10	15	2505	CP	QPSK	Outer_Full	21.59	22.09	19.69
n7	10	15	2535	DFT	16QAM	Inner_Full	21.33	21.83	19.43
n7	10	15	2535	DFT	16QAM	Edge_1RB_Left	20.26	20.76	18.36
n7	10	15	2535	DFT	16QAM	Edge_1RB_Right	20.20	20.70	18.30
n7	10	15	2535	DFT	16QAM	Outer_Full	20.40	20.90	18.50
n7	10	15	2535	DFT	64QAM	Inner_Full	19.82	20.32	17.92
n7	10	15	2535	DFT	64QAM	Edge_1RB_Left	19.73	20.23	17.83
n7	10	15	2535	DFT	64QAM	Edge_1RB_Right	19.37	19.87	17.47
n7	10	15	2535	DFT	64QAM	Outer_Full	19.84	20.34	17.94
n7	10	15	2535	DFT	pi/2 BPSK	Inner_Full	19.90	20.40	18.00
n7	10	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	21.29	21.79	19.39
n7	10	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	21.20	21.70	19.30
n7	10	15	2535	DFT	pi/2 BPSK	Outer_Full	21.35	21.85	19.45
n7	10	15	2535	DFT	QPSK	Inner_Full	22.17	22.67	20.27
n7	10	15	2535	DFT	QPSK	Edge_1RB_Left	21.31	21.81	19.41
n7	10	15	2535	DFT	QPSK	Outer_Full	21.39	21.89	19.49
n7	10	15	2535	DFT	QPSK	Edge_1RB_Right	21.26	21.76	19.36
n7	10	15	2535	CP	16QAM	Inner_Full	20.31	20.81	18.41
n7	10	15	2535	CP	16QAM	Edge_1RB_Left	20.41	20.91	18.51
n7	10	15	2535	CP	16QAM	Edge_1RB_Right	20.20	20.70	18.30
n7	10	15	2535	CP	16QAM	Outer_Full	20.35	20.85	18.45
n7	10	15	2535	CP	64QAM	Inner_Full	19.88	20.38	17.98
n7	10	15	2535	CP	64QAM	Edge_1RB_Left	19.76	20.26	17.86
n7	10	15	2535	CP	64QAM	Edge_1RB_Right	19.40	19.90	17.50
n7	10	15	2535	CP	64QAM	Outer_Full	19.82	20.32	17.92
n7	10	15	2535	CP	QPSK	Inner_Full	21.36	21.86	19.46
n7	10	15	2535	CP	QPSK	Edge_1RB_Left	21.30	21.80	19.40
n7	10	15	2535	CP	QPSK	Edge_1RB_Right	21.20	21.70	19.30
n7	10	15	2535	CP	QPSK	Outer_Full	21.39	21.89	19.49
n7	10	15	2565	DFT	16QAM	Inner_Full	21.10	21.60	19.20
n7	10	15	2565	DFT	16QAM	Edge_1RB_Left	20.15	20.65	18.25
n7	10	15	2565	DFT	16QAM	Edge_1RB_Right	20.03	20.53	18.13



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	10	15	2565	DFT	16QAM	Outer_Full	20.05	20.55	18.15
n7	10	15	2565	DFT	64QAM	Inner_Full	19.54	20.04	17.64
n7	10	15	2565	DFT	64QAM	Edge_1RB_Left	19.49	19.99	17.59
n7	10	15	2565	DFT	64QAM	Edge_1RB_Right	19.32	19.82	17.42
n7	10	15	2565	DFT	64QAM	Outer_Full	19.57	20.07	17.67
n7	10	15	2565	DFT	pi/2 BPSK	Inner_Full	19.59	20.09	17.69
n7	10	15	2565	DFT	pi/2 BPSK	Edge_1RB_Left	21.00	21.50	19.10
n7	10	15	2565	DFT	pi/2 BPSK	Edge_1RB_Right	20.94	21.44	19.04
n7	10	15	2565	DFT	pi/2 BPSK	Outer_Full	21.01	21.51	19.11
n7	10	15	2565	DFT	QPSK	Inner_Full	21.89	22.39	19.99
n7	10	15	2565	DFT	QPSK	Edge_1RB_Left	21.04	21.54	19.14
n7	10	15	2565	DFT	QPSK	Outer_Full	21.01	21.51	19.11
n7	10	15	2565	DFT	QPSK	Edge_1RB_Right	20.86	21.36	18.96
n7	10	15	2565	CP	16QAM	Inner_Full	19.98	20.48	18.08
n7	10	15	2565	CP	16QAM	Edge_1RB_Left	20.16	20.66	18.26
n7	10	15	2565	CP	16QAM	Edge_1RB_Right	19.88	20.38	17.98
n7	10	15	2565	CP	16QAM	Outer_Full	20.01	20.51	18.11
n7	10	15	2565	CP	64QAM	Inner_Full	19.54	20.04	17.64
n7	10	15	2565	CP	64QAM	Edge_1RB_Left	19.22	19.72	17.32
n7	10	15	2565	CP	64QAM	Edge_1RB_Right	19.08	19.58	17.18
n7	10	15	2565	CP	64QAM	Outer_Full	19.53	20.03	17.63
n7	10	15	2565	CP	QPSK	Inner_Full	21.05	21.55	19.15
n7	10	15	2565	CP	QPSK	Edge_1RB_Left	21.01	21.51	19.11
n7	10	15	2565	CP	QPSK	Edge_1RB_Right	20.95	21.45	19.05
n7	10	15	2565	CP	QPSK	Outer_Full	21.02	21.52	19.12
n7	15	15	2507.5	DFT	16QAM	Inner_Full	21.71	22.21	19.81
n7	15	15	2507.5	DFT	16QAM	Edge_1RB_Left	20.70	21.20	18.80
n7	15	15	2507.5	DFT	16QAM	Edge_1RB_Right	20.60	21.10	18.70
n7	15	15	2507.5	DFT	16QAM	Outer_Full	20.68	21.18	18.78
n7	15	15	2507.5	DFT	64QAM	Inner_Full	20.13	20.63	18.23
n7	15	15	2507.5	DFT	64QAM	Edge_1RB_Left	20.13	20.63	18.23
n7	15	15	2507.5	DFT	64QAM	Edge_1RB_Right	20.07	20.57	18.17
n7	15	15	2507.5	DFT	64QAM	Outer_Full	20.27	20.77	18.37
n7	15	15	2507.5	DFT	pi/2 BPSK	Inner_Full	20.18	20.68	18.28
n7	15	15	2507.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.53	22.03	19.63
n7	15	15	2507.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.61	22.11	19.71
n7	15	15	2507.5	DFT	pi/2 BPSK	Outer_Full	21.74	22.24	19.84
n7	15	15	2507.5	DFT	QPSK	Inner_Full	22.53	23.03	20.63



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	15	15	2507.5	DFT	QPSK	Edge_1RB_Left	21.58	22.08	19.68
n7	15	15	2507.5	DFT	QPSK	Outer_Full	21.76	22.26	19.86
n7	15	15	2507.5	DFT	QPSK	Edge_1RB_Right	21.55	22.05	19.65
n7	15	15	2507.5	CP	16QAM	Inner_Full	20.59	21.09	18.69
n7	15	15	2507.5	CP	16QAM	Edge_1RB_Left	20.52	21.02	18.62
n7	15	15	2507.5	CP	16QAM	Edge_1RB_Right	20.62	21.12	18.72
n7	15	15	2507.5	CP	16QAM	Outer_Full	20.69	21.19	18.79
n7	15	15	2507.5	CP	64QAM	Inner_Full	20.09	20.59	18.19
n7	15	15	2507.5	CP	64QAM	Edge_1RB_Left	20.05	20.55	18.15
n7	15	15	2507.5	CP	64QAM	Edge_1RB_Right	20.13	20.63	18.23
n7	15	15	2507.5	CP	64QAM	Outer_Full	20.21	20.71	18.31
n7	15	15	2507.5	CP	QPSK	Inner_Full	21.70	22.20	19.80
n7	15	15	2507.5	CP	QPSK	Edge_1RB_Left	21.65	22.15	19.75
n7	15	15	2507.5	CP	QPSK	Edge_1RB_Right	21.54	22.04	19.64
n7	15	15	2507.5	CP	QPSK	Outer_Full	21.70	22.20	19.80
n7	15	15	2535	DFT	16QAM	Inner_Full	21.51	22.01	19.61
n7	15	15	2535	DFT	16QAM	Edge_1RB_Left	20.32	20.82	18.42
n7	15	15	2535	DFT	16QAM	Edge_1RB_Right	20.26	20.76	18.36
n7	15	15	2535	DFT	16QAM	Outer_Full	20.50	21.00	18.60
n7	15	15	2535	DFT	64QAM	Inner_Full	19.94	20.44	18.04
n7	15	15	2535	DFT	64QAM	Edge_1RB_Left	19.98	20.48	18.08
n7	15	15	2535	DFT	64QAM	Edge_1RB_Right	19.88	20.38	17.98
n7	15	15	2535	DFT	64QAM	Outer_Full	19.97	20.47	18.07
n7	15	15	2535	DFT	pi/2 BPSK	Inner_Full	20.07	20.57	18.17
n7	15	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	21.41	21.91	19.51
n7	15	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	21.21	21.71	19.31
n7	15	15	2535	DFT	pi/2 BPSK	Outer_Full	21.47	21.97	19.57
n7	15	15	2535	DFT	QPSK	Inner_Full	22.36	22.86	20.46
n7	15	15	2535	DFT	QPSK	Edge_1RB_Left	21.47	21.97	19.57
n7	15	15	2535	DFT	QPSK	Outer_Full	21.51	22.01	19.61
n7	15	15	2535	DFT	QPSK	Edge_1RB_Right	21.23	21.73	19.33
n7	15	15	2535	CP	16QAM	Inner_Full	20.44	20.94	18.54
n7	15	15	2535	CP	16QAM	Edge_1RB_Left	20.50	21.00	18.60
n7	15	15	2535	CP	16QAM	Edge_1RB_Right	20.40	20.90	18.50
n7	15	15	2535	CP	16QAM	Outer_Full	20.53	21.03	18.63
n7	15	15	2535	CP	64QAM	Inner_Full	20.00	20.50	18.10
n7	15	15	2535	CP	64QAM	Edge_1RB_Left	19.54	20.04	17.64
n7	15	15	2535	CP	64QAM	Edge_1RB_Right	19.41	19.91	17.51



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	15	15	2535	CP	64QAM	Outer_Full	20.05	20.55	18.15
n7	15	15	2535	CP	QPSK	Inner_Full	21.54	22.04	19.64
n7	15	15	2535	CP	QPSK	Edge_1RB_Left	21.45	21.95	19.55
n7	15	15	2535	CP	QPSK	Edge_1RB_Right	21.23	21.73	19.33
n7	15	15	2535	CP	QPSK	Outer_Full	21.52	22.02	19.62
n7	15	15	2562.5	DFT	16QAM	Inner_Full	21.24	21.74	19.34
n7	15	15	2562.5	DFT	16QAM	Edge_1RB_Left	20.29	20.79	18.39
n7	15	15	2562.5	DFT	16QAM	Edge_1RB_Right	20.09	20.59	18.19
n7	15	15	2562.5	DFT	16QAM	Outer_Full	20.18	20.68	18.28
n7	15	15	2562.5	DFT	64QAM	Inner_Full	19.70	20.20	17.80
n7	15	15	2562.5	DFT	64QAM	Edge_1RB_Left	19.62	20.12	17.72
n7	15	15	2562.5	DFT	64QAM	Edge_1RB_Right	19.45	19.95	17.55
n7	15	15	2562.5	DFT	64QAM	Outer_Full	19.78	20.28	17.88
n7	15	15	2562.5	DFT	pi/2 BPSK	Inner_Full	19.75	20.25	17.85
n7	15	15	2562.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.13	21.63	19.23
n7	15	15	2562.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.02	21.52	19.12
n7	15	15	2562.5	DFT	pi/2 BPSK	Outer_Full	21.20	21.70	19.30
n7	15	15	2562.5	DFT	QPSK	Inner_Full	22.10	22.60	20.20
n7	15	15	2562.5	DFT	QPSK	Edge_1RB_Left	21.20	21.70	19.30
n7	15	15	2562.5	DFT	QPSK	Outer_Full	21.26	21.76	19.36
n7	15	15	2562.5	DFT	QPSK	Edge_1RB_Right	21.02	21.52	19.12
n7	15	15	2562.5	CP	16QAM	Inner_Full	20.19	20.69	18.29
n7	15	15	2562.5	CP	16QAM	Edge_1RB_Left	20.17	20.67	18.27
n7	15	15	2562.5	CP	16QAM	Edge_1RB_Right	19.96	20.46	18.06
n7	15	15	2562.5	CP	16QAM	Outer_Full	20.19	20.69	18.29
n7	15	15	2562.5	CP	64QAM	Inner_Full	19.63	20.13	17.73
n7	15	15	2562.5	CP	64QAM	Edge_1RB_Left	19.61	20.11	17.71
n7	15	15	2562.5	CP	64QAM	Edge_1RB_Right	19.15	19.65	17.25
n7	15	15	2562.5	CP	64QAM	Outer_Full	19.67	20.17	17.77
n7	15	15	2562.5	CP	QPSK	Inner_Full	21.23	21.73	19.33
n7	15	15	2562.5	CP	QPSK	Edge_1RB_Left	21.18	21.68	19.28
n7	15	15	2562.5	CP	QPSK	Edge_1RB_Right	21.01	21.51	19.11
n7	15	15	2562.5	CP	QPSK	Outer_Full	21.20	21.70	19.30
n7	20	15	2510	DFT	16QAM	Inner_Full	21.77	22.27	19.87
n7	20	15	2510	DFT	16QAM	Edge_1RB_Left	20.65	21.15	18.75
n7	20	15	2510	DFT	16QAM	Edge_1RB_Right	20.61	21.11	18.71
n7	20	15	2510	DFT	16QAM	Outer_Full	20.72	21.22	18.82
n7	20	15	2510	DFT	64QAM	Inner_Full	20.18	20.68	18.28



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	20	15	2510	DFT	64QAM	Edge_1RB_Left	19.69	20.19	17.79
n7	20	15	2510	DFT	64QAM	Edge_1RB_Right	19.64	20.14	17.74
n7	20	15	2510	DFT	64QAM	Outer_Full	20.21	20.71	18.31
n7	20	15	2510	DFT	pi/2 BPSK	Inner_Full	20.14	20.64	18.24
n7	20	15	2510	DFT	pi/2 BPSK	Edge_1RB_Left	21.49	21.99	19.59
n7	20	15	2510	DFT	pi/2 BPSK	Edge_1RB_Right	21.47	21.97	19.57
n7	20	15	2510	DFT	pi/2 BPSK	Outer_Full	21.68	22.18	19.78
n7	20	15	2510	DFT	QPSK	Inner_Full	22.50	23.00	20.60
n7	20	15	2510	DFT	QPSK	Edge_1RB_Left	21.54	22.04	19.64
n7	20	15	2510	DFT	QPSK	Outer_Full	21.72	22.22	19.82
n7	20	15	2510	DFT	QPSK	Edge_1RB_Right	21.51	22.01	19.61
n7	20	15	2510	CP	16QAM	Inner_Full	20.78	21.28	18.88
n7	20	15	2510	CP	16QAM	Edge_1RB_Left	20.66	21.16	18.76
n7	20	15	2510	CP	16QAM	Edge_1RB_Right	20.61	21.11	18.71
n7	20	15	2510	CP	16QAM	Outer_Full	20.77	21.27	18.87
n7	20	15	2510	CP	64QAM	Inner_Full	20.22	20.72	18.32
n7	20	15	2510	CP	64QAM	Edge_1RB_Left	19.62	20.12	17.72
n7	20	15	2510	CP	64QAM	Edge_1RB_Right	19.65	20.15	17.75
n7	20	15	2510	CP	64QAM	Outer_Full	20.19	20.69	18.29
n7	20	15	2510	CP	QPSK	Inner_Full	21.74	22.24	19.84
n7	20	15	2510	CP	QPSK	Edge_1RB_Left	21.56	22.06	19.66
n7	20	15	2510	CP	QPSK	Edge_1RB_Right	21.50	22.00	19.60
n7	20	15	2510	CP	QPSK	Outer_Full	21.70	22.20	19.80
n7	20	15	2535	DFT	16QAM	Inner_Full	21.54	22.04	19.64
n7	20	15	2535	DFT	16QAM	Edge_1RB_Left	20.47	20.97	18.57
n7	20	15	2535	DFT	16QAM	Edge_1RB_Right	20.32	20.82	18.42
n7	20	15	2535	DFT	16QAM	Outer_Full	20.48	20.98	18.58
n7	20	15	2535	DFT	64QAM	Inner_Full	20.02	20.52	18.12
n7	20	15	2535	DFT	64QAM	Edge_1RB_Left	19.81	20.31	17.91
n7	20	15	2535	DFT	64QAM	Edge_1RB_Right	19.36	19.86	17.46
n7	20	15	2535	DFT	64QAM	Outer_Full	19.99	20.49	18.09
n7	20	15	2535	DFT	pi/2 BPSK	Inner_Full	20.04	20.54	18.14
n7	20	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	21.41	21.91	19.51
n7	20	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	21.24	21.74	19.34
n7	20	15	2535	DFT	pi/2 BPSK	Outer_Full	21.55	22.05	19.65
n7	20	15	2535	DFT	QPSK	Inner_Full	22.36	22.86	20.46
n7	20	15	2535	DFT	QPSK	Edge_1RB_Left	21.41	21.91	19.51
n7	20	15	2535	DFT	QPSK	Outer_Full	21.52	22.02	19.62



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	20	15	2535	DFT	QPSK	Edge_1RB_Right	21.22	21.72	19.32
n7	20	15	2535	CP	16QAM	Inner_Full	20.55	21.05	18.65
n7	20	15	2535	CP	16QAM	Edge_1RB_Left	20.49	20.99	18.59
n7	20	15	2535	CP	16QAM	Edge_1RB_Right	20.42	20.92	18.52
n7	20	15	2535	CP	16QAM	Outer_Full	20.45	20.95	18.55
n7	20	15	2535	CP	64QAM	Inner_Full	20.05	20.55	18.15
n7	20	15	2535	CP	64QAM	Edge_1RB_Left	19.92	20.42	18.02
n7	20	15	2535	CP	64QAM	Edge_1RB_Right	19.78	20.28	17.88
n7	20	15	2535	CP	64QAM	Outer_Full	20.00	20.50	18.10
n7	20	15	2535	CP	QPSK	Inner_Full	21.56	22.06	19.66
n7	20	15	2535	CP	QPSK	Edge_1RB_Left	21.41	21.91	19.51
n7	20	15	2535	CP	QPSK	Edge_1RB_Right	21.22	21.72	19.32
n7	20	15	2535	CP	QPSK	Outer_Full	21.53	22.03	19.63
n7	20	15	2560	DFT	16QAM	Inner_Full	21.30	21.80	19.40
n7	20	15	2560	DFT	16QAM	Edge_1RB_Left	20.17	20.67	18.27
n7	20	15	2560	DFT	16QAM	Edge_1RB_Right	20.00	20.50	18.10
n7	20	15	2560	DFT	16QAM	Outer_Full	20.16	20.66	18.26
n7	20	15	2560	DFT	64QAM	Inner_Full	19.77	20.27	17.87
n7	20	15	2560	DFT	64QAM	Edge_1RB_Left	19.34	19.84	17.44
n7	20	15	2560	DFT	64QAM	Edge_1RB_Right	19.16	19.66	17.26
n7	20	15	2560	DFT	64QAM	Outer_Full	19.69	20.19	17.79
n7	20	15	2560	DFT	pi/2 BPSK	Inner_Full	19.76	20.26	17.86
n7	20	15	2560	DFT	pi/2 BPSK	Edge_1RB_Left	21.18	21.68	19.28
n7	20	15	2560	DFT	pi/2 BPSK	Edge_1RB_Right	21.00	21.50	19.10
n7	20	15	2560	DFT	pi/2 BPSK	Outer_Full	21.19	21.69	19.29
n7	20	15	2560	DFT	QPSK	Inner_Full	22.14	22.64	20.24
n7	20	15	2560	DFT	QPSK	Edge_1RB_Left	21.22	21.72	19.32
n7	20	15	2560	DFT	QPSK	Outer_Full	21.22	21.72	19.32
n7	20	15	2560	DFT	QPSK	Edge_1RB_Right	21.01	21.51	19.11
n7	20	15	2560	CP	16QAM	Inner_Full	20.37	20.87	18.47
n7	20	15	2560	CP	16QAM	Edge_1RB_Left	20.37	20.87	18.47
n7	20	15	2560	CP	16QAM	Edge_1RB_Right	19.98	20.48	18.08
n7	20	15	2560	CP	16QAM	Outer_Full	20.22	20.72	18.32
n7	20	15	2560	CP	64QAM	Inner_Full	19.79	20.29	17.89
n7	20	15	2560	CP	64QAM	Edge_1RB_Left	19.63	20.13	17.73
n7	20	15	2560	CP	64QAM	Edge_1RB_Right	19.44	19.94	17.54
n7	20	15	2560	CP	64QAM	Outer_Full	19.69	20.19	17.79
n7	20	15	2560	CP	QPSK	Inner_Full	21.27	21.77	19.37



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	20	15	2560	CP	QPSK	Edge_1RB_Left	21.18	21.68	19.28
n7	20	15	2560	CP	QPSK	Edge_1RB_Right	20.96	21.46	19.06
n7	20	15	2560	CP	QPSK	Outer_Full	21.17	21.67	19.27
n7	25	15	2512.5	DFT	16QAM	Inner_Full	21.95	22.45	20.05
n7	25	15	2512.5	DFT	16QAM	Edge_1RB_Left	21.05	21.55	19.15
n7	25	15	2512.5	DFT	16QAM	Edge_1RB_Right	20.99	21.49	19.09
n7	25	15	2512.5	DFT	16QAM	Outer_Full	20.98	21.48	19.08
n7	25	15	2512.5	DFT	64QAM	Inner_Full	20.57	21.07	18.67
n7	25	15	2512.5	DFT	64QAM	Edge_1RB_Left	20.05	20.55	18.15
n7	25	15	2512.5	DFT	64QAM	Edge_1RB_Right	20.24	20.74	18.34
n7	25	15	2512.5	DFT	64QAM	Outer_Full	20.46	20.96	18.56
n7	25	15	2512.5	DFT	pi/2 BPSK	Inner_Full	20.45	20.95	18.55
n7	25	15	2512.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.87	22.37	19.97
n7	25	15	2512.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.84	22.34	19.94
n7	25	15	2512.5	DFT	pi/2 BPSK	Outer_Full	21.95	22.45	20.05
n7	25	15	2512.5	DFT	QPSK	Inner_Full	22.82	23.32	20.92
n7	25	15	2512.5	DFT	QPSK	Edge_1RB_Left	21.99	22.49	20.09
n7	25	15	2512.5	DFT	QPSK	Outer_Full	21.95	22.45	20.05
n7	25	15	2512.5	DFT	QPSK	Edge_1RB_Right	21.89	22.39	19.99
n7	25	15	2512.5	CP	16QAM	Inner_Full	21.96	22.46	20.06
n7	25	15	2512.5	CP	16QAM	Edge_1RB_Left	20.80	21.30	18.90
n7	25	15	2512.5	CP	16QAM	Edge_1RB_Right	20.74	21.24	18.84
n7	25	15	2512.5	CP	16QAM	Outer_Full	21.00	21.50	19.10
n7	25	15	2512.5	CP	64QAM	Inner_Full	20.39	20.89	18.49
n7	25	15	2512.5	CP	64QAM	Edge_1RB_Left	20.31	20.81	18.41
n7	25	15	2512.5	CP	64QAM	Edge_1RB_Right	20.24	20.74	18.34
n7	25	15	2512.5	CP	64QAM	Outer_Full	20.43	20.93	18.53
n7	25	15	2512.5	CP	QPSK	Inner_Full	22.71	23.21	20.81
n7	25	15	2512.5	CP	QPSK	Edge_1RB_Left	21.90	22.40	20.00
n7	25	15	2512.5	CP	QPSK	Edge_1RB_Right	21.83	22.33	19.93
n7	25	15	2512.5	CP	QPSK	Outer_Full	21.97	22.47	20.07
n7	25	15	2535	DFT	16QAM	Inner_Full	21.73	22.23	19.83
n7	25	15	2535	DFT	16QAM	Edge_1RB_Left	20.63	21.13	18.73
n7	25	15	2535	DFT	16QAM	Edge_1RB_Right	20.56	21.06	18.66
n7	25	15	2535	DFT	16QAM	Outer_Full	20.67	21.17	18.77
n7	25	15	2535	DFT	64QAM	Inner_Full	20.24	20.74	18.34
n7	25	15	2535	DFT	64QAM	Edge_1RB_Left	19.84	20.34	17.94
n7	25	15	2535	DFT	64QAM	Edge_1RB_Right	20.09	20.59	18.19





BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	25	15	2535	DFT	64QAM	Outer_Full	20.19	20.69	18.29
n7	25	15	2535	DFT	pi/2 BPSK	Inner_Full	20.16	20.66	18.26
n7	25	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	21.73	22.23	19.83
n7	25	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	21.67	22.17	19.77
n7	25	15	2535	DFT	pi/2 BPSK	Outer_Full	21.72	22.22	19.82
n7	25	15	2535	DFT	QPSK	Inner_Full	22.54	23.04	20.64
n7	25	15	2535	DFT	QPSK	Edge_1RB_Left	21.71	22.21	19.81
n7	25	15	2535	DFT	QPSK	Outer_Full	21.73	22.23	19.83
n7	25	15	2535	DFT	QPSK	Edge_1RB_Right	21.67	22.17	19.77
n7	25	15	2535	CP	16QAM	Inner_Full	21.75	22.25	19.85
n7	25	15	2535	CP	16QAM	Edge_1RB_Left	20.77	21.27	18.87
n7	25	15	2535	CP	16QAM	Edge_1RB_Right	20.52	21.02	18.62
n7	25	15	2535	CP	16QAM	Outer_Full	20.67	21.17	18.77
n7	25	15	2535	CP	64QAM	Inner_Full	20.32	20.82	18.42
n7	25	15	2535	CP	64QAM	Edge_1RB_Left	20.07	20.57	18.17
n7	25	15	2535	CP	64QAM	Edge_1RB_Right	20.06	20.56	18.16
n7	25	15	2535	CP	64QAM	Outer_Full	20.19	20.69	18.29
n7	25	15	2535	CP	QPSK	Inner_Full	22.48	22.98	20.58
n7	25	15	2535	CP	QPSK	Edge_1RB_Left	21.71	22.21	19.81
n7	25	15	2535	CP	QPSK	Edge_1RB_Right	21.63	22.13	19.73
n7	25	15	2535	CP	QPSK	Outer_Full	21.67	22.17	19.77
n7	25	15	2557.5	DFT	16QAM	Inner_Full	21.44	21.94	19.54
n7	25	15	2557.5	DFT	16QAM	Edge_1RB_Left	20.52	21.02	18.62
n7	25	15	2557.5	DFT	16QAM	Edge_1RB_Right	20.38	20.88	18.48
n7	25	15	2557.5	DFT	16QAM	Outer_Full	20.43	20.93	18.53
n7	25	15	2557.5	DFT	64QAM	Inner_Full	19.92	20.42	18.02
n7	25	15	2557.5	DFT	64QAM	Edge_1RB_Left	19.56	20.06	17.66
n7	25	15	2557.5	DFT	64QAM	Edge_1RB_Right	19.69	20.19	17.79
n7	25	15	2557.5	DFT	64QAM	Outer_Full	19.98	20.48	18.08
n7	25	15	2557.5	DFT	pi/2 BPSK	Inner_Full	19.97	20.47	18.07
n7	25	15	2557.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.43	21.93	19.53
n7	25	15	2557.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.42	21.92	19.52
n7	25	15	2557.5	DFT	pi/2 BPSK	Outer_Full	21.48	21.98	19.58
n7	25	15	2557.5	DFT	QPSK	Inner_Full	22.16	22.66	20.26
n7	25	15	2557.5	DFT	QPSK	Edge_1RB_Left	21.37	21.87	19.47
n7	25	15	2557.5	DFT	QPSK	Outer_Full	21.46	21.96	19.56
n7	25	15	2557.5	DFT	QPSK	Edge_1RB_Right	21.23	21.73	19.33
n7	25	15	2557.5	CP	16QAM	Inner_Full	21.41	21.91	19.51



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	25	15	2557.5	CP	16QAM	Edge_1RB_Left	20.46	20.96	18.56
n7	25	15	2557.5	CP	16QAM	Edge_1RB_Right	20.37	20.87	18.47
n7	25	15	2557.5	CP	16QAM	Outer_Full	20.36	20.86	18.46
n7	25	15	2557.5	CP	64QAM	Inner_Full	19.98	20.48	18.08
n7	25	15	2557.5	CP	64QAM	Edge_1RB_Left	19.82	20.32	17.92
n7	25	15	2557.5	CP	64QAM	Edge_1RB_Right	19.42	19.92	17.52
n7	25	15	2557.5	CP	64QAM	Outer_Full	19.92	20.42	18.02
n7	25	15	2557.5	CP	QPSK	Inner_Full	22.15	22.65	20.25
n7	25	15	2557.5	CP	QPSK	Edge_1RB_Left	21.32	21.82	19.42
n7	25	15	2557.5	CP	QPSK	Edge_1RB_Right	21.19	21.69	19.29
n7	25	15	2557.5	CP	QPSK	Outer_Full	21.43	21.93	19.53
n7	30	15	2515	DFT	16QAM	Inner_Full	21.75	22.25	19.85
n7	30	15	2515	DFT	16QAM	Edge_1RB_Left	20.76	21.26	18.86
n7	30	15	2515	DFT	16QAM	Edge_1RB_Right	20.74	21.24	18.84
n7	30	15	2515	DFT	16QAM	Outer_Full	20.74	21.24	18.84
n7	30	15	2515	DFT	64QAM	Inner_Full	20.28	20.78	18.38
n7	30	15	2515	DFT	64QAM	Edge_1RB_Left	19.89	20.39	17.99
n7	30	15	2515	DFT	64QAM	Edge_1RB_Right	19.80	20.30	17.90
n7	30	15	2515	DFT	64QAM	Outer_Full	20.27	20.77	18.37
n7	30	15	2515	DFT	pi/2 BPSK	Inner_Full	20.31	20.81	18.41
n7	30	15	2515	DFT	pi/2 BPSK	Edge_1RB_Left	21.67	22.17	19.77
n7	30	15	2515	DFT	pi/2 BPSK	Edge_1RB_Right	21.61	22.11	19.71
n7	30	15	2515	DFT	pi/2 BPSK	Outer_Full	21.80	22.30	19.90
n7	30	15	2515	DFT	QPSK	Inner_Full	22.58	23.08	20.68
n7	30	15	2515	DFT	QPSK	Edge_1RB_Left	21.69	22.19	19.79
n7	30	15	2515	DFT	QPSK	Outer_Full	21.80	22.30	19.90
n7	30	15	2515	DFT	QPSK	Edge_1RB_Right	21.58	22.08	19.68
n7	30	15	2515	CP	16QAM	Inner_Full	20.67	21.17	18.77
n7	30	15	2515	CP	16QAM	Edge_1RB_Left	20.72	21.22	18.82
n7	30	15	2515	CP	16QAM	Edge_1RB_Right	20.70	21.20	18.80
n7	30	15	2515	CP	16QAM	Outer_Full	20.80	21.30	18.90
n7	30	15	2515	CP	64QAM	Inner_Full	20.21	20.71	18.31
n7	30	15	2515	CP	64QAM	Edge_1RB_Left	19.83	20.33	17.93
n7	30	15	2515	CP	64QAM	Edge_1RB_Right	20.07	20.57	18.17
n7	30	15	2515	CP	64QAM	Outer_Full	20.20	20.70	18.30
n7	30	15	2515	CP	QPSK	Inner_Full	21.71	22.21	19.81
n7	30	15	2515	CP	QPSK	Edge_1RB_Left	21.70	22.20	19.80
n7	30	15	2515	CP	QPSK	Edge_1RB_Right	21.63	22.13	19.73



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	30	15	2515	CP	QPSK	Outer_Full	21.74	22.24	19.84
n7	30	15	2535	DFT	16QAM	Inner_Full	21.52	22.02	19.62
n7	30	15	2535	DFT	16QAM	Edge_1RB_Left	20.43	20.93	18.53
n7	30	15	2535	DFT	16QAM	Edge_1RB_Right	20.34	20.84	18.44
n7	30	15	2535	DFT	16QAM	Outer_Full	20.57	21.07	18.67
n7	30	15	2535	DFT	64QAM	Inner_Full	20.02	20.52	18.12
n7	30	15	2535	DFT	64QAM	Edge_1RB_Left	19.95	20.45	18.05
n7	30	15	2535	DFT	64QAM	Edge_1RB_Right	19.56	20.06	17.66
n7	30	15	2535	DFT	64QAM	Outer_Full	20.02	20.52	18.12
n7	30	15	2535	DFT	pi/2 BPSK	Inner_Full	20.12	20.62	18.22
n7	30	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	21.49	21.99	19.59
n7	30	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	21.37	21.87	19.47
n7	30	15	2535	DFT	pi/2 BPSK	Outer_Full	21.55	22.05	19.65
n7	30	15	2535	DFT	QPSK	Inner_Full	22.32	22.82	20.42
n7	30	15	2535	DFT	QPSK	Edge_1RB_Left	21.50	22.00	19.60
n7	30	15	2535	DFT	QPSK	Outer_Full	21.58	22.08	19.68
n7	30	15	2535	DFT	QPSK	Edge_1RB_Right	21.42	21.92	19.52
n7	30	15	2535	CP	16QAM	Inner_Full	20.46	20.96	18.56
n7	30	15	2535	CP	16QAM	Edge_1RB_Left	20.54	21.04	18.64
n7	30	15	2535	CP	16QAM	Edge_1RB_Right	20.30	20.80	18.40
n7	30	15	2535	CP	16QAM	Outer_Full	20.48	20.98	18.58
n7	30	15	2535	CP	64QAM	Inner_Full	20.04	20.54	18.14
n7	30	15	2535	CP	64QAM	Edge_1RB_Left	19.94	20.44	18.04
n7	30	15	2535	CP	64QAM	Edge_1RB_Right	19.55	20.05	17.65
n7	30	15	2535	CP	64QAM	Outer_Full	20.00	20.50	18.10
n7	30	15	2535	CP	QPSK	Inner_Full	21.53	22.03	19.63
n7	30	15	2535	CP	QPSK	Edge_1RB_Left	21.45	21.95	19.55
n7	30	15	2535	CP	QPSK	Edge_1RB_Right	21.32	21.82	19.42
n7	30	15	2535	CP	QPSK	Outer_Full	21.54	22.04	19.64
n7	30	15	2555	DFT	16QAM	Inner_Full	21.29	21.79	19.39
n7	30	15	2555	DFT	16QAM	Edge_1RB_Left	20.32	20.82	18.42
n7	30	15	2555	DFT	16QAM	Edge_1RB_Right	20.17	20.67	18.27
n7	30	15	2555	DFT	16QAM	Outer_Full	20.22	20.72	18.32
n7	30	15	2555	DFT	64QAM	Inner_Full	19.78	20.28	17.88
n7	30	15	2555	DFT	64QAM	Edge_1RB_Left	19.71	20.21	17.81
n7	30	15	2555	DFT	64QAM	Edge_1RB_Right	19.51	20.01	17.61
n7	30	15	2555	DFT	64QAM	Outer_Full	19.79	20.29	17.89
n7	30	15	2555	DFT	pi/2 BPSK	Inner_Full	19.85	20.35	17.95



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	30	15	2555	DFT	pi/2 BPSK	Edge_1RB_Left	21.20	21.70	19.30
n7	30	15	2555	DFT	pi/2 BPSK	Edge_1RB_Right	21.11	21.61	19.21
n7	30	15	2555	DFT	pi/2 BPSK	Outer_Full	21.21	21.71	19.31
n7	30	15	2555	DFT	QPSK	Inner_Full	22.04	22.54	20.14
n7	30	15	2555	DFT	QPSK	Edge_1RB_Left	21.23	21.73	19.33
n7	30	15	2555	DFT	QPSK	Outer_Full	21.20	21.70	19.30
n7	30	15	2555	DFT	QPSK	Edge_1RB_Right	21.02	21.52	19.12
n7	30	15	2555	CP	16QAM	Inner_Full	20.13	20.63	18.23
n7	30	15	2555	CP	16QAM	Edge_1RB_Left	20.29	20.79	18.39
n7	30	15	2555	CP	16QAM	Edge_1RB_Right	20.02	20.52	18.12
n7	30	15	2555	CP	16QAM	Outer_Full	20.14	20.64	18.24
n7	30	15	2555	CP	64QAM	Inner_Full	19.74	20.24	17.84
n7	30	15	2555	CP	64QAM	Edge_1RB_Left	19.40	19.90	17.50
n7	30	15	2555	CP	64QAM	Edge_1RB_Right	19.23	19.73	17.33
n7	30	15	2555	CP	64QAM	Outer_Full	19.71	20.21	17.81
n7	30	15	2555	CP	QPSK	Inner_Full	21.22	21.72	19.32
n7	30	15	2555	CP	QPSK	Edge_1RB_Left	21.16	21.66	19.26
n7	30	15	2555	CP	QPSK	Edge_1RB_Right	21.07	21.57	19.17
n7	30	15	2555	CP	QPSK	Outer_Full	21.17	21.67	19.27
n7	40	15	2520	DFT	16QAM	Inner_Full	21.90	22.40	20.00
n7	40	15	2520	DFT	16QAM	Edge_1RB_Left	20.87	21.37	18.97
n7	40	15	2520	DFT	16QAM	Edge_1RB_Right	20.74	21.24	18.84
n7	40	15	2520	DFT	16QAM	Outer_Full	20.85	21.35	18.95
n7	40	15	2520	DFT	64QAM	Inner_Full	20.33	20.83	18.43
n7	40	15	2520	DFT	64QAM	Edge_1RB_Left	20.31	20.81	18.41
n7	40	15	2520	DFT	64QAM	Edge_1RB_Right	20.22	20.72	18.32
n7	40	15	2520	DFT	64QAM	Outer_Full	20.45	20.95	18.55
n7	40	15	2520	DFT	pi/2 BPSK	Inner_Full	20.40	20.90	18.50
n7	40	15	2520	DFT	pi/2 BPSK	Edge_1RB_Left	21.73	22.23	19.83
n7	40	15	2520	DFT	pi/2 BPSK	Edge_1RB_Right	21.78	22.28	19.88
n7	40	15	2520	DFT	pi/2 BPSK	Outer_Full	21.94	22.44	20.04
n7	40	15	2520	DFT	QPSK	Inner_Full	22.68	23.18	20.78
n7	40	15	2520	DFT	QPSK	Edge_1RB_Left	21.77	22.27	19.87
n7	40	15	2520	DFT	QPSK	Outer_Full	21.95	22.45	20.05
n7	40	15	2520	DFT	QPSK	Edge_1RB_Right	21.71	22.21	19.81
n7	40	15	2520	CP	16QAM	Inner_Full	20.74	21.24	18.84
n7	40	15	2520	CP	16QAM	Edge_1RB_Left	20.65	21.15	18.75
n7	40	15	2520	CP	16QAM	Edge_1RB_Right	20.72	21.22	18.82



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	40	15	2520	CP	16QAM	Outer_Full	20.82	21.32	18.92
n7	40	15	2520	CP	64QAM	Inner_Full	20.25	20.75	18.35
n7	40	15	2520	CP	64QAM	Edge_1RB_Left	20.19	20.69	18.29
n7	40	15	2520	CP	64QAM	Edge_1RB_Right	20.24	20.74	18.34
n7	40	15	2520	CP	64QAM	Outer_Full	20.35	20.85	18.45
n7	40	15	2520	CP	QPSK	Inner_Full	21.87	22.37	19.97
n7	40	15	2520	CP	QPSK	Edge_1RB_Left	21.80	22.30	19.90
n7	40	15	2520	CP	QPSK	Edge_1RB_Right	21.66	22.16	19.76
n7	40	15	2520	CP	QPSK	Outer_Full	21.85	22.35	19.95
n7	40	15	2535	DFT	16QAM	Inner_Full	21.70	22.20	19.80
n7	40	15	2535	DFT	16QAM	Edge_1RB_Left	20.49	20.99	18.59
n7	40	15	2535	DFT	16QAM	Edge_1RB_Right	20.40	20.90	18.50
n7	40	15	2535	DFT	16QAM	Outer_Full	20.67	21.17	18.77
n7	40	15	2535	DFT	64QAM	Inner_Full	20.14	20.64	18.24
n7	40	15	2535	DFT	64QAM	Edge_1RB_Left	20.16	20.66	18.26
n7	40	15	2535	DFT	64QAM	Edge_1RB_Right	20.03	20.53	18.13
n7	40	15	2535	DFT	64QAM	Outer_Full	20.15	20.65	18.25
n7	40	15	2535	DFT	pi/2 BPSK	Inner_Full	20.29	20.79	18.39
n7	40	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	21.61	22.11	19.71
n7	40	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	21.38	21.88	19.48
n7	40	15	2535	DFT	pi/2 BPSK	Outer_Full	21.67	22.17	19.77
n7	40	15	2535	DFT	QPSK	Inner_Full	22.51	23.01	20.61
n7	40	15	2535	DFT	QPSK	Edge_1RB_Left	21.66	22.16	19.76
n7	40	15	2535	DFT	QPSK	Outer_Full	21.70	22.20	19.80
n7	40	15	2535	DFT	QPSK	Edge_1RB_Right	21.39	21.89	19.49
n7	40	15	2535	CP	16QAM	Inner_Full	20.59	21.09	18.69
n7	40	15	2535	CP	16QAM	Edge_1RB_Left	20.63	21.13	18.73
n7	40	15	2535	CP	16QAM	Edge_1RB_Right	20.50	21.00	18.60
n7	40	15	2535	CP	16QAM	Outer_Full	20.66	21.16	18.76
n7	40	15	2535	CP	64QAM	Inner_Full	20.16	20.66	18.26
n7	40	15	2535	CP	64QAM	Edge_1RB_Left	19.72	20.22	17.82
n7	40	15	2535	CP	64QAM	Edge_1RB_Right	19.56	20.06	17.66
n7	40	15	2535	CP	64QAM	Outer_Full	20.19	20.69	18.29
n7	40	15	2535	CP	QPSK	Inner_Full	21.71	22.21	19.81
n7	40	15	2535	CP	QPSK	Edge_1RB_Left	21.60	22.10	19.70
n7	40	15	2535	CP	QPSK	Edge_1RB_Right	21.35	21.85	19.45
n7	40	15	2535	CP	QPSK	Outer_Full	21.67	22.17	19.77
n7	40	15	2550	DFT	16QAM	Inner_Full	21.43	21.93	19.53



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	40	15	2550	DFT	16QAM	Edge_1RB_Left	20.46	20.96	18.56
n7	40	15	2550	DFT	16QAM	Edge_1RB_Right	20.23	20.73	18.33
n7	40	15	2550	DFT	16QAM	Outer_Full	20.35	20.85	18.45
n7	40	15	2550	DFT	64QAM	Inner_Full	19.94	20.44	18.04
n7	40	15	2550	DFT	64QAM	Edge_1RB_Left	19.84	20.34	17.94
n7	40	15	2550	DFT	64QAM	Edge_1RB_Right	19.64	20.14	17.74
n7	40	15	2550	DFT	64QAM	Outer_Full	20.00	20.50	18.10
n7	40	15	2550	DFT	pi/2 BPSK	Inner_Full	20.01	20.51	18.11
n7	40	15	2550	DFT	pi/2 BPSK	Edge_1RB_Left	21.33	21.83	19.43
n7	40	15	2550	DFT	pi/2 BPSK	Edge_1RB_Right	21.19	21.69	19.29
n7	40	15	2550	DFT	pi/2 BPSK	Outer_Full	21.40	21.90	19.50
n7	40	15	2550	DFT	QPSK	Inner_Full	22.25	22.75	20.35
n7	40	15	2550	DFT	QPSK	Edge_1RB_Left	21.39	21.89	19.49
n7	40	15	2550	DFT	QPSK	Outer_Full	21.45	21.95	19.55
n7	40	15	2550	DFT	QPSK	Edge_1RB_Right	21.18	21.68	19.28
n7	40	15	2550	CP	16QAM	Inner_Full	20.34	20.84	18.44
n7	40	15	2550	CP	16QAM	Edge_1RB_Left	20.30	20.80	18.40
n7	40	15	2550	CP	16QAM	Edge_1RB_Right	20.06	20.56	18.16
n7	40	15	2550	CP	16QAM	Outer_Full	20.32	20.82	18.42
n7	40	15	2550	CP	64QAM	Inner_Full	19.83	20.33	17.93
n7	40	15	2550	CP	64QAM	Edge_1RB_Left	19.79	20.29	17.89
n7	40	15	2550	CP	64QAM	Edge_1RB_Right	19.30	19.80	17.40
n7	40	15	2550	CP	64QAM	Outer_Full	19.85	20.35	17.95
n7	40	15	2550	CP	QPSK	Inner_Full	21.40	21.90	19.50
n7	40	15	2550	CP	QPSK	Edge_1RB_Left	21.33	21.83	19.43
n7	40	15	2550	CP	QPSK	Edge_1RB_Right	21.13	21.63	19.23
n7	40	15	2550	CP	QPSK	Outer_Full	21.35	21.85	19.45
n7	50	15	2525	DFT	16QAM	Inner_Full	21.96	22.46	20.06
n7	50	15	2525	DFT	16QAM	Edge_1RB_Left	20.82	21.32	18.92
n7	50	15	2525	DFT	16QAM	Edge_1RB_Right	20.75	21.25	18.85
n7	50	15	2525	DFT	16QAM	Outer_Full	20.89	21.39	18.99
n7	50	15	2525	DFT	64QAM	Inner_Full	20.38	20.88	18.48
n7	50	15	2525	DFT	64QAM	Edge_1RB_Left	19.91	20.41	18.01
n7	50	15	2525	DFT	64QAM	Edge_1RB_Right	19.83	20.33	17.93
n7	50	15	2525	DFT	64QAM	Outer_Full	20.39	20.89	18.49
n7	50	15	2525	DFT	pi/2 BPSK	Inner_Full	20.36	20.86	18.46
n7	50	15	2525	DFT	pi/2 BPSK	Edge_1RB_Left	21.69	22.19	19.79
n7	50	15	2525	DFT	pi/2 BPSK	Edge_1RB_Right	21.64	22.14	19.74



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	50	15	2525	DFT	pi/2 BPSK	Outer_Full	21.88	22.38	19.98
n7	50	15	2525	DFT	QPSK	Inner_Full	22.65	23.15	20.75
n7	50	15	2525	DFT	QPSK	Edge_1RB_Left	21.73	22.23	19.83
n7	50	15	2525	DFT	QPSK	Outer_Full	21.91	22.41	20.01
n7	50	15	2525	DFT	QPSK	Edge_1RB_Right	21.67	22.17	19.77
n7	50	15	2525	CP	16QAM	Inner_Full	20.93	21.43	19.03
n7	50	15	2525	CP	16QAM	Edge_1RB_Left	20.79	21.29	18.89
n7	50	15	2525	CP	16QAM	Edge_1RB_Right	20.71	21.21	18.81
n7	50	15	2525	CP	16QAM	Outer_Full	20.90	21.40	19.00
n7	50	15	2525	CP	64QAM	Inner_Full	20.38	20.88	18.48
n7	50	15	2525	CP	64QAM	Edge_1RB_Left	19.80	20.30	17.90
n7	50	15	2525	CP	64QAM	Edge_1RB_Right	19.80	20.30	17.90
n7	50	15	2525	CP	64QAM	Outer_Full	20.33	20.83	18.43
n7	50	15	2525	CP	QPSK	Inner_Full	21.91	22.41	20.01
n7	50	15	2525	CP	QPSK	Edge_1RB_Left	21.71	22.21	19.81
n7	50	15	2525	CP	QPSK	Edge_1RB_Right	21.62	22.12	19.72
n7	50	15	2525	CP	QPSK	Outer_Full	21.85	22.35	19.95
n7	50	15	2535	DFT	16QAM	Inner_Full	21.73	22.23	19.83
n7	50	15	2535	DFT	16QAM	Edge_1RB_Left	20.64	21.14	18.74
n7	50	15	2535	DFT	16QAM	Edge_1RB_Right	20.46	20.96	18.56
n7	50	15	2535	DFT	16QAM	Outer_Full	20.65	21.15	18.75
n7	50	15	2535	DFT	64QAM	Inner_Full	20.22	20.72	18.32
n7	50	15	2535	DFT	64QAM	Edge_1RB_Left	20.03	20.53	18.13
n7	50	15	2535	DFT	64QAM	Edge_1RB_Right	19.55	20.05	17.65
n7	50	15	2535	DFT	64QAM	Outer_Full	20.17	20.67	18.27
n7	50	15	2535	DFT	pi/2 BPSK	Inner_Full	20.26	20.76	18.36
n7	50	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	21.61	22.11	19.71
n7	50	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	21.41	21.91	19.51
n7	50	15	2535	DFT	pi/2 BPSK	Outer_Full	21.75	22.25	19.85
n7	50	15	2535	DFT	QPSK	Inner_Full	22.51	23.01	20.61
n7	50	15	2535	DFT	QPSK	Edge_1RB_Left	21.60	22.10	19.70
n7	50	15	2535	DFT	QPSK	Outer_Full	21.71	22.21	19.81
n7	50	15	2535	DFT	QPSK	Edge_1RB_Right	21.38	21.88	19.48
n7	50	15	2535	CP	16QAM	Inner_Full	20.70	21.20	18.80
n7	50	15	2535	CP	16QAM	Edge_1RB_Left	20.62	21.12	18.72
n7	50	15	2535	CP	16QAM	Edge_1RB_Right	20.52	21.02	18.62
n7	50	15	2535	CP	16QAM	Outer_Full	20.58	21.08	18.68
n7	50	15	2535	CP	64QAM	Inner_Full	20.21	20.71	18.31



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	50	15	2535	CP	64QAM	Edge_1RB_Left	20.06	20.56	18.16
n7	50	15	2535	CP	64QAM	Edge_1RB_Right	19.93	20.43	18.03
n7	50	15	2535	CP	64QAM	Outer_Full	20.14	20.64	18.24
n7	50	15	2535	CP	QPSK	Inner_Full	21.73	22.23	19.83
n7	50	15	2535	CP	QPSK	Edge_1RB_Left	21.56	22.06	19.66
n7	50	15	2535	CP	QPSK	Edge_1RB_Right	21.34	21.84	19.44
n7	50	15	2535	CP	QPSK	Outer_Full	21.68	22.18	19.78
n7	50	15	2545	DFT	16QAM	Inner_Full	21.49	21.99	19.59
n7	50	15	2545	DFT	16QAM	Edge_1RB_Left	20.34	20.84	18.44
n7	50	15	2545	DFT	16QAM	Edge_1RB_Right	20.14	20.64	18.24
n7	50	15	2545	DFT	16QAM	Outer_Full	20.33	20.83	18.43
n7	50	15	2545	DFT	64QAM	Inner_Full	20.01	20.51	18.11
n7	50	15	2545	DFT	64QAM	Edge_1RB_Left	19.56	20.06	17.66
n7	50	15	2545	DFT	64QAM	Edge_1RB_Right	19.35	19.85	17.45
n7	50	15	2545	DFT	64QAM	Outer_Full	19.91	20.41	18.01
n7	50	15	2545	DFT	pi/2 BPSK	Inner_Full	20.02	20.52	18.12
n7	50	15	2545	DFT	pi/2 BPSK	Edge_1RB_Left	21.38	21.88	19.48
n7	50	15	2545	DFT	pi/2 BPSK	Edge_1RB_Right	21.17	21.67	19.27
n7	50	15	2545	DFT	pi/2 BPSK	Outer_Full	21.39	21.89	19.49
n7	50	15	2545	DFT	QPSK	Inner_Full	22.29	22.79	20.39
n7	50	15	2545	DFT	QPSK	Edge_1RB_Left	21.41	21.91	19.51
n7	50	15	2545	DFT	QPSK	Outer_Full	21.41	21.91	19.51
n7	50	15	2545	DFT	QPSK	Edge_1RB_Right	21.17	21.67	19.27
n7	50	15	2545	CP	16QAM	Inner_Full	20.52	21.02	18.62
n7	50	15	2545	CP	16QAM	Edge_1RB_Left	20.50	21.00	18.60
n7	50	15	2545	CP	16QAM	Edge_1RB_Right	20.08	20.58	18.18
n7	50	15	2545	CP	16QAM	Outer_Full	20.35	20.85	18.45
n7	50	15	2545	CP	64QAM	Inner_Full	19.99	20.49	18.09
n7	50	15	2545	CP	64QAM	Edge_1RB_Left	19.81	20.31	17.91
n7	50	15	2545	CP	64QAM	Edge_1RB_Right	19.59	20.09	17.69
n7	50	15	2545	CP	64QAM	Outer_Full	19.87	20.37	17.97
n7	50	15	2545	CP	QPSK	Inner_Full	21.44	21.94	19.54
n7	50	15	2545	CP	QPSK	Edge_1RB_Left	21.33	21.83	19.43
n7	50	15	2545	CP	QPSK	Edge_1RB_Right	21.08	21.58	19.18
n7	50	15	2545	CP	QPSK	Outer_Full	21.32	21.82	19.42
n38	20	30	2580	DFT	16QAM	Inner_Full	21.29	21.79	20.29
n38	20	30	2580	DFT	16QAM	Edge_1RB_Left	20.29	20.79	19.29
n38	20	30	2580	DFT	16QAM	Edge_1RB_Right	19.97	20.47	18.97





BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n38	20	30	2580	DFT	16QAM	Outer_Full	20.20	20.70	19.20
n38	20	30	2580	DFT	64QAM	Inner_Full	19.69	20.19	18.69
n38	20	30	2580	DFT	64QAM	Edge_1RB_Left	19.72	20.22	18.72
n38	20	30	2580	DFT	64QAM	Edge_1RB_Right	19.31	19.81	18.31
n38	20	30	2580	DFT	64QAM	Outer_Full	19.67	20.17	18.67
n38	20	30	2580	DFT	pi/2 BPSK	Inner_Full	22.10	22.60	21.10
n38	20	30	2580	DFT	pi/2 BPSK	Edge_1RB_Left	21.56	22.06	20.56
n38	20	30	2580	DFT	pi/2 BPSK	Edge_1RB_Right	21.29	21.79	20.29
n38	20	30	2580	DFT	pi/2 BPSK	Outer_Full	21.49	21.99	20.49
n38	20	30	2580	DFT	QPSK	Inner_Full	22.13	22.63	21.13
n38	20	30	2580	DFT	QPSK	Edge_1RB_Left	21.16	21.66	20.16
n38	20	30	2580	DFT	QPSK	Edge_1RB_Right	20.82	21.32	19.82
n38	20	30	2580	DFT	QPSK	Outer_Full	21.21	21.71	20.21
n38	20	30	2580	CP	16QAM	Inner_Full	20.26	20.76	19.26
n38	20	30	2580	CP	16QAM	Edge_1RB_Left	19.03	19.53	18.03
n38	20	30	2580	CP	16QAM	Edge_1RB_Right	18.68	19.18	17.68
n38	20	30	2580	CP	16QAM	Outer_Full	19.10	19.60	18.10
n38	20	30	2580	CP	64QAM	Inner_Full	18.69	19.19	17.69
n38	20	30	2580	CP	64QAM	Edge_1RB_Left	18.75	19.25	17.75
n38	20	30	2580	CP	64QAM	Edge_1RB_Right	18.32	18.82	17.32
n38	20	30	2580	CP	64QAM	Outer_Full	18.56	19.06	17.56
n38	20	30	2580	CP	QPSK	Inner_Full	20.71	21.21	19.71
n38	20	30	2580	CP	QPSK	Edge_1RB_Left	19.28	19.78	18.28
n38	20	30	2580	CP	QPSK	Edge_1RB_Right	18.88	19.38	17.88
n38	20	30	2580	CP	QPSK	Outer_Full	19.13	19.63	18.13
n38	20	30	2595	DFT	16QAM	Inner_Full	21.02	21.52	20.02
n38	20	30	2595	DFT	16QAM	Edge_1RB_Left	20.00	20.50	19.00
n38	20	30	2595	DFT	16QAM	Edge_1RB_Right	19.86	20.36	18.86
n38	20	30	2595	DFT	16QAM	Outer_Full	19.96	20.46	18.96
n38	20	30	2595	DFT	64QAM	Inner_Full	19.52	20.02	18.52
n38	20	30	2595	DFT	64QAM	Edge_1RB_Left	19.34	19.84	18.34
n38	20	30	2595	DFT	64QAM	Edge_1RB_Right	19.15	19.65	18.15
n38	20	30	2595	DFT	64QAM	Outer_Full	19.43	19.93	18.43
n38	20	30	2595	DFT	pi/2 BPSK	Inner_Full	21.88	22.38	20.88
n38	20	30	2595	DFT	pi/2 BPSK	Edge_1RB_Left	21.30	21.80	20.30
n38	20	30	2595	DFT	pi/2 BPSK	Edge_1RB_Right	21.14	21.64	20.14
n38	20	30	2595	DFT	pi/2 BPSK	Outer_Full	21.28	21.78	20.28
n38	20	30	2595	DFT	QPSK	Inner_Full	21.88	22.38	20.88



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n38	20	30	2595	DFT	QPSK	Edge_1RB_Left	20.88	21.38	19.88
n38	20	30	2595	DFT	QPSK	Edge_1RB_Right	20.71	21.21	19.71
n38	20	30	2595	DFT	QPSK	Outer_Full	20.98	21.48	19.98
n38	20	30	2595	CP	16QAM	Inner_Full	20.02	20.52	19.02
n38	20	30	2595	CP	16QAM	Edge_1RB_Left	19.05	19.55	18.05
n38	20	30	2595	CP	16QAM	Edge_1RB_Right	18.56	19.06	17.56
n38	20	30	2595	CP	16QAM	Outer_Full	18.90	19.40	17.90
n38	20	30	2595	CP	64QAM	Inner_Full	18.43	18.93	17.43
n38	20	30	2595	CP	64QAM	Edge_1RB_Left	18.38	18.88	17.38
n38	20	30	2595	CP	64QAM	Edge_1RB_Right	18.33	18.83	17.33
n38	20	30	2595	CP	64QAM	Outer_Full	18.36	18.86	17.36
n38	20	30	2595	CP	QPSK	Inner_Full	20.44	20.94	19.44
n38	20	30	2595	CP	QPSK	Edge_1RB_Left	18.99	19.49	17.99
n38	20	30	2595	CP	QPSK	Edge_1RB_Right	18.68	19.18	17.68
n38	20	30	2595	CP	QPSK	Outer_Full	18.90	19.40	17.90
n38	20	30	2610	DFT	16QAM	Inner_Full	20.81	21.31	19.81
n38	20	30	2610	DFT	16QAM	Edge_1RB_Left	19.89	20.39	18.89
n38	20	30	2610	DFT	16QAM	Edge_1RB_Right	19.54	20.04	18.54
n38	20	30	2610	DFT	16QAM	Outer_Full	19.76	20.26	18.76
n38	20	30	2610	DFT	64QAM	Inner_Full	19.25	19.75	18.25
n38	20	30	2610	DFT	64QAM	Edge_1RB_Left	19.19	19.69	18.19
n38	20	30	2610	DFT	64QAM	Edge_1RB_Right	18.88	19.38	17.88
n38	20	30	2610	DFT	64QAM	Outer_Full	19.31	19.81	18.31
n38	20	30	2610	DFT	pi/2 BPSK	Inner_Full	21.66	22.16	20.66
n38	20	30	2610	DFT	pi/2 BPSK	Edge_1RB_Left	21.17	21.67	20.17
n38	20	30	2610	DFT	pi/2 BPSK	Edge_1RB_Right	20.91	21.41	19.91
n38	20	30	2610	DFT	pi/2 BPSK	Outer_Full	21.10	21.60	20.10
n38	20	30	2610	DFT	QPSK	Inner_Full	21.62	22.12	20.62
n38	20	30	2610	DFT	QPSK	Edge_1RB_Left	20.77	21.27	19.77
n38	20	30	2610	DFT	QPSK	Edge_1RB_Right	20.44	20.94	19.44
n38	20	30	2610	DFT	QPSK	Outer_Full	20.76	21.26	19.76
n38	20	30	2610	CP	16QAM	Inner_Full	19.79	20.29	18.79
n38	20	30	2610	CP	16QAM	Edge_1RB_Left	18.63	19.13	17.63
n38	20	30	2610	CP	16QAM	Edge_1RB_Right	18.34	18.84	17.34
n38	20	30	2610	CP	16QAM	Outer_Full	18.71	19.21	17.71
n38	20	30	2610	CP	64QAM	Inner_Full	18.22	18.72	17.22
n38	20	30	2610	CP	64QAM	Edge_1RB_Left	18.27	18.77	17.27
n38	20	30	2610	CP	64QAM	Edge_1RB_Right	17.90	18.40	16.90



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n38	20	30	2610	CP	64QAM	Outer_Full	18.14	18.64	17.14
n38	20	30	2610	CP	QPSK	Inner_Full	20.24	20.74	19.24
n38	20	30	2610	CP	QPSK	Edge_1RB_Left	18.78	19.28	17.78
n38	20	30	2610	CP	QPSK	Edge_1RB_Right	18.40	18.90	17.40
n38	20	30	2610	CP	QPSK	Outer_Full	18.68	19.18	17.68
n38	30	30	2585	DFT	16QAM	Inner_Full	21.42	21.92	20.42
n38	30	30	2585	DFT	16QAM	Edge_1RB_Left	20.37	20.87	19.37
n38	30	30	2585	DFT	16QAM	Edge_1RB_Right	20.09	20.59	19.09
n38	30	30	2585	DFT	16QAM	Outer_Full	20.31	20.81	19.31
n38	30	30	2585	DFT	64QAM	Inner_Full	19.89	20.39	18.89
n38	30	30	2585	DFT	64QAM	Edge_1RB_Left	19.87	20.37	18.87
n38	30	30	2585	DFT	64QAM	Edge_1RB_Right	19.50	20.00	18.50
n38	30	30	2585	DFT	64QAM	Outer_Full	19.85	20.35	18.85
n38	30	30	2585	DFT	pi/2 BPSK	Inner_Full	22.26	22.76	21.26
n38	30	30	2585	DFT	pi/2 BPSK	Edge_1RB_Left	21.67	22.17	20.67
n38	30	30	2585	DFT	pi/2 BPSK	Edge_1RB_Right	21.44	21.94	20.44
n38	30	30	2585	DFT	pi/2 BPSK	Outer_Full	21.63	22.13	20.63
n38	30	30	2585	DFT	QPSK	Inner_Full	22.19	22.69	21.19
n38	30	30	2585	DFT	QPSK	Edge_1RB_Left	21.17	21.67	20.17
n38	30	30	2585	DFT	QPSK	Edge_1RB_Right	20.87	21.37	19.87
n38	30	30	2585	DFT	QPSK	Outer_Full	21.25	21.75	20.25
n38	30	30	2585	CP	16QAM	Inner_Full	20.34	20.84	19.34
n38	30	30	2585	CP	16QAM	Edge_1RB_Left	19.17	19.67	18.17
n38	30	30	2585	CP	16QAM	Edge_1RB_Right	18.86	19.36	17.86
n38	30	30	2585	CP	16QAM	Outer_Full	19.27	19.77	18.27
n38	30	30	2585	CP	64QAM	Inner_Full	18.88	19.38	17.88
n38	30	30	2585	CP	64QAM	Edge_1RB_Left	18.89	19.39	17.89
n38	30	30	2585	CP	64QAM	Edge_1RB_Right	18.50	19.00	17.50
n38	30	30	2585	CP	64QAM	Outer_Full	18.73	19.23	17.73
n38	30	30	2585	CP	QPSK	Inner_Full	20.79	21.29	19.79
n38	30	30	2585	CP	QPSK	Edge_1RB_Left	19.42	19.92	18.42
n38	30	30	2585	CP	QPSK	Edge_1RB_Right	19.06	19.56	18.06
n38	30	30	2585	CP	QPSK	Outer_Full	19.30	19.80	18.30
n38	30	30	2595	DFT	16QAM	Inner_Full	21.15	21.65	20.15
n38	30	30	2595	DFT	16QAM	Edge_1RB_Left	20.08	20.58	19.08
n38	30	30	2595	DFT	16QAM	Edge_1RB_Right	19.98	20.48	18.98
n38	30	30	2595	DFT	16QAM	Outer_Full	20.07	20.57	19.07
n38	30	30	2595	DFT	64QAM	Inner_Full	19.72	20.22	18.72



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n38	30	30	2595	DFT	64QAM	Edge_1RB_Left	19.49	19.99	18.49
n38	30	30	2595	DFT	64QAM	Edge_1RB_Right	19.34	19.84	18.34
n38	30	30	2595	DFT	64QAM	Outer_Full	19.61	20.11	18.61
n38	30	30	2595	DFT	pi/2 BPSK	Inner_Full	22.04	22.54	21.04
n38	30	30	2595	DFT	pi/2 BPSK	Edge_1RB_Left	21.41	21.91	20.41
n38	30	30	2595	DFT	pi/2 BPSK	Edge_1RB_Right	21.29	21.79	20.29
n38	30	30	2595	DFT	pi/2 BPSK	Outer_Full	21.42	21.92	20.42
n38	30	30	2595	DFT	QPSK	Inner_Full	21.94	22.44	20.94
n38	30	30	2595	DFT	QPSK	Edge_1RB_Left	20.89	21.39	19.89
n38	30	30	2595	DFT	QPSK	Edge_1RB_Right	20.76	21.26	19.76
n38	30	30	2595	DFT	QPSK	Outer_Full	21.02	21.52	20.02
n38	30	30	2595	CP	16QAM	Inner_Full	20.10	20.60	19.10
n38	30	30	2595	CP	16QAM	Edge_1RB_Left	19.19	19.69	18.19
n38	30	30	2595	CP	16QAM	Edge_1RB_Right	18.74	19.24	17.74
n38	30	30	2595	CP	16QAM	Outer_Full	19.07	19.57	18.07
n38	30	30	2595	CP	64QAM	Inner_Full	18.62	19.12	17.62
n38	30	30	2595	CP	64QAM	Edge_1RB_Left	18.52	19.02	17.52
n38	30	30	2595	CP	64QAM	Edge_1RB_Right	18.51	19.01	17.51
n38	30	30	2595	CP	64QAM	Outer_Full	18.53	19.03	17.53
n38	30	30	2595	CP	QPSK	Inner_Full	20.52	21.02	19.52
n38	30	30	2595	CP	QPSK	Edge_1RB_Left	19.13	19.63	18.13
n38	30	30	2595	CP	QPSK	Edge_1RB_Right	18.86	19.36	17.86
n38	30	30	2595	CP	QPSK	Outer_Full	19.07	19.57	18.07
n38	30	30	2605	DFT	16QAM	Inner_Full	20.94	21.44	19.94
n38	30	30	2605	DFT	16QAM	Edge_1RB_Left	20.08	20.58	19.08
n38	30	30	2605	DFT	16QAM	Edge_1RB_Right	19.77	20.27	18.77
n38	30	30	2605	DFT	16QAM	Outer_Full	19.98	20.48	18.98
n38	30	30	2605	DFT	64QAM	Inner_Full	19.45	19.95	18.45
n38	30	30	2605	DFT	64QAM	Edge_1RB_Left	19.34	19.84	18.34
n38	30	30	2605	DFT	64QAM	Edge_1RB_Right	19.07	19.57	18.07
n38	30	30	2605	DFT	64QAM	Outer_Full	19.49	19.99	18.49
n38	30	30	2605	DFT	pi/2 BPSK	Inner_Full	21.82	22.32	20.82
n38	30	30	2605	DFT	pi/2 BPSK	Edge_1RB_Left	21.28	21.78	20.28
n38	30	30	2605	DFT	pi/2 BPSK	Edge_1RB_Right	21.06	21.56	20.06
n38	30	30	2605	DFT	pi/2 BPSK	Outer_Full	21.24	21.74	20.24
n38	30	30	2605	DFT	QPSK	Inner_Full	21.68	22.18	20.68
n38	30	30	2605	DFT	QPSK	Edge_1RB_Left	20.78	21.28	19.78
n38	30	30	2605	DFT	QPSK	Edge_1RB_Right	20.49	20.99	19.49



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n38	30	30	2605	DFT	QPSK	Outer_Full	20.80	21.30	19.80
n38	30	30	2605	CP	16QAM	Inner_Full	19.98	20.48	18.98
n38	30	30	2605	CP	16QAM	Edge_1RB_Left	18.77	19.27	17.77
n38	30	30	2605	CP	16QAM	Edge_1RB_Right	18.52	19.02	17.52
n38	30	30	2605	CP	16QAM	Outer_Full	18.88	19.38	17.88
n38	30	30	2605	CP	64QAM	Inner_Full	18.41	18.91	17.41
n38	30	30	2605	CP	64QAM	Edge_1RB_Left	18.41	18.91	17.41
n38	30	30	2605	CP	64QAM	Edge_1RB_Right	18.08	18.58	17.08
n38	30	30	2605	CP	64QAM	Outer_Full	18.31	18.81	17.31
n38	30	30	2605	CP	QPSK	Inner_Full	20.32	20.82	19.32
n38	30	30	2605	CP	QPSK	Edge_1RB_Left	18.92	19.42	17.92
n38	30	30	2605	CP	QPSK	Edge_1RB_Right	18.58	19.08	17.58
n38	30	30	2605	CP	QPSK	Outer_Full	18.85	19.35	17.85
n38	40	30	2590	DFT	16QAM	Inner_Full	21.42	21.92	20.42
n38	40	30	2590	DFT	16QAM	Edge_1RB_Left	20.37	20.87	19.37
n38	40	30	2590	DFT	16QAM	Edge_1RB_Right	20.09	20.59	19.09
n38	40	30	2590	DFT	16QAM	Outer_Full	20.31	20.81	19.31
n38	40	30	2590	DFT	64QAM	Inner_Full	19.89	20.39	18.89
n38	40	30	2590	DFT	64QAM	Edge_1RB_Left	19.87	20.37	18.87
n38	40	30	2590	DFT	64QAM	Edge_1RB_Right	19.50	20.00	18.50
n38	40	30	2590	DFT	64QAM	Outer_Full	19.85	20.35	18.85
n38	40	30	2590	DFT	pi/2 BPSK	Inner_Full	22.26	22.76	21.26
n38	40	30	2590	DFT	pi/2 BPSK	Edge_1RB_Left	21.67	22.17	20.67
n38	40	30	2590	DFT	pi/2 BPSK	Edge_1RB_Right	21.44	21.94	20.44
n38	40	30	2590	DFT	pi/2 BPSK	Outer_Full	21.63	22.13	20.63
n38	40	30	2590	DFT	QPSK	Inner_Full	22.19	22.69	21.19
n38	40	30	2590	DFT	QPSK	Edge_1RB_Left	21.17	21.67	20.17
n38	40	30	2590	DFT	QPSK	Edge_1RB_Right	20.87	21.37	19.87
n38	40	30	2590	DFT	QPSK	Outer_Full	21.25	21.75	20.25
n38	40	30	2590	CP	16QAM	Inner_Full	20.34	20.84	19.34
n38	40	30	2590	CP	16QAM	Edge_1RB_Left	19.17	19.67	18.17
n38	40	30	2590	CP	16QAM	Edge_1RB_Right	18.86	19.36	17.86
n38	40	30	2590	CP	16QAM	Outer_Full	19.27	19.77	18.27
n38	40	30	2590	CP	64QAM	Inner_Full	18.88	19.38	17.88
n38	40	30	2590	CP	64QAM	Edge_1RB_Left	18.89	19.39	17.89
n38	40	30	2590	CP	64QAM	Edge_1RB_Right	18.50	19.00	17.50
n38	40	30	2590	CP	64QAM	Outer_Full	18.73	19.23	17.73
n38	40	30	2590	CP	QPSK	Inner_Full	20.79	21.29	19.79



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n38	40	30	2590	CP	QPSK	Edge_1RB_Left	19.42	19.92	18.42
n38	40	30	2590	CP	QPSK	Edge_1RB_Right	19.06	19.56	18.06
n38	40	30	2590	CP	QPSK	Outer_Full	19.30	19.80	18.30
n38	40	30	2595	DFT	16QAM	Inner_Full	21.15	21.65	20.15
n38	40	30	2595	DFT	16QAM	Edge_1RB_Left	20.08	20.58	19.08
n38	40	30	2595	DFT	16QAM	Edge_1RB_Right	19.98	20.48	18.98
n38	40	30	2595	DFT	16QAM	Outer_Full	20.07	20.57	19.07
n38	40	30	2595	DFT	64QAM	Inner_Full	19.72	20.22	18.72
n38	40	30	2595	DFT	64QAM	Edge_1RB_Left	19.49	19.99	18.49
n38	40	30	2595	DFT	64QAM	Edge_1RB_Right	19.34	19.84	18.34
n38	40	30	2595	DFT	64QAM	Outer_Full	19.61	20.11	18.61
n38	40	30	2595	DFT	pi/2 BPSK	Inner_Full	22.04	22.54	21.04
n38	40	30	2595	DFT	pi/2 BPSK	Edge_1RB_Left	21.41	21.91	20.41
n38	40	30	2595	DFT	pi/2 BPSK	Edge_1RB_Right	21.29	21.79	20.29
n38	40	30	2595	DFT	pi/2 BPSK	Outer_Full	21.42	21.92	20.42
n38	40	30	2595	DFT	QPSK	Inner_Full	21.94	22.44	20.94
n38	40	30	2595	DFT	QPSK	Edge_1RB_Left	20.89	21.39	19.89
n38	40	30	2595	DFT	QPSK	Edge_1RB_Right	20.76	21.26	19.76
n38	40	30	2595	DFT	QPSK	Outer_Full	21.02	21.52	20.02
n38	40	30	2595	CP	16QAM	Inner_Full	20.10	20.60	19.10
n38	40	30	2595	CP	16QAM	Edge_1RB_Left	19.19	19.69	18.19
n38	40	30	2595	CP	16QAM	Edge_1RB_Right	18.74	19.24	17.74
n38	40	30	2595	CP	16QAM	Outer_Full	19.07	19.57	18.07
n38	40	30	2595	CP	64QAM	Inner_Full	18.62	19.12	17.62
n38	40	30	2595	CP	64QAM	Edge_1RB_Left	18.52	19.02	17.52
n38	40	30	2595	CP	64QAM	Edge_1RB_Right	18.51	19.01	17.51
n38	40	30	2595	CP	64QAM	Outer_Full	18.53	19.03	17.53
n38	40	30	2595	CP	QPSK	Inner_Full	20.52	21.02	19.52
n38	40	30	2595	CP	QPSK	Edge_1RB_Left	19.13	19.63	18.13
n38	40	30	2595	CP	QPSK	Edge_1RB_Right	18.86	19.36	17.86
n38	40	30	2595	CP	QPSK	Outer_Full	19.07	19.57	18.07
n38	40	30	2600	DFT	16QAM	Inner_Full	20.94	21.44	19.94
n38	40	30	2600	DFT	16QAM	Edge_1RB_Left	20.08	20.58	19.08
n38	40	30	2600	DFT	16QAM	Edge_1RB_Right	19.77	20.27	18.77
n38	40	30	2600	DFT	16QAM	Outer_Full	19.98	20.48	18.98
n38	40	30	2600	DFT	64QAM	Inner_Full	19.45	19.95	18.45
n38	40	30	2600	DFT	64QAM	Edge_1RB_Left	19.34	19.84	18.34
n38	40	30	2600	DFT	64QAM	Edge_1RB_Right	19.07	19.57	18.07



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n38	40	30	2600	DFT	64QAM	Outer_Full	19.49	19.99	18.49
n38	40	30	2600	DFT	pi/2 BPSK	Inner_Full	21.82	22.32	20.82
n38	40	30	2600	DFT	pi/2 BPSK	Edge_1RB_Left	21.28	21.78	20.28
n38	40	30	2600	DFT	pi/2 BPSK	Edge_1RB_Right	21.06	21.56	20.06
n38	40	30	2600	DFT	pi/2 BPSK	Outer_Full	21.24	21.74	20.24
n38	40	30	2600	DFT	QPSK	Inner_Full	21.68	22.18	20.68
n38	40	30	2600	DFT	QPSK	Edge_1RB_Left	20.78	21.28	19.78
n38	40	30	2600	DFT	QPSK	Edge_1RB_Right	20.49	20.99	19.49
n38	40	30	2600	DFT	QPSK	Outer_Full	20.80	21.30	19.80
n38	40	30	2600	CP	16QAM	Inner_Full	19.98	20.48	18.98
n38	40	30	2600	CP	16QAM	Edge_1RB_Left	18.77	19.27	17.77
n38	40	30	2600	CP	16QAM	Edge_1RB_Right	18.52	19.02	17.52
n38	40	30	2600	CP	16QAM	Outer_Full	18.88	19.38	17.88
n38	40	30	2600	CP	64QAM	Inner_Full	18.41	18.91	17.41
n38	40	30	2600	CP	64QAM	Edge_1RB_Left	18.41	18.91	17.41
n38	40	30	2600	CP	64QAM	Edge_1RB_Right	18.08	18.58	17.08
n38	40	30	2600	CP	64QAM	Outer_Full	18.31	18.81	17.31
n38	40	30	2600	CP	QPSK	Inner_Full	20.32	20.82	19.32
n38	40	30	2600	CP	QPSK	Edge_1RB_Left	18.92	19.42	17.92
n38	40	30	2600	CP	QPSK	Edge_1RB_Right	18.58	19.08	17.58
n38	40	30	2600	CP	QPSK	Outer_Full	18.85	19.35	17.85
n41	20	30	2506.02	DFT	16QAM	Inner_Full	23.80	24.30	22.80
n41	20	30	2506.02	DFT	16QAM	Edge_1RB_Left	22.63	23.13	21.63
n41	20	30	2506.02	DFT	16QAM	Edge_1RB_Right	22.53	23.03	21.53
n41	20	30	2506.02	DFT	16QAM	Outer_Full	22.70	23.20	21.70
n41	20	30	2506.02	DFT	64QAM	Inner_Full	22.32	22.82	21.32
n41	20	30	2506.02	DFT	64QAM	Edge_1RB_Left	21.92	22.42	20.92
n41	20	30	2506.02	DFT	64QAM	Edge_1RB_Right	22.03	22.53	21.03
n41	20	30	2506.02	DFT	64QAM	Outer_Full	22.21	22.71	21.21
n41	20	30	2506.02	DFT	pi/2 BPSK	Inner_Full	22.26	22.76	21.26
n41	20	30	2506.02	DFT	pi/2 BPSK	Edge_1RB_Left	23.50	24.00	22.50
n41	20	30	2506.02	DFT	pi/2 BPSK	Edge_1RB_Right	23.51	24.01	22.51
n41	20	30	2506.02	DFT	pi/2 BPSK	Outer_Full	23.65	24.15	22.65
n41	20	30	2506.02	DFT	QPSK	Inner_Full	24.14	24.64	23.14
n41	20	30	2506.02	DFT	QPSK	Edge_1RB_Left	23.52	24.02	22.52
n41	20	30	2506.02	DFT	QPSK	Outer_Full	23.73	24.23	22.73
n41	20	30	2506.02	DFT	QPSK	Edge_1RB_Right	23.54	24.04	22.54
n41	20	30	2506.02	CP	16QAM	Inner_Full	23.77	24.27	22.77



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	20	30	2506.02	CP	16QAM	Edge_1RB_Left	22.59	23.09	21.59
n41	20	30	2506.02	CP	16QAM	Edge_1RB_Right	22.58	23.08	21.58
n41	20	30	2506.02	CP	16QAM	Outer_Full	22.68	23.18	21.68
n41	20	30	2506.02	CP	64QAM	Inner_Full	22.29	22.79	21.29
n41	20	30	2506.02	CP	64QAM	Edge_1RB_Left	22.08	22.58	21.08
n41	20	30	2506.02	CP	64QAM	Edge_1RB_Right	21.90	22.40	20.90
n41	20	30	2506.02	CP	64QAM	Outer_Full	22.25	22.75	21.25
n41	20	30	2506.02	CP	QPSK	Inner_Full	24.12	24.62	23.12
n41	20	30	2506.02	CP	QPSK	Edge_1RB_Left	23.54	24.04	22.54
n41	20	30	2506.02	CP	QPSK	Edge_1RB_Right	23.53	24.03	22.53
n41	20	30	2506.02	CP	QPSK	Outer_Full	23.72	24.22	22.72
n41	20	30	2592.99	DFT	16QAM	Inner_Full	22.97	23.47	21.97
n41	20	30	2592.99	DFT	16QAM	Edge_1RB_Left	21.77	22.27	20.77
n41	20	30	2592.99	DFT	16QAM	Edge_1RB_Right	21.75	22.25	20.75
n41	20	30	2592.99	DFT	16QAM	Outer_Full	21.84	22.34	20.84
n41	20	30	2592.99	DFT	64QAM	Inner_Full	21.51	22.01	20.51
n41	20	30	2592.99	DFT	64QAM	Edge_1RB_Left	20.95	21.45	19.95
n41	20	30	2592.99	DFT	64QAM	Edge_1RB_Right	20.79	21.29	19.79
n41	20	30	2592.99	DFT	64QAM	Outer_Full	21.40	21.90	20.40
n41	20	30	2592.99	DFT	pi/2 BPSK	Inner_Full	21.53	22.03	20.53
n41	20	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.77	23.27	21.77
n41	20	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.57	23.07	21.57
n41	20	30	2592.99	DFT	pi/2 BPSK	Outer_Full	22.86	23.36	21.86
n41	20	30	2592.99	DFT	QPSK	Inner_Full	23.78	24.28	22.78
n41	20	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.80	23.30	21.80
n41	20	30	2592.99	DFT	QPSK	Outer_Full	22.92	23.42	21.92
n41	20	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.59	23.09	21.59
n41	20	30	2592.99	CP	16QAM	Inner_Full	23.05	23.55	22.05
n41	20	30	2592.99	CP	16QAM	Edge_1RB_Left	21.73	22.23	20.73
n41	20	30	2592.99	CP	16QAM	Edge_1RB_Right	21.65	22.15	20.65
n41	20	30	2592.99	CP	16QAM	Outer_Full	21.82	22.32	20.82
n41	20	30	2592.99	CP	64QAM	Inner_Full	21.47	21.97	20.47
n41	20	30	2592.99	CP	64QAM	Edge_1RB_Left	21.21	21.71	20.21
n41	20	30	2592.99	CP	64QAM	Edge_1RB_Right	21.00	21.50	20.00
n41	20	30	2592.99	CP	64QAM	Outer_Full	21.44	21.94	20.44
n41	20	30	2592.99	CP	QPSK	Inner_Full	23.76	24.26	22.76
n41	20	30	2592.99	CP	QPSK	Edge_1RB_Left	22.74	23.24	21.74
n41	20	30	2592.99	CP	QPSK	Edge_1RB_Right	22.65	23.15	21.65





BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	20	30	2592.99	CP	QPSK	Outer_Full	22.91	23.41	21.91
n41	20	30	2679.99	DFT	16QAM	Inner_Full	22.35	22.85	21.35
n41	20	30	2679.99	DFT	16QAM	Edge_1RB_Left	21.07	21.57	20.07
n41	20	30	2679.99	DFT	16QAM	Edge_1RB_Right	21.19	21.69	20.19
n41	20	30	2679.99	DFT	16QAM	Outer_Full	21.24	21.74	20.24
n41	20	30	2679.99	DFT	64QAM	Inner_Full	20.83	21.33	19.83
n41	20	30	2679.99	DFT	64QAM	Edge_1RB_Left	20.52	21.02	19.52
n41	20	30	2679.99	DFT	64QAM	Edge_1RB_Right	20.50	21.00	19.50
n41	20	30	2679.99	DFT	64QAM	Outer_Full	20.77	21.27	19.77
n41	20	30	2679.99	DFT	pi/2 BPSK	Inner_Full	20.93	21.43	19.93
n41	20	30	2679.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.10	22.60	21.10
n41	20	30	2679.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.11	22.61	21.11
n41	20	30	2679.99	DFT	pi/2 BPSK	Outer_Full	22.26	22.76	21.26
n41	20	30	2679.99	DFT	QPSK	Inner_Full	23.14	23.64	22.14
n41	20	30	2679.99	DFT	QPSK	Edge_1RB_Left	22.13	22.63	21.13
n41	20	30	2679.99	DFT	QPSK	Outer_Full	22.23	22.73	21.23
n41	20	30	2679.99	DFT	QPSK	Edge_1RB_Right	22.08	22.58	21.08
n41	20	30	2679.99	CP	16QAM	Inner_Full	22.33	22.83	21.33
n41	20	30	2679.99	CP	16QAM	Edge_1RB_Left	21.10	21.60	20.10
n41	20	30	2679.99	CP	16QAM	Edge_1RB_Right	21.17	21.67	20.17
n41	20	30	2679.99	CP	16QAM	Outer_Full	21.23	21.73	20.23
n41	20	30	2679.99	CP	64QAM	Inner_Full	20.82	21.32	19.82
n41	20	30	2679.99	CP	64QAM	Edge_1RB_Left	20.48	20.98	19.48
n41	20	30	2679.99	CP	64QAM	Edge_1RB_Right	20.61	21.11	19.61
n41	20	30	2679.99	CP	64QAM	Outer_Full	20.81	21.31	19.81
n41	20	30	2679.99	CP	QPSK	Inner_Full	23.13	23.63	22.13
n41	20	30	2679.99	CP	QPSK	Edge_1RB_Left	22.10	22.60	21.10
n41	20	30	2679.99	CP	QPSK	Edge_1RB_Right	22.09	22.59	21.09
n41	20	30	2679.99	CP	QPSK	Outer_Full	22.28	22.78	21.28
n41	30	30	2511	DFT	16QAM	Inner_Full	23.68	24.18	22.68
n41	30	30	2511	DFT	16QAM	Edge_1RB_Left	22.42	22.92	21.42
n41	30	30	2511	DFT	16QAM	Edge_1RB_Right	22.24	22.74	21.24
n41	30	30	2511	DFT	16QAM	Outer_Full	22.56	23.06	21.56
n41	30	30	2511	DFT	64QAM	Inner_Full	22.06	22.56	21.06
n41	30	30	2511	DFT	64QAM	Edge_1RB_Left	21.79	22.29	20.79
n41	30	30	2511	DFT	64QAM	Edge_1RB_Right	21.59	22.09	20.59
n41	30	30	2511	DFT	64QAM	Outer_Full	21.98	22.48	20.98
n41	30	30	2511	DFT	pi/2 BPSK	Inner_Full	22.23	22.73	21.23



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	30	30	2511	DFT	pi/2 BPSK	Edge_1RB_Left	23.30	23.80	22.30
n41	30	30	2511	DFT	pi/2 BPSK	Edge_1RB_Right	23.16	23.66	22.16
n41	30	30	2511	DFT	pi/2 BPSK	Outer_Full	23.50	24.00	22.50
n41	30	30	2511	DFT	QPSK	Inner_Full	24.18	24.68	23.18
n41	30	30	2511	DFT	QPSK	Edge_1RB_Left	23.35	23.85	22.35
n41	30	30	2511	DFT	QPSK	Outer_Full	23.55	24.05	22.55
n41	30	30	2511	DFT	QPSK	Edge_1RB_Right	23.19	23.69	22.19
n41	30	30	2511	CP	16QAM	Inner_Full	22.65	23.15	21.65
n41	30	30	2511	CP	16QAM	Edge_1RB_Left	22.43	22.93	21.43
n41	30	30	2511	CP	16QAM	Edge_1RB_Right	22.27	22.77	21.27
n41	30	30	2511	CP	16QAM	Outer_Full	22.58	23.08	21.58
n41	30	30	2511	CP	64QAM	Inner_Full	22.19	22.69	21.19
n41	30	30	2511	CP	64QAM	Edge_1RB_Left	21.98	22.48	20.98
n41	30	30	2511	CP	64QAM	Edge_1RB_Right	21.56	22.06	20.56
n41	30	30	2511	CP	64QAM	Outer_Full	21.98	22.48	20.98
n41	30	30	2511	CP	QPSK	Inner_Full	23.66	24.16	22.66
n41	30	30	2511	CP	QPSK	Edge_1RB_Left	23.35	23.85	22.35
n41	30	30	2511	CP	QPSK	Edge_1RB_Right	23.15	23.65	22.15
n41	30	30	2511	CP	QPSK	Outer_Full	23.52	24.02	22.52
n41	30	30	2592.99	DFT	16QAM	Inner_Full	22.88	23.38	21.88
n41	30	30	2592.99	DFT	16QAM	Edge_1RB_Left	21.69	22.19	20.69
n41	30	30	2592.99	DFT	16QAM	Edge_1RB_Right	21.40	21.90	20.40
n41	30	30	2592.99	DFT	16QAM	Outer_Full	21.82	22.32	20.82
n41	30	30	2592.99	DFT	64QAM	Inner_Full	21.34	21.84	20.34
n41	30	30	2592.99	DFT	64QAM	Edge_1RB_Left	21.01	21.51	20.01
n41	30	30	2592.99	DFT	64QAM	Edge_1RB_Right	20.78	21.28	19.78
n41	30	30	2592.99	DFT	64QAM	Outer_Full	21.23	21.73	20.23
n41	30	30	2592.99	DFT	pi/2 BPSK	Inner_Full	21.40	21.90	20.40
n41	30	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.63	23.13	21.63
n41	30	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.33	22.83	21.33
n41	30	30	2592.99	DFT	pi/2 BPSK	Outer_Full	22.77	23.27	21.77
n41	30	30	2592.99	DFT	QPSK	Inner_Full	23.79	24.29	22.79
n41	30	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.67	23.17	21.67
n41	30	30	2592.99	DFT	QPSK	Outer_Full	22.73	23.23	21.73
n41	30	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.33	22.83	21.33
n41	30	30	2592.99	CP	16QAM	Inner_Full	21.85	22.35	20.85
n41	30	30	2592.99	CP	16QAM	Edge_1RB_Left	21.54	22.04	20.54
n41	30	30	2592.99	CP	16QAM	Edge_1RB_Right	21.29	21.79	20.29



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	30	30	2592.99	CP	16QAM	Outer_Full	21.70	22.20	20.70
n41	30	30	2592.99	CP	64QAM	Inner_Full	21.35	21.85	20.35
n41	30	30	2592.99	CP	64QAM	Edge_1RB_Left	20.75	21.25	19.75
n41	30	30	2592.99	CP	64QAM	Edge_1RB_Right	20.52	21.02	19.52
n41	30	30	2592.99	CP	64QAM	Outer_Full	21.28	21.78	20.28
n41	30	30	2592.99	CP	QPSK	Inner_Full	22.83	23.33	21.83
n41	30	30	2592.99	CP	QPSK	Edge_1RB_Left	22.64	23.14	21.64
n41	30	30	2592.99	CP	QPSK	Edge_1RB_Right	22.28	22.78	21.28
n41	30	30	2592.99	CP	QPSK	Outer_Full	22.80	23.30	21.80
n41	30	30	2674.98	DFT	16QAM	Inner_Full	22.31	22.81	21.31
n41	30	30	2674.98	DFT	16QAM	Edge_1RB_Left	20.90	21.40	19.90
n41	30	30	2674.98	DFT	16QAM	Edge_1RB_Right	20.86	21.36	19.86
n41	30	30	2674.98	DFT	16QAM	Outer_Full	21.22	21.72	20.22
n41	30	30	2674.98	DFT	64QAM	Inner_Full	20.71	21.21	19.71
n41	30	30	2674.98	DFT	64QAM	Edge_1RB_Left	20.29	20.79	19.29
n41	30	30	2674.98	DFT	64QAM	Edge_1RB_Right	20.07	20.57	19.07
n41	30	30	2674.98	DFT	64QAM	Outer_Full	20.69	21.19	19.69
n41	30	30	2674.98	DFT	pi/2 BPSK	Inner_Full	20.81	21.31	19.81
n41	30	30	2674.98	DFT	pi/2 BPSK	Edge_1RB_Left	21.96	22.46	20.96
n41	30	30	2674.98	DFT	pi/2 BPSK	Edge_1RB_Right	21.90	22.40	20.90
n41	30	30	2674.98	DFT	pi/2 BPSK	Outer_Full	22.16	22.66	21.16
n41	30	30	2674.98	DFT	QPSK	Inner_Full	23.13	23.63	22.13
n41	30	30	2674.98	DFT	QPSK	Edge_1RB_Left	21.91	22.41	20.91
n41	30	30	2674.98	DFT	QPSK	Outer_Full	22.23	22.73	21.23
n41	30	30	2674.98	DFT	QPSK	Edge_1RB_Right	21.97	22.47	20.97
n41	30	30	2674.98	CP	16QAM	Inner_Full	21.29	21.79	20.29
n41	30	30	2674.98	CP	16QAM	Edge_1RB_Left	20.87	21.37	19.87
n41	30	30	2674.98	CP	16QAM	Edge_1RB_Right	20.82	21.32	19.82
n41	30	30	2674.98	CP	16QAM	Outer_Full	21.14	21.64	20.14
n41	30	30	2674.98	CP	64QAM	Inner_Full	20.69	21.19	19.69
n41	30	30	2674.98	CP	64QAM	Edge_1RB_Left	20.06	20.56	19.06
n41	30	30	2674.98	CP	64QAM	Edge_1RB_Right	20.12	20.62	19.12
n41	30	30	2674.98	CP	64QAM	Outer_Full	20.67	21.17	19.67
n41	30	30	2674.98	CP	QPSK	Inner_Full	22.23	22.73	21.23
n41	30	30	2674.98	CP	QPSK	Edge_1RB_Left	21.95	22.45	20.95
n41	30	30	2674.98	CP	QPSK	Edge_1RB_Right	21.97	22.47	20.97
n41	30	30	2674.98	CP	QPSK	Outer_Full	22.20	22.70	21.20
n41	40	30	2516.01	DFT	16QAM	Inner_Full	23.59	24.09	22.59



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	40	30	2516.01	DFT	16QAM	Edge_1RB_Left	22.11	22.61	21.11
n41	40	30	2516.01	DFT	16QAM	Edge_1RB_Right	21.79	22.29	20.79
n41	40	30	2516.01	DFT	16QAM	Outer_Full	22.44	22.94	21.44
n41	40	30	2516.01	DFT	64QAM	Inner_Full	22.10	22.60	21.10
n41	40	30	2516.01	DFT	64QAM	Edge_1RB_Left	21.33	21.83	20.33
n41	40	30	2516.01	DFT	64QAM	Edge_1RB_Right	20.92	21.42	19.92
n41	40	30	2516.01	DFT	64QAM	Outer_Full	21.89	22.39	20.89
n41	40	30	2516.01	DFT	pi/2 BPSK	Inner_Full	22.03	22.53	21.03
n41	40	30	2516.01	DFT	pi/2 BPSK	Edge_1RB_Left	23.11	23.61	22.11
n41	40	30	2516.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.77	23.27	21.77
n41	40	30	2516.01	DFT	pi/2 BPSK	Outer_Full	23.42	23.92	22.42
n41	40	30	2516.01	DFT	QPSK	Inner_Full	24.11	24.61	23.11
n41	40	30	2516.01	DFT	QPSK	Edge_1RB_Left	23.15	23.65	22.15
n41	40	30	2516.01	DFT	QPSK	Outer_Full	23.43	23.93	22.43
n41	40	30	2516.01	DFT	QPSK	Edge_1RB_Right	22.85	23.35	21.85
n41	40	30	2516.01	CP	16QAM	Inner_Full	22.48	22.98	21.48
n41	40	30	2516.01	CP	16QAM	Edge_1RB_Left	22.15	22.65	21.15
n41	40	30	2516.01	CP	16QAM	Edge_1RB_Right	21.83	22.33	20.83
n41	40	30	2516.01	CP	16QAM	Outer_Full	22.41	22.91	21.41
n41	40	30	2516.01	CP	64QAM	Inner_Full	22.10	22.60	21.10
n41	40	30	2516.01	CP	64QAM	Edge_1RB_Left	21.32	21.82	20.32
n41	40	30	2516.01	CP	64QAM	Edge_1RB_Right	20.96	21.46	19.96
n41	40	30	2516.01	CP	64QAM	Outer_Full	21.95	22.45	20.95
n41	40	30	2516.01	CP	QPSK	Inner_Full	23.49	23.99	22.49
n41	40	30	2516.01	CP	QPSK	Edge_1RB_Left	23.23	23.73	22.23
n41	40	30	2516.01	CP	QPSK	Edge_1RB_Right	22.87	23.37	21.87
n41	40	30	2516.01	CP	QPSK	Outer_Full	23.36	23.86	22.36
n41	40	30	2592.99	DFT	16QAM	Inner_Full	22.80	23.30	21.80
n41	40	30	2592.99	DFT	16QAM	Edge_1RB_Left	21.49	21.99	20.49
n41	40	30	2592.99	DFT	16QAM	Edge_1RB_Right	21.01	21.51	20.01
n41	40	30	2592.99	DFT	16QAM	Outer_Full	21.73	22.23	20.73
n41	40	30	2592.99	DFT	64QAM	Inner_Full	21.33	21.83	20.33
n41	40	30	2592.99	DFT	64QAM	Edge_1RB_Left	20.62	21.12	19.62
n41	40	30	2592.99	DFT	64QAM	Edge_1RB_Right	20.18	20.68	19.18
n41	40	30	2592.99	DFT	64QAM	Outer_Full	21.20	21.70	20.20
n41	40	30	2592.99	DFT	pi/2 BPSK	Inner_Full	21.36	21.86	20.36
n41	40	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.42	22.92	21.42
n41	40	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.95	22.45	20.95



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	40	30	2592.99	DFT	pi/2 BPSK	Outer_Full	22.67	23.17	21.67
n41	40	30	2592.99	DFT	QPSK	Inner_Full	23.76	24.26	22.76
n41	40	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.49	22.99	21.49
n41	40	30	2592.99	DFT	QPSK	Outer_Full	22.74	23.24	21.74
n41	40	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.99	22.49	20.99
n41	40	30	2592.99	CP	16QAM	Inner_Full	21.85	22.35	20.85
n41	40	30	2592.99	CP	16QAM	Edge_1RB_Left	21.42	21.92	20.42
n41	40	30	2592.99	CP	16QAM	Edge_1RB_Right	20.93	21.43	19.93
n41	40	30	2592.99	CP	16QAM	Outer_Full	21.68	22.18	20.68
n41	40	30	2592.99	CP	64QAM	Inner_Full	21.34	21.84	20.34
n41	40	30	2592.99	CP	64QAM	Edge_1RB_Left	20.63	21.13	19.63
n41	40	30	2592.99	CP	64QAM	Edge_1RB_Right	20.28	20.78	19.28
n41	40	30	2592.99	CP	64QAM	Outer_Full	21.20	21.70	20.20
n41	40	30	2592.99	CP	QPSK	Inner_Full	22.85	23.35	21.85
n41	40	30	2592.99	CP	QPSK	Edge_1RB_Left	22.45	22.95	21.45
n41	40	30	2592.99	CP	QPSK	Edge_1RB_Right	21.98	22.48	20.98
n41	40	30	2592.99	CP	QPSK	Outer_Full	22.71	23.21	21.71
n41	40	30	2670	DFT	16QAM	Inner_Full	22.23	22.73	21.23
n41	40	30	2670	DFT	16QAM	Edge_1RB_Left	20.56	21.06	19.56
n41	40	30	2670	DFT	16QAM	Edge_1RB_Right	20.69	21.19	19.69
n41	40	30	2670	DFT	16QAM	Outer_Full	21.12	21.62	20.12
n41	40	30	2670	DFT	64QAM	Inner_Full	20.76	21.26	19.76
n41	40	30	2670	DFT	64QAM	Edge_1RB_Left	19.78	20.28	18.78
n41	40	30	2670	DFT	64QAM	Edge_1RB_Right	19.82	20.32	18.82
n41	40	30	2670	DFT	64QAM	Outer_Full	20.69	21.19	19.69
n41	40	30	2670	DFT	pi/2 BPSK	Inner_Full	20.79	21.29	19.79
n41	40	30	2670	DFT	pi/2 BPSK	Edge_1RB_Left	21.62	22.12	20.62
n41	40	30	2670	DFT	pi/2 BPSK	Edge_1RB_Right	21.61	22.11	20.61
n41	40	30	2670	DFT	pi/2 BPSK	Outer_Full	22.14	22.64	21.14
n41	40	30	2670	DFT	QPSK	Inner_Full	23.14	23.64	22.14
n41	40	30	2670	DFT	QPSK	Edge_1RB_Left	21.68	22.18	20.68
n41	40	30	2670	DFT	QPSK	Outer_Full	22.11	22.61	21.11
n41	40	30	2670	DFT	QPSK	Edge_1RB_Right	21.69	22.19	20.69
n41	40	30	2670	CP	16QAM	Inner_Full	21.28	21.78	20.28
n41	40	30	2670	CP	16QAM	Edge_1RB_Left	20.64	21.14	19.64
n41	40	30	2670	CP	16QAM	Edge_1RB_Right	20.67	21.17	19.67
n41	40	30	2670	CP	16QAM	Outer_Full	21.17	21.67	20.17
n41	40	30	2670	CP	64QAM	Inner_Full	20.73	21.23	19.73



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	40	30	2670	CP	64QAM	Edge_1RB_Left	19.76	20.26	18.76
n41	40	30	2670	CP	64QAM	Edge_1RB_Right	19.96	20.46	18.96
n41	40	30	2670	CP	64QAM	Outer_Full	20.70	21.20	19.70
n41	40	30	2670	CP	QPSK	Inner_Full	22.20	22.70	21.20
n41	40	30	2670	CP	QPSK	Edge_1RB_Left	21.67	22.17	20.67
n41	40	30	2670	CP	QPSK	Edge_1RB_Right	21.68	22.18	20.68
n41	40	30	2670	CP	QPSK	Outer_Full	22.17	22.67	21.17
n41	50	30	2521.02	DFT	16QAM	Inner_Full	23.57	24.07	22.57
n41	50	30	2521.02	DFT	16QAM	Edge_1RB_Left	22.34	22.84	21.34
n41	50	30	2521.02	DFT	16QAM	Edge_1RB_Right	21.94	22.44	20.94
n41	50	30	2521.02	DFT	16QAM	Outer_Full	22.48	22.98	21.48
n41	50	30	2521.02	DFT	64QAM	Inner_Full	21.99	22.49	20.99
n41	50	30	2521.02	DFT	64QAM	Edge_1RB_Left	21.53	22.03	20.53
n41	50	30	2521.02	DFT	64QAM	Edge_1RB_Right	21.19	21.69	20.19
n41	50	30	2521.02	DFT	64QAM	Outer_Full	21.87	22.37	20.87
n41	50	30	2521.02	DFT	pi/2 BPSK	Inner_Full	22.04	22.54	21.04
n41	50	30	2521.02	DFT	pi/2 BPSK	Edge_1RB_Left	23.34	23.84	22.34
n41	50	30	2521.02	DFT	pi/2 BPSK	Edge_1RB_Right	23.03	23.53	22.03
n41	50	30	2521.02	DFT	pi/2 BPSK	Outer_Full	23.43	23.93	22.43
n41	50	30	2521.02	DFT	QPSK	Inner_Full	24.18	24.68	23.18
n41	50	30	2521.02	DFT	QPSK	Edge_1RB_Left	23.45	23.95	22.45
n41	50	30	2521.02	DFT	QPSK	Outer_Full	23.37	23.87	22.37
n41	50	30	2521.02	DFT	QPSK	Edge_1RB_Right	23.05	23.55	22.05
n41	50	30	2521.02	CP	16QAM	Inner_Full	23.58	24.08	22.58
n41	50	30	2521.02	CP	16QAM	Edge_1RB_Left	22.33	22.83	21.33
n41	50	30	2521.02	CP	16QAM	Edge_1RB_Right	22.00	22.50	21.00
n41	50	30	2521.02	CP	16QAM	Outer_Full	22.47	22.97	21.47
n41	50	30	2521.02	CP	64QAM	Inner_Full	22.02	22.52	21.02
n41	50	30	2521.02	CP	64QAM	Edge_1RB_Left	21.77	22.27	20.77
n41	50	30	2521.02	CP	64QAM	Edge_1RB_Right	21.15	21.65	20.15
n41	50	30	2521.02	CP	64QAM	Outer_Full	21.92	22.42	20.92
n41	50	30	2521.02	CP	QPSK	Inner_Full	24.19	24.69	23.19
n41	50	30	2521.02	CP	QPSK	Edge_1RB_Left	23.44	23.94	22.44
n41	50	30	2521.02	CP	QPSK	Edge_1RB_Right	23.12	23.62	22.12
n41	50	30	2521.02	CP	QPSK	Outer_Full	23.44	23.94	22.44
n41	50	30	2592.99	DFT	16QAM	Inner_Full	22.83	23.33	21.83
n41	50	30	2592.99	DFT	16QAM	Edge_1RB_Left	21.80	22.30	20.80
n41	50	30	2592.99	DFT	16QAM	Edge_1RB_Right	21.22	21.72	20.22



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	50	30	2592.99	DFT	16QAM	Outer_Full	21.81	22.31	20.81
n41	50	30	2592.99	DFT	64QAM	Inner_Full	21.33	21.83	20.33
n41	50	30	2592.99	DFT	64QAM	Edge_1RB_Left	20.97	21.47	19.97
n41	50	30	2592.99	DFT	64QAM	Edge_1RB_Right	20.37	20.87	19.37
n41	50	30	2592.99	DFT	64QAM	Outer_Full	21.27	21.77	20.27
n41	50	30	2592.99	DFT	pi/2 BPSK	Inner_Full	21.34	21.84	20.34
n41	50	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.84	23.34	21.84
n41	50	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.29	22.79	21.29
n41	50	30	2592.99	DFT	pi/2 BPSK	Outer_Full	22.80	23.30	21.80
n41	50	30	2592.99	DFT	QPSK	Inner_Full	23.78	24.28	22.78
n41	50	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.86	23.36	21.86
n41	50	30	2592.99	DFT	QPSK	Outer_Full	22.79	23.29	21.79
n41	50	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.31	22.81	21.31
n41	50	30	2592.99	CP	16QAM	Inner_Full	22.79	23.29	21.79
n41	50	30	2592.99	CP	16QAM	Edge_1RB_Left	21.74	22.24	20.74
n41	50	30	2592.99	CP	16QAM	Edge_1RB_Right	21.18	21.68	20.18
n41	50	30	2592.99	CP	16QAM	Outer_Full	21.79	22.29	20.79
n41	50	30	2592.99	CP	64QAM	Inner_Full	21.34	21.84	20.34
n41	50	30	2592.99	CP	64QAM	Edge_1RB_Left	20.99	21.49	19.99
n41	50	30	2592.99	CP	64QAM	Edge_1RB_Right	20.41	20.91	19.41
n41	50	30	2592.99	CP	64QAM	Outer_Full	21.30	21.80	20.30
n41	50	30	2592.99	CP	QPSK	Inner_Full	23.77	24.27	22.77
n41	50	30	2592.99	CP	QPSK	Edge_1RB_Left	22.84	23.34	21.84
n41	50	30	2592.99	CP	QPSK	Edge_1RB_Right	22.31	22.81	21.31
n41	50	30	2592.99	CP	QPSK	Outer_Full	22.81	23.31	21.81
n41	50	30	2664.99	DFT	16QAM	Inner_Full	22.33	22.83	21.33
n41	50	30	2664.99	DFT	16QAM	Edge_1RB_Left	20.86	21.36	19.86
n41	50	30	2664.99	DFT	16QAM	Edge_1RB_Right	20.87	21.37	19.87
n41	50	30	2664.99	DFT	16QAM	Outer_Full	21.20	21.70	20.20
n41	50	30	2664.99	DFT	64QAM	Inner_Full	20.79	21.29	19.79
n41	50	30	2664.99	DFT	64QAM	Edge_1RB_Left	20.32	20.82	19.32
n41	50	30	2664.99	DFT	64QAM	Edge_1RB_Right	20.36	20.86	19.36
n41	50	30	2664.99	DFT	64QAM	Outer_Full	20.69	21.19	19.69
n41	50	30	2664.99	DFT	pi/2 BPSK	Inner_Full	20.82	21.32	19.82
n41	50	30	2664.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.90	22.40	20.90
n41	50	30	2664.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.94	22.44	20.94
n41	50	30	2664.99	DFT	pi/2 BPSK	Outer_Full	22.23	22.73	21.23
n41	50	30	2664.99	DFT	QPSK	Inner_Full	23.17	23.67	22.17



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	50	30	2664.99	DFT	QPSK	Edge_1RB_Left	21.95	22.45	20.95
n41	50	30	2664.99	DFT	QPSK	Outer_Full	22.18	22.68	21.18
n41	50	30	2664.99	DFT	QPSK	Edge_1RB_Right	22.05	22.55	21.05
n41	50	30	2664.99	CP	16QAM	Inner_Full	22.33	22.83	21.33
n41	50	30	2664.99	CP	16QAM	Edge_1RB_Left	20.94	21.44	19.94
n41	50	30	2664.99	CP	16QAM	Edge_1RB_Right	20.91	21.41	19.91
n41	50	30	2664.99	CP	16QAM	Outer_Full	21.26	21.76	20.26
n41	50	30	2664.99	CP	64QAM	Inner_Full	20.83	21.33	19.83
n41	50	30	2664.99	CP	64QAM	Edge_1RB_Left	20.24	20.74	19.24
n41	50	30	2664.99	CP	64QAM	Edge_1RB_Right	20.36	20.86	19.36
n41	50	30	2664.99	CP	64QAM	Outer_Full	20.76	21.26	19.76
n41	50	30	2664.99	CP	QPSK	Inner_Full	23.22	23.72	22.22
n41	50	30	2664.99	CP	QPSK	Edge_1RB_Left	21.98	22.48	20.98
n41	50	30	2664.99	CP	QPSK	Edge_1RB_Right	22.04	22.54	21.04
n41	50	30	2664.99	CP	QPSK	Outer_Full	22.26	22.76	21.26
n41	60	30	2526	DFT	16QAM	Inner_Full	23.48	23.98	22.48
n41	60	30	2526	DFT	16QAM	Edge_1RB_Left	22.23	22.73	21.23
n41	60	30	2526	DFT	16QAM	Edge_1RB_Right	21.83	22.33	20.83
n41	60	30	2526	DFT	16QAM	Outer_Full	22.27	22.77	21.27
n41	60	30	2526	DFT	64QAM	Inner_Full	21.98	22.48	20.98
n41	60	30	2526	DFT	64QAM	Edge_1RB_Left	21.39	21.89	20.39
n41	60	30	2526	DFT	64QAM	Edge_1RB_Right	21.29	21.79	20.29
n41	60	30	2526	DFT	64QAM	Outer_Full	21.79	22.29	20.79
n41	60	30	2526	DFT	pi/2 BPSK	Inner_Full	21.93	22.43	20.93
n41	60	30	2526	DFT	pi/2 BPSK	Edge_1RB_Left	23.21	23.71	22.21
n41	60	30	2526	DFT	pi/2 BPSK	Edge_1RB_Right	22.88	23.38	21.88
n41	60	30	2526	DFT	pi/2 BPSK	Outer_Full	23.22	23.72	22.22
n41	60	30	2526	DFT	QPSK	Inner_Full	24.10	24.60	23.10
n41	60	30	2526	DFT	QPSK	Edge_1RB_Left	23.25	23.75	22.25
n41	60	30	2526	DFT	QPSK	Outer_Full	23.28	23.78	22.28
n41	60	30	2526	DFT	QPSK	Edge_1RB_Right	22.86	23.36	21.86
n41	60	30	2526	CP	16QAM	Inner_Full	23.46	23.96	22.46
n41	60	30	2526	CP	16QAM	Edge_1RB_Left	22.31	22.81	21.31
n41	60	30	2526	CP	16QAM	Edge_1RB_Right	21.85	22.35	20.85
n41	60	30	2526	CP	16QAM	Outer_Full	22.24	22.74	21.24
n41	60	30	2526	CP	64QAM	Inner_Full	21.92	22.42	20.92
n41	60	30	2526	CP	64QAM	Edge_1RB_Left	21.59	22.09	20.59
n41	60	30	2526	CP	64QAM	Edge_1RB_Right	21.25	21.75	20.25





BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	60	30	2526	CP	64QAM	Outer_Full	21.81	22.31	20.81
n41	60	30	2526	CP	QPSK	Inner_Full	24.11	24.61	23.11
n41	60	30	2526	CP	QPSK	Edge_1RB_Left	23.29	23.79	22.29
n41	60	30	2526	CP	QPSK	Edge_1RB_Right	22.88	23.38	21.88
n41	60	30	2526	CP	QPSK	Outer_Full	23.25	23.75	22.25
n41	60	30	2592.99	DFT	16QAM	Inner_Full	22.83	23.33	21.83
n41	60	30	2592.99	DFT	16QAM	Edge_1RB_Left	21.85	22.35	20.85
n41	60	30	2592.99	DFT	16QAM	Edge_1RB_Right	21.15	21.65	20.15
n41	60	30	2592.99	DFT	16QAM	Outer_Full	21.69	22.19	20.69
n41	60	30	2592.99	DFT	64QAM	Inner_Full	21.24	21.74	20.24
n41	60	30	2592.99	DFT	64QAM	Edge_1RB_Left	21.28	21.78	20.28
n41	60	30	2592.99	DFT	64QAM	Edge_1RB_Right	20.48	20.98	19.48
n41	60	30	2592.99	DFT	64QAM	Outer_Full	21.22	21.72	20.22
n41	60	30	2592.99	DFT	pi/2 BPSK	Inner_Full	21.26	21.76	20.26
n41	60	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.76	23.26	21.76
n41	60	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.01	22.51	21.01
n41	60	30	2592.99	DFT	pi/2 BPSK	Outer_Full	22.66	23.16	21.66
n41	60	30	2592.99	DFT	QPSK	Inner_Full	23.70	24.20	22.70
n41	60	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.77	23.27	21.77
n41	60	30	2592.99	DFT	QPSK	Outer_Full	22.67	23.17	21.67
n41	60	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.16	22.66	21.16
n41	60	30	2592.99	CP	16QAM	Inner_Full	22.80	23.30	21.80
n41	60	30	2592.99	CP	16QAM	Edge_1RB_Left	21.84	22.34	20.84
n41	60	30	2592.99	CP	16QAM	Edge_1RB_Right	21.11	21.61	20.11
n41	60	30	2592.99	CP	16QAM	Outer_Full	21.65	22.15	20.65
n41	60	30	2592.99	CP	64QAM	Inner_Full	21.31	21.81	20.31
n41	60	30	2592.99	CP	64QAM	Edge_1RB_Left	21.18	21.68	20.18
n41	60	30	2592.99	CP	64QAM	Edge_1RB_Right	20.55	21.05	19.55
n41	60	30	2592.99	CP	64QAM	Outer_Full	21.25	21.75	20.25
n41	60	30	2592.99	CP	QPSK	Inner_Full	23.67	24.17	22.67
n41	60	30	2592.99	CP	QPSK	Edge_1RB_Left	22.82	23.32	21.82
n41	60	30	2592.99	CP	QPSK	Edge_1RB_Right	22.09	22.59	21.09
n41	60	30	2592.99	CP	QPSK	Outer_Full	22.67	23.17	21.67
n41	60	30	2659.98	DFT	16QAM	Inner_Full	22.30	22.80	21.30
n41	60	30	2659.98	DFT	16QAM	Edge_1RB_Left	21.03	21.53	20.03
n41	60	30	2659.98	DFT	16QAM	Edge_1RB_Right	20.94	21.44	19.94
n41	60	30	2659.98	DFT	16QAM	Outer_Full	21.27	21.77	20.27
n41	60	30	2659.98	DFT	64QAM	Inner_Full	20.72	21.22	19.72



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	60	30	2659.98	DFT	64QAM	Edge_1RB_Left	20.37	20.87	19.37
n41	60	30	2659.98	DFT	64QAM	Edge_1RB_Right	20.32	20.82	19.32
n41	60	30	2659.98	DFT	64QAM	Outer_Full	20.71	21.21	19.71
n41	60	30	2659.98	DFT	pi/2 BPSK	Inner_Full	20.78	21.28	19.78
n41	60	30	2659.98	DFT	pi/2 BPSK	Edge_1RB_Left	21.94	22.44	20.94
n41	60	30	2659.98	DFT	pi/2 BPSK	Edge_1RB_Right	21.86	22.36	20.86
n41	60	30	2659.98	DFT	pi/2 BPSK	Outer_Full	22.26	22.76	21.26
n41	60	30	2659.98	DFT	QPSK	Inner_Full	23.15	23.65	22.15
n41	60	30	2659.98	DFT	QPSK	Edge_1RB_Left	21.96	22.46	20.96
n41	60	30	2659.98	DFT	QPSK	Outer_Full	22.22	22.72	21.22
n41	60	30	2659.98	DFT	QPSK	Edge_1RB_Right	21.87	22.37	20.87
n41	60	30	2659.98	CP	16QAM	Inner_Full	22.25	22.75	21.25
n41	60	30	2659.98	CP	16QAM	Edge_1RB_Left	21.02	21.52	20.02
n41	60	30	2659.98	CP	16QAM	Edge_1RB_Right	20.92	21.42	19.92
n41	60	30	2659.98	CP	16QAM	Outer_Full	21.17	21.67	20.17
n41	60	30	2659.98	CP	64QAM	Inner_Full	20.71	21.21	19.71
n41	60	30	2659.98	CP	64QAM	Edge_1RB_Left	20.50	21.00	19.50
n41	60	30	2659.98	CP	64QAM	Edge_1RB_Right	20.25	20.75	19.25
n41	60	30	2659.98	CP	64QAM	Outer_Full	20.75	21.25	19.75
n41	60	30	2659.98	CP	QPSK	Inner_Full	23.17	23.67	22.17
n41	60	30	2659.98	CP	QPSK	Edge_1RB_Left	21.99	22.49	20.99
n41	60	30	2659.98	CP	QPSK	Edge_1RB_Right	21.89	22.39	20.89
n41	60	30	2659.98	CP	QPSK	Outer_Full	22.28	22.78	21.28
n41	80	30	2536.02	DFT	16QAM	Inner_Full	23.40	23.90	22.40
n41	80	30	2536.02	DFT	16QAM	Edge_1RB_Left	22.20	22.70	21.20
n41	80	30	2536.02	DFT	16QAM	Edge_1RB_Right	21.67	22.17	20.67
n41	80	30	2536.02	DFT	16QAM	Outer_Full	22.25	22.75	21.25
n41	80	30	2536.02	DFT	64QAM	Inner_Full	21.86	22.36	20.86
n41	80	30	2536.02	DFT	64QAM	Edge_1RB_Left	21.61	22.11	20.61
n41	80	30	2536.02	DFT	64QAM	Edge_1RB_Right	20.96	21.46	19.96
n41	80	30	2536.02	DFT	64QAM	Outer_Full	21.75	22.25	20.75
n41	80	30	2536.02	DFT	pi/2 BPSK	Inner_Full	21.91	22.41	20.91
n41	80	30	2536.02	DFT	pi/2 BPSK	Edge_1RB_Left	23.15	23.65	22.15
n41	80	30	2536.02	DFT	pi/2 BPSK	Edge_1RB_Right	22.54	23.04	21.54
n41	80	30	2536.02	DFT	pi/2 BPSK	Outer_Full	23.28	23.78	22.28
n41	80	30	2536.02	DFT	QPSK	Inner_Full	24.16	24.66	23.16
n41	80	30	2536.02	DFT	QPSK	Edge_1RB_Left	23.24	23.74	22.24
n41	80	30	2536.02	DFT	QPSK	Outer_Full	23.27	23.77	22.27



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	80	30	2536.02	DFT	QPSK	Edge_1RB_Right	22.64	23.14	21.64
n41	80	30	2536.02	CP	16QAM	Inner_Full	23.46	23.96	22.46
n41	80	30	2536.02	CP	16QAM	Edge_1RB_Left	22.30	22.80	21.30
n41	80	30	2536.02	CP	16QAM	Edge_1RB_Right	21.66	22.16	20.66
n41	80	30	2536.02	CP	16QAM	Outer_Full	22.17	22.67	21.17
n41	80	30	2536.02	CP	64QAM	Inner_Full	21.88	22.38	20.88
n41	80	30	2536.02	CP	64QAM	Edge_1RB_Left	21.55	22.05	20.55
n41	80	30	2536.02	CP	64QAM	Edge_1RB_Right	20.94	21.44	19.94
n41	80	30	2536.02	CP	64QAM	Outer_Full	21.76	22.26	20.76
n41	80	30	2536.02	CP	QPSK	Inner_Full	24.13	24.63	23.13
n41	80	30	2536.02	CP	QPSK	Edge_1RB_Left	23.14	23.64	22.14
n41	80	30	2536.02	CP	QPSK	Edge_1RB_Right	22.62	23.12	21.62
n41	80	30	2536.02	CP	QPSK	Outer_Full	23.20	23.70	22.20
n41	80	30	2592.99	DFT	16QAM	Inner_Full	22.88	23.38	21.88
n41	80	30	2592.99	DFT	16QAM	Edge_1RB_Left	21.73	22.23	20.73
n41	80	30	2592.99	DFT	16QAM	Edge_1RB_Right	20.87	21.37	19.87
n41	80	30	2592.99	DFT	16QAM	Outer_Full	21.66	22.16	20.66
n41	80	30	2592.99	DFT	64QAM	Inner_Full	21.37	21.87	20.37
n41	80	30	2592.99	DFT	64QAM	Edge_1RB_Left	21.11	21.61	20.11
n41	80	30	2592.99	DFT	64QAM	Edge_1RB_Right	20.59	21.09	19.59
n41	80	30	2592.99	DFT	64QAM	Outer_Full	21.26	21.76	20.26
n41	80	30	2592.99	DFT	pi/2 BPSK	Inner_Full	21.32	21.82	20.32
n41	80	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.66	23.16	21.66
n41	80	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.87	22.37	20.87
n41	80	30	2592.99	DFT	pi/2 BPSK	Outer_Full	22.77	23.27	21.77
n41	80	30	2592.99	DFT	QPSK	Inner_Full	23.71	24.21	22.71
n41	80	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.79	23.29	21.79
n41	80	30	2592.99	DFT	QPSK	Outer_Full	22.71	23.21	21.71
n41	80	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.92	22.42	20.92
n41	80	30	2592.99	CP	16QAM	Inner_Full	22.91	23.41	21.91
n41	80	30	2592.99	CP	16QAM	Edge_1RB_Left	21.74	22.24	20.74
n41	80	30	2592.99	CP	16QAM	Edge_1RB_Right	20.96	21.46	19.96
n41	80	30	2592.99	CP	16QAM	Outer_Full	21.74	22.24	20.74
n41	80	30	2592.99	CP	64QAM	Inner_Full	21.32	21.82	20.32
n41	80	30	2592.99	CP	64QAM	Edge_1RB_Left	21.16	21.66	20.16
n41	80	30	2592.99	CP	64QAM	Edge_1RB_Right	20.28	20.78	19.28
n41	80	30	2592.99	CP	64QAM	Outer_Full	21.27	21.77	20.27
n41	80	30	2592.99	CP	QPSK	Inner_Full	23.75	24.25	22.75



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	80	30	2592.99	CP	QPSK	Edge_1RB_Left	22.76	23.26	21.76
n41	80	30	2592.99	CP	QPSK	Edge_1RB_Right	21.95	22.45	20.95
n41	80	30	2592.99	CP	QPSK	Outer_Full	22.70	23.20	21.70
n41	80	30	2649.99	DFT	16QAM	Inner_Full	22.38	22.88	21.38
n41	80	30	2649.99	DFT	16QAM	Edge_1RB_Left	20.99	21.49	19.99
n41	80	30	2649.99	DFT	16QAM	Edge_1RB_Right	20.57	21.07	19.57
n41	80	30	2649.99	DFT	16QAM	Outer_Full	21.27	21.77	20.27
n41	80	30	2649.99	DFT	64QAM	Inner_Full	20.84	21.34	19.84
n41	80	30	2649.99	DFT	64QAM	Edge_1RB_Left	20.17	20.67	19.17
n41	80	30	2649.99	DFT	64QAM	Edge_1RB_Right	19.90	20.40	18.90
n41	80	30	2649.99	DFT	64QAM	Outer_Full	20.72	21.22	19.72
n41	80	30	2649.99	DFT	pi/2 BPSK	Inner_Full	20.79	21.29	19.79
n41	80	30	2649.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.99	22.49	20.99
n41	80	30	2649.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.65	22.15	20.65
n41	80	30	2649.99	DFT	pi/2 BPSK	Outer_Full	22.30	22.80	21.30
n41	80	30	2649.99	DFT	QPSK	Inner_Full	23.12	23.62	22.12
n41	80	30	2649.99	DFT	QPSK	Edge_1RB_Left	22.11	22.61	21.11
n41	80	30	2649.99	DFT	QPSK	Outer_Full	22.27	22.77	21.27
n41	80	30	2649.99	DFT	QPSK	Edge_1RB_Right	21.78	22.28	20.78
n41	80	30	2649.99	CP	16QAM	Inner_Full	22.26	22.76	21.26
n41	80	30	2649.99	CP	16QAM	Edge_1RB_Left	20.98	21.48	19.98
n41	80	30	2649.99	CP	16QAM	Edge_1RB_Right	20.62	21.12	19.62
n41	80	30	2649.99	CP	16QAM	Outer_Full	21.28	21.78	20.28
n41	80	30	2649.99	CP	64QAM	Inner_Full	20.81	21.31	19.81
n41	80	30	2649.99	CP	64QAM	Edge_1RB_Left	20.46	20.96	19.46
n41	80	30	2649.99	CP	64QAM	Edge_1RB_Right	19.89	20.39	18.89
n41	80	30	2649.99	CP	64QAM	Outer_Full	20.77	21.27	19.77
n41	80	30	2649.99	CP	QPSK	Inner_Full	23.16	23.66	22.16
n41	80	30	2649.99	CP	QPSK	Edge_1RB_Left	22.15	22.65	21.15
n41	80	30	2649.99	CP	QPSK	Edge_1RB_Right	21.80	22.30	20.80
n41	80	30	2649.99	CP	QPSK	Outer_Full	22.29	22.79	21.29
n41	90	30	2541	DFT	16QAM	Inner_Full	23.40	23.90	22.40
n41	90	30	2541	DFT	16QAM	Edge_1RB_Left	22.09	22.59	21.09
n41	90	30	2541	DFT	16QAM	Edge_1RB_Right	21.35	21.85	20.35
n41	90	30	2541	DFT	16QAM	Outer_Full	22.22	22.72	21.22
n41	90	30	2541	DFT	64QAM	Inner_Full	21.91	22.41	20.91
n41	90	30	2541	DFT	64QAM	Edge_1RB_Left	21.57	22.07	20.57
n41	90	30	2541	DFT	64QAM	Edge_1RB_Right	20.86	21.36	19.86



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	90	30	2541	DFT	64QAM	Outer_Full	21.68	22.18	20.68
n41	90	30	2541	DFT	pi/2 BPSK	Inner_Full	21.83	22.33	20.83
n41	90	30	2541	DFT	pi/2 BPSK	Edge_1RB_Left	22.96	23.46	21.96
n41	90	30	2541	DFT	pi/2 BPSK	Edge_1RB_Right	22.30	22.80	21.30
n41	90	30	2541	DFT	pi/2 BPSK	Outer_Full	23.16	23.66	22.16
n41	90	30	2541	DFT	QPSK	Inner_Full	24.10	24.60	23.10
n41	90	30	2541	DFT	QPSK	Edge_1RB_Left	22.98	23.48	21.98
n41	90	30	2541	DFT	QPSK	Outer_Full	23.18	23.68	22.18
n41	90	30	2541	DFT	QPSK	Edge_1RB_Right	22.30	22.80	21.30
n41	90	30	2541	CP	16QAM	Inner_Full	22.33	22.83	21.33
n41	90	30	2541	CP	16QAM	Edge_1RB_Left	22.10	22.60	21.10
n41	90	30	2541	CP	16QAM	Edge_1RB_Right	21.31	21.81	20.31
n41	90	30	2541	CP	16QAM	Outer_Full	22.12	22.62	21.12
n41	90	30	2541	CP	64QAM	Inner_Full	21.81	22.31	20.81
n41	90	30	2541	CP	64QAM	Edge_1RB_Left	21.66	22.16	20.66
n41	90	30	2541	CP	64QAM	Edge_1RB_Right	20.96	21.46	19.96
n41	90	30	2541	CP	64QAM	Outer_Full	21.61	22.11	20.61
n41	90	30	2541	CP	QPSK	Inner_Full	23.36	23.86	22.36
n41	90	30	2541	CP	QPSK	Edge_1RB_Left	22.98	23.48	21.98
n41	90	30	2541	CP	QPSK	Edge_1RB_Right	22.40	22.90	21.40
n41	90	30	2541	CP	QPSK	Outer_Full	23.20	23.70	22.20
n41	90	30	2592.99	DFT	16QAM	Inner_Full	22.81	23.31	21.81
n41	90	30	2592.99	DFT	16QAM	Edge_1RB_Left	21.61	22.11	20.61
n41	90	30	2592.99	DFT	16QAM	Edge_1RB_Right	20.68	21.18	19.68
n41	90	30	2592.99	DFT	16QAM	Outer_Full	21.72	22.22	20.72
n41	90	30	2592.99	DFT	64QAM	Inner_Full	21.38	21.88	20.38
n41	90	30	2592.99	DFT	64QAM	Edge_1RB_Left	20.97	21.47	19.97
n41	90	30	2592.99	DFT	64QAM	Edge_1RB_Right	20.29	20.79	19.29
n41	90	30	2592.99	DFT	64QAM	Outer_Full	21.25	21.75	20.25
n41	90	30	2592.99	DFT	pi/2 BPSK	Inner_Full	21.34	21.84	20.34
n41	90	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.54	23.04	21.54
n41	90	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.66	22.16	20.66
n41	90	30	2592.99	DFT	pi/2 BPSK	Outer_Full	22.67	23.17	21.67
n41	90	30	2592.99	DFT	QPSK	Inner_Full	23.70	24.20	22.70
n41	90	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.61	23.11	21.61
n41	90	30	2592.99	DFT	QPSK	Outer_Full	22.72	23.22	21.72
n41	90	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.72	22.22	20.72
n41	90	30	2592.99	CP	16QAM	Inner_Full	21.80	22.30	20.80



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	90	30	2592.99	CP	16QAM	Edge_1RB_Left	21.66	22.16	20.66
n41	90	30	2592.99	CP	16QAM	Edge_1RB_Right	20.68	21.18	19.68
n41	90	30	2592.99	CP	16QAM	Outer_Full	21.62	22.12	20.62
n41	90	30	2592.99	CP	64QAM	Inner_Full	21.33	21.83	20.33
n41	90	30	2592.99	CP	64QAM	Edge_1RB_Left	21.21	21.71	20.21
n41	90	30	2592.99	CP	64QAM	Edge_1RB_Right	20.06	20.56	19.06
n41	90	30	2592.99	CP	64QAM	Outer_Full	21.14	21.64	20.14
n41	90	30	2592.99	CP	QPSK	Inner_Full	22.84	23.34	21.84
n41	90	30	2592.99	CP	QPSK	Edge_1RB_Left	22.62	23.12	21.62
n41	90	30	2592.99	CP	QPSK	Edge_1RB_Right	21.71	22.21	20.71
n41	90	30	2592.99	CP	QPSK	Outer_Full	22.69	23.19	21.69
n41	90	30	2644.98	DFT	16QAM	Inner_Full	22.36	22.86	21.36
n41	90	30	2644.98	DFT	16QAM	Edge_1RB_Left	21.05	21.55	20.05
n41	90	30	2644.98	DFT	16QAM	Edge_1RB_Right	20.63	21.13	19.63
n41	90	30	2644.98	DFT	16QAM	Outer_Full	21.26	21.76	20.26
n41	90	30	2644.98	DFT	64QAM	Inner_Full	20.80	21.30	19.80
n41	90	30	2644.98	DFT	64QAM	Edge_1RB_Left	20.66	21.16	19.66
n41	90	30	2644.98	DFT	64QAM	Edge_1RB_Right	20.25	20.75	19.25
n41	90	30	2644.98	DFT	64QAM	Outer_Full	20.78	21.28	19.78
n41	90	30	2644.98	DFT	pi/2 BPSK	Inner_Full	20.82	21.32	19.82
n41	90	30	2644.98	DFT	pi/2 BPSK	Edge_1RB_Left	21.99	22.49	20.99
n41	90	30	2644.98	DFT	pi/2 BPSK	Edge_1RB_Right	21.61	22.11	20.61
n41	90	30	2644.98	DFT	pi/2 BPSK	Outer_Full	22.27	22.77	21.27
n41	90	30	2644.98	DFT	QPSK	Inner_Full	23.10	23.60	22.10
n41	90	30	2644.98	DFT	QPSK	Edge_1RB_Left	22.09	22.59	21.09
n41	90	30	2644.98	DFT	QPSK	Outer_Full	22.29	22.79	21.29
n41	90	30	2644.98	DFT	QPSK	Edge_1RB_Right	21.64	22.14	20.64
n41	90	30	2644.98	CP	16QAM	Inner_Full	21.22	21.72	20.22
n41	90	30	2644.98	CP	16QAM	Edge_1RB_Left	21.04	21.54	20.04
n41	90	30	2644.98	CP	16QAM	Edge_1RB_Right	20.71	21.21	19.71
n41	90	30	2644.98	CP	16QAM	Outer_Full	21.31	21.81	20.31
n41	90	30	2644.98	CP	64QAM	Inner_Full	20.72	21.22	19.72
n41	90	30	2644.98	CP	64QAM	Edge_1RB_Left	20.48	20.98	19.48
n41	90	30	2644.98	CP	64QAM	Edge_1RB_Right	20.02	20.52	19.02
n41	90	30	2644.98	CP	64QAM	Outer_Full	20.82	21.32	19.82
n41	90	30	2644.98	CP	QPSK	Inner_Full	22.33	22.83	21.33
n41	90	30	2644.98	CP	QPSK	Edge_1RB_Left	22.07	22.57	21.07
n41	90	30	2644.98	CP	QPSK	Edge_1RB_Right	21.70	22.20	20.70



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	90	30	2644.98	CP	QPSK	Outer_Full	22.26	22.76	21.26
n41	100	30	2546.01	DFT	16QAM	Inner_Full	23.28	23.78	22.28
n41	100	30	2546.01	DFT	16QAM	Edge_1RB_Left	21.86	22.36	20.86
n41	100	30	2546.01	DFT	16QAM	Edge_1RB_Right	21.08	21.58	20.08
n41	100	30	2546.01	DFT	16QAM	Outer_Full	22.02	22.52	21.02
n41	100	30	2546.01	DFT	64QAM	Inner_Full	21.77	22.27	20.77
n41	100	30	2546.01	DFT	64QAM	Edge_1RB_Left	21.23	21.73	20.23
n41	100	30	2546.01	DFT	64QAM	Edge_1RB_Right	20.52	21.02	19.52
n41	100	30	2546.01	DFT	64QAM	Outer_Full	21.58	22.08	20.58
n41	100	30	2546.01	DFT	pi/2 BPSK	Inner_Full	21.75	22.25	20.75
n41	100	30	2546.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.79	23.29	21.79
n41	100	30	2546.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.04	22.54	21.04
n41	100	30	2546.01	DFT	pi/2 BPSK	Outer_Full	23.11	23.61	22.11
n41	100	30	2546.01	DFT	QPSK	Inner_Full	24.12	24.62	23.12
n41	100	30	2546.01	DFT	QPSK	Edge_1RB_Left	22.79	23.29	21.79
n41	100	30	2546.01	DFT	QPSK	Outer_Full	23.07	23.57	22.07
n41	100	30	2546.01	DFT	QPSK	Edge_1RB_Right	22.04	22.54	21.04
n41	100	30	2546.01	CP	16QAM	Inner_Full	23.28	23.78	22.28
n41	100	30	2546.01	CP	16QAM	Edge_1RB_Left	21.79	22.29	20.79
n41	100	30	2546.01	CP	16QAM	Edge_1RB_Right	21.15	21.65	20.15
n41	100	30	2546.01	CP	16QAM	Outer_Full	22.08	22.58	21.08
n41	100	30	2546.01	CP	64QAM	Inner_Full	21.75	22.25	20.75
n41	100	30	2546.01	CP	64QAM	Edge_1RB_Left	21.29	21.79	20.29
n41	100	30	2546.01	CP	64QAM	Edge_1RB_Right	20.53	21.03	19.53
n41	100	30	2546.01	CP	64QAM	Outer_Full	21.54	22.04	20.54
n41	100	30	2546.01	CP	QPSK	Inner_Full	24.13	24.63	23.13
n41	100	30	2546.01	CP	QPSK	Edge_1RB_Left	22.79	23.29	21.79
n41	100	30	2546.01	CP	QPSK	Edge_1RB_Right	22.03	22.53	21.03
n41	100	30	2546.01	CP	QPSK	Outer_Full	23.09	23.59	22.09
n41	100	30	2592.99	DFT	16QAM	Inner_Full	22.88	23.38	21.88
n41	100	30	2592.99	DFT	16QAM	Edge_1RB_Left	21.36	21.86	20.36
n41	100	30	2592.99	DFT	16QAM	Edge_1RB_Right	20.40	20.90	19.40
n41	100	30	2592.99	DFT	16QAM	Outer_Full	21.60	22.10	20.60
n41	100	30	2592.99	DFT	64QAM	Inner_Full	21.28	21.78	20.28
n41	100	30	2592.99	DFT	64QAM	Edge_1RB_Left	21.01	21.51	20.01
n41	100	30	2592.99	DFT	64QAM	Edge_1RB_Right	19.78	20.28	18.78
n41	100	30	2592.99	DFT	64QAM	Outer_Full	21.13	21.63	20.13
n41	100	30	2592.99	DFT	pi/2 BPSK	Inner_Full	21.30	21.80	20.30



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	100	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.30	22.80	21.30
n41	100	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.35	21.85	20.35
n41	100	30	2592.99	DFT	pi/2 BPSK	Outer_Full	22.61	23.11	21.61
n41	100	30	2592.99	DFT	QPSK	Inner_Full	23.59	24.09	22.59
n41	100	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.35	22.85	21.35
n41	100	30	2592.99	DFT	QPSK	Outer_Full	22.67	23.17	21.67
n41	100	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.42	21.92	20.42
n41	100	30	2592.99	CP	16QAM	Inner_Full	22.86	23.36	21.86
n41	100	30	2592.99	CP	16QAM	Edge_1RB_Left	21.36	21.86	20.36
n41	100	30	2592.99	CP	16QAM	Edge_1RB_Right	20.37	20.87	19.37
n41	100	30	2592.99	CP	16QAM	Outer_Full	21.65	22.15	20.65
n41	100	30	2592.99	CP	64QAM	Inner_Full	21.30	21.80	20.30
n41	100	30	2592.99	CP	64QAM	Edge_1RB_Left	20.98	21.48	19.98
n41	100	30	2592.99	CP	64QAM	Edge_1RB_Right	20.05	20.55	19.05
n41	100	30	2592.99	CP	64QAM	Outer_Full	21.08	21.58	20.08
n41	100	30	2592.99	CP	QPSK	Inner_Full	23.68	24.18	22.68
n41	100	30	2592.99	CP	QPSK	Edge_1RB_Left	22.37	22.87	21.37
n41	100	30	2592.99	CP	QPSK	Edge_1RB_Right	21.43	21.93	20.43
n41	100	30	2592.99	CP	QPSK	Outer_Full	22.67	23.17	21.67
n41	100	30	2640	DFT	16QAM	Inner_Full	22.31	22.81	21.31
n41	100	30	2640	DFT	16QAM	Edge_1RB_Left	20.96	21.46	19.96
n41	100	30	2640	DFT	16QAM	Edge_1RB_Right	20.39	20.89	19.39
n41	100	30	2640	DFT	16QAM	Outer_Full	21.30	21.80	20.30
n41	100	30	2640	DFT	64QAM	Inner_Full	20.76	21.26	19.76
n41	100	30	2640	DFT	64QAM	Edge_1RB_Left	20.29	20.79	19.29
n41	100	30	2640	DFT	64QAM	Edge_1RB_Right	19.77	20.27	18.77
n41	100	30	2640	DFT	64QAM	Outer_Full	20.74	21.24	19.74
n41	100	30	2640	DFT	pi/2 BPSK	Inner_Full	20.84	21.34	19.84
n41	100	30	2640	DFT	pi/2 BPSK	Edge_1RB_Left	21.90	22.40	20.90
n41	100	30	2640	DFT	pi/2 BPSK	Edge_1RB_Right	21.42	21.92	20.42
n41	100	30	2640	DFT	pi/2 BPSK	Outer_Full	22.25	22.75	21.25
n41	100	30	2640	DFT	QPSK	Inner_Full	23.16	23.66	22.16
n41	100	30	2640	DFT	QPSK	Edge_1RB_Left	21.99	22.49	20.99
n41	100	30	2640	DFT	QPSK	Outer_Full	22.28	22.78	21.28
n41	100	30	2640	DFT	QPSK	Edge_1RB_Right	21.40	21.90	20.40
n41	100	30	2640	CP	16QAM	Inner_Full	22.34	22.84	21.34
n41	100	30	2640	CP	16QAM	Edge_1RB_Left	20.95	21.45	19.95
n41	100	30	2640	CP	16QAM	Edge_1RB_Right	20.47	20.97	19.47





BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	100	30	2640	CP	16QAM	Outer_Full	21.23	21.73	20.23
n41	100	30	2640	CP	64QAM	Inner_Full	20.82	21.32	19.82
n41	100	30	2640	CP	64QAM	Edge_1RB_Left	20.54	21.04	19.54
n41	100	30	2640	CP	64QAM	Edge_1RB_Right	19.82	20.32	18.82
n41	100	30	2640	CP	64QAM	Outer_Full	20.73	21.23	19.73
n41	100	30	2640	CP	QPSK	Inner_Full	23.17	23.67	22.17
n41	100	30	2640	CP	QPSK	Edge_1RB_Left	21.98	22.48	20.98
n41	100	30	2640	CP	QPSK	Edge_1RB_Right	21.45	21.95	20.45
n41	100	30	2640	CP	QPSK	Outer_Full	22.31	22.81	21.31
n66	5	15	1712.5	DFT	16QAM	Inner_Full	21.86	18.76	19.06
n66	5	15	1712.5	DFT	16QAM	Edge_1RB_Left	20.95	17.85	18.15
n66	5	15	1712.5	DFT	16QAM	Edge_1RB_Right	20.48	17.38	17.68
n66	5	15	1712.5	DFT	16QAM	Outer_Full	20.83	17.73	18.03
n66	5	15	1712.5	DFT	64QAM	Inner_Full	20.40	17.30	17.60
n66	5	15	1712.5	DFT	64QAM	Edge_1RB_Left	20.13	17.03	17.33
n66	5	15	1712.5	DFT	64QAM	Edge_1RB_Right	20.17	17.07	17.37
n66	5	15	1712.5	DFT	64QAM	Outer_Full	20.30	17.20	17.50
n66	5	15	1712.5	DFT	pi/2 BPSK	Inner_Full	22.81	19.71	20.01
n66	5	15	1712.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.25	19.15	19.45
n66	5	15	1712.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.33	19.23	19.53
n66	5	15	1712.5	DFT	pi/2 BPSK	Outer_Full	22.36	19.26	19.56
n66	5	15	1712.5	DFT	QPSK	Inner_Full	22.86	19.76	20.06
n66	5	15	1712.5	DFT	QPSK	Edge_1RB_Left	21.84	18.74	19.04
n66	5	15	1712.5	DFT	QPSK	Edge_1RB_Right	21.75	18.65	18.95
n66	5	15	1712.5	DFT	QPSK	Outer_Full	21.85	18.75	19.05
n66	5	15	1712.5	CP	16QAM	Inner_Full	20.81	17.71	18.01
n66	5	15	1712.5	CP	16QAM	Edge_1RB_Left	20.16	17.06	17.36
n66	5	15	1712.5	CP	16QAM	Edge_1RB_Right	19.76	16.66	16.96
n66	5	15	1712.5	CP	16QAM	Outer_Full	19.73	16.63	16.93
n66	5	15	1712.5	CP	64QAM	Inner_Full	19.20	16.10	16.40
n66	5	15	1712.5	CP	64QAM	Edge_1RB_Left	19.11	16.01	16.31
n66	5	15	1712.5	CP	64QAM	Edge_1RB_Right	19.01	15.91	16.21
n66	5	15	1712.5	CP	64QAM	Outer_Full	19.34	16.24	16.54
n66	5	15	1712.5	CP	QPSK	Inner_Full	21.30	18.20	18.50
n66	5	15	1712.5	CP	QPSK	Edge_1RB_Left	19.96	16.86	17.16
n66	5	15	1712.5	CP	QPSK	Edge_1RB_Right	19.94	16.84	17.14
n66	5	15	1712.5	CP	QPSK	Outer_Full	19.81	16.71	17.01
n66	5	15	1745	DFT	16QAM	Inner_Full	21.71	18.61	18.91



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n66	5	15	1745	DFT	16QAM	Edge_1RB_Left	20.81	17.71	18.01
n66	5	15	1745	DFT	16QAM	Edge_1RB_Right	20.37	17.27	17.57
n66	5	15	1745	DFT	16QAM	Outer_Full	20.63	17.53	17.83
n66	5	15	1745	DFT	64QAM	Inner_Full	20.24	17.14	17.44
n66	5	15	1745	DFT	64QAM	Edge_1RB_Left	20.13	17.03	17.33
n66	5	15	1745	DFT	64QAM	Edge_1RB_Right	20.02	16.92	17.22
n66	5	15	1745	DFT	64QAM	Outer_Full	20.19	17.09	17.39
n66	5	15	1745	DFT	pi/2 BPSK	Inner_Full	22.73	19.63	19.93
n66	5	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	22.19	19.09	19.39
n66	5	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	22.19	19.09	19.39
n66	5	15	1745	DFT	pi/2 BPSK	Outer_Full	22.25	19.15	19.45
n66	5	15	1745	DFT	QPSK	Inner_Full	22.79	19.69	19.99
n66	5	15	1745	DFT	QPSK	Edge_1RB_Left	21.70	18.60	18.90
n66	5	15	1745	DFT	QPSK	Edge_1RB_Right	21.65	18.55	18.85
n66	5	15	1745	DFT	QPSK	Outer_Full	21.73	18.63	18.93
n66	5	15	1745	CP	16QAM	Inner_Full	20.61	17.51	17.81
n66	5	15	1745	CP	16QAM	Edge_1RB_Left	19.57	16.47	16.77
n66	5	15	1745	CP	16QAM	Edge_1RB_Right	20.00	16.90	17.20
n66	5	15	1745	CP	16QAM	Outer_Full	19.69	16.59	16.89
n66	5	15	1745	CP	64QAM	Inner_Full	18.96	15.86	16.16
n66	5	15	1745	CP	64QAM	Edge_1RB_Left	19.14	16.04	16.34
n66	5	15	1745	CP	64QAM	Edge_1RB_Right	19.20	16.10	16.40
n66	5	15	1745	CP	64QAM	Outer_Full	19.16	16.06	16.36
n66	5	15	1745	CP	QPSK	Inner_Full	21.18	18.08	18.38
n66	5	15	1745	CP	QPSK	Edge_1RB_Left	19.78	16.68	16.98
n66	5	15	1745	CP	QPSK	Edge_1RB_Right	19.68	16.58	16.88
n66	5	15	1745	CP	QPSK	Outer_Full	19.62	16.52	16.82
n66	5	15	1777.5	DFT	16QAM	Inner_Full	21.40	18.30	18.60
n66	5	15	1777.5	DFT	16QAM	Edge_1RB_Left	20.17	17.07	17.37
n66	5	15	1777.5	DFT	16QAM	Edge_1RB_Right	20.55	17.45	17.75
n66	5	15	1777.5	DFT	16QAM	Outer_Full	20.48	17.38	17.68
n66	5	15	1777.5	DFT	64QAM	Inner_Full	19.96	16.86	17.16
n66	5	15	1777.5	DFT	64QAM	Edge_1RB_Left	19.85	16.75	17.05
n66	5	15	1777.5	DFT	64QAM	Edge_1RB_Right	19.78	16.68	16.98
n66	5	15	1777.5	DFT	64QAM	Outer_Full	19.98	16.88	17.18
n66	5	15	1777.5	DFT	pi/2 BPSK	Inner_Full	22.44	19.34	19.64
n66	5	15	1777.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.94	18.84	19.14
n66	5	15	1777.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.90	18.80	19.10



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n66	5	15	1777.5	DFT	pi/2 BPSK	Outer_Full	22.00	18.90	19.20
n66	5	15	1777.5	DFT	QPSK	Inner_Full	22.47	19.37	19.67
n66	5	15	1777.5	DFT	QPSK	Edge_1RB_Left	21.44	18.34	18.64
n66	5	15	1777.5	DFT	QPSK	Edge_1RB_Right	21.42	18.32	18.62
n66	5	15	1777.5	DFT	QPSK	Outer_Full	21.46	18.36	18.66
n66	5	15	1777.5	CP	16QAM	Inner_Full	20.43	17.33	17.63
n66	5	15	1777.5	CP	16QAM	Edge_1RB_Left	19.81	16.71	17.01
n66	5	15	1777.5	CP	16QAM	Edge_1RB_Right	19.83	16.73	17.03
n66	5	15	1777.5	CP	16QAM	Outer_Full	19.37	16.27	16.57
n66	5	15	1777.5	CP	64QAM	Inner_Full	18.81	15.71	16.01
n66	5	15	1777.5	CP	64QAM	Edge_1RB_Left	18.90	15.80	16.10
n66	5	15	1777.5	CP	64QAM	Edge_1RB_Right	18.96	15.86	16.16
n66	5	15	1777.5	CP	64QAM	Outer_Full	18.89	15.79	16.09
n66	5	15	1777.5	CP	QPSK	Inner_Full	20.91	17.81	18.11
n66	5	15	1777.5	CP	QPSK	Edge_1RB_Left	19.42	16.32	16.62
n66	5	15	1777.5	CP	QPSK	Edge_1RB_Right	19.49	16.39	16.69
n66	5	15	1777.5	CP	QPSK	Outer_Full	19.45	16.35	16.65
n66	10	15	1715	DFT	16QAM	Inner_Full	21.63	18.53	18.83
n66	10	15	1715	DFT	16QAM	Edge_1RB_Left	20.71	17.61	17.91
n66	10	15	1715	DFT	16QAM	Edge_1RB_Right	20.71	17.61	17.91
n66	10	15	1715	DFT	16QAM	Outer_Full	20.57	17.47	17.77
n66	10	15	1715	DFT	64QAM	Inner_Full	20.08	16.98	17.28
n66	10	15	1715	DFT	64QAM	Edge_1RB_Left	19.91	16.81	17.11
n66	10	15	1715	DFT	64QAM	Edge_1RB_Right	19.92	16.82	17.12
n66	10	15	1715	DFT	64QAM	Outer_Full	20.10	17.00	17.30
n66	10	15	1715	DFT	pi/2 BPSK	Inner_Full	22.67	19.57	19.87
n66	10	15	1715	DFT	pi/2 BPSK	Edge_1RB_Left	22.09	18.99	19.29
n66	10	15	1715	DFT	pi/2 BPSK	Edge_1RB_Right	22.04	18.94	19.24
n66	10	15	1715	DFT	pi/2 BPSK	Outer_Full	22.13	19.03	19.33
n66	10	15	1715	DFT	QPSK	Inner_Full	22.67	19.57	19.87
n66	10	15	1715	DFT	QPSK	Edge_1RB_Left	21.63	18.53	18.83
n66	10	15	1715	DFT	QPSK	Edge_1RB_Right	21.58	18.48	18.78
n66	10	15	1715	DFT	QPSK	Outer_Full	21.57	18.47	18.77
n66	10	15	1715	CP	16QAM	Inner_Full	20.59	17.49	17.79
n66	10	15	1715	CP	16QAM	Edge_1RB_Left	19.57	16.47	16.77
n66	10	15	1715	CP	16QAM	Edge_1RB_Right	19.47	16.37	16.67
n66	10	15	1715	CP	16QAM	Outer_Full	19.64	16.54	16.84
n66	10	15	1715	CP	64QAM	Inner_Full	19.07	15.97	16.27



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n66	10	15	1715	CP	64QAM	Edge_1RB_Left	19.01	15.91	16.21
n66	10	15	1715	CP	64QAM	Edge_1RB_Right	19.02	15.92	16.22
n66	10	15	1715	CP	64QAM	Outer_Full	19.16	16.06	16.36
n66	10	15	1715	CP	QPSK	Inner_Full	21.11	18.01	18.31
n66	10	15	1715	CP	QPSK	Edge_1RB_Left	19.73	16.63	16.93
n66	10	15	1715	CP	QPSK	Edge_1RB_Right	19.61	16.51	16.81
n66	10	15	1715	CP	QPSK	Outer_Full	19.61	16.51	16.81
n66	10	15	1745	DFT	16QAM	Inner_Full	21.56	18.46	18.76
n66	10	15	1745	DFT	16QAM	Edge_1RB_Left	20.59	17.49	17.79
n66	10	15	1745	DFT	16QAM	Edge_1RB_Right	20.55	17.45	17.75
n66	10	15	1745	DFT	16QAM	Outer_Full	20.52	17.42	17.72
n66	10	15	1745	DFT	64QAM	Inner_Full	20.06	16.96	17.26
n66	10	15	1745	DFT	64QAM	Edge_1RB_Left	19.80	16.70	17.00
n66	10	15	1745	DFT	64QAM	Edge_1RB_Right	19.78	16.68	16.98
n66	10	15	1745	DFT	64QAM	Outer_Full	19.99	16.89	17.19
n66	10	15	1745	DFT	pi/2 BPSK	Inner_Full	22.61	19.51	19.81
n66	10	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	22.02	18.92	19.22
n66	10	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	21.90	18.80	19.10
n66	10	15	1745	DFT	pi/2 BPSK	Outer_Full	22.10	19.00	19.30
n66	10	15	1745	DFT	QPSK	Inner_Full	22.62	19.52	19.82
n66	10	15	1745	DFT	QPSK	Edge_1RB_Left	21.47	18.37	18.67
n66	10	15	1745	DFT	QPSK	Edge_1RB_Right	21.51	18.41	18.71
n66	10	15	1745	DFT	QPSK	Outer_Full	21.57	18.47	18.77
n66	10	15	1745	CP	16QAM	Inner_Full	20.52	17.42	17.72
n66	10	15	1745	CP	16QAM	Edge_1RB_Left	19.41	16.31	16.61
n66	10	15	1745	CP	16QAM	Edge_1RB_Right	19.65	16.55	16.85
n66	10	15	1745	CP	16QAM	Outer_Full	19.57	16.47	16.77
n66	10	15	1745	CP	64QAM	Inner_Full	19.05	15.95	16.25
n66	10	15	1745	CP	64QAM	Edge_1RB_Left	18.82	15.72	16.02
n66	10	15	1745	CP	64QAM	Edge_1RB_Right	18.93	15.83	16.13
n66	10	15	1745	CP	64QAM	Outer_Full	19.12	16.02	16.32
n66	10	15	1745	CP	QPSK	Inner_Full	21.00	17.90	18.20
n66	10	15	1745	CP	QPSK	Edge_1RB_Left	19.47	16.37	16.67
n66	10	15	1745	CP	QPSK	Edge_1RB_Right	19.47	16.37	16.67
n66	10	15	1745	CP	QPSK	Outer_Full	19.48	16.38	16.68
n66	10	15	1775	DFT	16QAM	Inner_Full	21.30	18.20	18.50
n66	10	15	1775	DFT	16QAM	Edge_1RB_Left	20.39	17.29	17.59
n66	10	15	1775	DFT	16QAM	Edge_1RB_Right	20.02	16.92	17.22



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n66	10	15	1775	DFT	16QAM	Outer_Full	20.33	17.23	17.53
n66	10	15	1775	DFT	64QAM	Inner_Full	19.81	16.71	17.01
n66	10	15	1775	DFT	64QAM	Edge_1RB_Left	19.65	16.55	16.85
n66	10	15	1775	DFT	64QAM	Edge_1RB_Right	19.50	16.40	16.70
n66	10	15	1775	DFT	64QAM	Outer_Full	19.82	16.72	17.02
n66	10	15	1775	DFT	pi/2 BPSK	Inner_Full	22.33	19.23	19.53
n66	10	15	1775	DFT	pi/2 BPSK	Edge_1RB_Left	21.76	18.66	18.96
n66	10	15	1775	DFT	pi/2 BPSK	Edge_1RB_Right	21.70	18.60	18.90
n66	10	15	1775	DFT	pi/2 BPSK	Outer_Full	21.91	18.81	19.11
n66	10	15	1775	DFT	QPSK	Inner_Full	22.33	19.23	19.53
n66	10	15	1775	DFT	QPSK	Edge_1RB_Left	21.23	18.13	18.43
n66	10	15	1775	DFT	QPSK	Edge_1RB_Right	21.18	18.08	18.38
n66	10	15	1775	DFT	QPSK	Outer_Full	21.35	18.25	18.55
n66	10	15	1775	CP	16QAM	Inner_Full	20.28	17.18	17.48
n66	10	15	1775	CP	16QAM	Edge_1RB_Left	19.09	15.99	16.29
n66	10	15	1775	CP	16QAM	Edge_1RB_Right	19.13	16.03	16.33
n66	10	15	1775	CP	16QAM	Outer_Full	19.26	16.16	16.46
n66	10	15	1775	CP	64QAM	Inner_Full	18.74	15.64	15.94
n66	10	15	1775	CP	64QAM	Edge_1RB_Left	18.71	15.61	15.91
n66	10	15	1775	CP	64QAM	Edge_1RB_Right	18.70	15.60	15.90
n66	10	15	1775	CP	64QAM	Outer_Full	18.73	15.63	15.93
n66	10	15	1775	CP	QPSK	Inner_Full	20.78	17.68	17.98
n66	10	15	1775	CP	QPSK	Edge_1RB_Left	19.28	16.18	16.48
n66	10	15	1775	CP	QPSK	Edge_1RB_Right	19.24	16.14	16.44
n66	10	15	1775	CP	QPSK	Outer_Full	19.31	16.21	16.51
n66	15	15	1717.5	DFT	16QAM	Inner_Full	21.73	18.63	18.93
n66	15	15	1717.5	DFT	16QAM	Edge_1RB_Left	20.37	17.27	17.57
n66	15	15	1717.5	DFT	16QAM	Edge_1RB_Right	20.76	17.66	17.96
n66	15	15	1717.5	DFT	16QAM	Outer_Full	20.76	17.66	17.96
n66	15	15	1717.5	DFT	64QAM	Inner_Full	20.25	17.15	17.45
n66	15	15	1717.5	DFT	64QAM	Edge_1RB_Left	20.02	16.92	17.22
n66	15	15	1717.5	DFT	64QAM	Edge_1RB_Right	20.00	16.90	17.20
n66	15	15	1717.5	DFT	64QAM	Outer_Full	20.23	17.13	17.43
n66	15	15	1717.5	DFT	pi/2 BPSK	Inner_Full	22.78	19.68	19.98
n66	15	15	1717.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.18	19.08	19.38
n66	15	15	1717.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.14	19.04	19.34
n66	15	15	1717.5	DFT	pi/2 BPSK	Outer_Full	22.22	19.12	19.42
n66	15	15	1717.5	DFT	QPSK	Inner_Full	22.78	19.68	19.98



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n66	15	15	1717.5	DFT	QPSK	Edge_1RB_Left	21.71	18.61	18.91
n66	15	15	1717.5	DFT	QPSK	Edge_1RB_Right	21.66	18.56	18.86
n66	15	15	1717.5	DFT	QPSK	Outer_Full	21.72	18.62	18.92
n66	15	15	1717.5	CP	16QAM	Inner_Full	20.78	17.68	17.98
n66	15	15	1717.5	CP	16QAM	Edge_1RB_Left	19.64	16.54	16.84
n66	15	15	1717.5	CP	16QAM	Edge_1RB_Right	19.48	16.38	16.68
n66	15	15	1717.5	CP	16QAM	Outer_Full	19.72	16.62	16.92
n66	15	15	1717.5	CP	64QAM	Inner_Full	19.07	15.97	16.27
n66	15	15	1717.5	CP	64QAM	Edge_1RB_Left	19.13	16.03	16.33
n66	15	15	1717.5	CP	64QAM	Edge_1RB_Right	19.15	16.05	16.35
n66	15	15	1717.5	CP	64QAM	Outer_Full	19.22	16.12	16.42
n66	15	15	1717.5	CP	QPSK	Inner_Full	21.23	18.13	18.43
n66	15	15	1717.5	CP	QPSK	Edge_1RB_Left	19.73	16.63	16.93
n66	15	15	1717.5	CP	QPSK	Edge_1RB_Right	19.61	16.51	16.81
n66	15	15	1717.5	CP	QPSK	Outer_Full	19.72	16.62	16.92
n66	15	15	1745	DFT	16QAM	Inner_Full	21.70	18.60	18.90
n66	15	15	1745	DFT	16QAM	Edge_1RB_Left	20.72	17.62	17.92
n66	15	15	1745	DFT	16QAM	Edge_1RB_Right	20.19	17.09	17.39
n66	15	15	1745	DFT	16QAM	Outer_Full	20.69	17.59	17.89
n66	15	15	1745	DFT	64QAM	Inner_Full	20.20	17.10	17.40
n66	15	15	1745	DFT	64QAM	Edge_1RB_Left	19.95	16.85	17.15
n66	15	15	1745	DFT	64QAM	Edge_1RB_Right	19.89	16.79	17.09
n66	15	15	1745	DFT	64QAM	Outer_Full	20.17	17.07	17.37
n66	15	15	1745	DFT	pi/2 BPSK	Inner_Full	22.70	19.60	19.90
n66	15	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	22.17	19.07	19.37
n66	15	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	21.99	18.89	19.19
n66	15	15	1745	DFT	pi/2 BPSK	Outer_Full	22.23	19.13	19.43
n66	15	15	1745	DFT	QPSK	Inner_Full	22.66	19.56	19.86
n66	15	15	1745	DFT	QPSK	Edge_1RB_Left	21.68	18.58	18.88
n66	15	15	1745	DFT	QPSK	Edge_1RB_Right	21.48	18.38	18.68
n66	15	15	1745	DFT	QPSK	Outer_Full	21.71	18.61	18.91
n66	15	15	1745	CP	16QAM	Inner_Full	20.64	17.54	17.84
n66	15	15	1745	CP	16QAM	Edge_1RB_Left	19.46	16.36	16.66
n66	15	15	1745	CP	16QAM	Edge_1RB_Right	19.28	16.18	16.48
n66	15	15	1745	CP	16QAM	Outer_Full	19.67	16.57	16.87
n66	15	15	1745	CP	64QAM	Inner_Full	19.08	15.98	16.28
n66	15	15	1745	CP	64QAM	Edge_1RB_Left	18.99	15.89	16.19
n66	15	15	1745	CP	64QAM	Edge_1RB_Right	18.91	15.81	16.11



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n66	15	15	1745	CP	64QAM	Outer_Full	19.14	16.04	16.34
n66	15	15	1745	CP	QPSK	Inner_Full	21.15	18.05	18.35
n66	15	15	1745	CP	QPSK	Edge_1RB_Left	19.58	16.48	16.78
n66	15	15	1745	CP	QPSK	Edge_1RB_Right	19.52	16.42	16.72
n66	15	15	1745	CP	QPSK	Outer_Full	19.69	16.59	16.89
n66	15	15	1772.5	DFT	16QAM	Inner_Full	21.46	18.36	18.66
n66	15	15	1772.5	DFT	16QAM	Edge_1RB_Left	20.45	17.35	17.65
n66	15	15	1772.5	DFT	16QAM	Edge_1RB_Right	20.36	17.26	17.56
n66	15	15	1772.5	DFT	16QAM	Outer_Full	20.51	17.41	17.71
n66	15	15	1772.5	DFT	64QAM	Inner_Full	20.04	16.94	17.24
n66	15	15	1772.5	DFT	64QAM	Edge_1RB_Left	19.73	16.63	16.93
n66	15	15	1772.5	DFT	64QAM	Edge_1RB_Right	19.70	16.60	16.90
n66	15	15	1772.5	DFT	64QAM	Outer_Full	19.94	16.84	17.14
n66	15	15	1772.5	DFT	pi/2 BPSK	Inner_Full	22.44	19.34	19.64
n66	15	15	1772.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.91	18.81	19.11
n66	15	15	1772.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.82	18.72	19.02
n66	15	15	1772.5	DFT	pi/2 BPSK	Outer_Full	22.00	18.90	19.20
n66	15	15	1772.5	DFT	QPSK	Inner_Full	22.53	19.43	19.73
n66	15	15	1772.5	DFT	QPSK	Edge_1RB_Left	21.44	18.34	18.64
n66	15	15	1772.5	DFT	QPSK	Edge_1RB_Right	21.35	18.25	18.55
n66	15	15	1772.5	DFT	QPSK	Outer_Full	21.50	18.40	18.70
n66	15	15	1772.5	CP	16QAM	Inner_Full	20.42	17.32	17.62
n66	15	15	1772.5	CP	16QAM	Edge_1RB_Left	19.27	16.17	16.47
n66	15	15	1772.5	CP	16QAM	Edge_1RB_Right	19.16	16.06	16.36
n66	15	15	1772.5	CP	16QAM	Outer_Full	19.48	16.38	16.68
n66	15	15	1772.5	CP	64QAM	Inner_Full	18.86	15.76	16.06
n66	15	15	1772.5	CP	64QAM	Edge_1RB_Left	18.99	15.89	16.19
n66	15	15	1772.5	CP	64QAM	Edge_1RB_Right	18.88	15.78	16.08
n66	15	15	1772.5	CP	64QAM	Outer_Full	18.92	15.82	16.12
n66	15	15	1772.5	CP	QPSK	Inner_Full	20.94	17.84	18.14
n66	15	15	1772.5	CP	QPSK	Edge_1RB_Left	19.46	16.36	16.66
n66	15	15	1772.5	CP	QPSK	Edge_1RB_Right	19.25	16.15	16.45
n66	15	15	1772.5	CP	QPSK	Outer_Full	19.48	16.38	16.68
n66	20	15	1720	DFT	16QAM	Inner_Full	21.79	18.69	18.99
n66	20	15	1720	DFT	16QAM	Edge_1RB_Left	20.74	17.64	17.94
n66	20	15	1720	DFT	16QAM	Edge_1RB_Right	20.32	17.22	17.52
n66	20	15	1720	DFT	16QAM	Outer_Full	20.65	17.55	17.85
n66	20	15	1720	DFT	64QAM	Inner_Full	20.24	17.14	17.44



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n66	20	15	1720	DFT	64QAM	Edge_1RB_Left	20.02	16.92	17.22
n66	20	15	1720	DFT	64QAM	Edge_1RB_Right	19.92	16.82	17.12
n66	20	15	1720	DFT	64QAM	Outer_Full	20.14	17.04	17.34
n66	20	15	1720	DFT	pi/2 BPSK	Inner_Full	22.70	19.60	19.90
n66	20	15	1720	DFT	pi/2 BPSK	Edge_1RB_Left	22.15	19.05	19.35
n66	20	15	1720	DFT	pi/2 BPSK	Edge_1RB_Right	22.08	18.98	19.28
n66	20	15	1720	DFT	pi/2 BPSK	Outer_Full	22.13	19.03	19.33
n66	20	15	1720	DFT	QPSK	Inner_Full	22.82	19.72	20.02
n66	20	15	1720	DFT	QPSK	Edge_1RB_Left	21.66	18.56	18.86
n66	20	15	1720	DFT	QPSK	Edge_1RB_Right	21.58	18.48	18.78
n66	20	15	1720	DFT	QPSK	Outer_Full	21.65	18.55	18.85
n66	20	15	1720	CP	16QAM	Inner_Full	20.75	17.65	17.95
n66	20	15	1720	CP	16QAM	Edge_1RB_Left	20.08	16.98	17.28
n66	20	15	1720	CP	16QAM	Edge_1RB_Right	19.41	16.31	16.61
n66	20	15	1720	CP	16QAM	Outer_Full	19.64	16.54	16.84
n66	20	15	1720	CP	64QAM	Inner_Full	19.19	16.09	16.39
n66	20	15	1720	CP	64QAM	Edge_1RB_Left	19.22	16.12	16.42
n66	20	15	1720	CP	64QAM	Edge_1RB_Right	19.05	15.95	16.25
n66	20	15	1720	CP	64QAM	Outer_Full	19.06	15.96	16.26
n66	20	15	1720	CP	QPSK	Inner_Full	21.22	18.12	18.42
n66	20	15	1720	CP	QPSK	Edge_1RB_Left	19.83	16.73	17.03
n66	20	15	1720	CP	QPSK	Edge_1RB_Right	19.49	16.39	16.69
n66	20	15	1720	CP	QPSK	Outer_Full	19.62	16.52	16.82
n66	20	15	1745	DFT	16QAM	Inner_Full	21.76	18.66	18.96
n66	20	15	1745	DFT	16QAM	Edge_1RB_Left	20.26	17.16	17.46
n66	20	15	1745	DFT	16QAM	Edge_1RB_Right	20.58	17.48	17.78
n66	20	15	1745	DFT	16QAM	Outer_Full	20.72	17.62	17.92
n66	20	15	1745	DFT	64QAM	Inner_Full	20.14	17.04	17.34
n66	20	15	1745	DFT	64QAM	Edge_1RB_Left	19.91	16.81	17.11
n66	20	15	1745	DFT	64QAM	Edge_1RB_Right	19.80	16.70	17.00
n66	20	15	1745	DFT	64QAM	Outer_Full	20.21	17.11	17.41
n66	20	15	1745	DFT	pi/2 BPSK	Inner_Full	22.69	19.59	19.89
n66	20	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	22.07	18.97	19.27
n66	20	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	21.94	18.84	19.14
n66	20	15	1745	DFT	pi/2 BPSK	Outer_Full	22.23	19.13	19.43
n66	20	15	1745	DFT	QPSK	Inner_Full	22.73	19.63	19.93
n66	20	15	1745	DFT	QPSK	Edge_1RB_Left	21.54	18.44	18.74
n66	20	15	1745	DFT	QPSK	Edge_1RB_Right	21.49	18.39	18.69





BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n66	20	15	1745	DFT	QPSK	Outer_Full	21.75	18.65	18.95
n66	20	15	1745	CP	16QAM	Inner_Full	20.65	17.55	17.85
n66	20	15	1745	CP	16QAM	Edge_1RB_Left	19.42	16.32	16.62
n66	20	15	1745	CP	16QAM	Edge_1RB_Right	19.78	16.68	16.98
n66	20	15	1745	CP	16QAM	Outer_Full	19.60	16.50	16.80
n66	20	15	1745	CP	64QAM	Inner_Full	19.13	16.03	16.33
n66	20	15	1745	CP	64QAM	Edge_1RB_Left	19.11	16.01	16.31
n66	20	15	1745	CP	64QAM	Edge_1RB_Right	18.95	15.85	16.15
n66	20	15	1745	CP	64QAM	Outer_Full	19.21	16.11	16.41
n66	20	15	1745	CP	QPSK	Inner_Full	21.23	18.13	18.43
n66	20	15	1745	CP	QPSK	Edge_1RB_Left	19.66	16.56	16.86
n66	20	15	1745	CP	QPSK	Edge_1RB_Right	19.42	16.32	16.62
n66	20	15	1745	CP	QPSK	Outer_Full	19.68	16.58	16.88
n66	20	15	1770	DFT	16QAM	Inner_Full	21.49	18.39	18.69
n66	20	15	1770	DFT	16QAM	Edge_1RB_Left	20.58	17.48	17.78
n66	20	15	1770	DFT	16QAM	Edge_1RB_Right	20.35	17.25	17.55
n66	20	15	1770	DFT	16QAM	Outer_Full	20.59	17.49	17.79
n66	20	15	1770	DFT	64QAM	Inner_Full	20.03	16.93	17.23
n66	20	15	1770	DFT	64QAM	Edge_1RB_Left	19.79	16.69	16.99
n66	20	15	1770	DFT	64QAM	Edge_1RB_Right	19.63	16.53	16.83
n66	20	15	1770	DFT	64QAM	Outer_Full	20.04	16.94	17.24
n66	20	15	1770	DFT	pi/2 BPSK	Inner_Full	22.50	19.40	19.70
n66	20	15	1770	DFT	pi/2 BPSK	Edge_1RB_Left	21.91	18.81	19.11
n66	20	15	1770	DFT	pi/2 BPSK	Edge_1RB_Right	21.79	18.69	18.99
n66	20	15	1770	DFT	pi/2 BPSK	Outer_Full	22.04	18.94	19.24
n66	20	15	1770	DFT	QPSK	Inner_Full	22.53	19.43	19.73
n66	20	15	1770	DFT	QPSK	Edge_1RB_Left	21.40	18.30	18.60
n66	20	15	1770	DFT	QPSK	Edge_1RB_Right	21.29	18.19	18.49
n66	20	15	1770	DFT	QPSK	Outer_Full	21.53	18.43	18.73
n66	20	15	1770	CP	16QAM	Inner_Full	20.48	17.38	17.68
n66	20	15	1770	CP	16QAM	Edge_1RB_Left	19.68	16.58	16.88
n66	20	15	1770	CP	16QAM	Edge_1RB_Right	19.07	15.97	16.27
n66	20	15	1770	CP	16QAM	Outer_Full	19.48	16.38	16.68
n66	20	15	1770	CP	64QAM	Inner_Full	18.93	15.83	16.13
n66	20	15	1770	CP	64QAM	Edge_1RB_Left	18.71	15.61	15.91
n66	20	15	1770	CP	64QAM	Edge_1RB_Right	18.79	15.69	15.99
n66	20	15	1770	CP	64QAM	Outer_Full	19.00	15.90	16.20
n66	20	15	1770	CP	QPSK	Inner_Full	20.98	17.88	18.18



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n66	20	15	1770	CP	QPSK	Edge_1RB_Left	19.40	16.30	16.60
n66	20	15	1770	CP	QPSK	Edge_1RB_Right	19.29	16.19	16.49
n66	20	15	1770	CP	QPSK	Outer_Full	19.44	16.34	16.64
n66	30	15	1770	DFT	16QAM	Inner_Full	21.65	18.55	18.85
n66	30	15	1770	DFT	16QAM	Edge_1RB_Left	20.54	17.44	17.74
n66	30	15	1770	DFT	16QAM	Edge_1RB_Right	20.37	17.27	17.57
n66	30	15	1770	DFT	16QAM	Outer_Full	20.55	17.45	17.75
n66	30	15	1770	DFT	16QAM	Inner_Full	21.70	18.60	18.90
n66	30	15	1770	DFT	16QAM	Edge_1RB_Left	20.53	17.43	17.73
n66	30	15	1770	DFT	16QAM	Edge_1RB_Right	20.34	17.24	17.54
n66	30	15	1770	DFT	16QAM	Outer_Full	20.58	17.48	17.78
n66	30	15	1770	DFT	16QAM	Inner_Full	21.64	18.54	18.84
n66	30	15	1770	DFT	16QAM	Edge_1RB_Left	20.56	17.46	17.76
n66	30	15	1770	DFT	16QAM	Edge_1RB_Right	20.36	17.26	17.56
n66	30	15	1770	DFT	16QAM	Outer_Full	20.59	17.49	17.79
n66	30	15	1770	DFT	64QAM	Inner_Full	20.16	17.06	17.36
n66	30	15	1770	DFT	64QAM	Edge_1RB_Left	19.97	16.87	17.17
n66	30	15	1770	DFT	64QAM	Edge_1RB_Right	20.01	16.91	17.21
n66	30	15	1770	DFT	64QAM	Outer_Full	20.01	16.91	17.21
n66	30	15	1770	DFT	64QAM	Inner_Full	20.12	17.02	17.32
n66	30	15	1770	DFT	64QAM	Edge_1RB_Left	20.01	16.91	17.21
n66	30	15	1770	DFT	64QAM	Edge_1RB_Right	20.01	16.91	17.21
n66	30	15	1770	DFT	64QAM	Outer_Full	20.03	16.93	17.23
n66	30	15	1770	DFT	64QAM	Inner_Full	20.14	17.04	17.34
n66	30	15	1770	DFT	64QAM	Edge_1RB_Left	19.87	16.77	17.07
n66	30	15	1770	DFT	64QAM	Edge_1RB_Right	19.71	16.61	16.91
n66	30	15	1770	DFT	64QAM	Outer_Full	20.02	16.92	17.22
n66	30	15	1770	DFT	pi/2 BPSK	Inner_Full	22.70	19.60	19.90
n66	30	15	1770	DFT	pi/2 BPSK	Edge_1RB_Left	21.87	18.77	19.07
n66	30	15	1770	DFT	pi/2 BPSK	Edge_1RB_Right	21.82	18.72	19.02
n66	30	15	1770	DFT	pi/2 BPSK	Outer_Full	22.11	19.01	19.31
n66	30	15	1770	DFT	pi/2 BPSK	Inner_Full	22.68	19.58	19.88
n66	30	15	1770	DFT	pi/2 BPSK	Edge_1RB_Left	21.86	18.76	19.06
n66	30	15	1770	DFT	pi/2 BPSK	Edge_1RB_Right	21.89	18.79	19.09
n66	30	15	1770	DFT	pi/2 BPSK	Outer_Full	22.05	18.95	19.25
n66	30	15	1770	DFT	pi/2 BPSK	Inner_Full	22.71	19.61	19.91
n66	30	15	1770	DFT	pi/2 BPSK	Edge_1RB_Left	21.91	18.81	19.11
n66	30	15	1770	DFT	pi/2 BPSK	Edge_1RB_Right	21.84	18.74	19.04



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n66	30	15	1770	DFT	pi/2 BPSK	Outer_Full	22.02	18.92	19.22
n66	30	15	1770	DFT	QPSK	Inner_Full	22.72	19.62	19.92
n66	30	15	1770	DFT	QPSK	Edge_1RB_Left	21.40	18.30	18.60
n66	30	15	1770	DFT	QPSK	Edge_1RB_Right	21.33	18.23	18.53
n66	30	15	1770	DFT	QPSK	Outer_Full	21.57	18.47	18.77
n66	30	15	1770	DFT	QPSK	Inner_Full	22.72	19.62	19.92
n66	30	15	1770	DFT	QPSK	Edge_1RB_Left	21.48	18.38	18.68
n66	30	15	1770	DFT	QPSK	Edge_1RB_Right	21.32	18.22	18.52
n66	30	15	1770	DFT	QPSK	Outer_Full	21.56	18.46	18.76
n66	30	15	1770	DFT	QPSK	Inner_Full	22.71	19.61	19.91
n66	30	15	1770	DFT	QPSK	Edge_1RB_Left	21.38	18.28	18.58
n66	30	15	1770	DFT	QPSK	Edge_1RB_Right	21.35	18.25	18.55
n66	30	15	1770	DFT	QPSK	Outer_Full	21.60	18.50	18.80
n66	30	15	1770	CP	16QAM	Inner_Full	20.62	17.52	17.82
n66	30	15	1770	CP	16QAM	Edge_1RB_Left	19.83	16.73	17.03
n66	30	15	1770	CP	16QAM	Edge_1RB_Right	19.15	16.05	16.35
n66	30	15	1770	CP	16QAM	Outer_Full	19.47	16.37	16.67
n66	30	15	1770	CP	16QAM	Inner_Full	20.63	17.53	17.83
n66	30	15	1770	CP	16QAM	Edge_1RB_Left	19.31	16.21	16.51
n66	30	15	1770	CP	16QAM	Edge_1RB_Right	19.13	16.03	16.33
n66	30	15	1770	CP	16QAM	Outer_Full	19.46	16.36	16.66
n66	30	15	1770	CP	16QAM	Inner_Full	20.60	17.50	17.80
n66	30	15	1770	CP	16QAM	Edge_1RB_Left	19.35	16.25	16.55
n66	30	15	1770	CP	16QAM	Edge_1RB_Right	19.72	16.62	16.92
n66	30	15	1770	CP	16QAM	Outer_Full	19.47	16.37	16.67
n66	30	15	1770	CP	64QAM	Inner_Full	19.19	16.09	16.39
n66	30	15	1770	CP	64QAM	Edge_1RB_Left	18.82	15.72	16.02
n66	30	15	1770	CP	64QAM	Edge_1RB_Right	18.80	15.70	16.00
n66	30	15	1770	CP	64QAM	Outer_Full	19.02	15.92	16.22
n66	30	15	1770	CP	64QAM	Inner_Full	19.14	16.04	16.34
n66	30	15	1770	CP	64QAM	Edge_1RB_Left	18.83	15.73	16.03
n66	30	15	1770	CP	64QAM	Edge_1RB_Right	18.92	15.82	16.12
n66	30	15	1770	CP	64QAM	Outer_Full	19.00	15.90	16.20
n66	30	15	1770	CP	64QAM	Inner_Full	19.20	16.10	16.40
n66	30	15	1770	CP	64QAM	Edge_1RB_Left	18.85	15.75	16.05
n66	30	15	1770	CP	64QAM	Edge_1RB_Right	18.78	15.68	15.98
n66	30	15	1770	CP	64QAM	Outer_Full	18.98	15.88	16.18
n66	30	15	1770	CP	QPSK	Inner_Full	21.16	18.06	18.36



No. I21N03262-RF-NR

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n66	30	15	1770	CP	QPSK	Edge_1RB_Left	19.61	16.51	16.81
n66	30	15	1770	CP	QPSK	Edge_1RB_Right	19.41	16.31	16.61
n66	30	15	1770	CP	QPSK	Outer_Full	19.49	16.39	16.69
n66	30	15	1770	CP	QPSK	Inner_Full	21.20	18.10	18.40
n66	30	15	1770	CP	QPSK	Edge_1RB_Left	19.49	16.39	16.69
n66	30	15	1770	CP	QPSK	Edge_1RB_Right	19.27	16.17	16.47
n66	30	15	1770	CP	QPSK	Outer_Full	19.54	16.44	16.74
n66	30	15	1770	CP	QPSK	Inner_Full	21.21	18.11	18.41
n66	30	15	1770	CP	QPSK	Edge_1RB_Left	19.42	16.32	16.62
n66	30	15	1770	CP	QPSK	Edge_1RB_Right	19.32	16.22	16.52
n66	30	15	1770	CP	QPSK	Outer_Full	19.55	16.45	16.75
n66	40	15	1730	DFT	16QAM	Inner_Full	21.72	18.62	18.92
n66	40	15	1730	DFT	16QAM	Edge_1RB_Left	20.37	17.27	17.57
n66	40	15	1730	DFT	16QAM	Edge_1RB_Right	20.13	17.03	17.33
n66	40	15	1730	DFT	16QAM	Outer_Full	20.51	17.41	17.71
n66	40	15	1730	DFT	64QAM	Inner_Full	20.23	17.13	17.43
n66	40	15	1730	DFT	64QAM	Edge_1RB_Left	19.52	16.42	16.72
n66	40	15	1730	DFT	64QAM	Edge_1RB_Right	19.45	16.35	16.65
n66	40	15	1730	DFT	64QAM	Outer_Full	19.99	16.89	17.19
n66	40	15	1730	DFT	pi/2 BPSK	Inner_Full	22.71	19.61	19.91
n66	40	15	1730	DFT	pi/2 BPSK	Edge_1RB_Left	21.71	18.61	18.91
n66	40	15	1730	DFT	pi/2 BPSK	Edge_1RB_Right	21.58	18.48	18.78
n66	40	15	1730	DFT	pi/2 BPSK	Outer_Full	21.97	18.87	19.17
n66	40	15	1730	DFT	QPSK	Inner_Full	22.70	19.60	19.90
n66	40	15	1730	DFT	QPSK	Edge_1RB_Left	21.26	18.16	18.46
n66	40	15	1730	DFT	QPSK	Edge_1RB_Right	21.14	18.04	18.34
n66	40	15	1730	DFT	QPSK	Outer_Full	21.54	18.44	18.74
n66	40	15	1730	CP	16QAM	Inner_Full	20.63	17.53	17.83
n66	40	15	1730	CP	16QAM	Edge_1RB_Left	19.09	15.99	16.29
n66	40	15	1730	CP	16QAM	Edge_1RB_Right	18.98	15.88	16.18
n66	40	15	1730	CP	16QAM	Outer_Full	19.45	16.35	16.65
n66	40	15	1730	CP	64QAM	Inner_Full	19.18	16.08	16.38
n66	40	15	1730	CP	64QAM	Edge_1RB_Left	18.75	15.65	15.95
n66	40	15	1730	CP	64QAM	Edge_1RB_Right	18.60	15.50	15.80
n66	40	15	1730	CP	64QAM	Outer_Full	18.90	15.80	16.10
n66	40	15	1730	CP	QPSK	Inner_Full	21.14	18.04	18.34
n66	40	15	1730	CP	QPSK	Edge_1RB_Left	19.39	16.29	16.59
n66	40	15	1730	CP	QPSK	Edge_1RB_Right	19.07	15.97	16.27



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n66	40	15	1730	CP	QPSK	Outer_Full	19.41	16.31	16.61
n66	40	15	1745	DFT	16QAM	Inner_Full	21.69	18.59	18.89
n66	40	15	1745	DFT	16QAM	Edge_1RB_Left	20.29	17.19	17.49
n66	40	15	1745	DFT	16QAM	Edge_1RB_Right	20.05	16.95	17.25
n66	40	15	1745	DFT	16QAM	Outer_Full	20.67	17.57	17.87
n66	40	15	1745	DFT	64QAM	Inner_Full	20.13	17.03	17.33
n66	40	15	1745	DFT	64QAM	Edge_1RB_Left	19.67	16.57	16.87
n66	40	15	1745	DFT	64QAM	Edge_1RB_Right	19.36	16.26	16.56
n66	40	15	1745	DFT	64QAM	Outer_Full	20.06	16.96	17.26
n66	40	15	1745	DFT	pi/2 BPSK	Inner_Full	22.62	19.52	19.82
n66	40	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	21.64	18.54	18.84
n66	40	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	21.46	18.36	18.66
n66	40	15	1745	DFT	pi/2 BPSK	Outer_Full	22.10	19.00	19.30
n66	40	15	1745	DFT	QPSK	Inner_Full	22.66	19.56	19.86
n66	40	15	1745	DFT	QPSK	Edge_1RB_Left	21.12	18.02	18.32
n66	40	15	1745	DFT	QPSK	Edge_1RB_Right	20.96	17.86	18.16
n66	40	15	1745	DFT	QPSK	Outer_Full	21.66	18.56	18.86
n66	40	15	1745	CP	16QAM	Inner_Full	20.61	17.51	17.81
n66	40	15	1745	CP	16QAM	Edge_1RB_Left	19.44	16.34	16.64
n66	40	15	1745	CP	16QAM	Edge_1RB_Right	18.81	15.71	16.01
n66	40	15	1745	CP	16QAM	Outer_Full	19.59	16.49	16.79
n66	40	15	1745	CP	64QAM	Inner_Full	19.06	15.96	16.26
n66	40	15	1745	CP	64QAM	Edge_1RB_Left	18.73	15.63	15.93
n66	40	15	1745	CP	64QAM	Edge_1RB_Right	18.54	15.44	15.74
n66	40	15	1745	CP	64QAM	Outer_Full	19.13	16.03	16.33
n66	40	15	1745	CP	QPSK	Inner_Full	21.08	17.98	18.28
n66	40	15	1745	CP	QPSK	Edge_1RB_Left	19.27	16.17	16.47
n66	40	15	1745	CP	QPSK	Edge_1RB_Right	19.05	15.95	16.25
n66	40	15	1745	CP	QPSK	Outer_Full	19.55	16.45	16.75
n66	40	15	1760	DFT	16QAM	Inner_Full	21.51	18.41	18.71
n66	40	15	1760	DFT	16QAM	Edge_1RB_Left	20.18	17.08	17.38
n66	40	15	1760	DFT	16QAM	Edge_1RB_Right	19.98	16.88	17.18
n66	40	15	1760	DFT	16QAM	Outer_Full	20.33	17.23	17.53
n66	40	15	1760	DFT	64QAM	Inner_Full	20.08	16.98	17.28
n66	40	15	1760	DFT	64QAM	Edge_1RB_Left	19.46	16.36	16.66
n66	40	15	1760	DFT	64QAM	Edge_1RB_Right	19.21	16.11	16.41
n66	40	15	1760	DFT	64QAM	Outer_Full	19.80	16.70	17.00
n66	40	15	1760	DFT	pi/2 BPSK	Inner_Full	22.50	19.40	19.70



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n66	40	15	1760	DFT	pi/2 BPSK	Edge_1RB_Left	21.58	18.48	18.78
n66	40	15	1760	DFT	pi/2 BPSK	Edge_1RB_Right	21.40	18.30	18.60
n66	40	15	1760	DFT	pi/2 BPSK	Outer_Full	21.85	18.75	19.05
n66	40	15	1760	DFT	QPSK	Inner_Full	22.60	19.50	19.80
n66	40	15	1760	DFT	QPSK	Edge_1RB_Left	21.07	17.97	18.27
n66	40	15	1760	DFT	QPSK	Edge_1RB_Right	20.94	17.84	18.14
n66	40	15	1760	DFT	QPSK	Outer_Full	21.28	18.18	18.48
n66	40	15	1760	CP	16QAM	Inner_Full	20.48	17.38	17.68
n66	40	15	1760	CP	16QAM	Edge_1RB_Left	18.89	15.79	16.09
n66	40	15	1760	CP	16QAM	Edge_1RB_Right	18.71	15.61	15.91
n66	40	15	1760	CP	16QAM	Outer_Full	19.30	16.20	16.50
n66	40	15	1760	CP	64QAM	Inner_Full	18.99	15.89	16.19
n66	40	15	1760	CP	64QAM	Edge_1RB_Left	18.56	15.46	15.76
n66	40	15	1760	CP	64QAM	Edge_1RB_Right	18.33	15.23	15.53
n66	40	15	1760	CP	64QAM	Outer_Full	18.78	15.68	15.98
n66	40	15	1760	CP	QPSK	Inner_Full	21.00	17.90	18.20
n66	40	15	1760	CP	QPSK	Edge_1RB_Left	19.10	16.00	16.30
n66	40	15	1760	CP	QPSK	Edge_1RB_Right	18.94	15.84	16.14
n66	40	15	1760	CP	QPSK	Outer_Full	19.29	16.19	16.49

**NSA**

BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_66A_n5A	5	826.5	DFT	16QAM	Inner_Full	23.97	15.22	15.72
DC_66A_n5A	5	826.5	DFT	16QAM	Edge_1RB_Left	23.94	15.19	15.69
DC_66A_n5A	5	826.5	DFT	16QAM	Edge_1RB_Right	23.96	15.21	15.71
DC_66A_n5A	5	826.5	DFT	16QAM	Outer_Full	23.93	15.18	15.68
DC_66A_n5A	5	826.5	DFT	64QAM	Inner_Full	23.89	15.14	15.64
DC_66A_n5A	5	826.5	DFT	64QAM	Edge_1RB_Left	23.97	15.22	15.72
DC_66A_n5A	5	826.5	DFT	64QAM	Edge_1RB_Right	23.99	15.24	15.74
DC_66A_n5A	5	826.5	DFT	64QAM	Outer_Full	23.97	15.22	15.72
DC_66A_n5A	5	826.5	DFT	pi/2 BPSK	Inner_Full	23.92	15.17	15.67
DC_66A_n5A	5	826.5	DFT	pi/2 BPSK	Edge_1RB_Left	24.91	16.16	16.66



BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_66A_n5A	5	826.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.84	15.09	15.59
DC_66A_n5A	5	826.5	DFT	pi/2 BPSK	Outer_Full	23.92	15.17	15.67
DC_66A_n5A	5	826.5	DFT	QPSK	Inner_Full	23.90	15.15	15.65
DC_66A_n5A	5	826.5	DFT	QPSK	Edge_1RB_Left	23.85	15.10	15.60
DC_66A_n5A	5	826.5	DFT	QPSK	Edge_1RB_Right	23.92	15.17	15.67
DC_66A_n5A	5	826.5	DFT	QPSK	Outer_Full	23.95	15.20	15.70
DC_66A_n5A	5	826.5	CP	16QAM	Inner_Full	23.90	15.15	15.65
DC_66A_n5A	5	826.5	CP	16QAM	Edge_1RB_Left	23.91	15.16	15.66
DC_66A_n5A	5	826.5	CP	16QAM	Edge_1RB_Right	24.00	15.25	15.75
DC_66A_n5A	5	826.5	CP	16QAM	Outer_Full	23.90	15.15	15.65
DC_66A_n5A	5	826.5	CP	64QAM	Inner_Full	23.74	14.99	15.49
DC_66A_n5A	5	826.5	CP	64QAM	Edge_1RB_Left	23.60	14.85	15.35
DC_66A_n5A	5	826.5	CP	64QAM	Edge_1RB_Right	23.68	14.93	15.43
DC_66A_n5A	5	826.5	CP	64QAM	Outer_Full	23.71	14.96	15.46
DC_66A_n5A	5	826.5	CP	QPSK	Inner_Full	23.55	14.80	15.30
DC_66A_n5A	5	826.5	CP	QPSK	Edge_1RB_Left	23.87	15.12	15.62
DC_66A_n5A	5	826.5	CP	QPSK	Edge_1RB_Right	23.88	15.13	15.63
DC_66A_n5A	5	826.5	CP	QPSK	Outer_Full	23.92	15.17	15.67
DC_66A_n5A	5	836.5	DFT	16QAM	Inner_Full	23.94	15.19	15.69
DC_66A_n5A	5	836.5	DFT	16QAM	Edge_1RB_Left	23.99	15.24	15.74
DC_66A_n5A	5	836.5	DFT	16QAM	Edge_1RB_Right	23.85	15.10	15.60
DC_66A_n5A	5	836.5	DFT	16QAM	Outer_Full	23.90	15.15	15.65
DC_66A_n5A	5	836.5	DFT	64QAM	Inner_Full	23.83	15.08	15.58
DC_66A_n5A	5	836.5	DFT	64QAM	Edge_1RB_Left	24.04	15.29	15.79
DC_66A_n5A	5	836.5	DFT	64QAM	Edge_1RB_Right	23.88	15.13	15.63
DC_66A_n5A	5	836.5	DFT	64QAM	Outer_Full	23.90	15.15	15.65
DC_66A_n5A	5	836.5	DFT	pi/2 BPSK	Inner_Full	23.88	15.13	15.63
DC_66A_n5A	5	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.90	15.15	15.65
DC_66A_n5A	5	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.73	14.98	15.48



BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_66A_n5A	5	836.5	DFT	pi/2 BPSK	Outer_Full	23.87	15.12	15.62
DC_66A_n5A	5	836.5	DFT	QPSK	Inner_Full	23.86	15.11	15.61
DC_66A_n5A	5	836.5	DFT	QPSK	Edge_1RB_Left	23.96	15.21	15.71
DC_66A_n5A	5	836.5	DFT	QPSK	Edge_1RB_Right	23.78	15.03	15.53
DC_66A_n5A	5	836.5	DFT	QPSK	Outer_Full	23.88	15.13	15.63
DC_66A_n5A	5	836.5	CP	16QAM	Inner_Full	23.90	15.15	15.65
DC_66A_n5A	5	836.5	CP	16QAM	Edge_1RB_Left	23.84	15.09	15.59
DC_66A_n5A	5	836.5	CP	16QAM	Edge_1RB_Right	23.66	14.91	15.41
DC_66A_n5A	5	836.5	CP	16QAM	Outer_Full	23.88	15.13	15.63
DC_66A_n5A	5	836.5	CP	64QAM	Inner_Full	23.69	14.94	15.44
DC_66A_n5A	5	836.5	CP	64QAM	Edge_1RB_Left	23.80	15.05	15.55
DC_66A_n5A	5	836.5	CP	64QAM	Edge_1RB_Right	23.66	14.91	15.41
DC_66A_n5A	5	836.5	CP	64QAM	Outer_Full	23.69	14.94	15.44
DC_66A_n5A	5	836.5	CP	QPSK	Inner_Full	23.86	15.11	15.61
DC_66A_n5A	5	836.5	CP	QPSK	Edge_1RB_Left	23.93	15.18	15.68
DC_66A_n5A	5	836.5	CP	QPSK	Edge_1RB_Right	23.78	15.03	15.53
DC_66A_n5A	5	836.5	CP	QPSK	Outer_Full	23.88	15.13	15.63
DC_66A_n5A	5	846.5	DFT	16QAM	Inner_Full	23.92	15.17	15.67
DC_66A_n5A	5	846.5	DFT	16QAM	Edge_1RB_Left	23.96	15.21	15.71
DC_66A_n5A	5	846.5	DFT	16QAM	Edge_1RB_Right	23.91	15.16	15.66
DC_66A_n5A	5	846.5	DFT	16QAM	Outer_Full	23.94	15.19	15.69
DC_66A_n5A	5	846.5	DFT	64QAM	Inner_Full	23.92	15.17	15.67
DC_66A_n5A	5	846.5	DFT	64QAM	Edge_1RB_Left	23.95	15.20	15.70
DC_66A_n5A	5	846.5	DFT	64QAM	Edge_1RB_Right	23.89	15.14	15.64
DC_66A_n5A	5	846.5	DFT	64QAM	Outer_Full	23.93	15.18	15.68
DC_66A_n5A	5	846.5	DFT	pi/2 BPSK	Inner_Full	23.86	15.11	15.61
DC_66A_n5A	5	846.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.86	15.11	15.61
DC_66A_n5A	5	846.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.77	15.02	15.52
DC_66A_n5A	5	846.5	DFT	pi/2 BPSK	Outer_Full	23.90	15.15	15.65





BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_66A_n5A	5	846.5	DFT	QPSK	Inner_Full	23.88	15.13	15.63
DC_66A_n5A	5	846.5	DFT	QPSK	Edge_1RB_Left	23.86	15.11	15.61
DC_66A_n5A	5	846.5	DFT	QPSK	Edge_1RB_Right	23.83	15.08	15.58
DC_66A_n5A	5	846.5	DFT	QPSK	Outer_Full	23.94	15.19	15.69
DC_66A_n5A	5	846.5	CP	16QAM	Inner_Full	23.91	15.16	15.66
DC_66A_n5A	5	846.5	CP	16QAM	Edge_1RB_Left	23.94	15.19	15.69
DC_66A_n5A	5	846.5	CP	16QAM	Edge_1RB_Right	23.81	15.06	15.56
DC_66A_n5A	5	846.5	CP	16QAM	Outer_Full	23.88	15.13	15.63
DC_66A_n5A	5	846.5	CP	64QAM	Inner_Full	23.71	14.96	15.46
DC_66A_n5A	5	846.5	CP	64QAM	Edge_1RB_Left	23.56	14.81	15.31
DC_66A_n5A	5	846.5	CP	64QAM	Edge_1RB_Right	23.60	14.85	15.35
DC_66A_n5A	5	846.5	CP	64QAM	Outer_Full	23.71	14.96	15.46
DC_66A_n5A	5	846.5	CP	QPSK	Inner_Full	19.30	10.55	11.05
DC_66A_n5A	5	846.5	CP	QPSK	Edge_1RB_Left	23.86	15.11	15.61
DC_66A_n5A	5	846.5	CP	QPSK	Edge_1RB_Right	23.81	15.06	15.56
DC_66A_n5A	5	846.5	CP	QPSK	Outer_Full	23.88	15.13	15.63
DC_66A_n5A	10	829	DFT	16QAM	Inner_Full	23.80	15.05	15.55
DC_66A_n5A	10	829	DFT	16QAM	Edge_1RB_Left	23.76	15.01	15.51
DC_66A_n5A	10	829	DFT	16QAM	Edge_1RB_Right	23.64	14.89	15.39
DC_66A_n5A	10	829	DFT	16QAM	Outer_Full	23.83	15.08	15.58
DC_66A_n5A	10	829	DFT	64QAM	Inner_Full	23.82	15.07	15.57
DC_66A_n5A	10	829	DFT	64QAM	Edge_1RB_Left	23.84	15.09	15.59
DC_66A_n5A	10	829	DFT	64QAM	Edge_1RB_Right	23.60	14.85	15.35
DC_66A_n5A	10	829	DFT	64QAM	Outer_Full	23.80	15.05	15.55
DC_66A_n5A	10	829	DFT	pi/2 BPSK	Inner_Full	23.67	14.92	15.42
DC_66A_n5A	10	829	DFT	pi/2 BPSK	Edge_1RB_Left	23.66	14.91	15.41
DC_66A_n5A	10	829	DFT	pi/2 BPSK	Edge_1RB_Right	23.60	14.85	15.35
DC_66A_n5A	10	829	DFT	pi/2 BPSK	Outer_Full	23.72	14.97	15.47
DC_66A_n5A	10	829	DFT	QPSK	Inner_Full	23.72	14.97	15.47



BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_66A_n5A	10	829	DFT	QPSK	Edge_1RB_Left	23.73	14.98	15.48
DC_66A_n5A	10	829	DFT	QPSK	Edge_1RB_Right	23.65	14.90	15.40
DC_66A_n5A	10	829	DFT	QPSK	Outer_Full	23.82	15.07	15.57
DC_66A_n5A	10	829	CP	16QAM	Inner_Full	23.50	14.75	15.25
DC_66A_n5A	10	829	CP	16QAM	Edge_1RB_Left	23.43	14.68	15.18
DC_66A_n5A	10	829	CP	16QAM	Edge_1RB_Right	23.44	14.69	15.19
DC_66A_n5A	10	829	CP	16QAM	Outer_Full	23.66	14.91	15.41
DC_66A_n5A	10	829	CP	64QAM	Inner_Full	23.49	14.74	15.24
DC_66A_n5A	10	829	CP	64QAM	Edge_1RB_Left	23.34	14.59	15.09
DC_66A_n5A	10	829	CP	64QAM	Edge_1RB_Right	23.31	14.56	15.06
DC_66A_n5A	10	829	CP	64QAM	Outer_Full	23.54	14.79	15.29
DC_66A_n5A	10	829	CP	QPSK	Inner_Full	19.85	11.10	11.60
DC_66A_n5A	10	829	CP	QPSK	Edge_1RB_Left	23.60	14.85	15.35
DC_66A_n5A	10	829	CP	QPSK	Edge_1RB_Right	23.67	14.92	15.42
DC_66A_n5A	10	829	CP	QPSK	Outer_Full	23.70	14.95	15.45
DC_66A_n5A	10	836.5	DFT	16QAM	Inner_Full	23.77	15.02	15.52
DC_66A_n5A	10	836.5	DFT	16QAM	Edge_1RB_Left	23.81	15.06	15.56
DC_66A_n5A	10	836.5	DFT	16QAM	Edge_1RB_Right	23.70	14.95	15.45
DC_66A_n5A	10	836.5	DFT	16QAM	Outer_Full	23.80	15.05	15.55
DC_66A_n5A	10	836.5	DFT	64QAM	Inner_Full	23.75	15.00	15.50
DC_66A_n5A	10	836.5	DFT	64QAM	Edge_1RB_Left	23.84	15.09	15.59
DC_66A_n5A	10	836.5	DFT	64QAM	Edge_1RB_Right	23.82	15.07	15.57
DC_66A_n5A	10	836.5	DFT	64QAM	Outer_Full	23.83	15.08	15.58
DC_66A_n5A	10	836.5	DFT	pi/2 BPSK	Inner_Full	23.58	14.83	15.33
DC_66A_n5A	10	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.74	14.99	15.49
DC_66A_n5A	10	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.79	15.04	15.54
DC_66A_n5A	10	836.5	DFT	pi/2 BPSK	Outer_Full	23.72	14.97	15.47
DC_66A_n5A	10	836.5	DFT	QPSK	Inner_Full	23.71	14.96	15.46
DC_66A_n5A	10	836.5	DFT	QPSK	Edge_1RB_Left	23.75	15.00	15.50



BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_66A_n5A	10	836.5	DFT	QPSK	Edge_1RB_Right	23.75	15.00	15.50
DC_66A_n5A	10	836.5	DFT	QPSK	Outer_Full	23.79	15.04	15.54
DC_66A_n5A	10	836.5	CP	16QAM	Inner_Full	23.65	14.90	15.40
DC_66A_n5A	10	836.5	CP	16QAM	Edge_1RB_Left	23.55	14.80	15.30
DC_66A_n5A	10	836.5	CP	16QAM	Edge_1RB_Right	23.61	14.86	15.36
DC_66A_n5A	10	836.5	CP	16QAM	Outer_Full	23.66	14.91	15.41
DC_66A_n5A	10	836.5	CP	64QAM	Inner_Full	23.32	14.57	15.07
DC_66A_n5A	10	836.5	CP	64QAM	Edge_1RB_Left	23.48	14.73	15.23
DC_66A_n5A	10	836.5	CP	64QAM	Edge_1RB_Right	23.50	14.75	15.25
DC_66A_n5A	10	836.5	CP	64QAM	Outer_Full	23.36	14.61	15.11
DC_66A_n5A	10	836.5	CP	QPSK	Inner_Full	23.43	14.68	15.18
DC_66A_n5A	10	836.5	CP	QPSK	Edge_1RB_Left	23.67	14.92	15.42
DC_66A_n5A	10	836.5	CP	QPSK	Edge_1RB_Right	23.67	14.92	15.42
DC_66A_n5A	10	836.5	CP	QPSK	Outer_Full	23.64	14.89	15.39
DC_66A_n5A	10	844	DFT	16QAM	Inner_Full	23.60	14.85	15.35
DC_66A_n5A	10	844	DFT	16QAM	Edge_1RB_Left	23.66	14.91	15.41
DC_66A_n5A	10	844	DFT	16QAM	Edge_1RB_Right	23.52	14.77	15.27
DC_66A_n5A	10	844	DFT	16QAM	Outer_Full	23.72	14.97	15.47
DC_66A_n5A	10	844	DFT	64QAM	Inner_Full	23.80	15.05	15.55
DC_66A_n5A	10	844	DFT	64QAM	Edge_1RB_Left	23.77	15.02	15.52
DC_66A_n5A	10	844	DFT	64QAM	Edge_1RB_Right	23.69	14.94	15.44
DC_66A_n5A	10	844	DFT	64QAM	Outer_Full	23.75	15.00	15.50
DC_66A_n5A	10	844	DFT	pi/2 BPSK	Inner_Full	23.69	14.94	15.44
DC_66A_n5A	10	844	DFT	pi/2 BPSK	Edge_1RB_Left	23.66	14.91	15.41
DC_66A_n5A	10	844	DFT	pi/2 BPSK	Edge_1RB_Right	23.67	14.92	15.42
DC_66A_n5A	10	844	DFT	pi/2 BPSK	Outer_Full	23.69	14.94	15.44
DC_66A_n5A	10	844	DFT	QPSK	Inner_Full	23.69	14.94	15.44
DC_66A_n5A	10	844	DFT	QPSK	Edge_1RB_Left	23.72	14.97	15.47
DC_66A_n5A	10	844	DFT	QPSK	Edge_1RB_Right	23.64	14.89	15.39



BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_66A_n5A	10	844	DFT	QPSK	Outer_Full	23.68	14.93	15.43
DC_66A_n5A	10	844	CP	16QAM	Inner_Full	23.75	15.00	15.50
DC_66A_n5A	10	844	CP	16QAM	Edge_1RB_Left	23.66	14.91	15.41
DC_66A_n5A	10	844	CP	16QAM	Edge_1RB_Right	23.61	14.86	15.36
DC_66A_n5A	10	844	CP	16QAM	Outer_Full	23.74	14.99	15.49
DC_66A_n5A	10	844	CP	64QAM	Inner_Full	23.58	14.83	15.33
DC_66A_n5A	10	844	CP	64QAM	Edge_1RB_Left	23.60	14.85	15.35
DC_66A_n5A	10	844	CP	64QAM	Edge_1RB_Right	23.43	14.68	15.18
DC_66A_n5A	10	844	CP	64QAM	Outer_Full	23.54	14.79	15.29
DC_66A_n5A	10	844	CP	QPSK	Inner_Full	23.75	15.00	15.50
DC_66A_n5A	10	844	CP	QPSK	Edge_1RB_Left	23.72	14.97	15.47
DC_66A_n5A	10	844	CP	QPSK	Edge_1RB_Right	23.67	14.92	15.42
DC_66A_n5A	10	844	CP	QPSK	Outer_Full	23.71	14.96	15.46
DC_66A_n5A	15	831.5	DFT	16QAM	Inner_Full	23.84	15.09	15.59
DC_66A_n5A	15	831.5	DFT	16QAM	Edge_1RB_Left	23.89	15.14	15.64
DC_66A_n5A	15	831.5	DFT	16QAM	Edge_1RB_Right	23.73	14.98	15.48
DC_66A_n5A	15	831.5	DFT	16QAM	Outer_Full	23.83	15.08	15.58
DC_66A_n5A	15	831.5	DFT	64QAM	Inner_Full	23.86	15.11	15.61
DC_66A_n5A	15	831.5	DFT	64QAM	Edge_1RB_Left	23.68	14.93	15.43
DC_66A_n5A	15	831.5	DFT	64QAM	Edge_1RB_Right	23.58	14.83	15.33
DC_66A_n5A	15	831.5	DFT	64QAM	Outer_Full	23.86	15.11	15.61
DC_66A_n5A	15	831.5	DFT	pi/2 BPSK	Inner_Full	22.58	13.83	14.33
DC_66A_n5A	15	831.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.80	15.05	15.55
DC_66A_n5A	15	831.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.76	15.01	15.51
DC_66A_n5A	15	831.5	DFT	pi/2 BPSK	Outer_Full	23.73	14.98	15.48
DC_66A_n5A	15	831.5	DFT	QPSK	Inner_Full	23.72	14.97	15.47
DC_66A_n5A	15	831.5	DFT	QPSK	Edge_1RB_Left	23.81	15.06	15.56
DC_66A_n5A	15	831.5	DFT	QPSK	Edge_1RB_Right	23.68	14.93	15.43
DC_66A_n5A	15	831.5	DFT	QPSK	Outer_Full	23.83	15.08	15.58



BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_66A_n5A	15	831.5	CP	16QAM	Inner_Full	23.51	14.76	15.26
DC_66A_n5A	15	831.5	CP	16QAM	Edge_1RB_Left	23.47	14.72	15.22
DC_66A_n5A	15	831.5	CP	16QAM	Edge_1RB_Right	23.34	14.59	15.09
DC_66A_n5A	15	831.5	CP	16QAM	Outer_Full	23.59	14.84	15.34
DC_66A_n5A	15	831.5	CP	64QAM	Inner_Full	23.33	14.58	15.08
DC_66A_n5A	15	831.5	CP	64QAM	Edge_1RB_Left	23.38	14.63	15.13
DC_66A_n5A	15	831.5	CP	64QAM	Edge_1RB_Right	23.35	14.60	15.10
DC_66A_n5A	15	831.5	CP	64QAM	Outer_Full	23.37	14.62	15.12
DC_66A_n5A	15	831.5	CP	QPSK	Inner_Full	23.53	14.78	15.28
DC_66A_n5A	15	831.5	CP	QPSK	Edge_1RB_Left	23.51	14.76	15.26
DC_66A_n5A	15	831.5	CP	QPSK	Edge_1RB_Right	23.45	14.70	15.20
DC_66A_n5A	15	831.5	CP	QPSK	Outer_Full	23.56	14.81	15.31
DC_66A_n5A	15	836.5	DFT	16QAM	Inner_Full	23.53	14.78	15.28
DC_66A_n5A	15	836.5	DFT	16QAM	Edge_1RB_Left	23.58	14.83	15.33
DC_66A_n5A	15	836.5	DFT	16QAM	Edge_1RB_Right	23.53	14.78	15.28
DC_66A_n5A	15	836.5	DFT	16QAM	Outer_Full	23.56	14.81	15.31
DC_66A_n5A	15	836.5	DFT	64QAM	Inner_Full	23.50	14.75	15.25
DC_66A_n5A	15	836.5	DFT	64QAM	Edge_1RB_Left	23.60	14.85	15.35
DC_66A_n5A	15	836.5	DFT	64QAM	Edge_1RB_Right	23.55	14.80	15.30
DC_66A_n5A	15	836.5	DFT	64QAM	Outer_Full	23.58	14.83	15.33
DC_66A_n5A	15	836.5	DFT	pi/2 BPSK	Inner_Full	23.45	14.70	15.20
DC_66A_n5A	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.45	14.70	15.20
DC_66A_n5A	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.40	14.65	15.15
DC_66A_n5A	15	836.5	DFT	pi/2 BPSK	Outer_Full	23.48	14.73	15.23
DC_66A_n5A	15	836.5	DFT	QPSK	Inner_Full	23.43	14.68	15.18
DC_66A_n5A	15	836.5	DFT	QPSK	Edge_1RB_Left	23.50	14.75	15.25
DC_66A_n5A	15	836.5	DFT	QPSK	Edge_1RB_Right	23.43	14.68	15.18
DC_66A_n5A	15	836.5	DFT	QPSK	Outer_Full	23.57	14.82	15.32
DC_66A_n5A	15	836.5	CP	16QAM	Inner_Full	23.45	14.70	15.20



BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_66A_n5A	15	836.5	CP	16QAM	Edge_1RB_Left	23.47	14.72	15.22
DC_66A_n5A	15	836.5	CP	16QAM	Edge_1RB_Right	23.39	14.64	15.14
DC_66A_n5A	15	836.5	CP	16QAM	Outer_Full	23.51	14.76	15.26
DC_66A_n5A	15	836.5	CP	64QAM	Inner_Full	23.27	14.52	15.02
DC_66A_n5A	15	836.5	CP	64QAM	Edge_1RB_Left	23.33	14.58	15.08
DC_66A_n5A	15	836.5	CP	64QAM	Edge_1RB_Right	23.31	14.56	15.06
DC_66A_n5A	15	836.5	CP	64QAM	Outer_Full	23.31	14.56	15.06
DC_66A_n5A	15	836.5	CP	QPSK	Inner_Full	23.47	14.72	15.22
DC_66A_n5A	15	836.5	CP	QPSK	Edge_1RB_Left	23.50	14.75	15.25
DC_66A_n5A	15	836.5	CP	QPSK	Edge_1RB_Right	23.42	14.67	15.17
DC_66A_n5A	15	836.5	CP	QPSK	Outer_Full	23.55	14.80	15.30
DC_66A_n5A	15	841.5	DFT	16QAM	Inner_Full	23.55	14.80	15.30
DC_66A_n5A	15	841.5	DFT	16QAM	Edge_1RB_Left	23.58	14.83	15.33
DC_66A_n5A	15	841.5	DFT	16QAM	Edge_1RB_Right	23.51	14.76	15.26
DC_66A_n5A	15	841.5	DFT	16QAM	Outer_Full	23.55	14.80	15.30
DC_66A_n5A	15	841.5	DFT	64QAM	Inner_Full	23.60	14.85	15.35
DC_66A_n5A	15	841.5	DFT	64QAM	Edge_1RB_Left	23.50	14.75	15.25
DC_66A_n5A	15	841.5	DFT	64QAM	Edge_1RB_Right	23.50	14.75	15.25
DC_66A_n5A	15	841.5	DFT	64QAM	Outer_Full	23.57	14.82	15.32
DC_66A_n5A	15	841.5	DFT	pi/2 BPSK	Inner_Full	23.54	14.79	15.29
DC_66A_n5A	15	841.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.44	14.69	15.19
DC_66A_n5A	15	841.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.42	14.67	15.17
DC_66A_n5A	15	841.5	DFT	pi/2 BPSK	Outer_Full	23.52	14.77	15.27
DC_66A_n5A	15	841.5	DFT	QPSK	Inner_Full	23.52	14.77	15.27
DC_66A_n5A	15	841.5	DFT	QPSK	Edge_1RB_Left	23.43	14.68	15.18
DC_66A_n5A	15	841.5	DFT	QPSK	Edge_1RB_Right	23.35	14.60	15.10
DC_66A_n5A	15	841.5	DFT	QPSK	Outer_Full	23.55	14.80	15.30
DC_66A_n5A	15	841.5	CP	16QAM	Inner_Full	23.85	15.10	15.60
DC_66A_n5A	15	841.5	CP	16QAM	Edge_1RB_Left	23.72	14.97	15.47



BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_66A_n5A	15	841.5	CP	16QAM	Edge_1RB_Right	23.67	14.92	15.42
DC_66A_n5A	15	841.5	CP	16QAM	Outer_Full	23.84	15.09	15.59
DC_66A_n5A	15	841.5	CP	64QAM	Inner_Full	23.65	14.90	15.40
DC_66A_n5A	15	841.5	CP	64QAM	Edge_1RB_Left	23.56	14.81	15.31
DC_66A_n5A	15	841.5	CP	64QAM	Edge_1RB_Right	23.43	14.68	15.18
DC_66A_n5A	15	841.5	CP	64QAM	Outer_Full	23.66	14.91	15.41
DC_66A_n5A	15	841.5	CP	QPSK	Inner_Full	23.52	14.77	15.27
DC_66A_n5A	15	841.5	CP	QPSK	Edge_1RB_Left	23.78	15.03	15.53
DC_66A_n5A	15	841.5	CP	QPSK	Edge_1RB_Right	23.70	14.95	15.45
DC_66A_n5A	15	841.5	CP	QPSK	Outer_Full	23.86	15.11	15.61
DC_66A_n5A	20	834	DFT	16QAM	Inner_Full	23.56	14.81	15.31
DC_66A_n5A	20	834	DFT	16QAM	Edge_1RB_Left	23.52	14.77	15.27
DC_66A_n5A	20	834	DFT	16QAM	Edge_1RB_Right	23.42	14.67	15.17
DC_66A_n5A	20	834	DFT	16QAM	Outer_Full	23.55	14.80	15.30
DC_66A_n5A	20	834	DFT	64QAM	Inner_Full	23.54	14.79	15.29
DC_66A_n5A	20	834	DFT	64QAM	Edge_1RB_Left	23.53	14.78	15.28
DC_66A_n5A	20	834	DFT	64QAM	Edge_1RB_Right	23.42	14.67	15.17
DC_66A_n5A	20	834	DFT	64QAM	Outer_Full	23.60	14.85	15.35
DC_66A_n5A	20	834	DFT	pi/2 BPSK	Inner_Full	23.43	14.68	15.18
DC_66A_n5A	20	834	DFT	pi/2 BPSK	Edge_1RB_Left	23.43	14.68	15.18
DC_66A_n5A	20	834	DFT	pi/2 BPSK	Edge_1RB_Right	23.37	14.62	15.12
DC_66A_n5A	20	834	DFT	pi/2 BPSK	Outer_Full	23.47	14.72	15.22
DC_66A_n5A	20	834	DFT	QPSK	Inner_Full	23.45	14.70	15.20
DC_66A_n5A	20	834	DFT	QPSK	Edge_1RB_Left	23.46	14.71	15.21
DC_66A_n5A	20	834	DFT	QPSK	Edge_1RB_Right	23.35	14.60	15.10
DC_66A_n5A	20	834	DFT	QPSK	Outer_Full	23.54	14.79	15.29
DC_66A_n5A	20	834	CP	16QAM	Inner_Full	23.53	14.78	15.28
DC_66A_n5A	20	834	CP	16QAM	Edge_1RB_Left	23.43	14.68	15.18
DC_66A_n5A	20	834	CP	16QAM	Edge_1RB_Right	23.34	14.59	15.09



BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_66A_n5A	20	834	CP	16QAM	Outer_Full	23.77	15.02	15.52
DC_66A_n5A	20	834	CP	64QAM	Inner_Full	23.48	14.73	15.23
DC_66A_n5A	20	834	CP	64QAM	Edge_1RB_Left	23.29	14.54	15.04
DC_66A_n5A	20	834	CP	64QAM	Edge_1RB_Right	23.19	14.44	14.94
DC_66A_n5A	20	834	CP	64QAM	Outer_Full	23.31	14.56	15.06
DC_66A_n5A	20	834	CP	QPSK	Inner_Full	19.89	11.14	11.64
DC_66A_n5A	20	834	CP	QPSK	Edge_1RB_Left	23.72	14.97	15.47
DC_66A_n5A	20	834	CP	QPSK	Edge_1RB_Right	23.66	14.91	15.41
DC_66A_n5A	20	834	CP	QPSK	Outer_Full	23.75	15.00	15.50
DC_66A_n5A	20	836.5	DFT	16QAM	Inner_Full	23.42	14.67	15.17
DC_66A_n5A	20	836.5	DFT	16QAM	Edge_1RB_Left	23.46	14.71	15.21
DC_66A_n5A	20	836.5	DFT	16QAM	Edge_1RB_Right	23.17	14.42	14.92
DC_66A_n5A	20	836.5	DFT	16QAM	Outer_Full	23.51	14.76	15.26
DC_66A_n5A	20	836.5	DFT	64QAM	Inner_Full	23.49	14.74	15.24
DC_66A_n5A	20	836.5	DFT	64QAM	Edge_1RB_Left	23.49	14.74	15.24
DC_66A_n5A	20	836.5	DFT	64QAM	Edge_1RB_Right	23.31	14.56	15.06
DC_66A_n5A	20	836.5	DFT	64QAM	Outer_Full	23.47	14.72	15.22
DC_66A_n5A	20	836.5	DFT	pi/2 BPSK	Inner_Full	23.34	14.59	15.09
DC_66A_n5A	20	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.39	14.64	15.14
DC_66A_n5A	20	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.25	14.50	15.00
DC_66A_n5A	20	836.5	DFT	pi/2 BPSK	Outer_Full	23.35	14.60	15.10
DC_66A_n5A	20	836.5	DFT	QPSK	Inner_Full	23.37	14.62	15.12
DC_66A_n5A	20	836.5	DFT	QPSK	Edge_1RB_Left	23.41	14.66	15.16
DC_66A_n5A	20	836.5	DFT	QPSK	Edge_1RB_Right	23.25	14.50	15.00
DC_66A_n5A	20	836.5	DFT	QPSK	Outer_Full	23.47	14.72	15.22
DC_66A_n5A	20	836.5	CP	16QAM	Inner_Full	23.50	14.75	15.25
DC_66A_n5A	20	836.5	CP	16QAM	Edge_1RB_Left	23.45	14.70	15.20
DC_66A_n5A	20	836.5	CP	16QAM	Edge_1RB_Right	23.25	14.50	15.00
DC_66A_n5A	20	836.5	CP	16QAM	Outer_Full	23.49	14.74	15.24





BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_66A_n5A	20	836.5	CP	64QAM	Inner_Full	23.26	14.51	15.01
DC_66A_n5A	20	836.5	CP	64QAM	Edge_1RB_Left	23.24	14.49	14.99
DC_66A_n5A	20	836.5	CP	64QAM	Edge_1RB_Right	23.11	14.36	14.86
DC_66A_n5A	20	836.5	CP	64QAM	Outer_Full	23.28	14.53	15.03
DC_66A_n5A	20	836.5	CP	QPSK	Inner_Full	19.87	11.12	11.62
DC_66A_n5A	20	836.5	CP	QPSK	Edge_1RB_Left	23.41	14.66	15.16
DC_66A_n5A	20	836.5	CP	QPSK	Edge_1RB_Right	23.24	14.49	14.99
DC_66A_n5A	20	836.5	CP	QPSK	Outer_Full	23.49	14.74	15.24
DC_66A_n5A	20	839	DFT	16QAM	Inner_Full	23.58	14.83	15.33
DC_66A_n5A	20	839	DFT	16QAM	Edge_1RB_Left	23.56	14.81	15.31
DC_66A_n5A	20	839	DFT	16QAM	Edge_1RB_Right	23.41	14.66	15.16
DC_66A_n5A	20	839	DFT	16QAM	Outer_Full	23.55	14.80	15.30
DC_66A_n5A	20	839	DFT	64QAM	Inner_Full	23.60	14.85	15.35
DC_66A_n5A	20	839	DFT	64QAM	Edge_1RB_Left	23.59	14.84	15.34
DC_66A_n5A	20	839	DFT	64QAM	Edge_1RB_Right	23.41	14.66	15.16
DC_66A_n5A	20	839	DFT	64QAM	Outer_Full	23.55	14.80	15.30
DC_66A_n5A	20	839	DFT	pi/2 BPSK	Inner_Full	23.73	14.98	15.48
DC_66A_n5A	20	839	DFT	pi/2 BPSK	Edge_1RB_Left	23.72	14.97	15.47
DC_66A_n5A	20	839	DFT	pi/2 BPSK	Edge_1RB_Right	23.38	14.63	15.13
DC_66A_n5A	20	839	DFT	pi/2 BPSK	Outer_Full	23.56	14.81	15.31
DC_66A_n5A	20	839	DFT	QPSK	Inner_Full	23.49	14.74	15.24
DC_66A_n5A	20	839	DFT	QPSK	Edge_1RB_Left	23.48	14.73	15.23
DC_66A_n5A	20	839	DFT	QPSK	Edge_1RB_Right	23.33	14.58	15.08
DC_66A_n5A	20	839	DFT	QPSK	Outer_Full	23.59	14.84	15.34
DC_66A_n5A	20	839	CP	16QAM	Inner_Full	23.71	14.96	15.46
DC_66A_n5A	20	839	CP	16QAM	Edge_1RB_Left	23.64	14.89	15.39
DC_66A_n5A	20	839	CP	16QAM	Edge_1RB_Right	23.44	14.69	15.19
DC_66A_n5A	20	839	CP	16QAM	Outer_Full	23.58	14.83	15.33
DC_66A_n5A	20	839	CP	64QAM	Inner_Full	23.36	14.61	15.11



BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_66A_n5A	20	839	CP	64QAM	Edge_1RB_Left	23.33	14.58	15.08
DC_66A_n5A	20	839	CP	64QAM	Edge_1RB_Right	23.20	14.45	14.95
DC_66A_n5A	20	839	CP	64QAM	Outer_Full	23.36	14.61	15.11
DC_66A_n5A	20	839	CP	QPSK	Inner_Full	19.66	10.91	11.41
DC_66A_n5A	20	839	CP	QPSK	Edge_1RB_Left	23.56	14.81	15.31
DC_66A_n5A	20	839	CP	QPSK	Edge_1RB_Right	23.44	14.69	15.19
DC_66A_n5A	20	839	CP	QPSK	Outer_Full	23.64	14.89	15.39
DC_5A_n7A	5	2502.5	DFT	16QAM	Inner_Full	21.28	21.78	19.38
DC_5A_n7A	5	2502.5	DFT	16QAM	Edge_1RB_Left	21.36	21.86	19.46
DC_5A_n7A	5	2502.5	DFT	16QAM	Edge_1RB_Right	21.33	21.83	19.43
DC_5A_n7A	5	2502.5	DFT	16QAM	Outer_Full	21.26	21.76	19.36
DC_5A_n7A	5	2502.5	DFT	64QAM	Inner_Full	21.38	21.88	19.48
DC_5A_n7A	5	2502.5	DFT	64QAM	Edge_1RB_Left	21.02	21.52	19.12
DC_5A_n7A	5	2502.5	DFT	64QAM	Edge_1RB_Right	21.23	21.73	19.33
DC_5A_n7A	5	2502.5	DFT	64QAM	Outer_Full	21.27	21.77	19.37
DC_5A_n7A	5	2502.5	DFT	pi/2 BPSK	Inner_Full	22.71	23.21	20.81
DC_5A_n7A	5	2502.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.28	22.78	20.38
DC_5A_n7A	5	2502.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.45	21.95	19.55
DC_5A_n7A	5	2502.5	DFT	pi/2 BPSK	Outer_Full	21.38	21.88	19.48
DC_5A_n7A	5	2502.5	DFT	QPSK	Inner_Full	22.74	23.24	20.84
DC_5A_n7A	5	2502.5	DFT	QPSK	Edge_1RB_Left	21.36	21.86	19.46
DC_5A_n7A	5	2502.5	DFT	QPSK	Edge_1RB_Right	21.47	21.97	19.57
DC_5A_n7A	5	2502.5	DFT	QPSK	Outer_Full	21.38	21.88	19.48
DC_5A_n7A	5	2502.5	CP	16QAM	Inner_Full	20.67	21.17	18.77
DC_5A_n7A	5	2502.5	CP	16QAM	Edge_1RB_Left	19.78	20.28	17.88
DC_5A_n7A	5	2502.5	CP	16QAM	Edge_1RB_Right	19.64	20.14	17.74
DC_5A_n7A	5	2502.5	CP	16QAM	Outer_Full	19.72	20.22	17.82
DC_5A_n7A	5	2502.5	CP	64QAM	Inner_Full	19.19	19.69	17.29
DC_5A_n7A	5	2502.5	CP	64QAM	Edge_1RB_Left	19.22	19.72	17.32



BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_5A_n7A	5	2502.5	CP	64QAM	Edge_1RB_Right	19.01	19.51	17.11
DC_5A_n7A	5	2502.5	CP	64QAM	Outer_Full	19.19	19.69	17.29
DC_5A_n7A	5	2502.5	CP	QPSK	Inner_Full	21.22	21.72	19.32
DC_5A_n7A	5	2502.5	CP	QPSK	Edge_1RB_Left	19.71	20.21	17.81
DC_5A_n7A	5	2502.5	CP	QPSK	Edge_1RB_Right	19.79	20.29	17.89
DC_5A_n7A	5	2502.5	CP	QPSK	Outer_Full	19.70	20.20	17.80
DC_5A_n7A	5	2535	DFT	16QAM	Inner_Full	21.52	22.02	19.62
DC_5A_n7A	5	2535	DFT	16QAM	Edge_1RB_Left	20.39	20.89	18.49
DC_5A_n7A	5	2535	DFT	16QAM	Edge_1RB_Right	20.26	20.76	18.36
DC_5A_n7A	5	2535	DFT	16QAM	Outer_Full	20.48	20.98	18.58
DC_5A_n7A	5	2535	DFT	64QAM	Inner_Full	20.10	20.60	18.20
DC_5A_n7A	5	2535	DFT	64QAM	Edge_1RB_Left	20.15	20.65	18.25
DC_5A_n7A	5	2535	DFT	64QAM	Edge_1RB_Right	20.04	20.54	18.14
DC_5A_n7A	5	2535	DFT	64QAM	Outer_Full	20.04	20.54	18.14
DC_5A_n7A	5	2535	DFT	pi/2 BPSK	Inner_Full	22.42	22.92	20.52
DC_5A_n7A	5	2535	DFT	pi/2 BPSK	Edge_1RB_Left	22.02	22.52	20.12
DC_5A_n7A	5	2535	DFT	pi/2 BPSK	Edge_1RB_Right	21.92	22.42	20.02
DC_5A_n7A	5	2535	DFT	pi/2 BPSK	Outer_Full	22.02	22.52	20.12
DC_5A_n7A	5	2535	DFT	QPSK	Inner_Full	22.44	22.94	20.54
DC_5A_n7A	5	2535	DFT	QPSK	Edge_1RB_Left	21.52	22.02	19.62
DC_5A_n7A	5	2535	DFT	QPSK	Edge_1RB_Right	21.38	21.88	19.48
DC_5A_n7A	5	2535	DFT	QPSK	Outer_Full	21.49	21.99	19.59
DC_5A_n7A	5	2535	CP	16QAM	Inner_Full	20.36	20.86	18.46
DC_5A_n7A	5	2535	CP	16QAM	Edge_1RB_Left	19.59	20.09	17.69
DC_5A_n7A	5	2535	CP	16QAM	Edge_1RB_Right	19.42	19.92	17.52
DC_5A_n7A	5	2535	CP	16QAM	Outer_Full	19.46	19.96	17.56
DC_5A_n7A	5	2535	CP	64QAM	Inner_Full	18.87	19.37	16.97
DC_5A_n7A	5	2535	CP	64QAM	Edge_1RB_Left	19.13	19.63	17.23
DC_5A_n7A	5	2535	CP	64QAM	Edge_1RB_Right	18.83	19.33	16.93



BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_5A_n7A	5	2535	CP	64QAM	Outer_Full	18.88	19.38	16.98
DC_5A_n7A	5	2535	CP	QPSK	Inner_Full	20.90	21.40	19.00
DC_5A_n7A	5	2535	CP	QPSK	Edge_1RB_Left	19.50	20.00	17.60
DC_5A_n7A	5	2535	CP	QPSK	Edge_1RB_Right	19.42	19.92	17.52
DC_5A_n7A	5	2535	CP	QPSK	Outer_Full	19.41	19.91	17.51
DC_5A_n7A	5	2567.5	DFT	16QAM	Inner_Full	21.18	21.68	19.28
DC_5A_n7A	5	2567.5	DFT	16QAM	Edge_1RB_Left	20.12	20.62	18.22
DC_5A_n7A	5	2567.5	DFT	16QAM	Edge_1RB_Right	19.88	20.38	17.98
DC_5A_n7A	5	2567.5	DFT	16QAM	Outer_Full	20.18	20.68	18.28
DC_5A_n7A	5	2567.5	DFT	64QAM	Inner_Full	19.69	20.19	17.79
DC_5A_n7A	5	2567.5	DFT	64QAM	Edge_1RB_Left	19.79	20.29	17.89
DC_5A_n7A	5	2567.5	DFT	64QAM	Edge_1RB_Right	19.62	20.12	17.72
DC_5A_n7A	5	2567.5	DFT	64QAM	Outer_Full	19.71	20.21	17.81
DC_5A_n7A	5	2567.5	DFT	pi/2 BPSK	Inner_Full	22.15	22.65	20.25
DC_5A_n7A	5	2567.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.75	22.25	19.85
DC_5A_n7A	5	2567.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.45	21.95	19.55
DC_5A_n7A	5	2567.5	DFT	pi/2 BPSK	Outer_Full	21.67	22.17	19.77
DC_5A_n7A	5	2567.5	DFT	QPSK	Inner_Full	22.14	22.64	20.24
DC_5A_n7A	5	2567.5	DFT	QPSK	Edge_1RB_Left	21.24	21.74	19.34
DC_5A_n7A	5	2567.5	DFT	QPSK	Edge_1RB_Right	20.96	21.46	19.06
DC_5A_n7A	5	2567.5	DFT	QPSK	Outer_Full	21.18	21.68	19.28
DC_5A_n7A	5	2567.5	CP	16QAM	Inner_Full	20.05	20.55	18.15
DC_5A_n7A	5	2567.5	CP	16QAM	Edge_1RB_Left	19.24	19.74	17.34
DC_5A_n7A	5	2567.5	CP	16QAM	Edge_1RB_Right	19.10	19.60	17.20
DC_5A_n7A	5	2567.5	CP	16QAM	Outer_Full	19.11	19.61	17.21
DC_5A_n7A	5	2567.5	CP	64QAM	Inner_Full	18.53	19.03	16.63
DC_5A_n7A	5	2567.5	CP	64QAM	Edge_1RB_Left	18.60	19.10	16.70
DC_5A_n7A	5	2567.5	CP	64QAM	Edge_1RB_Right	18.40	18.90	16.50
DC_5A_n7A	5	2567.5	CP	64QAM	Outer_Full	18.58	19.08	16.68



BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_5A_n7A	5	2567.5	CP	QPSK	Inner_Full	20.63	21.13	18.73
DC_5A_n7A	5	2567.5	CP	QPSK	Edge_1RB_Left	19.41	19.91	17.51
DC_5A_n7A	5	2567.5	CP	QPSK	Edge_1RB_Right	19.16	19.66	17.26
DC_5A_n7A	5	2567.5	CP	QPSK	Outer_Full	19.05	19.55	17.15
DC_5A_n7A	10	2505	DFT	16QAM	Inner_Full	21.52	22.02	19.62
DC_5A_n7A	10	2505	DFT	16QAM	Edge_1RB_Left	20.60	21.10	18.70
DC_5A_n7A	10	2505	DFT	16QAM	Edge_1RB_Right	20.58	21.08	18.68
DC_5A_n7A	10	2505	DFT	16QAM	Outer_Full	20.54	21.04	18.64
DC_5A_n7A	10	2505	DFT	64QAM	Inner_Full	20.09	20.59	18.19
DC_5A_n7A	10	2505	DFT	64QAM	Edge_1RB_Left	20.02	20.52	18.12
DC_5A_n7A	10	2505	DFT	64QAM	Edge_1RB_Right	19.98	20.48	18.08
DC_5A_n7A	10	2505	DFT	64QAM	Outer_Full	20.06	20.56	18.16
DC_5A_n7A	10	2505	DFT	pi/2 BPSK	Inner_Full	22.51	23.01	20.61
DC_5A_n7A	10	2505	DFT	pi/2 BPSK	Edge_1RB_Left	21.98	22.48	20.08
DC_5A_n7A	10	2505	DFT	pi/2 BPSK	Edge_1RB_Right	21.88	22.38	19.98
DC_5A_n7A	10	2505	DFT	pi/2 BPSK	Outer_Full	22.04	22.54	20.14
DC_5A_n7A	10	2505	DFT	QPSK	Inner_Full	22.52	23.02	20.62
DC_5A_n7A	10	2505	DFT	QPSK	Edge_1RB_Left	21.43	21.93	19.53
DC_5A_n7A	10	2505	DFT	QPSK	Edge_1RB_Right	21.38	21.88	19.48
DC_5A_n7A	10	2505	DFT	QPSK	Outer_Full	21.51	22.01	19.61
DC_5A_n7A	10	2505	CP	16QAM	Inner_Full	20.47	20.97	18.57
DC_5A_n7A	10	2505	CP	16QAM	Edge_1RB_Left	19.41	19.91	17.51
DC_5A_n7A	10	2505	CP	16QAM	Edge_1RB_Right	19.44	19.94	17.54
DC_5A_n7A	10	2505	CP	16QAM	Outer_Full	19.45	19.95	17.55
DC_5A_n7A	10	2505	CP	64QAM	Inner_Full	18.96	19.46	17.06
DC_5A_n7A	10	2505	CP	64QAM	Edge_1RB_Left	18.79	19.29	16.89
DC_5A_n7A	10	2505	CP	64QAM	Edge_1RB_Right	18.93	19.43	17.03
DC_5A_n7A	10	2505	CP	64QAM	Outer_Full	18.95	19.45	17.05
DC_5A_n7A	10	2505	CP	QPSK	Inner_Full	21.01	21.51	19.11



BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_5A_n7A	10	2505	CP	QPSK	Edge_1RB_Left	19.54	20.04	17.64
DC_5A_n7A	10	2505	CP	QPSK	Edge_1RB_Right	19.45	19.95	17.55
DC_5A_n7A	10	2505	CP	QPSK	Outer_Full	19.47	19.97	17.57
DC_5A_n7A	10	2535	DFT	16QAM	Inner_Full	21.35	21.85	19.45
DC_5A_n7A	10	2535	DFT	16QAM	Edge_1RB_Left	20.37	20.87	18.47
DC_5A_n7A	10	2535	DFT	16QAM	Edge_1RB_Right	20.36	20.86	18.46
DC_5A_n7A	10	2535	DFT	16QAM	Outer_Full	20.38	20.88	18.48
DC_5A_n7A	10	2535	DFT	64QAM	Inner_Full	19.84	20.34	17.94
DC_5A_n7A	10	2535	DFT	64QAM	Edge_1RB_Left	19.88	20.38	17.98
DC_5A_n7A	10	2535	DFT	64QAM	Edge_1RB_Right	19.73	20.23	17.83
DC_5A_n7A	10	2535	DFT	64QAM	Outer_Full	19.90	20.40	18.00
DC_5A_n7A	10	2535	DFT	pi/2 BPSK	Inner_Full	22.32	22.82	20.42
DC_5A_n7A	10	2535	DFT	pi/2 BPSK	Edge_1RB_Left	21.84	22.34	19.94
DC_5A_n7A	10	2535	DFT	pi/2 BPSK	Edge_1RB_Right	21.75	22.25	19.85
DC_5A_n7A	10	2535	DFT	pi/2 BPSK	Outer_Full	21.91	22.41	20.01
DC_5A_n7A	10	2535	DFT	QPSK	Inner_Full	22.33	22.83	20.43
DC_5A_n7A	10	2535	DFT	QPSK	Edge_1RB_Left	21.30	21.80	19.40
DC_5A_n7A	10	2535	DFT	QPSK	Edge_1RB_Right	21.24	21.74	19.34
DC_5A_n7A	10	2535	DFT	QPSK	Outer_Full	21.32	21.82	19.42
DC_5A_n7A	10	2535	CP	16QAM	Inner_Full	20.33	20.83	18.43
DC_5A_n7A	10	2535	CP	16QAM	Edge_1RB_Left	19.29	19.79	17.39
DC_5A_n7A	10	2535	CP	16QAM	Edge_1RB_Right	19.31	19.81	17.41
DC_5A_n7A	10	2535	CP	16QAM	Outer_Full	19.31	19.81	17.41
DC_5A_n7A	10	2535	CP	64QAM	Inner_Full	18.83	19.33	16.93
DC_5A_n7A	10	2535	CP	64QAM	Edge_1RB_Left	18.87	19.37	16.97
DC_5A_n7A	10	2535	CP	64QAM	Edge_1RB_Right	18.74	19.24	16.84
DC_5A_n7A	10	2535	CP	64QAM	Outer_Full	18.84	19.34	16.94
DC_5A_n7A	10	2535	CP	QPSK	Inner_Full	20.79	21.29	18.89
DC_5A_n7A	10	2535	CP	QPSK	Edge_1RB_Left	19.42	19.92	17.52



BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_5A_n7A	10	2535	CP	QPSK	Edge_1RB_Right	19.47	19.97	17.57
DC_5A_n7A	10	2535	CP	QPSK	Outer_Full	19.33	19.83	17.43
DC_5A_n7A	10	2565	DFT	16QAM	Inner_Full	21.00	21.50	19.10
DC_5A_n7A	10	2565	DFT	16QAM	Edge_1RB_Left	19.96	20.46	18.06
DC_5A_n7A	10	2565	DFT	16QAM	Edge_1RB_Right	19.90	20.40	18.00
DC_5A_n7A	10	2565	DFT	16QAM	Outer_Full	19.97	20.47	18.07
DC_5A_n7A	10	2565	DFT	64QAM	Inner_Full	19.61	20.11	17.71
DC_5A_n7A	10	2565	DFT	64QAM	Edge_1RB_Left	19.54	20.04	17.64
DC_5A_n7A	10	2565	DFT	64QAM	Edge_1RB_Right	19.35	19.85	17.45
DC_5A_n7A	10	2565	DFT	64QAM	Outer_Full	19.57	20.07	17.67
DC_5A_n7A	10	2565	DFT	pi/2 BPSK	Inner_Full	22.01	22.51	20.11
DC_5A_n7A	10	2565	DFT	pi/2 BPSK	Edge_1RB_Left	21.49	21.99	19.59
DC_5A_n7A	10	2565	DFT	pi/2 BPSK	Edge_1RB_Right	21.39	21.89	19.49
DC_5A_n7A	10	2565	DFT	pi/2 BPSK	Outer_Full	21.49	21.99	19.59
DC_5A_n7A	10	2565	DFT	QPSK	Inner_Full	21.97	22.47	20.07
DC_5A_n7A	10	2565	DFT	QPSK	Edge_1RB_Left	20.93	21.43	19.03
DC_5A_n7A	10	2565	DFT	QPSK	Edge_1RB_Right	20.84	21.34	18.94
DC_5A_n7A	10	2565	DFT	QPSK	Outer_Full	21.00	21.50	19.10
DC_5A_n7A	10	2565	CP	16QAM	Inner_Full	19.91	20.41	18.01
DC_5A_n7A	10	2565	CP	16QAM	Edge_1RB_Left	18.92	19.42	17.02
DC_5A_n7A	10	2565	CP	16QAM	Edge_1RB_Right	18.90	19.40	17.00
DC_5A_n7A	10	2565	CP	16QAM	Outer_Full	18.91	19.41	17.01
DC_5A_n7A	10	2565	CP	64QAM	Inner_Full	18.43	18.93	16.53
DC_5A_n7A	10	2565	CP	64QAM	Edge_1RB_Left	18.48	18.98	16.58
DC_5A_n7A	10	2565	CP	64QAM	Edge_1RB_Right	18.42	18.92	16.52
DC_5A_n7A	10	2565	CP	64QAM	Outer_Full	18.41	18.91	16.51
DC_5A_n7A	10	2565	CP	QPSK	Inner_Full	20.46	20.96	18.56
DC_5A_n7A	10	2565	CP	QPSK	Edge_1RB_Left	19.03	19.53	17.13
DC_5A_n7A	10	2565	CP	QPSK	Edge_1RB_Right	18.97	19.47	17.07



BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_5A_n7A	10	2565	CP	QPSK	Outer_Full	18.89	19.39	16.99
DC_5A_n7A	15	2507.5	DFT	16QAM	Inner_Full	21.70	22.20	19.80
DC_5A_n7A	15	2507.5	DFT	16QAM	Edge_1RB_Left	20.58	21.08	18.68
DC_5A_n7A	15	2507.5	DFT	16QAM	Edge_1RB_Right	20.55	21.05	18.65
DC_5A_n7A	15	2507.5	DFT	16QAM	Outer_Full	20.65	21.15	18.75
DC_5A_n7A	15	2507.5	DFT	64QAM	Inner_Full	20.14	20.64	18.24
DC_5A_n7A	15	2507.5	DFT	64QAM	Edge_1RB_Left	20.08	20.58	18.18
DC_5A_n7A	15	2507.5	DFT	64QAM	Edge_1RB_Right	20.07	20.57	18.17
DC_5A_n7A	15	2507.5	DFT	64QAM	Outer_Full	20.21	20.71	18.31
DC_5A_n7A	15	2507.5	DFT	pi/2 BPSK	Inner_Full	22.65	23.15	20.75
DC_5A_n7A	15	2507.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.12	22.62	20.22
DC_5A_n7A	15	2507.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.01	22.51	20.11
DC_5A_n7A	15	2507.5	DFT	pi/2 BPSK	Outer_Full	22.14	22.64	20.24
DC_5A_n7A	15	2507.5	DFT	QPSK	Inner_Full	22.61	23.11	20.71
DC_5A_n7A	15	2507.5	DFT	QPSK	Edge_1RB_Left	21.57	22.07	19.67
DC_5A_n7A	15	2507.5	DFT	QPSK	Edge_1RB_Right	21.48	21.98	19.58
DC_5A_n7A	15	2507.5	DFT	QPSK	Outer_Full	21.70	22.20	19.80
DC_5A_n7A	15	2507.5	CP	16QAM	Inner_Full	20.62	21.12	18.72
DC_5A_n7A	15	2507.5	CP	16QAM	Edge_1RB_Left	19.53	20.03	17.63
DC_5A_n7A	15	2507.5	CP	16QAM	Edge_1RB_Right	19.58	20.08	17.68
DC_5A_n7A	15	2507.5	CP	16QAM	Outer_Full	19.65	20.15	17.75
DC_5A_n7A	15	2507.5	CP	64QAM	Inner_Full	19.09	19.59	17.19
DC_5A_n7A	15	2507.5	CP	64QAM	Edge_1RB_Left	19.15	19.65	17.25
DC_5A_n7A	15	2507.5	CP	64QAM	Edge_1RB_Right	19.05	19.55	17.15
DC_5A_n7A	15	2507.5	CP	64QAM	Outer_Full	19.16	19.66	17.26
DC_5A_n7A	15	2507.5	CP	QPSK	Inner_Full	21.10	21.60	19.20
DC_5A_n7A	15	2507.5	CP	QPSK	Edge_1RB_Left	19.56	20.06	17.66
DC_5A_n7A	15	2507.5	CP	QPSK	Edge_1RB_Right	19.52	20.02	17.62
DC_5A_n7A	15	2507.5	CP	QPSK	Outer_Full	19.62	20.12	17.72





BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_5A_n7A	15	2535	DFT	16QAM	Inner_Full	21.54	22.04	19.64
DC_5A_n7A	15	2535	DFT	16QAM	Edge_1RB_Left	20.37	20.87	18.47
DC_5A_n7A	15	2535	DFT	16QAM	Edge_1RB_Right	20.37	20.87	18.47
DC_5A_n7A	15	2535	DFT	16QAM	Outer_Full	20.45	20.95	18.55
DC_5A_n7A	15	2535	DFT	64QAM	Inner_Full	20.05	20.55	18.15
DC_5A_n7A	15	2535	DFT	64QAM	Edge_1RB_Left	19.89	20.39	17.99
DC_5A_n7A	15	2535	DFT	64QAM	Edge_1RB_Right	19.78	20.28	17.88
DC_5A_n7A	15	2535	DFT	64QAM	Outer_Full	20.02	20.52	18.12
DC_5A_n7A	15	2535	DFT	pi/2 BPSK	Inner_Full	22.41	22.91	20.51
DC_5A_n7A	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	21.91	22.41	20.01
DC_5A_n7A	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	21.78	22.28	19.88
DC_5A_n7A	15	2535	DFT	pi/2 BPSK	Outer_Full	22.06	22.56	20.16
DC_5A_n7A	15	2535	DFT	QPSK	Inner_Full	22.38	22.88	20.48
DC_5A_n7A	15	2535	DFT	QPSK	Edge_1RB_Left	21.34	21.84	19.44
DC_5A_n7A	15	2535	DFT	QPSK	Edge_1RB_Right	21.21	21.71	19.31
DC_5A_n7A	15	2535	DFT	QPSK	Outer_Full	21.47	21.97	19.57
DC_5A_n7A	15	2535	CP	16QAM	Inner_Full	20.41	20.91	18.51
DC_5A_n7A	15	2535	CP	16QAM	Edge_1RB_Left	19.34	19.84	17.44
DC_5A_n7A	15	2535	CP	16QAM	Edge_1RB_Right	19.24	19.74	17.34
DC_5A_n7A	15	2535	CP	16QAM	Outer_Full	19.45	19.95	17.55
DC_5A_n7A	15	2535	CP	64QAM	Inner_Full	18.98	19.48	17.08
DC_5A_n7A	15	2535	CP	64QAM	Edge_1RB_Left	18.90	19.40	17.00
DC_5A_n7A	15	2535	CP	64QAM	Edge_1RB_Right	18.85	19.35	16.95
DC_5A_n7A	15	2535	CP	64QAM	Outer_Full	18.92	19.42	17.02
DC_5A_n7A	15	2535	CP	QPSK	Inner_Full	20.93	21.43	19.03
DC_5A_n7A	15	2535	CP	QPSK	Edge_1RB_Left	19.52	20.02	17.62
DC_5A_n7A	15	2535	CP	QPSK	Edge_1RB_Right	19.20	19.70	17.30
DC_5A_n7A	15	2535	CP	QPSK	Outer_Full	19.44	19.94	17.54
DC_5A_n7A	15	2562.5	DFT	16QAM	Inner_Full	21.12	21.62	19.22



BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_5A_n7A	15	2562.5	DFT	16QAM	Edge_1RB_Left	20.18	20.68	18.28
DC_5A_n7A	15	2562.5	DFT	16QAM	Edge_1RB_Right	19.98	20.48	18.08
DC_5A_n7A	15	2562.5	DFT	16QAM	Outer_Full	20.19	20.69	18.29
DC_5A_n7A	15	2562.5	DFT	64QAM	Inner_Full	19.74	20.24	17.84
DC_5A_n7A	15	2562.5	DFT	64QAM	Edge_1RB_Left	19.65	20.15	17.75
DC_5A_n7A	15	2562.5	DFT	64QAM	Edge_1RB_Right	19.45	19.95	17.55
DC_5A_n7A	15	2562.5	DFT	64QAM	Outer_Full	19.70	20.20	17.80
DC_5A_n7A	15	2562.5	DFT	pi/2 BPSK	Inner_Full	22.11	22.61	20.21
DC_5A_n7A	15	2562.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.60	22.10	19.70
DC_5A_n7A	15	2562.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.46	21.96	19.56
DC_5A_n7A	15	2562.5	DFT	pi/2 BPSK	Outer_Full	21.71	22.21	19.81
DC_5A_n7A	15	2562.5	DFT	QPSK	Inner_Full	22.10	22.60	20.20
DC_5A_n7A	15	2562.5	DFT	QPSK	Edge_1RB_Left	21.08	21.58	19.18
DC_5A_n7A	15	2562.5	DFT	QPSK	Edge_1RB_Right	20.94	21.44	19.04
DC_5A_n7A	15	2562.5	DFT	QPSK	Outer_Full	21.20	21.70	19.30
DC_5A_n7A	15	2562.5	CP	16QAM	Inner_Full	20.15	20.65	18.25
DC_5A_n7A	15	2562.5	CP	16QAM	Edge_1RB_Left	19.12	19.62	17.22
DC_5A_n7A	15	2562.5	CP	16QAM	Edge_1RB_Right	18.93	19.43	17.03
DC_5A_n7A	15	2562.5	CP	16QAM	Outer_Full	19.13	19.63	17.23
DC_5A_n7A	15	2562.5	CP	64QAM	Inner_Full	18.59	19.09	16.69
DC_5A_n7A	15	2562.5	CP	64QAM	Edge_1RB_Left	18.60	19.10	16.70
DC_5A_n7A	15	2562.5	CP	64QAM	Edge_1RB_Right	18.49	18.99	16.59
DC_5A_n7A	15	2562.5	CP	64QAM	Outer_Full	18.63	19.13	16.73
DC_5A_n7A	15	2562.5	CP	QPSK	Inner_Full	20.62	21.12	18.72
DC_5A_n7A	15	2562.5	CP	QPSK	Edge_1RB_Left	19.08	19.58	17.18
DC_5A_n7A	15	2562.5	CP	QPSK	Edge_1RB_Right	18.97	19.47	17.07
DC_5A_n7A	15	2562.5	CP	QPSK	Outer_Full	19.12	19.62	17.22
DC_5A_n7A	20	2510	DFT	16QAM	Inner_Full	21.57	22.07	19.67
DC_5A_n7A	20	2510	DFT	16QAM	Edge_1RB_Left	20.39	20.89	18.49



BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_5A_n7A	20	2510	DFT	16QAM	Edge_1RB_Right	20.43	20.93	18.53
DC_5A_n7A	20	2510	DFT	16QAM	Outer_Full	20.60	21.10	18.70
DC_5A_n7A	20	2510	DFT	64QAM	Inner_Full	20.12	20.62	18.22
DC_5A_n7A	20	2510	DFT	64QAM	Edge_1RB_Left	19.98	20.48	18.08
DC_5A_n7A	20	2510	DFT	64QAM	Edge_1RB_Right	19.88	20.38	17.98
DC_5A_n7A	20	2510	DFT	64QAM	Outer_Full	20.13	20.63	18.23
DC_5A_n7A	20	2510	DFT	pi/2 BPSK	Inner_Full	22.56	23.06	20.66
DC_5A_n7A	20	2510	DFT	pi/2 BPSK	Edge_1RB_Left	21.91	22.41	20.01
DC_5A_n7A	20	2510	DFT	pi/2 BPSK	Edge_1RB_Right	21.81	22.31	19.91
DC_5A_n7A	20	2510	DFT	pi/2 BPSK	Outer_Full	22.09	22.59	20.19
DC_5A_n7A	20	2510	DFT	QPSK	Inner_Full	22.61	23.11	20.71
DC_5A_n7A	20	2510	DFT	QPSK	Edge_1RB_Left	21.43	21.93	19.53
DC_5A_n7A	20	2510	DFT	QPSK	Edge_1RB_Right	21.20	21.70	19.30
DC_5A_n7A	20	2510	DFT	QPSK	Outer_Full	21.57	22.07	19.67
DC_5A_n7A	20	2510	CP	16QAM	Inner_Full	20.44	20.94	18.54
DC_5A_n7A	20	2510	CP	16QAM	Edge_1RB_Left	19.46	19.96	17.56
DC_5A_n7A	20	2510	CP	16QAM	Edge_1RB_Right	19.30	19.80	17.40
DC_5A_n7A	20	2510	CP	16QAM	Outer_Full	19.57	20.07	17.67
DC_5A_n7A	20	2510	CP	64QAM	Inner_Full	19.04	19.54	17.14
DC_5A_n7A	20	2510	CP	64QAM	Edge_1RB_Left	18.83	19.33	16.93
DC_5A_n7A	20	2510	CP	64QAM	Edge_1RB_Right	18.79	19.29	16.89
DC_5A_n7A	20	2510	CP	64QAM	Outer_Full	19.02	19.52	17.12
DC_5A_n7A	20	2510	CP	QPSK	Inner_Full	21.03	21.53	19.13
DC_5A_n7A	20	2510	CP	QPSK	Edge_1RB_Left	19.52	20.02	17.62
DC_5A_n7A	20	2510	CP	QPSK	Edge_1RB_Right	19.32	19.82	17.42
DC_5A_n7A	20	2510	CP	QPSK	Outer_Full	19.56	20.06	17.66
DC_5A_n7A	20	2535	DFT	16QAM	Inner_Full	21.54	22.04	19.64
DC_5A_n7A	20	2535	DFT	16QAM	Edge_1RB_Left	20.38	20.88	18.48
DC_5A_n7A	20	2535	DFT	16QAM	Edge_1RB_Right	20.20	20.70	18.30



BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_5A_n7A	20	2535	DFT	16QAM	Outer_Full	20.35	20.85	18.45
DC_5A_n7A	20	2535	DFT	64QAM	Inner_Full	19.96	20.46	18.06
DC_5A_n7A	20	2535	DFT	64QAM	Edge_1RB_Left	19.78	20.28	17.88
DC_5A_n7A	20	2535	DFT	64QAM	Edge_1RB_Right	19.60	20.10	17.70
DC_5A_n7A	20	2535	DFT	64QAM	Outer_Full	19.82	20.32	17.92
DC_5A_n7A	20	2535	DFT	pi/2 BPSK	Inner_Full	22.37	22.87	20.47
DC_5A_n7A	20	2535	DFT	pi/2 BPSK	Edge_1RB_Left	21.72	22.22	19.82
DC_5A_n7A	20	2535	DFT	pi/2 BPSK	Edge_1RB_Right	21.63	22.13	19.73
DC_5A_n7A	20	2535	DFT	pi/2 BPSK	Outer_Full	21.91	22.41	20.01
DC_5A_n7A	20	2535	DFT	QPSK	Inner_Full	22.43	22.93	20.53
DC_5A_n7A	20	2535	DFT	QPSK	Edge_1RB_Left	21.27	21.77	19.37
DC_5A_n7A	20	2535	DFT	QPSK	Edge_1RB_Right	21.08	21.58	19.18
DC_5A_n7A	20	2535	DFT	QPSK	Outer_Full	21.39	21.89	19.49
DC_5A_n7A	20	2535	CP	16QAM	Inner_Full	20.33	20.83	18.43
DC_5A_n7A	20	2535	CP	16QAM	Edge_1RB_Left	19.28	19.78	17.38
DC_5A_n7A	20	2535	CP	16QAM	Edge_1RB_Right	19.07	19.57	17.17
DC_5A_n7A	20	2535	CP	16QAM	Outer_Full	19.40	19.90	17.50
DC_5A_n7A	20	2535	CP	64QAM	Inner_Full	18.92	19.42	17.02
DC_5A_n7A	20	2535	CP	64QAM	Edge_1RB_Left	18.84	19.34	16.94
DC_5A_n7A	20	2535	CP	64QAM	Edge_1RB_Right	18.58	19.08	16.68
DC_5A_n7A	20	2535	CP	64QAM	Outer_Full	18.85	19.35	16.95
DC_5A_n7A	20	2535	CP	QPSK	Inner_Full	20.89	21.39	18.99
DC_5A_n7A	20	2535	CP	QPSK	Edge_1RB_Left	19.37	19.87	17.47
DC_5A_n7A	20	2535	CP	QPSK	Edge_1RB_Right	19.14	19.64	17.24
DC_5A_n7A	20	2535	CP	QPSK	Outer_Full	19.35	19.85	17.45
DC_5A_n7A	20	2560	DFT	16QAM	Inner_Full	21.19	21.69	19.29
DC_5A_n7A	20	2560	DFT	16QAM	Edge_1RB_Left	20.22	20.72	18.32
DC_5A_n7A	20	2560	DFT	16QAM	Edge_1RB_Right	19.70	20.20	17.80
DC_5A_n7A	20	2560	DFT	16QAM	Outer_Full	20.18	20.68	18.28



BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_5A_n7A	20	2560	DFT	64QAM	Inner_Full	19.69	20.19	17.79
DC_5A_n7A	20	2560	DFT	64QAM	Edge_1RB_Left	19.62	20.12	17.72
DC_5A_n7A	20	2560	DFT	64QAM	Edge_1RB_Right	19.36	19.86	17.46
DC_5A_n7A	20	2560	DFT	64QAM	Outer_Full	19.74	20.24	17.84
DC_5A_n7A	20	2560	DFT	pi/2 BPSK	Inner_Full	22.16	22.66	20.26
DC_5A_n7A	20	2560	DFT	pi/2 BPSK	Edge_1RB_Left	21.56	22.06	19.66
DC_5A_n7A	20	2560	DFT	pi/2 BPSK	Edge_1RB_Right	21.29	21.79	19.39
DC_5A_n7A	20	2560	DFT	pi/2 BPSK	Outer_Full	21.65	22.15	19.75
DC_5A_n7A	20	2560	DFT	QPSK	Inner_Full	22.17	22.67	20.27
DC_5A_n7A	20	2560	DFT	QPSK	Edge_1RB_Left	20.99	21.49	19.09
DC_5A_n7A	20	2560	DFT	QPSK	Edge_1RB_Right	20.81	21.31	18.91
DC_5A_n7A	20	2560	DFT	QPSK	Outer_Full	21.18	21.68	19.28
DC_5A_n7A	20	2560	CP	16QAM	Inner_Full	20.17	20.67	18.27
DC_5A_n7A	20	2560	CP	16QAM	Edge_1RB_Left	19.00	19.50	17.10
DC_5A_n7A	20	2560	CP	16QAM	Edge_1RB_Right	18.72	19.22	16.82
DC_5A_n7A	20	2560	CP	16QAM	Outer_Full	19.07	19.57	17.17
DC_5A_n7A	20	2560	CP	64QAM	Inner_Full	18.57	19.07	16.67
DC_5A_n7A	20	2560	CP	64QAM	Edge_1RB_Left	18.66	19.16	16.76
DC_5A_n7A	20	2560	CP	64QAM	Edge_1RB_Right	18.47	18.97	16.57
DC_5A_n7A	20	2560	CP	64QAM	Outer_Full	18.65	19.15	16.75
DC_5A_n7A	20	2560	CP	QPSK	Inner_Full	20.90	21.40	19.00
DC_5A_n7A	20	2560	CP	QPSK	Edge_1RB_Left	19.08	19.58	17.18
DC_5A_n7A	20	2560	CP	QPSK	Edge_1RB_Right	18.84	19.34	16.94
DC_5A_n7A	20	2560	CP	QPSK	Outer_Full	19.10	19.60	17.20
DC_5A_n7A	25	2512.5	DFT	16QAM	Inner_Full	22.01	22.51	20.11
DC_5A_n7A	25	2512.5	DFT	16QAM	Edge_1RB_Left	21.09	21.59	19.19
DC_5A_n7A	25	2512.5	DFT	16QAM	Edge_1RB_Right	21.00	21.50	19.10
DC_5A_n7A	25	2512.5	DFT	16QAM	Outer_Full	21.02	21.52	19.12
DC_5A_n7A	25	2512.5	DFT	64QAM	Inner_Full	20.64	21.14	18.74



BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_5A_n7A	25	2512.5	DFT	64QAM	Edge_1RB_Left	20.10	20.60	18.20
DC_5A_n7A	25	2512.5	DFT	64QAM	Edge_1RB_Right	20.26	20.76	18.36
DC_5A_n7A	25	2512.5	DFT	64QAM	Outer_Full	20.51	21.01	18.61
DC_5A_n7A	25	2512.5	DFT	pi/2 BPSK	Inner_Full	20.54	21.04	18.64
DC_5A_n7A	25	2512.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.94	22.44	20.04
DC_5A_n7A	25	2512.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.88	22.38	19.98
DC_5A_n7A	25	2512.5	DFT	pi/2 BPSK	Outer_Full	22.02	22.52	20.12
DC_5A_n7A	25	2512.5	DFT	QPSK	Inner_Full	22.84	23.34	20.94
DC_5A_n7A	25	2512.5	DFT	QPSK	Edge_1RB_Left	22.05	22.55	20.15
DC_5A_n7A	25	2512.5	DFT	QPSK	Outer_Full	21.95	22.45	20.05
DC_5A_n7A	25	2512.5	DFT	QPSK	Edge_1RB_Right	21.92	22.42	20.02
DC_5A_n7A	25	2512.5	CP	16QAM	Inner_Full	21.98	22.48	20.08
DC_5A_n7A	25	2512.5	CP	16QAM	Edge_1RB_Left	20.80	21.30	18.90
DC_5A_n7A	25	2512.5	CP	16QAM	Edge_1RB_Right	20.71	21.21	18.81
DC_5A_n7A	25	2512.5	CP	16QAM	Outer_Full	21.00	21.50	19.10
DC_5A_n7A	25	2512.5	CP	64QAM	Inner_Full	20.42	20.92	18.52
DC_5A_n7A	25	2512.5	CP	64QAM	Edge_1RB_Left	20.32	20.82	18.42
DC_5A_n7A	25	2512.5	CP	64QAM	Edge_1RB_Right	20.22	20.72	18.32
DC_5A_n7A	25	2512.5	CP	64QAM	Outer_Full	20.44	20.94	18.54
DC_5A_n7A	25	2512.5	CP	QPSK	Inner_Full	22.69	23.19	20.79
DC_5A_n7A	25	2512.5	CP	QPSK	Edge_1RB_Left	21.92	22.42	20.02
DC_5A_n7A	25	2512.5	CP	QPSK	Edge_1RB_Right	21.82	22.32	19.92
DC_5A_n7A	25	2512.5	CP	QPSK	Outer_Full	21.99	22.49	20.09
DC_5A_n7A	25	2535	DFT	16QAM	Inner_Full	21.79	22.29	19.89
DC_5A_n7A	25	2535	DFT	16QAM	Edge_1RB_Left	20.67	21.17	18.77
DC_5A_n7A	25	2535	DFT	16QAM	Edge_1RB_Right	20.57	21.07	18.67
DC_5A_n7A	25	2535	DFT	16QAM	Outer_Full	20.71	21.21	18.81
DC_5A_n7A	25	2535	DFT	64QAM	Inner_Full	20.31	20.81	18.41
DC_5A_n7A	25	2535	DFT	64QAM	Edge_1RB_Left	19.93	20.43	18.03



BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_5A_n7A	25	2535	DFT	64QAM	Edge_1RB_Right	20.11	20.61	18.21
DC_5A_n7A	25	2535	DFT	64QAM	Outer_Full	20.24	20.74	18.34
DC_5A_n7A	25	2535	DFT	pi/2 BPSK	Inner_Full	20.25	20.75	18.35
DC_5A_n7A	25	2535	DFT	pi/2 BPSK	Edge_1RB_Left	21.80	22.30	19.90
DC_5A_n7A	25	2535	DFT	pi/2 BPSK	Edge_1RB_Right	21.71	22.21	19.81
DC_5A_n7A	25	2535	DFT	pi/2 BPSK	Outer_Full	21.79	22.29	19.89
DC_5A_n7A	25	2535	DFT	QPSK	Inner_Full	22.56	23.06	20.66
DC_5A_n7A	25	2535	DFT	QPSK	Edge_1RB_Left	21.77	22.27	19.87
DC_5A_n7A	25	2535	DFT	QPSK	Outer_Full	21.79	22.29	19.89
DC_5A_n7A	25	2535	DFT	QPSK	Edge_1RB_Right	21.70	22.20	19.80
DC_5A_n7A	25	2535	CP	16QAM	Inner_Full	21.77	22.27	19.87
DC_5A_n7A	25	2535	CP	16QAM	Edge_1RB_Left	20.77	21.27	18.87
DC_5A_n7A	25	2535	CP	16QAM	Edge_1RB_Right	20.49	20.99	18.59
DC_5A_n7A	25	2535	CP	16QAM	Outer_Full	20.67	21.17	18.77
DC_5A_n7A	25	2535	CP	64QAM	Inner_Full	20.35	20.85	18.45
DC_5A_n7A	25	2535	CP	64QAM	Edge_1RB_Left	20.08	20.58	18.18
DC_5A_n7A	25	2535	CP	64QAM	Edge_1RB_Right	20.04	20.54	18.14
DC_5A_n7A	25	2535	CP	64QAM	Outer_Full	20.20	20.70	18.30
DC_5A_n7A	25	2535	CP	QPSK	Inner_Full	22.46	22.96	20.56
DC_5A_n7A	25	2535	CP	QPSK	Edge_1RB_Left	21.73	22.23	19.83
DC_5A_n7A	25	2535	CP	QPSK	Edge_1RB_Right	21.62	22.12	19.72
DC_5A_n7A	25	2535	CP	QPSK	Outer_Full	21.69	22.19	19.79
DC_5A_n7A	25	2557.5	DFT	16QAM	Inner_Full	21.50	22.00	19.60
DC_5A_n7A	25	2557.5	DFT	16QAM	Edge_1RB_Left	20.56	21.06	18.66
DC_5A_n7A	25	2557.5	DFT	16QAM	Edge_1RB_Right	20.39	20.89	18.49
DC_5A_n7A	25	2557.5	DFT	16QAM	Outer_Full	20.47	20.97	18.57
DC_5A_n7A	25	2557.5	DFT	64QAM	Inner_Full	20.03	20.53	18.13
DC_5A_n7A	25	2557.5	DFT	64QAM	Edge_1RB_Left	19.65	20.15	17.75
DC_5A_n7A	25	2557.5	DFT	64QAM	Edge_1RB_Right	19.75	20.25	17.85



BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_5A_n7A	25	2557.5	DFT	64QAM	Outer_Full	20.07	20.57	18.17
DC_5A_n7A	25	2557.5	DFT	pi/2 BPSK	Inner_Full	20.10	20.60	18.20
DC_5A_n7A	25	2557.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.50	22.00	19.60
DC_5A_n7A	25	2557.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.46	21.96	19.56
DC_5A_n7A	25	2557.5	DFT	pi/2 BPSK	Outer_Full	21.55	22.05	19.65
DC_5A_n7A	25	2557.5	DFT	QPSK	Inner_Full	22.18	22.68	20.28
DC_5A_n7A	25	2557.5	DFT	QPSK	Edge_1RB_Left	21.43	21.93	19.53
DC_5A_n7A	25	2557.5	DFT	QPSK	Outer_Full	21.52	22.02	19.62
DC_5A_n7A	25	2557.5	DFT	QPSK	Edge_1RB_Right	21.26	21.76	19.36
DC_5A_n7A	25	2557.5	CP	16QAM	Inner_Full	21.43	21.93	19.53
DC_5A_n7A	25	2557.5	CP	16QAM	Edge_1RB_Left	20.46	20.96	18.56
DC_5A_n7A	25	2557.5	CP	16QAM	Edge_1RB_Right	20.34	20.84	18.44
DC_5A_n7A	25	2557.5	CP	16QAM	Outer_Full	20.36	20.86	18.46
DC_5A_n7A	25	2557.5	CP	64QAM	Inner_Full	20.05	20.55	18.15
DC_5A_n7A	25	2557.5	CP	64QAM	Edge_1RB_Left	19.87	20.37	17.97
DC_5A_n7A	25	2557.5	CP	64QAM	Edge_1RB_Right	19.44	19.94	17.54
DC_5A_n7A	25	2557.5	CP	64QAM	Outer_Full	19.97	20.47	18.07
DC_5A_n7A	25	2557.5	CP	QPSK	Inner_Full	22.13	22.63	20.23
DC_5A_n7A	25	2557.5	CP	QPSK	Edge_1RB_Left	21.34	21.84	19.44
DC_5A_n7A	25	2557.5	CP	QPSK	Edge_1RB_Right	21.18	21.68	19.28
DC_5A_n7A	25	2557.5	CP	QPSK	Outer_Full	21.45	21.95	19.55
DC_5A_n7A	30	2515	DFT	16QAM	Inner_Full	21.81	22.31	19.91
DC_5A_n7A	30	2515	DFT	16QAM	Edge_1RB_Left	20.80	21.30	18.90
DC_5A_n7A	30	2515	DFT	16QAM	Edge_1RB_Right	20.75	21.25	18.85
DC_5A_n7A	30	2515	DFT	16QAM	Outer_Full	20.78	21.28	18.88
DC_5A_n7A	30	2515	DFT	64QAM	Inner_Full	20.35	20.85	18.45
DC_5A_n7A	30	2515	DFT	64QAM	Edge_1RB_Left	19.98	20.48	18.08
DC_5A_n7A	30	2515	DFT	64QAM	Edge_1RB_Right	19.86	20.36	17.96
DC_5A_n7A	30	2515	DFT	64QAM	Outer_Full	20.32	20.82	18.42





BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_5A_n7A	30	2515	DFT	pi/2 BPSK	Inner_Full	20.40	20.90	18.50
DC_5A_n7A	30	2515	DFT	pi/2 BPSK	Edge_1RB_Left	21.74	22.24	19.84
DC_5A_n7A	30	2515	DFT	pi/2 BPSK	Edge_1RB_Right	21.65	22.15	19.75
DC_5A_n7A	30	2515	DFT	pi/2 BPSK	Outer_Full	21.87	22.37	19.97
DC_5A_n7A	30	2515	DFT	QPSK	Inner_Full	22.60	23.10	20.70
DC_5A_n7A	30	2515	DFT	QPSK	Edge_1RB_Left	21.75	22.25	19.85
DC_5A_n7A	30	2515	DFT	QPSK	Outer_Full	21.86	22.36	19.96
DC_5A_n7A	30	2515	DFT	QPSK	Edge_1RB_Right	21.61	22.11	19.71
DC_5A_n7A	30	2515	CP	16QAM	Inner_Full	20.69	21.19	18.79
DC_5A_n7A	30	2515	CP	16QAM	Edge_1RB_Left	20.72	21.22	18.82
DC_5A_n7A	30	2515	CP	16QAM	Edge_1RB_Right	20.67	21.17	18.77
DC_5A_n7A	30	2515	CP	16QAM	Outer_Full	20.80	21.30	18.90
DC_5A_n7A	30	2515	CP	64QAM	Inner_Full	20.24	20.74	18.34
DC_5A_n7A	30	2515	CP	64QAM	Edge_1RB_Left	19.88	20.38	17.98
DC_5A_n7A	30	2515	CP	64QAM	Edge_1RB_Right	20.05	20.55	18.15
DC_5A_n7A	30	2515	CP	64QAM	Outer_Full	20.21	20.71	18.31
DC_5A_n7A	30	2515	CP	QPSK	Inner_Full	21.75	22.25	19.85
DC_5A_n7A	30	2515	CP	QPSK	Edge_1RB_Left	21.72	22.22	19.82
DC_5A_n7A	30	2515	CP	QPSK	Edge_1RB_Right	21.62	22.12	19.72
DC_5A_n7A	30	2515	CP	QPSK	Outer_Full	21.76	22.26	19.86
DC_5A_n7A	30	2535	DFT	16QAM	Inner_Full	21.58	22.08	19.68
DC_5A_n7A	30	2535	DFT	16QAM	Edge_1RB_Left	20.47	20.97	18.57
DC_5A_n7A	30	2535	DFT	16QAM	Edge_1RB_Right	20.35	20.85	18.45
DC_5A_n7A	30	2535	DFT	16QAM	Outer_Full	20.61	21.11	18.71
DC_5A_n7A	30	2535	DFT	64QAM	Inner_Full	20.09	20.59	18.19
DC_5A_n7A	30	2535	DFT	64QAM	Edge_1RB_Left	20.04	20.54	18.14
DC_5A_n7A	30	2535	DFT	64QAM	Edge_1RB_Right	19.62	20.12	17.72
DC_5A_n7A	30	2535	DFT	64QAM	Outer_Full	20.07	20.57	18.17
DC_5A_n7A	30	2535	DFT	pi/2 BPSK	Inner_Full	20.21	20.71	18.31



BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_5A_n7A	30	2535	DFT	pi/2 BPSK	Edge_1RB_Left	21.56	22.06	19.66
DC_5A_n7A	30	2535	DFT	pi/2 BPSK	Edge_1RB_Right	21.41	21.91	19.51
DC_5A_n7A	30	2535	DFT	pi/2 BPSK	Outer_Full	21.62	22.12	19.72
DC_5A_n7A	30	2535	DFT	QPSK	Inner_Full	22.34	22.84	20.44
DC_5A_n7A	30	2535	DFT	QPSK	Edge_1RB_Left	21.56	22.06	19.66
DC_5A_n7A	30	2535	DFT	QPSK	Outer_Full	21.64	22.14	19.74
DC_5A_n7A	30	2535	DFT	QPSK	Edge_1RB_Right	21.45	21.95	19.55
DC_5A_n7A	30	2535	CP	16QAM	Inner_Full	20.48	20.98	18.58
DC_5A_n7A	30	2535	CP	16QAM	Edge_1RB_Left	20.54	21.04	18.64
DC_5A_n7A	30	2535	CP	16QAM	Edge_1RB_Right	20.27	20.77	18.37
DC_5A_n7A	30	2535	CP	16QAM	Outer_Full	20.48	20.98	18.58
DC_5A_n7A	30	2535	CP	64QAM	Inner_Full	20.07	20.57	18.17
DC_5A_n7A	30	2535	CP	64QAM	Edge_1RB_Left	19.99	20.49	18.09
DC_5A_n7A	30	2535	CP	64QAM	Edge_1RB_Right	19.57	20.07	17.67
DC_5A_n7A	30	2535	CP	64QAM	Outer_Full	20.05	20.55	18.15
DC_5A_n7A	30	2535	CP	QPSK	Inner_Full	21.57	22.07	19.67
DC_5A_n7A	30	2535	CP	QPSK	Edge_1RB_Left	21.47	21.97	19.57
DC_5A_n7A	30	2535	CP	QPSK	Edge_1RB_Right	21.31	21.81	19.41
DC_5A_n7A	30	2535	CP	QPSK	Outer_Full	21.56	22.06	19.66
DC_5A_n7A	30	2555	DFT	16QAM	Inner_Full	21.35	21.85	19.45
DC_5A_n7A	30	2555	DFT	16QAM	Edge_1RB_Left	20.36	20.86	18.46
DC_5A_n7A	30	2555	DFT	16QAM	Edge_1RB_Right	20.18	20.68	18.28
DC_5A_n7A	30	2555	DFT	16QAM	Outer_Full	20.26	20.76	18.36
DC_5A_n7A	30	2555	DFT	64QAM	Inner_Full	19.89	20.39	17.99
DC_5A_n7A	30	2555	DFT	64QAM	Edge_1RB_Left	19.80	20.30	17.90
DC_5A_n7A	30	2555	DFT	64QAM	Edge_1RB_Right	19.57	20.07	17.67
DC_5A_n7A	30	2555	DFT	64QAM	Outer_Full	19.88	20.38	17.98
DC_5A_n7A	30	2555	DFT	pi/2 BPSK	Inner_Full	19.98	20.48	18.08
DC_5A_n7A	30	2555	DFT	pi/2 BPSK	Edge_1RB_Left	21.27	21.77	19.37



BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_5A_n7A	30	2555	DFT	pi/2 BPSK	Edge_1RB_Right	21.15	21.65	19.25
DC_5A_n7A	30	2555	DFT	pi/2 BPSK	Outer_Full	21.28	21.78	19.38
DC_5A_n7A	30	2555	DFT	QPSK	Inner_Full	22.06	22.56	20.16
DC_5A_n7A	30	2555	DFT	QPSK	Edge_1RB_Left	21.29	21.79	19.39
DC_5A_n7A	30	2555	DFT	QPSK	Outer_Full	21.26	21.76	19.36
DC_5A_n7A	30	2555	DFT	QPSK	Edge_1RB_Right	21.05	21.55	19.15
DC_5A_n7A	30	2555	CP	16QAM	Inner_Full	20.15	20.65	18.25
DC_5A_n7A	30	2555	CP	16QAM	Edge_1RB_Left	20.29	20.79	18.39
DC_5A_n7A	30	2555	CP	16QAM	Edge_1RB_Right	20.03	20.53	18.13
DC_5A_n7A	30	2555	CP	16QAM	Outer_Full	20.14	20.64	18.24
DC_5A_n7A	30	2555	CP	64QAM	Inner_Full	19.81	20.31	17.91
DC_5A_n7A	30	2555	CP	64QAM	Edge_1RB_Left	19.45	19.95	17.55
DC_5A_n7A	30	2555	CP	64QAM	Edge_1RB_Right	19.25	19.75	17.35
DC_5A_n7A	30	2555	CP	64QAM	Outer_Full	19.76	20.26	17.86
DC_5A_n7A	30	2555	CP	QPSK	Inner_Full	21.26	21.76	19.36
DC_5A_n7A	30	2555	CP	QPSK	Edge_1RB_Left	21.18	21.68	19.28
DC_5A_n7A	30	2555	CP	QPSK	Edge_1RB_Right	21.06	21.56	19.16
DC_5A_n7A	30	2555	CP	QPSK	Outer_Full	21.19	21.69	19.29
DC_5A_n7A	40	2520	DFT	16QAM	Inner_Full	21.96	22.46	20.06
DC_5A_n7A	40	2520	DFT	16QAM	Edge_1RB_Left	20.91	21.41	19.01
DC_5A_n7A	40	2520	DFT	16QAM	Edge_1RB_Right	20.75	21.25	18.85
DC_5A_n7A	40	2520	DFT	16QAM	Outer_Full	20.89	21.39	18.99
DC_5A_n7A	40	2520	DFT	64QAM	Inner_Full	20.40	20.90	18.50
DC_5A_n7A	40	2520	DFT	64QAM	Edge_1RB_Left	20.36	20.86	18.46
DC_5A_n7A	40	2520	DFT	64QAM	Edge_1RB_Right	20.24	20.74	18.34
DC_5A_n7A	40	2520	DFT	64QAM	Outer_Full	20.50	21.00	18.60
DC_5A_n7A	40	2520	DFT	pi/2 BPSK	Inner_Full	20.49	20.99	18.59
DC_5A_n7A	40	2520	DFT	pi/2 BPSK	Edge_1RB_Left	21.80	22.30	19.90
DC_5A_n7A	40	2520	DFT	pi/2 BPSK	Edge_1RB_Right	21.82	22.32	19.92



BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_5A_n7A	40	2520	DFT	pi/2 BPSK	Outer_Full	22.01	22.51	20.11
DC_5A_n7A	40	2520	DFT	QPSK	Inner_Full	22.70	23.20	20.80
DC_5A_n7A	40	2520	DFT	QPSK	Edge_1RB_Left	21.83	22.33	19.93
DC_5A_n7A	40	2520	DFT	QPSK	Outer_Full	22.01	22.51	20.11
DC_5A_n7A	40	2520	DFT	QPSK	Edge_1RB_Right	21.74	22.24	19.84
DC_5A_n7A	40	2520	CP	16QAM	Inner_Full	20.76	21.26	18.86
DC_5A_n7A	40	2520	CP	16QAM	Edge_1RB_Left	20.65	21.15	18.75
DC_5A_n7A	40	2520	CP	16QAM	Edge_1RB_Right	20.69	21.19	18.79
DC_5A_n7A	40	2520	CP	16QAM	Outer_Full	20.82	21.32	18.92
DC_5A_n7A	40	2520	CP	64QAM	Inner_Full	20.28	20.78	18.38
DC_5A_n7A	40	2520	CP	64QAM	Edge_1RB_Left	20.20	20.70	18.30
DC_5A_n7A	40	2520	CP	64QAM	Edge_1RB_Right	20.22	20.72	18.32
DC_5A_n7A	40	2520	CP	64QAM	Outer_Full	20.36	20.86	18.46
DC_5A_n7A	40	2520	CP	QPSK	Inner_Full	21.91	22.41	20.01
DC_5A_n7A	40	2520	CP	QPSK	Edge_1RB_Left	21.82	22.32	19.92
DC_5A_n7A	40	2520	CP	QPSK	Edge_1RB_Right	21.65	22.15	19.75
DC_5A_n7A	40	2520	CP	QPSK	Outer_Full	21.87	22.37	19.97
DC_5A_n7A	40	2535	DFT	16QAM	Inner_Full	21.76	22.26	19.86
DC_5A_n7A	40	2535	DFT	16QAM	Edge_1RB_Left	20.53	21.03	18.63
DC_5A_n7A	40	2535	DFT	16QAM	Edge_1RB_Right	20.41	20.91	18.51
DC_5A_n7A	40	2535	DFT	16QAM	Outer_Full	20.71	21.21	18.81
DC_5A_n7A	40	2535	DFT	64QAM	Inner_Full	20.21	20.71	18.31
DC_5A_n7A	40	2535	DFT	64QAM	Edge_1RB_Left	20.21	20.71	18.31
DC_5A_n7A	40	2535	DFT	64QAM	Edge_1RB_Right	20.05	20.55	18.15
DC_5A_n7A	40	2535	DFT	64QAM	Outer_Full	20.20	20.70	18.30
DC_5A_n7A	40	2535	DFT	pi/2 BPSK	Inner_Full	20.38	20.88	18.48
DC_5A_n7A	40	2535	DFT	pi/2 BPSK	Edge_1RB_Left	21.68	22.18	19.78
DC_5A_n7A	40	2535	DFT	pi/2 BPSK	Edge_1RB_Right	21.42	21.92	19.52
DC_5A_n7A	40	2535	DFT	pi/2 BPSK	Outer_Full	21.74	22.24	19.84



BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_5A_n7A	40	2535	DFT	QPSK	Inner_Full	22.53	23.03	20.63
DC_5A_n7A	40	2535	DFT	QPSK	Edge_1RB_Left	21.72	22.22	19.82
DC_5A_n7A	40	2535	DFT	QPSK	Outer_Full	21.76	22.26	19.86
DC_5A_n7A	40	2535	DFT	QPSK	Edge_1RB_Right	21.42	21.92	19.52
DC_5A_n7A	40	2535	CP	16QAM	Inner_Full	20.61	21.11	18.71
DC_5A_n7A	40	2535	CP	16QAM	Edge_1RB_Left	20.63	21.13	18.73
DC_5A_n7A	40	2535	CP	16QAM	Edge_1RB_Right	20.47	20.97	18.57
DC_5A_n7A	40	2535	CP	16QAM	Outer_Full	20.66	21.16	18.76
DC_5A_n7A	40	2535	CP	64QAM	Inner_Full	20.19	20.69	18.29
DC_5A_n7A	40	2535	CP	64QAM	Edge_1RB_Left	19.77	20.27	17.87
DC_5A_n7A	40	2535	CP	64QAM	Edge_1RB_Right	19.58	20.08	17.68
DC_5A_n7A	40	2535	CP	64QAM	Outer_Full	20.20	20.70	18.30
DC_5A_n7A	40	2535	CP	QPSK	Inner_Full	21.75	22.25	19.85
DC_5A_n7A	40	2535	CP	QPSK	Edge_1RB_Left	21.62	22.12	19.72
DC_5A_n7A	40	2535	CP	QPSK	Edge_1RB_Right	21.34	21.84	19.44
DC_5A_n7A	40	2535	CP	QPSK	Outer_Full	21.69	22.19	19.79
DC_5A_n7A	40	2550	DFT	16QAM	Inner_Full	21.49	21.99	19.59
DC_5A_n7A	40	2550	DFT	16QAM	Edge_1RB_Left	20.50	21.00	18.60
DC_5A_n7A	40	2550	DFT	16QAM	Edge_1RB_Right	20.24	20.74	18.34
DC_5A_n7A	40	2550	DFT	16QAM	Outer_Full	20.39	20.89	18.49
DC_5A_n7A	40	2550	DFT	64QAM	Inner_Full	20.05	20.55	18.15
DC_5A_n7A	40	2550	DFT	64QAM	Edge_1RB_Left	19.93	20.43	18.03
DC_5A_n7A	40	2550	DFT	64QAM	Edge_1RB_Right	19.70	20.20	17.80
DC_5A_n7A	40	2550	DFT	64QAM	Outer_Full	20.09	20.59	18.19
DC_5A_n7A	40	2550	DFT	pi/2 BPSK	Inner_Full	20.14	20.64	18.24
DC_5A_n7A	40	2550	DFT	pi/2 BPSK	Edge_1RB_Left	21.40	21.90	19.50
DC_5A_n7A	40	2550	DFT	pi/2 BPSK	Edge_1RB_Right	21.23	21.73	19.33
DC_5A_n7A	40	2550	DFT	pi/2 BPSK	Outer_Full	21.47	21.97	19.57
DC_5A_n7A	40	2550	DFT	QPSK	Inner_Full	22.27	22.77	20.37



BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_5A_n7A	40	2550	DFT	QPSK	Edge_1RB_Left	21.45	21.95	19.55
DC_5A_n7A	40	2550	DFT	QPSK	Outer_Full	21.51	22.01	19.61
DC_5A_n7A	40	2550	DFT	QPSK	Edge_1RB_Right	21.21	21.71	19.31
DC_5A_n7A	40	2550	CP	16QAM	Inner_Full	20.36	20.86	18.46
DC_5A_n7A	40	2550	CP	16QAM	Edge_1RB_Left	20.30	20.80	18.40
DC_5A_n7A	40	2550	CP	16QAM	Edge_1RB_Right	20.03	20.53	18.13
DC_5A_n7A	40	2550	CP	16QAM	Outer_Full	20.32	20.82	18.42
DC_5A_n7A	40	2550	CP	64QAM	Inner_Full	19.90	20.40	18.00
DC_5A_n7A	40	2550	CP	64QAM	Edge_1RB_Left	19.84	20.34	17.94
DC_5A_n7A	40	2550	CP	64QAM	Edge_1RB_Right	19.32	19.82	17.42
DC_5A_n7A	40	2550	CP	64QAM	Outer_Full	19.90	20.40	18.00
DC_5A_n7A	40	2550	CP	QPSK	Inner_Full	21.44	21.94	19.54
DC_5A_n7A	40	2550	CP	QPSK	Edge_1RB_Left	21.35	21.85	19.45
DC_5A_n7A	40	2550	CP	QPSK	Edge_1RB_Right	21.12	21.62	19.22
DC_5A_n7A	40	2550	CP	QPSK	Outer_Full	21.37	21.87	19.47
DC_5A_n7A	50	2525	DFT	16QAM	Inner_Full	22.02	22.52	20.12
DC_5A_n7A	50	2525	DFT	16QAM	Edge_1RB_Left	20.86	21.36	18.96
DC_5A_n7A	50	2525	DFT	16QAM	Edge_1RB_Right	20.76	21.26	18.86
DC_5A_n7A	50	2525	DFT	16QAM	Outer_Full	20.93	21.43	19.03
DC_5A_n7A	50	2525	DFT	64QAM	Inner_Full	20.45	20.95	18.55
DC_5A_n7A	50	2525	DFT	64QAM	Edge_1RB_Left	20.00	20.50	18.10
DC_5A_n7A	50	2525	DFT	64QAM	Edge_1RB_Right	19.89	20.39	17.99
DC_5A_n7A	50	2525	DFT	64QAM	Outer_Full	20.44	20.94	18.54
DC_5A_n7A	50	2525	DFT	pi/2 BPSK	Inner_Full	20.45	20.95	18.55
DC_5A_n7A	50	2525	DFT	pi/2 BPSK	Edge_1RB_Left	21.76	22.26	19.86
DC_5A_n7A	50	2525	DFT	pi/2 BPSK	Edge_1RB_Right	21.68	22.18	19.78
DC_5A_n7A	50	2525	DFT	pi/2 BPSK	Outer_Full	21.95	22.45	20.05
DC_5A_n7A	50	2525	DFT	QPSK	Inner_Full	22.67	23.17	20.77
DC_5A_n7A	50	2525	DFT	QPSK	Edge_1RB_Left	21.79	22.29	19.89



BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_5A_n7A	50	2525	DFT	QPSK	Outer_Full	21.97	22.47	20.07
DC_5A_n7A	50	2525	DFT	QPSK	Edge_1RB_Right	21.70	22.20	19.80
DC_5A_n7A	50	2525	CP	16QAM	Inner_Full	20.95	21.45	19.05
DC_5A_n7A	50	2525	CP	16QAM	Edge_1RB_Left	20.79	21.29	18.89
DC_5A_n7A	50	2525	CP	16QAM	Edge_1RB_Right	20.68	21.18	18.78
DC_5A_n7A	50	2525	CP	16QAM	Outer_Full	20.90	21.40	19.00
DC_5A_n7A	50	2525	CP	64QAM	Inner_Full	20.41	20.91	18.51
DC_5A_n7A	50	2525	CP	64QAM	Edge_1RB_Left	19.85	20.35	17.95
DC_5A_n7A	50	2525	CP	64QAM	Edge_1RB_Right	19.82	20.32	17.92
DC_5A_n7A	50	2525	CP	64QAM	Outer_Full	20.34	20.84	18.44
DC_5A_n7A	50	2525	CP	QPSK	Inner_Full	21.95	22.45	20.05
DC_5A_n7A	50	2525	CP	QPSK	Edge_1RB_Left	21.73	22.23	19.83
DC_5A_n7A	50	2525	CP	QPSK	Edge_1RB_Right	21.61	22.11	19.71
DC_5A_n7A	50	2525	CP	QPSK	Outer_Full	21.87	22.37	19.97
DC_5A_n7A	50	2535	DFT	16QAM	Inner_Full	21.79	22.29	19.89
DC_5A_n7A	50	2535	DFT	16QAM	Edge_1RB_Left	20.68	21.18	18.78
DC_5A_n7A	50	2535	DFT	16QAM	Edge_1RB_Right	20.47	20.97	18.57
DC_5A_n7A	50	2535	DFT	16QAM	Outer_Full	20.69	21.19	18.79
DC_5A_n7A	50	2535	DFT	64QAM	Inner_Full	20.29	20.79	18.39
DC_5A_n7A	50	2535	DFT	64QAM	Edge_1RB_Left	20.12	20.62	18.22
DC_5A_n7A	50	2535	DFT	64QAM	Edge_1RB_Right	19.61	20.11	17.71
DC_5A_n7A	50	2535	DFT	64QAM	Outer_Full	20.22	20.72	18.32
DC_5A_n7A	50	2535	DFT	pi/2 BPSK	Inner_Full	20.35	20.85	18.45
DC_5A_n7A	50	2535	DFT	pi/2 BPSK	Edge_1RB_Left	21.68	22.18	19.78
DC_5A_n7A	50	2535	DFT	pi/2 BPSK	Edge_1RB_Right	21.45	21.95	19.55
DC_5A_n7A	50	2535	DFT	pi/2 BPSK	Outer_Full	21.82	22.32	19.92
DC_5A_n7A	50	2535	DFT	QPSK	Inner_Full	22.53	23.03	20.63
DC_5A_n7A	50	2535	DFT	QPSK	Edge_1RB_Left	21.66	22.16	19.76
DC_5A_n7A	50	2535	DFT	QPSK	Outer_Full	21.77	22.27	19.87



BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_5A_n7A	50	2535	DFT	QPSK	Edge_1RB_Right	21.41	21.91	19.51
DC_5A_n7A	50	2535	CP	16QAM	Inner_Full	20.72	21.22	18.82
DC_5A_n7A	50	2535	CP	16QAM	Edge_1RB_Left	20.62	21.12	18.72
DC_5A_n7A	50	2535	CP	16QAM	Edge_1RB_Right	20.49	20.99	18.59
DC_5A_n7A	50	2535	CP	16QAM	Outer_Full	20.58	21.08	18.68
DC_5A_n7A	50	2535	CP	64QAM	Inner_Full	20.24	20.74	18.34
DC_5A_n7A	50	2535	CP	64QAM	Edge_1RB_Left	20.07	20.57	18.17
DC_5A_n7A	50	2535	CP	64QAM	Edge_1RB_Right	19.95	20.45	18.05
DC_5A_n7A	50	2535	CP	64QAM	Outer_Full	20.15	20.65	18.25
DC_5A_n7A	50	2535	CP	QPSK	Inner_Full	21.77	22.27	19.87
DC_5A_n7A	50	2535	CP	QPSK	Edge_1RB_Left	21.58	22.08	19.68
DC_5A_n7A	50	2535	CP	QPSK	Edge_1RB_Right	21.33	21.83	19.43
DC_5A_n7A	50	2535	CP	QPSK	Outer_Full	21.70	22.20	19.80
DC_5A_n7A	50	2545	DFT	16QAM	Inner_Full	21.55	22.05	19.65
DC_5A_n7A	50	2545	DFT	16QAM	Edge_1RB_Left	20.38	20.88	18.48
DC_5A_n7A	50	2545	DFT	16QAM	Edge_1RB_Right	20.15	20.65	18.25
DC_5A_n7A	50	2545	DFT	16QAM	Outer_Full	20.37	20.87	18.47
DC_5A_n7A	50	2545	DFT	64QAM	Inner_Full	20.12	20.62	18.22
DC_5A_n7A	50	2545	DFT	64QAM	Edge_1RB_Left	19.65	20.15	17.75
DC_5A_n7A	50	2545	DFT	64QAM	Edge_1RB_Right	19.41	19.91	17.51
DC_5A_n7A	50	2545	DFT	64QAM	Outer_Full	20.00	20.50	18.10
DC_5A_n7A	50	2545	DFT	pi/2 BPSK	Inner_Full	20.15	20.65	18.25
DC_5A_n7A	50	2545	DFT	pi/2 BPSK	Edge_1RB_Left	21.45	21.95	19.55
DC_5A_n7A	50	2545	DFT	pi/2 BPSK	Edge_1RB_Right	21.21	21.71	19.31
DC_5A_n7A	50	2545	DFT	pi/2 BPSK	Outer_Full	21.46	21.96	19.56
DC_5A_n7A	50	2545	DFT	QPSK	Inner_Full	22.31	22.81	20.41
DC_5A_n7A	50	2545	DFT	QPSK	Edge_1RB_Left	21.47	21.97	19.57
DC_5A_n7A	50	2545	DFT	QPSK	Outer_Full	21.47	21.97	19.57
DC_5A_n7A	50	2545	DFT	QPSK	Edge_1RB_Right	21.20	21.70	19.30





BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_5A_n7A	50	2545	CP	16QAM	Inner_Full	20.54	21.04	18.64
DC_5A_n7A	50	2545	CP	16QAM	Edge_1RB_Left	20.50	21.00	18.60
DC_5A_n7A	50	2545	CP	16QAM	Edge_1RB_Right	20.05	20.55	18.15
DC_5A_n7A	50	2545	CP	16QAM	Outer_Full	20.35	20.85	18.45
DC_5A_n7A	50	2545	CP	64QAM	Inner_Full	20.06	20.56	18.16
DC_5A_n7A	50	2545	CP	64QAM	Edge_1RB_Left	19.86	20.36	17.96
DC_5A_n7A	50	2545	CP	64QAM	Edge_1RB_Right	19.61	20.11	17.71
DC_5A_n7A	50	2545	CP	64QAM	Outer_Full	19.92	20.42	18.02
DC_5A_n7A	50	2545	CP	QPSK	Inner_Full	21.48	21.98	19.58
DC_5A_n7A	50	2545	CP	QPSK	Edge_1RB_Left	21.35	21.85	19.45
DC_5A_n7A	50	2545	CP	QPSK	Edge_1RB_Right	21.07	21.57	19.17
DC_5A_n7A	50	2545	CP	QPSK	Outer_Full	21.34	21.84	19.44
DC_66A_n7A	5	2502.5	DFT	16QAM	Inner_Full	21.81	22.31	19.91
DC_66A_n7A	5	2502.5	DFT	16QAM	Edge_1RB_Left	20.99	21.49	19.09
DC_66A_n7A	5	2502.5	DFT	16QAM	Edge_1RB_Right	20.41	20.91	18.51
DC_66A_n7A	5	2502.5	DFT	16QAM	Outer_Full	20.79	21.29	18.89
DC_66A_n7A	5	2502.5	DFT	64QAM	Inner_Full	20.28	20.78	18.38
DC_66A_n7A	5	2502.5	DFT	64QAM	Edge_1RB_Left	20.32	20.82	18.42
DC_66A_n7A	5	2502.5	DFT	64QAM	Edge_1RB_Right	20.20	20.70	18.30
DC_66A_n7A	5	2502.5	DFT	64QAM	Outer_Full	20.28	20.78	18.38
DC_66A_n7A	5	2502.5	DFT	pi/2 BPSK	Inner_Full	22.72	23.22	20.82
DC_66A_n7A	5	2502.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.27	22.77	20.37
DC_66A_n7A	5	2502.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.13	22.63	20.23
DC_66A_n7A	5	2502.5	DFT	pi/2 BPSK	Outer_Full	22.32	22.82	20.42
DC_66A_n7A	5	2502.5	DFT	QPSK	Inner_Full	22.71	23.21	20.81
DC_66A_n7A	5	2502.5	DFT	QPSK	Edge_1RB_Left	21.78	22.28	19.88
DC_66A_n7A	5	2502.5	DFT	QPSK	Edge_1RB_Right	21.59	22.09	19.69
DC_66A_n7A	5	2502.5	DFT	QPSK	Outer_Full	21.78	22.28	19.88
DC_66A_n7A	5	2502.5	CP	16QAM	Inner_Full	20.74	21.24	18.84



BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_66A_n7A	5	2502.5	CP	16QAM	Edge_1RB_Left	20.72	21.22	18.82
DC_66A_n7A	5	2502.5	CP	16QAM	Edge_1RB_Right	19.13	19.63	17.23
DC_66A_n7A	5	2502.5	CP	16QAM	Outer_Full	19.16	19.66	17.26
DC_66A_n7A	5	2502.5	CP	64QAM	Inner_Full	18.73	19.23	16.83
DC_66A_n7A	5	2502.5	CP	64QAM	Edge_1RB_Left	18.85	19.35	16.95
DC_66A_n7A	5	2502.5	CP	64QAM	Edge_1RB_Right	18.67	19.17	16.77
DC_66A_n7A	5	2502.5	CP	64QAM	Outer_Full	18.72	19.22	16.82
DC_66A_n7A	5	2502.5	CP	QPSK	Inner_Full	21.23	21.73	19.33
DC_66A_n7A	5	2502.5	CP	QPSK	Edge_1RB_Left	19.75	20.25	17.85
DC_66A_n7A	5	2502.5	CP	QPSK	Edge_1RB_Right	19.60	20.10	17.70
DC_66A_n7A	5	2502.5	CP	QPSK	Outer_Full	19.75	20.25	17.85
DC_66A_n7A	5	2535	DFT	16QAM	Inner_Full	21.42	21.92	19.52
DC_66A_n7A	5	2535	DFT	16QAM	Edge_1RB_Left	20.39	20.89	18.49
DC_66A_n7A	5	2535	DFT	16QAM	Edge_1RB_Right	20.25	20.75	18.35
DC_66A_n7A	5	2535	DFT	16QAM	Outer_Full	20.43	20.93	18.53
DC_66A_n7A	5	2535	DFT	64QAM	Inner_Full	19.88	20.38	17.98
DC_66A_n7A	5	2535	DFT	64QAM	Edge_1RB_Left	19.90	20.40	18.00
DC_66A_n7A	5	2535	DFT	64QAM	Edge_1RB_Right	19.67	20.17	17.77
DC_66A_n7A	5	2535	DFT	64QAM	Outer_Full	19.88	20.38	17.98
DC_66A_n7A	5	2535	DFT	pi/2 BPSK	Inner_Full	22.35	22.85	20.45
DC_66A_n7A	5	2535	DFT	pi/2 BPSK	Edge_1RB_Left	22.01	22.51	20.11
DC_66A_n7A	5	2535	DFT	pi/2 BPSK	Edge_1RB_Right	21.85	22.35	19.95
DC_66A_n7A	5	2535	DFT	pi/2 BPSK	Outer_Full	21.92	22.42	20.02
DC_66A_n7A	5	2535	DFT	QPSK	Inner_Full	22.36	22.86	20.46
DC_66A_n7A	5	2535	DFT	QPSK	Edge_1RB_Left	21.37	21.87	19.47
DC_66A_n7A	5	2535	DFT	QPSK	Edge_1RB_Right	21.26	21.76	19.36
DC_66A_n7A	5	2535	DFT	QPSK	Outer_Full	21.47	21.97	19.57
DC_66A_n7A	5	2535	CP	16QAM	Inner_Full	20.36	20.86	18.46
DC_66A_n7A	5	2535	CP	16QAM	Edge_1RB_Left	19.54	20.04	17.64



BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_66A_n7A	5	2535	CP	16QAM	Edge_1RB_Right	19.63	20.13	17.73
DC_66A_n7A	5	2535	CP	16QAM	Outer_Full	19.31	19.81	17.41
DC_66A_n7A	5	2535	CP	64QAM	Inner_Full	18.86	19.36	16.96
DC_66A_n7A	5	2535	CP	64QAM	Edge_1RB_Left	19.08	19.58	17.18
DC_66A_n7A	5	2535	CP	64QAM	Edge_1RB_Right	18.99	19.49	17.09
DC_66A_n7A	5	2535	CP	64QAM	Outer_Full	18.87	19.37	16.97
DC_66A_n7A	5	2535	CP	QPSK	Inner_Full	20.83	21.33	18.93
DC_66A_n7A	5	2535	CP	QPSK	Edge_1RB_Left	19.48	19.98	17.58
DC_66A_n7A	5	2535	CP	QPSK	Edge_1RB_Right	19.30	19.80	17.40
DC_66A_n7A	5	2535	CP	QPSK	Outer_Full	19.41	19.91	17.51
DC_66A_n7A	5	2567.5	DFT	16QAM	Inner_Full	21.67	22.17	19.77
DC_66A_n7A	5	2567.5	DFT	16QAM	Edge_1RB_Left	20.83	21.33	18.93
DC_66A_n7A	5	2567.5	DFT	16QAM	Edge_1RB_Right	20.37	20.87	18.47
DC_66A_n7A	5	2567.5	DFT	16QAM	Outer_Full	20.70	21.20	18.80
DC_66A_n7A	5	2567.5	DFT	64QAM	Inner_Full	20.19	20.69	18.29
DC_66A_n7A	5	2567.5	DFT	64QAM	Edge_1RB_Left	20.10	20.60	18.20
DC_66A_n7A	5	2567.5	DFT	64QAM	Edge_1RB_Right	19.80	20.30	17.90
DC_66A_n7A	5	2567.5	DFT	64QAM	Outer_Full	20.08	20.58	18.18
DC_66A_n7A	5	2567.5	DFT	pi/2 BPSK	Inner_Full	22.66	23.16	20.76
DC_66A_n7A	5	2567.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.31	22.81	20.41
DC_66A_n7A	5	2567.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.01	22.51	20.11
DC_66A_n7A	5	2567.5	DFT	pi/2 BPSK	Outer_Full	22.20	22.70	20.30
DC_66A_n7A	5	2567.5	DFT	QPSK	Inner_Full	22.67	23.17	20.77
DC_66A_n7A	5	2567.5	DFT	QPSK	Edge_1RB_Left	21.70	22.20	19.80
DC_66A_n7A	5	2567.5	DFT	QPSK	Edge_1RB_Right	21.43	21.93	19.53
DC_66A_n7A	5	2567.5	DFT	QPSK	Outer_Full	21.65	22.15	19.75
DC_66A_n7A	5	2567.5	CP	16QAM	Inner_Full	20.50	21.00	18.60
DC_66A_n7A	5	2567.5	CP	16QAM	Edge_1RB_Left	20.05	20.55	18.15
DC_66A_n7A	5	2567.5	CP	16QAM	Edge_1RB_Right	19.85	20.35	17.95



BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_66A_n7A	5	2567.5	CP	16QAM	Outer_Full	19.57	20.07	17.67
DC_66A_n7A	5	2567.5	CP	64QAM	Inner_Full	19.01	19.51	17.11
DC_66A_n7A	5	2567.5	CP	64QAM	Edge_1RB_Left	19.35	19.85	17.45
DC_66A_n7A	5	2567.5	CP	64QAM	Edge_1RB_Right	18.76	19.26	16.86
DC_66A_n7A	5	2567.5	CP	64QAM	Outer_Full	19.20	19.70	17.30
DC_66A_n7A	5	2567.5	CP	QPSK	Inner_Full	21.02	21.52	19.12
DC_66A_n7A	5	2567.5	CP	QPSK	Edge_1RB_Left	19.79	20.29	17.89
DC_66A_n7A	5	2567.5	CP	QPSK	Edge_1RB_Right	19.55	20.05	17.65
DC_66A_n7A	5	2567.5	CP	QPSK	Outer_Full	19.64	20.14	17.74
DC_66A_n7A	10	2505	DFT	16QAM	Inner_Full	21.04	21.54	19.14
DC_66A_n7A	10	2505	DFT	16QAM	Edge_1RB_Left	19.85	20.35	17.95
DC_66A_n7A	10	2505	DFT	16QAM	Edge_1RB_Right	20.24	20.74	18.34
DC_66A_n7A	10	2505	DFT	16QAM	Outer_Full	20.00	20.50	18.10
DC_66A_n7A	10	2505	DFT	64QAM	Inner_Full	19.54	20.04	17.64
DC_66A_n7A	10	2505	DFT	64QAM	Edge_1RB_Left	19.26	19.76	17.36
DC_66A_n7A	10	2505	DFT	64QAM	Edge_1RB_Right	19.52	20.02	17.62
DC_66A_n7A	10	2505	DFT	64QAM	Outer_Full	19.51	20.01	17.61
DC_66A_n7A	10	2505	DFT	pi/2 BPSK	Inner_Full	22.00	22.50	20.10
DC_66A_n7A	10	2505	DFT	pi/2 BPSK	Edge_1RB_Left	21.33	21.83	19.43
DC_66A_n7A	10	2505	DFT	pi/2 BPSK	Edge_1RB_Right	21.66	22.16	19.76
DC_66A_n7A	10	2505	DFT	pi/2 BPSK	Outer_Full	21.55	22.05	19.65
DC_66A_n7A	10	2505	DFT	QPSK	Inner_Full	22.05	22.55	20.15
DC_66A_n7A	10	2505	DFT	QPSK	Edge_1RB_Left	20.67	21.17	18.77
DC_66A_n7A	10	2505	DFT	QPSK	Edge_1RB_Right	21.06	21.56	19.16
DC_66A_n7A	10	2505	DFT	QPSK	Outer_Full	21.04	21.54	19.14
DC_66A_n7A	10	2505	CP	16QAM	Inner_Full	20.06	20.56	18.16
DC_66A_n7A	10	2505	CP	16QAM	Edge_1RB_Left	18.87	19.37	16.97
DC_66A_n7A	10	2505	CP	16QAM	Edge_1RB_Right	19.19	19.69	17.29
DC_66A_n7A	10	2505	CP	16QAM	Outer_Full	19.00	19.50	17.10



BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_66A_n7A	10	2505	CP	64QAM	Inner_Full	18.49	18.99	16.59
DC_66A_n7A	10	2505	CP	64QAM	Edge_1RB_Left	18.39	18.89	16.49
DC_66A_n7A	10	2505	CP	64QAM	Edge_1RB_Right	18.71	19.21	16.81
DC_66A_n7A	10	2505	CP	64QAM	Outer_Full	18.52	19.02	16.62
DC_66A_n7A	10	2505	CP	QPSK	Inner_Full	20.52	21.02	18.62
DC_66A_n7A	10	2505	CP	QPSK	Edge_1RB_Left	18.79	19.29	16.89
DC_66A_n7A	10	2505	CP	QPSK	Edge_1RB_Right	19.18	19.68	17.28
DC_66A_n7A	10	2505	CP	QPSK	Outer_Full	19.01	19.51	17.11
DC_66A_n7A	10	2535	DFT	16QAM	Inner_Full	21.19	21.69	19.29
DC_66A_n7A	10	2535	DFT	16QAM	Edge_1RB_Left	19.93	20.43	18.03
DC_66A_n7A	10	2535	DFT	16QAM	Edge_1RB_Right	20.26	20.76	18.36
DC_66A_n7A	10	2535	DFT	16QAM	Outer_Full	20.18	20.68	18.28
DC_66A_n7A	10	2535	DFT	64QAM	Inner_Full	19.62	20.12	17.72
DC_66A_n7A	10	2535	DFT	64QAM	Edge_1RB_Left	19.43	19.93	17.53
DC_66A_n7A	10	2535	DFT	64QAM	Edge_1RB_Right	19.62	20.12	17.72
DC_66A_n7A	10	2535	DFT	64QAM	Outer_Full	19.64	20.14	17.74
DC_66A_n7A	10	2535	DFT	pi/2 BPSK	Inner_Full	22.19	22.69	20.29
DC_66A_n7A	10	2535	DFT	pi/2 BPSK	Edge_1RB_Left	21.58	22.08	19.68
DC_66A_n7A	10	2535	DFT	pi/2 BPSK	Edge_1RB_Right	21.65	22.15	19.75
DC_66A_n7A	10	2535	DFT	pi/2 BPSK	Outer_Full	21.68	22.18	19.78
DC_66A_n7A	10	2535	DFT	QPSK	Inner_Full	22.15	22.65	20.25
DC_66A_n7A	10	2535	DFT	QPSK	Edge_1RB_Left	20.95	21.45	19.05
DC_66A_n7A	10	2535	DFT	QPSK	Edge_1RB_Right	21.06	21.56	19.16
DC_66A_n7A	10	2535	DFT	QPSK	Outer_Full	21.16	21.66	19.26
DC_66A_n7A	10	2535	CP	16QAM	Inner_Full	20.13	20.63	18.23
DC_66A_n7A	10	2535	CP	16QAM	Edge_1RB_Left	19.36	19.86	17.46
DC_66A_n7A	10	2535	CP	16QAM	Edge_1RB_Right	19.44	19.94	17.54
DC_66A_n7A	10	2535	CP	16QAM	Outer_Full	19.15	19.65	17.25
DC_66A_n7A	10	2535	CP	64QAM	Inner_Full	18.61	19.11	16.71



BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_66A_n7A	10	2535	CP	64QAM	Edge_1RB_Left	18.35	18.85	16.45
DC_66A_n7A	10	2535	CP	64QAM	Edge_1RB_Right	18.50	19.00	16.60
DC_66A_n7A	10	2535	CP	64QAM	Outer_Full	18.69	19.19	16.79
DC_66A_n7A	10	2535	CP	QPSK	Inner_Full	20.66	21.16	18.76
DC_66A_n7A	10	2535	CP	QPSK	Edge_1RB_Left	19.15	19.65	17.25
DC_66A_n7A	10	2535	CP	QPSK	Edge_1RB_Right	19.24	19.74	17.34
DC_66A_n7A	10	2535	CP	QPSK	Outer_Full	19.10	19.60	17.20
DC_66A_n7A	10	2565	DFT	16QAM	Inner_Full	21.35	21.85	19.45
DC_66A_n7A	10	2565	DFT	16QAM	Edge_1RB_Left	20.38	20.88	18.48
DC_66A_n7A	10	2565	DFT	16QAM	Edge_1RB_Right	20.13	20.63	18.23
DC_66A_n7A	10	2565	DFT	16QAM	Outer_Full	20.30	20.80	18.40
DC_66A_n7A	10	2565	DFT	64QAM	Inner_Full	19.78	20.28	17.88
DC_66A_n7A	10	2565	DFT	64QAM	Edge_1RB_Left	19.62	20.12	17.72
DC_66A_n7A	10	2565	DFT	64QAM	Edge_1RB_Right	19.53	20.03	17.63
DC_66A_n7A	10	2565	DFT	64QAM	Outer_Full	19.78	20.28	17.88
DC_66A_n7A	10	2565	DFT	pi/2 BPSK	Inner_Full	22.29	22.79	20.39
DC_66A_n7A	10	2565	DFT	pi/2 BPSK	Edge_1RB_Left	21.83	22.33	19.93
DC_66A_n7A	10	2565	DFT	pi/2 BPSK	Edge_1RB_Right	21.60	22.10	19.70
DC_66A_n7A	10	2565	DFT	pi/2 BPSK	Outer_Full	21.83	22.33	19.93
DC_66A_n7A	10	2565	DFT	QPSK	Inner_Full	22.26	22.76	20.36
DC_66A_n7A	10	2565	DFT	QPSK	Edge_1RB_Left	21.18	21.68	19.28
DC_66A_n7A	10	2565	DFT	QPSK	Edge_1RB_Right	21.01	21.51	19.11
DC_66A_n7A	10	2565	DFT	QPSK	Outer_Full	21.33	21.83	19.43
DC_66A_n7A	10	2565	CP	16QAM	Inner_Full	20.36	20.86	18.46
DC_66A_n7A	10	2565	CP	16QAM	Edge_1RB_Left	19.52	20.02	17.62
DC_66A_n7A	10	2565	CP	16QAM	Edge_1RB_Right	19.34	19.84	17.44
DC_66A_n7A	10	2565	CP	16QAM	Outer_Full	19.25	19.75	17.35
DC_66A_n7A	10	2565	CP	64QAM	Inner_Full	18.68	19.18	16.78
DC_66A_n7A	10	2565	CP	64QAM	Edge_1RB_Left	18.85	19.35	16.95



BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_66A_n7A	10	2565	CP	64QAM	Edge_1RB_Right	18.73	19.23	16.83
DC_66A_n7A	10	2565	CP	64QAM	Outer_Full	18.75	19.25	16.85
DC_66A_n7A	10	2565	CP	QPSK	Inner_Full	20.72	21.22	18.82
DC_66A_n7A	10	2565	CP	QPSK	Edge_1RB_Left	19.33	19.83	17.43
DC_66A_n7A	10	2565	CP	QPSK	Edge_1RB_Right	19.13	19.63	17.23
DC_66A_n7A	10	2565	CP	QPSK	Outer_Full	19.21	19.71	17.31
DC_66A_n7A	15	2507.5	DFT	16QAM	Inner_Full	21.19	21.69	19.29
DC_66A_n7A	15	2507.5	DFT	16QAM	Edge_1RB_Left	19.90	20.40	18.00
DC_66A_n7A	15	2507.5	DFT	16QAM	Edge_1RB_Right	20.32	20.82	18.42
DC_66A_n7A	15	2507.5	DFT	16QAM	Outer_Full	20.19	20.69	18.29
DC_66A_n7A	15	2507.5	DFT	64QAM	Inner_Full	19.75	20.25	17.85
DC_66A_n7A	15	2507.5	DFT	64QAM	Edge_1RB_Left	19.38	19.88	17.48
DC_66A_n7A	15	2507.5	DFT	64QAM	Edge_1RB_Right	19.81	20.31	17.91
DC_66A_n7A	15	2507.5	DFT	64QAM	Outer_Full	19.72	20.22	17.82
DC_66A_n7A	15	2507.5	DFT	pi/2 BPSK	Inner_Full	22.15	22.65	20.25
DC_66A_n7A	15	2507.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.43	21.93	19.53
DC_66A_n7A	15	2507.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.81	22.31	19.91
DC_66A_n7A	15	2507.5	DFT	pi/2 BPSK	Outer_Full	21.74	22.24	19.84
DC_66A_n7A	15	2507.5	DFT	QPSK	Inner_Full	22.22	22.72	20.32
DC_66A_n7A	15	2507.5	DFT	QPSK	Edge_1RB_Left	20.81	21.31	18.91
DC_66A_n7A	15	2507.5	DFT	QPSK	Edge_1RB_Right	21.21	21.71	19.31
DC_66A_n7A	15	2507.5	DFT	QPSK	Outer_Full	21.26	21.76	19.36
DC_66A_n7A	15	2507.5	CP	16QAM	Inner_Full	20.23	20.73	18.33
DC_66A_n7A	15	2507.5	CP	16QAM	Edge_1RB_Left	19.23	19.73	17.33
DC_66A_n7A	15	2507.5	CP	16QAM	Edge_1RB_Right	19.50	20.00	17.60
DC_66A_n7A	15	2507.5	CP	16QAM	Outer_Full	19.27	19.77	17.37
DC_66A_n7A	15	2507.5	CP	64QAM	Inner_Full	18.64	19.14	16.74
DC_66A_n7A	15	2507.5	CP	64QAM	Edge_1RB_Left	18.48	18.98	16.58
DC_66A_n7A	15	2507.5	CP	64QAM	Edge_1RB_Right	18.60	19.10	16.70



BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_66A_n7A	15	2507.5	CP	64QAM	Outer_Full	18.74	19.24	16.84
DC_66A_n7A	15	2507.5	CP	QPSK	Inner_Full	20.72	21.22	18.82
DC_66A_n7A	15	2507.5	CP	QPSK	Edge_1RB_Left	19.03	19.53	17.13
DC_66A_n7A	15	2507.5	CP	QPSK	Edge_1RB_Right	19.38	19.88	17.48
DC_66A_n7A	15	2507.5	CP	QPSK	Outer_Full	19.25	19.75	17.35
DC_66A_n7A	15	2535	DFT	16QAM	Inner_Full	21.27	21.77	19.37
DC_66A_n7A	15	2535	DFT	16QAM	Edge_1RB_Left	20.24	20.74	18.34
DC_66A_n7A	15	2535	DFT	16QAM	Edge_1RB_Right	20.55	21.05	18.65
DC_66A_n7A	15	2535	DFT	16QAM	Outer_Full	20.26	20.76	18.36
DC_66A_n7A	15	2535	DFT	64QAM	Inner_Full	19.76	20.26	17.86
DC_66A_n7A	15	2535	DFT	64QAM	Edge_1RB_Left	19.50	20.00	17.60
DC_66A_n7A	15	2535	DFT	64QAM	Edge_1RB_Right	19.53	20.03	17.63
DC_66A_n7A	15	2535	DFT	64QAM	Outer_Full	19.75	20.25	17.85
DC_66A_n7A	15	2535	DFT	pi/2 BPSK	Inner_Full	22.25	22.75	20.35
DC_66A_n7A	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	21.64	22.14	19.74
DC_66A_n7A	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	21.74	22.24	19.84
DC_66A_n7A	15	2535	DFT	pi/2 BPSK	Outer_Full	21.84	22.34	19.94
DC_66A_n7A	15	2535	DFT	QPSK	Inner_Full	22.25	22.75	20.35
DC_66A_n7A	15	2535	DFT	QPSK	Edge_1RB_Left	21.03	21.53	19.13
DC_66A_n7A	15	2535	DFT	QPSK	Edge_1RB_Right	21.14	21.64	19.24
DC_66A_n7A	15	2535	DFT	QPSK	Outer_Full	21.31	21.81	19.41
DC_66A_n7A	15	2535	CP	16QAM	Inner_Full	20.29	20.79	18.39
DC_66A_n7A	15	2535	CP	16QAM	Edge_1RB_Left	19.21	19.71	17.31
DC_66A_n7A	15	2535	CP	16QAM	Edge_1RB_Right	19.42	19.92	17.52
DC_66A_n7A	15	2535	CP	16QAM	Outer_Full	19.27	19.77	17.37
DC_66A_n7A	15	2535	CP	64QAM	Inner_Full	18.71	19.21	16.81
DC_66A_n7A	15	2535	CP	64QAM	Edge_1RB_Left	18.78	19.28	16.88
DC_66A_n7A	15	2535	CP	64QAM	Edge_1RB_Right	18.89	19.39	16.99
DC_66A_n7A	15	2535	CP	64QAM	Outer_Full	18.76	19.26	16.86





BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_66A_n7A	15	2535	CP	QPSK	Inner_Full	20.82	21.32	18.92
DC_66A_n7A	15	2535	CP	QPSK	Edge_1RB_Left	19.03	19.53	17.13
DC_66A_n7A	15	2535	CP	QPSK	Edge_1RB_Right	19.10	19.60	17.20
DC_66A_n7A	15	2535	CP	QPSK	Outer_Full	19.25	19.75	17.35
DC_66A_n7A	15	2562.5	DFT	16QAM	Inner_Full	21.33	21.83	19.43
DC_66A_n7A	15	2562.5	DFT	16QAM	Edge_1RB_Left	20.40	20.90	18.50
DC_66A_n7A	15	2562.5	DFT	16QAM	Edge_1RB_Right	20.12	20.62	18.22
DC_66A_n7A	15	2562.5	DFT	16QAM	Outer_Full	20.35	20.85	18.45
DC_66A_n7A	15	2562.5	DFT	64QAM	Inner_Full	19.88	20.38	17.98
DC_66A_n7A	15	2562.5	DFT	64QAM	Edge_1RB_Left	19.73	20.23	17.83
DC_66A_n7A	15	2562.5	DFT	64QAM	Edge_1RB_Right	19.52	20.02	17.62
DC_66A_n7A	15	2562.5	DFT	64QAM	Outer_Full	19.92	20.42	18.02
DC_66A_n7A	15	2562.5	DFT	pi/2 BPSK	Inner_Full	22.35	22.85	20.45
DC_66A_n7A	15	2562.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.87	22.37	19.97
DC_66A_n7A	15	2562.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.62	22.12	19.72
DC_66A_n7A	15	2562.5	DFT	pi/2 BPSK	Outer_Full	21.95	22.45	20.05
DC_66A_n7A	15	2562.5	DFT	QPSK	Inner_Full	22.40	22.90	20.50
DC_66A_n7A	15	2562.5	DFT	QPSK	Edge_1RB_Left	21.22	21.72	19.32
DC_66A_n7A	15	2562.5	DFT	QPSK	Edge_1RB_Right	21.01	21.51	19.11
DC_66A_n7A	15	2562.5	DFT	QPSK	Outer_Full	21.44	21.94	19.54
DC_66A_n7A	15	2562.5	CP	16QAM	Inner_Full	20.35	20.85	18.45
DC_66A_n7A	15	2562.5	CP	16QAM	Edge_1RB_Left	19.25	19.75	17.35
DC_66A_n7A	15	2562.5	CP	16QAM	Edge_1RB_Right	19.00	19.50	17.10
DC_66A_n7A	15	2562.5	CP	16QAM	Outer_Full	19.39	19.89	17.49
DC_66A_n7A	15	2562.5	CP	64QAM	Inner_Full	18.79	19.29	16.89
DC_66A_n7A	15	2562.5	CP	64QAM	Edge_1RB_Left	18.71	19.21	16.81
DC_66A_n7A	15	2562.5	CP	64QAM	Edge_1RB_Right	18.73	19.23	16.83
DC_66A_n7A	15	2562.5	CP	64QAM	Outer_Full	18.91	19.41	17.01
DC_66A_n7A	15	2562.5	CP	QPSK	Inner_Full	20.82	21.32	18.92



BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_66A_n7A	15	2562.5	CP	QPSK	Edge_1RB_Left	19.43	19.93	17.53
DC_66A_n7A	15	2562.5	CP	QPSK	Edge_1RB_Right	19.13	19.63	17.23
DC_66A_n7A	15	2562.5	CP	QPSK	Outer_Full	19.38	19.88	17.48
DC_66A_n7A	20	2510	DFT	16QAM	Inner_Full	21.26	21.76	19.36
DC_66A_n7A	20	2510	DFT	16QAM	Edge_1RB_Left	19.89	20.39	17.99
DC_66A_n7A	20	2510	DFT	16QAM	Edge_1RB_Right	20.39	20.89	18.49
DC_66A_n7A	20	2510	DFT	16QAM	Outer_Full	20.19	20.69	18.29
DC_66A_n7A	20	2510	DFT	64QAM	Inner_Full	19.76	20.26	17.86
DC_66A_n7A	20	2510	DFT	64QAM	Edge_1RB_Left	19.10	19.60	17.20
DC_66A_n7A	20	2510	DFT	64QAM	Edge_1RB_Right	19.79	20.29	17.89
DC_66A_n7A	20	2510	DFT	64QAM	Outer_Full	19.69	20.19	17.79
DC_66A_n7A	20	2510	DFT	pi/2 BPSK	Inner_Full	22.27	22.77	20.37
DC_66A_n7A	20	2510	DFT	pi/2 BPSK	Edge_1RB_Left	21.29	21.79	19.39
DC_66A_n7A	20	2510	DFT	pi/2 BPSK	Edge_1RB_Right	21.84	22.34	19.94
DC_66A_n7A	20	2510	DFT	pi/2 BPSK	Outer_Full	21.74	22.24	19.84
DC_66A_n7A	20	2510	DFT	QPSK	Inner_Full	22.25	22.75	20.35
DC_66A_n7A	20	2510	DFT	QPSK	Edge_1RB_Left	20.69	21.19	18.79
DC_66A_n7A	20	2510	DFT	QPSK	Edge_1RB_Right	21.25	21.75	19.35
DC_66A_n7A	20	2510	DFT	QPSK	Outer_Full	21.22	21.72	19.32
DC_66A_n7A	20	2510	CP	16QAM	Inner_Full	20.25	20.75	18.35
DC_66A_n7A	20	2510	CP	16QAM	Edge_1RB_Left	19.04	19.54	17.14
DC_66A_n7A	20	2510	CP	16QAM	Edge_1RB_Right	19.57	20.07	17.67
DC_66A_n7A	20	2510	CP	16QAM	Outer_Full	19.17	19.67	17.27
DC_66A_n7A	20	2510	CP	64QAM	Inner_Full	18.71	19.21	16.81
DC_66A_n7A	20	2510	CP	64QAM	Edge_1RB_Left	18.34	18.84	16.44
DC_66A_n7A	20	2510	CP	64QAM	Edge_1RB_Right	18.90	19.40	17.00
DC_66A_n7A	20	2510	CP	64QAM	Outer_Full	18.73	19.23	16.83
DC_66A_n7A	20	2510	CP	QPSK	Inner_Full	20.73	21.23	18.83
DC_66A_n7A	20	2510	CP	QPSK	Edge_1RB_Left	18.78	19.28	16.88



BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_66A_n7A	20	2510	CP	QPSK	Edge_1RB_Right	19.41	19.91	17.51
DC_66A_n7A	20	2510	CP	QPSK	Outer_Full	19.21	19.71	17.31
DC_66A_n7A	20	2535	DFT	16QAM	Inner_Full	21.32	21.82	19.42
DC_66A_n7A	20	2535	DFT	16QAM	Edge_1RB_Left	20.33	20.83	18.43
DC_66A_n7A	20	2535	DFT	16QAM	Edge_1RB_Right	20.49	20.99	18.59
DC_66A_n7A	20	2535	DFT	16QAM	Outer_Full	20.27	20.77	18.37
DC_66A_n7A	20	2535	DFT	64QAM	Inner_Full	19.78	20.28	17.88
DC_66A_n7A	20	2535	DFT	64QAM	Edge_1RB_Left	19.33	19.83	17.43
DC_66A_n7A	20	2535	DFT	64QAM	Edge_1RB_Right	19.58	20.08	17.68
DC_66A_n7A	20	2535	DFT	64QAM	Outer_Full	19.74	20.24	17.84
DC_66A_n7A	20	2535	DFT	pi/2 BPSK	Inner_Full	22.31	22.81	20.41
DC_66A_n7A	20	2535	DFT	pi/2 BPSK	Edge_1RB_Left	21.49	21.99	19.59
DC_66A_n7A	20	2535	DFT	pi/2 BPSK	Edge_1RB_Right	21.71	22.21	19.81
DC_66A_n7A	20	2535	DFT	pi/2 BPSK	Outer_Full	21.81	22.31	19.91
DC_66A_n7A	20	2535	DFT	QPSK	Inner_Full	22.28	22.78	20.38
DC_66A_n7A	20	2535	DFT	QPSK	Edge_1RB_Left	20.91	21.41	19.01
DC_66A_n7A	20	2535	DFT	QPSK	Edge_1RB_Right	21.07	21.57	19.17
DC_66A_n7A	20	2535	DFT	QPSK	Outer_Full	21.27	21.77	19.37
DC_66A_n7A	20	2535	CP	16QAM	Inner_Full	20.33	20.83	18.43
DC_66A_n7A	20	2535	CP	16QAM	Edge_1RB_Left	19.24	19.74	17.34
DC_66A_n7A	20	2535	CP	16QAM	Edge_1RB_Right	19.18	19.68	17.28
DC_66A_n7A	20	2535	CP	16QAM	Outer_Full	19.19	19.69	17.29
DC_66A_n7A	20	2535	CP	64QAM	Inner_Full	18.70	19.20	16.80
DC_66A_n7A	20	2535	CP	64QAM	Edge_1RB_Left	18.60	19.10	16.70
DC_66A_n7A	20	2535	CP	64QAM	Edge_1RB_Right	18.71	19.21	16.81
DC_66A_n7A	20	2535	CP	64QAM	Outer_Full	18.76	19.26	16.86
DC_66A_n7A	20	2535	CP	QPSK	Inner_Full	20.77	21.27	18.87
DC_66A_n7A	20	2535	CP	QPSK	Edge_1RB_Left	18.99	19.49	17.09
DC_66A_n7A	20	2535	CP	QPSK	Edge_1RB_Right	19.08	19.58	17.18



BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_66A_n7A	20	2535	CP	QPSK	Outer_Full	19.21	19.71	17.31
DC_66A_n7A	20	2560	DFT	16QAM	Inner_Full	21.41	21.91	19.51
DC_66A_n7A	20	2560	DFT	16QAM	Edge_1RB_Left	20.36	20.86	18.46
DC_66A_n7A	20	2560	DFT	16QAM	Edge_1RB_Right	20.14	20.64	18.24
DC_66A_n7A	20	2560	DFT	16QAM	Outer_Full	20.35	20.85	18.45
DC_66A_n7A	20	2560	DFT	64QAM	Inner_Full	19.78	20.28	17.88
DC_66A_n7A	20	2560	DFT	64QAM	Edge_1RB_Left	19.57	20.07	17.67
DC_66A_n7A	20	2560	DFT	64QAM	Edge_1RB_Right	19.45	19.95	17.55
DC_66A_n7A	20	2560	DFT	64QAM	Outer_Full	19.80	20.30	17.90
DC_66A_n7A	20	2560	DFT	pi/2 BPSK	Inner_Full	22.31	22.81	20.41
DC_66A_n7A	20	2560	DFT	pi/2 BPSK	Edge_1RB_Left	21.75	22.25	19.85
DC_66A_n7A	20	2560	DFT	pi/2 BPSK	Edge_1RB_Right	21.50	22.00	19.60
DC_66A_n7A	20	2560	DFT	pi/2 BPSK	Outer_Full	21.82	22.32	19.92
DC_66A_n7A	20	2560	DFT	QPSK	Inner_Full	22.37	22.87	20.47
DC_66A_n7A	20	2560	DFT	QPSK	Edge_1RB_Left	21.14	21.64	19.24
DC_66A_n7A	20	2560	DFT	QPSK	Edge_1RB_Right	20.84	21.34	18.94
DC_66A_n7A	20	2560	DFT	QPSK	Outer_Full	21.35	21.85	19.45
DC_66A_n7A	20	2560	CP	16QAM	Inner_Full	20.36	20.86	18.46
DC_66A_n7A	20	2560	CP	16QAM	Edge_1RB_Left	19.24	19.74	17.34
DC_66A_n7A	20	2560	CP	16QAM	Edge_1RB_Right	19.06	19.56	17.16
DC_66A_n7A	20	2560	CP	16QAM	Outer_Full	19.27	19.77	17.37
DC_66A_n7A	20	2560	CP	64QAM	Inner_Full	18.86	19.36	16.96
DC_66A_n7A	20	2560	CP	64QAM	Edge_1RB_Left	18.79	19.29	16.89
DC_66A_n7A	20	2560	CP	64QAM	Edge_1RB_Right	18.58	19.08	16.68
DC_66A_n7A	20	2560	CP	64QAM	Outer_Full	18.76	19.26	16.86
DC_66A_n7A	20	2560	CP	QPSK	Inner_Full	20.82	21.32	18.92
DC_66A_n7A	20	2560	CP	QPSK	Edge_1RB_Left	19.24	19.74	17.34
DC_66A_n7A	20	2560	CP	QPSK	Edge_1RB_Right	18.90	19.40	17.00
DC_66A_n7A	20	2560	CP	QPSK	Outer_Full	19.30	19.80	17.40



BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_66A_n7A	25	2512.5	DFT	16QAM	Inner_Full	22.16	22.66	20.26
DC_66A_n7A	25	2512.5	DFT	16QAM	Edge_1RB_Left	21.20	21.70	19.30
DC_66A_n7A	25	2512.5	DFT	16QAM	Edge_1RB_Right	21.05	21.55	19.15
DC_66A_n7A	25	2512.5	DFT	16QAM	Outer_Full	21.13	21.63	19.23
DC_66A_n7A	25	2512.5	DFT	64QAM	Inner_Full	20.81	21.31	18.91
DC_66A_n7A	25	2512.5	DFT	64QAM	Edge_1RB_Left	20.23	20.73	18.33
DC_66A_n7A	25	2512.5	DFT	64QAM	Edge_1RB_Right	20.33	20.83	18.43
DC_66A_n7A	25	2512.5	DFT	64QAM	Outer_Full	20.64	21.14	18.74
DC_66A_n7A	25	2512.5	DFT	pi/2 BPSK	Inner_Full	20.75	21.25	18.85
DC_66A_n7A	25	2512.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.11	22.61	20.21
DC_66A_n7A	25	2512.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.99	22.49	20.09
DC_66A_n7A	25	2512.5	DFT	pi/2 BPSK	Outer_Full	22.19	22.69	20.29
DC_66A_n7A	25	2512.5	DFT	QPSK	Inner_Full	22.91	23.41	21.01
DC_66A_n7A	25	2512.5	DFT	QPSK	Edge_1RB_Left	22.20	22.70	20.30
DC_66A_n7A	25	2512.5	DFT	QPSK	Outer_Full	21.98	22.48	20.08
DC_66A_n7A	25	2512.5	DFT	QPSK	Edge_1RB_Right	22.01	22.51	20.11
DC_66A_n7A	25	2512.5	CP	16QAM	Inner_Full	22.05	22.55	20.15
DC_66A_n7A	25	2512.5	CP	16QAM	Edge_1RB_Left	20.83	21.33	18.93
DC_66A_n7A	25	2512.5	CP	16QAM	Edge_1RB_Right	20.68	21.18	18.78
DC_66A_n7A	25	2512.5	CP	16QAM	Outer_Full	21.03	21.53	19.13
DC_66A_n7A	25	2512.5	CP	64QAM	Inner_Full	20.51	21.01	18.61
DC_66A_n7A	25	2512.5	CP	64QAM	Edge_1RB_Left	20.37	20.87	18.47
DC_66A_n7A	25	2512.5	CP	64QAM	Edge_1RB_Right	20.21	20.71	18.31
DC_66A_n7A	25	2512.5	CP	64QAM	Outer_Full	20.49	20.99	18.59
DC_66A_n7A	25	2512.5	CP	QPSK	Inner_Full	22.68	23.18	20.78
DC_66A_n7A	25	2512.5	CP	QPSK	Edge_1RB_Left	21.99	22.49	20.09
DC_66A_n7A	25	2512.5	CP	QPSK	Edge_1RB_Right	21.83	22.33	19.93
DC_66A_n7A	25	2512.5	CP	QPSK	Outer_Full	22.06	22.56	20.16
DC_66A_n7A	25	2535	DFT	16QAM	Inner_Full	21.94	22.44	20.04



BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_66A_n7A	25	2535	DFT	16QAM	Edge_1RB_Left	20.78	21.28	18.88
DC_66A_n7A	25	2535	DFT	16QAM	Edge_1RB_Right	20.62	21.12	18.72
DC_66A_n7A	25	2535	DFT	16QAM	Outer_Full	20.82	21.32	18.92
DC_66A_n7A	25	2535	DFT	64QAM	Inner_Full	20.48	20.98	18.58
DC_66A_n7A	25	2535	DFT	64QAM	Edge_1RB_Left	20.14	20.64	18.24
DC_66A_n7A	25	2535	DFT	64QAM	Edge_1RB_Right	20.18	20.68	18.28
DC_66A_n7A	25	2535	DFT	64QAM	Outer_Full	20.37	20.87	18.47
DC_66A_n7A	25	2535	DFT	pi/2 BPSK	Inner_Full	20.46	20.96	18.56
DC_66A_n7A	25	2535	DFT	pi/2 BPSK	Edge_1RB_Left	21.97	22.47	20.07
DC_66A_n7A	25	2535	DFT	pi/2 BPSK	Edge_1RB_Right	21.82	22.32	19.92
DC_66A_n7A	25	2535	DFT	pi/2 BPSK	Outer_Full	21.96	22.46	20.06
DC_66A_n7A	25	2535	DFT	QPSK	Inner_Full	22.63	23.13	20.73
DC_66A_n7A	25	2535	DFT	QPSK	Edge_1RB_Left	21.92	22.42	20.02
DC_66A_n7A	25	2535	DFT	QPSK	Outer_Full	21.94	22.44	20.04
DC_66A_n7A	25	2535	DFT	QPSK	Edge_1RB_Right	21.79	22.29	19.89
DC_66A_n7A	25	2535	CP	16QAM	Inner_Full	21.84	22.34	19.94
DC_66A_n7A	25	2535	CP	16QAM	Edge_1RB_Left	20.80	21.30	18.90
DC_66A_n7A	25	2535	CP	16QAM	Edge_1RB_Right	20.46	20.96	18.56
DC_66A_n7A	25	2535	CP	16QAM	Outer_Full	20.70	21.20	18.80
DC_66A_n7A	25	2535	CP	64QAM	Inner_Full	20.44	20.94	18.54
DC_66A_n7A	25	2535	CP	64QAM	Edge_1RB_Left	20.13	20.63	18.23
DC_66A_n7A	25	2535	CP	64QAM	Edge_1RB_Right	20.03	20.53	18.13
DC_66A_n7A	25	2535	CP	64QAM	Outer_Full	20.25	20.75	18.35
DC_66A_n7A	25	2535	CP	QPSK	Inner_Full	22.45	22.95	20.55
DC_66A_n7A	25	2535	CP	QPSK	Edge_1RB_Left	21.80	22.30	19.90
DC_66A_n7A	25	2535	CP	QPSK	Edge_1RB_Right	21.63	22.13	19.73
DC_66A_n7A	25	2535	CP	QPSK	Outer_Full	21.76	22.26	19.86
DC_66A_n7A	25	2557.5	DFT	16QAM	Inner_Full	21.65	22.15	19.75
DC_66A_n7A	25	2557.5	DFT	16QAM	Edge_1RB_Left	20.67	21.17	18.77



BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_66A_n7A	25	2557.5	DFT	16QAM	Edge_1RB_Right	20.44	20.94	18.54
DC_66A_n7A	25	2557.5	DFT	16QAM	Outer_Full	20.58	21.08	18.68
DC_66A_n7A	25	2557.5	DFT	64QAM	Inner_Full	20.28	20.78	18.38
DC_66A_n7A	25	2557.5	DFT	64QAM	Edge_1RB_Left	19.86	20.36	17.96
DC_66A_n7A	25	2557.5	DFT	64QAM	Edge_1RB_Right	19.90	20.40	18.00
DC_66A_n7A	25	2557.5	DFT	64QAM	Outer_Full	20.28	20.78	18.38
DC_66A_n7A	25	2557.5	DFT	pi/2 BPSK	Inner_Full	20.39	20.89	18.49
DC_66A_n7A	25	2557.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.67	22.17	19.77
DC_66A_n7A	25	2557.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.57	22.07	19.67
DC_66A_n7A	25	2557.5	DFT	pi/2 BPSK	Outer_Full	21.72	22.22	19.82
DC_66A_n7A	25	2557.5	DFT	QPSK	Inner_Full	22.25	22.75	20.35
DC_66A_n7A	25	2557.5	DFT	QPSK	Edge_1RB_Left	21.58	22.08	19.68
DC_66A_n7A	25	2557.5	DFT	QPSK	Outer_Full	21.67	22.17	19.77
DC_66A_n7A	25	2557.5	DFT	QPSK	Edge_1RB_Right	21.35	21.85	19.45
DC_66A_n7A	25	2557.5	CP	16QAM	Inner_Full	21.50	22.00	19.60
DC_66A_n7A	25	2557.5	CP	16QAM	Edge_1RB_Left	20.49	20.99	18.59
DC_66A_n7A	25	2557.5	CP	16QAM	Edge_1RB_Right	20.31	20.81	18.41
DC_66A_n7A	25	2557.5	CP	16QAM	Outer_Full	20.39	20.89	18.49
DC_66A_n7A	25	2557.5	CP	64QAM	Inner_Full	20.22	20.72	18.32
DC_66A_n7A	25	2557.5	CP	64QAM	Edge_1RB_Left	20.00	20.50	18.10
DC_66A_n7A	25	2557.5	CP	64QAM	Edge_1RB_Right	19.51	20.01	17.61
DC_66A_n7A	25	2557.5	CP	64QAM	Outer_Full	20.10	20.60	18.20
DC_66A_n7A	25	2557.5	CP	QPSK	Inner_Full	22.12	22.62	20.22
DC_66A_n7A	25	2557.5	CP	QPSK	Edge_1RB_Left	21.41	21.91	19.51
DC_66A_n7A	25	2557.5	CP	QPSK	Edge_1RB_Right	21.19	21.69	19.29
DC_66A_n7A	25	2557.5	CP	QPSK	Outer_Full	21.52	22.02	19.62
DC_66A_n7A	30	2515	DFT	16QAM	Inner_Full	21.96	22.46	20.06
DC_66A_n7A	30	2515	DFT	16QAM	Edge_1RB_Left	20.91	21.41	19.01
DC_66A_n7A	30	2515	DFT	16QAM	Edge_1RB_Right	20.80	21.30	18.90



BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_66A_n7A	30	2515	DFT	16QAM	Outer_Full	20.89	21.39	18.99
DC_66A_n7A	30	2515	DFT	64QAM	Inner_Full	20.52	21.02	18.62
DC_66A_n7A	30	2515	DFT	64QAM	Edge_1RB_Left	20.19	20.69	18.29
DC_66A_n7A	30	2515	DFT	64QAM	Edge_1RB_Right	20.01	20.51	18.11
DC_66A_n7A	30	2515	DFT	64QAM	Outer_Full	20.45	20.95	18.55
DC_66A_n7A	30	2515	DFT	pi/2 BPSK	Inner_Full	20.61	21.11	18.71
DC_66A_n7A	30	2515	DFT	pi/2 BPSK	Edge_1RB_Left	21.91	22.41	20.01
DC_66A_n7A	30	2515	DFT	pi/2 BPSK	Edge_1RB_Right	21.76	22.26	19.86
DC_66A_n7A	30	2515	DFT	pi/2 BPSK	Outer_Full	22.04	22.54	20.14
DC_66A_n7A	30	2515	DFT	QPSK	Inner_Full	22.67	23.17	20.77
DC_66A_n7A	30	2515	DFT	QPSK	Edge_1RB_Left	21.90	22.40	20.00
DC_66A_n7A	30	2515	DFT	QPSK	Outer_Full	22.01	22.51	20.11
DC_66A_n7A	30	2515	DFT	QPSK	Edge_1RB_Right	21.70	22.20	19.80
DC_66A_n7A	30	2515	CP	16QAM	Inner_Full	20.76	21.26	18.86
DC_66A_n7A	30	2515	CP	16QAM	Edge_1RB_Left	20.75	21.25	18.85
DC_66A_n7A	30	2515	CP	16QAM	Edge_1RB_Right	20.64	21.14	18.74
DC_66A_n7A	30	2515	CP	16QAM	Outer_Full	20.83	21.33	18.93
DC_66A_n7A	30	2515	CP	64QAM	Inner_Full	20.33	20.83	18.43
DC_66A_n7A	30	2515	CP	64QAM	Edge_1RB_Left	20.01	20.51	18.11
DC_66A_n7A	30	2515	CP	64QAM	Edge_1RB_Right	20.04	20.54	18.14
DC_66A_n7A	30	2515	CP	64QAM	Outer_Full	20.26	20.76	18.36
DC_66A_n7A	30	2515	CP	QPSK	Inner_Full	21.86	22.36	19.96
DC_66A_n7A	30	2515	CP	QPSK	Edge_1RB_Left	21.79	22.29	19.89
DC_66A_n7A	30	2515	CP	QPSK	Edge_1RB_Right	21.63	22.13	19.73
DC_66A_n7A	30	2515	CP	QPSK	Outer_Full	21.83	22.33	19.93
DC_66A_n7A	30	2535	DFT	16QAM	Inner_Full	21.73	22.23	19.83
DC_66A_n7A	30	2535	DFT	16QAM	Edge_1RB_Left	20.58	21.08	18.68
DC_66A_n7A	30	2535	DFT	16QAM	Edge_1RB_Right	20.40	20.90	18.50
DC_66A_n7A	30	2535	DFT	16QAM	Outer_Full	20.72	21.22	18.82





BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_66A_n7A	30	2535	DFT	64QAM	Inner_Full	20.26	20.76	18.36
DC_66A_n7A	30	2535	DFT	64QAM	Edge_1RB_Left	20.25	20.75	18.35
DC_66A_n7A	30	2535	DFT	64QAM	Edge_1RB_Right	19.77	20.27	17.87
DC_66A_n7A	30	2535	DFT	64QAM	Outer_Full	20.20	20.70	18.30
DC_66A_n7A	30	2535	DFT	pi/2 BPSK	Inner_Full	20.42	20.92	18.52
DC_66A_n7A	30	2535	DFT	pi/2 BPSK	Edge_1RB_Left	21.73	22.23	19.83
DC_66A_n7A	30	2535	DFT	pi/2 BPSK	Edge_1RB_Right	21.52	22.02	19.62
DC_66A_n7A	30	2535	DFT	pi/2 BPSK	Outer_Full	21.79	22.29	19.89
DC_66A_n7A	30	2535	DFT	QPSK	Inner_Full	22.41	22.91	20.51
DC_66A_n7A	30	2535	DFT	QPSK	Edge_1RB_Left	21.71	22.21	19.81
DC_66A_n7A	30	2535	DFT	QPSK	Outer_Full	21.79	22.29	19.89
DC_66A_n7A	30	2535	DFT	QPSK	Edge_1RB_Right	21.54	22.04	19.64
DC_66A_n7A	30	2535	CP	16QAM	Inner_Full	20.55	21.05	18.65
DC_66A_n7A	30	2535	CP	16QAM	Edge_1RB_Left	20.57	21.07	18.67
DC_66A_n7A	30	2535	CP	16QAM	Edge_1RB_Right	20.24	20.74	18.34
DC_66A_n7A	30	2535	CP	16QAM	Outer_Full	20.51	21.01	18.61
DC_66A_n7A	30	2535	CP	64QAM	Inner_Full	20.16	20.66	18.26
DC_66A_n7A	30	2535	CP	64QAM	Edge_1RB_Left	20.12	20.62	18.22
DC_66A_n7A	30	2535	CP	64QAM	Edge_1RB_Right	19.64	20.14	17.74
DC_66A_n7A	30	2535	CP	64QAM	Outer_Full	20.18	20.68	18.28
DC_66A_n7A	30	2535	CP	QPSK	Inner_Full	21.68	22.18	19.78
DC_66A_n7A	30	2535	CP	QPSK	Edge_1RB_Left	21.54	22.04	19.64
DC_66A_n7A	30	2535	CP	QPSK	Edge_1RB_Right	21.32	21.82	19.42
DC_66A_n7A	30	2535	CP	QPSK	Outer_Full	21.63	22.13	19.73
DC_66A_n7A	30	2555	DFT	16QAM	Inner_Full	21.50	22.00	19.60
DC_66A_n7A	30	2555	DFT	16QAM	Edge_1RB_Left	20.47	20.97	18.57
DC_66A_n7A	30	2555	DFT	16QAM	Edge_1RB_Right	20.23	20.73	18.33
DC_66A_n7A	30	2555	DFT	16QAM	Outer_Full	20.37	20.87	18.47
DC_66A_n7A	30	2555	DFT	64QAM	Inner_Full	20.14	20.64	18.24



BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_66A_n7A	30	2555	DFT	64QAM	Edge_1RB_Left	20.01	20.51	18.11
DC_66A_n7A	30	2555	DFT	64QAM	Edge_1RB_Right	19.72	20.22	17.82
DC_66A_n7A	30	2555	DFT	64QAM	Outer_Full	20.09	20.59	18.19
DC_66A_n7A	30	2555	DFT	pi/2 BPSK	Inner_Full	20.27	20.77	18.37
DC_66A_n7A	30	2555	DFT	pi/2 BPSK	Edge_1RB_Left	21.44	21.94	19.54
DC_66A_n7A	30	2555	DFT	pi/2 BPSK	Edge_1RB_Right	21.26	21.76	19.36
DC_66A_n7A	30	2555	DFT	pi/2 BPSK	Outer_Full	21.45	21.95	19.55
DC_66A_n7A	30	2555	DFT	QPSK	Inner_Full	22.13	22.63	20.23
DC_66A_n7A	30	2555	DFT	QPSK	Edge_1RB_Left	21.44	21.94	19.54
DC_66A_n7A	30	2555	DFT	QPSK	Outer_Full	21.41	21.91	19.51
DC_66A_n7A	30	2555	DFT	QPSK	Edge_1RB_Right	21.14	21.64	19.24
DC_66A_n7A	30	2555	CP	16QAM	Inner_Full	20.22	20.72	18.32
DC_66A_n7A	30	2555	CP	16QAM	Edge_1RB_Left	20.32	20.82	18.42
DC_66A_n7A	30	2555	CP	16QAM	Edge_1RB_Right	20.08	20.58	18.18
DC_66A_n7A	30	2555	CP	16QAM	Outer_Full	20.17	20.67	18.27
DC_66A_n7A	30	2555	CP	64QAM	Inner_Full	19.98	20.48	18.08
DC_66A_n7A	30	2555	CP	64QAM	Edge_1RB_Left	19.58	20.08	17.68
DC_66A_n7A	30	2555	CP	64QAM	Edge_1RB_Right	19.32	19.82	17.42
DC_66A_n7A	30	2555	CP	64QAM	Outer_Full	19.89	20.39	17.99
DC_66A_n7A	30	2555	CP	QPSK	Inner_Full	21.37	21.87	19.47
DC_66A_n7A	30	2555	CP	QPSK	Edge_1RB_Left	21.25	21.75	19.35
DC_66A_n7A	30	2555	CP	QPSK	Edge_1RB_Right	21.07	21.57	19.17
DC_66A_n7A	30	2555	CP	QPSK	Outer_Full	21.26	21.76	19.36
DC_66A_n7A	40	2520	DFT	16QAM	Inner_Full	22.11	22.61	20.21
DC_66A_n7A	40	2520	DFT	16QAM	Edge_1RB_Left	21.02	21.52	19.12
DC_66A_n7A	40	2520	DFT	16QAM	Edge_1RB_Right	20.80	21.30	18.90
DC_66A_n7A	40	2520	DFT	16QAM	Outer_Full	21.00	21.50	19.10
DC_66A_n7A	40	2520	DFT	64QAM	Inner_Full	20.57	21.07	18.67
DC_66A_n7A	40	2520	DFT	64QAM	Edge_1RB_Left	20.49	20.99	18.59



BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_66A_n7A	40	2520	DFT	64QAM	Edge_1RB_Right	20.31	20.81	18.41
DC_66A_n7A	40	2520	DFT	64QAM	Outer_Full	20.63	21.13	18.73
DC_66A_n7A	40	2520	DFT	pi/2 BPSK	Inner_Full	20.70	21.20	18.80
DC_66A_n7A	40	2520	DFT	pi/2 BPSK	Edge_1RB_Left	21.97	22.47	20.07
DC_66A_n7A	40	2520	DFT	pi/2 BPSK	Edge_1RB_Right	21.93	22.43	20.03
DC_66A_n7A	40	2520	DFT	pi/2 BPSK	Outer_Full	22.18	22.68	20.28
DC_66A_n7A	40	2520	DFT	QPSK	Inner_Full	22.77	23.27	20.87
DC_66A_n7A	40	2520	DFT	QPSK	Edge_1RB_Left	21.98	22.48	20.08
DC_66A_n7A	40	2520	DFT	QPSK	Outer_Full	22.16	22.66	20.26
DC_66A_n7A	40	2520	DFT	QPSK	Edge_1RB_Right	21.83	22.33	19.93
DC_66A_n7A	40	2520	CP	16QAM	Inner_Full	20.83	21.33	18.93
DC_66A_n7A	40	2520	CP	16QAM	Edge_1RB_Left	20.68	21.18	18.78
DC_66A_n7A	40	2520	CP	16QAM	Edge_1RB_Right	20.66	21.16	18.76
DC_66A_n7A	40	2520	CP	16QAM	Outer_Full	20.85	21.35	18.95
DC_66A_n7A	40	2520	CP	64QAM	Inner_Full	20.37	20.87	18.47
DC_66A_n7A	40	2520	CP	64QAM	Edge_1RB_Left	20.25	20.75	18.35
DC_66A_n7A	40	2520	CP	64QAM	Edge_1RB_Right	20.21	20.71	18.31
DC_66A_n7A	40	2520	CP	64QAM	Outer_Full	20.41	20.91	18.51
DC_66A_n7A	40	2520	CP	QPSK	Inner_Full	22.02	22.52	20.12
DC_66A_n7A	40	2520	CP	QPSK	Edge_1RB_Left	21.89	22.39	19.99
DC_66A_n7A	40	2520	CP	QPSK	Edge_1RB_Right	21.66	22.16	19.76
DC_66A_n7A	40	2520	CP	QPSK	Outer_Full	21.94	22.44	20.04
DC_66A_n7A	40	2535	DFT	16QAM	Inner_Full	21.91	22.41	20.01
DC_66A_n7A	40	2535	DFT	16QAM	Edge_1RB_Left	20.64	21.14	18.74
DC_66A_n7A	40	2535	DFT	16QAM	Edge_1RB_Right	20.46	20.96	18.56
DC_66A_n7A	40	2535	DFT	16QAM	Outer_Full	20.82	21.32	18.92
DC_66A_n7A	40	2535	DFT	64QAM	Inner_Full	20.38	20.88	18.48
DC_66A_n7A	40	2535	DFT	64QAM	Edge_1RB_Left	20.34	20.84	18.44
DC_66A_n7A	40	2535	DFT	64QAM	Edge_1RB_Right	20.12	20.62	18.22



BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_66A_n7A	40	2535	DFT	64QAM	Outer_Full	20.33	20.83	18.43
DC_66A_n7A	40	2535	DFT	pi/2 BPSK	Inner_Full	20.59	21.09	18.69
DC_66A_n7A	40	2535	DFT	pi/2 BPSK	Edge_1RB_Left	21.85	22.35	19.95
DC_66A_n7A	40	2535	DFT	pi/2 BPSK	Edge_1RB_Right	21.53	22.03	19.63
DC_66A_n7A	40	2535	DFT	pi/2 BPSK	Outer_Full	21.91	22.41	20.01
DC_66A_n7A	40	2535	DFT	QPSK	Inner_Full	22.60	23.10	20.70
DC_66A_n7A	40	2535	DFT	QPSK	Edge_1RB_Left	21.87	22.37	19.97
DC_66A_n7A	40	2535	DFT	QPSK	Outer_Full	21.91	22.41	20.01
DC_66A_n7A	40	2535	DFT	QPSK	Edge_1RB_Right	21.51	22.01	19.61
DC_66A_n7A	40	2535	CP	16QAM	Inner_Full	20.68	21.18	18.78
DC_66A_n7A	40	2535	CP	16QAM	Edge_1RB_Left	20.66	21.16	18.76
DC_66A_n7A	40	2535	CP	16QAM	Edge_1RB_Right	20.44	20.94	18.54
DC_66A_n7A	40	2535	CP	16QAM	Outer_Full	20.69	21.19	18.79
DC_66A_n7A	40	2535	CP	64QAM	Inner_Full	20.28	20.78	18.38
DC_66A_n7A	40	2535	CP	64QAM	Edge_1RB_Left	19.90	20.40	18.00
DC_66A_n7A	40	2535	CP	64QAM	Edge_1RB_Right	19.65	20.15	17.75
DC_66A_n7A	40	2535	CP	64QAM	Outer_Full	20.25	20.75	18.35
DC_66A_n7A	40	2535	CP	QPSK	Inner_Full	21.86	22.36	19.96
DC_66A_n7A	40	2535	CP	QPSK	Edge_1RB_Left	21.69	22.19	19.79
DC_66A_n7A	40	2535	CP	QPSK	Edge_1RB_Right	21.35	21.85	19.45
DC_66A_n7A	40	2535	CP	QPSK	Outer_Full	21.76	22.26	19.86
DC_66A_n7A	40	2550	DFT	16QAM	Inner_Full	21.64	22.14	19.74
DC_66A_n7A	40	2550	DFT	16QAM	Edge_1RB_Left	20.61	21.11	18.71
DC_66A_n7A	40	2550	DFT	16QAM	Edge_1RB_Right	20.29	20.79	18.39
DC_66A_n7A	40	2550	DFT	16QAM	Outer_Full	20.50	21.00	18.60
DC_66A_n7A	40	2550	DFT	64QAM	Inner_Full	20.30	20.80	18.40
DC_66A_n7A	40	2550	DFT	64QAM	Edge_1RB_Left	20.14	20.64	18.24
DC_66A_n7A	40	2550	DFT	64QAM	Edge_1RB_Right	19.85	20.35	17.95
DC_66A_n7A	40	2550	DFT	64QAM	Outer_Full	20.30	20.80	18.40



BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_66A_n7A	40	2550	DFT	pi/2 BPSK	Inner_Full	20.43	20.93	18.53
DC_66A_n7A	40	2550	DFT	pi/2 BPSK	Edge_1RB_Left	21.57	22.07	19.67
DC_66A_n7A	40	2550	DFT	pi/2 BPSK	Edge_1RB_Right	21.34	21.84	19.44
DC_66A_n7A	40	2550	DFT	pi/2 BPSK	Outer_Full	21.64	22.14	19.74
DC_66A_n7A	40	2550	DFT	QPSK	Inner_Full	22.34	22.84	20.44
DC_66A_n7A	40	2550	DFT	QPSK	Edge_1RB_Left	21.60	22.10	19.70
DC_66A_n7A	40	2550	DFT	QPSK	Outer_Full	21.66	22.16	19.76
DC_66A_n7A	40	2550	DFT	QPSK	Edge_1RB_Right	21.30	21.80	19.40
DC_66A_n7A	40	2550	CP	16QAM	Inner_Full	20.43	20.93	18.53
DC_66A_n7A	40	2550	CP	16QAM	Edge_1RB_Left	20.33	20.83	18.43
DC_66A_n7A	40	2550	CP	16QAM	Edge_1RB_Right	20.00	20.50	18.10
DC_66A_n7A	40	2550	CP	16QAM	Outer_Full	20.35	20.85	18.45
DC_66A_n7A	40	2550	CP	64QAM	Inner_Full	20.07	20.57	18.17
DC_66A_n7A	40	2550	CP	64QAM	Edge_1RB_Left	19.97	20.47	18.07
DC_66A_n7A	40	2550	CP	64QAM	Edge_1RB_Right	19.39	19.89	17.49
DC_66A_n7A	40	2550	CP	64QAM	Outer_Full	20.03	20.53	18.13
DC_66A_n7A	40	2550	CP	QPSK	Inner_Full	21.55	22.05	19.65
DC_66A_n7A	40	2550	CP	QPSK	Edge_1RB_Left	21.42	21.92	19.52
DC_66A_n7A	40	2550	CP	QPSK	Edge_1RB_Right	21.13	21.63	19.23
DC_66A_n7A	40	2550	CP	QPSK	Outer_Full	21.44	21.94	19.54
DC_66A_n7A	50	2525	DFT	16QAM	Inner_Full	22.17	22.67	20.27
DC_66A_n7A	50	2525	DFT	16QAM	Edge_1RB_Left	20.97	21.47	19.07
DC_66A_n7A	50	2525	DFT	16QAM	Edge_1RB_Right	20.81	21.31	18.91
DC_66A_n7A	50	2525	DFT	16QAM	Outer_Full	21.04	21.54	19.14
DC_66A_n7A	50	2525	DFT	64QAM	Inner_Full	20.62	21.12	18.72
DC_66A_n7A	50	2525	DFT	64QAM	Edge_1RB_Left	20.21	20.71	18.31
DC_66A_n7A	50	2525	DFT	64QAM	Edge_1RB_Right	20.04	20.54	18.14
DC_66A_n7A	50	2525	DFT	64QAM	Outer_Full	20.57	21.07	18.67
DC_66A_n7A	50	2525	DFT	pi/2 BPSK	Inner_Full	20.66	21.16	18.76



BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_66A_n7A	50	2525	DFT	pi/2 BPSK	Edge_1RB_Left	21.93	22.43	20.03
DC_66A_n7A	50	2525	DFT	pi/2 BPSK	Edge_1RB_Right	21.79	22.29	19.89
DC_66A_n7A	50	2525	DFT	pi/2 BPSK	Outer_Full	22.12	22.62	20.22
DC_66A_n7A	50	2525	DFT	QPSK	Inner_Full	22.74	23.24	20.84
DC_66A_n7A	50	2525	DFT	QPSK	Edge_1RB_Left	21.94	22.44	20.04
DC_66A_n7A	50	2525	DFT	QPSK	Outer_Full	22.12	22.62	20.22
DC_66A_n7A	50	2525	DFT	QPSK	Edge_1RB_Right	21.79	22.29	19.89
DC_66A_n7A	50	2525	CP	16QAM	Inner_Full	21.02	21.52	19.12
DC_66A_n7A	50	2525	CP	16QAM	Edge_1RB_Left	20.82	21.32	18.92
DC_66A_n7A	50	2525	CP	16QAM	Edge_1RB_Right	20.65	21.15	18.75
DC_66A_n7A	50	2525	CP	16QAM	Outer_Full	20.93	21.43	19.03
DC_66A_n7A	50	2525	CP	64QAM	Inner_Full	20.50	21.00	18.60
DC_66A_n7A	50	2525	CP	64QAM	Edge_1RB_Left	19.98	20.48	18.08
DC_66A_n7A	50	2525	CP	64QAM	Edge_1RB_Right	19.89	20.39	17.99
DC_66A_n7A	50	2525	CP	64QAM	Outer_Full	20.39	20.89	18.49
DC_66A_n7A	50	2525	CP	QPSK	Inner_Full	22.06	22.56	20.16
DC_66A_n7A	50	2525	CP	QPSK	Edge_1RB_Left	21.80	22.30	19.90
DC_66A_n7A	50	2525	CP	QPSK	Edge_1RB_Right	21.62	22.12	19.72
DC_66A_n7A	50	2525	CP	QPSK	Outer_Full	21.94	22.44	20.04
DC_66A_n7A	50	2535	DFT	16QAM	Inner_Full	21.94	22.44	20.04
DC_66A_n7A	50	2535	DFT	16QAM	Edge_1RB_Left	20.79	21.29	18.89
DC_66A_n7A	50	2535	DFT	16QAM	Edge_1RB_Right	20.52	21.02	18.62
DC_66A_n7A	50	2535	DFT	16QAM	Outer_Full	20.80	21.30	18.90
DC_66A_n7A	50	2535	DFT	64QAM	Inner_Full	20.46	20.96	18.56
DC_66A_n7A	50	2535	DFT	64QAM	Edge_1RB_Left	20.33	20.83	18.43
DC_66A_n7A	50	2535	DFT	64QAM	Edge_1RB_Right	19.76	20.26	17.86
DC_66A_n7A	50	2535	DFT	64QAM	Outer_Full	20.35	20.85	18.45
DC_66A_n7A	50	2535	DFT	pi/2 BPSK	Inner_Full	20.56	21.06	18.66
DC_66A_n7A	50	2535	DFT	pi/2 BPSK	Edge_1RB_Left	21.85	22.35	19.95



BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_66A_n7A	50	2535	DFT	pi/2 BPSK	Edge_1RB_Right	21.56	22.06	19.66
DC_66A_n7A	50	2535	DFT	pi/2 BPSK	Outer_Full	21.99	22.49	20.09
DC_66A_n7A	50	2535	DFT	QPSK	Inner_Full	22.60	23.10	20.70
DC_66A_n7A	50	2535	DFT	QPSK	Edge_1RB_Left	21.81	22.31	19.91
DC_66A_n7A	50	2535	DFT	QPSK	Outer_Full	21.92	22.42	20.02
DC_66A_n7A	50	2535	DFT	QPSK	Edge_1RB_Right	21.50	22.00	19.60
DC_66A_n7A	50	2535	CP	16QAM	Inner_Full	20.79	21.29	18.89
DC_66A_n7A	50	2535	CP	16QAM	Edge_1RB_Left	20.65	21.15	18.75
DC_66A_n7A	50	2535	CP	16QAM	Edge_1RB_Right	20.46	20.96	18.56
DC_66A_n7A	50	2535	CP	16QAM	Outer_Full	20.61	21.11	18.71
DC_66A_n7A	50	2535	CP	64QAM	Inner_Full	20.33	20.83	18.43
DC_66A_n7A	50	2535	CP	64QAM	Edge_1RB_Left	20.12	20.62	18.22
DC_66A_n7A	50	2535	CP	64QAM	Edge_1RB_Right	20.02	20.52	18.12
DC_66A_n7A	50	2535	CP	64QAM	Outer_Full	20.20	20.70	18.30
DC_66A_n7A	50	2535	CP	QPSK	Inner_Full	21.88	22.38	19.98
DC_66A_n7A	50	2535	CP	QPSK	Edge_1RB_Left	21.65	22.15	19.75
DC_66A_n7A	50	2535	CP	QPSK	Edge_1RB_Right	21.34	21.84	19.44
DC_66A_n7A	50	2535	CP	QPSK	Outer_Full	21.77	22.27	19.87
DC_66A_n7A	50	2545	DFT	16QAM	Inner_Full	21.70	22.20	19.80
DC_66A_n7A	50	2545	DFT	16QAM	Edge_1RB_Left	20.49	20.99	18.59
DC_66A_n7A	50	2545	DFT	16QAM	Edge_1RB_Right	20.20	20.70	18.30
DC_66A_n7A	50	2545	DFT	16QAM	Outer_Full	20.48	20.98	18.58
DC_66A_n7A	50	2545	DFT	64QAM	Inner_Full	20.37	20.87	18.47
DC_66A_n7A	50	2545	DFT	64QAM	Edge_1RB_Left	19.86	20.36	17.96
DC_66A_n7A	50	2545	DFT	64QAM	Edge_1RB_Right	19.56	20.06	17.66
DC_66A_n7A	50	2545	DFT	64QAM	Outer_Full	20.21	20.71	18.31
DC_66A_n7A	50	2545	DFT	pi/2 BPSK	Inner_Full	20.44	20.94	18.54
DC_66A_n7A	50	2545	DFT	pi/2 BPSK	Edge_1RB_Left	21.62	22.12	19.72
DC_66A_n7A	50	2545	DFT	pi/2 BPSK	Edge_1RB_Right	21.32	21.82	19.42



BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_66A_n7A	50	2545	DFT	pi/2 BPSK	Outer_Full	21.63	22.13	19.73
DC_66A_n7A	50	2545	DFT	QPSK	Inner_Full	22.38	22.88	20.48
DC_66A_n7A	50	2545	DFT	QPSK	Edge_1RB_Left	21.62	22.12	19.72
DC_66A_n7A	50	2545	DFT	QPSK	Outer_Full	21.62	22.12	19.72
DC_66A_n7A	50	2545	DFT	QPSK	Edge_1RB_Right	21.29	21.79	19.39
DC_66A_n7A	50	2545	CP	16QAM	Inner_Full	20.61	21.11	18.71
DC_66A_n7A	50	2545	CP	16QAM	Edge_1RB_Left	20.53	21.03	18.63
DC_66A_n7A	50	2545	CP	16QAM	Edge_1RB_Right	20.02	20.52	18.12
DC_66A_n7A	50	2545	CP	16QAM	Outer_Full	20.38	20.88	18.48
DC_66A_n7A	50	2545	CP	64QAM	Inner_Full	20.23	20.73	18.33
DC_66A_n7A	50	2545	CP	64QAM	Edge_1RB_Left	19.99	20.49	18.09
DC_66A_n7A	50	2545	CP	64QAM	Edge_1RB_Right	19.68	20.18	17.78
DC_66A_n7A	50	2545	CP	64QAM	Outer_Full	20.05	20.55	18.15
DC_66A_n7A	50	2545	CP	QPSK	Inner_Full	21.59	22.09	19.69
DC_66A_n7A	50	2545	CP	QPSK	Edge_1RB_Left	21.42	21.92	19.52
DC_66A_n7A	50	2545	CP	QPSK	Edge_1RB_Right	21.08	21.58	19.18
DC_66A_n7A	50	2545	CP	QPSK	Outer_Full	21.41	21.91	19.51
DC_26A_n41A	20	2506.02	DFT	16QAM	Inner_Full	23.07	23.57	22.07
DC_26A_n41A	20	2506.02	DFT	16QAM	Edge_1RB_Left	21.83	22.33	20.83
DC_26A_n41A	20	2506.02	DFT	16QAM	Edge_1RB_Right	22.24	22.74	21.24
DC_26A_n41A	20	2506.02	DFT	16QAM	Outer_Full	22.09	22.59	21.09
DC_26A_n41A	20	2506.02	DFT	64QAM	Inner_Full	21.61	22.11	20.61
DC_26A_n41A	20	2506.02	DFT	64QAM	Edge_1RB_Left	21.08	21.58	20.08
DC_26A_n41A	20	2506.02	DFT	64QAM	Edge_1RB_Right	21.40	21.90	20.40
DC_26A_n41A	20	2506.02	DFT	64QAM	Outer_Full	21.54	22.04	20.54
DC_26A_n41A	20	2506.02	DFT	pi/2 BPSK	Inner_Full	24.08	24.58	23.08
DC_26A_n41A	20	2506.02	DFT	pi/2 BPSK	Edge_1RB_Left	23.24	23.74	22.24
DC_26A_n41A	20	2506.02	DFT	pi/2 BPSK	Edge_1RB_Right	23.61	24.11	22.61
DC_26A_n41A	20	2506.02	DFT	pi/2 BPSK	Outer_Full	23.59	24.09	22.59





BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_26A_n41A	20	2506.02	DFT	QPSK	Inner_Full	24.07	24.57	23.07
DC_26A_n41A	20	2506.02	DFT	QPSK	Edge_1RB_Left	22.65	23.15	21.65
DC_26A_n41A	20	2506.02	DFT	QPSK	Edge_1RB_Right	22.96	23.46	21.96
DC_26A_n41A	20	2506.02	DFT	QPSK	Outer_Full	23.07	23.57	22.07
DC_26A_n41A	20	2506.02	CP	16QAM	Inner_Full	22.05	22.55	21.05
DC_26A_n41A	20	2506.02	CP	16QAM	Edge_1RB_Left	21.05	21.55	20.05
DC_26A_n41A	20	2506.02	CP	16QAM	Edge_1RB_Right	21.35	21.85	20.35
DC_26A_n41A	20	2506.02	CP	16QAM	Outer_Full	21.06	21.56	20.06
DC_26A_n41A	20	2506.02	CP	64QAM	Inner_Full	20.55	21.05	19.55
DC_26A_n41A	20	2506.02	CP	64QAM	Edge_1RB_Left	19.99	20.49	18.99
DC_26A_n41A	20	2506.02	CP	64QAM	Edge_1RB_Right	20.40	20.90	19.40
DC_26A_n41A	20	2506.02	CP	64QAM	Outer_Full	20.50	21.00	19.50
DC_26A_n41A	20	2506.02	CP	QPSK	Inner_Full	22.59	23.09	21.59
DC_26A_n41A	20	2506.02	CP	QPSK	Edge_1RB_Left	20.75	21.25	19.75
DC_26A_n41A	20	2506.02	CP	QPSK	Edge_1RB_Right	21.01	21.51	20.01
DC_26A_n41A	20	2506.02	CP	QPSK	Outer_Full	21.01	21.51	20.01
DC_26A_n41A	20	2592.99	DFT	16QAM	Inner_Full	23.33	23.83	22.33
DC_26A_n41A	20	2592.99	DFT	16QAM	Edge_1RB_Left	21.99	22.49	20.99
DC_26A_n41A	20	2592.99	DFT	16QAM	Edge_1RB_Right	22.15	22.65	21.15
DC_26A_n41A	20	2592.99	DFT	16QAM	Outer_Full	22.32	22.82	21.32
DC_26A_n41A	20	2592.99	DFT	64QAM	Inner_Full	21.84	22.34	20.84
DC_26A_n41A	20	2592.99	DFT	64QAM	Edge_1RB_Left	21.55	22.05	20.55
DC_26A_n41A	20	2592.99	DFT	64QAM	Edge_1RB_Right	21.79	22.29	20.79
DC_26A_n41A	20	2592.99	DFT	64QAM	Outer_Full	21.75	22.25	20.75
DC_26A_n41A	20	2592.99	DFT	pi/2 BPSK	Inner_Full	24.29	24.79	23.29
DC_26A_n41A	20	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	23.60	24.10	22.60
DC_26A_n41A	20	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	23.80	24.30	22.80
DC_26A_n41A	20	2592.99	DFT	pi/2 BPSK	Outer_Full	23.84	24.34	22.84
DC_26A_n41A	20	2592.99	DFT	QPSK	Inner_Full	24.22	24.72	23.22



BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_26A_n41A	20	2592.99	DFT	QPSK	Edge_1RB_Left	23.01	23.51	22.01
DC_26A_n41A	20	2592.99	DFT	QPSK	Edge_1RB_Right	23.17	23.67	22.17
DC_26A_n41A	20	2592.99	DFT	QPSK	Outer_Full	23.35	23.85	22.35
DC_26A_n41A	20	2592.99	CP	16QAM	Inner_Full	22.24	22.74	21.24
DC_26A_n41A	20	2592.99	CP	16QAM	Edge_1RB_Left	21.04	21.54	20.04
DC_26A_n41A	20	2592.99	CP	16QAM	Edge_1RB_Right	20.82	21.32	19.82
DC_26A_n41A	20	2592.99	CP	16QAM	Outer_Full	21.28	21.78	20.28
DC_26A_n41A	20	2592.99	CP	64QAM	Inner_Full	20.73	21.23	19.73
DC_26A_n41A	20	2592.99	CP	64QAM	Edge_1RB_Left	20.65	21.15	19.65
DC_26A_n41A	20	2592.99	CP	64QAM	Edge_1RB_Right	20.62	21.12	19.62
DC_26A_n41A	20	2592.99	CP	64QAM	Outer_Full	20.85	21.35	19.85
DC_26A_n41A	20	2592.99	CP	QPSK	Inner_Full	22.77	23.27	21.77
DC_26A_n41A	20	2592.99	CP	QPSK	Edge_1RB_Left	21.08	21.58	20.08
DC_26A_n41A	20	2592.99	CP	QPSK	Edge_1RB_Right	21.19	21.69	20.19
DC_26A_n41A	20	2592.99	CP	QPSK	Outer_Full	21.34	21.84	20.34
DC_26A_n41A	20	2679.99	DFT	16QAM	Inner_Full	23.87	24.37	22.87
DC_26A_n41A	20	2679.99	DFT	16QAM	Edge_1RB_Left	22.61	23.11	21.61
DC_26A_n41A	20	2679.99	DFT	16QAM	Edge_1RB_Right	23.18	23.68	22.18
DC_26A_n41A	20	2679.99	DFT	16QAM	Outer_Full	22.87	23.37	21.87
DC_26A_n41A	20	2679.99	DFT	64QAM	Inner_Full	22.33	22.83	21.33
DC_26A_n41A	20	2679.99	DFT	64QAM	Edge_1RB_Left	21.85	22.35	20.85
DC_26A_n41A	20	2679.99	DFT	64QAM	Edge_1RB_Right	22.22	22.72	21.22
DC_26A_n41A	20	2679.99	DFT	64QAM	Outer_Full	22.38	22.88	21.38
DC_26A_n41A	20	2679.99	DFT	pi/2 BPSK	Inner_Full	24.82	25.32	23.82
DC_26A_n41A	20	2679.99	DFT	pi/2 BPSK	Edge_1RB_Left	24.05	24.55	23.05
DC_26A_n41A	20	2679.99	DFT	pi/2 BPSK	Edge_1RB_Right	24.34	24.84	23.34
DC_26A_n41A	20	2679.99	DFT	pi/2 BPSK	Outer_Full	24.35	24.85	23.35
DC_26A_n41A	20	2679.99	DFT	QPSK	Inner_Full	24.81	25.31	23.81
DC_26A_n41A	20	2679.99	DFT	QPSK	Edge_1RB_Left	23.40	23.90	22.40



BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_26A_n41A	20	2679.99	DFT	QPSK	Edge_1RB_Right	23.72	24.22	22.72
DC_26A_n41A	20	2679.99	DFT	QPSK	Outer_Full	23.84	24.34	22.84
DC_26A_n41A	20	2679.99	CP	16QAM	Inner_Full	22.71	23.21	21.71
DC_26A_n41A	20	2679.99	CP	16QAM	Edge_1RB_Left	21.76	22.26	20.76
DC_26A_n41A	20	2679.99	CP	16QAM	Edge_1RB_Right	22.02	22.52	21.02
DC_26A_n41A	20	2679.99	CP	16QAM	Outer_Full	21.86	22.36	20.86
DC_26A_n41A	20	2679.99	CP	64QAM	Inner_Full	21.25	21.75	20.25
DC_26A_n41A	20	2679.99	CP	64QAM	Edge_1RB_Left	21.10	21.60	20.10
DC_26A_n41A	20	2679.99	CP	64QAM	Edge_1RB_Right	21.44	21.94	20.44
DC_26A_n41A	20	2679.99	CP	64QAM	Outer_Full	21.28	21.78	20.28
DC_26A_n41A	20	2679.99	CP	QPSK	Inner_Full	23.24	23.74	22.24
DC_26A_n41A	20	2679.99	CP	QPSK	Edge_1RB_Left	21.62	22.12	20.62
DC_26A_n41A	20	2679.99	CP	QPSK	Edge_1RB_Right	21.83	22.33	20.83
DC_26A_n41A	20	2679.99	CP	QPSK	Outer_Full	21.78	22.28	20.78
DC_26A_n41A	30	2511	DFT	16QAM	Inner_Full	23.05	23.55	22.05
DC_26A_n41A	30	2511	DFT	16QAM	Edge_1RB_Left	22.07	22.57	21.07
DC_26A_n41A	30	2511	DFT	16QAM	Edge_1RB_Right	22.19	22.69	21.19
DC_26A_n41A	30	2511	DFT	16QAM	Outer_Full	21.95	22.45	20.95
DC_26A_n41A	30	2511	DFT	64QAM	Inner_Full	21.55	22.05	20.55
DC_26A_n41A	30	2511	DFT	64QAM	Edge_1RB_Left	21.00	21.50	20.00
DC_26A_n41A	30	2511	DFT	64QAM	Edge_1RB_Right	21.60	22.10	20.60
DC_26A_n41A	30	2511	DFT	64QAM	Outer_Full	21.52	22.02	20.52
DC_26A_n41A	30	2511	DFT	pi/2 BPSK	Inner_Full	24.05	24.55	23.05
DC_26A_n41A	30	2511	DFT	pi/2 BPSK	Edge_1RB_Left	23.22	23.72	22.22
DC_26A_n41A	30	2511	DFT	pi/2 BPSK	Edge_1RB_Right	23.41	23.91	22.41
DC_26A_n41A	30	2511	DFT	pi/2 BPSK	Outer_Full	23.49	23.99	22.49
DC_26A_n41A	30	2511	DFT	QPSK	Inner_Full	24.05	24.55	23.05
DC_26A_n41A	30	2511	DFT	QPSK	Edge_1RB_Left	22.55	23.05	21.55
DC_26A_n41A	30	2511	DFT	QPSK	Edge_1RB_Right	22.76	23.26	21.76



BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_26A_n41A	30	2511	DFT	QPSK	Outer_Full	23.05	23.55	22.05
DC_26A_n41A	30	2511	CP	16QAM	Inner_Full	22.06	22.56	21.06
DC_26A_n41A	30	2511	CP	16QAM	Edge_1RB_Left	20.48	20.98	19.48
DC_26A_n41A	30	2511	CP	16QAM	Edge_1RB_Right	21.13	21.63	20.13
DC_26A_n41A	30	2511	CP	16QAM	Outer_Full	20.99	21.49	19.99
DC_26A_n41A	30	2511	CP	64QAM	Inner_Full	20.46	20.96	19.46
DC_26A_n41A	30	2511	CP	64QAM	Edge_1RB_Left	19.92	20.42	18.92
DC_26A_n41A	30	2511	CP	64QAM	Edge_1RB_Right	20.17	20.67	19.17
DC_26A_n41A	30	2511	CP	64QAM	Outer_Full	20.34	20.84	19.34
DC_26A_n41A	30	2511	CP	QPSK	Inner_Full	22.57	23.07	21.57
DC_26A_n41A	30	2511	CP	QPSK	Edge_1RB_Left	20.79	21.29	19.79
DC_26A_n41A	30	2511	CP	QPSK	Edge_1RB_Right	20.90	21.40	19.90
DC_26A_n41A	30	2511	CP	QPSK	Outer_Full	20.94	21.44	19.94
DC_26A_n41A	30	2592.99	DFT	16QAM	Inner_Full	23.34	23.84	22.34
DC_26A_n41A	30	2592.99	DFT	16QAM	Edge_1RB_Left	22.40	22.90	21.40
DC_26A_n41A	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.44	22.94	21.44
DC_26A_n41A	30	2592.99	DFT	16QAM	Outer_Full	22.25	22.75	21.25
DC_26A_n41A	30	2592.99	DFT	64QAM	Inner_Full	21.78	22.28	20.78
DC_26A_n41A	30	2592.99	DFT	64QAM	Edge_1RB_Left	21.81	22.31	20.81
DC_26A_n41A	30	2592.99	DFT	64QAM	Edge_1RB_Right	21.38	21.88	20.38
DC_26A_n41A	30	2592.99	DFT	64QAM	Outer_Full	21.79	22.29	20.79
DC_26A_n41A	30	2592.99	DFT	pi/2 BPSK	Inner_Full	24.27	24.77	23.27
DC_26A_n41A	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	23.52	24.02	22.52
DC_26A_n41A	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	23.57	24.07	22.57
DC_26A_n41A	30	2592.99	DFT	pi/2 BPSK	Outer_Full	23.77	24.27	22.77
DC_26A_n41A	30	2592.99	DFT	QPSK	Inner_Full	24.21	24.71	23.21
DC_26A_n41A	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.93	23.43	21.93
DC_26A_n41A	30	2592.99	DFT	QPSK	Edge_1RB_Right	23.01	23.51	22.01
DC_26A_n41A	30	2592.99	DFT	QPSK	Outer_Full	23.26	23.76	22.26



BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_26A_n41A	30	2592.99	CP	16QAM	Inner_Full	22.18	22.68	21.18
DC_26A_n41A	30	2592.99	CP	16QAM	Edge_1RB_Left	21.07	21.57	20.07
DC_26A_n41A	30	2592.99	CP	16QAM	Edge_1RB_Right	21.32	21.82	20.32
DC_26A_n41A	30	2592.99	CP	16QAM	Outer_Full	21.28	21.78	20.28
DC_26A_n41A	30	2592.99	CP	64QAM	Inner_Full	20.73	21.23	19.73
DC_26A_n41A	30	2592.99	CP	64QAM	Edge_1RB_Left	20.34	20.84	19.34
DC_26A_n41A	30	2592.99	CP	64QAM	Edge_1RB_Right	20.47	20.97	19.47
DC_26A_n41A	30	2592.99	CP	64QAM	Outer_Full	20.63	21.13	19.63
DC_26A_n41A	30	2592.99	CP	QPSK	Inner_Full	22.71	23.21	21.71
DC_26A_n41A	30	2592.99	CP	QPSK	Edge_1RB_Left	21.08	21.58	20.08
DC_26A_n41A	30	2592.99	CP	QPSK	Edge_1RB_Right	21.07	21.57	20.07
DC_26A_n41A	30	2592.99	CP	QPSK	Outer_Full	21.23	21.73	20.23
DC_26A_n41A	30	2674.98	DFT	16QAM	Inner_Full	23.61	24.11	22.61
DC_26A_n41A	30	2674.98	DFT	16QAM	Edge_1RB_Left	22.58	23.08	21.58
DC_26A_n41A	30	2674.98	DFT	16QAM	Edge_1RB_Right	22.69	23.19	21.69
DC_26A_n41A	30	2674.98	DFT	16QAM	Outer_Full	22.59	23.09	21.59
DC_26A_n41A	30	2674.98	DFT	64QAM	Inner_Full	22.24	22.74	21.24
DC_26A_n41A	30	2674.98	DFT	64QAM	Edge_1RB_Left	21.56	22.06	20.56
DC_26A_n41A	30	2674.98	DFT	64QAM	Edge_1RB_Right	22.38	22.88	21.38
DC_26A_n41A	30	2674.98	DFT	64QAM	Outer_Full	22.12	22.62	21.12
DC_26A_n41A	30	2674.98	DFT	pi/2 BPSK	Inner_Full	24.67	25.17	23.67
DC_26A_n41A	30	2674.98	DFT	pi/2 BPSK	Edge_1RB_Left	23.79	24.29	22.79
DC_26A_n41A	30	2674.98	DFT	pi/2 BPSK	Edge_1RB_Right	24.11	24.61	23.11
DC_26A_n41A	30	2674.98	DFT	pi/2 BPSK	Outer_Full	24.18	24.68	23.18
DC_26A_n41A	30	2674.98	DFT	QPSK	Inner_Full	24.67	25.17	23.67
DC_26A_n41A	30	2674.98	DFT	QPSK	Edge_1RB_Left	23.16	23.66	22.16
DC_26A_n41A	30	2674.98	DFT	QPSK	Edge_1RB_Right	23.52	24.02	22.52
DC_26A_n41A	30	2674.98	DFT	QPSK	Outer_Full	23.64	24.14	22.64
DC_26A_n41A	30	2674.98	CP	16QAM	Inner_Full	22.66	23.16	21.66



BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_26A_n41A	30	2674.98	CP	16QAM	Edge_1RB_Left	21.38	21.88	20.38
DC_26A_n41A	30	2674.98	CP	16QAM	Edge_1RB_Right	21.73	22.23	20.73
DC_26A_n41A	30	2674.98	CP	16QAM	Outer_Full	21.56	22.06	20.56
DC_26A_n41A	30	2674.98	CP	64QAM	Inner_Full	21.21	21.71	20.21
DC_26A_n41A	30	2674.98	CP	64QAM	Edge_1RB_Left	20.60	21.10	19.60
DC_26A_n41A	30	2674.98	CP	64QAM	Edge_1RB_Right	21.18	21.68	20.18
DC_26A_n41A	30	2674.98	CP	64QAM	Outer_Full	21.13	21.63	20.13
DC_26A_n41A	30	2674.98	CP	QPSK	Inner_Full	23.10	23.60	22.10
DC_26A_n41A	30	2674.98	CP	QPSK	Edge_1RB_Left	21.32	21.82	20.32
DC_26A_n41A	30	2674.98	CP	QPSK	Edge_1RB_Right	21.76	22.26	20.76
DC_26A_n41A	30	2674.98	CP	QPSK	Outer_Full	21.57	22.07	20.57
DC_26A_n41A	40	2516.01	DFT	16QAM	Inner_Full	23.08	23.58	22.08
DC_26A_n41A	40	2516.01	DFT	16QAM	Edge_1RB_Left	21.59	22.09	20.59
DC_26A_n41A	40	2516.01	DFT	16QAM	Edge_1RB_Right	21.78	22.28	20.78
DC_26A_n41A	40	2516.01	DFT	16QAM	Outer_Full	21.95	22.45	20.95
DC_26A_n41A	40	2516.01	DFT	64QAM	Inner_Full	21.54	22.04	20.54
DC_26A_n41A	40	2516.01	DFT	64QAM	Edge_1RB_Left	21.23	21.73	20.23
DC_26A_n41A	40	2516.01	DFT	64QAM	Edge_1RB_Right	21.23	21.73	20.23
DC_26A_n41A	40	2516.01	DFT	64QAM	Outer_Full	21.40	21.90	20.40
DC_26A_n41A	40	2516.01	DFT	pi/2 BPSK	Inner_Full	24.04	24.54	23.04
DC_26A_n41A	40	2516.01	DFT	pi/2 BPSK	Edge_1RB_Left	23.03	23.53	22.03
DC_26A_n41A	40	2516.01	DFT	pi/2 BPSK	Edge_1RB_Right	23.21	23.71	22.21
DC_26A_n41A	40	2516.01	DFT	pi/2 BPSK	Outer_Full	23.48	23.98	22.48
DC_26A_n41A	40	2516.01	DFT	QPSK	Inner_Full	24.03	24.53	23.03
DC_26A_n41A	40	2516.01	DFT	QPSK	Edge_1RB_Left	22.39	22.89	21.39
DC_26A_n41A	40	2516.01	DFT	QPSK	Edge_1RB_Right	22.63	23.13	21.63
DC_26A_n41A	40	2516.01	DFT	QPSK	Outer_Full	22.96	23.46	21.96
DC_26A_n41A	40	2516.01	CP	16QAM	Inner_Full	22.07	22.57	21.07
DC_26A_n41A	40	2516.01	CP	16QAM	Edge_1RB_Left	20.82	21.32	19.82



BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_26A_n41A	40	2516.01	CP	16QAM	Edge_1RB_Right	20.91	21.41	19.91
DC_26A_n41A	40	2516.01	CP	16QAM	Outer_Full	20.87	21.37	19.87
DC_26A_n41A	40	2516.01	CP	64QAM	Inner_Full	20.45	20.95	19.45
DC_26A_n41A	40	2516.01	CP	64QAM	Edge_1RB_Left	19.83	20.33	18.83
DC_26A_n41A	40	2516.01	CP	64QAM	Edge_1RB_Right	19.98	20.48	18.98
DC_26A_n41A	40	2516.01	CP	64QAM	Outer_Full	20.42	20.92	19.42
DC_26A_n41A	40	2516.01	CP	QPSK	Inner_Full	22.50	23.00	21.50
DC_26A_n41A	40	2516.01	CP	QPSK	Edge_1RB_Left	20.64	21.14	19.64
DC_26A_n41A	40	2516.01	CP	QPSK	Edge_1RB_Right	20.72	21.22	19.72
DC_26A_n41A	40	2516.01	CP	QPSK	Outer_Full	20.84	21.34	19.84
DC_26A_n41A	40	2592.99	DFT	16QAM	Inner_Full	23.34	23.84	22.34
DC_26A_n41A	40	2592.99	DFT	16QAM	Edge_1RB_Left	22.21	22.71	21.21
DC_26A_n41A	40	2592.99	DFT	16QAM	Edge_1RB_Right	21.94	22.44	20.94
DC_26A_n41A	40	2592.99	DFT	16QAM	Outer_Full	22.24	22.74	21.24
DC_26A_n41A	40	2592.99	DFT	64QAM	Inner_Full	21.78	22.28	20.78
DC_26A_n41A	40	2592.99	DFT	64QAM	Edge_1RB_Left	21.37	21.87	20.37
DC_26A_n41A	40	2592.99	DFT	64QAM	Edge_1RB_Right	21.36	21.86	20.36
DC_26A_n41A	40	2592.99	DFT	64QAM	Outer_Full	21.73	22.23	20.73
DC_26A_n41A	40	2592.99	DFT	pi/2 BPSK	Inner_Full	24.27	24.77	23.27
DC_26A_n41A	40	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	23.41	23.91	22.41
DC_26A_n41A	40	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	23.59	24.09	22.59
DC_26A_n41A	40	2592.99	DFT	pi/2 BPSK	Outer_Full	23.75	24.25	22.75
DC_26A_n41A	40	2592.99	DFT	QPSK	Inner_Full	24.29	24.79	23.29
DC_26A_n41A	40	2592.99	DFT	QPSK	Edge_1RB_Left	22.75	23.25	21.75
DC_26A_n41A	40	2592.99	DFT	QPSK	Edge_1RB_Right	22.95	23.45	21.95
DC_26A_n41A	40	2592.99	DFT	QPSK	Outer_Full	23.24	23.74	22.24
DC_26A_n41A	40	2592.99	CP	16QAM	Inner_Full	22.27	22.77	21.27
DC_26A_n41A	40	2592.99	CP	16QAM	Edge_1RB_Left	20.70	21.20	19.70
DC_26A_n41A	40	2592.99	CP	16QAM	Edge_1RB_Right	21.15	21.65	20.15



BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_26A_n41A	40	2592.99	CP	16QAM	Outer_Full	21.22	21.72	20.22
DC_26A_n41A	40	2592.99	CP	64QAM	Inner_Full	20.75	21.25	19.75
DC_26A_n41A	40	2592.99	CP	64QAM	Edge_1RB_Left	20.46	20.96	19.46
DC_26A_n41A	40	2592.99	CP	64QAM	Edge_1RB_Right	20.60	21.10	19.60
DC_26A_n41A	40	2592.99	CP	64QAM	Outer_Full	20.71	21.21	19.71
DC_26A_n41A	40	2592.99	CP	QPSK	Inner_Full	22.69	23.19	21.69
DC_26A_n41A	40	2592.99	CP	QPSK	Edge_1RB_Left	20.98	21.48	19.98
DC_26A_n41A	40	2592.99	CP	QPSK	Edge_1RB_Right	21.07	21.57	20.07
DC_26A_n41A	40	2592.99	CP	QPSK	Outer_Full	21.16	21.66	20.16
DC_26A_n41A	40	2670	DFT	16QAM	Inner_Full	23.57	24.07	22.57
DC_26A_n41A	40	2670	DFT	16QAM	Edge_1RB_Left	22.34	22.84	21.34
DC_26A_n41A	40	2670	DFT	16QAM	Edge_1RB_Right	22.81	23.31	21.81
DC_26A_n41A	40	2670	DFT	16QAM	Outer_Full	22.48	22.98	21.48
DC_26A_n41A	40	2670	DFT	64QAM	Inner_Full	22.01	22.51	21.01
DC_26A_n41A	40	2670	DFT	64QAM	Edge_1RB_Left	21.50	22.00	20.50
DC_26A_n41A	40	2670	DFT	64QAM	Edge_1RB_Right	21.97	22.47	20.97
DC_26A_n41A	40	2670	DFT	64QAM	Outer_Full	21.95	22.45	20.95
DC_26A_n41A	40	2670	DFT	pi/2 BPSK	Inner_Full	24.54	25.04	23.54
DC_26A_n41A	40	2670	DFT	pi/2 BPSK	Edge_1RB_Left	23.56	24.06	22.56
DC_26A_n41A	40	2670	DFT	pi/2 BPSK	Edge_1RB_Right	24.00	24.50	23.00
DC_26A_n41A	40	2670	DFT	pi/2 BPSK	Outer_Full	23.96	24.46	22.96
DC_26A_n41A	40	2670	DFT	QPSK	Inner_Full	24.55	25.05	23.55
DC_26A_n41A	40	2670	DFT	QPSK	Edge_1RB_Left	22.88	23.38	21.88
DC_26A_n41A	40	2670	DFT	QPSK	Edge_1RB_Right	23.34	23.84	22.34
DC_26A_n41A	40	2670	DFT	QPSK	Outer_Full	23.48	23.98	22.48
DC_26A_n41A	40	2670	CP	16QAM	Inner_Full	22.57	23.07	21.57
DC_26A_n41A	40	2670	CP	16QAM	Edge_1RB_Left	21.23	21.73	20.23
DC_26A_n41A	40	2670	CP	16QAM	Edge_1RB_Right	21.58	22.08	20.58
DC_26A_n41A	40	2670	CP	16QAM	Outer_Full	21.45	21.95	20.45





BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_26A_n41A	40	2670	CP	64QAM	Inner_Full	20.95	21.45	19.95
DC_26A_n41A	40	2670	CP	64QAM	Edge_1RB_Left	20.53	21.03	19.53
DC_26A_n41A	40	2670	CP	64QAM	Edge_1RB_Right	21.02	21.52	20.02
DC_26A_n41A	40	2670	CP	64QAM	Outer_Full	20.91	21.41	19.91
DC_26A_n41A	40	2670	CP	QPSK	Inner_Full	23.06	23.56	22.06
DC_26A_n41A	40	2670	CP	QPSK	Edge_1RB_Left	21.04	21.54	20.04
DC_26A_n41A	40	2670	CP	QPSK	Edge_1RB_Right	21.45	21.95	20.45
DC_26A_n41A	40	2670	CP	QPSK	Outer_Full	21.43	21.93	20.43
DC_26A_n41A	50	2521.02	DFT	16QAM	Inner_Full	23.15	23.65	22.15
DC_26A_n41A	50	2521.02	DFT	16QAM	Edge_1RB_Left	21.67	22.17	20.67
DC_26A_n41A	50	2521.02	DFT	16QAM	Edge_1RB_Right	21.96	22.46	20.96
DC_26A_n41A	50	2521.02	DFT	16QAM	Outer_Full	22.08	22.58	21.08
DC_26A_n41A	50	2521.02	DFT	64QAM	Inner_Full	21.64	22.14	20.64
DC_26A_n41A	50	2521.02	DFT	64QAM	Edge_1RB_Left	21.27	21.77	20.27
DC_26A_n41A	50	2521.02	DFT	64QAM	Edge_1RB_Right	21.60	22.10	20.60
DC_26A_n41A	50	2521.02	DFT	64QAM	Outer_Full	21.52	22.02	20.52
DC_26A_n41A	50	2521.02	DFT	pi/2 BPSK	Inner_Full	24.14	24.64	23.14
DC_26A_n41A	50	2521.02	DFT	pi/2 BPSK	Edge_1RB_Left	23.11	23.61	22.11
DC_26A_n41A	50	2521.02	DFT	pi/2 BPSK	Edge_1RB_Right	23.40	23.90	22.40
DC_26A_n41A	50	2521.02	DFT	pi/2 BPSK	Outer_Full	23.55	24.05	22.55
DC_26A_n41A	50	2521.02	DFT	QPSK	Inner_Full	24.16	24.66	23.16
DC_26A_n41A	50	2521.02	DFT	QPSK	Edge_1RB_Left	22.47	22.97	21.47
DC_26A_n41A	50	2521.02	DFT	QPSK	Edge_1RB_Right	22.74	23.24	21.74
DC_26A_n41A	50	2521.02	DFT	QPSK	Outer_Full	23.05	23.55	22.05
DC_26A_n41A	50	2521.02	CP	16QAM	Inner_Full	22.10	22.60	21.10
DC_26A_n41A	50	2521.02	CP	16QAM	Edge_1RB_Left	20.82	21.32	19.82
DC_26A_n41A	50	2521.02	CP	16QAM	Edge_1RB_Right	20.70	21.20	19.70
DC_26A_n41A	50	2521.02	CP	16QAM	Outer_Full	21.07	21.57	20.07
DC_26A_n41A	50	2521.02	CP	64QAM	Inner_Full	20.57	21.07	19.57



BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_26A_n41A	50	2521.02	CP	64QAM	Edge_1RB_Left	20.13	20.63	19.13
DC_26A_n41A	50	2521.02	CP	64QAM	Edge_1RB_Right	20.21	20.71	19.21
DC_26A_n41A	50	2521.02	CP	64QAM	Outer_Full	20.53	21.03	19.53
DC_26A_n41A	50	2521.02	CP	QPSK	Inner_Full	22.56	23.06	21.56
DC_26A_n41A	50	2521.02	CP	QPSK	Edge_1RB_Left	20.65	21.15	19.65
DC_26A_n41A	50	2521.02	CP	QPSK	Edge_1RB_Right	20.87	21.37	19.87
DC_26A_n41A	50	2521.02	CP	QPSK	Outer_Full	21.03	21.53	20.03
DC_26A_n41A	50	2592.99	DFT	16QAM	Inner_Full	23.41	23.91	22.41
DC_26A_n41A	50	2592.99	DFT	16QAM	Edge_1RB_Left	22.07	22.57	21.07
DC_26A_n41A	50	2592.99	DFT	16QAM	Edge_1RB_Right	22.61	23.11	21.61
DC_26A_n41A	50	2592.99	DFT	16QAM	Outer_Full	22.36	22.86	21.36
DC_26A_n41A	50	2592.99	DFT	64QAM	Inner_Full	21.93	22.43	20.93
DC_26A_n41A	50	2592.99	DFT	64QAM	Edge_1RB_Left	21.32	21.82	20.32
DC_26A_n41A	50	2592.99	DFT	64QAM	Edge_1RB_Right	21.62	22.12	20.62
DC_26A_n41A	50	2592.99	DFT	64QAM	Outer_Full	21.85	22.35	20.85
DC_26A_n41A	50	2592.99	DFT	pi/2 BPSK	Inner_Full	24.38	24.88	23.38
DC_26A_n41A	50	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	23.57	24.07	22.57
DC_26A_n41A	50	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	23.75	24.25	22.75
DC_26A_n41A	50	2592.99	DFT	pi/2 BPSK	Outer_Full	23.84	24.34	22.84
DC_26A_n41A	50	2592.99	DFT	QPSK	Inner_Full	24.36	24.86	23.36
DC_26A_n41A	50	2592.99	DFT	QPSK	Edge_1RB_Left	23.02	23.52	22.02
DC_26A_n41A	50	2592.99	DFT	QPSK	Edge_1RB_Right	23.19	23.69	22.19
DC_26A_n41A	50	2592.99	DFT	QPSK	Outer_Full	23.34	23.84	22.34
DC_26A_n41A	50	2592.99	CP	16QAM	Inner_Full	22.38	22.88	21.38
DC_26A_n41A	50	2592.99	CP	16QAM	Edge_1RB_Left	21.27	21.77	20.27
DC_26A_n41A	50	2592.99	CP	16QAM	Edge_1RB_Right	20.89	21.39	19.89
DC_26A_n41A	50	2592.99	CP	16QAM	Outer_Full	21.33	21.83	20.33
DC_26A_n41A	50	2592.99	CP	64QAM	Inner_Full	20.89	21.39	19.89
DC_26A_n41A	50	2592.99	CP	64QAM	Edge_1RB_Left	20.65	21.15	19.65



BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_26A_n41A	50	2592.99	CP	64QAM	Edge_1RB_Right	20.86	21.36	19.86
DC_26A_n41A	50	2592.99	CP	64QAM	Outer_Full	20.88	21.38	19.88
DC_26A_n41A	50	2592.99	CP	QPSK	Inner_Full	22.80	23.30	21.80
DC_26A_n41A	50	2592.99	CP	QPSK	Edge_1RB_Left	21.12	21.62	20.12
DC_26A_n41A	50	2592.99	CP	QPSK	Edge_1RB_Right	21.35	21.85	20.35
DC_26A_n41A	50	2592.99	CP	QPSK	Outer_Full	21.30	21.80	20.30
DC_26A_n41A	50	2664.99	DFT	16QAM	Inner_Full	23.67	24.17	22.67
DC_26A_n41A	50	2664.99	DFT	16QAM	Edge_1RB_Left	22.10	22.60	21.10
DC_26A_n41A	50	2664.99	DFT	16QAM	Edge_1RB_Right	23.05	23.55	22.05
DC_26A_n41A	50	2664.99	DFT	16QAM	Outer_Full	22.65	23.15	21.65
DC_26A_n41A	50	2664.99	DFT	64QAM	Inner_Full	22.17	22.67	21.17
DC_26A_n41A	50	2664.99	DFT	64QAM	Edge_1RB_Left	21.38	21.88	20.38
DC_26A_n41A	50	2664.99	DFT	64QAM	Edge_1RB_Right	22.05	22.55	21.05
DC_26A_n41A	50	2664.99	DFT	64QAM	Outer_Full	22.12	22.62	21.12
DC_26A_n41A	50	2664.99	DFT	pi/2 BPSK	Inner_Full	24.71	25.21	23.71
DC_26A_n41A	50	2664.99	DFT	pi/2 BPSK	Edge_1RB_Left	23.64	24.14	22.64
DC_26A_n41A	50	2664.99	DFT	pi/2 BPSK	Edge_1RB_Right	24.25	24.75	23.25
DC_26A_n41A	50	2664.99	DFT	pi/2 BPSK	Outer_Full	24.13	24.63	23.13
DC_26A_n41A	50	2664.99	DFT	QPSK	Inner_Full	24.69	25.19	23.69
DC_26A_n41A	50	2664.99	DFT	QPSK	Edge_1RB_Left	22.96	23.46	21.96
DC_26A_n41A	50	2664.99	DFT	QPSK	Edge_1RB_Right	23.63	24.13	22.63
DC_26A_n41A	50	2664.99	DFT	QPSK	Outer_Full	23.65	24.15	22.65
DC_26A_n41A	50	2664.99	CP	16QAM	Inner_Full	22.62	23.12	21.62
DC_26A_n41A	50	2664.99	CP	16QAM	Edge_1RB_Left	21.23	21.73	20.23
DC_26A_n41A	50	2664.99	CP	16QAM	Edge_1RB_Right	21.95	22.45	20.95
DC_26A_n41A	50	2664.99	CP	16QAM	Outer_Full	21.59	22.09	20.59
DC_26A_n41A	50	2664.99	CP	64QAM	Inner_Full	21.10	21.60	20.10
DC_26A_n41A	50	2664.99	CP	64QAM	Edge_1RB_Left	20.29	20.79	19.29
DC_26A_n41A	50	2664.99	CP	64QAM	Edge_1RB_Right	21.15	21.65	20.15



BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_26A_n41A	50	2664.99	CP	64QAM	Outer_Full	21.08	21.58	20.08
DC_26A_n41A	50	2664.99	CP	QPSK	Inner_Full	23.11	23.61	22.11
DC_26A_n41A	50	2664.99	CP	QPSK	Edge_1RB_Left	21.06	21.56	20.06
DC_26A_n41A	50	2664.99	CP	QPSK	Edge_1RB_Right	21.72	22.22	20.72
DC_26A_n41A	50	2664.99	CP	QPSK	Outer_Full	21.61	22.11	20.61
DC_26A_n41A	60	2526	DFT	16QAM	Inner_Full	23.14	23.64	22.14
DC_26A_n41A	60	2526	DFT	16QAM	Edge_1RB_Left	21.30	21.80	20.30
DC_26A_n41A	60	2526	DFT	16QAM	Edge_1RB_Right	21.67	22.17	20.67
DC_26A_n41A	60	2526	DFT	16QAM	Outer_Full	22.02	22.52	21.02
DC_26A_n41A	60	2526	DFT	64QAM	Inner_Full	21.63	22.13	20.63
DC_26A_n41A	60	2526	DFT	64QAM	Edge_1RB_Left	21.11	21.61	20.11
DC_26A_n41A	60	2526	DFT	64QAM	Edge_1RB_Right	21.18	21.68	20.18
DC_26A_n41A	60	2526	DFT	64QAM	Outer_Full	21.52	22.02	20.52
DC_26A_n41A	60	2526	DFT	pi/2 BPSK	Inner_Full	24.14	24.64	23.14
DC_26A_n41A	60	2526	DFT	pi/2 BPSK	Edge_1RB_Left	22.91	23.41	21.91
DC_26A_n41A	60	2526	DFT	pi/2 BPSK	Edge_1RB_Right	23.29	23.79	22.29
DC_26A_n41A	60	2526	DFT	pi/2 BPSK	Outer_Full	23.53	24.03	22.53
DC_26A_n41A	60	2526	DFT	QPSK	Inner_Full	24.13	24.63	23.13
DC_26A_n41A	60	2526	DFT	QPSK	Edge_1RB_Left	22.29	22.79	21.29
DC_26A_n41A	60	2526	DFT	QPSK	Edge_1RB_Right	22.64	23.14	21.64
DC_26A_n41A	60	2526	DFT	QPSK	Outer_Full	23.03	23.53	22.03
DC_26A_n41A	60	2526	CP	16QAM	Inner_Full	22.04	22.54	21.04
DC_26A_n41A	60	2526	CP	16QAM	Edge_1RB_Left	20.74	21.24	19.74
DC_26A_n41A	60	2526	CP	16QAM	Edge_1RB_Right	20.78	21.28	19.78
DC_26A_n41A	60	2526	CP	16QAM	Outer_Full	20.95	21.45	19.95
DC_26A_n41A	60	2526	CP	64QAM	Inner_Full	20.58	21.08	19.58
DC_26A_n41A	60	2526	CP	64QAM	Edge_1RB_Left	19.94	20.44	18.94
DC_26A_n41A	60	2526	CP	64QAM	Edge_1RB_Right	20.07	20.57	19.07
DC_26A_n41A	60	2526	CP	64QAM	Outer_Full	20.46	20.96	19.46



BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_26A_n41A	60	2526	CP	QPSK	Inner_Full	22.57	23.07	21.57
DC_26A_n41A	60	2526	CP	QPSK	Edge_1RB_Left	20.35	20.85	19.35
DC_26A_n41A	60	2526	CP	QPSK	Edge_1RB_Right	20.65	21.15	19.65
DC_26A_n41A	60	2526	CP	QPSK	Outer_Full	20.91	21.41	19.91
DC_26A_n41A	60	2592.99	DFT	16QAM	Inner_Full	23.43	23.93	22.43
DC_26A_n41A	60	2592.99	DFT	16QAM	Edge_1RB_Left	22.28	22.78	21.28
DC_26A_n41A	60	2592.99	DFT	16QAM	Edge_1RB_Right	22.53	23.03	21.53
DC_26A_n41A	60	2592.99	DFT	16QAM	Outer_Full	22.36	22.86	21.36
DC_26A_n41A	60	2592.99	DFT	64QAM	Inner_Full	21.93	22.43	20.93
DC_26A_n41A	60	2592.99	DFT	64QAM	Edge_1RB_Left	21.67	22.17	20.67
DC_26A_n41A	60	2592.99	DFT	64QAM	Edge_1RB_Right	21.91	22.41	20.91
DC_26A_n41A	60	2592.99	DFT	64QAM	Outer_Full	21.88	22.38	20.88
DC_26A_n41A	60	2592.99	DFT	pi/2 BPSK	Inner_Full	24.43	24.93	23.43
DC_26A_n41A	60	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	23.47	23.97	22.47
DC_26A_n41A	60	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	23.71	24.21	22.71
DC_26A_n41A	60	2592.99	DFT	pi/2 BPSK	Outer_Full	23.86	24.36	22.86
DC_26A_n41A	60	2592.99	DFT	QPSK	Inner_Full	24.35	24.85	23.35
DC_26A_n41A	60	2592.99	DFT	QPSK	Edge_1RB_Left	22.85	23.35	21.85
DC_26A_n41A	60	2592.99	DFT	QPSK	Edge_1RB_Right	23.09	23.59	22.09
DC_26A_n41A	60	2592.99	DFT	QPSK	Outer_Full	23.36	23.86	22.36
DC_26A_n41A	60	2592.99	CP	16QAM	Inner_Full	22.31	22.81	21.31
DC_26A_n41A	60	2592.99	CP	16QAM	Edge_1RB_Left	21.23	21.73	20.23
DC_26A_n41A	60	2592.99	CP	16QAM	Edge_1RB_Right	21.01	21.51	20.01
DC_26A_n41A	60	2592.99	CP	16QAM	Outer_Full	21.32	21.82	20.32
DC_26A_n41A	60	2592.99	CP	64QAM	Inner_Full	20.87	21.37	19.87
DC_26A_n41A	60	2592.99	CP	64QAM	Edge_1RB_Left	20.31	20.81	19.31
DC_26A_n41A	60	2592.99	CP	64QAM	Edge_1RB_Right	20.53	21.03	19.53
DC_26A_n41A	60	2592.99	CP	64QAM	Outer_Full	20.80	21.30	19.80
DC_26A_n41A	60	2592.99	CP	QPSK	Inner_Full	22.79	23.29	21.79



BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_26A_n41A	60	2592.99	CP	QPSK	Edge_1RB_Left	20.98	21.48	19.98
DC_26A_n41A	60	2592.99	CP	QPSK	Edge_1RB_Right	21.18	21.68	20.18
DC_26A_n41A	60	2592.99	CP	QPSK	Outer_Full	21.29	21.79	20.29
DC_26A_n41A	60	2659.98	DFT	16QAM	Inner_Full	23.65	24.15	22.65
DC_26A_n41A	60	2659.98	DFT	16QAM	Edge_1RB_Left	22.02	22.52	21.02
DC_26A_n41A	60	2659.98	DFT	16QAM	Edge_1RB_Right	22.79	23.29	21.79
DC_26A_n41A	60	2659.98	DFT	16QAM	Outer_Full	22.59	23.09	21.59
DC_26A_n41A	60	2659.98	DFT	64QAM	Inner_Full	22.16	22.66	21.16
DC_26A_n41A	60	2659.98	DFT	64QAM	Edge_1RB_Left	21.51	22.01	20.51
DC_26A_n41A	60	2659.98	DFT	64QAM	Edge_1RB_Right	22.43	22.93	21.43
DC_26A_n41A	60	2659.98	DFT	64QAM	Outer_Full	22.08	22.58	21.08
DC_26A_n41A	60	2659.98	DFT	pi/2 BPSK	Inner_Full	24.60	25.10	23.60
DC_26A_n41A	60	2659.98	DFT	pi/2 BPSK	Edge_1RB_Left	23.35	23.85	22.35
DC_26A_n41A	60	2659.98	DFT	pi/2 BPSK	Edge_1RB_Right	24.16	24.66	23.16
DC_26A_n41A	60	2659.98	DFT	pi/2 BPSK	Outer_Full	24.14	24.64	23.14
DC_26A_n41A	60	2659.98	DFT	QPSK	Inner_Full	24.56	25.06	23.56
DC_26A_n41A	60	2659.98	DFT	QPSK	Edge_1RB_Left	22.77	23.27	21.77
DC_26A_n41A	60	2659.98	DFT	QPSK	Edge_1RB_Right	23.55	24.05	22.55
DC_26A_n41A	60	2659.98	DFT	QPSK	Outer_Full	23.53	24.03	22.53
DC_26A_n41A	60	2659.98	CP	16QAM	Inner_Full	22.58	23.08	21.58
DC_26A_n41A	60	2659.98	CP	16QAM	Edge_1RB_Left	20.64	21.14	19.64
DC_26A_n41A	60	2659.98	CP	16QAM	Edge_1RB_Right	21.51	22.01	20.51
DC_26A_n41A	60	2659.98	CP	16QAM	Outer_Full	21.50	22.00	20.50
DC_26A_n41A	60	2659.98	CP	64QAM	Inner_Full	21.09	21.59	20.09
DC_26A_n41A	60	2659.98	CP	64QAM	Edge_1RB_Left	20.16	20.66	19.16
DC_26A_n41A	60	2659.98	CP	64QAM	Edge_1RB_Right	21.02	21.52	20.02
DC_26A_n41A	60	2659.98	CP	64QAM	Outer_Full	20.99	21.49	19.99
DC_26A_n41A	60	2659.98	CP	QPSK	Inner_Full	23.06	23.56	22.06
DC_26A_n41A	60	2659.98	CP	QPSK	Edge_1RB_Left	20.94	21.44	19.94



BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_26A_n41A	60	2659.98	CP	QPSK	Edge_1RB_Right	21.70	22.20	20.70
DC_26A_n41A	60	2659.98	CP	QPSK	Outer_Full	21.50	22.00	20.50
DC_26A_n41A	80	2536.02	DFT	16QAM	Inner_Full	22.97	23.47	21.97
DC_26A_n41A	80	2536.02	DFT	16QAM	Edge_1RB_Left	21.28	21.78	20.28
DC_26A_n41A	80	2536.02	DFT	16QAM	Edge_1RB_Right	21.78	22.28	20.78
DC_26A_n41A	80	2536.02	DFT	16QAM	Outer_Full	21.93	22.43	20.93
DC_26A_n41A	80	2536.02	DFT	64QAM	Inner_Full	21.49	21.99	20.49
DC_26A_n41A	80	2536.02	DFT	64QAM	Edge_1RB_Left	20.56	21.06	19.56
DC_26A_n41A	80	2536.02	DFT	64QAM	Edge_1RB_Right	21.03	21.53	20.03
DC_26A_n41A	80	2536.02	DFT	64QAM	Outer_Full	21.42	21.92	20.42
DC_26A_n41A	80	2536.02	DFT	pi/2 BPSK	Inner_Full	23.98	24.48	22.98
DC_26A_n41A	80	2536.02	DFT	pi/2 BPSK	Edge_1RB_Left	22.85	23.35	21.85
DC_26A_n41A	80	2536.02	DFT	pi/2 BPSK	Edge_1RB_Right	23.26	23.76	22.26
DC_26A_n41A	80	2536.02	DFT	pi/2 BPSK	Outer_Full	23.43	23.93	22.43
DC_26A_n41A	80	2536.02	DFT	QPSK	Inner_Full	23.97	24.47	22.97
DC_26A_n41A	80	2536.02	DFT	QPSK	Edge_1RB_Left	22.24	22.74	21.24
DC_26A_n41A	80	2536.02	DFT	QPSK	Edge_1RB_Right	22.61	23.11	21.61
DC_26A_n41A	80	2536.02	DFT	QPSK	Outer_Full	22.93	23.43	21.93
DC_26A_n41A	80	2536.02	CP	16QAM	Inner_Full	21.98	22.48	20.98
DC_26A_n41A	80	2536.02	CP	16QAM	Edge_1RB_Left	20.58	21.08	19.58
DC_26A_n41A	80	2536.02	CP	16QAM	Edge_1RB_Right	20.74	21.24	19.74
DC_26A_n41A	80	2536.02	CP	16QAM	Outer_Full	20.88	21.38	19.88
DC_26A_n41A	80	2536.02	CP	64QAM	Inner_Full	20.41	20.91	19.41
DC_26A_n41A	80	2536.02	CP	64QAM	Edge_1RB_Left	19.84	20.34	18.84
DC_26A_n41A	80	2536.02	CP	64QAM	Edge_1RB_Right	20.25	20.75	19.25
DC_26A_n41A	80	2536.02	CP	64QAM	Outer_Full	20.42	20.92	19.42
DC_26A_n41A	80	2536.02	CP	QPSK	Inner_Full	22.48	22.98	21.48
DC_26A_n41A	80	2536.02	CP	QPSK	Edge_1RB_Left	20.30	20.80	19.30
DC_26A_n41A	80	2536.02	CP	QPSK	Edge_1RB_Right	20.82	21.32	19.82



BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_26A_n41A	80	2536.02	CP	QPSK	Outer_Full	20.89	21.39	19.89
DC_26A_n41A	80	2592.99	DFT	16QAM	Inner_Full	23.32	23.82	22.32
DC_26A_n41A	80	2592.99	DFT	16QAM	Edge_1RB_Left	21.88	22.38	20.88
DC_26A_n41A	80	2592.99	DFT	16QAM	Edge_1RB_Right	22.61	23.11	21.61
DC_26A_n41A	80	2592.99	DFT	16QAM	Outer_Full	22.29	22.79	21.29
DC_26A_n41A	80	2592.99	DFT	64QAM	Inner_Full	21.80	22.30	20.80
DC_26A_n41A	80	2592.99	DFT	64QAM	Edge_1RB_Left	21.45	21.95	20.45
DC_26A_n41A	80	2592.99	DFT	64QAM	Edge_1RB_Right	21.95	22.45	20.95
DC_26A_n41A	80	2592.99	DFT	64QAM	Outer_Full	21.77	22.27	20.77
DC_26A_n41A	80	2592.99	DFT	pi/2 BPSK	Inner_Full	24.29	24.79	23.29
DC_26A_n41A	80	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	23.32	23.82	22.32
DC_26A_n41A	80	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	23.82	24.32	22.82
DC_26A_n41A	80	2592.99	DFT	pi/2 BPSK	Outer_Full	23.76	24.26	22.76
DC_26A_n41A	80	2592.99	DFT	QPSK	Inner_Full	24.30	24.80	23.30
DC_26A_n41A	80	2592.99	DFT	QPSK	Edge_1RB_Left	22.68	23.18	21.68
DC_26A_n41A	80	2592.99	DFT	QPSK	Edge_1RB_Right	23.19	23.69	22.19
DC_26A_n41A	80	2592.99	DFT	QPSK	Outer_Full	23.29	23.79	22.29
DC_26A_n41A	80	2592.99	CP	16QAM	Inner_Full	22.22	22.72	21.22
DC_26A_n41A	80	2592.99	CP	16QAM	Edge_1RB_Left	21.02	21.52	20.02
DC_26A_n41A	80	2592.99	CP	16QAM	Edge_1RB_Right	21.43	21.93	20.43
DC_26A_n41A	80	2592.99	CP	16QAM	Outer_Full	21.20	21.70	20.20
DC_26A_n41A	80	2592.99	CP	64QAM	Inner_Full	20.79	21.29	19.79
DC_26A_n41A	80	2592.99	CP	64QAM	Edge_1RB_Left	20.06	20.56	19.06
DC_26A_n41A	80	2592.99	CP	64QAM	Edge_1RB_Right	20.83	21.33	19.83
DC_26A_n41A	80	2592.99	CP	64QAM	Outer_Full	20.76	21.26	19.76
DC_26A_n41A	80	2592.99	CP	QPSK	Inner_Full	22.73	23.23	21.73
DC_26A_n41A	80	2592.99	CP	QPSK	Edge_1RB_Left	20.87	21.37	19.87
DC_26A_n41A	80	2592.99	CP	QPSK	Edge_1RB_Right	21.21	21.71	20.21
DC_26A_n41A	80	2592.99	CP	QPSK	Outer_Full	21.22	21.72	20.22





BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_26A_n41A	80	2649.99	DFT	16QAM	Inner_Full	23.54	24.04	22.54
DC_26A_n41A	80	2649.99	DFT	16QAM	Edge_1RB_Left	22.01	22.51	21.01
DC_26A_n41A	80	2649.99	DFT	16QAM	Edge_1RB_Right	22.84	23.34	21.84
DC_26A_n41A	80	2649.99	DFT	16QAM	Outer_Full	22.51	23.01	21.51
DC_26A_n41A	80	2649.99	DFT	64QAM	Inner_Full	22.03	22.53	21.03
DC_26A_n41A	80	2649.99	DFT	64QAM	Edge_1RB_Left	21.36	21.86	20.36
DC_26A_n41A	80	2649.99	DFT	64QAM	Edge_1RB_Right	22.37	22.87	21.37
DC_26A_n41A	80	2649.99	DFT	64QAM	Outer_Full	21.97	22.47	20.97
DC_26A_n41A	80	2649.99	DFT	pi/2 BPSK	Inner_Full	24.49	24.99	23.49
DC_26A_n41A	80	2649.99	DFT	pi/2 BPSK	Edge_1RB_Left	23.25	23.75	22.25
DC_26A_n41A	80	2649.99	DFT	pi/2 BPSK	Edge_1RB_Right	24.19	24.69	23.19
DC_26A_n41A	80	2649.99	DFT	pi/2 BPSK	Outer_Full	24.01	24.51	23.01
DC_26A_n41A	80	2649.99	DFT	QPSK	Inner_Full	24.51	25.01	23.51
DC_26A_n41A	80	2649.99	DFT	QPSK	Edge_1RB_Left	22.55	23.05	21.55
DC_26A_n41A	80	2649.99	DFT	QPSK	Edge_1RB_Right	23.57	24.07	22.57
DC_26A_n41A	80	2649.99	DFT	QPSK	Outer_Full	23.49	23.99	22.49
DC_26A_n41A	80	2649.99	CP	16QAM	Inner_Full	22.47	22.97	21.47
DC_26A_n41A	80	2649.99	CP	16QAM	Edge_1RB_Left	20.49	20.99	19.49
DC_26A_n41A	80	2649.99	CP	16QAM	Edge_1RB_Right	21.50	22.00	20.50
DC_26A_n41A	80	2649.99	CP	16QAM	Outer_Full	21.41	21.91	20.41
DC_26A_n41A	80	2649.99	CP	64QAM	Inner_Full	20.95	21.45	19.95
DC_26A_n41A	80	2649.99	CP	64QAM	Edge_1RB_Left	20.21	20.71	19.21
DC_26A_n41A	80	2649.99	CP	64QAM	Edge_1RB_Right	21.29	21.79	20.29
DC_26A_n41A	80	2649.99	CP	64QAM	Outer_Full	20.97	21.47	19.97
DC_26A_n41A	80	2649.99	CP	QPSK	Inner_Full	23.01	23.51	22.01
DC_26A_n41A	80	2649.99	CP	QPSK	Edge_1RB_Left	20.68	21.18	19.68
DC_26A_n41A	80	2649.99	CP	QPSK	Edge_1RB_Right	21.67	22.17	20.67
DC_26A_n41A	80	2649.99	CP	QPSK	Outer_Full	21.49	21.99	20.49
DC_26A_n41A	90	2541	DFT	16QAM	Inner_Full	22.91	23.41	21.91



BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_26A_n41A	90	2541	DFT	16QAM	Edge_1RB_Left	21.35	21.85	20.35
DC_26A_n41A	90	2541	DFT	16QAM	Edge_1RB_Right	21.66	22.16	20.66
DC_26A_n41A	90	2541	DFT	16QAM	Outer_Full	21.87	22.37	20.87
DC_26A_n41A	90	2541	DFT	64QAM	Inner_Full	21.32	21.82	20.32
DC_26A_n41A	90	2541	DFT	64QAM	Edge_1RB_Left	20.75	21.25	19.75
DC_26A_n41A	90	2541	DFT	64QAM	Edge_1RB_Right	20.77	21.27	19.77
DC_26A_n41A	90	2541	DFT	64QAM	Outer_Full	21.39	21.89	20.39
DC_26A_n41A	90	2541	DFT	pi/2 BPSK	Inner_Full	23.82	24.32	22.82
DC_26A_n41A	90	2541	DFT	pi/2 BPSK	Edge_1RB_Left	22.60	23.10	21.60
DC_26A_n41A	90	2541	DFT	pi/2 BPSK	Edge_1RB_Right	23.12	23.62	22.12
DC_26A_n41A	90	2541	DFT	pi/2 BPSK	Outer_Full	23.38	23.88	22.38
DC_26A_n41A	90	2541	DFT	QPSK	Inner_Full	23.86	24.36	22.86
DC_26A_n41A	90	2541	DFT	QPSK	Edge_1RB_Left	21.98	22.48	20.98
DC_26A_n41A	90	2541	DFT	QPSK	Edge_1RB_Right	22.43	22.93	21.43
DC_26A_n41A	90	2541	DFT	QPSK	Outer_Full	22.86	23.36	21.86
DC_26A_n41A	90	2541	CP	16QAM	Inner_Full	21.84	22.34	20.84
DC_26A_n41A	90	2541	CP	16QAM	Edge_1RB_Left	19.90	20.40	18.90
DC_26A_n41A	90	2541	CP	16QAM	Edge_1RB_Right	20.41	20.91	19.41
DC_26A_n41A	90	2541	CP	16QAM	Outer_Full	20.83	21.33	19.83
DC_26A_n41A	90	2541	CP	64QAM	Inner_Full	20.32	20.82	19.32
DC_26A_n41A	90	2541	CP	64QAM	Edge_1RB_Left	19.34	19.84	18.34
DC_26A_n41A	90	2541	CP	64QAM	Edge_1RB_Right	19.90	20.40	18.90
DC_26A_n41A	90	2541	CP	64QAM	Outer_Full	20.30	20.80	19.30
DC_26A_n41A	90	2541	CP	QPSK	Inner_Full	22.36	22.86	21.36
DC_26A_n41A	90	2541	CP	QPSK	Edge_1RB_Left	20.12	20.62	19.12
DC_26A_n41A	90	2541	CP	QPSK	Edge_1RB_Right	20.42	20.92	19.42
DC_26A_n41A	90	2541	CP	QPSK	Outer_Full	20.81	21.31	19.81
DC_26A_n41A	90	2592.99	DFT	16QAM	Inner_Full	23.28	23.78	22.28
DC_26A_n41A	90	2592.99	DFT	16QAM	Edge_1RB_Left	21.80	22.30	20.80



BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_26A_n41A	90	2592.99	DFT	16QAM	Edge_1RB_Right	22.14	22.64	21.14
DC_26A_n41A	90	2592.99	DFT	16QAM	Outer_Full	22.23	22.73	21.23
DC_26A_n41A	90	2592.99	DFT	64QAM	Inner_Full	21.66	22.16	20.66
DC_26A_n41A	90	2592.99	DFT	64QAM	Edge_1RB_Left	21.22	21.72	20.22
DC_26A_n41A	90	2592.99	DFT	64QAM	Edge_1RB_Right	21.77	22.27	20.77
DC_26A_n41A	90	2592.99	DFT	64QAM	Outer_Full	21.76	22.26	20.76
DC_26A_n41A	90	2592.99	DFT	pi/2 BPSK	Inner_Full	24.21	24.71	23.21
DC_26A_n41A	90	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	23.05	23.55	22.05
DC_26A_n41A	90	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	23.56	24.06	22.56
DC_26A_n41A	90	2592.99	DFT	pi/2 BPSK	Outer_Full	23.75	24.25	22.75
DC_26A_n41A	90	2592.99	DFT	QPSK	Inner_Full	24.19	24.69	23.19
DC_26A_n41A	90	2592.99	DFT	QPSK	Edge_1RB_Left	22.37	22.87	21.37
DC_26A_n41A	90	2592.99	DFT	QPSK	Edge_1RB_Right	22.91	23.41	21.91
DC_26A_n41A	90	2592.99	DFT	QPSK	Outer_Full	23.20	23.70	22.20
DC_26A_n41A	90	2592.99	CP	16QAM	Inner_Full	22.12	22.62	21.12
DC_26A_n41A	90	2592.99	CP	16QAM	Edge_1RB_Left	20.78	21.28	19.78
DC_26A_n41A	90	2592.99	CP	16QAM	Edge_1RB_Right	21.26	21.76	20.26
DC_26A_n41A	90	2592.99	CP	16QAM	Outer_Full	21.16	21.66	20.16
DC_26A_n41A	90	2592.99	CP	64QAM	Inner_Full	20.70	21.20	19.70
DC_26A_n41A	90	2592.99	CP	64QAM	Edge_1RB_Left	19.78	20.28	18.78
DC_26A_n41A	90	2592.99	CP	64QAM	Edge_1RB_Right	20.40	20.90	19.40
DC_26A_n41A	90	2592.99	CP	64QAM	Outer_Full	20.71	21.21	19.71
DC_26A_n41A	90	2592.99	CP	QPSK	Inner_Full	22.61	23.11	21.61
DC_26A_n41A	90	2592.99	CP	QPSK	Edge_1RB_Left	20.56	21.06	19.56
DC_26A_n41A	90	2592.99	CP	QPSK	Edge_1RB_Right	20.99	21.49	19.99
DC_26A_n41A	90	2592.99	CP	QPSK	Outer_Full	21.15	21.65	20.15
DC_26A_n41A	90	2644.98	DFT	16QAM	Inner_Full	23.38	23.88	22.38
DC_26A_n41A	90	2644.98	DFT	16QAM	Edge_1RB_Left	21.56	22.06	20.56
DC_26A_n41A	90	2644.98	DFT	16QAM	Edge_1RB_Right	22.84	23.34	21.84



BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_26A_n41A	90	2644.98	DFT	16QAM	Outer_Full	22.41	22.91	21.41
DC_26A_n41A	90	2644.98	DFT	64QAM	Inner_Full	21.85	22.35	20.85
DC_26A_n41A	90	2644.98	DFT	64QAM	Edge_1RB_Left	20.76	21.26	19.76
DC_26A_n41A	90	2644.98	DFT	64QAM	Edge_1RB_Right	22.12	22.62	21.12
DC_26A_n41A	90	2644.98	DFT	64QAM	Outer_Full	21.98	22.48	20.98
DC_26A_n41A	90	2644.98	DFT	pi/2 BPSK	Inner_Full	24.43	24.93	23.43
DC_26A_n41A	90	2644.98	DFT	pi/2 BPSK	Edge_1RB_Left	22.95	23.45	21.95
DC_26A_n41A	90	2644.98	DFT	pi/2 BPSK	Edge_1RB_Right	24.03	24.53	23.03
DC_26A_n41A	90	2644.98	DFT	pi/2 BPSK	Outer_Full	23.93	24.43	22.93
DC_26A_n41A	90	2644.98	DFT	QPSK	Inner_Full	24.38	24.88	23.38
DC_26A_n41A	90	2644.98	DFT	QPSK	Edge_1RB_Left	22.33	22.83	21.33
DC_26A_n41A	90	2644.98	DFT	QPSK	Edge_1RB_Right	23.41	23.91	22.41
DC_26A_n41A	90	2644.98	DFT	QPSK	Outer_Full	23.39	23.89	22.39
DC_26A_n41A	90	2644.98	CP	16QAM	Inner_Full	22.31	22.81	21.31
DC_26A_n41A	90	2644.98	CP	16QAM	Edge_1RB_Left	20.31	20.81	19.31
DC_26A_n41A	90	2644.98	CP	16QAM	Edge_1RB_Right	21.58	22.08	20.58
DC_26A_n41A	90	2644.98	CP	16QAM	Outer_Full	21.33	21.83	20.33
DC_26A_n41A	90	2644.98	CP	64QAM	Inner_Full	20.81	21.31	19.81
DC_26A_n41A	90	2644.98	CP	64QAM	Edge_1RB_Left	19.71	20.21	18.71
DC_26A_n41A	90	2644.98	CP	64QAM	Edge_1RB_Right	20.81	21.31	19.81
DC_26A_n41A	90	2644.98	CP	64QAM	Outer_Full	20.87	21.37	19.87
DC_26A_n41A	90	2644.98	CP	QPSK	Inner_Full	22.81	23.31	21.81
DC_26A_n41A	90	2644.98	CP	QPSK	Edge_1RB_Left	20.42	20.92	19.42
DC_26A_n41A	90	2644.98	CP	QPSK	Edge_1RB_Right	21.48	21.98	20.48
DC_26A_n41A	90	2644.98	CP	QPSK	Outer_Full	21.32	21.82	20.32
DC_26A_n41A	100	2546.01	DFT	16QAM	Inner_Full	22.96	23.46	21.96
DC_26A_n41A	100	2546.01	DFT	16QAM	Edge_1RB_Left	20.73	21.23	19.73
DC_26A_n41A	100	2546.01	DFT	16QAM	Edge_1RB_Right	21.19	21.69	20.19
DC_26A_n41A	100	2546.01	DFT	16QAM	Outer_Full	21.86	22.36	20.86



BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_26A_n41A	100	2546.01	DFT	64QAM	Inner_Full	21.46	21.96	20.46
DC_26A_n41A	100	2546.01	DFT	64QAM	Edge_1RB_Left	20.03	20.53	19.03
DC_26A_n41A	100	2546.01	DFT	64QAM	Edge_1RB_Right	20.51	21.01	19.51
DC_26A_n41A	100	2546.01	DFT	64QAM	Outer_Full	21.38	21.88	20.38
DC_26A_n41A	100	2546.01	DFT	pi/2 BPSK	Inner_Full	23.92	24.42	22.92
DC_26A_n41A	100	2546.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.22	22.72	21.22
DC_26A_n41A	100	2546.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.76	23.26	21.76
DC_26A_n41A	100	2546.01	DFT	pi/2 BPSK	Outer_Full	23.38	23.88	22.38
DC_26A_n41A	100	2546.01	DFT	QPSK	Inner_Full	23.91	24.41	22.91
DC_26A_n41A	100	2546.01	DFT	QPSK	Edge_1RB_Left	21.61	22.11	20.61
DC_26A_n41A	100	2546.01	DFT	QPSK	Edge_1RB_Right	22.11	22.61	21.11
DC_26A_n41A	100	2546.01	DFT	QPSK	Outer_Full	22.86	23.36	21.86
DC_26A_n41A	100	2546.01	CP	16QAM	Inner_Full	21.94	22.44	20.94
DC_26A_n41A	100	2546.01	CP	16QAM	Edge_1RB_Left	19.93	20.43	18.93
DC_26A_n41A	100	2546.01	CP	16QAM	Edge_1RB_Right	20.44	20.94	19.44
DC_26A_n41A	100	2546.01	CP	16QAM	Outer_Full	20.81	21.31	19.81
DC_26A_n41A	100	2546.01	CP	64QAM	Inner_Full	20.41	20.91	19.41
DC_26A_n41A	100	2546.01	CP	64QAM	Edge_1RB_Left	19.22	19.72	18.22
DC_26A_n41A	100	2546.01	CP	64QAM	Edge_1RB_Right	19.48	19.98	18.48
DC_26A_n41A	100	2546.01	CP	64QAM	Outer_Full	20.31	20.81	19.31
DC_26A_n41A	100	2546.01	CP	QPSK	Inner_Full	22.44	22.94	21.44
DC_26A_n41A	100	2546.01	CP	QPSK	Edge_1RB_Left	19.75	20.25	18.75
DC_26A_n41A	100	2546.01	CP	QPSK	Edge_1RB_Right	20.23	20.73	19.23
DC_26A_n41A	100	2546.01	CP	QPSK	Outer_Full	20.84	21.34	19.84
DC_26A_n41A	100	2592.99	DFT	16QAM	Inner_Full	23.17	23.67	22.17
DC_26A_n41A	100	2592.99	DFT	16QAM	Edge_1RB_Left	21.41	21.91	20.41
DC_26A_n41A	100	2592.99	DFT	16QAM	Edge_1RB_Right	21.96	22.46	20.96
DC_26A_n41A	100	2592.99	DFT	16QAM	Outer_Full	22.17	22.67	21.17
DC_26A_n41A	100	2592.99	DFT	64QAM	Inner_Full	21.75	22.25	20.75



BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_26A_n41A	100	2592.99	DFT	64QAM	Edge_1RB_Left	20.55	21.05	19.55
DC_26A_n41A	100	2592.99	DFT	64QAM	Edge_1RB_Right	21.13	21.63	20.13
DC_26A_n41A	100	2592.99	DFT	64QAM	Outer_Full	21.66	22.16	20.66
DC_26A_n41A	100	2592.99	DFT	pi/2 BPSK	Inner_Full	24.11	24.61	23.11
DC_26A_n41A	100	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.61	23.11	21.61
DC_26A_n41A	100	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	23.19	23.69	22.19
DC_26A_n41A	100	2592.99	DFT	pi/2 BPSK	Outer_Full	23.66	24.16	22.66
DC_26A_n41A	100	2592.99	DFT	QPSK	Inner_Full	24.15	24.65	23.15
DC_26A_n41A	100	2592.99	DFT	QPSK	Edge_1RB_Left	21.98	22.48	20.98
DC_26A_n41A	100	2592.99	DFT	QPSK	Edge_1RB_Right	22.54	23.04	21.54
DC_26A_n41A	100	2592.99	DFT	QPSK	Outer_Full	23.16	23.66	22.16
DC_26A_n41A	100	2592.99	CP	16QAM	Inner_Full	22.15	22.65	21.15
DC_26A_n41A	100	2592.99	CP	16QAM	Edge_1RB_Left	19.94	20.44	18.94
DC_26A_n41A	100	2592.99	CP	16QAM	Edge_1RB_Right	20.42	20.92	19.42
DC_26A_n41A	100	2592.99	CP	16QAM	Outer_Full	21.09	21.59	20.09
DC_26A_n41A	100	2592.99	CP	64QAM	Inner_Full	20.70	21.20	19.70
DC_26A_n41A	100	2592.99	CP	64QAM	Edge_1RB_Left	19.63	20.13	18.63
DC_26A_n41A	100	2592.99	CP	64QAM	Edge_1RB_Right	20.20	20.70	19.20
DC_26A_n41A	100	2592.99	CP	64QAM	Outer_Full	20.61	21.11	19.61
DC_26A_n41A	100	2592.99	CP	QPSK	Inner_Full	22.66	23.16	21.66
DC_26A_n41A	100	2592.99	CP	QPSK	Edge_1RB_Left	20.18	20.68	19.18
DC_26A_n41A	100	2592.99	CP	QPSK	Edge_1RB_Right	20.58	21.08	19.58
DC_26A_n41A	100	2592.99	CP	QPSK	Outer_Full	21.09	21.59	20.09
DC_26A_n41A	100	2640	DFT	16QAM	Inner_Full	23.42	23.92	22.42
DC_26A_n41A	100	2640	DFT	16QAM	Edge_1RB_Left	20.86	21.36	19.86
DC_26A_n41A	100	2640	DFT	16QAM	Edge_1RB_Right	22.08	22.58	21.08
DC_26A_n41A	100	2640	DFT	16QAM	Outer_Full	22.39	22.89	21.39
DC_26A_n41A	100	2640	DFT	64QAM	Inner_Full	21.95	22.45	20.95
DC_26A_n41A	100	2640	DFT	64QAM	Edge_1RB_Left	20.49	20.99	19.49



BAND	BW (MHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
DC_26A_n41A	100	2640	DFT	64QAM	Edge_1RB_Right	21.72	22.22	20.72
DC_26A_n41A	100	2640	DFT	64QAM	Outer_Full	21.86	22.36	20.86
DC_26A_n41A	100	2640	DFT	pi/2 BPSK	Inner_Full	24.43	24.93	23.43
DC_26A_n41A	100	2640	DFT	pi/2 BPSK	Edge_1RB_Left	22.50	23.00	21.50
DC_26A_n41A	100	2640	DFT	pi/2 BPSK	Edge_1RB_Right	23.72	24.22	22.72
DC_26A_n41A	100	2640	DFT	pi/2 BPSK	Outer_Full	23.87	24.37	22.87
DC_26A_n41A	100	2640	DFT	QPSK	Inner_Full	24.38	24.88	23.38
DC_26A_n41A	100	2640	DFT	QPSK	Edge_1RB_Left	21.88	22.38	20.88
DC_26A_n41A	100	2640	DFT	QPSK	Edge_1RB_Right	23.06	23.56	22.06
DC_26A_n41A	100	2640	DFT	QPSK	Outer_Full	23.38	23.88	22.38
DC_26A_n41A	100	2640	CP	16QAM	Inner_Full	22.41	22.91	21.41
DC_26A_n41A	100	2640	CP	16QAM	Edge_1RB_Left	20.01	20.51	19.01
DC_26A_n41A	100	2640	CP	16QAM	Edge_1RB_Right	21.29	21.79	20.29
DC_26A_n41A	100	2640	CP	16QAM	Outer_Full	21.36	21.86	20.36
DC_26A_n41A	100	2640	CP	64QAM	Inner_Full	20.91	21.41	19.91
DC_26A_n41A	100	2640	CP	64QAM	Edge_1RB_Left	19.52	20.02	18.52
DC_26A_n41A	100	2640	CP	64QAM	Edge_1RB_Right	20.52	21.02	19.52
DC_26A_n41A	100	2640	CP	64QAM	Outer_Full	20.82	21.32	19.82
DC_26A_n41A	100	2640	CP	QPSK	Inner_Full	22.88	23.38	21.88
DC_26A_n41A	100	2640	CP	QPSK	Edge_1RB_Left	19.89	20.39	18.89
DC_26A_n41A	100	2640	CP	QPSK	Edge_1RB_Right	21.13	21.63	20.13
DC_26A_n41A	100	2640	CP	QPSK	Outer_Full	21.37	21.87	20.37

## A.2 FIELD STRENGTH OF SPURIOUS RADIATION

### Reference

FCC: CFR 2.1053, 22.917, 27.53.


### A.2.1 Measurement Method

This measurement is carried out in fully-anechoic chamber FAC-3.


The spectrum was scanned from 30 MHz to the 10th harmonic of the highest frequency generated within the equipment, which is the transmitted carrier. The resolution bandwidth is set 1MHz as outlined in Part 22.917, 27.53(h) . The spectrum was scanned with the mobile station transmitting at carrier frequencies that pertain to low, mid and high channels of the NR Band.

### The procedure of radiated spurious emissions is as follows:

1. For radiated emissions measurements performed at frequencies less than or equal to 1 GHz, EUT was placed on a 80 cm high non-conductive stand at a 3 meter test distance from the receive antenna. For radiated measurements performed at frequencies above 1 GHz, EUT was placed on a 1.5 meter high non-conductive stand at a 3 meter test distance from the receive antenna. Receiving antenna was placed on the antenna mast 3 meters from the EUT. For emission measurements. The receiving antenna shall be varied from 1 m to 4 m in height above the reference ground in a search for the relative positioning that produces the maximum radiated signal level. The test setup refers to figure below. Detected emissions were maximized at each frequency by rotating the EUT through 360° and adjusting the receiving antenna polarization. The radiated emission measurements of all transmit frequencies in three channels (High, Middle, Low) were measured with peak detector.



2. The EUT is then put into continuously transmitting mode at its maximum power level during the test. And the maximum value of the receiver should be recorded as (Pr).
3. The EUT shall be replaced by a substitution antenna. The test setup refers to figure below.



In the chamber, an substitution antenna for the frequency band of interest is placed at the





reference point of the chamber. An RF Signal source for the frequency band of interest is connected to the substitution antenna with a cable that has been constructed to not interfere with the radiation pattern of the antenna. A power ( $P_{Mea}$ ) is applied to the input of the substitution antenna and adjusts the level of the signal generator output until the value of the receiver reaches the previously recorded ( $P_r$ ). The power of signal source ( $P_{Mea}$ ) is recorded. The test should be performed by rotating the test item and adjusting the receiving antenna polarization.

4. The Path loss ( $P_{pl}$ ) between the Signal Source with the Substitution Antenna and the Substitution Antenna Gain(dBi) ( $G_a$ ) should be recorded after test.

An amplifier should be connected in for the test.

The Path loss ( $P_{pl}$ ) is the summation of the cable loss and the gain of the amplifier.

The measurement results are obtained as described below:

$$\text{Power (EIRP)} = P_{Mea} - P_{pl} + G_a$$

5. This value is EIRP since the measurement is calibrated using an antenna of known gain (unit: dBi) and known input power.
6. ERP can be calculated from EIRP by subtracting the gain of the dipole,  $ERP = EIRP - 2.15dB$ .

#### **A.2.2 Measurement Results**

Radiated emissions measurements were made only at the upper, middle, and lower carrier frequencies of the NR Band. It was decided that measurements at these three carrier frequencies would be sufficient to demonstrate compliance with emissions limits because it was seen that all the significant spurs occur well outside the band and no radiation was seen from a carrier in one block of the NR Band into any of the other blocks. The equipment must still, however, meet emissions requirements with the carrier at all frequencies over which it is capable of operating and it is the manufacturer's responsibility to verify this.

Only worst case result is given below.



**Upper antenna**

**n5, 5MHz, DFT-OFDM, QPSK, Channel 165300**

Frequency(MHz)	P <sub>Mea</sub> (dBm)	Path Loss	Antenna Gain(dBi)	Peak ERP(dBm)	Limit(dBm)	Polarization
2987.02	-61.28	1.00	10.70	-53.73	-13.00	H
3949.88	-70.10	1.20	12.20	-61.25	-13.00	V
4772.25	-69.37	1.30	12.50	-60.32	-13.00	H
6153.71	-69.27	1.60	13.10	-59.92	-13.00	V
6716.00	-69.32	1.70	12.40	-60.77	-13.00	V
8254.00	-68.16	1.90	11.30	-60.91	-13.00	V

**n5, 5MHz, DFT-OFDM, QPSK, Channel 167300**

Frequency(MHz)	P <sub>Mea</sub> (dBm)	Path Loss	Antenna Gain(dBi)	Peak ERP(dBm)	Limit(dBm)	Polarization
2984.48	-61.40	1.00	10.70	-53.85	-13.00	H
3899.25	-69.73	1.20	12.20	-60.88	-13.00	H
4587.75	-68.89	1.30	12.50	-59.84	-13.00	V
6011.86	-69.30	1.50	13.10	-59.85	-13.00	V
6381.43	-70.22	1.60	13.10	-60.87	-13.00	V
8915.29	-68.54	1.90	12.00	-60.59	-13.00	H

**n5, 5MHz, DFT-OFDM, QPSK, Channel 169300**

Frequency(MHz)	P <sub>Mea</sub> (dBm)	Path Loss	Antenna Gain(dBi)	Peak ERP(dBm)	Limit(dBm)	Polarization
2934.13	-61.89	1.00	10.70	-54.34	-13.00	H
3909.38	-70.17	1.30	12.20	-61.42	-13.00	V
4719.00	-69.10	1.30	12.50	-60.05	-13.00	H
6038.57	-69.20	1.50	13.10	-59.75	-13.00	V
6677.14	-69.19	1.80	12.40	-60.74	-13.00	V
8922.71	-68.71	1.90	12.00	-60.76	-13.00	V



**n7, 5MHz, DFT-OFDM, QPSK, Channel 500500**

Frequency(MHz )	P <sub>Mea</sub> (dBm)	Path Loss	Antenna Gain(dBi)	Peak EIRP(dBm)	Limit(dBm)	Polarization
11875.85	-55.23	2.50	11.00	-46.73	-25.00	V
12502.62	-52.63	2.60	13.80	-41.43	-25.00	H
13790.31	-55.38	2.50	12.40	-45.48	-25.00	H
15864.00	-54.74	2.40	15.60	-41.54	-25.00	V
16886.77	-52.93	2.90	16.50	-39.33	-25.00	V
17937.69	-48.27	3.20	12.80	-38.67	-25.00	H

**n7, 5MHz, DFT-OFDM, QPSK, Channel 507000**

Frequency(MHz )	P <sub>Mea</sub> (dBm)	Path Loss	Antenna Gain(dBi)	Peak EIRP(dBm)	Limit(dBm)	Polarization
10419.69	-55.51	2.30	11.30	-46.51	-25.00	V
11189.54	-54.02	2.50	10.50	-46.02	-25.00	V
12299.54	-54.97	2.60	12.60	-44.97	-25.00	H
13317.23	-54.88	2.30	13.30	-43.88	-25.00	H
14948.77	-50.76	2.70	11.20	-42.26	-25.00	H
16946.31	-53.50	2.90	16.50	-39.90	-25.00	H

**n7, 5MHz, DFT-OFDM, QPSK, Channel 513500**

Frequency(MHz )	P <sub>Mea</sub> (dBm)	Path Loss	Antenna Gain(dBi)	Peak EIRP(dBm)	Limit(dBm)	Polarization
1937.58	-58.85	0.80	8.10	-51.55	-25.00	V
4161.75	-69.91	1.20	12.40	-58.71	-25.00	V
5996.25	-67.42	1.50	13.10	-55.82	-25.00	V
7696.29	-64.17	1.80	11.30	-54.67	-25.00	H
12827.57	-57.35	2.70	13.80	-46.25	-25.00	H
16857.86	-64.68	2.90	16.50	-51.08	-25.00	H



**n38, 20MHz, DFT-OFDM, QPSK, Channel 516000**

Frequency(MHz )	P <sub>Mea</sub> (dBm)	Path Loss	Antenna Gain(dBi)	Peak EIRP(dBm)	Limit(dBm)	Polarization
2989.55	-61.34	1.00	10.70	-51.64	-25.00	H
3841.88	-70.58	1.20	12.20	-59.58	-25.00	H
5971.13	-67.63	1.50	13.10	-56.03	-25.00	V
7713.43	-64.66	1.80	11.30	-55.16	-25.00	H
12855.86	-63.12	2.70	13.80	-52.02	-25.00	H
16931.14	-64.83	2.90	16.50	-51.23	-25.00	H

**n38, 20MHz, DFT-OFDM, QPSK, Channel 519000**

Frequency(MHz )	P <sub>Mea</sub> (dBm)	Path Loss	Antenna Gain(dBi)	Peak EIRP(dBm)	Limit(dBm)	Polarization
2984.80	-61.50	1.00	10.70	-51.80	-25.00	H
4032.75	-70.48	1.20	12.40	-59.28	-25.00	V
5985.38	-67.40	1.50	13.10	-55.80	-25.00	V
7773.43	-64.95	1.80	11.30	-55.45	-25.00	H
12955.71	-62.49	2.50	13.80	-51.19	-25.00	H
17902.71	-59.94	3.60	12.80	-50.74	-25.00	V

**n38, 20MHz, DFT-OFDM, QPSK, Channel 522000**

Frequency(MHz )	P <sub>Mea</sub> (dBm)	Path Loss	Antenna Gain(dBi)	Peak EIRP(dBm)	Limit(dBm)	Polarization
2999.37	-61.44	1.00	10.70	-51.74	-25.00	H
4000.88	-70.44	1.20	12.40	-59.24	-25.00	V
5991.00	-67.37	1.50	13.10	-55.77	-25.00	V
9509.57	-67.07	2.10	11.20	-57.97	-25.00	H
12486.00	-57.46	2.60	12.60	-47.46	-25.00	H
17901.00	-59.40	3.60	12.80	-50.20	-25.00	H



**n41, 20MHz, DFT-OFDM, QPSK, Channel 501204**

Frequency(MHz )	P <sub>Mea</sub> (dBm)	Path Loss	Antenna Gain(dBi)	Peak EIRP(dBm)	Limit(dBm)	Polarization
2999.37	-61.36	1.00	10.70	-51.66	-25.00	H
4145.63	-69.72	1.20	12.40	-58.52	-25.00	H
5997.00	-67.45	1.50	13.10	-55.85	-25.00	V
8236.71	-67.96	2.20	11.30	-58.86	-25.00	V
12486.00	-53.96	2.60	12.60	-43.96	-25.00	H
17895.86	-60.08	3.60	12.80	-50.88	-25.00	V

**n41, 20MHz, DFT-OFDM, QPSK, Channel 518598**

Frequency(MHz )	P <sub>Mea</sub> (dBm)	Path Loss	Antenna Gain(dBi)	Peak EIRP(dBm)	Limit(dBm)	Polarization
2989.23	-61.33	1.00	10.70	-51.63	-25.00	H
3954.38	-70.22	1.20	12.20	-59.22	-25.00	H
5977.50	-67.57	1.50	13.10	-55.97	-25.00	V
7767.00	-66.32	1.80	11.30	-56.82	-25.00	H
13315.71	-66.66	2.30	13.30	-55.66	-25.00	V
17900.57	-59.36	3.60	12.80	-50.16	-25.00	H

**n41, 20MHz, DFT-OFDM, QPSK, Channel 535998**

Frequency(MHz )	P <sub>Mea</sub> (dBm)	Path Loss	Antenna Gain(dBi)	Peak EIRP(dBm)	Limit(dBm)	Polarization
2988.92	-61.32	1.00	10.70	-51.62	-25.00	H
4029.00	-70.36	1.20	12.40	-59.16	-25.00	V
6000.00	-67.49	1.50	13.10	-55.89	-25.00	V
8043.00	-63.35	2.00	11.30	-54.05	-25.00	H
13406.14	-65.70	2.30	13.30	-54.70	-25.00	H
17913.86	-59.44	3.60	12.80	-50.24	-25.00	H



**n66, 5MHz, DFT-OFDM, QPSK, Channel 342500**

Frequency(MHz )	P <sub>Mea</sub> (dBm)	Path Loss	Antenna Gain(dBi)	Peak EIRP(dBm)	Limit(dBm)	Polarization
2112.70	-59.16	0.90	9.80	-50.26	-13.00	V
4189.88	-69.55	1.20	12.40	-58.35	-13.00	V
5531.63	-68.60	1.40	13.10	-56.90	-13.00	V
8552.57	-54.61	2.10	12.00	-44.71	-13.00	H
11973.43	-60.46	2.60	11.00	-52.06	-13.00	V
16857.00	-64.84	2.90	16.50	-51.24	-13.00	V

**n66, 5MHz, DFT-OFDM, QPSK, Channel 349000**

Frequency(MHz )	P <sub>Mea</sub> (dBm)	Path Loss	Antenna Gain(dBi)	Peak EIRP(dBm)	Limit(dBm)	Polarization
3533.25	-71.26	1.10	12.20	-60.16	-13.00	H
4654.88	-68.94	1.30	12.50	-57.74	-13.00	V
5520.00	-68.49	1.40	13.10	-56.79	-13.00	V
8714.57	-54.22	2.00	12.00	-44.22	-13.00	H
12200.57	-61.45	2.60	12.60	-51.45	-13.00	H
15880.71	-65.50	2.40	15.60	-52.30	-13.00	H

**n66, 5MHz, DFT-OFDM, QPSK, Channel 355500**

Frequency(MHz )	P <sub>Mea</sub> (dBm)	Path Loss	Antenna Gain(dBi)	Peak EIRP(dBm)	Limit(dBm)	Polarization
2834.70	-62.57	1.00	10.70	-52.87	-13.00	H
4094.25	-70.21	1.30	12.40	-59.11	-13.00	H
5799.75	-67.87	1.50	13.10	-56.27	-13.00	V
8877.43	-52.87	1.90	12.00	-42.77	-13.00	H
12428.57	-55.77	2.60	12.60	-45.77	-13.00	H
16898.57	-64.77	2.90	16.50	-51.17	-13.00	H



**DC\_66A\_n5, LTE 1.4MHz+NR 5MHz, DFT-OFDM, QPSK, Channel LTE 131979+NR 165300**

Frequency(MHz)	P <sub>Mea</sub> (dBm)	Path Loss	Antenna Gain(dBi)	Peak ERP(dBm)	Limit(dBm)	Polarization
2749.52	-62.39	1.00	10.70	-54.84	-13.00	V
3624.38	-70.91	1.20	12.20	-62.06	-13.00	V
4531.50	-69.28	1.20	12.50	-60.13	-13.00	V
5686.88	-69.33	1.30	13.10	-59.68	-13.00	H
6806.43	-70.65	1.60	12.40	-62.00	-13.00	V
8161.57	-68.90	1.80	11.30	-61.55	-13.00	V

**DC\_66A\_n5, LTE 1.4MHz+NR 5MHz, DFT-OFDM, QPSK, Channel LTE 132322+NR 167300**

Frequency(MHz)	P <sub>Mea</sub> (dBm)	Path Loss	Antenna Gain(dBi)	Peak ERP(dBm)	Limit(dBm)	Polarization
2991.45	-61.42	1.00	10.70	-53.87	-13.00	H
4082.63	-70.40	1.30	12.40	-61.45	-13.00	H
5996.63	-67.52	1.50	13.10	-58.07	-13.00	V
8289.86	-68.21	1.90	11.30	-60.96	-13.00	H
14867.14	-62.16	2.70	11.20	-55.81	-13.00	V
17898.43	-59.49	3.60	12.80	-52.44	-13.00	H

**DC\_66A\_n5, LTE 1.4MHz+NR 5MHz, DFT-OFDM, QPSK, Channel LTE 132665+NR 169300**

Frequency(MHz)	P <sub>Mea</sub> (dBm)	Path Loss	Antenna Gain(dBi)	Peak ERP(dBm)	Limit(dBm)	Polarization
2516.13	-63.12	0.90	10.70	-55.47	-13.00	V
4067.63	-70.65	1.30	12.40	-61.70	-13.00	V
5084.25	-69.48	1.20	12.50	-60.33	-13.00	H
6162.43	-69.26	1.60	13.10	-59.91	-13.00	V
7303.00	-70.53	1.90	12.00	-62.58	-13.00	H
9570.86	-68.24	2.10	11.20	-61.29	-13.00	V



**DC\_5A\_n7, LTE 1.4MHz+NR 5MHz, DFT-OFDM, QPSK, Channel LTE 20407+NR 500500**

Frequency(MHz )	P <sub>Mea</sub> (dBm)	Path Loss	Antenna Gain(dBi)	Peak EIRP(dBm)	Limit(dBm)	Polarization
2983.85	-61.06	1.00	10.70	-51.36	-25.00	V
5570.25	-67.08	1.40	13.10	-55.38	-25.00	V
9433.71	-68.08	2.10	11.60	-58.58	-25.00	H
11142.43	-63.92	2.50	10.50	-55.92	-25.00	H
15086.14	-65.91	2.40	12.40	-55.91	-25.00	V
17003.14	-62.83	2.90	14.50	-51.23	-25.00	H

**DC\_5A\_n7, LTE 1.4MHz+NR 5MHz, DFT-OFDM, QPSK, Channel LTE 20525+NR 507000**

Frequency(MHz )	P <sub>Mea</sub> (dBm)	Path Loss	Antenna Gain(dBi)	Peak EIRP(dBm)	Limit(dBm)	Polarization
2867.63	-60.61	1.00	10.70	-50.91	-25.00	V
4374.75	-67.71	1.30	12.40	-56.61	-25.00	V
7059.00	-66.97	1.80	12.00	-56.77	-25.00	V
10001.57	-68.13	2.20	11.30	-59.03	-25.00	H
14526.86	-64.50	2.60	11.20	-55.90	-25.00	H
16748.57	-65.83	2.90	16.50	-52.23	-25.00	V

**DC\_5A\_n7, LTE 1.4MHz+NR 5MHz, DFT-OFDM, QPSK, Channel LTE 20643+NR 513500**

Frequency(MHz )	P <sub>Mea</sub> (dBm)	Path Loss	Antenna Gain(dBi)	Peak EIRP(dBm)	Limit(dBm)	Polarization
2995.25	-61.21	1.00	10.70	-51.51	-25.00	V
5742.00	-67.89	1.50	13.10	-56.29	-25.00	V
7394.14	-70.36	1.90	12.00	-60.26	-25.00	V
11635.71	-64.75	2.60	11.00	-56.35	-25.00	V
13534.29	-65.71	2.50	12.40	-55.81	-25.00	H
16587.86	-63.38	2.60	16.50	-49.48	-25.00	H





**DC\_66A\_n7, LTE 1.4MHz+NR 5MHz, DFT-OFDM, QPSK, Channel LTE 131979+NR 500500**

Frequency(MHz )	P <sub>Mea</sub> (dBm)	Path Loss	Antenna Gain(dBi)	Peak EIRP(dBm)	Limit(dBm)	Polarization
2995.25	-61.21	1.00	10.70	-51.51	-25.00	V
4741.13	-67.95	1.30	12.50	-56.75	-25.00	H
6662.57	-69.14	1.80	12.40	-58.54	-25.00	H
9273.43	-69.53	2.10	11.60	-60.03	-25.00	H
11966.57	-65.80	2.60	11.00	-57.40	-25.00	V
15936.00	-65.97	2.60	15.60	-52.97	-25.00	H

**DC\_66A\_n7, LTE 1.4MHz+NR 5MHz, DFT-OFDM, QPSK, Channel LTE 132322+NR 507000**

Frequency(MHz )	P <sub>Mea</sub> (dBm)	Path Loss	Antenna Gain(dBi)	Peak EIRP(dBm)	Limit(dBm)	Polarization
2934.77	-60.57	1.00	10.70	-50.87	-25.00	H
4252.50	-68.13	1.20	12.40	-56.93	-25.00	V
6718.29	-67.61	1.70	12.40	-56.91	-25.00	V
8897.14	-67.25	1.90	12.00	-57.15	-25.00	V
12266.14	-63.67	2.60	12.60	-53.67	-25.00	V
16845.86	-62.60	2.90	16.50	-49.00	-25.00	H

**DC\_66A\_n7, LTE 1.4MHz+NR 5MHz, DFT-OFDM, QPSK, Channel LTE 132665+NR 513500**

Frequency(MHz )	P <sub>Mea</sub> (dBm)	Path Loss	Antenna Gain(dBi)	Peak EIRP(dBm)	Limit(dBm)	Polarization
2974.98	-60.67	1.00	10.70	-50.97	-25.00	V
4282.50	-69.14	1.20	12.40	-57.94	-25.00	V
6702.43	-69.26	1.70	12.40	-58.56	-25.00	V
9608.57	-67.40	2.10	11.20	-58.30	-25.00	V
13490.57	-64.76	2.50	13.30	-53.96	-25.00	H
17070.86	-63.54	2.90	14.50	-51.94	-25.00	V



**DC\_26A\_n41, LTE 1.4MHz+NR 20MHz, DFT-OFDM, QPSK, Channel LTE 26783+NR 501204**

Frequency(MHz )	P <sub>Mea</sub> (dBm)	Path Loss	Antenna Gain(dBi)	Peak EIRP(dBm)	Limit(dBm)	Polarization
2977.20	-60.42	1.00	10.70	-50.72	-25.00	H
5383.88	-67.48	1.20	12.50	-56.18	-25.00	V
6016.29	-66.40	1.50	13.10	-54.80	-25.00	H
8203.29	-68.63	2.20	11.30	-59.53	-25.00	H
12011.57	-67.00	2.60	12.60	-57.00	-25.00	V
15936.00	-65.97	2.60	15.60	-52.97	-25.00	H

**DC\_26A\_n41, LTE 1.4MHz+NR 20MHz, DFT-OFDM, QPSK, Channel LTE 26740+NR 518598**

Frequency(MHz )	P <sub>Mea</sub> (dBm)	Path Loss	Antenna Gain(dBi)	Peak EIRP(dBm)	Limit(dBm)	Polarization
2921.15	-61.57	1.00	10.70	-51.87	-25.00	H
3919.13	-70.35	1.30	12.20	-59.45	-25.00	H
5688.00	-67.83	1.30	13.10	-56.03	-25.00	H
7726.29	-68.92	1.80	11.30	-59.42	-25.00	H
14260.29	-65.35	2.60	11.90	-56.05	-25.00	V
16034.14	-67.30	2.60	17.40	-52.50	-25.00	H

**DC\_26A\_n41, LTE 1.4MHz+NR 20MHz, DFT-OFDM, QPSK, Channel LTE 26697+NR 535998**

Frequency(MHz )	P <sub>Mea</sub> (dBm)	Path Loss	Antenna Gain(dBi)	Peak EIRP(dBm)	Limit(dBm)	Polarization
2948.38	-61.63	1.00	10.70	-51.93	-25.00	H
3844.88	-69.84	1.20	12.20	-58.84	-25.00	H
5726.25	-67.50	1.50	13.10	-55.90	-25.00	V
9378.00	-68.03	2.00	11.60	-58.43	-25.00	V
13532.14	-64.96	2.50	12.40	-55.06	-25.00	H
15403.71	-63.46	2.70	12.40	-53.76	-25.00	H

Note: The maximum value of expanded measurement uncertainty for this test item is  $U = 2.87\text{dB}(30\text{MHz}-3\text{GHz})/3.35\text{dB}(3\text{GHz}-18\text{GHz})/2.68\text{dB}(18\text{GHz}-40\text{GHz})$ ,  $k = 2$



**Down antenna**

**n5, 5MHz, DFT-OFDM, QPSK, Channel 165300**

Frequency(MHz)	P <sub>Mea</sub> (dBm)	Path Loss	Antenna Gain(dBi)	Peak ERP(dBm)	Limit(dBm)	Polarization
2988.28	-61.23	1.00	10.70	-53.68	-13.00	H
3904.13	-70.03	1.20	12.20	-61.18	-13.00	V
4695.38	-69.09	1.30	12.50	-60.04	-13.00	V
6033.86	-69.21	1.50	13.10	-59.76	-13.00	V
6599.71	-69.47	1.70	12.40	-60.92	-13.00	V
8268.57	-68.01	1.90	11.30	-60.76	-13.00	H

**n5, 5MHz, DFT-OFDM, QPSK, Channel 167300**

Frequency(MHz)	P <sub>Mea</sub> (dBm)	Path Loss	Antenna Gain(dBi)	Peak ERP(dBm)	Limit(dBm)	Polarization
2988.92	-61.24	1.00	10.70	-53.69	-13.00	H
3902.63	-69.94	1.20	12.20	-61.09	-13.00	H
4589.63	-69.05	1.30	12.50	-60.00	-13.00	H
5986.13	-67.28	1.50	13.10	-57.83	-13.00	V
6329.00	-69.75	1.60	13.10	-60.40	-13.00	V
8899.57	-68.71	1.90	12.00	-60.76	-13.00	H

**n5, 5MHz, DFT-OFDM, QPSK, Channel 169300**

Frequency(MHz)	P <sub>Mea</sub> (dBm)	Path Loss	Antenna Gain(dBi)	Peak ERP(dBm)	Limit(dBm)	Polarization
3000.00	-62.01	1.00	11.50	-53.66	-13.00	H
3959.25	-70.20	1.20	12.20	-61.35	-13.00	H
4582.88	-68.73	1.30	12.50	-59.68	-13.00	V
5989.88	-67.25	1.50	13.10	-57.80	-13.00	V
6390.43	-70.15	1.60	13.10	-60.80	-13.00	V
8894.57	-68.93	1.90	12.00	-60.98	-13.00	V



**n7, 5MHz, DFT-OFDM, QPSK, Channel 500500**

Frequency(MHz )	P <sub>Mea</sub> (dBm)	Path Loss	Antenna Gain(dBi)	Peak EIRP(dBm)	Limit(dBm)	Polarization
11753.08	-53.42	2.60	11.00	-45.02	-25.00	V
12793.38	-55.13	2.70	13.80	-44.03	-25.00	V
13515.23	-54.61	2.50	12.40	-44.71	-25.00	H
14922.00	-51.19	2.70	11.20	-42.69	-25.00	H
15977.08	-54.97	2.60	15.60	-41.97	-25.00	V
17285.54	-51.85	3.20	14.50	-40.55	-25.00	H

**n7, 5MHz, DFT-OFDM, QPSK, Channel 507000**

Frequency(MHz )	P <sub>Mea</sub> (dBm)	Path Loss	Antenna Gain(dBi)	Peak EIRP(dBm)	Limit(dBm)	Polarization
9488.31	-56.89	2.10	11.60	-47.39	-25.00	V
10436.31	-54.61	2.30	11.30	-45.61	-25.00	V
11643.69	-53.72	2.60	11.00	-45.32	-25.00	H
13474.15	-55.35	2.50	13.30	-44.55	-25.00	V
14870.31	-50.31	2.70	11.20	-41.81	-25.00	V
17035.85	-50.83	2.90	14.50	-39.23	-25.00	H

**n7, 5MHz, DFT-OFDM, QPSK, Channel 513500**

Frequency(MHz )	P <sub>Mea</sub> (dBm)	Path Loss	Antenna Gain(dBi)	Peak EIRP(dBm)	Limit(dBm)	Polarization
3475.50	-70.99	1.10	11.50	-60.59	-25.00	H
4581.75	-68.89	1.30	12.50	-57.69	-25.00	V
6183.86	-69.60	1.60	13.10	-58.10	-25.00	V
7696.29	-64.66	1.80	11.30	-55.16	-25.00	H
9595.71	-68.23	2.10	11.20	-59.13	-25.00	V
12827.57	-59.59	2.70	13.80	-48.49	-25.00	H



**n38, 20MHz, DFT-OFDM, QPSK, Channel 516000**

Frequency(MHz )	P <sub>Mea</sub> (dBm)	Path Loss	Antenna Gain(dBi)	Peak EIRP(dBm)	Limit(dBm)	Polarization
2922.10	-60.67	1.00	10.70	-50.97	-25.00	H
4097.25	-68.81	1.30	12.40	-57.71	-25.00	V
8966.57	-64.67	2.00	12.00	-54.67	-25.00	V
11419.29	-62.42	2.50	10.50	-54.42	-25.00	H
13753.29	-63.60	2.50	12.40	-53.70	-25.00	V
16862.14	-62.20	2.90	16.50	-48.60	-25.00	H

**n38, 20MHz, DFT-OFDM, QPSK, Channel 519000**

Frequency(MHz )	P <sub>Mea</sub> (dBm)	Path Loss	Antenna Gain(dBi)	Peak EIRP(dBm)	Limit(dBm)	Polarization
2918.62	-60.56	1.00	10.70	-50.86	-25.00	H
4717.13	-67.38	1.30	12.50	-56.18	-25.00	V
6645.86	-65.84	1.80	12.40	-55.24	-25.00	V
8843.57	-66.04	1.90	12.00	-55.94	-25.00	V
11600.14	-62.12	2.60	11.00	-53.72	-25.00	V
15858.86	-63.01	2.40	15.60	-49.81	-25.00	V

**n38, 20MHz, DFT-OFDM, QPSK, Channel 522000**

Frequency(MHz )	P <sub>Mea</sub> (dBm)	Path Loss	Antenna Gain(dBi)	Peak EIRP(dBm)	Limit(dBm)	Polarization
2994.30	-60.62	1.00	10.70	-50.92	-25.00	H
4483.50	-67.94	1.20	12.40	-56.74	-25.00	V
5979.00	-65.97	1.50	13.10	-54.37	-25.00	V
7345.71	-67.72	1.70	12.00	-57.42	-25.00	V
9529.29	-65.27	2.10	11.20	-56.17	-25.00	H
13542.86	-62.88	2.50	12.40	-52.98	-25.00	H



**n41, 20MHz, DFT-OFDM, QPSK, Channel 501204**

Frequency(MHz )	P <sub>Mea</sub> (dBm)	Path Loss	Antenna Gain(dBi)	Peak EIRP(dBm)	Limit(dBm)	Polarization
2989.87	-60.07	1.00	10.70	-50.37	-25.00	H
3756.00	-68.80	1.10	12.20	-57.70	-25.00	H
8196.00	-65.13	2.20	11.30	-56.03	-25.00	V
12487.29	-58.79	2.60	12.60	-48.79	-25.00	H
14297.57	-62.02	2.60	11.90	-52.72	-25.00	H
17020.29	-60.16	2.90	14.50	-48.56	-25.00	H

**n41, 20MHz, DFT-OFDM, QPSK, Channel 518598**

Frequency(MHz )	P <sub>Mea</sub> (dBm)	Path Loss	Antenna Gain(dBi)	Peak EIRP(dBm)	Limit(dBm)	Polarization
2996.83	-60.32	1.00	10.70	-50.62	-25.00	H
4255.88	-68.50	1.20	12.40	-57.30	-25.00	V
5795.63	-66.81	1.50	13.10	-55.21	-25.00	V
8850.43	-66.27	1.90	12.00	-56.17	-25.00	H
12454.29	-63.80	2.60	12.60	-53.80	-25.00	H
16950.00	-61.90	2.90	16.50	-48.30	-25.00	V

**n41, 20MHz, DFT-OFDM, QPSK, Channel 535998**

Frequency(MHz )	P <sub>Mea</sub> (dBm)	Path Loss	Antenna Gain(dBi)	Peak EIRP(dBm)	Limit(dBm)	Polarization
2991.13	-60.03	1.00	10.70	-50.33	-25.00	H
5211.75	-67.10	1.60	12.50	-56.20	-25.00	V
7233.43	-67.59	1.80	12.00	-57.39	-25.00	H
10178.57	-65.40	2.20	11.30	-56.30	-25.00	H
13126.29	-65.32	2.30	13.30	-54.32	-25.00	H
16854.43	-62.20	2.90	16.50	-48.60	-25.00	H



**n66, 5MHz, DFT-OFDM, QPSK, Channel 342500**

Frequency(MHz )	P <sub>Mea</sub> (dBm)	Path Loss	Antenna Gain(dBi)	Peak EIRP(dBm)	Limit(dBm)	Polarization
3856.13	-70.86	1.20	12.20	-59.86	-13.00	V
6356.14	-70.25	1.60	13.10	-58.75	-13.00	V
8552.14	-58.71	2.10	12.00	-48.81	-13.00	H
11136.43	-64.55	2.50	10.50	-56.55	-13.00	V
11973.86	-62.82	2.60	11.00	-54.42	-13.00	V
16255.29	-67.83	2.70	17.40	-53.13	-13.00	H

**n66, 5MHz, DFT-OFDM, QPSK, Channel 349000**

Frequency(MHz )	P <sub>Mea</sub> (dBm)	Path Loss	Antenna Gain(dBi)	Peak EIRP(dBm)	Limit(dBm)	Polarization
2997.78	-60.70	1.00	10.70	-51.00	-13.00	H
4800.00	-68.10	1.30	12.50	-56.90	-13.00	V
8715.00	-53.11	2.00	12.00	-43.11	-13.00	H
12420.43	-63.77	2.60	12.60	-53.77	-13.00	H
14321.57	-62.06	2.60	11.90	-52.76	-13.00	H
16845.00	-62.13	2.90	16.50	-48.53	-13.00	H

**n66, 5MHz, DFT-OFDM, QPSK, Channel 355500**

Frequency(MHz )	P <sub>Mea</sub> (dBm)	Path Loss	Antenna Gain(dBi)	Peak EIRP(dBm)	Limit(dBm)	Polarization
2904.37	-61.52	1.00	10.70	-51.82	-13.00	V
4416.75	-68.03	1.30	12.40	-56.93	-13.00	V
6445.29	-67.76	1.60	13.10	-56.26	-13.00	V
8877.86	-52.96	1.90	12.00	-42.86	-13.00	H
12428.57	-55.65	2.60	12.60	-45.65	-13.00	H
16552.29	-62.95	2.60	16.50	-49.05	-13.00	H



**DC\_66A\_n5, LTE 1.4MHz+NR 5MHz, DFT-OFDM, QPSK, Channel LTE 131979+NR 165300**

Frequency(MHz)	P <sub>Mea</sub> (dBm)	Path Loss	Antenna Gain(dBi)	Peak ERP(dBm)	Limit(dBm)	Polarization
2844.52	-64.68	1.00	10.70	-54.98	-13.00	V
3577.50	-73.02	1.10	12.20	-61.92	-13.00	H
4587.00	-71.20	1.30	12.50	-60.00	-13.00	V
5572.13	-70.82	1.40	13.10	-59.12	-13.00	V
6722.29	-71.66	1.70	12.40	-60.96	-13.00	V
8169.14	-70.63	2.20	11.30	-61.53	-13.00	V

**DC\_66A\_n5, LTE 1.4MHz+NR 5MHz, DFT-OFDM, QPSK, Channel LTE 132322+NR 167300**

Frequency(MHz)	P <sub>Mea</sub> (dBm)	Path Loss	Antenna Gain(dBi)	Peak ERP(dBm)	Limit(dBm)	Polarization
2749.20	-64.52	1.00	10.70	-54.82	-13.00	V
3475.13	-73.28	1.10	11.50	-62.88	-13.00	V
4633.88	-71.07	1.30	12.50	-59.87	-13.00	V
5570.63	-70.93	1.40	13.10	-59.23	-13.00	H
6338.14	-72.16	1.60	13.10	-60.66	-13.00	V
7783.86	-71.07	1.80	11.30	-61.57	-13.00	V

**DC\_66A\_n5, LTE 1.4MHz+NR 5MHz, DFT-OFDM, QPSK, Channel LTE 132665+NR 169300**

Frequency(MHz)	P <sub>Mea</sub> (dBm)	Path Loss	Antenna Gain(dBi)	Peak ERP(dBm)	Limit(dBm)	Polarization
2858.13	-64.44	1.00	10.70	-54.74	-13.00	H
3674.25	-72.90	1.20	12.20	-61.90	-13.00	V
4564.88	-71.10	1.30	12.50	-59.90	-13.00	V
5503.50	-71.00	1.40	13.10	-59.30	-13.00	H
6705.43	-71.76	1.70	12.40	-61.06	-13.00	V
8666.71	-71.93	2.00	12.00	-61.93	-13.00	V





**DC\_5A\_n7, LTE 1.4MHz+NR 5MHz, DFT-OFDM, QPSK, Channel LTE 20407+NR 500500**

Frequency(MHz )	P <sub>Mea</sub> (dBm)	Path Loss	Antenna Gain(dBi)	Peak EIRP(dBm)	Limit(dBm)	Polarization
2930.33	-61.77	1.00	10.70	-52.07	-25.00	V
3820.50	-70.78	1.20	12.20	-59.78	-25.00	H
7990.29	-67.65	1.90	11.30	-58.25	-25.00	H
11154.00	-62.60	2.50	10.50	-54.60	-25.00	V
13238.14	-64.44	2.40	13.30	-53.54	-25.00	H
16639.71	-64.62	2.60	16.50	-50.72	-25.00	V

**DC\_5A\_n7, LTE 1.4MHz+NR 5MHz, DFT-OFDM, QPSK, Channel LTE 20525+NR 507000**

Frequency(MHz )	P <sub>Mea</sub> (dBm)	Path Loss	Antenna Gain(dBi)	Peak EIRP(dBm)	Limit(dBm)	Polarization
2990.18	-61.10	1.00	10.70	-51.40	-25.00	H
4314.75	-67.95	1.20	12.40	-56.75	-25.00	V
7194.86	-68.32	1.80	12.00	-58.12	-25.00	H
8415.86	-68.10	1.80	11.30	-58.60	-25.00	H
11998.71	-64.02	2.60	11.00	-55.62	-25.00	H
16485.43	-67.74	2.70	17.40	-53.04	-25.00	H

**DC\_5A\_n7, LTE 1.4MHz+NR 5MHz, DFT-OFDM, QPSK, Channel LTE 20643+NR 513500**

Frequency(MHz )	P <sub>Mea</sub> (dBm)	Path Loss	Antenna Gain(dBi)	Peak EIRP(dBm)	Limit(dBm)	Polarization
2983.85	-61.28	1.00	10.70	-51.58	-25.00	H
4761.38	-68.96	1.30	12.50	-57.76	-25.00	V
6762.43	-69.89	1.60	12.40	-59.09	-25.00	H
8842.71	-66.11	1.90	12.00	-56.01	-25.00	H
12073.71	-67.58	2.70	12.60	-57.68	-25.00	H
15124.29	-64.87	2.40	12.40	-54.87	-25.00	H



**DC\_66A\_n7, LTE 1.4MHz+NR 5MHz, DFT-OFDM, QPSK, Channel LTE 131979+NR 500500**

Frequency(MHz )	P <sub>Mea</sub> (dBm)	Path Loss	Antenna Gain(dBi)	Peak EIRP(dBm)	Limit(dBm)	Polarization
3726.38	-70.41	1.10	12.20	-59.31	-25.00	H
5545.13	-68.50	1.40	13.10	-56.80	-25.00	V
5975.63	-67.61	1.50	13.10	-56.01	-25.00	V
7420.29	-70.39	1.90	12.00	-60.29	-25.00	V
11133.43	-64.63	2.50	10.50	-56.63	-25.00	V
13544.14	-65.46	2.50	12.40	-55.56	-25.00	V

**DC\_66A\_n7, LTE 1.4MHz+NR 5MHz, DFT-OFDM, QPSK, Channel LTE 132322+NR 507000**

Frequency(MHz )	P <sub>Mea</sub> (dBm)	Path Loss	Antenna Gain(dBi)	Peak EIRP(dBm)	Limit(dBm)	Polarization
3203.25	-70.72	1.10	11.50	-60.32	-25.00	V
4495.13	-69.47	1.20	12.40	-58.27	-25.00	V
5928.38	-67.97	1.50	13.10	-56.37	-25.00	V
7849.71	-69.46	1.70	11.30	-59.86	-25.00	H
11221.71	-65.21	2.50	10.50	-57.21	-25.00	H
13701.86	-66.36	2.50	12.40	-56.46	-25.00	V

**DC\_66A\_n7, LTE 1.4MHz+NR 5MHz, DFT-OFDM, QPSK, Channel LTE 132665+NR 513500**

Frequency(MHz )	P <sub>Mea</sub> (dBm)	Path Loss	Antenna Gain(dBi)	Peak EIRP(dBm)	Limit(dBm)	Polarization
3410.25	-71.46	1.20	11.50	-61.16	-25.00	V
5131.13	-69.16	1.30	12.50	-57.96	-25.00	V
6562.71	-69.69	1.70	12.40	-58.99	-25.00	V
9223.71	-69.75	2.10	11.60	-60.25	-25.00	V
12295.29	-65.93	2.60	12.60	-55.93	-25.00	H
15849.43	-65.77	2.40	15.60	-52.57	-25.00	V



**DC\_26A\_n41, LTE 1.4MHz+NR 20MHz, DFT-OFDM, QPSK, Channel LTE 26783+NR 501204**

Frequency(MHz )	P <sub>Mea</sub> (dBm)	Path Loss	Antenna Gain(dBi)	Peak EIRP(dBm)	Limit(dBm)	Polarization
2993.98	-61.14	1.00	10.70	-51.44	-25.00	H
4678.50	-68.96	1.30	12.50	-57.76	-25.00	V
6398.57	-70.06	1.60	13.10	-58.56	-25.00	H
10221.86	-67.52	2.20	11.30	-58.42	-25.00	H
15231.43	-64.64	2.50	12.40	-54.74	-25.00	H
17081.14	-60.30	2.90	14.50	-48.70	-25.00	V

**DC\_26A\_n41, LTE 1.4MHz+NR 20MHz, DFT-OFDM, QPSK, Channel LTE 26740+NR 518598**

Frequency(MHz )	P <sub>Mea</sub> (dBm)	Path Loss	Antenna Gain(dBi)	Peak EIRP(dBm)	Limit(dBm)	Polarization
2859.08	-61.33	1.00	10.70	-51.63	-25.00	H
6355.29	-69.32	1.60	13.10	-57.82	-25.00	V
9378.43	-69.34	2.00	11.60	-59.74	-25.00	V
11669.57	-64.94	2.60	11.00	-56.54	-25.00	V
13122.86	-67.56	2.30	13.30	-56.56	-25.00	H
16588.71	-65.21	2.60	16.50	-51.31	-25.00	H

**DC\_26A\_n41, LTE 1.4MHz+NR 20MHz, DFT-OFDM, QPSK, Channel LTE 26697+NR 535998**

Frequency(MHz )	P <sub>Mea</sub> (dBm)	Path Loss	Antenna Gain(dBi)	Peak EIRP(dBm)	Limit(dBm)	Polarization
2996.20	-60.79	1.00	10.70	-51.09	-25.00	V
4581.38	-67.11	1.30	12.50	-55.91	-25.00	H
5217.00	-67.63	1.80	12.50	-56.93	-25.00	V
11520.00	-62.99	2.60	11.00	-54.59	-25.00	H
13238.14	-64.44	2.40	13.30	-53.54	-25.00	H
15346.71	-61.91	2.70	12.40	-52.21	-25.00	H

Note: The maximum value of expanded measurement uncertainty for this test item is U = 2.87dB(30MHz-3GHz)/3.35dB(3GHz-18GHz)/2.68dB(18GHz-40GHz), k = 2



### **A.3 FREQUENCY STABILITY**

#### **Reference**

FCC: CFR Part 2.1055, 22.355, 24.235, 27.54.

#### **A.3.1 Method of Measurement**

In order to measure the carrier frequency under the condition of AFC lock, it is necessary to make measurements with the EUT in a "call mode". This is accomplished with the use of E7515B DIGITAL RADIO COMMUNICATION TESTER.

1. Measure the carrier frequency at room temperature.
2. Subject the EUT to overnight soak at -30°C.
3. With the EUT, powered via nominal voltage, connected to the E7515B and in a simulated call on middle channel, measure the carrier frequency. These measurements should be made within 2 minutes of Powering up the EUT, to prevent significant self-warming.
4. Repeat the above measurements at 10°C increments from -30°C to +50°C. Allow at least 1.5 hours at each temperature, unpowered, before making measurements.
5. Re-measure carrier frequency at room temperature with nominal voltage. Vary supply voltage from minimum voltage to maximum voltage, in 0.1Volt increments re-measuring carrier frequency at each voltage. Pause at nominal voltage for 1.5 hours unpowered, to allow any self-heating to stabilize, before continuing.
6. Subject the EUT to overnight soak at +50°C.
7. With the EUT, powered via nominal voltage, connected to the E7515B and in a simulated call on the centre channel, measure the carrier frequency. These measurements should be made within 2 minutes of Powering up the EUT, to prevent significant self-warming.
8. Repeat the above measurements at 10 °C increments from +50°C to -30°C. Allow at least 1.5 hours at each temperature, unpowered, before making measurements.
9. At all temperature levels hold the temperature to +/- 0.5°C during the measurement procedure.

#### **A.3.2 Measurement Limit**

According to the JTC standard the frequency stability of the carrier shall be accurate to within 0.1 ppm of the received frequency from the base station. This accuracy is sufficient to meet Sec. 24.235, Frequency Stability. The frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block. As this transceiver is considered "Hand carried, battery powered equipment" Section 2.1055(d) (2) applies. This requires that the lower voltage for frequency stability testing be specified by the manufacturer. This transceiver is specified to operate with an input voltage of between 3.6V and 4.45V, with a nominal voltage of 3.87V. Operation above or below these voltage limits is prohibited by transceiver software in order to prevent improper operation as well as to protect components from overstress. These voltages represent a tolerance from -7% to 15%. For the purposes of measuring frequency stability these voltage limits are to be used.



**A.3.3 Measurement results**

**n5, 5MHz bandwidth (worst case of all bandwidths)**

**Frequency Error vs Voltage**

Voltage (V)	Frequency error (Hz)	Frequency error (ppm)
	QPSK/836.5MHz	
3.60	4.58	0.0055
3.87	-7.56	0.0090
4.45	6.18	0.0074

**Frequency Error vs Temperature**

Temperature (°C)	Frequency error (Hz)	Frequency error (ppm)
	QPSK/836.5MHz	
-30	-7.27	0.0087
-20	-4.47	0.0053
-10	-2.56	0.0031
0	3.67	0.0044
10	7.33	0.0088
20	4.58	0.0055
30	6.55	0.0078
40	-5.36	0.0064
50	-3.36	0.0040

Expanded measurement uncertainty is 10Hz,  $k = 2$

**n7, 20MHz bandwidth (worst case of all bandwidths)**

**Frequency Error vs Voltage**

Voltage (V)	Frequency error (Hz)	Frequency error (ppm)
	QPSK/2535MHz	
3.60	-6.90	0.0027
3.87	-11.48	0.0045
4.45	-7.52	0.0030

**Frequency Error vs Temperature**

Temperature (°C)	Frequency error (Hz)	Frequency error (ppm)
	QPSK/2535MHz	
-30	-10.55	0.0042
-20	-9.46	0.0037
-10	-11.01	0.0043
0	-8.59	0.0034
10	-8.67	0.0034
20	-6.11	0.0024
30	-4.57	0.0018
40	-8.65	0.0034
50	-9.58	0.0038

Expanded measurement uncertainty is 10Hz,  $k = 2$



**n38, 20MHz bandwidth (worst case of all bandwidths)**

**Frequency Error vs Voltage**

Voltage (V)	Frequency error (Hz)	Frequency error (ppm)
	QPSK/2595MHz	
3.60	-6.69	0.0026
3.87	-7.73	0.0030
4.45	-9.44	0.0036

**Frequency Error vs Temperature**

Temperature (°C)	Frequency error (Hz)	Frequency error (ppm)
	QPSK/2595MHz	
-30	-8.39	0.0032
-20	-8.88	0.0034
-10	-7.31	0.0028
0	-6.08	0.0023
10	7.03	0.0027
20	-3.84	0.0015
30	-7.23	0.0028
40	-7.98	0.0031
50	-8.11	0.0031

Expanded measurement uncertainty is 10Hz,  $k = 2$

**n41, 20MHz bandwidth (worst case of all bandwidths)**

**Frequency Error vs Voltage**

Voltage (V)	Frequency error (Hz)	Frequency error (ppm)
	QPSK/2592.99MHz	
3.60	-15.46	0.0060
3.87	12.23	0.0047
4.45	-11.33	0.0044

**Frequency Error vs Temperature**

Temperature (°C)	Frequency error (Hz)	Frequency error (ppm)
	QPSK/2592.99MHz	
-30	-14.39	0.0055
-20	-13.22	0.0051
-10	10.10	0.0039
0	-14.35	0.0055
10	-6.43	0.0025
20	-10.59	0.0041
30	-8.14	0.0031
40	9.53	0.0037
50	-12.34	0.0048

Expanded measurement uncertainty is 10Hz,  $k = 2$

**n66, 20MHz bandwidth (worst case of all bandwidths)**



**Frequency Error vs Voltage**

Voltage (V)	Frequency error (Hz)	Frequency error (ppm)
	QPSK/1745MHz	
3.60	-0.97	0.0006
3.87	5.66	0.0032
4.45	-6.41	0.0037

**Frequency Error vs Temperature**

Temperature (°C)	Frequency error (Hz)	Frequency error (ppm)
	QPSK/1745MHz	
-30	-6.33	0.0036
-20	-5.19	0.0030
-10	4.39	0.0025
0	-4.35	0.0025
10	0.73	0.0004
20	-5.68	0.0033
30	-2.93	0.0016
40	3.28	0.0019
50	-5.77	0.0033

Expanded measurement uncertainty is 10Hz,  $k = 2$

**DC\_66A\_n5A, LTE 5MHz+NR 5MHz bandwidth (worst case of all bandwidths)**

**Frequency Error vs Voltage**

Voltage (V)	Frequency error (Hz)	Frequency error (ppm)
	QPSK/836.5MHz	
3.60	-5.67	0.0068
3.87	3.32	0.0040
4.45	1.33	0.0016

**Frequency Error vs Temperature**

Temperature (°C)	Frequency error (Hz)	Frequency error (ppm)
	QPSK/836.5MHz	
-30	-6.68	0.0080
-20	-5.44	0.0065
-10	5.65	0.0068
0	-7.50	0.0090
10	-7.67	0.0091
20	3.39	0.0041
30	-5.21	0.0062
40	-7.18	0.0086
50	-6.99	0.0084

Expanded measurement uncertainty is 10Hz,  $k = 2$

**DC\_5A\_n7A, LTE 5MHz+NR 20MHz bandwidth (worst case of all bandwidths)**

**Frequency Error vs Voltage**

Voltage	Frequency error (Hz)	Frequency error (ppm)
---------	----------------------	-----------------------



(V)	QPSK/2535MHz	
3.60	-9.90	0.0039
3.87	-8.45	0.0033
4.45	-13.52	0.0053

**Frequency Error vs Temperature**

Temperature (°C)	Frequency error (Hz)	Frequency error (ppm)
	QPSK/2535MHz	
-30	-15.58	0.0061
-20	-14.87	0.0059
-10	-10.23	0.0040
0	-15.20	0.0060
10	4.22	0.0017
20	-16.13	0.0064
30	-6.39	0.0025
40	-9.99	0.0039
50	-9.10	0.0036

Expanded measurement uncertainty is 10Hz,  $k = 2$

**DC\_66A\_n7A, LTE 5MHz+NR 20MHz bandwidth (worst case of all bandwidths)**

**Frequency Error vs Voltage**

Voltage (V)	Frequency error (Hz)	Frequency error (ppm)
	QPSK/2535MHz	
3.60	-13.25	0.0052
3.87	-7.28	0.0029
4.45	-6.89	0.0027

**Frequency Error vs Temperature**

Temperature (°C)	Frequency error (Hz)	Frequency error (ppm)
	QPSK/2535MHz	
-30	-14.74	0.0058
-20	-14.11	0.0056
-10	-10.82	0.0043
0	-11.55	0.0046
10	-6.96	0.0028
20	-11.22	0.0044
30	-15.33	0.0061
40	-14.96	0.0059
50	-13.23	0.0052

Expanded measurement uncertainty is 10Hz,  $k = 2$

**DC\_26A\_n41A, LTE 5MHz+NR 20MHz bandwidth (worst case of all bandwidths)**

**Frequency Error vs Voltage**

Voltage (V)	Frequency error (Hz)	Frequency error (ppm)
	QPSK/2592.99MHz	





3.60	-17.35	0.0067
3.87	-15.28	0.0058
4.45	-10.89	0.0042

**Frequency Error vs Temperature**

Temperature (°C)	Frequency error (Hz)	Frequency error (ppm)
	QPSK/2592.99MHz	
-30	-17.12	0.0066
-20	-17.01	0.0066
-10	-9.67	0.0037
0	-9.55	0.0037
10	-16.96	0.0065
20	-11.22	0.0043
30	-15.33	0.0059
40	-12.39	0.0048
50	-14.27	0.0055

Expanded measurement uncertainty is 10Hz,  $k = 2$



**A.4 OCCUPIED BANDWIDTH&26dB Emission Bandwidth**

**Reference**

FCC: CFR Part 2.1049, 22.917, 27.53.

**A.4.1 Occupied Bandwidth Results**

Occupied bandwidth measurements are only provided for selected frequencies in order to reduce the amount of submitted data. Data were taken at the extreme and mid frequencies of the US Cellular/PCS frequency bands. The table below lists the measured 99% BW. Spectrum analyzer plots are included on the following pages.

- a) The spectrum analyzer center frequency is set to the nominal EUT channel center frequency. The frequency span for the spectrum analyzer shall be set wide enough to capture all modulation products including the emission skirts (i.e., two to five times the OBW).
- b) The nominal IF filter bandwidth (3 dB RBW) shall be in the range of 1 to 5 % of the anticipated OBW, and the VBW shall be at least 3 times the RBW.
- c) Set the reference level of the instrument as required to keep the signal from exceeding the maximum input mixer level for linear operation. In general, the peak of the spectral envelope must be at least 10log (OBW / RBW) below the reference level.
- d) Set the detection mode to peak, and the trace mode to max hold.
- e) Use the 99 % power bandwidth function of the spectrum analyzer and report the measured bandwidth.

**A.4.2 Emission Bandwidth Results**

The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power. Table below lists the measured -26dBc BW. Spectrum analyzer plots are included on the following pages.

NR Band	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	OBW (MHz)	26dB OBW (MHz)
5	5	176300	836.5	DFT-s-OFDM PI/2 BPSK	4.4790	4.600
5	5	176300	836.5	DFT-s-OFDM QPSK	4.4808	4.610
5	10	176300	836.5	DFT-s-OFDM PI/2 BPSK	8.8769	9.158
5	10	176300	836.5	DFT-s-OFDM QPSK	8.9578	9.201
5	15	176300	836.5	DFT-s-OFDM PI/2 BPSK	13.462	13.78
5	15	176300	836.5	DFT-s-OFDM QPSK	13.506	13.78
5	20	176300	836.5	DFT-s-OFDM PI/2 BPSK	17.988	18.59
5	20	176300	836.5	DFT-s-OFDM QPSK	18.000	18.44