


Annex 5. Spurious Emission at Antenna Terminals

1. GSM_GSM850


1.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-57.45	-13	Pass	401
0.15	30	0.01	Peak	0.2	-54.33	-13	Pass	2985
30	500	0.1	Peak	381.675	-44.43	-13	Pass	4700
500	1000	0.1	Peak	824.165	32.91	-13	N/A	5000
1000	10000	1	Peak	6959.728	-21.99	-13	Pass	9000




1.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-57.23	-13	Pass	401
0.15	30	0.01	Peak	0.41	-53.46	-13	Pass	2985
30	500	0.1	Peak	273.152	-43.87	-13	Pass	4700
500	1000	0.1	Peak	836.567	32.36	-13	N/A	5000
1000	10000	1	Peak	9268.094	-22.57	-13	Pass	9000



1.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-58.12	-13	Pass	401
0.15	30	0.01	Peak	0.21	-54.24	-13	Pass	2985
30	500	0.1	Peak	440.787	-44.45	-13	Pass	4700
500	1000	0.1	Peak	848.87	33.25	-13	N/A	5000
1000	10000	1	Peak	7182.755	-22.06	-13	Pass	9000



2. GSM_PCS


2.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-62.57	-13	Pass	401
0.15	30	0.01	Peak	0.15	-59.91	-13	Pass	2985
30	1000	0.1	Peak	754.588	-49.63	-13	Pass	9699
1000	3000	1	Peak	1849.425	28.92	-13	N/A	2000
3000	20000	1	Peak	19716.54	-44.95	-13	Pass	17000




2.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-62.76	-13	Pass	401
0.15	30	0.01	Peak	0.17	-60.56	-13	Pass	2985
30	1000	0.1	Peak	825.397	-50.01	-13	Pass	9699
1000	3000	1	Peak	1879.44	29.91	-13	N/A	2000
3000	20000	1	Peak	19663.454	-45.11	-13	Pass	17000



2.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-63.9	-13	Pass	401
0.15	30	0.01	Peak	0.19	-60.56	-13	Pass	2985
30	1000	0.1	Peak	910.581	-49.26	-13	Pass	9699
1000	3000	1	Peak	1909.455	30.79	-13	N/A	2000
3000	20000	1	Peak	19976.963	-44.47	-13	Pass	17000



3. EGPRS_GSM850


3.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-55.99	-13	Pass	401
0.15	30	0.01	Peak	0.16	-53.65	-13	Pass	2985
30	500	0.1	Peak	452.99	-44.2	-13	Pass	4700
500	1000	0.1	Peak	824.165	27.97	-13	N/A	5000
1000	10000	1	Peak	6690.695	-22.55	-13	Pass	9000




3.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-55.86	-13	Pass	401
0.15	30	0.01	Peak	0.15	-55.39	-13	Pass	2985
30	500	0.1	Peak	375.173	-44.24	-13	Pass	4700
500	1000	0.1	Peak	836.667	29.03	-13	N/A	5000
1000	10000	1	Peak	7887.841	-22.45	-13	Pass	9000



3.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-57.6	-13	Pass	401
0.15	30	0.01	Peak	0.15	-54.45	-13	Pass	2985
30	500	0.1	Peak	448.689	-43.56	-13	Pass	4700
500	1000	0.1	Peak	848.87	25.66	-13	N/A	5000
1000	10000	1	Peak	8440.908	-22.55	-13	Pass	9000



4. EGPRS_PCS


4.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-64.9	-13	Pass	401
0.15	30	0.01	Peak	0.21	-60.36	-13	Pass	2985
30	1000	0.1	Peak	390.244	-49.82	-13	Pass	9699
1000	3000	1	Peak	1850.425	27.32	-13	N/A	2000
3000	20000	1	Peak	19795.668	-44.33	-13	Pass	17000




4.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-63.18	-13	Pass	401
0.15	30	0.01	Peak	0.2	-60.42	-13	Pass	2985
30	1000	0.1	Peak	281.131	-49.94	-13	Pass	9699
1000	3000	1	Peak	1879.44	27.29	-13	N/A	2000
3000	20000	1	Peak	19997.997	-44.37	-13	Pass	17000



4.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-61.63	-13	Pass	401
0.15	30	0.01	Peak	0.26	-60.53	-13	Pass	2985
30	1000	0.1	Peak	748.688	-49.55	-13	Pass	9699
1000	3000	1	Peak	1909.455	27.48	-13	N/A	2000
3000	20000	1	Peak	19638.413	-45.15	-13	Pass	17000



5. WCDMA_Band2


5.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.92	-13	Pass	401
0.15	30	0.01	Peak	0.26	-64.87	-13	Pass	2985
30	1000	0.1	Peak	719.984	-53.84	-13	Pass	9699
1000	3000	1	Peak	1851.426	23.82	-13	N/A	2000
3000	20000	1	Peak	19668.462	-24.24	-13	Pass	17000




5.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.6	-13	Pass	401
0.15	30	0.01	Peak	0.16	-63.34	-13	Pass	2985
30	1000	0.1	Peak	975.367	-53.94	-13	Pass	9699
1000	3000	1	Peak	1878.439	24	-13	N/A	2000
3000	20000	1	Peak	19624.39	-24.03	-13	Pass	17000



5.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.86	-13	Pass	401
0.15	30	0.01	Peak	0.16	-65.27	-13	Pass	2985
30	1000	0.1	Peak	913.185	-53.9	-13	Pass	9699
1000	3000	1	Peak	1906.453	23.43	-13	N/A	2000
3000	20000	1	Peak	19686.491	-24.4	-13	Pass	17000



6. WCDMA_Band4


6.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.19	-13	Pass	401
0.15	30	0.01	Peak	0.36	-64.32	-13	Pass	2985
30	1000	0.1	Peak	846.1	-53.84	-13	Pass	9699
1000	3000	1	Peak	1713.357	24.08	-13	N/A	2000
3000	20000	1	Peak	19687.493	-23.68	-13	Pass	17000




6.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-68.65	-13	Pass	401
0.15	30	0.01	Peak	0.15	-65.38	-13	Pass	2985
30	1000	0.1	Peak	867.224	-53.92	-13	Pass	9699
1000	3000	1	Peak	1731.366	24.02	-13	N/A	2000
3000	20000	1	Peak	19638.413	-23.75	-13	Pass	17000



6.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-68.87	-13	Pass	401
0.15	30	0.01	Peak	0.44	-65.64	-13	Pass	2985
30	1000	0.1	Peak	844.899	-53.72	-13	Pass	9699
1000	3000	1	Peak	1751.376	24.04	-13	N/A	2000
3000	20000	1	Peak	19701.515	-23.97	-13	Pass	17000



7. WCDMA_Band5


7.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.96	-13	Pass	401
0.15	30	0.01	Peak	0.15	-65.75	-13	Pass	2985
30	500	0.1	Peak	374.673	-54.05	-13	Pass	4700
500	1000	0.1	Peak	825.665	18.45	-13	N/A	5000
1000	10000	1	Peak	7245.762	-32.21	-13	Pass	9000




7.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.5	-13	Pass	401
0.15	30	0.01	Peak	0.15	-65.12	-13	Pass	2985
30	500	0.1	Peak	492.798	-53.89	-13	Pass	4700
500	1000	0.1	Peak	837.067	18.32	-13	N/A	5000
1000	10000	1	Peak	7611.807	-32.8	-13	Pass	9000



7.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-68.99	-13	Pass	401
0.15	30	0.01	Peak	0.36	-65.18	-13	Pass	2985
30	500	0.1	Peak	455.991	-54.37	-13	Pass	4700
500	1000	0.1	Peak	847.87	18.66	-13	N/A	5000
1000	10000	1	Peak	8395.903	-32.45	-13	Pass	9000



8. LTE_Band2


8.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.09	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.65	-13	Pass	2985
30	1000	0.1	RMS	850.802	-65.05	-13	Pass	9699
1000	1840	1	RMS	1840	-51.89	-13	Pass	840
1840	1920	1	RMS	1850.2	23.23	60	Pass	401
1920	3000	1	RMS	2945.95	-49.97	-13	Pass	1080
3000	12000	1	RMS	11997.998	-43.51	-13	Pass	9000
12000	20000	1	RMS	19681.96	-35.28	-13	Pass	8000




**8.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.11	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.22	-13	Pass	2985
30	1000	0.1	RMS	850.602	-64.94	-13	Pass	9699
1000	1840	1	RMS	1840	-52.19	-13	Pass	840
1840	1920	1	RMS	1850.2	22.29	60	Pass	401
1920	3000	1	RMS	2949.954	-50.03	-13	Pass	1080
3000	12000	1	RMS	11997.998	-43.58	-13	Pass	9000
12000	20000	1	RMS	19678.96	-35.21	-13	Pass	8000




**8.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.44	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.52	-13	Pass	2985
30	1000	0.1	RMS	837.999	-65.1	-13	Pass	9699
1000	1840	1	RMS	1836.996	-53.47	-13	Pass	840
1840	1920	1	RMS	1879.4	23.08	60	Pass	401
1920	3000	1	RMS	2949.954	-49.94	-13	Pass	1080
3000	12000	1	RMS	11995.995	-43.55	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.23	-13	Pass	8000




**8.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-73.03	-13	Pass	2985
30	1000	0.1	RMS	837.999	-65	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.44	-13	Pass	840
1840	1920	1	RMS	1879.4	22.13	60	Pass	401
1920	3000	1	RMS	2951.956	-49.99	-13	Pass	1080
3000	12000	1	RMS	12000	-43.57	-13	Pass	9000
12000	20000	1	RMS	19681.96	-35.27	-13	Pass	8000




**8.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.85	-13	Pass	2985
30	1000	0.1	RMS	847.8	-65.11	-13	Pass	9699
1000	1840	1	RMS	1836.996	-53.44	-13	Pass	840
1840	1920	1	RMS	1908.8	22.82	60	Pass	401
1920	3000	1	RMS	2945.95	-50.02	-13	Pass	1080
3000	12000	1	RMS	11998.999	-43.51	-13	Pass	9000
12000	20000	1	RMS	19683.96	-35.35	-13	Pass	8000




**8.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.33	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.89	-13	Pass	2985
30	1000	0.1	RMS	844.499	-64.92	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.44	-13	Pass	840
1840	1920	1	RMS	1908.8	22	60	Pass	401
1920	3000	1	RMS	2949.954	-49.99	-13	Pass	1080
3000	12000	1	RMS	11995.995	-43.48	-13	Pass	9000
12000	20000	1	RMS	19677.96	-35.29	-13	Pass	8000




**8.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.84	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.59	-13	Pass	2985
30	1000	0.1	RMS	834.198	-65.02	-13	Pass	9699
1000	1840	1	RMS	1840	-51.96	-13	Pass	840
1840	1920	1	RMS	1850.2	23.36	60	Pass	401
1920	3000	1	RMS	2949.954	-49.93	-13	Pass	1080
3000	12000	1	RMS	11997.998	-43.62	-13	Pass	9000
12000	20000	1	RMS	19682.96	-35.23	-13	Pass	8000




**8.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.94	-13	Pass	2985
30	1000	0.1	RMS	846.5	-65.08	-13	Pass	9699
1000	1840	1	RMS	1840	-52.08	-13	Pass	840
1840	1920	1	RMS	1850.2	22.6	60	Pass	401
1920	3000	1	RMS	2950.955	-50	-13	Pass	1080
3000	12000	1	RMS	11998.999	-43.57	-13	Pass	9000
12000	20000	1	RMS	19677.96	-35.21	-13	Pass	8000




**8.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.19	-13	Pass	2985
30	1000	0.1	RMS	846.8	-65.05	-13	Pass	9699
1000	1840	1	RMS	1840	-53.37	-13	Pass	840
1840	1920	1	RMS	1878.6	23.13	60	Pass	401
1920	3000	1	RMS	2949.954	-49.95	-13	Pass	1080
3000	12000	1	RMS	11998.999	-43.57	-13	Pass	9000
12000	20000	1	RMS	19677.96	-35.28	-13	Pass	8000




**8.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.95	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.9	-13	Pass	2985
30	1000	0.1	RMS	844.299	-65.11	-13	Pass	9699
1000	1840	1	RMS	1840	-53.45	-13	Pass	840
1840	1920	1	RMS	1878.6	22.22	60	Pass	401
1920	3000	1	RMS	2949.954	-49.99	-13	Pass	1080
3000	12000	1	RMS	11996.996	-43.59	-13	Pass	9000
12000	20000	1	RMS	19678.96	-35.28	-13	Pass	8000




**8.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.29	-13	Pass	2985
30	1000	0.1	RMS	837.999	-65.1	-13	Pass	9699
1000	1840	1	RMS	1834.994	-53.48	-13	Pass	840
1840	1920	1	RMS	1907.2	23.1	60	Pass	401
1920	3000	1	RMS	2947.952	-50	-13	Pass	1080
3000	12000	1	RMS	12000	-43.54	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.2	-13	Pass	8000




**8.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.44	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.18	-13	Pass	2985
30	1000	0.1	RMS	843.399	-64.95	-13	Pass	9699
1000	1840	1	RMS	1836.996	-53.43	-13	Pass	840
1840	1920	1	RMS	1907.2	22.21	60	Pass	401
1920	3000	1	RMS	2948.953	-49.94	-13	Pass	1080
3000	12000	1	RMS	12000	-43.57	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.26	-13	Pass	8000




**8.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.77	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.8	-13	Pass	2985
30	1000	0.1	RMS	838.799	-65.01	-13	Pass	9699
1000	1840	1	RMS	1840	-51.7	-13	Pass	840
1840	1920	1	RMS	1850.2	23.23	60	Pass	401
1920	3000	1	RMS	2943.948	-49.98	-13	Pass	1080
3000	12000	1	RMS	12000	-43.55	-13	Pass	9000
12000	20000	1	RMS	19680.96	-35.27	-13	Pass	8000




**8.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.24	-13	Pass	2985
30	1000	0.1	RMS	852.705	-64.93	-13	Pass	9699
1000	1840	1	RMS	1840	-52.07	-13	Pass	840
1840	1920	1	RMS	1850.2	22.35	60	Pass	401
1920	3000	1	RMS	2950.955	-50.01	-13	Pass	1080
3000	12000	1	RMS	11998.999	-43.46	-13	Pass	9000
12000	20000	1	RMS	19682.96	-35.25	-13	Pass	8000




**8.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.95	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.16	-13	Pass	2985
30	1000	0.1	RMS	844.299	-65.07	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.28	-13	Pass	840
1840	1920	1	RMS	1877.8	23.05	60	Pass	401
1920	3000	1	RMS	2947.952	-49.98	-13	Pass	1080
3000	12000	1	RMS	11998.999	-43.52	-13	Pass	9000
12000	20000	1	RMS	19678.96	-35.21	-13	Pass	8000




**8.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.56	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.77	-13	Pass	2985
30	1000	0.1	RMS	861.917	-64.93	-13	Pass	9699
1000	1840	1	RMS	1840	-53.46	-13	Pass	840
1840	1920	1	RMS	1877.8	22.26	60	Pass	401
1920	3000	1	RMS	2951.956	-50	-13	Pass	1080
3000	12000	1	RMS	12000	-43.55	-13	Pass	9000
12000	20000	1	RMS	19681.96	-35.37	-13	Pass	8000




**8.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.46	-13	Pass	2985
30	1000	0.1	RMS	836.298	-65.07	-13	Pass	9699
1000	1840	1	RMS	1837.998	-53.51	-13	Pass	840
1840	1920	1	RMS	1905.2	23.05	60	Pass	401
1920	3000	1	RMS	2950.955	-50.03	-13	Pass	1080
3000	12000	1	RMS	11998.999	-43.6	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.32	-13	Pass	8000




**8.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.94	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.06	-13	Pass	2985
30	1000	0.1	RMS	854.307	-65.1	-13	Pass	9699
1000	1840	1	RMS	1837.998	-53.49	-13	Pass	840
1840	1920	1	RMS	1905.2	22.29	60	Pass	401
1920	3000	1	RMS	2948.953	-49.98	-13	Pass	1080
3000	12000	1	RMS	11996.996	-43.6	-13	Pass	9000
12000	20000	1	RMS	19682.96	-35.29	-13	Pass	8000




**8.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.01	-13	Pass	2985
30	1000	0.1	RMS	848.5	-65.04	-13	Pass	9699
1000	1840	1	RMS	1840	-51.68	-13	Pass	840
1840	1920	1	RMS	1850.4	23.37	60	Pass	401
1920	3000	1	RMS	2947.952	-49.97	-13	Pass	1080
3000	12000	1	RMS	11997.998	-43.56	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.23	-13	Pass	8000




**8.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.07	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.37	-13	Pass	2985
30	1000	0.1	RMS	848.1	-65.11	-13	Pass	9699
1000	1840	1	RMS	1840	-51.95	-13	Pass	840
1840	1920	1	RMS	1850.6	22.6	60	Pass	401
1920	3000	1	RMS	2952.956	-49.99	-13	Pass	1080
3000	12000	1	RMS	11996.996	-43.63	-13	Pass	9000
12000	20000	1	RMS	19681.96	-35.27	-13	Pass	8000




**8.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.75	-13	Pass	2985
30	1000	0.1	RMS	840.399	-64.98	-13	Pass	9699
1000	1840	1	RMS	1836.996	-53.38	-13	Pass	840
1840	1920	1	RMS	1875.4	23.13	60	Pass	401
1920	3000	1	RMS	2948.953	-49.99	-13	Pass	1080
3000	12000	1	RMS	11997.998	-43.52	-13	Pass	9000
12000	20000	1	RMS	19682.96	-35.24	-13	Pass	8000




**8.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.39	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.72	-13	Pass	2985
30	1000	0.1	RMS	852.204	-65.05	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.41	-13	Pass	840
1840	1920	1	RMS	1875.4	22.26	60	Pass	401
1920	3000	1	RMS	2947.952	-49.98	-13	Pass	1080
3000	12000	1	RMS	11998.999	-43.58	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.19	-13	Pass	8000




**8.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.21	-13	Pass	2985
30	1000	0.1	RMS	857.211	-64.98	-13	Pass	9699
1000	1840	1	RMS	1840	-53.45	-13	Pass	840
1840	1920	1	RMS	1900.4	23.07	60	Pass	401
1920	3000	1	RMS	2950.955	-50.04	-13	Pass	1080
3000	12000	1	RMS	11998.999	-43.54	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.21	-13	Pass	8000




**8.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.45	-13	Pass	2985
30	1000	0.1	RMS	842.999	-65.13	-13	Pass	9699
1000	1840	1	RMS	1840	-53.48	-13	Pass	840
1840	1920	1	RMS	1900.6	22.15	60	Pass	401
1920	3000	1	RMS	2947.952	-49.97	-13	Pass	1080
3000	12000	1	RMS	12000	-43.55	-13	Pass	9000
12000	20000	1	RMS	19680.96	-35.3	-13	Pass	8000




**8.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.79	-13	Pass	2985
30	1000	0.1	RMS	835.398	-65.01	-13	Pass	9699
1000	1840	1	RMS	1840	-51.76	-13	Pass	840
1840	1920	1	RMS	1850.8	23.2	60	Pass	401
1920	3000	1	RMS	2949.954	-49.98	-13	Pass	1080
3000	12000	1	RMS	11994.994	-43.52	-13	Pass	9000
12000	20000	1	RMS	19686.961	-35.27	-13	Pass	8000




**8.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.8	-13	Pass	2985
30	1000	0.1	RMS	857.811	-65.05	-13	Pass	9699
1000	1840	1	RMS	1840	-52.02	-13	Pass	840
1840	1920	1	RMS	1850.8	22.62	60	Pass	401
1920	3000	1	RMS	2947.952	-50	-13	Pass	1080
3000	12000	1	RMS	11998.999	-43.6	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.24	-13	Pass	8000




**8.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.48	-13	Pass	2985
30	1000	0.1	RMS	854.707	-65.12	-13	Pass	9699
1000	1840	1	RMS	1837.998	-53.44	-13	Pass	840
1840	1920	1	RMS	1873.2	23.07	60	Pass	401
1920	3000	1	RMS	2949.954	-49.99	-13	Pass	1080
3000	12000	1	RMS	12000	-43.57	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.22	-13	Pass	8000




**8.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.74	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.71	-13	Pass	2985
30	1000	0.1	RMS	855.108	-65.07	-13	Pass	9699
1000	1840	1	RMS	1837.998	-53.44	-13	Pass	840
1840	1920	1	RMS	1873.2	22.3	60	Pass	401
1920	3000	1	RMS	2946.951	-49.99	-13	Pass	1080
3000	12000	1	RMS	11998.999	-43.62	-13	Pass	9000
12000	20000	1	RMS	19687.961	-35.27	-13	Pass	8000




**8.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.15	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.22	-13	Pass	2985
30	1000	0.1	RMS	833.798	-65.13	-13	Pass	9699
1000	1840	1	RMS	1840	-53.42	-13	Pass	840
1840	1920	1	RMS	1895.8	23	60	Pass	401
1920	3000	1	RMS	2950.955	-49.99	-13	Pass	1080
3000	12000	1	RMS	11995.995	-43.54	-13	Pass	9000
12000	20000	1	RMS	19682.96	-35.25	-13	Pass	8000




**8.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.46	-13	Pass	2985
30	1000	0.1	RMS	844.899	-64.92	-13	Pass	9699
1000	1840	1	RMS	1840	-53.43	-13	Pass	840
1840	1920	1	RMS	1895.8	22.21	60	Pass	401
1920	3000	1	RMS	2949.954	-49.94	-13	Pass	1080
3000	12000	1	RMS	11997.998	-43.66	-13	Pass	9000
12000	20000	1	RMS	19683.96	-35.16	-13	Pass	8000




**8.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31,
Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.6	-13	Pass	2985
30	1000	0.1	RMS	826.497	-65.15	-13	Pass	9699
1000	1840	1	RMS	1840	-50.19	-13	Pass	840
1840	1920	1	RMS	1851	23.24	60	Pass	401
1920	3000	1	RMS	2943.948	-50	-13	Pass	1080
3000	12000	1	RMS	11998.999	-43.56	-13	Pass	9000
12000	20000	1	RMS	19681.96	-35.25	-13	Pass	8000




**8.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.16	-13	Pass	2985
30	1000	0.1	RMS	833.698	-64.96	-13	Pass	9699
1000	1840	1	RMS	1840	-51.48	-13	Pass	840
1840	1920	1	RMS	1851	22.52	60	Pass	401
1920	3000	1	RMS	2945.95	-49.99	-13	Pass	1080
3000	12000	1	RMS	11998.999	-43.48	-13	Pass	9000
12000	20000	1	RMS	19680.96	-35.29	-13	Pass	8000




**8.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,
Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-75.1	-13	Pass	401
0.15	30	0.01	RMS	0.27	-73.02	-13	Pass	2985
30	1000	0.1	RMS	840.699	-65.16	-13	Pass	9699
1000	1840	1	RMS	1840	-53.36	-13	Pass	840
1840	1920	1	RMS	1871	23.18	60	Pass	401
1920	3000	1	RMS	2944.949	-49.96	-13	Pass	1080
3000	12000	1	RMS	11998.999	-43.61	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.24	-13	Pass	8000




**8.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.5	-13	Pass	401
0.15	30	0.01	RMS	0.17	-73.1	-13	Pass	2985
30	1000	0.1	RMS	851.002	-65.06	-13	Pass	9699
1000	1840	1	RMS	1840	-53.38	-13	Pass	840
1840	1920	1	RMS	1871	22.51	60	Pass	401
1920	3000	1	RMS	2950.955	-49.96	-13	Pass	1080
3000	12000	1	RMS	11993.993	-43.54	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.2	-13	Pass	8000




**8.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.41	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.99	-13	Pass	2985
30	1000	0.1	RMS	859.814	-65.05	-13	Pass	9699
1000	1840	1	RMS	1840	-53.43	-13	Pass	840
1840	1920	1	RMS	1891	23.04	60	Pass	401
1920	3000	1	RMS	2947.952	-49.93	-13	Pass	1080
3000	12000	1	RMS	11998.999	-43.61	-13	Pass	9000
12000	20000	1	RMS	19684.961	-35.23	-13	Pass	8000



**8.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.88	-13	Pass	2985
30	1000	0.1	RMS	858.112	-65	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.51	-13	Pass	840
1840	1920	1	RMS	1891	22.1	60	Pass	401
1920	3000	1	RMS	2941.946	-50	-13	Pass	1080
3000	12000	1	RMS	11997.998	-43.63	-13	Pass	9000
12000	20000	1	RMS	19681.96	-35.31	-13	Pass	8000



9. LTE_Band4


9.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-74.3	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.45	-13	Pass	2985
30	1000	0.1	RMS	844.599	-65.06	-13	Pass	9699
1000	1700	1	RMS	1700	-51.99	-13	Pass	700
1700	1765	1	RMS	1710.075	23.57	60	Pass	401
1765	3000	1	RMS	2946.957	-49.91	-13	Pass	1235
3000	12000	1	RMS	12000	-43.54	-13	Pass	9000
12000	20000	1	RMS	19683.96	-35.23	-13	Pass	8000




**9.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.33	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.56	-13	Pass	2985
30	1000	0.1	RMS	840.099	-65.13	-13	Pass	9699
1000	1700	1	RMS	1700	-52.38	-13	Pass	700
1700	1765	1	RMS	1710.075	22.67	60	Pass	401
1765	3000	1	RMS	2948.959	-50.03	-13	Pass	1235
3000	12000	1	RMS	12000	-43.61	-13	Pass	9000
12000	20000	1	RMS	19677.96	-35.32	-13	Pass	8000




9.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.89	-13	Pass	2985
30	1000	0.1	RMS	852.504	-65.03	-13	Pass	9699
1000	1700	1	RMS	1693.991	-53.79	-13	Pass	700
1700	1765	1	RMS	1732.013	23.55	60	Pass	401
1765	3000	1	RMS	2944.955	-49.95	-13	Pass	1235
3000	12000	1	RMS	11993.993	-43.63	-13	Pass	9000
12000	20000	1	RMS	19676.96	-35.25	-13	Pass	8000




**9.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.88	-13	Pass	2985
30	1000	0.1	RMS	834.598	-64.92	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.85	-13	Pass	700
1700	1765	1	RMS	1732.013	22.62	60	Pass	401
1765	3000	1	RMS	2947.958	-49.93	-13	Pass	1235
3000	12000	1	RMS	11996.996	-43.61	-13	Pass	9000
12000	20000	1	RMS	19678.96	-35.25	-13	Pass	8000




**9.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.05	-13	Pass	2985
30	1000	0.1	RMS	864.32	-65.11	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.87	-13	Pass	700
1700	1765	1	RMS	1753.788	23.53	60	Pass	401
1765	3000	1	RMS	2946.957	-50.01	-13	Pass	1235
3000	12000	1	RMS	11988.986	-43.56	-13	Pass	9000
12000	20000	1	RMS	19674.959	-35.35	-13	Pass	8000




**9.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.9	-13	Pass	401
0.15	30	0.01	RMS	0.27	-72.62	-13	Pass	2985
30	1000	0.1	RMS	846.6	-65.2	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.85	-13	Pass	700
1700	1765	1	RMS	1753.788	22.89	60	Pass	401
1765	3000	1	RMS	2949.959	-49.96	-13	Pass	1235
3000	12000	1	RMS	12000	-43.46	-13	Pass	9000
12000	20000	1	RMS	19683.96	-35.27	-13	Pass	8000




**9.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.86	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.98	-13	Pass	2985
30	1000	0.1	RMS	854.207	-64.93	-13	Pass	9699
1000	1700	1	RMS	1700	-51.98	-13	Pass	700
1700	1765	1	RMS	1710.238	23.7	60	Pass	401
1765	3000	1	RMS	2945.956	-50.08	-13	Pass	1235
3000	12000	1	RMS	11998.999	-43.55	-13	Pass	9000
12000	20000	1	RMS	19683.96	-35.29	-13	Pass	8000




**9.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.91	-13	Pass	2985
30	1000	0.1	RMS	852.304	-65.09	-13	Pass	9699
1000	1700	1	RMS	1700	-52.28	-13	Pass	700
1700	1765	1	RMS	1710.075	22.9	60	Pass	401
1765	3000	1	RMS	2948.959	-49.99	-13	Pass	1235
3000	12000	1	RMS	11992.991	-43.59	-13	Pass	9000
12000	20000	1	RMS	19678.96	-35.23	-13	Pass	8000




**9.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.95	-13	Pass	2985
30	1000	0.1	RMS	840.899	-65.14	-13	Pass	9699
1000	1700	1	RMS	1692.99	-53.78	-13	Pass	700
1700	1765	1	RMS	1731.2	23.66	60	Pass	401
1765	3000	1	RMS	2951.961	-50	-13	Pass	1235
3000	12000	1	RMS	11994.994	-43.62	-13	Pass	9000
12000	20000	1	RMS	19678.96	-35.2	-13	Pass	8000




**9.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.43	-13	Pass	2985
30	1000	0.1	RMS	841.099	-65.08	-13	Pass	9699
1000	1700	1	RMS	1694.993	-53.86	-13	Pass	700
1700	1765	1	RMS	1731.2	22.65	60	Pass	401
1765	3000	1	RMS	2949.959	-50.04	-13	Pass	1235
3000	12000	1	RMS	11997.998	-43.59	-13	Pass	9000
12000	20000	1	RMS	19683.96	-35.24	-13	Pass	8000




**9.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.77	-13	Pass	2985
30	1000	0.1	RMS	834.498	-65.08	-13	Pass	9699
1000	1700	1	RMS	1695.994	-53.87	-13	Pass	700
1700	1765	1	RMS	1752.163	23.69	60	Pass	401
1765	3000	1	RMS	2949.959	-50	-13	Pass	1235
3000	12000	1	RMS	12000	-43.52	-13	Pass	9000
12000	20000	1	RMS	19677.96	-35.27	-13	Pass	8000




**9.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-74.27	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.99	-13	Pass	2985
30	1000	0.1	RMS	827.997	-64.84	-13	Pass	9699
1000	1700	1	RMS	1694.993	-53.87	-13	Pass	700
1700	1765	1	RMS	1752.163	22.93	60	Pass	401
1765	3000	1	RMS	2951.961	-49.97	-13	Pass	1235
3000	12000	1	RMS	11998.999	-43.6	-13	Pass	9000
12000	20000	1	RMS	19687.961	-35.29	-13	Pass	8000




**9.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.66	-13	Pass	2985
30	1000	0.1	RMS	838.499	-64.92	-13	Pass	9699
1000	1700	1	RMS	1700	-51.76	-13	Pass	700
1700	1765	1	RMS	1710.238	23.69	60	Pass	401
1765	3000	1	RMS	2948.959	-49.99	-13	Pass	1235
3000	12000	1	RMS	12000	-43.56	-13	Pass	9000
12000	20000	1	RMS	19675.959	-35.31	-13	Pass	8000




**9.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.05	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.41	-13	Pass	2985
30	1000	0.1	RMS	843.299	-65.07	-13	Pass	9699
1000	1700	1	RMS	1700	-52.03	-13	Pass	700
1700	1765	1	RMS	1710.238	22.95	60	Pass	401
1765	3000	1	RMS	2945.956	-49.99	-13	Pass	1235
3000	12000	1	RMS	12000	-43.57	-13	Pass	9000
12000	20000	1	RMS	19678.96	-35.29	-13	Pass	8000




**9.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.46	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.24	-13	Pass	2985
30	1000	0.1	RMS	845.6	-65.1	-13	Pass	9699
1000	1700	1	RMS	1691.989	-53.79	-13	Pass	700
1700	1765	1	RMS	1730.225	23.62	60	Pass	401
1765	3000	1	RMS	2945.956	-49.99	-13	Pass	1235
3000	12000	1	RMS	11998.999	-43.55	-13	Pass	9000
12000	20000	1	RMS	19681.96	-35.27	-13	Pass	8000




**9.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-74.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.25	-13	Pass	2985
30	1000	0.1	RMS	853.506	-65.07	-13	Pass	9699
1000	1700	1	RMS	1700	-53.82	-13	Pass	700
1700	1765	1	RMS	1730.225	23.03	60	Pass	401
1765	3000	1	RMS	2950.96	-49.99	-13	Pass	1235
3000	12000	1	RMS	12000	-43.5	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.32	-13	Pass	8000




**9.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.6	-13	Pass	2985
30	1000	0.1	RMS	851.103	-65.06	-13	Pass	9699
1000	1700	1	RMS	1695.994	-53.9	-13	Pass	700
1700	1765	1	RMS	1750.213	23.69	60	Pass	401
1765	3000	1	RMS	2949.959	-49.95	-13	Pass	1235
3000	12000	1	RMS	11995.995	-43.56	-13	Pass	9000
12000	20000	1	RMS	19681.96	-35.23	-13	Pass	8000




**9.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.81	-13	Pass	2985
30	1000	0.1	RMS	849.901	-65.17	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.83	-13	Pass	700
1700	1765	1	RMS	1750.213	23.03	60	Pass	401
1765	3000	1	RMS	2945.956	-50.03	-13	Pass	1235
3000	12000	1	RMS	11998.999	-43.53	-13	Pass	9000
12000	20000	1	RMS	19680.96	-35.19	-13	Pass	8000




9.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.3	-13	Pass	2985
30	1000	0.1	RMS	830.198	-65.08	-13	Pass	9699
1000	1700	1	RMS	1700	-51.59	-13	Pass	700
1700	1765	1	RMS	1710.563	23.66	60	Pass	401
1765	3000	1	RMS	2946.957	-50.03	-13	Pass	1235
3000	12000	1	RMS	11998.999	-43.5	-13	Pass	9000
12000	20000	1	RMS	19682.96	-35.29	-13	Pass	8000




**9.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.26	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.65	-13	Pass	2985
30	1000	0.1	RMS	846.8	-64.98	-13	Pass	9699
1000	1700	1	RMS	1700	-51.97	-13	Pass	700
1700	1765	1	RMS	1710.563	22.97	60	Pass	401
1765	3000	1	RMS	2944.955	-49.98	-13	Pass	1235
3000	12000	1	RMS	11995.995	-43.61	-13	Pass	9000
12000	20000	1	RMS	19680.96	-35.27	-13	Pass	8000




**9.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.84	-13	Pass	2985
30	1000	0.1	RMS	834.498	-64.9	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.86	-13	Pass	700
1700	1765	1	RMS	1727.95	23.59	60	Pass	401
1765	3000	1	RMS	2944.955	-50.05	-13	Pass	1235
3000	12000	1	RMS	12000	-43.53	-13	Pass	9000
12000	20000	1	RMS	19678.96	-35.22	-13	Pass	8000




**9.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.79	-13	Pass	2985
30	1000	0.1	RMS	851.803	-65.1	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.81	-13	Pass	700
1700	1765	1	RMS	1728.113	22.77	60	Pass	401
1765	3000	1	RMS	2950.96	-49.93	-13	Pass	1235
3000	12000	1	RMS	12000	-43.55	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.25	-13	Pass	8000




**9.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.56	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.98	-13	Pass	2985
30	1000	0.1	RMS	842.899	-65.01	-13	Pass	9699
1000	1700	1	RMS	1690.987	-53.84	-13	Pass	700
1700	1765	1	RMS	1745.5	23.65	60	Pass	401
1765	3000	1	RMS	2944.955	-50	-13	Pass	1235
3000	12000	1	RMS	11993.993	-43.55	-13	Pass	9000
12000	20000	1	RMS	19676.96	-35.22	-13	Pass	8000




**9.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.94	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.87	-13	Pass	2985
30	1000	0.1	RMS	827.797	-64.97	-13	Pass	9699
1000	1700	1	RMS	1694.993	-53.83	-13	Pass	700
1700	1765	1	RMS	1745.5	22.92	60	Pass	401
1765	3000	1	RMS	2946.957	-49.96	-13	Pass	1235
3000	12000	1	RMS	12000	-43.55	-13	Pass	9000
12000	20000	1	RMS	19680.96	-35.19	-13	Pass	8000




**9.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.49	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.41	-13	Pass	2985
30	1000	0.1	RMS	841.999	-65.11	-13	Pass	9699
1000	1700	1	RMS	1700	-51.75	-13	Pass	700
1700	1765	1	RMS	1710.725	23.58	60	Pass	401
1765	3000	1	RMS	2947.958	-49.98	-13	Pass	1235
3000	12000	1	RMS	11995.995	-43.57	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.24	-13	Pass	8000




**9.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-74.57	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.3	-13	Pass	2985
30	1000	0.1	RMS	832.898	-65.04	-13	Pass	9699
1000	1700	1	RMS	1700	-52.03	-13	Pass	700
1700	1765	1	RMS	1710.725	22.8	60	Pass	401
1765	3000	1	RMS	2947.958	-49.96	-13	Pass	1235
3000	12000	1	RMS	11998.999	-43.51	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.23	-13	Pass	8000




**9.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.22	-13	Pass	2985
30	1000	0.1	RMS	862.918	-64.92	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.82	-13	Pass	700
1700	1765	1	RMS	1725.838	23.48	60	Pass	401
1765	3000	1	RMS	2946.957	-50.03	-13	Pass	1235
3000	12000	1	RMS	12000	-43.47	-13	Pass	9000
12000	20000	1	RMS	19678.96	-35.34	-13	Pass	8000




**9.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.44	-13	Pass	2985
30	1000	0.1	RMS	843.299	-65.09	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.82	-13	Pass	700
1700	1765	1	RMS	1725.838	22.64	60	Pass	401
1765	3000	1	RMS	2945.956	-50.05	-13	Pass	1235
3000	12000	1	RMS	12000	-43.61	-13	Pass	9000
12000	20000	1	RMS	19684.961	-35.33	-13	Pass	8000




**9.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.53	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.6	-13	Pass	2985
30	1000	0.1	RMS	844.799	-65.04	-13	Pass	9699
1000	1700	1	RMS	1692.99	-53.83	-13	Pass	700
1700	1765	1	RMS	1740.788	23.54	60	Pass	401
1765	3000	1	RMS	2949.959	-50.01	-13	Pass	1235
3000	12000	1	RMS	11997.998	-43.63	-13	Pass	9000
12000	20000	1	RMS	19685.961	-35.3	-13	Pass	8000




**9.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.04	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.99	-13	Pass	2985
30	1000	0.1	RMS	848.6	-64.97	-13	Pass	9699
1000	1700	1	RMS	1694.993	-53.86	-13	Pass	700
1700	1765	1	RMS	1740.788	22.8	60	Pass	401
1765	3000	1	RMS	2951.961	-50.07	-13	Pass	1235
3000	12000	1	RMS	11997.998	-43.61	-13	Pass	9000
12000	20000	1	RMS	19678.96	-35.22	-13	Pass	8000




9.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.67	-13	Pass	2985
30	1000	0.1	RMS	852.304	-64.96	-13	Pass	9699
1000	1700	1	RMS	1700	-50.3	-13	Pass	700
1700	1765	1	RMS	1711.05	23.66	60	Pass	401
1765	3000	1	RMS	2950.96	-50.01	-13	Pass	1235
3000	12000	1	RMS	11995.995	-43.59	-13	Pass	9000
12000	20000	1	RMS	19678.96	-35.25	-13	Pass	8000




**9.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.94	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.23	-13	Pass	2985
30	1000	0.1	RMS	839.199	-65.09	-13	Pass	9699
1000	1700	1	RMS	1700	-51.23	-13	Pass	700
1700	1765	1	RMS	1711.05	22.94	60	Pass	401
1765	3000	1	RMS	2946.957	-50.06	-13	Pass	1235
3000	12000	1	RMS	12000	-43.59	-13	Pass	9000
12000	20000	1	RMS	19675.959	-35.3	-13	Pass	8000




**9.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,
Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.92	-13	Pass	2985
30	1000	0.1	RMS	850.502	-65.07	-13	Pass	9699
1000	1700	1	RMS	1700	-53.76	-13	Pass	700
1700	1765	1	RMS	1723.563	23.47	60	Pass	401
1765	3000	1	RMS	2944.955	-50.01	-13	Pass	1235
3000	12000	1	RMS	11998.999	-43.53	-13	Pass	9000
12000	20000	1	RMS	19680.96	-35.31	-13	Pass	8000




**9.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.95	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.47	-13	Pass	2985
30	1000	0.1	RMS	878.639	-65.12	-13	Pass	9699
1000	1700	1	RMS	1695.994	-53.81	-13	Pass	700
1700	1765	1	RMS	1723.563	22.56	60	Pass	401
1765	3000	1	RMS	2947.958	-50.06	-13	Pass	1235
3000	12000	1	RMS	11998.999	-43.59	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.27	-13	Pass	8000




**9.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.79	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.85	-13	Pass	2985
30	1000	0.1	RMS	853.506	-65.09	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.81	-13	Pass	700
1700	1765	1	RMS	1735.913	23.5	60	Pass	401
1765	3000	1	RMS	2950.96	-49.99	-13	Pass	1235
3000	12000	1	RMS	11996.996	-43.57	-13	Pass	9000
12000	20000	1	RMS	19678.96	-35.21	-13	Pass	8000



**9.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.93	-13	Pass	401
0.15	30	0.01	RMS	0.16	-73.07	-13	Pass	2985
30	1000	0.1	RMS	852.705	-64.99	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.85	-13	Pass	700
1700	1765	1	RMS	1736.075	22.63	60	Pass	401
1765	3000	1	RMS	2946.957	-49.99	-13	Pass	1235
3000	12000	1	RMS	12000	-43.55	-13	Pass	9000
12000	20000	1	RMS	19677.96	-35.26	-13	Pass	8000



10. LTE_Band5


10.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.67	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.97	-13	Pass	2985
30	814	0.1	RMS	813.6	-62.92	-13	Pass	7840
814	860	0.1	RMS	824.222	20.32	60	Pass	460
860	1000	0.1	RMS	909.936	-65.05	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.84	-13	Pass	2000
3000	10000	1	RMS	7210.602	-44.26	-13	Pass	7000




**10.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.79	-13	Pass	401
0.15	30	0.01	RMS	0.19	-73.02	-13	Pass	2985
30	814	0.1	RMS	813.5	-63.26	-13	Pass	7840
814	860	0.1	RMS	824.222	19.88	60	Pass	460
860	1000	0.1	RMS	970.779	-65.28	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.86	-13	Pass	2000
3000	10000	1	RMS	6961.566	-44.25	-13	Pass	7000




10.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.33	-13	Pass	401
0.15	30	0.01	RMS	0.16	-73.13	-13	Pass	2985
30	814	0.1	RMS	813.4	-64.85	-13	Pass	7840
814	860	0.1	RMS	836.048	20.41	60	Pass	460
860	1000	0.1	RMS	867.605	-65.31	-13	Pass	1400
1000	3000	1	RMS	1671.336	-48.61	-13	Pass	2000
3000	10000	1	RMS	6957.565	-44.27	-13	Pass	7000




**10.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.61	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.78	-13	Pass	2985
30	814	0.1	RMS	810.2	-64.93	-13	Pass	7840
814	860	0.1	RMS	836.048	19.91	60	Pass	460
860	1000	0.1	RMS	948.163	-65.23	-13	Pass	1400
1000	3000	1	RMS	1671.336	-48.73	-13	Pass	2000
3000	10000	1	RMS	6963.566	-44.28	-13	Pass	7000




10.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.37	-13	Pass	2985
30	814	0.1	RMS	812.6	-64.94	-13	Pass	7840
814	860	0.1	RMS	847.874	20.36	60	Pass	460
860	1000	0.1	RMS	863.503	-65.25	-13	Pass	1400
1000	3000	1	RMS	1695.348	-47.86	-13	Pass	2000
3000	10000	1	RMS	6965.567	-44.33	-13	Pass	7000




**10.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.27	-13	Pass	2985
30	814	0.1	RMS	813.6	-64.99	-13	Pass	7840
814	860	0.1	RMS	847.874	19.87	60	Pass	460
860	1000	0.1	RMS	864.503	-65.17	-13	Pass	1400
1000	3000	1	RMS	1695.348	-47.91	-13	Pass	2000
3000	10000	1	RMS	6959.566	-44.22	-13	Pass	7000




**10.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.56	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.65	-13	Pass	2985
30	814	0.1	RMS	813.5	-62.91	-13	Pass	7840
814	860	0.1	RMS	824.222	20.51	60	Pass	460
860	1000	0.1	RMS	873.81	-65.25	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.64	-13	Pass	2000
3000	10000	1	RMS	6959.566	-44.27	-13	Pass	7000




**10.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.05	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.14	-13	Pass	2985
30	814	0.1	RMS	813.5	-62.67	-13	Pass	7840
814	860	0.1	RMS	824.222	20.06	60	Pass	460
860	1000	0.1	RMS	903.131	-63.92	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.73	-13	Pass	2000
3000	10000	1	RMS	6963.566	-44.29	-13	Pass	7000




**10.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.51	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.97	-13	Pass	2985
30	814	0.1	RMS	813.2	-64.98	-13	Pass	7840
814	860	0.1	RMS	835.246	20.64	60	Pass	460
860	1000	0.1	RMS	864.703	-65.24	-13	Pass	1400
1000	3000	1	RMS	1670.335	-48.5	-13	Pass	2000
3000	10000	1	RMS	6963.566	-44.28	-13	Pass	7000




**10.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.96	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.46	-13	Pass	2985
30	814	0.1	RMS	813.4	-64.92	-13	Pass	7840
814	860	0.1	RMS	835.246	20.1	60	Pass	460
860	1000	0.1	RMS	881.415	-65.15	-13	Pass	1400
1000	3000	1	RMS	1670.335	-48.98	-13	Pass	2000
3000	10000	1	RMS	6962.566	-44.27	-13	Pass	7000




**10.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.01	-13	Pass	401
0.15	30	0.01	RMS	0.16	-73.18	-13	Pass	2985
30	814	0.1	RMS	811.6	-64.97	-13	Pass	7840
814	860	0.1	RMS	846.27	20.16	60	Pass	460
860	1000	0.1	RMS	865.404	-65.22	-13	Pass	1400
1000	3000	1	RMS	1692.346	-48.04	-13	Pass	2000
3000	10000	1	RMS	6961.566	-44.23	-13	Pass	7000




**10.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.98	-13	Pass	401
0.15	30	0.01	RMS	0.16	-73.15	-13	Pass	2985
30	814	0.1	RMS	813.9	-65.1	-13	Pass	7840
814	860	0.1	RMS	846.27	19.97	60	Pass	460
860	1000	0.1	RMS	864.603	-65.14	-13	Pass	1400
1000	3000	1	RMS	1692.346	-48.31	-13	Pass	2000
3000	10000	1	RMS	6962.566	-44.28	-13	Pass	7000




**10.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.98	-13	Pass	2985
30	814	0.1	RMS	813.7	-63.01	-13	Pass	7840
814	860	0.1	RMS	824.322	20.45	60	Pass	460
860	1000	0.1	RMS	877.713	-65.27	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.01	-13	Pass	2000
3000	10000	1	RMS	6965.567	-44.19	-13	Pass	7000




**10.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.57	-13	Pass	401
0.15	30	0.01	RMS	0.17	-73.04	-13	Pass	2985
30	814	0.1	RMS	813.7	-63.22	-13	Pass	7840
814	860	0.1	RMS	824.322	19.99	60	Pass	460
860	1000	0.1	RMS	860.1	-65.22	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.27	-13	Pass	2000
3000	10000	1	RMS	6961.566	-44.25	-13	Pass	7000




**10.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.91	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.03	-13	Pass	2985
30	814	0.1	RMS	813.9	-64.95	-13	Pass	7840
814	860	0.1	RMS	834.344	20.43	60	Pass	460
860	1000	0.1	RMS	866.905	-65.27	-13	Pass	1400
1000	3000	1	RMS	1668.334	-48.06	-13	Pass	2000
3000	10000	1	RMS	6960.566	-44.25	-13	Pass	7000




**10.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.47	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.93	-13	Pass	2985
30	814	0.1	RMS	813	-64.88	-13	Pass	7840
814	860	0.1	RMS	834.344	20.22	60	Pass	460
860	1000	0.1	RMS	881.816	-65.28	-13	Pass	1400
1000	3000	1	RMS	1668.334	-48.37	-13	Pass	2000
3000	10000	1	RMS	7203.601	-44.27	-13	Pass	7000




**10.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.12	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.69	-13	Pass	2985
30	814	0.1	RMS	812.3	-65.11	-13	Pass	7840
814	860	0.1	RMS	844.366	20.19	60	Pass	460
860	1000	0.1	RMS	982.087	-65.2	-13	Pass	1400
1000	3000	1	RMS	1688.344	-47.78	-13	Pass	2000
3000	10000	1	RMS	6957.565	-44.25	-13	Pass	7000




**10.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.56	-13	Pass	2985
30	814	0.1	RMS	811.4	-65.16	-13	Pass	7840
814	860	0.1	RMS	844.366	19.88	60	Pass	460
860	1000	0.1	RMS	869.006	-65.15	-13	Pass	1400
1000	3000	1	RMS	1688.344	-47.83	-13	Pass	2000
3000	10000	1	RMS	6962.566	-44.3	-13	Pass	7000




10.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.78	-13	Pass	401
0.15	30	0.01	RMS	0.21	-73.13	-13	Pass	2985
30	814	0.1	RMS	813.9	-62.39	-13	Pass	7840
814	860	0.1	RMS	824.623	20.11	60	Pass	460
860	1000	0.1	RMS	873.91	-65.27	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.93	-13	Pass	2000
3000	10000	1	RMS	6963.566	-44.19	-13	Pass	7000




**10.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.79	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.77	-13	Pass	2985
30	814	0.1	RMS	813.9	-62.72	-13	Pass	7840
814	860	0.1	RMS	824.623	19.84	60	Pass	460
860	1000	0.1	RMS	972.28	-65.22	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.53	-13	Pass	2000
3000	10000	1	RMS	7206.601	-44.28	-13	Pass	7000




10.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.7	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.47	-13	Pass	2985
30	814	0.1	RMS	811.5	-64.97	-13	Pass	7840
814	860	0.1	RMS	832.139	19.76	60	Pass	460
860	1000	0.1	RMS	878.813	-65.23	-13	Pass	1400
1000	3000	1	RMS	1663.332	-48.62	-13	Pass	2000
3000	10000	1	RMS	6962.566	-44.24	-13	Pass	7000




**10.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.78	-13	Pass	2985
30	814	0.1	RMS	813.4	-64.92	-13	Pass	7840
814	860	0.1	RMS	832.039	19.17	60	Pass	460
860	1000	0.1	RMS	870.808	-65.14	-13	Pass	1400
1000	3000	1	RMS	1663.332	-48.95	-13	Pass	2000
3000	10000	1	RMS	6958.566	-44.3	-13	Pass	7000




10.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-73.25	-13	Pass	2985
30	814	0.1	RMS	814	-64.97	-13	Pass	7840
814	860	0.1	RMS	839.556	20.03	60	Pass	460
860	1000	0.1	RMS	950.365	-65.24	-13	Pass	1400
1000	3000	1	RMS	1678.339	-48.48	-13	Pass	2000
3000	10000	1	RMS	7212.602	-44.3	-13	Pass	7000



**10.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.44	-13	Pass	2985
30	814	0.1	RMS	813.9	-65.05	-13	Pass	7840
814	860	0.1	RMS	839.556	19.84	60	Pass	460
860	1000	0.1	RMS	860.1	-65.22	-13	Pass	1400
1000	3000	1	RMS	1678.339	-48.56	-13	Pass	2000
3000	10000	1	RMS	6960.566	-44.2	-13	Pass	7000



11. LTE_Band7


11.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-75.6	-25	Pass	401
0.15	30	0.01	RMS	0.21	-72.66	-25	Pass	2985
30	1000	0.1	RMS	842.199	-65	-25	Pass	9699
1000	2480	1	RMS	2478.999	-52.03	-25	Pass	1480
2480	2590	1	RMS	2500.075	23.2	60	Pass	401
2590	3000	1	RMS	2950.88	-50.04	-25	Pass	410
3000	12000	1	RMS	11804.758	-54.05	-25	Pass	9000
12000	26000	1	RMS	25999	-39.58	-25	Pass	14000




**11.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.99	-25	Pass	401
0.15	30	0.01	RMS	0.24	-73.58	-25	Pass	2985
30	1000	0.1	RMS	840.699	-64.99	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51.99	-25	Pass	1480
2480	2590	1	RMS	2500.075	22.39	60	Pass	401
2590	3000	1	RMS	2949.878	-49.99	-25	Pass	410
3000	12000	1	RMS	11811.767	-54.05	-25	Pass	9000
12000	26000	1	RMS	25998	-39.45	-25	Pass	14000




**11.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.37	-25	Pass	401
0.15	30	0.01	RMS	0.15	-73.11	-25	Pass	2985
30	1000	0.1	RMS	572.166	-63.67	-25	Pass	9699
1000	2480	1	RMS	2480	-51.93	-25	Pass	1480
2480	2590	1	RMS	2532.8	23.3	60	Pass	401
2590	3000	1	RMS	2945.868	-50.02	-25	Pass	410
3000	12000	1	RMS	11790.741	-54.02	-25	Pass	9000
12000	26000	1	RMS	25994.999	-39.48	-25	Pass	14000




**11.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.01	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.79	-25	Pass	2985
30	1000	0.1	RMS	572.166	-63.87	-25	Pass	9699
1000	2480	1	RMS	2478.999	-52	-25	Pass	1480
2480	2590	1	RMS	2532.8	22.59	60	Pass	401
2590	3000	1	RMS	2944.866	-50.01	-25	Pass	410
3000	12000	1	RMS	11802.756	-54.07	-25	Pass	9000
12000	26000	1	RMS	25978.996	-39.53	-25	Pass	14000




**11.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.23	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.72	-25	Pass	2985
30	1000	0.1	RMS	604.67	-61.64	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51.97	-25	Pass	1480
2480	2590	1	RMS	2565.25	23.28	60	Pass	401
2590	3000	1	RMS	2947.873	-49.99	-25	Pass	410
3000	12000	1	RMS	11791.742	-53.97	-25	Pass	9000
12000	26000	1	RMS	26000	-39.56	-25	Pass	14000




**11.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.3	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.66	-25	Pass	2985
30	1000	0.1	RMS	604.67	-62.43	-25	Pass	9699
1000	2480	1	RMS	2476.998	-52.09	-25	Pass	1480
2480	2590	1	RMS	2565.25	22.57	60	Pass	401
2590	3000	1	RMS	2949.878	-50.04	-25	Pass	410
3000	12000	1	RMS	8250.641	-54.03	-25	Pass	9000
12000	26000	1	RMS	25996.999	-39.45	-25	Pass	14000




11.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.06	-25	Pass	401
0.15	30	0.01	RMS	0.15	-73.25	-25	Pass	2985
30	1000	0.1	RMS	840.099	-65.09	-25	Pass	9699
1000	2480	1	RMS	2480	-51.99	-25	Pass	1480
2480	2590	1	RMS	2500.35	23.3	60	Pass	401
2590	3000	1	RMS	2947.873	-49.99	-25	Pass	410
3000	12000	1	RMS	11793.745	-54.04	-25	Pass	9000
12000	26000	1	RMS	25968.995	-39.5	-25	Pass	14000




**11.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.59	-25	Pass	401
0.15	30	0.01	RMS	0.16	-73.23	-25	Pass	2985
30	1000	0.1	RMS	846.1	-64.91	-25	Pass	9699
1000	2480	1	RMS	2480	-52.01	-25	Pass	1480
2480	2590	1	RMS	2500.35	22.52	60	Pass	401
2590	3000	1	RMS	2944.866	-50.05	-25	Pass	410
3000	12000	1	RMS	11799.752	-54	-25	Pass	9000
12000	26000	1	RMS	25996.999	-39.44	-25	Pass	14000




**11.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.72	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.78	-25	Pass	2985
30	1000	0.1	RMS	569.866	-63.84	-25	Pass	9699
1000	2480	1	RMS	2425.963	-51.92	-25	Pass	1480
2480	2590	1	RMS	2530.325	23.31	60	Pass	401
2590	3000	1	RMS	2947.873	-50.06	-25	Pass	410
3000	12000	1	RMS	11801.755	-54.05	-25	Pass	9000
12000	26000	1	RMS	25988.998	-39.55	-25	Pass	14000




**11.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.05	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.88	-25	Pass	2985
30	1000	0.1	RMS	569.866	-64.52	-25	Pass	9699
1000	2480	1	RMS	2480	-51.99	-25	Pass	1480
2480	2590	1	RMS	2530.325	22.42	60	Pass	401
2590	3000	1	RMS	2945.868	-50.07	-25	Pass	410
3000	12000	1	RMS	8248.641	-53.99	-25	Pass	9000
12000	26000	1	RMS	25987.998	-39.45	-25	Pass	14000




11.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.99	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.75	-25	Pass	2985
30	1000	0.1	RMS	599.87	-60.54	-25	Pass	9699
1000	2480	1	RMS	2472.995	-52.05	-25	Pass	1480
2480	2590	1	RMS	2560.575	23.4	60	Pass	401
2590	3000	1	RMS	2951.883	-50.04	-25	Pass	410
3000	12000	1	RMS	11805.76	-53.93	-25	Pass	9000
12000	26000	1	RMS	25996.999	-39.55	-25	Pass	14000




**11.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.77	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.1	-25	Pass	2985
30	1000	0.1	RMS	599.87	-61.67	-25	Pass	9699
1000	2480	1	RMS	2477.999	-52	-25	Pass	1480
2480	2590	1	RMS	2560.575	22.5	60	Pass	401
2590	3000	1	RMS	2946.87	-50.03	-25	Pass	410
3000	12000	1	RMS	11820.778	-54.03	-25	Pass	9000
12000	26000	1	RMS	25999	-39.51	-25	Pass	14000




**11.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.59	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.12	-25	Pass	2985
30	1000	0.1	RMS	843.899	-64.99	-25	Pass	9699
1000	2480	1	RMS	2477.999	-52.05	-25	Pass	1480
2480	2590	1	RMS	2500.625	23.27	60	Pass	401
2590	3000	1	RMS	2943.863	-50.04	-25	Pass	410
3000	12000	1	RMS	11790.741	-54.09	-25	Pass	9000
12000	26000	1	RMS	25991.999	-39.53	-25	Pass	14000




**11.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.3	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.32	-25	Pass	2985
30	1000	0.1	RMS	857.411	-65.04	-25	Pass	9699
1000	2480	1	RMS	2477.999	-52.06	-25	Pass	1480
2480	2590	1	RMS	2500.625	22.58	60	Pass	401
2590	3000	1	RMS	2944.866	-50.04	-25	Pass	410
3000	12000	1	RMS	11794.746	-53.99	-25	Pass	9000
12000	26000	1	RMS	25992.999	-39.48	-25	Pass	14000




11.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.12	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.54	-25	Pass	2985
30	1000	0.1	RMS	567.666	-64.58	-25	Pass	9699
1000	2480	1	RMS	2477.999	-51.99	-25	Pass	1480
2480	2590	1	RMS	2528.125	23.28	60	Pass	401
2590	3000	1	RMS	2948.875	-50.07	-25	Pass	410
3000	12000	1	RMS	11815.772	-54.09	-25	Pass	9000
12000	26000	1	RMS	25984.997	-39.56	-25	Pass	14000




**11.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.33	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.64	-25	Pass	2985
30	1000	0.1	RMS	567.666	-64.66	-25	Pass	9699
1000	2480	1	RMS	2475.997	-52.04	-25	Pass	1480
2480	2590	1	RMS	2528.125	22.48	60	Pass	401
2590	3000	1	RMS	2951.883	-50.09	-25	Pass	410
3000	12000	1	RMS	11815.772	-54.02	-25	Pass	9000
12000	26000	1	RMS	25989.998	-39.45	-25	Pass	14000




**11.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.02	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.94	-25	Pass	2985
30	1000	0.1	RMS	595.169	-61.01	-25	Pass	9699
1000	2480	1	RMS	2477.999	-52.1	-25	Pass	1480
2480	2590	1	RMS	2555.625	23.48	60	Pass	401
2590	3000	1	RMS	2944.866	-50.05	-25	Pass	410
3000	12000	1	RMS	11794.746	-54.06	-25	Pass	9000
12000	26000	1	RMS	25992.999	-39.43	-25	Pass	14000




**11.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.55	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.48	-25	Pass	2985
30	1000	0.1	RMS	595.169	-61.09	-25	Pass	9699
1000	2480	1	RMS	2480	-51.99	-25	Pass	1480
2480	2590	1	RMS	2555.625	22.76	60	Pass	401
2590	3000	1	RMS	2949.878	-50.08	-25	Pass	410
3000	12000	1	RMS	11817.774	-54.03	-25	Pass	9000
12000	26000	1	RMS	25986.998	-39.58	-25	Pass	14000




11.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.84	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.16	-25	Pass	2985
30	1000	0.1	RMS	836.798	-65.17	-25	Pass	9699
1000	2480	1	RMS	2480	-52	-25	Pass	1480
2480	2590	1	RMS	2500.9	23.54	60	Pass	401
2590	3000	1	RMS	2946.87	-50.06	-25	Pass	410
3000	12000	1	RMS	11803.757	-54.07	-25	Pass	9000
12000	26000	1	RMS	26000	-39.49	-25	Pass	14000




**11.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.13	-25	Pass	401
0.15	30	0.01	RMS	0.17	-73.66	-25	Pass	2985
30	1000	0.1	RMS	832.698	-65.18	-25	Pass	9699
1000	2480	1	RMS	2478.999	-52.03	-25	Pass	1480
2480	2590	1	RMS	2500.9	22.55	60	Pass	401
2590	3000	1	RMS	2946.87	-50.05	-25	Pass	410
3000	12000	1	RMS	11802.756	-54.04	-25	Pass	9000
12000	26000	1	RMS	25995.999	-39.55	-25	Pass	14000




11.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.76	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.78	-25	Pass	2985
30	1000	0.1	RMS	845.6	-65.05	-25	Pass	9699
1000	2480	1	RMS	2478.999	-52.01	-25	Pass	1480
2480	2590	1	RMS	2525.925	23.35	60	Pass	401
2590	3000	1	RMS	2949.878	-50.09	-25	Pass	410
3000	12000	1	RMS	11800.753	-54.03	-25	Pass	9000
12000	26000	1	RMS	25993.999	-39.54	-25	Pass	14000




**11.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.01	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.66	-25	Pass	2985
30	1000	0.1	RMS	833.098	-65.09	-25	Pass	9699
1000	2480	1	RMS	2476.998	-52.03	-25	Pass	1480
2480	2590	1	RMS	2525.925	22.43	60	Pass	401
2590	3000	1	RMS	2946.87	-50.08	-25	Pass	410
3000	12000	1	RMS	11808.763	-54.09	-25	Pass	9000
12000	26000	1	RMS	25998	-39.45	-25	Pass	14000




11.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.21	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.41	-25	Pass	2985
30	1000	0.1	RMS	590.368	-60.79	-25	Pass	9699
1000	2480	1	RMS	2475.997	-52.05	-25	Pass	1480
2480	2590	1	RMS	2550.95	23.45	60	Pass	401
2590	3000	1	RMS	2950.88	-50.05	-25	Pass	410
3000	12000	1	RMS	11803.757	-54.12	-25	Pass	9000
12000	26000	1	RMS	25998	-39.52	-25	Pass	14000



**11.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-75.31	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.96	-25	Pass	2985
30	1000	0.1	RMS	590.368	-61.51	-25	Pass	9699
1000	2480	1	RMS	2478.999	-52.08	-25	Pass	1480
2480	2590	1	RMS	2550.95	22.55	60	Pass	401
2590	3000	1	RMS	2947.873	-50.06	-25	Pass	410
3000	12000	1	RMS	11786.736	-54.1	-25	Pass	9000
12000	26000	1	RMS	25993.999	-39.61	-25	Pass	14000



12. LTE_Band12


12.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.02	-13	Pass	691
0.15	30	0.01	RMS	0.15	-69.63	-13	Pass	2985
30	689	0.1	RMS	687.8	-61.55	-13	Pass	6590
689	726	0.1	RMS	699.242	20.5	60	Pass	691
726	1000	0.1	RMS	896.962	-60.32	-13	Pass	2740
1000	3000	1	RMS	1398.199	-46.04	-13	Pass	2000
3000	10000	1	RMS	6886.555	-38.34	-13	Pass	7000




**12.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.17	-13	Pass	691
0.15	30	0.01	RMS	0.16	-70	-13	Pass	2985
30	689	0.1	RMS	671.397	-61.54	-13	Pass	6590
689	726	0.1	RMS	699.242	19.66	60	Pass	691
726	1000	0.1	RMS	992.397	-60.34	-13	Pass	2740
1000	3000	1	RMS	2999	-46.29	-13	Pass	2000
3000	10000	1	RMS	6883.555	-38.37	-13	Pass	7000




12.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.41	-13	Pass	691
0.15	30	0.01	RMS	0.15	-70.94	-13	Pass	2985
30	689	0.1	RMS	674.398	-61.65	-13	Pass	6590
689	726	0.1	RMS	707.071	20.52	60	Pass	691
726	1000	0.1	RMS	998.199	-60.27	-13	Pass	2740
1000	3000	1	RMS	1414.207	-45.78	-13	Pass	2000
3000	10000	1	RMS	6889.556	-38.32	-13	Pass	7000




**12.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.11	-13	Pass	691
0.15	30	0.01	RMS	0.15	-70.65	-13	Pass	2985
30	689	0.1	RMS	687.2	-61.59	-13	Pass	6590
689	726	0.1	RMS	707.071	19.76	60	Pass	691
726	1000	0.1	RMS	870.253	-60.34	-13	Pass	2740
1000	3000	1	RMS	3000	-46.34	-13	Pass	2000
3000	10000	1	RMS	6996.571	-38.3	-13	Pass	7000




12.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.97	-13	Pass	691
0.15	30	0.01	RMS	0.15	-69.27	-13	Pass	2985
30	689	0.1	RMS	683.099	-61.64	-13	Pass	6590
689	726	0.1	RMS	714.846	20.42	60	Pass	691
726	1000	0.1	RMS	995.398	-60.34	-13	Pass	2740
1000	3000	1	RMS	1429.215	-45.62	-13	Pass	2000
3000	10000	1	RMS	6885.555	-38.36	-13	Pass	7000




**12.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.27	-13	Pass	691
0.15	30	0.01	RMS	0.15	-70.43	-13	Pass	2985
30	689	0.1	RMS	681.699	-61.66	-13	Pass	6590
689	726	0.1	RMS	714.846	19.62	60	Pass	691
726	1000	0.1	RMS	890.86	-60.33	-13	Pass	2740
1000	3000	1	RMS	3000	-46.3	-13	Pass	2000
3000	10000	1	RMS	6889.556	-38.38	-13	Pass	7000




**12.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.86	-13	Pass	691
0.15	30	0.01	RMS	0.15	-69.57	-13	Pass	2985
30	689	0.1	RMS	688.7	-61.54	-13	Pass	6590
689	726	0.1	RMS	699.242	20.47	60	Pass	691
726	1000	0.1	RMS	854.947	-60.26	-13	Pass	2740
1000	3000	1	RMS	1398.199	-45.9	-13	Pass	2000
3000	10000	1	RMS	6884.555	-38.3	-13	Pass	7000




**12.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.37	-13	Pass	691
0.15	30	0.01	RMS	0.15	-69.7	-13	Pass	2985
30	689	0.1	RMS	688.3	-61.6	-13	Pass	6590
689	726	0.1	RMS	699.242	20.09	60	Pass	691
726	1000	0.1	RMS	909.867	-60.38	-13	Pass	2740
1000	3000	1	RMS	3000	-46.32	-13	Pass	2000
3000	10000	1	RMS	6997.571	-38.36	-13	Pass	7000




**12.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.3	-13	Pass	691
0.15	30	0.01	RMS	0.15	-69.09	-13	Pass	2985
30	689	0.1	RMS	687.4	-61.62	-13	Pass	6590
689	726	0.1	RMS	706.267	20.49	60	Pass	691
726	1000	0.1	RMS	854.047	-60.13	-13	Pass	2740
1000	3000	1	RMS	1412.206	-44.6	-13	Pass	2000
3000	10000	1	RMS	6997.571	-38.24	-13	Pass	7000




**12.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:23095, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.04	-13	Pass	691
0.15	30	0.01	RMS	0.15	-70.2	-13	Pass	2985
30	689	0.1	RMS	685.399	-61.6	-13	Pass	6590
689	726	0.1	RMS	706.267	20.32	60	Pass	691
726	1000	0.1	RMS	863.65	-60.26	-13	Pass	2740
1000	3000	1	RMS	1412.206	-46.2	-13	Pass	2000
3000	10000	1	RMS	6997.571	-38.3	-13	Pass	7000




**12.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.96	-13	Pass	691
0.15	30	0.01	RMS	0.15	-70.28	-13	Pass	2985
30	689	0.1	RMS	686.9	-61.4	-13	Pass	6590
689	726	0.1	RMS	713.238	20.64	60	Pass	691
726	1000	0.1	RMS	853.246	-60.35	-13	Pass	2740
1000	3000	1	RMS	1426.213	-45.64	-13	Pass	2000
3000	10000	1	RMS	6997.571	-38.32	-13	Pass	7000




**12.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.19	-13	Pass	691
0.15	30	0.01	RMS	0.16	-71.29	-13	Pass	2985
30	689	0.1	RMS	687.2	-61.58	-13	Pass	6590
689	726	0.1	RMS	713.238	20.11	60	Pass	691
726	1000	0.1	RMS	896.162	-60.26	-13	Pass	2740
1000	3000	1	RMS	1426.213	-45.96	-13	Pass	2000
3000	10000	1	RMS	6983.569	-38.26	-13	Pass	7000




**12.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.17	-13	Pass	691
0.15	30	0.01	RMS	0.15	-69.44	-13	Pass	2985
30	689	0.1	RMS	675.398	-61.56	-13	Pass	6590
689	726	0.1	RMS	699.349	20.33	60	Pass	691
726	1000	0.1	RMS	905.966	-60.4	-13	Pass	2740
1000	3000	1	RMS	1398.199	-45.9	-13	Pass	2000
3000	10000	1	RMS	6999.571	-38.38	-13	Pass	7000




**12.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.11	-13	Pass	691
0.15	30	0.01	RMS	0.15	-71.45	-13	Pass	2985
30	689	0.1	RMS	670.697	-61.59	-13	Pass	6590
689	726	0.1	RMS	699.349	19.62	60	Pass	691
726	1000	0.1	RMS	895.762	-60.31	-13	Pass	2740
1000	3000	1	RMS	3000	-46.27	-13	Pass	2000
3000	10000	1	RMS	6997.571	-38.35	-13	Pass	7000




**12.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.77	-13	Pass	691
0.15	30	0.01	RMS	0.15	-69.61	-13	Pass	2985
30	689	0.1	RMS	684.299	-61.64	-13	Pass	6590
689	726	0.1	RMS	705.355	20.53	60	Pass	691
726	1000	0.1	RMS	983.994	-60.33	-13	Pass	2740
1000	3000	1	RMS	1410.205	-44.94	-13	Pass	2000
3000	10000	1	RMS	6998.571	-38.24	-13	Pass	7000




**12.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:23095, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.15	-13	Pass	691
0.15	30	0.01	RMS	0.15	-69.48	-13	Pass	2985
30	689	0.1	RMS	685.499	-61.65	-13	Pass	6590
689	726	0.1	RMS	705.355	19.95	60	Pass	691
726	1000	0.1	RMS	842.643	-60.32	-13	Pass	2740
1000	3000	1	RMS	2997.999	-46.34	-13	Pass	2000
3000	10000	1	RMS	6999.571	-38.3	-13	Pass	7000




**12.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.39	-13	Pass	691
0.15	30	0.01	RMS	0.16	-69.93	-13	Pass	2985
30	689	0.1	RMS	672.397	-61.59	-13	Pass	6590
689	726	0.1	RMS	711.361	20.36	60	Pass	691
726	1000	0.1	RMS	880.156	-60.21	-13	Pass	2740
1000	3000	1	RMS	1422.211	-45.59	-13	Pass	2000
3000	10000	1	RMS	6886.555	-38.34	-13	Pass	7000




**12.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.86	-13	Pass	691
0.15	30	0.01	RMS	0.16	-69.67	-13	Pass	2985
30	689	0.1	RMS	680.099	-61.62	-13	Pass	6590
689	726	0.1	RMS	711.361	19.53	60	Pass	691
726	1000	0.1	RMS	853.046	-60.33	-13	Pass	2740
1000	3000	1	RMS	3000	-46.27	-13	Pass	2000
3000	10000	1	RMS	6889.556	-38.37	-13	Pass	7000




**12.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.9	-13	Pass	691
0.15	30	0.01	RMS	0.15	-69.18	-13	Pass	2985
30	689	0.1	RMS	687.7	-61.58	-13	Pass	6590
689	726	0.1	RMS	699.564	20.5	60	Pass	691
726	1000	0.1	RMS	1000	-60.4	-13	Pass	2740
1000	3000	1	RMS	2997.999	-46.33	-13	Pass	2000
3000	10000	1	RMS	6883.555	-38.42	-13	Pass	7000




**12.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.31	-13	Pass	691
0.15	30	0.01	RMS	0.16	-70.35	-13	Pass	2985
30	689	0.1	RMS	688.6	-61.59	-13	Pass	6590
689	726	0.1	RMS	699.617	19.79	60	Pass	691
726	1000	0.1	RMS	921.571	-60.16	-13	Pass	2740
1000	3000	1	RMS	3000	-46.34	-13	Pass	2000
3000	10000	1	RMS	6999.571	-38.25	-13	Pass	7000




12.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.38	-13	Pass	691
0.15	30	0.01	RMS	0.15	-70.21	-13	Pass	2985
30	689	0.1	RMS	671.997	-61.54	-13	Pass	6590
689	726	0.1	RMS	703.103	20.35	60	Pass	691
726	1000	0.1	RMS	863.05	-60.25	-13	Pass	2740
1000	3000	1	RMS	1406.203	-45.84	-13	Pass	2000
3000	10000	1	RMS	6887.555	-38.41	-13	Pass	7000




**12.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.04	-13	Pass	691
0.15	30	0.01	RMS	0.15	-71.22	-13	Pass	2985
30	689	0.1	RMS	686.1	-61.4	-13	Pass	6590
689	726	0.1	RMS	703.103	19.73	60	Pass	691
726	1000	0.1	RMS	867.352	-60.27	-13	Pass	2740
1000	3000	1	RMS	3000	-46.31	-13	Pass	2000
3000	10000	1	RMS	6992.57	-38.27	-13	Pass	7000




12.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.91	-13	Pass	691
0.15	30	0.01	RMS	0.16	-69.68	-13	Pass	2985
30	689	0.1	RMS	686.5	-61.57	-13	Pass	6590
689	726	0.1	RMS	706.588	20.69	60	Pass	691
726	1000	0.1	RMS	881.657	-60.34	-13	Pass	2740
1000	3000	1	RMS	1413.207	-45.36	-13	Pass	2000
3000	10000	1	RMS	6996.571	-38.29	-13	Pass	7000



**12.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.21	-13	Pass	691
0.15	30	0.01	RMS	0.15	-70.24	-13	Pass	2985
30	689	0.1	RMS	671.697	-61.64	-13	Pass	6590
689	726	0.1	RMS	706.588	19.73	60	Pass	691
726	1000	0.1	RMS	844.443	-60.23	-13	Pass	2740
1000	3000	1	RMS	1413.207	-46.08	-13	Pass	2000
3000	10000	1	RMS	6997.571	-38.34	-13	Pass	7000



13. LTE_Band13


13.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.81	-13	Pass	691
0.15	30	0.01	RMS	0.15	-67.05	-13	Pass	2985
30	767	0.1	RMS	746.497	-61.13	-13	Pass	7370
767	797	0.1	RMS	777.348	20.71	60	Pass	691
797	1000	0.1	RMS	855.929	-60.26	-13	Pass	2030
1000	3000	1	RMS	1554.277	-44.55	-13	Pass	2000
3000	10000	1	RMS	6996.571	-38.4	-13	Pass	7000




**13.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.73	-13	Pass	691
0.15	30	0.01	RMS	0.15	-68.95	-13	Pass	2985
30	767	0.1	RMS	765.4	-61.32	-13	Pass	7370
767	797	0.1	RMS	777.348	20.26	60	Pass	691
797	1000	0.1	RMS	899.45	-60.47	-13	Pass	2030
1000	3000	1	RMS	1554.277	-45.19	-13	Pass	2000
3000	10000	1	RMS	6999.571	-38.34	-13	Pass	7000




**13.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:23230, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.26	-13	Pass	691
0.15	30	0.01	RMS	0.16	-67.32	-13	Pass	2985
30	767	0.1	RMS	760.999	-61.32	-13	Pass	7370
767	797	0.1	RMS	779.826	20.97	60	Pass	691
797	1000	0.1	RMS	856.229	-60.25	-13	Pass	2030
1000	3000	1	RMS	1559.28	-44.43	-13	Pass	2000
3000	10000	1	RMS	6885.555	-38.38	-13	Pass	7000




**13.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:23230, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.65	-13	Pass	691
0.15	30	0.01	RMS	0.15	-68.56	-13	Pass	2985
30	767	0.1	RMS	728.795	-61.32	-13	Pass	7370
767	797	0.1	RMS	779.826	19.94	60	Pass	691
797	1000	0.1	RMS	909.756	-60.44	-13	Pass	2030
1000	3000	1	RMS	1559.28	-44.94	-13	Pass	2000
3000	10000	1	RMS	6883.555	-38.36	-13	Pass	7000




**13.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.112	-69.83	-13	Pass	691
0.15	30	0.01	RMS	0.16	-68.42	-13	Pass	2985
30	767	0.1	RMS	765.8	-61.31	-13	Pass	7370
767	797	0.1	RMS	782.348	20.91	60	Pass	691
797	1000	0.1	RMS	905.854	-60.19	-13	Pass	2030
1000	3000	1	RMS	1564.282	-44.14	-13	Pass	2000
3000	10000	1	RMS	6889.556	-38.37	-13	Pass	7000




**13.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.25	-13	Pass	691
0.15	30	0.01	RMS	0.15	-68.44	-13	Pass	2985
30	767	0.1	RMS	765.4	-61.24	-13	Pass	7370
767	797	0.1	RMS	782.348	20.42	60	Pass	691
797	1000	0.1	RMS	841.822	-60.44	-13	Pass	2030
1000	3000	1	RMS	1564.282	-44.66	-13	Pass	2000
3000	10000	1	RMS	6887.555	-38.31	-13	Pass	7000




13.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.44	-13	Pass	691
0.15	30	0.01	RMS	0.15	-68.72	-13	Pass	2985
30	767	0.1	RMS	734.896	-61.36	-13	Pass	7370
767	797	0.1	RMS	777.565	20.73	60	Pass	691
797	1000	0.1	RMS	895.348	-60.35	-13	Pass	2030
1000	3000	1	RMS	1555.278	-45.08	-13	Pass	2000
3000	10000	1	RMS	6884.555	-38.33	-13	Pass	7000



**13.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70	-13	Pass	691
0.15	30	0.01	RMS	0.15	-66.77	-13	Pass	2985
30	767	0.1	RMS	733.195	-61.36	-13	Pass	7370
767	797	0.1	RMS	777.565	20.46	60	Pass	691
797	1000	0.1	RMS	888.345	-60.3	-13	Pass	2030
1000	3000	1	RMS	1555.278	-45.26	-13	Pass	2000
3000	10000	1	RMS	6994.571	-38.38	-13	Pass	7000



14. LTE_Band17


14.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.21	-13	Pass	691
0.15	30	0.01	RMS	0.15	-67.77	-13	Pass	2985
30	694	0.1	RMS	691.2	-59.31	-13	Pass	6640
694	726	0.1	RMS	704.342	20.56	60	Pass	691
726	1000	0.1	RMS	933.176	-60.2	-13	Pass	2740
1000	3000	1	RMS	1408.204	-45.25	-13	Pass	2000
3000	10000	1	RMS	6884.555	-38.39	-13	Pass	7000




**14.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.18	-13	Pass	691
0.15	30	0.01	RMS	0.15	-71.03	-13	Pass	2985
30	694	0.1	RMS	691.2	-59.3	-13	Pass	6640
694	726	0.1	RMS	704.342	19.52	60	Pass	691
726	1000	0.1	RMS	868.552	-60.34	-13	Pass	2740
1000	3000	1	RMS	1408.204	-46.15	-13	Pass	2000
3000	10000	1	RMS	6884.555	-38.29	-13	Pass	7000




**14.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.78	-13	Pass	691
0.15	30	0.01	RMS	0.15	-68.8	-13	Pass	2985
30	694	0.1	RMS	691.2	-59.35	-13	Pass	6640
694	726	0.1	RMS	707.82	20.44	60	Pass	691
726	1000	0.1	RMS	907.366	-60.26	-13	Pass	2740
1000	3000	1	RMS	1415.208	-44.65	-13	Pass	2000
3000	10000	1	RMS	6994.571	-38.33	-13	Pass	7000




**14.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:23790, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.14	-13	Pass	691
0.15	30	0.01	RMS	0.15	-70.23	-13	Pass	2985
30	694	0.1	RMS	691.2	-59.45	-13	Pass	6640
694	726	0.1	RMS	707.82	19.93	60	Pass	691
726	1000	0.1	RMS	931.375	-60.19	-13	Pass	2740
1000	3000	1	RMS	1415.208	-45.48	-13	Pass	2000
3000	10000	1	RMS	6884.555	-38.28	-13	Pass	7000




**14.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.47	-13	Pass	691
0.15	30	0.01	RMS	0.15	-69.27	-13	Pass	2985
30	694	0.1	RMS	691.2	-59.3	-13	Pass	6640
694	726	0.1	RMS	711.345	20.38	60	Pass	691
726	1000	0.1	RMS	872.854	-60.2	-13	Pass	2740
1000	3000	1	RMS	1422.211	-45.49	-13	Pass	2000
3000	10000	1	RMS	6888.556	-38.38	-13	Pass	7000




**14.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.82	-13	Pass	691
0.15	30	0.01	RMS	0.15	-69.08	-13	Pass	2985
30	694	0.1	RMS	691.2	-59.31	-13	Pass	6640
694	726	0.1	RMS	711.345	20.26	60	Pass	691
726	1000	0.1	RMS	900.364	-60.34	-13	Pass	2740
1000	3000	1	RMS	1422.211	-45.98	-13	Pass	2000
3000	10000	1	RMS	6988.57	-38.42	-13	Pass	7000




14.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.91	-13	Pass	691
0.15	30	0.01	RMS	0.15	-69.25	-13	Pass	2985
30	694	0.1	RMS	691.2	-59.46	-13	Pass	6640
694	726	0.1	RMS	704.574	20.78	60	Pass	691
726	1000	0.1	RMS	865.551	-60.21	-13	Pass	2740
1000	3000	1	RMS	1409.205	-45.56	-13	Pass	2000
3000	10000	1	RMS	6884.555	-38.36	-13	Pass	7000




**14.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.34	-13	Pass	691
0.15	30	0.01	RMS	0.15	-69.3	-13	Pass	2985
30	694	0.1	RMS	691.2	-59.34	-13	Pass	6640
694	726	0.1	RMS	704.574	19.95	60	Pass	691
726	1000	0.1	RMS	918.77	-59.98	-13	Pass	2740
1000	3000	1	RMS	1409.205	-46.11	-13	Pass	2000
3000	10000	1	RMS	6999.571	-38.35	-13	Pass	7000




14.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.43	-13	Pass	691
0.15	30	0.01	RMS	0.15	-69.6	-13	Pass	2985
30	694	0.1	RMS	691.2	-59.25	-13	Pass	6640
694	726	0.1	RMS	705.594	20.46	60	Pass	691
726	1000	0.1	RMS	919.971	-60.16	-13	Pass	2740
1000	3000	1	RMS	1411.206	-45.39	-13	Pass	2000
3000	10000	1	RMS	6998.571	-38.26	-13	Pass	7000




**14.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.09	-13	Pass	691
0.15	30	0.01	RMS	0.16	-70.71	-13	Pass	2985
30	694	0.1	RMS	691.2	-59.47	-13	Pass	6640
694	726	0.1	RMS	705.594	19.83	60	Pass	691
726	1000	0.1	RMS	939.778	-60.19	-13	Pass	2740
1000	3000	1	RMS	1411.206	-45.8	-13	Pass	2000
3000	10000	1	RMS	6998.571	-38.28	-13	Pass	7000




14.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.97	-13	Pass	691
0.15	30	0.01	RMS	0.15	-69.33	-13	Pass	2985
30	694	0.1	RMS	691.3	-59.54	-13	Pass	6640
694	726	0.1	RMS	706.568	20.33	60	Pass	691
726	1000	0.1	RMS	868.952	-60.38	-13	Pass	2740
1000	3000	1	RMS	1413.207	-45.04	-13	Pass	2000
3000	10000	1	RMS	6996.571	-38.34	-13	Pass	7000



**14.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.29	-13	Pass	691
0.15	30	0.01	RMS	0.15	-70.67	-13	Pass	2985
30	694	0.1	RMS	691.2	-59.36	-13	Pass	6640
694	726	0.1	RMS	706.568	19.59	60	Pass	691
726	1000	0.1	RMS	913.068	-60.32	-13	Pass	2740
1000	3000	1	RMS	1413.207	-46.22	-13	Pass	2000
3000	10000	1	RMS	6996.571	-38.34	-13	Pass	7000



15. LTE_Band26(part22)


15.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.74	-13	Pass	691
0.15	30	0.01	RMS	0.15	-67.79	-13	Pass	2985
30	814	0.1	RMS	813.8	-60.57	-13	Pass	7840
814	860	0.1	RMS	824.2	20.32	60	Pass	691
860	1000	0.1	RMS	973.981	-60.39	-13	Pass	1400
1000	3000	1	RMS	1648.324	-44.15	-13	Pass	2000
3000	10000	1	RMS	6889.556	-38.26	-13	Pass	7000




**15.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.02	-13	Pass	691
0.15	30	0.01	RMS	0.16	-68.64	-13	Pass	2985
30	814	0.1	RMS	813.7	-60.65	-13	Pass	7840
814	860	0.1	RMS	824.2	19.43	60	Pass	691
860	1000	0.1	RMS	872.209	-60.58	-13	Pass	1400
1000	3000	1	RMS	1648.324	-44.65	-13	Pass	2000
3000	10000	1	RMS	6998.571	-38.41	-13	Pass	7000




15.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.08	-13	Pass	691
0.15	30	0.01	RMS	0.15	-68.2	-13	Pass	2985
30	814	0.1	RMS	799.898	-60.92	-13	Pass	7840
814	860	0.1	RMS	836.067	20.45	60	Pass	691
860	1000	0.1	RMS	882.316	-60.6	-13	Pass	1400
1000	3000	1	RMS	1672.336	-44.79	-13	Pass	2000
3000	10000	1	RMS	6998.571	-38.33	-13	Pass	7000




**15.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:26915, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.94	-13	Pass	691
0.15	30	0.01	RMS	0.15	-69.35	-13	Pass	2985
30	814	0.1	RMS	806.299	-60.99	-13	Pass	7840
814	860	0.1	RMS	836.067	19.52	60	Pass	691
860	1000	0.1	RMS	879.814	-60.54	-13	Pass	1400
1000	3000	1	RMS	1672.336	-45.59	-13	Pass	2000
3000	10000	1	RMS	6889.556	-38.31	-13	Pass	7000




15.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.66	-13	Pass	691
0.15	30	0.01	RMS	0.15	-68.42	-13	Pass	2985
30	814	0.1	RMS	813	-60.95	-13	Pass	7840
814	860	0.1	RMS	847.867	20.79	60	Pass	691
860	1000	0.1	RMS	876.512	-60.53	-13	Pass	1400
1000	3000	1	RMS	1695.348	-43.88	-13	Pass	2000
3000	10000	1	RMS	6880.554	-38.37	-13	Pass	7000




**15.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.11	-13	Pass	691
0.15	30	0.01	RMS	0.15	-69.69	-13	Pass	2985
30	814	0.1	RMS	809.599	-61.01	-13	Pass	7840
814	860	0.1	RMS	847.867	19.82	60	Pass	691
860	1000	0.1	RMS	866.605	-60.46	-13	Pass	1400
1000	3000	1	RMS	1695.348	-44.81	-13	Pass	2000
3000	10000	1	RMS	6997.571	-38.32	-13	Pass	7000




**15.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.62	-13	Pass	691
0.15	30	0.01	RMS	0.16	-69.28	-13	Pass	2985
30	814	0.1	RMS	812	-60.56	-13	Pass	7840
814	860	0.1	RMS	824.2	20.43	60	Pass	691
860	1000	0.1	RMS	872.409	-60.47	-13	Pass	1400
1000	3000	1	RMS	1648.324	-43.85	-13	Pass	2000
3000	10000	1	RMS	6883.555	-38.38	-13	Pass	7000




**15.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.2	-13	Pass	691
0.15	30	0.01	RMS	0.15	-68.46	-13	Pass	2985
30	814	0.1	RMS	813.3	-60.7	-13	Pass	7840
814	860	0.1	RMS	824.2	19.63	60	Pass	691
860	1000	0.1	RMS	889.521	-59.16	-13	Pass	1400
1000	3000	1	RMS	1648.324	-44.54	-13	Pass	2000
3000	10000	1	RMS	6889.556	-38.37	-13	Pass	7000




**15.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.44	-13	Pass	691
0.15	30	0.01	RMS	0.15	-67.47	-13	Pass	2985
30	814	0.1	RMS	813.8	-60.92	-13	Pass	7840
814	860	0.1	RMS	835.267	20.58	60	Pass	691
860	1000	0.1	RMS	881.816	-60.47	-13	Pass	1400
1000	3000	1	RMS	1670.335	-43.61	-13	Pass	2000
3000	10000	1	RMS	6995.571	-38.38	-13	Pass	7000




**15.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:26915, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.03	-13	Pass	691
0.15	30	0.01	RMS	0.15	-68.7	-13	Pass	2985
30	814	0.1	RMS	814	-60.97	-13	Pass	7840
814	860	0.1	RMS	835.267	19.51	60	Pass	691
860	1000	0.1	RMS	860.701	-60.54	-13	Pass	1400
1000	3000	1	RMS	1670.335	-44.57	-13	Pass	2000
3000	10000	1	RMS	6888.556	-38.3	-13	Pass	7000




**15.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.66	-13	Pass	691
0.15	30	0.01	RMS	0.15	-68.21	-13	Pass	2985
30	814	0.1	RMS	812.3	-60.96	-13	Pass	7840
814	860	0.1	RMS	846.267	20.76	60	Pass	691
860	1000	0.1	RMS	997.999	-60.49	-13	Pass	1400
1000	3000	1	RMS	1692.346	-43.69	-13	Pass	2000
3000	10000	1	RMS	6888.556	-38.36	-13	Pass	7000




15.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70	-13	Pass	691
0.15	30	0.01	RMS	0.16	-69.62	-13	Pass	2985
30	814	0.1	RMS	810.9	-60.68	-13	Pass	7840
814	860	0.1	RMS	846.267	19.72	60	Pass	691
860	1000	0.1	RMS	863.503	-60.52	-13	Pass	1400
1000	3000	1	RMS	1692.346	-44.47	-13	Pass	2000
3000	10000	1	RMS	6888.556	-38.33	-13	Pass	7000




**15.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.01	-13	Pass	691
0.15	30	0.01	RMS	0.15	-67.44	-13	Pass	2985
30	814	0.1	RMS	813	-60.8	-13	Pass	7840
814	860	0.1	RMS	824.333	20.53	60	Pass	691
860	1000	0.1	RMS	872.209	-60.49	-13	Pass	1400
1000	3000	1	RMS	1648.324	-44.08	-13	Pass	2000
3000	10000	1	RMS	6993.571	-38.33	-13	Pass	7000




**15.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.91	-13	Pass	691
0.15	30	0.01	RMS	0.15	-68.67	-13	Pass	2985
30	814	0.1	RMS	813.3	-60.76	-13	Pass	7840
814	860	0.1	RMS	824.333	19.73	60	Pass	691
860	1000	0.1	RMS	911.137	-60.52	-13	Pass	1400
1000	3000	1	RMS	1648.324	-44.86	-13	Pass	2000
3000	10000	1	RMS	6889.556	-38.39	-13	Pass	7000




**15.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.52	-13	Pass	691
0.15	30	0.01	RMS	0.16	-68.6	-13	Pass	2985
30	814	0.1	RMS	805.199	-60.89	-13	Pass	7840
814	860	0.1	RMS	834.333	20.42	60	Pass	691
860	1000	0.1	RMS	889.921	-60.41	-13	Pass	1400
1000	3000	1	RMS	1668.334	-43.72	-13	Pass	2000
3000	10000	1	RMS	6885.555	-38.38	-13	Pass	7000




**15.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:26915, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.91	-13	Pass	691
0.15	30	0.01	RMS	0.15	-68.42	-13	Pass	2985
30	814	0.1	RMS	807.599	-60.96	-13	Pass	7840
814	860	0.1	RMS	834.333	19.95	60	Pass	691
860	1000	0.1	RMS	865.204	-60.49	-13	Pass	1400
1000	3000	1	RMS	1668.334	-44.79	-13	Pass	2000
3000	10000	1	RMS	6998.571	-38.38	-13	Pass	7000




**15.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.29	-13	Pass	691
0.15	30	0.01	RMS	0.15	-68.81	-13	Pass	2985
30	814	0.1	RMS	811.9	-60.98	-13	Pass	7840
814	860	0.1	RMS	844.333	20.49	60	Pass	691
860	1000	0.1	RMS	864.003	-60.39	-13	Pass	1400
1000	3000	1	RMS	1688.344	-43.72	-13	Pass	2000
3000	10000	1	RMS	6992.57	-38.38	-13	Pass	7000




**15.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.62	-13	Pass	691
0.15	30	0.01	RMS	0.15	-67.95	-13	Pass	2985
30	814	0.1	RMS	813.1	-60.77	-13	Pass	7840
814	860	0.1	RMS	844.333	19.53	60	Pass	691
860	1000	0.1	RMS	878.513	-60.49	-13	Pass	1400
1000	3000	1	RMS	1688.344	-44.82	-13	Pass	2000
3000	10000	1	RMS	6889.556	-38.33	-13	Pass	7000




15.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.62	-13	Pass	691
0.15	30	0.01	RMS	0.15	-68.91	-13	Pass	2985
30	814	0.1	RMS	812.2	-60.67	-13	Pass	7840
814	860	0.1	RMS	824.6	20.47	60	Pass	691
860	1000	0.1	RMS	883.417	-60.44	-13	Pass	1400
1000	3000	1	RMS	1649.325	-44.36	-13	Pass	2000
3000	10000	1	RMS	6887.555	-38.34	-13	Pass	7000




**15.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.14	-13	Pass	691
0.15	30	0.01	RMS	0.15	-68.9	-13	Pass	2985
30	814	0.1	RMS	811.8	-60.79	-13	Pass	7840
814	860	0.1	RMS	824.6	19.62	60	Pass	691
860	1000	0.1	RMS	974.081	-60.49	-13	Pass	1400
1000	3000	1	RMS	1649.325	-45.22	-13	Pass	2000
3000	10000	1	RMS	6889.556	-38.38	-13	Pass	7000




15.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.02	-13	Pass	691
0.15	30	0.01	RMS	0.15	-68.93	-13	Pass	2985
30	814	0.1	RMS	813.5	-60.81	-13	Pass	7840
814	860	0.1	RMS	832.067	20.56	60	Pass	691
860	1000	0.1	RMS	866.305	-60.47	-13	Pass	1400
1000	3000	1	RMS	1664.332	-44.38	-13	Pass	2000
3000	10000	1	RMS	6886.555	-38.41	-13	Pass	7000




**15.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:26915, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.76	-13	Pass	691
0.15	30	0.01	RMS	0.15	-68.89	-13	Pass	2985
30	814	0.1	RMS	811.8	-60.94	-13	Pass	7840
814	860	0.1	RMS	832.067	19.69	60	Pass	691
860	1000	0.1	RMS	885.718	-60.51	-13	Pass	1400
1000	3000	1	RMS	1664.332	-45.1	-13	Pass	2000
3000	10000	1	RMS	6887.555	-38.37	-13	Pass	7000




15.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.59	-13	Pass	691
0.15	30	0.01	RMS	0.15	-69	-13	Pass	2985
30	814	0.1	RMS	810.2	-60.99	-13	Pass	7840
814	860	0.1	RMS	839.6	20.7	60	Pass	691
860	1000	0.1	RMS	875.111	-60.42	-13	Pass	1400
1000	3000	1	RMS	1679.34	-44.31	-13	Pass	2000
3000	10000	1	RMS	6997.571	-38.39	-13	Pass	7000




**15.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.01	-13	Pass	691
0.15	30	0.01	RMS	0.15	-69.42	-13	Pass	2985
30	814	0.1	RMS	809.999	-61.04	-13	Pass	7840
814	860	0.1	RMS	839.6	19.82	60	Pass	691
860	1000	0.1	RMS	891.022	-60.33	-13	Pass	1400
1000	3000	1	RMS	1679.34	-45.14	-13	Pass	2000
3000	10000	1	RMS	6889.556	-38.4	-13	Pass	7000




15.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.71	-13	Pass	691
0.15	30	0.01	RMS	0.16	-69.66	-13	Pass	2985
30	814	0.1	RMS	813.3	-60.7	-13	Pass	7840
814	860	0.1	RMS	824.8	20.46	60	Pass	691
860	1000	0.1	RMS	865.204	-60.49	-13	Pass	1400
1000	3000	1	RMS	1649.325	-44.42	-13	Pass	2000
3000	10000	1	RMS	6887.555	-38.36	-13	Pass	7000




**15.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.24	-13	Pass	691
0.15	30	0.01	RMS	0.15	-68.86	-13	Pass	2985
30	814	0.1	RMS	813.7	-60.72	-13	Pass	7840
814	860	0.1	RMS	824.8	19.5	60	Pass	691
860	1000	0.1	RMS	883.317	-60.52	-13	Pass	1400
1000	3000	1	RMS	1649.325	-44.99	-13	Pass	2000
3000	10000	1	RMS	6992.57	-38.35	-13	Pass	7000




**15.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.1	-13	Pass	691
0.15	30	0.01	RMS	0.16	-69.56	-13	Pass	2985
30	814	0.1	RMS	813.4	-60.95	-13	Pass	7840
814	860	0.1	RMS	829.8	20.25	60	Pass	691
860	1000	0.1	RMS	860.3	-60.54	-13	Pass	1400
1000	3000	1	RMS	1659.33	-44.23	-13	Pass	2000
3000	10000	1	RMS	6885.555	-38.32	-13	Pass	7000




**15.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.93	-13	Pass	691
0.15	30	0.01	RMS	0.15	-69.08	-13	Pass	2985
30	814	0.1	RMS	813.4	-60.9	-13	Pass	7840
814	860	0.1	RMS	829.8	19.25	60	Pass	691
860	1000	0.1	RMS	864.904	-60.48	-13	Pass	1400
1000	3000	1	RMS	1659.33	-45.42	-13	Pass	2000
3000	10000	1	RMS	6888.556	-38.31	-13	Pass	7000




15.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.05	-13	Pass	691
0.15	30	0.01	RMS	0.15	-68.59	-13	Pass	2985
30	814	0.1	RMS	813	-60.91	-13	Pass	7840
814	860	0.1	RMS	834.867	20.29	60	Pass	691
860	1000	0.1	RMS	903.731	-60.52	-13	Pass	1400
1000	3000	1	RMS	1669.335	-44.32	-13	Pass	2000
3000	10000	1	RMS	6888.556	-38.34	-13	Pass	7000



**15.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.46	-13	Pass	691
0.15	30	0.01	RMS	0.15	-69.22	-13	Pass	2985
30	814	0.1	RMS	800.398	-60.89	-13	Pass	7840
814	860	0.1	RMS	834.867	19.77	60	Pass	691
860	1000	0.1	RMS	871.408	-60.47	-13	Pass	1400
1000	3000	1	RMS	1669.335	-44.85	-13	Pass	2000
3000	10000	1	RMS	6881.555	-38.33	-13	Pass	7000



16. LTE_Band26(part90)


16.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.072	-63.3	-13	Pass	691
0.15	30	0.01	Peak	0.15	-59.55	-13	Pass	2985
30	809	0.1	Peak	808.1	-49.59	-13	Pass	7790
809	829	0.1	Peak	814.188	25.14	60	Pass	691
829	1000	0.1	Peak	850.012	-49.24	-13	Pass	1710
1000	3000	1	Peak	1628.314	-34.72	-13	Pass	2000
3000	10000	1	Peak	6836.548	-26.56	-13	Pass	7000




**16.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-62.32	-13	Pass	691
0.15	30	0.01	Peak	0.15	-60.54	-13	Pass	2985
30	809	0.1	Peak	692.185	-49.51	-13	Pass	7790
809	829	0.1	Peak	814.188	26.11	60	Pass	691
829	1000	0.1	Peak	902.843	-47.96	-13	Pass	1710
1000	3000	1	Peak	1628.314	-34.99	-13	Pass	2000
3000	10000	1	Peak	6928.561	-25.64	-13	Pass	7000




16.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.072	-61.69	-13	Pass	691
0.15	30	0.01	Peak	0.15	-58.71	-13	Pass	2985
30	809	0.1	Peak	794.698	-49.8	-13	Pass	7790
809	829	0.1	Peak	818.507	25.07	60	Pass	691
829	1000	0.1	Peak	908.046	-49.32	-13	Pass	1710
1000	3000	1	Peak	2986.993	-34.92	-13	Pass	2000
3000	10000	1	Peak	6964.566	-27.06	-13	Pass	7000




**16.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.072	-62.78	-13	Pass	691
0.15	30	0.01	Peak	0.15	-62.67	-13	Pass	2985
30	809	0.1	Peak	759.894	-49.91	-13	Pass	7790
809	829	0.1	Peak	818.507	25.64	60	Pass	691
829	1000	0.1	Peak	872.025	-49.26	-13	Pass	1710
1000	3000	1	Peak	1637.319	-34.11	-13	Pass	2000
3000	10000	1	Peak	6908.558	-26.33	-13	Pass	7000




16.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.072	-63.64	-13	Pass	691
0.15	30	0.01	Peak	0.15	-59.84	-13	Pass	2985
30	809	0.1	Peak	807	-49.72	-13	Pass	7790
809	829	0.1	Peak	822.913	25.08	60	Pass	691
829	1000	0.1	Peak	829.5	-49.09	-13	Pass	1710
1000	3000	1	Peak	1645.323	-34.95	-13	Pass	2000
3000	10000	1	Peak	6993.571	-26.27	-13	Pass	7000




**16.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.018	-63.02	-13	Pass	691
0.15	30	0.01	Peak	0.16	-59.27	-13	Pass	2985
30	809	0.1	Peak	774.096	-50.33	-13	Pass	7790
809	829	0.1	Peak	822.855	25.71	60	Pass	691
829	1000	0.1	Peak	895.239	-49.05	-13	Pass	1710
1000	3000	1	Peak	1645.323	-33.8	-13	Pass	2000
3000	10000	1	Peak	8928.847	-26.86	-13	Pass	7000




**16.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.072	-62.26	-13	Pass	691
0.15	30	0.01	Peak	0.15	-59.81	-13	Pass	2985
30	809	0.1	Peak	809	-49.16	-13	Pass	7790
809	829	0.1	Peak	814.304	25.21	60	Pass	691
829	1000	0.1	Peak	880.03	-48.54	-13	Pass	1710
1000	3000	1	Peak	1628.314	-34.9	-13	Pass	2000
3000	10000	1	Peak	6987.57	-26.48	-13	Pass	7000




**16.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-62.28	-13	Pass	691
0.15	30	0.01	Peak	0.15	-62.17	-13	Pass	2985
30	809	0.1	Peak	808.7	-48.88	-13	Pass	7790
809	829	0.1	Peak	814.188	26	60	Pass	691
829	1000	0.1	Peak	866.922	-49.71	-13	Pass	1710
1000	3000	1	Peak	1628.314	-34.92	-13	Pass	2000
3000	10000	1	Peak	6862.552	-27.31	-13	Pass	7000




**16.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.072	-61.38	-13	Pass	691
0.15	30	0.01	Peak	0.15	-60.15	-13	Pass	2985
30	809	0.1	Peak	787.497	-49.55	-13	Pass	7790
809	829	0.1	Peak	817.725	25.26	60	Pass	691
829	1000	0.1	Peak	867.322	-49.15	-13	Pass	1710
1000	3000	1	Peak	2995.998	-34.4	-13	Pass	2000
3000	10000	1	Peak	9927.99	-27.03	-13	Pass	7000




16.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.072	-62.5	-13	Pass	691
0.15	30	0.01	Peak	0.16	-61.29	-13	Pass	2985
30	809	0.1	Peak	724.289	-50.13	-13	Pass	7790
809	829	0.1	Peak	817.754	25.74	60	Pass	691
829	1000	0.1	Peak	966.981	-49.06	-13	Pass	1710
1000	3000	1	Peak	1635.318	-33.36	-13	Pass	2000
3000	10000	1	Peak	6943.563	-27.07	-13	Pass	7000




**16.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.072	-63.33	-13	Pass	691
0.15	30	0.01	Peak	0.16	-62.22	-13	Pass	2985
30	809	0.1	Peak	773.996	-50.51	-13	Pass	7790
809	829	0.1	Peak	821.261	25.12	60	Pass	691
829	1000	0.1	Peak	878.429	-49.3	-13	Pass	1710
1000	3000	1	Peak	2963.982	-34.85	-13	Pass	2000
3000	10000	1	Peak	6967.567	-26.96	-13	Pass	7000




**16.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.019	-62.39	-13	Pass	691
0.15	30	0.01	Peak	0.15	-61.45	-13	Pass	2985
30	809	0.1	Peak	789.898	-50.52	-13	Pass	7790
809	829	0.1	Peak	821.203	25.78	60	Pass	691
829	1000	0.1	Peak	882.731	-48.94	-13	Pass	1710
1000	3000	1	Peak	1642.321	-34.19	-13	Pass	2000
3000	10000	1	Peak	6888.556	-26.99	-13	Pass	7000




**16.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.09	-62.48	-13	Pass	691
0.15	30	0.01	Peak	0.17	-58.08	-13	Pass	2985
30	809	0.1	Peak	791.498	-50.16	-13	Pass	7790
809	829	0.1	Peak	814.304	25.33	60	Pass	691
829	1000	0.1	Peak	831.501	-47.66	-13	Pass	1710
1000	3000	1	Peak	1628.314	-34.44	-13	Pass	2000
3000	10000	1	Peak	6889.556	-26.45	-13	Pass	7000




16.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-61.84	-13	Pass	691
0.15	30	0.01	Peak	0.16	-62.23	-13	Pass	2985
30	809	0.1	Peak	806.7	-49.59	-13	Pass	7790
809	829	0.1	Peak	814.275	26.05	60	Pass	691
829	1000	0.1	Peak	831.501	-46.87	-13	Pass	1710
1000	3000	1	Peak	1628.314	-34.74	-13	Pass	2000
3000	10000	1	Peak	6857.551	-26.77	-13	Pass	7000




**16.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.072	-62.28	-13	Pass	691
0.15	30	0.01	Peak	0.15	-59.04	-13	Pass	2985
30	809	0.1	Peak	770.095	-49.56	-13	Pass	7790
809	829	0.1	Peak	816.855	25.34	60	Pass	691
829	1000	0.1	Peak	927.958	-49.48	-13	Pass	1710
1000	3000	1	Peak	2985.993	-34.55	-13	Pass	2000
3000	10000	1	Peak	9994.999	-26.85	-13	Pass	7000




**16.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:26740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.091	-62.65	-13	Pass	691
0.15	30	0.01	Peak	0.16	-59.85	-13	Pass	2985
30	809	0.1	Peak	800.599	-50.25	-13	Pass	7790
809	829	0.1	Peak	816.797	25.81	60	Pass	691
829	1000	0.1	Peak	831.001	-49.49	-13	Pass	1710
1000	3000	1	Peak	1633.317	-32.96	-13	Pass	2000
3000	10000	1	Peak	6884.555	-26.47	-13	Pass	7000




**16.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.101	-63.17	-13	Pass	691
0.15	30	0.01	Peak	0.15	-60.59	-13	Pass	2985
30	809	0.1	Peak	796.998	-50.38	-13	Pass	7790
809	829	0.1	Peak	819.377	24.96	60	Pass	691
829	1000	0.1	Peak	830.401	-49.64	-13	Pass	1710
1000	3000	1	Peak	2999	-34.41	-13	Pass	2000
3000	10000	1	Peak	6866.552	-26.23	-13	Pass	7000




**16.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.072	-62.24	-13	Pass	691
0.15	30	0.01	Peak	0.16	-61.28	-13	Pass	2985
30	809	0.1	Peak	792.198	-50.35	-13	Pass	7790
809	829	0.1	Peak	819.29	25.73	60	Pass	691
829	1000	0.1	Peak	832.102	-49.14	-13	Pass	1710
1000	3000	1	Peak	1638.319	-34.7	-13	Pass	2000
3000	10000	1	Peak	6869.553	-26.72	-13	Pass	7000




16.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.072	-61.87	-13	Pass	691
0.15	30	0.01	Peak	0.15	-58.71	-13	Pass	2985
30	809	0.1	Peak	808.4	-49.39	-13	Pass	7790
809	829	0.1	Peak	814.594	25.46	60	Pass	691
829	1000	0.1	Peak	909.047	-48.76	-13	Pass	1710
1000	3000	1	Peak	2988.994	-35.23	-13	Pass	2000
3000	10000	1	Peak	6887.555	-26.69	-13	Pass	7000



**16.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-62.32	-13	Pass	691
0.15	30	0.01	Peak	0.15	-58.98	-13	Pass	2985
30	809	0.1	Peak	749.892	-49.68	-13	Pass	7790
809	829	0.1	Peak	814.536	25.98	60	Pass	691
829	1000	0.1	Peak	990.595	-49.51	-13	Pass	1710
1000	3000	1	Peak	2964.982	-34.7	-13	Pass	2000
3000	10000	1	Peak	6900.557	-26.85	-13	Pass	7000



17. LTE_Band38


17.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.07	-25	Pass	691
0.15	30	0.01	RMS	0.17	-71.28	-25	Pass	2985
30	1000	0.1	RMS	884.188	-58.42	-25	Pass	9700
1000	2550	1	RMS	2547.999	-46.02	-25	Pass	1550
2550	2640	1	RMS	2570.217	21.52	60	Pass	691
2640	3000	1	RMS	3000	-44.31	-25	Pass	691
3000	12000	1	RMS	11403.934	-34.69	-25	Pass	9000
12000	26500	1	RMS	25836.954	-33.2	-25	Pass	14500




**17.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.09	-25	Pass	691
0.15	30	0.01	RMS	0.16	-71.08	-25	Pass	2985
30	1000	0.1	RMS	987.299	-58.51	-25	Pass	9700
1000	2550	1	RMS	2548.999	-45.89	-25	Pass	1550
2550	2640	1	RMS	2570.348	21.26	60	Pass	691
2640	3000	1	RMS	2998.435	-44.29	-25	Pass	691
3000	12000	1	RMS	11400.933	-34.63	-25	Pass	9000
12000	26500	1	RMS	25825.954	-33.3	-25	Pass	14500




**17.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.1	-25	Pass	691
0.15	30	0.01	RMS	0.15	-70.46	-25	Pass	2985
30	1000	0.1	RMS	882.388	-58.31	-25	Pass	9700
1000	2550	1	RMS	2546.998	-46.81	-25	Pass	1550
2550	2640	1	RMS	2592.783	22.78	60	Pass	691
2640	3000	1	RMS	2998.957	-44.29	-25	Pass	691
3000	12000	1	RMS	11397.933	-34.65	-25	Pass	9000
12000	26500	1	RMS	25830.954	-33.24	-25	Pass	14500




**17.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.07	-25	Pass	691
0.15	30	0.01	RMS	0.16	-70.68	-25	Pass	2985
30	1000	0.1	RMS	907.19	-58.46	-25	Pass	9700
1000	2550	1	RMS	2548.999	-46.71	-25	Pass	1550
2550	2640	1	RMS	2592.783	21.7	60	Pass	691
2640	3000	1	RMS	2999.478	-44.28	-25	Pass	691
3000	12000	1	RMS	11402.934	-34.66	-25	Pass	9000
12000	26500	1	RMS	25844.955	-33.19	-25	Pass	14500




**17.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.14	-25	Pass	691
0.15	30	0.01	RMS	0.16	-70.87	-25	Pass	2985
30	1000	0.1	RMS	887.188	-58.41	-25	Pass	9700
1000	2550	1	RMS	2525.985	-46.9	-25	Pass	1550
2550	2640	1	RMS	2615.478	22.07	60	Pass	691
2640	3000	1	RMS	2999.478	-44.3	-25	Pass	691
3000	12000	1	RMS	11403.934	-34.59	-25	Pass	9000
12000	26500	1	RMS	25854.956	-33.22	-25	Pass	14500




**17.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.09	-25	Pass	691
0.15	30	0.01	RMS	0.2	-70.91	-25	Pass	2985
30	1000	0.1	RMS	866.986	-58.46	-25	Pass	9700
1000	2550	1	RMS	2519.981	-46.89	-25	Pass	1550
2550	2640	1	RMS	2615.348	21.03	60	Pass	691
2640	3000	1	RMS	2998.435	-44.28	-25	Pass	691
3000	12000	1	RMS	11395.933	-34.68	-25	Pass	9000
12000	26500	1	RMS	25797.952	-33.21	-25	Pass	14500




17.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.87	-25	Pass	691
0.15	30	0.01	RMS	0.15	-70.5	-25	Pass	2985
30	1000	0.1	RMS	889.289	-58.45	-25	Pass	9700
1000	2550	1	RMS	2548.999	-45.78	-25	Pass	1550
2550	2640	1	RMS	2570.609	21.97	60	Pass	691
2640	3000	1	RMS	2999.478	-44.27	-25	Pass	691
3000	12000	1	RMS	11401.934	-34.67	-25	Pass	9000
12000	26500	1	RMS	25811.953	-33.18	-25	Pass	14500




**17.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.82	-25	Pass	691
0.15	30	0.01	RMS	29.04	-71.05	-25	Pass	2985
30	1000	0.1	RMS	899.99	-58.52	-25	Pass	9700
1000	2550	1	RMS	2550	-45.25	-25	Pass	1550
2550	2640	1	RMS	2570.609	21.7	60	Pass	691
2640	3000	1	RMS	2999.478	-44.3	-25	Pass	691
3000	12000	1	RMS	11398.933	-34.58	-25	Pass	9000
12000	26500	1	RMS	25843.955	-33.22	-25	Pass	14500




17.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-73.76	-25	Pass	691
0.15	30	0.01	RMS	29.08	-70.84	-25	Pass	2985
30	1000	0.1	RMS	880.388	-58.42	-25	Pass	9700
1000	2550	1	RMS	2550	-46.55	-25	Pass	1550
2550	2640	1	RMS	2590.696	22.41	60	Pass	691
2640	3000	1	RMS	2998.957	-44.32	-25	Pass	691
3000	12000	1	RMS	11399.933	-34.68	-25	Pass	9000
12000	26500	1	RMS	25838.954	-33.27	-25	Pass	14500




**17.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.75	-25	Pass	691
0.15	30	0.01	RMS	0.3	-71.32	-25	Pass	2985
30	1000	0.1	RMS	871.387	-58.62	-25	Pass	9700
1000	2550	1	RMS	2519.981	-46.84	-25	Pass	1550
2550	2640	1	RMS	2590.565	21.16	60	Pass	691
2640	3000	1	RMS	2999.478	-44.33	-25	Pass	691
3000	12000	1	RMS	11396.933	-34.6	-25	Pass	9000
12000	26500	1	RMS	25843.955	-33.21	-25	Pass	14500




17.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.95	-25	Pass	691
0.15	30	0.01	RMS	0.15	-70.61	-25	Pass	2985
30	1000	0.1	RMS	954.095	-58.43	-25	Pass	9700
1000	2550	1	RMS	2530.988	-46.85	-25	Pass	1550
2550	2640	1	RMS	2610.652	22.53	60	Pass	691
2640	3000	1	RMS	2999.478	-44.32	-25	Pass	691
3000	12000	1	RMS	11399.933	-34.75	-25	Pass	9000
12000	26500	1	RMS	25840.955	-33.17	-25	Pass	14500




**17.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.81	-25	Pass	691
0.15	30	0.01	RMS	0.21	-70.89	-25	Pass	2985
30	1000	0.1	RMS	857.185	-58.51	-25	Pass	9700
1000	2550	1	RMS	2508.974	-46.85	-25	Pass	1550
2550	2640	1	RMS	2610.522	20.99	60	Pass	691
2640	3000	1	RMS	2998.957	-44.31	-25	Pass	691
3000	12000	1	RMS	11398.933	-34.66	-25	Pass	9000
12000	26500	1	RMS	25828.954	-33.19	-25	Pass	14500




17.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.13	-25	Pass	691
0.15	30	0.01	RMS	0.15	-70.6	-25	Pass	2985
30	1000	0.1	RMS	883.988	-58.5	-25	Pass	9700
1000	2550	1	RMS	2547.999	-45.52	-25	Pass	1550
2550	2640	1	RMS	2570.87	22.22	60	Pass	691
2640	3000	1	RMS	2999.478	-44.3	-25	Pass	691
3000	12000	1	RMS	11384.932	-34.69	-25	Pass	9000
12000	26500	1	RMS	25811.953	-33.23	-25	Pass	14500




**17.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.1	-25	Pass	691
0.15	30	0.01	RMS	0.3	-71.26	-25	Pass	2985
30	1000	0.1	RMS	884.388	-58.41	-25	Pass	9700
1000	2550	1	RMS	2550	-44.94	-25	Pass	1550
2550	2640	1	RMS	2570.87	20.92	60	Pass	691
2640	3000	1	RMS	2999.478	-44.32	-25	Pass	691
3000	12000	1	RMS	11399.933	-34.67	-25	Pass	9000
12000	26500	1	RMS	25820.953	-33.19	-25	Pass	14500




**17.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.05	-25	Pass	691
0.15	30	0.01	RMS	26.149	-70.82	-25	Pass	2985
30	1000	0.1	RMS	845.784	-58.52	-25	Pass	9700
1000	2550	1	RMS	2544.997	-46.56	-25	Pass	1550
2550	2640	1	RMS	2588.217	22.5	60	Pass	691
2640	3000	1	RMS	2997.391	-44.3	-25	Pass	691
3000	12000	1	RMS	11400.933	-34.62	-25	Pass	9000
12000	26500	1	RMS	25844.955	-33.2	-25	Pass	14500




**17.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.08	-25	Pass	691
0.15	30	0.01	RMS	0.16	-70.93	-25	Pass	2985
30	1000	0.1	RMS	897.289	-58.49	-25	Pass	9700
1000	2550	1	RMS	2545.997	-46.78	-25	Pass	1550
2550	2640	1	RMS	2588.478	20.95	60	Pass	691
2640	3000	1	RMS	2999.478	-44.28	-25	Pass	691
3000	12000	1	RMS	11399.933	-34.63	-25	Pass	9000
12000	26500	1	RMS	25833.954	-33.26	-25	Pass	14500




17.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.12	-25	Pass	691
0.15	30	0.01	RMS	0.19	-71.01	-25	Pass	2985
30	1000	0.1	RMS	897.789	-58.46	-25	Pass	9700
1000	2550	1	RMS	2524.984	-46.76	-25	Pass	1550
2550	2640	1	RMS	2605.957	22.04	60	Pass	691
2640	3000	1	RMS	3000	-44.28	-25	Pass	691
3000	12000	1	RMS	11400.933	-34.68	-25	Pass	9000
12000	26500	1	RMS	25818.953	-33.18	-25	Pass	14500




**17.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.13	-25	Pass	691
0.15	30	0.01	RMS	0.17	-71.02	-25	Pass	2985
30	1000	0.1	RMS	884.288	-58.44	-25	Pass	9700
1000	2550	1	RMS	2546.998	-46.74	-25	Pass	1550
2550	2640	1	RMS	2605.957	21.94	60	Pass	691
2640	3000	1	RMS	2999.478	-44.28	-25	Pass	691
3000	12000	1	RMS	11396.933	-34.68	-25	Pass	9000
12000	26500	1	RMS	25820.953	-33.22	-25	Pass	14500




**17.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.15	-25	Pass	691
0.15	30	0.01	RMS	0.2	-71.28	-25	Pass	2985
30	1000	0.1	RMS	912.491	-58.47	-25	Pass	9700
1000	2550	1	RMS	2550	-44.92	-25	Pass	1550
2550	2640	1	RMS	2571	22.25	60	Pass	691
2640	3000	1	RMS	2997.391	-44.32	-25	Pass	691
3000	12000	1	RMS	11402.934	-34.68	-25	Pass	9000
12000	26500	1	RMS	25813.953	-33.21	-25	Pass	14500




**17.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.1	-25	Pass	691
0.15	30	0.01	RMS	25.909	-71.46	-25	Pass	2985
30	1000	0.1	RMS	955.995	-58.51	-25	Pass	9700
1000	2550	1	RMS	2548.999	-45.02	-25	Pass	1550
2550	2640	1	RMS	2571	21.11	60	Pass	691
2640	3000	1	RMS	2998.957	-44.28	-25	Pass	691
3000	12000	1	RMS	11396.933	-34.65	-25	Pass	9000
12000	26500	1	RMS	25828.954	-33.26	-25	Pass	14500




17.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.07	-25	Pass	691
0.15	30	0.01	RMS	22.828	-70.92	-25	Pass	2985
30	1000	0.1	RMS	863.386	-58.33	-25	Pass	9700
1000	2550	1	RMS	2550	-46.62	-25	Pass	1550
2550	2640	1	RMS	2586	22.48	60	Pass	691
2640	3000	1	RMS	2996.87	-44.31	-25	Pass	691
3000	12000	1	RMS	11410.935	-34.69	-25	Pass	9000
12000	26500	1	RMS	25850.955	-33.19	-25	Pass	14500




**17.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.13	-25	Pass	691
0.15	30	0.01	RMS	0.15	-70.98	-25	Pass	2985
30	1000	0.1	RMS	995.8	-58.51	-25	Pass	9700
1000	2550	1	RMS	2548.999	-46.41	-25	Pass	1550
2550	2640	1	RMS	2586.13	20.96	60	Pass	691
2640	3000	1	RMS	3000	-44.25	-25	Pass	691
3000	12000	1	RMS	11405.934	-34.68	-25	Pass	9000
12000	26500	1	RMS	25827.954	-33.25	-25	Pass	14500




17.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.09	-25	Pass	691
0.15	30	0.01	RMS	23.178	-71.23	-25	Pass	2985
30	1000	0.1	RMS	904.79	-58.52	-25	Pass	9700
1000	2550	1	RMS	2546.998	-46.74	-25	Pass	1550
2550	2640	1	RMS	2601	22.31	60	Pass	691
2640	3000	1	RMS	2998.957	-44.27	-25	Pass	691
3000	12000	1	RMS	11400.933	-34.64	-25	Pass	9000
12000	26500	1	RMS	25839.954	-33.27	-25	Pass	14500



**17.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.12	-25	Pass	691
0.15	30	0.01	RMS	22.608	-70.74	-25	Pass	2985
30	1000	0.1	RMS	996.2	-58.37	-25	Pass	9700
1000	2550	1	RMS	2548.999	-46.77	-25	Pass	1550
2550	2640	1	RMS	2601.13	20.97	60	Pass	691
2640	3000	1	RMS	2998.957	-44.29	-25	Pass	691
3000	12000	1	RMS	11400.933	-34.68	-25	Pass	9000
12000	26500	1	RMS	25849.955	-33.19	-25	Pass	14500



18. LTE_Band41


18.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.29	-25	Pass	401
0.15	30	0.01	RMS	0.17	-70.91	-25	Pass	2985
30	1000	0.1	RMS	839.899	-62.86	-25	Pass	9699
1000	2476	1	RMS	2476	-49.3	-25	Pass	1476
2476	2710	1	RMS	2495.89	20.25	60	Pass	401
2710	3000	1	RMS	2950.7	-48.07	-25	Pass	401
3000	12000	1	RMS	11814.771	-51.93	-25	Pass	9000
12000	27000	1	RMS	26012.855	-37.42	-25	Pass	15000




**18.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.5	-25	Pass	401
0.15	30	0.01	RMS	0.2	-70.59	-25	Pass	2985
30	1000	0.1	RMS	856.91	-63.02	-25	Pass	9699
1000	2476	1	RMS	2453.985	-49.5	-25	Pass	1476
2476	2710	1	RMS	2495.89	19.51	60	Pass	401
2710	3000	1	RMS	2944.9	-48.09	-25	Pass	401
3000	12000	1	RMS	11792.743	-51.93	-25	Pass	9000
12000	27000	1	RMS	25996.853	-37.5	-25	Pass	15000




**18.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.36	-25	Pass	401
0.15	30	0.01	RMS	0.21	-71.04	-25	Pass	2985
30	1000	0.1	RMS	838.899	-62.89	-25	Pass	9699
1000	2476	1	RMS	2457.988	-49.97	-25	Pass	1476
2476	2710	1	RMS	2590.66	21.37	60	Pass	401
2710	3000	1	RMS	2949.975	-48.09	-25	Pass	401
3000	12000	1	RMS	11810.766	-52	-25	Pass	9000
12000	27000	1	RMS	25991.852	-37.43	-25	Pass	15000




**18.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.56	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.93	-25	Pass	2985
30	1000	0.1	RMS	864.721	-62.95	-25	Pass	9699
1000	2476	1	RMS	2460.99	-49.8	-25	Pass	1476
2476	2710	1	RMS	2590.66	20.43	60	Pass	401
2710	3000	1	RMS	2944.9	-48.08	-25	Pass	401
3000	12000	1	RMS	11813.77	-51.95	-25	Pass	9000
12000	27000	1	RMS	26010.855	-37.49	-25	Pass	15000




**18.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.38	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.42	-25	Pass	2985
30	1000	0.1	RMS	724.685	-60.78	-25	Pass	9699
1000	2476	1	RMS	2460.99	-49.55	-25	Pass	1476
2476	2710	1	RMS	2684.845	21.13	60	Pass	401
2710	3000	1	RMS	2952.15	-48.09	-25	Pass	401
3000	12000	1	RMS	11804.758	-51.96	-25	Pass	9000
12000	27000	1	RMS	26994.999	-37.47	-25	Pass	15000




**18.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.97	-25	Pass	401
0.15	30	0.01	RMS	0.2	-70.51	-25	Pass	2985
30	1000	0.1	RMS	835.998	-62.91	-25	Pass	9699
1000	2476	1	RMS	2454.986	-49.56	-25	Pass	1476
2476	2710	1	RMS	2685.43	19.28	60	Pass	401
2710	3000	1	RMS	2948.525	-48.07	-25	Pass	401
3000	12000	1	RMS	8248.641	-52.03	-25	Pass	9000
12000	27000	1	RMS	26000.853	-37.43	-25	Pass	15000




**18.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.58	-25	Pass	401
0.15	30	0.01	RMS	0.25	-70.65	-25	Pass	2985
30	1000	0.1	RMS	859.914	-62.97	-25	Pass	9699
1000	2476	1	RMS	2476	-49.31	-25	Pass	1476
2476	2710	1	RMS	2495.89	20.01	60	Pass	401
2710	3000	1	RMS	2947.075	-48.06	-25	Pass	401
3000	12000	1	RMS	11810.766	-51.94	-25	Pass	9000
12000	27000	1	RMS	26001.853	-37.4	-25	Pass	15000




**18.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.92	-25	Pass	401
0.15	30	0.01	RMS	0.19	-70.28	-25	Pass	2985
30	1000	0.1	RMS	833.498	-62.91	-25	Pass	9699
1000	2476	1	RMS	2476	-49.46	-25	Pass	1476
2476	2710	1	RMS	2496.475	20.34	60	Pass	401
2710	3000	1	RMS	2950.7	-48.07	-25	Pass	401
3000	12000	1	RMS	6959.483	-51.99	-25	Pass	9000
12000	27000	1	RMS	26023.857	-37.26	-25	Pass	15000




18.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.82	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.18	-25	Pass	2985
30	1000	0.1	RMS	839.999	-62.94	-25	Pass	9699
1000	2476	1	RMS	2455.986	-49.12	-25	Pass	1476
2476	2710	1	RMS	2588.32	20.34	60	Pass	401
2710	3000	1	RMS	2948.525	-48.07	-25	Pass	401
3000	12000	1	RMS	8251.641	-51.98	-25	Pass	9000
12000	27000	1	RMS	26002.854	-37.38	-25	Pass	15000




**18.10 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.23	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.62	-25	Pass	2985
30	1000	0.1	RMS	828.097	-62.9	-25	Pass	9699
1000	2476	1	RMS	2456.987	-49.43	-25	Pass	1476
2476	2710	1	RMS	2588.32	20.18	60	Pass	401
2710	3000	1	RMS	2945.625	-48.09	-25	Pass	401
3000	12000	1	RMS	11793.745	-52	-25	Pass	9000
12000	27000	1	RMS	26001.853	-37.43	-25	Pass	15000




18.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.96	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.59	-25	Pass	2985
30	1000	0.1	RMS	719.884	-62.18	-25	Pass	9699
1000	2476	1	RMS	2457.988	-49.69	-25	Pass	1476
2476	2710	1	RMS	2680.165	21.46	60	Pass	401
2710	3000	1	RMS	2948.525	-48.09	-25	Pass	401
3000	12000	1	RMS	6957.483	-51.95	-25	Pass	9000
12000	27000	1	RMS	26006.854	-37.45	-25	Pass	15000




**18.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.66	-25	Pass	401
0.15	30	0.01	RMS	0.2	-70.11	-25	Pass	2985
30	1000	0.1	RMS	719.884	-62.67	-25	Pass	9699
1000	2476	1	RMS	2455.986	-49.22	-25	Pass	1476
2476	2710	1	RMS	2680.165	19.26	60	Pass	401
2710	3000	1	RMS	2947.075	-48.09	-25	Pass	401
3000	12000	1	RMS	6962.484	-51.9	-25	Pass	9000
12000	27000	1	RMS	25991.852	-37.36	-25	Pass	15000




**18.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.77	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.17	-25	Pass	2985
30	1000	0.1	RMS	842.999	-62.97	-25	Pass	9699
1000	2476	1	RMS	2474.999	-49.06	-25	Pass	1476
2476	2710	1	RMS	2496.475	20.89	60	Pass	401
2710	3000	1	RMS	2948.525	-48.07	-25	Pass	401
3000	12000	1	RMS	11806.761	-52.02	-25	Pass	9000
12000	27000	1	RMS	26007.854	-37.39	-25	Pass	15000




**18.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.64	-25	Pass	401
0.15	30	0.01	RMS	0.19	-70.53	-25	Pass	2985
30	1000	0.1	RMS	857.611	-62.87	-25	Pass	9699
1000	2476	1	RMS	2474.999	-49.29	-25	Pass	1476
2476	2710	1	RMS	2496.475	20.19	60	Pass	401
2710	3000	1	RMS	2949.975	-48.05	-25	Pass	401
3000	12000	1	RMS	11798.751	-52.01	-25	Pass	9000
12000	27000	1	RMS	26045.86	-37.46	-25	Pass	15000




**18.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:40620, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.54	-25	Pass	401
0.15	30	0.01	RMS	0.23	-70.43	-25	Pass	2985
30	1000	0.1	RMS	625.673	-62.59	-25	Pass	9699
1000	2476	1	RMS	2456.987	-49.48	-25	Pass	1476
2476	2710	1	RMS	2585.98	20.77	60	Pass	401
2710	3000	1	RMS	2950.7	-48.08	-25	Pass	401
3000	12000	1	RMS	11433.299	-52	-25	Pass	9000
12000	27000	1	RMS	26016.856	-37.43	-25	Pass	15000




**18.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:40620, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.3	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.09	-25	Pass	2985
30	1000	0.1	RMS	861.216	-63.01	-25	Pass	9699
1000	2476	1	RMS	2465.993	-49.26	-25	Pass	1476
2476	2710	1	RMS	2585.98	19.73	60	Pass	401
2710	3000	1	RMS	2950.7	-48.07	-25	Pass	401
3000	12000	1	RMS	11790.741	-52.06	-25	Pass	9000
12000	27000	1	RMS	25997.853	-37.5	-25	Pass	15000




**18.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.08	-25	Pass	401
0.15	30	0.01	RMS	0.21	-70.85	-25	Pass	2985
30	1000	0.1	RMS	715.184	-62.22	-25	Pass	9699
1000	2476	1	RMS	2464.993	-48.85	-25	Pass	1476
2476	2710	1	RMS	2675.485	21.1	60	Pass	401
2710	3000	1	RMS	2949.975	-48.08	-25	Pass	401
3000	12000	1	RMS	11796.748	-52.03	-25	Pass	9000
12000	27000	1	RMS	26000.853	-37.45	-25	Pass	15000




**18.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.55	-25	Pass	401
0.15	30	0.01	RMS	0.2	-70.88	-25	Pass	2985
30	1000	0.1	RMS	715.184	-62.36	-25	Pass	9699
1000	2476	1	RMS	2466.994	-49.7	-25	Pass	1476
2476	2710	1	RMS	2675.485	20.14	60	Pass	401
2710	3000	1	RMS	2943.45	-48.08	-25	Pass	401
3000	12000	1	RMS	11793.745	-52.01	-25	Pass	9000
12000	27000	1	RMS	26002.854	-37.52	-25	Pass	15000




**18.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.22	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.07	-25	Pass	2985
30	1000	0.1	RMS	838.399	-62.83	-25	Pass	9699
1000	2476	1	RMS	2476	-48.99	-25	Pass	1476
2476	2710	1	RMS	2497.06	20.88	60	Pass	401
2710	3000	1	RMS	2947.8	-48.07	-25	Pass	401
3000	12000	1	RMS	11803.757	-52.01	-25	Pass	9000
12000	27000	1	RMS	25997.853	-37.51	-25	Pass	15000




**18.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.44	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.42	-25	Pass	2985
30	1000	0.1	RMS	837.999	-63.01	-25	Pass	9699
1000	2476	1	RMS	2467.995	-49.41	-25	Pass	1476
2476	2710	1	RMS	2496.475	19.27	60	Pass	401
2710	3000	1	RMS	2949.975	-48.06	-25	Pass	401
3000	12000	1	RMS	11806.761	-52.01	-25	Pass	9000
12000	27000	1	RMS	25991.852	-37.48	-25	Pass	15000




**18.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.59	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.2	-25	Pass	2985
30	1000	0.1	RMS	623.372	-62.42	-25	Pass	9699
1000	2476	1	RMS	2459.989	-49.75	-25	Pass	1476
2476	2710	1	RMS	2583.64	21.01	60	Pass	401
2710	3000	1	RMS	2949.25	-48.04	-25	Pass	401
3000	12000	1	RMS	11791.742	-51.99	-25	Pass	9000
12000	27000	1	RMS	26002.854	-37.45	-25	Pass	15000




**18.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.38	-25	Pass	401
0.15	30	0.01	RMS	0.21	-70.85	-25	Pass	2985
30	1000	0.1	RMS	623.372	-62.63	-25	Pass	9699
1000	2476	1	RMS	2465.993	-49.76	-25	Pass	1476
2476	2710	1	RMS	2583.64	20.24	60	Pass	401
2710	3000	1	RMS	2946.35	-48.08	-25	Pass	401
3000	12000	1	RMS	11811.767	-52.02	-25	Pass	9000
12000	27000	1	RMS	26005.854	-37.46	-25	Pass	15000




**18.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.43	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.12	-25	Pass	2985
30	1000	0.1	RMS	710.383	-62.73	-25	Pass	9699
1000	2476	1	RMS	2462.991	-49.7	-25	Pass	1476
2476	2710	1	RMS	2670.805	20.34	60	Pass	401
2710	3000	1	RMS	2947.075	-48.08	-25	Pass	401
3000	12000	1	RMS	8251.641	-52.03	-25	Pass	9000
12000	27000	1	RMS	25997.853	-37.34	-25	Pass	15000



**18.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72	-25	Pass	401
0.15	30	0.01	RMS	0.29	-71.12	-25	Pass	2985
30	1000	0.1	RMS	710.383	-62.97	-25	Pass	9699
1000	2476	1	RMS	2464.993	-49.61	-25	Pass	1476
2476	2710	1	RMS	2670.805	19.79	60	Pass	401
2710	3000	1	RMS	2947.8	-48.08	-25	Pass	401
3000	12000	1	RMS	11816.773	-52.03	-25	Pass	9000
12000	27000	1	RMS	25996.853	-37.46	-25	Pass	15000



19. LTE_Band66


19.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.66	-13	Pass	691
0.15	30	0.01	RMS	0.16	-71.83	-13	Pass	2985
30	1000	0.1	RMS	864.786	-60.39	-13	Pass	9700
1000	1700	1	RMS	1698.999	-50.15	-13	Pass	700
1700	1790	1	RMS	1710.174	23.07	60	Pass	691
1790	3000	1	RMS	3000	-46.31	-13	Pass	1210
3000	12000	1	RMS	11395.933	-37.48	-13	Pass	9000
12000	20000	1	RMS	19811.976	-28.58	-13	Pass	8000




19.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.8	-13	Pass	691
0.15	30	0.01	RMS	0.15	-71.71	-13	Pass	2985
30	1000	0.1	RMS	934.793	-60.53	-13	Pass	9700
1000	1700	1	RMS	1700	-50.2	-13	Pass	700
1700	1790	1	RMS	1710.174	22.16	60	Pass	691
1790	3000	1	RMS	2998.999	-46.34	-13	Pass	1210
3000	12000	1	RMS	11400.933	-37.49	-13	Pass	9000
12000	20000	1	RMS	19801.975	-28.43	-13	Pass	8000




19.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.08	-13	Pass	691
0.15	30	0.01	RMS	0.15	-69.72	-13	Pass	2985
30	1000	0.1	RMS	912.991	-60.51	-13	Pass	9700
1000	1700	1	RMS	1656.938	-50.33	-13	Pass	700
1700	1790	1	RMS	1744.478	23.17	60	Pass	691
1790	3000	1	RMS	3000	-46.27	-13	Pass	1210
3000	12000	1	RMS	11998	-37.52	-13	Pass	9000
12000	20000	1	RMS	19797.975	-28.55	-13	Pass	8000




19.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.61	-13	Pass	691
0.15	30	0.01	RMS	0.15	-71.15	-13	Pass	2985
30	1000	0.1	RMS	979.998	-60.47	-13	Pass	9700
1000	1700	1	RMS	1675.966	-50.35	-13	Pass	700
1700	1790	1	RMS	1744.609	22.32	60	Pass	691
1790	3000	1	RMS	2998.999	-46.24	-13	Pass	1210
3000	12000	1	RMS	11399.933	-37.45	-13	Pass	9000
12000	20000	1	RMS	19797.975	-28.58	-13	Pass	8000




19.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.55	-13	Pass	691
0.15	30	0.01	RMS	0.16	-70.97	-13	Pass	2985
30	1000	0.1	RMS	901.09	-60.54	-13	Pass	9700
1000	1700	1	RMS	1662.947	-50.3	-13	Pass	700
1700	1790	1	RMS	1778.913	23.25	60	Pass	691
1790	3000	1	RMS	2997.998	-46.33	-13	Pass	1210
3000	12000	1	RMS	11399.933	-37.38	-13	Pass	9000
12000	20000	1	RMS	19816.977	-28.55	-13	Pass	8000




19.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.69	-13	Pass	691
0.15	30	0.01	RMS	0.15	-70.4	-13	Pass	2985
30	1000	0.1	RMS	886.788	-60.47	-13	Pass	9700
1000	1700	1	RMS	1666.953	-50.36	-13	Pass	700
1700	1790	1	RMS	1778.913	22.23	60	Pass	691
1790	3000	1	RMS	2996.998	-46.3	-13	Pass	1210
3000	12000	1	RMS	11398.933	-37.48	-13	Pass	9000
12000	20000	1	RMS	19807.976	-28.55	-13	Pass	8000




19.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.67	-13	Pass	691
0.15	30	0.01	RMS	0.15	-70.38	-13	Pass	2985
30	1000	0.1	RMS	913.491	-60.52	-13	Pass	9700
1000	1700	1	RMS	1700	-50.2	-13	Pass	700
1700	1790	1	RMS	1710.174	23.19	60	Pass	691
1790	3000	1	RMS	3000	-46.22	-13	Pass	1210
3000	12000	1	RMS	11401.934	-37.44	-13	Pass	9000
12000	20000	1	RMS	19810.976	-28.52	-13	Pass	8000




**19.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.8	-13	Pass	691
0.15	30	0.01	RMS	0.15	-71.59	-13	Pass	2985
30	1000	0.1	RMS	873.787	-60.49	-13	Pass	9700
1000	1700	1	RMS	1698.999	-50.2	-13	Pass	700
1700	1790	1	RMS	1710.174	22.38	60	Pass	691
1790	3000	1	RMS	2996.998	-46.22	-13	Pass	1210
3000	12000	1	RMS	11391.932	-37.53	-13	Pass	9000
12000	20000	1	RMS	19806.976	-28.58	-13	Pass	8000




19.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.01	-13	Pass	691
0.15	30	0.01	RMS	0.15	-70.35	-13	Pass	2985
30	1000	0.1	RMS	908.291	-60.45	-13	Pass	9700
1000	1700	1	RMS	1681.974	-50.37	-13	Pass	700
1700	1790	1	RMS	1743.696	23.25	60	Pass	691
1790	3000	1	RMS	2997.998	-46.26	-13	Pass	1210
3000	12000	1	RMS	11398.933	-37.44	-13	Pass	9000
12000	20000	1	RMS	19816.977	-28.53	-13	Pass	8000




**19.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.55	-13	Pass	691
0.15	30	0.01	RMS	0.15	-71.4	-13	Pass	2985
30	1000	0.1	RMS	883.688	-60.56	-13	Pass	9700
1000	1700	1	RMS	1670.959	-50.35	-13	Pass	700
1700	1790	1	RMS	1743.696	22.31	60	Pass	691
1790	3000	1	RMS	2995.997	-46.33	-13	Pass	1210
3000	12000	1	RMS	11402.934	-37.48	-13	Pass	9000
12000	20000	1	RMS	19810.976	-28.52	-13	Pass	8000




19.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.54	-13	Pass	691
0.15	30	0.01	RMS	0.15	-71.22	-13	Pass	2985
30	1000	0.1	RMS	865.886	-60.48	-13	Pass	9700
1000	1700	1	RMS	1672.961	-50.34	-13	Pass	700
1700	1790	1	RMS	1777.348	23.28	60	Pass	691
1790	3000	1	RMS	2997.998	-46.28	-13	Pass	1210
3000	12000	1	RMS	11407.934	-37.49	-13	Pass	9000
12000	20000	1	RMS	19810.976	-28.55	-13	Pass	8000




**19.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.65	-13	Pass	691
0.15	30	0.01	RMS	0.2	-72.4	-13	Pass	2985
30	1000	0.1	RMS	890.989	-60.48	-13	Pass	9700
1000	1700	1	RMS	1678.97	-50.35	-13	Pass	700
1700	1790	1	RMS	1777.217	22.39	60	Pass	691
1790	3000	1	RMS	3000	-46.25	-13	Pass	1210
3000	12000	1	RMS	11388.932	-37.49	-13	Pass	9000
12000	20000	1	RMS	19802.975	-28.55	-13	Pass	8000




19.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.76	-13	Pass	691
0.15	30	0.01	RMS	0.15	-71.26	-13	Pass	2985
30	1000	0.1	RMS	998.7	-60.38	-13	Pass	9700
1000	1700	1	RMS	1698.999	-50.2	-13	Pass	700
1700	1790	1	RMS	1710.304	23.14	60	Pass	691
1790	3000	1	RMS	2997.998	-46.22	-13	Pass	1210
3000	12000	1	RMS	11398.933	-37.43	-13	Pass	9000
12000	20000	1	RMS	19816.977	-28.56	-13	Pass	8000




**19.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.8	-13	Pass	691
0.15	30	0.01	RMS	0.16	-71.63	-13	Pass	2985
30	1000	0.1	RMS	906.99	-60.24	-13	Pass	9700
1000	1700	1	RMS	1697.997	-50.22	-13	Pass	700
1700	1790	1	RMS	1710.304	22.17	60	Pass	691
1790	3000	1	RMS	2996.998	-46.24	-13	Pass	1210
3000	12000	1	RMS	11400.933	-37.47	-13	Pass	9000
12000	20000	1	RMS	19814.977	-28.57	-13	Pass	8000




19.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.31	-13	Pass	691
0.15	30	0.01	RMS	0.15	-70.8	-13	Pass	2985
30	1000	0.1	RMS	992.599	-60.49	-13	Pass	9700
1000	1700	1	RMS	1677.969	-50.33	-13	Pass	700
1700	1790	1	RMS	1742.783	23.04	60	Pass	691
1790	3000	1	RMS	2998.999	-46.27	-13	Pass	1210
3000	12000	1	RMS	11397.933	-37.35	-13	Pass	9000
12000	20000	1	RMS	19808.976	-28.57	-13	Pass	8000




**19.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.62	-13	Pass	691
0.15	30	0.01	RMS	0.15	-70.97	-13	Pass	2985
30	1000	0.1	RMS	899.19	-60.48	-13	Pass	9700
1000	1700	1	RMS	1675.966	-50.39	-13	Pass	700
1700	1790	1	RMS	1742.783	22.43	60	Pass	691
1790	3000	1	RMS	2996.998	-46.28	-13	Pass	1210
3000	12000	1	RMS	11405.934	-37.53	-13	Pass	9000
12000	20000	1	RMS	19814.977	-28.5	-13	Pass	8000




19.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.69	-13	Pass	691
0.15	30	0.01	RMS	0.16	-70.67	-13	Pass	2985
30	1000	0.1	RMS	899.29	-60.39	-13	Pass	9700
1000	1700	1	RMS	1665.951	-50.36	-13	Pass	700
1700	1790	1	RMS	1775.391	23.19	60	Pass	691
1790	3000	1	RMS	2994.996	-46.29	-13	Pass	1210
3000	12000	1	RMS	11398.933	-37.46	-13	Pass	9000
12000	20000	1	RMS	19803.975	-28.54	-13	Pass	8000




**19.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.41	-13	Pass	691
0.15	30	0.01	RMS	0.15	-71.42	-13	Pass	2985
30	1000	0.1	RMS	999	-60.48	-13	Pass	9700
1000	1700	1	RMS	1687.983	-50.39	-13	Pass	700
1700	1790	1	RMS	1775.391	22.41	60	Pass	691
1790	3000	1	RMS	2997.998	-46.26	-13	Pass	1210
3000	12000	1	RMS	11399.933	-37.52	-13	Pass	9000
12000	20000	1	RMS	19805.976	-28.54	-13	Pass	8000




19.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.7	-13	Pass	691
0.15	30	0.01	RMS	0.15	-71.28	-13	Pass	2985
30	1000	0.1	RMS	903.69	-60.33	-13	Pass	9700
1000	1700	1	RMS	1700	-50.19	-13	Pass	700
1700	1790	1	RMS	1710.565	23.11	60	Pass	691
1790	3000	1	RMS	3000	-46.25	-13	Pass	1210
3000	12000	1	RMS	11401.934	-37.48	-13	Pass	9000
12000	20000	1	RMS	19807.976	-28.46	-13	Pass	8000




**19.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.8	-13	Pass	691
0.15	30	0.01	RMS	0.15	-71.31	-13	Pass	2985
30	1000	0.1	RMS	906.19	-60.44	-13	Pass	9700
1000	1700	1	RMS	1697.997	-50.26	-13	Pass	700
1700	1790	1	RMS	1710.565	22.42	60	Pass	691
1790	3000	1	RMS	3000	-46.29	-13	Pass	1210
3000	12000	1	RMS	11980.998	-37.53	-13	Pass	9000
12000	20000	1	RMS	19810.976	-28.57	-13	Pass	8000




19.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.05	-13	Pass	691
0.15	30	0.01	RMS	0.15	-70.96	-13	Pass	2985
30	1000	0.1	RMS	996.2	-60.51	-13	Pass	9700
1000	1700	1	RMS	1678.97	-50.32	-13	Pass	700
1700	1790	1	RMS	1740.565	23.18	60	Pass	691
1790	3000	1	RMS	3000	-46.33	-13	Pass	1210
3000	12000	1	RMS	11400.933	-37.48	-13	Pass	9000
12000	20000	1	RMS	19819.977	-28.59	-13	Pass	8000




**19.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.57	-13	Pass	691
0.15	30	0.01	RMS	0.15	-71.34	-13	Pass	2985
30	1000	0.1	RMS	994.099	-60.4	-13	Pass	9700
1000	1700	1	RMS	1677.969	-50.35	-13	Pass	700
1700	1790	1	RMS	1740.565	22.27	60	Pass	691
1790	3000	1	RMS	3000	-46.29	-13	Pass	1210
3000	12000	1	RMS	11399.933	-37.4	-13	Pass	9000
12000	20000	1	RMS	19810.976	-28.54	-13	Pass	8000




19.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.54	-13	Pass	691
0.15	30	0.01	RMS	0.15	-70.12	-13	Pass	2985
30	1000	0.1	RMS	900.19	-60.46	-13	Pass	9700
1000	1700	1	RMS	1670.959	-50.33	-13	Pass	700
1700	1790	1	RMS	1770.565	23.25	60	Pass	691
1790	3000	1	RMS	2998.999	-46.26	-13	Pass	1210
3000	12000	1	RMS	11395.933	-37.41	-13	Pass	9000
12000	20000	1	RMS	19806.976	-28.53	-13	Pass	8000




**19.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.67	-13	Pass	691
0.15	30	0.01	RMS	0.15	-70.85	-13	Pass	2985
30	1000	0.1	RMS	881.188	-60.57	-13	Pass	9700
1000	1700	1	RMS	1661.946	-50.37	-13	Pass	700
1700	1790	1	RMS	1770.565	22.17	60	Pass	691
1790	3000	1	RMS	2997.998	-46.26	-13	Pass	1210
3000	12000	1	RMS	11406.934	-37.52	-13	Pass	9000
12000	20000	1	RMS	19799.975	-28.57	-13	Pass	8000




19.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.75	-13	Pass	691
0.15	30	0.01	RMS	0.16	-72.39	-13	Pass	2985
30	1000	0.1	RMS	859.085	-60.34	-13	Pass	9700
1000	1700	1	RMS	1696.996	-50.07	-13	Pass	700
1700	1790	1	RMS	1710.826	22.96	60	Pass	691
1790	3000	1	RMS	3000	-46.3	-13	Pass	1210
3000	12000	1	RMS	11992.999	-37.48	-13	Pass	9000
12000	20000	1	RMS	19822.978	-28.52	-13	Pass	8000




**19.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.88	-13	Pass	691
0.15	30	0.01	RMS	0.15	-71.72	-13	Pass	2985
30	1000	0.1	RMS	862.386	-60.51	-13	Pass	9700
1000	1700	1	RMS	1696.996	-50.05	-13	Pass	700
1700	1790	1	RMS	1710.826	22.34	60	Pass	691
1790	3000	1	RMS	3000	-46.25	-13	Pass	1210
3000	12000	1	RMS	11405.934	-37.46	-13	Pass	9000
12000	20000	1	RMS	19810.976	-28.59	-13	Pass	8000




19.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.15	-13	Pass	691
0.15	30	0.01	RMS	0.15	-71.35	-13	Pass	2985
30	1000	0.1	RMS	873.887	-60.56	-13	Pass	9700
1000	1700	1	RMS	1677.969	-50.35	-13	Pass	700
1700	1790	1	RMS	1738.348	23.17	60	Pass	691
1790	3000	1	RMS	2997.998	-46.27	-13	Pass	1210
3000	12000	1	RMS	11400.933	-37.5	-13	Pass	9000
12000	20000	1	RMS	19807.976	-28.51	-13	Pass	8000




**19.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.64	-13	Pass	691
0.15	30	0.01	RMS	0.15	-70.64	-13	Pass	2985
30	1000	0.1	RMS	887.188	-60.51	-13	Pass	9700
1000	1700	1	RMS	1677.969	-50.29	-13	Pass	700
1700	1790	1	RMS	1738.348	22.18	60	Pass	691
1790	3000	1	RMS	3000	-46.22	-13	Pass	1210
3000	12000	1	RMS	11399.933	-37.44	-13	Pass	9000
12000	20000	1	RMS	19804.976	-28.56	-13	Pass	8000




19.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.57	-13	Pass	691
0.15	30	0.01	RMS	0.15	-71.37	-13	Pass	2985
30	1000	0.1	RMS	888.589	-60.49	-13	Pass	9700
1000	1700	1	RMS	1661.946	-50.36	-13	Pass	700
1700	1790	1	RMS	1765.87	23.11	60	Pass	691
1790	3000	1	RMS	3000	-46.27	-13	Pass	1210
3000	12000	1	RMS	11400.933	-37.43	-13	Pass	9000
12000	20000	1	RMS	19818.977	-28.55	-13	Pass	8000




**19.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.2	-13	Pass	691
0.15	30	0.01	RMS	0.15	-71.22	-13	Pass	2985
30	1000	0.1	RMS	983.398	-60.49	-13	Pass	9700
1000	1700	1	RMS	1692.99	-50.38	-13	Pass	700
1700	1790	1	RMS	1765.87	22.44	60	Pass	691
1790	3000	1	RMS	3000	-46.21	-13	Pass	1210
3000	12000	1	RMS	11399.933	-37.47	-13	Pass	9000
12000	20000	1	RMS	19803.975	-28.58	-13	Pass	8000




19.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.64	-13	Pass	691
0.15	30	0.01	RMS	0.15	-70.66	-13	Pass	2985
30	1000	0.1	RMS	876.887	-60.29	-13	Pass	9700
1000	1700	1	RMS	1700	-49.26	-13	Pass	700
1700	1790	1	RMS	1710.957	22.94	60	Pass	691
1790	3000	1	RMS	2995.997	-46.33	-13	Pass	1210
3000	12000	1	RMS	11402.934	-37.44	-13	Pass	9000
12000	20000	1	RMS	19799.975	-28.5	-13	Pass	8000




**19.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.85	-13	Pass	691
0.15	30	0.01	RMS	0.15	-70.9	-13	Pass	2985
30	1000	0.1	RMS	908.691	-60.47	-13	Pass	9700
1000	1700	1	RMS	1700	-49.88	-13	Pass	700
1700	1790	1	RMS	1711.087	22.21	60	Pass	691
1790	3000	1	RMS	2998.999	-46.32	-13	Pass	1210
3000	12000	1	RMS	11972.997	-37.47	-13	Pass	9000
12000	20000	1	RMS	19806.976	-28.54	-13	Pass	8000




19.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.55	-13	Pass	691
0.15	30	0.01	RMS	0.15	-70.7	-13	Pass	2985
30	1000	0.1	RMS	875.087	-60.33	-13	Pass	9700
1000	1700	1	RMS	1678.97	-50.36	-13	Pass	700
1700	1790	1	RMS	1736.13	22.98	60	Pass	691
1790	3000	1	RMS	3000	-46.34	-13	Pass	1210
3000	12000	1	RMS	11397.933	-37.48	-13	Pass	9000
12000	20000	1	RMS	19817.977	-28.56	-13	Pass	8000




**19.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.73	-13	Pass	691
0.15	30	0.01	RMS	0.15	-70.84	-13	Pass	2985
30	1000	0.1	RMS	902.49	-60.59	-13	Pass	9700
1000	1700	1	RMS	1664.95	-50.33	-13	Pass	700
1700	1790	1	RMS	1736	22.34	60	Pass	691
1790	3000	1	RMS	2998.999	-46.34	-13	Pass	1210
3000	12000	1	RMS	11393.933	-37.42	-13	Pass	9000
12000	20000	1	RMS	19810.976	-28.56	-13	Pass	8000




19.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.42	-13	Pass	691
0.15	30	0.01	RMS	0.15	-70.11	-13	Pass	2985
30	1000	0.1	RMS	882.788	-60.39	-13	Pass	9700
1000	1700	1	RMS	1675.966	-50.38	-13	Pass	700
1700	1790	1	RMS	1761.174	23.15	60	Pass	691
1790	3000	1	RMS	3000	-46.33	-13	Pass	1210
3000	12000	1	RMS	11398.933	-37.52	-13	Pass	9000
12000	20000	1	RMS	19802.975	-28.55	-13	Pass	8000



**19.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.47	-13	Pass	691
0.15	30	0.01	RMS	0.15	-69.76	-13	Pass	2985
30	1000	0.1	RMS	875.587	-60.55	-13	Pass	9700
1000	1700	1	RMS	1654.936	-50.34	-13	Pass	700
1700	1790	1	RMS	1761.174	22.21	60	Pass	691
1790	3000	1	RMS	2997.998	-46.27	-13	Pass	1210
3000	12000	1	RMS	11390.932	-37.52	-13	Pass	9000
12000	20000	1	RMS	19801.975	-28.47	-13	Pass	8000



20. CA_7C


20.1. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20850+20994, Bandwidth:20+10, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.18	-25	Pass	401
0.15	30	0.01	RMS	0.28	-72.88	-25	Pass	2985
30	1000	0.1	RMS	849.2	-64.89	-25	Pass	9699
1000	2475	1	RMS	2473.999	-51.8	-25	Pass	1475
2475	2735	1	RMS	2528.3	14.71	60	Pass	401
2735	3000	1	RMS	2948.988	-49.89	-25	Pass	401
3000	12000	1	RMS	8249.641	-53.84	-25	Pass	9000
12000	26000	1	RMS	25998	-39.35	-25	Pass	14000




**20.2. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20850+20994, Bandwidth:20+10, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.04	-25	Pass	401
0.15	30	0.01	RMS	0.28	-73.04	-25	Pass	2985
30	1000	0.1	RMS	823.197	-64.81	-25	Pass	9699
1000	2475	1	RMS	2462.992	-51.93	-25	Pass	1475
2475	2735	1	RMS	2521.15	10.25	60	Pass	401
2735	3000	1	RMS	2949.65	-49.88	-25	Pass	401
3000	12000	1	RMS	11819.777	-53.86	-25	Pass	9000
12000	26000	1	RMS	25995.999	-39.4	-25	Pass	14000




**20.3. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:20850+20994, Bandwidth:20+10, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.55	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.52	-25	Pass	2985
30	1000	0.1	RMS	863.819	-64.88	-25	Pass	9699
1000	2475	1	RMS	2472.999	-51.85	-25	Pass	1475
2475	2735	1	RMS	2528.3	14.58	60	Pass	401
2735	3000	1	RMS	2951.638	-49.86	-25	Pass	401
3000	12000	1	RMS	11804.758	-53.92	-25	Pass	9000
12000	26000	1	RMS	25990.998	-39.44	-25	Pass	14000




**20.4. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20850+20994, Bandwidth:20+10, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.01	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.64	-25	Pass	2985
30	1000	0.1	RMS	848.2	-64.87	-25	Pass	9699
1000	2475	1	RMS	2471.998	-51.99	-25	Pass	1475
2475	2735	1	RMS	2521.15	9.32	60	Pass	401
2735	3000	1	RMS	2950.313	-49.84	-25	Pass	401
3000	12000	1	RMS	11809.765	-53.94	-25	Pass	9000
12000	26000	1	RMS	25993.999	-39.45	-25	Pass	14000




**20.5. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:21051+21195, Bandwidth:20+10, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.64	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.87	-25	Pass	2985
30	1000	0.1	RMS	857.912	-64.88	-25	Pass	9699
1000	2475	1	RMS	2475	-51.99	-25	Pass	1475
2475	2735	1	RMS	2548.45	15.91	60	Pass	401
2735	3000	1	RMS	2950.313	-49.87	-25	Pass	401
3000	12000	1	RMS	11806.761	-53.89	-25	Pass	9000
12000	26000	1	RMS	25983.997	-39.45	-25	Pass	14000




**20.6. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:21051+21195, Bandwidth:20+10, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.87	-25	Pass	401
0.15	30	0.01	RMS	0.39	-72.83	-25	Pass	2985
30	1000	0.1	RMS	825.597	-64.96	-25	Pass	9699
1000	2475	1	RMS	2454.986	-51.85	-25	Pass	1475
2475	2735	1	RMS	2546.5	9.95	60	Pass	401
2735	3000	1	RMS	2948.988	-49.86	-25	Pass	401
3000	12000	1	RMS	11815.772	-53.81	-25	Pass	9000
12000	26000	1	RMS	25989.998	-39.34	-25	Pass	14000




**20.7. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:21051+21195, Bandwidth:20+10, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.63	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.94	-25	Pass	2985
30	1000	0.1	RMS	847.6	-64.92	-25	Pass	9699
1000	2475	1	RMS	2457.988	-51.97	-25	Pass	1475
2475	2735	1	RMS	2548.45	15.82	60	Pass	401
2735	3000	1	RMS	2950.313	-49.85	-25	Pass	401
3000	12000	1	RMS	11824.783	-53.92	-25	Pass	9000
12000	26000	1	RMS	25995.999	-39.34	-25	Pass	14000




**20.8. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:21051+21195, Bandwidth:20+10, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.83	-25	Pass	401
0.15	30	0.01	RMS	0.33	-72.81	-25	Pass	2985
30	1000	0.1	RMS	874.133	-64.88	-25	Pass	9699
1000	2475	1	RMS	2450.984	-51.94	-25	Pass	1475
2475	2735	1	RMS	2547.15	9.14	60	Pass	401
2735	3000	1	RMS	2946.338	-49.88	-25	Pass	401
3000	12000	1	RMS	11812.768	-53.88	-25	Pass	9000
12000	26000	1	RMS	26000	-39.45	-25	Pass	14000




**20.9. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:21251+21395, Bandwidth:20+10, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.6	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.81	-25	Pass	2985
30	1000	0.1	RMS	852.705	-64.84	-25	Pass	9699
1000	2475	1	RMS	2471.998	-51.95	-25	Pass	1475
2475	2735	1	RMS	2568.6	14.46	60	Pass	401
2735	3000	1	RMS	2948.988	-49.9	-25	Pass	401
3000	12000	1	RMS	11802.756	-53.91	-25	Pass	9000
12000	26000	1	RMS	26000	-39.31	-25	Pass	14000




**20.10. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:21251+21395, Bandwidth:20+10, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.51	-25	Pass	401
0.15	30	0.01	RMS	0.22	-72.89	-25	Pass	2985
30	1000	0.1	RMS	851.603	-64.92	-25	Pass	9699
1000	2475	1	RMS	2464.993	-51.85	-25	Pass	1475
2475	2735	1	RMS	2560.8	9.54	60	Pass	401
2735	3000	1	RMS	2950.313	-49.89	-25	Pass	401
3000	12000	1	RMS	11789.74	-53.91	-25	Pass	9000
12000	26000	1	RMS	25994.999	-39.48	-25	Pass	14000




**20.11. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:21251+21395, Bandwidth:20+10, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.28	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.62	-25	Pass	2985
30	1000	0.1	RMS	839.399	-64.88	-25	Pass	9699
1000	2475	1	RMS	2475	-51.94	-25	Pass	1475
2475	2735	1	RMS	2568.6	14.36	60	Pass	401
2735	3000	1	RMS	2948.988	-49.92	-25	Pass	401
3000	12000	1	RMS	11793.745	-53.91	-25	Pass	9000
12000	26000	1	RMS	25988.998	-39.5	-25	Pass	14000




**20.12. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:21251+21395, Bandwidth:20+10, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.13	-25	Pass	401
0.15	30	0.01	RMS	0.36	-73.46	-25	Pass	2985
30	1000	0.1	RMS	859.013	-64.95	-25	Pass	9699
1000	2475	1	RMS	2458.989	-51.96	-25	Pass	1475
2475	2735	1	RMS	2560.8	8.74	60	Pass	401
2735	3000	1	RMS	2948.988	-49.86	-25	Pass	401
3000	12000	1	RMS	11812.768	-53.95	-25	Pass	9000
12000	26000	1	RMS	25999	-39.38	-25	Pass	14000




**20.13. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:20850+21048, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.04	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.88	-25	Pass	2985
30	1000	0.1	RMS	846.6	-64.92	-25	Pass	9699
1000	2475	1	RMS	2458.989	-51.04	-25	Pass	1475
2475	2735	1	RMS	2501	10.29	60	Pass	401
2735	3000	1	RMS	2947.663	-49.92	-25	Pass	401
3000	12000	1	RMS	11800.753	-53.89	-25	Pass	9000
12000	26000	1	RMS	25998	-39.39	-25	Pass	14000




**20.14. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:20850+21048, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.57	-25	Pass	401
0.15	30	0.01	RMS	0.22	-72.97	-25	Pass	2985
30	1000	0.1	RMS	833.998	-64.78	-25	Pass	9699
1000	2475	1	RMS	2468.996	-52.02	-25	Pass	1475
2475	2735	1	RMS	2521.8	6.7	60	Pass	401
2735	3000	1	RMS	2950.313	-49.92	-25	Pass	401
3000	12000	1	RMS	11813.77	-53.9	-25	Pass	9000
12000	26000	1	RMS	25992.999	-39.45	-25	Pass	14000




**20.15. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20850+21048, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.45	-25	Pass	401
0.15	30	0.01	RMS	0.16	-73.06	-25	Pass	2985
30	1000	0.1	RMS	849.1	-64.97	-25	Pass	9699
1000	2475	1	RMS	2456.988	-51.23	-25	Pass	1475
2475	2735	1	RMS	2501	10.29	60	Pass	401
2735	3000	1	RMS	2948.325	-49.89	-25	Pass	401
3000	12000	1	RMS	11800.753	-53.95	-25	Pass	9000
12000	26000	1	RMS	25984.997	-39.47	-25	Pass	14000




**20.16. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20850+21048, Bandwidth:20+20, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.72	-25	Pass	401
0.15	30	0.01	RMS	0.16	-73.04	-25	Pass	2985
30	1000	0.1	RMS	846.6	-64.92	-25	Pass	9699
1000	2475	1	RMS	2462.992	-51.99	-25	Pass	1475
2475	2735	1	RMS	2517.25	5.27	60	Pass	401
2735	3000	1	RMS	2947	-49.91	-25	Pass	401
3000	12000	1	RMS	11812.768	-53.99	-25	Pass	9000
12000	26000	1	RMS	25996.999	-39.42	-25	Pass	14000




**20.17. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:21001+21199, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.79	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.5	-25	Pass	2985
30	1000	0.1	RMS	841.299	-64.92	-25	Pass	9699
1000	2475	1	RMS	2464.993	-51.78	-25	Pass	1475
2475	2735	1	RMS	2553.65	10.77	60	Pass	401
2735	3000	1	RMS	2948.325	-49.91	-25	Pass	401
3000	12000	1	RMS	11819.777	-53.87	-25	Pass	9000
12000	26000	1	RMS	25998	-39.47	-25	Pass	14000




**20.18. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:21001+21199, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.67	-25	Pass	401
0.15	30	0.01	RMS	0.24	-73.14	-25	Pass	2985
30	1000	0.1	RMS	852.504	-64.81	-25	Pass	9699
1000	2475	1	RMS	2452.985	-51.97	-25	Pass	1475
2475	2735	1	RMS	2549.75	6.74	60	Pass	401
2735	3000	1	RMS	2948.325	-49.9	-25	Pass	401
3000	12000	1	RMS	11797.75	-53.97	-25	Pass	9000
12000	26000	1	RMS	26000	-39.43	-25	Pass	14000




**20.19. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:21001+21199, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.69	-25	Pass	401
0.15	30	0.01	RMS	0.19	-73.07	-25	Pass	2985
30	1000	0.1	RMS	725.685	-65	-25	Pass	9699
1000	2475	1	RMS	2475	-51.99	-25	Pass	1475
2475	2735	1	RMS	2553.65	10.84	60	Pass	401
2735	3000	1	RMS	2950.313	-49.92	-25	Pass	401
3000	12000	1	RMS	11813.77	-53.95	-25	Pass	9000
12000	26000	1	RMS	25993.999	-39.46	-25	Pass	14000




**20.20. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:21001+21199, Bandwidth:20+20, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.64	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.92	-25	Pass	2985
30	1000	0.1	RMS	857.611	-64.99	-25	Pass	9699
1000	2475	1	RMS	2475	-51.96	-25	Pass	1475
2475	2735	1	RMS	2551.7	5.31	60	Pass	401
2735	3000	1	RMS	2944.35	-49.93	-25	Pass	401
3000	12000	1	RMS	11809.765	-53.86	-25	Pass	9000
12000	26000	1	RMS	25984.997	-39.49	-25	Pass	14000




**20.21. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:21152+21350, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.46	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.71	-25	Pass	2985
30	1000	0.1	RMS	852.404	-64.9	-25	Pass	9699
1000	2475	1	RMS	2475	-51.93	-25	Pass	1475
2475	2735	1	RMS	2568.6	10.94	60	Pass	401
2735	3000	1	RMS	2950.313	-49.92	-25	Pass	401
3000	12000	1	RMS	11799.752	-53.92	-25	Pass	9000
12000	26000	1	RMS	25990.998	-39.41	-25	Pass	14000




20.22. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:21152+21350, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.67	-25	Pass	401
0.15	30	0.01	RMS	0.17	-73.34	-25	Pass	2985
30	1000	0.1	RMS	841.499	-64.83	-25	Pass	9699
1000	2475	1	RMS	2464.993	-51.87	-25	Pass	1475
2475	2735	1	RMS	2547.8	6.91	60	Pass	401
2735	3000	1	RMS	2950.313	-49.9	-25	Pass	401
3000	12000	1	RMS	11818.776	-53.88	-25	Pass	9000
12000	26000	1	RMS	25984.997	-39.5	-25	Pass	14000




**20.23. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:21152+21350, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.23	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.88	-25	Pass	2985
30	1000	0.1	RMS	853.806	-64.79	-25	Pass	9699
1000	2475	1	RMS	2456.988	-51.98	-25	Pass	1475
2475	2735	1	RMS	2530.9	11.02	60	Pass	401
2735	3000	1	RMS	2945.675	-49.94	-25	Pass	401
3000	12000	1	RMS	11809.765	-53.92	-25	Pass	9000
12000	26000	1	RMS	25986.998	-39.43	-25	Pass	14000



**20.24. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:21152+21350, Bandwidth:20+20, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.29	-25	Pass	2985
30	1000	0.1	RMS	846.1	-64.85	-25	Pass	9699
1000	2475	1	RMS	2471.998	-51.97	-25	Pass	1475
2475	2735	1	RMS	2547.8	5.38	60	Pass	401
2735	3000	1	RMS	2949.65	-49.94	-25	Pass	401
3000	12000	1	RMS	11800.753	-53.94	-25	Pass	9000
12000	26000	1	RMS	25999	-39.34	-25	Pass	14000



21. CA_38C


21.1. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:37825+37975, Bandwidth:15+15, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.6	-25	Pass	401
0.15	30	0.01	RMS	0.18	-69.04	-25	Pass	2985
30	1000	0.1	RMS	852.905	-60.86	-25	Pass	9699
1000	2525	1	RMS	2513.993	-37.89	-25	Pass	1525
2525	2665	1	RMS	2570.5	10.99	60	Pass	401
2665	3000	1	RMS	2949.75	-45.96	-25	Pass	401
3000	12000	1	RMS	11810.766	-53.86	-25	Pass	9000
12000	26500	1	RMS	26033.926	-39.32	-25	Pass	14500




**21.2. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:37825+37975, Bandwidth:15+15, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.6	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.78	-25	Pass	2985
30	1000	0.1	RMS	829.798	-60.93	-25	Pass	9699
1000	2525	1	RMS	2523.999	-42.59	-25	Pass	1525
2525	2665	1	RMS	2582.05	7.86	60	Pass	401
2665	3000	1	RMS	2944.725	-45.99	-25	Pass	401
3000	12000	1	RMS	11785.735	-53.92	-25	Pass	9000
12000	26500	1	RMS	26014.923	-39.3	-25	Pass	14500




**21.3. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:37825+37975, Bandwidth:15+15, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.06	-25	Pass	401
0.15	30	0.01	RMS	0.22	-68.97	-25	Pass	2985
30	1000	0.1	RMS	852.504	-60.92	-25	Pass	9699
1000	2525	1	RMS	2513.993	-41.16	-25	Pass	1525
2525	2665	1	RMS	2570.85	11.06	60	Pass	401
2665	3000	1	RMS	2948.913	-45.96	-25	Pass	401
3000	12000	1	RMS	11790.741	-53.93	-25	Pass	9000
12000	26500	1	RMS	26010.922	-39.32	-25	Pass	14500




**21.4. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:37825+37975, Bandwidth:15+15, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.07	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.73	-25	Pass	2985
30	1000	0.1	RMS	840.099	-60.9	-25	Pass	9699
1000	2525	1	RMS	2522.999	-45.15	-25	Pass	1525
2525	2665	1	RMS	2582.75	5.94	60	Pass	401
2665	3000	1	RMS	2947.238	-45.98	-25	Pass	401
3000	12000	1	RMS	11811.767	-53.87	-25	Pass	9000
12000	26500	1	RMS	25999.921	-39.22	-25	Pass	14500




**21.5. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:37925+38075, Bandwidth:15+15, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.16	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.32	-25	Pass	2985
30	1000	0.1	RMS	857.611	-60.87	-25	Pass	9699
1000	2525	1	RMS	2525	-40.38	-25	Pass	1525
2525	2665	1	RMS	2609	11.13	60	Pass	401
2665	3000	1	RMS	2665	-43.74	-25	Pass	401
3000	12000	1	RMS	11797.75	-53.86	-25	Pass	9000
12000	26500	1	RMS	26003.921	-39.3	-25	Pass	14500




**21.6. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:37925+38075, Bandwidth:15+15, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.17	-25	Pass	401
0.15	30	0.01	RMS	0.23	-68.65	-25	Pass	2985
30	1000	0.1	RMS	852.004	-60.9	-25	Pass	9699
1000	2525	1	RMS	2523.999	-44.97	-25	Pass	1525
2525	2665	1	RMS	2589.05	7.66	60	Pass	401
2665	3000	1	RMS	2665	-45.87	-25	Pass	401
3000	12000	1	RMS	11811.767	-53.92	-25	Pass	9000
12000	26500	1	RMS	26014.923	-39.32	-25	Pass	14500




**21.7. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:37925+38075, Bandwidth:15+15, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.02	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.19	-25	Pass	2985
30	1000	0.1	RMS	842.499	-60.9	-25	Pass	9699
1000	2525	1	RMS	2523.999	-37.78	-25	Pass	1525
2525	2665	1	RMS	2580.65	11.03	60	Pass	401
2665	3000	1	RMS	2665	-44.24	-25	Pass	401
3000	12000	1	RMS	11793.745	-53.92	-25	Pass	9000
12000	26500	1	RMS	26000.921	-39.23	-25	Pass	14500




**21.8. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:37925+38075, Bandwidth:15+15, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.77	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.77	-25	Pass	2985
30	1000	0.1	RMS	837.399	-60.83	-25	Pass	9699
1000	2525	1	RMS	2525	-46.4	-25	Pass	1525
2525	2665	1	RMS	2592.55	6.18	60	Pass	401
2665	3000	1	RMS	2948.913	-46.01	-25	Pass	401
3000	12000	1	RMS	11808.763	-53.9	-25	Pass	9000
12000	26500	1	RMS	26003.921	-39.37	-25	Pass	14500




**21.9. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:38025+38175, Bandwidth:15+15, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.49	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.69	-25	Pass	2985
30	1000	0.1	RMS	841.799	-60.84	-25	Pass	9699
1000	2525	1	RMS	2505.988	-46.49	-25	Pass	1525
2525	2665	1	RMS	2590.8	11.56	60	Pass	401
2665	3000	1	RMS	2675.05	-43.22	-25	Pass	401
3000	12000	1	RMS	11997.998	-53.89	-25	Pass	9000
12000	26500	1	RMS	26032.926	-39.28	-25	Pass	14500




21.10. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:38025+38175, Bandwidth:15+15, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.31	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.4	-25	Pass	2985
30	1000	0.1	RMS	854.006	-60.91	-25	Pass	9699
1000	2525	1	RMS	2522.999	-46.72	-25	Pass	1525
2525	2665	1	RMS	2609.7	7.46	60	Pass	401
2665	3000	1	RMS	2665	-43.46	-25	Pass	401
3000	12000	1	RMS	11814.771	-53.91	-25	Pass	9000
12000	26500	1	RMS	26000.921	-39.35	-25	Pass	14500




**21.11. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:38025+38175, Bandwidth:15+15, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.16	-25	Pass	401
0.15	30	0.01	RMS	0.2	-69.03	-25	Pass	2985
30	1000	0.1	RMS	841.999	-60.88	-25	Pass	9699
1000	2525	1	RMS	2505.988	-45.91	-25	Pass	1525
2525	2665	1	RMS	2590.8	11.64	60	Pass	401
2665	3000	1	RMS	2675.05	-43.65	-25	Pass	401
3000	12000	1	RMS	11816.773	-53.9	-25	Pass	9000
12000	26500	1	RMS	25980.918	-39.34	-25	Pass	14500




**21.12. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:38025+38175, Bandwidth:15+15, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.28	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.68	-25	Pass	2985
30	1000	0.1	RMS	854.908	-60.75	-25	Pass	9699
1000	2525	1	RMS	2522.999	-47.45	-25	Pass	1525
2525	2665	1	RMS	2607.6	6.19	60	Pass	401
2665	3000	1	RMS	2665.838	-45.96	-25	Pass	401
3000	12000	1	RMS	11792.743	-53.88	-25	Pass	9000
12000	26500	1	RMS	26003.921	-39.23	-25	Pass	14500




**21.13. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:37850+38048, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.54	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.37	-25	Pass	2985
30	1000	0.1	RMS	860.315	-60.94	-25	Pass	9699
1000	2525	1	RMS	2494.98	-42.47	-25	Pass	1525
2525	2665	1	RMS	2570.85	11.83	60	Pass	401
2665	3000	1	RMS	2683.425	-43.22	-25	Pass	401
3000	12000	1	RMS	11799.752	-53.87	-25	Pass	9000
12000	26500	1	RMS	26002.921	-39.29	-25	Pass	14500




**21.14. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:37850+38048, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.16	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.29	-25	Pass	2985
30	1000	0.1	RMS	836.298	-60.92	-25	Pass	9699
1000	2525	1	RMS	2523.999	-41	-25	Pass	1525
2525	2665	1	RMS	2587.3	6.41	60	Pass	401
2665	3000	1	RMS	2665.838	-44	-25	Pass	401
3000	12000	1	RMS	11813.77	-53.81	-25	Pass	9000
12000	26500	1	RMS	26002.921	-39.24	-25	Pass	14500




**21.15. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:37850+38048, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.5	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.65	-25	Pass	2985
30	1000	0.1	RMS	845.6	-60.95	-25	Pass	9699
1000	2525	1	RMS	2494.98	-43.43	-25	Pass	1525
2525	2665	1	RMS	2570.85	11.02	60	Pass	401
2665	3000	1	RMS	2683.425	-43.51	-25	Pass	401
3000	12000	1	RMS	11801.755	-53.79	-25	Pass	9000
12000	26500	1	RMS	25995.92	-39.28	-25	Pass	14500




**21.16. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:37850+38048, Bandwidth:20+20, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.73	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.93	-25	Pass	2985
30	1000	0.1	RMS	827.397	-60.95	-25	Pass	9699
1000	2525	1	RMS	2523.999	-43.41	-25	Pass	1525
2525	2665	1	RMS	2583.1	4.94	60	Pass	401
2665	3000	1	RMS	2956.45	-45.98	-25	Pass	401
3000	12000	1	RMS	11805.76	-53.86	-25	Pass	9000
12000	26500	1	RMS	25999.921	-39.37	-25	Pass	14500




**21.17. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:37901+38099, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.67	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.45	-25	Pass	2985
30	1000	0.1	RMS	860.815	-60.93	-25	Pass	9699
1000	2525	1	RMS	2500.984	-42.57	-25	Pass	1525
2525	2665	1	RMS	2576.1	11.54	60	Pass	401
2665	3000	1	RMS	2688.45	-44.21	-25	Pass	401
3000	12000	1	RMS	11785.735	-53.89	-25	Pass	9000
12000	26500	1	RMS	26004.922	-39.31	-25	Pass	14500




**21.18. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:37901+38099, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.69	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.55	-25	Pass	2985
30	1000	0.1	RMS	838.599	-60.93	-25	Pass	9699
1000	2525	1	RMS	2522.999	-42.26	-25	Pass	1525
2525	2665	1	RMS	2589.75	6.35	60	Pass	401
2665	3000	1	RMS	2665	-42.51	-25	Pass	401
3000	12000	1	RMS	11824.783	-53.9	-25	Pass	9000
12000	26500	1	RMS	25993.92	-39.26	-25	Pass	14500




**21.19. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:37901+38099, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.59	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.13	-25	Pass	2985
30	1000	0.1	RMS	833.998	-60.77	-25	Pass	9699
1000	2525	1	RMS	2500.984	-40.93	-25	Pass	1525
2525	2665	1	RMS	2576.1	11.69	60	Pass	401
2665	3000	1	RMS	2688.45	-44.31	-25	Pass	401
3000	12000	1	RMS	11809.765	-53.89	-25	Pass	9000
12000	26500	1	RMS	25998.921	-39.26	-25	Pass	14500




**21.20. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:37901+38099, Bandwidth:20+20, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.16	-25	Pass	401
0.15	30	0.01	RMS	0.25	-69.34	-25	Pass	2985
30	1000	0.1	RMS	828.497	-60.86	-25	Pass	9699
1000	2525	1	RMS	2522.999	-44.29	-25	Pass	1525
2525	2665	1	RMS	2587.65	4.85	60	Pass	401
2665	3000	1	RMS	2665	-45.4	-25	Pass	401
3000	12000	1	RMS	11797.75	-53.87	-25	Pass	9000
12000	26500	1	RMS	26003.921	-39.27	-25	Pass	14500




**21.21. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:37952+38150, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.33	-25	Pass	401
0.15	30	0.01	RMS	0.4	-69.03	-25	Pass	2985
30	1000	0.1	RMS	844.099	-60.91	-25	Pass	9699
1000	2525	1	RMS	2506.988	-42.59	-25	Pass	1525
2525	2665	1	RMS	2581.35	10.96	60	Pass	401
2665	3000	1	RMS	2693.475	-44.15	-25	Pass	401
3000	12000	1	RMS	8250.641	-53.95	-25	Pass	9000
12000	26500	1	RMS	25995.92	-39.36	-25	Pass	14500




**21.22. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:37952+38150, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.5	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.03	-25	Pass	2985
30	1000	0.1	RMS	835.498	-60.9	-25	Pass	9699
1000	2525	1	RMS	2525	-42.82	-25	Pass	1525
2525	2665	1	RMS	2602.7	6.2	60	Pass	401
2665	3000	1	RMS	2665	-41.18	-25	Pass	401
3000	12000	1	RMS	11790.741	-53.92	-25	Pass	9000
12000	26500	1	RMS	26010.922	-39.35	-25	Pass	14500




**21.23. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:37952+38150, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.06	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.5	-25	Pass	2985
30	1000	0.1	RMS	854.307	-60.85	-25	Pass	9699
1000	2525	1	RMS	2505.988	-38.87	-25	Pass	1525
2525	2665	1	RMS	2581	11.15	60	Pass	401
2665	3000	1	RMS	2693.475	-44.06	-25	Pass	401
3000	12000	1	RMS	11824.783	-53.93	-25	Pass	9000
12000	26500	1	RMS	26005.922	-39.37	-25	Pass	14500



**21.24. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:37952+38150, Bandwidth:20+20, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.49	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.68	-25	Pass	2985
30	1000	0.1	RMS	840.999	-60.83	-25	Pass	9699
1000	2525	1	RMS	2523.999	-45.21	-25	Pass	1525
2525	2665	1	RMS	2602.7	4.91	60	Pass	401
2665	3000	1	RMS	2665	-44.11	-25	Pass	401
3000	12000	1	RMS	11800.753	-53.93	-25	Pass	9000
12000	26500	1	RMS	26000.921	-39.28	-25	Pass	14500



22. CA_41C


22.1. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:39750+39867, Bandwidth:20+5, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.43	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.71	-25	Pass	2985
30	1000	0.1	RMS	858.612	-60.94	-25	Pass	9699
1000	2475	1	RMS	2475	-36.51	-25	Pass	1475
2475	2735	1	RMS	2497.1	8.62	60	Pass	401
2735	3000	1	RMS	2945.013	-45.96	-25	Pass	401
3000	12000	1	RMS	11795.747	-53.89	-25	Pass	9000
12000	27000	1	RMS	26002.854	-39.28	-25	Pass	15000




**22.2. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:39750+39867, Bandwidth:20+5, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.12	-25	Pass	401
0.15	30	0.01	RMS	0.22	-69.1	-25	Pass	2985
30	1000	0.1	RMS	834.298	-60.82	-25	Pass	9699
1000	2475	1	RMS	2475	-44.29	-25	Pass	1475
2475	2735	1	RMS	2518.55	12.48	60	Pass	401
2735	3000	1	RMS	2948.325	-45.98	-25	Pass	401
3000	12000	1	RMS	11796.748	-53.89	-25	Pass	9000
12000	27000	1	RMS	26013.855	-39.38	-25	Pass	15000




**22.3. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:39750+39867, Bandwidth:20+5, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.04	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.69	-25	Pass	2985
30	1000	0.1	RMS	836.298	-60.96	-25	Pass	9699
1000	2475	1	RMS	2473.999	-37.33	-25	Pass	1475
2475	2735	1	RMS	2519.2	9.22	60	Pass	401
2735	3000	1	RMS	2944.35	-45.99	-25	Pass	401
3000	12000	1	RMS	6960.483	-53.85	-25	Pass	9000
12000	27000	1	RMS	26009.855	-39.26	-25	Pass	15000




**22.4. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:39750+39867, Bandwidth:20+5, Modulation:16QAM, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.88	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.71	-25	Pass	2985
30	1000	0.1	RMS	855.108	-60.86	-25	Pass	9699
1000	2475	1	RMS	2475	-46.28	-25	Pass	1475
2475	2735	1	RMS	2517.9	10.5	60	Pass	401
2735	3000	1	RMS	2944.35	-45.99	-25	Pass	401
3000	12000	1	RMS	6958.483	-53.85	-25	Pass	9000
12000	27000	1	RMS	26015.855	-39.22	-25	Pass	15000




**22.5. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:40595+40712, Bandwidth:20+5, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.96	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.88	-25	Pass	2985
30	1000	0.1	RMS	840.199	-60.94	-25	Pass	9699
1000	2475	1	RMS	2475	-47.93	-25	Pass	1475
2475	2735	1	RMS	2604.35	8.84	60	Pass	401
2735	3000	1	RMS	2949.65	-46.02	-25	Pass	401
3000	12000	1	RMS	11811.767	-53.9	-25	Pass	9000
12000	27000	1	RMS	26016.856	-39.29	-25	Pass	15000




**22.6. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:40595+40712, Bandwidth:20+5, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.33	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.64	-25	Pass	2985
30	1000	0.1	RMS	836.298	-60.97	-25	Pass	9699
1000	2475	1	RMS	2456.988	-47.96	-25	Pass	1475
2475	2735	1	RMS	2601.1	11.56	60	Pass	401
2735	3000	1	RMS	2948.325	-45.96	-25	Pass	401
3000	12000	1	RMS	11805.76	-53.84	-25	Pass	9000
12000	27000	1	RMS	26000.853	-39.32	-25	Pass	15000




**22.7. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:40595+40712, Bandwidth:20+5, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.25	-25	Pass	401
0.15	30	0.01	RMS	0.18	-69.01	-25	Pass	2985
30	1000	0.1	RMS	834.298	-60.71	-25	Pass	9699
1000	2475	1	RMS	2460.991	-47.65	-25	Pass	1475
2475	2735	1	RMS	2603.7	8.65	60	Pass	401
2735	3000	1	RMS	2951.638	-45.99	-25	Pass	401
3000	12000	1	RMS	11791.742	-53.9	-25	Pass	9000
12000	27000	1	RMS	25997.853	-39.38	-25	Pass	15000




**22.8. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:40595+40712, Bandwidth:20+5, Modulation:16QAM, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.38	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.71	-25	Pass	2985
30	1000	0.1	RMS	836.999	-60.88	-25	Pass	9699
1000	2475	1	RMS	2475	-47.91	-25	Pass	1475
2475	2735	1	RMS	2601.75	10.45	60	Pass	401
2735	3000	1	RMS	2949.65	-45.96	-25	Pass	401
3000	12000	1	RMS	11810.766	-53.91	-25	Pass	9000
12000	27000	1	RMS	25987.851	-39.23	-25	Pass	15000




**22.9. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:41440+41557, Bandwidth:20+5, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.89	-25	Pass	401
0.15	30	0.01	RMS	0.22	-68.33	-25	Pass	2985
30	1000	0.1	RMS	847.4	-60.84	-25	Pass	9699
1000	2475	1	RMS	2472.999	-47.97	-25	Pass	1475
2475	2735	1	RMS	2666.1	9.27	60	Pass	401
2735	3000	1	RMS	2949.65	-45.98	-25	Pass	401
3000	12000	1	RMS	11823.782	-53.89	-25	Pass	9000
12000	27000	1	RMS	26004.854	-39.23	-25	Pass	15000




**22.10. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:41440+41557, Bandwidth:20+5, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.02	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.86	-25	Pass	2985
30	1000	0.1	RMS	847.3	-60.86	-25	Pass	9699
1000	2475	1	RMS	2475	-47.93	-25	Pass	1475
2475	2735	1	RMS	2686.25	12.07	60	Pass	401
2735	3000	1	RMS	2946.338	-46	-25	Pass	401
3000	12000	1	RMS	11795.747	-53.93	-25	Pass	9000
12000	27000	1	RMS	26970.996	-39.37	-25	Pass	15000




**22.11. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:41440+41557, Bandwidth:20+5, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.86	-25	Pass	401
0.15	30	0.01	RMS	0.21	-68.93	-25	Pass	2985
30	1000	0.1	RMS	848.8	-60.97	-25	Pass	9699
1000	2475	1	RMS	2469.997	-47.9	-25	Pass	1475
2475	2735	1	RMS	2665.45	9.27	60	Pass	401
2735	3000	1	RMS	2945.675	-46	-25	Pass	401
3000	12000	1	RMS	11799.752	-53.89	-25	Pass	9000
12000	27000	1	RMS	26000.853	-39.27	-25	Pass	15000




22.12. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:41440+41557, Bandwidth:20+5, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.26	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.91	-25	Pass	2985
30	1000	0.1	RMS	873.733	-60.91	-25	Pass	9699
1000	2475	1	RMS	2465.994	-47.59	-25	Pass	1475
2475	2735	1	RMS	2686.9	11.14	60	Pass	401
2735	3000	1	RMS	2947	-45.99	-25	Pass	401
3000	12000	1	RMS	11803.757	-53.86	-25	Pass	9000
12000	27000	1	RMS	26031.858	-39.31	-25	Pass	15000




**22.13. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:39750+39948, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.73	-25	Pass	401
0.15	30	0.01	RMS	0.22	-68.83	-25	Pass	2985
30	1000	0.1	RMS	849.3	-60.88	-25	Pass	9699
1000	2475	1	RMS	2459.99	-47.9	-25	Pass	1475
2475	2735	1	RMS	2534.15	10.78	60	Pass	401
2735	3000	1	RMS	2948.988	-45.95	-25	Pass	401
3000	12000	1	RMS	11793.745	-53.87	-25	Pass	9000
12000	27000	1	RMS	26004.854	-39.26	-25	Pass	15000




**22.14. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:39750+39948, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.82	-25	Pass	401
0.15	30	0.01	RMS	0.24	-68.74	-25	Pass	2985
30	1000	0.1	RMS	825.797	-60.81	-25	Pass	9699
1000	2475	1	RMS	2473.999	-40.24	-25	Pass	1475
2475	2735	1	RMS	2512.7	7.82	60	Pass	401
2735	3000	1	RMS	2948.325	-46.01	-25	Pass	401
3000	12000	1	RMS	11789.74	-53.89	-25	Pass	9000
12000	27000	1	RMS	26002.854	-39.18	-25	Pass	15000




**22.15. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:39750+39948, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.88	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.58	-25	Pass	2985
30	1000	0.1	RMS	846.7	-60.84	-25	Pass	9699
1000	2475	1	RMS	2455.987	-47.62	-25	Pass	1475
2475	2735	1	RMS	2497.1	10.89	60	Pass	401
2735	3000	1	RMS	2948.988	-45.96	-25	Pass	401
3000	12000	1	RMS	11810.766	-53.78	-25	Pass	9000
12000	27000	1	RMS	25998.853	-39.32	-25	Pass	15000



**22.16. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:39750+39948, Bandwidth:20+20, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.59	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.29	-25	Pass	2985
30	1000	0.1	RMS	845.3	-60.92	-25	Pass	9699
1000	2475	1	RMS	2475	-40.66	-25	Pass	1475
2475	2735	1	RMS	2512.7	6.22	60	Pass	401
2735	3000	1	RMS	2947.663	-45.99	-25	Pass	401
3000	12000	1	RMS	11814.771	-53.89	-25	Pass	9000
12000	27000	1	RMS	25999.853	-39.31	-25	Pass	15000



**22.17. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:40521+40719, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.48	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.68	-25	Pass	2985
30	1000	0.1	RMS	838.599	-60.95	-25	Pass	9699
1000	2475	1	RMS	2475	-47.93	-25	Pass	1475
2475	2735	1	RMS	2611.5	10.62	60	Pass	401
2735	3000	1	RMS	2947.663	-46	-25	Pass	401
3000	12000	1	RMS	11819.777	-53.89	-25	Pass	9000
12000	27000	1	RMS	26008.854	-39.28	-25	Pass	15000

