

LTE Band 12 ,Channel Bandwidth: 5 MHz									
Modulation	Channel	Frequency (MHz)	RB Configuration		Conducted Average Power [dBm]	Antenna Gain [dBi]	ERP [dBm]	ERP Limit [dBm]	Verdict
			Size	Offset					
QPSK	23035	701.5	1	0	23.41	0.5	21.76	34.77	Pass
			1	12	23.72	0.5	22.07	34.77	Pass
			1	24	23.59	0.5	21.94	34.77	Pass
			12	0	22.61	0.5	20.96	34.77	Pass
			12	6	22.51	0.5	20.86	34.77	Pass
			12	13	22.58	0.5	20.93	34.77	Pass
			25	0	22.60	0.5	20.95	34.77	Pass
	23095	707.5	1	0	23.30	0.5	21.65	34.77	Pass
			1	12	23.49	0.5	21.84	34.77	Pass
			1	24	23.17	0.5	21.52	34.77	Pass
			12	0	22.56	0.5	20.91	34.77	Pass
			12	6	22.46	0.5	20.81	34.77	Pass
			12	13	22.46	0.5	20.81	34.77	Pass
			25	0	22.48	0.5	20.83	34.77	Pass
	23155	713.5	1	0	23.36	0.5	21.71	34.77	Pass
			1	12	23.39	0.5	21.74	34.77	Pass
			1	24	23.31	0.5	21.66	34.77	Pass
			12	0	22.46	0.5	20.81	34.77	Pass
			12	6	22.48	0.5	20.83	34.77	Pass
			12	13	22.40	0.5	20.75	34.77	Pass
			25	0	22.44	0.5	20.79	34.77	Pass
16QAM	23035	701.5	1	0	22.47	0.5	20.82	34.77	Pass
			1	12	22.54	0.5	20.89	34.77	Pass
			1	24	22.64	0.5	20.99	34.77	Pass
			12	0	21.65	0.5	20.00	34.77	Pass
			12	6	21.65	0.5	20.00	34.77	Pass
			12	13	21.74	0.5	20.09	34.77	Pass
			25	0	21.69	0.5	20.04	34.77	Pass
	23095	707.5	1	0	22.36	0.5	20.71	34.77	Pass
			1	12	22.96	0.5	21.31	34.77	Pass
			1	24	22.36	0.5	20.71	34.77	Pass
			12	0	21.26	0.5	19.61	34.77	Pass
			12	6	21.26	0.5	19.61	34.77	Pass
			12	13	21.50	0.5	19.85	34.77	Pass
			25	0	21.50	0.5	19.85	34.77	Pass
	23155	713.5	1	0	22.21	0.5	20.56	34.77	Pass
			1	12	22.91	0.5	21.26	34.77	Pass
			1	24	22.36	0.5	20.71	34.77	Pass
			12	0	21.46	0.5	19.81	34.77	Pass
			12	6	21.46	0.5	19.81	34.77	Pass
			12	13	21.46	0.5	19.81	34.77	Pass
			25	0	21.56	0.5	19.91	34.77	Pass

LTE Band 12 ,Channel Bandwidth: 10 MHz									
Modulation	Channel	Frequency (MHz)	RB Configuration		Conducted Average Power [dBm]	Antenna Gain [dBi]	ERP [dBm]	ERP Limit [dBm]	Verdict
			Size	Offset					
QPSK	23060	704	1	0	23.57	0.5	21.92	34.77	Pass
			1	24	23.46	0.5	21.81	34.77	Pass
			1	49	23.19	0.5	21.54	34.77	Pass
			25	0	22.57	0.5	20.92	34.77	Pass
			25	12	22.57	0.5	20.92	34.77	Pass
			25	25	22.44	0.5	20.79	34.77	Pass
			50	0	22.55	0.5	20.90	34.77	Pass
	23095	707.5	1	0	23.17	0.5	21.52	34.77	Pass
			1	24	23.44	0.5	21.79	34.77	Pass
			1	49	23.31	0.5	21.66	34.77	Pass
			25	0	22.50	0.5	20.85	34.77	Pass
			25	12	22.50	0.5	20.85	34.77	Pass
			25	25	22.51	0.5	20.86	34.77	Pass
			50	0	22.50	0.5	20.85	34.77	Pass
	23130	711	1	0	23.38	0.5	21.73	34.77	Pass
			1	24	23.78	0.5	22.13	34.77	Pass
			1	49	23.21	0.5	21.56	34.77	Pass
			25	0	22.53	0.5	20.88	34.77	Pass
			25	12	22.54	0.5	20.89	34.77	Pass
			25	25	22.49	0.5	20.84	34.77	Pass
			50	0	22.49	0.5	20.84	34.77	Pass
16QAM	23060	704	1	0	22.46	0.5	20.81	34.77	Pass
			1	24	22.78	0.5	21.13	34.77	Pass
			1	49	22.40	0.5	20.75	34.77	Pass
			25	0	21.52	0.5	19.87	34.77	Pass
			25	12	21.61	0.5	19.96	34.77	Pass
			25	25	21.61	0.5	19.96	34.77	Pass
			50	0	21.42	0.5	19.77	34.77	Pass
	23095	707.5	1	0	22.43	0.5	20.78	34.77	Pass
			1	24	22.66	0.5	21.01	34.77	Pass
			1	49	22.33	0.5	20.68	34.77	Pass
			25	0	21.35	0.5	19.70	34.77	Pass
			25	12	21.35	0.5	19.70	34.77	Pass
			25	25	21.58	0.5	19.93	34.77	Pass
			50	0	21.47	0.5	19.82	34.77	Pass
	23130	711	1	0	22.44	0.5	20.79	34.77	Pass
			1	24	22.81	0.5	21.16	34.77	Pass
			1	49	22.24	0.5	20.59	34.77	Pass
			25	0	21.60	0.5	19.95	34.77	Pass
			25	12	21.60	0.5	19.95	34.77	Pass
			25	25	21.61	0.5	19.96	34.77	Pass
			50	0	21.60	0.5	19.95	34.77	Pass

LTE Band 17 ,Channel Bandwidth: 5 MHz									
Modulation	Channel	Frequency (MHz)	RB Configuration		Conducted Average Power [dBm]	Antenna Gain [dBi]	ERP [dBm]	ERP Limit [dBm]	Verdict
			Size	Offset					
QPSK	23755	706.5	1	0	23.58	0.5	21.93	34.77	Pass
			1	12	23.72	0.5	22.07	34.77	Pass
			1	24	23.53	0.5	21.88	34.77	Pass
			12	0	22.56	0.5	20.91	34.77	Pass
			12	6	22.57	0.5	20.92	34.77	Pass
			12	13	22.58	0.5	20.93	34.77	Pass
			25	0	22.59	0.5	20.94	34.77	Pass
	23790	710	1	0	23.23	0.5	21.58	34.77	Pass
			1	12	23.43	0.5	21.78	34.77	Pass
			1	24	23.35	0.5	21.70	34.77	Pass
			12	0	22.47	0.5	20.82	34.77	Pass
			12	6	22.47	0.5	20.82	34.77	Pass
			12	13	22.52	0.5	20.87	34.77	Pass
			25	0	22.50	0.5	20.85	34.77	Pass
	23825	713.5	1	0	23.45	0.5	21.80	34.77	Pass
			1	12	23.37	0.5	21.72	34.77	Pass
			1	24	23.38	0.5	21.73	34.77	Pass
			12	0	22.56	0.5	20.91	34.77	Pass
			12	6	22.46	0.5	20.81	34.77	Pass
			12	13	22.47	0.5	20.82	34.77	Pass
			25	0	22.52	0.5	20.87	34.77	Pass
16QAM	23755	706.5	1	0	22.51	0.5	20.86	34.77	Pass
			1	12	22.49	0.5	20.84	34.77	Pass
			1	24	22.59	0.5	20.94	34.77	Pass
			12	0	21.61	0.5	19.96	34.77	Pass
			12	6	21.61	0.5	19.96	34.77	Pass
			12	13	21.64	0.5	19.99	34.77	Pass
			25	0	21.55	0.5	19.90	34.77	Pass
	23790	710	1	0	22.42	0.5	20.77	34.77	Pass
			1	12	23.01	0.5	21.36	34.77	Pass
			1	24	22.06	0.5	20.41	34.77	Pass
			12	0	21.27	0.5	19.62	34.77	Pass
			12	6	21.47	0.5	19.82	34.77	Pass
			12	13	21.44	0.5	19.79	34.77	Pass
			25	0	21.53	0.5	19.88	34.77	Pass
	23825	713.5	1	0	22.40	0.5	20.75	34.77	Pass
			1	12	22.51	0.5	20.86	34.77	Pass
			1	24	22.44	0.5	20.79	34.77	Pass
			12	0	21.44	0.5	19.79	34.77	Pass
			12	6	21.45	0.5	19.80	34.77	Pass
			12	13	21.53	0.5	19.88	34.77	Pass
			25	0	21.72	0.5	20.07	34.77	Pass

LTE Band 17 ,Channel Bandwidth: 10 MHz									
Modulation	Channel	Frequency (MHz)	RB Configuration		Conducted Average Power [dBm]	Antenna Gain [dBi]	ERP [dBm]	ERP Limit [dBm]	Verdict
			Size	Offset					
QPSK	23780	709	1	0	23.48	0.5	21.83	34.77	Pass
			1	24	23.73	0.5	22.08	34.77	Pass
			1	49	23.50	0.5	21.85	34.77	Pass
			25	0	22.68	0.5	21.03	34.77	Pass
			25	12	22.67	0.5	21.02	34.77	Pass
			25	25	22.61	0.5	20.96	34.77	Pass
			50	0	22.60	0.5	20.95	34.77	Pass
	23790	710	1	0	23.35	0.5	21.70	34.77	Pass
			1	24	23.85	0.5	22.20	34.77	Pass
			1	49	23.28	0.5	21.63	34.77	Pass
			25	0	22.54	0.5	20.89	34.77	Pass
			25	12	22.56	0.5	20.91	34.77	Pass
			25	25	22.52	0.5	20.87	34.77	Pass
			50	0	22.60	0.5	20.95	34.77	Pass
	23800	711	1	0	23.14	0.5	21.49	34.77	Pass
			1	24	23.43	0.5	21.78	34.77	Pass
			1	49	23.23	0.5	21.58	34.77	Pass
			25	0	22.57	0.5	20.92	34.77	Pass
			25	12	22.58	0.5	20.93	34.77	Pass
			25	25	22.56	0.5	20.91	34.77	Pass
			50	0	22.58	0.5	20.93	34.77	Pass
16QAM	23780	709	1	0	22.43	0.5	20.78	34.77	Pass
			1	24	22.85	0.5	21.20	34.77	Pass
			1	49	22.35	0.5	20.70	34.77	Pass
			25	0	21.76	0.5	20.11	34.77	Pass
			25	12	21.75	0.5	20.10	34.77	Pass
			25	25	21.74	0.5	20.09	34.77	Pass
			50	0	21.70	0.5	20.05	34.77	Pass
	23790	710	1	0	22.92	0.5	21.27	34.77	Pass
			1	24	23.29	0.5	21.64	34.77	Pass
			1	49	22.71	0.5	21.06	34.77	Pass
			25	0	21.66	0.5	20.01	34.77	Pass
			25	12	21.56	0.5	19.91	34.77	Pass
			25	25	21.53	0.5	19.88	34.77	Pass
			50	0	21.69	0.5	20.04	34.77	Pass
	23800	711	1	0	22.42	0.5	20.77	34.77	Pass
			1	24	22.98	0.5	21.33	34.77	Pass
			1	49	22.37	0.5	20.72	34.77	Pass
			25	0	21.43	0.5	19.78	34.77	Pass
			25	12	21.43	0.5	19.78	34.77	Pass
			25	25	21.63	0.5	19.98	34.77	Pass
			50	0	21.65	0.5	20.00	34.77	Pass

LTE Band 26 ,Channel Bandwidth: 1.4 MHz									
Modulation	Channel	Frequency (MHz)	RB Configuration		Conducted Average Power [dBm]	Antenna Gain [dBi]	ERP [dBm]	ERP Limit [dBm]	Verdict
			Size	Offset					
QPSK	26697	814.7	1	0	23.67	0.5	22.02	50	Pass
			1	3	23.78	0.5	22.13	50	Pass
			1	5	23.81	0.5	22.16	50	Pass
			3	0	23.68	0.5	22.03	50	Pass
			3	2	23.85	0.5	22.20	50	Pass
			3	3	23.66	0.5	22.01	50	Pass
	26740	819	6	0	22.58	0.5	20.93	50	Pass
			1	0	23.53	0.5	21.88	50	Pass
			1	3	23.55	0.5	21.90	50	Pass
			1	5	23.61	0.5	21.96	50	Pass
			3	0	23.67	0.5	22.02	50	Pass
			3	2	23.67	0.5	22.02	50	Pass
	26783	823.3	3	3	23.60	0.5	21.95	50	Pass
			6	0	22.61	0.5	20.96	50	Pass
			1	0	23.51	0.5	21.86	50	Pass
			1	3	23.77	0.5	22.12	50	Pass
			1	5	23.59	0.5	21.94	50	Pass
			3	0	23.57	0.5	21.92	50	Pass
16QAM	26697	814.7	3	2	23.57	0.5	21.92	50	Pass
			3	3	23.58	0.5	21.93	50	Pass
			6	0	22.58	0.5	20.93	50	Pass
			1	0	22.64	0.5	20.99	50	Pass
			1	3	22.81	0.5	21.16	50	Pass
			1	5	22.74	0.5	21.09	50	Pass
	26740	819	3	0	22.74	0.5	21.09	50	Pass
			3	2	22.73	0.5	21.08	50	Pass
			3	3	22.74	0.5	21.09	50	Pass
			6	0	21.47	0.5	19.82	50	Pass
			1	0	23.18	0.5	21.53	50	Pass
			1	3	23.20	0.5	21.55	50	Pass
	26783	823.3	1	5	23.16	0.5	21.51	50	Pass
			3	0	22.91	0.5	21.26	50	Pass
			3	2	22.48	0.5	20.83	50	Pass
			3	3	22.36	0.5	20.71	50	Pass
			6	0	21.67	0.5	20.02	50	Pass
			1	0	22.53	0.5	20.88	50	Pass
26783	823.3	1	3	23.30	0.5	21.65	50	Pass	
		1	5	22.43	0.5	20.78	50	Pass	
		3	0	22.40	0.5	20.75	50	Pass	
		3	2	22.40	0.5	20.75	50	Pass	
		3	3	22.24	0.5	20.59	50	Pass	
		6	0	21.79	0.5	20.14	50	Pass	

LTE Band 26 ,Channel Bandwidth: 3 MHz									
Modulation	Channel	Frequency (MHz)	RB Configuration		Conducted Average Power [dBm]	Antenna Gain [dBi]	ERP [dBm]	ERP Limit [dBm]	Verdict
			Size	Offset					
QPSK	26705	815.5	1	0	23.57	0.5	21.92	50	Pass
			1	7	23.48	0.5	21.83	50	Pass
			1	14	23.71	0.5	22.06	50	Pass
			8	0	22.66	0.5	21.01	50	Pass
			8	4	22.67	0.5	21.02	50	Pass
			8	7	22.81	0.5	21.16	50	Pass
	26740	819	15	0	22.66	0.5	21.01	50	Pass
			1	0	23.65	0.5	22.00	50	Pass
			1	7	23.49	0.5	21.84	50	Pass
			1	14	23.81	0.5	22.16	50	Pass
			8	0	22.76	0.5	21.11	50	Pass
			8	4	22.62	0.5	20.97	50	Pass
	26775	822.5	8	7	22.67	0.5	21.02	50	Pass
			15	0	22.66	0.5	21.01	50	Pass
			1	0	23.58	0.5	21.93	50	Pass
			1	7	23.38	0.5	21.73	50	Pass
			1	14	23.61	0.5	21.96	50	Pass
			8	0	22.53	0.5	20.88	50	Pass
16QAM	26705	815.5	8	4	22.54	0.5	20.89	50	Pass
			8	7	22.64	0.5	20.99	50	Pass
			15	0	22.55	0.5	20.90	50	Pass
			1	0	22.39	0.5	20.74	50	Pass
			1	7	22.79	0.5	21.14	50	Pass
			1	14	22.82	0.5	21.17	50	Pass
	26740	819	8	0	21.67	0.5	20.02	50	Pass
			8	4	21.64	0.5	19.99	50	Pass
			8	7	21.81	0.5	20.16	50	Pass
			15	0	21.57	0.5	19.92	50	Pass
			1	0	23.13	0.5	21.48	50	Pass
			1	7	23.05	0.5	21.40	50	Pass
	26775	822.5	1	14	22.42	0.5	20.77	50	Pass
			8	0	21.76	0.5	20.11	50	Pass
			8	4	21.61	0.5	19.96	50	Pass
			8	7	21.53	0.5	19.88	50	Pass
			15	0	21.60	0.5	19.95	50	Pass
			1	0	22.59	0.5	20.94	50	Pass
26775	822.5	1	7	22.43	0.5	20.78	50	Pass	
		1	14	22.39	0.5	20.74	50	Pass	
		8	0	21.77	0.5	20.12	50	Pass	
		8	4	21.65	0.5	20.00	50	Pass	
		8	7	21.65	0.5	20.00	50	Pass	
		15	0	21.65	0.5	20.00	50	Pass	

LTE Band 26 ,Channel Bandwidth: 5 MHz									
Modulation	Channel	Frequency (MHz)	RB Configuration		Conducted Average Power [dBm]	Antenna Gain [dBi]	ERP [dBm]	ERP Limit [dBm]	Verdict
			Size	Offset					
QPSK	26715	816.5	1	0	23.73	0.5	22.08	50	Pass
			1	12	23.52	0.5	21.87	50	Pass
			1	24	23.58	0.5	21.93	50	Pass
			12	0	22.67	0.5	21.02	50	Pass
			12	6	22.67	0.5	21.02	50	Pass
			12	13	22.92	0.5	21.27	50	Pass
			25	0	22.51	0.5	20.86	50	Pass
	26740	819	1	0	23.53	0.5	21.88	50	Pass
			1	12	23.65	0.5	22.00	50	Pass
			1	24	23.50	0.5	21.85	50	Pass
			12	0	22.62	0.5	20.97	50	Pass
			12	6	22.61	0.5	20.96	50	Pass
			12	13	22.58	0.5	20.93	50	Pass
			25	0	22.83	0.5	21.18	50	Pass
	26765	821.5	1	0	23.42	0.5	21.77	50	Pass
			1	12	23.60	0.5	21.95	50	Pass
			1	24	23.78	0.5	22.13	50	Pass
			12	0	22.60	0.5	20.95	50	Pass
			12	6	22.60	0.5	20.95	50	Pass
			12	13	22.61	0.5	20.96	50	Pass
			25	0	22.56	0.5	20.91	50	Pass
16QAM	26715	816.5	1	0	22.61	0.5	20.96	50	Pass
			1	12	22.52	0.5	20.87	50	Pass
			1	24	22.46	0.5	20.81	50	Pass
			12	0	21.83	0.5	20.18	50	Pass
			12	6	21.85	0.5	20.20	50	Pass
			12	13	21.45	0.5	19.80	50	Pass
			25	0	21.79	0.5	20.14	50	Pass
	26740	819	1	0	22.74	0.5	21.09	50	Pass
			1	12	22.46	0.5	20.81	50	Pass
			1	24	22.52	0.5	20.87	50	Pass
			12	0	21.51	0.5	19.86	50	Pass
			12	6	21.40	0.5	19.75	50	Pass
			12	13	21.61	0.5	19.96	50	Pass
			25	0	21.86	0.5	20.21	50	Pass
	26765	821.5	1	0	22.62	0.5	20.97	50	Pass
			1	12	22.63	0.5	20.98	50	Pass
			1	24	22.56	0.5	20.91	50	Pass
			12	0	21.59	0.5	19.94	50	Pass
			12	6	21.59	0.5	19.94	50	Pass
			12	13	21.59	0.5	19.94	50	Pass
			25	0	21.78	0.5	20.13	50	Pass

LTE Band 26 ,Channel Bandwidth: 10 MHz									
Modulation	Channel	Frequency (MHz)	RB Configuration		Conducted Average Power [dBm]	Antenna Gain [dBi]	ERP [dBm]	ERP Limit [dBm]	Verdict
			Size	Offset					
QPSK	26740	819	1	0	23.28	0.5	21.63	50	Pass
			1	24	23.51	0.5	21.86	50	Pass
			1	49	23.50	0.5	21.85	50	Pass
			25	0	22.69	0.5	21.04	50	Pass
			25	12	22.59	0.5	20.94	50	Pass
			25	25	22.57	0.5	20.92	50	Pass
			50	0	22.53	0.5	20.88	50	Pass
16QAM	26740	819	1	0	22.50	0.5	20.85	50	Pass
			1	24	22.42	0.5	20.77	50	Pass
			1	49	22.46	0.5	20.81	50	Pass
			25	0	21.44	0.5	19.79	50	Pass
			25	12	21.66	0.5	20.01	50	Pass
			25	25	21.54	0.5	19.89	50	Pass
			50	0	21.51	0.5	19.86	50	Pass

LTE Band 38 ,Channel Bandwidth: 5 MHz									
Modulation	Channel	Frequency (MHz)	RB Configuration		Conducted Average Power [dBm]	Antenna Gain [dBi]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
			Size	Offset					
QPSK	37775	2572.5	1	0	23.58	1.1	24.68	33	Pass
			1	12	23.73	1.1	24.83	33	Pass
			1	24	23.71	1.1	24.81	33	Pass
			12	0	22.80	1.1	23.90	33	Pass
			12	6	22.82	1.1	23.92	33	Pass
			12	13	22.84	1.1	23.94	33	Pass
			25	0	22.78	1.1	23.88	33	Pass
	38000	2595	1	0	23.53	1.1	24.63	33	Pass
			1	12	23.78	1.1	24.88	33	Pass
			1	24	23.55	1.1	24.65	33	Pass
			12	0	22.70	1.1	23.80	33	Pass
			12	6	22.68	1.1	23.78	33	Pass
			12	13	22.62	1.1	23.72	33	Pass
			25	0	22.69	1.1	23.79	33	Pass
	38225	2617.5	1	0	23.21	1.1	24.31	33	Pass
			1	12	23.66	1.1	24.76	33	Pass
			1	24	23.27	1.1	24.37	33	Pass
			12	0	22.49	1.1	23.59	33	Pass
			12	6	22.46	1.1	23.56	33	Pass
			12	13	22.42	1.1	23.52	33	Pass
			25	0	22.38	1.1	23.48	33	Pass
16QAM	37775	2572.5	1	0	22.09	1.1	23.19	33	Pass
			1	12	22.52	1.1	23.62	33	Pass
			1	24	22.28	1.1	23.38	33	Pass
			12	0	21.55	1.1	22.65	33	Pass
			12	6	21.60	1.1	22.70	33	Pass
			12	13	21.57	1.1	22.67	33	Pass
			25	0	21.79	1.1	22.89	33	Pass
	38000	2595	1	0	22.07	1.1	23.17	33	Pass
			1	12	22.31	1.1	23.41	33	Pass
			1	24	22.02	1.1	23.12	33	Pass
			12	0	21.46	1.1	22.56	33	Pass
			12	6	21.60	1.1	22.70	33	Pass
			12	13	21.59	1.1	22.69	33	Pass
			25	0	21.49	1.1	22.59	33	Pass
	38225	2617.5	1	0	21.71	1.1	22.81	33	Pass
			1	12	22.14	1.1	23.24	33	Pass
			1	24	21.96	1.1	23.06	33	Pass
			12	0	21.34	1.1	22.44	33	Pass
			12	6	21.46	1.1	22.56	33	Pass
			12	13	21.31	1.1	22.41	33	Pass
			25	0	21.48	1.1	22.58	33	Pass

LTE Band 38 ,Channel Bandwidth: 10 MHz									
Modulation	Channel	Frequency (MHz)	RB Configuration		Conducted Average Power [dBm]	Antenna Gain [dBi]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
			Size	Offset					
QPSK	37800	2575	1	0	23.73	1.1	24.83	33	Pass
			1	24	23.98	1.1	25.08	33	Pass
			1	49	23.85	1.1	24.95	33	Pass
			25	0	22.82	1.1	23.92	33	Pass
			25	12	22.87	1.1	23.97	33	Pass
			25	25	22.69	1.1	23.79	33	Pass
			50	0	22.89	1.1	23.99	33	Pass
	38000	2595	1	0	23.66	1.1	24.76	33	Pass
			1	24	23.98	1.1	25.08	33	Pass
			1	49	23.72	1.1	24.82	33	Pass
			25	0	22.68	1.1	23.78	33	Pass
			25	12	22.70	1.1	23.80	33	Pass
			25	25	22.65	1.1	23.75	33	Pass
			50	0	22.72	1.1	23.82	33	Pass
	38200	2615	1	0	23.46	1.1	24.56	33	Pass
			1	24	23.70	1.1	24.80	33	Pass
			1	49	23.28	1.1	24.38	33	Pass
			25	0	22.45	1.1	23.55	33	Pass
			25	12	22.51	1.1	23.61	33	Pass
			25	25	22.37	1.1	23.47	33	Pass
			50	0	22.55	1.1	23.65	33	Pass
16QAM	37800	2575	1	0	22.38	1.1	23.48	33	Pass
			1	24	22.52	1.1	23.62	33	Pass
			1	49	22.39	1.1	23.49	33	Pass
			25	0	21.77	1.1	22.87	33	Pass
			25	12	21.80	1.1	22.90	33	Pass
			25	25	21.62	1.1	22.72	33	Pass
			50	0	21.82	1.1	22.92	33	Pass
	38000	2595	1	0	22.04	1.1	23.14	33	Pass
			1	24	22.40	1.1	23.50	33	Pass
			1	49	22.26	1.1	23.36	33	Pass
			25	0	21.71	1.1	22.81	33	Pass
			25	12	21.76	1.1	22.86	33	Pass
			25	25	21.71	1.1	22.81	33	Pass
			50	0	21.64	1.1	22.74	33	Pass
	38200	2615	1	0	22.05	1.1	23.15	33	Pass
			1	24	22.26	1.1	23.36	33	Pass
			1	49	21.99	1.1	23.09	33	Pass
			25	0	21.60	1.1	22.70	33	Pass
			25	12	21.53	1.1	22.63	33	Pass
			25	25	21.30	1.1	22.40	33	Pass
			50	0	21.54	1.1	22.64	33	Pass

LTE Band 38 ,Channel Bandwidth: 15 MHz									
Modulation	Channel	Frequency (MHz)	RB Configuration		Conducted Average Power [dBm]	Antenna Gain [dBi]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
			Size	Offset					
QPSK	37825	2577.5	1	0	23.68	1.1	24.78	33	Pass
			1	37	23.76	1.1	24.86	33	Pass
			1	74	23.72	1.1	24.82	33	Pass
			37	0	23.74	1.1	24.84	33	Pass
			37	18	23.73	1.1	24.83	33	Pass
			37	38	23.77	1.1	24.87	33	Pass
			75	0	22.72	1.1	23.82	33	Pass
	38000	2595	1	0	23.60	1.1	24.70	33	Pass
			1	37	23.60	1.1	24.70	33	Pass
			1	74	23.44	1.1	24.54	33	Pass
			37	0	23.57	1.1	24.67	33	Pass
			37	18	23.73	1.1	24.83	33	Pass
			37	38	23.99	1.1	25.09	33	Pass
			75	0	22.71	1.1	23.81	33	Pass
	38175	2612.5	1	0	23.26	1.1	24.36	33	Pass
			1	37	23.36	1.1	24.46	33	Pass
			1	74	23.31	1.1	24.41	33	Pass
			37	0	23.39	1.1	24.49	33	Pass
			37	18	23.27	1.1	24.37	33	Pass
			37	38	23.56	1.1	24.66	33	Pass
			75	0	22.45	1.1	23.55	33	Pass
16QAM	37825	2577.5	1	0	22.49	1.1	23.59	33	Pass
			1	37	22.49	1.1	23.59	33	Pass
			1	74	22.49	1.1	23.59	33	Pass
			37	0	22.55	1.1	23.65	33	Pass
			37	18	22.56	1.1	23.66	33	Pass
			37	38	22.34	1.1	23.44	33	Pass
			75	0	21.76	1.1	22.86	33	Pass
	38000	2595	1	0	22.35	1.1	23.45	33	Pass
			1	37	22.30	1.1	23.40	33	Pass
			1	74	22.13	1.1	23.23	33	Pass
			37	0	22.32	1.1	23.42	33	Pass
			37	18	22.03	1.1	23.13	33	Pass
			37	38	22.57	1.1	23.67	33	Pass
			75	0	21.61	1.1	22.71	33	Pass
	38175	2612.5	1	0	22.04	1.1	23.14	33	Pass
			1	37	22.07	1.1	23.17	33	Pass
			1	74	22.15	1.1	23.25	33	Pass
			37	0	22.03	1.1	23.13	33	Pass
			37	18	22.14	1.1	23.24	33	Pass
			37	38	22.05	1.1	23.15	33	Pass
			75	0	21.37	1.1	22.47	33	Pass

LTE Band 38 ,Channel Bandwidth: 20 MHz									
Modulation	Channel	Frequency (MHz)	RB Configuration		Conducted Average Power [dBm]	Antenna Gain [dBi]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
			Size	Offset					
QPSK	37850	2580	1	0	23.58	1.1	24.68	33	Pass
			1	49	24.09	1.1	25.19	33	Pass
			1	99	23.47	1.1	24.57	33	Pass
			50	0	22.85	1.1	23.95	33	Pass
			50	25	22.77	1.1	23.87	33	Pass
			50	50	22.69	1.1	23.79	33	Pass
	38000	2595	100	0	22.79	1.1	23.89	33	Pass
			1	0	23.71	1.1	24.81	33	Pass
			1	49	23.93	1.1	25.03	33	Pass
			1	99	23.12	1.1	24.22	33	Pass
			50	0	22.73	1.1	23.83	33	Pass
			50	25	22.80	1.1	23.90	33	Pass
	38150	2610	50	50	22.56	1.1	23.66	33	Pass
			100	0	22.61	1.1	23.71	33	Pass
			1	0	23.58	1.1	24.68	33	Pass
			1	49	23.63	1.1	24.73	33	Pass
			1	99	23.27	1.1	24.37	33	Pass
			50	0	22.45	1.1	23.55	33	Pass
16QAM	37850	2580	50	25	22.43	1.1	23.53	33	Pass
			50	50	22.36	1.1	23.46	33	Pass
			100	0	22.36	1.1	23.46	33	Pass
			1	0	22.45	1.1	23.55	33	Pass
			1	49	22.52	1.1	23.62	33	Pass
			1	99	22.19	1.1	23.29	33	Pass
	38000	2595	50	0	21.72	1.1	22.82	33	Pass
			50	25	21.79	1.1	22.89	33	Pass
			50	50	21.62	1.1	22.72	33	Pass
			100	0	21.76	1.1	22.86	33	Pass
			1	0	22.31	1.1	23.41	33	Pass
			1	49	22.07	1.1	23.17	33	Pass
	38150	2610	1	99	21.90	1.1	23.00	33	Pass
			50	0	21.58	1.1	22.68	33	Pass
			50	25	21.72	1.1	22.82	33	Pass
			50	50	21.52	1.1	22.62	33	Pass
			100	0	21.56	1.1	22.66	33	Pass
			1	0	22.34	1.1	23.44	33	Pass
			1	49	21.81	1.1	22.91	33	Pass
			1	99	22.07	1.1	23.17	33	Pass
			50	0	21.30	1.1	22.40	33	Pass
			50	25	21.34	1.1	22.44	33	Pass
			50	50	21.35	1.1	22.45	33	Pass
			100	0	21.29	1.1	22.39	33	Pass

LTE Band 41 ,Channel Bandwidth: 5 MHz									
Modulation	Channel	Frequency (MHz)	RB Configuration		Conducted Average Power [dBm]	Antenna Gain [dBi]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
			Size	Offset					
QPSK	40065	2537.5	1	0	23.17	1.1	24.27	33	Pass
			1	12	23.26	1.1	24.36	33	Pass
			1	24	23.00	1.1	24.10	33	Pass
			12	0	22.32	1.1	23.42	33	Pass
			12	6	22.30	1.1	23.40	33	Pass
			12	13	22.26	1.1	23.36	33	Pass
			25	0	22.26	1.1	23.36	33	Pass
	40640	2595	1	0	23.27	1.1	24.37	33	Pass
			1	12	23.42	1.1	24.52	33	Pass
			1	24	23.31	1.1	24.41	33	Pass
			12	0	22.58	1.1	23.68	33	Pass
			12	6	22.59	1.1	23.69	33	Pass
			12	13	22.48	1.1	23.58	33	Pass
			25	0	22.60	1.1	23.70	33	Pass
	41215	2652.5	1	0	23.51	1.1	24.61	33	Pass
			1	12	23.97	1.1	25.07	33	Pass
			1	24	23.57	1.1	24.67	33	Pass
			12	0	22.80	1.1	23.90	33	Pass
			12	6	22.76	1.1	23.86	33	Pass
			12	13	22.69	1.1	23.79	33	Pass
			25	0	22.73	1.1	23.83	33	Pass
16QAM	40065	2537.5	1	0	21.77	1.1	22.87	33	Pass
			1	12	22.79	1.1	23.89	33	Pass
			1	24	21.48	1.1	22.58	33	Pass
			12	0	21.20	1.1	22.30	33	Pass
			12	6	21.24	1.1	22.34	33	Pass
			12	13	21.10	1.1	22.20	33	Pass
			25	0	21.31	1.1	22.41	33	Pass
	40640	2595	1	0	21.79	1.1	22.89	33	Pass
			1	12	22.10	1.1	23.20	33	Pass
			1	24	21.85	1.1	22.95	33	Pass
			12	0	21.50	1.1	22.60	33	Pass
			12	6	21.55	1.1	22.65	33	Pass
			12	13	21.52	1.1	22.62	33	Pass
			25	0	21.46	1.1	22.56	33	Pass
	41215	2652.5	1	0	22.28	1.1	23.38	33	Pass
			1	12	22.34	1.1	23.44	33	Pass
			1	24	22.28	1.1	23.38	33	Pass
			12	0	21.64	1.1	22.74	33	Pass
			12	6	21.73	1.1	22.83	33	Pass
			12	13	21.66	1.1	22.76	33	Pass
			25	0	21.80	1.1	22.90	33	Pass

LTE Band 41 ,Channel Bandwidth: 10 MHz									
Modulation	Channel	Frequency (MHz)	RB Configuration		Conducted Average Power [dBm]	Antenna Gain [dBi]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
			Size	Offset					
QPSK	40090	2540	1	0	23.15	1.1	24.25	33	Pass
			1	24	23.36	1.1	24.46	33	Pass
			1	49	23.21	1.1	24.31	33	Pass
			25	0	22.29	1.1	23.39	33	Pass
			25	12	22.34	1.1	23.44	33	Pass
			25	25	22.24	1.1	23.34	33	Pass
	40640	2595	1	0	23.46	1.1	24.56	33	Pass
			1	24	23.58	1.1	24.68	33	Pass
			1	49	23.45	1.1	24.55	33	Pass
			25	0	22.61	1.1	23.71	33	Pass
			25	12	22.52	1.1	23.62	33	Pass
			25	25	22.54	1.1	23.64	33	Pass
	41190	2650	1	0	23.66	1.1	24.76	33	Pass
			1	24	23.95	1.1	25.05	33	Pass
			1	49	23.56	1.1	24.66	33	Pass
			25	0	22.73	1.1	23.83	33	Pass
			25	12	22.78	1.1	23.88	33	Pass
			25	25	22.66	1.1	23.76	33	Pass
16QAM	40090	2540	1	0	21.89	1.1	22.99	33	Pass
			1	24	21.98	1.1	23.08	33	Pass
			1	49	21.61	1.1	22.71	33	Pass
			25	0	21.37	1.1	22.47	33	Pass
			25	12	21.38	1.1	22.48	33	Pass
			25	25	21.38	1.1	22.48	33	Pass
	40640	2595	1	0	22.16	1.1	23.26	33	Pass
			1	24	21.90	1.1	23.00	33	Pass
			1	49	22.11	1.1	23.21	33	Pass
			25	0	21.78	1.1	22.88	33	Pass
			25	12	21.69	1.1	22.79	33	Pass
			25	25	21.61	1.1	22.71	33	Pass
	41190	2650	1	0	22.23	1.1	23.33	33	Pass
			1	24	22.58	1.1	23.68	33	Pass
			1	49	22.37	1.1	23.47	33	Pass
			25	0	21.92	1.1	23.02	33	Pass
			25	12	21.77	1.1	22.87	33	Pass
			25	25	21.65	1.1	22.75	33	Pass
			50	0	21.65	1.1	22.75	33	Pass

LTE Band 41 ,Channel Bandwidth: 15 MHz									
Modulation	Channel	Frequency (MHz)	RB Configuration		Conducted Average Power [dBm]	Antenna Gain [dBi]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
			Size	Offset					
QPSK	40115	2542.5	1	0	23.15	1.1	24.25	33	Pass
			1	37	23.17	1.1	24.27	33	Pass
			1	74	23.25	1.1	24.35	33	Pass
			37	0	23.23	1.1	24.33	33	Pass
			37	18	23.19	1.1	24.29	33	Pass
			37	38	23.56	1.1	24.66	33	Pass
			75	0	22.34	1.1	23.44	33	Pass
	40640	2595	1	0	23.44	1.1	24.54	33	Pass
			1	37	23.49	1.1	24.59	33	Pass
			1	74	23.46	1.1	24.56	33	Pass
			37	0	23.39	1.1	24.49	33	Pass
			37	18	23.58	1.1	24.68	33	Pass
			37	38	23.55	1.1	24.65	33	Pass
			75	0	22.56	1.1	23.66	33	Pass
	41165	2647.5	1	0	23.57	1.1	24.67	33	Pass
			1	37	23.65	1.1	24.75	33	Pass
			1	74	23.67	1.1	24.77	33	Pass
			37	0	23.70	1.1	24.80	33	Pass
			37	18	23.72	1.1	24.82	33	Pass
			37	38	23.71	1.1	24.81	33	Pass
			75	0	22.72	1.1	23.82	33	Pass
16QAM	40115	2542.5	1	0	21.97	1.1	23.07	33	Pass
			1	37	21.88	1.1	22.98	33	Pass
			1	74	22.05	1.1	23.15	33	Pass
			37	0	22.08	1.1	23.18	33	Pass
			37	18	22.08	1.1	23.18	33	Pass
			37	38	22.22	1.1	23.32	33	Pass
			75	0	21.29	1.1	22.39	33	Pass
	40640	2595	1	0	22.21	1.1	23.31	33	Pass
			1	37	21.81	1.1	22.91	33	Pass
			1	74	22.22	1.1	23.32	33	Pass
			37	0	22.33	1.1	23.43	33	Pass
			37	18	21.87	1.1	22.97	33	Pass
			37	38	22.49	1.1	23.59	33	Pass
			75	0	21.55	1.1	22.65	33	Pass
	41165	2647.5	1	0	22.32	1.1	23.42	33	Pass
			1	37	22.30	1.1	23.40	33	Pass
			1	74	22.53	1.1	23.63	33	Pass
			37	0	22.32	1.1	23.42	33	Pass
			37	18	22.39	1.1	23.49	33	Pass
			37	38	22.61	1.1	23.71	33	Pass
			75	0	21.81	1.1	22.91	33	Pass

LTE Band 41 ,Channel Bandwidth: 20 MHz									
Modulation	Channel	Frequency (MHz)	RB Configuration		Conducted Average Power [dBm]	Antenna Gain [dBi]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
			Size	Offset					
QPSK	40140	2545	1	0	23.19	1.1	24.29	33	Pass
			1	49	23.44	1.1	24.54	33	Pass
			1	99	23.13	1.1	24.23	33	Pass
			50	0	22.35	1.1	23.45	33	Pass
			50	25	22.36	1.1	23.46	33	Pass
			50	50	22.36	1.1	23.46	33	Pass
			100	0	22.37	1.1	23.47	33	Pass
	40640	2595	1	0	23.38	1.1	24.48	33	Pass
			1	49	23.75	1.1	24.85	33	Pass
			1	99	23.41	1.1	24.51	33	Pass
			50	0	22.64	1.1	23.74	33	Pass
			50	25	22.57	1.1	23.67	33	Pass
			50	50	22.54	1.1	23.64	33	Pass
			100	0	22.60	1.1	23.70	33	Pass
	41140	2645	1	0	23.55	1.1	24.65	33	Pass
			1	49	23.88	1.1	24.98	33	Pass
			1	99	23.54	1.1	24.64	33	Pass
			50	0	22.66	1.1	23.76	33	Pass
			50	25	22.71	1.1	23.81	33	Pass
			50	50	22.67	1.1	23.77	33	Pass
			100	0	22.69	1.1	23.79	33	Pass
16QAM	40140	2545	1	0	22.13	1.1	23.23	33	Pass
			1	49	22.79	1.1	23.89	33	Pass
			1	99	21.88	1.1	22.98	33	Pass
			50	0	21.31	1.1	22.41	33	Pass
			50	25	21.30	1.1	22.40	33	Pass
			50	50	21.29	1.1	22.39	33	Pass
			100	0	21.24	1.1	22.34	33	Pass
	40640	2595	1	0	22.26	1.1	23.36	33	Pass
			1	49	22.61	1.1	23.71	33	Pass
			1	99	22.24	1.1	23.34	33	Pass
			50	0	21.53	1.1	22.63	33	Pass
			50	25	21.53	1.1	22.63	33	Pass
			50	50	21.60	1.1	22.70	33	Pass
			100	0	21.61	1.1	22.71	33	Pass
	41140	2645	1	0	22.24	1.1	23.34	33	Pass
			1	49	22.72	1.1	23.82	33	Pass
			1	99	22.32	1.1	23.42	33	Pass
			50	0	21.66	1.1	22.76	33	Pass
			50	25	21.72	1.1	22.82	33	Pass
			50	50	21.74	1.1	22.84	33	Pass
			100	0	21.70	1.1	22.80	33	Pass

LTE Band 66 ,Channel Bandwidth: 1.4 MHz									
Modulation	Channel	Frequency (MHz)	RB Configuration		Conducted Average Power [dBm]	Antenna Gain [dBi]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
			Size	Offset					
QPSK	131979	1710.7	1	0	23.25	1.1	24.35	30	Pass
			1	3	23.44	1.1	24.54	30	Pass
			1	5	23.42	1.1	24.52	30	Pass
			3	0	23.37	1.1	24.47	30	Pass
			3	2	23.36	1.1	24.46	30	Pass
			3	3	23.34	1.1	24.44	30	Pass
	132322	1745	6	0	22.35	1.1	23.45	30	Pass
			1	0	23.36	1.1	24.46	30	Pass
			1	3	23.62	1.1	24.72	30	Pass
			1	5	23.36	1.1	24.46	30	Pass
			3	0	23.43	1.1	24.53	30	Pass
			3	2	23.52	1.1	24.62	30	Pass
	132665	1779.3	3	3	23.35	1.1	24.45	30	Pass
			6	0	22.49	1.1	23.59	30	Pass
			1	0	23.33	1.1	24.43	30	Pass
			1	3	23.21	1.1	24.31	30	Pass
			1	5	23.39	1.1	24.49	30	Pass
			3	0	23.37	1.1	24.47	30	Pass
16QAM	131979	1710.7	3	2	23.28	1.1	24.38	30	Pass
			3	3	23.18	1.1	24.28	30	Pass
			6	0	22.39	1.1	23.49	30	Pass
			1	0	22.12	1.1	23.22	30	Pass
			1	3	22.38	1.1	23.48	30	Pass
			1	5	22.14	1.1	23.24	30	Pass
	132322	1745	3	0	22.32	1.1	23.42	30	Pass
			3	2	22.32	1.1	23.42	30	Pass
			3	3	22.37	1.1	23.47	30	Pass
			6	0	21.19	1.1	22.29	30	Pass
			1	0	22.21	1.1	23.31	30	Pass
			1	3	22.92	1.1	24.02	30	Pass
	132665	1779.3	1	5	22.11	1.1	23.21	30	Pass
			3	0	22.32	1.1	23.42	30	Pass
			3	2	22.31	1.1	23.41	30	Pass
			3	3	22.20	1.1	23.30	30	Pass
			6	0	21.49	1.1	22.59	30	Pass
			1	0	22.38	1.1	23.48	30	Pass
132665	1779.3	1	3	22.50	1.1	23.60	30	Pass	
		1	5	22.34	1.1	23.44	30	Pass	
		3	0	22.22	1.1	23.32	30	Pass	
		3	2	22.11	1.1	23.21	30	Pass	
		3	3	21.95	1.1	23.05	30	Pass	
		6	0	21.41	1.1	22.51	30	Pass	

LTE Band 66 ,Channel Bandwidth: 3 MHz									
Modulation	Channel	Frequency (MHz)	RB Configuration		Conducted Average Power [dBm]	Antenna Gain [dBi]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
			Size	Offset					
QPSK	131987	1711.5	1	0	23.43	1.1	24.53	30	Pass
			1	7	23.46	1.1	24.56	30	Pass
			1	14	23.37	1.1	24.47	30	Pass
			8	0	22.52	1.1	23.62	30	Pass
			8	4	22.50	1.1	23.60	30	Pass
			8	7	22.54	1.1	23.64	30	Pass
			15	0	22.49	1.1	23.59	30	Pass
	132322	1745	1	0	23.54	1.1	24.64	30	Pass
			1	7	23.46	1.1	24.56	30	Pass
			1	14	23.59	1.1	24.69	30	Pass
			8	0	22.48	1.1	23.58	30	Pass
			8	4	22.49	1.1	23.59	30	Pass
			8	7	22.55	1.1	23.65	30	Pass
			15	0	22.50	1.1	23.60	30	Pass
	132657	1778.5	1	0	23.41	1.1	24.51	30	Pass
			1	7	23.11	1.1	24.21	30	Pass
			1	14	23.52	1.1	24.62	30	Pass
			8	0	22.45	1.1	23.55	30	Pass
			8	4	22.23	1.1	23.33	30	Pass
			8	7	22.43	1.1	23.53	30	Pass
			15	0	22.40	1.1	23.50	30	Pass
16QAM	131987	1711.5	1	0	22.70	1.1	23.80	30	Pass
			1	7	22.15	1.1	23.25	30	Pass
			1	14	22.36	1.1	23.46	30	Pass
			8	0	21.66	1.1	22.76	30	Pass
			8	4	21.66	1.1	22.76	30	Pass
			8	7	21.57	1.1	22.67	30	Pass
			15	0	21.45	1.1	22.55	30	Pass
	132322	1745	1	0	22.65	1.1	23.75	30	Pass
			1	7	22.61	1.1	23.71	30	Pass
			1	14	22.68	1.1	23.78	30	Pass
			8	0	21.46	1.1	22.56	30	Pass
			8	4	21.47	1.1	22.57	30	Pass
			8	7	21.53	1.1	22.63	30	Pass
			15	0	21.29	1.1	22.39	30	Pass
	132657	1778.5	1	0	22.42	1.1	23.52	30	Pass
			1	7	22.30	1.1	23.40	30	Pass
			1	14	22.17	1.1	23.27	30	Pass
			8	0	21.45	1.1	22.55	30	Pass
			8	4	21.37	1.1	22.47	30	Pass
			8	7	21.45	1.1	22.55	30	Pass
			15	0	21.20	1.1	22.30	30	Pass

LTE Band 66 ,Channel Bandwidth: 5 MHz									
Modulation	Channel	Frequency (MHz)	RB Configuration		Conducted Average Power [dBm]	Antenna Gain [dBi]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
			Size	Offset					
QPSK	131997	1712.5	1	0	23.29	1.1	24.39	30	Pass
			1	12	23.35	1.1	24.45	30	Pass
			1	24	23.15	1.1	24.25	30	Pass
			12	0	22.38	1.1	23.48	30	Pass
			12	6	22.38	1.1	23.48	30	Pass
			12	13	22.32	1.1	23.42	30	Pass
			25	0	22.32	1.1	23.42	30	Pass
	132322	1745	1	0	23.09	1.1	24.19	30	Pass
			1	12	23.36	1.1	24.46	30	Pass
			1	24	23.30	1.1	24.40	30	Pass
			12	0	22.31	1.1	23.41	30	Pass
			12	6	22.31	1.1	23.41	30	Pass
			12	13	22.42	1.1	23.52	30	Pass
			25	0	22.37	1.1	23.47	30	Pass
	132647	1777.5	1	0	23.10	1.1	24.20	30	Pass
			1	12	23.18	1.1	24.28	30	Pass
			1	24	23.18	1.1	24.28	30	Pass
			12	0	22.39	1.1	23.49	30	Pass
			12	6	22.30	1.1	23.40	30	Pass
			12	13	22.32	1.1	23.42	30	Pass
			25	0	22.33	1.1	23.43	30	Pass
16QAM	131997	1712.5	1	0	22.52	1.1	23.62	30	Pass
			1	12	22.56	1.1	23.66	30	Pass
			1	24	22.47	1.1	23.57	30	Pass
			12	0	21.32	1.1	22.42	30	Pass
			12	6	21.52	1.1	22.62	30	Pass
			12	13	21.17	1.1	22.27	30	Pass
			25	0	21.37	1.1	22.47	30	Pass
	132322	1745	1	0	22.24	1.1	23.34	30	Pass
			1	12	22.45	1.1	23.55	30	Pass
			1	24	22.32	1.1	23.42	30	Pass
			12	0	21.09	1.1	22.19	30	Pass
			12	6	21.09	1.1	22.19	30	Pass
			12	13	21.32	1.1	22.42	30	Pass
			25	0	21.40	1.1	22.50	30	Pass
	132647	1777.5	1	0	22.01	1.1	23.11	30	Pass
			1	12	22.24	1.1	23.34	30	Pass
			1	24	22.23	1.1	23.33	30	Pass
			12	0	21.27	1.1	22.37	30	Pass
			12	6	21.28	1.1	22.38	30	Pass
			12	13	21.24	1.1	22.34	30	Pass
			25	0	21.45	1.1	22.55	30	Pass

LTE Band 66 ,Channel Bandwidth: 10 MHz										
Modulation	Channel	Frequency (MHz)	RB Configuration		Conducted Average Power [dBm]	Antenna Gain [dBi]	EIRP [dBm]	EIRP Limit [dBm]	Verdict	
			Size	Offset						
QPSK	132022	1715	1	0	23.17	1.1	24.27	30	Pass	
			1	24	23.16	1.1	24.26	30	Pass	
			1	49	23.19	1.1	24.29	30	Pass	
			25	0	22.47	1.1	23.57	30	Pass	
			25	12	22.38	1.1	23.48	30	Pass	
			25	25	22.32	1.1	23.42	30	Pass	
			50	0	22.42	1.1	23.52	30	Pass	
	132322	1745	1	0	23.23	1.1	24.33	30	Pass	
			1	24	23.62	1.1	24.72	30	Pass	
			1	49	23.15	1.1	24.25	30	Pass	
			25	0	22.41	1.1	23.51	30	Pass	
			25	12	22.41	1.1	23.51	30	Pass	
			25	25	22.39	1.1	23.49	30	Pass	
			50	0	22.40	1.1	23.50	30	Pass	
	132622	1775	1	0	23.22	1.1	24.32	30	Pass	
			1	24	23.15	1.1	24.25	30	Pass	
			1	49	23.26	1.1	24.36	30	Pass	
			25	0	22.29	1.1	23.39	30	Pass	
			25	12	22.26	1.1	23.36	30	Pass	
			25	25	22.28	1.1	23.38	30	Pass	
			50	0	22.22	1.1	23.32	30	Pass	
	16QAM	132022	1715	1	0	22.40	1.1	23.50	30	Pass
				1	24	22.52	1.1	23.62	30	Pass
				1	49	22.44	1.1	23.54	30	Pass
25				0	21.42	1.1	22.52	30	Pass	
25				12	21.42	1.1	22.52	30	Pass	
25				25	21.29	1.1	22.39	30	Pass	
50				0	21.32	1.1	22.42	30	Pass	
132322		1745	1	0	22.17	1.1	23.27	30	Pass	
			1	24	22.47	1.1	23.57	30	Pass	
			1	49	22.19	1.1	23.29	30	Pass	
			25	0	21.59	1.1	22.69	30	Pass	
			25	12	21.40	1.1	22.50	30	Pass	
			25	25	21.41	1.1	22.51	30	Pass	
			50	0	21.41	1.1	22.51	30	Pass	
132622		1775	1	0	22.70	1.1	23.80	30	Pass	
			1	24	22.82	1.1	23.92	30	Pass	
			1	49	22.62	1.1	23.72	30	Pass	
			25	0	21.35	1.1	22.45	30	Pass	
			25	12	21.43	1.1	22.53	30	Pass	
			25	25	21.32	1.1	22.42	30	Pass	
			50	0	21.24	1.1	22.34	30	Pass	

LTE Band 66 ,Channel Bandwidth: 15 MHz									
Modulation	Channel	Frequency (MHz)	RB Configuration		Conducted Average Power [dBm]	Antenna Gain [dBi]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
			Size	Offset					
QPSK	132047	1717.5	1	0	23.25	1.1	24.35	30	Pass
			1	37	23.28	1.1	24.38	30	Pass
			1	74	23.14	1.1	24.24	30	Pass
			37	0	22.21	1.1	23.31	30	Pass
			37	18	22.31	1.1	23.41	30	Pass
			37	38	22.28	1.1	23.38	30	Pass
			75	0	22.34	1.1	23.44	30	Pass
	132322	1745	1	0	23.22	1.1	24.32	30	Pass
			1	37	23.09	1.1	24.19	30	Pass
			1	74	23.12	1.1	24.22	30	Pass
			37	0	22.33	1.1	23.43	30	Pass
			37	18	22.51	1.1	23.61	30	Pass
			37	38	22.30	1.1	23.40	30	Pass
			75	0	22.34	1.1	23.44	30	Pass
	132597	1772.5	1	0	23.17	1.1	24.27	30	Pass
			1	37	23.15	1.1	24.25	30	Pass
			1	74	23.13	1.1	24.23	30	Pass
			37	0	22.70	1.1	23.80	30	Pass
			37	18	22.95	1.1	24.05	30	Pass
			37	38	22.76	1.1	23.86	30	Pass
			75	0	22.27	1.1	23.37	30	Pass
16QAM	132047	1717.5	1	0	22.32	1.1	23.42	30	Pass
			1	37	22.14	1.1	23.24	30	Pass
			1	74	22.30	1.1	23.40	30	Pass
			37	0	22.48	1.1	23.58	30	Pass
			37	18	22.31	1.1	23.41	30	Pass
			37	38	22.28	1.1	23.38	30	Pass
			75	0	21.22	1.1	22.32	30	Pass
	132322	1745	1	0	22.35	1.1	23.45	30	Pass
			1	37	22.30	1.1	23.40	30	Pass
			1	74	22.17	1.1	23.27	30	Pass
			37	0	22.31	1.1	23.41	30	Pass
			37	18	22.51	1.1	23.61	30	Pass
			37	38	22.31	1.1	23.41	30	Pass
			75	0	21.35	1.1	22.45	30	Pass
	132597	1772.5	1	0	22.70	1.1	23.80	30	Pass
			1	37	22.77	1.1	23.87	30	Pass
			1	74	22.74	1.1	23.84	30	Pass
			37	0	22.73	1.1	23.83	30	Pass
			37	18	22.95	1.1	24.05	30	Pass
			37	38	22.73	1.1	23.83	30	Pass
			75	0	21.31	1.1	22.41	30	Pass

LTE Band 66 ,Channel Bandwidth: 20 MHz									
Modulation	Channel	Frequency (MHz)	RB Configuration		Conducted Average Power [dBm]	Antenna Gain [dBi]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
			Size	Offset					
QPSK	132072	1720	1	0	23.25	1.1	24.35	30	Pass
			1	49	23.66	1.1	24.76	30	Pass
			1	99	23.05	1.1	24.15	30	Pass
			50	0	22.37	1.1	23.47	30	Pass
			50	25	22.32	1.1	23.42	30	Pass
			50	50	22.37	1.1	23.47	30	Pass
			100	0	22.35	1.1	23.45	30	Pass
	132322	1745	1	0	23.44	1.1	24.54	30	Pass
			1	49	23.49	1.1	24.59	30	Pass
			1	99	23.26	1.1	24.36	30	Pass
			50	0	22.43	1.1	23.53	30	Pass
			50	25	22.43	1.1	23.53	30	Pass
			50	50	22.39	1.1	23.49	30	Pass
			100	0	22.42	1.1	23.52	30	Pass
	132572	1770	1	0	22.93	1.1	24.03	30	Pass
			1	49	23.39	1.1	24.49	30	Pass
			1	99	23.42	1.1	24.52	30	Pass
			50	0	22.28	1.1	23.38	30	Pass
			50	25	22.29	1.1	23.39	30	Pass
			50	50	22.26	1.1	23.36	30	Pass
			100	0	22.27	1.1	23.37	30	Pass
16QAM	132072	1720	1	0	22.12	1.1	23.22	30	Pass
			1	49	22.30	1.1	23.40	30	Pass
			1	99	22.09	1.1	23.19	30	Pass
			50	0	21.21	1.1	22.31	30	Pass
			50	25	21.21	1.1	22.31	30	Pass
			50	50	21.43	1.1	22.53	30	Pass
			100	0	21.36	1.1	22.46	30	Pass
	132322	1745	1	0	23.11	1.1	24.21	30	Pass
			1	49	23.42	1.1	24.52	30	Pass
			1	99	23.12	1.1	24.22	30	Pass
			50	0	21.33	1.1	22.43	30	Pass
			50	25	21.33	1.1	22.43	30	Pass
			50	50	21.29	1.1	22.39	30	Pass
			100	0	21.31	1.1	22.41	30	Pass
	132572	1770	1	0	21.99	1.1	23.09	30	Pass
			1	49	22.37	1.1	23.47	30	Pass
			1	99	21.99	1.1	23.09	30	Pass
			50	0	21.26	1.1	22.36	30	Pass
			50	25	21.28	1.1	22.38	30	Pass
			50	50	21.23	1.1	22.33	30	Pass
			100	0	21.20	1.1	22.30	30	Pass

8. APPENDIX B: PEAK-TO-AVERAGE RATIO

GSM:

Band	Channel	Result(dB)	Limit(dB)	Verdict
GSM850	128	2.64	13	PASS
GSM850	190	2.65	13	PASS
GSM850	251	2.68	13	PASS
GPRS850	128	2.64	13	PASS
GPRS850	190	2.65	13	PASS
GPRS850	251	2.68	13	PASS
EGPRS850	128	5.72	13	PASS
EGPRS850	190	5.71	13	PASS
EGPRS850	251	5.73	13	PASS
GSM1900	512	2.67	13	PASS
GSM1900	661	2.68	13	PASS
GSM1900	810	2.71	13	PASS
GPRS1900	512	2.67	13	PASS
GPRS1900	661	2.68	13	PASS
GPRS1900	810	2.72	13	PASS
EGPRS1900	512	5.66	13	PASS
EGPRS1900	661	5.71	13	PASS
EGPRS1900	810	5.62	13	PASS

WCDMA:

Band	Channel	Peak-to-Average Ratio(dB)	Limit(dB)	Verdict
Band2	9262	2.97	13	PASS
Band2	9400	2.94	13	PASS
Band2	9538	2.67	13	PASS
Band4	1312	2.8	13	PASS
Band4	1413	2.99	13	PASS
Band4	1513	2.75	13	PASS
Band5	4132	2.42	13	PASS
Band5	4182	2.49	13	PASS
Band5	4233	2.33	13	PASS

LTE:

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band2	1.4MHz	QPSK	18607	6RB#0	5.78	13	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	5.52	13	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	5.42	13	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	6.62	13	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	6.46	13	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	6.28	13	PASS
Band2	3MHz	QPSK	18615	15RB#0	5.98	13	PASS
Band2	3MHz	QPSK	18900	15RB#0	5.76	13	PASS

Band2	3MHz	QPSK	19185	15RB#0	5.50	13	PASS
Band2	3MHz	16QAM	18615	15RB#0	6.56	13	PASS
Band2	3MHz	16QAM	18900	15RB#0	6.42	13	PASS
Band2	3MHz	16QAM	19185	15RB#0	6.24	13	PASS
Band2	5MHz	QPSK	18625	25RB#0	8.44	13	PASS
Band2	5MHz	QPSK	18900	25RB#0	5.72	13	PASS
Band2	5MHz	QPSK	19175	25RB#0	5.62	13	PASS
Band2	5MHz	16QAM	18625	25RB#0	8.46	13	PASS
Band2	5MHz	16QAM	18900	25RB#0	6.52	13	PASS
Band2	5MHz	16QAM	19175	25RB#0	6.34	13	PASS
Band2	10MHz	QPSK	18650	50RB#0	6.00	13	PASS
Band2	10MHz	QPSK	18900	50RB#0	5.96	13	PASS
Band2	10MHz	QPSK	19150	50RB#0	5.78	13	PASS
Band2	10MHz	16QAM	18650	50RB#0	6.52	13	PASS
Band2	10MHz	16QAM	18900	50RB#0	6.60	13	PASS
Band2	10MHz	16QAM	19150	50RB#0	6.38	13	PASS
Band2	15MHz	QPSK	18675	75RB#0	5.08	13	PASS
Band2	15MHz	QPSK	18900	75RB#0	5.16	13	PASS
Band2	15MHz	QPSK	19125	75RB#0	5.00	13	PASS
Band2	15MHz	16QAM	18675	75RB#0	6.38	13	PASS
Band2	15MHz	16QAM	18900	75RB#0	6.32	13	PASS
Band2	15MHz	16QAM	19125	75RB#0	6.30	13	PASS
Band2	20MHz	QPSK	18700	100RB#0	5.50	13	PASS
Band2	20MHz	QPSK	18900	100RB#0	5.58	13	PASS
Band2	20MHz	QPSK	19100	100RB#0	5.54	13	PASS
Band2	20MHz	16QAM	18700	100RB#0	6.68	13	PASS
Band2	20MHz	16QAM	18900	100RB#0	6.66	13	PASS
Band2	20MHz	16QAM	19100	100RB#0	6.62	13	PASS
Band4	1.4MHz	QPSK	19957	6RB#0	8.46	13	PASS
Band4	1.4MHz	QPSK	20175	6RB#0	5.80	13	PASS
Band4	1.4MHz	QPSK	20393	6RB#0	5.22	13	PASS
Band4	1.4MHz	16QAM	19957	6RB#0	6.28	13	PASS
Band4	1.4MHz	16QAM	20175	6RB#0	6.60	13	PASS
Band4	1.4MHz	16QAM	20393	6RB#0	6.14	13	PASS
Band4	3MHz	QPSK	19965	15RB#0	5.44	13	PASS
Band4	3MHz	QPSK	20175	15RB#0	5.88	13	PASS
Band4	3MHz	QPSK	20385	15RB#0	5.38	13	PASS
Band4	3MHz	16QAM	19965	15RB#0	6.26	13	PASS
Band4	3MHz	16QAM	20175	15RB#0	6.58	13	PASS
Band4	3MHz	16QAM	20385	15RB#0	6.18	13	PASS
Band4	5MHz	QPSK	19975	25RB#0	5.44	13	PASS
Band4	5MHz	QPSK	20175	25RB#0	5.88	13	PASS
Band4	5MHz	QPSK	20375	25RB#0	5.36	13	PASS
Band4	5MHz	16QAM	19975	25RB#0	6.22	13	PASS
Band4	5MHz	16QAM	20175	25RB#0	6.54	13	PASS
Band4	5MHz	16QAM	20375	25RB#0	6.18	13	PASS
Band4	10MHz	QPSK	20000	50RB#0	5.64	13	PASS
Band4	10MHz	QPSK	20175	50RB#0	5.98	13	PASS
Band4	10MHz	QPSK	20350	50RB#0	5.70	13	PASS
Band4	10MHz	16QAM	20000	50RB#0	6.30	13	PASS
Band4	10MHz	16QAM	20175	50RB#0	6.50	13	PASS
Band4	10MHz	16QAM	20350	50RB#0	6.38	13	PASS
Band4	15MHz	QPSK	20025	75RB#0	4.94	13	PASS
Band4	15MHz	QPSK	20175	75RB#0	5.10	13	PASS
Band4	15MHz	QPSK	20325	75RB#0	5.02	13	PASS

Band4	15MHz	16QAM	20025	75RB#0	6.16	13	PASS
Band4	15MHz	16QAM	20175	75RB#0	6.28	13	PASS
Band4	15MHz	16QAM	20325	75RB#0	6.24	13	PASS
Band4	20MHz	QPSK	20050	100RB#0	5.48	13	PASS
Band4	20MHz	QPSK	20175	100RB#0	5.52	13	PASS
Band4	20MHz	QPSK	20300	100RB#0	5.60	13	PASS
Band4	20MHz	16QAM	20050	100RB#0	6.58	13	PASS
Band4	20MHz	16QAM	20175	100RB#0	6.60	13	PASS
Band4	20MHz	16QAM	20300	100RB#0	6.62	13	PASS
Band5	1.4MHz	QPSK	20407	6RB#0	4.96	13	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	5.08	13	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	4.68	13	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	5.82	13	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	6.00	13	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	5.58	13	PASS
Band5	3MHz	QPSK	20415	15RB#0	5.08	13	PASS
Band5	3MHz	QPSK	20525	15RB#0	5.20	13	PASS
Band5	3MHz	QPSK	20635	15RB#0	4.90	13	PASS
Band5	3MHz	16QAM	20415	15RB#0	5.80	13	PASS
Band5	3MHz	16QAM	20525	15RB#0	5.98	13	PASS
Band5	3MHz	16QAM	20635	15RB#0	5.72	13	PASS
Band5	5MHz	QPSK	20425	25RB#0	4.96	13	PASS
Band5	5MHz	QPSK	20525	25RB#0	5.20	13	PASS
Band5	5MHz	QPSK	20625	25RB#0	5.04	13	PASS
Band5	5MHz	16QAM	20425	25RB#0	5.74	13	PASS
Band5	5MHz	16QAM	20525	25RB#0	6.02	13	PASS
Band5	5MHz	16QAM	20625	25RB#0	5.76	13	PASS
Band5	10MHz	QPSK	20450	50RB#0	5.44	13	PASS
Band5	10MHz	QPSK	20525	50RB#0	5.42	13	PASS
Band5	10MHz	QPSK	20600	50RB#0	5.38	13	PASS
Band5	10MHz	16QAM	20450	50RB#0	6.08	13	PASS
Band5	10MHz	16QAM	20525	50RB#0	6.12	13	PASS
Band5	10MHz	16QAM	20600	50RB#0	6.12	13	PASS
Band7	5MHz	QPSK	20775	25RB#0	5.42	13	PASS
Band7	5MHz	QPSK	21100	25RB#0	5.24	13	PASS
Band7	5MHz	QPSK	21425	25RB#0	4.94	13	PASS
Band7	5MHz	16QAM	20775	25RB#0	6.08	13	PASS
Band7	5MHz	16QAM	21100	25RB#0	5.86	13	PASS
Band7	5MHz	16QAM	21425	25RB#0	5.58	13	PASS
Band7	10MHz	QPSK	20800	50RB#0	5.66	13	PASS
Band7	10MHz	QPSK	21100	50RB#0	5.54	13	PASS
Band7	10MHz	QPSK	21400	50RB#0	5.46	13	PASS
Band7	10MHz	16QAM	20800	50RB#0	6.16	13	PASS
Band7	10MHz	16QAM	21100	50RB#0	6.06	13	PASS
Band7	10MHz	16QAM	21400	50RB#0	6.02	13	PASS
Band7	15MHz	QPSK	20825	75RB#0	4.98	13	PASS
Band7	15MHz	QPSK	21100	75RB#0	5.02	13	PASS
Band7	15MHz	QPSK	21375	75RB#0	5.00	13	PASS
Band7	15MHz	16QAM	20825	75RB#0	6.14	13	PASS
Band7	15MHz	16QAM	21100	75RB#0	6.02	13	PASS
Band7	15MHz	16QAM	21375	75RB#0	6.04	13	PASS
Band7	20MHz	QPSK	20850	100RB#0	5.54	13	PASS
Band7	20MHz	QPSK	21100	100RB#0	5.66	13	PASS
Band7	20MHz	QPSK	21350	100RB#0	5.58	13	PASS
Band7	20MHz	16QAM	20850	100RB#0	6.62	13	PASS

Band7	20MHz	16QAM	21100	100RB#0	6.60	13	PASS
Band7	20MHz	16QAM	21350	100RB#0	6.66	13	PASS
Band12	1.4MHz	QPSK	23017	6RB#0	4.94	13	PASS
Band12	1.4MHz	QPSK	23095	6RB#0	5.18	13	PASS
Band12	1.4MHz	QPSK	23173	6RB#0	4.78	13	PASS
Band12	1.4MHz	16QAM	23017	6RB#0	5.80	13	PASS
Band12	1.4MHz	16QAM	23095	6RB#0	6.06	13	PASS
Band12	1.4MHz	16QAM	23173	6RB#0	5.74	13	PASS
Band12	3MHz	QPSK	23025	15RB#0	5.06	13	PASS
Band12	3MHz	QPSK	23095	15RB#0	5.22	13	PASS
Band12	3MHz	QPSK	23165	15RB#0	4.98	13	PASS
Band12	3MHz	16QAM	23025	15RB#0	5.82	13	PASS
Band12	3MHz	16QAM	23095	15RB#0	6.10	13	PASS
Band12	3MHz	16QAM	23165	15RB#0	5.94	13	PASS
Band12	5MHz	QPSK	23035	25RB#0	5.04	13	PASS
Band12	5MHz	QPSK	23095	25RB#0	5.20	13	PASS
Band12	5MHz	QPSK	23155	25RB#0	5.06	13	PASS
Band12	5MHz	16QAM	23035	25RB#0	5.94	13	PASS
Band12	5MHz	16QAM	23095	25RB#0	6.10	13	PASS
Band12	5MHz	16QAM	23155	25RB#0	5.90	13	PASS
Band12	10MHz	QPSK	23060	50RB#0	5.38	13	PASS
Band12	10MHz	QPSK	23095	50RB#0	5.40	13	PASS
Band12	10MHz	QPSK	23130	50RB#0	5.28	13	PASS
Band12	10MHz	16QAM	23060	50RB#0	6.08	13	PASS
Band12	10MHz	16QAM	23095	50RB#0	6.14	13	PASS
Band12	10MHz	16QAM	23130	50RB#0	6.08	13	PASS
Band17	5MHz	QPSK	23755	25RB#0	5.20	13	PASS
Band17	5MHz	QPSK	23790	25RB#0	5.10	13	PASS
Band17	5MHz	QPSK	23825	25RB#0	5.00	13	PASS
Band17	5MHz	16QAM	23755	25RB#0	6.10	13	PASS
Band17	5MHz	16QAM	23790	25RB#0	6.02	13	PASS
Band17	5MHz	16QAM	23825	25RB#0	5.92	13	PASS
Band17	10MHz	QPSK	23780	50RB#0	5.36	13	PASS
Band17	10MHz	QPSK	23790	50RB#0	5.26	13	PASS
Band17	10MHz	QPSK	23800	50RB#0	5.28	13	PASS
Band17	10MHz	16QAM	23780	50RB#0	6.06	13	PASS
Band17	10MHz	16QAM	23790	50RB#0	6.10	13	PASS
Band17	10MHz	16QAM	23800	50RB#0	6.02	13	PASS
Band26	1.4MHz	QPSK	26697	6RB#0	4.72	13	PASS
Band26	1.4MHz	QPSK	26740	6RB#0	4.76	13	PASS
Band26	1.4MHz	QPSK	26783	6RB#0	4.92	13	PASS
Band26	1.4MHz	16QAM	26697	6RB#0	5.62	13	PASS
Band26	1.4MHz	16QAM	26740	6RB#0	5.76	13	PASS
Band26	1.4MHz	16QAM	26783	6RB#0	5.86	13	PASS
Band26	3MHz	QPSK	26705	15RB#0	8.46	13	PASS
Band26	3MHz	QPSK	26740	15RB#0	4.96	13	PASS
Band26	3MHz	QPSK	26775	15RB#0	5.06	13	PASS
Band26	3MHz	16QAM	26705	15RB#0	5.76	13	PASS
Band26	3MHz	16QAM	26740	15RB#0	5.84	13	PASS
Band26	3MHz	16QAM	26775	15RB#0	5.90	13	PASS
Band26	5MHz	QPSK	26715	25RB#0	4.88	13	PASS
Band26	5MHz	QPSK	26740	25RB#0	4.84	13	PASS
Band26	5MHz	QPSK	26765	25RB#0	4.96	13	PASS
Band26	5MHz	16QAM	26715	25RB#0	5.68	13	PASS
Band26	5MHz	16QAM	26740	25RB#0	5.76	13	PASS

Band26	5MHz	16QAM	26765	25RB#0	5.80	13	PASS
Band26	10MHz	QPSK	26740	50RB#0	5.08	13	PASS
Band26	10MHz	16QAM	26740	50RB#0	5.94	13	PASS
Band38	5MHz	QPSK	37775	25RB#0	6.82	13	PASS
Band38	5MHz	QPSK	38000	25RB#0	6.98	13	PASS
Band38	5MHz	QPSK	38225	25RB#0	6.94	13	PASS
Band38	5MHz	16QAM	37775	25RB#0	7.64	13	PASS
Band38	5MHz	16QAM	38000	25RB#0	7.78	13	PASS
Band38	5MHz	16QAM	38225	25RB#0	7.78	13	PASS
Band38	10MHz	QPSK	37800	50RB#0	7.32	13	PASS
Band38	10MHz	QPSK	38000	50RB#0	7.40	13	PASS
Band38	10MHz	QPSK	38200	50RB#0	7.36	13	PASS
Band38	10MHz	16QAM	37800	50RB#0	7.96	13	PASS
Band38	10MHz	16QAM	38000	50RB#0	7.96	13	PASS
Band38	10MHz	16QAM	38200	50RB#0	7.92	13	PASS
Band38	15MHz	QPSK	37825	75RB#0	6.96	13	PASS
Band38	15MHz	QPSK	38000	75RB#0	7.00	13	PASS
Band38	15MHz	QPSK	38175	75RB#0	6.90	13	PASS
Band38	15MHz	16QAM	37825	75RB#0	7.98	13	PASS
Band38	15MHz	16QAM	38000	75RB#0	7.98	13	PASS
Band38	15MHz	16QAM	38175	75RB#0	8.00	13	PASS
Band38	20MHz	QPSK	37850	100RB#0	7.68	13	PASS
Band38	20MHz	QPSK	38000	100RB#0	7.64	13	PASS
Band38	20MHz	QPSK	38150	100RB#0	7.66	13	PASS
Band38	20MHz	16QAM	37850	100RB#0	8.56	13	PASS
Band38	20MHz	16QAM	38000	100RB#0	8.56	13	PASS
Band38	20MHz	16QAM	38150	100RB#0	8.54	13	PASS
Band41	5MHz	QPSK	40065	25RB#0	7.06	13	PASS
Band41	5MHz	QPSK	40590	25RB#0	7.28	13	PASS
Band41	5MHz	QPSK	41215	25RB#0	6.72	13	PASS
Band41	5MHz	16QAM	40065	25RB#0	7.88	13	PASS
Band41	5MHz	16QAM	40590	25RB#0	8.18	13	PASS
Band41	5MHz	16QAM	41215	25RB#0	7.56	13	PASS
Band41	10MHz	QPSK	40090	50RB#0	7.42	13	PASS
Band41	10MHz	QPSK	40590	50RB#0	7.54	13	PASS
Band41	10MHz	QPSK	41190	50RB#0	7.32	13	PASS
Band41	10MHz	16QAM	40090	50RB#0	8.06	13	PASS
Band41	10MHz	16QAM	40590	50RB#0	8.26	13	PASS
Band41	10MHz	16QAM	41190	50RB#0	7.98	13	PASS
Band41	15MHz	QPSK	40115	75RB#0	6.90	13	PASS
Band41	15MHz	QPSK	40590	75RB#0	7.00	13	PASS
Band41	15MHz	QPSK	41165	75RB#0	6.94	13	PASS
Band41	15MHz	16QAM	40115	75RB#0	8.00	13	PASS
Band41	15MHz	16QAM	40590	75RB#0	8.18	13	PASS
Band41	15MHz	16QAM	41165	75RB#0	8.00	13	PASS
Band41	20MHz	QPSK	40140	100RB#0	7.66	13	PASS
Band41	20MHz	QPSK	40590	100RB#0	7.64	13	PASS
Band41	20MHz	QPSK	41140	100RB#0	7.68	13	PASS
Band41	20MHz	16QAM	40140	100RB#0	8.58	13	PASS
Band41	20MHz	16QAM	40590	100RB#0	8.64	13	PASS
Band41	20MHz	16QAM	41140	100RB#0	8.60	13	PASS
Band66	1.4MHz	QPSK	131979	6RB#0	4.86	13	PASS
Band66	1.4MHz	QPSK	132322	6RB#0	5.12	13	PASS
Band66	1.4MHz	QPSK	132665	6RB#0	5.22	13	PASS
Band66	1.4MHz	16QAM	131979	6RB#0	5.80	13	PASS

Band66	1.4MHz	16QAM	132322	6RB#0	5.98	13	PASS
Band66	1.4MHz	16QAM	132665	6RB#0	6.06	13	PASS
Band66	3MHz	QPSK	131987	15RB#0	5.04	13	PASS
Band66	3MHz	QPSK	132322	15RB#0	5.30	13	PASS
Band66	3MHz	QPSK	132657	15RB#0	5.34	13	PASS
Band66	3MHz	16QAM	131987	15RB#0	5.90	13	PASS
Band66	3MHz	16QAM	132322	15RB#0	6.08	13	PASS
Band66	3MHz	16QAM	132657	15RB#0	6.10	13	PASS
Band66	5MHz	QPSK	131997	25RB#0	5.00	13	PASS
Band66	5MHz	QPSK	132322	25RB#0	5.24	13	PASS
Band66	5MHz	QPSK	132647	25RB#0	5.24	13	PASS
Band66	5MHz	16QAM	131997	25RB#0	5.88	13	PASS
Band66	5MHz	16QAM	132322	25RB#0	6.14	13	PASS
Band66	5MHz	16QAM	132647	25RB#0	6.10	13	PASS
Band66	10MHz	QPSK	132022	50RB#0	5.18	13	PASS
Band66	10MHz	QPSK	132322	50RB#0	5.34	13	PASS
Band66	10MHz	QPSK	132622	50RB#0	5.34	13	PASS
Band66	10MHz	16QAM	132022	50RB#0	6.02	13	PASS
Band66	10MHz	16QAM	132322	50RB#0	6.14	13	PASS
Band66	10MHz	16QAM	132622	50RB#0	6.12	13	PASS
Band66	15MHz	QPSK	132047	75RB#0	4.88	13	PASS
Band66	15MHz	QPSK	132322	75RB#0	4.96	13	PASS
Band66	15MHz	QPSK	132597	75RB#0	5.00	13	PASS
Band66	15MHz	16QAM	132047	75RB#0	6.04	13	PASS
Band66	15MHz	16QAM	132322	75RB#0	6.06	13	PASS
Band66	15MHz	16QAM	132597	75RB#0	6.14	13	PASS
Band66	20MHz	QPSK	132072	100RB#0	5.64	13	PASS
Band66	20MHz	QPSK	132322	100RB#0	5.66	13	PASS
Band66	20MHz	QPSK	132572	100RB#0	5.62	13	PASS
Band66	20MHz	16QAM	132072	100RB#0	6.58	13	PASS
Band66	20MHz	16QAM	132322	100RB#0	6.64	13	PASS
Band66	20MHz	16QAM	132572	100RB#0	6.70	13	PASS

9. APPENDIX C: OCCUPIED BANDWIDTH

GSM:

Band	Channel	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
GSM850	128	0.25251	0.3290	---	PASS
GSM850	190	0.25254	0.3296	---	PASS
GSM850	251	0.25287	0.3256	---	PASS
GPRS850	128	0.25319	0.3305	---	PASS
GPRS850	190	0.25138	0.3264	---	PASS
GPRS850	251	0.25106	0.3305	---	PASS
EGPRS850	128	0.25156	0.3266	---	PASS
EGPRS850	190	0.25260	0.3167	---	PASS
EGPRS850	251	0.25235	0.3287	---	PASS
GSM1900	512	0.25343	0.3307	---	PASS
GSM1900	661	0.25164	0.3193	---	PASS
GSM1900	810	0.25326	0.3337	---	PASS
GPRS1900	512	0.25402	0.3318	---	PASS
GPRS1900	661	0.25384	0.3296	---	PASS
GPRS1900	810	0.25221	0.3306	---	PASS
EGPRS1900	512	0.25206	0.3222	---	PASS
EGPRS1900	661	0.25204	0.3282	---	PASS
EGPRS1900	810	0.25109	0.3227	---	PASS

WCDMA:

Band	Channel	Occupied Bandwidth (kHz)	26dB Bandwidth (kHz)	Limit(kHz)	Verdict
Band2	9262	4.1232	4.694	---	PASS
Band2	9400	4.1244	4.691	---	PASS
Band2	9538	4.1312	4.717	---	PASS
Band4	1312	4.1202	4.697	---	PASS
Band4	1413	4.1155	4.701	---	PASS
Band4	1513	4.1219	4.700	---	PASS
Band5	4132	4.1398	4.733	---	PASS
Band5	4182	4.1336	4.728	---	PASS
Band5	4233	4.1355	4.748	---	PASS

LTE:

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band2	1.4MHz	QPSK	18607	6RB#0	1.076	1.220	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	1.076	1.225	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	1.076	1.225	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	1.077	1.235	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	1.077	1.230	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	1.077	1.230	PASS
Band2	3MHz	QPSK	18615	15RB#0	2.677	2.850	PASS

Band2	3MHz	QPSK	18900	15RB#0	2.678	2.850	PASS
Band2	3MHz	QPSK	19185	15RB#0	2.677	2.860	PASS
Band2	3MHz	16QAM	18615	15RB#0	2.675	2.850	PASS
Band2	3MHz	16QAM	18900	15RB#0	2.676	2.850	PASS
Band2	3MHz	16QAM	19185	15RB#0	2.675	2.860	PASS
Band2	5MHz	QPSK	18625	25RB#0	4.462	4.690	PASS
Band2	5MHz	QPSK	18900	25RB#0	4.466	4.710	PASS
Band2	5MHz	QPSK	19175	25RB#0	4.465	4.710	PASS
Band2	5MHz	16QAM	18625	25RB#0	4.481	4.720	PASS
Band2	5MHz	16QAM	18900	25RB#0	4.478	4.760	PASS
Band2	5MHz	16QAM	19175	25RB#0	4.478	4.740	PASS
Band2	10MHz	QPSK	18650	50RB#0	8.910	9.300	PASS
Band2	10MHz	QPSK	18900	50RB#0	8.917	9.333	PASS
Band2	10MHz	QPSK	19150	50RB#0	8.915	9.267	PASS
Band2	10MHz	16QAM	18650	50RB#0	8.931	9.333	PASS
Band2	10MHz	16QAM	18900	50RB#0	8.930	9.333	PASS
Band2	10MHz	16QAM	19150	50RB#0	8.919	9.333	PASS
Band2	15MHz	QPSK	18675	75RB#0	13.390	14.050	PASS
Band2	15MHz	QPSK	18900	75RB#0	13.401	14.100	PASS
Band2	15MHz	QPSK	19125	75RB#0	13.378	14.100	PASS
Band2	15MHz	16QAM	18675	75RB#0	13.361	14.050	PASS
Band2	15MHz	16QAM	18900	75RB#0	13.379	14.100	PASS
Band2	15MHz	16QAM	19125	75RB#0	13.355	14.100	PASS
Band2	20MHz	QPSK	18700	100RB#0	17.794	18.533	PASS
Band2	20MHz	QPSK	18900	100RB#0	17.795	18.600	PASS
Band2	20MHz	QPSK	19100	100RB#0	17.799	18.533	PASS
Band2	20MHz	16QAM	18700	100RB#0	17.785	18.533	PASS
Band2	20MHz	16QAM	18900	100RB#0	17.808	18.533	PASS
Band2	20MHz	16QAM	19100	100RB#0	17.798	18.533	PASS
Band4	1.4MHz	QPSK	19957	6RB#0	1.105	1.230	PASS
Band4	1.4MHz	QPSK	20175	6RB#0	1.106	1.235	PASS
Band4	1.4MHz	QPSK	20393	6RB#0	1.106	1.225	PASS
Band4	1.4MHz	16QAM	19957	6RB#0	1.106	1.235	PASS
Band4	1.4MHz	16QAM	20175	6RB#0	1.107	1.245	PASS
Band4	1.4MHz	16QAM	20393	6RB#0	1.103	1.230	PASS
Band4	3MHz	QPSK	19965	15RB#0	2.677	2.850	PASS
Band4	3MHz	QPSK	20175	15RB#0	2.677	2.850	PASS
Band4	3MHz	QPSK	20385	15RB#0	2.677	2.840	PASS
Band4	3MHz	16QAM	19965	15RB#0	2.675	2.850	PASS
Band4	3MHz	16QAM	20175	15RB#0	2.675	2.850	PASS
Band4	3MHz	16QAM	20385	15RB#0	2.675	2.850	PASS
Band4	5MHz	QPSK	19975	25RB#0	4.462	4.710	PASS
Band4	5MHz	QPSK	20175	25RB#0	4.463	4.720	PASS
Band4	5MHz	QPSK	20375	25RB#0	4.462	4.680	PASS
Band4	5MHz	16QAM	19975	25RB#0	4.475	4.730	PASS
Band4	5MHz	16QAM	20175	25RB#0	4.477	4.730	PASS
Band4	5MHz	16QAM	20375	25RB#0	4.475	4.710	PASS
Band4	10MHz	QPSK	20000	50RB#0	8.907	9.300	PASS
Band4	10MHz	QPSK	20175	50RB#0	8.918	9.333	PASS
Band4	10MHz	QPSK	20350	50RB#0	8.914	9.300	PASS
Band4	10MHz	16QAM	20000	50RB#0	8.914	9.333	PASS
Band4	10MHz	16QAM	20175	50RB#0	8.924	9.333	PASS
Band4	10MHz	16QAM	20350	50RB#0	8.929	9.333	PASS
Band4	15MHz	QPSK	20025	75RB#0	13.366	14.100	PASS
Band4	15MHz	QPSK	20175	75RB#0	13.385	14.100	PASS
Band4	15MHz	QPSK	20325	75RB#0	13.394	14.100	PASS
Band4	15MHz	16QAM	20025	75RB#0	13.352	14.050	PASS


Band4	15MHz	16QAM	20175	75RB#0	13.373	14.100	PASS
Band4	15MHz	16QAM	20325	75RB#0	13.372	14.100	PASS
Band4	20MHz	QPSK	20050	100RB#0	17.779	18.533	PASS
Band4	20MHz	QPSK	20175	100RB#0	17.817	18.533	PASS
Band4	20MHz	QPSK	20300	100RB#0	17.812	18.533	PASS
Band4	20MHz	16QAM	20050	100RB#0	17.776	18.533	PASS
Band4	20MHz	16QAM	20175	100RB#0	17.808	18.533	PASS
Band4	20MHz	16QAM	20300	100RB#0	17.809	18.533	PASS
Band5	1.4MHz	QPSK	20407	6RB#0	1.076	1.220	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	1.076	1.220	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	1.076	1.225	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	1.077	1.230	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	1.078	1.230	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	1.077	1.230	PASS
Band5	3MHz	QPSK	20415	15RB#0	2.677	2.850	PASS
Band5	3MHz	QPSK	20525	15RB#0	2.677	2.850	PASS
Band5	3MHz	QPSK	20635	15RB#0	2.676	2.850	PASS
Band5	3MHz	16QAM	20415	15RB#0	2.675	2.860	PASS
Band5	3MHz	16QAM	20525	15RB#0	2.675	2.850	PASS
Band5	3MHz	16QAM	20635	15RB#0	2.674	2.850	PASS
Band5	5MHz	QPSK	20425	25RB#0	4.463	4.680	PASS
Band5	5MHz	QPSK	20525	25RB#0	4.462	4.700	PASS
Band5	5MHz	QPSK	20625	25RB#0	4.465	4.690	PASS
Band5	5MHz	16QAM	20425	25RB#0	4.473	4.710	PASS
Band5	5MHz	16QAM	20525	25RB#0	4.474	4.730	PASS
Band5	5MHz	16QAM	20625	25RB#0	4.478	4.700	PASS
Band5	10MHz	QPSK	20450	50RB#0	8.920	9.333	PASS
Band5	10MHz	QPSK	20525	50RB#0	8.918	9.300	PASS
Band5	10MHz	QPSK	20600	50RB#0	8.907	9.300	PASS
Band5	10MHz	16QAM	20450	50RB#0	8.936	9.333	PASS
Band5	10MHz	16QAM	20525	50RB#0	8.929	9.333	PASS
Band5	10MHz	16QAM	20600	50RB#0	8.926	9.333	PASS
Band7	5MHz	QPSK	20775	25RB#0	4.492	4.780	PASS
Band7	5MHz	QPSK	21100	25RB#0	4.489	4.770	PASS
Band7	5MHz	QPSK	21425	25RB#0	4.486	4.780	PASS
Band7	5MHz	16QAM	20775	25RB#0	4.502	4.790	PASS
Band7	5MHz	16QAM	21100	25RB#0	4.503	4.780	PASS
Band7	5MHz	16QAM	21425	25RB#0	4.502	4.790	PASS
Band7	10MHz	QPSK	20800	50RB#0	8.956	9.533	PASS
Band7	10MHz	QPSK	21100	50RB#0	8.954	9.533	PASS
Band7	10MHz	QPSK	21400	50RB#0	8.951	9.533	PASS
Band7	10MHz	16QAM	20800	50RB#0	8.970	9.533	PASS
Band7	10MHz	16QAM	21100	50RB#0	8.977	9.567	PASS
Band7	10MHz	16QAM	21400	50RB#0	8.961	9.533	PASS
Band7	15MHz	QPSK	20825	75RB#0	13.419	14.300	PASS
Band7	15MHz	QPSK	21100	75RB#0	13.426	14.300	PASS
Band7	15MHz	QPSK	21375	75RB#0	13.437	14.300	PASS
Band7	15MHz	16QAM	20825	75RB#0	13.407	14.300	PASS
Band7	15MHz	16QAM	21100	75RB#0	13.416	14.300	PASS
Band7	15MHz	16QAM	21375	75RB#0	13.421	14.300	PASS
Band7	20MHz	QPSK	20850	100RB#0	17.926	19.267	PASS
Band7	20MHz	QPSK	21100	100RB#0	17.929	19.267	PASS
Band7	20MHz	QPSK	21350	100RB#0	17.952	19.267	PASS
Band7	20MHz	16QAM	20850	100RB#0	17.933	19.267	PASS
Band7	20MHz	16QAM	21100	100RB#0	17.932	19.200	PASS
Band7	20MHz	16QAM	21350	100RB#0	17.964	19.333	PASS
Band12	1.4MHz	QPSK	23017	6RB#0	1.075	1.225	PASS


Band12	1.4MHz	QPSK	23095	6RB#0	1.076	1.220	PASS
Band12	1.4MHz	QPSK	23173	6RB#0	1.076	1.225	PASS
Band12	1.4MHz	16QAM	23017	6RB#0	1.077	1.230	PASS
Band12	1.4MHz	16QAM	23095	6RB#0	1.077	1.230	PASS
Band12	1.4MHz	16QAM	23173	6RB#0	1.077	1.230	PASS
Band12	3MHz	QPSK	23025	15RB#0	2.676	2.850	PASS
Band12	3MHz	QPSK	23095	15RB#0	2.677	2.850	PASS
Band12	3MHz	QPSK	23165	15RB#0	2.676	2.850	PASS
Band12	3MHz	16QAM	23025	15RB#0	2.674	2.850	PASS
Band12	3MHz	16QAM	23095	15RB#0	2.675	2.850	PASS
Band12	3MHz	16QAM	23165	15RB#0	2.674	2.850	PASS
Band12	5MHz	QPSK	23035	25RB#0	4.464	4.690	PASS
Band12	5MHz	QPSK	23095	25RB#0	4.460	4.690	PASS
Band12	5MHz	QPSK	23155	25RB#0	4.462	4.700	PASS
Band12	5MHz	16QAM	23035	25RB#0	4.474	4.700	PASS
Band12	5MHz	16QAM	23095	25RB#0	4.476	4.720	PASS
Band12	5MHz	16QAM	23155	25RB#0	4.470	4.730	PASS
Band12	10MHz	QPSK	23060	50RB#0	8.927	9.333	PASS
Band12	10MHz	QPSK	23095	50RB#0	8.918	9.300	PASS
Band12	10MHz	QPSK	23130	50RB#0	8.912	9.300	PASS
Band12	10MHz	16QAM	23060	50RB#0	8.935	9.333	PASS
Band12	10MHz	16QAM	23095	50RB#0	8.932	9.333	PASS
Band12	10MHz	16QAM	23130	50RB#0	8.915	9.333	PASS
Band17	5MHz	QPSK	23755	25RB#0	4.463	4.730	PASS
Band17	5MHz	QPSK	23790	25RB#0	4.463	4.720	PASS
Band17	5MHz	QPSK	23825	25RB#0	4.458	4.690	PASS
Band17	5MHz	16QAM	23755	25RB#0	4.478	4.740	PASS
Band17	5MHz	16QAM	23790	25RB#0	4.473	4.720	PASS
Band17	5MHz	16QAM	23825	25RB#0	4.470	4.700	PASS
Band17	10MHz	QPSK	23780	50RB#0	8.913	9.300	PASS
Band17	10MHz	QPSK	23790	50RB#0	8.898	9.300	PASS
Band17	10MHz	QPSK	23800	50RB#0	8.896	9.300	PASS
Band17	10MHz	16QAM	23780	50RB#0	8.918	9.333	PASS
Band17	10MHz	16QAM	23790	50RB#0	8.928	9.300	PASS
Band17	10MHz	16QAM	23800	50RB#0	8.908	9.300	PASS
Band26	1.4MHz	QPSK	26697	6RB#0	1.106	1.240	PASS
Band26	1.4MHz	QPSK	26740	6RB#0	1.107	1.235	PASS
Band26	1.4MHz	QPSK	26783	6RB#0	1.106	1.240	PASS
Band26	1.4MHz	16QAM	26697	6RB#0	1.105	1.235	PASS
Band26	1.4MHz	16QAM	26740	6RB#0	1.106	1.230	PASS
Band26	1.4MHz	16QAM	26783	6RB#0	1.105	1.225	PASS
Band26	3MHz	QPSK	26705	15RB#0	2.677	2.860	PASS
Band26	3MHz	QPSK	26740	15RB#0	2.676	2.860	PASS
Band26	3MHz	QPSK	26775	15RB#0	2.677	2.850	PASS
Band26	3MHz	16QAM	26705	15RB#0	2.675	2.850	PASS
Band26	3MHz	16QAM	26740	15RB#0	2.674	2.850	PASS
Band26	3MHz	16QAM	26775	15RB#0	2.674	2.850	PASS
Band26	5MHz	QPSK	26715	25RB#0	4.464	4.680	PASS
Band26	5MHz	QPSK	26740	25RB#0	4.457	4.680	PASS
Band26	5MHz	QPSK	26765	25RB#0	4.461	4.690	PASS
Band26	5MHz	16QAM	26715	25RB#0	4.473	4.720	PASS
Band26	5MHz	16QAM	26740	25RB#0	4.477	4.730	PASS
Band26	5MHz	16QAM	26765	25RB#0	4.473	4.730	PASS
Band26	10MHz	QPSK	26740	50RB#0	8.899	9.267	PASS
Band26	10MHz	16QAM	26740	50RB#0	8.917	9.300	PASS
Band38	5MHz	QPSK	37775	25RB#0	4.490	4.780	PASS
Band38	5MHz	QPSK	38000	25RB#0	4.485	4.760	PASS

Band38	5MHz	QPSK	38225	25RB#0	4.491	4.780	PASS
Band38	5MHz	16QAM	37775	25RB#0	4.499	4.770	PASS
Band38	5MHz	16QAM	38000	25RB#0	4.509	4.800	PASS
Band38	5MHz	16QAM	38225	25RB#0	4.504	4.790	PASS
Band38	10MHz	QPSK	37800	50RB#0	8.946	9.533	PASS
Band38	10MHz	QPSK	38000	50RB#0	8.951	9.533	PASS
Band38	10MHz	QPSK	38200	50RB#0	8.947	9.533	PASS
Band38	10MHz	16QAM	37800	50RB#0	8.965	9.533	PASS
Band38	10MHz	16QAM	38000	50RB#0	8.957	9.533	PASS
Band38	10MHz	16QAM	38200	50RB#0	8.958	9.533	PASS
Band38	15MHz	QPSK	37825	75RB#0	13.438	14.300	PASS
Band38	15MHz	QPSK	38000	75RB#0	13.423	14.300	PASS
Band38	15MHz	QPSK	38175	75RB#0	13.411	14.300	PASS
Band38	15MHz	16QAM	37825	75RB#0	13.429	14.300	PASS
Band38	15MHz	16QAM	38000	75RB#0	13.414	14.300	PASS
Band38	15MHz	16QAM	38175	75RB#0	13.411	14.300	PASS
Band38	20MHz	QPSK	37850	100RB#0	17.956	19.333	PASS
Band38	20MHz	QPSK	38000	100RB#0	17.930	19.333	PASS
Band38	20MHz	QPSK	38150	100RB#0	17.912	19.267	PASS
Band38	20MHz	16QAM	37850	100RB#0	17.963	19.267	PASS
Band38	20MHz	16QAM	38000	100RB#0	17.951	19.267	PASS
Band38	20MHz	16QAM	38150	100RB#0	17.942	19.267	PASS
Band41	5MHz	QPSK	40065	25RB#0	4.489	4.770	PASS
Band41	5MHz	QPSK	40590	25RB#0	4.488	4.780	PASS
Band41	5MHz	QPSK	41215	25RB#0	4.489	4.780	PASS
Band41	5MHz	16QAM	40065	25RB#0	4.504	4.790	PASS
Band41	5MHz	16QAM	40590	25RB#0	4.503	4.770	PASS
Band41	5MHz	16QAM	41215	25RB#0	4.505	4.780	PASS
Band41	10MHz	QPSK	40090	50RB#0	8.943	9.533	PASS
Band41	10MHz	QPSK	40590	50RB#0	8.951	9.533	PASS
Band41	10MHz	QPSK	41190	50RB#0	8.956	9.533	PASS
Band41	10MHz	16QAM	40090	50RB#0	8.963	9.533	PASS
Band41	10MHz	16QAM	40590	50RB#0	8.972	9.533	PASS
Band41	10MHz	16QAM	41190	50RB#0	8.970	9.533	PASS
Band41	15MHz	QPSK	40115	75RB#0	13.398	14.300	PASS
Band41	15MHz	QPSK	40590	75RB#0	13.407	14.300	PASS
Band41	15MHz	QPSK	41165	75RB#0	13.424	14.300	PASS
Band41	15MHz	16QAM	40115	75RB#0	13.393	14.300	PASS
Band41	15MHz	16QAM	40590	75RB#0	13.410	14.300	PASS
Band41	15MHz	16QAM	41165	75RB#0	13.400	14.300	PASS
Band41	20MHz	QPSK	40140	100RB#0	17.893	19.200	PASS
Band41	20MHz	QPSK	40590	100RB#0	17.911	19.200	PASS
Band41	20MHz	QPSK	41140	100RB#0	17.907	19.200	PASS
Band41	20MHz	16QAM	40140	100RB#0	17.895	19.200	PASS
Band41	20MHz	16QAM	40590	100RB#0	17.926	19.267	PASS
Band41	20MHz	16QAM	41140	100RB#0	17.912	19.200	PASS
Band66	1.4MHz	QPSK	131979	6RB#0	1.075	1.225	PASS
Band66	1.4MHz	QPSK	132322	6RB#0	1.076	1.225	PASS
Band66	1.4MHz	QPSK	132665	6RB#0	1.075	1.225	PASS
Band66	1.4MHz	16QAM	131979	6RB#0	1.077	1.230	PASS
Band66	1.4MHz	16QAM	132322	6RB#0	1.077	1.230	PASS
Band66	1.4MHz	16QAM	132665	6RB#0	1.077	1.230	PASS
Band66	3MHz	QPSK	131987	15RB#0	2.677	2.850	PASS
Band66	3MHz	QPSK	132322	15RB#0	2.677	2.850	PASS
Band66	3MHz	QPSK	132657	15RB#0	2.677	2.860	PASS
Band66	3MHz	16QAM	131987	15RB#0	2.675	2.850	PASS
Band66	3MHz	16QAM	132322	15RB#0	2.675	2.850	PASS

Band66	3MHz	16QAM	132657	15RB#0	2.675	2.850	PASS
Band66	5MHz	QPSK	131997	25RB#0	4.459	4.700	PASS
Band66	5MHz	QPSK	132322	25RB#0	4.467	4.690	PASS
Band66	5MHz	QPSK	132647	25RB#0	4.462	4.700	PASS
Band66	5MHz	16QAM	131997	25RB#0	4.475	4.720	PASS
Band66	5MHz	16QAM	132322	25RB#0	4.470	4.730	PASS
Band66	5MHz	16QAM	132647	25RB#0	4.473	4.710	PASS
Band66	10MHz	QPSK	132022	50RB#0	8.906	9.300	PASS
Band66	10MHz	QPSK	132322	50RB#0	8.912	9.300	PASS
Band66	10MHz	QPSK	132622	50RB#0	8.897	9.300	PASS
Band66	10MHz	16QAM	132022	50RB#0	8.916	9.333	PASS
Band66	10MHz	16QAM	132322	50RB#0	8.922	9.333	PASS
Band66	10MHz	16QAM	132622	50RB#0	8.928	9.333	PASS
Band66	15MHz	QPSK	132047	75RB#0	13.369	14.100	PASS
Band66	15MHz	QPSK	132322	75RB#0	13.390	14.100	PASS
Band66	15MHz	QPSK	132597	75RB#0	13.372	14.100	PASS
Band66	15MHz	16QAM	132047	75RB#0	13.357	14.100	PASS
Band66	15MHz	16QAM	132322	75RB#0	13.376	14.100	PASS
Band66	15MHz	16QAM	132597	75RB#0	13.363	14.100	PASS
Band66	20MHz	QPSK	132072	100RB#0	17.769	18.533	PASS
Band66	20MHz	QPSK	132322	100RB#0	17.804	18.600	PASS
Band66	20MHz	QPSK	132572	100RB#0	17.792	18.533	PASS
Band66	20MHz	16QAM	132072	100RB#0	17.774	18.533	PASS
Band66	20MHz	16QAM	132322	100RB#0	17.808	18.533	PASS
Band66	20MHz	16QAM	132572	100RB#0	17.793	18.533	PASS

**Test Graphs:
GSM:**







EGPRS850-128-8-0.3266




GSM1900-512-0-0.3307




EGPRS850-190-8-0.3167




GSM1900-661-0-0.3193




EGPRS850-251-8-0.3287




GSM1900-810-0-0.3337




GPRS1900-512-0-0.3318




EGPRS1900-512-2-0.3222



GPRS1900-661-0-0.3296



EGPRS1900-661-2-0.3282




GPRS1900-810-0-0.3306



EGPRS1900-810-2-0.3227


WCDMA:




Band2-9262-4.694




Band4-1312-4.697




Band2-9400-4.691





Band4-1413-4.701




Band2-9538-4.717



Band4-1513-4.700




Band5-4132-4.733




Band5-4233-4.748


LTE:




Band2-1.4MHz-QPSK-18607-1RB#0




Band2-1.4MHz-QPSK-19193-6RB#0




Band2-1.4MHz-QPSK-18607-6RB#0




Band2-1.4MHz-16QAM-18607-1RB#0




Band2-1.4MHz-QPSK-19193-1RB#5




Band2-1.4MHz-16QAM-18607-6RB#0




Band2-1.4MHz-16QAM-19193-1RB#5




Band2-3MHz-QPSK-18615-15RB#0




Band2-1.4MHz-16QAM-19193-6RB#0




Band2-3MHz-QPSK-19185-1RB#14




Band2-3MHz-QPSK-18615-1RB#0




Band2-3MHz-QPSK-19185-15RB#0




Band2-3MHz-16QAM-18615-1RB#0




Band2-3MHz-16QAM-19185-15RB#0




Band2-3MHz-16QAM-18615-15RB#0




Band2-5MHz-QPSK-18625-1RB#0




Band2-3MHz-16QAM-19185-1RB#14




Band2-5MHz-QPSK-18625-25RB#0




Band2-5MHz-QPSK-19175-1RB#24




Band2-5MHz-16QAM-18625-25RB#0




Band2-5MHz-QPSK-19175-25RB#0




Band2-5MHz-16QAM-19175-1RB#24




Band2-5MHz-16QAM-18625-1RB#0




Band2-5MHz-16QAM-19175-25RB#0




Band2-10MHz-QPSK-18650-1RB#0




Band2-10MHz-QPSK-19150-50RB#0




Band2-10MHz-QPSK-18650-50RB#0




Band2-10MHz-16QAM-18650-1RB#0




Band2-10MHz-QPSK-19150-1RB#49




Band2-10MHz-16QAM-18650-50RB#0




Band2-10MHz-16QAM-19150-1RB#49




Band2-15MHz-QPSK-18675-75RB#0




Band2-10MHz-16QAM-19150-50RB#0




Band2-15MHz-QPSK-19125-1RB#74




Band2-15MHz-QPSK-18675-1RB#0




Band2-15MHz-QPSK-19125-75RB#0




Band2-15MHz-16QAM-18675-1RB#0




Band2-15MHz-16QAM-19125-75RB#0




Band2-15MHz-16QAM-18675-75RB#0




Band2-20MHz-QPSK-18700-1RB#0




Band2-15MHz-16QAM-19125-1RB#74




Band2-20MHz-QPSK-18700-100RB#0




Band2-20MHz-QPSK-19100-1RB#99




Band2-20MHz-16QAM-18700-100RB#0




Band2-20MHz-QPSK-19100-100RB#0



Band2-20MHz-16QAM-19100-1RB#99



Band2-20MHz-16QAM-18700-1RB#0



Band2-20MHz-16QAM-19100-100RB#0