



**14.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.039	-49.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.13	-13	Pass	2985
30	694	0.1	RMS	449.963	-60.12	-13	Pass	6640
694	726	0.1	RMS	711.36	20.81	60	Pass	401
726	1000	0.1	RMS	899.963	-58.45	-13	Pass	2740
1000	3000	1	RMS	2857.929	-49.66	-13	Pass	2000
3000	10000	1	RMS	7096.585	-44.17	-13	Pass	7000




**14.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.039	-49.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.67	-13	Pass	2985
30	694	0.1	RMS	449.963	-60.22	-13	Pass	6640
694	726	0.1	RMS	711.36	20.15	60	Pass	401
726	1000	0.1	RMS	899.963	-58.18	-13	Pass	2740
1000	3000	1	RMS	2854.927	-49.65	-13	Pass	2000
3000	10000	1	RMS	7080.583	-44.19	-13	Pass	7000




**14.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.039	-49.97	-13	Pass	401
0.15	30	0.01	RMS	0.16	-69.34	-13	Pass	2985
30	694	0.1	RMS	449.963	-59.43	-13	Pass	6640
694	726	0.1	RMS	704.64	20.51	60	Pass	401
726	1000	0.1	RMS	899.963	-58.15	-13	Pass	2740
1000	3000	1	RMS	1409.205	-48.63	-13	Pass	2000
3000	10000	1	RMS	7084.584	-44.12	-13	Pass	7000




**14.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.039	-49.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.45	-13	Pass	2985
30	694	0.1	RMS	449.963	-59.3	-13	Pass	6640
694	726	0.1	RMS	704.64	19.75	60	Pass	401
726	1000	0.1	RMS	899.963	-58.86	-13	Pass	2740
1000	3000	1	RMS	1409.205	-49.29	-13	Pass	2000
3000	10000	1	RMS	7073.582	-44.22	-13	Pass	7000




**14.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.038	-50.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.21	-13	Pass	2985
30	694	0.1	RMS	449.963	-60.2	-13	Pass	6640
694	726	0.1	RMS	705.6	20.85	60	Pass	401
726	1000	0.1	RMS	899.963	-58.28	-13	Pass	2740
1000	3000	1	RMS	1411.206	-47.05	-13	Pass	2000
3000	10000	1	RMS	7102.586	-44.16	-13	Pass	7000




**14.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.038	-50.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.77	-13	Pass	2985
30	694	0.1	RMS	449.963	-59.78	-13	Pass	6640
694	726	0.1	RMS	705.6	19.86	60	Pass	401
726	1000	0.1	RMS	899.963	-58.79	-13	Pass	2740
1000	3000	1	RMS	1411.206	-48.21	-13	Pass	2000
3000	10000	1	RMS	7088.584	-44.11	-13	Pass	7000




**14.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.039	-49.78	-13	Pass	401
0.15	30	0.01	RMS	0.17	-69.81	-13	Pass	2985
30	694	0.1	RMS	449.963	-59.36	-13	Pass	6640
694	726	0.1	RMS	706.64	20.52	60	Pass	401
726	1000	0.1	RMS	899.963	-58.36	-13	Pass	2740
1000	3000	1	RMS	1413.207	-47.35	-13	Pass	2000
3000	10000	1	RMS	7081.583	-44.17	-13	Pass	7000



**14.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.039	-49.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.2	-13	Pass	2985
30	694	0.1	RMS	449.963	-59.46	-13	Pass	6640
694	726	0.1	RMS	706.64	19.7	60	Pass	401
726	1000	0.1	RMS	899.963	-58.08	-13	Pass	2740
1000	3000	1	RMS	1413.207	-48.11	-13	Pass	2000
3000	10000	1	RMS	7090.584	-44.08	-13	Pass	7000



15. LTE_Band26(part22)


15.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.038	-49.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.48	-13	Pass	2985
30	814	0.1	RMS	449.954	-60.22	-13	Pass	7840
814	860	0.1	RMS	824.222	20.11	60	Pass	460
860	1000	0.1	RMS	900.029	-57.8	-13	Pass	1400
1000	3000	1	RMS	1648.324	-47.44	-13	Pass	2000
3000	10000	1	RMS	7087.584	-44.19	-13	Pass	7000




**15.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.038	-49.9	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.88	-13	Pass	2985
30	814	0.1	RMS	449.954	-59.6	-13	Pass	7840
814	860	0.1	RMS	824.322	19.16	60	Pass	460
860	1000	0.1	RMS	900.029	-57.83	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.36	-13	Pass	2000
3000	10000	1	RMS	7003.572	-44.2	-13	Pass	7000




15.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.039	-49.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.03	-13	Pass	2985
30	814	0.1	RMS	449.954	-59.66	-13	Pass	7840
814	860	0.1	RMS	836.048	20.56	60	Pass	460
860	1000	0.1	RMS	900.029	-57.63	-13	Pass	1400
1000	3000	1	RMS	1671.336	-47.46	-13	Pass	2000
3000	10000	1	RMS	7082.583	-44.15	-13	Pass	7000




**15.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:26915, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.039	-49.53	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.03	-13	Pass	2985
30	814	0.1	RMS	449.954	-59.91	-13	Pass	7840
814	860	0.1	RMS	836.048	19.56	60	Pass	460
860	1000	0.1	RMS	900.029	-57.67	-13	Pass	1400
1000	3000	1	RMS	1671.336	-48.35	-13	Pass	2000
3000	10000	1	RMS	7093.585	-44.17	-13	Pass	7000




15.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.039	-49.49	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.08	-13	Pass	2985
30	814	0.1	RMS	449.954	-59.41	-13	Pass	7840
814	860	0.1	RMS	847.874	20.69	60	Pass	460
860	1000	0.1	RMS	900.029	-58	-13	Pass	1400
1000	3000	1	RMS	1695.348	-46.6	-13	Pass	2000
3000	10000	1	RMS	7085.584	-44.21	-13	Pass	7000




**15.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.039	-49.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.51	-13	Pass	2985
30	814	0.1	RMS	449.954	-60.05	-13	Pass	7840
814	860	0.1	RMS	847.874	19.83	60	Pass	460
860	1000	0.1	RMS	900.029	-58.05	-13	Pass	1400
1000	3000	1	RMS	1695.348	-47.53	-13	Pass	2000
3000	10000	1	RMS	7086.584	-44.19	-13	Pass	7000




**15.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.039	-49.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.42	-13	Pass	2985
30	814	0.1	RMS	450.054	-60.36	-13	Pass	7840
814	860	0.1	RMS	824.222	20.35	60	Pass	460
860	1000	0.1	RMS	900.029	-57.5	-13	Pass	1400
1000	3000	1	RMS	1648.324	-47.42	-13	Pass	2000
3000	10000	1	RMS	7097.585	-44.15	-13	Pass	7000




**15.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.038	-49.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.88	-13	Pass	2985
30	814	0.1	RMS	449.954	-59.68	-13	Pass	7840
814	860	0.1	RMS	824.222	19.5	60	Pass	460
860	1000	0.1	RMS	900.029	-57.84	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.19	-13	Pass	2000
3000	10000	1	RMS	7093.585	-44.18	-13	Pass	7000




**15.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.038	-49.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.98	-13	Pass	2985
30	814	0.1	RMS	449.954	-59.65	-13	Pass	7840
814	860	0.1	RMS	835.246	20.69	60	Pass	460
860	1000	0.1	RMS	900.029	-57.63	-13	Pass	1400
1000	3000	1	RMS	1670.335	-47.49	-13	Pass	2000
3000	10000	1	RMS	7098.586	-44.16	-13	Pass	7000




**15.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:26915, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.039	-49.58	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.62	-13	Pass	2985
30	814	0.1	RMS	449.954	-59.35	-13	Pass	7840
814	860	0.1	RMS	835.246	19.78	60	Pass	460
860	1000	0.1	RMS	900.029	-57.91	-13	Pass	1400
1000	3000	1	RMS	1670.335	-48.6	-13	Pass	2000
3000	10000	1	RMS	7100.586	-44.17	-13	Pass	7000




**15.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.039	-49.24	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.59	-13	Pass	2985
30	814	0.1	RMS	449.954	-59.49	-13	Pass	7840
814	860	0.1	RMS	846.27	20.67	60	Pass	460
860	1000	0.1	RMS	900.029	-57.85	-13	Pass	1400
1000	3000	1	RMS	1692.346	-47.64	-13	Pass	2000
3000	10000	1	RMS	7097.585	-44.23	-13	Pass	7000




**15.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.039	-49.14	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.48	-13	Pass	2985
30	814	0.1	RMS	449.954	-60.01	-13	Pass	7840
814	860	0.1	RMS	846.27	19.91	60	Pass	460
860	1000	0.1	RMS	900.029	-57.72	-13	Pass	1400
1000	3000	1	RMS	1692.346	-48.4	-13	Pass	2000
3000	10000	1	RMS	7095.585	-44.21	-13	Pass	7000




**15.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.039	-49.28	-13	Pass	401
0.15	30	0.01	RMS	0.26	-70.48	-13	Pass	2985
30	814	0.1	RMS	449.954	-59.52	-13	Pass	7840
814	860	0.1	RMS	824.322	20.53	60	Pass	460
860	1000	0.1	RMS	900.029	-57.78	-13	Pass	1400
1000	3000	1	RMS	1648.324	-46.87	-13	Pass	2000
3000	10000	1	RMS	6980.569	-44.25	-13	Pass	7000




**15.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.039	-49.24	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.66	-13	Pass	2985
30	814	0.1	RMS	449.954	-59.4	-13	Pass	7840
814	860	0.1	RMS	824.322	19.37	60	Pass	460
860	1000	0.1	RMS	900.029	-57.8	-13	Pass	1400
1000	3000	1	RMS	1648.324	-47.95	-13	Pass	2000
3000	10000	1	RMS	7086.584	-44.21	-13	Pass	7000




**15.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.039	-49.37	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.77	-13	Pass	2985
30	814	0.1	RMS	449.954	-59.67	-13	Pass	7840
814	860	0.1	RMS	834.344	20.61	60	Pass	460
860	1000	0.1	RMS	900.029	-57.8	-13	Pass	1400
1000	3000	1	RMS	1668.334	-47.17	-13	Pass	2000
3000	10000	1	RMS	7090.584	-44.24	-13	Pass	7000




**15.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:26915, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.039	-49.18	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.75	-13	Pass	2985
30	814	0.1	RMS	449.954	-59.9	-13	Pass	7840
814	860	0.1	RMS	834.344	19.84	60	Pass	460
860	1000	0.1	RMS	900.029	-57.84	-13	Pass	1400
1000	3000	1	RMS	1668.334	-48.03	-13	Pass	2000
3000	10000	1	RMS	7104.586	-44.31	-13	Pass	7000




**15.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.039	-49.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.81	-13	Pass	2985
30	814	0.1	RMS	449.954	-59.87	-13	Pass	7840
814	860	0.1	RMS	844.366	20.63	60	Pass	460
860	1000	0.1	RMS	900.029	-57.62	-13	Pass	1400
1000	3000	1	RMS	1688.344	-46.99	-13	Pass	2000
3000	10000	1	RMS	7083.583	-44.17	-13	Pass	7000




**15.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.038	-49.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.42	-13	Pass	2985
30	814	0.1	RMS	449.954	-59.57	-13	Pass	7840
814	860	0.1	RMS	844.366	19.95	60	Pass	460
860	1000	0.1	RMS	900.029	-57.8	-13	Pass	1400
1000	3000	1	RMS	1688.344	-47.9	-13	Pass	2000
3000	10000	1	RMS	7099.586	-44.27	-13	Pass	7000




**15.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.038	-49.47	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.1	-13	Pass	2985
30	814	0.1	RMS	449.954	-59.92	-13	Pass	7840
814	860	0.1	RMS	824.623	20.89	60	Pass	460
860	1000	0.1	RMS	900.029	-57.71	-13	Pass	1400
1000	3000	1	RMS	1648.324	-47.87	-13	Pass	2000
3000	10000	1	RMS	7075.582	-44.29	-13	Pass	7000




**15.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.038	-49.59	-13	Pass	401
0.15	30	0.01	RMS	0.22	-70.03	-13	Pass	2985
30	814	0.1	RMS	449.954	-60.39	-13	Pass	7840
814	860	0.1	RMS	824.623	20.04	60	Pass	460
860	1000	0.1	RMS	900.029	-57.67	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.75	-13	Pass	2000
3000	10000	1	RMS	7101.586	-44.2	-13	Pass	7000




15.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.039	-49.48	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.32	-13	Pass	2985
30	814	0.1	RMS	449.954	-59.5	-13	Pass	7840
814	860	0.1	RMS	832.139	20.68	60	Pass	460
860	1000	0.1	RMS	900.029	-57.82	-13	Pass	1400
1000	3000	1	RMS	1663.332	-48.16	-13	Pass	2000
3000	10000	1	RMS	7082.583	-44.28	-13	Pass	7000




**15.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:26915, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.039	-49.34	-13	Pass	401
0.15	30	0.01	RMS	0.3	-70.89	-13	Pass	2985
30	814	0.1	RMS	449.954	-59.51	-13	Pass	7840
814	860	0.1	RMS	832.139	19.66	60	Pass	460
860	1000	0.1	RMS	900.029	-57.67	-13	Pass	1400
1000	3000	1	RMS	1663.332	-49.1	-13	Pass	2000
3000	10000	1	RMS	7096.585	-44.18	-13	Pass	7000




**15.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.039	-49.25	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.42	-13	Pass	2985
30	814	0.1	RMS	449.954	-59.44	-13	Pass	7840
814	860	0.1	RMS	839.656	20.18	60	Pass	460
860	1000	0.1	RMS	900.029	-58.07	-13	Pass	1400
1000	3000	1	RMS	1678.339	-47.3	-13	Pass	2000
3000	10000	1	RMS	7098.586	-44.17	-13	Pass	7000




**15.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.039	-49.33	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.66	-13	Pass	2985
30	814	0.1	RMS	449.954	-60.31	-13	Pass	7840
814	860	0.1	RMS	839.656	19.31	60	Pass	460
860	1000	0.1	RMS	900.029	-58	-13	Pass	1400
1000	3000	1	RMS	1678.339	-48.04	-13	Pass	2000
3000	10000	1	RMS	7102.586	-44.25	-13	Pass	7000




**15.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.039	-49.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.78	-13	Pass	2985
30	814	0.1	RMS	813.3	-58.27	-13	Pass	7840
814	860	0.1	RMS	824.824	20.42	60	Pass	460
860	1000	0.1	RMS	900.029	-57.64	-13	Pass	1400
1000	3000	1	RMS	1649.325	-47.06	-13	Pass	2000
3000	10000	1	RMS	7101.586	-44.24	-13	Pass	7000




**15.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.039	-49.25	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.59	-13	Pass	2985
30	814	0.1	RMS	813.3	-59.24	-13	Pass	7840
814	860	0.1	RMS	824.824	19.48	60	Pass	460
860	1000	0.1	RMS	900.029	-57.87	-13	Pass	1400
1000	3000	1	RMS	1649.325	-48.01	-13	Pass	2000
3000	10000	1	RMS	6978.568	-44.26	-13	Pass	7000




15.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27, Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.039	-49.54	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.54	-13	Pass	2985
30	814	0.1	RMS	449.954	-59.47	-13	Pass	7840
814	860	0.1	RMS	829.834	20.51	60	Pass	460
860	1000	0.1	RMS	900.029	-57.98	-13	Pass	1400
1000	3000	1	RMS	1659.33	-47.65	-13	Pass	2000
3000	10000	1	RMS	7088.584	-44.25	-13	Pass	7000




**15.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.039	-49.3	-13	Pass	401
0.15	30	0.01	RMS	0.2	-70.75	-13	Pass	2985
30	814	0.1	RMS	449.954	-59.82	-13	Pass	7840
814	860	0.1	RMS	829.834	19.52	60	Pass	460
860	1000	0.1	RMS	900.029	-57.63	-13	Pass	1400
1000	3000	1	RMS	1659.33	-48.62	-13	Pass	2000
3000	10000	1	RMS	7093.585	-44.26	-13	Pass	7000




**15.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.039	-49.3	-13	Pass	401
0.15	30	0.01	RMS	0.24	-70.9	-13	Pass	2985
30	814	0.1	RMS	449.954	-59.79	-13	Pass	7840
814	860	0.1	RMS	834.845	20.44	60	Pass	460
860	1000	0.1	RMS	900.029	-57.73	-13	Pass	1400
1000	3000	1	RMS	1669.335	-47.23	-13	Pass	2000
3000	10000	1	RMS	7097.585	-44.23	-13	Pass	7000



**15.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.038	-49.64	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.1	-13	Pass	2985
30	814	0.1	RMS	449.954	-59.9	-13	Pass	7840
814	860	0.1	RMS	834.845	19.65	60	Pass	460
860	1000	0.1	RMS	900.029	-57.9	-13	Pass	1400
1000	3000	1	RMS	1669.335	-48.07	-13	Pass	2000
3000	10000	1	RMS	7077.583	-44.23	-13	Pass	7000



16. LTE_Band26(part90)


16.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.039	-46.46	-13	Pass	401
0.15	30	0.01	Peak	0.16	-62.95	-13	Pass	2985
30	809	0.1	Peak	745.492	-52.96	-13	Pass	7790
809	829	0.1	Peak	814.25	25.83	60	Pass	401
829	1000	0.1	Peak	900.042	-51.85	-13	Pass	1710
1000	3000	1	Peak	2867.934	-38.11	-13	Pass	2000
3000	10000	1	Peak	6982.569	-32.55	-13	Pass	7000




**16.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.039	-46.59	-13	Pass	401
0.15	30	0.01	Peak	0.23	-61.78	-13	Pass	2985
30	809	0.1	Peak	449.954	-52.87	-13	Pass	7790
809	829	0.1	Peak	814.3	26.31	60	Pass	401
829	1000	0.1	Peak	900.042	-51.92	-13	Pass	1710
1000	3000	1	Peak	1629.315	-38.07	-13	Pass	2000
3000	10000	1	Peak	7006.572	-32.58	-13	Pass	7000




16.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.039	-46.26	-13	Pass	401
0.15	30	0.01	Peak	0.48	-62.41	-13	Pass	2985
30	809	0.1	Peak	449.954	-51.47	-13	Pass	7790
809	829	0.1	Peak	818.6	25.87	60	Pass	401
829	1000	0.1	Peak	899.941	-50.57	-13	Pass	1710
1000	3000	1	Peak	1637.319	-37.27	-13	Pass	2000
3000	10000	1	Peak	6683.526	-32.18	-13	Pass	7000




**16.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.039	-46.36	-13	Pass	401
0.15	30	0.01	Peak	0.15	-63.11	-13	Pass	2985
30	809	0.1	Peak	450.054	-53.18	-13	Pass	7790
809	829	0.1	Peak	818.6	25.73	60	Pass	401
829	1000	0.1	Peak	900.042	-51.44	-13	Pass	1710
1000	3000	1	Peak	2993.997	-38.57	-13	Pass	2000
3000	10000	1	Peak	7002.572	-31.39	-13	Pass	7000




16.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.039	-45.97	-13	Pass	401
0.15	30	0.01	Peak	0.15	-62.42	-13	Pass	2985
30	809	0.1	Peak	449.954	-53.14	-13	Pass	7790
809	829	0.1	Peak	822.9	25.7	60	Pass	401
829	1000	0.1	Peak	899.941	-52.02	-13	Pass	1710
1000	3000	1	Peak	1645.323	-37.34	-13	Pass	2000
3000	10000	1	Peak	6993.571	-32.44	-13	Pass	7000




**16.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.038	-46.45	-13	Pass	401
0.15	30	0.01	Peak	0.2	-61.21	-13	Pass	2985
30	809	0.1	Peak	509.962	-52.96	-13	Pass	7790
809	829	0.1	Peak	822.85	25.96	60	Pass	401
829	1000	0.1	Peak	899.941	-51.93	-13	Pass	1710
1000	3000	1	Peak	1646.323	-38.14	-13	Pass	2000
3000	10000	1	Peak	7063.581	-32.69	-13	Pass	7000




**16.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.039	-46.19	-13	Pass	401
0.15	30	0.01	Peak	0.24	-63.02	-13	Pass	2985
30	809	0.1	Peak	729.29	-52.11	-13	Pass	7790
809	829	0.1	Peak	814.2	25.86	60	Pass	401
829	1000	0.1	Peak	900.042	-51.52	-13	Pass	1710
1000	3000	1	Peak	2739.87	-37.91	-13	Pass	2000
3000	10000	1	Peak	6848.55	-32.7	-13	Pass	7000




**16.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.039	-46.18	-13	Pass	401
0.15	30	0.01	Peak	0.4	-62.64	-13	Pass	2985
30	809	0.1	Peak	450.054	-51.33	-13	Pass	7790
809	829	0.1	Peak	814.2	26.22	60	Pass	401
829	1000	0.1	Peak	900.042	-51.36	-13	Pass	1710
1000	3000	1	Peak	1628.314	-37.28	-13	Pass	2000
3000	10000	1	Peak	7174.596	-32.41	-13	Pass	7000




**16.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.039	-46.38	-13	Pass	401
0.15	30	0.01	Peak	0.16	-62.33	-13	Pass	2985
30	809	0.1	Peak	703.586	-53.39	-13	Pass	7790
809	829	0.1	Peak	817.8	26.23	60	Pass	401
829	1000	0.1	Peak	899.941	-51.87	-13	Pass	1710
1000	3000	1	Peak	1635.318	-37.77	-13	Pass	2000
3000	10000	1	Peak	6980.569	-32.38	-13	Pass	7000




**16.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.039	-46.56	-13	Pass	401
0.15	30	0.01	Peak	0.19	-62.68	-13	Pass	2985
30	809	0.1	Peak	450.054	-52.01	-13	Pass	7790
809	829	0.1	Peak	817.75	26.01	60	Pass	401
829	1000	0.1	Peak	900.042	-51.37	-13	Pass	1710
1000	3000	1	Peak	1635.318	-37.51	-13	Pass	2000
3000	10000	1	Peak	7095.585	-31.97	-13	Pass	7000




**16.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.039	-46.48	-13	Pass	401
0.15	30	0.01	Peak	0.18	-62.19	-13	Pass	2985
30	809	0.1	Peak	479.958	-52.12	-13	Pass	7790
809	829	0.1	Peak	821.25	25.97	60	Pass	401
829	1000	0.1	Peak	831.401	-50	-13	Pass	1710
1000	3000	1	Peak	1642.321	-37.74	-13	Pass	2000
3000	10000	1	Peak	7073.582	-31.74	-13	Pass	7000




**16.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.039	-46.7	-13	Pass	401
0.15	30	0.01	Peak	0.17	-62.49	-13	Pass	2985
30	809	0.1	Peak	449.954	-52.69	-13	Pass	7790
809	829	0.1	Peak	821.3	25.96	60	Pass	401
829	1000	0.1	Peak	831.301	-49.47	-13	Pass	1710
1000	3000	1	Peak	1642.321	-38.23	-13	Pass	2000
3000	10000	1	Peak	6945.564	-32.12	-13	Pass	7000




**16.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.038	-46.38	-13	Pass	401
0.15	30	0.01	Peak	0.17	-62.78	-13	Pass	2985
30	809	0.1	Peak	450.054	-52.23	-13	Pass	7790
809	829	0.1	Peak	814.35	26.41	60	Pass	401
829	1000	0.1	Peak	831.602	-49.15	-13	Pass	1710
1000	3000	1	Peak	2849.925	-37.36	-13	Pass	2000
3000	10000	1	Peak	7009.573	-32.28	-13	Pass	7000




**16.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.039	-46.54	-13	Pass	401
0.15	30	0.01	Peak	0.17	-62.62	-13	Pass	2985
30	809	0.1	Peak	450.054	-53.02	-13	Pass	7790
809	829	0.1	Peak	814.3	26.37	60	Pass	401
829	1000	0.1	Peak	831.602	-48.4	-13	Pass	1710
1000	3000	1	Peak	1628.314	-38.47	-13	Pass	2000
3000	10000	1	Peak	6956.565	-31.96	-13	Pass	7000




**16.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.039	-46.38	-13	Pass	401
0.15	30	0.01	Peak	0.2	-61.84	-13	Pass	2985
30	809	0.1	Peak	450.054	-51.75	-13	Pass	7790
809	829	0.1	Peak	816.9	25.88	60	Pass	401
829	1000	0.1	Peak	834.203	-48.6	-13	Pass	1710
1000	3000	1	Peak	1633.317	-37.77	-13	Pass	2000
3000	10000	1	Peak	9265.895	-31.82	-13	Pass	7000




**16.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:26740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.039	-46.3	-13	Pass	401
0.15	30	0.01	Peak	0.21	-62.98	-13	Pass	2985
30	809	0.1	Peak	493.86	-52.99	-13	Pass	7790
809	829	0.1	Peak	816.85	25.99	60	Pass	401
829	1000	0.1	Peak	834.103	-49.04	-13	Pass	1710
1000	3000	1	Peak	2928.964	-38.42	-13	Pass	2000
3000	10000	1	Peak	6994.571	-32.36	-13	Pass	7000




**16.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.038	-46.55	-13	Pass	401
0.15	30	0.01	Peak	0.25	-62.29	-13	Pass	2985
30	809	0.1	Peak	800.099	-52.97	-13	Pass	7790
809	829	0.1	Peak	819.3	25.73	60	Pass	401
829	1000	0.1	Peak	836.604	-48.82	-13	Pass	1710
1000	3000	1	Peak	1638.319	-38.17	-13	Pass	2000
3000	10000	1	Peak	6990.57	-32.25	-13	Pass	7000




**16.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.039	-46.47	-13	Pass	401
0.15	30	0.01	Peak	0.46	-61.89	-13	Pass	2985
30	809	0.1	Peak	773.295	-53.17	-13	Pass	7790
809	829	0.1	Peak	819.35	25.91	60	Pass	401
829	1000	0.1	Peak	836.604	-48.48	-13	Pass	1710
1000	3000	1	Peak	1638.319	-38.08	-13	Pass	2000
3000	10000	1	Peak	7148.593	-31.92	-13	Pass	7000




**16.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.039	-46.46	-13	Pass	401
0.15	30	0.01	Peak	0.28	-61.67	-13	Pass	2985
30	809	0.1	Peak	450.054	-52.52	-13	Pass	7790
809	829	0.1	Peak	814.65	25.96	60	Pass	401
829	1000	0.1	Peak	832.302	-39.81	-13	Pass	1710
1000	3000	1	Peak	2766.883	-37.38	-13	Pass	2000
3000	10000	1	Peak	6690.527	-32.23	-13	Pass	7000



**16.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.039	-46.42	-13	Pass	401
0.15	30	0.01	Peak	0.16	-61.61	-13	Pass	2985
30	809	0.1	Peak	809	-52.36	-13	Pass	7790
809	829	0.1	Peak	814.65	26.07	60	Pass	401
829	1000	0.1	Peak	832.102	-40.7	-13	Pass	1710
1000	3000	1	Peak	2879.94	-38.41	-13	Pass	2000
3000	10000	1	Peak	8220.746	-32.41	-13	Pass	7000



17. LTE_Band38


17.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.89	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.39	-25	Pass	2985
30	1000	0.1	RMS	878.639	-60.44	-25	Pass	9699
1000	2560	1	RMS	2560	-46.94	-25	Pass	1560
2560	2630	1	RMS	2570.5	20.98	60	Pass	401
2630	3000	1	RMS	2959.3	-46.24	-25	Pass	401
3000	12000	1	RMS	11967.96	-44.62	-25	Pass	9000
12000	26500	1	RMS	25509.843	-34.39	-25	Pass	14500




**17.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.58	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.76	-25	Pass	2985
30	1000	0.1	RMS	900.468	-60.54	-25	Pass	9699
1000	2560	1	RMS	2560	-46.97	-25	Pass	1560
2560	2630	1	RMS	2570.325	20.13	60	Pass	401
2630	3000	1	RMS	2964.85	-46.21	-25	Pass	401
3000	12000	1	RMS	11952.942	-44.54	-25	Pass	9000
12000	26500	1	RMS	25497.841	-34.27	-25	Pass	14500




**17.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.95	-25	Pass	401
0.15	30	0.01	RMS	0.82	-69.78	-25	Pass	2985
30	1000	0.1	RMS	905.675	-60.51	-25	Pass	9699
1000	2560	1	RMS	2513.97	-47.29	-25	Pass	1560
2560	2630	1	RMS	2592.9	21.79	60	Pass	401
2630	3000	1	RMS	2969.475	-46.29	-25	Pass	401
3000	12000	1	RMS	11949.938	-44.52	-25	Pass	9000
12000	26500	1	RMS	25507.843	-34.25	-25	Pass	14500




**17.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.94	-25	Pass	401
0.15	30	0.01	RMS	0.18	-69.86	-25	Pass	2985
30	1000	0.1	RMS	903.572	-60.55	-25	Pass	9699
1000	2560	1	RMS	2498.961	-47.34	-25	Pass	1560
2560	2630	1	RMS	2592.725	20.67	60	Pass	401
2630	3000	1	RMS	2960.225	-46.28	-25	Pass	401
3000	12000	1	RMS	11952.942	-44.51	-25	Pass	9000
12000	26500	1	RMS	25497.841	-34.29	-25	Pass	14500




**17.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.99	-25	Pass	401
0.15	30	0.01	RMS	1.11	-70.26	-25	Pass	2985
30	1000	0.1	RMS	888.552	-60.68	-25	Pass	9699
1000	2560	1	RMS	2518.974	-47.42	-25	Pass	1560
2560	2630	1	RMS	2615.3	22.05	60	Pass	401
2630	3000	1	RMS	2961.15	-46.32	-25	Pass	401
3000	12000	1	RMS	11949.938	-44.65	-25	Pass	9000
12000	26500	1	RMS	25899.905	-34.33	-25	Pass	14500




**17.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.75	-25	Pass	401
0.15	30	0.01	RMS	0.2	-69.98	-25	Pass	2985
30	1000	0.1	RMS	899.867	-60.75	-25	Pass	9699
1000	2560	1	RMS	2515.972	-47.33	-25	Pass	1560
2560	2630	1	RMS	2615.3	21.18	60	Pass	401
2630	3000	1	RMS	2963	-46.31	-25	Pass	401
3000	12000	1	RMS	11956.947	-44.61	-25	Pass	9000
12000	26500	1	RMS	25485.839	-34.31	-25	Pass	14500




**17.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.7	-25	Pass	401
0.15	30	0.01	RMS	0.18	-69.15	-25	Pass	2985
30	1000	0.1	RMS	996.796	-60.64	-25	Pass	9699
1000	2560	1	RMS	2560	-43.55	-25	Pass	1560
2560	2630	1	RMS	2570.675	21.06	60	Pass	401
2630	3000	1	RMS	2967.625	-46.28	-25	Pass	401
3000	12000	1	RMS	11951.941	-44.64	-25	Pass	9000
12000	26500	1	RMS	25510.843	-34.19	-25	Pass	14500




**17.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.4	-25	Pass	401
0.15	30	0.01	RMS	0.18	-69.49	-25	Pass	2985
30	1000	0.1	RMS	876.636	-60.72	-25	Pass	9699
1000	2560	1	RMS	2557.999	-43.4	-25	Pass	1560
2560	2630	1	RMS	2570.5	20.4	60	Pass	401
2630	3000	1	RMS	2971.325	-46.3	-25	Pass	401
3000	12000	1	RMS	11949.938	-44.54	-25	Pass	9000
12000	26500	1	RMS	25497.841	-34.29	-25	Pass	14500




**17.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.57	-25	Pass	401
0.15	30	0.01	RMS	0.19	-69.77	-25	Pass	2985
30	1000	0.1	RMS	886.349	-60.5	-25	Pass	9699
1000	2560	1	RMS	2558.999	-46.72	-25	Pass	1560
2560	2630	1	RMS	2590.625	21.69	60	Pass	401
2630	3000	1	RMS	2962.075	-46.27	-25	Pass	401
3000	12000	1	RMS	11954.944	-44.69	-25	Pass	9000
12000	26500	1	RMS	25489.84	-34.35	-25	Pass	14500




**17.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.41	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.74	-25	Pass	2985
30	1000	0.1	RMS	977.771	-60.64	-25	Pass	9699
1000	2560	1	RMS	2514.971	-47.22	-25	Pass	1560
2560	2630	1	RMS	2590.625	20.43	60	Pass	401
2630	3000	1	RMS	2972.25	-46.32	-25	Pass	401
3000	12000	1	RMS	11950.939	-44.59	-25	Pass	9000
12000	26500	1	RMS	25509.843	-34.25	-25	Pass	14500




**17.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.18	-25	Pass	401
0.15	30	0.01	RMS	0.18	-69.77	-25	Pass	2985
30	1000	0.1	RMS	926.102	-60.62	-25	Pass	9699
1000	2560	1	RMS	2558.999	-47.32	-25	Pass	1560
2560	2630	1	RMS	2610.75	21.64	60	Pass	401
2630	3000	1	RMS	2630	-46.26	-25	Pass	401
3000	12000	1	RMS	11949.938	-44.63	-25	Pass	9000
12000	26500	1	RMS	25496.841	-34.31	-25	Pass	14500




**17.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.52	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.19	-25	Pass	2985
30	1000	0.1	RMS	970.861	-60.71	-25	Pass	9699
1000	2560	1	RMS	2560	-47.14	-25	Pass	1560
2560	2630	1	RMS	2610.575	21.27	60	Pass	401
2630	3000	1	RMS	2630	-46.23	-25	Pass	401
3000	12000	1	RMS	11949.938	-44.64	-25	Pass	9000
12000	26500	1	RMS	25515.844	-34.33	-25	Pass	14500




**17.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.25	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.18	-25	Pass	2985
30	1000	0.1	RMS	981.475	-60.6	-25	Pass	9699
1000	2560	1	RMS	2560	-43.92	-25	Pass	1560
2560	2630	1	RMS	2570.675	21.05	60	Pass	401
2630	3000	1	RMS	2972.25	-46.31	-25	Pass	401
3000	12000	1	RMS	11950.939	-44.5	-25	Pass	9000
12000	26500	1	RMS	25903.906	-34.24	-25	Pass	14500




**17.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.14	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.77	-25	Pass	2985
30	1000	0.1	RMS	871.63	-60.55	-25	Pass	9699
1000	2560	1	RMS	2557.999	-43.52	-25	Pass	1560
2560	2630	1	RMS	2570.85	20.44	60	Pass	401
2630	3000	1	RMS	2963	-46.34	-25	Pass	401
3000	12000	1	RMS	11949.938	-44.52	-25	Pass	9000
12000	26500	1	RMS	25514.844	-34.26	-25	Pass	14500




**17.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.76	-25	Pass	401
0.15	30	0.01	RMS	0.2	-69.9	-25	Pass	2985
30	1000	0.1	RMS	906.676	-60.62	-25	Pass	9699
1000	2560	1	RMS	2558.999	-46.63	-25	Pass	1560
2560	2630	1	RMS	2588.35	21.31	60	Pass	401
2630	3000	1	RMS	2963	-46.27	-25	Pass	401
3000	12000	1	RMS	11949.938	-44.62	-25	Pass	9000
12000	26500	1	RMS	25511.843	-34.26	-25	Pass	14500




**17.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.26	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.43	-25	Pass	2985
30	1000	0.1	RMS	906.276	-60.57	-25	Pass	9699
1000	2560	1	RMS	2558.999	-47.13	-25	Pass	1560
2560	2630	1	RMS	2588.35	20.54	60	Pass	401
2630	3000	1	RMS	2964.85	-46.36	-25	Pass	401
3000	12000	1	RMS	11950.939	-44.53	-25	Pass	9000
12000	26500	1	RMS	25488.84	-34.32	-25	Pass	14500




**17.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.2	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.21	-25	Pass	2985
30	1000	0.1	RMS	985.581	-60.85	-25	Pass	9699
1000	2560	1	RMS	2560	-47.23	-25	Pass	1560
2560	2630	1	RMS	2605.85	22.02	60	Pass	401
2630	3000	1	RMS	2631.85	-43.33	-25	Pass	401
3000	12000	1	RMS	11946.934	-44.65	-25	Pass	9000
12000	26500	1	RMS	25498.841	-34.31	-25	Pass	14500




**17.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.13	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.87	-25	Pass	2985
30	1000	0.1	RMS	890.955	-60.96	-25	Pass	9699
1000	2560	1	RMS	2554.997	-47.26	-25	Pass	1560
2560	2630	1	RMS	2605.85	21.32	60	Pass	401
2630	3000	1	RMS	2631.85	-43.82	-25	Pass	401
3000	12000	1	RMS	11950.939	-44.67	-25	Pass	9000
12000	26500	1	RMS	25502.842	-34.34	-25	Pass	14500




**17.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.34	-25	Pass	401
0.15	30	0.01	RMS	0.24	-69.88	-25	Pass	2985
30	1000	0.1	RMS	883.846	-61.03	-25	Pass	9699
1000	2560	1	RMS	2558.999	-43.13	-25	Pass	1560
2560	2630	1	RMS	2571.025	20.91	60	Pass	401
2630	3000	1	RMS	2962.075	-46.41	-25	Pass	401
3000	12000	1	RMS	11951.941	-44.62	-25	Pass	9000
12000	26500	1	RMS	25521.845	-34.39	-25	Pass	14500




**17.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.41	-25	Pass	401
0.15	30	0.01	RMS	0.24	-69.71	-25	Pass	2985
30	1000	0.1	RMS	992.49	-61.14	-25	Pass	9699
1000	2560	1	RMS	2558.999	-42.85	-25	Pass	1560
2560	2630	1	RMS	2571.025	20.58	60	Pass	401
2630	3000	1	RMS	2969.475	-46.32	-25	Pass	401
3000	12000	1	RMS	11949.938	-44.62	-25	Pass	9000
12000	26500	1	RMS	25510.843	-34.28	-25	Pass	14500




**17.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.43	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.42	-25	Pass	2985
30	1000	0.1	RMS	883.646	-61.02	-25	Pass	9699
1000	2560	1	RMS	2560	-46.68	-25	Pass	1560
2560	2630	1	RMS	2586.25	20.68	60	Pass	401
2630	3000	1	RMS	2971.325	-46.39	-25	Pass	401
3000	12000	1	RMS	11957.948	-44.59	-25	Pass	9000
12000	26500	1	RMS	25885.903	-34.37	-25	Pass	14500




**17.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.1	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.51	-25	Pass	2985
30	1000	0.1	RMS	889.754	-60.86	-25	Pass	9699
1000	2560	1	RMS	2557.999	-46.73	-25	Pass	1560
2560	2630	1	RMS	2586.075	19.88	60	Pass	401
2630	3000	1	RMS	2967.625	-46.26	-25	Pass	401
3000	12000	1	RMS	11948.937	-44.6	-25	Pass	9000
12000	26500	1	RMS	25500.842	-34.37	-25	Pass	14500




**17.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.93	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.65	-25	Pass	2985
30	1000	0.1	RMS	997.997	-60.72	-25	Pass	9699
1000	2560	1	RMS	2558.999	-47.14	-25	Pass	1560
2560	2630	1	RMS	2601.125	21.62	60	Pass	401
2630	3000	1	RMS	2636.475	-44.43	-25	Pass	401
3000	12000	1	RMS	11949.938	-44.69	-25	Pass	9000
12000	26500	1	RMS	25510.843	-34.32	-25	Pass	14500



**17.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.2	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.58	-25	Pass	2985
30	1000	0.1	RMS	640.475	-60.63	-25	Pass	9699
1000	2560	1	RMS	2557.999	-47.15	-25	Pass	1560
2560	2630	1	RMS	2601.125	21.08	60	Pass	401
2630	3000	1	RMS	2636.475	-44.9	-25	Pass	401
3000	12000	1	RMS	11951.941	-44.6	-25	Pass	9000
12000	26500	1	RMS	25507.843	-34.35	-25	Pass	14500



18. LTE_Band41 full


18.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.61	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.7	-25	Pass	2985
30	1000	0.1	RMS	878.439	-60.76	-25	Pass	9699
1000	2486	1	RMS	2486	-47.11	-25	Pass	1486
2486	2700	1	RMS	2496.165	21.71	60	Pass	401
2700	3000	1	RMS	2972.25	-46.35	-25	Pass	401
3000	12000	1	RMS	11947.936	-44.75	-25	Pass	9000
12000	27000	1	RMS	25508.781	-34.45	-25	Pass	15000




**18.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.83	-25	Pass	401
0.15	30	0.01	RMS	0.21	-69.46	-25	Pass	2985
30	1000	0.1	RMS	995.594	-61.75	-25	Pass	9699
1000	2486	1	RMS	2486	-47.24	-25	Pass	1486
2486	2700	1	RMS	2496.165	20.92	60	Pass	401
2700	3000	1	RMS	2974.5	-46.6	-25	Pass	401
3000	12000	1	RMS	11952.942	-44.97	-25	Pass	9000
12000	27000	1	RMS	25913.84	-34.5	-25	Pass	15000




**18.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.15	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.29	-25	Pass	2985
30	1000	0.1	RMS	987.383	-61.46	-25	Pass	9699
1000	2486	1	RMS	2482.998	-47.97	-25	Pass	1486
2486	2700	1	RMS	2590.325	20.14	60	Pass	401
2700	3000	1	RMS	2966.25	-46.44	-25	Pass	401
3000	12000	1	RMS	11949.938	-44.83	-25	Pass	9000
12000	27000	1	RMS	25532.784	-34.5	-25	Pass	15000




**18.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.49	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.76	-25	Pass	2985
30	1000	0.1	RMS	861.817	-61.83	-25	Pass	9699
1000	2486	1	RMS	2484.999	-47.84	-25	Pass	1486
2486	2700	1	RMS	2590.86	20.17	60	Pass	401
2700	3000	1	RMS	2972.25	-46.34	-25	Pass	401
3000	12000	1	RMS	11949.938	-44.67	-25	Pass	9000
12000	27000	1	RMS	25512.782	-34.26	-25	Pass	15000




**18.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.81	-25	Pass	401
0.15	30	0.01	RMS	0.19	-70	-25	Pass	2985
30	1000	0.1	RMS	891.756	-61.55	-25	Pass	9699
1000	2486	1	RMS	2486	-47.77	-25	Pass	1486
2486	2700	1	RMS	2685.02	21.94	60	Pass	401
2700	3000	1	RMS	2970	-46.37	-25	Pass	401
3000	12000	1	RMS	11949.938	-44.68	-25	Pass	9000
12000	27000	1	RMS	25515.782	-34.45	-25	Pass	15000




**18.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.61	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.89	-25	Pass	2985
30	1000	0.1	RMS	884.847	-61.85	-25	Pass	9699
1000	2486	1	RMS	2486	-48	-25	Pass	1486
2486	2700	1	RMS	2685.02	20.65	60	Pass	401
2700	3000	1	RMS	2962.5	-46.59	-25	Pass	401
3000	12000	1	RMS	11949.938	-44.92	-25	Pass	9000
12000	27000	1	RMS	25898.838	-34.45	-25	Pass	15000




**18.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-69.49	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.64	-25	Pass	2985
30	1000	0.1	RMS	954.64	-61.72	-25	Pass	9699
1000	2486	1	RMS	2486	-43.72	-25	Pass	1486
2486	2700	1	RMS	2496.7	20.31	60	Pass	401
2700	3000	1	RMS	2970	-46.41	-25	Pass	401
3000	12000	1	RMS	11948.937	-44.62	-25	Pass	9000
12000	27000	1	RMS	25494.779	-34.37	-25	Pass	15000




**18.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.59	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.96	-25	Pass	2985
30	1000	0.1	RMS	861.016	-61.74	-25	Pass	9699
1000	2486	1	RMS	2483.999	-44.36	-25	Pass	1486
2486	2700	1	RMS	2496.165	20.47	60	Pass	401
2700	3000	1	RMS	2967.75	-46.37	-25	Pass	401
3000	12000	1	RMS	11957.948	-44.86	-25	Pass	9000
12000	27000	1	RMS	25887.837	-34.39	-25	Pass	15000




**18.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.08	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.26	-25	Pass	2985
30	1000	0.1	RMS	192.92	-61.53	-25	Pass	9699
1000	2486	1	RMS	2484.999	-47.64	-25	Pass	1486
2486	2700	1	RMS	2588.185	20.83	60	Pass	401
2700	3000	1	RMS	2965.5	-46.39	-25	Pass	401
3000	12000	1	RMS	11948.937	-44.61	-25	Pass	9000
12000	27000	1	RMS	25501.78	-34.34	-25	Pass	15000




**18.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.12	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.38	-25	Pass	2985
30	1000	0.1	RMS	988.084	-61.82	-25	Pass	9699
1000	2486	1	RMS	2484.999	-47.96	-25	Pass	1486
2486	2700	1	RMS	2588.72	18.97	60	Pass	401
2700	3000	1	RMS	2964.75	-46.51	-25	Pass	401
3000	12000	1	RMS	11615.524	-44.7	-25	Pass	9000
12000	27000	1	RMS	25526.784	-34.51	-25	Pass	15000




**18.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.69	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.17	-25	Pass	2985
30	1000	0.1	RMS	863.219	-61.8	-25	Pass	9699
1000	2486	1	RMS	2486	-47.96	-25	Pass	1486
2486	2700	1	RMS	2680.205	20.85	60	Pass	401
2700	3000	1	RMS	2962.5	-46.51	-25	Pass	401
3000	12000	1	RMS	11950.939	-44.83	-25	Pass	9000
12000	27000	1	RMS	25900.839	-34.56	-25	Pass	15000




**18.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.16	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.36	-25	Pass	2985
30	1000	0.1	RMS	998.698	-61.9	-25	Pass	9699
1000	2486	1	RMS	2486	-47.98	-25	Pass	1486
2486	2700	1	RMS	2680.205	20.64	60	Pass	401
2700	3000	1	RMS	2965.5	-46.55	-25	Pass	401
3000	12000	1	RMS	11950.939	-44.68	-25	Pass	9000
12000	27000	1	RMS	25884.836	-34.54	-25	Pass	15000




**18.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.14	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.79	-25	Pass	2985
30	1000	0.1	RMS	899.767	-62.14	-25	Pass	9699
1000	2486	1	RMS	2484.999	-43.34	-25	Pass	1486
2486	2700	1	RMS	2496.7	21.73	60	Pass	401
2700	3000	1	RMS	2972.25	-46.54	-25	Pass	401
3000	12000	1	RMS	11945.933	-44.93	-25	Pass	9000
12000	27000	1	RMS	25507.781	-34.49	-25	Pass	15000




**18.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.16	-25	Pass	401
0.15	30	0.01	RMS	0.28	-69.92	-25	Pass	2985
30	1000	0.1	RMS	992.891	-61.99	-25	Pass	9699
1000	2486	1	RMS	2486	-43.03	-25	Pass	1486
2486	2700	1	RMS	2496.7	19.94	60	Pass	401
2700	3000	1	RMS	2960.25	-46.5	-25	Pass	401
3000	12000	1	RMS	11948.937	-44.99	-25	Pass	9000
12000	27000	1	RMS	25500.78	-34.39	-25	Pass	15000




**18.15 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:40620, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.41	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.02	-25	Pass	2985
30	1000	0.1	RMS	888.853	-61.79	-25	Pass	9699
1000	2486	1	RMS	2486	-47.94	-25	Pass	1486
2486	2700	1	RMS	2586.045	20.83	60	Pass	401
2700	3000	1	RMS	2963.25	-46.6	-25	Pass	401
3000	12000	1	RMS	11952.942	-44.88	-25	Pass	9000
12000	27000	1	RMS	25521.783	-34.54	-25	Pass	15000




**18.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:40620, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.59	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.64	-25	Pass	2985
30	1000	0.1	RMS	997.497	-61.58	-25	Pass	9699
1000	2486	1	RMS	2486	-47.88	-25	Pass	1486
2486	2700	1	RMS	2586.045	19.73	60	Pass	401
2700	3000	1	RMS	2974.5	-46.52	-25	Pass	401
3000	12000	1	RMS	11951.941	-44.82	-25	Pass	9000
12000	27000	1	RMS	25500.78	-34.52	-25	Pass	15000




**18.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.12	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.43	-25	Pass	2985
30	1000	0.1	RMS	998.798	-61.71	-25	Pass	9699
1000	2486	1	RMS	2484.999	-47.91	-25	Pass	1486
2486	2700	1	RMS	2675.39	20.34	60	Pass	401
2700	3000	1	RMS	2702.25	-45.19	-25	Pass	401
3000	12000	1	RMS	11948.937	-44.76	-25	Pass	9000
12000	27000	1	RMS	25503.78	-34.51	-25	Pass	15000




**18.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.65	-25	Pass	401
0.15	30	0.01	RMS	0.21	-70.04	-25	Pass	2985
30	1000	0.1	RMS	886.249	-62.08	-25	Pass	9699
1000	2486	1	RMS	2486	-47.89	-25	Pass	1486
2486	2700	1	RMS	2675.925	20.11	60	Pass	401
2700	3000	1	RMS	2702.25	-45.56	-25	Pass	401
3000	12000	1	RMS	11950.939	-44.75	-25	Pass	9000
12000	27000	1	RMS	25898.838	-34.42	-25	Pass	15000




**18.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.93	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.85	-25	Pass	2985
30	1000	0.1	RMS	318.435	-61.45	-25	Pass	9699
1000	2486	1	RMS	2486	-40.86	-25	Pass	1486
2486	2700	1	RMS	2497.235	20.14	60	Pass	401
2700	3000	1	RMS	2961.75	-46.4	-25	Pass	401
3000	12000	1	RMS	11957.948	-44.79	-25	Pass	9000
12000	27000	1	RMS	25518.782	-34.43	-25	Pass	15000




**18.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.17	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.26	-25	Pass	2985
30	1000	0.1	RMS	870.428	-62.06	-25	Pass	9699
1000	2486	1	RMS	2484.999	-42.01	-25	Pass	1486
2486	2700	1	RMS	2496.7	20.24	60	Pass	401
2700	3000	1	RMS	2969.25	-46.39	-25	Pass	401
3000	12000	1	RMS	11949.938	-44.89	-25	Pass	9000
12000	27000	1	RMS	25515.782	-34.37	-25	Pass	15000




**18.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.96	-25	Pass	401
0.15	30	0.01	RMS	0.19	-69.39	-25	Pass	2985
30	1000	0.1	RMS	613.671	-60.33	-25	Pass	9699
1000	2486	1	RMS	2483.999	-47.78	-25	Pass	1486
2486	2700	1	RMS	2583.905	19.93	60	Pass	401
2700	3000	1	RMS	2968.5	-46.4	-25	Pass	401
3000	12000	1	RMS	11945.933	-44.65	-25	Pass	9000
12000	27000	1	RMS	25498.779	-34.29	-25	Pass	15000




**18.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.1	-25	Pass	401
0.15	30	0.01	RMS	14.115	-69.59	-25	Pass	2985
30	1000	0.1	RMS	914.787	-60.17	-25	Pass	9699
1000	2486	1	RMS	2484.999	-47.88	-25	Pass	1486
2486	2700	1	RMS	2583.905	19.52	60	Pass	401
2700	3000	1	RMS	2971.5	-46.48	-25	Pass	401
3000	12000	1	RMS	11945.933	-44.84	-25	Pass	9000
12000	27000	1	RMS	25499.78	-34.23	-25	Pass	15000




**18.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.49	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.46	-25	Pass	2985
30	1000	0.1	RMS	920.394	-60.22	-25	Pass	9699
1000	2486	1	RMS	2482.998	-47.89	-25	Pass	1486
2486	2700	1	RMS	2671.11	20.96	60	Pass	401
2700	3000	1	RMS	2703	-46.18	-25	Pass	401
3000	12000	1	RMS	5342.286	-44.6	-25	Pass	9000
12000	27000	1	RMS	25533.785	-34.35	-25	Pass	15000



**18.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.53	-25	Pass	401
0.15	30	0.01	RMS	0.2	-70.26	-25	Pass	2985
30	1000	0.1	RMS	895.361	-60.01	-25	Pass	9699
1000	2486	1	RMS	2483.999	-47.86	-25	Pass	1486
2486	2700	1	RMS	2671.11	19.9	60	Pass	401
2700	3000	1	RMS	2967	-46.39	-25	Pass	401
3000	12000	1	RMS	11949.938	-44.69	-25	Pass	9000
12000	27000	1	RMS	25518.782	-34.37	-25	Pass	15000



19. LTE_Band66


19.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.68	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.93	-13	Pass	2985
30	1000	0.1	RMS	931.593	-63.44	-13	Pass	9700
1000	1700	1	RMS	1700	-52.45	-13	Pass	700
1700	1790	1	RMS	1710.2	22.57	60	Pass	601
1790	3000	1	RMS	2657.717	-48.42	-13	Pass	1210
3000	12000	1	RMS	11665.963	-44.68	-13	Pass	9000
12000	20000	1	RMS	20000	-33.67	-13	Pass	8000




19.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.86	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.26	-13	Pass	2985
30	1000	0.1	RMS	906.29	-63.38	-13	Pass	9700
1000	1700	1	RMS	1697.997	-52.55	-13	Pass	700
1700	1790	1	RMS	1710.2	21.65	60	Pass	601
1790	3000	1	RMS	2657.717	-48.48	-13	Pass	1210
3000	12000	1	RMS	11643.96	-44.67	-13	Pass	9000
12000	20000	1	RMS	19999	-33.66	-13	Pass	8000




**19.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.46	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.97	-13	Pass	2985
30	1000	0.1	RMS	918.692	-63.37	-13	Pass	9700
1000	1700	1	RMS	1700	-52.69	-13	Pass	700
1700	1790	1	RMS	1744.55	22.52	60	Pass	601
1790	3000	1	RMS	2656.716	-48.44	-13	Pass	1210
3000	12000	1	RMS	11655.962	-44.68	-13	Pass	9000
12000	20000	1	RMS	20000	-33.73	-13	Pass	8000




**19.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.49	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.59	-13	Pass	2985
30	1000	0.1	RMS	947.295	-63.37	-13	Pass	9700
1000	1700	1	RMS	1604.864	-52.72	-13	Pass	700
1700	1790	1	RMS	1744.55	21.51	60	Pass	601
1790	3000	1	RMS	2649.711	-48.54	-13	Pass	1210
3000	12000	1	RMS	11671.964	-44.7	-13	Pass	9000
12000	20000	1	RMS	19998	-33.62	-13	Pass	8000




**19.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.53	-13	Pass	601
0.15	30	0.01	RMS	0.16	-57.22	-13	Pass	2985
30	1000	0.1	RMS	938.594	-63.25	-13	Pass	9700
1000	1700	1	RMS	1700	-52.68	-13	Pass	700
1700	1790	1	RMS	1778.75	22.57	60	Pass	601
1790	3000	1	RMS	2645.707	-48.5	-13	Pass	1210
3000	12000	1	RMS	11742.971	-44.74	-13	Pass	9000
12000	20000	1	RMS	19998	-33.69	-13	Pass	8000




**19.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.42	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.66	-13	Pass	2985
30	1000	0.1	RMS	929.793	-63.31	-13	Pass	9700
1000	1700	1	RMS	1654.936	-52.75	-13	Pass	700
1700	1790	1	RMS	1778.9	21.78	60	Pass	601
1790	3000	1	RMS	2655.715	-48.51	-13	Pass	1210
3000	12000	1	RMS	11649.961	-44.74	-13	Pass	9000
12000	20000	1	RMS	20000	-33.68	-13	Pass	8000




**19.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.02	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.19	-13	Pass	2985
30	1000	0.1	RMS	923.792	-63.34	-13	Pass	9700
1000	1700	1	RMS	1700	-52.38	-13	Pass	700
1700	1790	1	RMS	1710.2	22.61	60	Pass	601
1790	3000	1	RMS	2657.717	-48.46	-13	Pass	1210
3000	12000	1	RMS	11640.96	-44.64	-13	Pass	9000
12000	20000	1	RMS	19999	-33.65	-13	Pass	8000




**19.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.26	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.66	-13	Pass	2985
30	1000	0.1	RMS	931.193	-63.29	-13	Pass	9700
1000	1700	1	RMS	1700	-52.42	-13	Pass	700
1700	1790	1	RMS	1710.2	21.81	60	Pass	601
1790	3000	1	RMS	2651.712	-48.47	-13	Pass	1210
3000	12000	1	RMS	11667.963	-44.74	-13	Pass	9000
12000	20000	1	RMS	19994.999	-33.67	-13	Pass	8000




**19.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.45	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.9	-13	Pass	2985
30	1000	0.1	RMS	914.991	-63.43	-13	Pass	9700
1000	1700	1	RMS	1631.903	-52.71	-13	Pass	700
1700	1790	1	RMS	1743.8	22.49	60	Pass	601
1790	3000	1	RMS	2641.704	-48.46	-13	Pass	1210
3000	12000	1	RMS	11655.962	-44.63	-13	Pass	9000
12000	20000	1	RMS	19999	-33.57	-13	Pass	8000




**19.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.32	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.01	-13	Pass	2985
30	1000	0.1	RMS	926.992	-63.47	-13	Pass	9700
1000	1700	1	RMS	1597.854	-52.73	-13	Pass	700
1700	1790	1	RMS	1743.8	21.53	60	Pass	601
1790	3000	1	RMS	2653.714	-48.49	-13	Pass	1210
3000	12000	1	RMS	11648.961	-44.68	-13	Pass	9000
12000	20000	1	RMS	19998	-33.67	-13	Pass	8000




19.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.61	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.43	-13	Pass	2985
30	1000	0.1	RMS	858.385	-63.42	-13	Pass	9700
1000	1700	1	RMS	1591.845	-52.67	-13	Pass	700
1700	1790	1	RMS	1777.25	22.69	60	Pass	601
1790	3000	1	RMS	2653.714	-48.43	-13	Pass	1210
3000	12000	1	RMS	11646.961	-44.6	-13	Pass	9000
12000	20000	1	RMS	19999	-33.64	-13	Pass	8000




**19.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.14	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.33	-13	Pass	2985
30	1000	0.1	RMS	928.993	-63.42	-13	Pass	9700
1000	1700	1	RMS	1595.851	-52.73	-13	Pass	700
1700	1790	1	RMS	1777.25	21.81	60	Pass	601
1790	3000	1	RMS	2655.715	-48.47	-13	Pass	1210
3000	12000	1	RMS	11672.964	-44.69	-13	Pass	9000
12000	20000	1	RMS	19992.999	-33.75	-13	Pass	8000




**19.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.27	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.75	-13	Pass	2985
30	1000	0.1	RMS	935.493	-63.32	-13	Pass	9700
1000	1700	1	RMS	1700	-52.06	-13	Pass	700
1700	1790	1	RMS	1710.35	22.8	60	Pass	601
1790	3000	1	RMS	2659.719	-48.45	-13	Pass	1210
3000	12000	1	RMS	11660.962	-44.62	-13	Pass	9000
12000	20000	1	RMS	19999	-33.68	-13	Pass	8000




**19.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.81	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.84	-13	Pass	2985
30	1000	0.1	RMS	947.695	-63.39	-13	Pass	9700
1000	1700	1	RMS	1700	-52.16	-13	Pass	700
1700	1790	1	RMS	1710.35	21.8	60	Pass	601
1790	3000	1	RMS	2642.705	-48.47	-13	Pass	1210
3000	12000	1	RMS	11639.96	-44.68	-13	Pass	9000
12000	20000	1	RMS	19997	-33.71	-13	Pass	8000




**19.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.23	-13	Pass	601
0.15	30	0.01	RMS	0.16	-57.07	-13	Pass	2985
30	1000	0.1	RMS	928.393	-63.39	-13	Pass	9700
1000	1700	1	RMS	1636.91	-52.71	-13	Pass	700
1700	1790	1	RMS	1742.9	22.57	60	Pass	601
1790	3000	1	RMS	2656.716	-48.48	-13	Pass	1210
3000	12000	1	RMS	11645.961	-44.68	-13	Pass	9000
12000	20000	1	RMS	19989.999	-33.67	-13	Pass	8000




**19.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.82	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.9	-13	Pass	2985
30	1000	0.1	RMS	932.093	-63.37	-13	Pass	9700
1000	1700	1	RMS	1598.856	-52.75	-13	Pass	700
1700	1790	1	RMS	1742.9	21.76	60	Pass	601
1790	3000	1	RMS	2657.717	-48.49	-13	Pass	1210
3000	12000	1	RMS	11654.962	-44.69	-13	Pass	9000
12000	20000	1	RMS	19997	-33.62	-13	Pass	8000




**19.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.03	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.33	-13	Pass	2985
30	1000	0.1	RMS	913.391	-63.43	-13	Pass	9700
1000	1700	1	RMS	1697.997	-52.7	-13	Pass	700
1700	1790	1	RMS	1775.3	22.69	60	Pass	601
1790	3000	1	RMS	2658.718	-48.49	-13	Pass	1210
3000	12000	1	RMS	11649.961	-44.69	-13	Pass	9000
12000	20000	1	RMS	20000	-33.66	-13	Pass	8000




**19.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.13	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.76	-13	Pass	2985
30	1000	0.1	RMS	921.892	-63.43	-13	Pass	9700
1000	1700	1	RMS	1588.841	-52.75	-13	Pass	700
1700	1790	1	RMS	1775.3	21.93	60	Pass	601
1790	3000	1	RMS	2654.715	-48.48	-13	Pass	1210
3000	12000	1	RMS	11646.961	-44.71	-13	Pass	9000
12000	20000	1	RMS	20000	-33.66	-13	Pass	8000




19.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-54.92	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.21	-13	Pass	2985
30	1000	0.1	RMS	934.593	-63.36	-13	Pass	9700
1000	1700	1	RMS	1692.99	-48.66	-13	Pass	700
1700	1790	1	RMS	1710.65	22.67	60	Pass	601
1790	3000	1	RMS	2654.715	-48.49	-13	Pass	1210
3000	12000	1	RMS	11648.961	-44.71	-13	Pass	9000
12000	20000	1	RMS	19997	-33.67	-13	Pass	8000




**19.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.73	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.8	-13	Pass	2985
30	1000	0.1	RMS	909.991	-63.51	-13	Pass	9700
1000	1700	1	RMS	1692.99	-49.11	-13	Pass	700
1700	1790	1	RMS	1710.65	21.83	60	Pass	601
1790	3000	1	RMS	2651.712	-48.5	-13	Pass	1210
3000	12000	1	RMS	11652.961	-44.7	-13	Pass	9000
12000	20000	1	RMS	19992.999	-33.69	-13	Pass	8000




19.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.78	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.98	-13	Pass	2985
30	1000	0.1	RMS	916.891	-63.32	-13	Pass	9700
1000	1700	1	RMS	1693.991	-52.72	-13	Pass	700
1700	1790	1	RMS	1740.65	22.54	60	Pass	601
1790	3000	1	RMS	2657.717	-48.44	-13	Pass	1210
3000	12000	1	RMS	11644.961	-44.68	-13	Pass	9000
12000	20000	1	RMS	20000	-33.66	-13	Pass	8000




**19.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.03	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.8	-13	Pass	2985
30	1000	0.1	RMS	930.793	-63.43	-13	Pass	9700
1000	1700	1	RMS	1627.897	-52.76	-13	Pass	700
1700	1790	1	RMS	1740.65	21.56	60	Pass	601
1790	3000	1	RMS	2656.716	-48.5	-13	Pass	1210
3000	12000	1	RMS	11650.961	-44.66	-13	Pass	9000
12000	20000	1	RMS	19999	-33.67	-13	Pass	8000




**19.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.34	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.09	-13	Pass	2985
30	1000	0.1	RMS	914.191	-63.48	-13	Pass	9700
1000	1700	1	RMS	1588.841	-52.71	-13	Pass	700
1700	1790	1	RMS	1770.65	22.67	60	Pass	601
1790	3000	1	RMS	2652.713	-48.51	-13	Pass	1210
3000	12000	1	RMS	11646.961	-44.67	-13	Pass	9000
12000	20000	1	RMS	19994.999	-33.67	-13	Pass	8000




**19.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.38	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.3	-13	Pass	2985
30	1000	0.1	RMS	900.59	-63.35	-13	Pass	9700
1000	1700	1	RMS	1696.996	-52.7	-13	Pass	700
1700	1790	1	RMS	1770.65	21.74	60	Pass	601
1790	3000	1	RMS	2647.709	-48.49	-13	Pass	1210
3000	12000	1	RMS	11652.961	-44.61	-13	Pass	9000
12000	20000	1	RMS	19999	-33.61	-13	Pass	8000




**19.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.24	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.91	-13	Pass	2985
30	1000	0.1	RMS	920.392	-63.37	-13	Pass	9700
1000	1700	1	RMS	1700	-50.12	-13	Pass	700
1700	1790	1	RMS	1710.8	22.61	60	Pass	601
1790	3000	1	RMS	2648.71	-48.47	-13	Pass	1210
3000	12000	1	RMS	11649.961	-44.71	-13	Pass	9000
12000	20000	1	RMS	19999	-33.61	-13	Pass	8000




**19.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.41	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.89	-13	Pass	2985
30	1000	0.1	RMS	942.994	-63.41	-13	Pass	9700
1000	1700	1	RMS	1700	-50.24	-13	Pass	700
1700	1790	1	RMS	1710.8	21.8	60	Pass	601
1790	3000	1	RMS	2660.72	-48.52	-13	Pass	1210
3000	12000	1	RMS	11642.96	-44.7	-13	Pass	9000
12000	20000	1	RMS	20000	-33.61	-13	Pass	8000




**19.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.18	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.82	-13	Pass	2985
30	1000	0.1	RMS	897.989	-63.4	-13	Pass	9700
1000	1700	1	RMS	1696.996	-52.72	-13	Pass	700
1700	1790	1	RMS	1738.4	22.43	60	Pass	601
1790	3000	1	RMS	2655.715	-48.45	-13	Pass	1210
3000	12000	1	RMS	11661.962	-44.74	-13	Pass	9000
12000	20000	1	RMS	19998	-33.68	-13	Pass	8000




**19.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.83	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.53	-13	Pass	2985
30	1000	0.1	RMS	934.893	-63.44	-13	Pass	9700
1000	1700	1	RMS	1595.851	-52.74	-13	Pass	700
1700	1790	1	RMS	1738.25	21.48	60	Pass	601
1790	3000	1	RMS	2655.715	-48.53	-13	Pass	1210
3000	12000	1	RMS	11654.962	-44.68	-13	Pass	9000
12000	20000	1	RMS	19998	-33.61	-13	Pass	8000




**19.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.41	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58	-13	Pass	2985
30	1000	0.1	RMS	915.991	-63.18	-13	Pass	9700
1000	1700	1	RMS	1590.844	-52.69	-13	Pass	700
1700	1790	1	RMS	1765.85	22.55	60	Pass	601
1790	3000	1	RMS	1792.002	-35.18	-13	Pass	1210
3000	12000	1	RMS	11645.961	-44.71	-13	Pass	9000
12000	20000	1	RMS	19994.999	-33.65	-13	Pass	8000




**19.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.21	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.09	-13	Pass	2985
30	1000	0.1	RMS	925.492	-63.39	-13	Pass	9700
1000	1700	1	RMS	1700	-52.67	-13	Pass	700
1700	1790	1	RMS	1765.85	21.76	60	Pass	601
1790	3000	1	RMS	1792.002	-36.1	-13	Pass	1210
3000	12000	1	RMS	11651.961	-44.65	-13	Pass	9000
12000	20000	1	RMS	19996	-33.68	-13	Pass	8000




19.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-54.34	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.22	-13	Pass	2985
30	1000	0.1	RMS	911.391	-63.4	-13	Pass	9700
1000	1700	1	RMS	1700	-50.35	-13	Pass	700
1700	1790	1	RMS	1711.1	22.63	60	Pass	601
1790	3000	1	RMS	2655.715	-48.49	-13	Pass	1210
3000	12000	1	RMS	11770.975	-44.76	-13	Pass	9000
12000	20000	1	RMS	19999	-33.6	-13	Pass	8000




**19.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.75	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.59	-13	Pass	2985
30	1000	0.1	RMS	942.994	-63.41	-13	Pass	9700
1000	1700	1	RMS	1700	-50.52	-13	Pass	700
1700	1790	1	RMS	1711.1	21.78	60	Pass	601
1790	3000	1	RMS	2661.72	-48.47	-13	Pass	1210
3000	12000	1	RMS	11658.962	-44.7	-13	Pass	9000
12000	20000	1	RMS	20000	-33.61	-13	Pass	8000




**19.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,
Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.55	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.84	-13	Pass	2985
30	1000	0.1	RMS	934.093	-63.4	-13	Pass	9700
1000	1700	1	RMS	1700	-42.24	-13	Pass	700
1700	1790	1	RMS	1736.15	22.46	60	Pass	601
1790	3000	1	RMS	2662.721	-48.45	-13	Pass	1210
3000	12000	1	RMS	11653.962	-44.66	-13	Pass	9000
12000	20000	1	RMS	19993.999	-33.58	-13	Pass	8000




**19.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.39	-13	Pass	601
0.15	30	0.01	RMS	0.16	-57.29	-13	Pass	2985
30	1000	0.1	RMS	953.295	-63.27	-13	Pass	9700
1000	1700	1	RMS	1700	-43.73	-13	Pass	700
1700	1790	1	RMS	1736	21.48	60	Pass	601
1790	3000	1	RMS	2664.723	-48.53	-13	Pass	1210
3000	12000	1	RMS	11652.961	-44.65	-13	Pass	9000
12000	20000	1	RMS	19999	-33.66	-13	Pass	8000




**19.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.23	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.91	-13	Pass	2985
30	1000	0.1	RMS	916.291	-63.28	-13	Pass	9700
1000	1700	1	RMS	1697.997	-52.69	-13	Pass	700
1700	1790	1	RMS	1761.05	22.53	60	Pass	601
1790	3000	1	RMS	2651.712	-48.46	-13	Pass	1210
3000	12000	1	RMS	11649.961	-44.72	-13	Pass	9000
12000	20000	1	RMS	19999	-33.64	-13	Pass	8000



**19.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.3	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.83	-13	Pass	2985
30	1000	0.1	RMS	930.693	-63.38	-13	Pass	9700
1000	1700	1	RMS	1700	-52.69	-13	Pass	700
1700	1790	1	RMS	1761.05	21.6	60	Pass	601
1790	3000	1	RMS	2654.715	-48.48	-13	Pass	1210
3000	12000	1	RMS	11649.961	-44.68	-13	Pass	9000
12000	20000	1	RMS	19992.999	-33.6	-13	Pass	8000



20. CA_7C


**20.1. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:20850+20994, Bandwidth:20+10, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.3	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.69	-25	Pass	2985
30	1000	0.1	RMS	868.325	-64.74	-25	Pass	9699
1000	2475	1	RMS	2462.992	-52.08	-25	Pass	1475
2475	2735	1	RMS	2528.3	9.33	60	Pass	401
2735	3000	1	RMS	2944.35	-50.36	-25	Pass	401
3000	12000	1	RMS	11803.757	-53.36	-25	Pass	9000
12000	26000	1	RMS	25998	-39.19	-25	Pass	14000




**20.2. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20850+20994, Bandwidth:20+10, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.81	-25	Pass	401
0.15	30	0.01	RMS	0.34	-72.9	-25	Pass	2985
30	1000	0.1	RMS	843.499	-64.77	-25	Pass	9699
1000	2475	1	RMS	2473.999	-52.03	-25	Pass	1475
2475	2735	1	RMS	2524.4	7.78	60	Pass	401
2735	3000	1	RMS	2945.013	-50.3	-25	Pass	401
3000	12000	1	RMS	11996.996	-53.37	-25	Pass	9000
12000	26000	1	RMS	25996.999	-39.18	-25	Pass	14000




**20.3. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:20850+20994, Bandwidth:20+10, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.12	-25	Pass	401
0.15	30	0.01	RMS	0.22	-72.91	-25	Pass	2985
30	1000	0.1	RMS	835.998	-64.77	-25	Pass	9699
1000	2475	1	RMS	2473.999	-51.95	-25	Pass	1475
2475	2735	1	RMS	2528.3	9.33	60	Pass	401
2735	3000	1	RMS	2950.313	-50.32	-25	Pass	401
3000	12000	1	RMS	11799.752	-53.4	-25	Pass	9000
12000	26000	1	RMS	25995.999	-39.23	-25	Pass	14000




**20.4. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20850+20994, Bandwidth:20+10, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.07	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.89	-25	Pass	2985
30	1000	0.1	RMS	833.998	-61.83	-25	Pass	9699
1000	2475	1	RMS	2471.998	-52.04	-25	Pass	1475
2475	2735	1	RMS	2523.1	7.29	60	Pass	401
2735	3000	1	RMS	2949.65	-50.36	-25	Pass	401
3000	12000	1	RMS	11801.755	-53.34	-25	Pass	9000
12000	26000	1	RMS	25980.997	-39.2	-25	Pass	14000




**20.5. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:21051+21195, Bandwidth:20+10, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.2	-25	Pass	401
0.15	30	0.01	RMS	0.27	-72.66	-25	Pass	2985
30	1000	0.1	RMS	840.699	-64.85	-25	Pass	9699
1000	2475	1	RMS	2471.998	-52.04	-25	Pass	1475
2475	2735	1	RMS	2548.45	9.19	60	Pass	401
2735	3000	1	RMS	2946.338	-50.31	-25	Pass	401
3000	12000	1	RMS	11996.996	-53.32	-25	Pass	9000
12000	26000	1	RMS	25971.995	-39.22	-25	Pass	14000




**20.6. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:21051+21195, Bandwidth:20+10, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.16	-25	Pass	401
0.15	30	0.01	RMS	0.16	-73.15	-25	Pass	2985
30	1000	0.1	RMS	850.502	-64.72	-25	Pass	9699
1000	2475	1	RMS	2473.999	-52.11	-25	Pass	1475
2475	2735	1	RMS	2543.25	7.69	60	Pass	401
2735	3000	1	RMS	2950.975	-50.32	-25	Pass	401
3000	12000	1	RMS	11803.757	-53.39	-25	Pass	9000
12000	26000	1	RMS	25996.999	-39.21	-25	Pass	14000




**20.7. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:21051+21195, Bandwidth:20+10, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.21	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.31	-25	Pass	2985
30	1000	0.1	RMS	842.899	-64.84	-25	Pass	9699
1000	2475	1	RMS	2462.992	-52.13	-25	Pass	1475
2475	2735	1	RMS	2548.45	9.03	60	Pass	401
2735	3000	1	RMS	2943.688	-50.3	-25	Pass	401
3000	12000	1	RMS	11799.752	-53.36	-25	Pass	9000
12000	26000	1	RMS	25999	-39.16	-25	Pass	14000




**20.8. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:21051+21195, Bandwidth:20+10, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.09	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.42	-25	Pass	2985
30	1000	0.1	RMS	844.599	-64.63	-25	Pass	9699
1000	2475	1	RMS	2475	-52.03	-25	Pass	1475
2475	2735	1	RMS	2542.6	6.63	60	Pass	401
2735	3000	1	RMS	2945.013	-50.14	-25	Pass	401
3000	12000	1	RMS	11995.995	-53.27	-25	Pass	9000
12000	26000	1	RMS	25996.999	-39.05	-25	Pass	14000




**20.9. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:21251+21395, Bandwidth:20+10, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.57	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.96	-25	Pass	2985
30	1000	0.1	RMS	841.799	-64.78	-25	Pass	9699
1000	2475	1	RMS	2472.999	-52.03	-25	Pass	1475
2475	2735	1	RMS	2540.65	9.19	60	Pass	401
2735	3000	1	RMS	2949.65	-50.16	-25	Pass	401
3000	12000	1	RMS	11990.989	-53.29	-25	Pass	9000
12000	26000	1	RMS	25983.997	-39.06	-25	Pass	14000




20.10. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:21251+21395, Bandwidth:20+10, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.94	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.95	-25	Pass	2985
30	1000	0.1	RMS	841.599	-64.66	-25	Pass	9699
1000	2475	1	RMS	2473.999	-52.02	-25	Pass	1475
2475	2735	1	RMS	2562.75	7.62	60	Pass	401
2735	3000	1	RMS	2946.338	-50.18	-25	Pass	401
3000	12000	1	RMS	11995.995	-53.29	-25	Pass	9000
12000	26000	1	RMS	25999	-39.08	-25	Pass	14000




**20.11. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:21251+21395, Bandwidth:20+10, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-73.41	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.77	-25	Pass	2985
30	1000	0.1	RMS	834.198	-64.77	-25	Pass	9699
1000	2475	1	RMS	2469.997	-52.06	-25	Pass	1475
2475	2735	1	RMS	2540.65	9.25	60	Pass	401
2735	3000	1	RMS	2949.65	-50.15	-25	Pass	401
3000	12000	1	RMS	11788.739	-53.24	-25	Pass	9000
12000	26000	1	RMS	25991.999	-39.12	-25	Pass	14000




**20.12. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:21251+21395, Bandwidth:20+10, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.9	-25	Pass	401
0.15	30	0.01	RMS	0.15	-73.17	-25	Pass	2985
30	1000	0.1	RMS	843.699	-64.77	-25	Pass	9699
1000	2475	1	RMS	2473.999	-52.01	-25	Pass	1475
2475	2735	1	RMS	2563.4	6.66	60	Pass	401
2735	3000	1	RMS	2948.988	-50.13	-25	Pass	401
3000	12000	1	RMS	11793.745	-53.22	-25	Pass	9000
12000	26000	1	RMS	25995.999	-39.13	-25	Pass	14000




**20.13. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:20850+21048, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-73.2	-25	Pass	401
0.15	30	0.01	RMS	0.22	-73.01	-25	Pass	2985
30	1000	0.1	RMS	832.098	-64.71	-25	Pass	9699
1000	2475	1	RMS	2475	-52	-25	Pass	1475
2475	2735	1	RMS	2538.7	8.61	60	Pass	401
2735	3000	1	RMS	2948.988	-50.13	-25	Pass	401
3000	12000	1	RMS	11795.747	-53.3	-25	Pass	9000
12000	26000	1	RMS	25994.999	-38.98	-25	Pass	14000




**20.14. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:20850+21048, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.04	-25	Pass	401
0.15	30	0.01	RMS	0.2	-73.3	-25	Pass	2985
30	1000	0.1	RMS	827.597	-64.67	-25	Pass	9699
1000	2475	1	RMS	2475	-51.82	-25	Pass	1475
2475	2735	1	RMS	2527	4.82	60	Pass	401
2735	3000	1	RMS	2945.013	-50.17	-25	Pass	401
3000	12000	1	RMS	11995.995	-53.22	-25	Pass	9000
12000	26000	1	RMS	25993.999	-39.1	-25	Pass	14000




**20.15. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20850+21048, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.35	-25	Pass	401
0.15	30	0.01	RMS	0.19	-73.34	-25	Pass	2985
30	1000	0.1	RMS	845.8	-64.82	-25	Pass	9699
1000	2475	1	RMS	2475	-52.1	-25	Pass	1475
2475	2735	1	RMS	2538.7	8.61	60	Pass	401
2735	3000	1	RMS	2948.325	-50.16	-25	Pass	401
3000	12000	1	RMS	12000	-53.25	-25	Pass	9000
12000	26000	1	RMS	25996.999	-39.07	-25	Pass	14000




**20.16. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20850+21048, Bandwidth:20+20, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.98	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.68	-25	Pass	2985
30	1000	0.1	RMS	834.998	-64.76	-25	Pass	9699
1000	2475	1	RMS	2475	-51.94	-25	Pass	1475
2475	2735	1	RMS	2531.55	3.83	60	Pass	401
2735	3000	1	RMS	2950.313	-50.15	-25	Pass	401
3000	12000	1	RMS	11798.751	-53.31	-25	Pass	9000
12000	26000	1	RMS	25994.999	-39.08	-25	Pass	14000




**20.17. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:21001+21199, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.77	-25	Pass	401
0.15	30	0.01	RMS	0.19	-73.2	-25	Pass	2985
30	1000	0.1	RMS	831.398	-64.6	-25	Pass	9699
1000	2475	1	RMS	2472.999	-52.04	-25	Pass	1475
2475	2735	1	RMS	2515.95	9.01	60	Pass	401
2735	3000	1	RMS	2943.025	-50.16	-25	Pass	401
3000	12000	1	RMS	12000	-53.26	-25	Pass	9000
12000	26000	1	RMS	25998	-39.08	-25	Pass	14000




**20.18. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:21001+21199, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.26	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.58	-25	Pass	2985
30	1000	0.1	RMS	845.3	-64.75	-25	Pass	9699
1000	2475	1	RMS	2475	-52.04	-25	Pass	1475
2475	2735	1	RMS	2540	4.7	60	Pass	401
2735	3000	1	RMS	2950.313	-50.16	-25	Pass	401
3000	12000	1	RMS	11791.742	-53.26	-25	Pass	9000
12000	26000	1	RMS	25984.997	-39.13	-25	Pass	14000




**20.19. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:21001+21199, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.35	-25	Pass	401
0.15	30	0.01	RMS	0.21	-73	-25	Pass	2985
30	1000	0.1	RMS	836.298	-64.8	-25	Pass	9699
1000	2475	1	RMS	2467.995	-52.01	-25	Pass	1475
2475	2735	1	RMS	2515.95	9.03	60	Pass	401
2735	3000	1	RMS	2947.663	-50.18	-25	Pass	401
3000	12000	1	RMS	11998.999	-53.29	-25	Pass	9000
12000	26000	1	RMS	25995.999	-38.96	-25	Pass	14000




**20.20. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:21001+21199, Bandwidth:20+20, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.59	-25	Pass	401
0.15	30	0.01	RMS	0.15	-73.18	-25	Pass	2985
30	1000	0.1	RMS	839.999	-64.71	-25	Pass	9699
1000	2475	1	RMS	2475	-52	-25	Pass	1475
2475	2735	1	RMS	2530.25	3.7	60	Pass	401
2735	3000	1	RMS	2945.675	-50.16	-25	Pass	401
3000	12000	1	RMS	11803.757	-53.27	-25	Pass	9000
12000	26000	1	RMS	25993.999	-39.1	-25	Pass	14000




**20.21. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:21152+21350, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.32	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.69	-25	Pass	2985
30	1000	0.1	RMS	838.299	-64.72	-25	Pass	9699
1000	2475	1	RMS	2461.991	-52.09	-25	Pass	1475
2475	2735	1	RMS	2530.9	9.36	60	Pass	401
2735	3000	1	RMS	2947.663	-50.18	-25	Pass	401
3000	12000	1	RMS	11810.766	-53.24	-25	Pass	9000
12000	26000	1	RMS	25995.999	-39.08	-25	Pass	14000



**20.22. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:21152+21350, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.16	-25	Pass	401
0.15	30	0.01	RMS	0.23	-72.7	-25	Pass	2985
30	1000	0.1	RMS	838.899	-64.57	-25	Pass	9699
1000	2475	1	RMS	2473.999	-52.05	-25	Pass	1475
2475	2735	1	RMS	2539.35	4.84	60	Pass	401
2735	3000	1	RMS	2944.35	-50.15	-25	Pass	401
3000	12000	1	RMS	11792.743	-53.28	-25	Pass	9000
12000	26000	1	RMS	26000	-39.11	-25	Pass	14000



**20.23. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:21152+21350, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.88	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.75	-25	Pass	2985
30	1000	0.1	RMS	845.7	-64.83	-25	Pass	9699
1000	2475	1	RMS	2470.997	-52.02	-25	Pass	1475
2475	2735	1	RMS	2530.9	9.44	60	Pass	401
2735	3000	1	RMS	2949.65	-50.16	-25	Pass	401
3000	12000	1	RMS	11993.993	-53.29	-25	Pass	9000
12000	26000	1	RMS	26000	-39.08	-25	Pass	14000

