


## 21. CA\_38C


**21.1. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,  
Channel:37825|37975, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB  
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.53	-25	Pass	401
0.15	30	0.01	RMS	0.17	-67.63	-25	Pass	2986
30	1000	0.1	RMS	999.099	-58.49	-25	Pass	9701
1000	2525	1	RMS	2514	-34.16	-25	Pass	1526
2525	2665	1	RMS	2598.85	10.79	60	Pass	401
2665	3000	1	RMS	2683.425	-42.13	-25	Pass	401
3000	12000	1	RMS	10405	-48.22	-25	Pass	9002
12000	26500	1	RMS	26178	-36.06	-25	Pass	14502




**21.2. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,  
Channel:37825|37975, Bandwidth:15|15, Modulation:QPSK, RB Number:Full|Full,  
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.03	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.77	-25	Pass	2986
30	1000	0.1	RMS	996.798	-58.47	-25	Pass	9701
1000	2525	1	RMS	2524	-41.36	-25	Pass	1526
2525	2665	1	RMS	2589.05	7.36	60	Pass	401
2665	3000	1	RMS	2970.688	-44.09	-25	Pass	401
3000	12000	1	RMS	10400	-48.14	-25	Pass	9002
12000	26500	1	RMS	26143	-36.07	-25	Pass	14502




**21.3. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,  
Channel:37825|37975, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB  
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.97	-25	Pass	401
0.15	30	0.01	RMS	0.16	-66.19	-25	Pass	2986
30	1000	0.1	RMS	726.9	-57.32	-25	Pass	9701
1000	2525	1	RMS	2514	-34.16	-25	Pass	1526
2525	2665	1	RMS	2598.85	10.6	60	Pass	401
2665	3000	1	RMS	2683.425	-42.43	-25	Pass	401
3000	12000	1	RMS	10406	-48.04	-25	Pass	9002
12000	26500	1	RMS	25101	-36.08	-25	Pass	14502




**21.4. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,  
Channel:37825|37975, Bandwidth:15|15, Modulation:16QAM, RB Number:Full|Full,  
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.31	-25	Pass	401
0.15	30	0.01	RMS	0.28	-67.64	-25	Pass	2986
30	1000	0.1	RMS	835	-57.16	-25	Pass	9701
1000	2525	1	RMS	2525	-42.15	-25	Pass	1526
2525	2665	1	RMS	2578.55	5.99	60	Pass	401
2665	3000	1	RMS	2969.85	-44.07	-25	Pass	401
3000	12000	1	RMS	10401	-48.12	-25	Pass	9002
12000	26500	1	RMS	25792	-36.13	-25	Pass	14502




**21.5. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,  
Channel:37925|38075, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB  
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.54	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.81	-25	Pass	2986
30	1000	0.1	RMS	740.1	-57.25	-25	Pass	9701
1000	2525	1	RMS	2525	-35.99	-25	Pass	1526
2525	2665	1	RMS	2609	10.86	60	Pass	401
2665	3000	1	RMS	2665.838	-35.47	-25	Pass	401
3000	12000	1	RMS	10399	-48.2	-25	Pass	9002
12000	26500	1	RMS	25811	-36.1	-25	Pass	14502




**21.6. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,  
Channel:37925|38075, Bandwidth:15|15, Modulation:QPSK, RB Number:Full|Full,  
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.93	-25	Pass	401
0.15	30	0.01	RMS	0.19	-67.67	-25	Pass	2986
30	1000	0.1	RMS	903.436	-58.65	-25	Pass	9701
1000	2525	1	RMS	2522	-42.73	-25	Pass	1526
2525	2665	1	RMS	2588.7	7.4	60	Pass	401
2665	3000	1	RMS	2667.513	-43.19	-25	Pass	401
3000	12000	1	RMS	10401	-48.29	-25	Pass	9002
12000	26500	1	RMS	26178	-36.16	-25	Pass	14502




**21.7. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,  
Channel:37925|38075, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB  
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.43	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.45	-25	Pass	2986
30	1000	0.1	RMS	881.622	-58.54	-25	Pass	9701
1000	2525	1	RMS	2525	-36.24	-25	Pass	1526
2525	2665	1	RMS	2609	11.4	60	Pass	401
2665	3000	1	RMS	2665.838	-35.92	-25	Pass	401
3000	12000	1	RMS	10401	-48.13	-25	Pass	9002
12000	26500	1	RMS	25809	-36.11	-25	Pass	14502



**21.8. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,  
Channel:37925|38075, Bandwidth:15|15, Modulation:16QAM, RB Number:Full|Full,  
RB Position:Low|Low)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.84	-25	Pass	401
0.15	30	0.01	RMS	0.19	-67.94	-25	Pass	2986
30	1000	0.1	RMS	997.198	-58.65	-25	Pass	9701
1000	2525	1	RMS	2525	-43.46	-25	Pass	1526
2525	2665	1	RMS	2585.55	5.87	60	Pass	401
2665	3000	1	RMS	2665	-43.97	-25	Pass	401
3000	12000	1	RMS	10391	-48.24	-25	Pass	9002
12000	26500	1	RMS	25935	-36.12	-25	Pass	14502






**21.9. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,  
Channel:38025|38175, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB  
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.2	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.15	-25	Pass	2986
30	1000	0.1	RMS	991.995	-58.41	-25	Pass	9701
1000	2525	1	RMS	2506	-41.41	-25	Pass	1526
2525	2665	1	RMS	2619.15	11.28	60	Pass	401
2665	3000	1	RMS	2675.05	-35.07	-25	Pass	401
3000	12000	1	RMS	10399	-48.29	-25	Pass	9002
12000	26500	1	RMS	25805	-36.2	-25	Pass	14502




**21.10. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,  
Channel:38025|38175, Bandwidth:15|15, Modulation:QPSK, RB Number:Full|Full,  
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.56	-25	Pass	401
0.15	30	0.01	RMS	0.32	-67.63	-25	Pass	2986
30	1000	0.1	RMS	909.84	-58.28	-25	Pass	9701
1000	2525	1	RMS	2520	-43.75	-25	Pass	1526
2525	2665	1	RMS	2609.7	6.93	60	Pass	401
2665	3000	1	RMS	2665	-41.74	-25	Pass	401
3000	12000	1	RMS	10394	-48.28	-25	Pass	9002
12000	26500	1	RMS	25805	-36.21	-25	Pass	14502




**21.11. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:38025|38175, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.19	-25	Pass	401
0.15	30	0.01	RMS	0.18	-67.94	-25	Pass	2986
30	1000	0.1	RMS	872.315	-58.54	-25	Pass	9701
1000	2525	1	RMS	2506	-41.63	-25	Pass	1526
2525	2665	1	RMS	2590.8	11.12	60	Pass	401
2665	3000	1	RMS	2675.05	-34.53	-25	Pass	401
3000	12000	1	RMS	10399	-48.32	-25	Pass	9002
12000	26500	1	RMS	26180	-36.19	-25	Pass	14502




**21.12. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:38025|38175, Bandwidth:15|15, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.92	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.43	-25	Pass	2986
30	1000	0.1	RMS	888.926	-58.56	-25	Pass	9701
1000	2525	1	RMS	2524	-44.31	-25	Pass	1526
2525	2665	1	RMS	2595.7	5.83	60	Pass	401
2665	3000	1	RMS	2665	-43.07	-25	Pass	401
3000	12000	1	RMS	10398	-48.37	-25	Pass	9002
12000	26500	1	RMS	25822	-36.13	-25	Pass	14502




**21.13. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,  
Channel:37850|38048, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB  
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.4	-25	Pass	401
0.15	30	0.01	RMS	0.17	-67.62	-25	Pass	2986
30	1000	0.1	RMS	987.592	-58.6	-25	Pass	9701
1000	2525	1	RMS	2496	-33.54	-25	Pass	1526
2525	2665	1	RMS	2608.65	10.97	60	Pass	401
2665	3000	1	RMS	2683.425	-35.38	-25	Pass	401
3000	12000	1	RMS	10404	-48.35	-25	Pass	9002
12000	26500	1	RMS	26174	-36.2	-25	Pass	14502




**21.14. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,  
Channel:37850|38048, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full,  
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.47	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.65	-25	Pass	2986
30	1000	0.1	RMS	906.938	-58.45	-25	Pass	9701
1000	2525	1	RMS	2524	-41.31	-25	Pass	1526
2525	2665	1	RMS	2578.55	5.87	60	Pass	401
2665	3000	1	RMS	2669.188	-42.8	-25	Pass	401
3000	12000	1	RMS	10400	-48.32	-25	Pass	9002
12000	26500	1	RMS	26194	-36.13	-25	Pass	14502




**21.15. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,  
Channel:37850|38048, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB  
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.76	-25	Pass	401
0.15	30	0.01	RMS	0.18	-67.47	-25	Pass	2986
30	1000	0.1	RMS	1000	-58.37	-25	Pass	9701
1000	2525	1	RMS	2495	-38.4	-25	Pass	1526
2525	2665	1	RMS	2608.3	10.36	60	Pass	401
2665	3000	1	RMS	2683.425	-35.48	-25	Pass	401
3000	12000	1	RMS	10399	-48.41	-25	Pass	9002
12000	26500	1	RMS	26190	-36.18	-25	Pass	14502



**21.16. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,  
Channel:37850|38048, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full,  
RB Position:Low|Low)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.95	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.18	-25	Pass	2986
30	1000	0.1	RMS	998.499	-58.49	-25	Pass	9701
1000	2525	1	RMS	2523	-42.19	-25	Pass	1526
2525	2665	1	RMS	2578.9	5.35	60	Pass	401
2665	3000	1	RMS	2665	-43.25	-25	Pass	401
3000	12000	1	RMS	10401	-48.29	-25	Pass	9002
12000	26500	1	RMS	26064	-36.16	-25	Pass	14502






**21.17. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,  
Channel:37901|38099, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB  
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.36	-25	Pass	401
0.15	30	0.01	RMS	0.22	-67.8	-25	Pass	2986
30	1000	0.1	RMS	891.128	-58.57	-25	Pass	9701
1000	2525	1	RMS	2501	-34.9	-25	Pass	1526
2525	2665	1	RMS	2613.55	10.96	60	Pass	401
2665	3000	1	RMS	2688.45	-35.09	-25	Pass	401
3000	12000	1	RMS	10393	-48.29	-25	Pass	9002
12000	26500	1	RMS	25100	-36.2	-25	Pass	14502




**21.18. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,  
Channel:37901|38099, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full,  
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.9	-25	Pass	401
0.15	30	0.01	RMS	0.21	-67.31	-25	Pass	2986
30	1000	0.1	RMS	990.494	-58.54	-25	Pass	9701
1000	2525	1	RMS	2525	-41.72	-25	Pass	1526
2525	2665	1	RMS	2602	5.52	60	Pass	401
2665	3000	1	RMS	2665.838	-42.28	-25	Pass	401
3000	12000	1	RMS	10401	-48.24	-25	Pass	9002
12000	26500	1	RMS	25790	-36.17	-25	Pass	14502




**21.19. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,  
Channel:37901|38099, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB  
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.88	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.64	-25	Pass	2986
30	1000	0.1	RMS	908.74	-58.35	-25	Pass	9701
1000	2525	1	RMS	2500	-39.01	-25	Pass	1526
2525	2665	1	RMS	2613.55	11.13	60	Pass	401
2665	3000	1	RMS	2688.45	-35.33	-25	Pass	401
3000	12000	1	RMS	10400	-48.27	-25	Pass	9002
12000	26500	1	RMS	26204	-36.2	-25	Pass	14502




**21.20. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,  
Channel:37901|38099, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full,  
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.55	-25	Pass	401
0.15	30	0.01	RMS	0.17	-66.95	-25	Pass	2986
30	1000	0.1	RMS	867.412	-58.49	-25	Pass	9701
1000	2525	1	RMS	2524	-42.44	-25	Pass	1526
2525	2665	1	RMS	2584.15	4.64	60	Pass	401
2665	3000	1	RMS	2665	-42.74	-25	Pass	401
3000	12000	1	RMS	10400	-48.23	-25	Pass	9002
12000	26500	1	RMS	25799	-36.19	-25	Pass	14502




**21.21. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,  
Channel:37952|38150, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB  
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.17	-25	Pass	401
0.15	30	0.01	RMS	0.22	-67.63	-25	Pass	2986
30	1000	0.1	RMS	907.038	-58.56	-25	Pass	9701
1000	2525	1	RMS	2507	-38.91	-25	Pass	1526
2525	2665	1	RMS	2618.8	10.24	60	Pass	401
2665	3000	1	RMS	2693.475	-36.3	-25	Pass	401
3000	12000	1	RMS	10400	-48.29	-25	Pass	9002
12000	26500	1	RMS	26220	-36.13	-25	Pass	14502




**21.22. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,  
Channel:37952|38150, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full,  
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.93	-25	Pass	401
0.15	30	0.01	RMS	0.46	-67.54	-25	Pass	2986
30	1000	0.1	RMS	871.015	-58.51	-25	Pass	9701
1000	2525	1	RMS	2522	-42.07	-25	Pass	1526
2525	2665	1	RMS	2591.5	6.24	60	Pass	401
2665	3000	1	RMS	2665.838	-41.55	-25	Pass	401
3000	12000	1	RMS	10401	-48.27	-25	Pass	9002
12000	26500	1	RMS	25101	-36.23	-25	Pass	14502



**21.23. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,  
Channel:37952|38150, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB  
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.37	-25	Pass	401
0.15	30	0.01	RMS	0.17	-67.21	-25	Pass	2986
30	1000	0.1	RMS	915.044	-58.61	-25	Pass	9701
1000	2525	1	RMS	2507	-38.73	-25	Pass	1526
2525	2665	1	RMS	2618.8	10.6	60	Pass	401
2665	3000	1	RMS	2693.475	-36.25	-25	Pass	401
3000	12000	1	RMS	10400	-48.26	-25	Pass	9002
12000	26500	1	RMS	26178	-36.16	-25	Pass	14502



**21.24. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,  
Channel:37952|38150, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full,  
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.21	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.32	-25	Pass	2986
30	1000	0.1	RMS	891.028	-58.55	-25	Pass	9701
1000	2525	1	RMS	2525	-42.79	-25	Pass	1526
2525	2665	1	RMS	2608.3	5.24	60	Pass	401
2665	3000	1	RMS	2665	-42.19	-25	Pass	401
3000	12000	1	RMS	10401	-48.29	-25	Pass	9002
12000	26500	1	RMS	25797	-36.15	-25	Pass	14502






## 22. CA\_41C\_full


**22.1. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:39750|39867, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.31	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.14	-25	Pass	2986
30	1000	0.1	RMS	923.85	-59.47	-25	Pass	9701
1000	2475	1	RMS	2474	-40.93	-25	Pass	1476
2475	2735	1	RMS	2519.2	9.8	60	Pass	401
2735	3000	1	RMS	2969.525	-44.24	-25	Pass	401
3000	12000	1	RMS	10401	-48.45	-25	Pass	9002
12000	27000	1	RMS	25797	-36.14	-25	Pass	15002




**22.2. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,  
Channel:39750|39867, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB  
Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.3	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.09	-25	Pass	2986
30	1000	0.1	RMS	900.234	-59.61	-25	Pass	9701
1000	2475	1	RMS	2475	-44.3	-25	Pass	1476
2475	2735	1	RMS	2517.25	11.85	60	Pass	401
2735	3000	1	RMS	2971.513	-44.26	-25	Pass	401
3000	12000	1	RMS	10392	-48.45	-25	Pass	9002
12000	27000	1	RMS	26196	-36.12	-25	Pass	15002




**22.3. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,  
Channel:39750|39867, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB  
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.56	-25	Pass	401
0.15	30	0.01	RMS	0.29	-67.93	-25	Pass	2986
30	1000	0.1	RMS	999.099	-59.54	-25	Pass	9701
1000	2475	1	RMS	2474	-42.87	-25	Pass	1476
2475	2735	1	RMS	2519.85	10.21	60	Pass	401
2735	3000	1	RMS	2969.525	-44.31	-25	Pass	401
3000	12000	1	RMS	10390	-48.49	-25	Pass	9002
12000	27000	1	RMS	25855	-36.18	-25	Pass	15002




**22.4. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,  
Channel:39750|39867, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full,  
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.26	-25	Pass	401
0.15	30	0.01	RMS	0.25	-67.33	-25	Pass	2986
30	1000	0.1	RMS	910.341	-59.65	-25	Pass	9701
1000	2475	1	RMS	2474	-45.2	-25	Pass	1476
2475	2735	1	RMS	2516.6	11.5	60	Pass	401
2735	3000	1	RMS	2962.238	-44.29	-25	Pass	401
3000	12000	1	RMS	10402	-48.37	-25	Pass	9002
12000	27000	1	RMS	25821	-36.19	-25	Pass	15002




**22.5. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,  
Channel:40595|40712, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB  
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.65	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.44	-25	Pass	2986
30	1000	0.1	RMS	989.293	-59.49	-25	Pass	9701
1000	2475	1	RMS	2475	-46.03	-25	Pass	1476
2475	2735	1	RMS	2604.35	10.16	60	Pass	401
2735	3000	1	RMS	2970.188	-44.31	-25	Pass	401
3000	12000	1	RMS	10398	-48.43	-25	Pass	9002
12000	27000	1	RMS	25806	-36.12	-25	Pass	15002




**22.6. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,  
Channel:40595|40712, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB  
Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.61	-25	Pass	401
0.15	30	0.01	RMS	0.17	-67.64	-25	Pass	2986
30	1000	0.1	RMS	896.932	-59.25	-25	Pass	9701
1000	2475	1	RMS	2475	-46.01	-25	Pass	1476
2475	2735	1	RMS	2601.75	11.53	60	Pass	401
2735	3000	1	RMS	2970.85	-44.28	-25	Pass	401
3000	12000	1	RMS	10400	-48.39	-25	Pass	9002
12000	27000	1	RMS	25832	-36.03	-25	Pass	15002




**22.7. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,  
Channel:40595|40712, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB  
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.55	-25	Pass	401
0.15	30	0.01	RMS	0.23	-67.74	-25	Pass	2986
30	1000	0.1	RMS	921.548	-59.34	-25	Pass	9701
1000	2475	1	RMS	2475	-46	-25	Pass	1476
2475	2735	1	RMS	2581.6	9.63	60	Pass	401
2735	3000	1	RMS	2968.863	-44.26	-25	Pass	401
3000	12000	1	RMS	10391	-48.38	-25	Pass	9002
12000	27000	1	RMS	25806	-36.09	-25	Pass	15002



**22.8. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,  
Channel:40595|40712, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full,  
RB Position:Low|Low)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.03	-25	Pass	401
0.15	30	0.01	RMS	0.19	-67.84	-25	Pass	2986
30	1000	0.1	RMS	890.227	-59.42	-25	Pass	9701
1000	2475	1	RMS	2475	-45.93	-25	Pass	1476
2475	2735	1	RMS	2602.4	10.72	60	Pass	401
2735	3000	1	RMS	2972.175	-44.25	-25	Pass	401
3000	12000	1	RMS	10401	-48.44	-25	Pass	9002
12000	27000	1	RMS	26165	-36.13	-25	Pass	15002






**22.9. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,  
Channel:41440|41557, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB  
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.74	-25	Pass	401
0.15	30	0.01	RMS	0.2	-67.36	-25	Pass	2986
30	1000	0.1	RMS	875.217	-59.43	-25	Pass	9701
1000	2475	1	RMS	2474	-45.9	-25	Pass	1476
2475	2735	1	RMS	2688.85	10.74	60	Pass	401
2735	3000	1	RMS	2968.863	-44.27	-25	Pass	401
3000	12000	1	RMS	10396	-48.48	-25	Pass	9002
12000	27000	1	RMS	26181	-36.19	-25	Pass	15002




**22.10. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,  
Channel:41440|41557, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB  
Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.51	-25	Pass	401
0.15	30	0.01	RMS	0.17	-67.29	-25	Pass	2986
30	1000	0.1	RMS	998.899	-59.39	-25	Pass	9701
1000	2475	1	RMS	2468	-46.03	-25	Pass	1476
2475	2735	1	RMS	2686.9	12.66	60	Pass	401
2735	3000	1	RMS	2974.825	-44.28	-25	Pass	401
3000	12000	1	RMS	10396	-48.46	-25	Pass	9002
12000	27000	1	RMS	25805	-36.14	-25	Pass	15002




**22.11. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,  
Channel:41440|41557, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB  
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.08	-25	Pass	401
0.15	30	0.01	RMS	0.21	-67.23	-25	Pass	2986
30	1000	0.1	RMS	891.928	-59.49	-25	Pass	9701
1000	2475	1	RMS	2475	-46	-25	Pass	1476
2475	2735	1	RMS	2688.85	10.59	60	Pass	401
2735	3000	1	RMS	2967.538	-44.31	-25	Pass	401
3000	12000	1	RMS	10400	-48.41	-25	Pass	9002
12000	27000	1	RMS	25835	-36.17	-25	Pass	15002




**22.12. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,  
Channel:41440|41557, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full,  
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.13	-25	Pass	401
0.15	30	0.01	RMS	0.2	-67.49	-25	Pass	2986
30	1000	0.1	RMS	999.8	-59.85	-25	Pass	9701
1000	2475	1	RMS	2475	-46	-25	Pass	1476
2475	2735	1	RMS	2686.25	11.47	60	Pass	401
2735	3000	1	RMS	2965.55	-44.32	-25	Pass	401
3000	12000	1	RMS	10397	-48.56	-25	Pass	9002
12000	27000	1	RMS	26171	-36.21	-25	Pass	15002




**22.13. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,  
Channel:39750|39948, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB  
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.14	-25	Pass	401
0.15	30	0.01	RMS	0.17	-67.26	-25	Pass	2986
30	1000	0.1	RMS	884.824	-59.52	-25	Pass	9701
1000	2475	1	RMS	2475	-45.92	-25	Pass	1476
2475	2735	1	RMS	2534.15	10.22	60	Pass	401
2735	3000	1	RMS	2967.538	-44.27	-25	Pass	401
3000	12000	1	RMS	10402	-48.48	-25	Pass	9002
12000	27000	1	RMS	25801	-36.08	-25	Pass	15002




**22.14. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,  
Channel:39750|39948, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full,  
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.7	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.36	-25	Pass	2986
30	1000	0.1	RMS	892.829	-59.52	-25	Pass	9701
1000	2475	1	RMS	2474	-43.81	-25	Pass	1476
2475	2735	1	RMS	2527.65	6.27	60	Pass	401
2735	3000	1	RMS	2972.838	-44.24	-25	Pass	401
3000	12000	1	RMS	10398	-48.44	-25	Pass	9002
12000	27000	1	RMS	26217	-36.16	-25	Pass	15002




**22.15. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,  
Channel:39750|39948, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB  
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.86	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.21	-25	Pass	2986
30	1000	0.1	RMS	994.596	-59.35	-25	Pass	9701
1000	2475	1	RMS	2475	-45.89	-25	Pass	1476
2475	2735	1	RMS	2534.15	10.11	60	Pass	401
2735	3000	1	RMS	2966.213	-44.18	-25	Pass	401
3000	12000	1	RMS	10399	-48.35	-25	Pass	9002
12000	27000	1	RMS	25803	-36.04	-25	Pass	15002



**22.16. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,  
Channel:39750|39948, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full,  
RB Position:Low|Low)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.8	-25	Pass	401
0.15	30	0.01	RMS	0.21	-67.24	-25	Pass	2986
30	1000	0.1	RMS	880.821	-59.49	-25	Pass	9701
1000	2475	1	RMS	2475	-43.35	-25	Pass	1476
2475	2735	1	RMS	2527	5.13	60	Pass	401
2735	3000	1	RMS	2963.563	-44.24	-25	Pass	401
3000	12000	1	RMS	10401	-48.44	-25	Pass	9002
12000	27000	1	RMS	26200	-36.11	-25	Pass	15002






**22.17. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,  
Channel:40521|40719, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB  
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.51	-25	Pass	401
0.15	30	0.01	RMS	0.24	-67.59	-25	Pass	2986
30	1000	0.1	RMS	998.099	-59.18	-25	Pass	9701
1000	2475	1	RMS	2475	-45.89	-25	Pass	1476
2475	2735	1	RMS	2611.5	9.32	60	Pass	401
2735	3000	1	RMS	2963.563	-44.23	-25	Pass	401
3000	12000	1	RMS	10400	-48.41	-25	Pass	9002
12000	27000	1	RMS	26102	-36.13	-25	Pass	15002




**22.18. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,  
Channel:40521|40719, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full,  
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.48	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.7	-25	Pass	2986
30	1000	0.1	RMS	990.694	-59.22	-25	Pass	9701
1000	2475	1	RMS	2471	-45.92	-25	Pass	1476
2475	2735	1	RMS	2600.45	5.59	60	Pass	401
2735	3000	1	RMS	2967.538	-44.26	-25	Pass	401
3000	12000	1	RMS	10399	-48.36	-25	Pass	9002
12000	27000	1	RMS	26184	-36.15	-25	Pass	15002




**22.19. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,  
Channel:40521|40719, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB  
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.42	-25	Pass	401
0.15	30	0.01	RMS	0.21	-67.85	-25	Pass	2986
30	1000	0.1	RMS	996.097	-59.17	-25	Pass	9701
1000	2475	1	RMS	2474	-45.95	-25	Pass	1476
2475	2735	1	RMS	2573.8	10.66	60	Pass	401
2735	3000	1	RMS	2969.525	-44.17	-25	Pass	401
3000	12000	1	RMS	10401	-48.4	-25	Pass	9002
12000	27000	1	RMS	25803	-36.16	-25	Pass	15002




**22.20. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:40521|40719, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.86	-25	Pass	401
0.15	30	0.01	RMS	0.18	-67.84	-25	Pass	2986
30	1000	0.1	RMS	915.644	-59.48	-25	Pass	9701
1000	2475	1	RMS	2474	-46.05	-25	Pass	1476
2475	2735	1	RMS	2582.25	5.37	60	Pass	401
2735	3000	1	RMS	2969.525	-44.25	-25	Pass	401
3000	12000	1	RMS	10403	-48.34	-25	Pass	9002
12000	27000	1	RMS	25814	-36.11	-25	Pass	15002




**22.21. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,  
Channel:41292|41490, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB  
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.16	-25	Pass	401
0.15	30	0.01	RMS	0.19	-67.41	-25	Pass	2986
30	1000	0.1	RMS	998.299	-59.22	-25	Pass	9701
1000	2475	1	RMS	2472	-46	-25	Pass	1476
2475	2735	1	RMS	2688.2	9.83	60	Pass	401
2735	3000	1	RMS	2965.55	-44.25	-25	Pass	401
3000	12000	1	RMS	10398	-48.45	-25	Pass	9002
12000	27000	1	RMS	25102	-36.14	-25	Pass	15002




**22.22. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,  
Channel:41292|41490, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full,  
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.98	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.63	-25	Pass	2986
30	1000	0.1	RMS	996.698	-59.24	-25	Pass	9701
1000	2475	1	RMS	2474	-46.05	-25	Pass	1476
2475	2735	1	RMS	2676.5	6.84	60	Pass	401
2735	3000	1	RMS	2968.2	-44.22	-25	Pass	401
3000	12000	1	RMS	10397	-48.28	-25	Pass	9002
12000	27000	1	RMS	25102	-36.16	-25	Pass	15002




**22.23. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,  
Channel:41292|41490, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB  
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.49	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.79	-25	Pass	2986
30	1000	0.1	RMS	990.994	-59.15	-25	Pass	9701
1000	2475	1	RMS	2474	-45.94	-25	Pass	1476
2475	2735	1	RMS	2688.2	10.03	60	Pass	401
2735	3000	1	RMS	2970.188	-44.24	-25	Pass	401
3000	12000	1	RMS	10398	-48.39	-25	Pass	9002
12000	27000	1	RMS	25842	-36.15	-25	Pass	15002



**22.24. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,  
Channel:41292|41490, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full,  
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.2	-25	Pass	401
0.15	30	0.01	RMS	0.17	-67.59	-25	Pass	2986
30	1000	0.1	RMS	993.195	-59.15	-25	Pass	9701
1000	2475	1	RMS	2475	-45.91	-25	Pass	1476
2475	2735	1	RMS	2678.45	5.66	60	Pass	401
2735	3000	1	RMS	2968.863	-44.24	-25	Pass	401
3000	12000	1	RMS	10398	-48.33	-25	Pass	9002
12000	27000	1	RMS	26149	-36.12	-25	Pass	15002






## 23. n5 15kHz


**23.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.81	-13	Pass	401
0.15	30	0.01	RMS	0.3	-71.64	-13	Pass	2985
30	814	0.1	RMS	749.892	-64.32	-13	Pass	7840
814	859	0.1	RMS	825.526	10.64	60	Pass	450
859	1000	0.1	RMS	893.825	-63.93	-13	Pass	1410
1000	3000	1	RMS	2869.935	-48.88	-13	Pass	2000
3000	10000	1	RMS	8911.845	-58.94	-13	Pass	7000




**23.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:167300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.44	-13	Pass	2985
30	814	0.1	RMS	744.091	-64.34	-13	Pass	7840
814	859	0.1	RMS	835.548	10.25	60	Pass	450
859	1000	0.1	RMS	905.233	-63.91	-13	Pass	1410
1000	3000	1	RMS	2867.934	-48.89	-13	Pass	2000
3000	10000	1	RMS	8901.843	-58.9	-13	Pass	7000




**23.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.55	-13	Pass	2985
30	814	0.1	RMS	731.99	-64.28	-13	Pass	7840
814	859	0.1	RMS	845.47	10.45	60	Pass	450
859	1000	0.1	RMS	892.123	-63.93	-13	Pass	1410
1000	3000	1	RMS	2867.934	-48.86	-13	Pass	2000
3000	10000	1	RMS	8901.843	-58.9	-13	Pass	7000




**23.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,  
Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,  
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.95	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.79	-13	Pass	2985
30	814	0.1	RMS	813.6	-56.02	-13	Pass	7840
814	859	0.1	RMS	832.04	5.84	60	Pass	450
859	1000	0.1	RMS	895.126	-63.84	-13	Pass	1410
1000	3000	1	RMS	2869.935	-48.88	-13	Pass	2000
3000	10000	1	RMS	8900.843	-58.84	-13	Pass	7000




**23.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,  
Channel:167300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,  
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.96	-13	Pass	2985
30	814	0.1	RMS	813.7	-59.58	-13	Pass	7840
814	859	0.1	RMS	837.051	5.8	60	Pass	450
859	1000	0.1	RMS	903.832	-63.97	-13	Pass	1410
1000	3000	1	RMS	2869.935	-48.87	-13	Pass	2000
3000	10000	1	RMS	8901.843	-58.89	-13	Pass	7000




**23.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,  
Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,  
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.03	-13	Pass	2985
30	814	0.1	RMS	813.9	-63.31	-13	Pass	7840
814	859	0.1	RMS	839.356	5.96	60	Pass	450
859	1000	0.1	RMS	884.218	-63.86	-13	Pass	1410
1000	3000	1	RMS	2869.935	-48.85	-13	Pass	2000
3000	10000	1	RMS	8904.844	-58.91	-13	Pass	7000




**23.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,  
Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,  
RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.71	-13	Pass	2985
30	814	0.1	RMS	814	-54.1	-13	Pass	7840
814	859	0.1	RMS	836.65	4.57	60	Pass	450
859	1000	0.1	RMS	882.417	-63.91	-13	Pass	1410
1000	3000	1	RMS	2868.934	-48.89	-13	Pass	2000
3000	10000	1	RMS	8898.843	-58.86	-13	Pass	7000



**23.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.08	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.56	-13	Pass	2985
30	814	0.1	RMS	814	-56.39	-13	Pass	7840
814	859	0.1	RMS	839.156	4.57	60	Pass	450
859	1000	0.1	RMS	894.825	-63.99	-13	Pass	1410
1000	3000	1	RMS	2873.937	-48.92	-13	Pass	2000
3000	10000	1	RMS	8900.843	-58.89	-13	Pass	7000





**23.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,  
Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,  
RB Number:50, RB Position:25)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.64	-13	Pass	401
0.15	30	0.01	RMS	0.25	-71.41	-13	Pass	2985
30	814	0.1	RMS	813.9	-58.85	-13	Pass	7840
814	859	0.1	RMS	836.35	4.43	60	Pass	450
859	1000	0.1	RMS	992.595	-64.01	-13	Pass	1410
1000	3000	1	RMS	2868.934	-48.86	-13	Pass	2000
3000	10000	1	RMS	8903.843	-58.95	-13	Pass	7000



## 24. n7 15kHz


**24.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-71.74	-25	Pass	401
0.15	30	0.01	RMS	0.36	-71.89	-25	Pass	2985
30	1000	0.1	RMS	899.967	-63.88	-25	Pass	9699
1000	2490	1	RMS	2490	-50.45	-25	Pass	1490
2490	2580	1	RMS	2502.375	20.62	60	Pass	401
2580	3000	1	RMS	2869.69	-48.93	-25	Pass	420
3000	6500	1	RMS	5004.573	-61.88	-25	Pass	3500
6500	26000	1	RMS	25198.743	-49.68	-25	Pass	19500




**24.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:507000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-71.38	-25	Pass	401
0.15	30	0.01	RMS	0.22	-70.9	-25	Pass	2985
30	1000	0.1	RMS	900.668	-63.79	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.83	-25	Pass	1490
2490	2580	1	RMS	2534.775	20.39	60	Pass	401
2580	3000	1	RMS	2869.69	-48.88	-25	Pass	420
3000	6500	1	RMS	5069.591	-62.69	-25	Pass	3500
6500	26000	1	RMS	25195.742	-49.86	-25	Pass	19500




**24.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-72	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.25	-25	Pass	2985
30	1000	0.1	RMS	903.372	-63.82	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.68	-25	Pass	1490
2490	2580	1	RMS	2567.175	20.01	60	Pass	401
2580	3000	1	RMS	2874.702	-48.94	-25	Pass	420
3000	6500	1	RMS	5134.61	-61.98	-25	Pass	3500
6500	26000	1	RMS	25200.743	-49.89	-25	Pass	19500




**24.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,  
Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,  
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-73.02	-25	Pass	401
0.15	30	0.01	RMS	0.23	-70.93	-25	Pass	2985
30	1000	0.1	RMS	891.356	-63.87	-25	Pass	9699
1000	2490	1	RMS	2490	-42.76	-25	Pass	1490
2490	2580	1	RMS	2505.3	15.9	60	Pass	401
2580	3000	1	RMS	2870.692	-48.94	-25	Pass	420
3000	6500	1	RMS	6217.919	-63.44	-25	Pass	3500
6500	26000	1	RMS	25196.742	-49.93	-25	Pass	19500




**24.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,  
Channel:507000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,  
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-72.5	-25	Pass	401
0.15	30	0.01	RMS	0.22	-71.23	-25	Pass	2985
30	1000	0.1	RMS	888.052	-63.87	-25	Pass	9699
1000	2490	1	RMS	2486.998	-50.83	-25	Pass	1490
2490	2580	1	RMS	2532.75	15.71	60	Pass	401
2580	3000	1	RMS	2870.692	-48.89	-25	Pass	420
3000	6500	1	RMS	6201.915	-63.41	-25	Pass	3500
6500	26000	1	RMS	25201.744	-49.83	-25	Pass	19500




**24.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,  
Channel:512500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,  
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-72.57	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.16	-25	Pass	2985
30	1000	0.1	RMS	879.24	-63.89	-25	Pass	9699
1000	2490	1	RMS	2486.998	-50.76	-25	Pass	1490
2490	2580	1	RMS	2560.2	15.42	60	Pass	401
2580	3000	1	RMS	2580	-43.04	-25	Pass	420
3000	6500	1	RMS	5123.607	-63.03	-25	Pass	3500
6500	26000	1	RMS	25201.744	-49.89	-25	Pass	19500



**24.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,  
Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,  
RB Number:50, RB Position:25)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-72.77	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.08	-25	Pass	2985
30	1000	0.1	RMS	893.158	-63.97	-25	Pass	9699
1000	2490	1	RMS	2490	-39.48	-25	Pass	1490
2490	2580	1	RMS	2512.5	14.68	60	Pass	401
2580	3000	1	RMS	2867.685	-48.92	-25	Pass	420
3000	6500	1	RMS	6220.92	-63.37	-25	Pass	3500
6500	26000	1	RMS	25200.743	-49.78	-25	Pass	19500






**24.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-72.17	-25	Pass	401
0.15	30	0.01	RMS	0.23	-71.55	-25	Pass	2985
30	1000	0.1	RMS	896.062	-63.91	-25	Pass	9699
1000	2490	1	RMS	2490	-50.67	-25	Pass	1490
2490	2580	1	RMS	2532.075	14.4	60	Pass	401
2580	3000	1	RMS	2869.69	-48.92	-25	Pass	420
3000	6500	1	RMS	6213.918	-63.52	-25	Pass	3500
6500	26000	1	RMS	25196.742	-49.82	-25	Pass	19500



**24.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,  
Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,  
RB Number:50, RB Position:25)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-73.83	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.63	-25	Pass	2985
30	1000	0.1	RMS	896.863	-63.63	-25	Pass	9699
1000	2490	1	RMS	2485.997	-50.81	-25	Pass	1490
2490	2580	1	RMS	2556.825	14.12	60	Pass	401
2580	3000	1	RMS	2580	-41.2	-25	Pass	420
3000	6500	1	RMS	5122.606	-63.25	-25	Pass	3500
6500	26000	1	RMS	25201.744	-49.85	-25	Pass	19500



## 25. n38 30kHz\_PC3


**25.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:515000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.56	-25	Pass	401
0.15	30	0.01	RMS	0.32	-70.39	-25	Pass	2985
30	1000	0.1	RMS	878.239	-61.83	-25	Pass	9699
1000	2560	1	RMS	2560	-45.56	-25	Pass	1560
2560	2630	1	RMS	2575.225	17.03	60	Pass	401
2630	3000	1	RMS	2866.8	-48.8	-25	Pass	401
3000	6500	1	RMS	5151.615	-61.31	-25	Pass	3500
6500	26500	1	RMS	25150.627	-49.13	-25	Pass	20000




**25.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:519000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.24	-25	Pass	401
0.15	30	0.01	RMS	0.17	-70.18	-25	Pass	2985
30	1000	0.1	RMS	870.328	-60.79	-25	Pass	9699
1000	2560	1	RMS	2464.939	-49.73	-25	Pass	1560
2560	2630	1	RMS	2595	17.07	60	Pass	401
2630	3000	1	RMS	2872.35	-48.87	-25	Pass	401
3000	6500	1	RMS	5188.625	-60.88	-25	Pass	3500
6500	26500	1	RMS	25200.641	-49	-25	Pass	20000




**25.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,  
Channel:523000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,  
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.08	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.28	-25	Pass	2985
30	1000	0.1	RMS	968.158	-61.43	-25	Pass	9699
1000	2560	1	RMS	2541.988	-50.34	-25	Pass	1560
2560	2630	1	RMS	2614.95	17.12	60	Pass	401
2630	3000	1	RMS	2630	-45.57	-25	Pass	401
3000	6500	1	RMS	5231.638	-61.74	-25	Pass	3500
6500	26500	1	RMS	25194.639	-49.14	-25	Pass	20000




**25.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:515500, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:18, RB Position:9)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.22	-25	Pass	401
0.15	30	0.01	RMS	0.22	-69.25	-25	Pass	2985
30	1000	0.1	RMS	731.586	-61	-25	Pass	9699
1000	2560	1	RMS	2560	-42.62	-25	Pass	1560
2560	2630	1	RMS	2576.975	15.34	60	Pass	401
2630	3000	1	RMS	2876.975	-48.79	-25	Pass	401
3000	6500	1	RMS	5153.615	-61.7	-25	Pass	3500
6500	26500	1	RMS	25487.72	-49.18	-25	Pass	20000




**25.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:519000, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:18, RB Position:9)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.19	-25	Pass	401
0.15	30	0.01	RMS	0.45	-69.6	-25	Pass	2985
30	1000	0.1	RMS	818.896	-61.33	-25	Pass	9699
1000	2560	1	RMS	2513.97	-50.36	-25	Pass	1560
2560	2630	1	RMS	2593.25	15.51	60	Pass	401
2630	3000	1	RMS	2871.425	-48.81	-25	Pass	401
3000	6500	1	RMS	5189.626	-61.46	-25	Pass	3500
6500	26500	1	RMS	25187.637	-49	-25	Pass	20000



**25.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,  
Channel:522500, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,  
RB Number:18, RB Position:9)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.84	-25	Pass	401
0.15	30	0.01	RMS	0.24	-69.17	-25	Pass	2985
30	1000	0.1	RMS	904.874	-61.06	-25	Pass	9699
1000	2560	1	RMS	2509.968	-50.29	-25	Pass	1560
2560	2630	1	RMS	2610.75	15.55	60	Pass	401
2630	3000	1	RMS	2630	-41.51	-25	Pass	401
3000	6500	1	RMS	5223.635	-62.63	-25	Pass	3500
6500	26500	1	RMS	18181.426	-49.2	-25	Pass	20000





**25.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.21	-25	Pass	401
0.15	30	0.01	RMS	1.1	-70.62	-25	Pass	2985
30	1000	0.1	RMS	906.977	-61.51	-25	Pass	9699
1000	2560	1	RMS	2560	-38.76	-25	Pass	1560
2560	2630	1	RMS	2582.225	14	60	Pass	401
2630	3000	1	RMS	2872.35	-48.77	-25	Pass	401
3000	6500	1	RMS	5157.616	-62.2	-25	Pass	3500
6500	26500	1	RMS	25198.64	-49.35	-25	Pass	20000

