

Annex A.5 Spurious Emission at Antenna Terminals

1. GSM_GSM850


1.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.062	-51.09	-13	Pass	401
0.15	30	0.01	Peak	0.19	-52.35	-13	Pass	2985
30	500	0.1	Peak	369.472	-44.19	-13	Pass	4700
500	1000	0.1	Peak	824.165	32.24	-13	N/A	5000
1000	10000	1	Peak	8342.896	-20.68	-13	Pass	9000




1.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.062	-51.01	-13	Pass	401
0.15	30	0.01	Peak	0.23	-54.12	-13	Pass	2985
30	500	0.1	Peak	475.595	-43.68	-13	Pass	4700
500	1000	0.1	Peak	836.667	32.38	-13	N/A	5000
1000	10000	1	Peak	6967.728	-20.35	-13	Pass	9000



1.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.062	-50.93	-13	Pass	401
0.15	30	0.01	Peak	6.112	-54.35	-13	Pass	2985
30	500	0.1	Peak	478.495	-43.75	-13	Pass	4700
500	1000	0.1	Peak	848.67	31.79	-13	N/A	5000
1000	10000	1	Peak	6965.728	-20.3	-13	Pass	9000



2. GSM_PCS


2.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.062	-47.04	-13	Pass	401
0.15	30	0.01	Peak	0.15	-58.7	-13	Pass	2985
30	1000	0.1	Peak	878.639	-48.66	-13	Pass	9699
1000	3000	1	Peak	1849.425	23.09	-13	N/A	2000
3000	20000	1	Peak	19816.702	-42.76	-13	Pass	17000




2.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.061	-45.83	-13	Pass	401
0.15	30	0.01	Peak	0.15	-58.56	-13	Pass	2985
30	1000	0.1	Peak	931.309	-48.93	-13	Pass	9699
1000	3000	1	Peak	1880.44	29.27	-13	N/A	2000
3000	20000	1	Peak	19945.912	-42.87	-13	Pass	17000



2.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.061	-46.31	-13	Pass	401
0.15	30	0.01	Peak	0.34	-59.66	-13	Pass	2985
30	1000	0.1	Peak	734.386	-48.79	-13	Pass	9699
1000	3000	1	Peak	1910.455	23.89	-13	N/A	2000
3000	20000	1	Peak	19778.641	-43.19	-13	Pass	17000



3. EGPRS_GSM850


3.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.062	-48.18	-13	Pass	401
0.15	30	0.01	Peak	0.17	-54.52	-13	Pass	2985
30	500	0.1	Peak	492.298	-43.75	-13	Pass	4700
500	1000	0.1	Peak	824.165	28.44	-13	N/A	5000
1000	10000	1	Peak	6960.728	-20.7	-13	Pass	9000




3.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.061	-48.32	-13	Pass	401
0.15	30	0.01	Peak	0.18	-54.11	-13	Pass	2985
30	500	0.1	Peak	376.974	-43.53	-13	Pass	4700
500	1000	0.1	Peak	836.667	27.84	-13	N/A	5000
1000	10000	1	Peak	8380.901	-20.19	-13	Pass	9000



3.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.061	-47.9	-13	Pass	401
0.15	30	0.01	Peak	0.15	-53.08	-13	Pass	2985
30	500	0.1	Peak	492.198	-44.3	-13	Pass	4700
500	1000	0.1	Peak	848.87	26.39	-13	N/A	5000
1000	10000	1	Peak	7035.737	-20.92	-13	Pass	9000



4. EGPRS_PCS


4.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.061	-48.78	-13	Pass	401
0.15	30	0.01	Peak	0.24	-60.13	-13	Pass	2985
30	1000	0.1	Peak	850.802	-48.79	-13	Pass	9699
1000	3000	1	Peak	1849.425	24.79	-13	N/A	2000
3000	20000	1	Peak	19984.976	-41.91	-13	Pass	17000




4.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.061	-47.74	-13	Pass	401
0.15	30	0.01	Peak	0.2	-58.64	-13	Pass	2985
30	1000	0.1	Peak	821.597	-48.02	-13	Pass	9699
1000	3000	1	Peak	1879.44	20.23	-13	N/A	2000
3000	20000	1	Peak	19424.065	-42.32	-13	Pass	17000



4.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.061	-46.98	-13	Pass	401
0.15	30	0.01	Peak	0.15	-59.2	-13	Pass	2985
30	1000	0.1	Peak	846.4	-49.13	-13	Pass	9699
1000	3000	1	Peak	1909.455	24.49	-13	N/A	2000
3000	20000	1	Peak	19694.504	-42.58	-13	Pass	17000



5. WCDMA_Band2


5.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.061	-65.13	-13	Pass	401
0.15	30	0.01	Peak	0.21	-64.38	-13	Pass	2985
30	1000	0.1	Peak	834.698	-52.59	-13	Pass	9699
1000	3000	1	Peak	1851.426	23.14	-13	N/A	2000
3000	20000	1	Peak	19714.537	-22.71	-13	Pass	17000




5.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.062	-65.26	-13	Pass	401
0.15	30	0.01	Peak	0.18	-65.47	-13	Pass	2985
30	1000	0.1	Peak	881.343	-53.31	-13	Pass	9699
1000	3000	1	Peak	1878.439	23.17	-13	N/A	2000
3000	20000	1	Peak	19442.094	-22.97	-13	Pass	17000



5.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.061	-65.31	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.75	-13	Pass	2985
30	1000	0.1	Peak	782.892	-52.87	-13	Pass	9699
1000	3000	1	Peak	1906.453	23.36	-13	N/A	2000
3000	20000	1	Peak	19386.003	-23.67	-13	Pass	17000



6. WCDMA_Band4


6.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.061	-64.88	-13	Pass	401
0.15	30	0.01	Peak	0.68	-63.98	-13	Pass	2985
30	1000	0.1	Peak	907.477	-53.36	-13	Pass	9699
1000	3000	1	Peak	1711.356	23.04	-13	N/A	2000
3000	20000	1	Peak	19792.663	-24.07	-13	Pass	17000




6.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.062	-66.39	-13	Pass	401
0.15	30	0.01	Peak	0.22	-64.6	-13	Pass	2985
30	1000	0.1	Peak	721.584	-53.15	-13	Pass	9699
1000	3000	1	Peak	1731.366	23.11	-13	N/A	2000
3000	20000	1	Peak	19898.836	-23.93	-13	Pass	17000



6.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.061	-66.54	-13	Pass	401
0.15	30	0.01	Peak	0.16	-64.56	-13	Pass	2985
30	1000	0.1	Peak	841.399	-52.99	-13	Pass	9699
1000	3000	1	Peak	1751.376	23.03	-13	N/A	2000
3000	20000	1	Peak	19850.758	-23.4	-13	Pass	17000



7. WCDMA_Band5


7.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.062	-66.46	-13	Pass	401
0.15	30	0.01	Peak	0.2	-64.94	-13	Pass	2985
30	500	0.1	Peak	455.991	-54.1	-13	Pass	4700
500	1000	0.1	Peak	825.165	17.85	-13	N/A	5000
1000	10000	1	Peak	7270.765	-30.24	-13	Pass	9000




7.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.061	-65.8	-13	Pass	401
0.15	30	0.01	Peak	0.22	-64.51	-13	Pass	2985
30	500	0.1	Peak	473.894	-53.83	-13	Pass	4700
500	1000	0.1	Peak	835.467	18.06	-13	N/A	5000
1000	10000	1	Peak	7051.739	-30.8	-13	Pass	9000



7.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.061	-64.89	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.83	-13	Pass	2985
30	500	0.1	Peak	471.394	-52.87	-13	Pass	4700
500	1000	0.1	Peak	847.57	18.2	-13	N/A	5000
1000	10000	1	Peak	7222.76	-30.06	-13	Pass	9000



8. LTE_Band2


8.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-67.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-73.08	-13	Pass	2985
30	1000	0.1	RMS	827.297	-64.15	-13	Pass	9699
1000	1840	1	RMS	1840	-52.09	-13	Pass	840
1840	1920	1	RMS	1850.2	22.87	60	Pass	401
1920	3000	1	RMS	2956.96	-49.46	-13	Pass	1080
3000	12000	1	RMS	11696.625	-41.98	-13	Pass	9000
12000	20000	1	RMS	19398.925	-35.28	-13	Pass	8000




**8.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-67.96	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.68	-13	Pass	2985
30	1000	0.1	RMS	839.599	-64.03	-13	Pass	9699
1000	1840	1	RMS	1840	-52.26	-13	Pass	840
1840	1920	1	RMS	1850.2	21.94	60	Pass	401
1920	3000	1	RMS	2956.96	-49.44	-13	Pass	1080
3000	12000	1	RMS	6962.484	-42	-13	Pass	9000
12000	20000	1	RMS	19408.926	-35.31	-13	Pass	8000




**8.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.062	-68.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.56	-13	Pass	2985
30	1000	0.1	RMS	844.899	-64.1	-13	Pass	9699
1000	1840	1	RMS	1818.975	-52.69	-13	Pass	840
1840	1920	1	RMS	1879.4	22.82	60	Pass	401
1920	3000	1	RMS	2952.956	-49.41	-13	Pass	1080
3000	12000	1	RMS	11702.632	-41.96	-13	Pass	9000
12000	20000	1	RMS	19397.925	-35.31	-13	Pass	8000




**8.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-67.97	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.64	-13	Pass	2985
30	1000	0.1	RMS	854.807	-64.1	-13	Pass	9699
1000	1840	1	RMS	1819.976	-52.69	-13	Pass	840
1840	1920	1	RMS	1879.4	21.88	60	Pass	401
1920	3000	1	RMS	2953.957	-49.4	-13	Pass	1080
3000	12000	1	RMS	6961.484	-41.9	-13	Pass	9000
12000	20000	1	RMS	19397.925	-35.22	-13	Pass	8000




8.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-67.61	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.56	-13	Pass	2985
30	1000	0.1	RMS	822.897	-64.21	-13	Pass	9699
1000	1840	1	RMS	1818.975	-52.69	-13	Pass	840
1840	1920	1	RMS	1908.8	22.85	60	Pass	401
1920	3000	1	RMS	2956.96	-49.34	-13	Pass	1080
3000	12000	1	RMS	6959.483	-41.88	-13	Pass	9000
12000	20000	1	RMS	19400.925	-35.26	-13	Pass	8000




**8.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-68.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.05	-13	Pass	2985
30	1000	0.1	RMS	863.92	-64.22	-13	Pass	9699
1000	1840	1	RMS	1820.977	-52.74	-13	Pass	840
1840	1920	1	RMS	1908.8	22.01	60	Pass	401
1920	3000	1	RMS	2955.959	-49.41	-13	Pass	1080
3000	12000	1	RMS	6962.484	-41.87	-13	Pass	9000
12000	20000	1	RMS	19398.925	-35.21	-13	Pass	8000




**8.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-67.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.64	-13	Pass	2985
30	1000	0.1	RMS	834.398	-64.25	-13	Pass	9699
1000	1840	1	RMS	1840	-51.98	-13	Pass	840
1840	1920	1	RMS	1850.2	22.92	60	Pass	401
1920	3000	1	RMS	2949.954	-49.37	-13	Pass	1080
3000	12000	1	RMS	6961.484	-41.9	-13	Pass	9000
12000	20000	1	RMS	19403.925	-35.27	-13	Pass	8000




**8.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-67.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.59	-13	Pass	2985
30	1000	0.1	RMS	826.497	-64.03	-13	Pass	9699
1000	1840	1	RMS	1840	-52.23	-13	Pass	840
1840	1920	1	RMS	1850.2	22.08	60	Pass	401
1920	3000	1	RMS	2950.955	-49.39	-13	Pass	1080
3000	12000	1	RMS	6964.484	-41.92	-13	Pass	9000
12000	20000	1	RMS	19407.926	-35.2	-13	Pass	8000




**8.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-68.53	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.1	-13	Pass	2985
30	1000	0.1	RMS	830.598	-64.02	-13	Pass	9699
1000	1840	1	RMS	1817.974	-52.68	-13	Pass	840
1840	1920	1	RMS	1878.6	22.88	60	Pass	401
1920	3000	1	RMS	2955.959	-49.38	-13	Pass	1080
3000	12000	1	RMS	11701.631	-41.94	-13	Pass	9000
12000	20000	1	RMS	19392.924	-35.25	-13	Pass	8000




**8.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-67.54	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.03	-13	Pass	2985
30	1000	0.1	RMS	859.013	-64.11	-13	Pass	9699
1000	1840	1	RMS	1818.975	-52.71	-13	Pass	840
1840	1920	1	RMS	1878.6	21.95	60	Pass	401
1920	3000	1	RMS	2950.955	-49.37	-13	Pass	1080
3000	12000	1	RMS	6960.483	-41.88	-13	Pass	9000
12000	20000	1	RMS	19403.925	-35.26	-13	Pass	8000




**8.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-67.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.88	-13	Pass	2985
30	1000	0.1	RMS	845.099	-64.2	-13	Pass	9699
1000	1840	1	RMS	1822.98	-52.7	-13	Pass	840
1840	1920	1	RMS	1907.2	22.82	60	Pass	401
1920	3000	1	RMS	2956.96	-49.34	-13	Pass	1080
3000	12000	1	RMS	11700.629	-41.88	-13	Pass	9000
12000	20000	1	RMS	19399.925	-35.24	-13	Pass	8000




**8.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-67.55	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.21	-13	Pass	2985
30	1000	0.1	RMS	846.5	-64.01	-13	Pass	9699
1000	1840	1	RMS	1825.983	-52.69	-13	Pass	840
1840	1920	1	RMS	1907.2	21.99	60	Pass	401
1920	3000	1	RMS	2954.958	-49.36	-13	Pass	1080
3000	12000	1	RMS	6958.483	-41.86	-13	Pass	9000
12000	20000	1	RMS	19409.926	-35.18	-13	Pass	8000




**8.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-67.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.87	-13	Pass	2985
30	1000	0.1	RMS	846.8	-64.11	-13	Pass	9699
1000	1840	1	RMS	1840	-51.8	-13	Pass	840
1840	1920	1	RMS	1850.2	23.07	60	Pass	401
1920	3000	1	RMS	2950.955	-49.39	-13	Pass	1080
3000	12000	1	RMS	6960.483	-41.85	-13	Pass	9000
12000	20000	1	RMS	19400.925	-35.23	-13	Pass	8000




**8.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-67.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.26	-13	Pass	2985
30	1000	0.1	RMS	832.598	-64.17	-13	Pass	9699
1000	1840	1	RMS	1840	-52.06	-13	Pass	840
1840	1920	1	RMS	1850.2	22	60	Pass	401
1920	3000	1	RMS	2949.954	-49.37	-13	Pass	1080
3000	12000	1	RMS	6959.483	-41.87	-13	Pass	9000
12000	20000	1	RMS	19404.926	-35.19	-13	Pass	8000




**8.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-68.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.17	-13	Pass	2985
30	1000	0.1	RMS	873.733	-64.07	-13	Pass	9699
1000	1840	1	RMS	1815.971	-52.68	-13	Pass	840
1840	1920	1	RMS	1877.8	22.94	60	Pass	401
1920	3000	1	RMS	2956.96	-49.29	-13	Pass	1080
3000	12000	1	RMS	6959.483	-41.82	-13	Pass	9000
12000	20000	1	RMS	19395.924	-35.17	-13	Pass	8000




**8.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-68.15	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.07	-13	Pass	2985
30	1000	0.1	RMS	944.526	-64.12	-13	Pass	9699
1000	1840	1	RMS	1816.973	-52.67	-13	Pass	840
1840	1920	1	RMS	1877.8	22.06	60	Pass	401
1920	3000	1	RMS	2955.959	-49.31	-13	Pass	1080
3000	12000	1	RMS	6958.483	-41.86	-13	Pass	9000
12000	20000	1	RMS	19895.987	-35.24	-13	Pass	8000




**8.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-67.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.67	-13	Pass	2985
30	1000	0.1	RMS	836.098	-64.16	-13	Pass	9699
1000	1840	1	RMS	1809.964	-52.63	-13	Pass	840
1840	1920	1	RMS	1905.2	22.93	60	Pass	401
1920	3000	1	RMS	2957.961	-49.34	-13	Pass	1080
3000	12000	1	RMS	11704.634	-41.89	-13	Pass	9000
12000	20000	1	RMS	19400.925	-35.22	-13	Pass	8000




**8.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-67.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.07	-13	Pass	2985
30	1000	0.1	RMS	858.612	-63.99	-13	Pass	9699
1000	1840	1	RMS	1813.969	-52.65	-13	Pass	840
1840	1920	1	RMS	1905.2	22.12	60	Pass	401
1920	3000	1	RMS	2951.956	-49.37	-13	Pass	1080
3000	12000	1	RMS	6961.484	-41.87	-13	Pass	9000
12000	20000	1	RMS	19399.925	-35.17	-13	Pass	8000




**8.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-67.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.27	-13	Pass	2985
30	1000	0.1	RMS	843.499	-64.05	-13	Pass	9699
1000	1840	1	RMS	1840	-51.07	-13	Pass	840
1840	1920	1	RMS	1850.4	22.92	60	Pass	401
1920	3000	1	RMS	2951.956	-49.35	-13	Pass	1080
3000	12000	1	RMS	6961.484	-41.83	-13	Pass	9000
12000	20000	1	RMS	19400.925	-35.24	-13	Pass	8000




**8.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-67.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.62	-13	Pass	2985
30	1000	0.1	RMS	855.308	-64	-13	Pass	9699
1000	1840	1	RMS	1840	-51.36	-13	Pass	840
1840	1920	1	RMS	1850.4	22.06	60	Pass	401
1920	3000	1	RMS	2955.959	-49.39	-13	Pass	1080
3000	12000	1	RMS	6967.484	-41.88	-13	Pass	9000
12000	20000	1	RMS	19401.925	-35.21	-13	Pass	8000




8.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-68.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.26	-13	Pass	2985
30	1000	0.1	RMS	844.599	-64.07	-13	Pass	9699
1000	1840	1	RMS	1816.973	-52.69	-13	Pass	840
1840	1920	1	RMS	1875.4	22.8	60	Pass	401
1920	3000	1	RMS	2950.955	-49.35	-13	Pass	1080
3000	12000	1	RMS	6962.484	-41.85	-13	Pass	9000
12000	20000	1	RMS	19396.925	-35.19	-13	Pass	8000




**8.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-67.99	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.18	-13	Pass	2985
30	1000	0.1	RMS	845.3	-64.01	-13	Pass	9699
1000	1840	1	RMS	1822.98	-52.7	-13	Pass	840
1840	1920	1	RMS	1875.4	21.86	60	Pass	401
1920	3000	1	RMS	2952.956	-49.37	-13	Pass	1080
3000	12000	1	RMS	11700.629	-41.88	-13	Pass	9000
12000	20000	1	RMS	19409.926	-35.21	-13	Pass	8000




**8.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-67.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.72	-13	Pass	2985
30	1000	0.1	RMS	844.999	-64.11	-13	Pass	9699
1000	1840	1	RMS	1813.969	-52.69	-13	Pass	840
1840	1920	1	RMS	1900.4	22.78	60	Pass	401
1920	3000	1	RMS	2948.953	-49.33	-13	Pass	1080
3000	12000	1	RMS	11719.653	-41.89	-13	Pass	9000
12000	20000	1	RMS	19396.925	-35.18	-13	Pass	8000




**8.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-67.73	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.63	-13	Pass	2985
30	1000	0.1	RMS	856.51	-64.04	-13	Pass	9699
1000	1840	1	RMS	1821.979	-52.66	-13	Pass	840
1840	1920	1	RMS	1900.4	21.9	60	Pass	401
1920	3000	1	RMS	2946.951	-49.36	-13	Pass	1080
3000	12000	1	RMS	11696.625	-41.87	-13	Pass	9000
12000	20000	1	RMS	19399.925	-35.19	-13	Pass	8000




8.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-68.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.37	-13	Pass	2985
30	1000	0.1	RMS	845.9	-63.84	-13	Pass	9699
1000	1840	1	RMS	1840	-49.85	-13	Pass	840
1840	1920	1	RMS	1850.8	22.91	60	Pass	401
1920	3000	1	RMS	2958.962	-49.29	-13	Pass	1080
3000	12000	1	RMS	6961.484	-41.79	-13	Pass	9000
12000	20000	1	RMS	19400.925	-35.24	-13	Pass	8000




**8.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-68.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.02	-13	Pass	2985
30	1000	0.1	RMS	844.799	-64.12	-13	Pass	9699
1000	1840	1	RMS	1840	-50.25	-13	Pass	840
1840	1920	1	RMS	1850.8	22.05	60	Pass	401
1920	3000	1	RMS	2944.949	-49.37	-13	Pass	1080
3000	12000	1	RMS	11713.646	-41.9	-13	Pass	9000
12000	20000	1	RMS	19417.927	-35.18	-13	Pass	8000




**8.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-67.57	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.14	-13	Pass	2985
30	1000	0.1	RMS	836.798	-64.09	-13	Pass	9699
1000	1840	1	RMS	1837.998	-52.63	-13	Pass	840
1840	1920	1	RMS	1873.2	22.87	60	Pass	401
1920	3000	1	RMS	2952.956	-49.3	-13	Pass	1080
3000	12000	1	RMS	6961.484	-41.9	-13	Pass	9000
12000	20000	1	RMS	19404.926	-35.14	-13	Pass	8000




**8.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-67.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.85	-13	Pass	2985
30	1000	0.1	RMS	852.004	-64.15	-13	Pass	9699
1000	1840	1	RMS	1816.973	-52.65	-13	Pass	840
1840	1920	1	RMS	1873.2	21.93	60	Pass	401
1920	3000	1	RMS	2947.952	-49.32	-13	Pass	1080
3000	12000	1	RMS	11702.632	-41.86	-13	Pass	9000
12000	20000	1	RMS	19400.925	-35.14	-13	Pass	8000




8.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-68.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.81	-13	Pass	2985
30	1000	0.1	RMS	858.512	-64.12	-13	Pass	9699
1000	1840	1	RMS	1840	-52.6	-13	Pass	840
1840	1920	1	RMS	1895.8	22.83	60	Pass	401
1920	3000	1	RMS	2954.958	-49.31	-13	Pass	1080
3000	12000	1	RMS	6961.484	-41.77	-13	Pass	9000
12000	20000	1	RMS	19398.925	-35.14	-13	Pass	8000




**8.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-68.44	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.78	-13	Pass	2985
30	1000	0.1	RMS	861.316	-64.09	-13	Pass	9699
1000	1840	1	RMS	1815.971	-52.61	-13	Pass	840
1840	1920	1	RMS	1895.8	21.95	60	Pass	401
1920	3000	1	RMS	2950.955	-49.33	-13	Pass	1080
3000	12000	1	RMS	6961.484	-41.8	-13	Pass	9000
12000	20000	1	RMS	19398.925	-35.19	-13	Pass	8000




8.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-68.14	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.94	-13	Pass	2985
30	1000	0.1	RMS	855.108	-63.96	-13	Pass	9699
1000	1840	1	RMS	1840	-50.58	-13	Pass	840
1840	1920	1	RMS	1851	22.87	60	Pass	401
1920	3000	1	RMS	2948.953	-49.33	-13	Pass	1080
3000	12000	1	RMS	11707.638	-41.85	-13	Pass	9000
12000	20000	1	RMS	19393.924	-35.14	-13	Pass	8000




**8.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-67.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.17	-13	Pass	2985
30	1000	0.1	RMS	860.515	-64.2	-13	Pass	9699
1000	1840	1	RMS	1840	-50.72	-13	Pass	840
1840	1920	1	RMS	1851	22.09	60	Pass	401
1920	3000	1	RMS	2951.956	-49.33	-13	Pass	1080
3000	12000	1	RMS	6961.484	-41.79	-13	Pass	9000
12000	20000	1	RMS	19898.987	-35.16	-13	Pass	8000




8.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-67.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.13	-13	Pass	2985
30	1000	0.1	RMS	841.199	-64.04	-13	Pass	9699
1000	1840	1	RMS	1835.995	-52.08	-13	Pass	840
1840	1920	1	RMS	1871	22.84	60	Pass	401
1920	3000	1	RMS	2954.958	-49.3	-13	Pass	1080
3000	12000	1	RMS	6959.483	-41.86	-13	Pass	9000
12000	20000	1	RMS	19399.925	-35.21	-13	Pass	8000




**8.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-68.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.17	-13	Pass	2985
30	1000	0.1	RMS	848.1	-64.08	-13	Pass	9699
1000	1840	1	RMS	1835.995	-52.38	-13	Pass	840
1840	1920	1	RMS	1871	21.91	60	Pass	401
1920	3000	1	RMS	2956.96	-49.31	-13	Pass	1080
3000	12000	1	RMS	6963.484	-41.92	-13	Pass	9000
12000	20000	1	RMS	19400.925	-35.13	-13	Pass	8000




8.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-68.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.73	-13	Pass	2985
30	1000	0.1	RMS	858.312	-64.12	-13	Pass	9699
1000	1840	1	RMS	1832.992	-52.64	-13	Pass	840
1840	1920	1	RMS	1891	22.85	60	Pass	401
1920	3000	1	RMS	2955.959	-49.34	-13	Pass	1080
3000	12000	1	RMS	11685.611	-41.89	-13	Pass	9000
12000	20000	1	RMS	19412.927	-35.2	-13	Pass	8000



**8.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-68.08	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.13	-13	Pass	2985
30	1000	0.1	RMS	856.009	-64.05	-13	Pass	9699
1000	1840	1	RMS	1831.99	-52.64	-13	Pass	840
1840	1920	1	RMS	1891	21.95	60	Pass	401
1920	3000	1	RMS	2955.959	-49.33	-13	Pass	1080
3000	12000	1	RMS	11709.641	-41.82	-13	Pass	9000
12000	20000	1	RMS	19400.925	-35.19	-13	Pass	8000



9. LTE_Band4


9.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-67.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.83	-13	Pass	2985
30	1000	0.1	RMS	850.001	-64.05	-13	Pass	9699
1000	1700	1	RMS	1700	-52.12	-13	Pass	700
1700	1765	1	RMS	1710.238	22.88	60	Pass	401
1765	3000	1	RMS	2949.959	-49.3	-13	Pass	1235
3000	12000	1	RMS	11705.636	-41.82	-13	Pass	9000
12000	20000	1	RMS	19400.925	-35.19	-13	Pass	8000




**9.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-67.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.18	-13	Pass	2985
30	1000	0.1	RMS	850.502	-64.11	-13	Pass	9699
1000	1700	1	RMS	1700	-52.32	-13	Pass	700
1700	1765	1	RMS	1710.238	22	60	Pass	401
1765	3000	1	RMS	2953.963	-49.33	-13	Pass	1235
3000	12000	1	RMS	6960.483	-41.83	-13	Pass	9000
12000	20000	1	RMS	19400.925	-35.15	-13	Pass	8000




9.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-67.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.67	-13	Pass	2985
30	1000	0.1	RMS	845.6	-64.08	-13	Pass	9699
1000	1700	1	RMS	1700	-52.93	-13	Pass	700
1700	1765	1	RMS	1732.013	23.01	60	Pass	401
1765	3000	1	RMS	2948.959	-49.32	-13	Pass	1235
3000	12000	1	RMS	11704.634	-41.83	-13	Pass	9000
12000	20000	1	RMS	19407.926	-35.2	-13	Pass	8000




**9.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-68.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.68	-13	Pass	2985
30	1000	0.1	RMS	852.104	-64.05	-13	Pass	9699
1000	1700	1	RMS	1696.996	-52.85	-13	Pass	700
1700	1765	1	RMS	1732.013	22.07	60	Pass	401
1765	3000	1	RMS	2955.964	-49.32	-13	Pass	1235
3000	12000	1	RMS	6959.483	-41.85	-13	Pass	9000
12000	20000	1	RMS	19397.925	-35.14	-13	Pass	8000




9.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-67.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.74	-13	Pass	2985
30	1000	0.1	RMS	926.703	-64.03	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.92	-13	Pass	700
1700	1765	1	RMS	1753.788	23.03	60	Pass	401
1765	3000	1	RMS	2951.961	-49.32	-13	Pass	1235
3000	12000	1	RMS	6960.483	-41.84	-13	Pass	9000
12000	20000	1	RMS	19405.926	-35.15	-13	Pass	8000




**9.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-67.93	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72	-13	Pass	2985
30	1000	0.1	RMS	844.899	-64.09	-13	Pass	9699
1000	1700	1	RMS	1700	-52.93	-13	Pass	700
1700	1765	1	RMS	1753.788	22.13	60	Pass	401
1765	3000	1	RMS	2950.96	-49.27	-13	Pass	1235
3000	12000	1	RMS	6962.484	-41.8	-13	Pass	9000
12000	20000	1	RMS	19411.926	-35.14	-13	Pass	8000




**9.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-68.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.33	-13	Pass	2985
30	1000	0.1	RMS	853.105	-64	-13	Pass	9699
1000	1700	1	RMS	1700	-52.14	-13	Pass	700
1700	1765	1	RMS	1710.075	22.98	60	Pass	401
1765	3000	1	RMS	2957.966	-49.26	-13	Pass	1235
3000	12000	1	RMS	6959.483	-41.82	-13	Pass	9000
12000	20000	1	RMS	19398.925	-35.23	-13	Pass	8000



**9.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-67.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.77	-13	Pass	2985
30	1000	0.1	RMS	869.927	-64.07	-13	Pass	9699
1000	1700	1	RMS	1700	-52.22	-13	Pass	700
1700	1765	1	RMS	1710.075	22.16	60	Pass	401
1765	3000	1	RMS	2952.962	-49.25	-13	Pass	1235
3000	12000	1	RMS	6962.484	-41.83	-13	Pass	9000
12000	20000	1	RMS	19400.925	-35.19	-13	Pass	8000



**9.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-68.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.67	-13	Pass	2985
30	1000	0.1	RMS	853.506	-64.05	-13	Pass	9699
1000	1700	1	RMS	1700	-52.94	-13	Pass	700
1700	1765	1	RMS	1731.2	23.05	60	Pass	401
1765	3000	1	RMS	2947.958	-49.29	-13	Pass	1235
3000	12000	1	RMS	11701.631	-41.9	-13	Pass	9000
12000	20000	1	RMS	19398.925	-35.24	-13	Pass	8000

