



18.24. LTE Band Edge(NTNV)(Subtest:24, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2605	2620	0.1	RMS	2617.9	0.71	30	Pass	401
2620	2621	0.3	RMS	2620.008	-30.84	-10	Pass	401
2621	2625	1	RMS	2621	-28.86	-10	Pass	5
2625	2635	1	RMS	2625.025	-31.79	-13	Pass	401
2635	2645	1	RMS	2635.175	-37.97	-25	Pass	401




18.25. LTE Band Edge(NTNV)(Subtest:25, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2547.275	-45.24	-25	Pass	401
2550	2565	1	RMS	2564.175	-38.37	-13	Pass	401
2565	2569	1	RMS	2569	-29.86	-10	Pass	5
2569	2570	0.51	RMS	2570	-18.68	-10	Pass	401
2570	2590	0.1	RMS	2571.1	20.86	30	Pass	401




18.26. LTE Band Edge(NTNV)(Subtest:26, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2545.25	-42	-25	Pass	401
2550	2565	1	RMS	2565	-32.38	-13	Pass	401
2565	2569	1	RMS	2569	-29.18	-10	Pass	5
2569	2570	0.51	RMS	2570	-29.06	-10	Pass	401
2570	2590	0.1	RMS	2575.8	0.06	30	Pass	401




18.27. LTE Band Edge(NTNV)(Subtest:27, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2549.963	-45.21	-25	Pass	401
2550	2565	1	RMS	2565	-38.31	-13	Pass	401
2565	2569	1	RMS	2569	-29.64	-10	Pass	5
2569	2570	0.51	RMS	2570	-18.46	-10	Pass	401
2570	2590	0.1	RMS	2571.05	19.22	30	Pass	401




18.28. LTE Band Edge(NTNV)(Subtest:28, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2549.775	-41.73	-25	Pass	401
2550	2565	1	RMS	2564.963	-32.06	-13	Pass	401
2565	2569	1	RMS	2569	-29.67	-10	Pass	5
2569	2570	0.51	RMS	2570	-29.45	-10	Pass	401
2570	2590	0.1	RMS	2583.55	-0.41	30	Pass	401




18.29. LTE Band Edge(NTNV)(Subtest:29, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	0.1	RMS	2618.9	20.68	30	Pass	401
2620	2621	0.51	RMS	2620	-19.04	-10	Pass	401
2621	2625	1	RMS	2621	-30.52	-10	Pass	5
2625	2640	1	RMS	2625.038	-39.23	-13	Pass	401
2640	2645	1	RMS	2640.125	-45.4	-25	Pass	401




18.30. LTE Band Edge(NTNV)(Subtest:30, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	0.1	RMS	2614.7	0.35	30	Pass	401
2620	2621	0.51	RMS	2620	-30.72	-10	Pass	401
2621	2625	1	RMS	2621	-30.79	-10	Pass	5
2625	2640	1	RMS	2625	-32.85	-13	Pass	401
2640	2645	1	RMS	2640.025	-40.94	-25	Pass	401




18.31. LTE Band Edge(NTNV)(Subtest:31, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	0.1	RMS	2618.9	19.62	30	Pass	401
2620	2621	0.51	RMS	2620	-19.24	-10	Pass	401
2621	2625	1	RMS	2621	-30.13	-10	Pass	5
2625	2640	1	RMS	2625.075	-38.76	-13	Pass	401
2640	2645	1	RMS	2640.038	-45.31	-25	Pass	401



18.32. LTE Band Edge(NTNV)(Subtest:32, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	0.1	RMS	2612.9	-0.67	30	Pass	401
2620	2621	0.51	RMS	2620	-31.07	-10	Pass	401
2621	2625	1	RMS	2621	-30.99	-10	Pass	5
2625	2640	1	RMS	2625.038	-32.73	-13	Pass	401
2640	2645	1	RMS	2640.038	-40.39	-25	Pass	401



19. LTE_Band41 full


19.1. LTE Band Edge(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-42.77	-25	Pass	401
2490	2495	1	RMS	2495	-27.46	-13	Pass	6
2495	2496	0.051	RMS	2495.998	-17.78	-13	Pass	401
2496	2501	0.1	RMS	2496.35	20.64	30	Pass	401




19.2. LTE Band Edge(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-37.52	-25	Pass	401
2490	2495	1	RMS	2495	-22.25	-13	Pass	6
2495	2496	0.051	RMS	2495.998	-28.57	-13	Pass	401
2496	2501	0.1	RMS	2497.7	6.4	30	Pass	401




19.3. LTE Band Edge(NTNV)(Subtest:3, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-43.42	-25	Pass	401
2490	2495	1	RMS	2495	-27.97	-13	Pass	6
2495	2496	0.051	RMS	2495.998	-18.5	-13	Pass	401
2496	2501	0.1	RMS	2496.338	20.7	30	Pass	401




19.4. LTE Band Edge(NTNV)(Subtest:4, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-37.27	-25	Pass	401
2490	2495	1	RMS	2495	-22.24	-13	Pass	6
2495	2496	0.051	RMS	2495.998	-29.54	-13	Pass	401
2496	2501	0.1	RMS	2499.65	6	30	Pass	401



19.5. LTE Band Edge(NTNV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2685	2690	0.1	RMS	2689.663	21.57	30	Pass	401
2690	2691	0.051	RMS	2690	-16.98	-10	Pass	401
2691	2695	1	RMS	2691	-25.39	-10	Pass	5
2695	2696	1	RMS	2695.005	-38.3	-13	Pass	401
2696	2715	1	RMS	2696	-42.44	-25	Pass	401




19.6. LTE Band Edge(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2685	2690	0.1	RMS	2685.513	6.83	30	Pass	401
2690	2691	0.1	RMS	2690	-24.6	-10	Pass	401
2691	2695	1	RMS	2691	-21.34	-10	Pass	5
2695	2696	1	RMS	2695.038	-34.78	-13	Pass	401
2696	2715	1	RMS	2697.188	-35.94	-25	Pass	401




19.7. LTE Band Edge(NTNV)(Subtest:7, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2685	2690	0.1	RMS	2689.663	20.89	30	Pass	401
2690	2691	0.1	RMS	2690.003	-13.19	-10	Pass	401
2691	2695	1	RMS	2691	-26.46	-10	Pass	5
2695	2696	1	RMS	2695.015	-39.06	-13	Pass	401
2696	2715	1	RMS	2696	-42.81	-25	Pass	401




19.8. LTE Band Edge(NTNV)(Subtest:8, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2685	2690	0.1	RMS	2685.75	5.96	30	Pass	401
2690	2691	0.1	RMS	2690	-25.66	-10	Pass	401
2691	2695	1	RMS	2691	-21.94	-10	Pass	5
2695	2696	1	RMS	2695.005	-34.71	-13	Pass	401
2696	2715	1	RMS	2696	-35.84	-25	Pass	401




19.9. LTE Band Edge(NTNV)(Subtest:9, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-39.34	-25	Pass	401
2490	2495	1	RMS	2495	-27.89	-13	Pass	6
2495	2496	0.1	RMS	2495.993	-21.28	-13	Pass	401
2496	2506	0.1	RMS	2496.6	21.27	30	Pass	401




19.10. LTE Band Edge(NTNV)(Subtest:10, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-33.32	-25	Pass	401
2490	2495	1	RMS	2495	-25.69	-13	Pass	6
2495	2496	0.1	RMS	2496	-32.23	-13	Pass	401
2496	2506	0.1	RMS	2498.475	3.43	30	Pass	401




19.11. LTE Band Edge(NTNV)(Subtest:11, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-38.74	-25	Pass	401
2490	2495	1	RMS	2495	-28.05	-13	Pass	6
2495	2496	0.1	RMS	2495.998	-21.07	-13	Pass	401
2496	2506	0.1	RMS	2496.6	20.55	30	Pass	401




19.12. LTE Band Edge(NTNV)(Subtest:12, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-33.02	-25	Pass	401
2490	2495	1	RMS	2495	-25.69	-13	Pass	6
2495	2496	0.1	RMS	2495.998	-31.94	-13	Pass	401
2496	2506	0.1	RMS	2499.325	3.07	30	Pass	401




19.13. LTE Band Edge(NTNV)(Subtest:13, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2680	2690	0.1	RMS	2689.4	21.66	30	Pass	401
2690	2691	0.2	RMS	2690.003	-15.97	-10	Pass	401
2691	2695	1	RMS	2691	-27.8	-10	Pass	5
2695	2700	1	RMS	2695.013	-37.79	-13	Pass	401
2700	2715	1	RMS	2700	-42.39	-25	Pass	401




19.14. LTE Band Edge(NTNV)(Subtest:14, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2680	2690	0.1	RMS	2683.8	4.14	30	Pass	401
2690	2691	0.2	RMS	2690.008	-27.65	-10	Pass	401
2691	2695	1	RMS	2691	-24.96	-10	Pass	5
2695	2700	1	RMS	2695.025	-30.19	-13	Pass	401
2700	2715	1	RMS	2700.075	-37.8	-25	Pass	401




19.15. LTE Band Edge(NTNV)(Subtest:15, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2680	2690	0.1	RMS	2689.4	20.14	30	Pass	401
2690	2691	0.2	RMS	2690.003	-17.51	-10	Pass	401
2691	2695	1	RMS	2691	-29.82	-10	Pass	5
2695	2700	1	RMS	2695.038	-39.8	-13	Pass	401
2700	2715	1	RMS	2700.038	-43.76	-25	Pass	401




19.16. LTE Band Edge(NTNV)(Subtest:16, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2680	2690	0.1	RMS	2683.275	3.33	30	Pass	401
2690	2691	0.2	RMS	2690.005	-28.19	-10	Pass	401
2691	2695	1	RMS	2691	-25.38	-10	Pass	5
2695	2700	1	RMS	2695.013	-30.86	-13	Pass	401
2700	2715	1	RMS	2700	-37.31	-25	Pass	401




19.17. LTE Band Edge(NTNV)(Subtest:17, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-38.25	-25	Pass	401
2490	2495	1	RMS	2495	-29.18	-13	Pass	6
2495	2496	0.15	RMS	2495.998	-22.24	-13	Pass	401
2496	2511	0.1	RMS	2496.825	21.19	30	Pass	401




19.18. LTE Band Edge(NTNV)(Subtest:18, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-33.14	-25	Pass	401
2490	2495	1	RMS	2495	-27.82	-13	Pass	6
2495	2496	0.15	RMS	2495.993	-33.51	-13	Pass	401
2496	2511	0.1	RMS	2508.338	2.4	30	Pass	401




19.19. LTE Band Edge(NTNV)(Subtest:19, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.925	-38.46	-25	Pass	401
2490	2495	1	RMS	2495	-29.27	-13	Pass	6
2495	2496	0.15	RMS	2495.993	-22.78	-13	Pass	401
2496	2511	0.1	RMS	2496.863	20.27	30	Pass	401




19.20. LTE Band Edge(NTNV)(Subtest:20, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.925	-32.43	-25	Pass	401
2490	2495	1	RMS	2495	-27.28	-13	Pass	6
2495	2496	0.15	RMS	2496	-33.5	-13	Pass	401
2496	2511	0.1	RMS	2509.2	1.38	30	Pass	401




19.21. LTE Band Edge(NTNV)(Subtest:21, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2675	2690	0.1	RMS	2689.175	21.6	30	Pass	401
2690	2691	0.3	RMS	2690	-18.4	-10	Pass	401
2691	2695	1	RMS	2691	-29.2	-10	Pass	5
2695	2705	1	RMS	2695.025	-37.01	-13	Pass	401
2705	2715	1	RMS	2705.075	-44.07	-25	Pass	401




19.22. LTE Band Edge(NTNV)(Subtest:22, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2675	2690	0.1	RMS	2688.725	2.34	30	Pass	401
2690	2691	0.3	RMS	2690	-28.71	-10	Pass	401
2691	2695	1	RMS	2691	-26.16	-10	Pass	5
2695	2705	1	RMS	2695.025	-29.93	-13	Pass	401
2705	2715	1	RMS	2705.7	-38.67	-25	Pass	401




19.23. LTE Band Edge(NTNV)(Subtest:23, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2675	2690	0.1	RMS	2689.138	20.48	30	Pass	401
2690	2691	0.3	RMS	2690.005	-19.63	-10	Pass	401
2691	2695	1	RMS	2691	-30.8	-10	Pass	5
2695	2705	1	RMS	2695.2	-38.73	-13	Pass	401
2705	2715	1	RMS	2705.05	-44.69	-25	Pass	401




19.24. LTE Band Edge(NTNV)(Subtest:24, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2675	2690	0.1	RMS	2680.4	0.83	30	Pass	401
2690	2691	0.3	RMS	2690.005	-29.11	-10	Pass	401
2691	2695	1	RMS	2691	-26.35	-10	Pass	5
2695	2705	1	RMS	2695	-30.02	-13	Pass	401
2705	2715	1	RMS	2705.2	-38.41	-25	Pass	401




19.25. LTE Band Edge(NTNV)(Subtest:25, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-39.57	-25	Pass	401
2490	2495	1	RMS	2495	-29.59	-13	Pass	6
2495	2496	0.2	RMS	2496	-25.07	-13	Pass	401
2496	2516	0.1	RMS	2497.1	20.73	30	Pass	401




19.26. LTE Band Edge(NTNV)(Subtest:26, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-33.76	-25	Pass	401
2490	2495	1	RMS	2495	-29.63	-13	Pass	6
2495	2496	0.2	RMS	2495.998	-33.56	-13	Pass	401
2496	2516	0.1	RMS	2504.95	0.39	30	Pass	401




19.27. LTE Band Edge(NTNV)(Subtest:27, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.925	-39.02	-25	Pass	401
2490	2495	1	RMS	2495	-29.15	-13	Pass	6
2495	2496	0.2	RMS	2495.993	-23.87	-13	Pass	401
2496	2516	0.1	RMS	2497.1	20.25	30	Pass	401




19.28. LTE Band Edge(NTNV)(Subtest:28, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-33.34	-25	Pass	401
2490	2495	1	RMS	2495	-29.59	-13	Pass	6
2495	2496	0.2	RMS	2495.993	-34.33	-13	Pass	401
2496	2516	0.1	RMS	2511.6	-0.15	30	Pass	401




19.29. LTE Band Edge(NTNV)(Subtest:29, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2670	2690	0.1	RMS	2688.9	21.41	30	Pass	401
2690	2691	0.51	RMS	2690.003	-18.11	-10	Pass	401
2691	2695	1	RMS	2691	-30.44	-10	Pass	5
2695	2710	1	RMS	2695	-38.72	-13	Pass	401
2710	2715	1	RMS	2710.038	-45.13	-25	Pass	401




19.30. LTE Band Edge(NTNV)(Subtest:30, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2670	2690	0.1	RMS	2686.4	1.13	30	Pass	401
2690	2691	0.51	RMS	2690	-28.57	-10	Pass	401
2691	2695	1	RMS	2691	-28.28	-10	Pass	5
2695	2710	1	RMS	2695	-30.98	-13	Pass	401
2710	2715	1	RMS	2710.088	-40.78	-25	Pass	401




19.31. LTE Band Edge(NTNV)(Subtest:31, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2670	2690	0.1	RMS	2688.9	19.8	30	Pass	401
2690	2691	0.51	RMS	2690.005	-18.4	-10	Pass	401
2691	2695	1	RMS	2691	-29.83	-10	Pass	5
2695	2710	1	RMS	2695.038	-38.17	-13	Pass	401
2710	2715	1	RMS	2710.25	-44.98	-25	Pass	401



19.32. LTE Band Edge(NTNV)(Subtest:32, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2670	2690	0.1	RMS	2676	-0.08	30	Pass	401
2690	2691	0.51	RMS	2690.01	-28.6	-10	Pass	401
2691	2695	1	RMS	2691	-28.63	-10	Pass	5
2695	2710	1	RMS	2695.263	-30.77	-13	Pass	401
2710	2715	1	RMS	2710.013	-40.4	-25	Pass	401



20. LTE_Band66


20.1. LTE Band Edge(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-41.3	-13	Pass	401
1708	1709	1	RMS	1709	-37.48	-13	Pass	2
1709	1710	0.02	RMS	1710	-20.84	-13	Pass	401
1710	1712	0.1	RMS	1710.24	20.84	30	Pass	401




20.2. LTE Band Edge(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-35.31	-13	Pass	401
1708	1709	1	RMS	1709	-25.31	-13	Pass	2
1709	1710	0.02	RMS	1710	-27.89	-13	Pass	401
1710	1712	0.1	RMS	1710.275	12.43	30	Pass	401




20.3. LTE Band Edge(NTNV)(Subtest:3, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-41.53	-13	Pass	401
1708	1709	1	RMS	1709	-38.1	-13	Pass	2
1709	1710	0.02	RMS	1709.998	-21.46	-13	Pass	401
1710	1712	0.1	RMS	1710.245	19.78	30	Pass	401




20.4. LTE Band Edge(NTNV)(Subtest:4, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-37.61	-13	Pass	401
1708	1709	1	RMS	1709	-27.51	-13	Pass	2
1709	1710	0.02	RMS	1710	-27.84	-13	Pass	401
1710	1712	0.1	RMS	1711.115	11.42	30	Pass	401




20.5. LTE Band Edge(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.755	20.54	30	Pass	401
1780	1781	0.02	RMS	1780	-21.04	-13	Pass	401
1781	1782	1	RMS	1781	-37.58	-13	Pass	2
1782	1790	1	RMS	1782	-41.71	-13	Pass	401




20.6. LTE Band Edge(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.7	12.04	30	Pass	401
1780	1781	0.02	RMS	1780	-28.95	-13	Pass	401
1781	1782	1	RMS	1781	-30.39	-13	Pass	2
1782	1790	1	RMS	1782.02	-35.45	-13	Pass	401




20.7. LTE Band Edge(NTNV)(Subtest:7, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.75	19.54	30	Pass	401
1780	1781	0.02	RMS	1780	-22.04	-13	Pass	401
1781	1782	1	RMS	1781	-38.06	-13	Pass	2
1782	1790	1	RMS	1782	-41.68	-13	Pass	401




20.8. LTE Band Edge(NTNV)(Subtest:8, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.33	11.07	30	Pass	401
1780	1781	0.02	RMS	1780	-30.46	-13	Pass	401
1781	1782	1	RMS	1781	-30.36	-13	Pass	2
1782	1790	1	RMS	1782	-36.75	-13	Pass	401




20.9. LTE Band Edge(NTNV)(Subtest:9, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-42.63	-13	Pass	401
1708	1709	1	RMS	1709	-37.77	-13	Pass	2
1709	1710	0.03	RMS	1710	-18.89	-13	Pass	401
1710	1713	0.1	RMS	1710.24	20.86	30	Pass	401




20.10. LTE Band Edge(NTNV)(Subtest:10, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-25.54	-13	Pass	401
1708	1709	1	RMS	1709	-22.43	-13	Pass	2
1709	1710	0.03	RMS	1710	-29.22	-13	Pass	401
1710	1713	0.1	RMS	1710.285	8.61	30	Pass	401




20.11. LTE Band Edge(NTNV)(Subtest:11, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-43.11	-13	Pass	401
1708	1709	1	RMS	1709	-38.51	-13	Pass	2
1709	1710	0.03	RMS	1710	-19.49	-13	Pass	401
1710	1713	0.1	RMS	1710.233	19.94	30	Pass	401




20.12. LTE Band Edge(NTNV)(Subtest:12, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-27.07	-13	Pass	401
1708	1709	1	RMS	1709	-23.07	-13	Pass	2
1709	1710	0.03	RMS	1710	-30.83	-13	Pass	401
1710	1713	0.1	RMS	1710.375	7.51	30	Pass	401



20.13. LTE Band Edge(NTNV)(Subtest:13, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1777	1780	0.1	RMS	1779.753	20.52	30	Pass	401
1780	1781	0.03	RMS	1780	-19.88	-13	Pass	401
1781	1782	1	RMS	1781	-37.98	-13	Pass	2
1782	1790	1	RMS	1782	-43.36	-13	Pass	401




20.14. LTE Band Edge(NTNV)(Subtest:14, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1777	1780	0.1	RMS	1778.073	8.25	30	Pass	401
1780	1781	0.03	RMS	1780	-32.11	-13	Pass	401
1781	1782	1	RMS	1781	-29.44	-13	Pass	2
1782	1790	1	RMS	1782	-33.71	-13	Pass	401




20.15. LTE Band Edge(NTNV)(Subtest:15, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1777	1780	0.1	RMS	1779.76	19.53	30	Pass	401
1780	1781	0.03	RMS	1780	-20.37	-13	Pass	401
1781	1782	1	RMS	1781	-38.84	-13	Pass	2
1782	1790	1	RMS	1782	-43.76	-13	Pass	401




20.16. LTE Band Edge(NTNV)(Subtest:16, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1777	1780	0.1	RMS	1777.458	7.18	30	Pass	401
1780	1781	0.03	RMS	1780.003	-32.54	-13	Pass	401
1781	1782	1	RMS	1781	-29.23	-13	Pass	2
1782	1790	1	RMS	1782	-33.08	-13	Pass	401




20.17. LTE Band Edge(NTNV)(Subtest:17, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-41.08	-13	Pass	401
1708	1709	1	RMS	1709	-38.46	-13	Pass	2
1709	1710	0.01	RMS	1710	-24.98	-13	Pass	401
1710	1715	0.1	RMS	1710.338	20.7	30	Pass	401




20.18. LTE Band Edge(NTNV)(Subtest:18, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-24.65	-13	Pass	401
1708	1709	1	RMS	1709	-23.19	-13	Pass	2
1709	1710	0.051	RMS	1710	-29.21	-13	Pass	401
1710	1715	0.1	RMS	1711.65	6.46	30	Pass	401




20.19. LTE Band Edge(NTNV)(Subtest:19, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-42.02	-13	Pass	401
1708	1709	1	RMS	1709	-38.76	-13	Pass	2
1709	1710	0.01	RMS	1710	-25.55	-13	Pass	401
1710	1715	0.1	RMS	1710.338	19.88	30	Pass	401




20.20. LTE Band Edge(NTNV)(Subtest:20, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-25.42	-13	Pass	401
1708	1709	1	RMS	1709	-23.75	-13	Pass	2
1709	1710	0.051	RMS	1710	-30.24	-13	Pass	401
1710	1715	0.1	RMS	1711.688	5.43	30	Pass	401




20.21. LTE Band Edge(NTNV)(Subtest:21, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1775	1780	0.1	RMS	1779.663	20.49	30	Pass	401
1780	1781	0.01	RMS	1780	-25.52	-13	Pass	401
1781	1782	1	RMS	1781	-38.75	-13	Pass	2
1782	1790	1	RMS	1782	-42.44	-13	Pass	401




20.22. LTE Band Edge(NTNV)(Subtest:22, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1775	1780	0.1	RMS	1776.863	5.99	30	Pass	401
1780	1781	0.051	RMS	1780	-31.29	-13	Pass	401
1781	1782	1	RMS	1781	-30.38	-13	Pass	2
1782	1790	1	RMS	1782	-32.84	-13	Pass	401




20.23. LTE Band Edge(NTNV)(Subtest:23, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1775	1780	0.1	RMS	1779.663	19.56	30	Pass	401
1780	1781	0.01	RMS	1780	-25.04	-13	Pass	401
1781	1782	1	RMS	1781	-39.5	-13	Pass	2
1782	1790	1	RMS	1782	-42.75	-13	Pass	401




20.24. LTE Band Edge(NTNV)(Subtest:24, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1775	1780	0.1	RMS	1775.575	5.06	30	Pass	401
1780	1781	0.051	RMS	1780	-32.05	-13	Pass	401
1781	1782	1	RMS	1781	-30.69	-13	Pass	2
1782	1790	1	RMS	1782.02	-32.67	-13	Pass	401




20.25. LTE Band Edge(NTNV)(Subtest:25, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1706.22	-42.94	-13	Pass	401
1708	1709	1	RMS	1709	-39.97	-13	Pass	2
1709	1710	0.1	RMS	1710	-21.81	-13	Pass	401
1710	1720	0.1	RMS	1710.575	20.81	30	Pass	401




20.26. LTE Band Edge(NTNV)(Subtest:26, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-26.35	-13	Pass	401
1708	1709	1	RMS	1709	-25.25	-13	Pass	2
1709	1710	0.1	RMS	1710	-31.71	-13	Pass	401
1710	1720	0.1	RMS	1718	3.65	30	Pass	401




20.27. LTE Band Edge(NTNV)(Subtest:27, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1706.2	-43.53	-13	Pass	401
1708	1709	1	RMS	1709	-40.79	-13	Pass	2
1709	1710	0.1	RMS	1710	-22.67	-13	Pass	401
1710	1720	0.1	RMS	1710.6	19.91	30	Pass	401




20.28. LTE Band Edge(NTNV)(Subtest:28, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-27.09	-13	Pass	401
1708	1709	1	RMS	1709	-26.16	-13	Pass	2
1709	1710	0.1	RMS	1710	-33.34	-13	Pass	401
1710	1720	0.1	RMS	1718.4	2.64	30	Pass	401




20.29. LTE Band Edge(NTNV)(Subtest:29, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1770	1780	0.1	RMS	1779.4	20.46	30	Pass	401
1780	1781	0.1	RMS	1780	-21.63	-13	Pass	401
1781	1782	1	RMS	1781	-39.41	-13	Pass	2
1782	1790	1	RMS	1783.94	-43.79	-13	Pass	401




20.30. LTE Band Edge(NTNV)(Subtest:30, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1770	1780	0.1	RMS	1777.575	3.22	30	Pass	401
1780	1781	0.1	RMS	1780	-36.33	-13	Pass	401
1781	1782	1	RMS	1781	-32.21	-13	Pass	2
1782	1790	1	RMS	1782	-33.33	-13	Pass	401



20.31. LTE Band Edge(NTNV)(Subtest:31, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1770	1780	0.1	RMS	1779.4	19.45	30	Pass	401
1780	1781	0.1	RMS	1780	-22.72	-13	Pass	401
1781	1782	1	RMS	1781	-40.53	-13	Pass	2
1782	1790	1	RMS	1782.44	-42.74	-13	Pass	401




20.32. LTE Band Edge(NTNV)(Subtest:32, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1770	1780	0.1	RMS	1777.575	2.13	30	Pass	401
1780	1781	0.1	RMS	1780.003	-37.05	-13	Pass	401
1781	1782	1	RMS	1781	-32.9	-13	Pass	2
1782	1790	1	RMS	1782	-33.52	-13	Pass	401



20.33. LTE Band Edge(NTNV)(Subtest:33, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.96	-39.79	-13	Pass	401
1708	1709	1	RMS	1709	-38.51	-13	Pass	2
1709	1710	0.15	RMS	1709.998	-22.57	-13	Pass	401
1710	1725	0.1	RMS	1710.825	20.68	30	Pass	401



20.34. LTE Band Edge(NTNV)(Subtest:34, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-26.61	-13	Pass	401
1708	1709	1	RMS	1708	-26.62	-13	Pass	2
1709	1710	0.15	RMS	1709.998	-33.04	-13	Pass	401
1710	1725	0.1	RMS	1723.388	2.29	30	Pass	401

