



TEST REPORT

No.I23N01711-RF NR

for

Realme Chongqing Mobile Telecommunications Corp., Ltd.

Mobile Phone

Model Name: RMX3840

FCC ID: 2AUYFRMX3370

with

Hardware Version: 11

Software Version: realme UI 5.0

Issued Date: 2023-12-12

Note:

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of SAICT.

Test Laboratory:

SAICT, Shenzhen Academy of Information and Communications Technology

Building G, Shenzhen International Innovation Center, No.1006 Shennan Road, Futian District, Shenzhen, Guangdong, P. R. China 518000.

Tel:+86(0)755-33322000, Fax:+86(0)755-33322001

Email: yewu@caict.ac.cn. www.saict.ac.cn.



No.I23N01711-RF NR

REPORT HISTORY

Report Number	Revision	Description	Issue Date
I23N01711-RF-NR	Rev.0	1st edition	2023-12-12



CONTENTS

1. SUMMARY OF TEST REPORT	4
1.1. TEST ITEMS.....	4
1.2. TEST STANDARDS	4
1.3. TEST RESULT	4
1.4. TESTING LOCATION.....	4
1.5. PROJECT DATA	4
1.6. SIGNATURE.....	4
2. CLIENT INFORMATION	5
2.1. APPLICANT INFORMATION.....	5
2.2. MANUFACTURER INFORMATION.....	5
3. EQUIPMENT UNDER TEST (EUT) AND ANCILLARY EQUIPMENT (AE)	6
3.1. ABOUT EUT.....	6
3.2. INTERNAL IDENTIFICATION OF EUT	6
3.1. INTERNAL IDENTIFICATION OF AE.....	6
3.3. GENERAL DESCRIPTION	8
4. REFERENCE DOCUMENTS.....	9
5. LABORATORY ENVIRONMENT.....	10
6. SUMMARY OF TEST RESULTS	11
7. STATEMENT	13
8. TEST EQUIPMENTS UTILIZED	14
ANNEX A: MEASUREMENT RESULTS	15
A.1 OUTPUT POWER.....	15
A.2 FIELD STRENGTH OF SPURIOUS RADIATION.....	181
A.3 FREQUENCY STABILITY	205
A.4 OCCUPIED BANDWIDTH.....	209
A.5 EMISSION BANDWIDTH	239
A.6 BAND EDGE COMPLIANCE.....	269
A.7 CONDUCTED SPURIOUS EMISSION	280
A.8 PEAK-TO-AVERAGE POWER RATIO	284
ANNEX B CCREDITATION CERTIFICATE.....	309
ANNEX C CERTIFICATE OF BRAND AUTHORIZATION.....	310



1. SUMMARY OF TEST REPORT

1.1. Test Items

Description	Mobile Phone
Model Name	RMX3840
Brand Name	realme
Applicant's name	Realme Chongqing Mobile Telecommunications Corp., Ltd.
Manufacturer's Name	Realme Chongqing Mobile Telecommunications Corp., Ltd.

1.2. Test Standards

FCC Part 22/27	10-1-22 Edition
FCC Part 2	10-1-21 Edition
ANSI C63.26	2015
KDB971168 D01	v03r01

1.3. Test Result

All test items are pass. Please refer to "6 Summary of Test Results" for detail.

1.4. Testing Location

Address: Building G, Shenzhen International Innovation Center, No.1006 Shennan Road, Futian District, Shenzhen, Guangdong, P. R. China 518000

1.5. Project Data

Testing Start Date: 2023-10-19

Testing End Date: 2023-12-03

1.6. Signature

Wang Ping
(Prepared this test report)

Huang Qiuqin
(Reviewed this test report)

Zhang Hao
(Approved this test report)



2. CLIENT INFORMATION

2.1. Applicant Information

Company Name: Realme Chongqing Mobile Telecommunications Corp., Ltd.
Address /Post: No.178 Yulong Avenue,Yufengshan,Yubei District, Chongqing, China
Contact: Yang LiangPing
Email: ylp@realme.net
Telephone: (86)13798864426
Fax: /

2.2. Manufacturer Information

Company Name: Realme Chongqing Mobile Telecommunications Corp., Ltd.
Address /Post: No.178 Yulong Avenue,Yufengshan,Yubei District, Chongqing, China
Contact: Yang LiangPing
Email: ylp@realme.net
Telephone: (86)13798864426
Fax: /

**3. EQUIPMENT UNDER TEST (EUT) AND ANCILLARY EQUIPMENT****(AE)****3.1. About EUT**

Description	Mobile Phone
Model Name	RMX3840
FCC ID	2AUYFRMX3370
NR SA Bands	n5,n7,n38,n41,n66
NR_CA Band	CA_n5A-n7A
EN-DC Bands	DC_7A_n5A,DC_66A_n5A,DC_7C_n5A,DC_2A_n7A,DC_4A_n7A,DC_5A_n7A,DC_66A_n7A,DC_2A_n66A,DC_5A_n66A,DC_7A_n66A,DC_7C_n66A,DC_2A_n38A,DC_4A_n38A,DC_5A_n38A,DC_66A_n38A,DC_2A_n41A,DC_4A_n41A,DC_26A_n41A,DC_66A_n41A
Antenna	Integrated
Extreme vol. Limits	3.60V to 4.48V (nominal: 3.89V)
Extreme temp. Tolerance	-30°C to +50°C
Condition of EUT as received	No abnormality in appearance

Note: Components list, please refer to documents of the manufacturer; it is also included in the original test record of SAICT.

3.2. Internal Identification of EUT

EUT ID*	SN or IMEI	HW Version	SW Version	Date of receipt
UT01aa	863994060022837	11	realme UI 5.0	2023-10-16
	863994060022829			
UT05aa	867815060019653	11	realme UI 5.0	2023-10-19
	867815060019646			

*EUT ID: is used to identify the test sample in the lab internally.

UT01aa are used for conduction test, UT05aa is used for radiation test.

3.1. Internal Identification of AE

AE ID*	Description
AE1	Battery
AE2	Charger
AE3	USB Cable

AE1

Model	BLPA35
Manufacturer	Sunwoda Electronic Co.,Ltd.
Capacity	4880mAh
Nominal Voltage	3.91 V

AE2

Model	VCB70AUH
Manufacturer	HUIZHOU GOLDEN LAKE INDUSTRIAL CO., LTD
Specification	American Standard Charger

AE3



No.I23N01711-RF NR

Model DL129

Manufacturer /

*AE ID: is used to identify the test sample in the lab internally.

AE: ancillary equipment.



3.3. General Description

The Equipment Under Test (EUT) is a model Mobile Phone with PIFA antenna. It consists of normal options: lithium battery, charger. Manual and specifications of the EUT were provided to fulfil the test. Samples undergoing test were selected by the Client.

Note: NR Operating Band information as follow:

NR Bands	Uplink (UL)	Downlink (DL)	SCS (kHz)	Bandwidths(MHz)
n5	824 MHz-849 MHz	869 MHz-894 MHz	15	5/10/15/20
n7	2500 MHz-2570 MHz	2620MHz-2690MHz	15	5/10/15/20/25/30/40
n38	2570 MHz-2620MHz	2570MHz-2620MHz	30	20/30/40
n41	2496MHz-2690MHz	2496MHz-2690MHz	30	20/30/40/50/60/70/80/90/100
n66	1710 MHz-1780 MHz	2110MHz-2180MHz	15	5/10/15/20/30/40

NR modulation: DFT-s-OFDM Pi/2 BPSK,QPSK, 16QAM, 64QAM; 256QAM; CP-OFDM QPSK, 16QAM, 64QAM; 256QAM.



4. REFERENCE DOCUMENTS

The following documents listed in this section are referred for testing.

Reference	Title	Version
FCC Part 22	PUBLIC MOBILE SERVICES	10-1-22 Edition
FCC Part 2	FREQUENCY ALLOCATIONS AND RADIO TREATY MATTERS; GENERAL RULES AND REGULATIONS	10-1-21 Edition
FCC Part 27	MISCELLANEOUS WIRELESS COMMUNICATIONS SERVICES	10-1-22 Edition
ANSI C63.26	American National Standard for Compliance Testing of Transmitters Used in Licensed Radio Services	2015
KDB971168 D01	Power Meas License Digital Systems	v03r01

5. LABORATORY ENVIRONMENT

Shielded room did not exceed following limits along the RF testing:

Temperature	Min. = 15 °C, Max. = 35 °C
Relative humidity	Min. = 20 %, Max. = 75 %
Shielding effectiveness	0.014MHz-1MHz>60 dB; 1MHz-18000MHz>90 dB
Electrical insulation	>2 MΩ
Ground system resistance	< 4 Ω

Fully-anechoic chamber did not exceed following limits along the EMC testing

Temperature	Min. = 15 °C, Max. = 35 °C
Relative humidity	Min. = 20 %, Max. = 75 %
Shielding effectiveness	0.014MHz-1MHz> 60 dB; 1MHz-18000MHz>90 dB
Electrical insulation	> 2MΩ
Ground system resistance	< 4 Ω
Voltage Standing Wave Ratio (VSWR)	≤ 6 dB, from 1 to 18 GHz, 3 m distance
Uniformity of field strength	Between 0 and 6 dB, from 80 to 6000 MHz



6. SUMMARY OF TEST RESULTS

Abbreviations used in this clause:		
Verdict Column	P	Pass
	F	Fail
	NA	Not applicable
	NM	Not measured

n5

Items	Test Name	Clause in FCC rules	Section in this report	Verdict
1	Output Power	2.1046/22.913	A.1	P
2	Field Strength of Spurious Radiation	2.1053/22.917	A.2	P
3	Frequency Stability	2.1055/22.355	A.3	P
4	Occupied Bandwidth	2.1049/22.917	A.4	P
5	Emission Bandwidth	2.1049/22.917	A.4	P
6	Band Edge Compliance	2.1051/22.917	A.5	P
7	Conducted Spurious Emission	2.1051/22.917	A.6	P
8	Peak-to-Average Power Ratio	KDB971168 D01	A.7	P

n7

Items	Test Name	Clause in FCC rules	Section in this report	Verdict
1	Output Power	2.1046/27.50(h)	A.1	P
2	Field Strength of Spurious Radiation	2.1053/27.53(m)	A.2	P
3	Frequency Stability	2.1055/27.54	A.3	P
4	Occupied Bandwidth	2.1049/27.53(m)	A.4	P
5	Emission Bandwidth	2.1049/27.53(m)	A.4	P
6	Band Edge Compliance	2.1051/27.53(m)	A.5	P
7	Conducted Spurious Emission	2.1051/27.53(m)	A.6	P
8	Peak-to-Average Power Ratio	27.50(a)/ KDB971168 D01	A.7	P



n38

Items	Test Name	Clause in FCC rules	Section in this report	Verdict
1	Output Power	2.1046/27.50(h)	A.1	P
2	Field Strength of Spurious Radiation	2.1053/27.53(m)	A.2	P
3	Frequency Stability	2.1055/27.54	A.3	P
4	Occupied Bandwidth	2.1049/27.53(m)	A.4	P
5	Emission Bandwidth	2.1049/27.53(m)	A.4	P
6	Band Edge Compliance	2.1051/27.53(m)	A.5	P
7	Conducted Spurious Emission	2.1051/27.53(m)	A.6	P
8	Peak-to-Average Power Ratio	27.50(a)/ KDB971168 D01	A.7	P

n41

Items	Test Name	Clause in FCC rules	Section in this report	Verdict
1	Output Power	2.1046/27.50(h)	A.1	P
2	Field Strength of Spurious Radiation	2.1053/27.53(m)	A.2	P
3	Frequency Stability	2.1055/27.54	A.3	P
4	Occupied Bandwidth	2.1049/27.53(m)	A.4	P
5	Emission Bandwidth	2.1049/27.53(m)	A.4	P
6	Band Edge Compliance	2.1051/27.53(m)	A.5	P
7	Conducted Spurious Emission	2.1051/27.53(m)	A.6	P
8	Peak-to-Average Power Ratio	27.50(a)/ KDB971168 D01	A.7	P

n66

Items	Test Name	Clause in FCC rules	Section in this report	Verdict
1	Output Power	2.1046/27.50(d)	A.1	P
2	Field Strength of Spurious Radiation	2.1053/27.53(h)	A.2	P
3	Frequency Stability	2.1055/27.54	A.3	P
4	Occupied Bandwidth	2.1049/27.53(h)	A.4	P
5	Emission Bandwidth	2.1049/27.53(h)	A.4	P
6	Band Edge Compliance	2.1051/27.53(h)	A.5	P
7	Conducted Spurious Emission	2.1051/27.53(h)	A.6	P
8	Peak-to-Average Power Ratio	27.50(a)/ KDB971168 D01	A.7	P



No.I23N01711-RF NR

7. STATEMENT

Since the information of samples in this report is provided by the client, the laboratory is not responsible for the authenticity of sample information.

This report takes measured values as criterion of test conclusion. The test conclusion meets the limit requirements.

**8. TEST EQUIPMENTS UTILIZED**

No.	Description	Type	Manufacture	Series Number	Cal Due Date
1	Test Receiver	ESR7	R&S	101676	2024-11-22
2	BiLog Antenna	3142E	ETS-Lindgren	0224831	2024-05-27
3	Horn Antenna	3117	ETS-Lindgren	00066577	2025-04-17
4	Horn Antenna	QSH-SL-18-26-S-20	Q-par	17013	2026-02-01
5	Horn Antenna	QSH-SL-26-40-K-20	Q-par	17014	2026-01-30
6	Antenna	BBHA 9120D	Schwarzbeck	1593	2025-10-24
7	Antenna	QWH-SL-18-40-K-SG	Q-par	15979	2026-01-30
8	preamplifier	83017A	Agilent	MY39501110	/
9	Signal Generator	SMB100A	R&S	179725	2024-11-22
10	Anechoic Chamber	FACT3-2.0	ETS-Lindgren	1285	2025-05-28
11	Spectrum Analyzer	FSV40	R&S	101192	2024-01-11
12	Universal Radio Communication Tester	CMU200	R&S	114545	2024-01-11
13	Universal Radio Communication Tester	CMW500	R&S	152499	2024-07-13
14	Universal Radio Communication Tester	CMW500	R&S	168719	2024-03-23
15	Universal Radio Communication Tester	E7515B	Keysight	MY59322022	2024-02-13
16	Universal Radio Communication Tester	CMW500	R&S	129146	2024-04-24
17	Spectrum Analyzer	FSW26	R&S	102197	2024-11-24
18	Temperature Chamber	SH-241	ESPEC	92007516	2024-10-15
19	DC Power Supply	U3606A	Agilent Technologies	MY50450012	2024-11-13
20	Universal Radio Communication Tester	MT8821C	Anritsu	6272459665	2024-10-11
21	Universal Radio Communication Tester	MT8000A	Anritsu	6272478348	2024-10-11

Test software

Item	Name	Version
Radiated	EMC32	V10.50.40

ANNEX A: MEASUREMENT RESULTS

A.1 OUTPUT POWER

A.1.1 Summary

During the process of testing, the EUT was controlled via Universal Radio Communication Tester to ensure max power transmission and proper modulation.

This result contains peak output power and ERP/EIRP measurements for the EUT.

In all cases, output power is within the specified limits.

A.1.2 Conducted

A.1.2.1 Method of Measurements

The EUT was set up for the max output power with pseudo random data modulation.

These measurements were done at 3 frequencies (bottom, middle and top of operational frequency range) for each bandwidth.

A.1.2.2 Measurement result

n5

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n5	5	15	826.5	DFT	pi/2 BPSK	Inner_Full	22.74
n5	5	15	826.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.13
n5	5	15	826.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.37
n5	5	15	826.5	DFT	pi/2 BPSK	Outer_Full	22.17
n5	5	15	826.5	DFT	QPSK	Inner_Full	22.65
n5	5	15	826.5	DFT	QPSK	Edge_1RB_Left	21.60
n5	5	15	826.5	DFT	QPSK	Edge_1RB_Right	21.65
n5	5	15	826.5	DFT	QPSK	Outer_Full	21.72
n5	5	15	826.5	DFT	16QAM	Inner_Full	21.72
n5	5	15	826.5	DFT	16QAM	Edge_1RB_Left	20.91
n5	5	15	826.5	DFT	16QAM	Edge_1RB_Right	21.05
n5	5	15	826.5	DFT	16QAM	Outer_Full	20.73
n5	5	15	826.5	DFT	64QAM	Inner_Full	20.35
n5	5	15	826.5	DFT	64QAM	Edge_1RB_Left	20.05
n5	5	15	826.5	DFT	64QAM	Edge_1RB_Right	20.20
n5	5	15	826.5	DFT	64QAM	Outer_Full	20.34
n5	5	15	826.5	DFT	256QAM	Inner_Full	18.33
n5	5	15	826.5	DFT	256QAM	Edge_1RB_Left	17.99
n5	5	15	826.5	DFT	256QAM	Edge_1RB_Right	18.04
n5	5	15	826.5	DFT	256QAM	Outer_Full	18.16
n5	5	15	826.5	CP	QPSK	Inner_Full	21.33
n5	5	15	826.5	CP	QPSK	Edge_1RB_Left	19.68
n5	5	15	826.5	CP	QPSK	Edge_1RB_Right	19.80
n5	5	15	826.5	CP	QPSK	Outer_Full	19.74
n5	5	15	826.5	CP	16QAM	Inner_Full	20.90



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n5	5	15	826.5	CP	16QAM	Edge_1RB_Left	20.16
n5	5	15	826.5	CP	16QAM	Edge_1RB_Right	20.21
n5	5	15	826.5	CP	16QAM	Outer_Full	19.67
n5	5	15	826.5	CP	64QAM	Inner_Full	19.12
n5	5	15	826.5	CP	64QAM	Edge_1RB_Left	18.96
n5	5	15	826.5	CP	64QAM	Edge_1RB_Right	19.09
n5	5	15	826.5	CP	64QAM	Outer_Full	19.28
n5	5	15	826.5	CP	256QAM	Inner_Full	16.16
n5	5	15	826.5	CP	256QAM	Edge_1RB_Left	15.88
n5	5	15	826.5	CP	256QAM	Edge_1RB_Right	15.85
n5	5	15	826.5	CP	256QAM	Outer_Full	16.09
n5	5	15	836.5	DFT	pi/2 BPSK	Inner_Full	22.90
n5	5	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.29
n5	5	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.43
n5	5	15	836.5	DFT	pi/2 BPSK	Outer_Full	22.36
n5	5	15	836.5	DFT	QPSK	Inner_Full	22.83
n5	5	15	836.5	DFT	QPSK	Edge_1RB_Left	21.84
n5	5	15	836.5	DFT	QPSK	Edge_1RB_Right	21.95
n5	5	15	836.5	DFT	QPSK	Outer_Full	21.82
n5	5	15	836.5	DFT	16QAM	Inner_Full	21.85
n5	5	15	836.5	DFT	16QAM	Edge_1RB_Left	21.18
n5	5	15	836.5	DFT	16QAM	Edge_1RB_Right	21.27
n5	5	15	836.5	DFT	16QAM	Outer_Full	20.87
n5	5	15	836.5	DFT	64QAM	Inner_Full	20.44
n5	5	15	836.5	DFT	64QAM	Edge_1RB_Left	20.26
n5	5	15	836.5	DFT	64QAM	Edge_1RB_Right	20.20
n5	5	15	836.5	DFT	64QAM	Outer_Full	20.50
n5	5	15	836.5	DFT	256QAM	Inner_Full	18.42
n5	5	15	836.5	DFT	256QAM	Edge_1RB_Left	18.08
n5	5	15	836.5	DFT	256QAM	Edge_1RB_Right	18.20
n5	5	15	836.5	DFT	256QAM	Outer_Full	18.30
n5	5	15	836.5	CP	QPSK	Inner_Full	21.40
n5	5	15	836.5	CP	QPSK	Edge_1RB_Left	19.83
n5	5	15	836.5	CP	QPSK	Edge_1RB_Right	19.87
n5	5	15	836.5	CP	QPSK	Outer_Full	19.76
n5	5	15	836.5	CP	16QAM	Inner_Full	20.98
n5	5	15	836.5	CP	16QAM	Edge_1RB_Left	20.20
n5	5	15	836.5	CP	16QAM	Edge_1RB_Right	20.42
n5	5	15	836.5	CP	16QAM	Outer_Full	19.83
n5	5	15	836.5	CP	64QAM	Inner_Full	19.25



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n5	5	15	836.5	CP	64QAM	Edge_1RB_Left	19.07
n5	5	15	836.5	CP	64QAM	Edge_1RB_Right	19.20
n5	5	15	836.5	CP	64QAM	Outer_Full	19.35
n5	5	15	836.5	CP	256QAM	Inner_Full	16.30
n5	5	15	836.5	CP	256QAM	Edge_1RB_Left	16.07
n5	5	15	836.5	CP	256QAM	Edge_1RB_Right	16.09
n5	5	15	836.5	CP	256QAM	Outer_Full	16.30
n5	5	15	846.5	DFT	pi/2 BPSK	Inner_Full	23.04
n5	5	15	846.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.53
n5	5	15	846.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.48
n5	5	15	846.5	DFT	pi/2 BPSK	Outer_Full	22.45
n5	5	15	846.5	DFT	QPSK	Inner_Full	22.96
n5	5	15	846.5	DFT	QPSK	Edge_1RB_Left	21.98
n5	5	15	846.5	DFT	QPSK	Edge_1RB_Right	22.00
n5	5	15	846.5	DFT	QPSK	Outer_Full	22.00
n5	5	15	846.5	DFT	16QAM	Inner_Full	21.95
n5	5	15	846.5	DFT	16QAM	Edge_1RB_Left	21.31
n5	5	15	846.5	DFT	16QAM	Edge_1RB_Right	21.22
n5	5	15	846.5	DFT	16QAM	Outer_Full	20.98
n5	5	15	846.5	DFT	64QAM	Inner_Full	20.57
n5	5	15	846.5	DFT	64QAM	Edge_1RB_Left	20.40
n5	5	15	846.5	DFT	64QAM	Edge_1RB_Right	20.24
n5	5	15	846.5	DFT	64QAM	Outer_Full	20.56
n5	5	15	846.5	DFT	256QAM	Inner_Full	18.50
n5	5	15	846.5	DFT	256QAM	Edge_1RB_Left	18.24
n5	5	15	846.5	DFT	256QAM	Edge_1RB_Right	18.22
n5	5	15	846.5	DFT	256QAM	Outer_Full	18.37
n5	5	15	846.5	CP	QPSK	Inner_Full	21.53
n5	5	15	846.5	CP	QPSK	Edge_1RB_Left	19.92
n5	5	15	846.5	CP	QPSK	Edge_1RB_Right	19.98
n5	5	15	846.5	CP	QPSK	Outer_Full	19.92
n5	5	15	846.5	CP	16QAM	Inner_Full	21.10
n5	5	15	846.5	CP	16QAM	Edge_1RB_Left	20.44
n5	5	15	846.5	CP	16QAM	Edge_1RB_Right	20.38
n5	5	15	846.5	CP	16QAM	Outer_Full	19.90
n5	5	15	846.5	CP	64QAM	Inner_Full	19.38
n5	5	15	846.5	CP	64QAM	Edge_1RB_Left	19.20
n5	5	15	846.5	CP	64QAM	Edge_1RB_Right	19.22
n5	5	15	846.5	CP	64QAM	Outer_Full	19.49
n5	5	15	846.5	CP	256QAM	Inner_Full	16.26



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n5	5	15	846.5	CP	256QAM	Edge_1RB_Left	16.05
n5	5	15	846.5	CP	256QAM	Edge_1RB_Right	15.95
n5	5	15	846.5	CP	256QAM	Outer_Full	16.21
n5	10	15	829	DFT	pi/2 BPSK	Inner_Full	22.90
n5	10	15	829	DFT	pi/2 BPSK	Edge_1RB_Left	22.26
n5	10	15	829	DFT	pi/2 BPSK	Edge_1RB_Right	22.33
n5	10	15	829	DFT	pi/2 BPSK	Outer_Full	22.33
n5	10	15	829	DFT	QPSK	Inner_Full	22.87
n5	10	15	829	DFT	QPSK	Edge_1RB_Left	21.63
n5	10	15	829	DFT	QPSK	Edge_1RB_Right	21.90
n5	10	15	829	DFT	QPSK	Outer_Full	21.83
n5	10	15	829	DFT	16QAM	Inner_Full	21.88
n5	10	15	829	DFT	16QAM	Edge_1RB_Left	20.96
n5	10	15	829	DFT	16QAM	Edge_1RB_Right	21.08
n5	10	15	829	DFT	16QAM	Outer_Full	20.76
n5	10	15	829	DFT	64QAM	Inner_Full	20.46
n5	10	15	829	DFT	64QAM	Edge_1RB_Left	20.05
n5	10	15	829	DFT	64QAM	Edge_1RB_Right	20.20
n5	10	15	829	DFT	64QAM	Outer_Full	20.36
n5	10	15	829	DFT	256QAM	Inner_Full	18.29
n5	10	15	829	DFT	256QAM	Edge_1RB_Left	18.00
n5	10	15	829	DFT	256QAM	Edge_1RB_Right	18.17
n5	10	15	829	DFT	256QAM	Outer_Full	18.34
n5	10	15	829	CP	QPSK	Inner_Full	21.43
n5	10	15	829	CP	QPSK	Edge_1RB_Left	19.75
n5	10	15	829	CP	QPSK	Edge_1RB_Right	19.83
n5	10	15	829	CP	QPSK	Outer_Full	19.79
n5	10	15	829	CP	16QAM	Inner_Full	20.88
n5	10	15	829	CP	16QAM	Edge_1RB_Left	20.03
n5	10	15	829	CP	16QAM	Edge_1RB_Right	20.28
n5	10	15	829	CP	16QAM	Outer_Full	19.86
n5	10	15	829	CP	64QAM	Inner_Full	19.32
n5	10	15	829	CP	64QAM	Edge_1RB_Left	18.89
n5	10	15	829	CP	64QAM	Edge_1RB_Right	19.13
n5	10	15	829	CP	64QAM	Outer_Full	19.39
n5	10	15	829	CP	256QAM	Inner_Full	16.06
n5	10	15	829	CP	256QAM	Edge_1RB_Left	15.79
n5	10	15	829	CP	256QAM	Edge_1RB_Right	15.90
n5	10	15	829	CP	256QAM	Outer_Full	16.05
n5	10	15	836.5	DFT	pi/2 BPSK	Inner_Full	22.94



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n5	10	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.23
n5	10	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.33
n5	10	15	836.5	DFT	pi/2 BPSK	Outer_Full	22.33
n5	10	15	836.5	DFT	QPSK	Inner_Full	22.88
n5	10	15	836.5	DFT	QPSK	Edge_1RB_Left	21.78
n5	10	15	836.5	DFT	QPSK	Edge_1RB_Right	21.85
n5	10	15	836.5	DFT	QPSK	Outer_Full	21.86
n5	10	15	836.5	DFT	16QAM	Inner_Full	21.89
n5	10	15	836.5	DFT	16QAM	Edge_1RB_Left	21.05
n5	10	15	836.5	DFT	16QAM	Edge_1RB_Right	21.21
n5	10	15	836.5	DFT	16QAM	Outer_Full	20.80
n5	10	15	836.5	DFT	64QAM	Inner_Full	20.47
n5	10	15	836.5	DFT	64QAM	Edge_1RB_Left	20.22
n5	10	15	836.5	DFT	64QAM	Edge_1RB_Right	20.26
n5	10	15	836.5	DFT	64QAM	Outer_Full	20.41
n5	10	15	836.5	DFT	256QAM	Inner_Full	18.34
n5	10	15	836.5	DFT	256QAM	Edge_1RB_Left	17.99
n5	10	15	836.5	DFT	256QAM	Edge_1RB_Right	18.07
n5	10	15	836.5	DFT	256QAM	Outer_Full	18.31
n5	10	15	836.5	CP	QPSK	Inner_Full	21.43
n5	10	15	836.5	CP	QPSK	Edge_1RB_Left	19.73
n5	10	15	836.5	CP	QPSK	Edge_1RB_Right	19.83
n5	10	15	836.5	CP	QPSK	Outer_Full	19.92
n5	10	15	836.5	CP	16QAM	Inner_Full	20.88
n5	10	15	836.5	CP	16QAM	Edge_1RB_Left	20.17
n5	10	15	836.5	CP	16QAM	Edge_1RB_Right	20.33
n5	10	15	836.5	CP	16QAM	Outer_Full	19.80
n5	10	15	836.5	CP	64QAM	Inner_Full	19.37
n5	10	15	836.5	CP	64QAM	Edge_1RB_Left	19.03
n5	10	15	836.5	CP	64QAM	Edge_1RB_Right	19.11
n5	10	15	836.5	CP	64QAM	Outer_Full	19.40
n5	10	15	836.5	CP	256QAM	Inner_Full	16.29
n5	10	15	836.5	CP	256QAM	Edge_1RB_Left	15.92
n5	10	15	836.5	CP	256QAM	Edge_1RB_Right	16.08
n5	10	15	836.5	CP	256QAM	Outer_Full	16.27
n5	10	15	844	DFT	pi/2 BPSK	Inner_Full	23.08
n5	10	15	844	DFT	pi/2 BPSK	Edge_1RB_Left	22.43
n5	10	15	844	DFT	pi/2 BPSK	Edge_1RB_Right	22.39
n5	10	15	844	DFT	pi/2 BPSK	Outer_Full	22.57
n5	10	15	844	DFT	QPSK	Inner_Full	23.03



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n5	10	15	844	DFT	QPSK	Edge_1RB_Left	21.97
n5	10	15	844	DFT	QPSK	Edge_1RB_Right	21.92
n5	10	15	844	DFT	QPSK	Outer_Full	22.01
n5	10	15	844	DFT	16QAM	Inner_Full	22.03
n5	10	15	844	DFT	16QAM	Edge_1RB_Left	21.31
n5	10	15	844	DFT	16QAM	Edge_1RB_Right	21.17
n5	10	15	844	DFT	16QAM	Outer_Full	20.95
n5	10	15	844	DFT	64QAM	Inner_Full	20.65
n5	10	15	844	DFT	64QAM	Edge_1RB_Left	20.27
n5	10	15	844	DFT	64QAM	Edge_1RB_Right	20.36
n5	10	15	844	DFT	64QAM	Outer_Full	20.55
n5	10	15	844	DFT	256QAM	Inner_Full	18.56
n5	10	15	844	DFT	256QAM	Edge_1RB_Left	18.18
n5	10	15	844	DFT	256QAM	Edge_1RB_Right	18.14
n5	10	15	844	DFT	256QAM	Outer_Full	18.48
n5	10	15	844	CP	QPSK	Inner_Full	21.59
n5	10	15	844	CP	QPSK	Edge_1RB_Left	19.96
n5	10	15	844	CP	QPSK	Edge_1RB_Right	19.89
n5	10	15	844	CP	QPSK	Outer_Full	19.97
n5	10	15	844	CP	16QAM	Inner_Full	21.04
n5	10	15	844	CP	16QAM	Edge_1RB_Left	20.41
n5	10	15	844	CP	16QAM	Edge_1RB_Right	20.39
n5	10	15	844	CP	16QAM	Outer_Full	19.96
n5	10	15	844	CP	64QAM	Inner_Full	19.51
n5	10	15	844	CP	64QAM	Edge_1RB_Left	19.20
n5	10	15	844	CP	64QAM	Edge_1RB_Right	19.12
n5	10	15	844	CP	64QAM	Outer_Full	19.54
n5	10	15	844	CP	256QAM	Inner_Full	16.19
n5	10	15	844	CP	256QAM	Edge_1RB_Left	15.89
n5	10	15	844	CP	256QAM	Edge_1RB_Right	15.85
n5	10	15	844	CP	256QAM	Outer_Full	16.20
n5	15	15	831.5	DFT	pi/2 BPSK	Inner_Full	22.88
n5	15	15	831.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.30
n5	15	15	831.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.47
n5	15	15	831.5	DFT	pi/2 BPSK	Outer_Full	22.46
n5	15	15	831.5	DFT	QPSK	Inner_Full	22.95
n5	15	15	831.5	DFT	QPSK	Edge_1RB_Left	21.85
n5	15	15	831.5	DFT	QPSK	Edge_1RB_Right	21.92
n5	15	15	831.5	DFT	QPSK	Outer_Full	21.98
n5	15	15	831.5	DFT	16QAM	Inner_Full	21.93



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n5	15	15	831.5	DFT	16QAM	Edge_1RB_Left	21.07
n5	15	15	831.5	DFT	16QAM	Edge_1RB_Right	21.28
n5	15	15	831.5	DFT	16QAM	Outer_Full	20.97
n5	15	15	831.5	DFT	64QAM	Inner_Full	20.47
n5	15	15	831.5	DFT	64QAM	Edge_1RB_Left	20.22
n5	15	15	831.5	DFT	64QAM	Edge_1RB_Right	20.32
n5	15	15	831.5	DFT	64QAM	Outer_Full	20.49
n5	15	15	831.5	DFT	256QAM	Inner_Full	18.47
n5	15	15	831.5	DFT	256QAM	Edge_1RB_Left	18.20
n5	15	15	831.5	DFT	256QAM	Edge_1RB_Right	18.18
n5	15	15	831.5	DFT	256QAM	Outer_Full	18.39
n5	15	15	831.5	CP	QPSK	Inner_Full	21.39
n5	15	15	831.5	CP	QPSK	Edge_1RB_Left	19.81
n5	15	15	831.5	CP	QPSK	Edge_1RB_Right	19.95
n5	15	15	831.5	CP	QPSK	Outer_Full	19.90
n5	15	15	831.5	CP	16QAM	Inner_Full	20.95
n5	15	15	831.5	CP	16QAM	Edge_1RB_Left	20.25
n5	15	15	831.5	CP	16QAM	Edge_1RB_Right	20.39
n5	15	15	831.5	CP	16QAM	Outer_Full	19.93
n5	15	15	831.5	CP	64QAM	Inner_Full	19.44
n5	15	15	831.5	CP	64QAM	Edge_1RB_Left	19.08
n5	15	15	831.5	CP	64QAM	Edge_1RB_Right	19.21
n5	15	15	831.5	CP	64QAM	Outer_Full	19.41
n5	15	15	831.5	CP	256QAM	Inner_Full	16.26
n5	15	15	831.5	CP	256QAM	Edge_1RB_Left	15.98
n5	15	15	831.5	CP	256QAM	Edge_1RB_Right	16.14
n5	15	15	831.5	CP	256QAM	Outer_Full	16.36
n5	15	15	836.5	DFT	pi/2 BPSK	Inner_Full	23.01
n5	15	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.29
n5	15	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.38
n5	15	15	836.5	DFT	pi/2 BPSK	Outer_Full	22.46
n5	15	15	836.5	DFT	QPSK	Inner_Full	22.97
n5	15	15	836.5	DFT	QPSK	Edge_1RB_Left	21.83
n5	15	15	836.5	DFT	QPSK	Edge_1RB_Right	21.95
n5	15	15	836.5	DFT	QPSK	Outer_Full	21.94
n5	15	15	836.5	DFT	16QAM	Inner_Full	21.94
n5	15	15	836.5	DFT	16QAM	Edge_1RB_Left	21.15
n5	15	15	836.5	DFT	16QAM	Edge_1RB_Right	21.20
n5	15	15	836.5	DFT	16QAM	Outer_Full	20.97
n5	15	15	836.5	DFT	64QAM	Inner_Full	20.49



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n5	15	15	836.5	DFT	64QAM	Edge_1RB_Left	20.25
n5	15	15	836.5	DFT	64QAM	Edge_1RB_Right	20.26
n5	15	15	836.5	DFT	64QAM	Outer_Full	20.53
n5	15	15	836.5	DFT	256QAM	Inner_Full	18.53
n5	15	15	836.5	DFT	256QAM	Edge_1RB_Left	18.13
n5	15	15	836.5	DFT	256QAM	Edge_1RB_Right	18.17
n5	15	15	836.5	DFT	256QAM	Outer_Full	18.39
n5	15	15	836.5	CP	QPSK	Inner_Full	21.53
n5	15	15	836.5	CP	QPSK	Edge_1RB_Left	19.83
n5	15	15	836.5	CP	QPSK	Edge_1RB_Right	19.91
n5	15	15	836.5	CP	QPSK	Outer_Full	19.92
n5	15	15	836.5	CP	16QAM	Inner_Full	20.91
n5	15	15	836.5	CP	16QAM	Edge_1RB_Left	20.27
n5	15	15	836.5	CP	16QAM	Edge_1RB_Right	20.36
n5	15	15	836.5	CP	16QAM	Outer_Full	19.88
n5	15	15	836.5	CP	64QAM	Inner_Full	19.49
n5	15	15	836.5	CP	64QAM	Edge_1RB_Left	19.10
n5	15	15	836.5	CP	64QAM	Edge_1RB_Right	19.18
n5	15	15	836.5	CP	64QAM	Outer_Full	19.45
n5	15	15	836.5	CP	256QAM	Inner_Full	16.40
n5	15	15	836.5	CP	256QAM	Edge_1RB_Left	16.21
n5	15	15	836.5	CP	256QAM	Edge_1RB_Right	16.21
n5	15	15	836.5	CP	256QAM	Outer_Full	16.36
n5	15	15	841.5	DFT	pi/2 BPSK	Inner_Full	23.13
n5	15	15	841.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.44
n5	15	15	841.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.35
n5	15	15	841.5	DFT	pi/2 BPSK	Outer_Full	22.57
n5	15	15	841.5	DFT	QPSK	Inner_Full	23.07
n5	15	15	841.5	DFT	QPSK	Edge_1RB_Left	21.91
n5	15	15	841.5	DFT	QPSK	Edge_1RB_Right	21.87
n5	15	15	841.5	DFT	QPSK	Outer_Full	22.00
n5	15	15	841.5	DFT	16QAM	Inner_Full	22.05
n5	15	15	841.5	DFT	16QAM	Edge_1RB_Left	21.19
n5	15	15	841.5	DFT	16QAM	Edge_1RB_Right	21.18
n5	15	15	841.5	DFT	16QAM	Outer_Full	21.04
n5	15	15	841.5	DFT	64QAM	Inner_Full	20.59
n5	15	15	841.5	DFT	64QAM	Edge_1RB_Left	20.27
n5	15	15	841.5	DFT	64QAM	Edge_1RB_Right	20.26
n5	15	15	841.5	DFT	64QAM	Outer_Full	20.63
n5	15	15	841.5	DFT	256QAM	Inner_Full	18.56



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n5	15	15	841.5	DFT	256QAM	Edge_1RB_Left	18.19
n5	15	15	841.5	DFT	256QAM	Edge_1RB_Right	18.10
n5	15	15	841.5	DFT	256QAM	Outer_Full	18.48
n5	15	15	841.5	CP	QPSK	Inner_Full	21.59
n5	15	15	841.5	CP	QPSK	Edge_1RB_Left	19.97
n5	15	15	841.5	CP	QPSK	Edge_1RB_Right	19.90
n5	15	15	841.5	CP	QPSK	Outer_Full	19.99
n5	15	15	841.5	CP	16QAM	Inner_Full	21.04
n5	15	15	841.5	CP	16QAM	Edge_1RB_Left	20.29
n5	15	15	841.5	CP	16QAM	Edge_1RB_Right	20.36
n5	15	15	841.5	CP	16QAM	Outer_Full	19.97
n5	15	15	841.5	CP	64QAM	Inner_Full	19.60
n5	15	15	841.5	CP	64QAM	Edge_1RB_Left	19.10
n5	15	15	841.5	CP	64QAM	Edge_1RB_Right	19.17
n5	15	15	841.5	CP	64QAM	Outer_Full	19.54
n5	15	15	841.5	CP	256QAM	Inner_Full	16.41
n5	15	15	841.5	CP	256QAM	Edge_1RB_Left	16.21
n5	15	15	841.5	CP	256QAM	Edge_1RB_Right	16.07
n5	15	15	841.5	CP	256QAM	Outer_Full	16.36
n5	20	15	834	DFT	pi/2 BPSK	Inner_Full	22.92
n5	20	15	834	DFT	pi/2 BPSK	Edge_1RB_Left	22.28
n5	20	15	834	DFT	pi/2 BPSK	Edge_1RB_Right	22.37
n5	20	15	834	DFT	pi/2 BPSK	Outer_Full	22.42
n5	20	15	834	DFT	QPSK	Inner_Full	22.96
n5	20	15	834	DFT	QPSK	Edge_1RB_Left	21.70
n5	20	15	834	DFT	QPSK	Edge_1RB_Right	21.92
n5	20	15	834	DFT	QPSK	Outer_Full	21.93
n5	20	15	834	DFT	16QAM	Inner_Full	21.88
n5	20	15	834	DFT	16QAM	Edge_1RB_Left	21.05
n5	20	15	834	DFT	16QAM	Edge_1RB_Right	21.24
n5	20	15	834	DFT	16QAM	Outer_Full	20.96
n5	20	15	834	DFT	64QAM	Inner_Full	20.46
n5	20	15	834	DFT	64QAM	Edge_1RB_Left	20.11
n5	20	15	834	DFT	64QAM	Edge_1RB_Right	20.28
n5	20	15	834	DFT	64QAM	Outer_Full	20.43
n5	20	15	834	DFT	256QAM	Inner_Full	18.43
n5	20	15	834	DFT	256QAM	Edge_1RB_Left	18.17
n5	20	15	834	DFT	256QAM	Edge_1RB_Right	18.25
n5	20	15	834	DFT	256QAM	Outer_Full	18.47
n5	20	15	834	CP	QPSK	Inner_Full	21.45



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n5	20	15	834	CP	QPSK	Edge_1RB_Left	19.79
n5	20	15	834	CP	QPSK	Edge_1RB_Right	19.94
n5	20	15	834	CP	QPSK	Outer_Full	19.92
n5	20	15	834	CP	16QAM	Inner_Full	20.93
n5	20	15	834	CP	16QAM	Edge_1RB_Left	20.20
n5	20	15	834	CP	16QAM	Edge_1RB_Right	20.36
n5	20	15	834	CP	16QAM	Outer_Full	19.98
n5	20	15	834	CP	64QAM	Inner_Full	19.56
n5	20	15	834	CP	64QAM	Edge_1RB_Left	18.98
n5	20	15	834	CP	64QAM	Edge_1RB_Right	19.25
n5	20	15	834	CP	64QAM	Outer_Full	19.46
n5	20	15	834	CP	256QAM	Inner_Full	16.34
n5	20	15	834	CP	256QAM	Edge_1RB_Left	16.03
n5	20	15	834	CP	256QAM	Edge_1RB_Right	16.22
n5	20	15	834	CP	256QAM	Outer_Full	16.39
n5	20	15	836.5	DFT	pi/2 BPSK	Inner_Full	22.91
n5	20	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.29
n5	20	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.37
n5	20	15	836.5	DFT	pi/2 BPSK	Outer_Full	22.43
n5	20	15	836.5	DFT	QPSK	Inner_Full	22.98
n5	20	15	836.5	DFT	QPSK	Edge_1RB_Left	21.86
n5	20	15	836.5	DFT	QPSK	Edge_1RB_Right	21.83
n5	20	15	836.5	DFT	QPSK	Outer_Full	21.97
n5	20	15	836.5	DFT	16QAM	Inner_Full	21.85
n5	20	15	836.5	DFT	16QAM	Edge_1RB_Left	21.05
n5	20	15	836.5	DFT	16QAM	Edge_1RB_Right	21.20
n5	20	15	836.5	DFT	16QAM	Outer_Full	20.93
n5	20	15	836.5	DFT	64QAM	Inner_Full	20.48
n5	20	15	836.5	DFT	64QAM	Edge_1RB_Left	20.21
n5	20	15	836.5	DFT	64QAM	Edge_1RB_Right	20.25
n5	20	15	836.5	DFT	64QAM	Outer_Full	20.48
n5	20	15	836.5	DFT	256QAM	Inner_Full	18.48
n5	20	15	836.5	DFT	256QAM	Edge_1RB_Left	18.16
n5	20	15	836.5	DFT	256QAM	Edge_1RB_Right	18.23
n5	20	15	836.5	DFT	256QAM	Outer_Full	18.44
n5	20	15	836.5	CP	QPSK	Inner_Full	21.56
n5	20	15	836.5	CP	QPSK	Edge_1RB_Left	19.82
n5	20	15	836.5	CP	QPSK	Edge_1RB_Right	19.85
n5	20	15	836.5	CP	QPSK	Outer_Full	19.91
n5	20	15	836.5	CP	16QAM	Inner_Full	20.94



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n5	20	15	836.5	CP	16QAM	Edge_1RB_Left	20.27
n5	20	15	836.5	CP	16QAM	Edge_1RB_Right	20.29
n5	20	15	836.5	CP	16QAM	Outer_Full	19.95
n5	20	15	836.5	CP	64QAM	Inner_Full	19.51
n5	20	15	836.5	CP	64QAM	Edge_1RB_Left	19.08
n5	20	15	836.5	CP	64QAM	Edge_1RB_Right	19.15
n5	20	15	836.5	CP	64QAM	Outer_Full	19.45
n5	20	15	836.5	CP	256QAM	Inner_Full	16.35
n5	20	15	836.5	CP	256QAM	Edge_1RB_Left	16.04
n5	20	15	836.5	CP	256QAM	Edge_1RB_Right	16.33
n5	20	15	836.5	CP	256QAM	Outer_Full	16.38
n5	20	15	839	DFT	pi/2 BPSK	Inner_Full	22.99
n5	20	15	839	DFT	pi/2 BPSK	Edge_1RB_Left	22.29
n5	20	15	839	DFT	pi/2 BPSK	Edge_1RB_Right	22.35
n5	20	15	839	DFT	pi/2 BPSK	Outer_Full	22.51
n5	20	15	839	DFT	QPSK	Inner_Full	23.02
n5	20	15	839	DFT	QPSK	Edge_1RB_Left	21.87
n5	20	15	839	DFT	QPSK	Edge_1RB_Right	21.87
n5	20	15	839	DFT	QPSK	Outer_Full	22.04
n5	20	15	839	DFT	16QAM	Inner_Full	21.95
n5	20	15	839	DFT	16QAM	Edge_1RB_Left	21.16
n5	20	15	839	DFT	16QAM	Edge_1RB_Right	21.20
n5	20	15	839	DFT	16QAM	Outer_Full	21.09
n5	20	15	839	DFT	64QAM	Inner_Full	20.58
n5	20	15	839	DFT	64QAM	Edge_1RB_Left	20.25
n5	20	15	839	DFT	64QAM	Edge_1RB_Right	20.28
n5	20	15	839	DFT	64QAM	Outer_Full	20.54
n5	20	15	839	DFT	256QAM	Inner_Full	18.49
n5	20	15	839	DFT	256QAM	Edge_1RB_Left	18.16
n5	20	15	839	DFT	256QAM	Edge_1RB_Right	18.24
n5	20	15	839	DFT	256QAM	Outer_Full	18.49
n5	20	15	839	CP	QPSK	Inner_Full	21.56
n5	20	15	839	CP	QPSK	Edge_1RB_Left	19.78
n5	20	15	839	CP	QPSK	Edge_1RB_Right	19.93
n5	20	15	839	CP	QPSK	Outer_Full	20.08
n5	20	15	839	CP	16QAM	Inner_Full	21.01
n5	20	15	839	CP	16QAM	Edge_1RB_Left	20.24
n5	20	15	839	CP	16QAM	Edge_1RB_Right	20.36
n5	20	15	839	CP	16QAM	Outer_Full	20.02
n5	20	15	839	CP	64QAM	Inner_Full	19.58



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n5	20	15	839	CP	64QAM	Edge_1RB_Left	19.07
n5	20	15	839	CP	64QAM	Edge_1RB_Right	19.17
n5	20	15	839	CP	64QAM	Outer_Full	19.55
n5	20	15	839	CP	256QAM	Inner_Full	16.35
n5	20	15	839	CP	256QAM	Edge_1RB_Left	16.09
n5	20	15	839	CP	256QAM	Edge_1RB_Right	16.21
n5	20	15	839	CP	256QAM	Outer_Full	16.35

n7

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n7	5	15	2502.5	DFT	pi/2 BPSK	Inner_Full	22.22
n7	5	15	2502.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.69
n7	5	15	2502.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.70
n7	5	15	2502.5	DFT	pi/2 BPSK	Outer_Full	21.69
n7	5	15	2502.5	DFT	QPSK	Inner_Full	21.44
n7	5	15	2502.5	DFT	QPSK	Edge_1RB_Left	20.17
n7	5	15	2502.5	DFT	QPSK	Edge_1RB_Right	20.45
n7	5	15	2502.5	DFT	QPSK	Outer_Full	20.49
n7	5	15	2502.5	DFT	16QAM	Inner_Full	20.49
n7	5	15	2502.5	DFT	16QAM	Edge_1RB_Left	19.52
n7	5	15	2502.5	DFT	16QAM	Edge_1RB_Right	19.78
n7	5	15	2502.5	DFT	16QAM	Outer_Full	19.49
n7	5	15	2502.5	DFT	64QAM	Inner_Full	19.09
n7	5	15	2502.5	DFT	64QAM	Edge_1RB_Left	18.63
n7	5	15	2502.5	DFT	64QAM	Edge_1RB_Right	18.88
n7	5	15	2502.5	DFT	64QAM	Outer_Full	19.12
n7	5	15	2502.5	DFT	256QAM	Inner_Full	17.70
n7	5	15	2502.5	DFT	256QAM	Edge_1RB_Left	17.10
n7	5	15	2502.5	DFT	256QAM	Edge_1RB_Right	17.42
n7	5	15	2502.5	DFT	256QAM	Outer_Full	17.51
n7	5	15	2502.5	CP	QPSK	Inner_Full	20.19
n7	5	15	2502.5	CP	QPSK	Edge_1RB_Left	18.83
n7	5	15	2502.5	CP	QPSK	Edge_1RB_Right	19.08
n7	5	15	2502.5	CP	QPSK	Outer_Full	18.94
n7	5	15	2502.5	CP	16QAM	Inner_Full	19.52
n7	5	15	2502.5	CP	16QAM	Edge_1RB_Left	19.04
n7	5	15	2502.5	CP	16QAM	Edge_1RB_Right	19.32
n7	5	15	2502.5	CP	16QAM	Outer_Full	18.91
n7	5	15	2502.5	CP	64QAM	Inner_Full	18.61
n7	5	15	2502.5	CP	64QAM	Edge_1RB_Left	18.35



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n7	5	15	2502.5	CP	64QAM	Edge_1RB_Right	18.40
n7	5	15	2502.5	CP	64QAM	Outer_Full	18.73
n7	5	15	2502.5	CP	256QAM	Inner_Full	15.70
n7	5	15	2502.5	CP	256QAM	Edge_1RB_Left	15.38
n7	5	15	2502.5	CP	256QAM	Edge_1RB_Right	15.46
n7	5	15	2502.5	CP	256QAM	Outer_Full	15.68
n7	5	15	2535	DFT	pi/2 BPSK	Inner_Full	22.31
n7	5	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	21.62
n7	5	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	21.67
n7	5	15	2535	DFT	pi/2 BPSK	Outer_Full	21.77
n7	5	15	2535	DFT	QPSK	Inner_Full	22.29
n7	5	15	2535	DFT	QPSK	Edge_1RB_Left	21.15
n7	5	15	2535	DFT	QPSK	Edge_1RB_Right	21.20
n7	5	15	2535	DFT	QPSK	Outer_Full	21.26
n7	5	15	2535	DFT	16QAM	Inner_Full	21.25
n7	5	15	2535	DFT	16QAM	Edge_1RB_Left	20.52
n7	5	15	2535	DFT	16QAM	Edge_1RB_Right	20.57
n7	5	15	2535	DFT	16QAM	Outer_Full	20.28
n7	5	15	2535	DFT	64QAM	Inner_Full	19.82
n7	5	15	2535	DFT	64QAM	Edge_1RB_Left	19.57
n7	5	15	2535	DFT	64QAM	Edge_1RB_Right	19.57
n7	5	15	2535	DFT	64QAM	Outer_Full	19.87
n7	5	15	2535	DFT	256QAM	Inner_Full	17.73
n7	5	15	2535	DFT	256QAM	Edge_1RB_Left	17.40
n7	5	15	2535	DFT	256QAM	Edge_1RB_Right	17.42
n7	5	15	2535	DFT	256QAM	Outer_Full	17.63
n7	5	15	2535	CP	QPSK	Inner_Full	20.81
n7	5	15	2535	CP	QPSK	Edge_1RB_Left	19.09
n7	5	15	2535	CP	QPSK	Edge_1RB_Right	19.16
n7	5	15	2535	CP	QPSK	Outer_Full	19.14
n7	5	15	2535	CP	16QAM	Inner_Full	20.40
n7	5	15	2535	CP	16QAM	Edge_1RB_Left	19.54
n7	5	15	2535	CP	16QAM	Edge_1RB_Right	19.65
n7	5	15	2535	CP	16QAM	Outer_Full	19.18
n7	5	15	2535	CP	64QAM	Inner_Full	18.62
n7	5	15	2535	CP	64QAM	Edge_1RB_Left	18.38
n7	5	15	2535	CP	64QAM	Edge_1RB_Right	18.45
n7	5	15	2535	CP	64QAM	Outer_Full	18.74
n7	5	15	2535	CP	256QAM	Inner_Full	15.76
n7	5	15	2535	CP	256QAM	Edge_1RB_Left	15.46



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n7	5	15	2535	CP	256QAM	Edge_1RB_Right	15.46
n7	5	15	2535	CP	256QAM	Outer_Full	15.70
n7	5	15	2567.5	DFT	pi/2 BPSK	Inner_Full	21.87
n7	5	15	2567.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.23
n7	5	15	2567.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.24
n7	5	15	2567.5	DFT	pi/2 BPSK	Outer_Full	21.32
n7	5	15	2567.5	DFT	QPSK	Inner_Full	21.87
n7	5	15	2567.5	DFT	QPSK	Edge_1RB_Left	20.82
n7	5	15	2567.5	DFT	QPSK	Edge_1RB_Right	20.81
n7	5	15	2567.5	DFT	QPSK	Outer_Full	20.87
n7	5	15	2567.5	DFT	16QAM	Inner_Full	20.87
n7	5	15	2567.5	DFT	16QAM	Edge_1RB_Left	20.09
n7	5	15	2567.5	DFT	16QAM	Edge_1RB_Right	20.17
n7	5	15	2567.5	DFT	16QAM	Outer_Full	19.89
n7	5	15	2567.5	DFT	64QAM	Inner_Full	19.40
n7	5	15	2567.5	DFT	64QAM	Edge_1RB_Left	19.13
n7	5	15	2567.5	DFT	64QAM	Edge_1RB_Right	19.12
n7	5	15	2567.5	DFT	64QAM	Outer_Full	19.45
n7	5	15	2567.5	DFT	256QAM	Inner_Full	17.34
n7	5	15	2567.5	DFT	256QAM	Edge_1RB_Left	16.96
n7	5	15	2567.5	DFT	256QAM	Edge_1RB_Right	17.04
n7	5	15	2567.5	DFT	256QAM	Outer_Full	17.29
n7	5	15	2567.5	CP	QPSK	Inner_Full	20.39
n7	5	15	2567.5	CP	QPSK	Edge_1RB_Left	18.75
n7	5	15	2567.5	CP	QPSK	Edge_1RB_Right	18.74
n7	5	15	2567.5	CP	QPSK	Outer_Full	18.74
n7	5	15	2567.5	CP	16QAM	Inner_Full	20.00
n7	5	15	2567.5	CP	16QAM	Edge_1RB_Left	19.19
n7	5	15	2567.5	CP	16QAM	Edge_1RB_Right	19.16
n7	5	15	2567.5	CP	16QAM	Outer_Full	18.80
n7	5	15	2567.5	CP	64QAM	Inner_Full	18.24
n7	5	15	2567.5	CP	64QAM	Edge_1RB_Left	18.03
n7	5	15	2567.5	CP	64QAM	Edge_1RB_Right	18.05
n7	5	15	2567.5	CP	64QAM	Outer_Full	18.37
n7	5	15	2567.5	CP	256QAM	Inner_Full	15.40
n7	5	15	2567.5	CP	256QAM	Edge_1RB_Left	15.09
n7	5	15	2567.5	CP	256QAM	Edge_1RB_Right	15.04
n7	5	15	2567.5	CP	256QAM	Outer_Full	15.29
n7	10	15	2505	DFT	pi/2 BPSK	Inner_Full	22.28
n7	10	15	2505	DFT	pi/2 BPSK	Edge_1RB_Left	21.57



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n7	10	15	2505	DFT	pi/2 BPSK	Edge_1RB_Right	21.73
n7	10	15	2505	DFT	pi/2 BPSK	Outer_Full	21.74
n7	10	15	2505	DFT	QPSK	Inner_Full	21.47
n7	10	15	2505	DFT	QPSK	Edge_1RB_Left	20.04
n7	10	15	2505	DFT	QPSK	Edge_1RB_Right	20.89
n7	10	15	2505	DFT	QPSK	Outer_Full	20.64
n7	10	15	2505	DFT	16QAM	Inner_Full	20.48
n7	10	15	2505	DFT	16QAM	Edge_1RB_Left	19.40
n7	10	15	2505	DFT	16QAM	Edge_1RB_Right	20.25
n7	10	15	2505	DFT	16QAM	Outer_Full	19.59
n7	10	15	2505	DFT	64QAM	Inner_Full	19.15
n7	10	15	2505	DFT	64QAM	Edge_1RB_Left	18.53
n7	10	15	2505	DFT	64QAM	Edge_1RB_Right	19.39
n7	10	15	2505	DFT	64QAM	Outer_Full	19.20
n7	10	15	2505	DFT	256QAM	Inner_Full	17.71
n7	10	15	2505	DFT	256QAM	Edge_1RB_Left	17.06
n7	10	15	2505	DFT	256QAM	Edge_1RB_Right	17.42
n7	10	15	2505	DFT	256QAM	Outer_Full	17.67
n7	10	15	2505	CP	QPSK	Inner_Full	20.25
n7	10	15	2505	CP	QPSK	Edge_1RB_Left	18.76
n7	10	15	2505	CP	QPSK	Edge_1RB_Right	19.19
n7	10	15	2505	CP	QPSK	Outer_Full	19.18
n7	10	15	2505	CP	16QAM	Inner_Full	19.54
n7	10	15	2505	CP	16QAM	Edge_1RB_Left	18.98
n7	10	15	2505	CP	16QAM	Edge_1RB_Right	19.67
n7	10	15	2505	CP	16QAM	Outer_Full	19.14
n7	10	15	2505	CP	64QAM	Inner_Full	18.76
n7	10	15	2505	CP	64QAM	Edge_1RB_Left	18.32
n7	10	15	2505	CP	64QAM	Edge_1RB_Right	18.49
n7	10	15	2505	CP	64QAM	Outer_Full	18.74
n7	10	15	2505	CP	256QAM	Inner_Full	15.69
n7	10	15	2505	CP	256QAM	Edge_1RB_Left	15.47
n7	10	15	2505	CP	256QAM	Edge_1RB_Right	15.54
n7	10	15	2505	CP	256QAM	Outer_Full	15.71
n7	10	15	2535	DFT	pi/2 BPSK	Inner_Full	22.36
n7	10	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	21.70
n7	10	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	21.76
n7	10	15	2535	DFT	pi/2 BPSK	Outer_Full	21.78
n7	10	15	2535	DFT	QPSK	Inner_Full	22.37
n7	10	15	2535	DFT	QPSK	Edge_1RB_Left	21.19



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n7	10	15	2535	DFT	QPSK	Edge_1RB_Right	21.24
n7	10	15	2535	DFT	QPSK	Outer_Full	21.34
n7	10	15	2535	DFT	16QAM	Inner_Full	21.27
n7	10	15	2535	DFT	16QAM	Edge_1RB_Left	20.59
n7	10	15	2535	DFT	16QAM	Edge_1RB_Right	20.57
n7	10	15	2535	DFT	16QAM	Outer_Full	20.20
n7	10	15	2535	DFT	64QAM	Inner_Full	19.86
n7	10	15	2535	DFT	64QAM	Edge_1RB_Left	19.57
n7	10	15	2535	DFT	64QAM	Edge_1RB_Right	19.60
n7	10	15	2535	DFT	64QAM	Outer_Full	19.80
n7	10	15	2535	DFT	256QAM	Inner_Full	17.72
n7	10	15	2535	DFT	256QAM	Edge_1RB_Left	17.38
n7	10	15	2535	DFT	256QAM	Edge_1RB_Right	17.49
n7	10	15	2535	DFT	256QAM	Outer_Full	17.68
n7	10	15	2535	CP	QPSK	Inner_Full	20.81
n7	10	15	2535	CP	QPSK	Edge_1RB_Left	19.21
n7	10	15	2535	CP	QPSK	Edge_1RB_Right	19.24
n7	10	15	2535	CP	QPSK	Outer_Full	19.19
n7	10	15	2535	CP	16QAM	Inner_Full	20.35
n7	10	15	2535	CP	16QAM	Edge_1RB_Left	19.60
n7	10	15	2535	CP	16QAM	Edge_1RB_Right	19.68
n7	10	15	2535	CP	16QAM	Outer_Full	19.29
n7	10	15	2535	CP	64QAM	Inner_Full	18.75
n7	10	15	2535	CP	64QAM	Edge_1RB_Left	18.43
n7	10	15	2535	CP	64QAM	Edge_1RB_Right	18.45
n7	10	15	2535	CP	64QAM	Outer_Full	18.79
n7	10	15	2535	CP	256QAM	Inner_Full	15.75
n7	10	15	2535	CP	256QAM	Edge_1RB_Left	15.48
n7	10	15	2535	CP	256QAM	Edge_1RB_Right	15.54
n7	10	15	2535	CP	256QAM	Outer_Full	15.74
n7	10	15	2565	DFT	pi/2 BPSK	Inner_Full	21.96
n7	10	15	2565	DFT	pi/2 BPSK	Edge_1RB_Left	21.40
n7	10	15	2565	DFT	pi/2 BPSK	Edge_1RB_Right	21.35
n7	10	15	2565	DFT	pi/2 BPSK	Outer_Full	21.39
n7	10	15	2565	DFT	QPSK	Inner_Full	21.96
n7	10	15	2565	DFT	QPSK	Edge_1RB_Left	20.98
n7	10	15	2565	DFT	QPSK	Edge_1RB_Right	20.77
n7	10	15	2565	DFT	QPSK	Outer_Full	20.97
n7	10	15	2565	DFT	16QAM	Inner_Full	20.89
n7	10	15	2565	DFT	16QAM	Edge_1RB_Left	20.23



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n7	10	15	2565	DFT	16QAM	Edge_1RB_Right	20.01
n7	10	15	2565	DFT	16QAM	Outer_Full	19.82
n7	10	15	2565	DFT	64QAM	Inner_Full	19.49
n7	10	15	2565	DFT	64QAM	Edge_1RB_Left	19.27
n7	10	15	2565	DFT	64QAM	Edge_1RB_Right	19.11
n7	10	15	2565	DFT	64QAM	Outer_Full	19.46
n7	10	15	2565	DFT	256QAM	Inner_Full	17.36
n7	10	15	2565	DFT	256QAM	Edge_1RB_Left	17.10
n7	10	15	2565	DFT	256QAM	Edge_1RB_Right	17.01
n7	10	15	2565	DFT	256QAM	Outer_Full	17.32
n7	10	15	2565	CP	QPSK	Inner_Full	20.44
n7	10	15	2565	CP	QPSK	Edge_1RB_Left	18.89
n7	10	15	2565	CP	QPSK	Edge_1RB_Right	18.77
n7	10	15	2565	CP	QPSK	Outer_Full	18.85
n7	10	15	2565	CP	16QAM	Inner_Full	19.96
n7	10	15	2565	CP	16QAM	Edge_1RB_Left	19.39
n7	10	15	2565	CP	16QAM	Edge_1RB_Right	19.21
n7	10	15	2565	CP	16QAM	Outer_Full	18.91
n7	10	15	2565	CP	64QAM	Inner_Full	18.38
n7	10	15	2565	CP	64QAM	Edge_1RB_Left	18.15
n7	10	15	2565	CP	64QAM	Edge_1RB_Right	18.07
n7	10	15	2565	CP	64QAM	Outer_Full	18.44
n7	10	15	2565	CP	256QAM	Inner_Full	15.35
n7	10	15	2565	CP	256QAM	Edge_1RB_Left	15.17
n7	10	15	2565	CP	256QAM	Edge_1RB_Right	15.12
n7	10	15	2565	CP	256QAM	Outer_Full	15.36
n7	15	15	2507.5	DFT	pi/2 BPSK	Inner_Full	22.45
n7	15	15	2507.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.55
n7	15	15	2507.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.80
n7	15	15	2507.5	DFT	pi/2 BPSK	Outer_Full	21.84
n7	15	15	2507.5	DFT	QPSK	Inner_Full	21.56
n7	15	15	2507.5	DFT	QPSK	Edge_1RB_Left	19.94
n7	15	15	2507.5	DFT	QPSK	Edge_1RB_Right	21.20
n7	15	15	2507.5	DFT	QPSK	Outer_Full	20.74
n7	15	15	2507.5	DFT	16QAM	Inner_Full	20.59
n7	15	15	2507.5	DFT	16QAM	Edge_1RB_Left	19.31
n7	15	15	2507.5	DFT	16QAM	Edge_1RB_Right	20.59
n7	15	15	2507.5	DFT	16QAM	Outer_Full	19.78
n7	15	15	2507.5	DFT	64QAM	Inner_Full	19.21
n7	15	15	2507.5	DFT	64QAM	Edge_1RB_Left	18.44



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n7	15	15	2507.5	DFT	64QAM	Edge_1RB_Right	19.66
n7	15	15	2507.5	DFT	64QAM	Outer_Full	19.37
n7	15	15	2507.5	DFT	256QAM	Inner_Full	17.82
n7	15	15	2507.5	DFT	256QAM	Edge_1RB_Left	16.88
n7	15	15	2507.5	DFT	256QAM	Edge_1RB_Right	17.55
n7	15	15	2507.5	DFT	256QAM	Outer_Full	17.82
n7	15	15	2507.5	CP	QPSK	Inner_Full	20.38
n7	15	15	2507.5	CP	QPSK	Edge_1RB_Left	18.68
n7	15	15	2507.5	CP	QPSK	Edge_1RB_Right	19.28
n7	15	15	2507.5	CP	QPSK	Outer_Full	19.33
n7	15	15	2507.5	CP	16QAM	Inner_Full	19.66
n7	15	15	2507.5	CP	16QAM	Edge_1RB_Left	18.91
n7	15	15	2507.5	CP	16QAM	Edge_1RB_Right	19.72
n7	15	15	2507.5	CP	16QAM	Outer_Full	19.27
n7	15	15	2507.5	CP	64QAM	Inner_Full	18.87
n7	15	15	2507.5	CP	64QAM	Edge_1RB_Left	18.34
n7	15	15	2507.5	CP	64QAM	Edge_1RB_Right	18.52
n7	15	15	2507.5	CP	64QAM	Outer_Full	18.84
n7	15	15	2507.5	CP	256QAM	Inner_Full	15.85
n7	15	15	2507.5	CP	256QAM	Edge_1RB_Left	15.58
n7	15	15	2507.5	CP	256QAM	Edge_1RB_Right	15.63
n7	15	15	2507.5	CP	256QAM	Outer_Full	15.90
n7	15	15	2535	DFT	pi/2 BPSK	Inner_Full	22.47
n7	15	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	21.85
n7	15	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	21.89
n7	15	15	2535	DFT	pi/2 BPSK	Outer_Full	21.98
n7	15	15	2535	DFT	QPSK	Inner_Full	22.46
n7	15	15	2535	DFT	QPSK	Edge_1RB_Left	21.46
n7	15	15	2535	DFT	QPSK	Edge_1RB_Right	21.44
n7	15	15	2535	DFT	QPSK	Outer_Full	21.46
n7	15	15	2535	DFT	16QAM	Inner_Full	21.46
n7	15	15	2535	DFT	16QAM	Edge_1RB_Left	20.74
n7	15	15	2535	DFT	16QAM	Edge_1RB_Right	20.71
n7	15	15	2535	DFT	16QAM	Outer_Full	20.50
n7	15	15	2535	DFT	64QAM	Inner_Full	19.93
n7	15	15	2535	DFT	64QAM	Edge_1RB_Left	19.79
n7	15	15	2535	DFT	64QAM	Edge_1RB_Right	19.77
n7	15	15	2535	DFT	64QAM	Outer_Full	20.03
n7	15	15	2535	DFT	256QAM	Inner_Full	17.86
n7	15	15	2535	DFT	256QAM	Edge_1RB_Left	17.63



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n7	15	15	2535	DFT	256QAM	Edge_1RB_Right	17.64
n7	15	15	2535	DFT	256QAM	Outer_Full	17.91
n7	15	15	2535	CP	QPSK	Inner_Full	20.88
n7	15	15	2535	CP	QPSK	Edge_1RB_Left	19.34
n7	15	15	2535	CP	QPSK	Edge_1RB_Right	19.37
n7	15	15	2535	CP	QPSK	Outer_Full	19.35
n7	15	15	2535	CP	16QAM	Inner_Full	20.44
n7	15	15	2535	CP	16QAM	Edge_1RB_Left	19.82
n7	15	15	2535	CP	16QAM	Edge_1RB_Right	19.83
n7	15	15	2535	CP	16QAM	Outer_Full	19.42
n7	15	15	2535	CP	64QAM	Inner_Full	18.92
n7	15	15	2535	CP	64QAM	Edge_1RB_Left	18.64
n7	15	15	2535	CP	64QAM	Edge_1RB_Right	18.60
n7	15	15	2535	CP	64QAM	Outer_Full	18.90
n7	15	15	2535	CP	256QAM	Inner_Full	15.94
n7	15	15	2535	CP	256QAM	Edge_1RB_Left	15.66
n7	15	15	2535	CP	256QAM	Edge_1RB_Right	15.68
n7	15	15	2535	CP	256QAM	Outer_Full	15.90
n7	15	15	2562.5	DFT	pi/2 BPSK	Inner_Full	22.15
n7	15	15	2562.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.70
n7	15	15	2562.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.45
n7	15	15	2562.5	DFT	pi/2 BPSK	Outer_Full	21.56
n7	15	15	2562.5	DFT	QPSK	Inner_Full	22.16
n7	15	15	2562.5	DFT	QPSK	Edge_1RB_Left	21.15
n7	15	15	2562.5	DFT	QPSK	Edge_1RB_Right	20.98
n7	15	15	2562.5	DFT	QPSK	Outer_Full	21.11
n7	15	15	2562.5	DFT	16QAM	Inner_Full	21.16
n7	15	15	2562.5	DFT	16QAM	Edge_1RB_Left	20.57
n7	15	15	2562.5	DFT	16QAM	Edge_1RB_Right	20.30
n7	15	15	2562.5	DFT	16QAM	Outer_Full	20.13
n7	15	15	2562.5	DFT	64QAM	Inner_Full	19.63
n7	15	15	2562.5	DFT	64QAM	Edge_1RB_Left	19.61
n7	15	15	2562.5	DFT	64QAM	Edge_1RB_Right	19.26
n7	15	15	2562.5	DFT	64QAM	Outer_Full	19.66
n7	15	15	2562.5	DFT	256QAM	Inner_Full	17.66
n7	15	15	2562.5	DFT	256QAM	Edge_1RB_Left	17.48
n7	15	15	2562.5	DFT	256QAM	Edge_1RB_Right	17.16
n7	15	15	2562.5	DFT	256QAM	Outer_Full	17.46
n7	15	15	2562.5	CP	QPSK	Inner_Full	20.67
n7	15	15	2562.5	CP	QPSK	Edge_1RB_Left	19.22



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n7	15	15	2562.5	CP	QPSK	Edge_1RB_Right	18.88
n7	15	15	2562.5	CP	QPSK	Outer_Full	19.15
n7	15	15	2562.5	CP	16QAM	Inner_Full	20.22
n7	15	15	2562.5	CP	16QAM	Edge_1RB_Left	19.63
n7	15	15	2562.5	CP	16QAM	Edge_1RB_Right	19.36
n7	15	15	2562.5	CP	16QAM	Outer_Full	19.03
n7	15	15	2562.5	CP	64QAM	Inner_Full	18.57
n7	15	15	2562.5	CP	64QAM	Edge_1RB_Left	18.49
n7	15	15	2562.5	CP	64QAM	Edge_1RB_Right	18.19
n7	15	15	2562.5	CP	64QAM	Outer_Full	18.55
n7	15	15	2562.5	CP	256QAM	Inner_Full	15.64
n7	15	15	2562.5	CP	256QAM	Edge_1RB_Left	15.51
n7	15	15	2562.5	CP	256QAM	Edge_1RB_Right	15.24
n7	15	15	2562.5	CP	256QAM	Outer_Full	15.62
n7	20	15	2510	DFT	pi/2 BPSK	Inner_Full	22.36
n7	20	15	2510	DFT	pi/2 BPSK	Edge_1RB_Left	21.54
n7	20	15	2510	DFT	pi/2 BPSK	Edge_1RB_Right	21.78
n7	20	15	2510	DFT	pi/2 BPSK	Outer_Full	21.82
n7	20	15	2510	DFT	QPSK	Inner_Full	21.83
n7	20	15	2510	DFT	QPSK	Edge_1RB_Left	19.92
n7	20	15	2510	DFT	QPSK	Edge_1RB_Right	21.27
n7	20	15	2510	DFT	QPSK	Outer_Full	20.89
n7	20	15	2510	DFT	16QAM	Inner_Full	20.80
n7	20	15	2510	DFT	16QAM	Edge_1RB_Left	19.29
n7	20	15	2510	DFT	16QAM	Edge_1RB_Right	20.58
n7	20	15	2510	DFT	16QAM	Outer_Full	19.92
n7	20	15	2510	DFT	64QAM	Inner_Full	19.46
n7	20	15	2510	DFT	64QAM	Edge_1RB_Left	18.43
n7	20	15	2510	DFT	64QAM	Edge_1RB_Right	19.66
n7	20	15	2510	DFT	64QAM	Outer_Full	19.49
n7	20	15	2510	DFT	256QAM	Inner_Full	17.85
n7	20	15	2510	DFT	256QAM	Edge_1RB_Left	16.84
n7	20	15	2510	DFT	256QAM	Edge_1RB_Right	17.46
n7	20	15	2510	DFT	256QAM	Outer_Full	17.84
n7	20	15	2510	CP	QPSK	Inner_Full	20.66
n7	20	15	2510	CP	QPSK	Edge_1RB_Left	18.66
n7	20	15	2510	CP	QPSK	Edge_1RB_Right	19.30
n7	20	15	2510	CP	QPSK	Outer_Full	19.30
n7	20	15	2510	CP	16QAM	Inner_Full	19.92
n7	20	15	2510	CP	16QAM	Edge_1RB_Left	18.90



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n7	20	15	2510	CP	16QAM	Edge_1RB_Right	19.70
n7	20	15	2510	CP	16QAM	Outer_Full	19.28
n7	20	15	2510	CP	64QAM	Inner_Full	18.86
n7	20	15	2510	CP	64QAM	Edge_1RB_Left	18.35
n7	20	15	2510	CP	64QAM	Edge_1RB_Right	18.55
n7	20	15	2510	CP	64QAM	Outer_Full	18.85
n7	20	15	2510	CP	256QAM	Inner_Full	15.76
n7	20	15	2510	CP	256QAM	Edge_1RB_Left	15.64
n7	20	15	2510	CP	256QAM	Edge_1RB_Right	15.64
n7	20	15	2510	CP	256QAM	Outer_Full	15.81
n7	20	15	2535	DFT	pi/2 BPSK	Inner_Full	22.33
n7	20	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	21.90
n7	20	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	21.92
n7	20	15	2535	DFT	pi/2 BPSK	Outer_Full	21.99
n7	20	15	2535	DFT	QPSK	Inner_Full	22.50
n7	20	15	2535	DFT	QPSK	Edge_1RB_Left	21.40
n7	20	15	2535	DFT	QPSK	Edge_1RB_Right	21.42
n7	20	15	2535	DFT	QPSK	Outer_Full	21.47
n7	20	15	2535	DFT	16QAM	Inner_Full	21.37
n7	20	15	2535	DFT	16QAM	Edge_1RB_Left	20.68
n7	20	15	2535	DFT	16QAM	Edge_1RB_Right	20.72
n7	20	15	2535	DFT	16QAM	Outer_Full	20.45
n7	20	15	2535	DFT	64QAM	Inner_Full	19.93
n7	20	15	2535	DFT	64QAM	Edge_1RB_Left	19.77
n7	20	15	2535	DFT	64QAM	Edge_1RB_Right	19.73
n7	20	15	2535	DFT	64QAM	Outer_Full	20.01
n7	20	15	2535	DFT	256QAM	Inner_Full	17.84
n7	20	15	2535	DFT	256QAM	Edge_1RB_Left	17.65
n7	20	15	2535	DFT	256QAM	Edge_1RB_Right	17.62
n7	20	15	2535	DFT	256QAM	Outer_Full	17.89
n7	20	15	2535	CP	QPSK	Inner_Full	20.88
n7	20	15	2535	CP	QPSK	Edge_1RB_Left	19.34
n7	20	15	2535	CP	QPSK	Edge_1RB_Right	19.40
n7	20	15	2535	CP	QPSK	Outer_Full	19.42
n7	20	15	2535	CP	16QAM	Inner_Full	20.44
n7	20	15	2535	CP	16QAM	Edge_1RB_Left	19.78
n7	20	15	2535	CP	16QAM	Edge_1RB_Right	19.78
n7	20	15	2535	CP	16QAM	Outer_Full	19.42
n7	20	15	2535	CP	64QAM	Inner_Full	19.02
n7	20	15	2535	CP	64QAM	Edge_1RB_Left	18.63



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n7	20	15	2535	CP	64QAM	Edge_1RB_Right	18.65
n7	20	15	2535	CP	64QAM	Outer_Full	18.93
n7	20	15	2535	CP	256QAM	Inner_Full	15.84
n7	20	15	2535	CP	256QAM	Edge_1RB_Left	15.70
n7	20	15	2535	CP	256QAM	Edge_1RB_Right	15.77
n7	20	15	2535	CP	256QAM	Outer_Full	15.92
n7	20	15	2560	DFT	pi/2 BPSK	Inner_Full	22.19
n7	20	15	2560	DFT	pi/2 BPSK	Edge_1RB_Left	21.67
n7	20	15	2560	DFT	pi/2 BPSK	Edge_1RB_Right	21.41
n7	20	15	2560	DFT	pi/2 BPSK	Outer_Full	21.69
n7	20	15	2560	DFT	QPSK	Inner_Full	22.12
n7	20	15	2560	DFT	QPSK	Edge_1RB_Left	21.25
n7	20	15	2560	DFT	QPSK	Edge_1RB_Right	20.96
n7	20	15	2560	DFT	QPSK	Outer_Full	21.14
n7	20	15	2560	DFT	16QAM	Inner_Full	21.07
n7	20	15	2560	DFT	16QAM	Edge_1RB_Left	20.53
n7	20	15	2560	DFT	16QAM	Edge_1RB_Right	20.25
n7	20	15	2560	DFT	16QAM	Outer_Full	20.15
n7	20	15	2560	DFT	64QAM	Inner_Full	19.75
n7	20	15	2560	DFT	64QAM	Edge_1RB_Left	19.56
n7	20	15	2560	DFT	64QAM	Edge_1RB_Right	19.31
n7	20	15	2560	DFT	64QAM	Outer_Full	19.75
n7	20	15	2560	DFT	256QAM	Inner_Full	17.63
n7	20	15	2560	DFT	256QAM	Edge_1RB_Left	17.46
n7	20	15	2560	DFT	256QAM	Edge_1RB_Right	17.14
n7	20	15	2560	DFT	256QAM	Outer_Full	17.64
n7	20	15	2560	CP	QPSK	Inner_Full	20.69
n7	20	15	2560	CP	QPSK	Edge_1RB_Left	19.20
n7	20	15	2560	CP	QPSK	Edge_1RB_Right	18.92
n7	20	15	2560	CP	QPSK	Outer_Full	19.21
n7	20	15	2560	CP	16QAM	Inner_Full	20.19
n7	20	15	2560	CP	16QAM	Edge_1RB_Left	19.67
n7	20	15	2560	CP	16QAM	Edge_1RB_Right	19.36
n7	20	15	2560	CP	16QAM	Outer_Full	19.07
n7	20	15	2560	CP	64QAM	Inner_Full	18.80
n7	20	15	2560	CP	64QAM	Edge_1RB_Left	18.47
n7	20	15	2560	CP	64QAM	Edge_1RB_Right	18.24
n7	20	15	2560	CP	64QAM	Outer_Full	18.69
n7	20	15	2560	CP	256QAM	Inner_Full	15.64
n7	20	15	2560	CP	256QAM	Edge_1RB_Left	15.52



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n7	20	15	2560	CP	256QAM	Edge_1RB_Right	15.32
n7	20	15	2560	CP	256QAM	Outer_Full	15.68
n7	25	15	2512.5	DFT	pi/2 BPSK	Inner_Full	22.47
n7	25	15	2512.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.99
n7	25	15	2512.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.83
n7	25	15	2512.5	DFT	pi/2 BPSK	Outer_Full	21.95
n7	25	15	2512.5	DFT	QPSK	Inner_Full	22.48
n7	25	15	2512.5	DFT	QPSK	Edge_1RB_Left	21.05
n7	25	15	2512.5	DFT	QPSK	Edge_1RB_Right	21.35
n7	25	15	2512.5	DFT	QPSK	Outer_Full	21.48
n7	25	15	2512.5	DFT	16QAM	Inner_Full	21.51
n7	25	15	2512.5	DFT	16QAM	Edge_1RB_Left	20.40
n7	25	15	2512.5	DFT	16QAM	Edge_1RB_Right	20.62
n7	25	15	2512.5	DFT	16QAM	Outer_Full	20.47
n7	25	15	2512.5	DFT	64QAM	Inner_Full	20.01
n7	25	15	2512.5	DFT	64QAM	Edge_1RB_Left	19.56
n7	25	15	2512.5	DFT	64QAM	Edge_1RB_Right	19.70
n7	25	15	2512.5	DFT	64QAM	Outer_Full	19.99
n7	25	15	2512.5	DFT	256QAM	Inner_Full	17.91
n7	25	15	2512.5	DFT	256QAM	Edge_1RB_Left	17.74
n7	25	15	2512.5	DFT	256QAM	Edge_1RB_Right	17.67
n7	25	15	2512.5	DFT	256QAM	Outer_Full	17.88
n7	25	15	2512.5	CP	QPSK	Inner_Full	21.03
n7	25	15	2512.5	CP	QPSK	Edge_1RB_Left	19.42
n7	25	15	2512.5	CP	QPSK	Edge_1RB_Right	19.39
n7	25	15	2512.5	CP	QPSK	Outer_Full	19.46
n7	25	15	2512.5	CP	16QAM	Inner_Full	20.38
n7	25	15	2512.5	CP	16QAM	Edge_1RB_Left	19.80
n7	25	15	2512.5	CP	16QAM	Edge_1RB_Right	19.87
n7	25	15	2512.5	CP	16QAM	Outer_Full	19.43
n7	25	15	2512.5	CP	64QAM	Inner_Full	19.00
n7	25	15	2512.5	CP	64QAM	Edge_1RB_Left	18.60
n7	25	15	2512.5	CP	64QAM	Edge_1RB_Right	18.68
n7	25	15	2512.5	CP	64QAM	Outer_Full	18.95
n7	25	15	2512.5	CP	256QAM	Inner_Full	15.98
n7	25	15	2512.5	CP	256QAM	Edge_1RB_Left	15.79
n7	25	15	2512.5	CP	256QAM	Edge_1RB_Right	15.73
n7	25	15	2512.5	CP	256QAM	Outer_Full	15.89
n7	25	15	2535	DFT	pi/2 BPSK	Inner_Full	22.44
n7	25	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	21.98



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n7	25	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	21.88
n7	25	15	2535	DFT	pi/2 BPSK	Outer_Full	21.92
n7	25	15	2535	DFT	QPSK	Inner_Full	22.42
n7	25	15	2535	DFT	QPSK	Edge_1RB_Left	21.57
n7	25	15	2535	DFT	QPSK	Edge_1RB_Right	21.45
n7	25	15	2535	DFT	QPSK	Outer_Full	21.48
n7	25	15	2535	DFT	16QAM	Inner_Full	21.46
n7	25	15	2535	DFT	16QAM	Edge_1RB_Left	20.84
n7	25	15	2535	DFT	16QAM	Edge_1RB_Right	20.74
n7	25	15	2535	DFT	16QAM	Outer_Full	20.47
n7	25	15	2535	DFT	64QAM	Inner_Full	19.93
n7	25	15	2535	DFT	64QAM	Edge_1RB_Left	19.93
n7	25	15	2535	DFT	64QAM	Edge_1RB_Right	19.82
n7	25	15	2535	DFT	64QAM	Outer_Full	19.93
n7	25	15	2535	DFT	256QAM	Inner_Full	17.86
n7	25	15	2535	DFT	256QAM	Edge_1RB_Left	17.80
n7	25	15	2535	DFT	256QAM	Edge_1RB_Right	17.66
n7	25	15	2535	DFT	256QAM	Outer_Full	18.00
n7	25	15	2535	CP	QPSK	Inner_Full	20.96
n7	25	15	2535	CP	QPSK	Edge_1RB_Left	19.46
n7	25	15	2535	CP	QPSK	Edge_1RB_Right	19.36
n7	25	15	2535	CP	QPSK	Outer_Full	19.37
n7	25	15	2535	CP	16QAM	Inner_Full	20.43
n7	25	15	2535	CP	16QAM	Edge_1RB_Left	19.92
n7	25	15	2535	CP	16QAM	Edge_1RB_Right	19.80
n7	25	15	2535	CP	16QAM	Outer_Full	19.41
n7	25	15	2535	CP	64QAM	Inner_Full	18.93
n7	25	15	2535	CP	64QAM	Edge_1RB_Left	18.75
n7	25	15	2535	CP	64QAM	Edge_1RB_Right	18.66
n7	25	15	2535	CP	64QAM	Outer_Full	18.88
n7	25	15	2535	CP	256QAM	Inner_Full	15.97
n7	25	15	2535	CP	256QAM	Edge_1RB_Left	15.89
n7	25	15	2535	CP	256QAM	Edge_1RB_Right	15.73
n7	25	15	2535	CP	256QAM	Outer_Full	15.97
n7	25	15	2557.5	DFT	pi/2 BPSK	Inner_Full	22.13
n7	25	15	2557.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.76
n7	25	15	2557.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.45
n7	25	15	2557.5	DFT	pi/2 BPSK	Outer_Full	21.67
n7	25	15	2557.5	DFT	QPSK	Inner_Full	22.13
n7	25	15	2557.5	DFT	QPSK	Edge_1RB_Left	21.36



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n7	25	15	2557.5	DFT	QPSK	Edge_1RB_Right	20.96
n7	25	15	2557.5	DFT	QPSK	Outer_Full	21.16
n7	25	15	2557.5	DFT	16QAM	Inner_Full	21.17
n7	25	15	2557.5	DFT	16QAM	Edge_1RB_Left	20.62
n7	25	15	2557.5	DFT	16QAM	Edge_1RB_Right	20.29
n7	25	15	2557.5	DFT	16QAM	Outer_Full	20.18
n7	25	15	2557.5	DFT	64QAM	Inner_Full	19.67
n7	25	15	2557.5	DFT	64QAM	Edge_1RB_Left	19.70
n7	25	15	2557.5	DFT	64QAM	Edge_1RB_Right	19.27
n7	25	15	2557.5	DFT	64QAM	Outer_Full	19.75
n7	25	15	2557.5	DFT	256QAM	Inner_Full	17.64
n7	25	15	2557.5	DFT	256QAM	Edge_1RB_Left	17.56
n7	25	15	2557.5	DFT	256QAM	Edge_1RB_Right	17.19
n7	25	15	2557.5	DFT	256QAM	Outer_Full	17.68
n7	25	15	2557.5	CP	QPSK	Inner_Full	20.68
n7	25	15	2557.5	CP	QPSK	Edge_1RB_Left	19.17
n7	25	15	2557.5	CP	QPSK	Edge_1RB_Right	18.94
n7	25	15	2557.5	CP	QPSK	Outer_Full	19.21
n7	25	15	2557.5	CP	16QAM	Inner_Full	20.19
n7	25	15	2557.5	CP	16QAM	Edge_1RB_Left	19.67
n7	25	15	2557.5	CP	16QAM	Edge_1RB_Right	19.37
n7	25	15	2557.5	CP	16QAM	Outer_Full	19.16
n7	25	15	2557.5	CP	64QAM	Inner_Full	18.80
n7	25	15	2557.5	CP	64QAM	Edge_1RB_Left	18.53
n7	25	15	2557.5	CP	64QAM	Edge_1RB_Right	18.22
n7	25	15	2557.5	CP	64QAM	Outer_Full	18.72
n7	25	15	2557.5	CP	256QAM	Inner_Full	15.71
n7	25	15	2557.5	CP	256QAM	Edge_1RB_Left	15.63
n7	25	15	2557.5	CP	256QAM	Edge_1RB_Right	15.23
n7	25	15	2557.5	CP	256QAM	Outer_Full	15.67
n7	30	15	2515	DFT	pi/2 BPSK	Inner_Full	22.45
n7	30	15	2515	DFT	pi/2 BPSK	Edge_1RB_Left	21.98
n7	30	15	2515	DFT	pi/2 BPSK	Edge_1RB_Right	21.82
n7	30	15	2515	DFT	pi/2 BPSK	Outer_Full	22.01
n7	30	15	2515	DFT	QPSK	Inner_Full	22.52
n7	30	15	2515	DFT	QPSK	Edge_1RB_Left	21.05
n7	30	15	2515	DFT	QPSK	Edge_1RB_Right	21.35
n7	30	15	2515	DFT	QPSK	Outer_Full	21.54
n7	30	15	2515	DFT	16QAM	Inner_Full	21.46
n7	30	15	2515	DFT	16QAM	Edge_1RB_Left	20.41



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n7	30	15	2515	DFT	16QAM	Edge_1RB_Right	20.63
n7	30	15	2515	DFT	16QAM	Outer_Full	20.52
n7	30	15	2515	DFT	64QAM	Inner_Full	19.96
n7	30	15	2515	DFT	64QAM	Edge_1RB_Left	19.56
n7	30	15	2515	DFT	64QAM	Edge_1RB_Right	19.68
n7	30	15	2515	DFT	64QAM	Outer_Full	19.96
n7	30	15	2515	DFT	256QAM	Inner_Full	17.90
n7	30	15	2515	DFT	256QAM	Edge_1RB_Left	17.69
n7	30	15	2515	DFT	256QAM	Edge_1RB_Right	17.73
n7	30	15	2515	DFT	256QAM	Outer_Full	17.91
n7	30	15	2515	CP	QPSK	Inner_Full	20.93
n7	30	15	2515	CP	QPSK	Edge_1RB_Left	19.42
n7	30	15	2515	CP	QPSK	Edge_1RB_Right	19.44
n7	30	15	2515	CP	QPSK	Outer_Full	19.45
n7	30	15	2515	CP	16QAM	Inner_Full	20.44
n7	30	15	2515	CP	16QAM	Edge_1RB_Left	19.83
n7	30	15	2515	CP	16QAM	Edge_1RB_Right	19.76
n7	30	15	2515	CP	16QAM	Outer_Full	19.48
n7	30	15	2515	CP	64QAM	Inner_Full	18.98
n7	30	15	2515	CP	64QAM	Edge_1RB_Left	18.61
n7	30	15	2515	CP	64QAM	Edge_1RB_Right	18.66
n7	30	15	2515	CP	64QAM	Outer_Full	18.99
n7	30	15	2515	CP	256QAM	Inner_Full	15.88
n7	30	15	2515	CP	256QAM	Edge_1RB_Left	15.81
n7	30	15	2515	CP	256QAM	Edge_1RB_Right	15.75
n7	30	15	2515	CP	256QAM	Outer_Full	15.99
n7	30	15	2535	DFT	pi/2 BPSK	Inner_Full	22.45
n7	30	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	22.02
n7	30	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	21.90
n7	30	15	2535	DFT	pi/2 BPSK	Outer_Full	21.96
n7	30	15	2535	DFT	QPSK	Inner_Full	22.49
n7	30	15	2535	DFT	QPSK	Edge_1RB_Left	21.53
n7	30	15	2535	DFT	QPSK	Edge_1RB_Right	21.35
n7	30	15	2535	DFT	QPSK	Outer_Full	21.53
n7	30	15	2535	DFT	16QAM	Inner_Full	21.43
n7	30	15	2535	DFT	16QAM	Edge_1RB_Left	20.90
n7	30	15	2535	DFT	16QAM	Edge_1RB_Right	20.64
n7	30	15	2535	DFT	16QAM	Outer_Full	20.48
n7	30	15	2535	DFT	64QAM	Inner_Full	19.92
n7	30	15	2535	DFT	64QAM	Edge_1RB_Left	19.91



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n7	30	15	2535	DFT	64QAM	Edge_1RB_Right	19.78
n7	30	15	2535	DFT	64QAM	Outer_Full	19.92
n7	30	15	2535	DFT	256QAM	Inner_Full	17.86
n7	30	15	2535	DFT	256QAM	Edge_1RB_Left	17.73
n7	30	15	2535	DFT	256QAM	Edge_1RB_Right	17.62
n7	30	15	2535	DFT	256QAM	Outer_Full	17.92
n7	30	15	2535	CP	QPSK	Inner_Full	20.94
n7	30	15	2535	CP	QPSK	Edge_1RB_Left	19.47
n7	30	15	2535	CP	QPSK	Edge_1RB_Right	19.40
n7	30	15	2535	CP	QPSK	Outer_Full	19.39
n7	30	15	2535	CP	16QAM	Inner_Full	20.37
n7	30	15	2535	CP	16QAM	Edge_1RB_Left	19.96
n7	30	15	2535	CP	16QAM	Edge_1RB_Right	19.85
n7	30	15	2535	CP	16QAM	Outer_Full	19.38
n7	30	15	2535	CP	64QAM	Inner_Full	18.89
n7	30	15	2535	CP	64QAM	Edge_1RB_Left	18.77
n7	30	15	2535	CP	64QAM	Edge_1RB_Right	18.70
n7	30	15	2535	CP	64QAM	Outer_Full	18.95
n7	30	15	2535	CP	256QAM	Inner_Full	15.88
n7	30	15	2535	CP	256QAM	Edge_1RB_Left	15.80
n7	30	15	2535	CP	256QAM	Edge_1RB_Right	15.81
n7	30	15	2535	CP	256QAM	Outer_Full	16.06
n7	30	15	2555	DFT	pi/2 BPSK	Inner_Full	22.18
n7	30	15	2555	DFT	pi/2 BPSK	Edge_1RB_Left	21.76
n7	30	15	2555	DFT	pi/2 BPSK	Edge_1RB_Right	21.46
n7	30	15	2555	DFT	pi/2 BPSK	Outer_Full	21.68
n7	30	15	2555	DFT	QPSK	Inner_Full	22.18
n7	30	15	2555	DFT	QPSK	Edge_1RB_Left	21.34
n7	30	15	2555	DFT	QPSK	Edge_1RB_Right	20.98
n7	30	15	2555	DFT	QPSK	Outer_Full	21.21
n7	30	15	2555	DFT	16QAM	Inner_Full	21.15
n7	30	15	2555	DFT	16QAM	Edge_1RB_Left	20.61
n7	30	15	2555	DFT	16QAM	Edge_1RB_Right	20.29
n7	30	15	2555	DFT	16QAM	Outer_Full	20.18
n7	30	15	2555	DFT	64QAM	Inner_Full	19.65
n7	30	15	2555	DFT	64QAM	Edge_1RB_Left	19.62
n7	30	15	2555	DFT	64QAM	Edge_1RB_Right	19.33
n7	30	15	2555	DFT	64QAM	Outer_Full	19.63
n7	30	15	2555	DFT	256QAM	Inner_Full	17.75
n7	30	15	2555	DFT	256QAM	Edge_1RB_Left	17.51



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n7	30	15	2555	DFT	256QAM	Edge_1RB_Right	17.20
n7	30	15	2555	DFT	256QAM	Outer_Full	17.77
n7	30	15	2555	CP	QPSK	Inner_Full	20.80
n7	30	15	2555	CP	QPSK	Edge_1RB_Left	19.22
n7	30	15	2555	CP	QPSK	Edge_1RB_Right	18.99
n7	30	15	2555	CP	QPSK	Outer_Full	19.27
n7	30	15	2555	CP	16QAM	Inner_Full	20.22
n7	30	15	2555	CP	16QAM	Edge_1RB_Left	19.69
n7	30	15	2555	CP	16QAM	Edge_1RB_Right	19.41
n7	30	15	2555	CP	16QAM	Outer_Full	19.26
n7	30	15	2555	CP	64QAM	Inner_Full	18.78
n7	30	15	2555	CP	64QAM	Edge_1RB_Left	18.56
n7	30	15	2555	CP	64QAM	Edge_1RB_Right	18.27
n7	30	15	2555	CP	64QAM	Outer_Full	18.78
n7	30	15	2555	CP	256QAM	Inner_Full	15.67
n7	30	15	2555	CP	256QAM	Edge_1RB_Left	15.56
n7	30	15	2555	CP	256QAM	Edge_1RB_Right	15.34
n7	30	15	2555	CP	256QAM	Outer_Full	15.71
n7	40	15	2520	DFT	pi/2 BPSK	Inner_Full	22.52
n7	40	15	2520	DFT	pi/2 BPSK	Edge_1RB_Left	22.04
n7	40	15	2520	DFT	pi/2 BPSK	Edge_1RB_Right	21.88
n7	40	15	2520	DFT	pi/2 BPSK	Outer_Full	22.07
n7	40	15	2520	DFT	QPSK	Inner_Full	22.58
n7	40	15	2520	DFT	QPSK	Edge_1RB_Left	21.02
n7	40	15	2520	DFT	QPSK	Edge_1RB_Right	21.42
n7	40	15	2520	DFT	QPSK	Outer_Full	21.55
n7	40	15	2520	DFT	16QAM	Inner_Full	21.58
n7	40	15	2520	DFT	16QAM	Edge_1RB_Left	20.37
n7	40	15	2520	DFT	16QAM	Edge_1RB_Right	20.70
n7	40	15	2520	DFT	16QAM	Outer_Full	20.61
n7	40	15	2520	DFT	64QAM	Inner_Full	20.02
n7	40	15	2520	DFT	64QAM	Edge_1RB_Left	19.50
n7	40	15	2520	DFT	64QAM	Edge_1RB_Right	19.77
n7	40	15	2520	DFT	64QAM	Outer_Full	20.00
n7	40	15	2520	DFT	256QAM	Inner_Full	18.00
n7	40	15	2520	DFT	256QAM	Edge_1RB_Left	17.73
n7	40	15	2520	DFT	256QAM	Edge_1RB_Right	17.73
n7	40	15	2520	DFT	256QAM	Outer_Full	18.03
n7	40	15	2520	CP	QPSK	Inner_Full	21.02
n7	40	15	2520	CP	QPSK	Edge_1RB_Left	19.47



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n7	40	15	2520	CP	QPSK	Edge_1RB_Right	19.37
n7	40	15	2520	CP	QPSK	Outer_Full	19.49
n7	40	15	2520	CP	16QAM	Inner_Full	20.59
n7	40	15	2520	CP	16QAM	Edge_1RB_Left	19.85
n7	40	15	2520	CP	16QAM	Edge_1RB_Right	19.74
n7	40	15	2520	CP	16QAM	Outer_Full	19.56
n7	40	15	2520	CP	64QAM	Inner_Full	19.04
n7	40	15	2520	CP	64QAM	Edge_1RB_Left	18.74
n7	40	15	2520	CP	64QAM	Edge_1RB_Right	18.63
n7	40	15	2520	CP	64QAM	Outer_Full	19.01
n7	40	15	2520	CP	256QAM	Inner_Full	16.01
n7	40	15	2520	CP	256QAM	Edge_1RB_Left	15.88
n7	40	15	2520	CP	256QAM	Edge_1RB_Right	15.82
n7	40	15	2520	CP	256QAM	Outer_Full	15.95
n7	40	15	2535	DFT	pi/2 BPSK	Inner_Full	22.44
n7	40	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	22.06
n7	40	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	21.77
n7	40	15	2535	DFT	pi/2 BPSK	Outer_Full	21.93
n7	40	15	2535	DFT	QPSK	Inner_Full	22.47
n7	40	15	2535	DFT	QPSK	Edge_1RB_Left	21.57
n7	40	15	2535	DFT	QPSK	Edge_1RB_Right	21.30
n7	40	15	2535	DFT	QPSK	Outer_Full	21.52
n7	40	15	2535	DFT	16QAM	Inner_Full	21.50
n7	40	15	2535	DFT	16QAM	Edge_1RB_Left	20.82
n7	40	15	2535	DFT	16QAM	Edge_1RB_Right	20.58
n7	40	15	2535	DFT	16QAM	Outer_Full	20.49
n7	40	15	2535	DFT	64QAM	Inner_Full	19.94
n7	40	15	2535	DFT	64QAM	Edge_1RB_Left	19.94
n7	40	15	2535	DFT	64QAM	Edge_1RB_Right	19.62
n7	40	15	2535	DFT	64QAM	Outer_Full	19.90
n7	40	15	2535	DFT	256QAM	Inner_Full	17.89
n7	40	15	2535	DFT	256QAM	Edge_1RB_Left	17.84
n7	40	15	2535	DFT	256QAM	Edge_1RB_Right	17.69
n7	40	15	2535	DFT	256QAM	Outer_Full	17.89
n7	40	15	2535	CP	QPSK	Inner_Full	20.96
n7	40	15	2535	CP	QPSK	Edge_1RB_Left	19.47
n7	40	15	2535	CP	QPSK	Edge_1RB_Right	19.39
n7	40	15	2535	CP	QPSK	Outer_Full	19.42
n7	40	15	2535	CP	16QAM	Inner_Full	20.50
n7	40	15	2535	CP	16QAM	Edge_1RB_Left	19.89



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n7	40	15	2535	CP	16QAM	Edge_1RB_Right	19.81
n7	40	15	2535	CP	16QAM	Outer_Full	19.47
n7	40	15	2535	CP	64QAM	Inner_Full	18.90
n7	40	15	2535	CP	64QAM	Edge_1RB_Left	18.78
n7	40	15	2535	CP	64QAM	Edge_1RB_Right	18.57
n7	40	15	2535	CP	64QAM	Outer_Full	18.94
n7	40	15	2535	CP	256QAM	Inner_Full	15.89
n7	40	15	2535	CP	256QAM	Edge_1RB_Left	15.88
n7	40	15	2535	CP	256QAM	Edge_1RB_Right	15.82
n7	40	15	2535	CP	256QAM	Outer_Full	15.94
n7	40	15	2550	DFT	pi/2 BPSK	Inner_Full	22.32
n7	40	15	2550	DFT	pi/2 BPSK	Edge_1RB_Left	21.88
n7	40	15	2550	DFT	pi/2 BPSK	Edge_1RB_Right	21.48
n7	40	15	2550	DFT	pi/2 BPSK	Outer_Full	21.79
n7	40	15	2550	DFT	QPSK	Inner_Full	22.26
n7	40	15	2550	DFT	QPSK	Edge_1RB_Left	21.35
n7	40	15	2550	DFT	QPSK	Edge_1RB_Right	21.03
n7	40	15	2550	DFT	QPSK	Outer_Full	21.25
n7	40	15	2550	DFT	16QAM	Inner_Full	21.32
n7	40	15	2550	DFT	16QAM	Edge_1RB_Left	20.64
n7	40	15	2550	DFT	16QAM	Edge_1RB_Right	20.29
n7	40	15	2550	DFT	16QAM	Outer_Full	20.22
n7	40	15	2550	DFT	64QAM	Inner_Full	19.68
n7	40	15	2550	DFT	64QAM	Edge_1RB_Left	19.71
n7	40	15	2550	DFT	64QAM	Edge_1RB_Right	19.38
n7	40	15	2550	DFT	64QAM	Outer_Full	19.79
n7	40	15	2550	DFT	256QAM	Inner_Full	17.82
n7	40	15	2550	DFT	256QAM	Edge_1RB_Left	17.65
n7	40	15	2550	DFT	256QAM	Edge_1RB_Right	17.30
n7	40	15	2550	DFT	256QAM	Outer_Full	17.73
n7	40	15	2550	CP	QPSK	Inner_Full	20.89
n7	40	15	2550	CP	QPSK	Edge_1RB_Left	19.35
n7	40	15	2550	CP	QPSK	Edge_1RB_Right	18.99
n7	40	15	2550	CP	QPSK	Outer_Full	19.30
n7	40	15	2550	CP	16QAM	Inner_Full	20.33
n7	40	15	2550	CP	16QAM	Edge_1RB_Left	19.71
n7	40	15	2550	CP	16QAM	Edge_1RB_Right	19.40
n7	40	15	2550	CP	16QAM	Outer_Full	19.35
n7	40	15	2550	CP	64QAM	Inner_Full	18.83
n7	40	15	2550	CP	64QAM	Edge_1RB_Left	18.51



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n7	40	15	2550	CP	64QAM	Edge_1RB_Right	18.27
n7	40	15	2550	CP	64QAM	Outer_Full	18.82
n7	40	15	2550	CP	256QAM	Inner_Full	15.78
n7	40	15	2550	CP	256QAM	Edge_1RB_Left	15.72
n7	40	15	2550	CP	256QAM	Edge_1RB_Right	15.34
n7	40	15	2550	CP	256QAM	Outer_Full	15.78

n38

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n38	20	30	2580	DFT	pi/2 BPSK	Inner_Full	22.72
n38	20	30	2580	DFT	pi/2 BPSK	Edge_1RB_Left	22.29
n38	20	30	2580	DFT	pi/2 BPSK	Edge_1RB_Right	22.25
n38	20	30	2580	DFT	pi/2 BPSK	Outer_Full	22.26
n38	20	30	2580	DFT	QPSK	Inner_Full	22.72
n38	20	30	2580	DFT	QPSK	Edge_1RB_Left	21.71
n38	20	30	2580	DFT	QPSK	Edge_1RB_Right	21.75
n38	20	30	2580	DFT	QPSK	Outer_Full	21.75
n38	20	30	2580	DFT	16QAM	Inner_Full	21.76
n38	20	30	2580	DFT	16QAM	Edge_1RB_Left	20.59
n38	20	30	2580	DFT	16QAM	Edge_1RB_Right	20.55
n38	20	30	2580	DFT	16QAM	Outer_Full	20.77
n38	20	30	2580	DFT	64QAM	Inner_Full	20.33
n38	20	30	2580	DFT	64QAM	Edge_1RB_Left	19.81
n38	20	30	2580	DFT	64QAM	Edge_1RB_Right	19.87
n38	20	30	2580	DFT	64QAM	Outer_Full	20.32
n38	20	30	2580	DFT	256QAM	Inner_Full	18.12
n38	20	30	2580	DFT	256QAM	Edge_1RB_Left	18.05
n38	20	30	2580	DFT	256QAM	Edge_1RB_Right	18.10
n38	20	30	2580	DFT	256QAM	Outer_Full	18.20
n38	20	30	2580	CP	QPSK	Inner_Full	21.16
n38	20	30	2580	CP	QPSK	Edge_1RB_Left	19.71
n38	20	30	2580	CP	QPSK	Edge_1RB_Right	19.73
n38	20	30	2580	CP	QPSK	Outer_Full	19.71
n38	20	30	2580	CP	16QAM	Inner_Full	20.83
n38	20	30	2580	CP	16QAM	Edge_1RB_Left	19.61
n38	20	30	2580	CP	16QAM	Edge_1RB_Right	19.66
n38	20	30	2580	CP	16QAM	Outer_Full	19.68
n38	20	30	2580	CP	64QAM	Inner_Full	19.22
n38	20	30	2580	CP	64QAM	Edge_1RB_Left	18.89
n38	20	30	2580	CP	64QAM	Edge_1RB_Right	18.95



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n38	20	30	2580	CP	64QAM	Outer_Full	19.23
n38	20	30	2580	CP	256QAM	Inner_Full	16.22
n38	20	30	2580	CP	256QAM	Edge_1RB_Left	16.01
n38	20	30	2580	CP	256QAM	Edge_1RB_Right	15.98
n38	20	30	2580	CP	256QAM	Outer_Full	16.23
n38	20	30	2595	DFT	pi/2 BPSK	Inner_Full	22.78
n38	20	30	2595	DFT	pi/2 BPSK	Edge_1RB_Left	22.18
n38	20	30	2595	DFT	pi/2 BPSK	Edge_1RB_Right	22.46
n38	20	30	2595	DFT	pi/2 BPSK	Outer_Full	22.37
n38	20	30	2595	DFT	QPSK	Inner_Full	22.81
n38	20	30	2595	DFT	QPSK	Edge_1RB_Left	21.68
n38	20	30	2595	DFT	QPSK	Edge_1RB_Right	22.02
n38	20	30	2595	DFT	QPSK	Outer_Full	21.87
n38	20	30	2595	DFT	16QAM	Inner_Full	21.84
n38	20	30	2595	DFT	16QAM	Edge_1RB_Left	20.45
n38	20	30	2595	DFT	16QAM	Edge_1RB_Right	20.79
n38	20	30	2595	DFT	16QAM	Outer_Full	20.82
n38	20	30	2595	DFT	64QAM	Inner_Full	20.40
n38	20	30	2595	DFT	64QAM	Edge_1RB_Left	19.71
n38	20	30	2595	DFT	64QAM	Edge_1RB_Right	20.09
n38	20	30	2595	DFT	64QAM	Outer_Full	20.31
n38	20	30	2595	DFT	256QAM	Inner_Full	18.32
n38	20	30	2595	DFT	256QAM	Edge_1RB_Left	18.04
n38	20	30	2595	DFT	256QAM	Edge_1RB_Right	18.26
n38	20	30	2595	DFT	256QAM	Outer_Full	18.25
n38	20	30	2595	CP	QPSK	Inner_Full	21.40
n38	20	30	2595	CP	QPSK	Edge_1RB_Left	19.64
n38	20	30	2595	CP	QPSK	Edge_1RB_Right	20.05
n38	20	30	2595	CP	QPSK	Outer_Full	19.74
n38	20	30	2595	CP	16QAM	Inner_Full	20.85
n38	20	30	2595	CP	16QAM	Edge_1RB_Left	19.54
n38	20	30	2595	CP	16QAM	Edge_1RB_Right	19.85
n38	20	30	2595	CP	16QAM	Outer_Full	19.74
n38	20	30	2595	CP	64QAM	Inner_Full	19.36
n38	20	30	2595	CP	64QAM	Edge_1RB_Left	18.83
n38	20	30	2595	CP	64QAM	Edge_1RB_Right	19.21
n38	20	30	2595	CP	64QAM	Outer_Full	19.32
n38	20	30	2595	CP	256QAM	Inner_Full	16.28
n38	20	30	2595	CP	256QAM	Edge_1RB_Left	15.93
n38	20	30	2595	CP	256QAM	Edge_1RB_Right	16.26



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n38	20	30	2595	CP	256QAM	Outer_Full	16.29
n38	20	30	2610	DFT	pi/2 BPSK	Inner_Full	23.18
n38	20	30	2610	DFT	pi/2 BPSK	Edge_1RB_Left	22.34
n38	20	30	2610	DFT	pi/2 BPSK	Edge_1RB_Right	22.81
n38	20	30	2610	DFT	pi/2 BPSK	Outer_Full	22.58
n38	20	30	2610	DFT	QPSK	Inner_Full	23.09
n38	20	30	2610	DFT	QPSK	Edge_1RB_Left	21.83
n38	20	30	2610	DFT	QPSK	Edge_1RB_Right	22.34
n38	20	30	2610	DFT	QPSK	Outer_Full	22.09
n38	20	30	2610	DFT	16QAM	Inner_Full	22.10
n38	20	30	2610	DFT	16QAM	Edge_1RB_Left	20.57
n38	20	30	2610	DFT	16QAM	Edge_1RB_Right	21.05
n38	20	30	2610	DFT	16QAM	Outer_Full	21.06
n38	20	30	2610	DFT	64QAM	Inner_Full	20.63
n38	20	30	2610	DFT	64QAM	Edge_1RB_Left	19.90
n38	20	30	2610	DFT	64QAM	Edge_1RB_Right	20.42
n38	20	30	2610	DFT	64QAM	Outer_Full	20.55
n38	20	30	2610	DFT	256QAM	Inner_Full	18.57
n38	20	30	2610	DFT	256QAM	Edge_1RB_Left	18.20
n38	20	30	2610	DFT	256QAM	Edge_1RB_Right	18.64
n38	20	30	2610	DFT	256QAM	Outer_Full	18.54
n38	20	30	2610	CP	QPSK	Inner_Full	21.69
n38	20	30	2610	CP	QPSK	Edge_1RB_Left	19.82
n38	20	30	2610	CP	QPSK	Edge_1RB_Right	20.38
n38	20	30	2610	CP	QPSK	Outer_Full	20.16
n38	20	30	2610	CP	16QAM	Inner_Full	21.16
n38	20	30	2610	CP	16QAM	Edge_1RB_Left	19.73
n38	20	30	2610	CP	16QAM	Edge_1RB_Right	20.26
n38	20	30	2610	CP	16QAM	Outer_Full	20.06
n38	20	30	2610	CP	64QAM	Inner_Full	19.61
n38	20	30	2610	CP	64QAM	Edge_1RB_Left	19.09
n38	20	30	2610	CP	64QAM	Edge_1RB_Right	19.60
n38	20	30	2610	CP	64QAM	Outer_Full	19.61
n38	20	30	2610	CP	256QAM	Inner_Full	16.55
n38	20	30	2610	CP	256QAM	Edge_1RB_Left	16.11
n38	20	30	2610	CP	256QAM	Edge_1RB_Right	16.68
n38	20	30	2610	CP	256QAM	Outer_Full	16.59
n38	30	30	2585	DFT	pi/2 BPSK	Inner_Full	22.70
n38	30	30	2585	DFT	pi/2 BPSK	Edge_1RB_Left	22.34
n38	30	30	2585	DFT	pi/2 BPSK	Edge_1RB_Right	22.49



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n38	30	30	2585	DFT	pi/2 BPSK	Outer_Full	22.37
n38	30	30	2585	DFT	QPSK	Inner_Full	22.82
n38	30	30	2585	DFT	QPSK	Edge_1RB_Left	21.74
n38	30	30	2585	DFT	QPSK	Edge_1RB_Right	21.99
n38	30	30	2585	DFT	QPSK	Outer_Full	21.81
n38	30	30	2585	DFT	16QAM	Inner_Full	21.79
n38	30	30	2585	DFT	16QAM	Edge_1RB_Left	20.47
n38	30	30	2585	DFT	16QAM	Edge_1RB_Right	20.69
n38	30	30	2585	DFT	16QAM	Outer_Full	20.88
n38	30	30	2585	DFT	64QAM	Inner_Full	20.36
n38	30	30	2585	DFT	64QAM	Edge_1RB_Left	19.85
n38	30	30	2585	DFT	64QAM	Edge_1RB_Right	20.06
n38	30	30	2585	DFT	64QAM	Outer_Full	20.37
n38	30	30	2585	DFT	256QAM	Inner_Full	18.30
n38	30	30	2585	DFT	256QAM	Edge_1RB_Left	18.19
n38	30	30	2585	DFT	256QAM	Edge_1RB_Right	18.35
n38	30	30	2585	DFT	256QAM	Outer_Full	18.32
n38	30	30	2585	CP	QPSK	Inner_Full	21.24
n38	30	30	2585	CP	QPSK	Edge_1RB_Left	19.84
n38	30	30	2585	CP	QPSK	Edge_1RB_Right	20.04
n38	30	30	2585	CP	QPSK	Outer_Full	19.87
n38	30	30	2585	CP	16QAM	Inner_Full	20.85
n38	30	30	2585	CP	16QAM	Edge_1RB_Left	19.66
n38	30	30	2585	CP	16QAM	Edge_1RB_Right	19.90
n38	30	30	2585	CP	16QAM	Outer_Full	19.83
n38	30	30	2585	CP	64QAM	Inner_Full	19.31
n38	30	30	2585	CP	64QAM	Edge_1RB_Left	19.06
n38	30	30	2585	CP	64QAM	Edge_1RB_Right	19.18
n38	30	30	2585	CP	64QAM	Outer_Full	19.34
n38	30	30	2585	CP	256QAM	Inner_Full	16.26
n38	30	30	2585	CP	256QAM	Edge_1RB_Left	16.13
n38	30	30	2585	CP	256QAM	Edge_1RB_Right	16.27
n38	30	30	2585	CP	256QAM	Outer_Full	16.34
n38	30	30	2595	DFT	pi/2 BPSK	Inner_Full	22.95
n38	30	30	2595	DFT	pi/2 BPSK	Edge_1RB_Left	22.27
n38	30	30	2595	DFT	pi/2 BPSK	Edge_1RB_Right	22.74
n38	30	30	2595	DFT	pi/2 BPSK	Outer_Full	22.42
n38	30	30	2595	DFT	QPSK	Inner_Full	22.92
n38	30	30	2595	DFT	QPSK	Edge_1RB_Left	21.75
n38	30	30	2595	DFT	QPSK	Edge_1RB_Right	22.28



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n38	30	30	2595	DFT	QPSK	Outer_Full	21.93
n38	30	30	2595	DFT	16QAM	Inner_Full	21.83
n38	30	30	2595	DFT	16QAM	Edge_1RB_Left	20.47
n38	30	30	2595	DFT	16QAM	Edge_1RB_Right	20.99
n38	30	30	2595	DFT	16QAM	Outer_Full	20.90
n38	30	30	2595	DFT	64QAM	Inner_Full	20.37
n38	30	30	2595	DFT	64QAM	Edge_1RB_Left	19.88
n38	30	30	2595	DFT	64QAM	Edge_1RB_Right	20.37
n38	30	30	2595	DFT	64QAM	Outer_Full	20.49
n38	30	30	2595	DFT	256QAM	Inner_Full	18.34
n38	30	30	2595	DFT	256QAM	Edge_1RB_Left	18.05
n38	30	30	2595	DFT	256QAM	Edge_1RB_Right	18.53
n38	30	30	2595	DFT	256QAM	Outer_Full	18.41
n38	30	30	2595	CP	QPSK	Inner_Full	21.35
n38	30	30	2595	CP	QPSK	Edge_1RB_Left	19.75
n38	30	30	2595	CP	QPSK	Edge_1RB_Right	20.23
n38	30	30	2595	CP	QPSK	Outer_Full	19.94
n38	30	30	2595	CP	16QAM	Inner_Full	20.91
n38	30	30	2595	CP	16QAM	Edge_1RB_Left	19.65
n38	30	30	2595	CP	16QAM	Edge_1RB_Right	20.12
n38	30	30	2595	CP	16QAM	Outer_Full	19.96
n38	30	30	2595	CP	64QAM	Inner_Full	19.45
n38	30	30	2595	CP	64QAM	Edge_1RB_Left	18.99
n38	30	30	2595	CP	64QAM	Edge_1RB_Right	19.50
n38	30	30	2595	CP	64QAM	Outer_Full	19.43
n38	30	30	2595	CP	256QAM	Inner_Full	16.37
n38	30	30	2595	CP	256QAM	Edge_1RB_Left	16.04
n38	30	30	2595	CP	256QAM	Edge_1RB_Right	16.53
n38	30	30	2595	CP	256QAM	Outer_Full	16.41
n38	30	30	2605	DFT	pi/2 BPSK	Inner_Full	23.12
n38	30	30	2605	DFT	pi/2 BPSK	Edge_1RB_Left	22.28
n38	30	30	2605	DFT	pi/2 BPSK	Edge_1RB_Right	23.02
n38	30	30	2605	DFT	pi/2 BPSK	Outer_Full	22.64
n38	30	30	2605	DFT	QPSK	Inner_Full	23.05
n38	30	30	2605	DFT	QPSK	Edge_1RB_Left	21.74
n38	30	30	2605	DFT	QPSK	Edge_1RB_Right	22.41
n38	30	30	2605	DFT	QPSK	Outer_Full	22.07
n38	30	30	2605	DFT	16QAM	Inner_Full	22.08
n38	30	30	2605	DFT	16QAM	Edge_1RB_Left	20.50
n38	30	30	2605	DFT	16QAM	Edge_1RB_Right	21.10



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n38	30	30	2605	DFT	16QAM	Outer_Full	21.11
n38	30	30	2605	DFT	64QAM	Inner_Full	20.62
n38	30	30	2605	DFT	64QAM	Edge_1RB_Left	19.88
n38	30	30	2605	DFT	64QAM	Edge_1RB_Right	20.52
n38	30	30	2605	DFT	64QAM	Outer_Full	20.65
n38	30	30	2605	DFT	256QAM	Inner_Full	18.59
n38	30	30	2605	DFT	256QAM	Edge_1RB_Left	18.10
n38	30	30	2605	DFT	256QAM	Edge_1RB_Right	18.84
n38	30	30	2605	DFT	256QAM	Outer_Full	18.60
n38	30	30	2605	CP	QPSK	Inner_Full	21.66
n38	30	30	2605	CP	QPSK	Edge_1RB_Left	19.71
n38	30	30	2605	CP	QPSK	Edge_1RB_Right	20.45
n38	30	30	2605	CP	QPSK	Outer_Full	20.16
n38	30	30	2605	CP	16QAM	Inner_Full	21.06
n38	30	30	2605	CP	16QAM	Edge_1RB_Left	19.63
n38	30	30	2605	CP	16QAM	Edge_1RB_Right	20.30
n38	30	30	2605	CP	16QAM	Outer_Full	20.11
n38	30	30	2605	CP	64QAM	Inner_Full	19.59
n38	30	30	2605	CP	64QAM	Edge_1RB_Left	19.01
n38	30	30	2605	CP	64QAM	Edge_1RB_Right	19.75
n38	30	30	2605	CP	64QAM	Outer_Full	19.58
n38	30	30	2605	CP	256QAM	Inner_Full	16.61
n38	30	30	2605	CP	256QAM	Edge_1RB_Left	16.07
n38	30	30	2605	CP	256QAM	Edge_1RB_Right	16.80
n38	30	30	2605	CP	256QAM	Outer_Full	16.55
n38	40	30	2590	DFT	pi/2 BPSK	Inner_Full	22.77
n38	40	30	2590	DFT	pi/2 BPSK	Edge_1RB_Left	22.33
n38	40	30	2590	DFT	pi/2 BPSK	Edge_1RB_Right	22.66
n38	40	30	2590	DFT	pi/2 BPSK	Outer_Full	22.39
n38	40	30	2590	DFT	QPSK	Inner_Full	22.80
n38	40	30	2590	DFT	QPSK	Edge_1RB_Left	21.71
n38	40	30	2590	DFT	QPSK	Edge_1RB_Right	22.23
n38	40	30	2590	DFT	QPSK	Outer_Full	21.92
n38	40	30	2590	DFT	16QAM	Inner_Full	21.82
n38	40	30	2590	DFT	16QAM	Edge_1RB_Left	20.54
n38	40	30	2590	DFT	16QAM	Edge_1RB_Right	21.00
n38	40	30	2590	DFT	16QAM	Outer_Full	20.87
n38	40	30	2590	DFT	64QAM	Inner_Full	20.33
n38	40	30	2590	DFT	64QAM	Edge_1RB_Left	19.93
n38	40	30	2590	DFT	64QAM	Edge_1RB_Right	20.36



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n38	40	30	2590	DFT	64QAM	Outer_Full	20.38
n38	40	30	2590	DFT	256QAM	Inner_Full	18.25
n38	40	30	2590	DFT	256QAM	Edge_1RB_Left	18.20
n38	40	30	2590	DFT	256QAM	Edge_1RB_Right	18.53
n38	40	30	2590	DFT	256QAM	Outer_Full	18.38
n38	40	30	2590	CP	QPSK	Inner_Full	21.40
n38	40	30	2590	CP	QPSK	Edge_1RB_Left	19.82
n38	40	30	2590	CP	QPSK	Edge_1RB_Right	20.18
n38	40	30	2590	CP	QPSK	Outer_Full	19.93
n38	40	30	2590	CP	16QAM	Inner_Full	20.84
n38	40	30	2590	CP	16QAM	Edge_1RB_Left	19.59
n38	40	30	2590	CP	16QAM	Edge_1RB_Right	20.13
n38	40	30	2590	CP	16QAM	Outer_Full	19.83
n38	40	30	2590	CP	64QAM	Inner_Full	19.36
n38	40	30	2590	CP	64QAM	Edge_1RB_Left	19.13
n38	40	30	2590	CP	64QAM	Edge_1RB_Right	19.40
n38	40	30	2590	CP	64QAM	Outer_Full	19.36
n38	40	30	2590	CP	256QAM	Inner_Full	16.30
n38	40	30	2590	CP	256QAM	Edge_1RB_Left	16.11
n38	40	30	2590	CP	256QAM	Edge_1RB_Right	16.51
n38	40	30	2590	CP	256QAM	Outer_Full	16.40
n38	40	30	2595	DFT	pi/2 BPSK	Inner_Full	22.99
n38	40	30	2595	DFT	pi/2 BPSK	Edge_1RB_Left	22.29
n38	40	30	2595	DFT	pi/2 BPSK	Edge_1RB_Right	22.88
n38	40	30	2595	DFT	pi/2 BPSK	Outer_Full	22.46
n38	40	30	2595	DFT	QPSK	Inner_Full	22.89
n38	40	30	2595	DFT	QPSK	Edge_1RB_Left	21.81
n38	40	30	2595	DFT	QPSK	Edge_1RB_Right	22.32
n38	40	30	2595	DFT	QPSK	Outer_Full	21.96
n38	40	30	2595	DFT	16QAM	Inner_Full	21.87
n38	40	30	2595	DFT	16QAM	Edge_1RB_Left	20.50
n38	40	30	2595	DFT	16QAM	Edge_1RB_Right	21.19
n38	40	30	2595	DFT	16QAM	Outer_Full	21.04
n38	40	30	2595	DFT	64QAM	Inner_Full	20.37
n38	40	30	2595	DFT	64QAM	Edge_1RB_Left	20.05
n38	40	30	2595	DFT	64QAM	Edge_1RB_Right	20.47
n38	40	30	2595	DFT	64QAM	Outer_Full	20.43
n38	40	30	2595	DFT	256QAM	Inner_Full	18.44
n38	40	30	2595	DFT	256QAM	Edge_1RB_Left	18.12
n38	40	30	2595	DFT	256QAM	Edge_1RB_Right	18.64



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n38	40	30	2595	DFT	256QAM	Outer_Full	18.41
n38	40	30	2595	CP	QPSK	Inner_Full	21.51
n38	40	30	2595	CP	QPSK	Edge_1RB_Left	19.76
n38	40	30	2595	CP	QPSK	Edge_1RB_Right	20.29
n38	40	30	2595	CP	QPSK	Outer_Full	20.04
n38	40	30	2595	CP	16QAM	Inner_Full	20.95
n38	40	30	2595	CP	16QAM	Edge_1RB_Left	19.65
n38	40	30	2595	CP	16QAM	Edge_1RB_Right	20.20
n38	40	30	2595	CP	16QAM	Outer_Full	19.91
n38	40	30	2595	CP	64QAM	Inner_Full	19.41
n38	40	30	2595	CP	64QAM	Edge_1RB_Left	19.03
n38	40	30	2595	CP	64QAM	Edge_1RB_Right	19.60
n38	40	30	2595	CP	64QAM	Outer_Full	19.44
n38	40	30	2595	CP	256QAM	Inner_Full	16.36
n38	40	30	2595	CP	256QAM	Edge_1RB_Left	16.07
n38	40	30	2595	CP	256QAM	Edge_1RB_Right	16.70
n38	40	30	2595	CP	256QAM	Outer_Full	16.47
n38	40	30	2600	DFT	pi/2 BPSK	Inner_Full	23.03
n38	40	30	2600	DFT	pi/2 BPSK	Edge_1RB_Left	22.21
n38	40	30	2600	DFT	pi/2 BPSK	Edge_1RB_Right	22.93
n38	40	30	2600	DFT	pi/2 BPSK	Outer_Full	22.53
n38	40	30	2600	DFT	QPSK	Inner_Full	22.97
n38	40	30	2600	DFT	QPSK	Edge_1RB_Left	21.75
n38	40	30	2600	DFT	QPSK	Edge_1RB_Right	22.41
n38	40	30	2600	DFT	QPSK	Outer_Full	22.04
n38	40	30	2600	DFT	16QAM	Inner_Full	21.94
n38	40	30	2600	DFT	16QAM	Edge_1RB_Left	20.60
n38	40	30	2600	DFT	16QAM	Edge_1RB_Right	21.26
n38	40	30	2600	DFT	16QAM	Outer_Full	21.04
n38	40	30	2600	DFT	64QAM	Inner_Full	20.47
n38	40	30	2600	DFT	64QAM	Edge_1RB_Left	19.95
n38	40	30	2600	DFT	64QAM	Edge_1RB_Right	20.61
n38	40	30	2600	DFT	64QAM	Outer_Full	20.51
n38	40	30	2600	DFT	256QAM	Inner_Full	18.49
n38	40	30	2600	DFT	256QAM	Edge_1RB_Left	18.08
n38	40	30	2600	DFT	256QAM	Edge_1RB_Right	18.75
n38	40	30	2600	DFT	256QAM	Outer_Full	18.55
n38	40	30	2600	CP	QPSK	Inner_Full	21.58
n38	40	30	2600	CP	QPSK	Edge_1RB_Left	19.78
n38	40	30	2600	CP	QPSK	Edge_1RB_Right	20.42



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n38	40	30	2600	CP	QPSK	Outer_Full	20.02
n38	40	30	2600	CP	16QAM	Inner_Full	21.03
n38	40	30	2600	CP	16QAM	Edge_1RB_Left	19.60
n38	40	30	2600	CP	16QAM	Edge_1RB_Right	20.25
n38	40	30	2600	CP	16QAM	Outer_Full	20.01
n38	40	30	2600	CP	64QAM	Inner_Full	19.49
n38	40	30	2600	CP	64QAM	Edge_1RB_Left	18.99
n38	40	30	2600	CP	64QAM	Edge_1RB_Right	19.70
n38	40	30	2600	CP	64QAM	Outer_Full	19.51
n38	40	30	2600	CP	256QAM	Inner_Full	16.43
n38	40	30	2600	CP	256QAM	Edge_1RB_Left	16.00
n38	40	30	2600	CP	256QAM	Edge_1RB_Right	16.78
n38	40	30	2600	CP	256QAM	Outer_Full	16.57

n41

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	20	30	2506.02	DFT	pi/2 BPSK	Inner_Full	23.12
n41	20	30	2506.02	DFT	pi/2 BPSK	Edge_1RB_Left	22.64
n41	20	30	2506.02	DFT	pi/2 BPSK	Edge_1RB_Right	22.69
n41	20	30	2506.02	DFT	pi/2 BPSK	Outer_Full	22.71
n41	20	30	2506.02	DFT	QPSK	Inner_Full	23.22
n41	20	30	2506.02	DFT	QPSK	Edge_1RB_Left	22.05
n41	20	30	2506.02	DFT	QPSK	Edge_1RB_Right	22.15
n41	20	30	2506.02	DFT	QPSK	Outer_Full	22.21
n41	20	30	2506.02	DFT	16QAM	Inner_Full	22.21
n41	20	30	2506.02	DFT	16QAM	Edge_1RB_Left	20.85
n41	20	30	2506.02	DFT	16QAM	Edge_1RB_Right	20.91
n41	20	30	2506.02	DFT	16QAM	Outer_Full	21.13
n41	20	30	2506.02	DFT	64QAM	Inner_Full	20.71
n41	20	30	2506.02	DFT	64QAM	Edge_1RB_Left	20.17
n41	20	30	2506.02	DFT	64QAM	Edge_1RB_Right	20.24
n41	20	30	2506.02	DFT	64QAM	Outer_Full	20.67
n41	20	30	2506.02	DFT	256QAM	Inner_Full	18.52
n41	20	30	2506.02	DFT	256QAM	Edge_1RB_Left	18.33
n41	20	30	2506.02	DFT	256QAM	Edge_1RB_Right	18.42
n41	20	30	2506.02	DFT	256QAM	Outer_Full	18.60
n41	20	30	2506.02	CP	QPSK	Inner_Full	21.60
n41	20	30	2506.02	CP	QPSK	Edge_1RB_Left	20.06
n41	20	30	2506.02	CP	QPSK	Edge_1RB_Right	20.13
n41	20	30	2506.02	CP	QPSK	Outer_Full	20.16



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	20	30	2506.02	CP	16QAM	Inner_Full	21.20
n41	20	30	2506.02	CP	16QAM	Edge_1RB_Left	19.86
n41	20	30	2506.02	CP	16QAM	Edge_1RB_Right	19.98
n41	20	30	2506.02	CP	16QAM	Outer_Full	20.16
n41	20	30	2506.02	CP	64QAM	Inner_Full	19.69
n41	20	30	2506.02	CP	64QAM	Edge_1RB_Left	19.28
n41	20	30	2506.02	CP	64QAM	Edge_1RB_Right	19.34
n41	20	30	2506.02	CP	64QAM	Outer_Full	19.69
n41	20	30	2506.02	CP	256QAM	Inner_Full	16.62
n41	20	30	2506.02	CP	256QAM	Edge_1RB_Left	16.36
n41	20	30	2506.02	CP	256QAM	Edge_1RB_Right	16.40
n41	20	30	2506.02	CP	256QAM	Outer_Full	16.68
n41	20	30	2592.99	DFT	pi/2 BPSK	Inner_Full	22.64
n41	20	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.08
n41	20	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.35
n41	20	30	2592.99	DFT	pi/2 BPSK	Outer_Full	22.25
n41	20	30	2592.99	DFT	QPSK	Inner_Full	22.68
n41	20	30	2592.99	DFT	QPSK	Edge_1RB_Left	21.54
n41	20	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.84
n41	20	30	2592.99	DFT	QPSK	Outer_Full	21.71
n41	20	30	2592.99	DFT	16QAM	Inner_Full	21.72
n41	20	30	2592.99	DFT	16QAM	Edge_1RB_Left	20.37
n41	20	30	2592.99	DFT	16QAM	Edge_1RB_Right	20.64
n41	20	30	2592.99	DFT	16QAM	Outer_Full	20.70
n41	20	30	2592.99	DFT	64QAM	Inner_Full	20.24
n41	20	30	2592.99	DFT	64QAM	Edge_1RB_Left	19.70
n41	20	30	2592.99	DFT	64QAM	Edge_1RB_Right	19.93
n41	20	30	2592.99	DFT	64QAM	Outer_Full	20.22
n41	20	30	2592.99	DFT	256QAM	Inner_Full	18.10
n41	20	30	2592.99	DFT	256QAM	Edge_1RB_Left	17.89
n41	20	30	2592.99	DFT	256QAM	Edge_1RB_Right	18.16
n41	20	30	2592.99	DFT	256QAM	Outer_Full	18.16
n41	20	30	2592.99	CP	QPSK	Inner_Full	21.19
n41	20	30	2592.99	CP	QPSK	Edge_1RB_Left	19.56
n41	20	30	2592.99	CP	QPSK	Edge_1RB_Right	19.89
n41	20	30	2592.99	CP	QPSK	Outer_Full	19.67
n41	20	30	2592.99	CP	16QAM	Inner_Full	20.72
n41	20	30	2592.99	CP	16QAM	Edge_1RB_Left	19.39
n41	20	30	2592.99	CP	16QAM	Edge_1RB_Right	19.74
n41	20	30	2592.99	CP	16QAM	Outer_Full	19.64



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	20	30	2592.99	CP	64QAM	Inner_Full	19.20
n41	20	30	2592.99	CP	64QAM	Edge_1RB_Left	18.73
n41	20	30	2592.99	CP	64QAM	Edge_1RB_Right	19.09
n41	20	30	2592.99	CP	64QAM	Outer_Full	19.20
n41	20	30	2592.99	CP	256QAM	Inner_Full	16.10
n41	20	30	2592.99	CP	256QAM	Edge_1RB_Left	15.91
n41	20	30	2592.99	CP	256QAM	Edge_1RB_Right	16.14
n41	20	30	2592.99	CP	256QAM	Outer_Full	16.21
n41	20	30	2679.99	DFT	pi/2 BPSK	Inner_Full	22.88
n41	20	30	2679.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.48
n41	20	30	2679.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.20
n41	20	30	2679.99	DFT	pi/2 BPSK	Outer_Full	22.40
n41	20	30	2679.99	DFT	QPSK	Inner_Full	22.93
n41	20	30	2679.99	DFT	QPSK	Edge_1RB_Left	21.96
n41	20	30	2679.99	DFT	QPSK	Edge_1RB_Right	21.70
n41	20	30	2679.99	DFT	QPSK	Outer_Full	21.93
n41	20	30	2679.99	DFT	16QAM	Inner_Full	21.92
n41	20	30	2679.99	DFT	16QAM	Edge_1RB_Left	20.75
n41	20	30	2679.99	DFT	16QAM	Edge_1RB_Right	20.40
n41	20	30	2679.99	DFT	16QAM	Outer_Full	20.84
n41	20	30	2679.99	DFT	64QAM	Inner_Full	20.47
n41	20	30	2679.99	DFT	64QAM	Edge_1RB_Left	20.04
n41	20	30	2679.99	DFT	64QAM	Edge_1RB_Right	19.81
n41	20	30	2679.99	DFT	64QAM	Outer_Full	20.37
n41	20	30	2679.99	DFT	256QAM	Inner_Full	18.30
n41	20	30	2679.99	DFT	256QAM	Edge_1RB_Left	18.34
n41	20	30	2679.99	DFT	256QAM	Edge_1RB_Right	18.00
n41	20	30	2679.99	DFT	256QAM	Outer_Full	18.36
n41	20	30	2679.99	CP	QPSK	Inner_Full	21.33
n41	20	30	2679.99	CP	QPSK	Edge_1RB_Left	19.99
n41	20	30	2679.99	CP	QPSK	Edge_1RB_Right	19.72
n41	20	30	2679.99	CP	QPSK	Outer_Full	19.88
n41	20	30	2679.99	CP	16QAM	Inner_Full	20.96
n41	20	30	2679.99	CP	16QAM	Edge_1RB_Left	19.88
n41	20	30	2679.99	CP	16QAM	Edge_1RB_Right	19.63
n41	20	30	2679.99	CP	16QAM	Outer_Full	19.88
n41	20	30	2679.99	CP	64QAM	Inner_Full	19.43
n41	20	30	2679.99	CP	64QAM	Edge_1RB_Left	19.14
n41	20	30	2679.99	CP	64QAM	Edge_1RB_Right	18.92
n41	20	30	2679.99	CP	64QAM	Outer_Full	19.41



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	20	30	2679.99	CP	256QAM	Inner_Full	16.38
n41	20	30	2679.99	CP	256QAM	Edge_1RB_Left	16.22
n41	20	30	2679.99	CP	256QAM	Edge_1RB_Right	16.01
n41	20	30	2679.99	CP	256QAM	Outer_Full	16.37
n41	30	30	2511	DFT	pi/2 BPSK	Inner_Full	23.19
n41	30	30	2511	DFT	pi/2 BPSK	Edge_1RB_Left	22.60
n41	30	30	2511	DFT	pi/2 BPSK	Edge_1RB_Right	22.72
n41	30	30	2511	DFT	pi/2 BPSK	Outer_Full	22.73
n41	30	30	2511	DFT	QPSK	Inner_Full	23.29
n41	30	30	2511	DFT	QPSK	Edge_1RB_Left	22.14
n41	30	30	2511	DFT	QPSK	Edge_1RB_Right	22.18
n41	30	30	2511	DFT	QPSK	Outer_Full	22.29
n41	30	30	2511	DFT	16QAM	Inner_Full	22.21
n41	30	30	2511	DFT	16QAM	Edge_1RB_Left	20.87
n41	30	30	2511	DFT	16QAM	Edge_1RB_Right	20.88
n41	30	30	2511	DFT	16QAM	Outer_Full	21.28
n41	30	30	2511	DFT	64QAM	Inner_Full	20.77
n41	30	30	2511	DFT	64QAM	Edge_1RB_Left	20.22
n41	30	30	2511	DFT	64QAM	Edge_1RB_Right	20.25
n41	30	30	2511	DFT	64QAM	Outer_Full	20.76
n41	30	30	2511	DFT	256QAM	Inner_Full	18.74
n41	30	30	2511	DFT	256QAM	Edge_1RB_Left	18.41
n41	30	30	2511	DFT	256QAM	Edge_1RB_Right	18.53
n41	30	30	2511	DFT	256QAM	Outer_Full	18.79
n41	30	30	2511	CP	QPSK	Inner_Full	21.75
n41	30	30	2511	CP	QPSK	Edge_1RB_Left	20.12
n41	30	30	2511	CP	QPSK	Edge_1RB_Right	20.22
n41	30	30	2511	CP	QPSK	Outer_Full	20.27
n41	30	30	2511	CP	16QAM	Inner_Full	21.31
n41	30	30	2511	CP	16QAM	Edge_1RB_Left	20.02
n41	30	30	2511	CP	16QAM	Edge_1RB_Right	20.08
n41	30	30	2511	CP	16QAM	Outer_Full	20.24
n41	30	30	2511	CP	64QAM	Inner_Full	19.79
n41	30	30	2511	CP	64QAM	Edge_1RB_Left	19.42
n41	30	30	2511	CP	64QAM	Edge_1RB_Right	19.46
n41	30	30	2511	CP	64QAM	Outer_Full	19.74
n41	30	30	2511	CP	256QAM	Inner_Full	16.85
n41	30	30	2511	CP	256QAM	Edge_1RB_Left	16.43
n41	30	30	2511	CP	256QAM	Edge_1RB_Right	16.42
n41	30	30	2511	CP	256QAM	Outer_Full	16.75



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	30	30	2592.99	DFT	pi/2 BPSK	Inner_Full	22.76
n41	30	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.13
n41	30	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.62
n41	30	30	2592.99	DFT	pi/2 BPSK	Outer_Full	22.34
n41	30	30	2592.99	DFT	QPSK	Inner_Full	22.78
n41	30	30	2592.99	DFT	QPSK	Edge_1RB_Left	21.66
n41	30	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.20
n41	30	30	2592.99	DFT	QPSK	Outer_Full	21.85
n41	30	30	2592.99	DFT	16QAM	Inner_Full	21.70
n41	30	30	2592.99	DFT	16QAM	Edge_1RB_Left	20.44
n41	30	30	2592.99	DFT	16QAM	Edge_1RB_Right	20.91
n41	30	30	2592.99	DFT	16QAM	Outer_Full	20.85
n41	30	30	2592.99	DFT	64QAM	Inner_Full	20.31
n41	30	30	2592.99	DFT	64QAM	Edge_1RB_Left	19.80
n41	30	30	2592.99	DFT	64QAM	Edge_1RB_Right	20.24
n41	30	30	2592.99	DFT	64QAM	Outer_Full	20.31
n41	30	30	2592.99	DFT	256QAM	Inner_Full	18.28
n41	30	30	2592.99	DFT	256QAM	Edge_1RB_Left	18.00
n41	30	30	2592.99	DFT	256QAM	Edge_1RB_Right	18.45
n41	30	30	2592.99	DFT	256QAM	Outer_Full	18.27
n41	30	30	2592.99	CP	QPSK	Inner_Full	21.28
n41	30	30	2592.99	CP	QPSK	Edge_1RB_Left	19.59
n41	30	30	2592.99	CP	QPSK	Edge_1RB_Right	20.19
n41	30	30	2592.99	CP	QPSK	Outer_Full	19.84
n41	30	30	2592.99	CP	16QAM	Inner_Full	20.78
n41	30	30	2592.99	CP	16QAM	Edge_1RB_Left	19.53
n41	30	30	2592.99	CP	16QAM	Edge_1RB_Right	20.04
n41	30	30	2592.99	CP	16QAM	Outer_Full	19.83
n41	30	30	2592.99	CP	64QAM	Inner_Full	19.34
n41	30	30	2592.99	CP	64QAM	Edge_1RB_Left	18.84
n41	30	30	2592.99	CP	64QAM	Edge_1RB_Right	19.30
n41	30	30	2592.99	CP	64QAM	Outer_Full	19.37
n41	30	30	2592.99	CP	256QAM	Inner_Full	16.32
n41	30	30	2592.99	CP	256QAM	Edge_1RB_Left	15.92
n41	30	30	2592.99	CP	256QAM	Edge_1RB_Right	16.43
n41	30	30	2592.99	CP	256QAM	Outer_Full	16.31
n41	30	30	2674.98	DFT	pi/2 BPSK	Inner_Full	23.06
n41	30	30	2674.98	DFT	pi/2 BPSK	Edge_1RB_Left	22.60
n41	30	30	2674.98	DFT	pi/2 BPSK	Edge_1RB_Right	22.39
n41	30	30	2674.98	DFT	pi/2 BPSK	Outer_Full	22.50



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	30	30	2674.98	DFT	QPSK	Inner_Full	23.00
n41	30	30	2674.98	DFT	QPSK	Edge_1RB_Left	22.08
n41	30	30	2674.98	DFT	QPSK	Edge_1RB_Right	21.87
n41	30	30	2674.98	DFT	QPSK	Outer_Full	21.98
n41	30	30	2674.98	DFT	16QAM	Inner_Full	21.94
n41	30	30	2674.98	DFT	16QAM	Edge_1RB_Left	20.82
n41	30	30	2674.98	DFT	16QAM	Edge_1RB_Right	20.60
n41	30	30	2674.98	DFT	16QAM	Outer_Full	20.98
n41	30	30	2674.98	DFT	64QAM	Inner_Full	20.49
n41	30	30	2674.98	DFT	64QAM	Edge_1RB_Left	20.18
n41	30	30	2674.98	DFT	64QAM	Edge_1RB_Right	19.96
n41	30	30	2674.98	DFT	64QAM	Outer_Full	20.53
n41	30	30	2674.98	DFT	256QAM	Inner_Full	18.56
n41	30	30	2674.98	DFT	256QAM	Edge_1RB_Left	18.41
n41	30	30	2674.98	DFT	256QAM	Edge_1RB_Right	18.21
n41	30	30	2674.98	DFT	256QAM	Outer_Full	18.58
n41	30	30	2674.98	CP	QPSK	Inner_Full	21.53
n41	30	30	2674.98	CP	QPSK	Edge_1RB_Left	20.06
n41	30	30	2674.98	CP	QPSK	Edge_1RB_Right	19.91
n41	30	30	2674.98	CP	QPSK	Outer_Full	20.07
n41	30	30	2674.98	CP	16QAM	Inner_Full	21.12
n41	30	30	2674.98	CP	16QAM	Edge_1RB_Left	19.98
n41	30	30	2674.98	CP	16QAM	Edge_1RB_Right	19.71
n41	30	30	2674.98	CP	16QAM	Outer_Full	20.04
n41	30	30	2674.98	CP	64QAM	Inner_Full	19.64
n41	30	30	2674.98	CP	64QAM	Edge_1RB_Left	19.33
n41	30	30	2674.98	CP	64QAM	Edge_1RB_Right	19.16
n41	30	30	2674.98	CP	64QAM	Outer_Full	19.56
n41	30	30	2674.98	CP	256QAM	Inner_Full	16.62
n41	30	30	2674.98	CP	256QAM	Edge_1RB_Left	16.44
n41	30	30	2674.98	CP	256QAM	Edge_1RB_Right	16.17
n41	30	30	2674.98	CP	256QAM	Outer_Full	16.56
n41	40	30	2516.01	DFT	pi/2 BPSK	Inner_Full	23.26
n41	40	30	2516.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.77
n41	40	30	2516.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.75
n41	40	30	2516.01	DFT	pi/2 BPSK	Outer_Full	22.73
n41	40	30	2516.01	DFT	QPSK	Inner_Full	23.22
n41	40	30	2516.01	DFT	QPSK	Edge_1RB_Left	22.24
n41	40	30	2516.01	DFT	QPSK	Edge_1RB_Right	22.28
n41	40	30	2516.01	DFT	QPSK	Outer_Full	22.23



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	40	30	2516.01	DFT	16QAM	Inner_Full	22.16
n41	40	30	2516.01	DFT	16QAM	Edge_1RB_Left	21.01
n41	40	30	2516.01	DFT	16QAM	Edge_1RB_Right	21.06
n41	40	30	2516.01	DFT	16QAM	Outer_Full	21.25
n41	40	30	2516.01	DFT	64QAM	Inner_Full	20.66
n41	40	30	2516.01	DFT	64QAM	Edge_1RB_Left	20.43
n41	40	30	2516.01	DFT	64QAM	Edge_1RB_Right	20.46
n41	40	30	2516.01	DFT	64QAM	Outer_Full	20.69
n41	40	30	2516.01	DFT	256QAM	Inner_Full	18.70
n41	40	30	2516.01	DFT	256QAM	Edge_1RB_Left	18.63
n41	40	30	2516.01	DFT	256QAM	Edge_1RB_Right	18.60
n41	40	30	2516.01	DFT	256QAM	Outer_Full	18.72
n41	40	30	2516.01	CP	QPSK	Inner_Full	21.74
n41	40	30	2516.01	CP	QPSK	Edge_1RB_Left	20.27
n41	40	30	2516.01	CP	QPSK	Edge_1RB_Right	20.29
n41	40	30	2516.01	CP	QPSK	Outer_Full	20.20
n41	40	30	2516.01	CP	16QAM	Inner_Full	21.22
n41	40	30	2516.01	CP	16QAM	Edge_1RB_Left	20.11
n41	40	30	2516.01	CP	16QAM	Edge_1RB_Right	20.19
n41	40	30	2516.01	CP	16QAM	Outer_Full	20.20
n41	40	30	2516.01	CP	64QAM	Inner_Full	19.73
n41	40	30	2516.01	CP	64QAM	Edge_1RB_Left	19.53
n41	40	30	2516.01	CP	64QAM	Edge_1RB_Right	19.49
n41	40	30	2516.01	CP	64QAM	Outer_Full	19.79
n41	40	30	2516.01	CP	256QAM	Inner_Full	16.67
n41	40	30	2516.01	CP	256QAM	Edge_1RB_Left	16.62
n41	40	30	2516.01	CP	256QAM	Edge_1RB_Right	16.57
n41	40	30	2516.01	CP	256QAM	Outer_Full	16.73
n41	40	30	2592.99	DFT	pi/2 BPSK	Inner_Full	22.72
n41	40	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.26
n41	40	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.77
n41	40	30	2592.99	DFT	pi/2 BPSK	Outer_Full	22.39
n41	40	30	2592.99	DFT	QPSK	Inner_Full	22.79
n41	40	30	2592.99	DFT	QPSK	Edge_1RB_Left	21.82
n41	40	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.34
n41	40	30	2592.99	DFT	QPSK	Outer_Full	21.92
n41	40	30	2592.99	DFT	16QAM	Inner_Full	21.74
n41	40	30	2592.99	DFT	16QAM	Edge_1RB_Left	20.61
n41	40	30	2592.99	DFT	16QAM	Edge_1RB_Right	21.07
n41	40	30	2592.99	DFT	16QAM	Outer_Full	20.86



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	40	30	2592.99	DFT	64QAM	Inner_Full	20.29
n41	40	30	2592.99	DFT	64QAM	Edge_1RB_Left	19.87
n41	40	30	2592.99	DFT	64QAM	Edge_1RB_Right	20.45
n41	40	30	2592.99	DFT	64QAM	Outer_Full	20.31
n41	40	30	2592.99	DFT	256QAM	Inner_Full	18.27
n41	40	30	2592.99	DFT	256QAM	Edge_1RB_Left	18.12
n41	40	30	2592.99	DFT	256QAM	Edge_1RB_Right	18.58
n41	40	30	2592.99	DFT	256QAM	Outer_Full	18.34
n41	40	30	2592.99	CP	QPSK	Inner_Full	21.28
n41	40	30	2592.99	CP	QPSK	Edge_1RB_Left	19.79
n41	40	30	2592.99	CP	QPSK	Edge_1RB_Right	20.28
n41	40	30	2592.99	CP	QPSK	Outer_Full	19.88
n41	40	30	2592.99	CP	16QAM	Inner_Full	20.86
n41	40	30	2592.99	CP	16QAM	Edge_1RB_Left	19.60
n41	40	30	2592.99	CP	16QAM	Edge_1RB_Right	20.12
n41	40	30	2592.99	CP	16QAM	Outer_Full	19.85
n41	40	30	2592.99	CP	64QAM	Inner_Full	19.31
n41	40	30	2592.99	CP	64QAM	Edge_1RB_Left	19.00
n41	40	30	2592.99	CP	64QAM	Edge_1RB_Right	19.46
n41	40	30	2592.99	CP	64QAM	Outer_Full	19.40
n41	40	30	2592.99	CP	256QAM	Inner_Full	16.28
n41	40	30	2592.99	CP	256QAM	Edge_1RB_Left	16.04
n41	40	30	2592.99	CP	256QAM	Edge_1RB_Right	16.59
n41	40	30	2592.99	CP	256QAM	Outer_Full	16.36
n41	40	30	2670	DFT	pi/2 BPSK	Inner_Full	23.20
n41	40	30	2670	DFT	pi/2 BPSK	Edge_1RB_Left	22.74
n41	40	30	2670	DFT	pi/2 BPSK	Edge_1RB_Right	22.52
n41	40	30	2670	DFT	pi/2 BPSK	Outer_Full	22.67
n41	40	30	2670	DFT	QPSK	Inner_Full	23.17
n41	40	30	2670	DFT	QPSK	Edge_1RB_Left	22.24
n41	40	30	2670	DFT	QPSK	Edge_1RB_Right	21.98
n41	40	30	2670	DFT	QPSK	Outer_Full	22.10
n41	40	30	2670	DFT	16QAM	Inner_Full	22.14
n41	40	30	2670	DFT	16QAM	Edge_1RB_Left	21.00
n41	40	30	2670	DFT	16QAM	Edge_1RB_Right	20.83
n41	40	30	2670	DFT	16QAM	Outer_Full	21.17
n41	40	30	2670	DFT	64QAM	Inner_Full	20.59
n41	40	30	2670	DFT	64QAM	Edge_1RB_Left	20.39
n41	40	30	2670	DFT	64QAM	Edge_1RB_Right	20.09
n41	40	30	2670	DFT	64QAM	Outer_Full	20.65



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	40	30	2670	DFT	256QAM	Inner_Full	18.65
n41	40	30	2670	DFT	256QAM	Edge_1RB_Left	18.51
n41	40	30	2670	DFT	256QAM	Edge_1RB_Right	18.35
n41	40	30	2670	DFT	256QAM	Outer_Full	18.64
n41	40	30	2670	CP	QPSK	Inner_Full	21.73
n41	40	30	2670	CP	QPSK	Edge_1RB_Left	20.25
n41	40	30	2670	CP	QPSK	Edge_1RB_Right	19.98
n41	40	30	2670	CP	QPSK	Outer_Full	20.08
n41	40	30	2670	CP	16QAM	Inner_Full	21.15
n41	40	30	2670	CP	16QAM	Edge_1RB_Left	20.30
n41	40	30	2670	CP	16QAM	Edge_1RB_Right	20.03
n41	40	30	2670	CP	16QAM	Outer_Full	20.05
n41	40	30	2670	CP	64QAM	Inner_Full	19.66
n41	40	30	2670	CP	64QAM	Edge_1RB_Left	19.42
n41	40	30	2670	CP	64QAM	Edge_1RB_Right	19.16
n41	40	30	2670	CP	64QAM	Outer_Full	19.63
n41	40	30	2670	CP	256QAM	Inner_Full	16.56
n41	40	30	2670	CP	256QAM	Edge_1RB_Left	16.48
n41	40	30	2670	CP	256QAM	Edge_1RB_Right	16.25
n41	40	30	2670	CP	256QAM	Outer_Full	16.58
n41	50	30	2521.02	DFT	pi/2 BPSK	Inner_Full	23.15
n41	50	30	2521.02	DFT	pi/2 BPSK	Edge_1RB_Left	22.57
n41	50	30	2521.02	DFT	pi/2 BPSK	Edge_1RB_Right	22.58
n41	50	30	2521.02	DFT	pi/2 BPSK	Outer_Full	22.72
n41	50	30	2521.02	DFT	QPSK	Inner_Full	23.18
n41	50	30	2521.02	DFT	QPSK	Edge_1RB_Left	22.10
n41	50	30	2521.02	DFT	QPSK	Edge_1RB_Right	22.07
n41	50	30	2521.02	DFT	QPSK	Outer_Full	22.20
n41	50	30	2521.02	DFT	16QAM	Inner_Full	22.22
n41	50	30	2521.02	DFT	16QAM	Edge_1RB_Left	20.82
n41	50	30	2521.02	DFT	16QAM	Edge_1RB_Right	20.93
n41	50	30	2521.02	DFT	16QAM	Outer_Full	21.19
n41	50	30	2521.02	DFT	64QAM	Inner_Full	20.60
n41	50	30	2521.02	DFT	64QAM	Edge_1RB_Left	20.17
n41	50	30	2521.02	DFT	64QAM	Edge_1RB_Right	20.14
n41	50	30	2521.02	DFT	64QAM	Outer_Full	20.68
n41	50	30	2521.02	DFT	256QAM	Inner_Full	18.67
n41	50	30	2521.02	DFT	256QAM	Edge_1RB_Left	18.36
n41	50	30	2521.02	DFT	256QAM	Edge_1RB_Right	18.47
n41	50	30	2521.02	DFT	256QAM	Outer_Full	18.69



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	50	30	2521.02	CP	QPSK	Inner_Full	21.65
n41	50	30	2521.02	CP	QPSK	Edge_1RB_Left	20.05
n41	50	30	2521.02	CP	QPSK	Edge_1RB_Right	20.08
n41	50	30	2521.02	CP	QPSK	Outer_Full	20.18
n41	50	30	2521.02	CP	16QAM	Inner_Full	21.15
n41	50	30	2521.02	CP	16QAM	Edge_1RB_Left	19.89
n41	50	30	2521.02	CP	16QAM	Edge_1RB_Right	20.01
n41	50	30	2521.02	CP	16QAM	Outer_Full	20.16
n41	50	30	2521.02	CP	64QAM	Inner_Full	19.70
n41	50	30	2521.02	CP	64QAM	Edge_1RB_Left	19.23
n41	50	30	2521.02	CP	64QAM	Edge_1RB_Right	19.31
n41	50	30	2521.02	CP	64QAM	Outer_Full	19.65
n41	50	30	2521.02	CP	256QAM	Inner_Full	16.72
n41	50	30	2521.02	CP	256QAM	Edge_1RB_Left	16.30
n41	50	30	2521.02	CP	256QAM	Edge_1RB_Right	16.38
n41	50	30	2521.02	CP	256QAM	Outer_Full	16.66
n41	50	30	2592.99	DFT	pi/2 BPSK	Inner_Full	22.59
n41	50	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.18
n41	50	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.67
n41	50	30	2592.99	DFT	pi/2 BPSK	Outer_Full	22.21
n41	50	30	2592.99	DFT	QPSK	Inner_Full	22.62
n41	50	30	2592.99	DFT	QPSK	Edge_1RB_Left	21.59
n41	50	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.15
n41	50	30	2592.99	DFT	QPSK	Outer_Full	21.70
n41	50	30	2592.99	DFT	16QAM	Inner_Full	21.64
n41	50	30	2592.99	DFT	16QAM	Edge_1RB_Left	20.48
n41	50	30	2592.99	DFT	16QAM	Edge_1RB_Right	20.95
n41	50	30	2592.99	DFT	16QAM	Outer_Full	20.76
n41	50	30	2592.99	DFT	64QAM	Inner_Full	20.15
n41	50	30	2592.99	DFT	64QAM	Edge_1RB_Left	19.80
n41	50	30	2592.99	DFT	64QAM	Edge_1RB_Right	20.24
n41	50	30	2592.99	DFT	64QAM	Outer_Full	20.23
n41	50	30	2592.99	DFT	256QAM	Inner_Full	18.12
n41	50	30	2592.99	DFT	256QAM	Edge_1RB_Left	17.99
n41	50	30	2592.99	DFT	256QAM	Edge_1RB_Right	18.48
n41	50	30	2592.99	DFT	256QAM	Outer_Full	18.21
n41	50	30	2592.99	CP	QPSK	Inner_Full	21.07
n41	50	30	2592.99	CP	QPSK	Edge_1RB_Left	19.73
n41	50	30	2592.99	CP	QPSK	Edge_1RB_Right	20.14
n41	50	30	2592.99	CP	QPSK	Outer_Full	19.65



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	50	30	2592.99	CP	16QAM	Inner_Full	20.61
n41	50	30	2592.99	CP	16QAM	Edge_1RB_Left	19.60
n41	50	30	2592.99	CP	16QAM	Edge_1RB_Right	20.03
n41	50	30	2592.99	CP	16QAM	Outer_Full	19.72
n41	50	30	2592.99	CP	64QAM	Inner_Full	19.20
n41	50	30	2592.99	CP	64QAM	Edge_1RB_Left	18.91
n41	50	30	2592.99	CP	64QAM	Edge_1RB_Right	19.39
n41	50	30	2592.99	CP	64QAM	Outer_Full	19.17
n41	50	30	2592.99	CP	256QAM	Inner_Full	16.17
n41	50	30	2592.99	CP	256QAM	Edge_1RB_Left	16.01
n41	50	30	2592.99	CP	256QAM	Edge_1RB_Right	16.41
n41	50	30	2592.99	CP	256QAM	Outer_Full	16.18
n41	50	30	2664.99	DFT	pi/2 BPSK	Inner_Full	23.10
n41	50	30	2664.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.43
n41	50	30	2664.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.23
n41	50	30	2664.99	DFT	pi/2 BPSK	Outer_Full	22.55
n41	50	30	2664.99	DFT	QPSK	Inner_Full	23.08
n41	50	30	2664.99	DFT	QPSK	Edge_1RB_Left	21.92
n41	50	30	2664.99	DFT	QPSK	Edge_1RB_Right	21.72
n41	50	30	2664.99	DFT	QPSK	Outer_Full	22.00
n41	50	30	2664.99	DFT	16QAM	Inner_Full	22.14
n41	50	30	2664.99	DFT	16QAM	Edge_1RB_Left	20.67
n41	50	30	2664.99	DFT	16QAM	Edge_1RB_Right	20.48
n41	50	30	2664.99	DFT	16QAM	Outer_Full	21.09
n41	50	30	2664.99	DFT	64QAM	Inner_Full	20.63
n41	50	30	2664.99	DFT	64QAM	Edge_1RB_Left	19.97
n41	50	30	2664.99	DFT	64QAM	Edge_1RB_Right	19.75
n41	50	30	2664.99	DFT	64QAM	Outer_Full	20.58
n41	50	30	2664.99	DFT	256QAM	Inner_Full	18.54
n41	50	30	2664.99	DFT	256QAM	Edge_1RB_Left	18.23
n41	50	30	2664.99	DFT	256QAM	Edge_1RB_Right	18.07
n41	50	30	2664.99	DFT	256QAM	Outer_Full	18.52
n41	50	30	2664.99	CP	QPSK	Inner_Full	21.58
n41	50	30	2664.99	CP	QPSK	Edge_1RB_Left	19.95
n41	50	30	2664.99	CP	QPSK	Edge_1RB_Right	19.74
n41	50	30	2664.99	CP	QPSK	Outer_Full	19.99
n41	50	30	2664.99	CP	16QAM	Inner_Full	21.10
n41	50	30	2664.99	CP	16QAM	Edge_1RB_Left	19.80
n41	50	30	2664.99	CP	16QAM	Edge_1RB_Right	19.61
n41	50	30	2664.99	CP	16QAM	Outer_Full	20.05



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	50	30	2664.99	CP	64QAM	Inner_Full	19.63
n41	50	30	2664.99	CP	64QAM	Edge_1RB_Left	19.10
n41	50	30	2664.99	CP	64QAM	Edge_1RB_Right	18.97
n41	50	30	2664.99	CP	64QAM	Outer_Full	19.54
n41	50	30	2664.99	CP	256QAM	Inner_Full	16.61
n41	50	30	2664.99	CP	256QAM	Edge_1RB_Left	16.21
n41	50	30	2664.99	CP	256QAM	Edge_1RB_Right	15.97
n41	50	30	2664.99	CP	256QAM	Outer_Full	16.46
n41	60	30	2526	DFT	pi/2 BPSK	Inner_Full	23.16
n41	60	30	2526	DFT	pi/2 BPSK	Edge_1RB_Left	22.52
n41	60	30	2526	DFT	pi/2 BPSK	Edge_1RB_Right	22.53
n41	60	30	2526	DFT	pi/2 BPSK	Outer_Full	22.62
n41	60	30	2526	DFT	QPSK	Inner_Full	23.10
n41	60	30	2526	DFT	QPSK	Edge_1RB_Left	21.99
n41	60	30	2526	DFT	QPSK	Edge_1RB_Right	22.05
n41	60	30	2526	DFT	QPSK	Outer_Full	22.06
n41	60	30	2526	DFT	16QAM	Inner_Full	22.09
n41	60	30	2526	DFT	16QAM	Edge_1RB_Left	20.73
n41	60	30	2526	DFT	16QAM	Edge_1RB_Right	20.79
n41	60	30	2526	DFT	16QAM	Outer_Full	21.07
n41	60	30	2526	DFT	64QAM	Inner_Full	20.56
n41	60	30	2526	DFT	64QAM	Edge_1RB_Left	20.09
n41	60	30	2526	DFT	64QAM	Edge_1RB_Right	20.17
n41	60	30	2526	DFT	64QAM	Outer_Full	20.59
n41	60	30	2526	DFT	256QAM	Inner_Full	18.71
n41	60	30	2526	DFT	256QAM	Edge_1RB_Left	18.27
n41	60	30	2526	DFT	256QAM	Edge_1RB_Right	18.35
n41	60	30	2526	DFT	256QAM	Outer_Full	18.63
n41	60	30	2526	CP	QPSK	Inner_Full	21.67
n41	60	30	2526	CP	QPSK	Edge_1RB_Left	20.03
n41	60	30	2526	CP	QPSK	Edge_1RB_Right	20.05
n41	60	30	2526	CP	QPSK	Outer_Full	20.04
n41	60	30	2526	CP	16QAM	Inner_Full	21.04
n41	60	30	2526	CP	16QAM	Edge_1RB_Left	19.82
n41	60	30	2526	CP	16QAM	Edge_1RB_Right	19.90
n41	60	30	2526	CP	16QAM	Outer_Full	20.12
n41	60	30	2526	CP	64QAM	Inner_Full	19.59
n41	60	30	2526	CP	64QAM	Edge_1RB_Left	19.21
n41	60	30	2526	CP	64QAM	Edge_1RB_Right	19.34
n41	60	30	2526	CP	64QAM	Outer_Full	19.55



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	60	30	2526	CP	256QAM	Inner_Full	16.60
n41	60	30	2526	CP	256QAM	Edge_1RB_Left	16.42
n41	60	30	2526	CP	256QAM	Edge_1RB_Right	16.39
n41	60	30	2526	CP	256QAM	Outer_Full	16.61
n41	60	30	2592.99	DFT	pi/2 BPSK	Inner_Full	22.67
n41	60	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.22
n41	60	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.70
n41	60	30	2592.99	DFT	pi/2 BPSK	Outer_Full	22.34
n41	60	30	2592.99	DFT	QPSK	Inner_Full	22.67
n41	60	30	2592.99	DFT	QPSK	Edge_1RB_Left	21.77
n41	60	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.18
n41	60	30	2592.99	DFT	QPSK	Outer_Full	21.75
n41	60	30	2592.99	DFT	16QAM	Inner_Full	21.71
n41	60	30	2592.99	DFT	16QAM	Edge_1RB_Left	20.55
n41	60	30	2592.99	DFT	16QAM	Edge_1RB_Right	20.97
n41	60	30	2592.99	DFT	16QAM	Outer_Full	20.77
n41	60	30	2592.99	DFT	64QAM	Inner_Full	20.16
n41	60	30	2592.99	DFT	64QAM	Edge_1RB_Left	19.81
n41	60	30	2592.99	DFT	64QAM	Edge_1RB_Right	20.28
n41	60	30	2592.99	DFT	64QAM	Outer_Full	20.31
n41	60	30	2592.99	DFT	256QAM	Inner_Full	18.11
n41	60	30	2592.99	DFT	256QAM	Edge_1RB_Left	18.04
n41	60	30	2592.99	DFT	256QAM	Edge_1RB_Right	18.50
n41	60	30	2592.99	DFT	256QAM	Outer_Full	18.27
n41	60	30	2592.99	CP	QPSK	Inner_Full	21.13
n41	60	30	2592.99	CP	QPSK	Edge_1RB_Left	19.72
n41	60	30	2592.99	CP	QPSK	Edge_1RB_Right	20.16
n41	60	30	2592.99	CP	QPSK	Outer_Full	19.79
n41	60	30	2592.99	CP	16QAM	Inner_Full	20.70
n41	60	30	2592.99	CP	16QAM	Edge_1RB_Left	19.61
n41	60	30	2592.99	CP	16QAM	Edge_1RB_Right	20.10
n41	60	30	2592.99	CP	16QAM	Outer_Full	19.73
n41	60	30	2592.99	CP	64QAM	Inner_Full	19.13
n41	60	30	2592.99	CP	64QAM	Edge_1RB_Left	18.92
n41	60	30	2592.99	CP	64QAM	Edge_1RB_Right	19.40
n41	60	30	2592.99	CP	64QAM	Outer_Full	19.26
n41	60	30	2592.99	CP	256QAM	Inner_Full	16.10
n41	60	30	2592.99	CP	256QAM	Edge_1RB_Left	15.99
n41	60	30	2592.99	CP	256QAM	Edge_1RB_Right	16.53
n41	60	30	2592.99	CP	256QAM	Outer_Full	16.26



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	60	30	2659.98	DFT	pi/2 BPSK	Inner_Full	23.12
n41	60	30	2659.98	DFT	pi/2 BPSK	Edge_1RB_Left	22.44
n41	60	30	2659.98	DFT	pi/2 BPSK	Edge_1RB_Right	22.26
n41	60	30	2659.98	DFT	pi/2 BPSK	Outer_Full	22.51
n41	60	30	2659.98	DFT	QPSK	Inner_Full	23.20
n41	60	30	2659.98	DFT	QPSK	Edge_1RB_Left	21.92
n41	60	30	2659.98	DFT	QPSK	Edge_1RB_Right	21.75
n41	60	30	2659.98	DFT	QPSK	Outer_Full	22.03
n41	60	30	2659.98	DFT	16QAM	Inner_Full	22.10
n41	60	30	2659.98	DFT	16QAM	Edge_1RB_Left	20.72
n41	60	30	2659.98	DFT	16QAM	Edge_1RB_Right	20.51
n41	60	30	2659.98	DFT	16QAM	Outer_Full	21.05
n41	60	30	2659.98	DFT	64QAM	Inner_Full	20.55
n41	60	30	2659.98	DFT	64QAM	Edge_1RB_Left	20.01
n41	60	30	2659.98	DFT	64QAM	Edge_1RB_Right	19.86
n41	60	30	2659.98	DFT	64QAM	Outer_Full	20.49
n41	60	30	2659.98	DFT	256QAM	Inner_Full	18.64
n41	60	30	2659.98	DFT	256QAM	Edge_1RB_Left	18.29
n41	60	30	2659.98	DFT	256QAM	Edge_1RB_Right	18.05
n41	60	30	2659.98	DFT	256QAM	Outer_Full	18.55
n41	60	30	2659.98	CP	QPSK	Inner_Full	21.66
n41	60	30	2659.98	CP	QPSK	Edge_1RB_Left	19.90
n41	60	30	2659.98	CP	QPSK	Edge_1RB_Right	19.81
n41	60	30	2659.98	CP	QPSK	Outer_Full	20.10
n41	60	30	2659.98	CP	16QAM	Inner_Full	21.06
n41	60	30	2659.98	CP	16QAM	Edge_1RB_Left	19.73
n41	60	30	2659.98	CP	16QAM	Edge_1RB_Right	19.65
n41	60	30	2659.98	CP	16QAM	Outer_Full	19.98
n41	60	30	2659.98	CP	64QAM	Inner_Full	19.69
n41	60	30	2659.98	CP	64QAM	Edge_1RB_Left	19.14
n41	60	30	2659.98	CP	64QAM	Edge_1RB_Right	18.96
n41	60	30	2659.98	CP	64QAM	Outer_Full	19.54
n41	60	30	2659.98	CP	256QAM	Inner_Full	16.70
n41	60	30	2659.98	CP	256QAM	Edge_1RB_Left	16.07
n41	60	30	2659.98	CP	256QAM	Edge_1RB_Right	16.06
n41	60	30	2659.98	CP	256QAM	Outer_Full	16.63
n41	70	30	2531.01	DFT	pi/2 BPSK	Inner_Full	22.98
n41	70	30	2531.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.42
n41	70	30	2531.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.36
n41	70	30	2531.01	DFT	pi/2 BPSK	Outer_Full	22.52



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	70	30	2531.01	DFT	QPSK	Inner_Full	22.98
n41	70	30	2531.01	DFT	QPSK	Edge_1RB_Left	21.96
n41	70	30	2531.01	DFT	QPSK	Edge_1RB_Right	21.70
n41	70	30	2531.01	DFT	QPSK	Outer_Full	21.99
n41	70	30	2531.01	DFT	16QAM	Inner_Full	22.03
n41	70	30	2531.01	DFT	16QAM	Edge_1RB_Left	20.69
n41	70	30	2531.01	DFT	16QAM	Edge_1RB_Right	20.45
n41	70	30	2531.01	DFT	16QAM	Outer_Full	21.03
n41	70	30	2531.01	DFT	64QAM	Inner_Full	20.51
n41	70	30	2531.01	DFT	64QAM	Edge_1RB_Left	20.02
n41	70	30	2531.01	DFT	64QAM	Edge_1RB_Right	19.74
n41	70	30	2531.01	DFT	64QAM	Outer_Full	20.59
n41	70	30	2531.01	DFT	256QAM	Inner_Full	18.44
n41	70	30	2531.01	DFT	256QAM	Edge_1RB_Left	18.29
n41	70	30	2531.01	DFT	256QAM	Edge_1RB_Right	18.06
n41	70	30	2531.01	DFT	256QAM	Outer_Full	18.50
n41	70	30	2531.01	CP	QPSK	Inner_Full	21.48
n41	70	30	2531.01	CP	QPSK	Edge_1RB_Left	19.91
n41	70	30	2531.01	CP	QPSK	Edge_1RB_Right	19.70
n41	70	30	2531.01	CP	QPSK	Outer_Full	20.00
n41	70	30	2531.01	CP	16QAM	Inner_Full	20.99
n41	70	30	2531.01	CP	16QAM	Edge_1RB_Left	19.83
n41	70	30	2531.01	CP	16QAM	Edge_1RB_Right	19.60
n41	70	30	2531.01	CP	16QAM	Outer_Full	19.97
n41	70	30	2531.01	CP	64QAM	Inner_Full	19.49
n41	70	30	2531.01	CP	64QAM	Edge_1RB_Left	19.13
n41	70	30	2531.01	CP	64QAM	Edge_1RB_Right	18.92
n41	70	30	2531.01	CP	64QAM	Outer_Full	19.50
n41	70	30	2531.01	CP	256QAM	Inner_Full	16.50
n41	70	30	2531.01	CP	256QAM	Edge_1RB_Left	16.32
n41	70	30	2531.01	CP	256QAM	Edge_1RB_Right	15.95
n41	70	30	2531.01	CP	256QAM	Outer_Full	16.40
n41	70	30	2592.99	DFT	pi/2 BPSK	Inner_Full	22.53
n41	70	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.25
n41	70	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.58
n41	70	30	2592.99	DFT	pi/2 BPSK	Outer_Full	22.18
n41	70	30	2592.99	DFT	QPSK	Inner_Full	22.53
n41	70	30	2592.99	DFT	QPSK	Edge_1RB_Left	21.61
n41	70	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.12
n41	70	30	2592.99	DFT	QPSK	Outer_Full	21.72



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	70	30	2592.99	DFT	16QAM	Inner_Full	21.51
n41	70	30	2592.99	DFT	16QAM	Edge_1RB_Left	20.44
n41	70	30	2592.99	DFT	16QAM	Edge_1RB_Right	20.87
n41	70	30	2592.99	DFT	16QAM	Outer_Full	20.67
n41	70	30	2592.99	DFT	64QAM	Inner_Full	20.06
n41	70	30	2592.99	DFT	64QAM	Edge_1RB_Left	19.66
n41	70	30	2592.99	DFT	64QAM	Edge_1RB_Right	20.23
n41	70	30	2592.99	DFT	64QAM	Outer_Full	20.17
n41	70	30	2592.99	DFT	256QAM	Inner_Full	17.99
n41	70	30	2592.99	DFT	256QAM	Edge_1RB_Left	18.00
n41	70	30	2592.99	DFT	256QAM	Edge_1RB_Right	18.42
n41	70	30	2592.99	DFT	256QAM	Outer_Full	18.22
n41	70	30	2592.99	CP	QPSK	Inner_Full	21.02
n41	70	30	2592.99	CP	QPSK	Edge_1RB_Left	19.74
n41	70	30	2592.99	CP	QPSK	Edge_1RB_Right	20.04
n41	70	30	2592.99	CP	QPSK	Outer_Full	19.73
n41	70	30	2592.99	CP	16QAM	Inner_Full	20.60
n41	70	30	2592.99	CP	16QAM	Edge_1RB_Left	19.60
n41	70	30	2592.99	CP	16QAM	Edge_1RB_Right	19.97
n41	70	30	2592.99	CP	16QAM	Outer_Full	19.76
n41	70	30	2592.99	CP	64QAM	Inner_Full	19.03
n41	70	30	2592.99	CP	64QAM	Edge_1RB_Left	18.84
n41	70	30	2592.99	CP	64QAM	Edge_1RB_Right	19.28
n41	70	30	2592.99	CP	64QAM	Outer_Full	19.21
n41	70	30	2592.99	CP	256QAM	Inner_Full	16.05
n41	70	30	2592.99	CP	256QAM	Edge_1RB_Left	15.90
n41	70	30	2592.99	CP	256QAM	Edge_1RB_Right	16.30
n41	70	30	2592.99	CP	256QAM	Outer_Full	16.20
n41	70	30	2655	DFT	pi/2 BPSK	Inner_Full	22.99
n41	70	30	2655	DFT	pi/2 BPSK	Edge_1RB_Left	22.25
n41	70	30	2655	DFT	pi/2 BPSK	Edge_1RB_Right	22.19
n41	70	30	2655	DFT	pi/2 BPSK	Outer_Full	22.47
n41	70	30	2655	DFT	QPSK	Inner_Full	23.06
n41	70	30	2655	DFT	QPSK	Edge_1RB_Left	21.79
n41	70	30	2655	DFT	QPSK	Edge_1RB_Right	21.66
n41	70	30	2655	DFT	QPSK	Outer_Full	21.99
n41	70	30	2655	DFT	16QAM	Inner_Full	22.03
n41	70	30	2655	DFT	16QAM	Edge_1RB_Left	20.55
n41	70	30	2655	DFT	16QAM	Edge_1RB_Right	20.43
n41	70	30	2655	DFT	16QAM	Outer_Full	21.01



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	70	30	2655	DFT	64QAM	Inner_Full	20.61
n41	70	30	2655	DFT	64QAM	Edge_1RB_Left	19.88
n41	70	30	2655	DFT	64QAM	Edge_1RB_Right	19.73
n41	70	30	2655	DFT	64QAM	Outer_Full	20.49
n41	70	30	2655	DFT	256QAM	Inner_Full	18.46
n41	70	30	2655	DFT	256QAM	Edge_1RB_Left	18.05
n41	70	30	2655	DFT	256QAM	Edge_1RB_Right	18.01
n41	70	30	2655	DFT	256QAM	Outer_Full	18.51
n41	70	30	2655	CP	QPSK	Inner_Full	21.61
n41	70	30	2655	CP	QPSK	Edge_1RB_Left	19.68
n41	70	30	2655	CP	QPSK	Edge_1RB_Right	19.71
n41	70	30	2655	CP	QPSK	Outer_Full	19.93
n41	70	30	2655	CP	16QAM	Inner_Full	21.02
n41	70	30	2655	CP	16QAM	Edge_1RB_Left	19.68
n41	70	30	2655	CP	16QAM	Edge_1RB_Right	19.54
n41	70	30	2655	CP	16QAM	Outer_Full	19.97
n41	70	30	2655	CP	64QAM	Inner_Full	19.54
n41	70	30	2655	CP	64QAM	Edge_1RB_Left	18.97
n41	70	30	2655	CP	64QAM	Edge_1RB_Right	18.81
n41	70	30	2655	CP	64QAM	Outer_Full	19.44
n41	70	30	2655	CP	256QAM	Inner_Full	16.52
n41	70	30	2655	CP	256QAM	Edge_1RB_Left	16.03
n41	70	30	2655	CP	256QAM	Edge_1RB_Right	15.93
n41	70	30	2655	CP	256QAM	Outer_Full	16.36
n41	80	30	2536.02	DFT	pi/2 BPSK	Inner_Full	22.98
n41	80	30	2536.02	DFT	pi/2 BPSK	Edge_1RB_Left	22.48
n41	80	30	2536.02	DFT	pi/2 BPSK	Edge_1RB_Right	22.08
n41	80	30	2536.02	DFT	pi/2 BPSK	Outer_Full	22.48
n41	80	30	2536.02	DFT	QPSK	Inner_Full	23.07
n41	80	30	2536.02	DFT	QPSK	Edge_1RB_Left	21.96
n41	80	30	2536.02	DFT	QPSK	Edge_1RB_Right	21.54
n41	80	30	2536.02	DFT	QPSK	Outer_Full	21.97
n41	80	30	2536.02	DFT	16QAM	Inner_Full	22.01
n41	80	30	2536.02	DFT	16QAM	Edge_1RB_Left	20.68
n41	80	30	2536.02	DFT	16QAM	Edge_1RB_Right	20.32
n41	80	30	2536.02	DFT	16QAM	Outer_Full	21.04
n41	80	30	2536.02	DFT	64QAM	Inner_Full	20.54
n41	80	30	2536.02	DFT	64QAM	Edge_1RB_Left	20.03
n41	80	30	2536.02	DFT	64QAM	Edge_1RB_Right	19.69
n41	80	30	2536.02	DFT	64QAM	Outer_Full	20.49



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	80	30	2536.02	DFT	256QAM	Inner_Full	18.43
n41	80	30	2536.02	DFT	256QAM	Edge_1RB_Left	18.28
n41	80	30	2536.02	DFT	256QAM	Edge_1RB_Right	17.93
n41	80	30	2536.02	DFT	256QAM	Outer_Full	18.44
n41	80	30	2536.02	CP	QPSK	Inner_Full	21.54
n41	80	30	2536.02	CP	QPSK	Edge_1RB_Left	19.90
n41	80	30	2536.02	CP	QPSK	Edge_1RB_Right	19.55
n41	80	30	2536.02	CP	QPSK	Outer_Full	20.00
n41	80	30	2536.02	CP	16QAM	Inner_Full	21.04
n41	80	30	2536.02	CP	16QAM	Edge_1RB_Left	19.82
n41	80	30	2536.02	CP	16QAM	Edge_1RB_Right	19.48
n41	80	30	2536.02	CP	16QAM	Outer_Full	19.96
n41	80	30	2536.02	CP	64QAM	Inner_Full	19.55
n41	80	30	2536.02	CP	64QAM	Edge_1RB_Left	19.17
n41	80	30	2536.02	CP	64QAM	Edge_1RB_Right	18.79
n41	80	30	2536.02	CP	64QAM	Outer_Full	19.53
n41	80	30	2536.02	CP	256QAM	Inner_Full	16.52
n41	80	30	2536.02	CP	256QAM	Edge_1RB_Left	16.23
n41	80	30	2536.02	CP	256QAM	Edge_1RB_Right	15.85
n41	80	30	2536.02	CP	256QAM	Outer_Full	16.50
n41	80	30	2592.99	DFT	pi/2 BPSK	Inner_Full	22.59
n41	80	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.31
n41	80	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.69
n41	80	30	2592.99	DFT	pi/2 BPSK	Outer_Full	22.26
n41	80	30	2592.99	DFT	QPSK	Inner_Full	22.60
n41	80	30	2592.99	DFT	QPSK	Edge_1RB_Left	21.67
n41	80	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.12
n41	80	30	2592.99	DFT	QPSK	Outer_Full	21.75
n41	80	30	2592.99	DFT	16QAM	Inner_Full	21.68
n41	80	30	2592.99	DFT	16QAM	Edge_1RB_Left	20.44
n41	80	30	2592.99	DFT	16QAM	Edge_1RB_Right	20.91
n41	80	30	2592.99	DFT	16QAM	Outer_Full	20.79
n41	80	30	2592.99	DFT	64QAM	Inner_Full	20.10
n41	80	30	2592.99	DFT	64QAM	Edge_1RB_Left	19.75
n41	80	30	2592.99	DFT	64QAM	Edge_1RB_Right	20.27
n41	80	30	2592.99	DFT	64QAM	Outer_Full	20.20
n41	80	30	2592.99	DFT	256QAM	Inner_Full	18.02
n41	80	30	2592.99	DFT	256QAM	Edge_1RB_Left	18.08
n41	80	30	2592.99	DFT	256QAM	Edge_1RB_Right	18.46
n41	80	30	2592.99	DFT	256QAM	Outer_Full	18.29



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	80	30	2592.99	CP	QPSK	Inner_Full	21.09
n41	80	30	2592.99	CP	QPSK	Edge_1RB_Left	19.73
n41	80	30	2592.99	CP	QPSK	Edge_1RB_Right	20.13
n41	80	30	2592.99	CP	QPSK	Outer_Full	19.75
n41	80	30	2592.99	CP	16QAM	Inner_Full	20.60
n41	80	30	2592.99	CP	16QAM	Edge_1RB_Left	19.51
n41	80	30	2592.99	CP	16QAM	Edge_1RB_Right	19.97
n41	80	30	2592.99	CP	16QAM	Outer_Full	19.69
n41	80	30	2592.99	CP	64QAM	Inner_Full	19.05
n41	80	30	2592.99	CP	64QAM	Edge_1RB_Left	19.02
n41	80	30	2592.99	CP	64QAM	Edge_1RB_Right	19.35
n41	80	30	2592.99	CP	64QAM	Outer_Full	19.23
n41	80	30	2592.99	CP	256QAM	Inner_Full	16.10
n41	80	30	2592.99	CP	256QAM	Edge_1RB_Left	16.09
n41	80	30	2592.99	CP	256QAM	Edge_1RB_Right	16.42
n41	80	30	2592.99	CP	256QAM	Outer_Full	16.26
n41	80	30	2649.99	DFT	pi/2 BPSK	Inner_Full	23.02
n41	80	30	2649.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.06
n41	80	30	2649.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.20
n41	80	30	2649.99	DFT	pi/2 BPSK	Outer_Full	22.45
n41	80	30	2649.99	DFT	QPSK	Inner_Full	23.04
n41	80	30	2649.99	DFT	QPSK	Edge_1RB_Left	21.61
n41	80	30	2649.99	DFT	QPSK	Edge_1RB_Right	21.74
n41	80	30	2649.99	DFT	QPSK	Outer_Full	21.92
n41	80	30	2649.99	DFT	16QAM	Inner_Full	22.06
n41	80	30	2649.99	DFT	16QAM	Edge_1RB_Left	20.28
n41	80	30	2649.99	DFT	16QAM	Edge_1RB_Right	20.44
n41	80	30	2649.99	DFT	16QAM	Outer_Full	21.00
n41	80	30	2649.99	DFT	64QAM	Inner_Full	20.49
n41	80	30	2649.99	DFT	64QAM	Edge_1RB_Left	19.66
n41	80	30	2649.99	DFT	64QAM	Edge_1RB_Right	19.80
n41	80	30	2649.99	DFT	64QAM	Outer_Full	20.45
n41	80	30	2649.99	DFT	256QAM	Inner_Full	18.51
n41	80	30	2649.99	DFT	256QAM	Edge_1RB_Left	17.88
n41	80	30	2649.99	DFT	256QAM	Edge_1RB_Right	18.01
n41	80	30	2649.99	DFT	256QAM	Outer_Full	18.38
n41	80	30	2649.99	CP	QPSK	Inner_Full	21.58
n41	80	30	2649.99	CP	QPSK	Edge_1RB_Left	19.58
n41	80	30	2649.99	CP	QPSK	Edge_1RB_Right	19.68
n41	80	30	2649.99	CP	QPSK	Outer_Full	19.88



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	80	30	2649.99	CP	16QAM	Inner_Full	21.02
n41	80	30	2649.99	CP	16QAM	Edge_1RB_Left	19.44
n41	80	30	2649.99	CP	16QAM	Edge_1RB_Right	19.62
n41	80	30	2649.99	CP	16QAM	Outer_Full	19.93
n41	80	30	2649.99	CP	64QAM	Inner_Full	19.49
n41	80	30	2649.99	CP	64QAM	Edge_1RB_Left	18.73
n41	80	30	2649.99	CP	64QAM	Edge_1RB_Right	18.97
n41	80	30	2649.99	CP	64QAM	Outer_Full	19.43
n41	80	30	2649.99	CP	256QAM	Inner_Full	16.59
n41	80	30	2649.99	CP	256QAM	Edge_1RB_Left	15.84
n41	80	30	2649.99	CP	256QAM	Edge_1RB_Right	15.98
n41	80	30	2649.99	CP	256QAM	Outer_Full	16.45
n41	90	30	2541	DFT	pi/2 BPSK	Inner_Full	23.02
n41	90	30	2541	DFT	pi/2 BPSK	Edge_1RB_Left	22.42
n41	90	30	2541	DFT	pi/2 BPSK	Edge_1RB_Right	22.08
n41	90	30	2541	DFT	pi/2 BPSK	Outer_Full	22.44
n41	90	30	2541	DFT	QPSK	Inner_Full	23.08
n41	90	30	2541	DFT	QPSK	Edge_1RB_Left	21.97
n41	90	30	2541	DFT	QPSK	Edge_1RB_Right	21.51
n41	90	30	2541	DFT	QPSK	Outer_Full	21.98
n41	90	30	2541	DFT	16QAM	Inner_Full	22.04
n41	90	30	2541	DFT	16QAM	Edge_1RB_Left	20.64
n41	90	30	2541	DFT	16QAM	Edge_1RB_Right	20.30
n41	90	30	2541	DFT	16QAM	Outer_Full	20.97
n41	90	30	2541	DFT	64QAM	Inner_Full	20.55
n41	90	30	2541	DFT	64QAM	Edge_1RB_Left	20.08
n41	90	30	2541	DFT	64QAM	Edge_1RB_Right	19.68
n41	90	30	2541	DFT	64QAM	Outer_Full	20.46
n41	90	30	2541	DFT	256QAM	Inner_Full	18.54
n41	90	30	2541	DFT	256QAM	Edge_1RB_Left	18.25
n41	90	30	2541	DFT	256QAM	Edge_1RB_Right	17.90
n41	90	30	2541	DFT	256QAM	Outer_Full	18.46
n41	90	30	2541	CP	QPSK	Inner_Full	21.50
n41	90	30	2541	CP	QPSK	Edge_1RB_Left	19.90
n41	90	30	2541	CP	QPSK	Edge_1RB_Right	19.61
n41	90	30	2541	CP	QPSK	Outer_Full	19.99
n41	90	30	2541	CP	16QAM	Inner_Full	20.98
n41	90	30	2541	CP	16QAM	Edge_1RB_Left	19.83
n41	90	30	2541	CP	16QAM	Edge_1RB_Right	19.47
n41	90	30	2541	CP	16QAM	Outer_Full	19.92



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	90	30	2541	CP	64QAM	Inner_Full	19.53
n41	90	30	2541	CP	64QAM	Edge_1RB_Left	19.20
n41	90	30	2541	CP	64QAM	Edge_1RB_Right	18.81
n41	90	30	2541	CP	64QAM	Outer_Full	19.39
n41	90	30	2541	CP	256QAM	Inner_Full	16.51
n41	90	30	2541	CP	256QAM	Edge_1RB_Left	16.30
n41	90	30	2541	CP	256QAM	Edge_1RB_Right	15.82
n41	90	30	2541	CP	256QAM	Outer_Full	16.41
n41	90	30	2592.99	DFT	pi/2 BPSK	Inner_Full	22.60
n41	90	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.26
n41	90	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.74
n41	90	30	2592.99	DFT	pi/2 BPSK	Outer_Full	22.31
n41	90	30	2592.99	DFT	QPSK	Inner_Full	22.68
n41	90	30	2592.99	DFT	QPSK	Edge_1RB_Left	21.79
n41	90	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.21
n41	90	30	2592.99	DFT	QPSK	Outer_Full	21.78
n41	90	30	2592.99	DFT	16QAM	Inner_Full	21.65
n41	90	30	2592.99	DFT	16QAM	Edge_1RB_Left	20.49
n41	90	30	2592.99	DFT	16QAM	Edge_1RB_Right	20.97
n41	90	30	2592.99	DFT	16QAM	Outer_Full	20.76
n41	90	30	2592.99	DFT	64QAM	Inner_Full	20.15
n41	90	30	2592.99	DFT	64QAM	Edge_1RB_Left	19.86
n41	90	30	2592.99	DFT	64QAM	Edge_1RB_Right	20.28
n41	90	30	2592.99	DFT	64QAM	Outer_Full	20.25
n41	90	30	2592.99	DFT	256QAM	Inner_Full	18.09
n41	90	30	2592.99	DFT	256QAM	Edge_1RB_Left	18.12
n41	90	30	2592.99	DFT	256QAM	Edge_1RB_Right	18.55
n41	90	30	2592.99	DFT	256QAM	Outer_Full	18.20
n41	90	30	2592.99	CP	QPSK	Inner_Full	21.12
n41	90	30	2592.99	CP	QPSK	Edge_1RB_Left	19.82
n41	90	30	2592.99	CP	QPSK	Edge_1RB_Right	20.22
n41	90	30	2592.99	CP	QPSK	Outer_Full	19.77
n41	90	30	2592.99	CP	16QAM	Inner_Full	20.57
n41	90	30	2592.99	CP	16QAM	Edge_1RB_Left	19.63
n41	90	30	2592.99	CP	16QAM	Edge_1RB_Right	20.10
n41	90	30	2592.99	CP	16QAM	Outer_Full	19.76
n41	90	30	2592.99	CP	64QAM	Inner_Full	19.06
n41	90	30	2592.99	CP	64QAM	Edge_1RB_Left	19.01
n41	90	30	2592.99	CP	64QAM	Edge_1RB_Right	19.44
n41	90	30	2592.99	CP	64QAM	Outer_Full	19.28



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	90	30	2592.99	CP	256QAM	Inner_Full	16.11
n41	90	30	2592.99	CP	256QAM	Edge_1RB_Left	16.12
n41	90	30	2592.99	CP	256QAM	Edge_1RB_Right	16.59
n41	90	30	2592.99	CP	256QAM	Outer_Full	16.21
n41	90	30	2644.98	DFT	pi/2 BPSK	Inner_Full	22.96
n41	90	30	2644.98	DFT	pi/2 BPSK	Edge_1RB_Left	21.78
n41	90	30	2644.98	DFT	pi/2 BPSK	Edge_1RB_Right	22.25
n41	90	30	2644.98	DFT	pi/2 BPSK	Outer_Full	22.41
n41	90	30	2644.98	DFT	QPSK	Inner_Full	23.04
n41	90	30	2644.98	DFT	QPSK	Edge_1RB_Left	21.32
n41	90	30	2644.98	DFT	QPSK	Edge_1RB_Right	21.71
n41	90	30	2644.98	DFT	QPSK	Outer_Full	21.90
n41	90	30	2644.98	DFT	16QAM	Inner_Full	22.02
n41	90	30	2644.98	DFT	16QAM	Edge_1RB_Left	20.02
n41	90	30	2644.98	DFT	16QAM	Edge_1RB_Right	20.51
n41	90	30	2644.98	DFT	16QAM	Outer_Full	20.89
n41	90	30	2644.98	DFT	64QAM	Inner_Full	20.54
n41	90	30	2644.98	DFT	64QAM	Edge_1RB_Left	19.40
n41	90	30	2644.98	DFT	64QAM	Edge_1RB_Right	19.82
n41	90	30	2644.98	DFT	64QAM	Outer_Full	20.38
n41	90	30	2644.98	DFT	256QAM	Inner_Full	18.50
n41	90	30	2644.98	DFT	256QAM	Edge_1RB_Left	17.66
n41	90	30	2644.98	DFT	256QAM	Edge_1RB_Right	17.98
n41	90	30	2644.98	DFT	256QAM	Outer_Full	18.42
n41	90	30	2644.98	CP	QPSK	Inner_Full	21.45
n41	90	30	2644.98	CP	QPSK	Edge_1RB_Left	19.29
n41	90	30	2644.98	CP	QPSK	Edge_1RB_Right	19.78
n41	90	30	2644.98	CP	QPSK	Outer_Full	19.86
n41	90	30	2644.98	CP	16QAM	Inner_Full	20.97
n41	90	30	2644.98	CP	16QAM	Edge_1RB_Left	19.20
n41	90	30	2644.98	CP	16QAM	Edge_1RB_Right	19.62
n41	90	30	2644.98	CP	16QAM	Outer_Full	19.89
n41	90	30	2644.98	CP	64QAM	Inner_Full	19.46
n41	90	30	2644.98	CP	64QAM	Edge_1RB_Left	18.47
n41	90	30	2644.98	CP	64QAM	Edge_1RB_Right	18.98
n41	90	30	2644.98	CP	64QAM	Outer_Full	19.37
n41	90	30	2644.98	CP	256QAM	Inner_Full	16.48
n41	90	30	2644.98	CP	256QAM	Edge_1RB_Left	15.61
n41	90	30	2644.98	CP	256QAM	Edge_1RB_Right	16.09
n41	90	30	2644.98	CP	256QAM	Outer_Full	16.34



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	100	30	2546.01	DFT	pi/2 BPSK	Inner_Full	22.91
n41	100	30	2546.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.40
n41	100	30	2546.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.12
n41	100	30	2546.01	DFT	pi/2 BPSK	Outer_Full	22.37
n41	100	30	2546.01	DFT	QPSK	Inner_Full	22.92
n41	100	30	2546.01	DFT	QPSK	Edge_1RB_Left	21.96
n41	100	30	2546.01	DFT	QPSK	Edge_1RB_Right	21.61
n41	100	30	2546.01	DFT	QPSK	Outer_Full	21.88
n41	100	30	2546.01	DFT	16QAM	Inner_Full	21.99
n41	100	30	2546.01	DFT	16QAM	Edge_1RB_Left	20.70
n41	100	30	2546.01	DFT	16QAM	Edge_1RB_Right	20.47
n41	100	30	2546.01	DFT	16QAM	Outer_Full	20.88
n41	100	30	2546.01	DFT	64QAM	Inner_Full	20.49
n41	100	30	2546.01	DFT	64QAM	Edge_1RB_Left	20.09
n41	100	30	2546.01	DFT	64QAM	Edge_1RB_Right	19.75
n41	100	30	2546.01	DFT	64QAM	Outer_Full	20.33
n41	100	30	2546.01	DFT	256QAM	Inner_Full	18.44
n41	100	30	2546.01	DFT	256QAM	Edge_1RB_Left	18.30
n41	100	30	2546.01	DFT	256QAM	Edge_1RB_Right	17.90
n41	100	30	2546.01	DFT	256QAM	Outer_Full	18.36
n41	100	30	2546.01	CP	QPSK	Inner_Full	21.44
n41	100	30	2546.01	CP	QPSK	Edge_1RB_Left	19.90
n41	100	30	2546.01	CP	QPSK	Edge_1RB_Right	19.60
n41	100	30	2546.01	CP	QPSK	Outer_Full	19.84
n41	100	30	2546.01	CP	16QAM	Inner_Full	20.96
n41	100	30	2546.01	CP	16QAM	Edge_1RB_Left	19.76
n41	100	30	2546.01	CP	16QAM	Edge_1RB_Right	19.50
n41	100	30	2546.01	CP	16QAM	Outer_Full	19.88
n41	100	30	2546.01	CP	64QAM	Inner_Full	19.43
n41	100	30	2546.01	CP	64QAM	Edge_1RB_Left	19.14
n41	100	30	2546.01	CP	64QAM	Edge_1RB_Right	18.85
n41	100	30	2546.01	CP	64QAM	Outer_Full	19.36
n41	100	30	2546.01	CP	256QAM	Inner_Full	16.43
n41	100	30	2546.01	CP	256QAM	Edge_1RB_Left	16.21
n41	100	30	2546.01	CP	256QAM	Edge_1RB_Right	15.91
n41	100	30	2546.01	CP	256QAM	Outer_Full	16.42
n41	100	30	2592.99	DFT	pi/2 BPSK	Inner_Full	22.61
n41	100	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.32
n41	100	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.75
n41	100	30	2592.99	DFT	pi/2 BPSK	Outer_Full	22.34



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	100	30	2592.99	DFT	QPSK	Inner_Full	22.63
n41	100	30	2592.99	DFT	QPSK	Edge_1RB_Left	21.81
n41	100	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.28
n41	100	30	2592.99	DFT	QPSK	Outer_Full	21.81
n41	100	30	2592.99	DFT	16QAM	Inner_Full	21.71
n41	100	30	2592.99	DFT	16QAM	Edge_1RB_Left	20.57
n41	100	30	2592.99	DFT	16QAM	Edge_1RB_Right	21.00
n41	100	30	2592.99	DFT	16QAM	Outer_Full	20.85
n41	100	30	2592.99	DFT	64QAM	Inner_Full	20.16
n41	100	30	2592.99	DFT	64QAM	Edge_1RB_Left	19.97
n41	100	30	2592.99	DFT	64QAM	Edge_1RB_Right	20.28
n41	100	30	2592.99	DFT	64QAM	Outer_Full	20.32
n41	100	30	2592.99	DFT	256QAM	Inner_Full	18.12
n41	100	30	2592.99	DFT	256QAM	Edge_1RB_Left	18.16
n41	100	30	2592.99	DFT	256QAM	Edge_1RB_Right	18.60
n41	100	30	2592.99	DFT	256QAM	Outer_Full	18.27
n41	100	30	2592.99	CP	QPSK	Inner_Full	21.11
n41	100	30	2592.99	CP	QPSK	Edge_1RB_Left	19.86
n41	100	30	2592.99	CP	QPSK	Edge_1RB_Right	20.25
n41	100	30	2592.99	CP	QPSK	Outer_Full	19.79
n41	100	30	2592.99	CP	16QAM	Inner_Full	20.71
n41	100	30	2592.99	CP	16QAM	Edge_1RB_Left	19.70
n41	100	30	2592.99	CP	16QAM	Edge_1RB_Right	20.12
n41	100	30	2592.99	CP	16QAM	Outer_Full	19.80
n41	100	30	2592.99	CP	64QAM	Inner_Full	19.15
n41	100	30	2592.99	CP	64QAM	Edge_1RB_Left	19.05
n41	100	30	2592.99	CP	64QAM	Edge_1RB_Right	19.44
n41	100	30	2592.99	CP	64QAM	Outer_Full	19.29
n41	100	30	2592.99	CP	256QAM	Inner_Full	16.16
n41	100	30	2592.99	CP	256QAM	Edge_1RB_Left	16.11
n41	100	30	2592.99	CP	256QAM	Edge_1RB_Right	16.56
n41	100	30	2592.99	CP	256QAM	Outer_Full	16.29
n41	100	30	2640	DFT	pi/2 BPSK	Inner_Full	23.05
n41	100	30	2640	DFT	pi/2 BPSK	Edge_1RB_Left	21.69
n41	100	30	2640	DFT	pi/2 BPSK	Edge_1RB_Right	22.28
n41	100	30	2640	DFT	pi/2 BPSK	Outer_Full	22.37
n41	100	30	2640	DFT	QPSK	Inner_Full	23.03
n41	100	30	2640	DFT	QPSK	Edge_1RB_Left	21.21
n41	100	30	2640	DFT	QPSK	Edge_1RB_Right	21.78
n41	100	30	2640	DFT	QPSK	Outer_Full	21.93



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	100	30	2640	DFT	16QAM	Inner_Full	22.07
n41	100	30	2640	DFT	16QAM	Edge_1RB_Left	20.01
n41	100	30	2640	DFT	16QAM	Edge_1RB_Right	20.60
n41	100	30	2640	DFT	16QAM	Outer_Full	20.89
n41	100	30	2640	DFT	64QAM	Inner_Full	20.56
n41	100	30	2640	DFT	64QAM	Edge_1RB_Left	19.39
n41	100	30	2640	DFT	64QAM	Edge_1RB_Right	19.95
n41	100	30	2640	DFT	64QAM	Outer_Full	20.34
n41	100	30	2640	DFT	256QAM	Inner_Full	18.49
n41	100	30	2640	DFT	256QAM	Edge_1RB_Left	17.51
n41	100	30	2640	DFT	256QAM	Edge_1RB_Right	18.11
n41	100	30	2640	DFT	256QAM	Outer_Full	18.36
n41	100	30	2640	CP	QPSK	Inner_Full	21.50
n41	100	30	2640	CP	QPSK	Edge_1RB_Left	19.18
n41	100	30	2640	CP	QPSK	Edge_1RB_Right	19.77
n41	100	30	2640	CP	QPSK	Outer_Full	19.81
n41	100	30	2640	CP	16QAM	Inner_Full	21.09
n41	100	30	2640	CP	16QAM	Edge_1RB_Left	19.09
n41	100	30	2640	CP	16QAM	Edge_1RB_Right	19.71
n41	100	30	2640	CP	16QAM	Outer_Full	19.86
n41	100	30	2640	CP	64QAM	Inner_Full	19.55
n41	100	30	2640	CP	64QAM	Edge_1RB_Left	18.42
n41	100	30	2640	CP	64QAM	Edge_1RB_Right	19.08
n41	100	30	2640	CP	64QAM	Outer_Full	19.38
n41	100	30	2640	CP	256QAM	Inner_Full	16.53
n41	100	30	2640	CP	256QAM	Edge_1RB_Left	15.48
n41	100	30	2640	CP	256QAM	Edge_1RB_Right	16.18
n41	100	30	2640	CP	256QAM	Outer_Full	16.36



n66

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n66	5	15	1712.5	DFT	pi/2 BPSK	Inner_Full	23.06
n66	5	15	1712.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.56
n66	5	15	1712.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.57
n66	5	15	1712.5	DFT	pi/2 BPSK	Outer_Full	22.61
n66	5	15	1712.5	DFT	QPSK	Inner_Full	23.06
n66	5	15	1712.5	DFT	QPSK	Edge_1RB_Left	22.12
n66	5	15	1712.5	DFT	QPSK	Edge_1RB_Right	22.07
n66	5	15	1712.5	DFT	QPSK	Outer_Full	22.17
n66	5	15	1712.5	DFT	16QAM	Inner_Full	22.12
n66	5	15	1712.5	DFT	16QAM	Edge_1RB_Left	21.38
n66	5	15	1712.5	DFT	16QAM	Edge_1RB_Right	21.40
n66	5	15	1712.5	DFT	16QAM	Outer_Full	21.14
n66	5	15	1712.5	DFT	64QAM	Inner_Full	20.70
n66	5	15	1712.5	DFT	64QAM	Edge_1RB_Left	20.44
n66	5	15	1712.5	DFT	64QAM	Edge_1RB_Right	20.42
n66	5	15	1712.5	DFT	64QAM	Outer_Full	20.74
n66	5	15	1712.5	DFT	256QAM	Inner_Full	18.52
n66	5	15	1712.5	DFT	256QAM	Edge_1RB_Left	18.28
n66	5	15	1712.5	DFT	256QAM	Edge_1RB_Right	18.33
n66	5	15	1712.5	DFT	256QAM	Outer_Full	18.46
n66	5	15	1712.5	CP	QPSK	Inner_Full	21.56
n66	5	15	1712.5	CP	QPSK	Edge_1RB_Left	20.03
n66	5	15	1712.5	CP	QPSK	Edge_1RB_Right	20.04
n66	5	15	1712.5	CP	QPSK	Outer_Full	20.04
n66	5	15	1712.5	CP	16QAM	Inner_Full	21.25
n66	5	15	1712.5	CP	16QAM	Edge_1RB_Left	20.47
n66	5	15	1712.5	CP	16QAM	Edge_1RB_Right	20.43
n66	5	15	1712.5	CP	16QAM	Outer_Full	20.00
n66	5	15	1712.5	CP	64QAM	Inner_Full	19.46
n66	5	15	1712.5	CP	64QAM	Edge_1RB_Left	19.28
n66	5	15	1712.5	CP	64QAM	Edge_1RB_Right	19.32
n66	5	15	1712.5	CP	64QAM	Outer_Full	19.61
n66	5	15	1712.5	CP	256QAM	Inner_Full	16.60
n66	5	15	1712.5	CP	256QAM	Edge_1RB_Left	16.36
n66	5	15	1712.5	CP	256QAM	Edge_1RB_Right	16.39
n66	5	15	1712.5	CP	256QAM	Outer_Full	16.58
n66	5	15	1745	DFT	pi/2 BPSK	Inner_Full	23.10
n66	5	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	22.53
n66	5	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	22.46



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n66	5	15	1745	DFT	pi/2 BPSK	Outer_Full	22.50
n66	5	15	1745	DFT	QPSK	Inner_Full	23.03
n66	5	15	1745	DFT	QPSK	Edge_1RB_Left	21.98
n66	5	15	1745	DFT	QPSK	Edge_1RB_Right	21.99
n66	5	15	1745	DFT	QPSK	Outer_Full	22.05
n66	5	15	1745	DFT	16QAM	Inner_Full	22.00
n66	5	15	1745	DFT	16QAM	Edge_1RB_Left	21.32
n66	5	15	1745	DFT	16QAM	Edge_1RB_Right	21.27
n66	5	15	1745	DFT	16QAM	Outer_Full	21.01
n66	5	15	1745	DFT	64QAM	Inner_Full	20.60
n66	5	15	1745	DFT	64QAM	Edge_1RB_Left	20.38
n66	5	15	1745	DFT	64QAM	Edge_1RB_Right	20.41
n66	5	15	1745	DFT	64QAM	Outer_Full	20.63
n66	5	15	1745	DFT	256QAM	Inner_Full	18.57
n66	5	15	1745	DFT	256QAM	Edge_1RB_Left	18.34
n66	5	15	1745	DFT	256QAM	Edge_1RB_Right	18.36
n66	5	15	1745	DFT	256QAM	Outer_Full	18.40
n66	5	15	1745	CP	QPSK	Inner_Full	21.59
n66	5	15	1745	CP	QPSK	Edge_1RB_Left	20.07
n66	5	15	1745	CP	QPSK	Edge_1RB_Right	19.94
n66	5	15	1745	CP	QPSK	Outer_Full	19.93
n66	5	15	1745	CP	16QAM	Inner_Full	21.16
n66	5	15	1745	CP	16QAM	Edge_1RB_Left	20.42
n66	5	15	1745	CP	16QAM	Edge_1RB_Right	20.36
n66	5	15	1745	CP	16QAM	Outer_Full	19.95
n66	5	15	1745	CP	64QAM	Inner_Full	19.42
n66	5	15	1745	CP	64QAM	Edge_1RB_Left	19.19
n66	5	15	1745	CP	64QAM	Edge_1RB_Right	19.25
n66	5	15	1745	CP	64QAM	Outer_Full	19.48
n66	5	15	1745	CP	256QAM	Inner_Full	16.56
n66	5	15	1745	CP	256QAM	Edge_1RB_Left	16.31
n66	5	15	1745	CP	256QAM	Edge_1RB_Right	16.39
n66	5	15	1745	CP	256QAM	Outer_Full	16.60
n66	5	15	1777.5	DFT	pi/2 BPSK	Inner_Full	23.00
n66	5	15	1777.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.37
n66	5	15	1777.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.36
n66	5	15	1777.5	DFT	pi/2 BPSK	Outer_Full	22.46
n66	5	15	1777.5	DFT	QPSK	Inner_Full	22.95
n66	5	15	1777.5	DFT	QPSK	Edge_1RB_Left	21.97
n66	5	15	1777.5	DFT	QPSK	Edge_1RB_Right	21.97



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n66	5	15	1777.5	DFT	QPSK	Outer_Full	22.01
n66	5	15	1777.5	DFT	16QAM	Inner_Full	22.00
n66	5	15	1777.5	DFT	16QAM	Edge_1RB_Left	21.26
n66	5	15	1777.5	DFT	16QAM	Edge_1RB_Right	21.22
n66	5	15	1777.5	DFT	16QAM	Outer_Full	20.92
n66	5	15	1777.5	DFT	64QAM	Inner_Full	20.52
n66	5	15	1777.5	DFT	64QAM	Edge_1RB_Left	20.31
n66	5	15	1777.5	DFT	64QAM	Edge_1RB_Right	20.26
n66	5	15	1777.5	DFT	64QAM	Outer_Full	20.55
n66	5	15	1777.5	DFT	256QAM	Inner_Full	18.53
n66	5	15	1777.5	DFT	256QAM	Edge_1RB_Left	18.13
n66	5	15	1777.5	DFT	256QAM	Edge_1RB_Right	18.13
n66	5	15	1777.5	DFT	256QAM	Outer_Full	18.33
n66	5	15	1777.5	CP	QPSK	Inner_Full	21.51
n66	5	15	1777.5	CP	QPSK	Edge_1RB_Left	19.90
n66	5	15	1777.5	CP	QPSK	Edge_1RB_Right	19.82
n66	5	15	1777.5	CP	QPSK	Outer_Full	19.84
n66	5	15	1777.5	CP	16QAM	Inner_Full	21.10
n66	5	15	1777.5	CP	16QAM	Edge_1RB_Left	20.43
n66	5	15	1777.5	CP	16QAM	Edge_1RB_Right	20.32
n66	5	15	1777.5	CP	16QAM	Outer_Full	19.87
n66	5	15	1777.5	CP	64QAM	Inner_Full	19.36
n66	5	15	1777.5	CP	64QAM	Edge_1RB_Left	19.22
n66	5	15	1777.5	CP	64QAM	Edge_1RB_Right	19.19
n66	5	15	1777.5	CP	64QAM	Outer_Full	19.40
n66	5	15	1777.5	CP	256QAM	Inner_Full	16.44
n66	5	15	1777.5	CP	256QAM	Edge_1RB_Left	16.21
n66	5	15	1777.5	CP	256QAM	Edge_1RB_Right	16.25
n66	5	15	1777.5	CP	256QAM	Outer_Full	16.46
n66	10	15	1715	DFT	pi/2 BPSK	Inner_Full	23.06
n66	10	15	1715	DFT	pi/2 BPSK	Edge_1RB_Left	22.50
n66	10	15	1715	DFT	pi/2 BPSK	Edge_1RB_Right	22.50
n66	10	15	1715	DFT	pi/2 BPSK	Outer_Full	22.66
n66	10	15	1715	DFT	QPSK	Inner_Full	23.14
n66	10	15	1715	DFT	QPSK	Edge_1RB_Left	22.12
n66	10	15	1715	DFT	QPSK	Edge_1RB_Right	22.06
n66	10	15	1715	DFT	QPSK	Outer_Full	22.11
n66	10	15	1715	DFT	16QAM	Inner_Full	22.12
n66	10	15	1715	DFT	16QAM	Edge_1RB_Left	21.35
n66	10	15	1715	DFT	16QAM	Edge_1RB_Right	21.39



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n66	10	15	1715	DFT	16QAM	Outer_Full	21.03
n66	10	15	1715	DFT	64QAM	Inner_Full	20.70
n66	10	15	1715	DFT	64QAM	Edge_1RB_Left	20.47
n66	10	15	1715	DFT	64QAM	Edge_1RB_Right	20.42
n66	10	15	1715	DFT	64QAM	Outer_Full	20.63
n66	10	15	1715	DFT	256QAM	Inner_Full	18.50
n66	10	15	1715	DFT	256QAM	Edge_1RB_Left	18.30
n66	10	15	1715	DFT	256QAM	Edge_1RB_Right	18.30
n66	10	15	1715	DFT	256QAM	Outer_Full	18.58
n66	10	15	1715	CP	QPSK	Inner_Full	21.53
n66	10	15	1715	CP	QPSK	Edge_1RB_Left	19.96
n66	10	15	1715	CP	QPSK	Edge_1RB_Right	19.98
n66	10	15	1715	CP	QPSK	Outer_Full	20.07
n66	10	15	1715	CP	16QAM	Inner_Full	21.15
n66	10	15	1715	CP	16QAM	Edge_1RB_Left	20.44
n66	10	15	1715	CP	16QAM	Edge_1RB_Right	20.42
n66	10	15	1715	CP	16QAM	Outer_Full	20.08
n66	10	15	1715	CP	64QAM	Inner_Full	19.63
n66	10	15	1715	CP	64QAM	Edge_1RB_Left	19.31
n66	10	15	1715	CP	64QAM	Edge_1RB_Right	19.34
n66	10	15	1715	CP	64QAM	Outer_Full	19.65
n66	10	15	1715	CP	256QAM	Inner_Full	16.55
n66	10	15	1715	CP	256QAM	Edge_1RB_Left	16.37
n66	10	15	1715	CP	256QAM	Edge_1RB_Right	16.30
n66	10	15	1715	CP	256QAM	Outer_Full	16.54
n66	10	15	1745	DFT	pi/2 BPSK	Inner_Full	23.11
n66	10	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	22.46
n66	10	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	22.44
n66	10	15	1745	DFT	pi/2 BPSK	Outer_Full	22.51
n66	10	15	1745	DFT	QPSK	Inner_Full	23.09
n66	10	15	1745	DFT	QPSK	Edge_1RB_Left	21.97
n66	10	15	1745	DFT	QPSK	Edge_1RB_Right	21.94
n66	10	15	1745	DFT	QPSK	Outer_Full	22.13
n66	10	15	1745	DFT	16QAM	Inner_Full	22.07
n66	10	15	1745	DFT	16QAM	Edge_1RB_Left	21.26
n66	10	15	1745	DFT	16QAM	Edge_1RB_Right	21.27
n66	10	15	1745	DFT	16QAM	Outer_Full	20.96
n66	10	15	1745	DFT	64QAM	Inner_Full	20.65
n66	10	15	1745	DFT	64QAM	Edge_1RB_Left	20.41
n66	10	15	1745	DFT	64QAM	Edge_1RB_Right	20.32



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n66	10	15	1745	DFT	64QAM	Outer_Full	20.57
n66	10	15	1745	DFT	256QAM	Inner_Full	18.53
n66	10	15	1745	DFT	256QAM	Edge_1RB_Left	18.23
n66	10	15	1745	DFT	256QAM	Edge_1RB_Right	18.17
n66	10	15	1745	DFT	256QAM	Outer_Full	18.49
n66	10	15	1745	CP	QPSK	Inner_Full	21.59
n66	10	15	1745	CP	QPSK	Edge_1RB_Left	19.93
n66	10	15	1745	CP	QPSK	Edge_1RB_Right	19.91
n66	10	15	1745	CP	QPSK	Outer_Full	19.96
n66	10	15	1745	CP	16QAM	Inner_Full	21.12
n66	10	15	1745	CP	16QAM	Edge_1RB_Left	20.39
n66	10	15	1745	CP	16QAM	Edge_1RB_Right	20.38
n66	10	15	1745	CP	16QAM	Outer_Full	20.00
n66	10	15	1745	CP	64QAM	Inner_Full	19.57
n66	10	15	1745	CP	64QAM	Edge_1RB_Left	19.14
n66	10	15	1745	CP	64QAM	Edge_1RB_Right	19.18
n66	10	15	1745	CP	64QAM	Outer_Full	19.56
n66	10	15	1745	CP	256QAM	Inner_Full	16.50
n66	10	15	1745	CP	256QAM	Edge_1RB_Left	16.25
n66	10	15	1745	CP	256QAM	Edge_1RB_Right	16.25
n66	10	15	1745	CP	256QAM	Outer_Full	16.45
n66	10	15	1775	DFT	pi/2 BPSK	Inner_Full	23.00
n66	10	15	1775	DFT	pi/2 BPSK	Edge_1RB_Left	22.38
n66	10	15	1775	DFT	pi/2 BPSK	Edge_1RB_Right	22.31
n66	10	15	1775	DFT	pi/2 BPSK	Outer_Full	22.49
n66	10	15	1775	DFT	QPSK	Inner_Full	22.96
n66	10	15	1775	DFT	QPSK	Edge_1RB_Left	21.94
n66	10	15	1775	DFT	QPSK	Edge_1RB_Right	21.88
n66	10	15	1775	DFT	QPSK	Outer_Full	21.98
n66	10	15	1775	DFT	16QAM	Inner_Full	21.94
n66	10	15	1775	DFT	16QAM	Edge_1RB_Left	21.19
n66	10	15	1775	DFT	16QAM	Edge_1RB_Right	21.21
n66	10	15	1775	DFT	16QAM	Outer_Full	20.87
n66	10	15	1775	DFT	64QAM	Inner_Full	20.59
n66	10	15	1775	DFT	64QAM	Edge_1RB_Left	20.31
n66	10	15	1775	DFT	64QAM	Edge_1RB_Right	20.30
n66	10	15	1775	DFT	64QAM	Outer_Full	20.49
n66	10	15	1775	DFT	256QAM	Inner_Full	18.41
n66	10	15	1775	DFT	256QAM	Edge_1RB_Left	18.13
n66	10	15	1775	DFT	256QAM	Edge_1RB_Right	18.12



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n66	10	15	1775	DFT	256QAM	Outer_Full	18.34
n66	10	15	1775	CP	QPSK	Inner_Full	21.53
n66	10	15	1775	CP	QPSK	Edge_1RB_Left	19.87
n66	10	15	1775	CP	QPSK	Edge_1RB_Right	19.85
n66	10	15	1775	CP	QPSK	Outer_Full	19.87
n66	10	15	1775	CP	16QAM	Inner_Full	21.01
n66	10	15	1775	CP	16QAM	Edge_1RB_Left	20.29
n66	10	15	1775	CP	16QAM	Edge_1RB_Right	20.30
n66	10	15	1775	CP	16QAM	Outer_Full	19.91
n66	10	15	1775	CP	64QAM	Inner_Full	19.45
n66	10	15	1775	CP	64QAM	Edge_1RB_Left	19.15
n66	10	15	1775	CP	64QAM	Edge_1RB_Right	19.16
n66	10	15	1775	CP	64QAM	Outer_Full	19.45
n66	10	15	1775	CP	256QAM	Inner_Full	16.43
n66	10	15	1775	CP	256QAM	Edge_1RB_Left	16.26
n66	10	15	1775	CP	256QAM	Edge_1RB_Right	16.15
n66	10	15	1775	CP	256QAM	Outer_Full	16.43
n66	15	15	1717.5	DFT	pi/2 BPSK	Inner_Full	23.14
n66	15	15	1717.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.68
n66	15	15	1717.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.65
n66	15	15	1717.5	DFT	pi/2 BPSK	Outer_Full	22.69
n66	15	15	1717.5	DFT	QPSK	Inner_Full	23.22
n66	15	15	1717.5	DFT	QPSK	Edge_1RB_Left	22.23
n66	15	15	1717.5	DFT	QPSK	Edge_1RB_Right	22.25
n66	15	15	1717.5	DFT	QPSK	Outer_Full	22.20
n66	15	15	1717.5	DFT	16QAM	Inner_Full	22.20
n66	15	15	1717.5	DFT	16QAM	Edge_1RB_Left	21.53
n66	15	15	1717.5	DFT	16QAM	Edge_1RB_Right	21.58
n66	15	15	1717.5	DFT	16QAM	Outer_Full	21.23
n66	15	15	1717.5	DFT	64QAM	Inner_Full	20.76
n66	15	15	1717.5	DFT	64QAM	Edge_1RB_Left	20.58
n66	15	15	1717.5	DFT	64QAM	Edge_1RB_Right	20.60
n66	15	15	1717.5	DFT	64QAM	Outer_Full	20.80
n66	15	15	1717.5	DFT	256QAM	Inner_Full	18.71
n66	15	15	1717.5	DFT	256QAM	Edge_1RB_Left	18.43
n66	15	15	1717.5	DFT	256QAM	Edge_1RB_Right	18.48
n66	15	15	1717.5	DFT	256QAM	Outer_Full	18.65
n66	15	15	1717.5	CP	QPSK	Inner_Full	21.66
n66	15	15	1717.5	CP	QPSK	Edge_1RB_Left	20.16
n66	15	15	1717.5	CP	QPSK	Edge_1RB_Right	20.16



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n66	15	15	1717.5	CP	QPSK	Outer_Full	20.22
n66	15	15	1717.5	CP	16QAM	Inner_Full	21.16
n66	15	15	1717.5	CP	16QAM	Edge_1RB_Left	20.63
n66	15	15	1717.5	CP	16QAM	Edge_1RB_Right	20.63
n66	15	15	1717.5	CP	16QAM	Outer_Full	20.18
n66	15	15	1717.5	CP	64QAM	Inner_Full	19.73
n66	15	15	1717.5	CP	64QAM	Edge_1RB_Left	19.43
n66	15	15	1717.5	CP	64QAM	Edge_1RB_Right	19.47
n66	15	15	1717.5	CP	64QAM	Outer_Full	19.71
n66	15	15	1717.5	CP	256QAM	Inner_Full	16.68
n66	15	15	1717.5	CP	256QAM	Edge_1RB_Left	16.52
n66	15	15	1717.5	CP	256QAM	Edge_1RB_Right	16.61
n66	15	15	1717.5	CP	256QAM	Outer_Full	16.73
n66	15	15	1745	DFT	pi/2 BPSK	Inner_Full	23.17
n66	15	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	22.59
n66	15	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	22.56
n66	15	15	1745	DFT	pi/2 BPSK	Outer_Full	22.68
n66	15	15	1745	DFT	QPSK	Inner_Full	23.21
n66	15	15	1745	DFT	QPSK	Edge_1RB_Left	22.18
n66	15	15	1745	DFT	QPSK	Edge_1RB_Right	22.17
n66	15	15	1745	DFT	QPSK	Outer_Full	22.15
n66	15	15	1745	DFT	16QAM	Inner_Full	22.11
n66	15	15	1745	DFT	16QAM	Edge_1RB_Left	21.49
n66	15	15	1745	DFT	16QAM	Edge_1RB_Right	21.42
n66	15	15	1745	DFT	16QAM	Outer_Full	21.15
n66	15	15	1745	DFT	64QAM	Inner_Full	20.70
n66	15	15	1745	DFT	64QAM	Edge_1RB_Left	20.54
n66	15	15	1745	DFT	64QAM	Edge_1RB_Right	20.47
n66	15	15	1745	DFT	64QAM	Outer_Full	20.73
n66	15	15	1745	DFT	256QAM	Inner_Full	18.71
n66	15	15	1745	DFT	256QAM	Edge_1RB_Left	18.41
n66	15	15	1745	DFT	256QAM	Edge_1RB_Right	18.37
n66	15	15	1745	DFT	256QAM	Outer_Full	18.56
n66	15	15	1745	CP	QPSK	Inner_Full	21.69
n66	15	15	1745	CP	QPSK	Edge_1RB_Left	20.10
n66	15	15	1745	CP	QPSK	Edge_1RB_Right	20.02
n66	15	15	1745	CP	QPSK	Outer_Full	20.15
n66	15	15	1745	CP	16QAM	Inner_Full	21.17
n66	15	15	1745	CP	16QAM	Edge_1RB_Left	20.53
n66	15	15	1745	CP	16QAM	Edge_1RB_Right	20.53



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n66	15	15	1745	CP	16QAM	Outer_Full	20.10
n66	15	15	1745	CP	64QAM	Inner_Full	19.66
n66	15	15	1745	CP	64QAM	Edge_1RB_Left	19.36
n66	15	15	1745	CP	64QAM	Edge_1RB_Right	19.38
n66	15	15	1745	CP	64QAM	Outer_Full	19.63
n66	15	15	1745	CP	256QAM	Inner_Full	16.60
n66	15	15	1745	CP	256QAM	Edge_1RB_Left	16.49
n66	15	15	1745	CP	256QAM	Edge_1RB_Right	16.44
n66	15	15	1745	CP	256QAM	Outer_Full	16.61
n66	15	15	1772.5	DFT	pi/2 BPSK	Inner_Full	23.07
n66	15	15	1772.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.51
n66	15	15	1772.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.51
n66	15	15	1772.5	DFT	pi/2 BPSK	Outer_Full	22.61
n66	15	15	1772.5	DFT	QPSK	Inner_Full	23.10
n66	15	15	1772.5	DFT	QPSK	Edge_1RB_Left	22.09
n66	15	15	1772.5	DFT	QPSK	Edge_1RB_Right	22.12
n66	15	15	1772.5	DFT	QPSK	Outer_Full	22.07
n66	15	15	1772.5	DFT	16QAM	Inner_Full	22.07
n66	15	15	1772.5	DFT	16QAM	Edge_1RB_Left	21.40
n66	15	15	1772.5	DFT	16QAM	Edge_1RB_Right	21.36
n66	15	15	1772.5	DFT	16QAM	Outer_Full	21.10
n66	15	15	1772.5	DFT	64QAM	Inner_Full	20.58
n66	15	15	1772.5	DFT	64QAM	Edge_1RB_Left	20.45
n66	15	15	1772.5	DFT	64QAM	Edge_1RB_Right	20.45
n66	15	15	1772.5	DFT	64QAM	Outer_Full	20.66
n66	15	15	1772.5	DFT	256QAM	Inner_Full	18.65
n66	15	15	1772.5	DFT	256QAM	Edge_1RB_Left	18.27
n66	15	15	1772.5	DFT	256QAM	Edge_1RB_Right	18.27
n66	15	15	1772.5	DFT	256QAM	Outer_Full	18.50
n66	15	15	1772.5	CP	QPSK	Inner_Full	21.52
n66	15	15	1772.5	CP	QPSK	Edge_1RB_Left	20.02
n66	15	15	1772.5	CP	QPSK	Edge_1RB_Right	19.98
n66	15	15	1772.5	CP	QPSK	Outer_Full	20.05
n66	15	15	1772.5	CP	16QAM	Inner_Full	21.05
n66	15	15	1772.5	CP	16QAM	Edge_1RB_Left	20.48
n66	15	15	1772.5	CP	16QAM	Edge_1RB_Right	20.43
n66	15	15	1772.5	CP	16QAM	Outer_Full	20.00
n66	15	15	1772.5	CP	64QAM	Inner_Full	19.59
n66	15	15	1772.5	CP	64QAM	Edge_1RB_Left	19.31
n66	15	15	1772.5	CP	64QAM	Edge_1RB_Right	19.29



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n66	15	15	1772.5	CP	64QAM	Outer_Full	19.56
n66	15	15	1772.5	CP	256QAM	Inner_Full	16.54
n66	15	15	1772.5	CP	256QAM	Edge_1RB_Left	16.37
n66	15	15	1772.5	CP	256QAM	Edge_1RB_Right	16.37
n66	15	15	1772.5	CP	256QAM	Outer_Full	16.51
n66	20	15	1720	DFT	pi/2 BPSK	Inner_Full	23.20
n66	20	15	1720	DFT	pi/2 BPSK	Edge_1RB_Left	22.67
n66	20	15	1720	DFT	pi/2 BPSK	Edge_1RB_Right	22.67
n66	20	15	1720	DFT	pi/2 BPSK	Outer_Full	22.72
n66	20	15	1720	DFT	QPSK	Inner_Full	23.27
n66	20	15	1720	DFT	QPSK	Edge_1RB_Left	22.24
n66	20	15	1720	DFT	QPSK	Edge_1RB_Right	22.26
n66	20	15	1720	DFT	QPSK	Outer_Full	22.24
n66	20	15	1720	DFT	16QAM	Inner_Full	22.20
n66	20	15	1720	DFT	16QAM	Edge_1RB_Left	21.55
n66	20	15	1720	DFT	16QAM	Edge_1RB_Right	21.47
n66	20	15	1720	DFT	16QAM	Outer_Full	21.27
n66	20	15	1720	DFT	64QAM	Inner_Full	20.77
n66	20	15	1720	DFT	64QAM	Edge_1RB_Left	20.55
n66	20	15	1720	DFT	64QAM	Edge_1RB_Right	20.64
n66	20	15	1720	DFT	64QAM	Outer_Full	20.81
n66	20	15	1720	DFT	256QAM	Inner_Full	18.59
n66	20	15	1720	DFT	256QAM	Edge_1RB_Left	18.41
n66	20	15	1720	DFT	256QAM	Edge_1RB_Right	18.46
n66	20	15	1720	DFT	256QAM	Outer_Full	18.72
n66	20	15	1720	CP	QPSK	Inner_Full	21.75
n66	20	15	1720	CP	QPSK	Edge_1RB_Left	20.13
n66	20	15	1720	CP	QPSK	Edge_1RB_Right	20.26
n66	20	15	1720	CP	QPSK	Outer_Full	20.23
n66	20	15	1720	CP	16QAM	Inner_Full	21.20
n66	20	15	1720	CP	16QAM	Edge_1RB_Left	20.60
n66	20	15	1720	CP	16QAM	Edge_1RB_Right	20.64
n66	20	15	1720	CP	16QAM	Outer_Full	20.22
n66	20	15	1720	CP	64QAM	Inner_Full	19.79
n66	20	15	1720	CP	64QAM	Edge_1RB_Left	19.41
n66	20	15	1720	CP	64QAM	Edge_1RB_Right	19.48
n66	20	15	1720	CP	64QAM	Outer_Full	19.72
n66	20	15	1720	CP	256QAM	Inner_Full	16.67
n66	20	15	1720	CP	256QAM	Edge_1RB_Left	16.51
n66	20	15	1720	CP	256QAM	Edge_1RB_Right	16.59



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n66	20	15	1720	CP	256QAM	Outer_Full	16.70
n66	20	15	1745	DFT	pi/2 BPSK	Inner_Full	23.17
n66	20	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	22.60
n66	20	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	22.58
n66	20	15	1745	DFT	pi/2 BPSK	Outer_Full	22.66
n66	20	15	1745	DFT	QPSK	Inner_Full	23.20
n66	20	15	1745	DFT	QPSK	Edge_1RB_Left	22.14
n66	20	15	1745	DFT	QPSK	Edge_1RB_Right	22.11
n66	20	15	1745	DFT	QPSK	Outer_Full	22.20
n66	20	15	1745	DFT	16QAM	Inner_Full	22.04
n66	20	15	1745	DFT	16QAM	Edge_1RB_Left	21.40
n66	20	15	1745	DFT	16QAM	Edge_1RB_Right	21.43
n66	20	15	1745	DFT	16QAM	Outer_Full	21.22
n66	20	15	1745	DFT	64QAM	Inner_Full	20.67
n66	20	15	1745	DFT	64QAM	Edge_1RB_Left	20.54
n66	20	15	1745	DFT	64QAM	Edge_1RB_Right	20.48
n66	20	15	1745	DFT	64QAM	Outer_Full	20.68
n66	20	15	1745	DFT	256QAM	Inner_Full	18.67
n66	20	15	1745	DFT	256QAM	Edge_1RB_Left	18.32
n66	20	15	1745	DFT	256QAM	Edge_1RB_Right	18.32
n66	20	15	1745	DFT	256QAM	Outer_Full	18.61
n66	20	15	1745	CP	QPSK	Inner_Full	21.73
n66	20	15	1745	CP	QPSK	Edge_1RB_Left	20.07
n66	20	15	1745	CP	QPSK	Edge_1RB_Right	20.05
n66	20	15	1745	CP	QPSK	Outer_Full	20.14
n66	20	15	1745	CP	16QAM	Inner_Full	21.11
n66	20	15	1745	CP	16QAM	Edge_1RB_Left	20.50
n66	20	15	1745	CP	16QAM	Edge_1RB_Right	20.57
n66	20	15	1745	CP	16QAM	Outer_Full	20.18
n66	20	15	1745	CP	64QAM	Inner_Full	19.71
n66	20	15	1745	CP	64QAM	Edge_1RB_Left	19.35
n66	20	15	1745	CP	64QAM	Edge_1RB_Right	19.39
n66	20	15	1745	CP	64QAM	Outer_Full	19.65
n66	20	15	1745	CP	256QAM	Inner_Full	16.62
n66	20	15	1745	CP	256QAM	Edge_1RB_Left	16.43
n66	20	15	1745	CP	256QAM	Edge_1RB_Right	16.46
n66	20	15	1745	CP	256QAM	Outer_Full	16.59
n66	20	15	1770	DFT	pi/2 BPSK	Inner_Full	23.03
n66	20	15	1770	DFT	pi/2 BPSK	Edge_1RB_Left	22.48
n66	20	15	1770	DFT	pi/2 BPSK	Edge_1RB_Right	22.46



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n66	20	15	1770	DFT	pi/2 BPSK	Outer_Full	22.56
n66	20	15	1770	DFT	QPSK	Inner_Full	23.06
n66	20	15	1770	DFT	QPSK	Edge_1RB_Left	22.09
n66	20	15	1770	DFT	QPSK	Edge_1RB_Right	22.07
n66	20	15	1770	DFT	QPSK	Outer_Full	22.09
n66	20	15	1770	DFT	16QAM	Inner_Full	21.97
n66	20	15	1770	DFT	16QAM	Edge_1RB_Left	21.41
n66	20	15	1770	DFT	16QAM	Edge_1RB_Right	21.40
n66	20	15	1770	DFT	16QAM	Outer_Full	21.10
n66	20	15	1770	DFT	64QAM	Inner_Full	20.59
n66	20	15	1770	DFT	64QAM	Edge_1RB_Left	20.45
n66	20	15	1770	DFT	64QAM	Edge_1RB_Right	20.46
n66	20	15	1770	DFT	64QAM	Outer_Full	20.65
n66	20	15	1770	DFT	256QAM	Inner_Full	18.55
n66	20	15	1770	DFT	256QAM	Edge_1RB_Left	18.28
n66	20	15	1770	DFT	256QAM	Edge_1RB_Right	18.32
n66	20	15	1770	DFT	256QAM	Outer_Full	18.57
n66	20	15	1770	CP	QPSK	Inner_Full	21.60
n66	20	15	1770	CP	QPSK	Edge_1RB_Left	20.03
n66	20	15	1770	CP	QPSK	Edge_1RB_Right	20.03
n66	20	15	1770	CP	QPSK	Outer_Full	20.10
n66	20	15	1770	CP	16QAM	Inner_Full	21.09
n66	20	15	1770	CP	16QAM	Edge_1RB_Left	20.50
n66	20	15	1770	CP	16QAM	Edge_1RB_Right	20.55
n66	20	15	1770	CP	16QAM	Outer_Full	20.05
n66	20	15	1770	CP	64QAM	Inner_Full	19.67
n66	20	15	1770	CP	64QAM	Edge_1RB_Left	19.36
n66	20	15	1770	CP	64QAM	Edge_1RB_Right	19.36
n66	20	15	1770	CP	64QAM	Outer_Full	19.64
n66	20	15	1770	CP	256QAM	Inner_Full	16.51
n66	20	15	1770	CP	256QAM	Edge_1RB_Left	16.36
n66	20	15	1770	CP	256QAM	Edge_1RB_Right	16.40
n66	20	15	1770	CP	256QAM	Outer_Full	16.58
n66	30	15	1725	DFT	pi/2 BPSK	Inner_Full	23.28
n66	30	15	1725	DFT	pi/2 BPSK	Edge_1RB_Left	22.56
n66	30	15	1725	DFT	pi/2 BPSK	Edge_1RB_Right	22.66
n66	30	15	1725	DFT	pi/2 BPSK	Outer_Full	22.78
n66	30	15	1725	DFT	QPSK	Inner_Full	23.23
n66	30	15	1725	DFT	QPSK	Edge_1RB_Left	22.13
n66	30	15	1725	DFT	QPSK	Edge_1RB_Right	22.24



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n66	30	15	1725	DFT	QPSK	Outer_Full	22.29
n66	30	15	1725	DFT	16QAM	Inner_Full	22.28
n66	30	15	1725	DFT	16QAM	Edge_1RB_Left	21.43
n66	30	15	1725	DFT	16QAM	Edge_1RB_Right	21.48
n66	30	15	1725	DFT	16QAM	Outer_Full	21.26
n66	30	15	1725	DFT	64QAM	Inner_Full	20.76
n66	30	15	1725	DFT	64QAM	Edge_1RB_Left	20.53
n66	30	15	1725	DFT	64QAM	Edge_1RB_Right	20.62
n66	30	15	1725	DFT	64QAM	Outer_Full	20.79
n66	30	15	1725	DFT	256QAM	Inner_Full	18.73
n66	30	15	1725	DFT	256QAM	Edge_1RB_Left	18.54
n66	30	15	1725	DFT	256QAM	Edge_1RB_Right	18.51
n66	30	15	1725	DFT	256QAM	Outer_Full	18.78
n66	30	15	1725	CP	QPSK	Inner_Full	21.77
n66	30	15	1725	CP	QPSK	Edge_1RB_Left	20.05
n66	30	15	1725	CP	QPSK	Edge_1RB_Right	20.23
n66	30	15	1725	CP	QPSK	Outer_Full	20.26
n66	30	15	1725	CP	16QAM	Inner_Full	21.21
n66	30	15	1725	CP	16QAM	Edge_1RB_Left	20.49
n66	30	15	1725	CP	16QAM	Edge_1RB_Right	20.69
n66	30	15	1725	CP	16QAM	Outer_Full	20.23
n66	30	15	1725	CP	64QAM	Inner_Full	19.71
n66	30	15	1725	CP	64QAM	Edge_1RB_Left	19.34
n66	30	15	1725	CP	64QAM	Edge_1RB_Right	19.54
n66	30	15	1725	CP	64QAM	Outer_Full	19.78
n66	30	15	1725	CP	256QAM	Inner_Full	16.72
n66	30	15	1725	CP	256QAM	Edge_1RB_Left	16.60
n66	30	15	1725	CP	256QAM	Edge_1RB_Right	16.73
n66	30	15	1725	CP	256QAM	Outer_Full	16.86
n66	30	15	1745	DFT	pi/2 BPSK	Inner_Full	23.22
n66	30	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	22.66
n66	30	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	22.62
n66	30	15	1745	DFT	pi/2 BPSK	Outer_Full	22.79
n66	30	15	1745	DFT	QPSK	Inner_Full	23.27
n66	30	15	1745	DFT	QPSK	Edge_1RB_Left	22.13
n66	30	15	1745	DFT	QPSK	Edge_1RB_Right	22.15
n66	30	15	1745	DFT	QPSK	Outer_Full	22.33
n66	30	15	1745	DFT	16QAM	Inner_Full	22.29
n66	30	15	1745	DFT	16QAM	Edge_1RB_Left	21.41
n66	30	15	1745	DFT	16QAM	Edge_1RB_Right	21.50



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n66	30	15	1745	DFT	16QAM	Outer_Full	21.31
n66	30	15	1745	DFT	64QAM	Inner_Full	20.75
n66	30	15	1745	DFT	64QAM	Edge_1RB_Left	20.44
n66	30	15	1745	DFT	64QAM	Edge_1RB_Right	20.52
n66	30	15	1745	DFT	64QAM	Outer_Full	20.83
n66	30	15	1745	DFT	256QAM	Inner_Full	18.64
n66	30	15	1745	DFT	256QAM	Edge_1RB_Left	18.64
n66	30	15	1745	DFT	256QAM	Edge_1RB_Right	18.45
n66	30	15	1745	DFT	256QAM	Outer_Full	18.77
n66	30	15	1745	CP	QPSK	Inner_Full	21.70
n66	30	15	1745	CP	QPSK	Edge_1RB_Left	20.10
n66	30	15	1745	CP	QPSK	Edge_1RB_Right	20.15
n66	30	15	1745	CP	QPSK	Outer_Full	20.30
n66	30	15	1745	CP	16QAM	Inner_Full	21.23
n66	30	15	1745	CP	16QAM	Edge_1RB_Left	20.42
n66	30	15	1745	CP	16QAM	Edge_1RB_Right	20.70
n66	30	15	1745	CP	16QAM	Outer_Full	20.27
n66	30	15	1745	CP	64QAM	Inner_Full	19.71
n66	30	15	1745	CP	64QAM	Edge_1RB_Left	19.39
n66	30	15	1745	CP	64QAM	Edge_1RB_Right	19.48
n66	30	15	1745	CP	64QAM	Outer_Full	19.82
n66	30	15	1745	CP	256QAM	Inner_Full	16.72
n66	30	15	1745	CP	256QAM	Edge_1RB_Left	16.62
n66	30	15	1745	CP	256QAM	Edge_1RB_Right	16.60
n66	30	15	1745	CP	256QAM	Outer_Full	16.82
n66	30	15	1765	DFT	pi/2 BPSK	Inner_Full	23.19
n66	30	15	1765	DFT	pi/2 BPSK	Edge_1RB_Left	22.57
n66	30	15	1765	DFT	pi/2 BPSK	Edge_1RB_Right	22.51
n66	30	15	1765	DFT	pi/2 BPSK	Outer_Full	22.78
n66	30	15	1765	DFT	QPSK	Inner_Full	23.20
n66	30	15	1765	DFT	QPSK	Edge_1RB_Left	22.19
n66	30	15	1765	DFT	QPSK	Edge_1RB_Right	22.12
n66	30	15	1765	DFT	QPSK	Outer_Full	22.28
n66	30	15	1765	DFT	16QAM	Inner_Full	22.19
n66	30	15	1765	DFT	16QAM	Edge_1RB_Left	21.44
n66	30	15	1765	DFT	16QAM	Edge_1RB_Right	21.38
n66	30	15	1765	DFT	16QAM	Outer_Full	21.23
n66	30	15	1765	DFT	64QAM	Inner_Full	20.75
n66	30	15	1765	DFT	64QAM	Edge_1RB_Left	20.50
n66	30	15	1765	DFT	64QAM	Edge_1RB_Right	20.45



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n66	30	15	1765	DFT	64QAM	Outer_Full	20.74
n66	30	15	1765	DFT	256QAM	Inner_Full	18.57
n66	30	15	1765	DFT	256QAM	Edge_1RB_Left	18.55
n66	30	15	1765	DFT	256QAM	Edge_1RB_Right	18.44
n66	30	15	1765	DFT	256QAM	Outer_Full	18.71
n66	30	15	1765	CP	QPSK	Inner_Full	21.62
n66	30	15	1765	CP	QPSK	Edge_1RB_Left	20.00
n66	30	15	1765	CP	QPSK	Edge_1RB_Right	20.04
n66	30	15	1765	CP	QPSK	Outer_Full	20.25
n66	30	15	1765	CP	16QAM	Inner_Full	21.19
n66	30	15	1765	CP	16QAM	Edge_1RB_Left	20.45
n66	30	15	1765	CP	16QAM	Edge_1RB_Right	20.50
n66	30	15	1765	CP	16QAM	Outer_Full	20.21
n66	30	15	1765	CP	64QAM	Inner_Full	19.72
n66	30	15	1765	CP	64QAM	Edge_1RB_Left	19.40
n66	30	15	1765	CP	64QAM	Edge_1RB_Right	19.41
n66	30	15	1765	CP	64QAM	Outer_Full	19.73
n66	30	15	1765	CP	256QAM	Inner_Full	16.69
n66	30	15	1765	CP	256QAM	Edge_1RB_Left	16.58
n66	30	15	1765	CP	256QAM	Edge_1RB_Right	16.50
n66	30	15	1765	CP	256QAM	Outer_Full	16.73
n66	40	15	1730	DFT	pi/2 BPSK	Inner_Full	23.28
n66	40	15	1730	DFT	pi/2 BPSK	Edge_1RB_Left	22.55
n66	40	15	1730	DFT	pi/2 BPSK	Edge_1RB_Right	22.62
n66	40	15	1730	DFT	pi/2 BPSK	Outer_Full	22.76
n66	40	15	1730	DFT	QPSK	Inner_Full	23.24
n66	40	15	1730	DFT	QPSK	Edge_1RB_Left	22.13
n66	40	15	1730	DFT	QPSK	Edge_1RB_Right	22.24
n66	40	15	1730	DFT	QPSK	Outer_Full	22.25
n66	40	15	1730	DFT	16QAM	Inner_Full	22.29
n66	40	15	1730	DFT	16QAM	Edge_1RB_Left	21.40
n66	40	15	1730	DFT	16QAM	Edge_1RB_Right	21.44
n66	40	15	1730	DFT	16QAM	Outer_Full	21.28
n66	40	15	1730	DFT	64QAM	Inner_Full	20.71
n66	40	15	1730	DFT	64QAM	Edge_1RB_Left	20.49
n66	40	15	1730	DFT	64QAM	Edge_1RB_Right	20.50
n66	40	15	1730	DFT	64QAM	Outer_Full	20.77
n66	40	15	1730	DFT	256QAM	Inner_Full	18.71
n66	40	15	1730	DFT	256QAM	Edge_1RB_Left	18.57
n66	40	15	1730	DFT	256QAM	Edge_1RB_Right	18.53



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n66	40	15	1730	DFT	256QAM	Outer_Full	18.81
n66	40	15	1730	CP	QPSK	Inner_Full	21.79
n66	40	15	1730	CP	QPSK	Edge_1RB_Left	20.01
n66	40	15	1730	CP	QPSK	Edge_1RB_Right	20.10
n66	40	15	1730	CP	QPSK	Outer_Full	20.34
n66	40	15	1730	CP	16QAM	Inner_Full	21.33
n66	40	15	1730	CP	16QAM	Edge_1RB_Left	20.46
n66	40	15	1730	CP	16QAM	Edge_1RB_Right	20.57
n66	40	15	1730	CP	16QAM	Outer_Full	20.25
n66	40	15	1730	CP	64QAM	Inner_Full	19.82
n66	40	15	1730	CP	64QAM	Edge_1RB_Left	19.31
n66	40	15	1730	CP	64QAM	Edge_1RB_Right	19.41
n66	40	15	1730	CP	64QAM	Outer_Full	19.78
n66	40	15	1730	CP	256QAM	Inner_Full	16.81
n66	40	15	1730	CP	256QAM	Edge_1RB_Left	16.65
n66	40	15	1730	CP	256QAM	Edge_1RB_Right	16.60
n66	40	15	1730	CP	256QAM	Outer_Full	16.84
n66	40	15	1745	DFT	pi/2 BPSK	Inner_Full	23.22
n66	40	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	22.64
n66	40	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	22.60
n66	40	15	1745	DFT	pi/2 BPSK	Outer_Full	22.79
n66	40	15	1745	DFT	QPSK	Inner_Full	23.27
n66	40	15	1745	DFT	QPSK	Edge_1RB_Left	22.14
n66	40	15	1745	DFT	QPSK	Edge_1RB_Right	22.20
n66	40	15	1745	DFT	QPSK	Outer_Full	22.39
n66	40	15	1745	DFT	16QAM	Inner_Full	22.33
n66	40	15	1745	DFT	16QAM	Edge_1RB_Left	21.42
n66	40	15	1745	DFT	16QAM	Edge_1RB_Right	21.42
n66	40	15	1745	DFT	16QAM	Outer_Full	21.32
n66	40	15	1745	DFT	64QAM	Inner_Full	20.83
n66	40	15	1745	DFT	64QAM	Edge_1RB_Left	20.48
n66	40	15	1745	DFT	64QAM	Edge_1RB_Right	20.53
n66	40	15	1745	DFT	64QAM	Outer_Full	20.83
n66	40	15	1745	DFT	256QAM	Inner_Full	18.68
n66	40	15	1745	DFT	256QAM	Edge_1RB_Left	18.56
n66	40	15	1745	DFT	256QAM	Edge_1RB_Right	18.56
n66	40	15	1745	DFT	256QAM	Outer_Full	18.77
n66	40	15	1745	CP	QPSK	Inner_Full	21.74
n66	40	15	1745	CP	QPSK	Edge_1RB_Left	20.13
n66	40	15	1745	CP	QPSK	Edge_1RB_Right	20.16



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n66	40	15	1745	CP	QPSK	Outer_Full	20.31
n66	40	15	1745	CP	16QAM	Inner_Full	21.31
n66	40	15	1745	CP	16QAM	Edge_1RB_Left	20.49
n66	40	15	1745	CP	16QAM	Edge_1RB_Right	20.61
n66	40	15	1745	CP	16QAM	Outer_Full	20.29
n66	40	15	1745	CP	64QAM	Inner_Full	19.78
n66	40	15	1745	CP	64QAM	Edge_1RB_Left	19.29
n66	40	15	1745	CP	64QAM	Edge_1RB_Right	19.39
n66	40	15	1745	CP	64QAM	Outer_Full	19.82
n66	40	15	1745	CP	256QAM	Inner_Full	16.75
n66	40	15	1745	CP	256QAM	Edge_1RB_Left	16.54
n66	40	15	1745	CP	256QAM	Edge_1RB_Right	16.63
n66	40	15	1745	CP	256QAM	Outer_Full	16.70
n66	40	15	1760	DFT	pi/2 BPSK	Inner_Full	23.17
n66	40	15	1760	DFT	pi/2 BPSK	Edge_1RB_Left	22.57
n66	40	15	1760	DFT	pi/2 BPSK	Edge_1RB_Right	22.52
n66	40	15	1760	DFT	pi/2 BPSK	Outer_Full	22.75
n66	40	15	1760	DFT	QPSK	Inner_Full	23.26
n66	40	15	1760	DFT	QPSK	Edge_1RB_Left	22.16
n66	40	15	1760	DFT	QPSK	Edge_1RB_Right	22.10
n66	40	15	1760	DFT	QPSK	Outer_Full	22.28
n66	40	15	1760	DFT	16QAM	Inner_Full	22.31
n66	40	15	1760	DFT	16QAM	Edge_1RB_Left	21.47
n66	40	15	1760	DFT	16QAM	Edge_1RB_Right	21.42
n66	40	15	1760	DFT	16QAM	Outer_Full	21.27
n66	40	15	1760	DFT	64QAM	Inner_Full	20.74
n66	40	15	1760	DFT	64QAM	Edge_1RB_Left	20.53
n66	40	15	1760	DFT	64QAM	Edge_1RB_Right	20.38
n66	40	15	1760	DFT	64QAM	Outer_Full	20.76
n66	40	15	1760	DFT	256QAM	Inner_Full	18.67
n66	40	15	1760	DFT	256QAM	Edge_1RB_Left	18.57
n66	40	15	1760	DFT	256QAM	Edge_1RB_Right	18.48
n66	40	15	1760	DFT	256QAM	Outer_Full	18.70
n66	40	15	1760	CP	QPSK	Inner_Full	21.70
n66	40	15	1760	CP	QPSK	Edge_1RB_Left	20.04
n66	40	15	1760	CP	QPSK	Edge_1RB_Right	20.01
n66	40	15	1760	CP	QPSK	Outer_Full	20.24
n66	40	15	1760	CP	16QAM	Inner_Full	21.28
n66	40	15	1760	CP	16QAM	Edge_1RB_Left	20.47
n66	40	15	1760	CP	16QAM	Edge_1RB_Right	20.56



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n66	40	15	1760	CP	16QAM	Outer_Full	20.22
n66	40	15	1760	CP	64QAM	Inner_Full	19.73
n66	40	15	1760	CP	64QAM	Edge_1RB_Left	19.32
n66	40	15	1760	CP	64QAM	Edge_1RB_Right	19.34
n66	40	15	1760	CP	64QAM	Outer_Full	19.76
n66	40	15	1760	CP	256QAM	Inner_Full	16.73
n66	40	15	1760	CP	256QAM	Edge_1RB_Left	16.65
n66	40	15	1760	CP	256QAM	Edge_1RB_Right	16.51
n66	40	15	1760	CP	256QAM	Outer_Full	16.72

Note: Expanded measurement uncertainty is $U = 0.90\text{dB}$, $k = 1.96$



A.1.3 Radiated

A.1.3.1 Description

This is the test for the maximum radiated power from the EUT.

Rule Part 24.232(b) specifies, "Mobile/portable stations are limited to 2 watts e.i.r.p. Peak power" and 24.232(c) specifies that "Peak transmit power must be measured over any interval of continuous transmission using instrumentation calibrated in terms of an rms-equivalent voltage."

Rule Part 27.50(d) specifies "Fixed, mobile, and portable (handheld) stations operating in the 1710–1755 MHz band are limited to 1 watt EIRP".

Rule Part 27.50(h)(2) specifies "Mobile stations are limited to 2.0 watts EIRP".

Rule Part 27.50(c) specifies "Portable stations (hand-held de-vices) are limited to 3 watts ERP".

Rule Part 27.50(a)(3) specifies "For mobile and portable stations transmitting in the 2305–2315 MHz band or the 2350–2360 MHz band, the average EIRP must not exceed 50 milliwatts within any 1 megahertz of authorized bandwidth, except that for mobile and portable stations compliant with 3GPP LTE standards or another advanced mobile broadband protocol that avoids concentrating energy at the edge of the operating band the average EIRP must not exceed 250 milliwatts within any 5 megahertz of authorized bandwidth but may exceed 50 milliwatts within any 1 megahertz of authorized bandwidth." Rule Part 90.635(b) specifies "The maximum output power of the transmitter for mobile stations is 100 watts (20 dBw)."

A.1.3.2 Method of Measurement

ANSI C63.26 chapter 5.2.5.5: when working in decibels (i.e., logarithmic scale), the ERP and EIRP represent the sum of the transmit antenna gain (in dBd or dBi, respectively) and the conducted RF output power (expressed in dB relative to watts or milliwatts).

The relevant equation for determining the maximum ERP or EIRP from the measured RF output power is given in Equation (1) as follows:

$$\text{ERP or EIRP} = \text{PMea} + \text{GT}$$

Where

ERP or EIRP effective radiated power or equivalent isotropically radiated power, respectively (expressed in the same units as PMea , e.g., dBm or dBW)

PMea measured transmitter output power or PSD, in dBm or dBW

GT gain of the transmitting antenna, in dBd (ERP) or dBi (EIRP)



**A.1.3.3 Measurement result
SA**

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n5	5	15	826.5	DFT	pi/2 BPSK	Inner_Full	22.74	14.94	16.34
n5	5	15	826.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.13	14.33	15.73
n5	5	15	826.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.37	14.57	15.97
n5	5	15	826.5	DFT	pi/2 BPSK	Outer_Full	22.17	14.37	15.77
n5	5	15	826.5	DFT	QPSK	Inner_Full	22.65	14.85	16.25
n5	5	15	826.5	DFT	QPSK	Edge_1RB_Left	21.60	13.80	15.20
n5	5	15	826.5	DFT	QPSK	Edge_1RB_Right	21.65	13.85	15.25
n5	5	15	826.5	DFT	QPSK	Outer_Full	21.72	13.92	15.32
n5	5	15	826.5	DFT	16QAM	Inner_Full	21.72	13.92	15.32
n5	5	15	826.5	DFT	16QAM	Edge_1RB_Left	20.91	13.11	14.51
n5	5	15	826.5	DFT	16QAM	Edge_1RB_Right	21.05	13.25	14.65
n5	5	15	826.5	DFT	16QAM	Outer_Full	20.73	12.93	14.33
n5	5	15	826.5	DFT	64QAM	Inner_Full	20.35	12.55	13.95
n5	5	15	826.5	DFT	64QAM	Edge_1RB_Left	20.05	12.25	13.65
n5	5	15	826.5	DFT	64QAM	Edge_1RB_Right	20.20	12.40	13.80
n5	5	15	826.5	DFT	64QAM	Outer_Full	20.34	12.54	13.94
n5	5	15	826.5	DFT	256QAM	Inner_Full	18.33	10.53	11.93
n5	5	15	826.5	DFT	256QAM	Edge_1RB_Left	17.99	10.19	11.59
n5	5	15	826.5	DFT	256QAM	Edge_1RB_Right	18.04	10.24	11.64
n5	5	15	826.5	DFT	256QAM	Outer_Full	18.16	10.36	11.76
n5	5	15	826.5	CP	QPSK	Inner_Full	21.33	13.53	14.93
n5	5	15	826.5	CP	QPSK	Edge_1RB_Left	19.68	11.88	13.28
n5	5	15	826.5	CP	QPSK	Edge_1RB_Right	19.80	12.00	13.40
n5	5	15	826.5	CP	QPSK	Outer_Full	19.74	11.94	13.34
n5	5	15	826.5	CP	16QAM	Inner_Full	20.90	13.10	14.50
n5	5	15	826.5	CP	16QAM	Edge_1RB_Left	20.16	12.36	13.76
n5	5	15	826.5	CP	16QAM	Edge_1RB_Right	20.21	12.41	13.81
n5	5	15	826.5	CP	16QAM	Outer_Full	19.67	11.87	13.27
n5	5	15	826.5	CP	64QAM	Inner_Full	19.12	11.32	12.72
n5	5	15	826.5	CP	64QAM	Edge_1RB_Left	18.96	11.16	12.56
n5	5	15	826.5	CP	64QAM	Edge_1RB_Right	19.09	11.29	12.69
n5	5	15	826.5	CP	64QAM	Outer_Full	19.28	11.48	12.88
n5	5	15	826.5	CP	256QAM	Inner_Full	16.16	8.36	9.76
n5	5	15	826.5	CP	256QAM	Edge_1RB_Left	15.88	8.08	9.48
n5	5	15	826.5	CP	256QAM	Edge_1RB_Right	15.85	8.05	9.45
n5	5	15	826.5	CP	256QAM	Outer_Full	16.09	8.29	9.69



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n5	5	15	836.5	DFT	pi/2 BPSK	Inner_Full	22.90	15.10	16.50
n5	5	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.29	14.49	15.89
n5	5	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.43	14.63	16.03
n5	5	15	836.5	DFT	pi/2 BPSK	Outer_Full	22.36	14.56	15.96
n5	5	15	836.5	DFT	QPSK	Inner_Full	22.83	15.03	16.43
n5	5	15	836.5	DFT	QPSK	Edge_1RB_Left	21.84	14.04	15.44
n5	5	15	836.5	DFT	QPSK	Edge_1RB_Right	21.95	14.15	15.55
n5	5	15	836.5	DFT	QPSK	Outer_Full	21.82	14.02	15.42
n5	5	15	836.5	DFT	16QAM	Inner_Full	21.85	14.05	15.45
n5	5	15	836.5	DFT	16QAM	Edge_1RB_Left	21.18	13.38	14.78
n5	5	15	836.5	DFT	16QAM	Edge_1RB_Right	21.27	13.47	14.87
n5	5	15	836.5	DFT	16QAM	Outer_Full	20.87	13.07	14.47
n5	5	15	836.5	DFT	64QAM	Inner_Full	20.44	12.64	14.04
n5	5	15	836.5	DFT	64QAM	Edge_1RB_Left	20.26	12.46	13.86
n5	5	15	836.5	DFT	64QAM	Edge_1RB_Right	20.20	12.40	13.80
n5	5	15	836.5	DFT	64QAM	Outer_Full	20.50	12.70	14.10
n5	5	15	836.5	DFT	256QAM	Inner_Full	18.42	10.62	12.02
n5	5	15	836.5	DFT	256QAM	Edge_1RB_Left	18.08	10.28	11.68
n5	5	15	836.5	DFT	256QAM	Edge_1RB_Right	18.20	10.40	11.80
n5	5	15	836.5	DFT	256QAM	Outer_Full	18.30	10.50	11.90
n5	5	15	836.5	CP	QPSK	Inner_Full	21.40	13.60	15.00
n5	5	15	836.5	CP	QPSK	Edge_1RB_Left	19.83	12.03	13.43
n5	5	15	836.5	CP	QPSK	Edge_1RB_Right	19.87	12.07	13.47
n5	5	15	836.5	CP	QPSK	Outer_Full	19.76	11.96	13.36
n5	5	15	836.5	CP	16QAM	Inner_Full	20.98	13.18	14.58
n5	5	15	836.5	CP	16QAM	Edge_1RB_Left	20.20	12.40	13.80
n5	5	15	836.5	CP	16QAM	Edge_1RB_Right	20.42	12.62	14.02
n5	5	15	836.5	CP	16QAM	Outer_Full	19.83	12.03	13.43
n5	5	15	836.5	CP	64QAM	Inner_Full	19.25	11.45	12.85
n5	5	15	836.5	CP	64QAM	Edge_1RB_Left	19.07	11.27	12.67
n5	5	15	836.5	CP	64QAM	Edge_1RB_Right	19.20	11.40	12.80
n5	5	15	836.5	CP	64QAM	Outer_Full	19.35	11.55	12.95
n5	5	15	836.5	CP	256QAM	Inner_Full	16.30	8.50	9.90
n5	5	15	836.5	CP	256QAM	Edge_1RB_Left	16.07	8.27	9.67
n5	5	15	836.5	CP	256QAM	Edge_1RB_Right	16.09	8.29	9.69
n5	5	15	836.5	CP	256QAM	Outer_Full	16.30	8.50	9.90
n5	5	15	846.5	DFT	pi/2 BPSK	Inner_Full	23.04	15.24	16.64
n5	5	15	846.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.53	14.73	16.13



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n5	5	15	846.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.48	14.68	16.08
n5	5	15	846.5	DFT	pi/2 BPSK	Outer_Full	22.45	14.65	16.05
n5	5	15	846.5	DFT	QPSK	Inner_Full	22.96	15.16	16.56
n5	5	15	846.5	DFT	QPSK	Edge_1RB_Left	21.98	14.18	15.58
n5	5	15	846.5	DFT	QPSK	Edge_1RB_Right	22.00	14.20	15.60
n5	5	15	846.5	DFT	QPSK	Outer_Full	22.00	14.20	15.60
n5	5	15	846.5	DFT	16QAM	Inner_Full	21.95	14.15	15.55
n5	5	15	846.5	DFT	16QAM	Edge_1RB_Left	21.31	13.51	14.91
n5	5	15	846.5	DFT	16QAM	Edge_1RB_Right	21.22	13.42	14.82
n5	5	15	846.5	DFT	16QAM	Outer_Full	20.98	13.18	14.58
n5	5	15	846.5	DFT	64QAM	Inner_Full	20.57	12.77	14.17
n5	5	15	846.5	DFT	64QAM	Edge_1RB_Left	20.40	12.60	14.00
n5	5	15	846.5	DFT	64QAM	Edge_1RB_Right	20.24	12.44	13.84
n5	5	15	846.5	DFT	64QAM	Outer_Full	20.56	12.76	14.16
n5	5	15	846.5	DFT	256QAM	Inner_Full	18.50	10.70	12.10
n5	5	15	846.5	DFT	256QAM	Edge_1RB_Left	18.24	10.44	11.84
n5	5	15	846.5	DFT	256QAM	Edge_1RB_Right	18.22	10.42	11.82
n5	5	15	846.5	DFT	256QAM	Outer_Full	18.37	10.57	11.97
n5	5	15	846.5	CP	QPSK	Inner_Full	21.53	13.73	15.13
n5	5	15	846.5	CP	QPSK	Edge_1RB_Left	19.92	12.12	13.52
n5	5	15	846.5	CP	QPSK	Edge_1RB_Right	19.98	12.18	13.58
n5	5	15	846.5	CP	QPSK	Outer_Full	19.92	12.12	13.52
n5	5	15	846.5	CP	16QAM	Inner_Full	21.10	13.30	14.70
n5	5	15	846.5	CP	16QAM	Edge_1RB_Left	20.44	12.64	14.04
n5	5	15	846.5	CP	16QAM	Edge_1RB_Right	20.38	12.58	13.98
n5	5	15	846.5	CP	16QAM	Outer_Full	19.90	12.10	13.50
n5	5	15	846.5	CP	64QAM	Inner_Full	19.38	11.58	12.98
n5	5	15	846.5	CP	64QAM	Edge_1RB_Left	19.20	11.40	12.80
n5	5	15	846.5	CP	64QAM	Edge_1RB_Right	19.22	11.42	12.82
n5	5	15	846.5	CP	64QAM	Outer_Full	19.49	11.69	13.09
n5	5	15	846.5	CP	256QAM	Inner_Full	16.26	8.46	9.86
n5	5	15	846.5	CP	256QAM	Edge_1RB_Left	16.05	8.25	9.65
n5	5	15	846.5	CP	256QAM	Edge_1RB_Right	15.95	8.15	9.55
n5	5	15	846.5	CP	256QAM	Outer_Full	16.21	8.41	9.81
n5	10	15	829	DFT	pi/2 BPSK	Inner_Full	22.90	15.10	16.50
n5	10	15	829	DFT	pi/2 BPSK	Edge_1RB_Left	22.26	14.46	15.86
n5	10	15	829	DFT	pi/2 BPSK	Edge_1RB_Right	22.33	14.53	15.93
n5	10	15	829	DFT	pi/2 BPSK	Outer_Full	22.33	14.53	15.93



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n5	10	15	829	DFT	QPSK	Inner_Full	22.87	15.07	16.47
n5	10	15	829	DFT	QPSK	Edge_1RB_Left	21.63	13.83	15.23
n5	10	15	829	DFT	QPSK	Edge_1RB_Right	21.90	14.10	15.50
n5	10	15	829	DFT	QPSK	Outer_Full	21.83	14.03	15.43
n5	10	15	829	DFT	16QAM	Inner_Full	21.88	14.08	15.48
n5	10	15	829	DFT	16QAM	Edge_1RB_Left	20.96	13.16	14.56
n5	10	15	829	DFT	16QAM	Edge_1RB_Right	21.08	13.28	14.68
n5	10	15	829	DFT	16QAM	Outer_Full	20.76	12.96	14.36
n5	10	15	829	DFT	64QAM	Inner_Full	20.46	12.66	14.06
n5	10	15	829	DFT	64QAM	Edge_1RB_Left	20.05	12.25	13.65
n5	10	15	829	DFT	64QAM	Edge_1RB_Right	20.20	12.40	13.80
n5	10	15	829	DFT	64QAM	Outer_Full	20.36	12.56	13.96
n5	10	15	829	DFT	256QAM	Inner_Full	18.29	10.49	11.89
n5	10	15	829	DFT	256QAM	Edge_1RB_Left	18.00	10.20	11.60
n5	10	15	829	DFT	256QAM	Edge_1RB_Right	18.17	10.37	11.77
n5	10	15	829	DFT	256QAM	Outer_Full	18.34	10.54	11.94
n5	10	15	829	CP	QPSK	Inner_Full	21.43	13.63	15.03
n5	10	15	829	CP	QPSK	Edge_1RB_Left	19.75	11.95	13.35
n5	10	15	829	CP	QPSK	Edge_1RB_Right	19.83	12.03	13.43
n5	10	15	829	CP	QPSK	Outer_Full	19.79	11.99	13.39
n5	10	15	829	CP	16QAM	Inner_Full	20.88	13.08	14.48
n5	10	15	829	CP	16QAM	Edge_1RB_Left	20.03	12.23	13.63
n5	10	15	829	CP	16QAM	Edge_1RB_Right	20.28	12.48	13.88
n5	10	15	829	CP	16QAM	Outer_Full	19.86	12.06	13.46
n5	10	15	829	CP	64QAM	Inner_Full	19.32	11.52	12.92
n5	10	15	829	CP	64QAM	Edge_1RB_Left	18.89	11.09	12.49
n5	10	15	829	CP	64QAM	Edge_1RB_Right	19.13	11.33	12.73
n5	10	15	829	CP	64QAM	Outer_Full	19.39	11.59	12.99
n5	10	15	829	CP	256QAM	Inner_Full	16.06	8.26	9.66
n5	10	15	829	CP	256QAM	Edge_1RB_Left	15.79	7.99	9.39
n5	10	15	829	CP	256QAM	Edge_1RB_Right	15.90	8.10	9.50
n5	10	15	829	CP	256QAM	Outer_Full	16.05	8.25	9.65
n5	10	15	836.5	DFT	pi/2 BPSK	Inner_Full	22.94	15.14	16.54
n5	10	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.23	14.43	15.83
n5	10	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.33	14.53	15.93
n5	10	15	836.5	DFT	pi/2 BPSK	Outer_Full	22.33	14.53	15.93
n5	10	15	836.5	DFT	QPSK	Inner_Full	22.88	15.08	16.48
n5	10	15	836.5	DFT	QPSK	Edge_1RB_Left	21.78	13.98	15.38



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n5	10	15	836.5	DFT	QPSK	Edge_1RB_Right	21.85	14.05	15.45
n5	10	15	836.5	DFT	QPSK	Outer_Full	21.86	14.06	15.46
n5	10	15	836.5	DFT	16QAM	Inner_Full	21.89	14.09	15.49
n5	10	15	836.5	DFT	16QAM	Edge_1RB_Left	21.05	13.25	14.65
n5	10	15	836.5	DFT	16QAM	Edge_1RB_Right	21.21	13.41	14.81
n5	10	15	836.5	DFT	16QAM	Outer_Full	20.80	13.00	14.40
n5	10	15	836.5	DFT	64QAM	Inner_Full	20.47	12.67	14.07
n5	10	15	836.5	DFT	64QAM	Edge_1RB_Left	20.22	12.42	13.82
n5	10	15	836.5	DFT	64QAM	Edge_1RB_Right	20.26	12.46	13.86
n5	10	15	836.5	DFT	64QAM	Outer_Full	20.41	12.61	14.01
n5	10	15	836.5	DFT	256QAM	Inner_Full	18.34	10.54	11.94
n5	10	15	836.5	DFT	256QAM	Edge_1RB_Left	17.99	10.19	11.59
n5	10	15	836.5	DFT	256QAM	Edge_1RB_Right	18.07	10.27	11.67
n5	10	15	836.5	DFT	256QAM	Outer_Full	18.31	10.51	11.91
n5	10	15	836.5	CP	QPSK	Inner_Full	21.43	13.63	15.03
n5	10	15	836.5	CP	QPSK	Edge_1RB_Left	19.73	11.93	13.33
n5	10	15	836.5	CP	QPSK	Edge_1RB_Right	19.83	12.03	13.43
n5	10	15	836.5	CP	QPSK	Outer_Full	19.92	12.12	13.52
n5	10	15	836.5	CP	16QAM	Inner_Full	20.88	13.08	14.48
n5	10	15	836.5	CP	16QAM	Edge_1RB_Left	20.17	12.37	13.77
n5	10	15	836.5	CP	16QAM	Edge_1RB_Right	20.33	12.53	13.93
n5	10	15	836.5	CP	16QAM	Outer_Full	19.80	12.00	13.40
n5	10	15	836.5	CP	64QAM	Inner_Full	19.37	11.57	12.97
n5	10	15	836.5	CP	64QAM	Edge_1RB_Left	19.03	11.23	12.63
n5	10	15	836.5	CP	64QAM	Edge_1RB_Right	19.11	11.31	12.71
n5	10	15	836.5	CP	64QAM	Outer_Full	19.40	11.60	13.00
n5	10	15	836.5	CP	256QAM	Inner_Full	16.29	8.49	9.89
n5	10	15	836.5	CP	256QAM	Edge_1RB_Left	15.92	8.12	9.52
n5	10	15	836.5	CP	256QAM	Edge_1RB_Right	16.08	8.28	9.68
n5	10	15	836.5	CP	256QAM	Outer_Full	16.27	8.47	9.87
n5	10	15	844	DFT	pi/2 BPSK	Inner_Full	23.08	15.28	16.68
n5	10	15	844	DFT	pi/2 BPSK	Edge_1RB_Left	22.43	14.63	16.03
n5	10	15	844	DFT	pi/2 BPSK	Edge_1RB_Right	22.39	14.59	15.99
n5	10	15	844	DFT	pi/2 BPSK	Outer_Full	22.57	14.77	16.17
n5	10	15	844	DFT	QPSK	Inner_Full	23.03	15.23	16.63
n5	10	15	844	DFT	QPSK	Edge_1RB_Left	21.97	14.17	15.57
n5	10	15	844	DFT	QPSK	Edge_1RB_Right	21.92	14.12	15.52
n5	10	15	844	DFT	QPSK	Outer_Full	22.01	14.21	15.61



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n5	10	15	844	DFT	16QAM	Inner_Full	22.03	14.23	15.63
n5	10	15	844	DFT	16QAM	Edge_1RB_Left	21.31	13.51	14.91
n5	10	15	844	DFT	16QAM	Edge_1RB_Right	21.17	13.37	14.77
n5	10	15	844	DFT	16QAM	Outer_Full	20.95	13.15	14.55
n5	10	15	844	DFT	64QAM	Inner_Full	20.65	12.85	14.25
n5	10	15	844	DFT	64QAM	Edge_1RB_Left	20.27	12.47	13.87
n5	10	15	844	DFT	64QAM	Edge_1RB_Right	20.36	12.56	13.96
n5	10	15	844	DFT	64QAM	Outer_Full	20.55	12.75	14.15
n5	10	15	844	DFT	256QAM	Inner_Full	18.56	10.76	12.16
n5	10	15	844	DFT	256QAM	Edge_1RB_Left	18.18	10.38	11.78
n5	10	15	844	DFT	256QAM	Edge_1RB_Right	18.14	10.34	11.74
n5	10	15	844	DFT	256QAM	Outer_Full	18.48	10.68	12.08
n5	10	15	844	CP	QPSK	Inner_Full	21.59	13.79	15.19
n5	10	15	844	CP	QPSK	Edge_1RB_Left	19.96	12.16	13.56
n5	10	15	844	CP	QPSK	Edge_1RB_Right	19.89	12.09	13.49
n5	10	15	844	CP	QPSK	Outer_Full	19.97	12.17	13.57
n5	10	15	844	CP	16QAM	Inner_Full	21.04	13.24	14.64
n5	10	15	844	CP	16QAM	Edge_1RB_Left	20.41	12.61	14.01
n5	10	15	844	CP	16QAM	Edge_1RB_Right	20.39	12.59	13.99
n5	10	15	844	CP	16QAM	Outer_Full	19.96	12.16	13.56
n5	10	15	844	CP	64QAM	Inner_Full	19.51	11.71	13.11
n5	10	15	844	CP	64QAM	Edge_1RB_Left	19.20	11.40	12.80
n5	10	15	844	CP	64QAM	Edge_1RB_Right	19.12	11.32	12.72
n5	10	15	844	CP	64QAM	Outer_Full	19.54	11.74	13.14
n5	10	15	844	CP	256QAM	Inner_Full	16.19	8.39	9.79
n5	10	15	844	CP	256QAM	Edge_1RB_Left	15.89	8.09	9.49
n5	10	15	844	CP	256QAM	Edge_1RB_Right	15.85	8.05	9.45
n5	10	15	844	CP	256QAM	Outer_Full	16.20	8.40	9.80
n5	15	15	831.5	DFT	pi/2 BPSK	Inner_Full	22.88	15.08	16.48
n5	15	15	831.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.30	14.50	15.90
n5	15	15	831.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.47	14.67	16.07
n5	15	15	831.5	DFT	pi/2 BPSK	Outer_Full	22.46	14.66	16.06
n5	15	15	831.5	DFT	QPSK	Inner_Full	22.95	15.15	16.55
n5	15	15	831.5	DFT	QPSK	Edge_1RB_Left	21.85	14.05	15.45
n5	15	15	831.5	DFT	QPSK	Edge_1RB_Right	21.92	14.12	15.52
n5	15	15	831.5	DFT	QPSK	Outer_Full	21.98	14.18	15.58
n5	15	15	831.5	DFT	16QAM	Inner_Full	21.93	14.13	15.53
n5	15	15	831.5	DFT	16QAM	Edge_1RB_Left	21.07	13.27	14.67



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n5	15	15	831.5	DFT	16QAM	Edge_1RB_Right	21.28	13.48	14.88
n5	15	15	831.5	DFT	16QAM	Outer_Full	20.97	13.17	14.57
n5	15	15	831.5	DFT	64QAM	Inner_Full	20.47	12.67	14.07
n5	15	15	831.5	DFT	64QAM	Edge_1RB_Left	20.22	12.42	13.82
n5	15	15	831.5	DFT	64QAM	Edge_1RB_Right	20.32	12.52	13.92
n5	15	15	831.5	DFT	64QAM	Outer_Full	20.49	12.69	14.09
n5	15	15	831.5	DFT	256QAM	Inner_Full	18.47	10.67	12.07
n5	15	15	831.5	DFT	256QAM	Edge_1RB_Left	18.20	10.40	11.80
n5	15	15	831.5	DFT	256QAM	Edge_1RB_Right	18.18	10.38	11.78
n5	15	15	831.5	DFT	256QAM	Outer_Full	18.39	10.59	11.99
n5	15	15	831.5	CP	QPSK	Inner_Full	21.39	13.59	14.99
n5	15	15	831.5	CP	QPSK	Edge_1RB_Left	19.81	12.01	13.41
n5	15	15	831.5	CP	QPSK	Edge_1RB_Right	19.95	12.15	13.55
n5	15	15	831.5	CP	QPSK	Outer_Full	19.90	12.10	13.50
n5	15	15	831.5	CP	16QAM	Inner_Full	20.95	13.15	14.55
n5	15	15	831.5	CP	16QAM	Edge_1RB_Left	20.25	12.45	13.85
n5	15	15	831.5	CP	16QAM	Edge_1RB_Right	20.39	12.59	13.99
n5	15	15	831.5	CP	16QAM	Outer_Full	19.93	12.13	13.53
n5	15	15	831.5	CP	64QAM	Inner_Full	19.44	11.64	13.04
n5	15	15	831.5	CP	64QAM	Edge_1RB_Left	19.08	11.28	12.68
n5	15	15	831.5	CP	64QAM	Edge_1RB_Right	19.21	11.41	12.81
n5	15	15	831.5	CP	64QAM	Outer_Full	19.41	11.61	13.01
n5	15	15	831.5	CP	256QAM	Inner_Full	16.26	8.46	9.86
n5	15	15	831.5	CP	256QAM	Edge_1RB_Left	15.98	8.18	9.58
n5	15	15	831.5	CP	256QAM	Edge_1RB_Right	16.14	8.34	9.74
n5	15	15	831.5	CP	256QAM	Outer_Full	16.36	8.56	9.96
n5	15	15	836.5	DFT	pi/2 BPSK	Inner_Full	23.01	15.21	16.61
n5	15	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.29	14.49	15.89
n5	15	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.38	14.58	15.98
n5	15	15	836.5	DFT	pi/2 BPSK	Outer_Full	22.46	14.66	16.06
n5	15	15	836.5	DFT	QPSK	Inner_Full	22.97	15.17	16.57
n5	15	15	836.5	DFT	QPSK	Edge_1RB_Left	21.83	14.03	15.43
n5	15	15	836.5	DFT	QPSK	Edge_1RB_Right	21.95	14.15	15.55
n5	15	15	836.5	DFT	QPSK	Outer_Full	21.94	14.14	15.54
n5	15	15	836.5	DFT	16QAM	Inner_Full	21.94	14.14	15.54
n5	15	15	836.5	DFT	16QAM	Edge_1RB_Left	21.15	13.35	14.75
n5	15	15	836.5	DFT	16QAM	Edge_1RB_Right	21.20	13.40	14.80
n5	15	15	836.5	DFT	16QAM	Outer_Full	20.97	13.17	14.57



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n5	15	15	836.5	DFT	64QAM	Inner_Full	20.49	12.69	14.09
n5	15	15	836.5	DFT	64QAM	Edge_1RB_Left	20.25	12.45	13.85
n5	15	15	836.5	DFT	64QAM	Edge_1RB_Right	20.26	12.46	13.86
n5	15	15	836.5	DFT	64QAM	Outer_Full	20.53	12.73	14.13
n5	15	15	836.5	DFT	256QAM	Inner_Full	18.53	10.73	12.13
n5	15	15	836.5	DFT	256QAM	Edge_1RB_Left	18.13	10.33	11.73
n5	15	15	836.5	DFT	256QAM	Edge_1RB_Right	18.17	10.37	11.77
n5	15	15	836.5	DFT	256QAM	Outer_Full	18.39	10.59	11.99
n5	15	15	836.5	CP	QPSK	Inner_Full	21.53	13.73	15.13
n5	15	15	836.5	CP	QPSK	Edge_1RB_Left	19.83	12.03	13.43
n5	15	15	836.5	CP	QPSK	Edge_1RB_Right	19.91	12.11	13.51
n5	15	15	836.5	CP	QPSK	Outer_Full	19.92	12.12	13.52
n5	15	15	836.5	CP	16QAM	Inner_Full	20.91	13.11	14.51
n5	15	15	836.5	CP	16QAM	Edge_1RB_Left	20.27	12.47	13.87
n5	15	15	836.5	CP	16QAM	Edge_1RB_Right	20.36	12.56	13.96
n5	15	15	836.5	CP	16QAM	Outer_Full	19.88	12.08	13.48
n5	15	15	836.5	CP	64QAM	Inner_Full	19.49	11.69	13.09
n5	15	15	836.5	CP	64QAM	Edge_1RB_Left	19.10	11.30	12.70
n5	15	15	836.5	CP	64QAM	Edge_1RB_Right	19.18	11.38	12.78
n5	15	15	836.5	CP	64QAM	Outer_Full	19.45	11.65	13.05
n5	15	15	836.5	CP	256QAM	Inner_Full	16.40	8.60	10.00
n5	15	15	836.5	CP	256QAM	Edge_1RB_Left	16.21	8.41	9.81
n5	15	15	836.5	CP	256QAM	Edge_1RB_Right	16.21	8.41	9.81
n5	15	15	836.5	CP	256QAM	Outer_Full	16.36	8.56	9.96
n5	15	15	841.5	DFT	pi/2 BPSK	Inner_Full	23.13	15.33	16.73
n5	15	15	841.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.44	14.64	16.04
n5	15	15	841.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.35	14.55	15.95
n5	15	15	841.5	DFT	pi/2 BPSK	Outer_Full	22.57	14.77	16.17
n5	15	15	841.5	DFT	QPSK	Inner_Full	23.07	15.27	16.67
n5	15	15	841.5	DFT	QPSK	Edge_1RB_Left	21.91	14.11	15.51
n5	15	15	841.5	DFT	QPSK	Edge_1RB_Right	21.87	14.07	15.47
n5	15	15	841.5	DFT	QPSK	Outer_Full	22.00	14.20	15.60
n5	15	15	841.5	DFT	16QAM	Inner_Full	22.05	14.25	15.65
n5	15	15	841.5	DFT	16QAM	Edge_1RB_Left	21.19	13.39	14.79
n5	15	15	841.5	DFT	16QAM	Edge_1RB_Right	21.18	13.38	14.78
n5	15	15	841.5	DFT	16QAM	Outer_Full	21.04	13.24	14.64
n5	15	15	841.5	DFT	64QAM	Inner_Full	20.59	12.79	14.19
n5	15	15	841.5	DFT	64QAM	Edge_1RB_Left	20.27	12.47	13.87



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n5	15	15	841.5	DFT	64QAM	Edge_1RB_Right	20.26	12.46	13.86
n5	15	15	841.5	DFT	64QAM	Outer_Full	20.63	12.83	14.23
n5	15	15	841.5	DFT	256QAM	Inner_Full	18.56	10.76	12.16
n5	15	15	841.5	DFT	256QAM	Edge_1RB_Left	18.19	10.39	11.79
n5	15	15	841.5	DFT	256QAM	Edge_1RB_Right	18.10	10.30	11.70
n5	15	15	841.5	DFT	256QAM	Outer_Full	18.48	10.68	12.08
n5	15	15	841.5	CP	QPSK	Inner_Full	21.59	13.79	15.19
n5	15	15	841.5	CP	QPSK	Edge_1RB_Left	19.97	12.17	13.57
n5	15	15	841.5	CP	QPSK	Edge_1RB_Right	19.90	12.10	13.50
n5	15	15	841.5	CP	QPSK	Outer_Full	19.99	12.19	13.59
n5	15	15	841.5	CP	16QAM	Inner_Full	21.04	13.24	14.64
n5	15	15	841.5	CP	16QAM	Edge_1RB_Left	20.29	12.49	13.89
n5	15	15	841.5	CP	16QAM	Edge_1RB_Right	20.36	12.56	13.96
n5	15	15	841.5	CP	16QAM	Outer_Full	19.97	12.17	13.57
n5	15	15	841.5	CP	64QAM	Inner_Full	19.60	11.80	13.20
n5	15	15	841.5	CP	64QAM	Edge_1RB_Left	19.10	11.30	12.70
n5	15	15	841.5	CP	64QAM	Edge_1RB_Right	19.17	11.37	12.77
n5	15	15	841.5	CP	64QAM	Outer_Full	19.54	11.74	13.14
n5	15	15	841.5	CP	256QAM	Inner_Full	16.41	8.61	10.01
n5	15	15	841.5	CP	256QAM	Edge_1RB_Left	16.21	8.41	9.81
n5	15	15	841.5	CP	256QAM	Edge_1RB_Right	16.07	8.27	9.67
n5	15	15	841.5	CP	256QAM	Outer_Full	16.36	8.56	9.96
n5	20	15	834	DFT	pi/2 BPSK	Inner_Full	22.92	15.12	16.52
n5	20	15	834	DFT	pi/2 BPSK	Edge_1RB_Left	22.28	14.48	15.88
n5	20	15	834	DFT	pi/2 BPSK	Edge_1RB_Right	22.37	14.57	15.97
n5	20	15	834	DFT	pi/2 BPSK	Outer_Full	22.42	14.62	16.02
n5	20	15	834	DFT	QPSK	Inner_Full	22.96	15.16	16.56
n5	20	15	834	DFT	QPSK	Edge_1RB_Left	21.70	13.90	15.30
n5	20	15	834	DFT	QPSK	Edge_1RB_Right	21.92	14.12	15.52
n5	20	15	834	DFT	QPSK	Outer_Full	21.93	14.13	15.53
n5	20	15	834	DFT	16QAM	Inner_Full	21.88	14.08	15.48
n5	20	15	834	DFT	16QAM	Edge_1RB_Left	21.05	13.25	14.65
n5	20	15	834	DFT	16QAM	Edge_1RB_Right	21.24	13.44	14.84
n5	20	15	834	DFT	16QAM	Outer_Full	20.96	13.16	14.56
n5	20	15	834	DFT	64QAM	Inner_Full	20.46	12.66	14.06
n5	20	15	834	DFT	64QAM	Edge_1RB_Left	20.11	12.31	13.71
n5	20	15	834	DFT	64QAM	Edge_1RB_Right	20.28	12.48	13.88
n5	20	15	834	DFT	64QAM	Outer_Full	20.43	12.63	14.03



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n5	20	15	834	DFT	256QAM	Inner_Full	18.43	10.63	12.03
n5	20	15	834	DFT	256QAM	Edge_1RB_Left	18.17	10.37	11.77
n5	20	15	834	DFT	256QAM	Edge_1RB_Right	18.25	10.45	11.85
n5	20	15	834	DFT	256QAM	Outer_Full	18.47	10.67	12.07
n5	20	15	834	CP	QPSK	Inner_Full	21.45	13.65	15.05
n5	20	15	834	CP	QPSK	Edge_1RB_Left	19.79	11.99	13.39
n5	20	15	834	CP	QPSK	Edge_1RB_Right	19.94	12.14	13.54
n5	20	15	834	CP	QPSK	Outer_Full	19.92	12.12	13.52
n5	20	15	834	CP	16QAM	Inner_Full	20.93	13.13	14.53
n5	20	15	834	CP	16QAM	Edge_1RB_Left	20.20	12.40	13.80
n5	20	15	834	CP	16QAM	Edge_1RB_Right	20.36	12.56	13.96
n5	20	15	834	CP	16QAM	Outer_Full	19.98	12.18	13.58
n5	20	15	834	CP	64QAM	Inner_Full	19.56	11.76	13.16
n5	20	15	834	CP	64QAM	Edge_1RB_Left	18.98	11.18	12.58
n5	20	15	834	CP	64QAM	Edge_1RB_Right	19.25	11.45	12.85
n5	20	15	834	CP	64QAM	Outer_Full	19.46	11.66	13.06
n5	20	15	834	CP	256QAM	Inner_Full	16.34	8.54	9.94
n5	20	15	834	CP	256QAM	Edge_1RB_Left	16.03	8.23	9.63
n5	20	15	834	CP	256QAM	Edge_1RB_Right	16.22	8.42	9.82
n5	20	15	834	CP	256QAM	Outer_Full	16.39	8.59	9.99
n5	20	15	836.5	DFT	pi/2 BPSK	Inner_Full	22.91	15.11	16.51
n5	20	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.29	14.49	15.89
n5	20	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.37	14.57	15.97
n5	20	15	836.5	DFT	pi/2 BPSK	Outer_Full	22.43	14.63	16.03
n5	20	15	836.5	DFT	QPSK	Inner_Full	22.98	15.18	16.58
n5	20	15	836.5	DFT	QPSK	Edge_1RB_Left	21.86	14.06	15.46
n5	20	15	836.5	DFT	QPSK	Edge_1RB_Right	21.83	14.03	15.43
n5	20	15	836.5	DFT	QPSK	Outer_Full	21.97	14.17	15.57
n5	20	15	836.5	DFT	16QAM	Inner_Full	21.85	14.05	15.45
n5	20	15	836.5	DFT	16QAM	Edge_1RB_Left	21.05	13.25	14.65
n5	20	15	836.5	DFT	16QAM	Edge_1RB_Right	21.20	13.40	14.80
n5	20	15	836.5	DFT	16QAM	Outer_Full	20.93	13.13	14.53
n5	20	15	836.5	DFT	64QAM	Inner_Full	20.48	12.68	14.08
n5	20	15	836.5	DFT	64QAM	Edge_1RB_Left	20.21	12.41	13.81
n5	20	15	836.5	DFT	64QAM	Edge_1RB_Right	20.25	12.45	13.85
n5	20	15	836.5	DFT	64QAM	Outer_Full	20.48	12.68	14.08
n5	20	15	836.5	DFT	256QAM	Inner_Full	18.48	10.68	12.08
n5	20	15	836.5	DFT	256QAM	Edge_1RB_Left	18.16	10.36	11.76



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n5	20	15	836.5	DFT	256QAM	Edge_1RB_Right	18.23	10.43	11.83
n5	20	15	836.5	DFT	256QAM	Outer_Full	18.44	10.64	12.04
n5	20	15	836.5	CP	QPSK	Inner_Full	21.56	13.76	15.16
n5	20	15	836.5	CP	QPSK	Edge_1RB_Left	19.82	12.02	13.42
n5	20	15	836.5	CP	QPSK	Edge_1RB_Right	19.85	12.05	13.45
n5	20	15	836.5	CP	QPSK	Outer_Full	19.91	12.11	13.51
n5	20	15	836.5	CP	16QAM	Inner_Full	20.94	13.14	14.54
n5	20	15	836.5	CP	16QAM	Edge_1RB_Left	20.27	12.47	13.87
n5	20	15	836.5	CP	16QAM	Edge_1RB_Right	20.29	12.49	13.89
n5	20	15	836.5	CP	16QAM	Outer_Full	19.95	12.15	13.55
n5	20	15	836.5	CP	64QAM	Inner_Full	19.51	11.71	13.11
n5	20	15	836.5	CP	64QAM	Edge_1RB_Left	19.08	11.28	12.68
n5	20	15	836.5	CP	64QAM	Edge_1RB_Right	19.15	11.35	12.75
n5	20	15	836.5	CP	64QAM	Outer_Full	19.45	11.65	13.05
n5	20	15	836.5	CP	256QAM	Inner_Full	16.35	8.55	9.95
n5	20	15	836.5	CP	256QAM	Edge_1RB_Left	16.04	8.24	9.64
n5	20	15	836.5	CP	256QAM	Edge_1RB_Right	16.33	8.53	9.93
n5	20	15	836.5	CP	256QAM	Outer_Full	16.38	8.58	9.98
n5	20	15	839	DFT	pi/2 BPSK	Inner_Full	22.99	15.19	16.59
n5	20	15	839	DFT	pi/2 BPSK	Edge_1RB_Left	22.29	14.49	15.89
n5	20	15	839	DFT	pi/2 BPSK	Edge_1RB_Right	22.35	14.55	15.95
n5	20	15	839	DFT	pi/2 BPSK	Outer_Full	22.51	14.71	16.11
n5	20	15	839	DFT	QPSK	Inner_Full	23.02	15.22	16.62
n5	20	15	839	DFT	QPSK	Edge_1RB_Left	21.87	14.07	15.47
n5	20	15	839	DFT	QPSK	Edge_1RB_Right	21.87	14.07	15.47
n5	20	15	839	DFT	QPSK	Outer_Full	22.04	14.24	15.64
n5	20	15	839	DFT	16QAM	Inner_Full	21.95	14.15	15.55
n5	20	15	839	DFT	16QAM	Edge_1RB_Left	21.16	13.36	14.76
n5	20	15	839	DFT	16QAM	Edge_1RB_Right	21.20	13.40	14.80
n5	20	15	839	DFT	16QAM	Outer_Full	21.09	13.29	14.69
n5	20	15	839	DFT	64QAM	Inner_Full	20.58	12.78	14.18
n5	20	15	839	DFT	64QAM	Edge_1RB_Left	20.25	12.45	13.85
n5	20	15	839	DFT	64QAM	Edge_1RB_Right	20.28	12.48	13.88
n5	20	15	839	DFT	64QAM	Outer_Full	20.54	12.74	14.14
n5	20	15	839	DFT	256QAM	Inner_Full	18.49	10.69	12.09
n5	20	15	839	DFT	256QAM	Edge_1RB_Left	18.16	10.36	11.76
n5	20	15	839	DFT	256QAM	Edge_1RB_Right	18.24	10.44	11.84
n5	20	15	839	DFT	256QAM	Outer_Full	18.49	10.69	12.09



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n5	20	15	839	CP	QPSK	Inner_Full	21.56	13.76	15.16
n5	20	15	839	CP	QPSK	Edge_1RB_Left	19.78	11.98	13.38
n5	20	15	839	CP	QPSK	Edge_1RB_Right	19.93	12.13	13.53
n5	20	15	839	CP	QPSK	Outer_Full	20.08	12.28	13.68
n5	20	15	839	CP	16QAM	Inner_Full	21.01	13.21	14.61
n5	20	15	839	CP	16QAM	Edge_1RB_Left	20.24	12.44	13.84
n5	20	15	839	CP	16QAM	Edge_1RB_Right	20.36	12.56	13.96
n5	20	15	839	CP	16QAM	Outer_Full	20.02	12.22	13.62
n5	20	15	839	CP	64QAM	Inner_Full	19.58	11.78	13.18
n5	20	15	839	CP	64QAM	Edge_1RB_Left	19.07	11.27	12.67
n5	20	15	839	CP	64QAM	Edge_1RB_Right	19.17	11.37	12.77
n5	20	15	839	CP	64QAM	Outer_Full	19.55	11.75	13.15
n5	20	15	839	CP	256QAM	Inner_Full	16.35	8.55	9.95
n5	20	15	839	CP	256QAM	Edge_1RB_Left	16.09	8.29	9.69
n5	20	15	839	CP	256QAM	Edge_1RB_Right	16.21	8.41	9.81
n5	20	15	839	CP	256QAM	Outer_Full	16.35	8.55	9.95



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	5	15	2502.5	DFT	pi/2 BPSK	Inner_Full	22.22	17.02	18.82
n7	5	15	2502.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.69	16.49	18.29
n7	5	15	2502.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.70	16.50	18.30
n7	5	15	2502.5	DFT	pi/2 BPSK	Outer_Full	21.69	16.49	18.29
n7	5	15	2502.5	DFT	QPSK	Inner_Full	21.44	16.24	18.04
n7	5	15	2502.5	DFT	QPSK	Edge_1RB_Left	20.17	14.97	16.77
n7	5	15	2502.5	DFT	QPSK	Edge_1RB_Right	20.45	15.25	17.05
n7	5	15	2502.5	DFT	QPSK	Outer_Full	20.49	15.29	17.09
n7	5	15	2502.5	DFT	16QAM	Inner_Full	20.49	15.29	17.09
n7	5	15	2502.5	DFT	16QAM	Edge_1RB_Left	19.52	14.32	16.12
n7	5	15	2502.5	DFT	16QAM	Edge_1RB_Right	19.78	14.58	16.38
n7	5	15	2502.5	DFT	16QAM	Outer_Full	19.49	14.29	16.09
n7	5	15	2502.5	DFT	64QAM	Inner_Full	19.09	13.89	15.69
n7	5	15	2502.5	DFT	64QAM	Edge_1RB_Left	18.63	13.43	15.23
n7	5	15	2502.5	DFT	64QAM	Edge_1RB_Right	18.88	13.68	15.48
n7	5	15	2502.5	DFT	64QAM	Outer_Full	19.12	13.92	15.72
n7	5	15	2502.5	DFT	256QAM	Inner_Full	17.70	12.50	14.30
n7	5	15	2502.5	DFT	256QAM	Edge_1RB_Left	17.10	11.90	13.70
n7	5	15	2502.5	DFT	256QAM	Edge_1RB_Right	17.42	12.22	14.02
n7	5	15	2502.5	DFT	256QAM	Outer_Full	17.51	12.31	14.11
n7	5	15	2502.5	CP	QPSK	Inner_Full	20.19	14.99	16.79
n7	5	15	2502.5	CP	QPSK	Edge_1RB_Left	18.83	13.63	15.43
n7	5	15	2502.5	CP	QPSK	Edge_1RB_Right	19.08	13.88	15.68
n7	5	15	2502.5	CP	QPSK	Outer_Full	18.94	13.74	15.54
n7	5	15	2502.5	CP	16QAM	Inner_Full	19.52	14.32	16.12
n7	5	15	2502.5	CP	16QAM	Edge_1RB_Left	19.04	13.84	15.64
n7	5	15	2502.5	CP	16QAM	Edge_1RB_Right	19.32	14.12	15.92
n7	5	15	2502.5	CP	16QAM	Outer_Full	18.91	13.71	15.51
n7	5	15	2502.5	CP	64QAM	Inner_Full	18.61	13.41	15.21
n7	5	15	2502.5	CP	64QAM	Edge_1RB_Left	18.35	13.15	14.95
n7	5	15	2502.5	CP	64QAM	Edge_1RB_Right	18.40	13.20	15.00
n7	5	15	2502.5	CP	64QAM	Outer_Full	18.73	13.53	15.33
n7	5	15	2502.5	CP	256QAM	Inner_Full	15.70	10.50	12.30
n7	5	15	2502.5	CP	256QAM	Edge_1RB_Left	15.38	10.18	11.98
n7	5	15	2502.5	CP	256QAM	Edge_1RB_Right	15.46	10.26	12.06
n7	5	15	2502.5	CP	256QAM	Outer_Full	15.68	10.48	12.28
n7	5	15	2535	DFT	pi/2 BPSK	Inner_Full	22.31	17.11	18.91
n7	5	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	21.62	16.42	18.22



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	5	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	21.67	16.47	18.27
n7	5	15	2535	DFT	pi/2 BPSK	Outer_Full	21.77	16.57	18.37
n7	5	15	2535	DFT	QPSK	Inner_Full	22.29	17.09	18.89
n7	5	15	2535	DFT	QPSK	Edge_1RB_Left	21.15	15.95	17.75
n7	5	15	2535	DFT	QPSK	Edge_1RB_Right	21.20	16.00	17.80
n7	5	15	2535	DFT	QPSK	Outer_Full	21.26	16.06	17.86
n7	5	15	2535	DFT	16QAM	Inner_Full	21.25	16.05	17.85
n7	5	15	2535	DFT	16QAM	Edge_1RB_Left	20.52	15.32	17.12
n7	5	15	2535	DFT	16QAM	Edge_1RB_Right	20.57	15.37	17.17
n7	5	15	2535	DFT	16QAM	Outer_Full	20.28	15.08	16.88
n7	5	15	2535	DFT	64QAM	Inner_Full	19.82	14.62	16.42
n7	5	15	2535	DFT	64QAM	Edge_1RB_Left	19.57	14.37	16.17
n7	5	15	2535	DFT	64QAM	Edge_1RB_Right	19.57	14.37	16.17
n7	5	15	2535	DFT	64QAM	Outer_Full	19.87	14.67	16.47
n7	5	15	2535	DFT	256QAM	Inner_Full	17.73	12.53	14.33
n7	5	15	2535	DFT	256QAM	Edge_1RB_Left	17.40	12.20	14.00
n7	5	15	2535	DFT	256QAM	Edge_1RB_Right	17.42	12.22	14.02
n7	5	15	2535	DFT	256QAM	Outer_Full	17.63	12.43	14.23
n7	5	15	2535	CP	QPSK	Inner_Full	20.81	15.61	17.41
n7	5	15	2535	CP	QPSK	Edge_1RB_Left	19.09	13.89	15.69
n7	5	15	2535	CP	QPSK	Edge_1RB_Right	19.16	13.96	15.76
n7	5	15	2535	CP	QPSK	Outer_Full	19.14	13.94	15.74
n7	5	15	2535	CP	16QAM	Inner_Full	20.40	15.20	17.00
n7	5	15	2535	CP	16QAM	Edge_1RB_Left	19.54	14.34	16.14
n7	5	15	2535	CP	16QAM	Edge_1RB_Right	19.65	14.45	16.25
n7	5	15	2535	CP	16QAM	Outer_Full	19.18	13.98	15.78
n7	5	15	2535	CP	64QAM	Inner_Full	18.62	13.42	15.22
n7	5	15	2535	CP	64QAM	Edge_1RB_Left	18.38	13.18	14.98
n7	5	15	2535	CP	64QAM	Edge_1RB_Right	18.45	13.25	15.05
n7	5	15	2535	CP	64QAM	Outer_Full	18.74	13.54	15.34
n7	5	15	2535	CP	256QAM	Inner_Full	15.76	10.56	12.36
n7	5	15	2535	CP	256QAM	Edge_1RB_Left	15.46	10.26	12.06
n7	5	15	2535	CP	256QAM	Edge_1RB_Right	15.46	10.26	12.06
n7	5	15	2535	CP	256QAM	Outer_Full	15.70	10.50	12.30
n7	5	15	2567.5	DFT	pi/2 BPSK	Inner_Full	21.87	16.67	18.47
n7	5	15	2567.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.23	16.03	17.83
n7	5	15	2567.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.24	16.04	17.84
n7	5	15	2567.5	DFT	pi/2 BPSK	Outer_Full	21.32	16.12	17.92



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	5	15	2567.5	DFT	QPSK	Inner_Full	21.87	16.67	18.47
n7	5	15	2567.5	DFT	QPSK	Edge_1RB_Left	20.82	15.62	17.42
n7	5	15	2567.5	DFT	QPSK	Edge_1RB_Right	20.81	15.61	17.41
n7	5	15	2567.5	DFT	QPSK	Outer_Full	20.87	15.67	17.47
n7	5	15	2567.5	DFT	16QAM	Inner_Full	20.87	15.67	17.47
n7	5	15	2567.5	DFT	16QAM	Edge_1RB_Left	20.09	14.89	16.69
n7	5	15	2567.5	DFT	16QAM	Edge_1RB_Right	20.17	14.97	16.77
n7	5	15	2567.5	DFT	16QAM	Outer_Full	19.89	14.69	16.49
n7	5	15	2567.5	DFT	64QAM	Inner_Full	19.40	14.20	16.00
n7	5	15	2567.5	DFT	64QAM	Edge_1RB_Left	19.13	13.93	15.73
n7	5	15	2567.5	DFT	64QAM	Edge_1RB_Right	19.12	13.92	15.72
n7	5	15	2567.5	DFT	64QAM	Outer_Full	19.45	14.25	16.05
n7	5	15	2567.5	DFT	256QAM	Inner_Full	17.34	12.14	13.94
n7	5	15	2567.5	DFT	256QAM	Edge_1RB_Left	16.96	11.76	13.56
n7	5	15	2567.5	DFT	256QAM	Edge_1RB_Right	17.04	11.84	13.64
n7	5	15	2567.5	DFT	256QAM	Outer_Full	17.29	12.09	13.89
n7	5	15	2567.5	CP	QPSK	Inner_Full	20.39	15.19	16.99
n7	5	15	2567.5	CP	QPSK	Edge_1RB_Left	18.75	13.55	15.35
n7	5	15	2567.5	CP	QPSK	Edge_1RB_Right	18.74	13.54	15.34
n7	5	15	2567.5	CP	QPSK	Outer_Full	18.74	13.54	15.34
n7	5	15	2567.5	CP	16QAM	Inner_Full	20.00	14.80	16.60
n7	5	15	2567.5	CP	16QAM	Edge_1RB_Left	19.19	13.99	15.79
n7	5	15	2567.5	CP	16QAM	Edge_1RB_Right	19.16	13.96	15.76
n7	5	15	2567.5	CP	16QAM	Outer_Full	18.80	13.60	15.40
n7	5	15	2567.5	CP	64QAM	Inner_Full	18.24	13.04	14.84
n7	5	15	2567.5	CP	64QAM	Edge_1RB_Left	18.03	12.83	14.63
n7	5	15	2567.5	CP	64QAM	Edge_1RB_Right	18.05	12.85	14.65
n7	5	15	2567.5	CP	64QAM	Outer_Full	18.37	13.17	14.97
n7	5	15	2567.5	CP	256QAM	Inner_Full	15.40	10.20	12.00
n7	5	15	2567.5	CP	256QAM	Edge_1RB_Left	15.09	9.89	11.69
n7	5	15	2567.5	CP	256QAM	Edge_1RB_Right	15.04	9.84	11.64
n7	5	15	2567.5	CP	256QAM	Outer_Full	15.29	10.09	11.89
n7	10	15	2505	DFT	pi/2 BPSK	Inner_Full	22.28	17.08	18.88
n7	10	15	2505	DFT	pi/2 BPSK	Edge_1RB_Left	21.57	16.37	18.17
n7	10	15	2505	DFT	pi/2 BPSK	Edge_1RB_Right	21.73	16.53	18.33
n7	10	15	2505	DFT	pi/2 BPSK	Outer_Full	21.74	16.54	18.34
n7	10	15	2505	DFT	QPSK	Inner_Full	21.47	16.27	18.07
n7	10	15	2505	DFT	QPSK	Edge_1RB_Left	20.04	14.84	16.64



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	10	15	2505	DFT	QPSK	Edge_1RB_Right	20.89	15.69	17.49
n7	10	15	2505	DFT	QPSK	Outer_Full	20.64	15.44	17.24
n7	10	15	2505	DFT	16QAM	Inner_Full	20.48	15.28	17.08
n7	10	15	2505	DFT	16QAM	Edge_1RB_Left	19.40	14.20	16.00
n7	10	15	2505	DFT	16QAM	Edge_1RB_Right	20.25	15.05	16.85
n7	10	15	2505	DFT	16QAM	Outer_Full	19.59	14.39	16.19
n7	10	15	2505	DFT	64QAM	Inner_Full	19.15	13.95	15.75
n7	10	15	2505	DFT	64QAM	Edge_1RB_Left	18.53	13.33	15.13
n7	10	15	2505	DFT	64QAM	Edge_1RB_Right	19.39	14.19	15.99
n7	10	15	2505	DFT	64QAM	Outer_Full	19.20	14.00	15.80
n7	10	15	2505	DFT	256QAM	Inner_Full	17.71	12.51	14.31
n7	10	15	2505	DFT	256QAM	Edge_1RB_Left	17.06	11.86	13.66
n7	10	15	2505	DFT	256QAM	Edge_1RB_Right	17.42	12.22	14.02
n7	10	15	2505	DFT	256QAM	Outer_Full	17.67	12.47	14.27
n7	10	15	2505	CP	QPSK	Inner_Full	20.25	15.05	16.85
n7	10	15	2505	CP	QPSK	Edge_1RB_Left	18.76	13.56	15.36
n7	10	15	2505	CP	QPSK	Edge_1RB_Right	19.19	13.99	15.79
n7	10	15	2505	CP	QPSK	Outer_Full	19.18	13.98	15.78
n7	10	15	2505	CP	16QAM	Inner_Full	19.54	14.34	16.14
n7	10	15	2505	CP	16QAM	Edge_1RB_Left	18.98	13.78	15.58
n7	10	15	2505	CP	16QAM	Edge_1RB_Right	19.67	14.47	16.27
n7	10	15	2505	CP	16QAM	Outer_Full	19.14	13.94	15.74
n7	10	15	2505	CP	64QAM	Inner_Full	18.76	13.56	15.36
n7	10	15	2505	CP	64QAM	Edge_1RB_Left	18.32	13.12	14.92
n7	10	15	2505	CP	64QAM	Edge_1RB_Right	18.49	13.29	15.09
n7	10	15	2505	CP	64QAM	Outer_Full	18.74	13.54	15.34
n7	10	15	2505	CP	256QAM	Inner_Full	15.69	10.49	12.29
n7	10	15	2505	CP	256QAM	Edge_1RB_Left	15.47	10.27	12.07
n7	10	15	2505	CP	256QAM	Edge_1RB_Right	15.54	10.34	12.14
n7	10	15	2505	CP	256QAM	Outer_Full	15.71	10.51	12.31
n7	10	15	2535	DFT	pi/2 BPSK	Inner_Full	22.36	17.16	18.96
n7	10	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	21.70	16.50	18.30
n7	10	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	21.76	16.56	18.36
n7	10	15	2535	DFT	pi/2 BPSK	Outer_Full	21.78	16.58	18.38
n7	10	15	2535	DFT	QPSK	Inner_Full	22.37	17.17	18.97
n7	10	15	2535	DFT	QPSK	Edge_1RB_Left	21.19	15.99	17.79
n7	10	15	2535	DFT	QPSK	Edge_1RB_Right	21.24	16.04	17.84
n7	10	15	2535	DFT	QPSK	Outer_Full	21.34	16.14	17.94



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	10	15	2535	DFT	16QAM	Inner_Full	21.27	16.07	17.87
n7	10	15	2535	DFT	16QAM	Edge_1RB_Left	20.59	15.39	17.19
n7	10	15	2535	DFT	16QAM	Edge_1RB_Right	20.57	15.37	17.17
n7	10	15	2535	DFT	16QAM	Outer_Full	20.20	15.00	16.80
n7	10	15	2535	DFT	64QAM	Inner_Full	19.86	14.66	16.46
n7	10	15	2535	DFT	64QAM	Edge_1RB_Left	19.57	14.37	16.17
n7	10	15	2535	DFT	64QAM	Edge_1RB_Right	19.60	14.40	16.20
n7	10	15	2535	DFT	64QAM	Outer_Full	19.80	14.60	16.40
n7	10	15	2535	DFT	256QAM	Inner_Full	17.72	12.52	14.32
n7	10	15	2535	DFT	256QAM	Edge_1RB_Left	17.38	12.18	13.98
n7	10	15	2535	DFT	256QAM	Edge_1RB_Right	17.49	12.29	14.09
n7	10	15	2535	DFT	256QAM	Outer_Full	17.68	12.48	14.28
n7	10	15	2535	CP	QPSK	Inner_Full	20.81	15.61	17.41
n7	10	15	2535	CP	QPSK	Edge_1RB_Left	19.21	14.01	15.81
n7	10	15	2535	CP	QPSK	Edge_1RB_Right	19.24	14.04	15.84
n7	10	15	2535	CP	QPSK	Outer_Full	19.19	13.99	15.79
n7	10	15	2535	CP	16QAM	Inner_Full	20.35	15.15	16.95
n7	10	15	2535	CP	16QAM	Edge_1RB_Left	19.60	14.40	16.20
n7	10	15	2535	CP	16QAM	Edge_1RB_Right	19.68	14.48	16.28
n7	10	15	2535	CP	16QAM	Outer_Full	19.29	14.09	15.89
n7	10	15	2535	CP	64QAM	Inner_Full	18.75	13.55	15.35
n7	10	15	2535	CP	64QAM	Edge_1RB_Left	18.43	13.23	15.03
n7	10	15	2535	CP	64QAM	Edge_1RB_Right	18.45	13.25	15.05
n7	10	15	2535	CP	64QAM	Outer_Full	18.79	13.59	15.39
n7	10	15	2535	CP	256QAM	Inner_Full	15.75	10.55	12.35
n7	10	15	2535	CP	256QAM	Edge_1RB_Left	15.48	10.28	12.08
n7	10	15	2535	CP	256QAM	Edge_1RB_Right	15.54	10.34	12.14
n7	10	15	2535	CP	256QAM	Outer_Full	15.74	10.54	12.34
n7	10	15	2565	DFT	pi/2 BPSK	Inner_Full	21.96	16.76	18.56
n7	10	15	2565	DFT	pi/2 BPSK	Edge_1RB_Left	21.40	16.20	18.00
n7	10	15	2565	DFT	pi/2 BPSK	Edge_1RB_Right	21.35	16.15	17.95
n7	10	15	2565	DFT	pi/2 BPSK	Outer_Full	21.39	16.19	17.99
n7	10	15	2565	DFT	QPSK	Inner_Full	21.96	16.76	18.56
n7	10	15	2565	DFT	QPSK	Edge_1RB_Left	20.98	15.78	17.58
n7	10	15	2565	DFT	QPSK	Edge_1RB_Right	20.77	15.57	17.37
n7	10	15	2565	DFT	QPSK	Outer_Full	20.97	15.77	17.57
n7	10	15	2565	DFT	16QAM	Inner_Full	20.89	15.69	17.49
n7	10	15	2565	DFT	16QAM	Edge_1RB_Left	20.23	15.03	16.83



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	10	15	2565	DFT	16QAM	Edge_1RB_Right	20.01	14.81	16.61
n7	10	15	2565	DFT	16QAM	Outer_Full	19.82	14.62	16.42
n7	10	15	2565	DFT	64QAM	Inner_Full	19.49	14.29	16.09
n7	10	15	2565	DFT	64QAM	Edge_1RB_Left	19.27	14.07	15.87
n7	10	15	2565	DFT	64QAM	Edge_1RB_Right	19.11	13.91	15.71
n7	10	15	2565	DFT	64QAM	Outer_Full	19.46	14.26	16.06
n7	10	15	2565	DFT	256QAM	Inner_Full	17.36	12.16	13.96
n7	10	15	2565	DFT	256QAM	Edge_1RB_Left	17.10	11.90	13.70
n7	10	15	2565	DFT	256QAM	Edge_1RB_Right	17.01	11.81	13.61
n7	10	15	2565	DFT	256QAM	Outer_Full	17.32	12.12	13.92
n7	10	15	2565	CP	QPSK	Inner_Full	20.44	15.24	17.04
n7	10	15	2565	CP	QPSK	Edge_1RB_Left	18.89	13.69	15.49
n7	10	15	2565	CP	QPSK	Edge_1RB_Right	18.77	13.57	15.37
n7	10	15	2565	CP	QPSK	Outer_Full	18.85	13.65	15.45
n7	10	15	2565	CP	16QAM	Inner_Full	19.96	14.76	16.56
n7	10	15	2565	CP	16QAM	Edge_1RB_Left	19.39	14.19	15.99
n7	10	15	2565	CP	16QAM	Edge_1RB_Right	19.21	14.01	15.81
n7	10	15	2565	CP	16QAM	Outer_Full	18.91	13.71	15.51
n7	10	15	2565	CP	64QAM	Inner_Full	18.38	13.18	14.98
n7	10	15	2565	CP	64QAM	Edge_1RB_Left	18.15	12.95	14.75
n7	10	15	2565	CP	64QAM	Edge_1RB_Right	18.07	12.87	14.67
n7	10	15	2565	CP	64QAM	Outer_Full	18.44	13.24	15.04
n7	10	15	2565	CP	256QAM	Inner_Full	15.35	10.15	11.95
n7	10	15	2565	CP	256QAM	Edge_1RB_Left	15.17	9.97	11.77
n7	10	15	2565	CP	256QAM	Edge_1RB_Right	15.12	9.92	11.72
n7	10	15	2565	CP	256QAM	Outer_Full	15.36	10.16	11.96
n7	15	15	2507.5	DFT	pi/2 BPSK	Inner_Full	22.45	17.25	19.05
n7	15	15	2507.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.55	16.35	18.15
n7	15	15	2507.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.80	16.60	18.40
n7	15	15	2507.5	DFT	pi/2 BPSK	Outer_Full	21.84	16.64	18.44
n7	15	15	2507.5	DFT	QPSK	Inner_Full	21.56	16.36	18.16
n7	15	15	2507.5	DFT	QPSK	Edge_1RB_Left	19.94	14.74	16.54
n7	15	15	2507.5	DFT	QPSK	Edge_1RB_Right	21.20	16.00	17.80
n7	15	15	2507.5	DFT	QPSK	Outer_Full	20.74	15.54	17.34
n7	15	15	2507.5	DFT	16QAM	Inner_Full	20.59	15.39	17.19
n7	15	15	2507.5	DFT	16QAM	Edge_1RB_Left	19.31	14.11	15.91
n7	15	15	2507.5	DFT	16QAM	Edge_1RB_Right	20.59	15.39	17.19
n7	15	15	2507.5	DFT	16QAM	Outer_Full	19.78	14.58	16.38



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	15	15	2507.5	DFT	64QAM	Inner_Full	19.21	14.01	15.81
n7	15	15	2507.5	DFT	64QAM	Edge_1RB_Left	18.44	13.24	15.04
n7	15	15	2507.5	DFT	64QAM	Edge_1RB_Right	19.66	14.46	16.26
n7	15	15	2507.5	DFT	64QAM	Outer_Full	19.37	14.17	15.97
n7	15	15	2507.5	DFT	256QAM	Inner_Full	17.82	12.62	14.42
n7	15	15	2507.5	DFT	256QAM	Edge_1RB_Left	16.88	11.68	13.48
n7	15	15	2507.5	DFT	256QAM	Edge_1RB_Right	17.55	12.35	14.15
n7	15	15	2507.5	DFT	256QAM	Outer_Full	17.82	12.62	14.42
n7	15	15	2507.5	CP	QPSK	Inner_Full	20.38	15.18	16.98
n7	15	15	2507.5	CP	QPSK	Edge_1RB_Left	18.68	13.48	15.28
n7	15	15	2507.5	CP	QPSK	Edge_1RB_Right	19.28	14.08	15.88
n7	15	15	2507.5	CP	QPSK	Outer_Full	19.33	14.13	15.93
n7	15	15	2507.5	CP	16QAM	Inner_Full	19.66	14.46	16.26
n7	15	15	2507.5	CP	16QAM	Edge_1RB_Left	18.91	13.71	15.51
n7	15	15	2507.5	CP	16QAM	Edge_1RB_Right	19.72	14.52	16.32
n7	15	15	2507.5	CP	16QAM	Outer_Full	19.27	14.07	15.87
n7	15	15	2507.5	CP	64QAM	Inner_Full	18.87	13.67	15.47
n7	15	15	2507.5	CP	64QAM	Edge_1RB_Left	18.34	13.14	14.94
n7	15	15	2507.5	CP	64QAM	Edge_1RB_Right	18.52	13.32	15.12
n7	15	15	2507.5	CP	64QAM	Outer_Full	18.84	13.64	15.44
n7	15	15	2507.5	CP	256QAM	Inner_Full	15.85	10.65	12.45
n7	15	15	2507.5	CP	256QAM	Edge_1RB_Left	15.58	10.38	12.18
n7	15	15	2507.5	CP	256QAM	Edge_1RB_Right	15.63	10.43	12.23
n7	15	15	2507.5	CP	256QAM	Outer_Full	15.90	10.70	12.50
n7	15	15	2535	DFT	pi/2 BPSK	Inner_Full	22.47	17.27	19.07
n7	15	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	21.85	16.65	18.45
n7	15	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	21.89	16.69	18.49
n7	15	15	2535	DFT	pi/2 BPSK	Outer_Full	21.98	16.78	18.58
n7	15	15	2535	DFT	QPSK	Inner_Full	22.46	17.26	19.06
n7	15	15	2535	DFT	QPSK	Edge_1RB_Left	21.46	16.26	18.06
n7	15	15	2535	DFT	QPSK	Edge_1RB_Right	21.44	16.24	18.04
n7	15	15	2535	DFT	QPSK	Outer_Full	21.46	16.26	18.06
n7	15	15	2535	DFT	16QAM	Inner_Full	21.46	16.26	18.06
n7	15	15	2535	DFT	16QAM	Edge_1RB_Left	20.74	15.54	17.34
n7	15	15	2535	DFT	16QAM	Edge_1RB_Right	20.71	15.51	17.31
n7	15	15	2535	DFT	16QAM	Outer_Full	20.50	15.30	17.10
n7	15	15	2535	DFT	64QAM	Inner_Full	19.93	14.73	16.53
n7	15	15	2535	DFT	64QAM	Edge_1RB_Left	19.79	14.59	16.39



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	15	15	2535	DFT	64QAM	Edge_1RB_Right	19.77	14.57	16.37
n7	15	15	2535	DFT	64QAM	Outer_Full	20.03	14.83	16.63
n7	15	15	2535	DFT	256QAM	Inner_Full	17.86	12.66	14.46
n7	15	15	2535	DFT	256QAM	Edge_1RB_Left	17.63	12.43	14.23
n7	15	15	2535	DFT	256QAM	Edge_1RB_Right	17.64	12.44	14.24
n7	15	15	2535	DFT	256QAM	Outer_Full	17.91	12.71	14.51
n7	15	15	2535	CP	QPSK	Inner_Full	20.88	15.68	17.48
n7	15	15	2535	CP	QPSK	Edge_1RB_Left	19.34	14.14	15.94
n7	15	15	2535	CP	QPSK	Edge_1RB_Right	19.37	14.17	15.97
n7	15	15	2535	CP	QPSK	Outer_Full	19.35	14.15	15.95
n7	15	15	2535	CP	16QAM	Inner_Full	20.44	15.24	17.04
n7	15	15	2535	CP	16QAM	Edge_1RB_Left	19.82	14.62	16.42
n7	15	15	2535	CP	16QAM	Edge_1RB_Right	19.83	14.63	16.43
n7	15	15	2535	CP	16QAM	Outer_Full	19.42	14.22	16.02
n7	15	15	2535	CP	64QAM	Inner_Full	18.92	13.72	15.52
n7	15	15	2535	CP	64QAM	Edge_1RB_Left	18.64	13.44	15.24
n7	15	15	2535	CP	64QAM	Edge_1RB_Right	18.60	13.40	15.20
n7	15	15	2535	CP	64QAM	Outer_Full	18.90	13.70	15.50
n7	15	15	2535	CP	256QAM	Inner_Full	15.94	10.74	12.54
n7	15	15	2535	CP	256QAM	Edge_1RB_Left	15.66	10.46	12.26
n7	15	15	2535	CP	256QAM	Edge_1RB_Right	15.68	10.48	12.28
n7	15	15	2535	CP	256QAM	Outer_Full	15.90	10.70	12.50
n7	15	15	2562.5	DFT	pi/2 BPSK	Inner_Full	22.15	16.95	18.75
n7	15	15	2562.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.70	16.50	18.30
n7	15	15	2562.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.45	16.25	18.05
n7	15	15	2562.5	DFT	pi/2 BPSK	Outer_Full	21.56	16.36	18.16
n7	15	15	2562.5	DFT	QPSK	Inner_Full	22.16	16.96	18.76
n7	15	15	2562.5	DFT	QPSK	Edge_1RB_Left	21.15	15.95	17.75
n7	15	15	2562.5	DFT	QPSK	Edge_1RB_Right	20.98	15.78	17.58
n7	15	15	2562.5	DFT	QPSK	Outer_Full	21.11	15.91	17.71
n7	15	15	2562.5	DFT	16QAM	Inner_Full	21.16	15.96	17.76
n7	15	15	2562.5	DFT	16QAM	Edge_1RB_Left	20.57	15.37	17.17
n7	15	15	2562.5	DFT	16QAM	Edge_1RB_Right	20.30	15.10	16.90
n7	15	15	2562.5	DFT	16QAM	Outer_Full	20.13	14.93	16.73
n7	15	15	2562.5	DFT	64QAM	Inner_Full	19.63	14.43	16.23
n7	15	15	2562.5	DFT	64QAM	Edge_1RB_Left	19.61	14.41	16.21
n7	15	15	2562.5	DFT	64QAM	Edge_1RB_Right	19.26	14.06	15.86
n7	15	15	2562.5	DFT	64QAM	Outer_Full	19.66	14.46	16.26



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	15	15	2562.5	DFT	256QAM	Inner_Full	17.66	12.46	14.26
n7	15	15	2562.5	DFT	256QAM	Edge_1RB_Left	17.48	12.28	14.08
n7	15	15	2562.5	DFT	256QAM	Edge_1RB_Right	17.16	11.96	13.76
n7	15	15	2562.5	DFT	256QAM	Outer_Full	17.46	12.26	14.06
n7	15	15	2562.5	CP	QPSK	Inner_Full	20.67	15.47	17.27
n7	15	15	2562.5	CP	QPSK	Edge_1RB_Left	19.22	14.02	15.82
n7	15	15	2562.5	CP	QPSK	Edge_1RB_Right	18.88	13.68	15.48
n7	15	15	2562.5	CP	QPSK	Outer_Full	19.15	13.95	15.75
n7	15	15	2562.5	CP	16QAM	Inner_Full	20.22	15.02	16.82
n7	15	15	2562.5	CP	16QAM	Edge_1RB_Left	19.63	14.43	16.23
n7	15	15	2562.5	CP	16QAM	Edge_1RB_Right	19.36	14.16	15.96
n7	15	15	2562.5	CP	16QAM	Outer_Full	19.03	13.83	15.63
n7	15	15	2562.5	CP	64QAM	Inner_Full	18.57	13.37	15.17
n7	15	15	2562.5	CP	64QAM	Edge_1RB_Left	18.49	13.29	15.09
n7	15	15	2562.5	CP	64QAM	Edge_1RB_Right	18.19	12.99	14.79
n7	15	15	2562.5	CP	64QAM	Outer_Full	18.55	13.35	15.15
n7	15	15	2562.5	CP	256QAM	Inner_Full	15.64	10.44	12.24
n7	15	15	2562.5	CP	256QAM	Edge_1RB_Left	15.51	10.31	12.11
n7	15	15	2562.5	CP	256QAM	Edge_1RB_Right	15.24	10.04	11.84
n7	15	15	2562.5	CP	256QAM	Outer_Full	15.62	10.42	12.22
n7	20	15	2510	DFT	pi/2 BPSK	Inner_Full	22.36	17.16	18.96
n7	20	15	2510	DFT	pi/2 BPSK	Edge_1RB_Left	21.54	16.34	18.14
n7	20	15	2510	DFT	pi/2 BPSK	Edge_1RB_Right	21.78	16.58	18.38
n7	20	15	2510	DFT	pi/2 BPSK	Outer_Full	21.82	16.62	18.42
n7	20	15	2510	DFT	QPSK	Inner_Full	21.83	16.63	18.43
n7	20	15	2510	DFT	QPSK	Edge_1RB_Left	19.92	14.72	16.52
n7	20	15	2510	DFT	QPSK	Edge_1RB_Right	21.27	16.07	17.87
n7	20	15	2510	DFT	QPSK	Outer_Full	20.89	15.69	17.49
n7	20	15	2510	DFT	16QAM	Inner_Full	20.80	15.60	17.40
n7	20	15	2510	DFT	16QAM	Edge_1RB_Left	19.29	14.09	15.89
n7	20	15	2510	DFT	16QAM	Edge_1RB_Right	20.58	15.38	17.18
n7	20	15	2510	DFT	16QAM	Outer_Full	19.92	14.72	16.52
n7	20	15	2510	DFT	64QAM	Inner_Full	19.46	14.26	16.06
n7	20	15	2510	DFT	64QAM	Edge_1RB_Left	18.43	13.23	15.03
n7	20	15	2510	DFT	64QAM	Edge_1RB_Right	19.66	14.46	16.26
n7	20	15	2510	DFT	64QAM	Outer_Full	19.49	14.29	16.09
n7	20	15	2510	DFT	256QAM	Inner_Full	17.85	12.65	14.45
n7	20	15	2510	DFT	256QAM	Edge_1RB_Left	16.84	11.64	13.44



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	20	15	2510	DFT	256QAM	Edge_1RB_Right	17.46	12.26	14.06
n7	20	15	2510	DFT	256QAM	Outer_Full	17.84	12.64	14.44
n7	20	15	2510	CP	QPSK	Inner_Full	20.66	15.46	17.26
n7	20	15	2510	CP	QPSK	Edge_1RB_Left	18.66	13.46	15.26
n7	20	15	2510	CP	QPSK	Edge_1RB_Right	19.30	14.10	15.90
n7	20	15	2510	CP	QPSK	Outer_Full	19.30	14.10	15.90
n7	20	15	2510	CP	16QAM	Inner_Full	19.92	14.72	16.52
n7	20	15	2510	CP	16QAM	Edge_1RB_Left	18.90	13.70	15.50
n7	20	15	2510	CP	16QAM	Edge_1RB_Right	19.70	14.50	16.30
n7	20	15	2510	CP	16QAM	Outer_Full	19.28	14.08	15.88
n7	20	15	2510	CP	64QAM	Inner_Full	18.86	13.66	15.46
n7	20	15	2510	CP	64QAM	Edge_1RB_Left	18.35	13.15	14.95
n7	20	15	2510	CP	64QAM	Edge_1RB_Right	18.55	13.35	15.15
n7	20	15	2510	CP	64QAM	Outer_Full	18.85	13.65	15.45
n7	20	15	2510	CP	256QAM	Inner_Full	15.76	10.56	12.36
n7	20	15	2510	CP	256QAM	Edge_1RB_Left	15.64	10.44	12.24
n7	20	15	2510	CP	256QAM	Edge_1RB_Right	15.64	10.44	12.24
n7	20	15	2510	CP	256QAM	Outer_Full	15.81	10.61	12.41
n7	20	15	2535	DFT	pi/2 BPSK	Inner_Full	22.33	17.13	18.93
n7	20	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	21.90	16.70	18.50
n7	20	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	21.92	16.72	18.52
n7	20	15	2535	DFT	pi/2 BPSK	Outer_Full	21.99	16.79	18.59
n7	20	15	2535	DFT	QPSK	Inner_Full	22.50	17.30	19.10
n7	20	15	2535	DFT	QPSK	Edge_1RB_Left	21.40	16.20	18.00
n7	20	15	2535	DFT	QPSK	Edge_1RB_Right	21.42	16.22	18.02
n7	20	15	2535	DFT	QPSK	Outer_Full	21.47	16.27	18.07
n7	20	15	2535	DFT	16QAM	Inner_Full	21.37	16.17	17.97
n7	20	15	2535	DFT	16QAM	Edge_1RB_Left	20.68	15.48	17.28
n7	20	15	2535	DFT	16QAM	Edge_1RB_Right	20.72	15.52	17.32
n7	20	15	2535	DFT	16QAM	Outer_Full	20.45	15.25	17.05
n7	20	15	2535	DFT	64QAM	Inner_Full	19.93	14.73	16.53
n7	20	15	2535	DFT	64QAM	Edge_1RB_Left	19.77	14.57	16.37
n7	20	15	2535	DFT	64QAM	Edge_1RB_Right	19.73	14.53	16.33
n7	20	15	2535	DFT	64QAM	Outer_Full	20.01	14.81	16.61
n7	20	15	2535	DFT	256QAM	Inner_Full	17.84	12.64	14.44
n7	20	15	2535	DFT	256QAM	Edge_1RB_Left	17.65	12.45	14.25
n7	20	15	2535	DFT	256QAM	Edge_1RB_Right	17.62	12.42	14.22
n7	20	15	2535	DFT	256QAM	Outer_Full	17.89	12.69	14.49



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	20	15	2535	CP	QPSK	Inner_Full	20.88	15.68	17.48
n7	20	15	2535	CP	QPSK	Edge_1RB_Left	19.34	14.14	15.94
n7	20	15	2535	CP	QPSK	Edge_1RB_Right	19.40	14.20	16.00
n7	20	15	2535	CP	QPSK	Outer_Full	19.42	14.22	16.02
n7	20	15	2535	CP	16QAM	Inner_Full	20.44	15.24	17.04
n7	20	15	2535	CP	16QAM	Edge_1RB_Left	19.78	14.58	16.38
n7	20	15	2535	CP	16QAM	Edge_1RB_Right	19.78	14.58	16.38
n7	20	15	2535	CP	16QAM	Outer_Full	19.42	14.22	16.02
n7	20	15	2535	CP	64QAM	Inner_Full	19.02	13.82	15.62
n7	20	15	2535	CP	64QAM	Edge_1RB_Left	18.63	13.43	15.23
n7	20	15	2535	CP	64QAM	Edge_1RB_Right	18.65	13.45	15.25
n7	20	15	2535	CP	64QAM	Outer_Full	18.93	13.73	15.53
n7	20	15	2535	CP	256QAM	Inner_Full	15.84	10.64	12.44
n7	20	15	2535	CP	256QAM	Edge_1RB_Left	15.70	10.50	12.30
n7	20	15	2535	CP	256QAM	Edge_1RB_Right	15.77	10.57	12.37
n7	20	15	2535	CP	256QAM	Outer_Full	15.92	10.72	12.52
n7	20	15	2560	DFT	pi/2 BPSK	Inner_Full	22.19	16.99	18.79
n7	20	15	2560	DFT	pi/2 BPSK	Edge_1RB_Left	21.67	16.47	18.27
n7	20	15	2560	DFT	pi/2 BPSK	Edge_1RB_Right	21.41	16.21	18.01
n7	20	15	2560	DFT	pi/2 BPSK	Outer_Full	21.69	16.49	18.29
n7	20	15	2560	DFT	QPSK	Inner_Full	22.12	16.92	18.72
n7	20	15	2560	DFT	QPSK	Edge_1RB_Left	21.25	16.05	17.85
n7	20	15	2560	DFT	QPSK	Edge_1RB_Right	20.96	15.76	17.56
n7	20	15	2560	DFT	QPSK	Outer_Full	21.14	15.94	17.74
n7	20	15	2560	DFT	16QAM	Inner_Full	21.07	15.87	17.67
n7	20	15	2560	DFT	16QAM	Edge_1RB_Left	20.53	15.33	17.13
n7	20	15	2560	DFT	16QAM	Edge_1RB_Right	20.25	15.05	16.85
n7	20	15	2560	DFT	16QAM	Outer_Full	20.15	14.95	16.75
n7	20	15	2560	DFT	64QAM	Inner_Full	19.75	14.55	16.35
n7	20	15	2560	DFT	64QAM	Edge_1RB_Left	19.56	14.36	16.16
n7	20	15	2560	DFT	64QAM	Edge_1RB_Right	19.31	14.11	15.91
n7	20	15	2560	DFT	64QAM	Outer_Full	19.75	14.55	16.35
n7	20	15	2560	DFT	256QAM	Inner_Full	17.63	12.43	14.23
n7	20	15	2560	DFT	256QAM	Edge_1RB_Left	17.46	12.26	14.06
n7	20	15	2560	DFT	256QAM	Edge_1RB_Right	17.14	11.94	13.74
n7	20	15	2560	DFT	256QAM	Outer_Full	17.64	12.44	14.24
n7	20	15	2560	CP	QPSK	Inner_Full	20.69	15.49	17.29
n7	20	15	2560	CP	QPSK	Edge_1RB_Left	19.20	14.00	15.80



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	20	15	2560	CP	QPSK	Edge_1RB_Right	18.92	13.72	15.52
n7	20	15	2560	CP	QPSK	Outer_Full	19.21	14.01	15.81
n7	20	15	2560	CP	16QAM	Inner_Full	20.19	14.99	16.79
n7	20	15	2560	CP	16QAM	Edge_1RB_Left	19.67	14.47	16.27
n7	20	15	2560	CP	16QAM	Edge_1RB_Right	19.36	14.16	15.96
n7	20	15	2560	CP	16QAM	Outer_Full	19.07	13.87	15.67
n7	20	15	2560	CP	64QAM	Inner_Full	18.80	13.60	15.40
n7	20	15	2560	CP	64QAM	Edge_1RB_Left	18.47	13.27	15.07
n7	20	15	2560	CP	64QAM	Edge_1RB_Right	18.24	13.04	14.84
n7	20	15	2560	CP	64QAM	Outer_Full	18.69	13.49	15.29
n7	20	15	2560	CP	256QAM	Inner_Full	15.64	10.44	12.24
n7	20	15	2560	CP	256QAM	Edge_1RB_Left	15.52	10.32	12.12
n7	20	15	2560	CP	256QAM	Edge_1RB_Right	15.32	10.12	11.92
n7	20	15	2560	CP	256QAM	Outer_Full	15.68	10.48	12.28
n7	25	15	2512.5	DFT	pi/2 BPSK	Inner_Full	22.47	17.27	19.07
n7	25	15	2512.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.99	16.79	18.59
n7	25	15	2512.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.83	16.63	18.43
n7	25	15	2512.5	DFT	pi/2 BPSK	Outer_Full	21.95	16.75	18.55
n7	25	15	2512.5	DFT	QPSK	Inner_Full	22.48	17.28	19.08
n7	25	15	2512.5	DFT	QPSK	Edge_1RB_Left	21.05	15.85	17.65
n7	25	15	2512.5	DFT	QPSK	Edge_1RB_Right	21.35	16.15	17.95
n7	25	15	2512.5	DFT	QPSK	Outer_Full	21.48	16.28	18.08
n7	25	15	2512.5	DFT	16QAM	Inner_Full	21.51	16.31	18.11
n7	25	15	2512.5	DFT	16QAM	Edge_1RB_Left	20.40	15.20	17.00
n7	25	15	2512.5	DFT	16QAM	Edge_1RB_Right	20.62	15.42	17.22
n7	25	15	2512.5	DFT	16QAM	Outer_Full	20.47	15.27	17.07
n7	25	15	2512.5	DFT	64QAM	Inner_Full	20.01	14.81	16.61
n7	25	15	2512.5	DFT	64QAM	Edge_1RB_Left	19.56	14.36	16.16
n7	25	15	2512.5	DFT	64QAM	Edge_1RB_Right	19.70	14.50	16.30
n7	25	15	2512.5	DFT	64QAM	Outer_Full	19.99	14.79	16.59
n7	25	15	2512.5	DFT	256QAM	Inner_Full	17.91	12.71	14.51
n7	25	15	2512.5	DFT	256QAM	Edge_1RB_Left	17.74	12.54	14.34
n7	25	15	2512.5	DFT	256QAM	Edge_1RB_Right	17.67	12.47	14.27
n7	25	15	2512.5	DFT	256QAM	Outer_Full	17.88	12.68	14.48
n7	25	15	2512.5	CP	QPSK	Inner_Full	21.03	15.83	17.63
n7	25	15	2512.5	CP	QPSK	Edge_1RB_Left	19.42	14.22	16.02
n7	25	15	2512.5	CP	QPSK	Edge_1RB_Right	19.39	14.19	15.99
n7	25	15	2512.5	CP	QPSK	Outer_Full	19.46	14.26	16.06



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	25	15	2512.5	CP	16QAM	Inner_Full	20.38	15.18	16.98
n7	25	15	2512.5	CP	16QAM	Edge_1RB_Left	19.80	14.60	16.40
n7	25	15	2512.5	CP	16QAM	Edge_1RB_Right	19.87	14.67	16.47
n7	25	15	2512.5	CP	16QAM	Outer_Full	19.43	14.23	16.03
n7	25	15	2512.5	CP	64QAM	Inner_Full	19.00	13.80	15.60
n7	25	15	2512.5	CP	64QAM	Edge_1RB_Left	18.60	13.40	15.20
n7	25	15	2512.5	CP	64QAM	Edge_1RB_Right	18.68	13.48	15.28
n7	25	15	2512.5	CP	64QAM	Outer_Full	18.95	13.75	15.55
n7	25	15	2512.5	CP	256QAM	Inner_Full	15.98	10.78	12.58
n7	25	15	2512.5	CP	256QAM	Edge_1RB_Left	15.79	10.59	12.39
n7	25	15	2512.5	CP	256QAM	Edge_1RB_Right	15.73	10.53	12.33
n7	25	15	2512.5	CP	256QAM	Outer_Full	15.89	10.69	12.49
n7	25	15	2535	DFT	pi/2 BPSK	Inner_Full	22.44	17.24	19.04
n7	25	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	21.98	16.78	18.58
n7	25	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	21.88	16.68	18.48
n7	25	15	2535	DFT	pi/2 BPSK	Outer_Full	21.92	16.72	18.52
n7	25	15	2535	DFT	QPSK	Inner_Full	22.42	17.22	19.02
n7	25	15	2535	DFT	QPSK	Edge_1RB_Left	21.57	16.37	18.17
n7	25	15	2535	DFT	QPSK	Edge_1RB_Right	21.45	16.25	18.05
n7	25	15	2535	DFT	QPSK	Outer_Full	21.48	16.28	18.08
n7	25	15	2535	DFT	16QAM	Inner_Full	21.46	16.26	18.06
n7	25	15	2535	DFT	16QAM	Edge_1RB_Left	20.84	15.64	17.44
n7	25	15	2535	DFT	16QAM	Edge_1RB_Right	20.74	15.54	17.34
n7	25	15	2535	DFT	16QAM	Outer_Full	20.47	15.27	17.07
n7	25	15	2535	DFT	64QAM	Inner_Full	19.93	14.73	16.53
n7	25	15	2535	DFT	64QAM	Edge_1RB_Left	19.93	14.73	16.53
n7	25	15	2535	DFT	64QAM	Edge_1RB_Right	19.82	14.62	16.42
n7	25	15	2535	DFT	64QAM	Outer_Full	19.93	14.73	16.53
n7	25	15	2535	DFT	256QAM	Inner_Full	17.86	12.66	14.46
n7	25	15	2535	DFT	256QAM	Edge_1RB_Left	17.80	12.60	14.40
n7	25	15	2535	DFT	256QAM	Edge_1RB_Right	17.66	12.46	14.26
n7	25	15	2535	DFT	256QAM	Outer_Full	18.00	12.80	14.60
n7	25	15	2535	CP	QPSK	Inner_Full	20.96	15.76	17.56
n7	25	15	2535	CP	QPSK	Edge_1RB_Left	19.46	14.26	16.06
n7	25	15	2535	CP	QPSK	Edge_1RB_Right	19.36	14.16	15.96
n7	25	15	2535	CP	QPSK	Outer_Full	19.37	14.17	15.97
n7	25	15	2535	CP	16QAM	Inner_Full	20.43	15.23	17.03
n7	25	15	2535	CP	16QAM	Edge_1RB_Left	19.92	14.72	16.52



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	25	15	2535	CP	16QAM	Edge_1RB_Right	19.80	14.60	16.40
n7	25	15	2535	CP	16QAM	Outer_Full	19.41	14.21	16.01
n7	25	15	2535	CP	64QAM	Inner_Full	18.93	13.73	15.53
n7	25	15	2535	CP	64QAM	Edge_1RB_Left	18.75	13.55	15.35
n7	25	15	2535	CP	64QAM	Edge_1RB_Right	18.66	13.46	15.26
n7	25	15	2535	CP	64QAM	Outer_Full	18.88	13.68	15.48
n7	25	15	2535	CP	256QAM	Inner_Full	15.97	10.77	12.57
n7	25	15	2535	CP	256QAM	Edge_1RB_Left	15.89	10.69	12.49
n7	25	15	2535	CP	256QAM	Edge_1RB_Right	15.73	10.53	12.33
n7	25	15	2535	CP	256QAM	Outer_Full	15.97	10.77	12.57
n7	25	15	2557.5	DFT	pi/2 BPSK	Inner_Full	22.13	16.93	18.73
n7	25	15	2557.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.76	16.56	18.36
n7	25	15	2557.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.45	16.25	18.05
n7	25	15	2557.5	DFT	pi/2 BPSK	Outer_Full	21.67	16.47	18.27
n7	25	15	2557.5	DFT	QPSK	Inner_Full	22.13	16.93	18.73
n7	25	15	2557.5	DFT	QPSK	Edge_1RB_Left	21.36	16.16	17.96
n7	25	15	2557.5	DFT	QPSK	Edge_1RB_Right	20.96	15.76	17.56
n7	25	15	2557.5	DFT	QPSK	Outer_Full	21.16	15.96	17.76
n7	25	15	2557.5	DFT	16QAM	Inner_Full	21.17	15.97	17.77
n7	25	15	2557.5	DFT	16QAM	Edge_1RB_Left	20.62	15.42	17.22
n7	25	15	2557.5	DFT	16QAM	Edge_1RB_Right	20.29	15.09	16.89
n7	25	15	2557.5	DFT	16QAM	Outer_Full	20.18	14.98	16.78
n7	25	15	2557.5	DFT	64QAM	Inner_Full	19.67	14.47	16.27
n7	25	15	2557.5	DFT	64QAM	Edge_1RB_Left	19.70	14.50	16.30
n7	25	15	2557.5	DFT	64QAM	Edge_1RB_Right	19.27	14.07	15.87
n7	25	15	2557.5	DFT	64QAM	Outer_Full	19.75	14.55	16.35
n7	25	15	2557.5	DFT	256QAM	Inner_Full	17.64	12.44	14.24
n7	25	15	2557.5	DFT	256QAM	Edge_1RB_Left	17.56	12.36	14.16
n7	25	15	2557.5	DFT	256QAM	Edge_1RB_Right	17.19	11.99	13.79
n7	25	15	2557.5	DFT	256QAM	Outer_Full	17.68	12.48	14.28
n7	25	15	2557.5	CP	QPSK	Inner_Full	20.68	15.48	17.28
n7	25	15	2557.5	CP	QPSK	Edge_1RB_Left	19.17	13.97	15.77
n7	25	15	2557.5	CP	QPSK	Edge_1RB_Right	18.94	13.74	15.54
n7	25	15	2557.5	CP	QPSK	Outer_Full	19.21	14.01	15.81
n7	25	15	2557.5	CP	16QAM	Inner_Full	20.19	14.99	16.79
n7	25	15	2557.5	CP	16QAM	Edge_1RB_Left	19.67	14.47	16.27
n7	25	15	2557.5	CP	16QAM	Edge_1RB_Right	19.37	14.17	15.97
n7	25	15	2557.5	CP	16QAM	Outer_Full	19.16	13.96	15.76



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	25	15	2557.5	CP	64QAM	Inner_Full	18.80	13.60	15.40
n7	25	15	2557.5	CP	64QAM	Edge_1RB_Left	18.53	13.33	15.13
n7	25	15	2557.5	CP	64QAM	Edge_1RB_Right	18.22	13.02	14.82
n7	25	15	2557.5	CP	64QAM	Outer_Full	18.72	13.52	15.32
n7	25	15	2557.5	CP	256QAM	Inner_Full	15.71	10.51	12.31
n7	25	15	2557.5	CP	256QAM	Edge_1RB_Left	15.63	10.43	12.23
n7	25	15	2557.5	CP	256QAM	Edge_1RB_Right	15.23	10.03	11.83
n7	25	15	2557.5	CP	256QAM	Outer_Full	15.67	10.47	12.27
n7	30	15	2515	DFT	pi/2 BPSK	Inner_Full	22.45	17.25	19.05
n7	30	15	2515	DFT	pi/2 BPSK	Edge_1RB_Left	21.98	16.78	18.58
n7	30	15	2515	DFT	pi/2 BPSK	Edge_1RB_Right	21.82	16.62	18.42
n7	30	15	2515	DFT	pi/2 BPSK	Outer_Full	22.01	16.81	18.61
n7	30	15	2515	DFT	QPSK	Inner_Full	22.52	17.32	19.12
n7	30	15	2515	DFT	QPSK	Edge_1RB_Left	21.05	15.85	17.65
n7	30	15	2515	DFT	QPSK	Edge_1RB_Right	21.35	16.15	17.95
n7	30	15	2515	DFT	QPSK	Outer_Full	21.54	16.34	18.14
n7	30	15	2515	DFT	16QAM	Inner_Full	21.46	16.26	18.06
n7	30	15	2515	DFT	16QAM	Edge_1RB_Left	20.41	15.21	17.01
n7	30	15	2515	DFT	16QAM	Edge_1RB_Right	20.63	15.43	17.23
n7	30	15	2515	DFT	16QAM	Outer_Full	20.52	15.32	17.12
n7	30	15	2515	DFT	64QAM	Inner_Full	19.96	14.76	16.56
n7	30	15	2515	DFT	64QAM	Edge_1RB_Left	19.56	14.36	16.16
n7	30	15	2515	DFT	64QAM	Edge_1RB_Right	19.68	14.48	16.28
n7	30	15	2515	DFT	64QAM	Outer_Full	19.96	14.76	16.56
n7	30	15	2515	DFT	256QAM	Inner_Full	17.90	12.70	14.50
n7	30	15	2515	DFT	256QAM	Edge_1RB_Left	17.69	12.49	14.29
n7	30	15	2515	DFT	256QAM	Edge_1RB_Right	17.73	12.53	14.33
n7	30	15	2515	DFT	256QAM	Outer_Full	17.91	12.71	14.51
n7	30	15	2515	CP	QPSK	Inner_Full	20.93	15.73	17.53
n7	30	15	2515	CP	QPSK	Edge_1RB_Left	19.42	14.22	16.02
n7	30	15	2515	CP	QPSK	Edge_1RB_Right	19.44	14.24	16.04
n7	30	15	2515	CP	QPSK	Outer_Full	19.45	14.25	16.05
n7	30	15	2515	CP	16QAM	Inner_Full	20.44	15.24	17.04
n7	30	15	2515	CP	16QAM	Edge_1RB_Left	19.83	14.63	16.43
n7	30	15	2515	CP	16QAM	Edge_1RB_Right	19.76	14.56	16.36
n7	30	15	2515	CP	16QAM	Outer_Full	19.48	14.28	16.08
n7	30	15	2515	CP	64QAM	Inner_Full	18.98	13.78	15.58
n7	30	15	2515	CP	64QAM	Edge_1RB_Left	18.61	13.41	15.21



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	30	15	2515	CP	64QAM	Edge_1RB_Right	18.66	13.46	15.26
n7	30	15	2515	CP	64QAM	Outer_Full	18.99	13.79	15.59
n7	30	15	2515	CP	256QAM	Inner_Full	15.88	10.68	12.48
n7	30	15	2515	CP	256QAM	Edge_1RB_Left	15.81	10.61	12.41
n7	30	15	2515	CP	256QAM	Edge_1RB_Right	15.75	10.55	12.35
n7	30	15	2515	CP	256QAM	Outer_Full	15.99	10.79	12.59
n7	30	15	2535	DFT	pi/2 BPSK	Inner_Full	22.45	17.25	19.05
n7	30	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	22.02	16.82	18.62
n7	30	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	21.90	16.70	18.50
n7	30	15	2535	DFT	pi/2 BPSK	Outer_Full	21.96	16.76	18.56
n7	30	15	2535	DFT	QPSK	Inner_Full	22.49	17.29	19.09
n7	30	15	2535	DFT	QPSK	Edge_1RB_Left	21.53	16.33	18.13
n7	30	15	2535	DFT	QPSK	Edge_1RB_Right	21.35	16.15	17.95
n7	30	15	2535	DFT	QPSK	Outer_Full	21.53	16.33	18.13
n7	30	15	2535	DFT	16QAM	Inner_Full	21.43	16.23	18.03
n7	30	15	2535	DFT	16QAM	Edge_1RB_Left	20.90	15.70	17.50
n7	30	15	2535	DFT	16QAM	Edge_1RB_Right	20.64	15.44	17.24
n7	30	15	2535	DFT	16QAM	Outer_Full	20.48	15.28	17.08
n7	30	15	2535	DFT	64QAM	Inner_Full	19.92	14.72	16.52
n7	30	15	2535	DFT	64QAM	Edge_1RB_Left	19.91	14.71	16.51
n7	30	15	2535	DFT	64QAM	Edge_1RB_Right	19.78	14.58	16.38
n7	30	15	2535	DFT	64QAM	Outer_Full	19.92	14.72	16.52
n7	30	15	2535	DFT	256QAM	Inner_Full	17.86	12.66	14.46
n7	30	15	2535	DFT	256QAM	Edge_1RB_Left	17.73	12.53	14.33
n7	30	15	2535	DFT	256QAM	Edge_1RB_Right	17.62	12.42	14.22
n7	30	15	2535	DFT	256QAM	Outer_Full	17.92	12.72	14.52
n7	30	15	2535	CP	QPSK	Inner_Full	20.94	15.74	17.54
n7	30	15	2535	CP	QPSK	Edge_1RB_Left	19.47	14.27	16.07
n7	30	15	2535	CP	QPSK	Edge_1RB_Right	19.40	14.20	16.00
n7	30	15	2535	CP	QPSK	Outer_Full	19.39	14.19	15.99
n7	30	15	2535	CP	16QAM	Inner_Full	20.37	15.17	16.97
n7	30	15	2535	CP	16QAM	Edge_1RB_Left	19.96	14.76	16.56
n7	30	15	2535	CP	16QAM	Edge_1RB_Right	19.85	14.65	16.45
n7	30	15	2535	CP	16QAM	Outer_Full	19.38	14.18	15.98
n7	30	15	2535	CP	64QAM	Inner_Full	18.89	13.69	15.49
n7	30	15	2535	CP	64QAM	Edge_1RB_Left	18.77	13.57	15.37
n7	30	15	2535	CP	64QAM	Edge_1RB_Right	18.70	13.50	15.30
n7	30	15	2535	CP	64QAM	Outer_Full	18.95	13.75	15.55



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	30	15	2535	CP	256QAM	Inner_Full	15.88	10.68	12.48
n7	30	15	2535	CP	256QAM	Edge_1RB_Left	15.80	10.60	12.40
n7	30	15	2535	CP	256QAM	Edge_1RB_Right	15.81	10.61	12.41
n7	30	15	2535	CP	256QAM	Outer_Full	16.06	10.86	12.66
n7	30	15	2555	DFT	pi/2 BPSK	Inner_Full	22.18	16.98	18.78
n7	30	15	2555	DFT	pi/2 BPSK	Edge_1RB_Left	21.76	16.56	18.36
n7	30	15	2555	DFT	pi/2 BPSK	Edge_1RB_Right	21.46	16.26	18.06
n7	30	15	2555	DFT	pi/2 BPSK	Outer_Full	21.68	16.48	18.28
n7	30	15	2555	DFT	QPSK	Inner_Full	22.18	16.98	18.78
n7	30	15	2555	DFT	QPSK	Edge_1RB_Left	21.34	16.14	17.94
n7	30	15	2555	DFT	QPSK	Edge_1RB_Right	20.98	15.78	17.58
n7	30	15	2555	DFT	QPSK	Outer_Full	21.21	16.01	17.81
n7	30	15	2555	DFT	16QAM	Inner_Full	21.15	15.95	17.75
n7	30	15	2555	DFT	16QAM	Edge_1RB_Left	20.61	15.41	17.21
n7	30	15	2555	DFT	16QAM	Edge_1RB_Right	20.29	15.09	16.89
n7	30	15	2555	DFT	16QAM	Outer_Full	20.18	14.98	16.78
n7	30	15	2555	DFT	64QAM	Inner_Full	19.65	14.45	16.25
n7	30	15	2555	DFT	64QAM	Edge_1RB_Left	19.62	14.42	16.22
n7	30	15	2555	DFT	64QAM	Edge_1RB_Right	19.33	14.13	15.93
n7	30	15	2555	DFT	64QAM	Outer_Full	19.63	14.43	16.23
n7	30	15	2555	DFT	256QAM	Inner_Full	17.75	12.55	14.35
n7	30	15	2555	DFT	256QAM	Edge_1RB_Left	17.51	12.31	14.11
n7	30	15	2555	DFT	256QAM	Edge_1RB_Right	17.20	12.00	13.80
n7	30	15	2555	DFT	256QAM	Outer_Full	17.77	12.57	14.37
n7	30	15	2555	CP	QPSK	Inner_Full	20.80	15.60	17.40
n7	30	15	2555	CP	QPSK	Edge_1RB_Left	19.22	14.02	15.82
n7	30	15	2555	CP	QPSK	Edge_1RB_Right	18.99	13.79	15.59
n7	30	15	2555	CP	QPSK	Outer_Full	19.27	14.07	15.87
n7	30	15	2555	CP	16QAM	Inner_Full	20.22	15.02	16.82
n7	30	15	2555	CP	16QAM	Edge_1RB_Left	19.69	14.49	16.29
n7	30	15	2555	CP	16QAM	Edge_1RB_Right	19.41	14.21	16.01
n7	30	15	2555	CP	16QAM	Outer_Full	19.26	14.06	15.86
n7	30	15	2555	CP	64QAM	Inner_Full	18.78	13.58	15.38
n7	30	15	2555	CP	64QAM	Edge_1RB_Left	18.56	13.36	15.16
n7	30	15	2555	CP	64QAM	Edge_1RB_Right	18.27	13.07	14.87
n7	30	15	2555	CP	64QAM	Outer_Full	18.78	13.58	15.38
n7	30	15	2555	CP	256QAM	Inner_Full	15.67	10.47	12.27
n7	30	15	2555	CP	256QAM	Edge_1RB_Left	15.56	10.36	12.16



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	30	15	2555	CP	256QAM	Edge_1RB_Right	15.34	10.14	11.94
n7	30	15	2555	CP	256QAM	Outer_Full	15.71	10.51	12.31
n7	40	15	2520	DFT	pi/2 BPSK	Inner_Full	22.52	17.32	19.12
n7	40	15	2520	DFT	pi/2 BPSK	Edge_1RB_Left	22.04	16.84	18.64
n7	40	15	2520	DFT	pi/2 BPSK	Edge_1RB_Right	21.88	16.68	18.48
n7	40	15	2520	DFT	pi/2 BPSK	Outer_Full	22.07	16.87	18.67
n7	40	15	2520	DFT	QPSK	Inner_Full	22.58	17.38	19.18
n7	40	15	2520	DFT	QPSK	Edge_1RB_Left	21.02	15.82	17.62
n7	40	15	2520	DFT	QPSK	Edge_1RB_Right	21.42	16.22	18.02
n7	40	15	2520	DFT	QPSK	Outer_Full	21.55	16.35	18.15
n7	40	15	2520	DFT	16QAM	Inner_Full	21.58	16.38	18.18
n7	40	15	2520	DFT	16QAM	Edge_1RB_Left	20.37	15.17	16.97
n7	40	15	2520	DFT	16QAM	Edge_1RB_Right	20.70	15.50	17.30
n7	40	15	2520	DFT	16QAM	Outer_Full	20.61	15.41	17.21
n7	40	15	2520	DFT	64QAM	Inner_Full	20.02	14.82	16.62
n7	40	15	2520	DFT	64QAM	Edge_1RB_Left	19.50	14.30	16.10
n7	40	15	2520	DFT	64QAM	Edge_1RB_Right	19.77	14.57	16.37
n7	40	15	2520	DFT	64QAM	Outer_Full	20.00	14.80	16.60
n7	40	15	2520	DFT	256QAM	Inner_Full	18.00	12.80	14.60
n7	40	15	2520	DFT	256QAM	Edge_1RB_Left	17.73	12.53	14.33
n7	40	15	2520	DFT	256QAM	Edge_1RB_Right	17.73	12.53	14.33
n7	40	15	2520	DFT	256QAM	Outer_Full	18.03	12.83	14.63
n7	40	15	2520	CP	QPSK	Inner_Full	21.02	15.82	17.62
n7	40	15	2520	CP	QPSK	Edge_1RB_Left	19.47	14.27	16.07
n7	40	15	2520	CP	QPSK	Edge_1RB_Right	19.37	14.17	15.97
n7	40	15	2520	CP	QPSK	Outer_Full	19.49	14.29	16.09
n7	40	15	2520	CP	16QAM	Inner_Full	20.59	15.39	17.19
n7	40	15	2520	CP	16QAM	Edge_1RB_Left	19.85	14.65	16.45
n7	40	15	2520	CP	16QAM	Edge_1RB_Right	19.74	14.54	16.34
n7	40	15	2520	CP	16QAM	Outer_Full	19.56	14.36	16.16
n7	40	15	2520	CP	64QAM	Inner_Full	19.04	13.84	15.64
n7	40	15	2520	CP	64QAM	Edge_1RB_Left	18.74	13.54	15.34
n7	40	15	2520	CP	64QAM	Edge_1RB_Right	18.63	13.43	15.23
n7	40	15	2520	CP	64QAM	Outer_Full	19.01	13.81	15.61
n7	40	15	2520	CP	256QAM	Inner_Full	16.01	10.81	12.61
n7	40	15	2520	CP	256QAM	Edge_1RB_Left	15.88	10.68	12.48
n7	40	15	2520	CP	256QAM	Edge_1RB_Right	15.82	10.62	12.42
n7	40	15	2520	CP	256QAM	Outer_Full	15.95	10.75	12.55



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	40	15	2535	DFT	pi/2 BPSK	Inner_Full	22.44	17.24	19.04
n7	40	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	22.06	16.86	18.66
n7	40	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	21.77	16.57	18.37
n7	40	15	2535	DFT	pi/2 BPSK	Outer_Full	21.93	16.73	18.53
n7	40	15	2535	DFT	QPSK	Inner_Full	22.47	17.27	19.07
n7	40	15	2535	DFT	QPSK	Edge_1RB_Left	21.57	16.37	18.17
n7	40	15	2535	DFT	QPSK	Edge_1RB_Right	21.30	16.10	17.90
n7	40	15	2535	DFT	QPSK	Outer_Full	21.52	16.32	18.12
n7	40	15	2535	DFT	16QAM	Inner_Full	21.50	16.30	18.10
n7	40	15	2535	DFT	16QAM	Edge_1RB_Left	20.82	15.62	17.42
n7	40	15	2535	DFT	16QAM	Edge_1RB_Right	20.58	15.38	17.18
n7	40	15	2535	DFT	16QAM	Outer_Full	20.49	15.29	17.09
n7	40	15	2535	DFT	64QAM	Inner_Full	19.94	14.74	16.54
n7	40	15	2535	DFT	64QAM	Edge_1RB_Left	19.94	14.74	16.54
n7	40	15	2535	DFT	64QAM	Edge_1RB_Right	19.62	14.42	16.22
n7	40	15	2535	DFT	64QAM	Outer_Full	19.90	14.70	16.50
n7	40	15	2535	DFT	256QAM	Inner_Full	17.89	12.69	14.49
n7	40	15	2535	DFT	256QAM	Edge_1RB_Left	17.84	12.64	14.44
n7	40	15	2535	DFT	256QAM	Edge_1RB_Right	17.69	12.49	14.29
n7	40	15	2535	DFT	256QAM	Outer_Full	17.89	12.69	14.49
n7	40	15	2535	CP	QPSK	Inner_Full	20.96	15.76	17.56
n7	40	15	2535	CP	QPSK	Edge_1RB_Left	19.47	14.27	16.07
n7	40	15	2535	CP	QPSK	Edge_1RB_Right	19.39	14.19	15.99
n7	40	15	2535	CP	QPSK	Outer_Full	19.42	14.22	16.02
n7	40	15	2535	CP	16QAM	Inner_Full	20.50	15.30	17.10
n7	40	15	2535	CP	16QAM	Edge_1RB_Left	19.89	14.69	16.49
n7	40	15	2535	CP	16QAM	Edge_1RB_Right	19.81	14.61	16.41
n7	40	15	2535	CP	16QAM	Outer_Full	19.47	14.27	16.07
n7	40	15	2535	CP	64QAM	Inner_Full	18.90	13.70	15.50
n7	40	15	2535	CP	64QAM	Edge_1RB_Left	18.78	13.58	15.38
n7	40	15	2535	CP	64QAM	Edge_1RB_Right	18.57	13.37	15.17
n7	40	15	2535	CP	64QAM	Outer_Full	18.94	13.74	15.54
n7	40	15	2535	CP	256QAM	Inner_Full	15.89	10.69	12.49
n7	40	15	2535	CP	256QAM	Edge_1RB_Left	15.88	10.68	12.48
n7	40	15	2535	CP	256QAM	Edge_1RB_Right	15.82	10.62	12.42
n7	40	15	2535	CP	256QAM	Outer_Full	15.94	10.74	12.54
n7	40	15	2550	DFT	pi/2 BPSK	Inner_Full	22.32	17.12	18.92
n7	40	15	2550	DFT	pi/2 BPSK	Edge_1RB_Left	21.88	16.68	18.48



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	40	15	2550	DFT	pi/2 BPSK	Edge_1RB_Right	21.48	16.28	18.08
n7	40	15	2550	DFT	pi/2 BPSK	Outer_Full	21.79	16.59	18.39
n7	40	15	2550	DFT	QPSK	Inner_Full	22.26	17.06	18.86
n7	40	15	2550	DFT	QPSK	Edge_1RB_Left	21.35	16.15	17.95
n7	40	15	2550	DFT	QPSK	Edge_1RB_Right	21.03	15.83	17.63
n7	40	15	2550	DFT	QPSK	Outer_Full	21.25	16.05	17.85
n7	40	15	2550	DFT	16QAM	Inner_Full	21.32	16.12	17.92
n7	40	15	2550	DFT	16QAM	Edge_1RB_Left	20.64	15.44	17.24
n7	40	15	2550	DFT	16QAM	Edge_1RB_Right	20.29	15.09	16.89
n7	40	15	2550	DFT	16QAM	Outer_Full	20.22	15.02	16.82
n7	40	15	2550	DFT	64QAM	Inner_Full	19.68	14.48	16.28
n7	40	15	2550	DFT	64QAM	Edge_1RB_Left	19.71	14.51	16.31
n7	40	15	2550	DFT	64QAM	Edge_1RB_Right	19.38	14.18	15.98
n7	40	15	2550	DFT	64QAM	Outer_Full	19.79	14.59	16.39
n7	40	15	2550	DFT	256QAM	Inner_Full	17.82	12.62	14.42
n7	40	15	2550	DFT	256QAM	Edge_1RB_Left	17.65	12.45	14.25
n7	40	15	2550	DFT	256QAM	Edge_1RB_Right	17.30	12.10	13.90
n7	40	15	2550	DFT	256QAM	Outer_Full	17.73	12.53	14.33
n7	40	15	2550	CP	QPSK	Inner_Full	20.89	15.69	17.49
n7	40	15	2550	CP	QPSK	Edge_1RB_Left	19.35	14.15	15.95
n7	40	15	2550	CP	QPSK	Edge_1RB_Right	18.99	13.79	15.59
n7	40	15	2550	CP	QPSK	Outer_Full	19.30	14.10	15.90
n7	40	15	2550	CP	16QAM	Inner_Full	20.33	15.13	16.93
n7	40	15	2550	CP	16QAM	Edge_1RB_Left	19.71	14.51	16.31
n7	40	15	2550	CP	16QAM	Edge_1RB_Right	19.40	14.20	16.00
n7	40	15	2550	CP	16QAM	Outer_Full	19.35	14.15	15.95
n7	40	15	2550	CP	64QAM	Inner_Full	18.83	13.63	15.43
n7	40	15	2550	CP	64QAM	Edge_1RB_Left	18.51	13.31	15.11
n7	40	15	2550	CP	64QAM	Edge_1RB_Right	18.27	13.07	14.87
n7	40	15	2550	CP	64QAM	Outer_Full	18.82	13.62	15.42
n7	40	15	2550	CP	256QAM	Inner_Full	15.78	10.58	12.38
n7	40	15	2550	CP	256QAM	Edge_1RB_Left	15.72	10.52	12.32
n7	40	15	2550	CP	256QAM	Edge_1RB_Right	15.34	10.14	11.94
n7	40	15	2550	CP	256QAM	Outer_Full	15.78	10.58	12.38



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n38	20	30	2580	DFT	pi/2 BPSK	Inner_Full	22.72	17.52	19.52
n38	20	30	2580	DFT	pi/2 BPSK	Edge_1RB_Left	22.29	17.09	19.09
n38	20	30	2580	DFT	pi/2 BPSK	Edge_1RB_Right	22.25	17.05	19.05
n38	20	30	2580	DFT	pi/2 BPSK	Outer_Full	22.26	17.06	19.06
n38	20	30	2580	DFT	QPSK	Inner_Full	22.72	17.52	19.52
n38	20	30	2580	DFT	QPSK	Edge_1RB_Left	21.71	16.51	18.51
n38	20	30	2580	DFT	QPSK	Edge_1RB_Right	21.75	16.55	18.55
n38	20	30	2580	DFT	QPSK	Outer_Full	21.75	16.55	18.55
n38	20	30	2580	DFT	16QAM	Inner_Full	21.76	16.56	18.56
n38	20	30	2580	DFT	16QAM	Edge_1RB_Left	20.59	15.39	17.39
n38	20	30	2580	DFT	16QAM	Edge_1RB_Right	20.55	15.35	17.35
n38	20	30	2580	DFT	16QAM	Outer_Full	20.77	15.57	17.57
n38	20	30	2580	DFT	64QAM	Inner_Full	20.33	15.13	17.13
n38	20	30	2580	DFT	64QAM	Edge_1RB_Left	19.81	14.61	16.61
n38	20	30	2580	DFT	64QAM	Edge_1RB_Right	19.87	14.67	16.67
n38	20	30	2580	DFT	64QAM	Outer_Full	20.32	15.12	17.12
n38	20	30	2580	DFT	256QAM	Inner_Full	18.12	12.92	14.92
n38	20	30	2580	DFT	256QAM	Edge_1RB_Left	18.05	12.85	14.85
n38	20	30	2580	DFT	256QAM	Edge_1RB_Right	18.10	12.90	14.90
n38	20	30	2580	DFT	256QAM	Outer_Full	18.20	13.00	15.00
n38	20	30	2580	CP	QPSK	Inner_Full	21.16	15.96	17.96
n38	20	30	2580	CP	QPSK	Edge_1RB_Left	19.71	14.51	16.51
n38	20	30	2580	CP	QPSK	Edge_1RB_Right	19.73	14.53	16.53
n38	20	30	2580	CP	QPSK	Outer_Full	19.71	14.51	16.51
n38	20	30	2580	CP	16QAM	Inner_Full	20.83	15.63	17.63
n38	20	30	2580	CP	16QAM	Edge_1RB_Left	19.61	14.41	16.41
n38	20	30	2580	CP	16QAM	Edge_1RB_Right	19.66	14.46	16.46
n38	20	30	2580	CP	16QAM	Outer_Full	19.68	14.48	16.48
n38	20	30	2580	CP	64QAM	Inner_Full	19.22	14.02	16.02
n38	20	30	2580	CP	64QAM	Edge_1RB_Left	18.89	13.69	15.69
n38	20	30	2580	CP	64QAM	Edge_1RB_Right	18.95	13.75	15.75
n38	20	30	2580	CP	64QAM	Outer_Full	19.23	14.03	16.03
n38	20	30	2580	CP	256QAM	Inner_Full	16.22	11.02	13.02
n38	20	30	2580	CP	256QAM	Edge_1RB_Left	16.01	10.81	12.81
n38	20	30	2580	CP	256QAM	Edge_1RB_Right	15.98	10.78	12.78
n38	20	30	2580	CP	256QAM	Outer_Full	16.23	11.03	13.03
n38	20	30	2595	DFT	pi/2 BPSK	Inner_Full	22.78	17.58	19.58
n38	20	30	2595	DFT	pi/2 BPSK	Edge_1RB_Left	22.18	16.98	18.98



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n38	20	30	2595	DFT	pi/2 BPSK	Edge_1RB_Right	22.46	17.26	19.26
n38	20	30	2595	DFT	pi/2 BPSK	Outer_Full	22.37	17.17	19.17
n38	20	30	2595	DFT	QPSK	Inner_Full	22.81	17.61	19.61
n38	20	30	2595	DFT	QPSK	Edge_1RB_Left	21.68	16.48	18.48
n38	20	30	2595	DFT	QPSK	Edge_1RB_Right	22.02	16.82	18.82
n38	20	30	2595	DFT	QPSK	Outer_Full	21.87	16.67	18.67
n38	20	30	2595	DFT	16QAM	Inner_Full	21.84	16.64	18.64
n38	20	30	2595	DFT	16QAM	Edge_1RB_Left	20.45	15.25	17.25
n38	20	30	2595	DFT	16QAM	Edge_1RB_Right	20.79	15.59	17.59
n38	20	30	2595	DFT	16QAM	Outer_Full	20.82	15.62	17.62
n38	20	30	2595	DFT	64QAM	Inner_Full	20.40	15.20	17.20
n38	20	30	2595	DFT	64QAM	Edge_1RB_Left	19.71	14.51	16.51
n38	20	30	2595	DFT	64QAM	Edge_1RB_Right	20.09	14.89	16.89
n38	20	30	2595	DFT	64QAM	Outer_Full	20.31	15.11	17.11
n38	20	30	2595	DFT	256QAM	Inner_Full	18.32	13.12	15.12
n38	20	30	2595	DFT	256QAM	Edge_1RB_Left	18.04	12.84	14.84
n38	20	30	2595	DFT	256QAM	Edge_1RB_Right	18.26	13.06	15.06
n38	20	30	2595	DFT	256QAM	Outer_Full	18.25	13.05	15.05
n38	20	30	2595	CP	QPSK	Inner_Full	21.40	16.20	18.20
n38	20	30	2595	CP	QPSK	Edge_1RB_Left	19.64	14.44	16.44
n38	20	30	2595	CP	QPSK	Edge_1RB_Right	20.05	14.85	16.85
n38	20	30	2595	CP	QPSK	Outer_Full	19.74	14.54	16.54
n38	20	30	2595	CP	16QAM	Inner_Full	20.85	15.65	17.65
n38	20	30	2595	CP	16QAM	Edge_1RB_Left	19.54	14.34	16.34
n38	20	30	2595	CP	16QAM	Edge_1RB_Right	19.85	14.65	16.65
n38	20	30	2595	CP	16QAM	Outer_Full	19.74	14.54	16.54
n38	20	30	2595	CP	64QAM	Inner_Full	19.36	14.16	16.16
n38	20	30	2595	CP	64QAM	Edge_1RB_Left	18.83	13.63	15.63
n38	20	30	2595	CP	64QAM	Edge_1RB_Right	19.21	14.01	16.01
n38	20	30	2595	CP	64QAM	Outer_Full	19.32	14.12	16.12
n38	20	30	2595	CP	256QAM	Inner_Full	16.28	11.08	13.08
n38	20	30	2595	CP	256QAM	Edge_1RB_Left	15.93	10.73	12.73
n38	20	30	2595	CP	256QAM	Edge_1RB_Right	16.26	11.06	13.06
n38	20	30	2595	CP	256QAM	Outer_Full	16.29	11.09	13.09
n38	20	30	2610	DFT	pi/2 BPSK	Inner_Full	23.18	17.98	19.98
n38	20	30	2610	DFT	pi/2 BPSK	Edge_1RB_Left	22.34	17.14	19.14
n38	20	30	2610	DFT	pi/2 BPSK	Edge_1RB_Right	22.81	17.61	19.61
n38	20	30	2610	DFT	pi/2 BPSK	Outer_Full	22.58	17.38	19.38



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n38	20	30	2610	DFT	QPSK	Inner_Full	23.09	17.89	19.89
n38	20	30	2610	DFT	QPSK	Edge_1RB_Left	21.83	16.63	18.63
n38	20	30	2610	DFT	QPSK	Edge_1RB_Right	22.34	17.14	19.14
n38	20	30	2610	DFT	QPSK	Outer_Full	22.09	16.89	18.89
n38	20	30	2610	DFT	16QAM	Inner_Full	22.10	16.90	18.90
n38	20	30	2610	DFT	16QAM	Edge_1RB_Left	20.57	15.37	17.37
n38	20	30	2610	DFT	16QAM	Edge_1RB_Right	21.05	15.85	17.85
n38	20	30	2610	DFT	16QAM	Outer_Full	21.06	15.86	17.86
n38	20	30	2610	DFT	64QAM	Inner_Full	20.63	15.43	17.43
n38	20	30	2610	DFT	64QAM	Edge_1RB_Left	19.90	14.70	16.70
n38	20	30	2610	DFT	64QAM	Edge_1RB_Right	20.42	15.22	17.22
n38	20	30	2610	DFT	64QAM	Outer_Full	20.55	15.35	17.35
n38	20	30	2610	DFT	256QAM	Inner_Full	18.57	13.37	15.37
n38	20	30	2610	DFT	256QAM	Edge_1RB_Left	18.20	13.00	15.00
n38	20	30	2610	DFT	256QAM	Edge_1RB_Right	18.64	13.44	15.44
n38	20	30	2610	DFT	256QAM	Outer_Full	18.54	13.34	15.34
n38	20	30	2610	CP	QPSK	Inner_Full	21.69	16.49	18.49
n38	20	30	2610	CP	QPSK	Edge_1RB_Left	19.82	14.62	16.62
n38	20	30	2610	CP	QPSK	Edge_1RB_Right	20.38	15.18	17.18
n38	20	30	2610	CP	QPSK	Outer_Full	20.16	14.96	16.96
n38	20	30	2610	CP	16QAM	Inner_Full	21.16	15.96	17.96
n38	20	30	2610	CP	16QAM	Edge_1RB_Left	19.73	14.53	16.53
n38	20	30	2610	CP	16QAM	Edge_1RB_Right	20.26	15.06	17.06
n38	20	30	2610	CP	16QAM	Outer_Full	20.06	14.86	16.86
n38	20	30	2610	CP	64QAM	Inner_Full	19.61	14.41	16.41
n38	20	30	2610	CP	64QAM	Edge_1RB_Left	19.09	13.89	15.89
n38	20	30	2610	CP	64QAM	Edge_1RB_Right	19.60	14.40	16.40
n38	20	30	2610	CP	64QAM	Outer_Full	19.61	14.41	16.41
n38	20	30	2610	CP	256QAM	Inner_Full	16.55	11.35	13.35
n38	20	30	2610	CP	256QAM	Edge_1RB_Left	16.11	10.91	12.91
n38	20	30	2610	CP	256QAM	Edge_1RB_Right	16.68	11.48	13.48
n38	20	30	2610	CP	256QAM	Outer_Full	16.59	11.39	13.39
n38	30	30	2585	DFT	pi/2 BPSK	Inner_Full	22.70	17.50	19.50
n38	30	30	2585	DFT	pi/2 BPSK	Edge_1RB_Left	22.34	17.14	19.14
n38	30	30	2585	DFT	pi/2 BPSK	Edge_1RB_Right	22.49	17.29	19.29
n38	30	30	2585	DFT	pi/2 BPSK	Outer_Full	22.37	17.17	19.17
n38	30	30	2585	DFT	QPSK	Inner_Full	22.82	17.62	19.62
n38	30	30	2585	DFT	QPSK	Edge_1RB_Left	21.74	16.54	18.54



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n38	30	30	2585	DFT	QPSK	Edge_1RB_Right	21.99	16.79	18.79
n38	30	30	2585	DFT	QPSK	Outer_Full	21.81	16.61	18.61
n38	30	30	2585	DFT	16QAM	Inner_Full	21.79	16.59	18.59
n38	30	30	2585	DFT	16QAM	Edge_1RB_Left	20.47	15.27	17.27
n38	30	30	2585	DFT	16QAM	Edge_1RB_Right	20.69	15.49	17.49
n38	30	30	2585	DFT	16QAM	Outer_Full	20.88	15.68	17.68
n38	30	30	2585	DFT	64QAM	Inner_Full	20.36	15.16	17.16
n38	30	30	2585	DFT	64QAM	Edge_1RB_Left	19.85	14.65	16.65
n38	30	30	2585	DFT	64QAM	Edge_1RB_Right	20.06	14.86	16.86
n38	30	30	2585	DFT	64QAM	Outer_Full	20.37	15.17	17.17
n38	30	30	2585	DFT	256QAM	Inner_Full	18.30	13.10	15.10
n38	30	30	2585	DFT	256QAM	Edge_1RB_Left	18.19	12.99	14.99
n38	30	30	2585	DFT	256QAM	Edge_1RB_Right	18.35	13.15	15.15
n38	30	30	2585	DFT	256QAM	Outer_Full	18.32	13.12	15.12
n38	30	30	2585	CP	QPSK	Inner_Full	21.24	16.04	18.04
n38	30	30	2585	CP	QPSK	Edge_1RB_Left	19.84	14.64	16.64
n38	30	30	2585	CP	QPSK	Edge_1RB_Right	20.04	14.84	16.84
n38	30	30	2585	CP	QPSK	Outer_Full	19.87	14.67	16.67
n38	30	30	2585	CP	16QAM	Inner_Full	20.85	15.65	17.65
n38	30	30	2585	CP	16QAM	Edge_1RB_Left	19.66	14.46	16.46
n38	30	30	2585	CP	16QAM	Edge_1RB_Right	19.90	14.70	16.70
n38	30	30	2585	CP	16QAM	Outer_Full	19.83	14.63	16.63
n38	30	30	2585	CP	64QAM	Inner_Full	19.31	14.11	16.11
n38	30	30	2585	CP	64QAM	Edge_1RB_Left	19.06	13.86	15.86
n38	30	30	2585	CP	64QAM	Edge_1RB_Right	19.18	13.98	15.98
n38	30	30	2585	CP	64QAM	Outer_Full	19.34	14.14	16.14
n38	30	30	2585	CP	256QAM	Inner_Full	16.26	11.06	13.06
n38	30	30	2585	CP	256QAM	Edge_1RB_Left	16.13	10.93	12.93
n38	30	30	2585	CP	256QAM	Edge_1RB_Right	16.27	11.07	13.07
n38	30	30	2585	CP	256QAM	Outer_Full	16.34	11.14	13.14
n38	30	30	2595	DFT	pi/2 BPSK	Inner_Full	22.95	17.75	19.75
n38	30	30	2595	DFT	pi/2 BPSK	Edge_1RB_Left	22.27	17.07	19.07
n38	30	30	2595	DFT	pi/2 BPSK	Edge_1RB_Right	22.74	17.54	19.54
n38	30	30	2595	DFT	pi/2 BPSK	Outer_Full	22.42	17.22	19.22
n38	30	30	2595	DFT	QPSK	Inner_Full	22.92	17.72	19.72
n38	30	30	2595	DFT	QPSK	Edge_1RB_Left	21.75	16.55	18.55
n38	30	30	2595	DFT	QPSK	Edge_1RB_Right	22.28	17.08	19.08
n38	30	30	2595	DFT	QPSK	Outer_Full	21.93	16.73	18.73



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n38	30	30	2595	DFT	16QAM	Inner_Full	21.83	16.63	18.63
n38	30	30	2595	DFT	16QAM	Edge_1RB_Left	20.47	15.27	17.27
n38	30	30	2595	DFT	16QAM	Edge_1RB_Right	20.99	15.79	17.79
n38	30	30	2595	DFT	16QAM	Outer_Full	20.90	15.70	17.70
n38	30	30	2595	DFT	64QAM	Inner_Full	20.37	15.17	17.17
n38	30	30	2595	DFT	64QAM	Edge_1RB_Left	19.88	14.68	16.68
n38	30	30	2595	DFT	64QAM	Edge_1RB_Right	20.37	15.17	17.17
n38	30	30	2595	DFT	64QAM	Outer_Full	20.49	15.29	17.29
n38	30	30	2595	DFT	256QAM	Inner_Full	18.34	13.14	15.14
n38	30	30	2595	DFT	256QAM	Edge_1RB_Left	18.05	12.85	14.85
n38	30	30	2595	DFT	256QAM	Edge_1RB_Right	18.53	13.33	15.33
n38	30	30	2595	DFT	256QAM	Outer_Full	18.41	13.21	15.21
n38	30	30	2595	CP	QPSK	Inner_Full	21.35	16.15	18.15
n38	30	30	2595	CP	QPSK	Edge_1RB_Left	19.75	14.55	16.55
n38	30	30	2595	CP	QPSK	Edge_1RB_Right	20.23	15.03	17.03
n38	30	30	2595	CP	QPSK	Outer_Full	19.94	14.74	16.74
n38	30	30	2595	CP	16QAM	Inner_Full	20.91	15.71	17.71
n38	30	30	2595	CP	16QAM	Edge_1RB_Left	19.65	14.45	16.45
n38	30	30	2595	CP	16QAM	Edge_1RB_Right	20.12	14.92	16.92
n38	30	30	2595	CP	16QAM	Outer_Full	19.96	14.76	16.76
n38	30	30	2595	CP	64QAM	Inner_Full	19.45	14.25	16.25
n38	30	30	2595	CP	64QAM	Edge_1RB_Left	18.99	13.79	15.79
n38	30	30	2595	CP	64QAM	Edge_1RB_Right	19.50	14.30	16.30
n38	30	30	2595	CP	64QAM	Outer_Full	19.43	14.23	16.23
n38	30	30	2595	CP	256QAM	Inner_Full	16.37	11.17	13.17
n38	30	30	2595	CP	256QAM	Edge_1RB_Left	16.04	10.84	12.84
n38	30	30	2595	CP	256QAM	Edge_1RB_Right	16.53	11.33	13.33
n38	30	30	2595	CP	256QAM	Outer_Full	16.41	11.21	13.21
n38	30	30	2605	DFT	pi/2 BPSK	Inner_Full	23.12	17.92	19.92
n38	30	30	2605	DFT	pi/2 BPSK	Edge_1RB_Left	22.28	17.08	19.08
n38	30	30	2605	DFT	pi/2 BPSK	Edge_1RB_Right	23.02	17.82	19.82
n38	30	30	2605	DFT	pi/2 BPSK	Outer_Full	22.64	17.44	19.44
n38	30	30	2605	DFT	QPSK	Inner_Full	23.05	17.85	19.85
n38	30	30	2605	DFT	QPSK	Edge_1RB_Left	21.74	16.54	18.54
n38	30	30	2605	DFT	QPSK	Edge_1RB_Right	22.41	17.21	19.21
n38	30	30	2605	DFT	QPSK	Outer_Full	22.07	16.87	18.87
n38	30	30	2605	DFT	16QAM	Inner_Full	22.08	16.88	18.88
n38	30	30	2605	DFT	16QAM	Edge_1RB_Left	20.50	15.30	17.30



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n38	30	30	2605	DFT	16QAM	Edge_1RB_Right	21.10	15.90	17.90
n38	30	30	2605	DFT	16QAM	Outer_Full	21.11	15.91	17.91
n38	30	30	2605	DFT	64QAM	Inner_Full	20.62	15.42	17.42
n38	30	30	2605	DFT	64QAM	Edge_1RB_Left	19.88	14.68	16.68
n38	30	30	2605	DFT	64QAM	Edge_1RB_Right	20.52	15.32	17.32
n38	30	30	2605	DFT	64QAM	Outer_Full	20.65	15.45	17.45
n38	30	30	2605	DFT	256QAM	Inner_Full	18.59	13.39	15.39
n38	30	30	2605	DFT	256QAM	Edge_1RB_Left	18.10	12.90	14.90
n38	30	30	2605	DFT	256QAM	Edge_1RB_Right	18.84	13.64	15.64
n38	30	30	2605	DFT	256QAM	Outer_Full	18.60	13.40	15.40
n38	30	30	2605	CP	QPSK	Inner_Full	21.66	16.46	18.46
n38	30	30	2605	CP	QPSK	Edge_1RB_Left	19.71	14.51	16.51
n38	30	30	2605	CP	QPSK	Edge_1RB_Right	20.45	15.25	17.25
n38	30	30	2605	CP	QPSK	Outer_Full	20.16	14.96	16.96
n38	30	30	2605	CP	16QAM	Inner_Full	21.06	15.86	17.86
n38	30	30	2605	CP	16QAM	Edge_1RB_Left	19.63	14.43	16.43
n38	30	30	2605	CP	16QAM	Edge_1RB_Right	20.30	15.10	17.10
n38	30	30	2605	CP	16QAM	Outer_Full	20.11	14.91	16.91
n38	30	30	2605	CP	64QAM	Inner_Full	19.59	14.39	16.39
n38	30	30	2605	CP	64QAM	Edge_1RB_Left	19.01	13.81	15.81
n38	30	30	2605	CP	64QAM	Edge_1RB_Right	19.75	14.55	16.55
n38	30	30	2605	CP	64QAM	Outer_Full	19.58	14.38	16.38
n38	30	30	2605	CP	256QAM	Inner_Full	16.61	11.41	13.41
n38	30	30	2605	CP	256QAM	Edge_1RB_Left	16.07	10.87	12.87
n38	30	30	2605	CP	256QAM	Edge_1RB_Right	16.80	11.60	13.60
n38	30	30	2605	CP	256QAM	Outer_Full	16.55	11.35	13.35
n38	40	30	2590	DFT	pi/2 BPSK	Inner_Full	22.77	17.57	19.57
n38	40	30	2590	DFT	pi/2 BPSK	Edge_1RB_Left	22.33	17.13	19.13
n38	40	30	2590	DFT	pi/2 BPSK	Edge_1RB_Right	22.66	17.46	19.46
n38	40	30	2590	DFT	pi/2 BPSK	Outer_Full	22.39	17.19	19.19
n38	40	30	2590	DFT	QPSK	Inner_Full	22.80	17.60	19.60
n38	40	30	2590	DFT	QPSK	Edge_1RB_Left	21.71	16.51	18.51
n38	40	30	2590	DFT	QPSK	Edge_1RB_Right	22.23	17.03	19.03
n38	40	30	2590	DFT	QPSK	Outer_Full	21.92	16.72	18.72
n38	40	30	2590	DFT	16QAM	Inner_Full	21.82	16.62	18.62
n38	40	30	2590	DFT	16QAM	Edge_1RB_Left	20.54	15.34	17.34
n38	40	30	2590	DFT	16QAM	Edge_1RB_Right	21.00	15.80	17.80
n38	40	30	2590	DFT	16QAM	Outer_Full	20.87	15.67	17.67



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n38	40	30	2590	DFT	64QAM	Inner_Full	20.33	15.13	17.13
n38	40	30	2590	DFT	64QAM	Edge_1RB_Left	19.93	14.73	16.73
n38	40	30	2590	DFT	64QAM	Edge_1RB_Right	20.36	15.16	17.16
n38	40	30	2590	DFT	64QAM	Outer_Full	20.38	15.18	17.18
n38	40	30	2590	DFT	256QAM	Inner_Full	18.25	13.05	15.05
n38	40	30	2590	DFT	256QAM	Edge_1RB_Left	18.20	13.00	15.00
n38	40	30	2590	DFT	256QAM	Edge_1RB_Right	18.53	13.33	15.33
n38	40	30	2590	DFT	256QAM	Outer_Full	18.38	13.18	15.18
n38	40	30	2590	CP	QPSK	Inner_Full	21.40	16.20	18.20
n38	40	30	2590	CP	QPSK	Edge_1RB_Left	19.82	14.62	16.62
n38	40	30	2590	CP	QPSK	Edge_1RB_Right	20.18	14.98	16.98
n38	40	30	2590	CP	QPSK	Outer_Full	19.93	14.73	16.73
n38	40	30	2590	CP	16QAM	Inner_Full	20.84	15.64	17.64
n38	40	30	2590	CP	16QAM	Edge_1RB_Left	19.59	14.39	16.39
n38	40	30	2590	CP	16QAM	Edge_1RB_Right	20.13	14.93	16.93
n38	40	30	2590	CP	16QAM	Outer_Full	19.83	14.63	16.63
n38	40	30	2590	CP	64QAM	Inner_Full	19.36	14.16	16.16
n38	40	30	2590	CP	64QAM	Edge_1RB_Left	19.13	13.93	15.93
n38	40	30	2590	CP	64QAM	Edge_1RB_Right	19.40	14.20	16.20
n38	40	30	2590	CP	64QAM	Outer_Full	19.36	14.16	16.16
n38	40	30	2590	CP	256QAM	Inner_Full	16.30	11.10	13.10
n38	40	30	2590	CP	256QAM	Edge_1RB_Left	16.11	10.91	12.91
n38	40	30	2590	CP	256QAM	Edge_1RB_Right	16.51	11.31	13.31
n38	40	30	2590	CP	256QAM	Outer_Full	16.40	11.20	13.20
n38	40	30	2595	DFT	pi/2 BPSK	Inner_Full	22.99	17.79	19.79
n38	40	30	2595	DFT	pi/2 BPSK	Edge_1RB_Left	22.29	17.09	19.09
n38	40	30	2595	DFT	pi/2 BPSK	Edge_1RB_Right	22.88	17.68	19.68
n38	40	30	2595	DFT	pi/2 BPSK	Outer_Full	22.46	17.26	19.26
n38	40	30	2595	DFT	QPSK	Inner_Full	22.89	17.69	19.69
n38	40	30	2595	DFT	QPSK	Edge_1RB_Left	21.81	16.61	18.61
n38	40	30	2595	DFT	QPSK	Edge_1RB_Right	22.32	17.12	19.12
n38	40	30	2595	DFT	QPSK	Outer_Full	21.96	16.76	18.76
n38	40	30	2595	DFT	16QAM	Inner_Full	21.87	16.67	18.67
n38	40	30	2595	DFT	16QAM	Edge_1RB_Left	20.50	15.30	17.30
n38	40	30	2595	DFT	16QAM	Edge_1RB_Right	21.19	15.99	17.99
n38	40	30	2595	DFT	16QAM	Outer_Full	21.04	15.84	17.84
n38	40	30	2595	DFT	64QAM	Inner_Full	20.37	15.17	17.17
n38	40	30	2595	DFT	64QAM	Edge_1RB_Left	20.05	14.85	16.85



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n38	40	30	2595	DFT	64QAM	Edge_1RB_Right	20.47	15.27	17.27
n38	40	30	2595	DFT	64QAM	Outer_Full	20.43	15.23	17.23
n38	40	30	2595	DFT	256QAM	Inner_Full	18.44	13.24	15.24
n38	40	30	2595	DFT	256QAM	Edge_1RB_Left	18.12	12.92	14.92
n38	40	30	2595	DFT	256QAM	Edge_1RB_Right	18.64	13.44	15.44
n38	40	30	2595	DFT	256QAM	Outer_Full	18.41	13.21	15.21
n38	40	30	2595	CP	QPSK	Inner_Full	21.51	16.31	18.31
n38	40	30	2595	CP	QPSK	Edge_1RB_Left	19.76	14.56	16.56
n38	40	30	2595	CP	QPSK	Edge_1RB_Right	20.29	15.09	17.09
n38	40	30	2595	CP	QPSK	Outer_Full	20.04	14.84	16.84
n38	40	30	2595	CP	16QAM	Inner_Full	20.95	15.75	17.75
n38	40	30	2595	CP	16QAM	Edge_1RB_Left	19.65	14.45	16.45
n38	40	30	2595	CP	16QAM	Edge_1RB_Right	20.20	15.00	17.00
n38	40	30	2595	CP	16QAM	Outer_Full	19.91	14.71	16.71
n38	40	30	2595	CP	64QAM	Inner_Full	19.41	14.21	16.21
n38	40	30	2595	CP	64QAM	Edge_1RB_Left	19.03	13.83	15.83
n38	40	30	2595	CP	64QAM	Edge_1RB_Right	19.60	14.40	16.40
n38	40	30	2595	CP	64QAM	Outer_Full	19.44	14.24	16.24
n38	40	30	2595	CP	256QAM	Inner_Full	16.36	11.16	13.16
n38	40	30	2595	CP	256QAM	Edge_1RB_Left	16.07	10.87	12.87
n38	40	30	2595	CP	256QAM	Edge_1RB_Right	16.70	11.50	13.50
n38	40	30	2595	CP	256QAM	Outer_Full	16.47	11.27	13.27
n38	40	30	2600	DFT	pi/2 BPSK	Inner_Full	23.03	17.83	19.83
n38	40	30	2600	DFT	pi/2 BPSK	Edge_1RB_Left	22.21	17.01	19.01
n38	40	30	2600	DFT	pi/2 BPSK	Edge_1RB_Right	22.93	17.73	19.73
n38	40	30	2600	DFT	pi/2 BPSK	Outer_Full	22.53	17.33	19.33
n38	40	30	2600	DFT	QPSK	Inner_Full	22.97	17.77	19.77
n38	40	30	2600	DFT	QPSK	Edge_1RB_Left	21.75	16.55	18.55
n38	40	30	2600	DFT	QPSK	Edge_1RB_Right	22.41	17.21	19.21
n38	40	30	2600	DFT	QPSK	Outer_Full	22.04	16.84	18.84
n38	40	30	2600	DFT	16QAM	Inner_Full	21.94	16.74	18.74
n38	40	30	2600	DFT	16QAM	Edge_1RB_Left	20.60	15.40	17.40
n38	40	30	2600	DFT	16QAM	Edge_1RB_Right	21.26	16.06	18.06
n38	40	30	2600	DFT	16QAM	Outer_Full	21.04	15.84	17.84
n38	40	30	2600	DFT	64QAM	Inner_Full	20.47	15.27	17.27
n38	40	30	2600	DFT	64QAM	Edge_1RB_Left	19.95	14.75	16.75
n38	40	30	2600	DFT	64QAM	Edge_1RB_Right	20.61	15.41	17.41
n38	40	30	2600	DFT	64QAM	Outer_Full	20.51	15.31	17.31



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n38	40	30	2600	DFT	256QAM	Inner_Full	18.49	13.29	15.29
n38	40	30	2600	DFT	256QAM	Edge_1RB_Left	18.08	12.88	14.88
n38	40	30	2600	DFT	256QAM	Edge_1RB_Right	18.75	13.55	15.55
n38	40	30	2600	DFT	256QAM	Outer_Full	18.55	13.35	15.35
n38	40	30	2600	CP	QPSK	Inner_Full	21.58	16.38	18.38
n38	40	30	2600	CP	QPSK	Edge_1RB_Left	19.78	14.58	16.58
n38	40	30	2600	CP	QPSK	Edge_1RB_Right	20.42	15.22	17.22
n38	40	30	2600	CP	QPSK	Outer_Full	20.02	14.82	16.82
n38	40	30	2600	CP	16QAM	Inner_Full	21.03	15.83	17.83
n38	40	30	2600	CP	16QAM	Edge_1RB_Left	19.60	14.40	16.40
n38	40	30	2600	CP	16QAM	Edge_1RB_Right	20.25	15.05	17.05
n38	40	30	2600	CP	16QAM	Outer_Full	20.01	14.81	16.81
n38	40	30	2600	CP	64QAM	Inner_Full	19.49	14.29	16.29
n38	40	30	2600	CP	64QAM	Edge_1RB_Left	18.99	13.79	15.79
n38	40	30	2600	CP	64QAM	Edge_1RB_Right	19.70	14.50	16.50
n38	40	30	2600	CP	64QAM	Outer_Full	19.51	14.31	16.31
n38	40	30	2600	CP	256QAM	Inner_Full	16.43	11.23	13.23
n38	40	30	2600	CP	256QAM	Edge_1RB_Left	16.00	10.80	12.80
n38	40	30	2600	CP	256QAM	Edge_1RB_Right	16.78	11.58	13.58
n38	40	30	2600	CP	256QAM	Outer_Full	16.57	11.37	13.37



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	20	30	2506.02	DFT	pi/2 BPSK	Inner_Full	23.12	17.92	19.92
n41	20	30	2506.02	DFT	pi/2 BPSK	Edge_1RB_Left	22.64	17.44	19.44
n41	20	30	2506.02	DFT	pi/2 BPSK	Edge_1RB_Right	22.69	17.49	19.49
n41	20	30	2506.02	DFT	pi/2 BPSK	Outer_Full	22.71	17.51	19.51
n41	20	30	2506.02	DFT	QPSK	Inner_Full	23.22	18.02	20.02
n41	20	30	2506.02	DFT	QPSK	Edge_1RB_Left	22.05	16.85	18.85
n41	20	30	2506.02	DFT	QPSK	Edge_1RB_Right	22.15	16.95	18.95
n41	20	30	2506.02	DFT	QPSK	Outer_Full	22.21	17.01	19.01
n41	20	30	2506.02	DFT	16QAM	Inner_Full	22.21	17.01	19.01
n41	20	30	2506.02	DFT	16QAM	Edge_1RB_Left	20.85	15.65	17.65
n41	20	30	2506.02	DFT	16QAM	Edge_1RB_Right	20.91	15.71	17.71
n41	20	30	2506.02	DFT	16QAM	Outer_Full	21.13	15.93	17.93
n41	20	30	2506.02	DFT	64QAM	Inner_Full	20.71	15.51	17.51
n41	20	30	2506.02	DFT	64QAM	Edge_1RB_Left	20.17	14.97	16.97
n41	20	30	2506.02	DFT	64QAM	Edge_1RB_Right	20.24	15.04	17.04
n41	20	30	2506.02	DFT	64QAM	Outer_Full	20.67	15.47	17.47
n41	20	30	2506.02	DFT	256QAM	Inner_Full	18.52	13.32	15.32
n41	20	30	2506.02	DFT	256QAM	Edge_1RB_Left	18.33	13.13	15.13
n41	20	30	2506.02	DFT	256QAM	Edge_1RB_Right	18.42	13.22	15.22
n41	20	30	2506.02	DFT	256QAM	Outer_Full	18.60	13.40	15.40
n41	20	30	2506.02	CP	QPSK	Inner_Full	21.60	16.40	18.40
n41	20	30	2506.02	CP	QPSK	Edge_1RB_Left	20.06	14.86	16.86
n41	20	30	2506.02	CP	QPSK	Edge_1RB_Right	20.13	14.93	16.93
n41	20	30	2506.02	CP	QPSK	Outer_Full	20.16	14.96	16.96
n41	20	30	2506.02	CP	16QAM	Inner_Full	21.20	16.00	18.00
n41	20	30	2506.02	CP	16QAM	Edge_1RB_Left	19.86	14.66	16.66
n41	20	30	2506.02	CP	16QAM	Edge_1RB_Right	19.98	14.78	16.78
n41	20	30	2506.02	CP	16QAM	Outer_Full	20.16	14.96	16.96
n41	20	30	2506.02	CP	64QAM	Inner_Full	19.69	14.49	16.49
n41	20	30	2506.02	CP	64QAM	Edge_1RB_Left	19.28	14.08	16.08
n41	20	30	2506.02	CP	64QAM	Edge_1RB_Right	19.34	14.14	16.14
n41	20	30	2506.02	CP	64QAM	Outer_Full	19.69	14.49	16.49
n41	20	30	2506.02	CP	256QAM	Inner_Full	16.62	11.42	13.42
n41	20	30	2506.02	CP	256QAM	Edge_1RB_Left	16.36	11.16	13.16
n41	20	30	2506.02	CP	256QAM	Edge_1RB_Right	16.40	11.20	13.20
n41	20	30	2506.02	CP	256QAM	Outer_Full	16.68	11.48	13.48
n41	20	30	2592.99	DFT	pi/2 BPSK	Inner_Full	22.64	17.44	19.44
n41	20	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.08	16.88	18.88



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	20	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.35	17.15	19.15
n41	20	30	2592.99	DFT	pi/2 BPSK	Outer_Full	22.25	17.05	19.05
n41	20	30	2592.99	DFT	QPSK	Inner_Full	22.68	17.48	19.48
n41	20	30	2592.99	DFT	QPSK	Edge_1RB_Left	21.54	16.34	18.34
n41	20	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.84	16.64	18.64
n41	20	30	2592.99	DFT	QPSK	Outer_Full	21.71	16.51	18.51
n41	20	30	2592.99	DFT	16QAM	Inner_Full	21.72	16.52	18.52
n41	20	30	2592.99	DFT	16QAM	Edge_1RB_Left	20.37	15.17	17.17
n41	20	30	2592.99	DFT	16QAM	Edge_1RB_Right	20.64	15.44	17.44
n41	20	30	2592.99	DFT	16QAM	Outer_Full	20.70	15.50	17.50
n41	20	30	2592.99	DFT	64QAM	Inner_Full	20.24	15.04	17.04
n41	20	30	2592.99	DFT	64QAM	Edge_1RB_Left	19.70	14.50	16.50
n41	20	30	2592.99	DFT	64QAM	Edge_1RB_Right	19.93	14.73	16.73
n41	20	30	2592.99	DFT	64QAM	Outer_Full	20.22	15.02	17.02
n41	20	30	2592.99	DFT	256QAM	Inner_Full	18.10	12.90	14.90
n41	20	30	2592.99	DFT	256QAM	Edge_1RB_Left	17.89	12.69	14.69
n41	20	30	2592.99	DFT	256QAM	Edge_1RB_Right	18.16	12.96	14.96
n41	20	30	2592.99	DFT	256QAM	Outer_Full	18.16	12.96	14.96
n41	20	30	2592.99	CP	QPSK	Inner_Full	21.19	15.99	17.99
n41	20	30	2592.99	CP	QPSK	Edge_1RB_Left	19.56	14.36	16.36
n41	20	30	2592.99	CP	QPSK	Edge_1RB_Right	19.89	14.69	16.69
n41	20	30	2592.99	CP	QPSK	Outer_Full	19.67	14.47	16.47
n41	20	30	2592.99	CP	16QAM	Inner_Full	20.72	15.52	17.52
n41	20	30	2592.99	CP	16QAM	Edge_1RB_Left	19.39	14.19	16.19
n41	20	30	2592.99	CP	16QAM	Edge_1RB_Right	19.74	14.54	16.54
n41	20	30	2592.99	CP	16QAM	Outer_Full	19.64	14.44	16.44
n41	20	30	2592.99	CP	64QAM	Inner_Full	19.20	14.00	16.00
n41	20	30	2592.99	CP	64QAM	Edge_1RB_Left	18.73	13.53	15.53
n41	20	30	2592.99	CP	64QAM	Edge_1RB_Right	19.09	13.89	15.89
n41	20	30	2592.99	CP	64QAM	Outer_Full	19.20	14.00	16.00
n41	20	30	2592.99	CP	256QAM	Inner_Full	16.10	10.90	12.90
n41	20	30	2592.99	CP	256QAM	Edge_1RB_Left	15.91	10.71	12.71
n41	20	30	2592.99	CP	256QAM	Edge_1RB_Right	16.14	10.94	12.94
n41	20	30	2592.99	CP	256QAM	Outer_Full	16.21	11.01	13.01
n41	20	30	2679.99	DFT	pi/2 BPSK	Inner_Full	22.88	17.68	19.68
n41	20	30	2679.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.48	17.28	19.28
n41	20	30	2679.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.20	17.00	19.00
n41	20	30	2679.99	DFT	pi/2 BPSK	Outer_Full	22.40	17.20	19.20



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	20	30	2679.99	DFT	QPSK	Inner_Full	22.93	17.73	19.73
n41	20	30	2679.99	DFT	QPSK	Edge_1RB_Left	21.96	16.76	18.76
n41	20	30	2679.99	DFT	QPSK	Edge_1RB_Right	21.70	16.50	18.50
n41	20	30	2679.99	DFT	QPSK	Outer_Full	21.93	16.73	18.73
n41	20	30	2679.99	DFT	16QAM	Inner_Full	21.92	16.72	18.72
n41	20	30	2679.99	DFT	16QAM	Edge_1RB_Left	20.75	15.55	17.55
n41	20	30	2679.99	DFT	16QAM	Edge_1RB_Right	20.40	15.20	17.20
n41	20	30	2679.99	DFT	16QAM	Outer_Full	20.84	15.64	17.64
n41	20	30	2679.99	DFT	64QAM	Inner_Full	20.47	15.27	17.27
n41	20	30	2679.99	DFT	64QAM	Edge_1RB_Left	20.04	14.84	16.84
n41	20	30	2679.99	DFT	64QAM	Edge_1RB_Right	19.81	14.61	16.61
n41	20	30	2679.99	DFT	64QAM	Outer_Full	20.37	15.17	17.17
n41	20	30	2679.99	DFT	256QAM	Inner_Full	18.30	13.10	15.10
n41	20	30	2679.99	DFT	256QAM	Edge_1RB_Left	18.34	13.14	15.14
n41	20	30	2679.99	DFT	256QAM	Edge_1RB_Right	18.00	12.80	14.80
n41	20	30	2679.99	DFT	256QAM	Outer_Full	18.36	13.16	15.16
n41	20	30	2679.99	CP	QPSK	Inner_Full	21.33	16.13	18.13
n41	20	30	2679.99	CP	QPSK	Edge_1RB_Left	19.99	14.79	16.79
n41	20	30	2679.99	CP	QPSK	Edge_1RB_Right	19.72	14.52	16.52
n41	20	30	2679.99	CP	QPSK	Outer_Full	19.88	14.68	16.68
n41	20	30	2679.99	CP	16QAM	Inner_Full	20.96	15.76	17.76
n41	20	30	2679.99	CP	16QAM	Edge_1RB_Left	19.88	14.68	16.68
n41	20	30	2679.99	CP	16QAM	Edge_1RB_Right	19.63	14.43	16.43
n41	20	30	2679.99	CP	16QAM	Outer_Full	19.88	14.68	16.68
n41	20	30	2679.99	CP	64QAM	Inner_Full	19.43	14.23	16.23
n41	20	30	2679.99	CP	64QAM	Edge_1RB_Left	19.14	13.94	15.94
n41	20	30	2679.99	CP	64QAM	Edge_1RB_Right	18.92	13.72	15.72
n41	20	30	2679.99	CP	64QAM	Outer_Full	19.41	14.21	16.21
n41	20	30	2679.99	CP	256QAM	Inner_Full	16.38	11.18	13.18
n41	20	30	2679.99	CP	256QAM	Edge_1RB_Left	16.22	11.02	13.02
n41	20	30	2679.99	CP	256QAM	Edge_1RB_Right	16.01	10.81	12.81
n41	20	30	2679.99	CP	256QAM	Outer_Full	16.37	11.17	13.17
n41	30	30	2511	DFT	pi/2 BPSK	Inner_Full	23.19	17.99	19.99
n41	30	30	2511	DFT	pi/2 BPSK	Edge_1RB_Left	22.60	17.40	19.40
n41	30	30	2511	DFT	pi/2 BPSK	Edge_1RB_Right	22.72	17.52	19.52
n41	30	30	2511	DFT	pi/2 BPSK	Outer_Full	22.73	17.53	19.53
n41	30	30	2511	DFT	QPSK	Inner_Full	23.29	18.09	20.09
n41	30	30	2511	DFT	QPSK	Edge_1RB_Left	22.14	16.94	18.94



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	30	30	2511	DFT	QPSK	Edge_1RB_Right	22.18	16.98	18.98
n41	30	30	2511	DFT	QPSK	Outer_Full	22.29	17.09	19.09
n41	30	30	2511	DFT	16QAM	Inner_Full	22.21	17.01	19.01
n41	30	30	2511	DFT	16QAM	Edge_1RB_Left	20.87	15.67	17.67
n41	30	30	2511	DFT	16QAM	Edge_1RB_Right	20.88	15.68	17.68
n41	30	30	2511	DFT	16QAM	Outer_Full	21.28	16.08	18.08
n41	30	30	2511	DFT	64QAM	Inner_Full	20.77	15.57	17.57
n41	30	30	2511	DFT	64QAM	Edge_1RB_Left	20.22	15.02	17.02
n41	30	30	2511	DFT	64QAM	Edge_1RB_Right	20.25	15.05	17.05
n41	30	30	2511	DFT	64QAM	Outer_Full	20.76	15.56	17.56
n41	30	30	2511	DFT	256QAM	Inner_Full	18.74	13.54	15.54
n41	30	30	2511	DFT	256QAM	Edge_1RB_Left	18.41	13.21	15.21
n41	30	30	2511	DFT	256QAM	Edge_1RB_Right	18.53	13.33	15.33
n41	30	30	2511	DFT	256QAM	Outer_Full	18.79	13.59	15.59
n41	30	30	2511	CP	QPSK	Inner_Full	21.75	16.55	18.55
n41	30	30	2511	CP	QPSK	Edge_1RB_Left	20.12	14.92	16.92
n41	30	30	2511	CP	QPSK	Edge_1RB_Right	20.22	15.02	17.02
n41	30	30	2511	CP	QPSK	Outer_Full	20.27	15.07	17.07
n41	30	30	2511	CP	16QAM	Inner_Full	21.31	16.11	18.11
n41	30	30	2511	CP	16QAM	Edge_1RB_Left	20.02	14.82	16.82
n41	30	30	2511	CP	16QAM	Edge_1RB_Right	20.08	14.88	16.88
n41	30	30	2511	CP	16QAM	Outer_Full	20.24	15.04	17.04
n41	30	30	2511	CP	64QAM	Inner_Full	19.79	14.59	16.59
n41	30	30	2511	CP	64QAM	Edge_1RB_Left	19.42	14.22	16.22
n41	30	30	2511	CP	64QAM	Edge_1RB_Right	19.46	14.26	16.26
n41	30	30	2511	CP	64QAM	Outer_Full	19.74	14.54	16.54
n41	30	30	2511	CP	256QAM	Inner_Full	16.85	11.65	13.65
n41	30	30	2511	CP	256QAM	Edge_1RB_Left	16.43	11.23	13.23
n41	30	30	2511	CP	256QAM	Edge_1RB_Right	16.42	11.22	13.22
n41	30	30	2511	CP	256QAM	Outer_Full	16.75	11.55	13.55
n41	30	30	2592.99	DFT	pi/2 BPSK	Inner_Full	22.76	17.56	19.56
n41	30	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.13	16.93	18.93
n41	30	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.62	17.42	19.42
n41	30	30	2592.99	DFT	pi/2 BPSK	Outer_Full	22.34	17.14	19.14
n41	30	30	2592.99	DFT	QPSK	Inner_Full	22.78	17.58	19.58
n41	30	30	2592.99	DFT	QPSK	Edge_1RB_Left	21.66	16.46	18.46
n41	30	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.20	17.00	19.00
n41	30	30	2592.99	DFT	QPSK	Outer_Full	21.85	16.65	18.65



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	30	30	2592.99	DFT	16QAM	Inner_Full	21.70	16.50	18.50
n41	30	30	2592.99	DFT	16QAM	Edge_1RB_Left	20.44	15.24	17.24
n41	30	30	2592.99	DFT	16QAM	Edge_1RB_Right	20.91	15.71	17.71
n41	30	30	2592.99	DFT	16QAM	Outer_Full	20.85	15.65	17.65
n41	30	30	2592.99	DFT	64QAM	Inner_Full	20.31	15.11	17.11
n41	30	30	2592.99	DFT	64QAM	Edge_1RB_Left	19.80	14.60	16.60
n41	30	30	2592.99	DFT	64QAM	Edge_1RB_Right	20.24	15.04	17.04
n41	30	30	2592.99	DFT	64QAM	Outer_Full	20.31	15.11	17.11
n41	30	30	2592.99	DFT	256QAM	Inner_Full	18.28	13.08	15.08
n41	30	30	2592.99	DFT	256QAM	Edge_1RB_Left	18.00	12.80	14.80
n41	30	30	2592.99	DFT	256QAM	Edge_1RB_Right	18.45	13.25	15.25
n41	30	30	2592.99	DFT	256QAM	Outer_Full	18.27	13.07	15.07
n41	30	30	2592.99	CP	QPSK	Inner_Full	21.28	16.08	18.08
n41	30	30	2592.99	CP	QPSK	Edge_1RB_Left	19.59	14.39	16.39
n41	30	30	2592.99	CP	QPSK	Edge_1RB_Right	20.19	14.99	16.99
n41	30	30	2592.99	CP	QPSK	Outer_Full	19.84	14.64	16.64
n41	30	30	2592.99	CP	16QAM	Inner_Full	20.78	15.58	17.58
n41	30	30	2592.99	CP	16QAM	Edge_1RB_Left	19.53	14.33	16.33
n41	30	30	2592.99	CP	16QAM	Edge_1RB_Right	20.04	14.84	16.84
n41	30	30	2592.99	CP	16QAM	Outer_Full	19.83	14.63	16.63
n41	30	30	2592.99	CP	64QAM	Inner_Full	19.34	14.14	16.14
n41	30	30	2592.99	CP	64QAM	Edge_1RB_Left	18.84	13.64	15.64
n41	30	30	2592.99	CP	64QAM	Edge_1RB_Right	19.30	14.10	16.10
n41	30	30	2592.99	CP	64QAM	Outer_Full	19.37	14.17	16.17
n41	30	30	2592.99	CP	256QAM	Inner_Full	16.32	11.12	13.12
n41	30	30	2592.99	CP	256QAM	Edge_1RB_Left	15.92	10.72	12.72
n41	30	30	2592.99	CP	256QAM	Edge_1RB_Right	16.43	11.23	13.23
n41	30	30	2592.99	CP	256QAM	Outer_Full	16.31	11.11	13.11
n41	30	30	2674.98	DFT	pi/2 BPSK	Inner_Full	23.06	17.86	19.86
n41	30	30	2674.98	DFT	pi/2 BPSK	Edge_1RB_Left	22.60	17.40	19.40
n41	30	30	2674.98	DFT	pi/2 BPSK	Edge_1RB_Right	22.39	17.19	19.19
n41	30	30	2674.98	DFT	pi/2 BPSK	Outer_Full	22.50	17.30	19.30
n41	30	30	2674.98	DFT	QPSK	Inner_Full	23.00	17.80	19.80
n41	30	30	2674.98	DFT	QPSK	Edge_1RB_Left	22.08	16.88	18.88
n41	30	30	2674.98	DFT	QPSK	Edge_1RB_Right	21.87	16.67	18.67
n41	30	30	2674.98	DFT	QPSK	Outer_Full	21.98	16.78	18.78
n41	30	30	2674.98	DFT	16QAM	Inner_Full	21.94	16.74	18.74
n41	30	30	2674.98	DFT	16QAM	Edge_1RB_Left	20.82	15.62	17.62



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	30	30	2674.98	DFT	16QAM	Edge_1RB_Right	20.60	15.40	17.40
n41	30	30	2674.98	DFT	16QAM	Outer_Full	20.98	15.78	17.78
n41	30	30	2674.98	DFT	64QAM	Inner_Full	20.49	15.29	17.29
n41	30	30	2674.98	DFT	64QAM	Edge_1RB_Left	20.18	14.98	16.98
n41	30	30	2674.98	DFT	64QAM	Edge_1RB_Right	19.96	14.76	16.76
n41	30	30	2674.98	DFT	64QAM	Outer_Full	20.53	15.33	17.33
n41	30	30	2674.98	DFT	256QAM	Inner_Full	18.56	13.36	15.36
n41	30	30	2674.98	DFT	256QAM	Edge_1RB_Left	18.41	13.21	15.21
n41	30	30	2674.98	DFT	256QAM	Edge_1RB_Right	18.21	13.01	15.01
n41	30	30	2674.98	DFT	256QAM	Outer_Full	18.58	13.38	15.38
n41	30	30	2674.98	CP	QPSK	Inner_Full	21.53	16.33	18.33
n41	30	30	2674.98	CP	QPSK	Edge_1RB_Left	20.06	14.86	16.86
n41	30	30	2674.98	CP	QPSK	Edge_1RB_Right	19.91	14.71	16.71
n41	30	30	2674.98	CP	QPSK	Outer_Full	20.07	14.87	16.87
n41	30	30	2674.98	CP	16QAM	Inner_Full	21.12	15.92	17.92
n41	30	30	2674.98	CP	16QAM	Edge_1RB_Left	19.98	14.78	16.78
n41	30	30	2674.98	CP	16QAM	Edge_1RB_Right	19.71	14.51	16.51
n41	30	30	2674.98	CP	16QAM	Outer_Full	20.04	14.84	16.84
n41	30	30	2674.98	CP	64QAM	Inner_Full	19.64	14.44	16.44
n41	30	30	2674.98	CP	64QAM	Edge_1RB_Left	19.33	14.13	16.13
n41	30	30	2674.98	CP	64QAM	Edge_1RB_Right	19.16	13.96	15.96
n41	30	30	2674.98	CP	64QAM	Outer_Full	19.56	14.36	16.36
n41	30	30	2674.98	CP	256QAM	Inner_Full	16.62	11.42	13.42
n41	30	30	2674.98	CP	256QAM	Edge_1RB_Left	16.44	11.24	13.24
n41	30	30	2674.98	CP	256QAM	Edge_1RB_Right	16.17	10.97	12.97
n41	30	30	2674.98	CP	256QAM	Outer_Full	16.56	11.36	13.36
n41	40	30	2516.01	DFT	pi/2 BPSK	Inner_Full	23.26	18.06	20.06
n41	40	30	2516.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.77	17.57	19.57
n41	40	30	2516.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.75	17.55	19.55
n41	40	30	2516.01	DFT	pi/2 BPSK	Outer_Full	22.73	17.53	19.53
n41	40	30	2516.01	DFT	QPSK	Inner_Full	23.22	18.02	20.02
n41	40	30	2516.01	DFT	QPSK	Edge_1RB_Left	22.24	17.04	19.04
n41	40	30	2516.01	DFT	QPSK	Edge_1RB_Right	22.28	17.08	19.08
n41	40	30	2516.01	DFT	QPSK	Outer_Full	22.23	17.03	19.03
n41	40	30	2516.01	DFT	16QAM	Inner_Full	22.16	16.96	18.96
n41	40	30	2516.01	DFT	16QAM	Edge_1RB_Left	21.01	15.81	17.81
n41	40	30	2516.01	DFT	16QAM	Edge_1RB_Right	21.06	15.86	17.86
n41	40	30	2516.01	DFT	16QAM	Outer_Full	21.25	16.05	18.05



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	40	30	2516.01	DFT	64QAM	Inner_Full	20.66	15.46	17.46
n41	40	30	2516.01	DFT	64QAM	Edge_1RB_Left	20.43	15.23	17.23
n41	40	30	2516.01	DFT	64QAM	Edge_1RB_Right	20.46	15.26	17.26
n41	40	30	2516.01	DFT	64QAM	Outer_Full	20.69	15.49	17.49
n41	40	30	2516.01	DFT	256QAM	Inner_Full	18.70	13.50	15.50
n41	40	30	2516.01	DFT	256QAM	Edge_1RB_Left	18.63	13.43	15.43
n41	40	30	2516.01	DFT	256QAM	Edge_1RB_Right	18.60	13.40	15.40
n41	40	30	2516.01	DFT	256QAM	Outer_Full	18.72	13.52	15.52
n41	40	30	2516.01	CP	QPSK	Inner_Full	21.74	16.54	18.54
n41	40	30	2516.01	CP	QPSK	Edge_1RB_Left	20.27	15.07	17.07
n41	40	30	2516.01	CP	QPSK	Edge_1RB_Right	20.29	15.09	17.09
n41	40	30	2516.01	CP	QPSK	Outer_Full	20.20	15.00	17.00
n41	40	30	2516.01	CP	16QAM	Inner_Full	21.22	16.02	18.02
n41	40	30	2516.01	CP	16QAM	Edge_1RB_Left	20.11	14.91	16.91
n41	40	30	2516.01	CP	16QAM	Edge_1RB_Right	20.19	14.99	16.99
n41	40	30	2516.01	CP	16QAM	Outer_Full	20.20	15.00	17.00
n41	40	30	2516.01	CP	64QAM	Inner_Full	19.73	14.53	16.53
n41	40	30	2516.01	CP	64QAM	Edge_1RB_Left	19.53	14.33	16.33
n41	40	30	2516.01	CP	64QAM	Edge_1RB_Right	19.49	14.29	16.29
n41	40	30	2516.01	CP	64QAM	Outer_Full	19.79	14.59	16.59
n41	40	30	2516.01	CP	256QAM	Inner_Full	16.67	11.47	13.47
n41	40	30	2516.01	CP	256QAM	Edge_1RB_Left	16.62	11.42	13.42
n41	40	30	2516.01	CP	256QAM	Edge_1RB_Right	16.57	11.37	13.37
n41	40	30	2516.01	CP	256QAM	Outer_Full	16.73	11.53	13.53
n41	40	30	2592.99	DFT	pi/2 BPSK	Inner_Full	22.72	17.52	19.52
n41	40	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.26	17.06	19.06
n41	40	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.77	17.57	19.57
n41	40	30	2592.99	DFT	pi/2 BPSK	Outer_Full	22.39	17.19	19.19
n41	40	30	2592.99	DFT	QPSK	Inner_Full	22.79	17.59	19.59
n41	40	30	2592.99	DFT	QPSK	Edge_1RB_Left	21.82	16.62	18.62
n41	40	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.34	17.14	19.14
n41	40	30	2592.99	DFT	QPSK	Outer_Full	21.92	16.72	18.72
n41	40	30	2592.99	DFT	16QAM	Inner_Full	21.74	16.54	18.54
n41	40	30	2592.99	DFT	16QAM	Edge_1RB_Left	20.61	15.41	17.41
n41	40	30	2592.99	DFT	16QAM	Edge_1RB_Right	21.07	15.87	17.87
n41	40	30	2592.99	DFT	16QAM	Outer_Full	20.86	15.66	17.66
n41	40	30	2592.99	DFT	64QAM	Inner_Full	20.29	15.09	17.09
n41	40	30	2592.99	DFT	64QAM	Edge_1RB_Left	19.87	14.67	16.67



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	40	30	2592.99	DFT	64QAM	Edge_1RB_Right	20.45	15.25	17.25
n41	40	30	2592.99	DFT	64QAM	Outer_Full	20.31	15.11	17.11
n41	40	30	2592.99	DFT	256QAM	Inner_Full	18.27	13.07	15.07
n41	40	30	2592.99	DFT	256QAM	Edge_1RB_Left	18.12	12.92	14.92
n41	40	30	2592.99	DFT	256QAM	Edge_1RB_Right	18.58	13.38	15.38
n41	40	30	2592.99	DFT	256QAM	Outer_Full	18.34	13.14	15.14
n41	40	30	2592.99	CP	QPSK	Inner_Full	21.28	16.08	18.08
n41	40	30	2592.99	CP	QPSK	Edge_1RB_Left	19.79	14.59	16.59
n41	40	30	2592.99	CP	QPSK	Edge_1RB_Right	20.28	15.08	17.08
n41	40	30	2592.99	CP	QPSK	Outer_Full	19.88	14.68	16.68
n41	40	30	2592.99	CP	16QAM	Inner_Full	20.86	15.66	17.66
n41	40	30	2592.99	CP	16QAM	Edge_1RB_Left	19.60	14.40	16.40
n41	40	30	2592.99	CP	16QAM	Edge_1RB_Right	20.12	14.92	16.92
n41	40	30	2592.99	CP	16QAM	Outer_Full	19.85	14.65	16.65
n41	40	30	2592.99	CP	64QAM	Inner_Full	19.31	14.11	16.11
n41	40	30	2592.99	CP	64QAM	Edge_1RB_Left	19.00	13.80	15.80
n41	40	30	2592.99	CP	64QAM	Edge_1RB_Right	19.46	14.26	16.26
n41	40	30	2592.99	CP	64QAM	Outer_Full	19.40	14.20	16.20
n41	40	30	2592.99	CP	256QAM	Inner_Full	16.28	11.08	13.08
n41	40	30	2592.99	CP	256QAM	Edge_1RB_Left	16.04	10.84	12.84
n41	40	30	2592.99	CP	256QAM	Edge_1RB_Right	16.59	11.39	13.39
n41	40	30	2592.99	CP	256QAM	Outer_Full	16.36	11.16	13.16
n41	40	30	2670	DFT	pi/2 BPSK	Inner_Full	23.20	18.00	20.00
n41	40	30	2670	DFT	pi/2 BPSK	Edge_1RB_Left	22.74	17.54	19.54
n41	40	30	2670	DFT	pi/2 BPSK	Edge_1RB_Right	22.52	17.32	19.32
n41	40	30	2670	DFT	pi/2 BPSK	Outer_Full	22.67	17.47	19.47
n41	40	30	2670	DFT	QPSK	Inner_Full	23.17	17.97	19.97
n41	40	30	2670	DFT	QPSK	Edge_1RB_Left	22.24	17.04	19.04
n41	40	30	2670	DFT	QPSK	Edge_1RB_Right	21.98	16.78	18.78
n41	40	30	2670	DFT	QPSK	Outer_Full	22.10	16.90	18.90
n41	40	30	2670	DFT	16QAM	Inner_Full	22.14	16.94	18.94
n41	40	30	2670	DFT	16QAM	Edge_1RB_Left	21.00	15.80	17.80
n41	40	30	2670	DFT	16QAM	Edge_1RB_Right	20.83	15.63	17.63
n41	40	30	2670	DFT	16QAM	Outer_Full	21.17	15.97	17.97
n41	40	30	2670	DFT	64QAM	Inner_Full	20.59	15.39	17.39
n41	40	30	2670	DFT	64QAM	Edge_1RB_Left	20.39	15.19	17.19
n41	40	30	2670	DFT	64QAM	Edge_1RB_Right	20.09	14.89	16.89
n41	40	30	2670	DFT	64QAM	Outer_Full	20.65	15.45	17.45



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	40	30	2670	DFT	256QAM	Inner_Full	18.65	13.45	15.45
n41	40	30	2670	DFT	256QAM	Edge_1RB_Left	18.51	13.31	15.31
n41	40	30	2670	DFT	256QAM	Edge_1RB_Right	18.35	13.15	15.15
n41	40	30	2670	DFT	256QAM	Outer_Full	18.64	13.44	15.44
n41	40	30	2670	CP	QPSK	Inner_Full	21.73	16.53	18.53
n41	40	30	2670	CP	QPSK	Edge_1RB_Left	20.25	15.05	17.05
n41	40	30	2670	CP	QPSK	Edge_1RB_Right	19.98	14.78	16.78
n41	40	30	2670	CP	QPSK	Outer_Full	20.08	14.88	16.88
n41	40	30	2670	CP	16QAM	Inner_Full	21.15	15.95	17.95
n41	40	30	2670	CP	16QAM	Edge_1RB_Left	20.30	15.10	17.10
n41	40	30	2670	CP	16QAM	Edge_1RB_Right	20.03	14.83	16.83
n41	40	30	2670	CP	16QAM	Outer_Full	20.05	14.85	16.85
n41	40	30	2670	CP	64QAM	Inner_Full	19.66	14.46	16.46
n41	40	30	2670	CP	64QAM	Edge_1RB_Left	19.42	14.22	16.22
n41	40	30	2670	CP	64QAM	Edge_1RB_Right	19.16	13.96	15.96
n41	40	30	2670	CP	64QAM	Outer_Full	19.63	14.43	16.43
n41	40	30	2670	CP	256QAM	Inner_Full	16.56	11.36	13.36
n41	40	30	2670	CP	256QAM	Edge_1RB_Left	16.48	11.28	13.28
n41	40	30	2670	CP	256QAM	Edge_1RB_Right	16.25	11.05	13.05
n41	40	30	2670	CP	256QAM	Outer_Full	16.58	11.38	13.38
n41	50	30	2521.02	DFT	pi/2 BPSK	Inner_Full	23.15	17.95	19.95
n41	50	30	2521.02	DFT	pi/2 BPSK	Edge_1RB_Left	22.57	17.37	19.37
n41	50	30	2521.02	DFT	pi/2 BPSK	Edge_1RB_Right	22.58	17.38	19.38
n41	50	30	2521.02	DFT	pi/2 BPSK	Outer_Full	22.72	17.52	19.52
n41	50	30	2521.02	DFT	QPSK	Inner_Full	23.18	17.98	19.98
n41	50	30	2521.02	DFT	QPSK	Edge_1RB_Left	22.10	16.90	18.90
n41	50	30	2521.02	DFT	QPSK	Edge_1RB_Right	22.07	16.87	18.87
n41	50	30	2521.02	DFT	QPSK	Outer_Full	22.20	17.00	19.00
n41	50	30	2521.02	DFT	16QAM	Inner_Full	22.22	17.02	19.02
n41	50	30	2521.02	DFT	16QAM	Edge_1RB_Left	20.82	15.62	17.62
n41	50	30	2521.02	DFT	16QAM	Edge_1RB_Right	20.93	15.73	17.73
n41	50	30	2521.02	DFT	16QAM	Outer_Full	21.19	15.99	17.99
n41	50	30	2521.02	DFT	64QAM	Inner_Full	20.60	15.40	17.40
n41	50	30	2521.02	DFT	64QAM	Edge_1RB_Left	20.17	14.97	16.97
n41	50	30	2521.02	DFT	64QAM	Edge_1RB_Right	20.14	14.94	16.94
n41	50	30	2521.02	DFT	64QAM	Outer_Full	20.68	15.48	17.48
n41	50	30	2521.02	DFT	256QAM	Inner_Full	18.67	13.47	15.47
n41	50	30	2521.02	DFT	256QAM	Edge_1RB_Left	18.36	13.16	15.16



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	50	30	2521.02	DFT	256QAM	Edge_1RB_Right	18.47	13.27	15.27
n41	50	30	2521.02	DFT	256QAM	Outer_Full	18.69	13.49	15.49
n41	50	30	2521.02	CP	QPSK	Inner_Full	21.65	16.45	18.45
n41	50	30	2521.02	CP	QPSK	Edge_1RB_Left	20.05	14.85	16.85
n41	50	30	2521.02	CP	QPSK	Edge_1RB_Right	20.08	14.88	16.88
n41	50	30	2521.02	CP	QPSK	Outer_Full	20.18	14.98	16.98
n41	50	30	2521.02	CP	16QAM	Inner_Full	21.15	15.95	17.95
n41	50	30	2521.02	CP	16QAM	Edge_1RB_Left	19.89	14.69	16.69
n41	50	30	2521.02	CP	16QAM	Edge_1RB_Right	20.01	14.81	16.81
n41	50	30	2521.02	CP	16QAM	Outer_Full	20.16	14.96	16.96
n41	50	30	2521.02	CP	64QAM	Inner_Full	19.70	14.50	16.50
n41	50	30	2521.02	CP	64QAM	Edge_1RB_Left	19.23	14.03	16.03
n41	50	30	2521.02	CP	64QAM	Edge_1RB_Right	19.31	14.11	16.11
n41	50	30	2521.02	CP	64QAM	Outer_Full	19.65	14.45	16.45
n41	50	30	2521.02	CP	256QAM	Inner_Full	16.72	11.52	13.52
n41	50	30	2521.02	CP	256QAM	Edge_1RB_Left	16.30	11.10	13.10
n41	50	30	2521.02	CP	256QAM	Edge_1RB_Right	16.38	11.18	13.18
n41	50	30	2521.02	CP	256QAM	Outer_Full	16.66	11.46	13.46
n41	50	30	2592.99	DFT	pi/2 BPSK	Inner_Full	22.59	17.39	19.39
n41	50	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.18	16.98	18.98
n41	50	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.67	17.47	19.47
n41	50	30	2592.99	DFT	pi/2 BPSK	Outer_Full	22.21	17.01	19.01
n41	50	30	2592.99	DFT	QPSK	Inner_Full	22.62	17.42	19.42
n41	50	30	2592.99	DFT	QPSK	Edge_1RB_Left	21.59	16.39	18.39
n41	50	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.15	16.95	18.95
n41	50	30	2592.99	DFT	QPSK	Outer_Full	21.70	16.50	18.50
n41	50	30	2592.99	DFT	16QAM	Inner_Full	21.64	16.44	18.44
n41	50	30	2592.99	DFT	16QAM	Edge_1RB_Left	20.48	15.28	17.28
n41	50	30	2592.99	DFT	16QAM	Edge_1RB_Right	20.95	15.75	17.75
n41	50	30	2592.99	DFT	16QAM	Outer_Full	20.76	15.56	17.56
n41	50	30	2592.99	DFT	64QAM	Inner_Full	20.15	14.95	16.95
n41	50	30	2592.99	DFT	64QAM	Edge_1RB_Left	19.80	14.60	16.60
n41	50	30	2592.99	DFT	64QAM	Edge_1RB_Right	20.24	15.04	17.04
n41	50	30	2592.99	DFT	64QAM	Outer_Full	20.23	15.03	17.03
n41	50	30	2592.99	DFT	256QAM	Inner_Full	18.12	12.92	14.92
n41	50	30	2592.99	DFT	256QAM	Edge_1RB_Left	17.99	12.79	14.79
n41	50	30	2592.99	DFT	256QAM	Edge_1RB_Right	18.48	13.28	15.28
n41	50	30	2592.99	DFT	256QAM	Outer_Full	18.21	13.01	15.01



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	50	30	2592.99	CP	QPSK	Inner_Full	21.07	15.87	17.87
n41	50	30	2592.99	CP	QPSK	Edge_1RB_Left	19.73	14.53	16.53
n41	50	30	2592.99	CP	QPSK	Edge_1RB_Right	20.14	14.94	16.94
n41	50	30	2592.99	CP	QPSK	Outer_Full	19.65	14.45	16.45
n41	50	30	2592.99	CP	16QAM	Inner_Full	20.61	15.41	17.41
n41	50	30	2592.99	CP	16QAM	Edge_1RB_Left	19.60	14.40	16.40
n41	50	30	2592.99	CP	16QAM	Edge_1RB_Right	20.03	14.83	16.83
n41	50	30	2592.99	CP	16QAM	Outer_Full	19.72	14.52	16.52
n41	50	30	2592.99	CP	64QAM	Inner_Full	19.20	14.00	16.00
n41	50	30	2592.99	CP	64QAM	Edge_1RB_Left	18.91	13.71	15.71
n41	50	30	2592.99	CP	64QAM	Edge_1RB_Right	19.39	14.19	16.19
n41	50	30	2592.99	CP	64QAM	Outer_Full	19.17	13.97	15.97
n41	50	30	2592.99	CP	256QAM	Inner_Full	16.17	10.97	12.97
n41	50	30	2592.99	CP	256QAM	Edge_1RB_Left	16.01	10.81	12.81
n41	50	30	2592.99	CP	256QAM	Edge_1RB_Right	16.41	11.21	13.21
n41	50	30	2592.99	CP	256QAM	Outer_Full	16.18	10.98	12.98
n41	50	30	2664.99	DFT	pi/2 BPSK	Inner_Full	23.10	17.90	19.90
n41	50	30	2664.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.43	17.23	19.23
n41	50	30	2664.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.23	17.03	19.03
n41	50	30	2664.99	DFT	pi/2 BPSK	Outer_Full	22.55	17.35	19.35
n41	50	30	2664.99	DFT	QPSK	Inner_Full	23.08	17.88	19.88
n41	50	30	2664.99	DFT	QPSK	Edge_1RB_Left	21.92	16.72	18.72
n41	50	30	2664.99	DFT	QPSK	Edge_1RB_Right	21.72	16.52	18.52
n41	50	30	2664.99	DFT	QPSK	Outer_Full	22.00	16.80	18.80
n41	50	30	2664.99	DFT	16QAM	Inner_Full	22.14	16.94	18.94
n41	50	30	2664.99	DFT	16QAM	Edge_1RB_Left	20.67	15.47	17.47
n41	50	30	2664.99	DFT	16QAM	Edge_1RB_Right	20.48	15.28	17.28
n41	50	30	2664.99	DFT	16QAM	Outer_Full	21.09	15.89	17.89
n41	50	30	2664.99	DFT	64QAM	Inner_Full	20.63	15.43	17.43
n41	50	30	2664.99	DFT	64QAM	Edge_1RB_Left	19.97	14.77	16.77
n41	50	30	2664.99	DFT	64QAM	Edge_1RB_Right	19.75	14.55	16.55
n41	50	30	2664.99	DFT	64QAM	Outer_Full	20.58	15.38	17.38
n41	50	30	2664.99	DFT	256QAM	Inner_Full	18.54	13.34	15.34
n41	50	30	2664.99	DFT	256QAM	Edge_1RB_Left	18.23	13.03	15.03
n41	50	30	2664.99	DFT	256QAM	Edge_1RB_Right	18.07	12.87	14.87
n41	50	30	2664.99	DFT	256QAM	Outer_Full	18.52	13.32	15.32
n41	50	30	2664.99	CP	QPSK	Inner_Full	21.58	16.38	18.38
n41	50	30	2664.99	CP	QPSK	Edge_1RB_Left	19.95	14.75	16.75



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	50	30	2664.99	CP	QPSK	Edge_1RB_Right	19.74	14.54	16.54
n41	50	30	2664.99	CP	QPSK	Outer_Full	19.99	14.79	16.79
n41	50	30	2664.99	CP	16QAM	Inner_Full	21.10	15.90	17.90
n41	50	30	2664.99	CP	16QAM	Edge_1RB_Left	19.80	14.60	16.60
n41	50	30	2664.99	CP	16QAM	Edge_1RB_Right	19.61	14.41	16.41
n41	50	30	2664.99	CP	16QAM	Outer_Full	20.05	14.85	16.85
n41	50	30	2664.99	CP	64QAM	Inner_Full	19.63	14.43	16.43
n41	50	30	2664.99	CP	64QAM	Edge_1RB_Left	19.10	13.90	15.90
n41	50	30	2664.99	CP	64QAM	Edge_1RB_Right	18.97	13.77	15.77
n41	50	30	2664.99	CP	64QAM	Outer_Full	19.54	14.34	16.34
n41	50	30	2664.99	CP	256QAM	Inner_Full	16.61	11.41	13.41
n41	50	30	2664.99	CP	256QAM	Edge_1RB_Left	16.21	11.01	13.01
n41	50	30	2664.99	CP	256QAM	Edge_1RB_Right	15.97	10.77	12.77
n41	50	30	2664.99	CP	256QAM	Outer_Full	16.46	11.26	13.26
n41	60	30	2526	DFT	pi/2 BPSK	Inner_Full	23.16	17.96	19.96
n41	60	30	2526	DFT	pi/2 BPSK	Edge_1RB_Left	22.52	17.32	19.32
n41	60	30	2526	DFT	pi/2 BPSK	Edge_1RB_Right	22.53	17.33	19.33
n41	60	30	2526	DFT	pi/2 BPSK	Outer_Full	22.62	17.42	19.42
n41	60	30	2526	DFT	QPSK	Inner_Full	23.10	17.90	19.90
n41	60	30	2526	DFT	QPSK	Edge_1RB_Left	21.99	16.79	18.79
n41	60	30	2526	DFT	QPSK	Edge_1RB_Right	22.05	16.85	18.85
n41	60	30	2526	DFT	QPSK	Outer_Full	22.06	16.86	18.86
n41	60	30	2526	DFT	16QAM	Inner_Full	22.09	16.89	18.89
n41	60	30	2526	DFT	16QAM	Edge_1RB_Left	20.73	15.53	17.53
n41	60	30	2526	DFT	16QAM	Edge_1RB_Right	20.79	15.59	17.59
n41	60	30	2526	DFT	16QAM	Outer_Full	21.07	15.87	17.87
n41	60	30	2526	DFT	64QAM	Inner_Full	20.56	15.36	17.36
n41	60	30	2526	DFT	64QAM	Edge_1RB_Left	20.09	14.89	16.89
n41	60	30	2526	DFT	64QAM	Edge_1RB_Right	20.17	14.97	16.97
n41	60	30	2526	DFT	64QAM	Outer_Full	20.59	15.39	17.39
n41	60	30	2526	DFT	256QAM	Inner_Full	18.71	13.51	15.51
n41	60	30	2526	DFT	256QAM	Edge_1RB_Left	18.27	13.07	15.07
n41	60	30	2526	DFT	256QAM	Edge_1RB_Right	18.35	13.15	15.15
n41	60	30	2526	DFT	256QAM	Outer_Full	18.63	13.43	15.43
n41	60	30	2526	CP	QPSK	Inner_Full	21.67	16.47	18.47
n41	60	30	2526	CP	QPSK	Edge_1RB_Left	20.03	14.83	16.83
n41	60	30	2526	CP	QPSK	Edge_1RB_Right	20.05	14.85	16.85
n41	60	30	2526	CP	QPSK	Outer_Full	20.04	14.84	16.84



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	60	30	2526	CP	16QAM	Inner_Full	21.04	15.84	17.84
n41	60	30	2526	CP	16QAM	Edge_1RB_Left	19.82	14.62	16.62
n41	60	30	2526	CP	16QAM	Edge_1RB_Right	19.90	14.70	16.70
n41	60	30	2526	CP	16QAM	Outer_Full	20.12	14.92	16.92
n41	60	30	2526	CP	64QAM	Inner_Full	19.59	14.39	16.39
n41	60	30	2526	CP	64QAM	Edge_1RB_Left	19.21	14.01	16.01
n41	60	30	2526	CP	64QAM	Edge_1RB_Right	19.34	14.14	16.14
n41	60	30	2526	CP	64QAM	Outer_Full	19.55	14.35	16.35
n41	60	30	2526	CP	256QAM	Inner_Full	16.60	11.40	13.40
n41	60	30	2526	CP	256QAM	Edge_1RB_Left	16.42	11.22	13.22
n41	60	30	2526	CP	256QAM	Edge_1RB_Right	16.39	11.19	13.19
n41	60	30	2526	CP	256QAM	Outer_Full	16.61	11.41	13.41
n41	60	30	2592.99	DFT	pi/2 BPSK	Inner_Full	22.67	17.47	19.47
n41	60	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.22	17.02	19.02
n41	60	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.70	17.50	19.50
n41	60	30	2592.99	DFT	pi/2 BPSK	Outer_Full	22.34	17.14	19.14
n41	60	30	2592.99	DFT	QPSK	Inner_Full	22.67	17.47	19.47
n41	60	30	2592.99	DFT	QPSK	Edge_1RB_Left	21.77	16.57	18.57
n41	60	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.18	16.98	18.98
n41	60	30	2592.99	DFT	QPSK	Outer_Full	21.75	16.55	18.55
n41	60	30	2592.99	DFT	16QAM	Inner_Full	21.71	16.51	18.51
n41	60	30	2592.99	DFT	16QAM	Edge_1RB_Left	20.55	15.35	17.35
n41	60	30	2592.99	DFT	16QAM	Edge_1RB_Right	20.97	15.77	17.77
n41	60	30	2592.99	DFT	16QAM	Outer_Full	20.77	15.57	17.57
n41	60	30	2592.99	DFT	64QAM	Inner_Full	20.16	14.96	16.96
n41	60	30	2592.99	DFT	64QAM	Edge_1RB_Left	19.81	14.61	16.61
n41	60	30	2592.99	DFT	64QAM	Edge_1RB_Right	20.28	15.08	17.08
n41	60	30	2592.99	DFT	64QAM	Outer_Full	20.31	15.11	17.11
n41	60	30	2592.99	DFT	256QAM	Inner_Full	18.11	12.91	14.91
n41	60	30	2592.99	DFT	256QAM	Edge_1RB_Left	18.04	12.84	14.84
n41	60	30	2592.99	DFT	256QAM	Edge_1RB_Right	18.50	13.30	15.30
n41	60	30	2592.99	DFT	256QAM	Outer_Full	18.27	13.07	15.07
n41	60	30	2592.99	CP	QPSK	Inner_Full	21.13	15.93	17.93
n41	60	30	2592.99	CP	QPSK	Edge_1RB_Left	19.72	14.52	16.52
n41	60	30	2592.99	CP	QPSK	Edge_1RB_Right	20.16	14.96	16.96
n41	60	30	2592.99	CP	QPSK	Outer_Full	19.79	14.59	16.59
n41	60	30	2592.99	CP	16QAM	Inner_Full	20.70	15.50	17.50
n41	60	30	2592.99	CP	16QAM	Edge_1RB_Left	19.61	14.41	16.41



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	60	30	2592.99	CP	16QAM	Edge_1RB_Right	20.10	14.90	16.90
n41	60	30	2592.99	CP	16QAM	Outer_Full	19.73	14.53	16.53
n41	60	30	2592.99	CP	64QAM	Inner_Full	19.13	13.93	15.93
n41	60	30	2592.99	CP	64QAM	Edge_1RB_Left	18.92	13.72	15.72
n41	60	30	2592.99	CP	64QAM	Edge_1RB_Right	19.40	14.20	16.20
n41	60	30	2592.99	CP	64QAM	Outer_Full	19.26	14.06	16.06
n41	60	30	2592.99	CP	256QAM	Inner_Full	16.10	10.90	12.90
n41	60	30	2592.99	CP	256QAM	Edge_1RB_Left	15.99	10.79	12.79
n41	60	30	2592.99	CP	256QAM	Edge_1RB_Right	16.53	11.33	13.33
n41	60	30	2592.99	CP	256QAM	Outer_Full	16.26	11.06	13.06
n41	60	30	2659.98	DFT	pi/2 BPSK	Inner_Full	23.12	17.92	19.92
n41	60	30	2659.98	DFT	pi/2 BPSK	Edge_1RB_Left	22.44	17.24	19.24
n41	60	30	2659.98	DFT	pi/2 BPSK	Edge_1RB_Right	22.26	17.06	19.06
n41	60	30	2659.98	DFT	pi/2 BPSK	Outer_Full	22.51	17.31	19.31
n41	60	30	2659.98	DFT	QPSK	Inner_Full	23.20	18.00	20.00
n41	60	30	2659.98	DFT	QPSK	Edge_1RB_Left	21.92	16.72	18.72
n41	60	30	2659.98	DFT	QPSK	Edge_1RB_Right	21.75	16.55	18.55
n41	60	30	2659.98	DFT	QPSK	Outer_Full	22.03	16.83	18.83
n41	60	30	2659.98	DFT	16QAM	Inner_Full	22.10	16.90	18.90
n41	60	30	2659.98	DFT	16QAM	Edge_1RB_Left	20.72	15.52	17.52
n41	60	30	2659.98	DFT	16QAM	Edge_1RB_Right	20.51	15.31	17.31
n41	60	30	2659.98	DFT	16QAM	Outer_Full	21.05	15.85	17.85
n41	60	30	2659.98	DFT	64QAM	Inner_Full	20.55	15.35	17.35
n41	60	30	2659.98	DFT	64QAM	Edge_1RB_Left	20.01	14.81	16.81
n41	60	30	2659.98	DFT	64QAM	Edge_1RB_Right	19.86	14.66	16.66
n41	60	30	2659.98	DFT	64QAM	Outer_Full	20.49	15.29	17.29
n41	60	30	2659.98	DFT	256QAM	Inner_Full	18.64	13.44	15.44
n41	60	30	2659.98	DFT	256QAM	Edge_1RB_Left	18.29	13.09	15.09
n41	60	30	2659.98	DFT	256QAM	Edge_1RB_Right	18.05	12.85	14.85
n41	60	30	2659.98	DFT	256QAM	Outer_Full	18.55	13.35	15.35
n41	60	30	2659.98	CP	QPSK	Inner_Full	21.66	16.46	18.46
n41	60	30	2659.98	CP	QPSK	Edge_1RB_Left	19.90	14.70	16.70
n41	60	30	2659.98	CP	QPSK	Edge_1RB_Right	19.81	14.61	16.61
n41	60	30	2659.98	CP	QPSK	Outer_Full	20.10	14.90	16.90
n41	60	30	2659.98	CP	16QAM	Inner_Full	21.06	15.86	17.86
n41	60	30	2659.98	CP	16QAM	Edge_1RB_Left	19.73	14.53	16.53
n41	60	30	2659.98	CP	16QAM	Edge_1RB_Right	19.65	14.45	16.45
n41	60	30	2659.98	CP	16QAM	Outer_Full	19.98	14.78	16.78



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	60	30	2659.98	CP	64QAM	Inner_Full	19.69	14.49	16.49
n41	60	30	2659.98	CP	64QAM	Edge_1RB_Left	19.14	13.94	15.94
n41	60	30	2659.98	CP	64QAM	Edge_1RB_Right	18.96	13.76	15.76
n41	60	30	2659.98	CP	64QAM	Outer_Full	19.54	14.34	16.34
n41	60	30	2659.98	CP	256QAM	Inner_Full	16.70	11.50	13.50
n41	60	30	2659.98	CP	256QAM	Edge_1RB_Left	16.07	10.87	12.87
n41	60	30	2659.98	CP	256QAM	Edge_1RB_Right	16.06	10.86	12.86
n41	60	30	2659.98	CP	256QAM	Outer_Full	16.63	11.43	13.43
n41	70	30	2531.01	DFT	pi/2 BPSK	Inner_Full	22.98	17.78	19.78
n41	70	30	2531.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.42	17.22	19.22
n41	70	30	2531.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.36	17.16	19.16
n41	70	30	2531.01	DFT	pi/2 BPSK	Outer_Full	22.52	17.32	19.32
n41	70	30	2531.01	DFT	QPSK	Inner_Full	22.98	17.78	19.78
n41	70	30	2531.01	DFT	QPSK	Edge_1RB_Left	21.96	16.76	18.76
n41	70	30	2531.01	DFT	QPSK	Edge_1RB_Right	21.70	16.50	18.50
n41	70	30	2531.01	DFT	QPSK	Outer_Full	21.99	16.79	18.79
n41	70	30	2531.01	DFT	16QAM	Inner_Full	22.03	16.83	18.83
n41	70	30	2531.01	DFT	16QAM	Edge_1RB_Left	20.69	15.49	17.49
n41	70	30	2531.01	DFT	16QAM	Edge_1RB_Right	20.45	15.25	17.25
n41	70	30	2531.01	DFT	16QAM	Outer_Full	21.03	15.83	17.83
n41	70	30	2531.01	DFT	64QAM	Inner_Full	20.51	15.31	17.31
n41	70	30	2531.01	DFT	64QAM	Edge_1RB_Left	20.02	14.82	16.82
n41	70	30	2531.01	DFT	64QAM	Edge_1RB_Right	19.74	14.54	16.54
n41	70	30	2531.01	DFT	64QAM	Outer_Full	20.59	15.39	17.39
n41	70	30	2531.01	DFT	256QAM	Inner_Full	18.44	13.24	15.24
n41	70	30	2531.01	DFT	256QAM	Edge_1RB_Left	18.29	13.09	15.09
n41	70	30	2531.01	DFT	256QAM	Edge_1RB_Right	18.06	12.86	14.86
n41	70	30	2531.01	DFT	256QAM	Outer_Full	18.50	13.30	15.30
n41	70	30	2531.01	CP	QPSK	Inner_Full	21.48	16.28	18.28
n41	70	30	2531.01	CP	QPSK	Edge_1RB_Left	19.91	14.71	16.71
n41	70	30	2531.01	CP	QPSK	Edge_1RB_Right	19.70	14.50	16.50
n41	70	30	2531.01	CP	QPSK	Outer_Full	20.00	14.80	16.80
n41	70	30	2531.01	CP	16QAM	Inner_Full	20.99	15.79	17.79
n41	70	30	2531.01	CP	16QAM	Edge_1RB_Left	19.83	14.63	16.63
n41	70	30	2531.01	CP	16QAM	Edge_1RB_Right	19.60	14.40	16.40
n41	70	30	2531.01	CP	16QAM	Outer_Full	19.97	14.77	16.77
n41	70	30	2531.01	CP	64QAM	Inner_Full	19.49	14.29	16.29
n41	70	30	2531.01	CP	64QAM	Edge_1RB_Left	19.13	13.93	15.93



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	70	30	2531.01	CP	64QAM	Edge_1RB_Right	18.92	13.72	15.72
n41	70	30	2531.01	CP	64QAM	Outer_Full	19.50	14.30	16.30
n41	70	30	2531.01	CP	256QAM	Inner_Full	16.50	11.30	13.30
n41	70	30	2531.01	CP	256QAM	Edge_1RB_Left	16.32	11.12	13.12
n41	70	30	2531.01	CP	256QAM	Edge_1RB_Right	15.95	10.75	12.75
n41	70	30	2531.01	CP	256QAM	Outer_Full	16.40	11.20	13.20
n41	70	30	2592.99	DFT	pi/2 BPSK	Inner_Full	22.53	17.33	19.33
n41	70	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.25	17.05	19.05
n41	70	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.58	17.38	19.38
n41	70	30	2592.99	DFT	pi/2 BPSK	Outer_Full	22.18	16.98	18.98
n41	70	30	2592.99	DFT	QPSK	Inner_Full	22.53	17.33	19.33
n41	70	30	2592.99	DFT	QPSK	Edge_1RB_Left	21.61	16.41	18.41
n41	70	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.12	16.92	18.92
n41	70	30	2592.99	DFT	QPSK	Outer_Full	21.72	16.52	18.52
n41	70	30	2592.99	DFT	16QAM	Inner_Full	21.51	16.31	18.31
n41	70	30	2592.99	DFT	16QAM	Edge_1RB_Left	20.44	15.24	17.24
n41	70	30	2592.99	DFT	16QAM	Edge_1RB_Right	20.87	15.67	17.67
n41	70	30	2592.99	DFT	16QAM	Outer_Full	20.67	15.47	17.47
n41	70	30	2592.99	DFT	64QAM	Inner_Full	20.06	14.86	16.86
n41	70	30	2592.99	DFT	64QAM	Edge_1RB_Left	19.66	14.46	16.46
n41	70	30	2592.99	DFT	64QAM	Edge_1RB_Right	20.23	15.03	17.03
n41	70	30	2592.99	DFT	64QAM	Outer_Full	20.17	14.97	16.97
n41	70	30	2592.99	DFT	256QAM	Inner_Full	17.99	12.79	14.79
n41	70	30	2592.99	DFT	256QAM	Edge_1RB_Left	18.00	12.80	14.80
n41	70	30	2592.99	DFT	256QAM	Edge_1RB_Right	18.42	13.22	15.22
n41	70	30	2592.99	DFT	256QAM	Outer_Full	18.22	13.02	15.02
n41	70	30	2592.99	CP	QPSK	Inner_Full	21.02	15.82	17.82
n41	70	30	2592.99	CP	QPSK	Edge_1RB_Left	19.74	14.54	16.54
n41	70	30	2592.99	CP	QPSK	Edge_1RB_Right	20.04	14.84	16.84
n41	70	30	2592.99	CP	QPSK	Outer_Full	19.73	14.53	16.53
n41	70	30	2592.99	CP	16QAM	Inner_Full	20.60	15.40	17.40
n41	70	30	2592.99	CP	16QAM	Edge_1RB_Left	19.60	14.40	16.40
n41	70	30	2592.99	CP	16QAM	Edge_1RB_Right	19.97	14.77	16.77
n41	70	30	2592.99	CP	16QAM	Outer_Full	19.76	14.56	16.56
n41	70	30	2592.99	CP	64QAM	Inner_Full	19.03	13.83	15.83
n41	70	30	2592.99	CP	64QAM	Edge_1RB_Left	18.84	13.64	15.64
n41	70	30	2592.99	CP	64QAM	Edge_1RB_Right	19.28	14.08	16.08
n41	70	30	2592.99	CP	64QAM	Outer_Full	19.21	14.01	16.01



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	70	30	2592.99	CP	256QAM	Inner_Full	16.05	10.85	12.85
n41	70	30	2592.99	CP	256QAM	Edge_1RB_Left	15.90	10.70	12.70
n41	70	30	2592.99	CP	256QAM	Edge_1RB_Right	16.30	11.10	13.10
n41	70	30	2592.99	CP	256QAM	Outer_Full	16.20	11.00	13.00
n41	70	30	2655	DFT	pi/2 BPSK	Inner_Full	22.99	17.79	19.79
n41	70	30	2655	DFT	pi/2 BPSK	Edge_1RB_Left	22.25	17.05	19.05
n41	70	30	2655	DFT	pi/2 BPSK	Edge_1RB_Right	22.19	16.99	18.99
n41	70	30	2655	DFT	pi/2 BPSK	Outer_Full	22.47	17.27	19.27
n41	70	30	2655	DFT	QPSK	Inner_Full	23.06	17.86	19.86
n41	70	30	2655	DFT	QPSK	Edge_1RB_Left	21.79	16.59	18.59
n41	70	30	2655	DFT	QPSK	Edge_1RB_Right	21.66	16.46	18.46
n41	70	30	2655	DFT	QPSK	Outer_Full	21.99	16.79	18.79
n41	70	30	2655	DFT	16QAM	Inner_Full	22.03	16.83	18.83
n41	70	30	2655	DFT	16QAM	Edge_1RB_Left	20.55	15.35	17.35
n41	70	30	2655	DFT	16QAM	Edge_1RB_Right	20.43	15.23	17.23
n41	70	30	2655	DFT	16QAM	Outer_Full	21.01	15.81	17.81
n41	70	30	2655	DFT	64QAM	Inner_Full	20.61	15.41	17.41
n41	70	30	2655	DFT	64QAM	Edge_1RB_Left	19.88	14.68	16.68
n41	70	30	2655	DFT	64QAM	Edge_1RB_Right	19.73	14.53	16.53
n41	70	30	2655	DFT	64QAM	Outer_Full	20.49	15.29	17.29
n41	70	30	2655	DFT	256QAM	Inner_Full	18.46	13.26	15.26
n41	70	30	2655	DFT	256QAM	Edge_1RB_Left	18.05	12.85	14.85
n41	70	30	2655	DFT	256QAM	Edge_1RB_Right	18.01	12.81	14.81
n41	70	30	2655	DFT	256QAM	Outer_Full	18.51	13.31	15.31
n41	70	30	2655	CP	QPSK	Inner_Full	21.61	16.41	18.41
n41	70	30	2655	CP	QPSK	Edge_1RB_Left	19.68	14.48	16.48
n41	70	30	2655	CP	QPSK	Edge_1RB_Right	19.71	14.51	16.51
n41	70	30	2655	CP	QPSK	Outer_Full	19.93	14.73	16.73
n41	70	30	2655	CP	16QAM	Inner_Full	21.02	15.82	17.82
n41	70	30	2655	CP	16QAM	Edge_1RB_Left	19.68	14.48	16.48
n41	70	30	2655	CP	16QAM	Edge_1RB_Right	19.54	14.34	16.34
n41	70	30	2655	CP	16QAM	Outer_Full	19.97	14.77	16.77
n41	70	30	2655	CP	64QAM	Inner_Full	19.54	14.34	16.34
n41	70	30	2655	CP	64QAM	Edge_1RB_Left	18.97	13.77	15.77
n41	70	30	2655	CP	64QAM	Edge_1RB_Right	18.81	13.61	15.61
n41	70	30	2655	CP	64QAM	Outer_Full	19.44	14.24	16.24
n41	70	30	2655	CP	256QAM	Inner_Full	16.52	11.32	13.32
n41	70	30	2655	CP	256QAM	Edge_1RB_Left	16.03	10.83	12.83



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	70	30	2655	CP	256QAM	Edge_1RB_Right	15.93	10.73	12.73
n41	70	30	2655	CP	256QAM	Outer_Full	16.36	11.16	13.16
n41	80	30	2536.02	DFT	pi/2 BPSK	Inner_Full	22.98	17.78	19.78
n41	80	30	2536.02	DFT	pi/2 BPSK	Edge_1RB_Left	22.48	17.28	19.28
n41	80	30	2536.02	DFT	pi/2 BPSK	Edge_1RB_Right	22.08	16.88	18.88
n41	80	30	2536.02	DFT	pi/2 BPSK	Outer_Full	22.48	17.28	19.28
n41	80	30	2536.02	DFT	QPSK	Inner_Full	23.07	17.87	19.87
n41	80	30	2536.02	DFT	QPSK	Edge_1RB_Left	21.96	16.76	18.76
n41	80	30	2536.02	DFT	QPSK	Edge_1RB_Right	21.54	16.34	18.34
n41	80	30	2536.02	DFT	QPSK	Outer_Full	21.97	16.77	18.77
n41	80	30	2536.02	DFT	16QAM	Inner_Full	22.01	16.81	18.81
n41	80	30	2536.02	DFT	16QAM	Edge_1RB_Left	20.68	15.48	17.48
n41	80	30	2536.02	DFT	16QAM	Edge_1RB_Right	20.32	15.12	17.12
n41	80	30	2536.02	DFT	16QAM	Outer_Full	21.04	15.84	17.84
n41	80	30	2536.02	DFT	64QAM	Inner_Full	20.54	15.34	17.34
n41	80	30	2536.02	DFT	64QAM	Edge_1RB_Left	20.03	14.83	16.83
n41	80	30	2536.02	DFT	64QAM	Edge_1RB_Right	19.69	14.49	16.49
n41	80	30	2536.02	DFT	64QAM	Outer_Full	20.49	15.29	17.29
n41	80	30	2536.02	DFT	256QAM	Inner_Full	18.43	13.23	15.23
n41	80	30	2536.02	DFT	256QAM	Edge_1RB_Left	18.28	13.08	15.08
n41	80	30	2536.02	DFT	256QAM	Edge_1RB_Right	17.93	12.73	14.73
n41	80	30	2536.02	DFT	256QAM	Outer_Full	18.44	13.24	15.24
n41	80	30	2536.02	CP	QPSK	Inner_Full	21.54	16.34	18.34
n41	80	30	2536.02	CP	QPSK	Edge_1RB_Left	19.90	14.70	16.70
n41	80	30	2536.02	CP	QPSK	Edge_1RB_Right	19.55	14.35	16.35
n41	80	30	2536.02	CP	QPSK	Outer_Full	20.00	14.80	16.80
n41	80	30	2536.02	CP	16QAM	Inner_Full	21.04	15.84	17.84
n41	80	30	2536.02	CP	16QAM	Edge_1RB_Left	19.82	14.62	16.62
n41	80	30	2536.02	CP	16QAM	Edge_1RB_Right	19.48	14.28	16.28
n41	80	30	2536.02	CP	16QAM	Outer_Full	19.96	14.76	16.76
n41	80	30	2536.02	CP	64QAM	Inner_Full	19.55	14.35	16.35
n41	80	30	2536.02	CP	64QAM	Edge_1RB_Left	19.17	13.97	15.97
n41	80	30	2536.02	CP	64QAM	Edge_1RB_Right	18.79	13.59	15.59
n41	80	30	2536.02	CP	64QAM	Outer_Full	19.53	14.33	16.33
n41	80	30	2536.02	CP	256QAM	Inner_Full	16.52	11.32	13.32
n41	80	30	2536.02	CP	256QAM	Edge_1RB_Left	16.23	11.03	13.03
n41	80	30	2536.02	CP	256QAM	Edge_1RB_Right	15.85	10.65	12.65
n41	80	30	2536.02	CP	256QAM	Outer_Full	16.50	11.30	13.30



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	80	30	2592.99	DFT	pi/2 BPSK	Inner_Full	22.59	17.39	19.39
n41	80	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.31	17.11	19.11
n41	80	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.69	17.49	19.49
n41	80	30	2592.99	DFT	pi/2 BPSK	Outer_Full	22.26	17.06	19.06
n41	80	30	2592.99	DFT	QPSK	Inner_Full	22.60	17.40	19.40
n41	80	30	2592.99	DFT	QPSK	Edge_1RB_Left	21.67	16.47	18.47
n41	80	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.12	16.92	18.92
n41	80	30	2592.99	DFT	QPSK	Outer_Full	21.75	16.55	18.55
n41	80	30	2592.99	DFT	16QAM	Inner_Full	21.68	16.48	18.48
n41	80	30	2592.99	DFT	16QAM	Edge_1RB_Left	20.44	15.24	17.24
n41	80	30	2592.99	DFT	16QAM	Edge_1RB_Right	20.91	15.71	17.71
n41	80	30	2592.99	DFT	16QAM	Outer_Full	20.79	15.59	17.59
n41	80	30	2592.99	DFT	64QAM	Inner_Full	20.10	14.90	16.90
n41	80	30	2592.99	DFT	64QAM	Edge_1RB_Left	19.75	14.55	16.55
n41	80	30	2592.99	DFT	64QAM	Edge_1RB_Right	20.27	15.07	17.07
n41	80	30	2592.99	DFT	64QAM	Outer_Full	20.20	15.00	17.00
n41	80	30	2592.99	DFT	256QAM	Inner_Full	18.02	12.82	14.82
n41	80	30	2592.99	DFT	256QAM	Edge_1RB_Left	18.08	12.88	14.88
n41	80	30	2592.99	DFT	256QAM	Edge_1RB_Right	18.46	13.26	15.26
n41	80	30	2592.99	DFT	256QAM	Outer_Full	18.29	13.09	15.09
n41	80	30	2592.99	CP	QPSK	Inner_Full	21.09	15.89	17.89
n41	80	30	2592.99	CP	QPSK	Edge_1RB_Left	19.73	14.53	16.53
n41	80	30	2592.99	CP	QPSK	Edge_1RB_Right	20.13	14.93	16.93
n41	80	30	2592.99	CP	QPSK	Outer_Full	19.75	14.55	16.55
n41	80	30	2592.99	CP	16QAM	Inner_Full	20.60	15.40	17.40
n41	80	30	2592.99	CP	16QAM	Edge_1RB_Left	19.51	14.31	16.31
n41	80	30	2592.99	CP	16QAM	Edge_1RB_Right	19.97	14.77	16.77
n41	80	30	2592.99	CP	16QAM	Outer_Full	19.69	14.49	16.49
n41	80	30	2592.99	CP	64QAM	Inner_Full	19.05	13.85	15.85
n41	80	30	2592.99	CP	64QAM	Edge_1RB_Left	19.02	13.82	15.82
n41	80	30	2592.99	CP	64QAM	Edge_1RB_Right	19.35	14.15	16.15
n41	80	30	2592.99	CP	64QAM	Outer_Full	19.23	14.03	16.03
n41	80	30	2592.99	CP	256QAM	Inner_Full	16.10	10.90	12.90
n41	80	30	2592.99	CP	256QAM	Edge_1RB_Left	16.09	10.89	12.89
n41	80	30	2592.99	CP	256QAM	Edge_1RB_Right	16.42	11.22	13.22
n41	80	30	2592.99	CP	256QAM	Outer_Full	16.26	11.06	13.06
n41	80	30	2649.99	DFT	pi/2 BPSK	Inner_Full	23.02	17.82	19.82
n41	80	30	2649.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.06	16.86	18.86



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	80	30	2649.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.20	17.00	19.00
n41	80	30	2649.99	DFT	pi/2 BPSK	Outer_Full	22.45	17.25	19.25
n41	80	30	2649.99	DFT	QPSK	Inner_Full	23.04	17.84	19.84
n41	80	30	2649.99	DFT	QPSK	Edge_1RB_Left	21.61	16.41	18.41
n41	80	30	2649.99	DFT	QPSK	Edge_1RB_Right	21.74	16.54	18.54
n41	80	30	2649.99	DFT	QPSK	Outer_Full	21.92	16.72	18.72
n41	80	30	2649.99	DFT	16QAM	Inner_Full	22.06	16.86	18.86
n41	80	30	2649.99	DFT	16QAM	Edge_1RB_Left	20.28	15.08	17.08
n41	80	30	2649.99	DFT	16QAM	Edge_1RB_Right	20.44	15.24	17.24
n41	80	30	2649.99	DFT	16QAM	Outer_Full	21.00	15.80	17.80
n41	80	30	2649.99	DFT	64QAM	Inner_Full	20.49	15.29	17.29
n41	80	30	2649.99	DFT	64QAM	Edge_1RB_Left	19.66	14.46	16.46
n41	80	30	2649.99	DFT	64QAM	Edge_1RB_Right	19.80	14.60	16.60
n41	80	30	2649.99	DFT	64QAM	Outer_Full	20.45	15.25	17.25
n41	80	30	2649.99	DFT	256QAM	Inner_Full	18.51	13.31	15.31
n41	80	30	2649.99	DFT	256QAM	Edge_1RB_Left	17.88	12.68	14.68
n41	80	30	2649.99	DFT	256QAM	Edge_1RB_Right	18.01	12.81	14.81
n41	80	30	2649.99	DFT	256QAM	Outer_Full	18.38	13.18	15.18
n41	80	30	2649.99	CP	QPSK	Inner_Full	21.58	16.38	18.38
n41	80	30	2649.99	CP	QPSK	Edge_1RB_Left	19.58	14.38	16.38
n41	80	30	2649.99	CP	QPSK	Edge_1RB_Right	19.68	14.48	16.48
n41	80	30	2649.99	CP	QPSK	Outer_Full	19.88	14.68	16.68
n41	80	30	2649.99	CP	16QAM	Inner_Full	21.02	15.82	17.82
n41	80	30	2649.99	CP	16QAM	Edge_1RB_Left	19.44	14.24	16.24
n41	80	30	2649.99	CP	16QAM	Edge_1RB_Right	19.62	14.42	16.42
n41	80	30	2649.99	CP	16QAM	Outer_Full	19.93	14.73	16.73
n41	80	30	2649.99	CP	64QAM	Inner_Full	19.49	14.29	16.29
n41	80	30	2649.99	CP	64QAM	Edge_1RB_Left	18.73	13.53	15.53
n41	80	30	2649.99	CP	64QAM	Edge_1RB_Right	18.97	13.77	15.77
n41	80	30	2649.99	CP	64QAM	Outer_Full	19.43	14.23	16.23
n41	80	30	2649.99	CP	256QAM	Inner_Full	16.59	11.39	13.39
n41	80	30	2649.99	CP	256QAM	Edge_1RB_Left	15.84	10.64	12.64
n41	80	30	2649.99	CP	256QAM	Edge_1RB_Right	15.98	10.78	12.78
n41	80	30	2649.99	CP	256QAM	Outer_Full	16.45	11.25	13.25
n41	90	30	2541	DFT	pi/2 BPSK	Inner_Full	23.02	17.82	19.82
n41	90	30	2541	DFT	pi/2 BPSK	Edge_1RB_Left	22.42	17.22	19.22
n41	90	30	2541	DFT	pi/2 BPSK	Edge_1RB_Right	22.08	16.88	18.88
n41	90	30	2541	DFT	pi/2 BPSK	Outer_Full	22.44	17.24	19.24



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	90	30	2541	DFT	QPSK	Inner_Full	23.08	17.88	19.88
n41	90	30	2541	DFT	QPSK	Edge_1RB_Left	21.97	16.77	18.77
n41	90	30	2541	DFT	QPSK	Edge_1RB_Right	21.51	16.31	18.31
n41	90	30	2541	DFT	QPSK	Outer_Full	21.98	16.78	18.78
n41	90	30	2541	DFT	16QAM	Inner_Full	22.04	16.84	18.84
n41	90	30	2541	DFT	16QAM	Edge_1RB_Left	20.64	15.44	17.44
n41	90	30	2541	DFT	16QAM	Edge_1RB_Right	20.30	15.10	17.10
n41	90	30	2541	DFT	16QAM	Outer_Full	20.97	15.77	17.77
n41	90	30	2541	DFT	64QAM	Inner_Full	20.55	15.35	17.35
n41	90	30	2541	DFT	64QAM	Edge_1RB_Left	20.08	14.88	16.88
n41	90	30	2541	DFT	64QAM	Edge_1RB_Right	19.68	14.48	16.48
n41	90	30	2541	DFT	64QAM	Outer_Full	20.46	15.26	17.26
n41	90	30	2541	DFT	256QAM	Inner_Full	18.54	13.34	15.34
n41	90	30	2541	DFT	256QAM	Edge_1RB_Left	18.25	13.05	15.05
n41	90	30	2541	DFT	256QAM	Edge_1RB_Right	17.90	12.70	14.70
n41	90	30	2541	DFT	256QAM	Outer_Full	18.46	13.26	15.26
n41	90	30	2541	CP	QPSK	Inner_Full	21.50	16.30	18.30
n41	90	30	2541	CP	QPSK	Edge_1RB_Left	19.90	14.70	16.70
n41	90	30	2541	CP	QPSK	Edge_1RB_Right	19.61	14.41	16.41
n41	90	30	2541	CP	QPSK	Outer_Full	19.99	14.79	16.79
n41	90	30	2541	CP	16QAM	Inner_Full	20.98	15.78	17.78
n41	90	30	2541	CP	16QAM	Edge_1RB_Left	19.83	14.63	16.63
n41	90	30	2541	CP	16QAM	Edge_1RB_Right	19.47	14.27	16.27
n41	90	30	2541	CP	16QAM	Outer_Full	19.92	14.72	16.72
n41	90	30	2541	CP	64QAM	Inner_Full	19.53	14.33	16.33
n41	90	30	2541	CP	64QAM	Edge_1RB_Left	19.20	14.00	16.00
n41	90	30	2541	CP	64QAM	Edge_1RB_Right	18.81	13.61	15.61
n41	90	30	2541	CP	64QAM	Outer_Full	19.39	14.19	16.19
n41	90	30	2541	CP	256QAM	Inner_Full	16.51	11.31	13.31
n41	90	30	2541	CP	256QAM	Edge_1RB_Left	16.30	11.10	13.10
n41	90	30	2541	CP	256QAM	Edge_1RB_Right	15.82	10.62	12.62
n41	90	30	2541	CP	256QAM	Outer_Full	16.41	11.21	13.21
n41	90	30	2592.99	DFT	pi/2 BPSK	Inner_Full	22.60	17.40	19.40
n41	90	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.26	17.06	19.06
n41	90	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.74	17.54	19.54
n41	90	30	2592.99	DFT	pi/2 BPSK	Outer_Full	22.31	17.11	19.11
n41	90	30	2592.99	DFT	QPSK	Inner_Full	22.68	17.48	19.48
n41	90	30	2592.99	DFT	QPSK	Edge_1RB_Left	21.79	16.59	18.59



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	90	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.21	17.01	19.01
n41	90	30	2592.99	DFT	QPSK	Outer_Full	21.78	16.58	18.58
n41	90	30	2592.99	DFT	16QAM	Inner_Full	21.65	16.45	18.45
n41	90	30	2592.99	DFT	16QAM	Edge_1RB_Left	20.49	15.29	17.29
n41	90	30	2592.99	DFT	16QAM	Edge_1RB_Right	20.97	15.77	17.77
n41	90	30	2592.99	DFT	16QAM	Outer_Full	20.76	15.56	17.56
n41	90	30	2592.99	DFT	64QAM	Inner_Full	20.15	14.95	16.95
n41	90	30	2592.99	DFT	64QAM	Edge_1RB_Left	19.86	14.66	16.66
n41	90	30	2592.99	DFT	64QAM	Edge_1RB_Right	20.28	15.08	17.08
n41	90	30	2592.99	DFT	64QAM	Outer_Full	20.25	15.05	17.05
n41	90	30	2592.99	DFT	256QAM	Inner_Full	18.09	12.89	14.89
n41	90	30	2592.99	DFT	256QAM	Edge_1RB_Left	18.12	12.92	14.92
n41	90	30	2592.99	DFT	256QAM	Edge_1RB_Right	18.55	13.35	15.35
n41	90	30	2592.99	DFT	256QAM	Outer_Full	18.20	13.00	15.00
n41	90	30	2592.99	CP	QPSK	Inner_Full	21.12	15.92	17.92
n41	90	30	2592.99	CP	QPSK	Edge_1RB_Left	19.82	14.62	16.62
n41	90	30	2592.99	CP	QPSK	Edge_1RB_Right	20.22	15.02	17.02
n41	90	30	2592.99	CP	QPSK	Outer_Full	19.77	14.57	16.57
n41	90	30	2592.99	CP	16QAM	Inner_Full	20.57	15.37	17.37
n41	90	30	2592.99	CP	16QAM	Edge_1RB_Left	19.63	14.43	16.43
n41	90	30	2592.99	CP	16QAM	Edge_1RB_Right	20.10	14.90	16.90
n41	90	30	2592.99	CP	16QAM	Outer_Full	19.76	14.56	16.56
n41	90	30	2592.99	CP	64QAM	Inner_Full	19.06	13.86	15.86
n41	90	30	2592.99	CP	64QAM	Edge_1RB_Left	19.01	13.81	15.81
n41	90	30	2592.99	CP	64QAM	Edge_1RB_Right	19.44	14.24	16.24
n41	90	30	2592.99	CP	64QAM	Outer_Full	19.28	14.08	16.08
n41	90	30	2592.99	CP	256QAM	Inner_Full	16.11	10.91	12.91
n41	90	30	2592.99	CP	256QAM	Edge_1RB_Left	16.12	10.92	12.92
n41	90	30	2592.99	CP	256QAM	Edge_1RB_Right	16.59	11.39	13.39
n41	90	30	2592.99	CP	256QAM	Outer_Full	16.21	11.01	13.01
n41	90	30	2644.98	DFT	pi/2 BPSK	Inner_Full	22.96	17.76	19.76
n41	90	30	2644.98	DFT	pi/2 BPSK	Edge_1RB_Left	21.78	16.58	18.58
n41	90	30	2644.98	DFT	pi/2 BPSK	Edge_1RB_Right	22.25	17.05	19.05
n41	90	30	2644.98	DFT	pi/2 BPSK	Outer_Full	22.41	17.21	19.21
n41	90	30	2644.98	DFT	QPSK	Inner_Full	23.04	17.84	19.84
n41	90	30	2644.98	DFT	QPSK	Edge_1RB_Left	21.32	16.12	18.12
n41	90	30	2644.98	DFT	QPSK	Edge_1RB_Right	21.71	16.51	18.51
n41	90	30	2644.98	DFT	QPSK	Outer_Full	21.90	16.70	18.70



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	90	30	2644.98	DFT	16QAM	Inner_Full	22.02	16.82	18.82
n41	90	30	2644.98	DFT	16QAM	Edge_1RB_Left	20.02	14.82	16.82
n41	90	30	2644.98	DFT	16QAM	Edge_1RB_Right	20.51	15.31	17.31
n41	90	30	2644.98	DFT	16QAM	Outer_Full	20.89	15.69	17.69
n41	90	30	2644.98	DFT	64QAM	Inner_Full	20.54	15.34	17.34
n41	90	30	2644.98	DFT	64QAM	Edge_1RB_Left	19.40	14.20	16.20
n41	90	30	2644.98	DFT	64QAM	Edge_1RB_Right	19.82	14.62	16.62
n41	90	30	2644.98	DFT	64QAM	Outer_Full	20.38	15.18	17.18
n41	90	30	2644.98	DFT	256QAM	Inner_Full	18.50	13.30	15.30
n41	90	30	2644.98	DFT	256QAM	Edge_1RB_Left	17.66	12.46	14.46
n41	90	30	2644.98	DFT	256QAM	Edge_1RB_Right	17.98	12.78	14.78
n41	90	30	2644.98	DFT	256QAM	Outer_Full	18.42	13.22	15.22
n41	90	30	2644.98	CP	QPSK	Inner_Full	21.45	16.25	18.25
n41	90	30	2644.98	CP	QPSK	Edge_1RB_Left	19.29	14.09	16.09
n41	90	30	2644.98	CP	QPSK	Edge_1RB_Right	19.78	14.58	16.58
n41	90	30	2644.98	CP	QPSK	Outer_Full	19.86	14.66	16.66
n41	90	30	2644.98	CP	16QAM	Inner_Full	20.97	15.77	17.77
n41	90	30	2644.98	CP	16QAM	Edge_1RB_Left	19.20	14.00	16.00
n41	90	30	2644.98	CP	16QAM	Edge_1RB_Right	19.62	14.42	16.42
n41	90	30	2644.98	CP	16QAM	Outer_Full	19.89	14.69	16.69
n41	90	30	2644.98	CP	64QAM	Inner_Full	19.46	14.26	16.26
n41	90	30	2644.98	CP	64QAM	Edge_1RB_Left	18.47	13.27	15.27
n41	90	30	2644.98	CP	64QAM	Edge_1RB_Right	18.98	13.78	15.78
n41	90	30	2644.98	CP	64QAM	Outer_Full	19.37	14.17	16.17
n41	90	30	2644.98	CP	256QAM	Inner_Full	16.48	11.28	13.28
n41	90	30	2644.98	CP	256QAM	Edge_1RB_Left	15.61	10.41	12.41
n41	90	30	2644.98	CP	256QAM	Edge_1RB_Right	16.09	10.89	12.89
n41	90	30	2644.98	CP	256QAM	Outer_Full	16.34	11.14	13.14
n41	100	30	2546.01	DFT	pi/2 BPSK	Inner_Full	22.91	17.71	19.71
n41	100	30	2546.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.40	17.20	19.20
n41	100	30	2546.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.12	16.92	18.92
n41	100	30	2546.01	DFT	pi/2 BPSK	Outer_Full	22.37	17.17	19.17
n41	100	30	2546.01	DFT	QPSK	Inner_Full	22.92	17.72	19.72
n41	100	30	2546.01	DFT	QPSK	Edge_1RB_Left	21.96	16.76	18.76
n41	100	30	2546.01	DFT	QPSK	Edge_1RB_Right	21.61	16.41	18.41
n41	100	30	2546.01	DFT	QPSK	Outer_Full	21.88	16.68	18.68
n41	100	30	2546.01	DFT	16QAM	Inner_Full	21.99	16.79	18.79
n41	100	30	2546.01	DFT	16QAM	Edge_1RB_Left	20.70	15.50	17.50



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	100	30	2546.01	DFT	16QAM	Edge_1RB_Right	20.47	15.27	17.27
n41	100	30	2546.01	DFT	16QAM	Outer_Full	20.88	15.68	17.68
n41	100	30	2546.01	DFT	64QAM	Inner_Full	20.49	15.29	17.29
n41	100	30	2546.01	DFT	64QAM	Edge_1RB_Left	20.09	14.89	16.89
n41	100	30	2546.01	DFT	64QAM	Edge_1RB_Right	19.75	14.55	16.55
n41	100	30	2546.01	DFT	64QAM	Outer_Full	20.33	15.13	17.13
n41	100	30	2546.01	DFT	256QAM	Inner_Full	18.44	13.24	15.24
n41	100	30	2546.01	DFT	256QAM	Edge_1RB_Left	18.30	13.10	15.10
n41	100	30	2546.01	DFT	256QAM	Edge_1RB_Right	17.90	12.70	14.70
n41	100	30	2546.01	DFT	256QAM	Outer_Full	18.36	13.16	15.16
n41	100	30	2546.01	CP	QPSK	Inner_Full	21.44	16.24	18.24
n41	100	30	2546.01	CP	QPSK	Edge_1RB_Left	19.90	14.70	16.70
n41	100	30	2546.01	CP	QPSK	Edge_1RB_Right	19.60	14.40	16.40
n41	100	30	2546.01	CP	QPSK	Outer_Full	19.84	14.64	16.64
n41	100	30	2546.01	CP	16QAM	Inner_Full	20.96	15.76	17.76
n41	100	30	2546.01	CP	16QAM	Edge_1RB_Left	19.76	14.56	16.56
n41	100	30	2546.01	CP	16QAM	Edge_1RB_Right	19.50	14.30	16.30
n41	100	30	2546.01	CP	16QAM	Outer_Full	19.88	14.68	16.68
n41	100	30	2546.01	CP	64QAM	Inner_Full	19.43	14.23	16.23
n41	100	30	2546.01	CP	64QAM	Edge_1RB_Left	19.14	13.94	15.94
n41	100	30	2546.01	CP	64QAM	Edge_1RB_Right	18.85	13.65	15.65
n41	100	30	2546.01	CP	64QAM	Outer_Full	19.36	14.16	16.16
n41	100	30	2546.01	CP	256QAM	Inner_Full	16.43	11.23	13.23
n41	100	30	2546.01	CP	256QAM	Edge_1RB_Left	16.21	11.01	13.01
n41	100	30	2546.01	CP	256QAM	Edge_1RB_Right	15.91	10.71	12.71
n41	100	30	2546.01	CP	256QAM	Outer_Full	16.42	11.22	13.22
n41	100	30	2592.99	DFT	pi/2 BPSK	Inner_Full	22.61	17.41	19.41
n41	100	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.32	17.12	19.12
n41	100	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.75	17.55	19.55
n41	100	30	2592.99	DFT	pi/2 BPSK	Outer_Full	22.34	17.14	19.14
n41	100	30	2592.99	DFT	QPSK	Inner_Full	22.63	17.43	19.43
n41	100	30	2592.99	DFT	QPSK	Edge_1RB_Left	21.81	16.61	18.61
n41	100	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.28	17.08	19.08
n41	100	30	2592.99	DFT	QPSK	Outer_Full	21.81	16.61	18.61
n41	100	30	2592.99	DFT	16QAM	Inner_Full	21.71	16.51	18.51
n41	100	30	2592.99	DFT	16QAM	Edge_1RB_Left	20.57	15.37	17.37
n41	100	30	2592.99	DFT	16QAM	Edge_1RB_Right	21.00	15.80	17.80
n41	100	30	2592.99	DFT	16QAM	Outer_Full	20.85	15.65	17.65



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	100	30	2592.99	DFT	64QAM	Inner_Full	20.16	14.96	16.96
n41	100	30	2592.99	DFT	64QAM	Edge_1RB_Left	19.97	14.77	16.77
n41	100	30	2592.99	DFT	64QAM	Edge_1RB_Right	20.28	15.08	17.08
n41	100	30	2592.99	DFT	64QAM	Outer_Full	20.32	15.12	17.12
n41	100	30	2592.99	DFT	256QAM	Inner_Full	18.12	12.92	14.92
n41	100	30	2592.99	DFT	256QAM	Edge_1RB_Left	18.16	12.96	14.96
n41	100	30	2592.99	DFT	256QAM	Edge_1RB_Right	18.60	13.40	15.40
n41	100	30	2592.99	DFT	256QAM	Outer_Full	18.27	13.07	15.07
n41	100	30	2592.99	CP	QPSK	Inner_Full	21.11	15.91	17.91
n41	100	30	2592.99	CP	QPSK	Edge_1RB_Left	19.86	14.66	16.66
n41	100	30	2592.99	CP	QPSK	Edge_1RB_Right	20.25	15.05	17.05
n41	100	30	2592.99	CP	QPSK	Outer_Full	19.79	14.59	16.59
n41	100	30	2592.99	CP	16QAM	Inner_Full	20.71	15.51	17.51
n41	100	30	2592.99	CP	16QAM	Edge_1RB_Left	19.70	14.50	16.50
n41	100	30	2592.99	CP	16QAM	Edge_1RB_Right	20.12	14.92	16.92
n41	100	30	2592.99	CP	16QAM	Outer_Full	19.80	14.60	16.60
n41	100	30	2592.99	CP	64QAM	Inner_Full	19.15	13.95	15.95
n41	100	30	2592.99	CP	64QAM	Edge_1RB_Left	19.05	13.85	15.85
n41	100	30	2592.99	CP	64QAM	Edge_1RB_Right	19.44	14.24	16.24
n41	100	30	2592.99	CP	64QAM	Outer_Full	19.29	14.09	16.09
n41	100	30	2592.99	CP	256QAM	Inner_Full	16.16	10.96	12.96
n41	100	30	2592.99	CP	256QAM	Edge_1RB_Left	16.11	10.91	12.91
n41	100	30	2592.99	CP	256QAM	Edge_1RB_Right	16.56	11.36	13.36
n41	100	30	2592.99	CP	256QAM	Outer_Full	16.29	11.09	13.09
n41	100	30	2640	DFT	pi/2 BPSK	Inner_Full	23.05	17.85	19.85
n41	100	30	2640	DFT	pi/2 BPSK	Edge_1RB_Left	21.69	16.49	18.49
n41	100	30	2640	DFT	pi/2 BPSK	Edge_1RB_Right	22.28	17.08	19.08
n41	100	30	2640	DFT	pi/2 BPSK	Outer_Full	22.37	17.17	19.17
n41	100	30	2640	DFT	QPSK	Inner_Full	23.03	17.83	19.83
n41	100	30	2640	DFT	QPSK	Edge_1RB_Left	21.21	16.01	18.01
n41	100	30	2640	DFT	QPSK	Edge_1RB_Right	21.78	16.58	18.58
n41	100	30	2640	DFT	QPSK	Outer_Full	21.93	16.73	18.73
n41	100	30	2640	DFT	16QAM	Inner_Full	22.07	16.87	18.87
n41	100	30	2640	DFT	16QAM	Edge_1RB_Left	20.01	14.81	16.81
n41	100	30	2640	DFT	16QAM	Edge_1RB_Right	20.60	15.40	17.40
n41	100	30	2640	DFT	16QAM	Outer_Full	20.89	15.69	17.69
n41	100	30	2640	DFT	64QAM	Inner_Full	20.56	15.36	17.36
n41	100	30	2640	DFT	64QAM	Edge_1RB_Left	19.39	14.19	16.19



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	100	30	2640	DFT	64QAM	Edge_1RB_Right	19.95	14.75	16.75
n41	100	30	2640	DFT	64QAM	Outer_Full	20.34	15.14	17.14
n41	100	30	2640	DFT	256QAM	Inner_Full	18.49	13.29	15.29
n41	100	30	2640	DFT	256QAM	Edge_1RB_Left	17.51	12.31	14.31
n41	100	30	2640	DFT	256QAM	Edge_1RB_Right	18.11	12.91	14.91
n41	100	30	2640	DFT	256QAM	Outer_Full	18.36	13.16	15.16
n41	100	30	2640	CP	QPSK	Inner_Full	21.50	16.30	18.30
n41	100	30	2640	CP	QPSK	Edge_1RB_Left	19.18	13.98	15.98
n41	100	30	2640	CP	QPSK	Edge_1RB_Right	19.77	14.57	16.57
n41	100	30	2640	CP	QPSK	Outer_Full	19.81	14.61	16.61
n41	100	30	2640	CP	16QAM	Inner_Full	21.09	15.89	17.89
n41	100	30	2640	CP	16QAM	Edge_1RB_Left	19.09	13.89	15.89
n41	100	30	2640	CP	16QAM	Edge_1RB_Right	19.71	14.51	16.51
n41	100	30	2640	CP	16QAM	Outer_Full	19.86	14.66	16.66
n41	100	30	2640	CP	64QAM	Inner_Full	19.55	14.35	16.35
n41	100	30	2640	CP	64QAM	Edge_1RB_Left	18.42	13.22	15.22
n41	100	30	2640	CP	64QAM	Edge_1RB_Right	19.08	13.88	15.88
n41	100	30	2640	CP	64QAM	Outer_Full	19.38	14.18	16.18
n41	100	30	2640	CP	256QAM	Inner_Full	16.53	11.33	13.33
n41	100	30	2640	CP	256QAM	Edge_1RB_Left	15.48	10.28	12.28
n41	100	30	2640	CP	256QAM	Edge_1RB_Right	16.18	10.98	12.98
n41	100	30	2640	CP	256QAM	Outer_Full	16.36	11.16	13.16



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n66	5	15	1712.5	DFT	pi/2 BPSK	Inner_Full	23.06	20.26	19.86
n66	5	15	1712.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.56	19.76	19.36
n66	5	15	1712.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.57	19.77	19.37
n66	5	15	1712.5	DFT	pi/2 BPSK	Outer_Full	22.61	19.81	19.41
n66	5	15	1712.5	DFT	QPSK	Inner_Full	23.06	20.26	19.86
n66	5	15	1712.5	DFT	QPSK	Edge_1RB_Left	22.12	19.32	18.92
n66	5	15	1712.5	DFT	QPSK	Edge_1RB_Right	22.07	19.27	18.87
n66	5	15	1712.5	DFT	QPSK	Outer_Full	22.17	19.37	18.97
n66	5	15	1712.5	DFT	16QAM	Inner_Full	22.12	19.32	18.92
n66	5	15	1712.5	DFT	16QAM	Edge_1RB_Left	21.38	18.58	18.18
n66	5	15	1712.5	DFT	16QAM	Edge_1RB_Right	21.40	18.60	18.20
n66	5	15	1712.5	DFT	16QAM	Outer_Full	21.14	18.34	17.94
n66	5	15	1712.5	DFT	64QAM	Inner_Full	20.70	17.90	17.50
n66	5	15	1712.5	DFT	64QAM	Edge_1RB_Left	20.44	17.64	17.24
n66	5	15	1712.5	DFT	64QAM	Edge_1RB_Right	20.42	17.62	17.22
n66	5	15	1712.5	DFT	64QAM	Outer_Full	20.74	17.94	17.54
n66	5	15	1712.5	DFT	256QAM	Inner_Full	18.52	15.72	15.32
n66	5	15	1712.5	DFT	256QAM	Edge_1RB_Left	18.28	15.48	15.08
n66	5	15	1712.5	DFT	256QAM	Edge_1RB_Right	18.33	15.53	15.13
n66	5	15	1712.5	DFT	256QAM	Outer_Full	18.46	15.66	15.26
n66	5	15	1712.5	CP	QPSK	Inner_Full	21.56	18.76	18.36
n66	5	15	1712.5	CP	QPSK	Edge_1RB_Left	20.03	17.23	16.83
n66	5	15	1712.5	CP	QPSK	Edge_1RB_Right	20.04	17.24	16.84
n66	5	15	1712.5	CP	QPSK	Outer_Full	20.04	17.24	16.84
n66	5	15	1712.5	CP	16QAM	Inner_Full	21.25	18.45	18.05
n66	5	15	1712.5	CP	16QAM	Edge_1RB_Left	20.47	17.67	17.27
n66	5	15	1712.5	CP	16QAM	Edge_1RB_Right	20.43	17.63	17.23
n66	5	15	1712.5	CP	16QAM	Outer_Full	20.00	17.20	16.80
n66	5	15	1712.5	CP	64QAM	Inner_Full	19.46	16.66	16.26
n66	5	15	1712.5	CP	64QAM	Edge_1RB_Left	19.28	16.48	16.08
n66	5	15	1712.5	CP	64QAM	Edge_1RB_Right	19.32	16.52	16.12
n66	5	15	1712.5	CP	64QAM	Outer_Full	19.61	16.81	16.41
n66	5	15	1712.5	CP	256QAM	Inner_Full	16.60	13.80	13.40
n66	5	15	1712.5	CP	256QAM	Edge_1RB_Left	16.36	13.56	13.16
n66	5	15	1712.5	CP	256QAM	Edge_1RB_Right	16.39	13.59	13.19
n66	5	15	1712.5	CP	256QAM	Outer_Full	16.58	13.78	13.38
n66	5	15	1745	DFT	pi/2 BPSK	Inner_Full	23.10	20.30	19.90
n66	5	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	22.53	19.73	19.33



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n66	5	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	22.46	19.66	19.26
n66	5	15	1745	DFT	pi/2 BPSK	Outer_Full	22.50	19.70	19.30
n66	5	15	1745	DFT	QPSK	Inner_Full	23.03	20.23	19.83
n66	5	15	1745	DFT	QPSK	Edge_1RB_Left	21.98	19.18	18.78
n66	5	15	1745	DFT	QPSK	Edge_1RB_Right	21.99	19.19	18.79
n66	5	15	1745	DFT	QPSK	Outer_Full	22.05	19.25	18.85
n66	5	15	1745	DFT	16QAM	Inner_Full	22.00	19.20	18.80
n66	5	15	1745	DFT	16QAM	Edge_1RB_Left	21.32	18.52	18.12
n66	5	15	1745	DFT	16QAM	Edge_1RB_Right	21.27	18.47	18.07
n66	5	15	1745	DFT	16QAM	Outer_Full	21.01	18.21	17.81
n66	5	15	1745	DFT	64QAM	Inner_Full	20.60	17.80	17.40
n66	5	15	1745	DFT	64QAM	Edge_1RB_Left	20.38	17.58	17.18
n66	5	15	1745	DFT	64QAM	Edge_1RB_Right	20.41	17.61	17.21
n66	5	15	1745	DFT	64QAM	Outer_Full	20.63	17.83	17.43
n66	5	15	1745	DFT	256QAM	Inner_Full	18.57	15.77	15.37
n66	5	15	1745	DFT	256QAM	Edge_1RB_Left	18.34	15.54	15.14
n66	5	15	1745	DFT	256QAM	Edge_1RB_Right	18.36	15.56	15.16
n66	5	15	1745	DFT	256QAM	Outer_Full	18.40	15.60	15.20
n66	5	15	1745	CP	QPSK	Inner_Full	21.59	18.79	18.39
n66	5	15	1745	CP	QPSK	Edge_1RB_Left	20.07	17.27	16.87
n66	5	15	1745	CP	QPSK	Edge_1RB_Right	19.94	17.14	16.74
n66	5	15	1745	CP	QPSK	Outer_Full	19.93	17.13	16.73
n66	5	15	1745	CP	16QAM	Inner_Full	21.16	18.36	17.96
n66	5	15	1745	CP	16QAM	Edge_1RB_Left	20.42	17.62	17.22
n66	5	15	1745	CP	16QAM	Edge_1RB_Right	20.36	17.56	17.16
n66	5	15	1745	CP	16QAM	Outer_Full	19.95	17.15	16.75
n66	5	15	1745	CP	64QAM	Inner_Full	19.42	16.62	16.22
n66	5	15	1745	CP	64QAM	Edge_1RB_Left	19.19	16.39	15.99
n66	5	15	1745	CP	64QAM	Edge_1RB_Right	19.25	16.45	16.05
n66	5	15	1745	CP	64QAM	Outer_Full	19.48	16.68	16.28
n66	5	15	1745	CP	256QAM	Inner_Full	16.56	13.76	13.36
n66	5	15	1745	CP	256QAM	Edge_1RB_Left	16.31	13.51	13.11
n66	5	15	1745	CP	256QAM	Edge_1RB_Right	16.39	13.59	13.19
n66	5	15	1745	CP	256QAM	Outer_Full	16.60	13.80	13.40
n66	5	15	1777.5	DFT	pi/2 BPSK	Inner_Full	23.00	20.20	19.80
n66	5	15	1777.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.37	19.57	19.17
n66	5	15	1777.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.36	19.56	19.16
n66	5	15	1777.5	DFT	pi/2 BPSK	Outer_Full	22.46	19.66	19.26



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n66	5	15	1777.5	DFT	QPSK	Inner_Full	22.95	20.15	19.75
n66	5	15	1777.5	DFT	QPSK	Edge_1RB_Left	21.97	19.17	18.77
n66	5	15	1777.5	DFT	QPSK	Edge_1RB_Right	21.97	19.17	18.77
n66	5	15	1777.5	DFT	QPSK	Outer_Full	22.01	19.21	18.81
n66	5	15	1777.5	DFT	16QAM	Inner_Full	22.00	19.20	18.80
n66	5	15	1777.5	DFT	16QAM	Edge_1RB_Left	21.26	18.46	18.06
n66	5	15	1777.5	DFT	16QAM	Edge_1RB_Right	21.22	18.42	18.02
n66	5	15	1777.5	DFT	16QAM	Outer_Full	20.92	18.12	17.72
n66	5	15	1777.5	DFT	64QAM	Inner_Full	20.52	17.72	17.32
n66	5	15	1777.5	DFT	64QAM	Edge_1RB_Left	20.31	17.51	17.11
n66	5	15	1777.5	DFT	64QAM	Edge_1RB_Right	20.26	17.46	17.06
n66	5	15	1777.5	DFT	64QAM	Outer_Full	20.55	17.75	17.35
n66	5	15	1777.5	DFT	256QAM	Inner_Full	18.53	15.73	15.33
n66	5	15	1777.5	DFT	256QAM	Edge_1RB_Left	18.13	15.33	14.93
n66	5	15	1777.5	DFT	256QAM	Edge_1RB_Right	18.13	15.33	14.93
n66	5	15	1777.5	DFT	256QAM	Outer_Full	18.33	15.53	15.13
n66	5	15	1777.5	CP	QPSK	Inner_Full	21.51	18.71	18.31
n66	5	15	1777.5	CP	QPSK	Edge_1RB_Left	19.90	17.10	16.70
n66	5	15	1777.5	CP	QPSK	Edge_1RB_Right	19.82	17.02	16.62
n66	5	15	1777.5	CP	QPSK	Outer_Full	19.84	17.04	16.64
n66	5	15	1777.5	CP	16QAM	Inner_Full	21.10	18.30	17.90
n66	5	15	1777.5	CP	16QAM	Edge_1RB_Left	20.43	17.63	17.23
n66	5	15	1777.5	CP	16QAM	Edge_1RB_Right	20.32	17.52	17.12
n66	5	15	1777.5	CP	16QAM	Outer_Full	19.87	17.07	16.67
n66	5	15	1777.5	CP	64QAM	Inner_Full	19.36	16.56	16.16
n66	5	15	1777.5	CP	64QAM	Edge_1RB_Left	19.22	16.42	16.02
n66	5	15	1777.5	CP	64QAM	Edge_1RB_Right	19.19	16.39	15.99
n66	5	15	1777.5	CP	64QAM	Outer_Full	19.40	16.60	16.20
n66	5	15	1777.5	CP	256QAM	Inner_Full	16.44	13.64	13.24
n66	5	15	1777.5	CP	256QAM	Edge_1RB_Left	16.21	13.41	13.01
n66	5	15	1777.5	CP	256QAM	Edge_1RB_Right	16.25	13.45	13.05
n66	5	15	1777.5	CP	256QAM	Outer_Full	16.46	13.66	13.26
n66	10	15	1715	DFT	pi/2 BPSK	Inner_Full	23.06	20.26	19.86
n66	10	15	1715	DFT	pi/2 BPSK	Edge_1RB_Left	22.50	19.70	19.30
n66	10	15	1715	DFT	pi/2 BPSK	Edge_1RB_Right	22.50	19.70	19.30
n66	10	15	1715	DFT	pi/2 BPSK	Outer_Full	22.66	19.86	19.46
n66	10	15	1715	DFT	QPSK	Inner_Full	23.14	20.34	19.94
n66	10	15	1715	DFT	QPSK	Edge_1RB_Left	22.12	19.32	18.92



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n66	10	15	1715	DFT	QPSK	Edge_1RB_Right	22.06	19.26	18.86
n66	10	15	1715	DFT	QPSK	Outer_Full	22.11	19.31	18.91
n66	10	15	1715	DFT	16QAM	Inner_Full	22.12	19.32	18.92
n66	10	15	1715	DFT	16QAM	Edge_1RB_Left	21.35	18.55	18.15
n66	10	15	1715	DFT	16QAM	Edge_1RB_Right	21.39	18.59	18.19
n66	10	15	1715	DFT	16QAM	Outer_Full	21.03	18.23	17.83
n66	10	15	1715	DFT	64QAM	Inner_Full	20.70	17.90	17.50
n66	10	15	1715	DFT	64QAM	Edge_1RB_Left	20.47	17.67	17.27
n66	10	15	1715	DFT	64QAM	Edge_1RB_Right	20.42	17.62	17.22
n66	10	15	1715	DFT	64QAM	Outer_Full	20.63	17.83	17.43
n66	10	15	1715	DFT	256QAM	Inner_Full	18.50	15.70	15.30
n66	10	15	1715	DFT	256QAM	Edge_1RB_Left	18.30	15.50	15.10
n66	10	15	1715	DFT	256QAM	Edge_1RB_Right	18.30	15.50	15.10
n66	10	15	1715	DFT	256QAM	Outer_Full	18.58	15.78	15.38
n66	10	15	1715	CP	QPSK	Inner_Full	21.53	18.73	18.33
n66	10	15	1715	CP	QPSK	Edge_1RB_Left	19.96	17.16	16.76
n66	10	15	1715	CP	QPSK	Edge_1RB_Right	19.98	17.18	16.78
n66	10	15	1715	CP	QPSK	Outer_Full	20.07	17.27	16.87
n66	10	15	1715	CP	16QAM	Inner_Full	21.15	18.35	17.95
n66	10	15	1715	CP	16QAM	Edge_1RB_Left	20.44	17.64	17.24
n66	10	15	1715	CP	16QAM	Edge_1RB_Right	20.42	17.62	17.22
n66	10	15	1715	CP	16QAM	Outer_Full	20.08	17.28	16.88
n66	10	15	1715	CP	64QAM	Inner_Full	19.63	16.83	16.43
n66	10	15	1715	CP	64QAM	Edge_1RB_Left	19.31	16.51	16.11
n66	10	15	1715	CP	64QAM	Edge_1RB_Right	19.34	16.54	16.14
n66	10	15	1715	CP	64QAM	Outer_Full	19.65	16.85	16.45
n66	10	15	1715	CP	256QAM	Inner_Full	16.55	13.75	13.35
n66	10	15	1715	CP	256QAM	Edge_1RB_Left	16.37	13.57	13.17
n66	10	15	1715	CP	256QAM	Edge_1RB_Right	16.30	13.50	13.10
n66	10	15	1715	CP	256QAM	Outer_Full	16.54	13.74	13.34
n66	10	15	1745	DFT	pi/2 BPSK	Inner_Full	23.11	20.31	19.91
n66	10	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	22.46	19.66	19.26
n66	10	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	22.44	19.64	19.24
n66	10	15	1745	DFT	pi/2 BPSK	Outer_Full	22.51	19.71	19.31
n66	10	15	1745	DFT	QPSK	Inner_Full	23.09	20.29	19.89
n66	10	15	1745	DFT	QPSK	Edge_1RB_Left	21.97	19.17	18.77
n66	10	15	1745	DFT	QPSK	Edge_1RB_Right	21.94	19.14	18.74
n66	10	15	1745	DFT	QPSK	Outer_Full	22.13	19.33	18.93



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n66	10	15	1745	DFT	16QAM	Inner_Full	22.07	19.27	18.87
n66	10	15	1745	DFT	16QAM	Edge_1RB_Left	21.26	18.46	18.06
n66	10	15	1745	DFT	16QAM	Edge_1RB_Right	21.27	18.47	18.07
n66	10	15	1745	DFT	16QAM	Outer_Full	20.96	18.16	17.76
n66	10	15	1745	DFT	64QAM	Inner_Full	20.65	17.85	17.45
n66	10	15	1745	DFT	64QAM	Edge_1RB_Left	20.41	17.61	17.21
n66	10	15	1745	DFT	64QAM	Edge_1RB_Right	20.32	17.52	17.12
n66	10	15	1745	DFT	64QAM	Outer_Full	20.57	17.77	17.37
n66	10	15	1745	DFT	256QAM	Inner_Full	18.53	15.73	15.33
n66	10	15	1745	DFT	256QAM	Edge_1RB_Left	18.23	15.43	15.03
n66	10	15	1745	DFT	256QAM	Edge_1RB_Right	18.17	15.37	14.97
n66	10	15	1745	DFT	256QAM	Outer_Full	18.49	15.69	15.29
n66	10	15	1745	CP	QPSK	Inner_Full	21.59	18.79	18.39
n66	10	15	1745	CP	QPSK	Edge_1RB_Left	19.93	17.13	16.73
n66	10	15	1745	CP	QPSK	Edge_1RB_Right	19.91	17.11	16.71
n66	10	15	1745	CP	QPSK	Outer_Full	19.96	17.16	16.76
n66	10	15	1745	CP	16QAM	Inner_Full	21.12	18.32	17.92
n66	10	15	1745	CP	16QAM	Edge_1RB_Left	20.39	17.59	17.19
n66	10	15	1745	CP	16QAM	Edge_1RB_Right	20.38	17.58	17.18
n66	10	15	1745	CP	16QAM	Outer_Full	20.00	17.20	16.80
n66	10	15	1745	CP	64QAM	Inner_Full	19.57	16.77	16.37
n66	10	15	1745	CP	64QAM	Edge_1RB_Left	19.14	16.34	15.94
n66	10	15	1745	CP	64QAM	Edge_1RB_Right	19.18	16.38	15.98
n66	10	15	1745	CP	64QAM	Outer_Full	19.56	16.76	16.36
n66	10	15	1745	CP	256QAM	Inner_Full	16.50	13.70	13.30
n66	10	15	1745	CP	256QAM	Edge_1RB_Left	16.25	13.45	13.05
n66	10	15	1745	CP	256QAM	Edge_1RB_Right	16.25	13.45	13.05
n66	10	15	1745	CP	256QAM	Outer_Full	16.45	13.65	13.25
n66	10	15	1775	DFT	pi/2 BPSK	Inner_Full	23.00	20.20	19.80
n66	10	15	1775	DFT	pi/2 BPSK	Edge_1RB_Left	22.38	19.58	19.18
n66	10	15	1775	DFT	pi/2 BPSK	Edge_1RB_Right	22.31	19.51	19.11
n66	10	15	1775	DFT	pi/2 BPSK	Outer_Full	22.49	19.69	19.29
n66	10	15	1775	DFT	QPSK	Inner_Full	22.96	20.16	19.76
n66	10	15	1775	DFT	QPSK	Edge_1RB_Left	21.94	19.14	18.74
n66	10	15	1775	DFT	QPSK	Edge_1RB_Right	21.88	19.08	18.68
n66	10	15	1775	DFT	QPSK	Outer_Full	21.98	19.18	18.78
n66	10	15	1775	DFT	16QAM	Inner_Full	21.94	19.14	18.74
n66	10	15	1775	DFT	16QAM	Edge_1RB_Left	21.19	18.39	17.99



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n66	10	15	1775	DFT	16QAM	Edge_1RB_Right	21.21	18.41	18.01
n66	10	15	1775	DFT	16QAM	Outer_Full	20.87	18.07	17.67
n66	10	15	1775	DFT	64QAM	Inner_Full	20.59	17.79	17.39
n66	10	15	1775	DFT	64QAM	Edge_1RB_Left	20.31	17.51	17.11
n66	10	15	1775	DFT	64QAM	Edge_1RB_Right	20.30	17.50	17.10
n66	10	15	1775	DFT	64QAM	Outer_Full	20.49	17.69	17.29
n66	10	15	1775	DFT	256QAM	Inner_Full	18.41	15.61	15.21
n66	10	15	1775	DFT	256QAM	Edge_1RB_Left	18.13	15.33	14.93
n66	10	15	1775	DFT	256QAM	Edge_1RB_Right	18.12	15.32	14.92
n66	10	15	1775	DFT	256QAM	Outer_Full	18.34	15.54	15.14
n66	10	15	1775	CP	QPSK	Inner_Full	21.53	18.73	18.33
n66	10	15	1775	CP	QPSK	Edge_1RB_Left	19.87	17.07	16.67
n66	10	15	1775	CP	QPSK	Edge_1RB_Right	19.85	17.05	16.65
n66	10	15	1775	CP	QPSK	Outer_Full	19.87	17.07	16.67
n66	10	15	1775	CP	16QAM	Inner_Full	21.01	18.21	17.81
n66	10	15	1775	CP	16QAM	Edge_1RB_Left	20.29	17.49	17.09
n66	10	15	1775	CP	16QAM	Edge_1RB_Right	20.30	17.50	17.10
n66	10	15	1775	CP	16QAM	Outer_Full	19.91	17.11	16.71
n66	10	15	1775	CP	64QAM	Inner_Full	19.45	16.65	16.25
n66	10	15	1775	CP	64QAM	Edge_1RB_Left	19.15	16.35	15.95
n66	10	15	1775	CP	64QAM	Edge_1RB_Right	19.16	16.36	15.96
n66	10	15	1775	CP	64QAM	Outer_Full	19.45	16.65	16.25
n66	10	15	1775	CP	256QAM	Inner_Full	16.43	13.63	13.23
n66	10	15	1775	CP	256QAM	Edge_1RB_Left	16.26	13.46	13.06
n66	10	15	1775	CP	256QAM	Edge_1RB_Right	16.15	13.35	12.95
n66	10	15	1775	CP	256QAM	Outer_Full	16.43	13.63	13.23
n66	15	15	1717.5	DFT	pi/2 BPSK	Inner_Full	23.14	20.34	19.94
n66	15	15	1717.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.68	19.88	19.48
n66	15	15	1717.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.65	19.85	19.45
n66	15	15	1717.5	DFT	pi/2 BPSK	Outer_Full	22.69	19.89	19.49
n66	15	15	1717.5	DFT	QPSK	Inner_Full	23.22	20.42	20.02
n66	15	15	1717.5	DFT	QPSK	Edge_1RB_Left	22.23	19.43	19.03
n66	15	15	1717.5	DFT	QPSK	Edge_1RB_Right	22.25	19.45	19.05
n66	15	15	1717.5	DFT	QPSK	Outer_Full	22.20	19.40	19.00
n66	15	15	1717.5	DFT	16QAM	Inner_Full	22.20	19.40	19.00
n66	15	15	1717.5	DFT	16QAM	Edge_1RB_Left	21.53	18.73	18.33
n66	15	15	1717.5	DFT	16QAM	Edge_1RB_Right	21.58	18.78	18.38
n66	15	15	1717.5	DFT	16QAM	Outer_Full	21.23	18.43	18.03



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n66	15	15	1717.5	DFT	64QAM	Inner_Full	20.76	17.96	17.56
n66	15	15	1717.5	DFT	64QAM	Edge_1RB_Left	20.58	17.78	17.38
n66	15	15	1717.5	DFT	64QAM	Edge_1RB_Right	20.60	17.80	17.40
n66	15	15	1717.5	DFT	64QAM	Outer_Full	20.80	18.00	17.60
n66	15	15	1717.5	DFT	256QAM	Inner_Full	18.71	15.91	15.51
n66	15	15	1717.5	DFT	256QAM	Edge_1RB_Left	18.43	15.63	15.23
n66	15	15	1717.5	DFT	256QAM	Edge_1RB_Right	18.48	15.68	15.28
n66	15	15	1717.5	DFT	256QAM	Outer_Full	18.65	15.85	15.45
n66	15	15	1717.5	CP	QPSK	Inner_Full	21.66	18.86	18.46
n66	15	15	1717.5	CP	QPSK	Edge_1RB_Left	20.16	17.36	16.96
n66	15	15	1717.5	CP	QPSK	Edge_1RB_Right	20.16	17.36	16.96
n66	15	15	1717.5	CP	QPSK	Outer_Full	20.22	17.42	17.02
n66	15	15	1717.5	CP	16QAM	Inner_Full	21.16	18.36	17.96
n66	15	15	1717.5	CP	16QAM	Edge_1RB_Left	20.63	17.83	17.43
n66	15	15	1717.5	CP	16QAM	Edge_1RB_Right	20.63	17.83	17.43
n66	15	15	1717.5	CP	16QAM	Outer_Full	20.18	17.38	16.98
n66	15	15	1717.5	CP	64QAM	Inner_Full	19.73	16.93	16.53
n66	15	15	1717.5	CP	64QAM	Edge_1RB_Left	19.43	16.63	16.23
n66	15	15	1717.5	CP	64QAM	Edge_1RB_Right	19.47	16.67	16.27
n66	15	15	1717.5	CP	64QAM	Outer_Full	19.71	16.91	16.51
n66	15	15	1717.5	CP	256QAM	Inner_Full	16.68	13.88	13.48
n66	15	15	1717.5	CP	256QAM	Edge_1RB_Left	16.52	13.72	13.32
n66	15	15	1717.5	CP	256QAM	Edge_1RB_Right	16.61	13.81	13.41
n66	15	15	1717.5	CP	256QAM	Outer_Full	16.73	13.93	13.53
n66	15	15	1745	DFT	pi/2 BPSK	Inner_Full	23.17	20.37	19.97
n66	15	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	22.59	19.79	19.39
n66	15	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	22.56	19.76	19.36
n66	15	15	1745	DFT	pi/2 BPSK	Outer_Full	22.68	19.88	19.48
n66	15	15	1745	DFT	QPSK	Inner_Full	23.21	20.41	20.01
n66	15	15	1745	DFT	QPSK	Edge_1RB_Left	22.18	19.38	18.98
n66	15	15	1745	DFT	QPSK	Edge_1RB_Right	22.17	19.37	18.97
n66	15	15	1745	DFT	QPSK	Outer_Full	22.15	19.35	18.95
n66	15	15	1745	DFT	16QAM	Inner_Full	22.11	19.31	18.91
n66	15	15	1745	DFT	16QAM	Edge_1RB_Left	21.49	18.69	18.29
n66	15	15	1745	DFT	16QAM	Edge_1RB_Right	21.42	18.62	18.22
n66	15	15	1745	DFT	16QAM	Outer_Full	21.15	18.35	17.95
n66	15	15	1745	DFT	64QAM	Inner_Full	20.70	17.90	17.50
n66	15	15	1745	DFT	64QAM	Edge_1RB_Left	20.54	17.74	17.34



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n66	15	15	1745	DFT	64QAM	Edge_1RB_Right	20.47	17.67	17.27
n66	15	15	1745	DFT	64QAM	Outer_Full	20.73	17.93	17.53
n66	15	15	1745	DFT	256QAM	Inner_Full	18.71	15.91	15.51
n66	15	15	1745	DFT	256QAM	Edge_1RB_Left	18.41	15.61	15.21
n66	15	15	1745	DFT	256QAM	Edge_1RB_Right	18.37	15.57	15.17
n66	15	15	1745	DFT	256QAM	Outer_Full	18.56	15.76	15.36
n66	15	15	1745	CP	QPSK	Inner_Full	21.69	18.89	18.49
n66	15	15	1745	CP	QPSK	Edge_1RB_Left	20.10	17.30	16.90
n66	15	15	1745	CP	QPSK	Edge_1RB_Right	20.02	17.22	16.82
n66	15	15	1745	CP	QPSK	Outer_Full	20.15	17.35	16.95
n66	15	15	1745	CP	16QAM	Inner_Full	21.17	18.37	17.97
n66	15	15	1745	CP	16QAM	Edge_1RB_Left	20.53	17.73	17.33
n66	15	15	1745	CP	16QAM	Edge_1RB_Right	20.53	17.73	17.33
n66	15	15	1745	CP	16QAM	Outer_Full	20.10	17.30	16.90
n66	15	15	1745	CP	64QAM	Inner_Full	19.66	16.86	16.46
n66	15	15	1745	CP	64QAM	Edge_1RB_Left	19.36	16.56	16.16
n66	15	15	1745	CP	64QAM	Edge_1RB_Right	19.38	16.58	16.18
n66	15	15	1745	CP	64QAM	Outer_Full	19.63	16.83	16.43
n66	15	15	1745	CP	256QAM	Inner_Full	16.60	13.80	13.40
n66	15	15	1745	CP	256QAM	Edge_1RB_Left	16.49	13.69	13.29
n66	15	15	1745	CP	256QAM	Edge_1RB_Right	16.44	13.64	13.24
n66	15	15	1745	CP	256QAM	Outer_Full	16.61	13.81	13.41
n66	15	15	1772.5	DFT	pi/2 BPSK	Inner_Full	23.07	20.27	19.87
n66	15	15	1772.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.51	19.71	19.31
n66	15	15	1772.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.51	19.71	19.31
n66	15	15	1772.5	DFT	pi/2 BPSK	Outer_Full	22.61	19.81	19.41
n66	15	15	1772.5	DFT	QPSK	Inner_Full	23.10	20.30	19.90
n66	15	15	1772.5	DFT	QPSK	Edge_1RB_Left	22.09	19.29	18.89
n66	15	15	1772.5	DFT	QPSK	Edge_1RB_Right	22.12	19.32	18.92
n66	15	15	1772.5	DFT	QPSK	Outer_Full	22.07	19.27	18.87
n66	15	15	1772.5	DFT	16QAM	Inner_Full	22.07	19.27	18.87
n66	15	15	1772.5	DFT	16QAM	Edge_1RB_Left	21.40	18.60	18.20
n66	15	15	1772.5	DFT	16QAM	Edge_1RB_Right	21.36	18.56	18.16
n66	15	15	1772.5	DFT	16QAM	Outer_Full	21.10	18.30	17.90
n66	15	15	1772.5	DFT	64QAM	Inner_Full	20.58	17.78	17.38
n66	15	15	1772.5	DFT	64QAM	Edge_1RB_Left	20.45	17.65	17.25
n66	15	15	1772.5	DFT	64QAM	Edge_1RB_Right	20.45	17.65	17.25
n66	15	15	1772.5	DFT	64QAM	Outer_Full	20.66	17.86	17.46



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n66	15	15	1772.5	DFT	256QAM	Inner_Full	18.65	15.85	15.45
n66	15	15	1772.5	DFT	256QAM	Edge_1RB_Left	18.27	15.47	15.07
n66	15	15	1772.5	DFT	256QAM	Edge_1RB_Right	18.27	15.47	15.07
n66	15	15	1772.5	DFT	256QAM	Outer_Full	18.50	15.70	15.30
n66	15	15	1772.5	CP	QPSK	Inner_Full	21.52	18.72	18.32
n66	15	15	1772.5	CP	QPSK	Edge_1RB_Left	20.02	17.22	16.82
n66	15	15	1772.5	CP	QPSK	Edge_1RB_Right	19.98	17.18	16.78
n66	15	15	1772.5	CP	QPSK	Outer_Full	20.05	17.25	16.85
n66	15	15	1772.5	CP	16QAM	Inner_Full	21.05	18.25	17.85
n66	15	15	1772.5	CP	16QAM	Edge_1RB_Left	20.48	17.68	17.28
n66	15	15	1772.5	CP	16QAM	Edge_1RB_Right	20.43	17.63	17.23
n66	15	15	1772.5	CP	16QAM	Outer_Full	20.00	17.20	16.80
n66	15	15	1772.5	CP	64QAM	Inner_Full	19.59	16.79	16.39
n66	15	15	1772.5	CP	64QAM	Edge_1RB_Left	19.31	16.51	16.11
n66	15	15	1772.5	CP	64QAM	Edge_1RB_Right	19.29	16.49	16.09
n66	15	15	1772.5	CP	64QAM	Outer_Full	19.56	16.76	16.36
n66	15	15	1772.5	CP	256QAM	Inner_Full	16.54	13.74	13.34
n66	15	15	1772.5	CP	256QAM	Edge_1RB_Left	16.37	13.57	13.17
n66	15	15	1772.5	CP	256QAM	Edge_1RB_Right	16.37	13.57	13.17
n66	15	15	1772.5	CP	256QAM	Outer_Full	16.51	13.71	13.31
n66	20	15	1720	DFT	pi/2 BPSK	Inner_Full	23.20	20.40	20.00
n66	20	15	1720	DFT	pi/2 BPSK	Edge_1RB_Left	22.67	19.87	19.47
n66	20	15	1720	DFT	pi/2 BPSK	Edge_1RB_Right	22.67	19.87	19.47
n66	20	15	1720	DFT	pi/2 BPSK	Outer_Full	22.72	19.92	19.52
n66	20	15	1720	DFT	QPSK	Inner_Full	23.27	20.47	20.07
n66	20	15	1720	DFT	QPSK	Edge_1RB_Left	22.24	19.44	19.04
n66	20	15	1720	DFT	QPSK	Edge_1RB_Right	22.26	19.46	19.06
n66	20	15	1720	DFT	QPSK	Outer_Full	22.24	19.44	19.04
n66	20	15	1720	DFT	16QAM	Inner_Full	22.20	19.40	19.00
n66	20	15	1720	DFT	16QAM	Edge_1RB_Left	21.55	18.75	18.35
n66	20	15	1720	DFT	16QAM	Edge_1RB_Right	21.47	18.67	18.27
n66	20	15	1720	DFT	16QAM	Outer_Full	21.27	18.47	18.07
n66	20	15	1720	DFT	64QAM	Inner_Full	20.77	17.97	17.57
n66	20	15	1720	DFT	64QAM	Edge_1RB_Left	20.55	17.75	17.35
n66	20	15	1720	DFT	64QAM	Edge_1RB_Right	20.64	17.84	17.44
n66	20	15	1720	DFT	64QAM	Outer_Full	20.81	18.01	17.61
n66	20	15	1720	DFT	256QAM	Inner_Full	18.59	15.79	15.39
n66	20	15	1720	DFT	256QAM	Edge_1RB_Left	18.41	15.61	15.21



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n66	20	15	1720	DFT	256QAM	Edge_1RB_Right	18.46	15.66	15.26
n66	20	15	1720	DFT	256QAM	Outer_Full	18.72	15.92	15.52
n66	20	15	1720	CP	QPSK	Inner_Full	21.75	18.95	18.55
n66	20	15	1720	CP	QPSK	Edge_1RB_Left	20.13	17.33	16.93
n66	20	15	1720	CP	QPSK	Edge_1RB_Right	20.26	17.46	17.06
n66	20	15	1720	CP	QPSK	Outer_Full	20.23	17.43	17.03
n66	20	15	1720	CP	16QAM	Inner_Full	21.20	18.40	18.00
n66	20	15	1720	CP	16QAM	Edge_1RB_Left	20.60	17.80	17.40
n66	20	15	1720	CP	16QAM	Edge_1RB_Right	20.64	17.84	17.44
n66	20	15	1720	CP	16QAM	Outer_Full	20.22	17.42	17.02
n66	20	15	1720	CP	64QAM	Inner_Full	19.79	16.99	16.59
n66	20	15	1720	CP	64QAM	Edge_1RB_Left	19.41	16.61	16.21
n66	20	15	1720	CP	64QAM	Edge_1RB_Right	19.48	16.68	16.28
n66	20	15	1720	CP	64QAM	Outer_Full	19.72	16.92	16.52
n66	20	15	1720	CP	256QAM	Inner_Full	16.67	13.87	13.47
n66	20	15	1720	CP	256QAM	Edge_1RB_Left	16.51	13.71	13.31
n66	20	15	1720	CP	256QAM	Edge_1RB_Right	16.59	13.79	13.39
n66	20	15	1720	CP	256QAM	Outer_Full	16.70	13.90	13.50
n66	20	15	1745	DFT	pi/2 BPSK	Inner_Full	23.17	20.37	19.97
n66	20	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	22.60	19.80	19.40
n66	20	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	22.58	19.78	19.38
n66	20	15	1745	DFT	pi/2 BPSK	Outer_Full	22.66	19.86	19.46
n66	20	15	1745	DFT	QPSK	Inner_Full	23.20	20.40	20.00
n66	20	15	1745	DFT	QPSK	Edge_1RB_Left	22.14	19.34	18.94
n66	20	15	1745	DFT	QPSK	Edge_1RB_Right	22.11	19.31	18.91
n66	20	15	1745	DFT	QPSK	Outer_Full	22.20	19.40	19.00
n66	20	15	1745	DFT	16QAM	Inner_Full	22.04	19.24	18.84
n66	20	15	1745	DFT	16QAM	Edge_1RB_Left	21.40	18.60	18.20
n66	20	15	1745	DFT	16QAM	Edge_1RB_Right	21.43	18.63	18.23
n66	20	15	1745	DFT	16QAM	Outer_Full	21.22	18.42	18.02
n66	20	15	1745	DFT	64QAM	Inner_Full	20.67	17.87	17.47
n66	20	15	1745	DFT	64QAM	Edge_1RB_Left	20.54	17.74	17.34
n66	20	15	1745	DFT	64QAM	Edge_1RB_Right	20.48	17.68	17.28
n66	20	15	1745	DFT	64QAM	Outer_Full	20.68	17.88	17.48
n66	20	15	1745	DFT	256QAM	Inner_Full	18.67	15.87	15.47
n66	20	15	1745	DFT	256QAM	Edge_1RB_Left	18.32	15.52	15.12
n66	20	15	1745	DFT	256QAM	Edge_1RB_Right	18.32	15.52	15.12
n66	20	15	1745	DFT	256QAM	Outer_Full	18.61	15.81	15.41



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n66	20	15	1745	CP	QPSK	Inner_Full	21.73	18.93	18.53
n66	20	15	1745	CP	QPSK	Edge_1RB_Left	20.07	17.27	16.87
n66	20	15	1745	CP	QPSK	Edge_1RB_Right	20.05	17.25	16.85
n66	20	15	1745	CP	QPSK	Outer_Full	20.14	17.34	16.94
n66	20	15	1745	CP	16QAM	Inner_Full	21.11	18.31	17.91
n66	20	15	1745	CP	16QAM	Edge_1RB_Left	20.50	17.70	17.30
n66	20	15	1745	CP	16QAM	Edge_1RB_Right	20.57	17.77	17.37
n66	20	15	1745	CP	16QAM	Outer_Full	20.18	17.38	16.98
n66	20	15	1745	CP	64QAM	Inner_Full	19.71	16.91	16.51
n66	20	15	1745	CP	64QAM	Edge_1RB_Left	19.35	16.55	16.15
n66	20	15	1745	CP	64QAM	Edge_1RB_Right	19.39	16.59	16.19
n66	20	15	1745	CP	64QAM	Outer_Full	19.65	16.85	16.45
n66	20	15	1745	CP	256QAM	Inner_Full	16.62	13.82	13.42
n66	20	15	1745	CP	256QAM	Edge_1RB_Left	16.43	13.63	13.23
n66	20	15	1745	CP	256QAM	Edge_1RB_Right	16.46	13.66	13.26
n66	20	15	1745	CP	256QAM	Outer_Full	16.59	13.79	13.39
n66	20	15	1770	DFT	pi/2 BPSK	Inner_Full	23.03	20.23	19.83
n66	20	15	1770	DFT	pi/2 BPSK	Edge_1RB_Left	22.48	19.68	19.28
n66	20	15	1770	DFT	pi/2 BPSK	Edge_1RB_Right	22.46	19.66	19.26
n66	20	15	1770	DFT	pi/2 BPSK	Outer_Full	22.56	19.76	19.36
n66	20	15	1770	DFT	QPSK	Inner_Full	23.06	20.26	19.86
n66	20	15	1770	DFT	QPSK	Edge_1RB_Left	22.09	19.29	18.89
n66	20	15	1770	DFT	QPSK	Edge_1RB_Right	22.07	19.27	18.87
n66	20	15	1770	DFT	QPSK	Outer_Full	22.09	19.29	18.89
n66	20	15	1770	DFT	16QAM	Inner_Full	21.97	19.17	18.77
n66	20	15	1770	DFT	16QAM	Edge_1RB_Left	21.41	18.61	18.21
n66	20	15	1770	DFT	16QAM	Edge_1RB_Right	21.40	18.60	18.20
n66	20	15	1770	DFT	16QAM	Outer_Full	21.10	18.30	17.90
n66	20	15	1770	DFT	64QAM	Inner_Full	20.59	17.79	17.39
n66	20	15	1770	DFT	64QAM	Edge_1RB_Left	20.45	17.65	17.25
n66	20	15	1770	DFT	64QAM	Edge_1RB_Right	20.46	17.66	17.26
n66	20	15	1770	DFT	64QAM	Outer_Full	20.65	17.85	17.45
n66	20	15	1770	DFT	256QAM	Inner_Full	18.55	15.75	15.35
n66	20	15	1770	DFT	256QAM	Edge_1RB_Left	18.28	15.48	15.08
n66	20	15	1770	DFT	256QAM	Edge_1RB_Right	18.32	15.52	15.12
n66	20	15	1770	DFT	256QAM	Outer_Full	18.57	15.77	15.37
n66	20	15	1770	CP	QPSK	Inner_Full	21.60	18.80	18.40
n66	20	15	1770	CP	QPSK	Edge_1RB_Left	20.03	17.23	16.83



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n66	20	15	1770	CP	QPSK	Edge_1RB_Right	20.03	17.23	16.83
n66	20	15	1770	CP	QPSK	Outer_Full	20.10	17.30	16.90
n66	20	15	1770	CP	16QAM	Inner_Full	21.09	18.29	17.89
n66	20	15	1770	CP	16QAM	Edge_1RB_Left	20.50	17.70	17.30
n66	20	15	1770	CP	16QAM	Edge_1RB_Right	20.55	17.75	17.35
n66	20	15	1770	CP	16QAM	Outer_Full	20.05	17.25	16.85
n66	20	15	1770	CP	64QAM	Inner_Full	19.67	16.87	16.47
n66	20	15	1770	CP	64QAM	Edge_1RB_Left	19.36	16.56	16.16
n66	20	15	1770	CP	64QAM	Edge_1RB_Right	19.36	16.56	16.16
n66	20	15	1770	CP	64QAM	Outer_Full	19.64	16.84	16.44
n66	20	15	1770	CP	256QAM	Inner_Full	16.51	13.71	13.31
n66	20	15	1770	CP	256QAM	Edge_1RB_Left	16.36	13.56	13.16
n66	20	15	1770	CP	256QAM	Edge_1RB_Right	16.40	13.60	13.20
n66	20	15	1770	CP	256QAM	Outer_Full	16.58	13.78	13.38
n66	30	15	1725	DFT	pi/2 BPSK	Inner_Full	23.28	20.48	20.08
n66	30	15	1725	DFT	pi/2 BPSK	Edge_1RB_Left	22.56	19.76	19.36
n66	30	15	1725	DFT	pi/2 BPSK	Edge_1RB_Right	22.66	19.86	19.46
n66	30	15	1725	DFT	pi/2 BPSK	Outer_Full	22.78	19.98	19.58
n66	30	15	1725	DFT	QPSK	Inner_Full	23.23	20.43	20.03
n66	30	15	1725	DFT	QPSK	Edge_1RB_Left	22.13	19.33	18.93
n66	30	15	1725	DFT	QPSK	Edge_1RB_Right	22.24	19.44	19.04
n66	30	15	1725	DFT	QPSK	Outer_Full	22.29	19.49	19.09
n66	30	15	1725	DFT	16QAM	Inner_Full	22.28	19.48	19.08
n66	30	15	1725	DFT	16QAM	Edge_1RB_Left	21.43	18.63	18.23
n66	30	15	1725	DFT	16QAM	Edge_1RB_Right	21.48	18.68	18.28
n66	30	15	1725	DFT	16QAM	Outer_Full	21.26	18.46	18.06
n66	30	15	1725	DFT	64QAM	Inner_Full	20.76	17.96	17.56
n66	30	15	1725	DFT	64QAM	Edge_1RB_Left	20.53	17.73	17.33
n66	30	15	1725	DFT	64QAM	Edge_1RB_Right	20.62	17.82	17.42
n66	30	15	1725	DFT	64QAM	Outer_Full	20.79	17.99	17.59
n66	30	15	1725	DFT	256QAM	Inner_Full	18.73	15.93	15.53
n66	30	15	1725	DFT	256QAM	Edge_1RB_Left	18.54	15.74	15.34
n66	30	15	1725	DFT	256QAM	Edge_1RB_Right	18.51	15.71	15.31
n66	30	15	1725	DFT	256QAM	Outer_Full	18.78	15.98	15.58
n66	30	15	1725	CP	QPSK	Inner_Full	21.77	18.97	18.57
n66	30	15	1725	CP	QPSK	Edge_1RB_Left	20.05	17.25	16.85
n66	30	15	1725	CP	QPSK	Edge_1RB_Right	20.23	17.43	17.03
n66	30	15	1725	CP	QPSK	Outer_Full	20.26	17.46	17.06



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n66	30	15	1725	CP	16QAM	Inner_Full	21.21	18.41	18.01
n66	30	15	1725	CP	16QAM	Edge_1RB_Left	20.49	17.69	17.29
n66	30	15	1725	CP	16QAM	Edge_1RB_Right	20.69	17.89	17.49
n66	30	15	1725	CP	16QAM	Outer_Full	20.23	17.43	17.03
n66	30	15	1725	CP	64QAM	Inner_Full	19.71	16.91	16.51
n66	30	15	1725	CP	64QAM	Edge_1RB_Left	19.34	16.54	16.14
n66	30	15	1725	CP	64QAM	Edge_1RB_Right	19.54	16.74	16.34
n66	30	15	1725	CP	64QAM	Outer_Full	19.78	16.98	16.58
n66	30	15	1725	CP	256QAM	Inner_Full	16.72	13.92	13.52
n66	30	15	1725	CP	256QAM	Edge_1RB_Left	16.60	13.80	13.40
n66	30	15	1725	CP	256QAM	Edge_1RB_Right	16.73	13.93	13.53
n66	30	15	1725	CP	256QAM	Outer_Full	16.86	14.06	13.66
n66	30	15	1745	DFT	pi/2 BPSK	Inner_Full	23.22	20.42	20.02
n66	30	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	22.66	19.86	19.46
n66	30	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	22.62	19.82	19.42
n66	30	15	1745	DFT	pi/2 BPSK	Outer_Full	22.79	19.99	19.59
n66	30	15	1745	DFT	QPSK	Inner_Full	23.27	20.47	20.07
n66	30	15	1745	DFT	QPSK	Edge_1RB_Left	22.13	19.33	18.93
n66	30	15	1745	DFT	QPSK	Edge_1RB_Right	22.15	19.35	18.95
n66	30	15	1745	DFT	QPSK	Outer_Full	22.33	19.53	19.13
n66	30	15	1745	DFT	16QAM	Inner_Full	22.29	19.49	19.09
n66	30	15	1745	DFT	16QAM	Edge_1RB_Left	21.41	18.61	18.21
n66	30	15	1745	DFT	16QAM	Edge_1RB_Right	21.50	18.70	18.30
n66	30	15	1745	DFT	16QAM	Outer_Full	21.31	18.51	18.11
n66	30	15	1745	DFT	64QAM	Inner_Full	20.75	17.95	17.55
n66	30	15	1745	DFT	64QAM	Edge_1RB_Left	20.44	17.64	17.24
n66	30	15	1745	DFT	64QAM	Edge_1RB_Right	20.52	17.72	17.32
n66	30	15	1745	DFT	64QAM	Outer_Full	20.83	18.03	17.63
n66	30	15	1745	DFT	256QAM	Inner_Full	18.64	15.84	15.44
n66	30	15	1745	DFT	256QAM	Edge_1RB_Left	18.64	15.84	15.44
n66	30	15	1745	DFT	256QAM	Edge_1RB_Right	18.45	15.65	15.25
n66	30	15	1745	DFT	256QAM	Outer_Full	18.77	15.97	15.57
n66	30	15	1745	CP	QPSK	Inner_Full	21.70	18.90	18.50
n66	30	15	1745	CP	QPSK	Edge_1RB_Left	20.10	17.30	16.90
n66	30	15	1745	CP	QPSK	Edge_1RB_Right	20.15	17.35	16.95
n66	30	15	1745	CP	QPSK	Outer_Full	20.30	17.50	17.10
n66	30	15	1745	CP	16QAM	Inner_Full	21.23	18.43	18.03
n66	30	15	1745	CP	16QAM	Edge_1RB_Left	20.42	17.62	17.22



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n66	30	15	1745	CP	16QAM	Edge_1RB_Right	20.70	17.90	17.50
n66	30	15	1745	CP	16QAM	Outer_Full	20.27	17.47	17.07
n66	30	15	1745	CP	64QAM	Inner_Full	19.71	16.91	16.51
n66	30	15	1745	CP	64QAM	Edge_1RB_Left	19.39	16.59	16.19
n66	30	15	1745	CP	64QAM	Edge_1RB_Right	19.48	16.68	16.28
n66	30	15	1745	CP	64QAM	Outer_Full	19.82	17.02	16.62
n66	30	15	1745	CP	256QAM	Inner_Full	16.72	13.92	13.52
n66	30	15	1745	CP	256QAM	Edge_1RB_Left	16.62	13.82	13.42
n66	30	15	1745	CP	256QAM	Edge_1RB_Right	16.60	13.80	13.40
n66	30	15	1745	CP	256QAM	Outer_Full	16.82	14.02	13.62
n66	30	15	1765	DFT	pi/2 BPSK	Inner_Full	23.19	20.39	19.99
n66	30	15	1765	DFT	pi/2 BPSK	Edge_1RB_Left	22.57	19.77	19.37
n66	30	15	1765	DFT	pi/2 BPSK	Edge_1RB_Right	22.51	19.71	19.31
n66	30	15	1765	DFT	pi/2 BPSK	Outer_Full	22.78	19.98	19.58
n66	30	15	1765	DFT	QPSK	Inner_Full	23.20	20.40	20.00
n66	30	15	1765	DFT	QPSK	Edge_1RB_Left	22.19	19.39	18.99
n66	30	15	1765	DFT	QPSK	Edge_1RB_Right	22.12	19.32	18.92
n66	30	15	1765	DFT	QPSK	Outer_Full	22.28	19.48	19.08
n66	30	15	1765	DFT	16QAM	Inner_Full	22.19	19.39	18.99
n66	30	15	1765	DFT	16QAM	Edge_1RB_Left	21.44	18.64	18.24
n66	30	15	1765	DFT	16QAM	Edge_1RB_Right	21.38	18.58	18.18
n66	30	15	1765	DFT	16QAM	Outer_Full	21.23	18.43	18.03
n66	30	15	1765	DFT	64QAM	Inner_Full	20.75	17.95	17.55
n66	30	15	1765	DFT	64QAM	Edge_1RB_Left	20.50	17.70	17.30
n66	30	15	1765	DFT	64QAM	Edge_1RB_Right	20.45	17.65	17.25
n66	30	15	1765	DFT	64QAM	Outer_Full	20.74	17.94	17.54
n66	30	15	1765	DFT	256QAM	Inner_Full	18.57	15.77	15.37
n66	30	15	1765	DFT	256QAM	Edge_1RB_Left	18.55	15.75	15.35
n66	30	15	1765	DFT	256QAM	Edge_1RB_Right	18.44	15.64	15.24
n66	30	15	1765	DFT	256QAM	Outer_Full	18.71	15.91	15.51
n66	30	15	1765	CP	QPSK	Inner_Full	21.62	18.82	18.42
n66	30	15	1765	CP	QPSK	Edge_1RB_Left	20.00	17.20	16.80
n66	30	15	1765	CP	QPSK	Edge_1RB_Right	20.04	17.24	16.84
n66	30	15	1765	CP	QPSK	Outer_Full	20.25	17.45	17.05
n66	30	15	1765	CP	16QAM	Inner_Full	21.19	18.39	17.99
n66	30	15	1765	CP	16QAM	Edge_1RB_Left	20.45	17.65	17.25
n66	30	15	1765	CP	16QAM	Edge_1RB_Right	20.50	17.70	17.30
n66	30	15	1765	CP	16QAM	Outer_Full	20.21	17.41	17.01



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n66	30	15	1765	CP	64QAM	Inner_Full	19.72	16.92	16.52
n66	30	15	1765	CP	64QAM	Edge_1RB_Left	19.40	16.60	16.20
n66	30	15	1765	CP	64QAM	Edge_1RB_Right	19.41	16.61	16.21
n66	30	15	1765	CP	64QAM	Outer_Full	19.73	16.93	16.53
n66	30	15	1765	CP	256QAM	Inner_Full	16.69	13.89	13.49
n66	30	15	1765	CP	256QAM	Edge_1RB_Left	16.58	13.78	13.38
n66	30	15	1765	CP	256QAM	Edge_1RB_Right	16.50	13.70	13.30
n66	30	15	1765	CP	256QAM	Outer_Full	16.73	13.93	13.53
n66	40	15	1730	DFT	pi/2 BPSK	Inner_Full	23.28	20.48	20.08
n66	40	15	1730	DFT	pi/2 BPSK	Edge_1RB_Left	22.55	19.75	19.35
n66	40	15	1730	DFT	pi/2 BPSK	Edge_1RB_Right	22.62	19.82	19.42
n66	40	15	1730	DFT	pi/2 BPSK	Outer_Full	22.76	19.96	19.56
n66	40	15	1730	DFT	QPSK	Inner_Full	23.24	20.44	20.04
n66	40	15	1730	DFT	QPSK	Edge_1RB_Left	22.13	19.33	18.93
n66	40	15	1730	DFT	QPSK	Edge_1RB_Right	22.24	19.44	19.04
n66	40	15	1730	DFT	QPSK	Outer_Full	22.25	19.45	19.05
n66	40	15	1730	DFT	16QAM	Inner_Full	22.29	19.49	19.09
n66	40	15	1730	DFT	16QAM	Edge_1RB_Left	21.40	18.60	18.20
n66	40	15	1730	DFT	16QAM	Edge_1RB_Right	21.44	18.64	18.24
n66	40	15	1730	DFT	16QAM	Outer_Full	21.28	18.48	18.08
n66	40	15	1730	DFT	64QAM	Inner_Full	20.71	17.91	17.51
n66	40	15	1730	DFT	64QAM	Edge_1RB_Left	20.49	17.69	17.29
n66	40	15	1730	DFT	64QAM	Edge_1RB_Right	20.50	17.70	17.30
n66	40	15	1730	DFT	64QAM	Outer_Full	20.77	17.97	17.57
n66	40	15	1730	DFT	256QAM	Inner_Full	18.71	15.91	15.51
n66	40	15	1730	DFT	256QAM	Edge_1RB_Left	18.57	15.77	15.37
n66	40	15	1730	DFT	256QAM	Edge_1RB_Right	18.53	15.73	15.33
n66	40	15	1730	DFT	256QAM	Outer_Full	18.81	16.01	15.61
n66	40	15	1730	CP	QPSK	Inner_Full	21.79	18.99	18.59
n66	40	15	1730	CP	QPSK	Edge_1RB_Left	20.01	17.21	16.81
n66	40	15	1730	CP	QPSK	Edge_1RB_Right	20.10	17.30	16.90
n66	40	15	1730	CP	QPSK	Outer_Full	20.34	17.54	17.14
n66	40	15	1730	CP	16QAM	Inner_Full	21.33	18.53	18.13
n66	40	15	1730	CP	16QAM	Edge_1RB_Left	20.46	17.66	17.26
n66	40	15	1730	CP	16QAM	Edge_1RB_Right	20.57	17.77	17.37
n66	40	15	1730	CP	16QAM	Outer_Full	20.25	17.45	17.05
n66	40	15	1730	CP	64QAM	Inner_Full	19.82	17.02	16.62
n66	40	15	1730	CP	64QAM	Edge_1RB_Left	19.31	16.51	16.11



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n66	40	15	1730	CP	64QAM	Edge_1RB_Right	19.41	16.61	16.21
n66	40	15	1730	CP	64QAM	Outer_Full	19.78	16.98	16.58
n66	40	15	1730	CP	256QAM	Inner_Full	16.81	14.01	13.61
n66	40	15	1730	CP	256QAM	Edge_1RB_Left	16.65	13.85	13.45
n66	40	15	1730	CP	256QAM	Edge_1RB_Right	16.60	13.80	13.40
n66	40	15	1730	CP	256QAM	Outer_Full	16.84	14.04	13.64
n66	40	15	1745	DFT	pi/2 BPSK	Inner_Full	23.22	20.42	20.02
n66	40	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	22.64	19.84	19.44
n66	40	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	22.60	19.80	19.40
n66	40	15	1745	DFT	pi/2 BPSK	Outer_Full	22.79	19.99	19.59
n66	40	15	1745	DFT	QPSK	Inner_Full	23.27	20.47	20.07
n66	40	15	1745	DFT	QPSK	Edge_1RB_Left	22.14	19.34	18.94
n66	40	15	1745	DFT	QPSK	Edge_1RB_Right	22.20	19.40	19.00
n66	40	15	1745	DFT	QPSK	Outer_Full	22.39	19.59	19.19
n66	40	15	1745	DFT	16QAM	Inner_Full	22.33	19.53	19.13
n66	40	15	1745	DFT	16QAM	Edge_1RB_Left	21.42	18.62	18.22
n66	40	15	1745	DFT	16QAM	Edge_1RB_Right	21.42	18.62	18.22
n66	40	15	1745	DFT	16QAM	Outer_Full	21.32	18.52	18.12
n66	40	15	1745	DFT	64QAM	Inner_Full	20.83	18.03	17.63
n66	40	15	1745	DFT	64QAM	Edge_1RB_Left	20.48	17.68	17.28
n66	40	15	1745	DFT	64QAM	Edge_1RB_Right	20.53	17.73	17.33
n66	40	15	1745	DFT	64QAM	Outer_Full	20.83	18.03	17.63
n66	40	15	1745	DFT	256QAM	Inner_Full	18.68	15.88	15.48
n66	40	15	1745	DFT	256QAM	Edge_1RB_Left	18.56	15.76	15.36
n66	40	15	1745	DFT	256QAM	Edge_1RB_Right	18.56	15.76	15.36
n66	40	15	1745	DFT	256QAM	Outer_Full	18.77	15.97	15.57
n66	40	15	1745	CP	QPSK	Inner_Full	21.74	18.94	18.54
n66	40	15	1745	CP	QPSK	Edge_1RB_Left	20.13	17.33	16.93
n66	40	15	1745	CP	QPSK	Edge_1RB_Right	20.16	17.36	16.96
n66	40	15	1745	CP	QPSK	Outer_Full	20.31	17.51	17.11
n66	40	15	1745	CP	16QAM	Inner_Full	21.31	18.51	18.11
n66	40	15	1745	CP	16QAM	Edge_1RB_Left	20.49	17.69	17.29
n66	40	15	1745	CP	16QAM	Edge_1RB_Right	20.61	17.81	17.41
n66	40	15	1745	CP	16QAM	Outer_Full	20.29	17.49	17.09
n66	40	15	1745	CP	64QAM	Inner_Full	19.78	16.98	16.58
n66	40	15	1745	CP	64QAM	Edge_1RB_Left	19.29	16.49	16.09
n66	40	15	1745	CP	64QAM	Edge_1RB_Right	19.39	16.59	16.19
n66	40	15	1745	CP	64QAM	Outer_Full	19.82	17.02	16.62



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n66	40	15	1745	CP	256QAM	Inner_Full	16.75	13.95	13.55
n66	40	15	1745	CP	256QAM	Edge_1RB_Left	16.54	13.74	13.34
n66	40	15	1745	CP	256QAM	Edge_1RB_Right	16.63	13.83	13.43
n66	40	15	1745	CP	256QAM	Outer_Full	16.70	13.90	13.50
n66	40	15	1760	DFT	pi/2 BPSK	Inner_Full	23.17	20.37	19.97
n66	40	15	1760	DFT	pi/2 BPSK	Edge_1RB_Left	22.57	19.77	19.37
n66	40	15	1760	DFT	pi/2 BPSK	Edge_1RB_Right	22.52	19.72	19.32
n66	40	15	1760	DFT	pi/2 BPSK	Outer_Full	22.75	19.95	19.55
n66	40	15	1760	DFT	QPSK	Inner_Full	23.26	20.46	20.06
n66	40	15	1760	DFT	QPSK	Edge_1RB_Left	22.16	19.36	18.96
n66	40	15	1760	DFT	QPSK	Edge_1RB_Right	22.10	19.30	18.90
n66	40	15	1760	DFT	QPSK	Outer_Full	22.28	19.48	19.08
n66	40	15	1760	DFT	16QAM	Inner_Full	22.31	19.51	19.11
n66	40	15	1760	DFT	16QAM	Edge_1RB_Left	21.47	18.67	18.27
n66	40	15	1760	DFT	16QAM	Edge_1RB_Right	21.42	18.62	18.22
n66	40	15	1760	DFT	16QAM	Outer_Full	21.27	18.47	18.07
n66	40	15	1760	DFT	64QAM	Inner_Full	20.74	17.94	17.54
n66	40	15	1760	DFT	64QAM	Edge_1RB_Left	20.53	17.73	17.33
n66	40	15	1760	DFT	64QAM	Edge_1RB_Right	20.38	17.58	17.18
n66	40	15	1760	DFT	64QAM	Outer_Full	20.76	17.96	17.56
n66	40	15	1760	DFT	256QAM	Inner_Full	18.67	15.87	15.47
n66	40	15	1760	DFT	256QAM	Edge_1RB_Left	18.57	15.77	15.37
n66	40	15	1760	DFT	256QAM	Edge_1RB_Right	18.48	15.68	15.28
n66	40	15	1760	DFT	256QAM	Outer_Full	18.70	15.90	15.50
n66	40	15	1760	CP	QPSK	Inner_Full	21.70	18.90	18.50
n66	40	15	1760	CP	QPSK	Edge_1RB_Left	20.04	17.24	16.84
n66	40	15	1760	CP	QPSK	Edge_1RB_Right	20.01	17.21	16.81
n66	40	15	1760	CP	QPSK	Outer_Full	20.24	17.44	17.04
n66	40	15	1760	CP	16QAM	Inner_Full	21.28	18.48	18.08
n66	40	15	1760	CP	16QAM	Edge_1RB_Left	20.47	17.67	17.27
n66	40	15	1760	CP	16QAM	Edge_1RB_Right	20.56	17.76	17.36
n66	40	15	1760	CP	16QAM	Outer_Full	20.22	17.42	17.02
n66	40	15	1760	CP	64QAM	Inner_Full	19.73	16.93	16.53
n66	40	15	1760	CP	64QAM	Edge_1RB_Left	19.32	16.52	16.12
n66	40	15	1760	CP	64QAM	Edge_1RB_Right	19.34	16.54	16.14
n66	40	15	1760	CP	64QAM	Outer_Full	19.76	16.96	16.56
n66	40	15	1760	CP	256QAM	Inner_Full	16.73	13.93	13.53
n66	40	15	1760	CP	256QAM	Edge_1RB_Left	16.65	13.85	13.45



No.I23N01711-RF NR

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n66	40	15	1760	CP	256QAM	Edge_1RB_Right	16.51	13.71	13.31
n66	40	15	1760	CP	256QAM	Outer_Full	16.72	13.92	13.52

A.2 FIELD STRENGTH OF SPURIOUS RADIATION

Reference

FCC: CFR 2.1053, 22.917, 27.53.


A.2.1 Measurement Method

This measurement is carried out in fully-anechoic chamber FAC-3.


The spectrum was scanned from 30 MHz to the 10th harmonic of the highest frequency generated within the equipment, which is the transmitted carrier. The resolution bandwidth is set 1MHz as outlined in Part 22.917, 27.53(m)(h) . The spectrum was scanned with the mobile station transmitting at carrier frequencies that pertain to low, mid and high channels of the NR Band.

The procedure of radiated spurious emissions is as follows:

1. For radiated emissions measurements performed at frequencies less than or equal to 1 GHz, EUT was placed on a 80 cm high non-conductive stand at a 3 meter test distance from the receive antenna. For radiated measurements performed at frequencies above 1 GHz, EUT was placed on a 1.5 meter high non-conductive stand at a 3 meter test distance from the receive antenna. Receiving antenna was placed on the antenna mast 3 meters from the EUT. For emission measurements. The receiving antenna shall be varied from 1 m to 4 m in height above the reference ground in a search for the relative positioning that produces the maximum radiated signal level. The test setup refers to figure below. Detected emissions were maximized at each frequency by rotating the EUT through 360° and adjusting the receiving antenna polarization. The radiated emission measurements of all transmit frequencies in three channels (High, Middle, Low) were measured with peak detector.



2. The EUT is then put into continuously transmitting mode at its maximum power level during the test. And the maximum value of the receiver should be recorded as (Pr).
3. The EUT shall be replaced by a substitution antenna. The test setup refers to figure below.





In the chamber, a substitution antenna for the frequency band of interest is placed at the reference point of the chamber. An RF Signal source for the frequency band of interest is connected to the substitution antenna with a cable that has been constructed to not interfere with the radiation pattern of the antenna. A power (P_{Mea}) is applied to the input of the substitution antenna and adjusts the level of the signal generator output until the value of the receiver reaches the previously recorded (P_r). The power of signal source (P_{Mea}) is recorded. The test should be performed by rotating the test item and adjusting the receiving antenna polarization.

4. The Path loss (P_{pl}) between the Signal Source with the Substitution Antenna and the Substitution Antenna Gain(dBi) (G_a) should be recorded after test.

An amplifier should be connected in for the test.

The Path loss (P_{pl}) is the summation of the cable loss and the gain of the amplifier.

The measurement results are obtained as described below:

$$\text{Power (EIRP)} = P_{Mea} - P_{pl} + G_a$$

5. This value is EIRP since the measurement is calibrated using an antenna of known gain (unit: dBi) and known input power.
6. ERP can be calculated from EIRP by subtracting the gain of the dipole, $ERP = EIRP - 2.15dB$.

A.2.2 Measurement Results

Radiated emissions measurements were made only at the upper, middle, and lower carrier frequencies of the NR Band. It was decided that measurements at these three carrier frequencies would be sufficient to demonstrate compliance with emissions limits because it was seen that all the significant spurs occur well outside the band and no radiation was seen from a carrier in one block of the NR Band into any of the other blocks. The equipment must still, however, meet emissions requirements with the carrier at all frequencies over which it is capable of operating and it is the manufacturer's responsibility to verify this.

Only worst case result is given below.



SA

Upper antenna

n5, 5MHz, DFT-OFDM, QPSK, Channel 165300

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
3070.12	-59.21	1.10	11.50	-50.96	-13.00	H
3901.12	-60.00	1.20	12.20	-51.15	-13.00	H
4895.25	-58.05	1.40	12.50	-49.10	-13.00	H
5583.00	-57.55	1.40	13.10	-48.00	-13.00	H
6953.86	-59.25	1.80	12.40	-50.80	-13.00	V
8259.57	-57.81	1.90	11.30	-50.56	-13.00	H

n5, 5MHz, DFT-OFDM, QPSK, Channel 167300

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
3043.12	-59.58	1.00	11.50	-51.23	-13.00	V
3894.75	-59.18	1.20	12.20	-50.33	-13.00	V
4871.25	-58.02	1.40	12.50	-49.07	-13.00	H
5882.62	-57.57	1.50	13.10	-48.12	-13.00	V
6953.71	-59.74	1.80	12.40	-51.29	-13.00	H
8794.57	-58.58	1.90	12.00	-50.63	-13.00	V

n5, 5MHz, DFT-OFDM, QPSK, Channel 169300

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
3089.62	-59.43	1.00	11.50	-51.08	-13.00	H
3906.00	-59.96	1.20	12.20	-51.11	-13.00	V
4628.62	-57.91	1.30	12.50	-48.86	-13.00	H
5546.62	-56.64	1.40	13.10	-47.09	-13.00	H
7002.86	-59.24	1.80	12.00	-51.19	-13.00	V
9852.86	-57.54	2.30	11.20	-50.79	-13.00	V



n7, 5MHz, DFT-OFDM, QPSK, Channel 500500

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
4080.38	-59.19	1.30	12.40	-48.09	-25.00	H
5931.00	-56.77	1.50	13.10	-45.17	-25.00	V
7045.85	-59.78	1.80	12.00	-49.58	-25.00	H
9500.31	-57.08	2.10	11.20	-47.98	-25.00	H
12871.38	-56.41	2.70	13.80	-45.31	-25.00	V
17911.38	-47.35	3.60	12.80	-38.15	-25.00	V

n7, 5MHz, DFT-OFDM, QPSK, Channel 507000

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
4438.50	-58.20	1.30	12.40	-47.10	-25.00	V
5700.00	-57.40	1.30	13.10	-45.60	-25.00	H
6927.69	-59.79	1.80	12.40	-49.19	-25.00	V
9520.15	-56.89	2.10	11.20	-47.79	-25.00	V
14290.62	-54.35	2.60	11.90	-45.05	-25.00	V
17940.00	-47.45	3.20	12.80	-37.85	-25.00	V

n7, 5MHz, DFT-OFDM, QPSK, Channel 513500

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
4234.50	-58.48	1.20	12.40	-47.28	-25.00	H
5573.25	-57.20	1.40	13.10	-45.50	-25.00	H
6946.62	-59.70	1.80	12.40	-49.10	-25.00	H
8899.38	-57.93	1.90	12.00	-47.83	-25.00	H
11822.77	-54.01	2.50	11.00	-45.51	-25.00	V
16601.08	-52.32	2.60	16.50	-38.42	-25.00	V

n38, 10MHz, DFT-OFDM, QPSK, Channel 515000

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
2968.57	-52.12	1.00	10.70	-42.42	-25.00	V
5451.75	-57.48	1.30	12.50	-46.28	-25.00	V
7714.15	-56.94	1.80	11.30	-47.44	-25.00	H
12155.08	-56.01	2.60	12.60	-46.01	-25.00	V
14862.46	-51.22	2.70	11.20	-42.72	-25.00	H
17940.46	-47.41	3.20	12.80	-37.81	-25.00	V

n38, 10MHz, DFT-OFDM, QPSK, Channel 519000

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
2917.50	-52.83	1.00	10.70	-43.13	-25.00	H
4097.25	-58.80	1.30	12.40	-47.70	-25.00	V
5506.88	-58.06	1.40	13.10	-46.36	-25.00	H
8287.38	-58.82	1.90	11.30	-49.42	-25.00	V
10406.31	-56.13	2.30	11.30	-47.13	-25.00	H
17934.92	-47.73	3.20	12.80	-38.13	-25.00	H

n38, 10MHz, DFT-OFDM, QPSK, Channel 523000

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
2956.43	-52.70	1.00	10.70	-43.00	-25.00	H
4246.12	-59.70	1.20	12.40	-48.50	-25.00	V
5760.00	-57.75	1.50	13.10	-46.15	-25.00	V
10381.38	-55.04	2.30	11.30	-46.04	-25.00	H
14887.38	-52.58	2.70	11.20	-44.08	-25.00	H
17937.23	-48.13	3.20	12.80	-38.53	-25.00	H



n41, 10MHz, DFT-OFDM, QPSK, Channel 500202

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
2953.57	-51.97	1.00	10.70	-42.27	-25.00	H
4092.38	-58.44	1.30	12.40	-47.34	-25.00	H
5270.25	-57.02	1.60	12.50	-46.12	-25.00	H
7012.15	-59.47	1.80	12.00	-49.27	-25.00	V
10329.23	-57.12	2.10	11.30	-47.92	-25.00	H
17891.54	-46.78	3.60	12.80	-37.58	-25.00	H

n41, 10MHz, DFT-OFDM, QPSK, Channel 518598

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
2973.21	-51.70	1.00	10.70	-42.00	-25.00	H
4502.62	-58.15	1.20	12.50	-46.85	-25.00	H
5812.88	-57.41	1.50	13.10	-45.81	-25.00	V
6953.08	-59.05	1.80	12.40	-48.45	-25.00	H
10337.54	-56.97	2.10	11.30	-47.77	-25.00	H
17890.15	-47.97	3.60	12.80	-38.77	-25.00	V

n41, 10MHz, DFT-OFDM, QPSK, Channel 537000

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
2932.14	-51.94	1.00	10.70	-42.24	-25.00	V
4519.12	-58.35	1.20	12.50	-47.05	-25.00	H
5818.50	-57.25	1.50	13.10	-45.65	-25.00	H
8233.38	-57.47	2.20	11.30	-48.37	-25.00	V
11873.08	-54.22	2.50	11.00	-45.72	-25.00	H
17916.46	-47.45	3.20	12.80	-37.85	-25.00	H



n66, 5MHz, DFT-OFDM, QPSK, Channel 342500

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
5131.50	-56.04	1.30	12.50	-44.84	-13.00	H
5726.62	-57.78	1.50	13.10	-46.18	-13.00	H
7007.54	-58.53	1.80	12.00	-48.33	-13.00	V
10384.15	-56.29	2.30	11.30	-47.29	-13.00	V
14938.62	-51.65	2.70	11.20	-43.15	-13.00	V
17907.69	-46.63	3.60	12.80	-37.43	-13.00	H

n66, 5MHz, DFT-OFDM, QPSK, Channel 349000

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
4128.38	-57.92	1.20	12.40	-46.72	-13.00	V
5229.00	-52.39	1.80	12.50	-41.69	-13.00	V
7014.92	-58.78	1.80	12.00	-48.58	-13.00	H
7571.08	-58.00	1.80	11.30	-48.50	-13.00	H
10402.15	-56.21	2.30	11.30	-47.21	-13.00	V
14930.31	-51.00	2.70	11.20	-42.50	-13.00	H

n66, 5MHz, DFT-OFDM, QPSK, Channel 355500

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
5326.50	-54.48	1.30	12.50	-43.28	-13.00	V
7009.38	-58.92	1.80	12.00	-48.72	-13.00	H
7962.46	-58.41	1.90	11.30	-49.01	-13.00	H
10397.08	-56.55	2.30	11.30	-47.55	-13.00	V
14946.46	-51.78	2.70	11.20	-43.28	-13.00	V
17925.23	-47.41	3.20	12.80	-37.81	-13.00	H

Lower antenna
n5, 5MHz, DFT-OFDM, QPSK, Channel 165300

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
2298.43	-60.60	0.90	9.80	-53.85	-13.00	H
3037.50	-59.95	1.00	11.50	-51.60	-13.00	H
3869.62	-59.72	1.20	12.20	-50.87	-13.00	H
5860.88	-57.24	1.40	13.10	-47.69	-13.00	V
6348.71	-60.36	1.60	13.10	-51.01	-13.00	V
8222.86	-57.72	2.20	11.30	-50.77	-13.00	V

n5, 5MHz, DFT-OFDM, QPSK, Channel 167300

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
2352.10	-60.02	0.90	9.80	-53.27	-13.00	V
3003.75	-59.98	1.00	11.50	-51.63	-13.00	H
4077.00	-59.20	1.30	12.40	-50.25	-13.00	H
5832.00	-56.85	1.40	13.10	-47.30	-13.00	H
6680.86	-59.21	1.80	12.40	-50.76	-13.00	V
9583.86	-58.30	2.10	11.20	-51.35	-13.00	H

n5, 5MHz, DFT-OFDM, QPSK, Channel 169300

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
2288.69	-60.44	0.90	9.80	-53.69	-13.00	V
3084.38	-59.97	1.00	11.50	-51.62	-13.00	H
4431.00	-58.64	1.30	12.40	-49.69	-13.00	V
5569.50	-56.80	1.40	13.10	-47.25	-13.00	H
7005.29	-59.17	1.80	12.00	-51.12	-13.00	V
9583.57	-57.43	2.10	11.20	-50.48	-13.00	H

**n7, 5MHz, DFT-OFDM, QPSK, Channel 500500**

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
4100.25	-59.26	1.30	12.40	-48.16	-25.00	H
5571.38	-57.62	1.40	13.10	-45.92	-25.00	V
5880.00	-57.24	1.50	13.10	-45.64	-25.00	H
7915.85	-58.28	1.70	11.30	-48.68	-25.00	H
10517.54	-55.93	2.30	10.80	-47.43	-25.00	V
12790.15	-56.25	2.70	13.80	-45.15	-25.00	V

n7, 5MHz, DFT-OFDM, QPSK, Channel 507000

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
4090.12	-59.67	1.30	12.40	-48.57	-25.00	H
5582.25	-57.91	1.40	13.10	-46.21	-25.00	V
7039.38	-59.60	1.80	12.00	-49.40	-25.00	H
10266.92	-56.96	2.10	11.30	-47.76	-25.00	H
14921.54	-51.91	2.70	11.20	-43.41	-25.00	H
17889.23	-47.52	3.60	12.80	-38.32	-25.00	H

n7, 5MHz, DFT-OFDM, QPSK, Channel 513500

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
4075.50	-59.22	1.30	12.40	-48.12	-25.00	H
5523.38	-56.74	1.40	13.10	-45.04	-25.00	V
5898.38	-57.63	1.50	13.10	-46.03	-25.00	H
7696.15	-57.52	1.80	11.30	-48.02	-25.00	H
11741.54	-54.33	2.60	11.00	-45.93	-25.00	H
17892.00	-47.21	3.60	12.80	-38.01	-25.00	H

n38, 10MHz, DFT-OFDM, QPSK, Channel 515000

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
2972.86	-52.12	1.00	10.70	-42.42	-25.00	V
4427.25	-57.71	1.30	12.40	-46.61	-25.00	H
5577.75	-57.09	1.40	13.10	-45.39	-25.00	V
8231.54	-57.89	2.20	11.30	-48.79	-25.00	H
12216.46	-56.28	2.60	12.60	-46.28	-25.00	H
18000.00	-41.05	3.20	6.20	-38.05	-25.00	H

n38, 10MHz, DFT-OFDM, QPSK, Channel 519000

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
2982.14	-51.60	1.00	10.70	-41.90	-25.00	H
4135.50	-59.69	1.20	12.40	-48.49	-25.00	H
5730.38	-57.42	1.50	13.10	-45.82	-25.00	H
7810.15	-59.14	1.80	11.30	-49.64	-25.00	H
10437.69	-56.25	2.30	11.30	-47.25	-25.00	H
17918.77	-47.89	3.20	12.80	-38.29	-25.00	V

n38, 10MHz, DFT-OFDM, QPSK, Channel 523000

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
2961.07	-51.88	1.00	10.70	-42.18	-25.00	H
4780.12	-57.89	1.30	12.50	-46.69	-25.00	H
5451.75	-57.00	1.30	12.50	-45.80	-25.00	H
8259.69	-57.86	1.90	11.30	-48.46	-25.00	V
11677.38	-55.45	2.60	11.00	-47.05	-25.00	H
17884.15	-47.27	3.60	12.80	-38.07	-25.00	H



n41, 10MHz, DFT-OFDM, QPSK, Channel 500202

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
2955.36	-52.54	1.00	10.70	-42.84	-25.00	V
5586.00	-57.52	1.40	13.10	-45.82	-25.00	H
7028.77	-58.45	1.80	12.00	-48.25	-25.00	H
11931.69	-54.21	2.60	11.00	-45.81	-25.00	V
15861.69	-54.95	2.40	15.60	-41.75	-25.00	H
17905.85	-48.12	3.60	12.80	-38.92	-25.00	V

n41, 10MHz, DFT-OFDM, QPSK, Channel 518598

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
4064.62	-59.94	1.20	12.40	-48.74	-25.00	H
5888.62	-56.85	1.50	13.10	-45.25	-25.00	H
7811.54	-58.57	1.80	11.30	-49.07	-25.00	H
10472.77	-56.21	2.30	11.30	-47.21	-25.00	V
14927.54	-51.65	2.70	11.20	-43.15	-25.00	V
17927.08	-47.29	3.20	12.80	-37.69	-25.00	V

n41, 10MHz, DFT-OFDM, QPSK, Channel 537000

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
4189.12	-60.39	1.20	12.40	-49.19	-25.00	V
5959.12	-57.14	1.50	13.10	-45.54	-25.00	V
9572.31	-56.61	2.10	11.20	-47.51	-25.00	H
12210.46	-54.74	2.60	12.60	-44.74	-25.00	V
16607.08	-53.52	2.60	16.50	-39.62	-25.00	H
17887.38	-47.05	3.60	12.80	-37.85	-25.00	V



n66, 5MHz, DFT-OFDM, QPSK, Channel 342500

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
5131.88	-54.57	1.30	12.50	-43.37	-13.00	H
6202.15	-60.09	1.60	13.10	-48.59	-13.00	V
7796.31	-57.52	1.80	11.30	-48.02	-13.00	V
10424.31	-55.95	2.30	11.30	-46.95	-13.00	H
12562.15	-56.96	2.40	13.80	-45.56	-13.00	V
17928.46	-48.17	3.20	12.80	-38.57	-13.00	V

n66, 5MHz, DFT-OFDM, QPSK, Channel 349000

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
5229.00	-52.83	1.80	12.50	-42.13	-13.00	H
6278.31	-60.53	1.60	13.10	-49.03	-13.00	H
7900.15	-58.31	1.70	11.30	-48.71	-13.00	H
10327.85	-55.97	2.10	11.30	-46.77	-13.00	V
14914.62	-52.11	2.70	11.20	-43.61	-13.00	V
17888.31	-47.56	3.60	12.80	-38.36	-13.00	H

n66, 5MHz, DFT-OFDM, QPSK, Channel 355500

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
5326.50	-52.56	1.30	12.50	-41.36	-13.00	H
7193.08	-58.89	1.80	12.00	-48.69	-13.00	H
8276.31	-58.02	1.90	11.30	-48.62	-13.00	H
12259.85	-55.69	2.60	12.60	-45.69	-13.00	V
14956.15	-51.85	2.70	11.20	-43.35	-13.00	V
17917.85	-48.17	3.20	12.80	-38.57	-13.00	V



NSA

Upper antenna

DC_2A_n7A, 1.4MHz+5MHz, DFT-OFDM, QPSK, NR Channel 500500

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
4455.75	-58.60	1.20	12.40	-47.40	-25.00	H
5403.00	-56.79	1.20	12.50	-45.49	-25.00	V
7050.92	-59.99	1.80	12.00	-49.79	-25.00	V
9512.77	-57.37	2.10	11.20	-48.27	-25.00	V
11853.69	-54.80	2.50	11.00	-46.30	-25.00	H
16624.62	-53.00	2.60	16.50	-39.10	-25.00	H

DC_2A_n7A, 1.4MHz+5MHz, DFT-OFDM, QPSK, NR Channel 507000

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
3332.25	-59.94	1.10	11.50	-49.54	-25.00	H
4099.50	-59.37	1.30	12.40	-48.27	-25.00	H
5850.75	-58.47	1.40	13.10	-46.77	-25.00	V
7599.23	-58.18	1.80	11.30	-48.68	-25.00	H
11837.54	-54.77	2.50	11.00	-46.27	-25.00	V
16590.00	-53.10	2.60	16.50	-39.20	-25.00	H

DC_2A_n7A, 1.4MHz+5MHz, DFT-OFDM, QPSK, NR Channel 513500

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
4075.12	-60.26	1.30	12.40	-49.16	-25.00	H
5863.88	-57.76	1.40	13.10	-46.06	-25.00	V
8886.92	-58.59	1.90	12.00	-48.49	-25.00	H
12259.85	-55.96	2.60	12.60	-45.96	-25.00	V
15928.15	-54.87	2.60	15.60	-41.87	-25.00	V
17896.15	-48.16	3.60	12.80	-38.96	-25.00	V



DC_2A_n38A, 1.4MHz+5MHz, DFT-OFDM, QPSK, NR Channel 515000

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
7031.08	-58.75	1.80	12.00	-48.55	-25.00	V
8246.31	-57.69	1.90	11.30	-48.29	-25.00	H
9483.69	-58.74	2.10	11.60	-49.24	-25.00	V
11176.62	-55.68	2.50	10.50	-47.68	-25.00	V
12820.15	-56.51	2.70	13.80	-45.41	-25.00	H
16577.08	-52.90	2.60	16.50	-39.00	-25.00	V

DC_2A_n38A, 1.4MHz+5MHz, DFT-OFDM, QPSK, NR Channel 519000

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
4531.50	-59.30	1.20	12.50	-48.00	-25.00	H
5889.38	-57.88	1.50	13.10	-46.28	-25.00	V
7524.92	-57.62	1.90	11.30	-48.22	-25.00	H
9464.31	-58.68	2.10	11.60	-49.18	-25.00	V
12202.62	-55.44	2.60	12.60	-45.44	-25.00	V
17616.46	-48.38	3.30	12.80	-38.88	-25.00	H

DC_2A_n38A, 1.4MHz+5MHz, DFT-OFDM, QPSK, NR Channel 523000

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
8249.08	-57.69	1.90	11.30	-48.29	-25.00	V
9493.85	-56.49	2.10	11.60	-46.99	-25.00	H
10980.46	-55.47	2.40	10.80	-47.07	-25.00	V
12848.77	-57.21	2.70	13.80	-46.11	-25.00	V
14952.46	-50.02	2.70	11.20	-41.52	-25.00	H
17925.23	-46.73	3.20	12.80	-37.13	-25.00	H

**DC_2A_n41A, 1.4MHz+10MHz, DFT-OFDM, QPSK, NR Channel 500202**

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
2932.50	-51.98	1.00	10.70	-42.28	-25.00	V
4325.25	-58.34	1.30	12.40	-47.24	-25.00	H
5860.50	-57.30	1.40	13.10	-45.60	-25.00	H
6719.54	-59.29	1.70	12.40	-48.59	-25.00	H
8826.92	-57.93	1.90	12.00	-47.83	-25.00	V
16620.00	-52.27	2.60	16.50	-38.37	-25.00	H

DC_2A_n41A, 1.4MHz+10MHz, DFT-OFDM, QPSK, NR Channel 518598

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
2972.86	-51.75	1.00	10.70	-42.05	-25.00	H
4377.75	-58.85	1.30	12.40	-47.75	-25.00	H
5624.25	-57.92	1.30	13.10	-46.12	-25.00	H
9508.62	-57.84	2.10	11.20	-48.74	-25.00	H
15909.69	-54.85	2.60	15.60	-41.85	-25.00	H
17959.85	-48.43	3.20	12.80	-38.83	-25.00	H

DC_2A_n41A, 1.4MHz+10MHz, DFT-OFDM, QPSK, NR Channel 537000

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
2987.86	-52.10	1.00	10.70	-42.40	-25.00	V
5820.38	-57.52	1.40	13.10	-45.82	-25.00	V
8814.46	-58.80	1.90	12.00	-48.70	-25.00	V
10272.00	-56.55	2.10	11.30	-47.35	-25.00	V
14934.92	-51.36	2.70	11.20	-42.86	-25.00	V
17886.92	-47.25	3.60	12.80	-38.05	-25.00	H



DC_2A_n66A, 1.4MHz+5MHz, DFT-OFDM, QPSK, NR Channel 342500

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
7896.46	-58.81	1.70	11.30	-49.21	-13.00	V
9529.38	-56.89	2.10	11.20	-47.79	-13.00	H
11216.77	-55.61	2.50	10.50	-47.61	-13.00	V
12957.23	-57.02	2.50	13.80	-45.72	-13.00	H
15944.31	-53.76	2.60	15.60	-40.76	-13.00	H
17934.92	-46.91	3.20	12.80	-37.31	-13.00	V

DC_2A_n66A, 1.4MHz+5MHz, DFT-OFDM, QPSK, NR Channel 349000

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
7506.46	-58.77	1.90	11.30	-49.37	-13.00	V
9525.69	-57.57	2.10	11.20	-48.47	-13.00	V
11853.23	-54.00	2.50	11.00	-45.50	-13.00	V
14215.38	-53.79	2.50	11.90	-44.39	-13.00	H
16685.08	-53.42	2.60	16.50	-39.52	-13.00	H
17937.23	-46.72	3.20	12.80	-37.12	-13.00	V

DC_2A_n66A, 1.4MHz+5MHz, DFT-OFDM, QPSK, NR Channel 355500

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
9519.23	-57.51	2.10	11.20	-48.41	-13.00	H
10450.62	-56.80	2.30	11.30	-47.80	-13.00	H
11673.69	-53.89	2.60	11.00	-45.49	-13.00	H
12901.85	-55.65	2.50	13.80	-44.35	-13.00	V
14930.31	-49.72	2.70	11.20	-41.22	-13.00	V
17898.46	-46.46	3.60	12.80	-37.26	-13.00	V



DC_7A_n5A, 5MHz+5MHz, DFT-OFDM, QPSK, NR Channel 165300

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
3019.12	-60.09	1.00	11.50	-51.74	-13.00	V
3873.75	-59.25	1.20	12.20	-50.40	-13.00	V
5131.12	-57.72	1.30	12.50	-48.67	-13.00	V
5731.12	-57.34	1.50	13.10	-47.89	-13.00	V
7525.57	-59.98	1.90	11.30	-52.73	-13.00	V
8789.43	-59.60	1.90	12.00	-51.65	-13.00	V

DC_7A_n5A, 5MHz+5MHz, DFT-OFDM, QPSK, NR Channel 167300

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
3082.50	-60.24	1.00	11.50	-51.89	-13.00	V
3892.12	-60.23	1.20	12.20	-51.38	-13.00	V
4983.38	-57.98	1.30	12.50	-48.93	-13.00	H
5966.62	-57.05	1.50	13.10	-47.60	-13.00	H
7916.00	-58.40	1.70	11.30	-50.95	-13.00	V
9906.29	-57.44	2.20	11.20	-50.59	-13.00	V

DC_7A_n5A, 5MHz+5MHz, DFT-OFDM, QPSK, NR Channel 169300

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
3154.88	-60.27	1.00	11.50	-51.92	-13.00	H
4008.75	-59.74	1.20	12.40	-50.69	-13.00	V
5586.75	-57.63	1.40	13.10	-48.08	-13.00	H
6339.29	-61.42	1.60	13.10	-52.07	-13.00	V
7598.86	-54.93	1.80	11.30	-47.58	-13.00	V
8876.71	-60.28	1.90	12.00	-52.33	-13.00	H



Lower antenna

DC_2A_n7A, 1.4MHz+5MHz, DFT-OFDM, QPSK, NR Channel 500500

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
4407.00	-58.79	1.30	12.40	-47.69	-25.00	V
5997.38	-57.17	1.50	13.10	-45.57	-25.00	V
7511.08	-58.31	1.90	11.30	-48.91	-25.00	V
10852.15	-56.17	2.30	10.80	-47.67	-25.00	H
14744.31	-53.78	2.50	11.20	-45.08	-25.00	H
17888.31	-47.48	3.60	12.80	-38.28	-25.00	V

DC_2A_n7A, 1.4MHz+5MHz, DFT-OFDM, QPSK, NR Channel 507000

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
3574.12	-60.02	1.10	12.20	-48.92	-25.00	H
4252.12	-59.56	1.20	12.40	-48.36	-25.00	H
5860.88	-57.94	1.40	13.10	-46.24	-25.00	V
7338.46	-60.31	1.70	12.00	-50.01	-25.00	V
10927.85	-55.50	2.40	10.80	-47.10	-25.00	H
16801.38	-53.21	2.90	16.50	-39.61	-25.00	V

DC_2A_n7A, 1.4MHz+5MHz, DFT-OFDM, QPSK, NR Channel 513500

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
4005.75	-59.98	1.20	12.40	-48.78	-25.00	H
5684.62	-57.53	1.30	13.10	-45.73	-25.00	V
7065.69	-58.75	1.80	12.00	-48.55	-25.00	V
9471.23	-58.06	2.10	11.60	-48.56	-25.00	V
11826.92	-54.93	2.50	11.00	-46.43	-25.00	V
17884.15	-47.83	3.60	12.80	-38.63	-25.00	H



DC_2A_n38A, 1.4MHz+5MHz, DFT-OFDM, QPSK, NR Channel 515000

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
6906.46	-54.71	1.80	12.40	-44.11	-25.00	V
8943.69	-59.45	2.00	12.00	-49.45	-25.00	H
10290.00	-56.58	2.10	11.30	-47.38	-25.00	V
12840.00	-56.06	2.70	13.80	-44.96	-25.00	V
15866.31	-53.99	2.40	15.60	-40.79	-25.00	V
17994.46	-47.37	3.20	12.80	-37.77	-25.00	H

DC_2A_n38A, 1.4MHz+5MHz, DFT-OFDM, QPSK, NR Channel 519000

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
5586.75	-57.94	1.40	13.10	-46.24	-25.00	V
6906.46	-54.50	1.80	12.40	-43.90	-25.00	V
8928.00	-59.06	2.00	12.00	-49.06	-25.00	V
11812.15	-53.86	2.50	11.00	-45.36	-25.00	V
14930.77	-50.81	2.70	11.20	-42.31	-25.00	V
17910.00	-47.35	3.60	12.80	-38.15	-25.00	H

DC_2A_n38A, 1.4MHz+5MHz, DFT-OFDM, QPSK, NR Channel 523000

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
6906.46	-54.98	1.80	12.40	-44.38	-25.00	V
8249.54	-58.17	1.90	11.30	-48.77	-25.00	V
10319.54	-56.57	2.10	11.30	-47.37	-25.00	H
11956.15	-55.14	2.60	11.00	-46.74	-25.00	H
14214.00	-53.55	2.50	11.90	-44.15	-25.00	H
17919.23	-46.89	3.20	12.80	-37.29	-25.00	V



DC_2A_n41A, 1.4MHz+10MHz, DFT-OFDM, QPSK, NR Channel 500202

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
2856.79	-52.24	1.00	10.70	-42.54	-25.00	H
5046.38	-58.13	1.30	12.50	-46.93	-25.00	H
5877.75	-57.24	1.50	13.10	-45.64	-25.00	V
6931.85	-60.02	1.80	12.40	-49.42	-25.00	H
10296.46	-56.70	2.10	11.30	-47.50	-25.00	H
17904.46	-47.96	3.60	12.80	-38.76	-25.00	H

DC_2A_n41A, 1.4MHz+10MHz, DFT-OFDM, QPSK, NR Channel 518598

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
4276.88	-60.11	1.20	12.40	-48.91	-25.00	H
5941.50	-57.70	1.50	13.10	-46.10	-25.00	H
6949.38	-61.18	1.80	12.40	-50.58	-25.00	H
9535.38	-57.83	2.10	11.20	-48.73	-25.00	H
10886.31	-55.33	2.30	10.80	-46.83	-25.00	H
16584.92	-52.99	2.60	16.50	-39.09	-25.00	H

DC_2A_n41A, 1.4MHz+10MHz, DFT-OFDM, QPSK, NR Channel 537000

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
3900.75	-59.74	1.20	12.20	-48.74	-25.00	V
5385.38	-58.22	1.20	12.50	-46.92	-25.00	H
6681.69	-59.85	1.80	12.40	-49.25	-25.00	V
9584.77	-57.53	2.10	11.20	-48.43	-25.00	H
14231.54	-54.61	2.50	11.90	-45.21	-25.00	V
16602.46	-53.63	2.60	16.50	-39.73	-25.00	H



DC_2A_n66A, 1.4MHz+5MHz, DFT-OFDM, QPSK, NR Channel 342500

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
8255.08	-58.55	1.90	11.30	-49.15	-13.00	H
9481.38	-58.65	2.10	11.60	-49.15	-13.00	V
11205.23	-55.64	2.50	10.50	-47.64	-13.00	H
12902.77	-55.78	2.50	13.80	-44.48	-13.00	V
14907.23	-50.68	2.70	11.20	-42.18	-13.00	V
16718.31	-52.49	2.90	16.50	-38.89	-13.00	V

DC_2A_n66A, 1.4MHz+5MHz, DFT-OFDM, QPSK, NR Channel 349000

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
8271.69	-58.21	1.90	11.30	-48.81	-13.00	H
9522.00	-57.13	2.10	11.20	-48.03	-13.00	H
10366.62	-55.94	2.30	11.30	-46.94	-13.00	V
11803.85	-54.80	2.50	11.00	-46.30	-13.00	V
14941.85	-50.15	2.70	11.20	-41.65	-13.00	V
17890.15	-46.99	3.60	12.80	-37.79	-13.00	H

DC_2A_n66A, 1.4MHz+5MHz, DFT-OFDM, QPSK, NR Channel 355500

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
9049.38	-58.28	2.20	11.60	-48.88	-13.00	H
10380.46	-55.91	2.30	11.30	-46.91	-13.00	V
11880.00	-54.99	2.50	11.00	-46.49	-13.00	V
13383.23	-56.11	2.30	13.30	-45.11	-13.00	H
14952.92	-50.56	2.70	11.20	-42.06	-13.00	V
16637.08	-53.22	2.60	16.50	-39.32	-13.00	V



DC_7A_n5A, 5MHz+5MHz, DFT-OFDM, QPSK, NR Channel 165300

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
3049.50	-61.28	1.10	11.50	-53.03	-13.00	H
4371.38	-58.56	1.30	12.40	-49.61	-13.00	H
5699.62	-57.91	1.30	13.10	-48.26	-13.00	H
7012.57	-58.84	1.80	12.00	-50.79	-13.00	H
8273.14	-58.02	1.90	11.30	-50.77	-13.00	H
8889.00	-59.56	1.90	12.00	-51.61	-13.00	V

DC_7A_n5A, 5MHz+5MHz, DFT-OFDM, QPSK, NR Channel 167300

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
3029.62	-60.57	1.00	11.50	-52.22	-13.00	V
4101.38	-59.47	1.30	12.40	-50.52	-13.00	H
5010.00	-58.91	1.30	12.50	-49.86	-13.00	H
6601.14	-60.78	1.70	12.40	-52.23	-13.00	H
7493.14	-59.81	1.90	12.00	-51.86	-13.00	H
8892.86	-59.57	1.90	12.00	-51.62	-13.00	H

DC_7A_n5A, 5MHz+5MHz, DFT-OFDM, QPSK, NR Channel 169300

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
3076.88	-59.41	1.10	11.50	-51.16	-13.00	H
3730.50	-59.33	1.10	12.20	-50.38	-13.00	H
4522.12	-59.39	1.20	12.50	-50.24	-13.00	V
6618.29	-58.56	1.70	12.40	-50.01	-13.00	H
8235.43	-58.07	2.20	11.30	-51.12	-13.00	V
8831.00	-59.26	1.90	12.00	-51.31	-13.00	V



NR_CA

Upper antenna

CA_n5A-n7A, 5MHz+5MHz, DFT-OFDM, QPSK, Channel 165300+500500

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
8838.92	-59.07	1.90	12.00	-48.97	-25.00	H
10386.92	-55.90	2.30	11.30	-46.90	-25.00	H
11875.38	-54.89	2.50	11.00	-46.39	-25.00	H
13716.92	-54.70	2.50	12.40	-44.80	-25.00	V
16597.85	-52.97	2.60	16.50	-39.07	-25.00	H
17929.38	-46.99	3.20	12.80	-37.39	-25.00	V

CA_n5A-n7A, 5MHz+5MHz, DFT-OFDM, QPSK, Channel 167300+507000

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
10272.00	-56.97	2.10	11.30	-47.77	-25.00	V
11605.38	-54.58	2.60	11.00	-46.18	-25.00	H
12575.08	-57.43	2.40	13.80	-46.03	-25.00	H
14204.77	-53.48	2.50	11.90	-44.08	-25.00	V
15934.15	-53.73	2.60	15.60	-40.73	-25.00	H
17880.00	-47.26	3.60	12.80	-38.06	-25.00	V

CA_n5A-n7A, 5MHz+5MHz, DFT-OFDM, QPSK, Channel 169300+513500

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
10922.77	-55.09	2.40	10.80	-46.69	-25.00	H
11800.15	-55.35	2.50	11.00	-46.85	-25.00	H
12753.23	-56.74	2.60	13.80	-45.54	-25.00	H
14925.23	-50.62	2.70	11.20	-42.12	-25.00	V
16585.85	-52.93	2.60	16.50	-39.03	-25.00	H
17899.85	-47.18	3.60	12.80	-37.98	-25.00	V

Lower antenna
CA_n5A-n7A, 5MHz+5MHz, DFT-OFDM, QPSK, Channel 165300+500500

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
11170.15	-54.86	2.50	10.50	-46.86	-25.00	H
12184.62	-56.75	2.60	12.60	-46.75	-25.00	H
13317.23	-56.52	2.30	13.30	-45.52	-25.00	H
14885.08	-50.47	2.70	11.20	-41.97	-25.00	V
16587.69	-53.40	2.60	16.50	-39.50	-25.00	H
17923.38	-47.17	3.20	12.80	-37.57	-25.00	V

CA_n5A-n7A, 5MHz+5MHz, DFT-OFDM, QPSK, Channel 167300+507000

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
9582.00	-58.01	2.10	11.20	-48.91	-25.00	V
11191.85	-54.90	2.50	10.50	-46.90	-25.00	H
12872.31	-56.18	2.70	13.80	-45.08	-25.00	H
14181.69	-54.05	2.50	11.90	-44.65	-25.00	V
15891.69	-53.26	2.40	15.60	-40.06	-25.00	V
17915.08	-47.14	3.20	12.80	-37.54	-25.00	V

CA_n5A-n7A, 5MHz+5MHz, DFT-OFDM, QPSK, Channel 169300+513500

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
8888.77	-58.93	1.90	12.00	-48.83	-25.00	V
10332.92	-56.10	2.10	11.30	-46.90	-25.00	H
11680.62	-53.65	2.60	11.00	-45.25	-25.00	V
13335.23	-57.04	2.30	13.30	-46.04	-25.00	V
14934.46	-50.67	2.70	11.20	-42.17	-25.00	H
17901.23	-46.60	3.60	12.80	-37.40	-25.00	H

Note: The maximum value of expanded measurement uncertainty for this test item is $U = 2.82\text{dB}(30\text{MHz}-3\text{GHz})/3.06\text{dB}(3\text{GHz}-18\text{GHz})/2.40\text{dB}(18\text{GHz}-40\text{GHz})$, $k = 2$



A.3 FREQUENCY STABILITY

A.3.1 Method of Measurement

Frequency stability is a measure of the frequency drift due to temperature and supply voltage variations, with reference to the frequency measured at +20 °C and rated supply voltage. Two reference points are established at the applicable unwanted emissions limit using a RBW equal to the RBW required by the unwanted emissions specification of the applicable regulatory standard. These reference points measured using the lowest and highest channel of operation shall be identified as F_L and F_H respectively.

In order to measure the carrier frequency under the condition of AFC lock, it is necessary to make measurements with the EUT in a "call mode". This is accomplished with the use of UXM

1. Measure the carrier frequency at room temperature.
2. Subject the EUT to overnight soak at -30°C.
3. With the EUT, powered via nominal voltage, connected to the UXM and in a simulated call on mid channel of each band, measure the carrier frequency. These measurements should be made within 2 minutes of Powering up the EUT, to prevent significant self-warming.
4. Repeat the above measurements at 10°C increments from -30°C to +50°C. Allow at least 1.5 hours at each temperature, unpowered, before making measurements.
5. Re-measure carrier frequency at room temperature with nominal voltage. Vary supply voltage from minimum voltage to maximum voltage, in 0.1Volt increments e-measuring carrier frequency at each voltage. Pause at nominal voltage for 1.5 hours unpowered, to allow any self-heating to stabilize, before continuing.
6. Subject the EUT to overnight soak at +50°C.
7. With the EUT, powered via nominal voltage, connected to the UXM and in a simulated call on the center channel, measure the carrier frequency. These measurements should be made within 2 minutes of Powering up the EUT, to prevent significant self-warming.
8. Repeat the above measurements at 10°C increments from +50°C to -30°C. Allow at least 1.5 hours at each temperature, unpowered, before making measurements.
9. At all temperature levels hold the temperature to +/- 0.5°C during the measurement procedure.

The frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block. As this transceiver is considered "Hand carried, battery powered equipment" Section 2.1055(d)(2) applies. This requires that the lower voltage for frequency stability testing be specified by the manufacturer. This transceiver is specified to operate with an input voltage of the lower, higher and nominal voltage. Operation above or below these voltage limits is prohibited by transceiver software in order to prevent improper operation as well as to protect components from overstress.



A.3.2 Measurement results

n5

Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	3.89	824.240	848.656		
50				0.30	0.0004
40				1.80	0.0022
30				-1.50	0.0018
10				-0.90	0.0011
0				2.90	0.0035
-10				0.10	0.0001
-20				-3.80	0.0045
-30				0.60	0.0007

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
3.60	20	824.240	848.656	1.30	0.0016
4.48				-1.10	0.0013

Expanded measurement uncertainty is 10Hz, $k = 2$

n7

Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	3.89	2500.448	2569.536		
50				4.50	0.0018
40				3.20	0.0013
30				14.10	0.0056
10				-1.30	0.0005
0				-5.90	0.0023
-10				2.90	0.0011
-20				2.60	0.0010
-30				-1.80	0.0007

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
3.60	20	2500.448	2569.536	-2.70	0.0011
4.48				0.30	0.0001

Expanded measurement uncertainty is 10Hz, $k = 2$



n38

Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	3.89	2570.816	2619.976	4.80	0.0018
50					
40					
30					
10					
0					
-10					
-20					
-30					

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
3.60	20	2570.816	2619.976	8.80	0.0034
4.48				2.00	0.0008

Expanded measurement uncertainty is 10Hz, $k = 2$

n41

Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	3.89	2496.784	2689.064	10.00	0.0039
50					
40					
30					
10					
0					
-10					
-20					
-30					

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
3.60	20	2496.784	2689.064	3.10	0.0012
4.48				3.50	0.0013

Expanded measurement uncertainty is 10Hz, $k = 2$



n66

Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	3.89	1710.032	1779.936		
50				-4.00	0.0023
40				-2.60	0.0015
30				-1.80	0.0010
10				1.90	0.0011
0				-0.50	0.0003
-10				-2.10	0.0012
-20				-8.30	0.0048
-30				-4.50	0.0026

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
3.60	20	1710.032	1779.936	-2.10	0.0012
4.48				0.20	0.0001

Expanded measurement uncertainty is 10Hz, $k = 2$



A.4 OCCUPIED BANDWIDTH

Occupied bandwidth measurements are only provided for selected frequencies in order to reduce the amount of submitted data. Data were taken at the extreme and mid frequency. The table below lists the measured 99% BW. Spectrum analyzer plots are included on the following pages.

The measurement method is from ANSI C63.26:

- a) The spectrum analyzer center frequency is set to the nominal EUT channel center frequency. The frequency span for the spectrum analyzer shall be set wide enough to capture all modulation products including the emission skirts.
- b) The nominal IF filter 3 dB bandwidth (RBW) shall be in the range of 1% to 5% of the anticipated OBW, and the VBW shall be set $\geq 3 \times$ RBW.
- c) Set the reference level of the instrument as required to prevent the signal amplitude from exceeding the maximum spectrum analyzer input mixer level for linear operation.
- d) Set the detection mode to peak, and the trace mode to max-hold.




n5


n5,5MHz(99% BW)

Frequency (MHz)	Occupied Bandwidth (99% BW) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
836.5	4.508	4.526

n5,5MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n5,5MHz Bandwidth,DFT-s-QPSK (99% BW)






n5


n5,10MHz(99% BW)

Frequency (MHz)	Occupied Bandwidth (99% BW) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
836.5	9.011	9.012

n5,10MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n5,10MHz Bandwidth,DFT-s-QPSK (99% BW)






n5


n5,15MHz(99% BW)

Frequency (MHz)	Occupied Bandwidth (99% BW) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
836.5	13.449	13.457

n5,15MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n5,15MHz Bandwidth,DFT-s-QPSK (99% BW)






n5


n5,20MHz(99% BW)

Frequency (MHz)	Occupied Bandwidth (99% BW) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
836.5	17.981	17.958

n5,20MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n5,20MHz Bandwidth,DFT-s-QPSK (99% BW)






n7

n7,5MHz(99% BW)

Frequency (MHz)	Occupied Bandwidth (99% BW) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2535	4.522	4.524

n7,5MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n7,5MHz Bandwidth,DFT-s-QPSK (99% BW)






n7


n7,10MHz(99% BW)

Frequency (MHz)	Occupied Bandwidth (99% BW) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2535	9.020	9.030

n7,10MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n7,10MHz Bandwidth,DFT-s-QPSK (99% BW)






n7


n7,15MHz(99% BW)

Frequency (MHz)	Occupied Bandwidth (99% BW) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2535	13.475	13.476

n7,15MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n7,15MHz Bandwidth,DFT-s-QPSK (99% BW)






n7


n7,20MHz(99% BW)

Frequency (MHz)	Occupied Bandwidth (99% BW) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2535	18.043	18.026

n7,20MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n7,20MHz Bandwidth,DFT-s-QPSK (99% BW)






n7


n7,25MHz(99% BW)

Frequency (MHz)	Occupied Bandwidth (99% BW) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2535	22.908	23.045

n7,25MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n7,25MHz Bandwidth,DFT-s-QPSK (99% BW)






n7


n7,30MHz(99% BW)

Frequency (MHz)	Occupied Bandwidth (99% BW) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2535	28.707	28.726

n7,30MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n7,30MHz Bandwidth,DFT-s-QPSK (99% BW)




n7


n7,40MHz(99% BW)

Frequency (MHz)	Occupied Bandwidth (99% BW) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2535	38.729	38.834

n7,40MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n7,40MHz Bandwidth,DFT-s-QPSK (99% BW)






n38


n38,20MHz(99% BW)

Frequency (MHz)	Occupied Bandwidth (99% BW) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2595	18.037	18.062

n38,20MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n38,20MHz Bandwidth,DFT-s-QPSK (99% BW)






n38


n38,30MHz(99% BW)

Frequency (MHz)	Occupied Bandwidth (99% BW) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2595	26.926	26.893

n38,30MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n38,30MHz Bandwidth,DFT-s-QPSK (99% BW)




n38


n38,40MHz(99% BW)

Frequency (MHz)	Occupied Bandwidth (99% BW) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2595	36.009	36.029

n38,40MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n38,40MHz Bandwidth,DFT-s-QPSK (99% BW)



n41


n41,20MHz(99% BW)

Frequency (MHz)	Occupied Bandwidth (99% BW) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	18.040	18.122

n41,20MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n41,20MHz Bandwidth,DFT-s-QPSK (99% BW)






n41


n41,30MHz(99% BW)

Frequency (MHz)	Occupied Bandwidth (99% BW) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	26.917	26.876

n41,30MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n41,30MHz Bandwidth,DFT-s-QPSK (99% BW)






n41


n41,40MHz(99% BW)

Frequency (MHz)	Occupied Bandwidth (99% BW) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	36.017	36.037

n41,40MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n41,40MHz Bandwidth,DFT-s-QPSK (99% BW)




n41


n41,50MHz(99% BW)

Frequency (MHz)	Occupied Bandwidth (99% BW) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	45.903	45.963

n41,50MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n41,50MHz Bandwidth,DFT-s-QPSK (99% BW)






n41


n41,60MHz(99% BW)

Frequency (MHz)	Occupied Bandwidth (99% BW) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	57.974	57.948

n41,60MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n41,60MHz Bandwidth,DFT-s-QPSK (99% BW)




n41


n41,70MHz(99% BW)

Frequency (MHz)	Occupied Bandwidth (99% BW) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	64.544	64.378

n41,70MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n41,70MHz Bandwidth,DFT-s-QPSK (99% BW)






n41


n41,80MHz(99% BW)

Frequency (MHz)	Occupied Bandwidth (99% BW) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	77.653	77.521

n41,80MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n41,80MHz Bandwidth,DFT-s-QPSK (99% BW)






n41


n41,90MHz(99% BW)

Frequency (MHz)	Occupied Bandwidth (99% BW) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	85.919	86.062

n41,90MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n41,90MHz Bandwidth,DFT-s-QPSK (99% BW)




n41


n41,100MHz(99% BW)

Frequency (MHz)	Occupied Bandwidth (99% BW) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	96.655	96.825

n41,100MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n41,100MHz Bandwidth,DFT-s-QPSK (99% BW)




n66


n66,5MHz(99% BW)

Frequency (MHz)	Occupied Bandwidth (99% BW) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	4.538	4.538

n66,5MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n66,5MHz Bandwidth,DFT-s-QPSK (99% BW)






n66


n66,10MHz(99% BW)

Frequency (MHz)	Occupied Bandwidth (99% BW) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	9.002	9.033

n66,10MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n66,10MHz Bandwidth,DFT-s-QPSK (99% BW)






n66


n66,15MHz(99% BW)

Frequency (MHz)	Occupied Bandwidth (99% BW) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	13.482	13.463

n66,15MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n66,15MHz Bandwidth,DFT-s-QPSK (99% BW)






n66


n66,20MHz(99% BW)

Frequency (MHz)	Occupied Bandwidth (99% BW) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	18.051	18.043

n66,20MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n66,20MHz Bandwidth,DFT-s-QPSK (99% BW)






n66


n66,30MHz(99% BW)

Frequency (MHz)	Occupied Bandwidth (99% BW) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	28.705	28.744

n66,30MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n66,30MHz Bandwidth,DFT-s-QPSK (99% BW)




n66


n66,40MHz(99% BW)

Frequency (MHz)	Occupied Bandwidth (99% BW) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	38.748	38.845

n66,40MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n66,40MHz Bandwidth,DFT-s-QPSK (99% BW)



Note: Expanded measurement uncertainty is $U = 3428$ Hz, $k = 2$



A.5 EMISSION BANDWIDTH

The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power. Table below lists the measured -26dBc BW. Spectrum analyzer plots are included on the following pages.

The measurement method is from ANSI C63.26:


- a) The spectrum analyzer center frequency is set to the nominal EUT channel center frequency. The span range for the spectrum analyzer shall be wide enough to see sufficient roll off of the signal to make the measurement.
- b) The nominal RBW shall be in the range of 1% to 5% of the anticipated OBW, and the VBW shall be set $\geq 3 \times \text{RBW}$.
- c) Set the reference level of the instrument as required to prevent the signal amplitude from exceeding the maximum spectrum analyzer input mixer level for linear operation.
- d) The dynamic range of the spectrum analyzer at the selected RBW shall be more than 10 dB below the target “-X dB” requirement, i.e., if the requirement calls for measuring the -26 dB OBW, the spectrum analyzer noise floor at the selected RBW shall be at least 36 dB below the reference level.
- e) Set spectrum analyzer detection mode to peak, and the trace mode to max hold.

n5


n5,5MHz(-26dBc BW)

Frequency (MHz)	Emission Bandwidth (-26dBc BW) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
836.5	5.290	5.170

n5,5MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n5,5MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n5


n5,10MHz(-26dBc BW)

Frequency (MHz)	Emission Bandwidth (-26dBc BW) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
836.5	9.950	9.800

n5,10MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n5,10MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n5

n5,15MHz(-26dBc BW)

Frequency (MHz)	Emission Bandwidth (-26dBc BW) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
836.5	14.476	14.476

n5,15MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n5,15MHz Bandwidth,DFT-s-QPSK (-26dBc BW)

