


Annex A.3 Occupied Bandwidth

1. GSM_GSM850

1.1. GSM Occupied Bandwidth(NTNV)(Channel:128)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
824.2	99	26	0.004	Peak	0.243	0.313	0.3	Pass



1.2. GSM Occupied Bandwidth(NTNV)(Channel:190)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.6	99	26	0.004	Peak	0.244	0.308	0.3	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 836.6 MHz Trig Free

Occupied Bandwidth Averages: 8

Ref 30 dBm #Atten 40 dB

#Peak Log 10 dB/ Offst 9.1 dB


Center 836.600 0 MHz Span 2 MHz

#Res BW 3.9 kHz #VBW 12 kHz #Sweep 10 s (2564 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
243.9195 kHz	x dB	-26.00 dB
Transmit Freq Error	482.335 Hz	
x dB Bandwidth	307.725 kHz	

Copyright 2000-2012 Agilent Technologies


1.3. GSM Occupied Bandwidth(NTNV)(Channel:251)




2. GSM_PCS

2.1. GSM Occupied Bandwidth(NTNV)(Channel:512)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1850.2	99	26	0.004	Peak	0.244	0.305	0.3	Pass



2.2. GSM Occupied Bandwidth(NTNV)(Channel:661)



2.3. GSM Occupied Bandwidth(NTNV)(Channel:810)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1909.8	99	26	0.004	Peak	0.245	0.308	0.3	Pass

Agilent

Ch Freq 1.9098 GHz Trig Free

Occupied Bandwidth Averages: 8

Ref 30 dBm #Atten 40 dB

#Peak Log 10 dB/ Offst 10.9 dB

Center 1.909 800 0 GHz Span 2 MHz

#Res BW 3.9 kHz #VBW 12 kHz #Sweep 10 s (2564 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

245.4183 kHz x dB -26.00 dB

Transmit Freq Error -736.952 Hz

x dB Bandwidth 308.414 kHz

Copyright 2000-2012 Agilent Technologies

Measure

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power


Power Stat CCDF

More 1 of 2

3. EGPRS_GSM850

3.1. EGPRS Occupied Bandwidth(NTNV)(Channel:128)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
824.2	99	26	0.004	Peak	0.246	0.31	0.3	Pass



3.2. EGPRS Occupied Bandwidth(NTNV)(Channel:190)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.6	99	26	0.004	Peak	0.242	0.31	0.3	Pass

Agilent

Ch Freq 836.6 MHz Trig Free

Occupied Bandwidth Averages: 3

Ref 30 dBm #Atten 40 dB

#Peak Log 10 dB/ Offst 9.1 dB

Center 836.600 0 MHz Span 2 MHz

#Res BW 3.9 kHz #VBW 12 kHz #Sweep 20 s (2564 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

242.2445 kHz x dB -26.00 dB

Transmit Freq Error -741.309 Hz

x dB Bandwidth 310.144 kHz

Copyright 2000-2012 Agilent Technologies

Measure

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

3.3. EGPRS Occupied Bandwidth(NTNV)(Channel:251)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
848.8	99	26	0.004	Peak	0.246	0.312	0.3	Pass

Agilent

Ch Freq 848.8 MHz Trig Free

Occupied Bandwidth Averages: 3

Ref 30 dBm #Atten 40 dB

#Peak Log 10 dB/ Offst 9.16 dB

Center 848.800 0 MHz Span 2 MHz

#Res BW 3.9 kHz #VBW 12 kHz #Sweep 20 s (2564 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

245.8333 kHz x dB -26.00 dB

Transmit Freq Error 109.575 Hz

x dB Bandwidth 311.916 kHz

Copyright 2000-2012 Agilent Technologies

Measure

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power


Power Stat CCDF

More 1 of 2

4. EGPRS_PCS

4.1. EGPRS Occupied Bandwidth(NTNV)(Channel:512)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1850.2	99	26	0.004	Peak	0.245	0.311	0.3	Pass



4.2. EGPRS Occupied Bandwidth(NTNV)(Channel:661)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.004	Peak	0.243	0.314	0.3	Pass

Agilent

Ch Freq 1.88 GHz Trig Free

Occupied Bandwidth Averages: 3

Ref 30 dBm #Atten 40 dB

#Peak Log 10 dB/ Offst 10.9 dB

Center 1.880 000 0 GHz Span 2 MHz

#Res BW 3.9 kHz #VBW 12 kHz #Sweep 20 s (2564 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

243.3739 kHz x dB -26.00 dB

Transmit Freq Error -282.933 Hz

x dB Bandwidth 313.614 kHz

Copyright 2000-2012 Agilent Technologies

Measure

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

4.3. EGPRS Occupied Bandwidth(NTNV)(Channel:810)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1909.8	99	26	0.004	Peak	0.246	0.31	0.3	Pass

Agilent

Ch Freq 1.9098 GHz Trig Free

Occupied Bandwidth Averages: 3

Ref 30 dBm #Atten 40 dB

#Peak Log 10 dB/ Offst 10.9 dB

Center 1.909 800 0 GHz Span 2 MHz

#Res BW 3.9 kHz #VBW 12 kHz #Sweep 20 s (2564 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

246.0497 kHz x dB -26.00 dB

Transmit Freq Error -174.758 Hz

x dB Bandwidth 309.551 kHz

Copyright 2000-2012 Agilent Technologies

Measure

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power


Power Stat CCDF

More 1 of 2


5. WCDMA_Band2

5.1. WCDMA Occupied Bandwidth(NTNV)(Channel:9262)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1852.4	99	26	0.1	Peak	4.107	4.717	5	Pass



5.2. WCDMA Occupied Bandwidth(NTNV)(Channel:9400)



5.3. WCDMA Occupied Bandwidth(NTNV)(Channel:9538)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1907.6	99	26	0.1	Peak	4.107	4.702	5	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.9076 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 10.9 dB

Center 1.907 600 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 10 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

4.1066 MHz x dB -26.00 dB

Transmit Freq Error -2.704 kHz


x dB Bandwidth 4.702 MHz

Copyright 2000-2012 Agilent Technologies


6. WCDMA_Band4

6.1. WCDMA Occupied Bandwidth(NTNV)(Channel:1312)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1712.4	99	26	0.1	Peak	4.096	4.706	5	Pass



6.2. WCDMA Occupied Bandwidth(NTNV)(Channel:1412)



6.3. WCDMA Occupied Bandwidth(NTNV)(Channel:1513)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1752.6	99	26	0.1	Peak	4.105	4.702	5	Pass

Agilent

Measure

Ch Freq 1.7526 GHz

Trig Free

Occupied Bandwidth

Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 10.6 dB

Center 1.752 600 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 10 s (500 pts)

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

Occupied Bandwidth	Occ BW % Pwr	99.00 %
4.1046 MHz	x dB	-26.00 dB
Transmit Freq Error	1.320 kHz	
x dB Bandwidth	4.702 MHz	

Copyright 2000-2012 Agilent Technologies

7. WCDMA_Band5

7.1. WCDMA Occupied Bandwidth(NTNV)(Channel:4132)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
826.4	99	26	0.1	Peak	4.107	4.703	5	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 826.4 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.11 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 9.11 dB


Center 826.400 MHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 10 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
4.1067 MHz	x dB -26.00 dB
Transmit Freq Error 3.382 kHz	
x dB Bandwidth 4.703 MHz	

Copyright 2000-2012 Agilent Technologies

7.2. WCDMA Occupied Bandwidth(NTNV)(Channel:4182)



7.3. WCDMA Occupied Bandwidth(NTNV)(Channel:4233)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
846.6	99	26	0.1	Peak	4.098	4.696	5	Pass

Agilent

Measure

Ch Freq 846.6 MHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 29.14 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 9.14 dB

Center 846.600 MHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 10 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
4.0977 MHz	x dB	-26.00 dB
Transmit Freq Error	-5.286 kHz	
x dB Bandwidth	4.696 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power


Power Stat CCDF

More

1 of 2

8. LTE_Band2

8.1. LTE Occupied Bandwidth(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)



8.2. LTE Occupied Bandwidth(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1850.7	99	26	0.027	Peak	1.094	1.293	1.4	Pass


Occupied Bandwidth 1.0942 MHz

Occ BW % Pwr 99.00 %
x dB -26.00 dB


Transmit Freq Error -3.053 kHz
x dB Bandwidth 1.293 MHz

Copyright 2000-2012 Agilent Technologies


8.3. LTE Occupied Bandwidth(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)




8.4. LTE Occupied Bandwidth(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)




8.5. LTE Occupied Bandwidth(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)




8.6. LTE Occupied Bandwidth(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)




8.7. LTE Occupied Bandwidth(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)




8.8. LTE Occupied Bandwidth(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)



8.9. LTE Occupied Bandwidth(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)



8.10. LTE Occupied Bandwidth(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)



8.11. LTE Occupied Bandwidth(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1908.5	99	26	0.062	Peak	2.698	2.986	3	Pass

Agilent

Ch Freq 1.9085 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.9 dB

Center 1.908500 GHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %
 2.6980 MHz x dB -26.00 dB

Transmit Freq Error -4.674 kHz
 x dB Bandwidth 2.986 MHz

Copyright 2000-2012 Agilent Technologies

Measure

Meas Off

Channel Power

Occupied BW


ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

8.12. LTE Occupied Bandwidth(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)



8.13. LTE Occupied Bandwidth(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1852.5	99	26	0.1	Peak	4.5	4.973	5	Pass

Agilent
Measure

Ch Freq 1.8525 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.852 500 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

4.5001 MHz x dB -26.00 dB

Transmit Freq Error -3.726 kHz

x dB Bandwidth 4.973 MHz

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW


ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

8.14. LTE Occupied Bandwidth(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)



8.15. LTE Occupied Bandwidth(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.1	Peak	4.491	5.009	5	Pass

Agilent

Ch Freq 1.88 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.9 dB

Center 1.880 000 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %
 4.4906 MHz x dB -26.00 dB

Transmit Freq Error -3.219 kHz
 x dB Bandwidth 5.009 MHz

Copyright 2000-2012 Agilent Technologies

Measure

Meas Off

Channel Power

Occupied BW


ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

8.16. LTE Occupied Bandwidth(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)



8.17. LTE Occupied Bandwidth(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1907.5	99	26	0.1	Peak	4.49	4.967	5	Pass

Agilent

Ch Freq 1.9075 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.9 dB

Center 1.907 500 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %
 4.4905 MHz x dB -26.00 dB

Transmit Freq Error -1.282 kHz
 x dB Bandwidth 4.967 MHz

Measure

Meas Off

Channel Power

Occupied BW

ACP


Multi Carrier Power

Power Stat CCDF


More 1 of 2

Copyright 2000-2012 Agilent Technologies


8.18. LTE Occupied Bandwidth(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)



8.19. LTE Occupied Bandwidth(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)



8.20. LTE Occupied Bandwidth(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)



8.21. LTE Occupied Bandwidth(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.2	Peak	8.931	9.854	10	Pass

Agilent

Ch Freq 1.88 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 10.9 dB

Center 1.880 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %
8.9311 MHz x dB -26.00 dB

Transmit Freq Error 1.034 kHz
x dB Bandwidth 9.854 MHz

Copyright 2000-2012 Agilent Technologies

Measure

Meas Off

Channel Power

Occupied BW


ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

8.22. LTE Occupied Bandwidth(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)



8.23. LTE Occupied Bandwidth(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1905	99	26	0.2	Peak	8.948	9.875	10	Pass

Agilent
Measure

Ch Freq 1.905 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.9 dB

Center 1.905 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

8.9482 MHz x dB -26.00 dB

Transmit Freq Error -18.166 kHz

x dB Bandwidth 9.875 MHz

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

8.24. LTE Occupied Bandwidth(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1905	99	26	0.2	Peak	8.939	9.903	10	Pass

Agilent
Measure

Ch Freq 1.905 GHz
Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB
 #Peak
 Log
 10
 dB/
 Offst
 10.9
 dB

Center 1.905 00 GHz
Span 20 MHz

#Res BW 200 kHz
#VBW 620 kHz
#Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
8.9394 MHz	x dB	-26.00 dB
Transmit Freq Error		-12.369 kHz
x dB Bandwidth		9.903 MHz

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
 1 of 2

8.25. LTE Occupied Bandwidth(NTNV)(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1857.5	99	26	0.3	Peak	13.418	14.755	15	Pass

Agilent
Measure

Ch Freq 1.8575 GHz
Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.857 50 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
13.4175 MHz	x dB	-26.00 dB
Transmit Freq Error	2.205 kHz	
x dB Bandwidth	14.755 MHz	

Copyright 2000–2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW


ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

8.26. LTE Occupied Bandwidth(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)



8.27. LTE Occupied Bandwidth(NTNV)(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.3	Peak	13.367	14.604	15	Pass

Agilent

Measure

Ch Freq 1.88 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak

Log

10

dB/

Offst

10.9

dB

Center 1.880 00 GHz
Span 30 MHz

#Res BW 300 kHz
#VBW 1 MHz
#Sweep 1 s (500 pts)

Occupied Bandwidth

Occ BW % Pwr 99.00 %
x dB -26.00 dB

13.3674 MHz

Transmit Freq Error 3.083 kHz

x dB Bandwidth 14.604 MHz


More

1 of 2

Copyright 2000-2012 Agilent Technologies

- Meas Off
- Channel Power
- Occupied BW
- ACP
- Multi Carrier Power
- Power Stat CCDF
- More

8.28. LTE Occupied Bandwidth(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)



8.29. LTE Occupied Bandwidth(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1902.5	99	26	0.3	Peak	13.381	14.689	15	Pass

Agilent
Measure

Ch Freq 1.9025 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.9 dB

Center 1.902 50 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

13.3807 MHz x dB -26.00 dB

Transmit Freq Error -28.713 kHz

x dB Bandwidth 14.689 MHz

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW


ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

8.30. LTE Occupied Bandwidth(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)



8.31. LTE Occupied Bandwidth(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1860	99	26	0.39	Peak	17.888	19.275	20	Pass

Agilent

Ch Freq 1.86 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.8 dB

Center 1.860 00 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 1 s (512 pts)

Occupied Bandwidth 17.885 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Transmit Freq Error 2.159 kHz

x dB Bandwidth 19.275 MHz

Measure

Meas Off

Channel Power

Occupied BW

ACP


Multi Carrier Power

Power Stat CCDF


More 1 of 2

Copyright 2000-2012 Agilent Technologies

8.32. LTE Occupied Bandwidth(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)



8.33. LTE Occupied Bandwidth(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)



8.34. LTE Occupied Bandwidth(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.39	Peak	17.87	19.411	20	Pass

Agilent

Ch Freq 1.88 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.9 dB

Center 1.880 00 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 1 s (512 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

17.8696 MHz x dB -26.00 dB

Transmit Freq Error -2.081 kHz

x dB Bandwidth 19.411 MHz

Copyright 2000-2012 Agilent Technologies

Measure

Meas Off

Channel Power

Occupied BW


ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

8.35. LTE Occupied Bandwidth(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)



8.36. LTE Occupied Bandwidth(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1900	99	26	0.39	Peak	17.857	19.374	20	Pass

Agilent

Ch Freq 1.9 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.9 dB

Center 1.900 00 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 1 s (512 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

17.8565 MHz x dB -26.00 dB

Transmit Freq Error 4.556 kHz

x dB Bandwidth 19.374 MHz

Measure

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

Copyright 2000-2012 Agilent Technologies

8.37. LTE Occupied Bandwidth(NTNV)(Channel:18607, Bandwidth:1.4, Modulation:64QAM, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1850.7	99	26	0.027	Peak	1.09	1.28	1.4	Pass

Agilent
Measure

Ch Freq 1.8507 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 10.9 dB

Center 1.850 700 GHz Span 2.8 MHz

#Res BW 27 kHz #VBW 100 kHz #Sweep 5 s (518 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

1.0869 MHz

x dB -26.00 dB

Transmit Freq Error 481.474 Hz

x dB Bandwidth 1.280 MHz

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

8.38. LTE Occupied Bandwidth(NTNV)(Channel:18900, Bandwidth:1.4, Modulation:64QAM, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.027	Peak	1.1	1.32	1.4	Pass

Agilent

Ch Freq 1.88 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 11 dB

Center 1.880 000 GHz Span 2.8 MHz

#Res BW 27 kHz #VBW 100 kHz #Sweep 5 s (518 pts)

Occupied Bandwidth 1.1044 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Transmit Freq Error -2.351 kHz

x dB Bandwidth 1.317 MHz

Copyright 2000-2012 Agilent Technologies

Measure

Meas Off

Channel Power

Occupied BW


ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

8.39. LTE Occupied Bandwidth(NTNV)(Channel:19193, Bandwidth:1.4, Modulation:64QAM, RB Number:6, RB Position:0)



8.40. LTE Occupied Bandwidth(NTNV)(Channel:18615, Bandwidth:3, Modulation:64QAM, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1851.5	99	26	0.062	Peak	2.71	2.99	3	Pass

Agilent

Ch Freq 1.8515 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.9 dB

Center 1.851 500 GHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 5 s (483 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %
 2.7051 MHz x dB -26.00 dB

Transmit Freq Error -3.804 kHz
 x dB Bandwidth 2.994 MHz

Copyright 2000-2012 Agilent Technologies

Measure

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

8.41. LTE Occupied Bandwidth(NTNV)(Channel:18900, Bandwidth:3, Modulation:64QAM, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.062	Peak	2.7	2.98	3	Pass

Agilent
Measure

Ch Freq 1.88 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 11 dB

Center 1.880 000 GHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 5 s (483 pts)

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

Occupied Bandwidth

2.6997 MHz

Transmit Freq Error -6.561 kHz

x dB Bandwidth 2.978 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Copyright 2000-2012 Agilent Technologies

8.42. LTE Occupied Bandwidth(NTNV)(Channel:19185, Bandwidth:3, Modulation:64QAM, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1908.5	99	26	0.062	Peak	2.7	2.99	3	Pass

Agilent

Measure

Ch Freq 1.9085 GHz
Trig Free

Occupied Bandwidth

Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
11.1

dB
→

Center 1.908 500 GHz
Span 6 MHz

#Res BW 62 kHz
#VBW 200 kHz
#Sweep 5 s (483 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
2.7040 MHz	x dB	-26.00 dB
Transmit Freq Error	-13.104 kHz	
x dB Bandwidth	2.987 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

8.43. LTE Occupied Bandwidth(NTNV)(Channel:18625, Bandwidth:5, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1852.5	99	26	0.1	Peak	4.49	5.01	5	Pass

Agilent

Ch Freq 1.8525 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 10.9 dB

Center 1.852 500 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 5 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %
4.4898 MHz x dB -26.00 dB

Transmit Freq Error -9.473 kHz
 x dB Bandwidth 5.005 MHz

Copyright 2000-2012 Agilent Technologies

Measure

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

8.44. LTE Occupied Bandwidth(NTNV)(Channel:18900, Bandwidth:5, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.1	Peak	4.5	5.01	5	Pass

Agilent

Measure

Ch Freq 1.88 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.880 000 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 5 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
4.4986 MHz	x dB	-26.00 dB
Transmit Freq Error	-3.442 kHz	
x dB Bandwidth	5.005 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP


Multi Carrier Power

Power Stat CCDF

More

1 of 2

8.45. LTE Occupied Bandwidth(NTNV)(Channel:19175, Bandwidth:5, Modulation:64QAM, RB Number:25, RB Position:0)



8.46. LTE Occupied Bandwidth(NTNV)(Channel:18650, Bandwidth:10, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1855	99	26	0.2	Peak	8.95	9.9	10	Pass

Agilent

Measure

Ch Freq 1.855 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
 Log
 10
 dB/
 Offst
 11
 dB

Center 1.855 00 GHz
Span 20 MHz

#Res BW 200 kHz
#VBW 620 kHz
#Sweep 5 s (500 pts)

Occupied Bandwidth
Occ BW % Pwr 99.00 %

8.9493 MHz
x dB -26.00 dB

Transmit Freq Error 3.349 kHz

x dB Bandwidth 9.904 MHz

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

Copyright 2000-2012 Agilent Technologies

8.47. LTE Occupied Bandwidth(NTNV)(Channel:18900, Bandwidth:10, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.2	Peak	8.94	9.88	10	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.88 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 11 dB

Center 1.880 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 5 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

8.9431 MHz x dB -26.00 dB

Transmit Freq Error -14.520 kHz

x dB Bandwidth 9.884 MHz

Copyright 2000-2012 Agilent Technologies

8.48. LTE Occupied Bandwidth(NTNV)(Channel:19150, Bandwidth:10, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1905	99	26	0.2	Peak	8.97	9.9	10	Pass

Agilent

Ch Freq 1.905 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 11 dB

Center 1.905 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 5 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %
8.9709 MHz x dB -26.00 dB

Transmit Freq Error -15.821 kHz
x dB Bandwidth 9.903 MHz

Copyright 2000-2012 Agilent Technologies

Measure

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

8.49. LTE Occupied Bandwidth(NTNV)(Channel:18675, Bandwidth:15, Modulation:64QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1857.5	99	26	0.3	Peak	13.39	14.7	15	Pass

Agilent

Measure

Ch Freq 1.8575 GHz
Trig Free

Occupied Bandwidth

Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
11

dB

Center 1.857 50 GHz
Span 30 MHz

#Res BW 300 kHz
#VBW 1 MHz
#Sweep 5 s (500 pts)

Occupied Bandwidth

13.3868 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Transmit Freq Error 3.003 kHz

x dB Bandwidth 14.704 MHz

Power Stat
CCDF

More

1 of 2

Copyright 2000-2012 Agilent Technologies

8.50. LTE Occupied Bandwidth(NTNV)(Channel:18900, Bandwidth:15, Modulation:64QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.3	Peak	13.42	14.81	15	Pass

Agilent

Measure

Ch Freq 1.88 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
 #Peak
 Log
 10
 dB/
 Offst
 11
 dB

#Atten 30 dB

Center 1.880 00 GHz
Span 30 MHz

#Res BW 300 kHz
#VBW 1 MHz
#Sweep 5 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
13.4234 MHz	x dB	-26.00 dB
Transmit Freq Error	5.565 kHz	
x dB Bandwidth	14.805 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More

1 of 2

8.51. LTE Occupied Bandwidth(NTNV)(Channel:19125, Bandwidth:15, Modulation:64QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1902.5	99	26	0.3	Peak	13.42	14.69	15	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.9025 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.9025 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 5 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
13.4210 MHz	x dB	-26.00 dB
Transmit Freq Error	2.336 kHz	
x dB Bandwidth	14.687 MHz	

Copyright 2000–2012 Agilent Technologies

8.52. LTE Occupied Bandwidth(NTNV)(Channel:18700, Bandwidth:20, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1860	99	26	0.39	Peak	17.88	19.52	20	Pass

Agilent

Ch Freq 1.86 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 11 dB

Center 1.860 00 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 5 s (512 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

17.8797 MHz x dB -26.00 dB

Transmit Freq Error -12.533 kHz

x dB Bandwidth 19.517 MHz

Copyright 2000-2012 Agilent Technologies

Measure

Meas Off

Channel Power

Occupied BW


ACP

Multi Carrier Power


Power Stat CCDF

More 1 of 2

8.53. LTE Occupied Bandwidth(NTNV)(Channel:18900, Bandwidth:20, Modulation:64QAM, RB Number:100, RB Position:0)




8.54. LTE Occupied Bandwidth(NTNV)(Channel:19100, Bandwidth:20, Modulation:64QAM, RB Number:100, RB Position:0)



9. LTE_Band4

9.1. LTE Occupied Bandwidth(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)



9.2. LTE Occupied Bandwidth(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1710.7	99	26	0.027	Peak	1.091	1.287	1.4	Pass

Agilent

Ch Freq 1.7107 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.6 dB

Center 1.710 700 GHz Span 2.8 MHz

#Res BW 27 kHz #VBW 100 kHz #Sweep 1 s (518 pts)

Occupied Bandwidth 1.0910 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Transmit Freq Error -511.105 Hz

x dB Bandwidth 1.287 MHz

Measure

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

Copyright 2000-2012 Agilent Technologies

9.3. LTE Occupied Bandwidth(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.027	Peak	1.085	1.281	1.4	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.7325 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.732 500 GHz Span 2.8 MHz

#Res BW 27 kHz #VBW 100 kHz #Sweep 1 s (518 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

1.0850 MHz

x dB -26.00 dB

Transmit Freq Error 856.193 Hz

x dB Bandwidth 1.281 MHz

Copyright 2000-2012 Agilent Technologies

9.4. LTE Occupied Bandwidth(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.027	Peak	1.094	1.275	1.4	Pass


Occupied Bandwidth 1.0939 MHz

Occ BW % Pwr 99.00 %
x dB -26.00 dB

Transmit Freq Error -3.815 kHz
x dB Bandwidth 1.275 MHz

Copyright 2000-2012 Agilent Technologies

9.5. LTE Occupied Bandwidth(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)



9.6. LTE Occupied Bandwidth(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1754.3	99	26	0.027	Peak	1.085	1.268	1.4	Pass

Agilent
Measure

Ch Freq 1.7543 GHz
Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB
 #Peak
 Log
 10
 dB/
 Offst
 10.6
 dB

Center 1.754 300 GHz
Span 2.8 MHz

#Res BW 27 kHz
#VBW 100 kHz
#Sweep 1 s (518 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
1.0851 MHz	x dB	-26.00 dB
Transmit Freq Error	-50.487 Hz	
x dB Bandwidth	1.268 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

9.7. LTE Occupied Bandwidth(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1711.5	99	26	0.062	Peak	2.699	2.976	3	Pass

Agilent

Ch Freq 1.7115 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.6 dB

Center 1.711 500 GHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Occupied Bandwidth 2.6992 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Transmit Freq Error 517.868 Hz

x dB Bandwidth 2.976 MHz

Measure

Meas Off

Channel Power

Occupied BW

ACP


Multi Carrier Power

Power Stat CCDF


More 1 of 2

Copyright 2000-2012 Agilent Technologies


9.8. LTE Occupied Bandwidth(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)



9.9. LTE Occupied Bandwidth(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)



9.10. LTE Occupied Bandwidth(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)



9.11. LTE Occupied Bandwidth(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1753.5	99	26	0.062	Peak	2.696	2.975	3	Pass

Agilent
Measure

Ch Freq 1.7535 GHz Trig Free

Occupied Bandwidth Averages: 2

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

Ref 30 dBm #Atten 30 dB

#Peak
Log
10
dB/
Offst
10.6
dB

Center 1.753 500 GHz Span 6 MHz
#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
2.6961 MHz	x dB	-26.00 dB
Transmit Freq Error	-2.503 kHz	
x dB Bandwidth	2.975 MHz	

Copyright 2000-2012 Agilent Technologies

9.12. LTE Occupied Bandwidth(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1753.5	99	26	0.062	Peak	2.699	2.988	3	Pass

Agilent

Ch Freq 1.7535 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 10.6 dB

Center 1.753 500 GHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

2.6993 MHz x dB -26.00 dB

Transmit Freq Error -2.971 kHz

x dB Bandwidth 2.988 MHz

Measure

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

Copyright 2000-2012 Agilent Technologies

9.13. LTE Occupied Bandwidth(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1712.5	99	26	0.1	Peak	4.483	4.965	5	Pass

Agilent
Measure

Ch Freq 1.7125 GHz
Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.712 500 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
4.4825 MHz	x dB	-26.00 dB
Transmit Freq Error	-693.473 Hz	
x dB Bandwidth	4.965 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW


ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

9.14. LTE Occupied Bandwidth(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)



9.15. LTE Occupied Bandwidth(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.1	Peak	4.5	5.005	5	Pass

Agilent

Ch Freq 1.7325 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.6 dB

Center 1.732 500 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

4.4998 MHz x dB -26.00 dB

Transmit Freq Error -3.373 kHz

x dB Bandwidth 5.005 MHz

Copyright 2000-2012 Agilent Technologies

Measure

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

9.16. LTE Occupied Bandwidth(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.1	Peak	4.492	4.958	5	Pass

Agilent

Ch Freq 1.7325 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.6 dB

Center 1.732 500 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %
 4.4919 MHz x dB -26.00 dB

Transmit Freq Error -2.611 kHz
 x dB Bandwidth 4.958 MHz

Copyright 2000-2012 Agilent Technologies

Measure

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

9.17. LTE Occupied Bandwidth(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1752.5	99	26	0.1	Peak	4.49	4.992	5	Pass

Agilent
Measure

Ch Freq 1.7525 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 10.6 dB

Center 1.752 500 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

4.4897 MHz x dB -26.00 dB

Transmit Freq Error -2.343 kHz

x dB Bandwidth 4.992 MHz

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

9.18. LTE Occupied Bandwidth(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1752.5	99	26	0.1	Peak	4.497	5.002	5	Pass

Agilent
Measure

Ch Freq 1.7525 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.6 dB

Center 1.752 500 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

4.4966 MHz x dB -26.00 dB

Transmit Freq Error -7.068 kHz

x dB Bandwidth 5.002 MHz

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

9.19. LTE Occupied Bandwidth(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1715	99	26	0.2	Peak	8.948	9.881	10	Pass

Agilent

Ch Freq 1.715 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.6 dB

Center 1.715 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

8.9480 MHz x dB -26.00 dB

Transmit Freq Error 1.080 kHz

x dB Bandwidth 9.881 MHz

Copyright 2000-2012 Agilent Technologies

Measure

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

9.20. LTE Occupied Bandwidth(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1715	99	26	0.2	Peak	8.96	9.892	10	Pass

Agilent

Ch Freq 1.715 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 10.6 dB

Center 1.715 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth 8.9603 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Transmit Freq Error -6.935 kHz

x dB Bandwidth 9.892 MHz

Copyright 2000-2012 Agilent Technologies

9.21. LTE Occupied Bandwidth(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.2	Peak	8.962	9.875	10	Pass

Agilent
Measure

Ch Freq 1.7325 GHz
Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.732 50 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

8.9625 MHz

x dB -26.00 dB

Transmit Freq Error 4.291 kHz

x dB Bandwidth 9.875 MHz

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

9.22. LTE Occupied Bandwidth(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.2	Peak	8.947	9.841	10	Pass

Agilent
Measure

Ch Freq 1.7325 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
10.6

dB

Center 1.732 50 GHz
Span 20 MHz

#Res BW 200 kHz
#VBW 620 kHz
#Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
8.9475 MHz	x dB	-26.00 dB
Transmit Freq Error		4.318 kHz
x dB Bandwidth		9.841 MHz

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW


ACP

Multi Carrier Power


Power Stat CCDF

More
1 of 2

9.23. LTE Occupied Bandwidth(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)



9.24. LTE Occupied Bandwidth(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)



9.25. LTE Occupied Bandwidth(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1717.5	99	26	0.3	Peak	13.368	14.702	15	Pass

Agilent
Measure

Ch Freq 1.7175 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 10.6 dB

Center 1.717 50 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

13.3683 MHz x dB -26.00 dB

Transmit Freq Error -5.906 kHz

x dB Bandwidth 14.702 MHz

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW


ACP

Multi Carrier Power


Power Stat CCDF

More 1 of 2


9.26. LTE Occupied Bandwidth(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)



9.27. LTE Occupied Bandwidth(NTNV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)



9.28. LTE Occupied Bandwidth(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)



9.29. LTE Occupied Bandwidth(NTNV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1747.5	99	26	0.3	Peak	13.364	14.593	15	Pass

Agilent
Measure

Ch Freq 1.7475 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
10.6

dB

Center 1.747 50 GHz
Span 30 MHz

#Res BW 300 kHz
#VBW 1 MHz
#Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
13.3642 MHz	x dB	-26.00 dB
Transmit Freq Error		6.636 kHz
x dB Bandwidth		14.593 MHz

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

9.30. LTE Occupied Bandwidth(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1747.5	99	26	0.3	Peak	13.391	14.642	15	Pass

Agilent
Measure

Ch Freq 1.7475 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
10.6

dB

Center 1.747 50 GHz
Span 30 MHz

#Res BW 300 kHz
#VBW 1 MHz
#Sweep 1 s (500 pts)

Occupied Bandwidth

13.3908 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Transmit Freq Error 9.043 kHz

x dB Bandwidth 14.642 MHz

Power Stat
CCDF


More
1 of 2

Copyright 2000-2012 Agilent Technologies


9.31. LTE Occupied Bandwidth(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1720	99	26	0.39	Peak	17.873	19.473	20	Pass

9.32. LTE Occupied Bandwidth(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)



9.33. LTE Occupied Bandwidth(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)



9.34. LTE Occupied Bandwidth(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.39	Peak	17.821	19.348	20	Pass

Agilent

Ch Freq 1.7325 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.6 dB

Center 1.732 50 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 1 s (512 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %
17.8215 MHz x dB -26.00 dB

Transmit Freq Error 6.479 kHz
 x dB Bandwidth 19.348 MHz

Copyright 2000-2012 Agilent Technologies

9.35. LTE Occupied Bandwidth(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.39	Peak	17.852	19.367	20	Pass

Agilent

Ch Freq 1.745 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offset 10.6 dB

Center 1.745 00 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 1 s (512 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

17.8524 MHz x dB -26.00 dB

Transmit Freq Error 30.295 kHz

x dB Bandwidth 19.367 MHz

Copyright 2000-2012 Agilent Technologies

Measure

Meas Off

Channel Power

Occupied BW


ACP

Multi Carrier Power


Power Stat CCDF

More 1 of 2

9.36. LTE Occupied Bandwidth(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)



9.37. LTE Occupied Bandwidth(NTNV)(Channel:19957, Bandwidth:1.4, Modulation:64QAM, RB Number:6, RB Position:0)



9.38 LTE Occupied Bandwidth(NTNV)(Channel:20175, Bandwidth:1.4, Modulation:64QAM, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.027	Peak	1.1	1.31	1.4	Pass

Agilent

Measure
 Meas Off
 Channel Power
Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.7325 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.732 500 GHz Span 2.8 MHz

#Res BW 27 kHz #VBW 100 kHz #Sweep 5 s (518 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

1.0979 MHz

x dB -26.00 dB

Transmit Freq Error -882.507 Hz

x dB Bandwidth 1.314 MHz

Copyright 2000-2012 Agilent Technologies

9.39. LTE Occupied Bandwidth(NTNV)(Channel:20393, Bandwidth:1.4, Modulation:64QAM, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1754.3	99	26	0.027	Peak	1.09	1.28	1.4	Pass

Agilent
Measure

Ch Freq 1.7543 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
10.8

dB

Center 1.754 300 GHz
Span 2.8 MHz

#Res BW 27 kHz
#VBW 100 kHz
#Sweep 5 s (518 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
1.0859 MHz	x dB	-26.00 dB
Transmit Freq Error	-2.400 kHz	
x dB Bandwidth	1.284 MHz	

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

9.40. LTE Occupied Bandwidth(NTNV)(Channel:19965, Bandwidth:3, Modulation:64QAM, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1711.5	99	26	0.062	Peak	2.71	3	3	Pass

Agilent

Ch Freq 1.7115 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.7 dB

Center 1.711 500 GHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 5 s (483 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

2.7060 MHz x dB -26.00 dB

Transmit Freq Error 368.680 Hz

x dB Bandwidth 2.997 MHz

Measure

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

Copyright 2000-2012 Agilent Technologies

9.41. LTE Occupied Bandwidth(NTNV)(Channel:20175, Bandwidth:3, Modulation:64QAM, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.062	Peak	2.7	2.98	3	Pass

Agilent

Ch Freq 1.7325 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.732 500 GHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 5 s (483 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

2.6986 MHz x dB -26.00 dB

Transmit Freq Error -3.142 kHz

x dB Bandwidth 2.977 MHz

Copyright 2000-2012 Agilent Technologies

Measure

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

9.42. LTE Occupied Bandwidth(NTNV)(Channel:20385, Bandwidth:3, Modulation:64QAM, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1753.5	99	26	0.062	Peak	2.7	2.99	3	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.7535 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.8 dB

Center 1.753 500 GHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 5 s (483 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

2.6977 MHz


x dB -26.00 dB

Transmit Freq Error -2.834 kHz


x dB Bandwidth 2.993 MHz

Copyright 2000-2012 Agilent Technologies

9.43. LTE Occupied Bandwidth(NTNV)(Channel:19975, Bandwidth:5, Modulation:64QAM, RB Number:25, RB Position:0)



9.44. LTE Occupied Bandwidth(NTNV)(Channel:20175, Bandwidth:5, Modulation:64QAM, RB Number:25, RB Position:0)



9.45. LTE Occupied Bandwidth(NTNV)(Channel:20375, Bandwidth:5, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1752.5	99	26	0.1	Peak	4.49	5.01	5	Pass

Agilent
Measure

Ch Freq 1.7525 GHz
Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB
 #Peak
 Log
 10
 dB/
 Offst
 10.8
 dB

Center 1.752 500 GHz
Span 10 MHz

#Res BW 100 kHz
#VBW 300 kHz
#Sweep 5 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
4.4886 MHz	x dB	-26.00 dB
Transmit Freq Error	-4.817 kHz	
x dB Bandwidth	5.011 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

9.46. LTE Occupied Bandwidth(NTNV)(Channel:20000, Bandwidth:10, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1715	99	26	0.2	Peak	8.94	9.89	10	Pass

Agilent

Measure

Ch Freq 1.715 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log
10
dB/
Offst
10.7
dB

Center 1.715 00 GHz
Span 20 MHz

#Res BW 200 kHz
#VBW 620 kHz
#Sweep 5 s (500 pts)

Occupied Bandwidth
Occ BW % Pwr 99.00 %

8.9383 MHz
x dB -26.00 dB

Transmit Freq Error 6.718 kHz

x dB Bandwidth 9.893 MHz

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

9.47. LTE Occupied Bandwidth(NTNV)(Channel:20175, Bandwidth:10, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.2	Peak	8.95	9.88	10	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.7325 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.8 dB

Center 1.732 50 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 5 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

8.9486 MHz x dB -26.00 dB


Transmit Freq Error -17.835 kHz

x dB Bandwidth 9.878 MHz

Copyright 2000-2012 Agilent Technologies

9.48. LTE Occupied Bandwidth(NTNV)(Channel:20350, Bandwidth:10, Modulation:64QAM, RB Number:50, RB Position:0)

9.49. LTE Occupied Bandwidth(NTNV)(Channel:20025, Bandwidth:15, Modulation:64QAM, RB Number:75, RB Position:0)



9.50. LTE Occupied Bandwidth(NTNV)(Channel:20175, Bandwidth:15, Modulation:64QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.3	Peak	13.43	14.79	15	Pass

Agilent
Measure

Ch Freq 1.7325 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.732 50 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 5 s (500 pts)

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

Occupied Bandwidth

13.4314 MHz

Transmit Freq Error 1.977 kHz


x dB Bandwidth 14.794 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Copyright 2000-2012 Agilent Technologies


9.51. LTE Occupied Bandwidth(NTNV)(Channel:20325, Bandwidth:15, Modulation:64QAM, RB Number:75, RB Position:0)




9.52. LTE Occupied Bandwidth(NTNV)(Channel:20050, Bandwidth:20, Modulation:64QAM, RB Number:100, RB Position:0)



9.53. LTE Occupied Bandwidth(NTNV)(Channel:20175, Bandwidth:20, Modulation:64QAM, RB Number:100, RB Position:0)




9.54. LTE Occupied Bandwidth(NTNV)(Channel:20300, Bandwidth:20, Modulation:64QAM, RB Number:100, RB Position:0)




10. LTE_Band5


10.1. LTE Occupied Bandwidth(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)




10.2. LTE Occupied Bandwidth(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)



10.3. LTE Occupied Bandwidth(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)



10.4. LTE Occupied Bandwidth(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)



10.5. LTE Occupied Bandwidth(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
848.3	99	26	0.027	Peak	1.092	1.263	1.4	Pass

Agilent

Measure

Ch Freq 848.3 MHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 29.15 dBm #Atten 30 dB

Center 848.300 MHz Span 2.8 MHz

#Res BW 27 kHz #VBW 100 kHz #Sweep 1 s (518 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
1.0918 MHz	x dB	-26.00 dB
Transmit Freq Error	-1.765 kHz	
x dB Bandwidth	1.263 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

10.6. LTE Occupied Bandwidth(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
848.3	99	26	0.027	Peak	1.091	1.287	1.4	Pass

Agilent

Measure

Ch Freq 848.3 MHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 29.15 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
9.15

dB

Center 848.300 MHz
Span 2.8 MHz

#Res BW 27 kHz
#VBW 100 kHz
#Sweep 1 s (518 pts)


Occupied Bandwidth	Occ BW % Pwr	99.00 %
1.0909 MHz	x dB	-26.00 dB
Transmit Freq Error	-552.515 Hz	
x dB Bandwidth	1.287 MHz	

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

10.7. LTE Occupied Bandwidth(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)



10.8. LTE Occupied Bandwidth(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
825.5	99	26	0.062	Peak	2.698	2.981	3	Pass

Agilent
Measure

Ch Freq 825.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.1 dBm #Atten 30 dB

Center 825.500 MHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

Occupied Bandwidth Occ BW % Pwr 99.00 %

2.6978 MHz x dB -26.00 dB

Transmit Freq Error 1.898 kHz

x dB Bandwidth 2.981 MHz

Copyright 2000-2012 Agilent Technologies

10.9. LTE Occupied Bandwidth(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.062	Peak	2.697	2.968	3	Pass

Agilent
Measure

Ch Freq 836.5 MHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 29.1 dBm #Atten 30 dB

Center 836.500 MHz Span 6 MHz
#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
2.6966 MHz	x dB -26.00 dB
Transmit Freq Error -2.449 kHz	
x dB Bandwidth 2.968 MHz	

Power Stat CCDF

More 1 of 2

Copyright 2000-2012 Agilent Technologies

10.10. LTE Occupied Bandwidth(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.062	Peak	2.695	2.991	3	Pass

Agilent
Measure

Ch Freq 836.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.1 dBm #Atten 30 dB

Center 836.500 MHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
2.6946 MHz	x dB	-26.00 dB
Transmit Freq Error	-3.821 kHz	
x dB Bandwidth	2.991 MHz	

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

10.11. LTE Occupied Bandwidth(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
847.5	99	26	0.062	Peak	2.696	2.98	3	Pass

Agilent

Measure

Ch Freq 847.5 MHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 29.15 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
9.15

dB

Center 847.500 MHz
Span 6 MHz

#Res BW 62 kHz
#VBW 200 kHz
#Sweep 1 s (483 pts)

Occupied Bandwidth

2.6959 MHz

Transmit Freq Error -3.906 kHz

x dB Bandwidth 2.980 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

10.12. LTE Occupied Bandwidth(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
847.5	99	26	0.062	Peak	2.694	2.98	3	Pass

Agilent

Measure

Ch Freq 847.5 MHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 29.15 dBm
#Atten 30 dB

#Peak
 Log
 10
 dB/
 Offst
 9.15
 dB

Center 847.500 MHz
Span 6 MHz

#Res BW 62 kHz
#VBW 200 kHz
#Sweep 1 s (483 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
2.6935 MHz	x dB	-26.00 dB
Transmit Freq Error	-4.623 kHz	
x dB Bandwidth	2.980 MHz	

Power Stat	CCDF
More	1 of 2

Copyright 2000-2012 Agilent Technologies

10.13. LTE Occupied Bandwidth(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
826.5	99	26	0.1	Peak	4.498	4.998	5	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 826.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.11 dBm #Atten 30 dB


Center 826.500 MHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
4.4982 MHz	x dB	-26.00 dB
Transmit Freq Error	-2.337 kHz	
x dB Bandwidth	4.998 MHz	

Copyright 2000-2012 Agilent Technologies

10.14. LTE Occupied Bandwidth(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)



10.15. LTE Occupied Bandwidth(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.1	Peak	4.482	4.959	5	Pass

Agilent

Measure
 Meas Off
 Channel Power
Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 836.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.1 dBm #Atten 30 dB

Center 836.500 MHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

4.4816 MHz

x dB -26.00 dB

Transmit Freq Error -4.600 kHz

x dB Bandwidth 4.959 MHz

Copyright 2000-2012 Agilent Technologies

10.16. LTE Occupied Bandwidth(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.1	Peak	4.498	4.992	5	Pass

Agilent
Measure

Ch Freq 836.5 MHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 29.1 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
9.1

dB

Center 836.500 MHz
Span 10 MHz

#Res BW 100 kHz
#VBW 300 kHz
#Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
4.4980 MHz	x dB	-26.00 dB
Transmit Freq Error	-2.762 kHz	
x dB Bandwidth	4.992 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More

1 of 2

10.17. LTE Occupied Bandwidth(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
846.5	99	26	0.1	Peak	4.483	4.948	5	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 846.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.14 dBm #Atten 30 dB

Center 846.500 MHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %


4.4833 MHz x dB -26.00 dB

Transmit Freq Error 490.280 Hz

x dB Bandwidth 4.948 MHz

Copyright 2000-2012 Agilent Technologies

10.18. LTE Occupied Bandwidth(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)



10.19. LTE Occupied Bandwidth(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
829	99	26	0.2	Peak	8.961	9.896	10	Pass

Agilent

Measure

Ch Freq 829 MHz

Trig Free

Occupied Bandwidth Averages: 2

Ref 29.12 dBm

#Atten 30 dB

#Peak
 Log
 10
 dB/
 Offst
 9.12
 dB

Center 829.00 MHz

Span 20 MHz

#Res BW 200 kHz

#VBW 620 kHz

#Sweep 1 s (500 pts)

Occupied Bandwidth

Occ BW % Pwr 99.00 %

8.9608 MHz

x dB -26.00 dB

Transmit Freq Error 5.715 kHz

x dB Bandwidth 9.896 MHz

Power Stat

CCDF

More

1 of 2

Copyright 2000-2012 Agilent Technologies

10.20. LTE Occupied Bandwidth(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
829	99	26	0.2	Peak	8.953	9.805	10	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 829 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.12 dBm #Atten 30 dB

Center 829.00 MHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %


8.9528 MHz x dB -26.00 dB

Transmit Freq Error 5.361 kHz

x dB Bandwidth 9.805 MHz

Copyright 2000-2012 Agilent Technologies

10.21. LTE Occupied Bandwidth(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)



10.22. LTE Occupied Bandwidth(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.2	Peak	8.943	9.892	10	Pass

Agilent

Measure

Ch Freq 836.5 MHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 29.1 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
9.1

dB

Center 836.50 MHz
Span 20 MHz

#Res BW 200 kHz
#VBW 620 kHz
#Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
8.9433 MHz	x dB	-26.00 dB
Transmit Freq Error	3.829 kHz	
x dB Bandwidth	9.892 MHz	

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

10.23. LTE Occupied Bandwidth(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
844	99	26	0.2	Peak	8.958	9.876	10	Pass

Agilent

Measure

Ch Freq 844 MHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 29.12 dBm #Atten 30 dB

Center 844.00 MHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
8.9584 MHz	x dB	-26.00 dB
Transmit Freq Error	-17.937 kHz	
x dB Bandwidth	9.876 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More

1 of 2

10.24. LTE Occupied Bandwidth(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
844	99	26	0.2	Peak	8.951	9.886	10	Pass

Agilent

Measure

Ch Freq 844 MHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 29.12 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
9.12

dB

Center 844.00 MHz
Span 20 MHz

#Res BW 200 kHz
#VBW 620 kHz
#Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
8.9508 MHz	x dB	-26.00 dB
Transmit Freq Error		-21.859 kHz
x dB Bandwidth		9.886 MHz

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More

1 of 2

10.25. LTE Occupied Bandwidth(NTNV)(Channel:20407, Bandwidth:1.4, Modulation:64QAM, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
824.7	99	26	0.027	Peak	1.09	1.27	1.4	Pass

Agilent
Measure

Ch Freq 824.7 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.2 dBm #Atten 30 dB

Center 824.700 MHz Span 2.8 MHz

#Res BW 27 kHz #VBW 100 kHz #Sweep 5 s (518 pts)

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

Occupied Bandwidth

1.0868 MHz

Transmit Freq Error 994.634 Hz

x dB Bandwidth 1.272 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Copyright 2000-2012 Agilent Technologies

10.26. LTE Occupied Bandwidth(NTNV)(Channel:20525, Bandwidth:1.4, Modulation:64QAM, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.027	Peak	1.1	1.32	1.4	Pass

Agilent
Measure

Ch Freq 836.5 MHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 29.23 dBm #Atten 30 dB

#Peak

Log 10

dB/Offst 9.23 dB

Center 836.500 MHz Span 2.8 MHz

#Res BW 27 kHz #VBW 100 kHz #Sweep 5 s (518 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

1.1006 MHz

x dB -26.00 dB

Transmit Freq Error -2.112 kHz

x dB Bandwidth 1.315 MHz

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

10.27. LTE Occupied Bandwidth(NTNV)(Channel:20643, Bandwidth:1.4, Modulation:64QAM, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
848.3	99	26	0.027	Peak	1.09	1.28	1.4	Pass

Occupied Bandwidth 1.0888 MHz

Occ BW % Pwr 99.00 %
x dB -26.00 dB

Transmit Freq Error -2.245 kHz
x dB Bandwidth 1.278 MHz

Copyright 2000-2012 Agilent Technologies

10.28. LTE Occupied Bandwidth(NTNV)(Channel:20415, Bandwidth:3, Modulation:64QAM, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
825.5	99	26	0.062	Peak	2.71	3	3	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 825.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.21 dBm #Atten 30 dB

Center 825.500 MHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 5 s (483 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

2.7068 MHz


x dB -26.00 dB

Transmit Freq Error -3.347 kHz

x dB Bandwidth 2.996 MHz

Copyright 2000-2012 Agilent Technologies

10.29. LTE Occupied Bandwidth(NTNV)(Channel:20525, Bandwidth:3, Modulation:64QAM, RB Number:15, RB Position:0)



10.30. LTE Occupied Bandwidth(NTNV)(Channel:20635, Bandwidth:3, Modulation:64QAM, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
847.5	99	26	0.062	Peak	2.7	2.99	3	Pass

Agilent
Measure

Ch Freq 847.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.3 dBm #Atten 30 dB

Center 847.500 MHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 5 s (483 pts)

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

Occupied Bandwidth

2.7010 MHz

Transmit Freq Error -7.415 kHz

x dB Bandwidth 2.994 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Copyright 2000-2012 Agilent Technologies

10.31. LTE Occupied Bandwidth(NTNV)(Channel:20425, Bandwidth:5, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
826.5	99	26	0.1	Peak	4.49	5.01	5	Pass

Agilent

Measure

Ch Freq 826.5 MHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 29.21 dBm
#Atten 30 dB

#Peak
 Log
 10
 dB/
 Offst
 9.21
 dB

Center 826.500 MHz
Span 10 MHz

#Res BW 100 kHz
#VBW 300 kHz
#Sweep 5 s (500 pts)

Occupied Bandwidth
Occ BW % Pwr 99.00 %

4.4896 MHz
x dB -26.00 dB

Transmit Freq Error -821.536 Hz


x dB Bandwidth 5.008 MHz

Power Stat
More

CCDF
1 of 2

Copyright 2000-2012 Agilent Technologies

10.32. LTE Occupied Bandwidth(NTNV)(Channel:20525, Bandwidth:5, Modulation:64QAM, RB Number:25, RB Position:0)



10.33. LTE Occupied Bandwidth(NTNV)(Channel:20625, Bandwidth:5, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
846.5	99	26	0.1	Peak	4.49	5	5	Pass

Agilent

Measure

Ch Freq 846.5 MHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 29.29 dBm
#Atten 30 dB

#Peak
 Log
 10
 dB/
 Offst
 9.29
 dB

Center 846.500 MHz
Span 10 MHz

#Res BW 100 kHz
#VBW 300 kHz
#Sweep 5 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
4.4851 MHz	x dB	-26.00 dB
Transmit Freq Error	-7.680 kHz	
x dB Bandwidth	5.000 MHz	

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More

1 of 2

Copyright 2000-2012 Agilent Technologies

10.34. LTE Occupied Bandwidth(NTNV)(Channel:20450, Bandwidth:10, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
829	99	26	0.2	Peak	8.94	9.89	10	Pass

Agilent

Measure

Ch Freq 829 MHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 29.23 dBm
#Atten 30 dB

#Peak
 Log
 10
 dB/
 Offst
 9.23
 dB

Center 829.00 MHz
Span 20 MHz

#Res BW 200 kHz
#VBW 620 kHz
#Sweep 5 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
8.9372 MHz	x dB	-26.00 dB
Transmit Freq Error	2.527 kHz	
x dB Bandwidth	9.895 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More

1 of 2

10.35. LTE Occupied Bandwidth(NTNV)(Channel:20525, Bandwidth:10, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.2	Peak	8.95	9.88	10	Pass

Agilent
Measure

Ch Freq 836.5 MHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 29.23 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

9.23

dB

Center 836.50 MHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 5 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
8.9528 MHz	x dB	-26.00 dB
Transmit Freq Error	-16.767 kHz	
x dB Bandwidth	9.880 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

10.36. LTE Occupied Bandwidth(NTNV)(Channel:20600, Bandwidth:10, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
844	99	26	0.2	Peak	8.96	9.85	10	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 844 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.26 dBm #Atten 30 dB

Center 844.00 MHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 5 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

8.9639 MHz

x dB -26.00 dB


Transmit Freq Error -18.972 kHz

x dB Bandwidth 9.851 MHz


Copyright 2000-2012 Agilent Technologies

11. LTE_Band7

11.1. LTE Occupied Bandwidth(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)



11.2. LTE Occupied Bandwidth(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)



11.3. LTE Occupied Bandwidth(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.1	Peak	4.493	4.968	5	Pass

Copyright 2000-2012 Agilent Technologies

11.4. LTE Occupied Bandwidth(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.1	Peak	4.495	5.01	5	Pass

Agilent
Measure

Ch Freq 2.535 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
11.8

dB

Center 2.535 000 GHz
Span 10 MHz

#Res BW 100 kHz
#VBW 300 kHz
#Sweep 1 s (500 pts)

Occupied Bandwidth
Occ BW % Pwr 99.00 %

4.4950 MHz
x dB -26.00 dB

Transmit Freq Error -6.045 kHz


x dB Bandwidth 5.010 MHz

Power Stat
More


CCDF
1 of 2

Copyright 2000-2012 Agilent Technologies

11.5. LTE Occupied Bandwidth(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)



11.6. LTE Occupied Bandwidth(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)



11.7. LTE Occupied Bandwidth(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2505	99	26	0.2	Peak	8.956	9.914	10	Pass

Agilent
Measure

Ch Freq 2.505 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

Center 2.505 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
8.9562 MHz	x dB -26.00 dB
Transmit Freq Error 1.245 kHz	
x dB Bandwidth 9.914 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW


ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

11.8. LTE Occupied Bandwidth(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)



11.9. LTE Occupied Bandwidth(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.2	Peak	8.934	9.858	10	Pass

Agilent

Ch Freq 2.535 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 11.8 dB

Center 2.535 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %
8.9338 MHz x dB -26.00 dB

Transmit Freq Error -4.229 kHz
 x dB Bandwidth 9.858 MHz

Measure

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

Copyright 2000-2012 Agilent Technologies

11.10. LTE Occupied Bandwidth(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.2	Peak	8.94	9.816	10	Pass

Agilent
Measure

Ch Freq 2.535 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

Center 2.535 00 GHz Span 20 MHz
 #Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
8.9398 MHz	x dB	-26.00 dB
Transmit Freq Error	-4.817 kHz	
x dB Bandwidth	9.816 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

11.11. LTE Occupied Bandwidth(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2565	99	26	0.2	Peak	8.951	9.903	10	Pass

Agilent
Measure

Ch Freq 2.565 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
11.7

dB

Center 2.565 00 GHz
Span 20 MHz

#Res BW 200 kHz
#VBW 620 kHz
#Sweep 1 s (500 pts)

Occupied Bandwidth
Occ BW % Pwr 99.00 %

8.9509 MHz
x dB -26.00 dB

Transmit Freq Error 1.123 kHz


x dB Bandwidth 9.903 MHz

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

11.12. LTE Occupied Bandwidth(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)



11.13. LTE Occupied Bandwidth(NTNV)(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2507.5	99	26	0.3	Peak	13.407	14.738	15	Pass

Agilent
Measure

Ch Freq 2.5075 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
11.7

dB

Center 2.507 50 GHz
Span 30 MHz

#Res BW 300 kHz
#VBW 1 MHz
#Sweep 1 s (500 pts)

Occupied Bandwidth
Occ BW % Pwr 99.00 %

13.4069 MHz
x dB -26.00 dB

Transmit Freq Error -829.419 Hz

x dB Bandwidth 14.738 MHz

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

11.14. LTE Occupied Bandwidth(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2507.5	99	26	0.3	Peak	13.441	14.648	15	Pass

Agilent
Measure

Ch Freq 2.5075 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 11.7 dB

Center 2.507 50 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
13.4410 MHz	x dB -26.00 dB
Transmit Freq Error	-222.398 Hz
x dB Bandwidth	14.648 MHz

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

11.15. LTE Occupied Bandwidth(NTNV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.3	Peak	13.375	14.608	15	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 2.535 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 11.8 dB

Center 2.535 00 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

13.3754 MHz x dB -26.00 dB

Transmit Freq Error -260.143 Hz

x dB Bandwidth 14.608 MHz

Copyright 2000-2012 Agilent Technologies

11.16. LTE Occupied Bandwidth(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.3	Peak	13.414	14.669	15	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 2.535 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 11.8 dB

Center 2.535 00 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

13.4135 MHz x dB -26.00 dB

Transmit Freq Error -9.164 kHz

x dB Bandwidth 14.669 MHz

Copyright 2000-2012 Agilent Technologies

11.17. LTE Occupied Bandwidth(NTNV)(Subtest:17, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2562.5	99	26	0.3	Peak	13.397	14.764	15	Pass

Agilent
Measure

Ch Freq 2.5625 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
11.7

dB

Center 2.562 50 GHz
Span 30 MHz

#Res BW 300 kHz
#VBW 1 MHz
#Sweep 1 s (500 pts)

Occupied Bandwidth

13.3966 MHz

Transmit Freq Error -2.184 kHz

x dB Bandwidth 14.764 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More

1 of 2

11.18. LTE Occupied Bandwidth(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2562.5	99	26	0.3	Peak	13.422	14.66	15	Pass

Agilent

Measure
 Meas Off
 Channel Power
Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 2.5625 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 11.7 dB

Center 2.562 50 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

13.4223 MHz x dB -26.00 dB

Transmit Freq Error -2.524 kHz

x dB Bandwidth 14.660 MHz

Copyright 2000-2012 Agilent Technologies

11.19. LTE Occupied Bandwidth(NTNV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2510	99	26	0.39	Peak	17.87	19.477	20	Pass

Agilent
Measure

Ch Freq 2.51 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
11.7

dB

Center 2.510 00 GHz
Span 40 MHz

#Res BW 390 kHz
#VBW 1.2 MHz
#Sweep 1 s (512 pts)

Occupied Bandwidth
Occ BW % Pwr 99.00 %

17.8696 MHz
x dB -26.00 dB

Transmit Freq Error 6.913 kHz

x dB Bandwidth 19.477 MHz

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More

1 of 2

11.20. LTE Occupied Bandwidth(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2510	99	26	0.39	Peak	17.936	19.536	20	Pass

Agilent

Measure

Ch Freq 2.51 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
 Log
 10
 dB/
 Offst
 11.7
 dB

Center 2.510 00 GHz
Span 40 MHz

#Res BW 390 kHz
#VBW 1.2 MHz
#Sweep 1 s (512 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
17.9358 MHz	x dB	-26.00 dB
Transmit Freq Error	30.200 kHz	
x dB Bandwidth	19.536 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

11.21. LTE Occupied Bandwidth(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.39	Peak	17.868	19.419	20	Pass

Agilent
Measure

Ch Freq 2.535 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
11.8

dB

Center 2.535 00 GHz
Span 40 MHz

#Res BW 390 kHz
#VBW 1.2 MHz
#Sweep 1 s (512 pts)

Occupied Bandwidth
Occ BW % Pwr 99.00 %

17.8677 MHz
x dB -26.00 dB

Transmit Freq Error -6.446 kHz

x dB Bandwidth 19.419 MHz

Power Stat CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

11.22. LTE Occupied Bandwidth(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.39	Peak	17.871	19.522	20	Pass

Agilent
Measure

Ch Freq 2.535 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

Center 2.535 00 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 1 s (512 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

17.8708 MHz x dB -26.00 dB

Transmit Freq Error -24.350 kHz

x dB Bandwidth 19.522 MHz

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

11.23. LTE Occupied Bandwidth(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2560	99	26	0.39	Peak	17.894	19.494	20	Pass

Agilent

Measure

Ch Freq 2.56 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
 Log
 10
 dB/
 Offst
 11.7
 dB

Center 2.560 00 GHz
Span 40 MHz

#Res BW 390 kHz
#VBW 1.2 MHz
#Sweep 1 s (512 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
17.8937 MHz	x dB	-26.00 dB
Transmit Freq Error	3.273 kHz	
x dB Bandwidth	19.494 MHz	

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

11.24. LTE Occupied Bandwidth(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2560	99	26	0.39	Peak	17.903	19.423	20	Pass

Agilent
Measure

Ch Freq 2.56 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
11.7

dB

Center 2.560 00 GHz
Span 40 MHz

#Res BW 390 kHz
#VBW 1.2 MHz
#Sweep 1 s (512 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
17.9031 MHz	x dB	-26.00 dB
Transmit Freq Error	8.245 kHz	
x dB Bandwidth	19.423 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

11.25. LTE Occupied Bandwidth(NTNV)(Channel:20775, Bandwidth:5, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2502.5	99	26	0.1	Peak	4.49	5.01	5	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 2.5025 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 2.502 500 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 5 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
4.4913 MHz	x dB	-26.00 dB
Transmit Freq Error	-1.546 kHz	
x dB Bandwidth	5.010 MHz	

Copyright 2000-2012 Agilent Technologies

11.26. LTE Occupied Bandwidth(NTNV)(Channel:21100, Bandwidth:5, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.1	Peak	4.5	5	5	Pass

Agilent
Measure

Ch Freq 2.535 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 11.8 dB

Center 2.535 000 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 5 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

4.5022 MHz

x dB -26.00 dB

Transmit Freq Error -7.980 kHz

x dB Bandwidth 4.998 MHz

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW


ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

11.27. LTE Occupied Bandwidth(NTNV)(Channel:21425, Bandwidth:5, Modulation:64QAM, RB Number:25, RB Position:0)



11.28. LTE Occupied Bandwidth(NTNV)(Channel:20800, Bandwidth:10, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2505	99	26	0.2	Peak	8.97	9.89	10	Pass

Agilent

Ch Freq 2.505 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 2.505 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 5 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

8.9678 MHz x dB -26.00 dB

Transmit Freq Error 8.926 kHz

x dB Bandwidth 9.890 MHz

Copyright 2000-2012 Agilent Technologies

Measure

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

11.29. LTE Occupied Bandwidth(NTNV)(Channel:21100, Bandwidth:10, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.2	Peak	8.95	9.92	10	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 2.535 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 11.8 dB

Center 2.535 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 5 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

8.9512 MHz

x dB -26.00 dB

Transmit Freq Error -19.569 kHz

x dB Bandwidth 9.917 MHz

Copyright 2000-2012 Agilent Technologies

11.30. LTE Occupied Bandwidth(NTNV)(Channel:21400, Bandwidth:10, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2565	99	26	0.2	Peak	8.97	9.88	10	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 2.565 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 12.1 dB

Center 2.565 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 5 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

8.9738 MHz x dB -26.00 dB

Transmit Freq Error -13.084 kHz

x dB Bandwidth 9.876 MHz

Copyright 2000-2012 Agilent Technologies

11.31. LTE Occupied Bandwidth(NTNV)(Channel:20825, Bandwidth:15, Modulation:64QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2507.5	99	26	0.3	Peak	13.41	14.77	15	Pass

Agilent
Measure

Ch Freq 2.5075 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

Center 2.507 50 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 5 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
13.4084 MHz	x dB	-26.00 dB
Transmit Freq Error	1.166 kHz	
x dB Bandwidth	14.772 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

11.32. LTE Occupied Bandwidth(NTNV)(Channel:21100, Bandwidth:15, Modulation:64QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.3	Peak	13.44	14.8	15	Pass

Agilent
Measure

Ch Freq 2.535 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 11.8 dB

Center 2.535 00 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 5 s (500 pts)

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

Occupied Bandwidth

13.4403 MHz

Transmit Freq Error -8.390 kHz

x dB Bandwidth 14.800 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Copyright 2000-2012 Agilent Technologies

11.33. LTE Occupied Bandwidth(NTNV)(Channel:21375, Bandwidth:15, Modulation:64QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2562.5	99	26	0.3	Peak	13.48	14.73	15	Pass

Agilent
Measure

Ch Freq 2.5625 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 12.1 dB

Center 2.562 50 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 5 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
13.4794 MHz	x dB	-26.00 dB
Transmit Freq Error	2.122 kHz	
x dB Bandwidth	14.734 MHz	

Copyright 2000–2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

11.34. LTE Occupied Bandwidth(NTNV)(Channel:20850, Bandwidth:20, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2510	99	26	0.39	Peak	17.88	19.54	20	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 2.51 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 11.7 dB

Center 2.510 00 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 5 s (512 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

17.8783 MHz

x dB -26.00 dB

Transmit Freq Error 6.935 kHz

x dB Bandwidth 19.543 MHz

Copyright 2000-2012 Agilent Technologies

11.35. LTE Occupied Bandwidth(NTNV)(Channel:21100, Bandwidth:20, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.39	Peak	17.94	19.54	20	Pass

Agilent
Measure

Ch Freq 2.535 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

Center 2.535 00 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 5 s (512 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
17.9352 MHz	x dB -26.00 dB
Transmit Freq Error -56.895 kHz	
x dB Bandwidth 19.543 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

11.36. LTE Occupied Bandwidth(NTNV)(Channel:21350, Bandwidth:20, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2560	99	26	0.39	Peak	17.91	19.51	20	Pass

Agilent

Measure

Ch Freq 2.56 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
 Log
 10
 dB/
 Offst
 12
 dB

Center 2.560 00 GHz
Span 40 MHz

#Res BW 390 kHz
#VBW 1.2 MHz
#Sweep 5 s (512 pts)

Occupied Bandwidth	17.9104 MHz	Occ BW % Pwr	99.00 %
		x dB	-26.00 dB
Transmit Freq Error	-1.597 kHz		
x dB Bandwidth	19.514 MHz		

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP


Multi Carrier Power

Power Stat CCDF


More
1 of 2

12. LTE_Band13

12.1. LTE Occupied Bandwidth(NTNV)(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)



12.2. LTE Occupied Bandwidth(NTNV)(Subtest:2, Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)



12.3. LTE Occupied Bandwidth(NTNV)(Subtest:3, Channel:23230, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
782	99	26	0.1	Peak	4.487	4.985	5	Pass

Agilent

Ch Freq 782 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.01 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 9.01 dB

Center 782.000 MHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %
 4.4869 MHz x dB -26.00 dB

Transmit Freq Error -4.412 kHz
 x dB Bandwidth 4.985 MHz

Measure

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

Copyright 2000-2012 Agilent Technologies

12.4. LTE Occupied Bandwidth(NTNV)(Subtest:4, Channel:23230, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
782	99	26	0.1	Peak	4.497	5.022	5	Pass

Agilent
Measure

Ch Freq 782 MHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 29.01 dBm #Atten 30 dB

#Peak

Log 10

dB/Offst 9.01 dB

Center 782.000 MHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
4.4968 MHz	x dB -26.00 dB
Transmit Freq Error -3.728 kHz	
x dB Bandwidth 5.022 MHz	

Power Stat CCDF

More 1 of 2

Copyright 2000-2012 Agilent Technologies

12.5. LTE Occupied Bandwidth(NTNV)(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
784.5	99	26	0.1	Peak	4.482	4.965	5	Pass

Agilent

Measure

Ch Freq 784.5 MHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 29.02 dBm
#Atten 30 dB

#Peak
 Log
 10
 dB/
 Offst
 9.02
 dB

Center 784.500 MHz
Span 10 MHz

#Res BW 100 kHz
#VBW 300 kHz
#Sweep 1 s (500 pts)

Occupied Bandwidth
Occ BW % Pwr 99.00 %

4.4825 MHz
x dB -26.00 dB

Transmit Freq Error 272.397 Hz


x dB Bandwidth 4.965 MHz

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

12.6. LTE Occupied Bandwidth(NTNV)(Subtest:6, Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)



12.7. LTE Occupied Bandwidth(NTNV)(Subtest:7, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
782	99	26	0.2	Peak	8.957	9.917	10	Pass

Agilent
Measure

Ch Freq 782 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.01 dBm #Atten 30 dB

Center 782.00 MHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

Occupied Bandwidth

8.9566 MHz

Transmit Freq Error 263.213 Hz

x dB Bandwidth 9.917 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Copyright 2000-2012 Agilent Technologies

12.8. LTE Occupied Bandwidth(NTNV)(Subtest:8, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
782	99	26	0.2	Peak	8.961	9.83	10	Pass

Agilent
Measure

Ch Freq 782 MHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 29.01 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
9.01

dB

Center 782.00 MHz
Span 20 MHz

#Res BW 200 kHz
#VBW 620 kHz
#Sweep 1 s (500 pts)

Occupied Bandwidth
Occ BW % Pwr 99.00 %

8.9613 MHz
x dB -26.00 dB

Transmit Freq Error 8.224 kHz

x dB Bandwidth 9.830 MHz

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

12.9. LTE Occupied Bandwidth(NTNV)(Channel:23205, Bandwidth:5, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
779.5	99	26	0.1	Peak	4.49	5	5	Pass

Agilent

Measure

Ch Freq 779.5 MHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 29.09 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

9.09

dB

Center 779.500 MHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 5 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
4.4911 MHz	x dB	-26.00 dB
Transmit Freq Error	707.039 Hz	
x dB Bandwidth	5.001 MHz	

Channel Power
Occupied BW
ACP
Multi Carrier Power
Power Stat CCDF
More

1 of 2

Copyright 2000–2012 Agilent Technologies

12.10. LTE Occupied Bandwidth(NTNV)(Channel:23230, Bandwidth:5, Modulation:64QAM, RB Number:25, RB Position:0)



12.11. LTE Occupied Bandwidth(NTNV)(Channel:23255, Bandwidth:5, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
784.5	99	26	0.1	Peak	4.49	5.01	5	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 784.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.09 dBm #Atten 30 dB

Center 784.500 MHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 5 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

4.4876 MHz

x dB -26.00 dB

Transmit Freq Error -9.714 kHz

x dB Bandwidth 5.007 MHz

Copyright 2000-2012 Agilent Technologies

12.12. LTE Occupied Bandwidth(NTNV)(Channel:23230, Bandwidth:10, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
782	99	26	0.2	Peak	8.95	9.88	10	Pass

Agilent

Measure

Ch Freq 782 MHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 29.09 dBm
#Atten 30 dB

#Peak
 Log
 10
 dB/
 Offst
 9.09
 dB

Center 782.00 MHz
Span 20 MHz

#Res BW 200 kHz
#VBW 620 kHz
#Sweep 5 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
8.9498 MHz	x dB	-26.00 dB
Transmit Freq Error	10.231 kHz	
x dB Bandwidth	9.880 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP


Multi Carrier Power

Power Stat CCDF

More
1 of 2

13. LTE_Band66

13.1. LTE Occupied Bandwidth(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)



13.2. LTE Occupied Bandwidth(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1710.7	99	26	0.027	Peak	1.094	1.29	1.4	Pass

Agilent

Measure

Ch Freq 1.7107 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
10.6

dB

Center 1.710 700 GHz
Span 2.8 MHz

#Res BW 27 kHz
#VBW 100 kHz
#Sweep 1 s (518 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
1.0944 MHz	x dB	-26.00 dB
Transmit Freq Error	-3.344 kHz	
x dB Bandwidth	1.290 MHz	

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat

CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

13.3. LTE Occupied Bandwidth(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.027	Peak	1.089	1.288	1.4	Pass

Agilent
Measure

Ch Freq 1.745 GHz Trig Free

Occupied Bandwidth Averages: 2

Meas Off
Channel Power
Occupied BW
ACP
Multi Carrier Power
Power Stat CCDF
More
1 of 2

Ref 30 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

10.6

dB


Center 1.745 000 GHz Span 2.8 MHz

#Res BW 27 kHz #VBW 100 kHz #Sweep 1 s (518 pts)


Occupied Bandwidth	Occ BW % Pwr	99.00 %
1.0893 MHz	x dB	-26.00 dB
Transmit Freq Error		1.151 kHz
x dB Bandwidth		1.288 MHz

Copyright 2000-2012 Agilent Technologies


13.4. LTE Occupied Bandwidth(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)



13.5. LTE Occupied Bandwidth(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)



13.6. LTE Occupied Bandwidth(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)



13.7. LTE Occupied Bandwidth(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1711.5	99	26	0.062	Peak	2.701	2.998	3	Pass

Agilent
Measure

Ch Freq 1.7115 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak

Log 10 dB/Offst 10.6 dB

Center 1.711 500 GHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

Occupied Bandwidth

2.7011 MHz

Transmit Freq Error -172.480 Hz

x dB Bandwidth 2.998 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Copyright 2000-2012 Agilent Technologies

13.8. LTE Occupied Bandwidth(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1711.5	99	26	0.062	Peak	2.7	2.962	3	Pass

Agilent
Measure

Ch Freq 1.7115 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.711 500 GHz Span 6 MHz
#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %
2.7002 MHz x dB -26.00 dB

Transmit Freq Error 2.998 kHz
x dB Bandwidth 2.962 MHz

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

13.9. LTE Occupied Bandwidth(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.062	Peak	2.697	2.97	3	Pass

Agilent
Measure

Ch Freq 1.745 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.745 000 GHz Span 6 MHz
 #Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
2.6972 MHz	x dB	-26.00 dB
Transmit Freq Error	-2.618 kHz	
x dB Bandwidth	2.970 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

13.10. LTE Occupied Bandwidth(NTNV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.062	Peak	2.692	2.986	3	Pass

Agilent
Measure

Ch Freq 1.745 GHz Trig Free

Occupied Bandwidth Averages: 2

Meas Off
Channel Power
Occupied BW
ACP
Multi Carrier Power
Power Stat CCDF
More
1 of 2

Ref 30 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

10.6

dB

Center 1.745 000 GHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
2.6924 MHz	x dB	-26.00 dB
Transmit Freq Error	-1.169 kHz	
x dB Bandwidth	2.986 MHz	

Copyright 2000-2012 Agilent Technologies

13.11. LTE Occupied Bandwidth(NTNV)(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1778.5	99	26	0.062	Peak	2.696	2.977	3	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.7785 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.6 dB

Center 1.778 500 GHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

2.6961 MHz

x dB -26.00 dB

Transmit Freq Error -2.355 kHz

x dB Bandwidth 2.977 MHz

Copyright 2000-2012 Agilent Technologies

13.12. LTE Occupied Bandwidth(NTNV)(Subtest:12, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1778.5	99	26	0.062	Peak	2.694	2.996	3	Pass

Agilent
Measure

Ch Freq 1.7785 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.6 dB

Center 1.778 500 GHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

2.6936 MHz x dB -26.00 dB

Transmit Freq Error -428.425 Hz

x dB Bandwidth 2.996 MHz

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

13.13. LTE Occupied Bandwidth(NTNV)(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1712.5	99	26	0.1	Peak	4.501	5.02	5	Pass

Agilent
Measure

Ch Freq 1.7125 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.712 500 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
4.5014 MHz	x dB	-26.00 dB
Transmit Freq Error	-1.286 kHz	
x dB Bandwidth	5.020 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

13.14. LTE Occupied Bandwidth(NTNV)(Subtest:14, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1712.5	99	26	0.1	Peak	4.485	4.983	5	Pass

Agilent
Measure

Ch Freq 1.7125 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.6 dB

Center 1.712 500 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
4.4848 MHz	x dB	-26.00 dB
Transmit Freq Error	-1.887 kHz	
x dB Bandwidth	4.983 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

13.15. LTE Occupied Bandwidth(NTNV)(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.1	Peak	4.483	5.003	5	Pass

Agilent
Measure

Ch Freq 1.745 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
10.6

dB

Center 1.745 000 GHz
Span 10 MHz

#Res BW 100 kHz
#VBW 300 kHz
#Sweep 1 s (500 pts)

Occupied Bandwidth
Occ BW % Pwr 99.00 %

4.4826 MHz
x dB -26.00 dB

Transmit Freq Error -3.450 kHz

x dB Bandwidth 5.003 MHz

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

13.16. LTE Occupied Bandwidth(NTNV)(Subtest:16, Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.1	Peak	4.496	4.984	5	Pass

Agilent
Measure

Ch Freq 1.745 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.6 dB

Center 1.745 000 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

4.4960 MHz x dB -26.00 dB

Transmit Freq Error -1.346 kHz

x dB Bandwidth 4.984 MHz

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

13.17. LTE Occupied Bandwidth(NTNV)(Subtest:17, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1777.5	99	26	0.1	Peak	4.484	4.955	5	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.7775 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.6 dB

Center 1.777 500 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

4.4840 MHz x dB -26.00 dB

Transmit Freq Error -330.345 Hz

x dB Bandwidth 4.955 MHz

Copyright 2000-2012 Agilent Technologies

13.18. LTE Occupied Bandwidth(NTNV)(Subtest:18, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1777.5	99	26	0.1	Peak	4.499	4.987	5	Pass

Agilent
Measure

Ch Freq 1.7775 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
10.6

dB

Center 1.777 500 GHz
Span 10 MHz

#Res BW 100 kHz
#VBW 300 kHz
#Sweep 1 s (500 pts)

Occupied Bandwidth

4.4993 MHz

Transmit Freq Error -2.069 kHz

x dB Bandwidth 4.987 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More

1 of 2

13.19. LTE Occupied Bandwidth(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1715	99	26	0.2	Peak	8.957	9.951	10	Pass

Agilent
Measure

Ch Freq 1.715 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
10.6

dB

Center 1.715 00 GHz
Span 20 MHz

#Res BW 200 kHz
#VBW 620 kHz
#Sweep 1 s (500 pts)

Occupied Bandwidth
Occ BW % Pwr 99.00 %

8.9565 MHz
x dB -26.00 dB

Transmit Freq Error 8.534 kHz

x dB Bandwidth 9.951 MHz

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

13.20. LTE Occupied Bandwidth(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1715	99	26	0.2	Peak	8.964	9.868	10	Pass

Agilent
Measure

Ch Freq 1.715 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.715 00 GHz Span 20 MHz
 #Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
8.9637 MHz	x dB	-26.00 dB
Transmit Freq Error	10.857 kHz	
x dB Bandwidth	9.868 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

13.21. LTE Occupied Bandwidth(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.2	Peak	8.937	9.885	10	Pass

Agilent
Measure

Ch Freq 1.745 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.745 00 GHz Span 20 MHz
 #Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
8.9374 MHz	x dB	-26.00 dB
Transmit Freq Error	2.985 kHz	
x dB Bandwidth	9.885 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

13.22. LTE Occupied Bandwidth(NTNV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.2	Peak	8.944	9.904	10	Pass

Agilent
Measure

Ch Freq 1.745 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.6 dB

Center 1.745 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
8.9439 MHz	x dB	-26.00 dB
Transmit Freq Error	4.637 kHz	
x dB Bandwidth	9.904 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

13.23. LTE Occupied Bandwidth(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1775	99	26	0.2	Peak	8.955	9.866	10	Pass

Agilent
Measure

Ch Freq 1.775 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.775 00 GHz Span 20 MHz
 #Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
8.9546 MHz	x dB	-26.00 dB
Transmit Freq Error	-12.813 kHz	
x dB Bandwidth	9.866 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

13.24. LTE Occupied Bandwidth(NTNV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1775	99	26	0.2	Peak	8.939	9.897	10	Pass

Agilent
Measure

Ch Freq 1.775 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.775 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

8.9394 MHz x dB -26.00 dB

Transmit Freq Error -6.822 kHz

x dB Bandwidth 9.897 MHz

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

13.25. LTE Occupied Bandwidth(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1717.5	99	26	0.3	Peak	13.402	14.664	15	Pass

Agilent
Measure

Ch Freq 1.7175 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 10.6 dB

Center 1.717 50 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 1 s (500 pts)

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

Occupied Bandwidth

13.4023 MHz

Transmit Freq Error 5.870 kHz

x dB Bandwidth 14.664 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Copyright 2000-2012 Agilent Technologies

13.26. LTE Occupied Bandwidth(NTNV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1717.5	99	26	0.3	Peak	13.381	14.699	15	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.7175 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.6 dB

Center 1.717 50 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

13.3810 MHz x dB -26.00 dB

Transmit Freq Error 10.075 kHz

x dB Bandwidth 14.699 MHz

Copyright 2000-2012 Agilent Technologies

13.27. LTE Occupied Bandwidth(NTNV)(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.3	Peak	13.356	14.601	15	Pass

Agilent
Measure

Ch Freq 1.745 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.6 dB

Center 1.745 00 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
13.3556 MHz	x dB	-26.00 dB
Transmit Freq Error		4.010 kHz
x dB Bandwidth		14.601 MHz

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW


ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

13.28. LTE Occupied Bandwidth(NTNV)(Subtest:28, Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)



13.29. LTE Occupied Bandwidth(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1772.5	99	26	0.3	Peak	13.374	14.714	15	Pass

Agilent
Measure

Ch Freq 1.7725 GHz **Trig** Free

Occupied Bandwidth Averages: 2

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat
CCDF

More
1 of 2

Ref 30 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

10.6

dB

Center 1.772 50 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
13.3742 MHz	x dB	-26.00 dB
Transmit Freq Error		-20.723 kHz
x dB Bandwidth		14.714 MHz

Copyright 2000-2012 Agilent Technologies

13.30. LTE Occupied Bandwidth(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1772.5	99	26	0.3	Peak	13.405	14.59	15	Pass

Agilent
Measure

Ch Freq 1.7725 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 10.6 dB

Center 1.772 50 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 1 s (500 pts)

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

Occupied Bandwidth

13.4052 MHz

Transmit Freq Error -6.783 kHz

x dB Bandwidth 14.590 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Copyright 2000-2012 Agilent Technologies

13.31. LTE Occupied Bandwidth(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1720	99	26	0.39	Peak	17.879	19.388	20	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.72 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 10.5 dB

Center 1.720 00 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 1 s (512 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

17.8787 MHz

x dB -26.00 dB

Transmit Freq Error 11.653 kHz

x dB Bandwidth 19.388 MHz

Copyright 2000-2012 Agilent Technologies

13.32. LTE Occupied Bandwidth(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1720	99	26	0.39	Peak	17.831	19.334	20	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.72 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.5 dB

Center 1.720 00 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 1 s (512 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

17.8311 MHz

x dB -26.00 dB

Transmit Freq Error 13.506 kHz

x dB Bandwidth 19.334 MHz

Copyright 2000-2012 Agilent Technologies

13.33. LTE Occupied Bandwidth(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.39	Peak	17.88	19.388	20	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.745 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.6 dB

Center 1.745 00 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 1 s (512 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

17.8803 MHz


x dB -26.00 dB

Transmit Freq Error 22.666 kHz

x dB Bandwidth 19.388 MHz

Copyright 2000-2012 Agilent Technologies

13.34. LTE Occupied Bandwidth(NTNV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)



13.35. LTE Occupied Bandwidth(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1770	99	26	0.39	Peak	17.871	19.477	20	Pass

Agilent
Measure

Ch Freq 1.77 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.770 00 GHz Span 40 MHz
#Res BW 390 kHz #VBW 1.2 MHz #Sweep 1 s (512 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
17.8714 MHz	x dB	-26.00 dB
Transmit Freq Error	-18.253 kHz	
x dB Bandwidth	19.477 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW


ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

13.36. LTE Occupied Bandwidth(NTNV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)



13.37. LTE Occupied Bandwidth(NTNV)(Channel:131979, Bandwidth:1.4, Modulation:64QAM, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1710.7	99	26	0.027	Peak	1.09	1.27	1.4	Pass

Agilent
Measure

Ch Freq 1.7107 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak

Log 10 dB/Offst 10.7 dB

Center 1.710 700 GHz Span 2.8 MHz

#Res BW 27 kHz #VBW 100 kHz #Sweep 5 s (518 pts)

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

Occupied Bandwidth

1.0859 MHz

Transmit Freq Error 2.105 kHz

x dB Bandwidth 1.274 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Copyright 2000-2012 Agilent Technologies

13.38. LTE Occupied Bandwidth(NTNV)(Channel:132322, Bandwidth:1.4, Modulation:64QAM, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.027	Peak	1.1	1.32	1.4	Pass

Agilent
Measure

Ch Freq 1.745 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

10.8

dB

Center 1.745 000 GHz Span 2.8 MHz

#Res BW 27 kHz #VBW 100 kHz #Sweep 5 s (518 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

1.0996 MHz x dB -26.00 dB

Transmit Freq Error -367.875 Hz

x dB Bandwidth 1.317 MHz

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

13.39. LTE Occupied Bandwidth(NTNV)(Channel:132665, Bandwidth:1.4, Modulation:64QAM, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1779.3	99	26	0.027	Peak	1.09	1.28	1.4	Pass

Agilent

Ch Freq 1.7793 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.8 dB

Center 1.779 300 GHz Span 2.8 MHz

#Res BW 27 kHz #VBW 100 kHz #Sweep 5 s (518 pts)

Occupied Bandwidth 1.0886 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Transmit Freq Error -3.124 kHz

x dB Bandwidth 1.284 MHz

Copyright 2000-2012 Agilent Technologies

Measure

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

13.40. LTE Occupied Bandwidth(NTNV)(Channel:131987, Bandwidth:3, Modulation:64QAM, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1711.5	99	26	0.062	Peak	2.71	3	3	Pass

Agilent
Measure

Ch Freq 1.7115 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak

Log 10

dB/Offst 10.7 dB

Center 1.711 500 GHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 5 s (483 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

2.7070 MHz

x dB -26.00 dB

Transmit Freq Error -3.811 kHz

x dB Bandwidth 2.999 MHz

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

13.41. LTE Occupied Bandwidth(NTNV)(Channel:132322, Bandwidth:3, Modulation:64QAM, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.062	Peak	2.7	2.97	3	Pass

Agilent
Measure

Ch Freq 1.745 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.8 dB

Center 1.745 000 GHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 5 s (483 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

2.6981 MHz

x dB -26.00 dB

Transmit Freq Error -2.864 kHz

x dB Bandwidth 2.975 MHz

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

13.42. LTE Occupied Bandwidth(NTNV)(Channel:132657, Bandwidth:3, Modulation:64QAM, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1778.5	99	26	0.062	Peak	2.7	2.99	3	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.7785 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 10.8 dB

Center 1.778 500 GHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 5 s (483 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

2.7032 MHz

x dB -26.00 dB

Transmit Freq Error -4.411 kHz

x dB Bandwidth 2.994 MHz

Copyright 2000-2012 Agilent Technologies

13.43. LTE Occupied Bandwidth(NTNV)(Channel:131997, Bandwidth:5, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1712.5	99	26	0.1	Peak	4.49	5.01	5	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.7125 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.712 500 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 5 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

4.4898 MHz

x dB -26.00 dB

Transmit Freq Error 1.564 kHz

x dB Bandwidth 5.009 MHz

Copyright 2000-2012 Agilent Technologies

13.44. LTE Occupied Bandwidth(NTNV)(Channel:132322, Bandwidth:5, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.1	Peak	4.5	5.01	5	Pass

Agilent
Measure

Ch Freq 1.745 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak

Log 10

dB/Offst 10.8 dB

Center 1.745 000 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 5 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

4.5019 MHz

x dB -26.00 dB

Transmit Freq Error -4.781 kHz

x dB Bandwidth 5.013 MHz

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

13.45. LTE Occupied Bandwidth(NTNV)(Channel:132647, Bandwidth:5, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1777.5	99	26	0.1	Peak	4.49	5	5	Pass

Agilent

Measure

Ch Freq 1.7775 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

10.8

dB

Center 1.777 500 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 5 s (500 pts)

Occupied Bandwidth

4.4899 MHz

Transmit Freq Error -7.867 kHz

x dB Bandwidth 5.004 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More

1 of 2

13.46. LTE Occupied Bandwidth(NTNV)(Channel:132022, Bandwidth:10, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1715	99	26	0.2	Peak	8.96	9.89	10	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.715 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.7 dB

Center 1.715 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 5 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

8.9566 MHz x dB -26.00 dB

Transmit Freq Error 11.118 kHz

x dB Bandwidth 9.891 MHz

Copyright 2000-2012 Agilent Technologies

13.47. LTE Occupied Bandwidth(NTNV)(Channel:132322, Bandwidth:10, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.2	Peak	8.94	9.88	10	Pass

Agilent

Ch Freq 1.745 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.8 dB

Center 1.745 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 5 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
8.9380 MHz	x dB	-26.00 dB
Transmit Freq Error		-6.580 kHz
x dB Bandwidth		9.881 MHz

Copyright 2000-2012 Agilent Technologies

Measure

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

13.48. LTE Occupied Bandwidth(NTNV)(Channel:132622, Bandwidth:10, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1775	99	26	0.2	Peak	8.94	9.87	10	Pass

Agilent

Measure

Ch Freq 1.775 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
 Log
 10
 dB/
 Offst
 10.8
 dB

Center 1.775 00 GHz
Span 20 MHz

#Res BW 200 kHz
#VBW 620 kHz
#Sweep 5 s (500 pts)

Occupied Bandwidth	8.9419 MHz	Occ BW % Pwr	99.00 %
		x dB	-26.00 dB
Transmit Freq Error	-5.143 kHz		
x dB Bandwidth	9.867 MHz		

Power Stat
CCDF
More
1 of 2

Copyright 2000-2012 Agilent Technologies

13.49. LTE Occupied Bandwidth(NTNV)(Channel:132047, Bandwidth:15, Modulation:64QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1717.5	99	26	0.3	Peak	13.38	14.7	15	Pass

Agilent
Measure

Ch Freq 1.7175 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.717 50 GHz Span 30 MHz
#Res BW 300 kHz #VBW 1 MHz #Sweep 5 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
13.3849 MHz	x dB	-26.00 dB
Transmit Freq Error	2.958 kHz	
x dB Bandwidth	14.699 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

13.50. LTE Occupied Bandwidth(NTNV)(Channel:132322, Bandwidth:15, Modulation:64QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.3	Peak	13.42	14.79	15	Pass

Agilent
Measure

Ch Freq 1.745 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.745 00 GHz Span 30 MHz
#Res BW 300 kHz #VBW 1 MHz #Sweep 5 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
13.4167 MHz	x dB	-26.00 dB
Transmit Freq Error	3.729 kHz	
x dB Bandwidth	14.793 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

13.51. LTE Occupied Bandwidth(NTNV)(Channel:132597, Bandwidth:15, Modulation:64QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1772.5	99	26	0.3	Peak	13.41	14.66	15	Pass

Agilent
Measure

Ch Freq 1.7725 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.772 50 GHz Span 30 MHz
#Res BW 300 kHz #VBW 1 MHz #Sweep 5 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
13.4148 MHz	x dB	-26.00 dB
Transmit Freq Error	12.789 kHz	
x dB Bandwidth	14.660 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

13.52. LTE Occupied Bandwidth(NTNV)(Channel:132072, Bandwidth:20, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1720	99	26	0.39	Peak	17.88	19.53	20	Pass

Agilent
Measure

Ch Freq 1.72 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.720 00 GHz Span 40 MHz
 #Res BW 390 kHz #VBW 1.2 MHz #Sweep 5 s (512 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
17.8765 MHz	x dB -26.00 dB
Transmit Freq Error	-12.816 kHz
x dB Bandwidth	19.525 MHz

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

13.53. LTE Occupied Bandwidth(NTNV)(Channel:132322, Bandwidth:20, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.39	Peak	17.86	19.51	20	Pass

Agilent

Measure

Ch Freq 1.745 GHz

Trig Free

Occupied Bandwidth

Averages: 2

Ref 30 dBm

#Atten 30 dB

#Peak

Log

10

dB/

Offst

10.8

dB

Center 1.745 00 GHz

Span 40 MHz

#Res BW 390 kHz

#VBW 1.2 MHz

#Sweep 5 s (512 pts)

Occupied Bandwidth

Occ BW % Pwr 99.00 %

17.8610 MHz

x dB -26.00 dB

Transmit Freq Error -23.232 kHz

x dB Bandwidth 19.512 MHz

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More

1 of 2

Document No: BL-SZ23A0041

Page 267 of 341

13.54. LTE Occupied Bandwidth(NTNV)(Channel:132572, Bandwidth:20, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1770	99	26	0.39	Peak	17.89	19.56	20	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.77 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.8 dB

Center 1.770 00 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 5 s (512 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

17.8903 MHz

x dB -26.00 dB


Transmit Freq Error -15.156 kHz

x dB Bandwidth 19.558 MHz

Copyright 2000-2012 Agilent Technologies

14. LTE_Band38

14.1. LTE Occupied Bandwidth(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)



14.2. LTE Occupied Bandwidth(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2572.5	99	26	0.1	Peak	4.502	5.044	5	Pass

Agilent

Ch Freq 2.5725 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 11.8 dB

Center 2.572 500 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 10 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %
4.5023 MHz x dB -26.00 dB

Transmit Freq Error -981.065 Hz
 x dB Bandwidth 5.044 MHz

Copyright 2000-2012 Agilent Technologies

Measure

Meas Off

Channel Power

Occupied BW


ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

14.3. LTE Occupied Bandwidth(NTNV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)



14.4. LTE Occupied Bandwidth(NTNV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.1	Peak	4.496	5.193	5	Pass

Agilent

Ch Freq 2.595 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 2.595 000 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 10 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

4.4955 MHz x dB -26.00 dB

Transmit Freq Error -3.807 kHz

x dB Bandwidth 5.193 MHz

Copyright 2000-2012 Agilent Technologies

Measure

Meas Off

Channel Power

Occupied BW


ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

14.5. LTE Occupied Bandwidth(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)



14.6. LTE Occupied Bandwidth(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2617.5	99	26	0.1	Peak	4.497	5.018	5	Pass

Agilent
Measure

Ch Freq 2.6175 GHz
Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 2.617 500 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 10 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
4.4972 MHz	x dB	-26.00 dB
Transmit Freq Error	-973.075 Hz	
x dB Bandwidth	5.018 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

14.7. LTE Occupied Bandwidth(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2575	99	26	0.2	Peak	8.997	10.498	10	Pass

Agilent

Measure

Ch Freq 2.575 GHz
Trig Free

Occupied Bandwidth

Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
11.8

dB

Center 2.575 00 GHz
Span 20 MHz

#Res BW 200 kHz
#VBW 620 kHz
#Sweep 10 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
8.9966 MHz	x dB	-26.00 dB
Transmit Freq Error	15.620 kHz	
x dB Bandwidth	10.498 MHz	

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

14.8. LTE Occupied Bandwidth(NTNV)(Subtest:8, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2575	99	26	0.2	Peak	8.978	9.898	10	Pass

Agilent
Measure

Ch Freq 2.575 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
11.8

dB

Center 2.575 00 GHz
Span 20 MHz

#Res BW 200 kHz
#VBW 620 kHz
#Sweep 10 s (500 pts)

Occupied Bandwidth
Occ BW % Pwr

8.9782 MHz
99.00 %

Transmit Freq Error
x dB

-1.791 kHz
-26.00 dB

x dB Bandwidth
9.898 MHz

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

14.9. LTE Occupied Bandwidth(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.2	Peak	8.975	10.206	10	Pass

Agilent
Measure

Ch Freq 2.595 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 11.8 dB

Center 2.595 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 10 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

8.9748 MHz x dB -26.00 dB

Transmit Freq Error -6.898 kHz

x dB Bandwidth 10.206 MHz

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

14.10. LTE Occupied Bandwidth(NTNV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.2	Peak	8.93	9.817	10	Pass

Agilent
Measure

Ch Freq 2.595 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
11.8

dB

Center 2.595 00 GHz
Span 20 MHz

#Res BW 200 kHz
#VBW 620 kHz
#Sweep 10 s (500 pts)

Occupied Bandwidth
Occ BW % Pwr 99.00 %

8.9303 MHz
x dB -26.00 dB

Transmit Freq Error -3.194 kHz

x dB Bandwidth 9.817 MHz

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

14.11. LTE Occupied Bandwidth(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2615	99	26	0.2	Peak	8.998	10.091	10	Pass

Agilent

Measure

Ch Freq 2.615 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
 Log
 10
 dB/
 Offst
 11.9
 dB

Center 2.615 00 GHz
Span 20 MHz

#Res BW 200 kHz
#VBW 620 kHz
#Sweep 10 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
8.9983 MHz	x dB	-26.00 dB
Transmit Freq Error	-9.280 kHz	
x dB Bandwidth	10.091 MHz	

Power Stat CCDF
More 1 of 2

Copyright 2000-2012 Agilent Technologies

14.12. LTE Occupied Bandwidth(NTNV)(Subtest:12, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2615	99	26	0.2	Peak	8.974	10.185	10	Pass

Agilent
Measure

Ch Freq 2.615 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 11.9 dB

Center 2.615 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 10 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

8.9744 MHz

x dB -26.00 dB

Transmit Freq Error -16.606 kHz

x dB Bandwidth 10.185 MHz

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

14.13. LTE Occupied Bandwidth(NTNV)(Subtest:13, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2577.5	99	26	0.3	Peak	13.502	17.406	15	Pass

Agilent
Measure

Ch Freq 2.5775 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 11.8 dB

Center 2.577 50 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 10 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
13.5021 MHz	x dB	-26.00 dB
Transmit Freq Error		22.576 kHz
x dB Bandwidth		17.406 MHz

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW


ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

14.14. LTE Occupied Bandwidth(NTNV)(Subtest:14, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)



14.15. LTE Occupied Bandwidth(NTNV)(Subtest:15, Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.3	Peak	13.418	14.935	15	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 2.595 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 11.8 dB


Center 2.595 00 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 10 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
13.4180 MHz	x dB	-26.00 dB
Transmit Freq Error		4.235 kHz
x dB Bandwidth		14.935 MHz

Copyright 2000-2012 Agilent Technologies

14.16. LTE Occupied Bandwidth(NTNV)(Subtest:16, Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)



14.17. LTE Occupied Bandwidth(NTNV)(Subtest:17, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2612.5	99	26	0.3	Peak	13.395	15.603	15	Pass

Agilent
Measure

Ch Freq 2.6125 GHz Trig Free

Occupied Bandwidth Averages: 2

Meas Off

Ref 30 dBm #Peak

Log 10 dB/Offst 11.9 dB

#Atten 30 dB

Center 2.612 50 GHz #Res BW 300 kHz

#VBW 1 MHz

Span 30 MHz #Sweep 10 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
13.3949 MHz	x dB	-26.00 dB
Transmit Freq Error		-21.521 kHz
x dB Bandwidth		15.603 MHz

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More

1 of 2

Copyright 2000-2012 Agilent Technologies

14.18. LTE Occupied Bandwidth(NTNV)(Subtest:18, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2612.5	99	26	0.3	Peak	13.47	15.685	15	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 2.6125 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 11.9 dB

Center 2.612 50 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 10 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

13.4696 MHz x dB -26.00 dB

Transmit Freq Error -24.918 kHz

x dB Bandwidth 15.685 MHz

Copyright 2000-2012 Agilent Technologies

14.19. LTE Occupied Bandwidth(NTNV)(Subtest:19, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2580	99	26	0.39	Peak	17.958	19.913	20	Pass

Agilent

Measure
 Meas Off
 Channel Power
Occupied BW
 ACP
 Multi Carrier Power
 Power Stat
 CCDF
 More
 1 of 2

Ch Freq 2.58 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 11.9 dB

Center 2.580 00 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 10 s (512 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

17.9575 MHz x dB -26.00 dB

Transmit Freq Error -18.136 kHz

x dB Bandwidth 19.913 MHz

Copyright 2000-2012 Agilent Technologies

14.20. LTE Occupied Bandwidth(NTNV)(Subtest:20, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2580	99	26	0.39	Peak	17.914	19.521	20	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 2.58 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 11.9 dB

Center 2.580 00 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 10 s (512 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

17.9140 MHz

x dB -26.00 dB

Transmit Freq Error -14.758 kHz

x dB Bandwidth 19.521 MHz

Copyright 2000-2012 Agilent Technologies

14.21. LTE Occupied Bandwidth(NTNV)(Subtest:21, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.39	Peak	17.898	19.514	20	Pass

Agilent
Measure

Ch Freq 2.595 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 11.8 dB

Center 2.595 00 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 10 s (512 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

17.8979 MHz x dB -26.00 dB

Transmit Freq Error -2.473 kHz

x dB Bandwidth 19.514 MHz

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

14.22. LTE Occupied Bandwidth(NTNV)(Subtest:22, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.39	Peak	17.89	19.984	20	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 2.595 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 11.8 dB

Center 2.595 00 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 10 s (512 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

17.8905 MHz x dB -26.00 dB

Transmit Freq Error -16.392 kHz

x dB Bandwidth 19.984 MHz

Copyright 2000-2012 Agilent Technologies

14.23. LTE Occupied Bandwidth(NTNV)(Subtest:23, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2610	99	26	0.39	Peak	17.908	20.287	20	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 2.61 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 11.9 dB

Center 2.610 00 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 10 s (512 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
17.9080 MHz	x dB	-26.00 dB
Transmit Freq Error		-11.398 kHz
x dB Bandwidth		20.287 MHz

Copyright 2000-2012 Agilent Technologies

14.24. LTE Occupied Bandwidth(NTNV)(Subtest:24, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2610	99	26	0.39	Peak	17.882	20.272	20	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 2.61 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 11.9 dB

Center 2.610 00 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 10 s (512 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

17.8815 MHz x dB -26.00 dB

Transmit Freq Error -7.192 kHz

x dB Bandwidth 20.272 MHz

Copyright 2000-2012 Agilent Technologies

14.25. LTE Occupied Bandwidth(NTNV)(Channel:37775, Bandwidth:5, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2572.5	99	26	0.1	Peak	4.52	5.08	5	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 2.5725 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 12.2 dB

Center 2.572 500 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 5 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

4.5158 MHz

x dB -26.00 dB

Transmit Freq Error 15.494 kHz

x dB Bandwidth 5.078 MHz

Copyright 2000-2012 Agilent Technologies

14.26. LTE Occupied Bandwidth(NTNV)(Channel:38000, Bandwidth:5, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.1	Peak	4.52	5.37	5	Pass

Agilent

Measure

Ch Freq 2.595 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

Center 2.595 000 GHz Span 10 MHz
 #Res BW 100 kHz #VBW 300 kHz #Sweep 5 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
4.5221 MHz	x dB	-26.00 dB
Transmit Freq Error	1.093 kHz	
x dB Bandwidth	5.369 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More

1 of 2

14.27. LTE Occupied Bandwidth(NTNV)(Channel:38225, Bandwidth:5, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2617.5	99	26	0.1	Peak	4.48	5.01	5	Pass

Agilent

Measure

Ch Freq 2.6175 GHz
Trig Free

Occupied Bandwidth

Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
11.9

dB

Center 2.617 500 GHz
Span 10 MHz

#Res BW 100 kHz
#VBW 300 kHz
#Sweep 5 s (500 pts)


Occupied Bandwidth	Occ BW % Pwr	99.00 %
4.4812 MHz	x dB	-26.00 dB
Transmit Freq Error	-1.554 kHz	
x dB Bandwidth	5.007 MHz	

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

14.28. LTE Occupied Bandwidth(NTNV)(Channel:37800, Bandwidth:10, Modulation:64QAM, RB Number:50, RB Position:0)



14.29. LTE Occupied Bandwidth(NTNV)(Channel:38000, Bandwidth:10, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.2	Peak	8.97	9.61	10	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 2.595 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 12 dB

Center 2.595 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 5 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

8.9654 MHz

x dB -26.00 dB

Transmit Freq Error -8.243 kHz

x dB Bandwidth 9.607 MHz

Copyright 2000-2012 Agilent Technologies

14.30. LTE Occupied Bandwidth(NTNV)(Channel:38200, Bandwidth:10, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2615	99	26	0.2	Peak	8.96	10.22	10	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 2.615 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 11.9 dB

Center 2.615 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 5 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

8.9649 MHz


x dB -26.00 dB

Transmit Freq Error 5.719 kHz

x dB Bandwidth 10.218 MHz

Copyright 2000-2012 Agilent Technologies

14.31. LTE Occupied Bandwidth(NTNV)(Channel:37825, Bandwidth:15, Modulation:64QAM, RB Number:75, RB Position:0)



14.32. LTE Occupied Bandwidth(NTNV)(Channel:38000, Bandwidth:15, Modulation:64QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.3	Peak	13.47	20.56	15	Pass

Agilent
Measure

Ch Freq 2.595 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 12 dB

Center 2.595 00 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 5 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

13.4743 MHz x dB -26.00 dB

Transmit Freq Error -19.286 kHz

x dB Bandwidth 20.558 MHz

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW


ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

14.33. LTE Occupied Bandwidth(NTNV)(Channel:38175, Bandwidth:15, Modulation:64QAM, RB Number:75, RB Position:0)



14.34. LTE Occupied Bandwidth(NTNV)(Channel:37850, Bandwidth:20, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2580	99	26	0.39	Peak	18	22.78	20	Pass

Agilent

Measure

Ch Freq 2.58 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak

Log

10 dB/Offst

12 dB

Center 2.580 00 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 5 s (512 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
17.9981 MHz	x dB	-26.00 dB
Transmit Freq Error	-23.636 kHz	
x dB Bandwidth	22.782 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More

1 of 2

14.35. LTE Occupied Bandwidth(NTNV)(Channel:38000, Bandwidth:20, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.39	Peak	17.96	21.55	20	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 2.595 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 12 dB

Center 2.595 00 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 5 s (512 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

17.9563 MHz

x dB -26.00 dB

Transmit Freq Error 560.051 Hz

x dB Bandwidth 21.552 MHz

Copyright 2000-2012 Agilent Technologies

14.36. LTE Occupied Bandwidth(NTNV)(Channel:38150, Bandwidth:20, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2610	99	26	0.39	Peak	17.94	24.96	20	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 2.61 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 11.9 dB

Center 2.610 00 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 5 s (512 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

17.9447 MHz x dB -26.00 dB

Transmit Freq Error 60.501 kHz


x dB Bandwidth 24.963 MHz

Copyright 2000-2012 Agilent Technologies

15. LTE_Band41 120M

15.1. LTE Occupied Bandwidth(NTNV)(Subtest:1, Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2537.5	99	26	0.1	Peak	4.489	5.007	5	Pass



15.2. LTE Occupied Bandwidth(NTNV)(Subtest:2, Channel:40065, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2537.5	99	26	0.1	Peak	4.494	4.982	5	Pass

Agilent
Measure

Ch Freq 2.5375 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

Center 2.537 500 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 10 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
4.4943 MHz	x dB	-26.00 dB
Transmit Freq Error	2.211 kHz	
x dB Bandwidth	4.982 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW


ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

15.3. LTE Occupied Bandwidth(NTNV)(Subtest:3, Channel:40640, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)



15.4. LTE Occupied Bandwidth(NTNV)(Subtest:4, Channel:40640, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)



15.5. LTE Occupied Bandwidth(NTNV)(Subtest:5, Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2652.5	99	26	0.1	Peak	4.488	5.011	5	Pass

Agilent
Measure

Ch Freq 2.6525 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

Center 2.652 500 GHz Span 10 MHz
 #Res BW 100 kHz #VBW 300 kHz #Sweep 10 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
4.4877 MHz	x dB	-26.00 dB
Transmit Freq Error	3.168 kHz	
x dB Bandwidth	5.011 MHz	

Power Stat CCDF
More 1 of 2

Copyright 2000-2012 Agilent Technologies

15.6. LTE Occupied Bandwidth(NTNV)(Subtest:6, Channel:41215, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2652.5	99	26	0.1	Peak	4.498	5.028	5	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 2.6525 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 2.652 500 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 10 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

4.4981 MHz x dB -26.00 dB

Transmit Freq Error 1.716 kHz

x dB Bandwidth 5.028 MHz

Copyright 2000-2012 Agilent Technologies

15.7. LTE Occupied Bandwidth(NTNV)(Subtest:7, Channel:40090, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2540	99	26	0.2	Peak	8.974	10.514	10	Pass

Agilent

Measure

Ch Freq 2.54 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
 Log
 10
 dB/
 Offst
 11.7
 dB

Center 2.540 00 GHz
Span 20 MHz

#Res BW 200 kHz
#VBW 620 kHz
#Sweep 10 s (500 pts)

Occupied Bandwidth
Occ BW % Pwr 99.00 %

8.9736 MHz
x dB -26.00 dB

Transmit Freq Error 26.308 kHz

x dB Bandwidth 10.514 MHz

Power Stat

CCDF

More

1 of 2

Copyright 2000-2012 Agilent Technologies

15.8. LTE Occupied Bandwidth(NTNV)(Subtest:8, Channel:40090, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2540	99	26	0.2	Peak	8.965	9.891	10	Pass

Agilent
Measure

Ch Freq 2.54 GHz
Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 2.540 00 GHz Span 20 MHz
 #Res BW 200 kHz #VBW 620 kHz #Sweep 10 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
8.9654 MHz	x dB	-26.00 dB
Transmit Freq Error	9.405 kHz	
x dB Bandwidth	9.891 MHz	

More
1 of 2

Copyright 2000-2012 Agilent Technologies

15.9. LTE Occupied Bandwidth(NTNV)(Subtest:9, Channel:40640, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.2	Peak	8.961	10.096	10	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 2.595 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 2.595 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 10 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

8.9612 MHz

x dB -26.00 dB

Transmit Freq Error -3.282 kHz

x dB Bandwidth 10.096 MHz

Copyright 2000-2012 Agilent Technologies

15.10. LTE Occupied Bandwidth(NTNV)(Subtest:10, Channel:40640, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.2	Peak	8.941	10.065	10	Pass

Agilent
Measure

Ch Freq 2.595 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
11.8

dB

Center 2.595 00 GHz
Span 20 MHz

#Res BW 200 kHz
#VBW 620 kHz
#Sweep 10 s (500 pts)

Occupied Bandwidth
Occ BW % Pwr 99.00 %

8.9408 MHz
x dB -26.00 dB

Transmit Freq Error -7.072 kHz

x dB Bandwidth 10.065 MHz

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

15.11. LTE Occupied Bandwidth(NTNV)(Subtest:11, Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2650	99	26	0.2	Peak	8.987	9.976	10	Pass

Agilent

Measure

Ch Freq 2.65 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
 Log
 10
 dB/
 Offst
 11.9
 dB

Center 2.650 00 GHz
Span 20 MHz

#Res BW 200 kHz
#VBW 620 kHz
#Sweep 10 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
8.9865 MHz	x dB	-26.00 dB
Transmit Freq Error	-6.313 kHz	
x dB Bandwidth	9.976 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More

1 of 2

15.12. LTE Occupied Bandwidth(NTNV)(Subtest:12, Channel:41190, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2650	99	26	0.2	Peak	8.966	9.881	10	Pass

Agilent
Measure

Ch Freq 2.65 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 11.9 dB

Center 2.650 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 10 s (500 pts)

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

Occupied Bandwidth

8.9659 MHz

Transmit Freq Error -16.273 kHz

x dB Bandwidth 9.881 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Copyright 2000-2012 Agilent Technologies

15.13. LTE Occupied Bandwidth(NTNV)(Subtest:13, Channel:40115, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2542.5	99	26	0.3	Peak	13.457	14.904	15	Pass

Agilent
Measure

Ch Freq 2.5425 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

11.7

dB

Center 2.542 50 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 10 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
13.4574 MHz	x dB	-26.00 dB
Transmit Freq Error	38.109 kHz	
x dB Bandwidth	14.904 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More

1 of 2

15.14. LTE Occupied Bandwidth(NTNV)(Subtest:14, Channel:40115, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2542.5	99	26	0.3	Peak	13.441	15.558	15	Pass

Agilent

Measure

Ch Freq 2.5425 GHz
Trig Free

Occupied Bandwidth

Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
11.7

dB

Center 2.542 50 GHz
Span 30 MHz

#Res BW 300 kHz
#VBW 1 MHz
#Sweep 10 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
13.4411 MHz	x dB	-26.00 dB
Transmit Freq Error	12.318 kHz	
x dB Bandwidth	15.558 MHz	

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

15.15. LTE Occupied Bandwidth(NTNV)(Subtest:15, Channel:40640, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.3	Peak	13.406	14.645	15	Pass

Agilent

Measure

Ch Freq 2.595 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
 Log
 10
 dB/
 Offst
 11.8
 dB

Center 2.595 00 GHz
Span 30 MHz

#Res BW 300 kHz
#VBW 1 MHz
#Sweep 10 s (500 pts)

Occupied Bandwidth

13.4064 MHz

Transmit Freq Error 7.782 kHz

x dB Bandwidth 14.645 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

15.16. LTE Occupied Bandwidth(NTNV)(Subtest:16, Channel:40640, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.3	Peak	13.46	14.949	15	Pass

Agilent
Measure

Ch Freq 2.595 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 11.8 dB

Center 2.595 00 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 10 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

13.4604 MHz x dB -26.00 dB

Transmit Freq Error 10.663 kHz

x dB Bandwidth 14.949 MHz

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

15.17. LTE Occupied Bandwidth(NTNV)(Subtest:17, Channel:41165, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2647.5	99	26	0.3	Peak	13.387	15.4	15	Pass

Agilent
Measure

Ch Freq 2.6475 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 11.9 dB

Center 2.647 50 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 10 s (500 pts)

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

Occupied Bandwidth Occ BW % Pwr 99.00 %

13.3873 MHz x dB -26.00 dB

Transmit Freq Error -22.713 kHz

x dB Bandwidth 15.400 MHz

Copyright 2000-2012 Agilent Technologies

15.18. LTE Occupied Bandwidth(NTNV)(Subtest:18, Channel:41165, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2647.5	99	26	0.3	Peak	13.46	15.019	15	Pass

Agilent
Measure

Ch Freq 2.6475 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

Center 2.647 50 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 10 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
13.4603 MHz	x dB	-26.00 dB
Transmit Freq Error	-22.435 kHz	
x dB Bandwidth	15.019 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

15.19. LTE Occupied Bandwidth(NTNV)(Subtest:19, Channel:40140, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2545	99	26	0.39	Peak	17.911	19.925	20	Pass

Agilent
Measure

Ch Freq 2.545 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
11.7

dB

Center 2.545 00 GHz
Span 40 MHz

#Res BW 390 kHz
#VBW 1.2 MHz
#Sweep 10 s (512 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
17.9114 MHz	x dB	-26.00 dB
Transmit Freq Error	15.270 kHz	
x dB Bandwidth	19.925 MHz	

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

15.20. LTE Occupied Bandwidth(NTNV)(Subtest:20, Channel:40140, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2545	99	26	0.39	Peak	17.868	19.487	20	Pass

Agilent

Measure

Ch Freq 2.545 GHz
Trig Free

Occupied Bandwidth

Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
11.7

dB

Center 2.545 00 GHz
Span 40 MHz

#Res BW 390 kHz
#VBW 1.2 MHz
#Sweep 10 s (512 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
17.8676 MHz	x dB	-26.00 dB
Transmit Freq Error	1.085 kHz	
x dB Bandwidth	19.487 MHz	

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

15.21. LTE Occupied Bandwidth(NTNV)(Subtest:21, Channel:40640, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.39	Peak	17.905	19.453	20	Pass

Agilent
Measure

Ch Freq 2.595 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

Center 2.595 00 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 10 s (512 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
17.9051 MHz	x dB -26.00 dB
Transmit Freq Error -4.846 kHz	
x dB Bandwidth 19.453 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

15.22. LTE Occupied Bandwidth(NTNV)(Subtest:22, Channel:40640, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.39	Peak	17.881	19.485	20	Pass

Agilent
Measure

Ch Freq 2.595 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
11.8

dB

Center 2.595 00 GHz
Span 40 MHz

#Res BW 390 kHz
#VBW 1.2 MHz
#Sweep 10 s (512 pts)

Occupied Bandwidth
Occ BW % Pwr 99.00 %

17.8812 MHz
x dB -26.00 dB

Transmit Freq Error -25.048 kHz


x dB Bandwidth 19.485 MHz

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

15.23. LTE Occupied Bandwidth(NTNV)(Subtest:23, Channel:41140, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)



15.24. LTE Occupied Bandwidth(NTNV)(Subtest:24, Channel:41140, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2645	99	26	0.39	Peak	17.891	20.481	20	Pass

Agilent
Measure

Ch Freq 2.645 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 11.9 dB

Center 2.645 00 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 10 s (512 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
17.8905 MHz	x dB	-26.00 dB
Transmit Freq Error	159.265 Hz	
x dB Bandwidth	20.481 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

15.25 LTE Occupied Bandwidth(NTNV)(Channel:40065, Bandwidth:5, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2537.5	99	26	0.1	Peak	4.52	5.04	5	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 2.5375 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 11.8 dB

Center 2.537 500 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 5 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
4.5169 MHz	x dB -26.00 dB
Transmit Freq Error 27.108 kHz	
x dB Bandwidth 5.044 MHz	

Copyright 2000-2012 Agilent Technologies

15.26. LTE Occupied Bandwidth(NTNV)(Channel:40640, Bandwidth:5, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.1	Peak	4.49	5.08	5	Pass

Agilent

Measure

Ch Freq 2.595 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
 Log
 10
 dB/
 Offst
 12
 dB

Center 2.595 000 GHz
Span 10 MHz

#Res BW 100 kHz
#VBW 300 kHz
#Sweep 5 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
4.4879 MHz	x dB	-26.00 dB
Transmit Freq Error	6.996 kHz	
x dB Bandwidth	5.076 MHz	

Power Stat
CCDF
More
1 of 2

Copyright 2000-2012 Agilent Technologies

15.27. LTE Occupied Bandwidth(NTNV)(Channel:41215, Bandwidth:5, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2652.5	99	26	0.1	Peak	4.49	5.07	5	Pass

Agilent

Measure

Ch Freq 2.6525 GHz
Trig Free

Occupied Bandwidth

Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
12

dB
dB

Center 2.652 500 GHz
Span 10 MHz

#Res BW 100 kHz
#VBW 300 kHz
#Sweep 5 s (500 pts)

Occupied Bandwidth

4.4863 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Transmit Freq Error -10.125 kHz

x dB Bandwidth 5.068 MHz

Power Stat
CCDF

More

1 of 2

Copyright 2000-2012 Agilent Technologies

15.28. LTE Occupied Bandwidth(NTNV)(Channel:40090, Bandwidth:10, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2540	99	26	0.2	Peak	8.93	10.01	10	Pass

Agilent

Measure

Ch Freq 2.54 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
 Log
 10
 dB/
 Offst
 11.8
 dB

Center 2.540 00 GHz
Span 20 MHz

#Res BW 200 kHz
#VBW 620 kHz
#Sweep 5 s (500 pts)

Occupied Bandwidth	8.9346 MHz	Occ BW % Pwr	99.00 %
		x dB	-26.00 dB
Transmit Freq Error	40.030 kHz		
x dB Bandwidth	10.014 MHz		

Power Stat	CCDF
More	1 of 2

Copyright 2000-2012 Agilent Technologies

15.29. LTE Occupied Bandwidth(NTNV)(Channel:40640, Bandwidth:10, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.2	Peak	8.97	9.65	10	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 2.595 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 12 dB

Center 2.595 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 5 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

8.9679 MHz x dB -26.00 dB

Transmit Freq Error -9.676 kHz

x dB Bandwidth 9.647 MHz

Copyright 2000-2012 Agilent Technologies

15.30. LTE Occupied Bandwidth(NTNV)(Channel:41190, Bandwidth:10, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2650	99	26	0.2	Peak	8.96	9.92	10	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 2.65 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 12 dB

Center 2.650 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 5 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

8.9585 MHz

x dB -26.00 dB

Transmit Freq Error -8.438 kHz

x dB Bandwidth 9.924 MHz

Copyright 2000-2012 Agilent Technologies

15.31. LTE Occupied Bandwidth(NTNV)(Channel:40115, Bandwidth:15, Modulation:64QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2542.5	99	26	0.3	Peak	13.36	14.68	15	Pass

Agilent
Measure

Ch Freq 2.5425 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 11.8 dB

Center 2.542 50 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 5 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

13.3598 MHz x dB -26.00 dB

Transmit Freq Error 89.664 kHz

x dB Bandwidth 14.680 MHz

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

15.32. LTE Occupied Bandwidth(NTNV)(Channel:40640, Bandwidth:15, Modulation:64QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.3	Peak	13.44	15.59	15	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 2.595 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 12 dB

Center 2.595 00 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 5 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

13.4432 MHz x dB -26.00 dB

Transmit Freq Error -18.904 kHz

x dB Bandwidth 15.587 MHz

Copyright 2000-2012 Agilent Technologies

15.33. LTE Occupied Bandwidth(NTNV)(Channel:41165, Bandwidth:15, Modulation:64QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2647.5	99	26	0.3	Peak	13.41	14.8	15	Pass

Agilent

Measure

Ch Freq 2.6475 GHz
Trig Free

Occupied Bandwidth

Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
12

dB
dB

Center 2.647 50 GHz
Span 30 MHz

#Res BW 300 kHz
#VBW 1 MHz
#Sweep 5 s (500 pts)

Occupied Bandwidth

13.4052 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Transmit Freq Error -52.505 kHz

x dB Bandwidth 14.803 MHz

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

Document No: BL-SZ23A0041

Page 337 of 341

15.34. LTE Occupied Bandwidth(NTNV)(Channel:40140, Bandwidth:20, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2545	99	26	0.39	Peak	17.77	19.29	20	Pass

Agilent

Ch Freq 2.545 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 11.8 dB

Center 2.545 00 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 5 s (512 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

17.7651 MHz x dB -26.00 dB

Transmit Freq Error 137.903 kHz

x dB Bandwidth 19.290 MHz

Copyright 2000-2012 Agilent Technologies

Measure

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

15.35. LTE Occupied Bandwidth(NTNV)(Channel:40640, Bandwidth:20, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.39	Peak	17.97	21.54	20	Pass

Agilent
Measure

Ch Freq 2.595 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 12 dB

Center 2.595 00 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 5 s (512 pts)

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

Occupied Bandwidth

17.9693 MHz

Transmit Freq Error 3.518 kHz

x dB Bandwidth 21.542 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Copyright 2000-2012 Agilent Technologies

15.36. LTE Occupied Bandwidth(NTNV)(Channel:41140, Bandwidth:20, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2645	99	26	0.39	Peak	17.86	19.59	20	Pass

Agilent
Measure

Ch Freq 2.645 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

12

dB

Center 2.645 00 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 5 s (512 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

17.8635 MHz x dB -26.00 dB

Transmit Freq Error -82.764 kHz

x dB Bandwidth 19.588 MHz

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

--BLANK BELOW--