




Band4-20MHz-16QAM-20175-100RB#0



Band4-20MHz-16QAM-20300-1RB#0



Band4-20MHz-16QAM-20300-100RB#0





B.3 26dB Bandwidth and Occupied Bandwidth


Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band4	1.4MHz	QPSK	19957	6RB#0	1.0921	1.292	PASS
Band4	1.4MHz	QPSK	20175	6RB#0	1.0947	1.281	PASS
Band4	1.4MHz	QPSK	20393	6RB#0	1.0904	1.277	PASS
Band4	1.4MHz	16QAM	19957	6RB#0	1.0969	1.304	PASS
Band4	1.4MHz	16QAM	20175	6RB#0	1.1001	1.278	PASS
Band4	1.4MHz	16QAM	20393	6RB#0	1.0941	1.282	PASS
Band4	3MHz	QPSK	19965	15RB#0	2.7001	2.983	PASS
Band4	3MHz	QPSK	20175	15RB#0	2.6960	2.969	PASS
Band4	3MHz	QPSK	20385	15RB#0	2.6987	2.970	PASS
Band4	3MHz	16QAM	19965	15RB#0	2.6866	2.960	PASS
Band4	3MHz	16QAM	20175	15RB#0	2.6901	2.972	PASS
Band4	3MHz	16QAM	20385	15RB#0	2.6904	2.959	PASS
Band4	5MHz	QPSK	19975	25RB#0	4.5039	5.037	PASS
Band4	5MHz	QPSK	20175	25RB#0	4.5220	5.029	PASS
Band4	5MHz	QPSK	20375	25RB#0	4.4997	4.968	PASS
Band4	5MHz	16QAM	19975	25RB#0	4.5117	4.947	PASS
Band4	5MHz	16QAM	20175	25RB#0	4.5081	4.966	PASS
Band4	5MHz	16QAM	20375	25RB#0	4.5100	5.024	PASS
Band4	10MHz	QPSK	20000	50RB#0	8.9603	9.891	PASS
Band4	10MHz	QPSK	20175	50RB#0	8.9499	9.868	PASS
Band4	10MHz	QPSK	20350	50RB#0	8.9650	9.874	PASS
Band4	10MHz	16QAM	20000	50RB#0	8.9876	9.835	PASS
Band4	10MHz	16QAM	20175	50RB#0	8.9593	9.802	PASS
Band4	10MHz	16QAM	20350	50RB#0	8.9554	9.812	PASS
Band4	15MHz	QPSK	20025	75RB#0	13.464	14.88	PASS
Band4	15MHz	QPSK	20175	75RB#0	13.414	14.66	PASS
Band4	15MHz	QPSK	20325	75RB#0	13.461	14.73	PASS
Band4	15MHz	16QAM	20025	75RB#0	13.465	14.71	PASS
Band4	15MHz	16QAM	20175	75RB#0	13.404	14.62	PASS
Band4	15MHz	16QAM	20325	75RB#0	13.453	14.69	PASS
Band4	20MHz	QPSK	20050	100RB#0	17.940	19.45	PASS
Band4	20MHz	QPSK	20175	100RB#0	17.783	19.38	PASS
Band4	20MHz	QPSK	20300	100RB#0	17.960	19.71	PASS
Band4	20MHz	16QAM	20050	100RB#0	17.981	19.43	PASS
Band4	20MHz	16QAM	20175	100RB#0	17.870	19.25	PASS
Band4	20MHz	16QAM	20300	100RB#0	17.933	19.51	PASS




Test Graphs


Band4-1.4MHz-QPSK-19957-6RB#0




Band4-1.4MHz-QPSK-20175-6RB#0




Band4-1.4MHz-QPSK-20393-6RB#0




Band4-1.4MHz-16QAM-19957-6RB#0




Band4-1.4MHz-16QAM-20175-6RB#0




Band4-1.4MHz-16QAM-20393-6RB#0




Band4-3MHz-QPSK-19965-15RB#0




Band4-3MHz-QPSK-20175-15RB#0




Band4-3MHz-QPSK-20385-15RB#0




Band4-3MHz-16QAM-19965-15RB#0




Band4-3MHz-16QAM-20175-15RB#0




Band4-3MHz-16QAM-20385-15RB#0




Band4-5MHz-QPSK-19975-25RB#0




Band4-5MHz-QPSK-20175-25RB#0




Band4-5MHz-QPSK-20375-25RB#0




Band4-5MHz-16QAM-19975-25RB#0




Band4-5MHz-16QAM-20175-25RB#0




Band4-5MHz-16QAM-20375-25RB#0




Band4-10MHz-QPSK-20000-50RB#0




Band4-10MHz-QPSK-20175-50RB#0




Band4-10MHz-QPSK-20350-50RB#0




Band4-10MHz-16QAM-20000-50RB#0




Band4-10MHz-16QAM-20175-50RB#0




Band4-10MHz-16QAM-20350-50RB#0




Band4-15MHz-QPSK-20025-75RB#0




Band4-15MHz-QPSK-20175-75RB#0




Band4-15MHz-QPSK-20325-75RB#0




Band4-15MHz-16QAM-20025-75RB#0




Band4-15MHz-16QAM-20175-75RB#0




Band4-15MHz-16QAM-20325-75RB#0




Band4-20MHz-QPSK-20050-100RB#0




Band4-20MHz-QPSK-20175-100RB#0




Band4-20MHz-QPSK-20300-100RB#0




Band4-20MHz-16QAM-20050-100RB#0



Band4-20MHz-16QAM-20175-100RB#0



Band4-20MHz-16QAM-20300-100RB#0





B.4 Band Edge


Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band4	1.4MHz	QPSK	19957	6RB#0	-28.13	PASS
Band4	1.4MHz	QPSK	20393	6RB#0	-29.95	PASS
Band4	1.4MHz	16QAM	19957	6RB#0	-28.15	PASS
Band4	1.4MHz	16QAM	20393	6RB#0	-30.70	PASS
Band4	3MHz	QPSK	19965	15RB#0	-25.77	PASS
Band4	3MHz	QPSK	20385	15RB#0	-27.83	PASS
Band4	3MHz	16QAM	19965	15RB#0	-26.51	PASS
Band4	3MHz	16QAM	20385	15RB#0	-28.76	PASS
Band4	5MHz	QPSK	19975	25RB#0	-25.10	PASS
Band4	5MHz	QPSK	20375	25RB#0	-27.57	PASS
Band4	5MHz	16QAM	19975	25RB#0	-26.76	PASS
Band4	5MHz	16QAM	20375	25RB#0	-29.02	PASS
Band4	10MHz	QPSK	20000	50RB#0	-29.92	PASS
Band4	10MHz	QPSK	20350	50RB#0	-30.49	PASS
Band4	10MHz	16QAM	20000	50RB#0	-31.02	PASS
Band4	10MHz	16QAM	20350	50RB#0	-30.24	PASS
Band4	15MHz	QPSK	20025	75RB#0	-31.65	PASS
Band4	15MHz	QPSK	20325	75RB#0	-32.15	PASS
Band4	15MHz	16QAM	20025	75RB#0	-32.27	PASS
Band4	15MHz	16QAM	20325	75RB#0	-32.79	PASS
Band4	20MHz	QPSK	20050	100RB#0	-34.83	PASS
Band4	20MHz	QPSK	20300	100RB#0	-33.60	PASS
Band4	20MHz	16QAM	20050	100RB#0	-34.84	PASS
Band4	20MHz	16QAM	20300	100RB#0	-33.02	PASS




Test Graphs


Band4-1.4MHz-QPSK-19957-6RB#0



Band4-1.4MHz-QPSK-20393-6RB#0




Band4-1.4MHz-16QAM-19957-6RB#0







Band4-1.4MHz-16QAM-20393-6RB#0




Band4-3MHz-QPSK-19965-15RB#0




Band4-3MHz-QPSK-20385-15RB#0




Band4-3MHz-16QAM-19965-15RB#0




Band4-3MHz-16QAM-20385-15RB#0




Band4-5MHz-QPSK-19975-25RB#0




Band4-5MHz-QPSK-20375-25RB#0




Band4-5MHz-16QAM-19975-25RB#0




Band4-5MHz-16QAM-20375-25RB#0




Band4-10MHz-QPSK-20000-50RB#0




Band4-10MHz-QPSK-20350-50RB#0




Band4-10MHz-16QAM-20000-50RB#0




Band4-10MHz-16QAM-20350-50RB#0




Band4-15MHz-QPSK-20025-75RB#0




Band4-15MHz-QPSK-20325-75RB#0




Band4-15MHz-16QAM-20025-75RB#0




Band4-15MHz-16QAM-20325-75RB#0




Band4-20MHz-QPSK-20050-100RB#0




Band4-20MHz-QPSK-20300-100RB#0



Band4-20MHz-16QAM-20050-100RB#0



Band4-20MHz-16QAM-20300-100RB#0





B.5 Conducted Spurious Emission

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Verdict
Band4	1.4MHz	QPSK	19957	1RB#0	Range1:0.009~0.15MHz	-56.41	PASS
Band4	1.4MHz	QPSK	19957	1RB#0	Range2:0.15~30MHz	-51.2	PASS
Band4	1.4MHz	QPSK	19957	1RB#0	Range3:30~1000MHz	-42.87	PASS
Band4	1.4MHz	QPSK	19957	1RB#0	Range4:1000~10000MHz	-44.37	PASS
Band4	1.4MHz	QPSK	19957	1RB#0	Range5:10000~20000MHz	-33.37	PASS
Band4	1.4MHz	QPSK	20175	1RB#0	Range1:0.009~0.15MHz	-55.04	PASS
Band4	1.4MHz	QPSK	20175	1RB#0	Range2:0.15~30MHz	-51.88	PASS
Band4	1.4MHz	QPSK	20175	1RB#0	Range3:30~1000MHz	-43.73	PASS
Band4	1.4MHz	QPSK	20175	1RB#0	Range4:1000~10000MHz	-43.28	PASS
Band4	1.4MHz	QPSK	20175	1RB#0	Range5:10000~20000MHz	-33.44	PASS
Band4	1.4MHz	QPSK	20393	1RB#0	Range1:0.009~0.15MHz	-53.37	PASS
Band4	1.4MHz	QPSK	20393	1RB#0	Range2:0.15~30MHz	-50.65	PASS
Band4	1.4MHz	QPSK	20393	1RB#0	Range3:30~1000MHz	-42.93	PASS
Band4	1.4MHz	QPSK	20393	1RB#0	Range4:1000~10000MHz	-45.09	PASS
Band4	1.4MHz	QPSK	20393	1RB#0	Range5:10000~20000MHz	-33.41	PASS
Band4	1.4MHz	16QAM	19957	1RB#0	Range1:0.009~0.15MHz	-56.29	PASS
Band4	1.4MHz	16QAM	19957	1RB#0	Range2:0.15~30MHz	-52.27	PASS
Band4	1.4MHz	16QAM	19957	1RB#0	Range3:30~1000MHz	-43	PASS
Band4	1.4MHz	16QAM	19957	1RB#0	Range4:1000~10000MHz	-44.64	PASS
Band4	1.4MHz	16QAM	19957	1RB#0	Range5:10000~20000MHz	-33.32	PASS
Band4	1.4MHz	16QAM	20175	1RB#0	Range1:0.009~0.15MHz	-56.44	PASS
Band4	1.4MHz	16QAM	20175	1RB#0	Range2:0.15~30MHz	-51.4	PASS
Band4	1.4MHz	16QAM	20175	1RB#0	Range3:30~1000MHz	-43.03	PASS
Band4	1.4MHz	16QAM	20175	1RB#0	Range4:1000~10000MHz	-43.97	PASS
Band4	1.4MHz	16QAM	20175	1RB#0	Range5:10000~20000MHz	-33.26	PASS
Band4	1.4MHz	16QAM	20393	1RB#0	Range1:0.009~0.15MHz	-55.83	PASS
Band4	1.4MHz	16QAM	20393	1RB#0	Range2:0.15~30MHz	-50.08	PASS
Band4	1.4MHz	16QAM	20393	1RB#0	Range3:30~1000MHz	-42.74	PASS
Band4	1.4MHz	16QAM	20393	1RB#0	Range4:1000~10000MHz	-45.4	PASS
Band4	1.4MHz	16QAM	20393	1RB#0	Range5:10000~20000MHz	-33.44	PASS
Band4	3MHz	QPSK	19965	1RB#0	Range1:0.009~0.15MHz	-57.33	PASS
Band4	3MHz	QPSK	19965	1RB#0	Range2:0.15~30MHz	-52.1	PASS
Band4	3MHz	QPSK	19965	1RB#0	Range3:30~1000MHz	-42.03	PASS
Band4	3MHz	QPSK	19965	1RB#0	Range4:1000~10000MHz	-44.15	PASS
Band4	3MHz	QPSK	19965	1RB#0	Range5:10000~20000MHz	-33.5	PASS



Band4	3MHz	QPSK	20175	1RB#0	Range1:0.009~0.15MHz	-55.09	PASS
Band4	3MHz	QPSK	20175	1RB#0	Range2:0.15~30MHz	-52.94	PASS
Band4	3MHz	QPSK	20175	1RB#0	Range3:30~1000MHz	-41.31	PASS
Band4	3MHz	QPSK	20175	1RB#0	Range4:1000~10000MHz	-43.31	PASS
Band4	3MHz	QPSK	20175	1RB#0	Range5:10000~20000MHz	-33.41	PASS
Band4	3MHz	QPSK	20385	1RB#0	Range1:0.009~0.15MHz	-55.93	PASS
Band4	3MHz	QPSK	20385	1RB#0	Range2:0.15~30MHz	-51.15	PASS
Band4	3MHz	QPSK	20385	1RB#0	Range3:30~1000MHz	-40.57	PASS
Band4	3MHz	QPSK	20385	1RB#0	Range4:1000~10000MHz	-45.12	PASS
Band4	3MHz	QPSK	20385	1RB#0	Range5:10000~20000MHz	-33.42	PASS
Band4	3MHz	16QAM	19965	1RB#0	Range1:0.009~0.15MHz	-55.91	PASS
Band4	3MHz	16QAM	19965	1RB#0	Range2:0.15~30MHz	-49.98	PASS
Band4	3MHz	16QAM	19965	1RB#0	Range3:30~1000MHz	-40.75	PASS
Band4	3MHz	16QAM	19965	1RB#0	Range4:1000~10000MHz	-44.82	PASS
Band4	3MHz	16QAM	19965	1RB#0	Range5:10000~20000MHz	-33.46	PASS
Band4	3MHz	16QAM	20175	1RB#0	Range1:0.009~0.15MHz	-55.55	PASS
Band4	3MHz	16QAM	20175	1RB#0	Range2:0.15~30MHz	-50.34	PASS
Band4	3MHz	16QAM	20175	1RB#0	Range3:30~1000MHz	-42.13	PASS
Band4	3MHz	16QAM	20175	1RB#0	Range4:1000~10000MHz	-43.67	PASS
Band4	3MHz	16QAM	20175	1RB#0	Range5:10000~20000MHz	-33.39	PASS
Band4	3MHz	16QAM	20385	1RB#0	Range1:0.009~0.15MHz	-54.31	PASS
Band4	3MHz	16QAM	20385	1RB#0	Range2:0.15~30MHz	-49.93	PASS
Band4	3MHz	16QAM	20385	1RB#0	Range3:30~1000MHz	-41.36	PASS
Band4	3MHz	16QAM	20385	1RB#0	Range4:1000~10000MHz	-45.48	PASS
Band4	3MHz	16QAM	20385	1RB#0	Range5:10000~20000MHz	-33.38	PASS
Band4	5MHz	QPSK	19975	1RB#0	Range1:0.009~0.15MHz	-56.72	PASS
Band4	5MHz	QPSK	19975	1RB#0	Range2:0.15~30MHz	-51.66	PASS
Band4	5MHz	QPSK	19975	1RB#0	Range3:30~1000MHz	-42.37	PASS
Band4	5MHz	QPSK	19975	1RB#0	Range4:1000~10000MHz	-44.53	PASS
Band4	5MHz	QPSK	19975	1RB#0	Range5:10000~20000MHz	-33.34	PASS
Band4	5MHz	QPSK	20175	1RB#0	Range1:0.009~0.15MHz	-56.26	PASS
Band4	5MHz	QPSK	20175	1RB#0	Range2:0.15~30MHz	-51.8	PASS
Band4	5MHz	QPSK	20175	1RB#0	Range3:30~1000MHz	-41.49	PASS
Band4	5MHz	QPSK	20175	1RB#0	Range4:1000~10000MHz	-43.25	PASS
Band4	5MHz	QPSK	20175	1RB#0	Range5:10000~20000MHz	-33.37	PASS
Band4	5MHz	QPSK	20375	1RB#0	Range1:0.009~0.15MHz	-55.95	PASS
Band4	5MHz	QPSK	20375	1RB#0	Range2:0.15~30MHz	-52.88	PASS
Band4	5MHz	QPSK	20375	1RB#0	Range3:30~1000MHz	-40.56	PASS
Band4	5MHz	QPSK	20375	1RB#0	Range4:1000~10000MHz	-45.23	PASS
Band4	5MHz	QPSK	20375	1RB#0	Range5:10000~20000MHz	-33.45	PASS
Band4	5MHz	16QAM	19975	1RB#0	Range1:0.009~0.15MHz	-56.36	PASS
Band4	5MHz	16QAM	19975	1RB#0	Range2:0.15~30MHz	-49.54	PASS
Band4	5MHz	16QAM	19975	1RB#0	Range3:30~1000MHz	-41.87	PASS



Band4	5MHz	16QAM	19975	1RB#0	Range4:1000~10000MHz	-44.65	PASS
Band4	5MHz	16QAM	19975	1RB#0	Range5:10000~20000MHz	-33.49	PASS
Band4	5MHz	16QAM	20175	1RB#0	Range1:0.009~0.15MHz	-55.65	PASS
Band4	5MHz	16QAM	20175	1RB#0	Range2:0.15~30MHz	-52.95	PASS
Band4	5MHz	16QAM	20175	1RB#0	Range3:30~1000MHz	-42.03	PASS
Band4	5MHz	16QAM	20175	1RB#0	Range4:1000~10000MHz	-43.6	PASS
Band4	5MHz	16QAM	20175	1RB#0	Range5:10000~20000MHz	-33.46	PASS
Band4	5MHz	16QAM	20375	1RB#0	Range1:0.009~0.15MHz	-56.64	PASS
Band4	5MHz	16QAM	20375	1RB#0	Range2:0.15~30MHz	-52.17	PASS
Band4	5MHz	16QAM	20375	1RB#0	Range3:30~1000MHz	-42.64	PASS
Band4	5MHz	16QAM	20375	1RB#0	Range4:1000~10000MHz	-45.23	PASS
Band4	5MHz	16QAM	20375	1RB#0	Range5:10000~20000MHz	-33.27	PASS
Band4	10MHz	QPSK	20000	1RB#0	Range1:0.009~0.15MHz	-56.8	PASS
Band4	10MHz	QPSK	20000	1RB#0	Range2:0.15~30MHz	-49.95	PASS
Band4	10MHz	QPSK	20000	1RB#0	Range3:30~1000MHz	-42.22	PASS
Band4	10MHz	QPSK	20000	1RB#0	Range4:1000~10000MHz	-45.48	PASS
Band4	10MHz	QPSK	20000	1RB#0	Range5:10000~20000MHz	-33.62	PASS
Band4	10MHz	QPSK	20175	1RB#0	Range1:0.009~0.15MHz	-55.08	PASS
Band4	10MHz	QPSK	20175	1RB#0	Range2:0.15~30MHz	-49.06	PASS
Band4	10MHz	QPSK	20175	1RB#0	Range3:30~1000MHz	-43.48	PASS
Band4	10MHz	QPSK	20175	1RB#0	Range4:1000~10000MHz	-45.33	PASS
Band4	10MHz	QPSK	20175	1RB#0	Range5:10000~20000MHz	-33.49	PASS
Band4	10MHz	QPSK	20350	1RB#0	Range1:0.009~0.15MHz	-55.3	PASS
Band4	10MHz	QPSK	20350	1RB#0	Range2:0.15~30MHz	-49.27	PASS
Band4	10MHz	QPSK	20350	1RB#0	Range3:30~1000MHz	-42.76	PASS
Band4	10MHz	QPSK	20350	1RB#0	Range4:1000~10000MHz	-45.5	PASS
Band4	10MHz	QPSK	20350	1RB#0	Range5:10000~20000MHz	-33.5	PASS
Band4	10MHz	16QAM	20000	1RB#0	Range1:0.009~0.15MHz	-54.38	PASS
Band4	10MHz	16QAM	20000	1RB#0	Range2:0.15~30MHz	-50.11	PASS
Band4	10MHz	16QAM	20000	1RB#0	Range3:30~1000MHz	-42.58	PASS
Band4	10MHz	16QAM	20000	1RB#0	Range4:1000~10000MHz	-45.49	PASS
Band4	10MHz	16QAM	20000	1RB#0	Range5:10000~20000MHz	-33.46	PASS
Band4	10MHz	16QAM	20175	1RB#0	Range1:0.009~0.15MHz	-56.29	PASS
Band4	10MHz	16QAM	20175	1RB#0	Range2:0.15~30MHz	-52.22	PASS
Band4	10MHz	16QAM	20175	1RB#0	Range3:30~1000MHz	-43.01	PASS
Band4	10MHz	16QAM	20175	1RB#0	Range4:1000~10000MHz	-45.4	PASS
Band4	10MHz	16QAM	20175	1RB#0	Range5:10000~20000MHz	-33.57	PASS
Band4	10MHz	16QAM	20350	1RB#0	Range1:0.009~0.15MHz	-57.29	PASS
Band4	10MHz	16QAM	20350	1RB#0	Range2:0.15~30MHz	-51.52	PASS
Band4	10MHz	16QAM	20350	1RB#0	Range3:30~1000MHz	-43.81	PASS
Band4	10MHz	16QAM	20350	1RB#0	Range4:1000~10000MHz	-45.53	PASS
Band4	10MHz	16QAM	20350	1RB#0	Range5:10000~20000MHz	-33.59	PASS
Band4	15MHz	QPSK	20025	1RB#0	Range1:0.009~0.15MHz	-56.96	PASS




Band4	15MHz	QPSK	20025	1RB#0	Range2:0.15~30MHz	-52.67	PASS
Band4	15MHz	QPSK	20025	1RB#0	Range3:30~1000MHz	-42.99	PASS
Band4	15MHz	QPSK	20025	1RB#0	Range4:1000~10000MHz	-45.43	PASS
Band4	15MHz	QPSK	20025	1RB#0	Range5:10000~20000MHz	-33.42	PASS
Band4	15MHz	QPSK	20175	1RB#0	Range1:0.009~0.15MHz	-56.43	PASS
Band4	15MHz	QPSK	20175	1RB#0	Range2:0.15~30MHz	-51.36	PASS
Band4	15MHz	QPSK	20175	1RB#0	Range3:30~1000MHz	-42.55	PASS
Band4	15MHz	QPSK	20175	1RB#0	Range4:1000~10000MHz	-45.31	PASS
Band4	15MHz	QPSK	20175	1RB#0	Range5:10000~20000MHz	-33.44	PASS
Band4	15MHz	QPSK	20325	1RB#0	Range1:0.009~0.15MHz	-55.38	PASS
Band4	15MHz	QPSK	20325	1RB#0	Range2:0.15~30MHz	-50.31	PASS
Band4	15MHz	QPSK	20325	1RB#0	Range3:30~1000MHz	-42.13	PASS
Band4	15MHz	QPSK	20325	1RB#0	Range4:1000~10000MHz	-45.35	PASS
Band4	15MHz	QPSK	20325	1RB#0	Range5:10000~20000MHz	-33.48	PASS
Band4	15MHz	16QAM	20025	1RB#0	Range1:0.009~0.15MHz	-53.89	PASS
Band4	15MHz	16QAM	20025	1RB#0	Range2:0.15~30MHz	-52.13	PASS
Band4	15MHz	16QAM	20025	1RB#0	Range3:30~1000MHz	-43.25	PASS
Band4	15MHz	16QAM	20025	1RB#0	Range4:1000~10000MHz	-45.39	PASS
Band4	15MHz	16QAM	20025	1RB#0	Range5:10000~20000MHz	-33.21	PASS
Band4	15MHz	16QAM	20175	1RB#0	Range1:0.009~0.15MHz	-56.48	PASS
Band4	15MHz	16QAM	20175	1RB#0	Range2:0.15~30MHz	-50.27	PASS
Band4	15MHz	16QAM	20175	1RB#0	Range3:30~1000MHz	-41.17	PASS
Band4	15MHz	16QAM	20175	1RB#0	Range4:1000~10000MHz	-45.42	PASS
Band4	15MHz	16QAM	20175	1RB#0	Range5:10000~20000MHz	-33.52	PASS
Band4	15MHz	16QAM	20325	1RB#0	Range1:0.009~0.15MHz	-55.77	PASS
Band4	15MHz	16QAM	20325	1RB#0	Range2:0.15~30MHz	-51.44	PASS
Band4	15MHz	16QAM	20325	1RB#0	Range3:30~1000MHz	-42.96	PASS
Band4	15MHz	16QAM	20325	1RB#0	Range4:1000~10000MHz	-45.31	PASS
Band4	15MHz	16QAM	20325	1RB#0	Range5:10000~20000MHz	-33.55	PASS
Band4	20MHz	QPSK	20050	1RB#0	Range1:0.009~0.15MHz	-56.42	PASS
Band4	20MHz	QPSK	20050	1RB#0	Range2:0.15~30MHz	-51.87	PASS
Band4	20MHz	QPSK	20050	1RB#0	Range3:30~1000MHz	-43.13	PASS
Band4	20MHz	QPSK	20050	1RB#0	Range4:1000~10000MHz	-45.32	PASS
Band4	20MHz	QPSK	20050	1RB#0	Range5:10000~20000MHz	-33.62	PASS
Band4	20MHz	QPSK	20175	1RB#0	Range1:0.009~0.15MHz	-56.97	PASS
Band4	20MHz	QPSK	20175	1RB#0	Range2:0.15~30MHz	-53.44	PASS
Band4	20MHz	QPSK	20175	1RB#0	Range3:30~1000MHz	-40.98	PASS
Band4	20MHz	QPSK	20175	1RB#0	Range4:1000~10000MHz	-45.38	PASS
Band4	20MHz	QPSK	20175	1RB#0	Range5:10000~20000MHz	-33.68	PASS
Band4	20MHz	QPSK	20300	1RB#0	Range1:0.009~0.15MHz	-56.54	PASS
Band4	20MHz	QPSK	20300	1RB#0	Range2:0.15~30MHz	-52.72	PASS
Band4	20MHz	QPSK	20300	1RB#0	Range3:30~1000MHz	-42.75	PASS
Band4	20MHz	QPSK	20300	1RB#0	Range4:1000~10000MHz	-45.28	PASS



Band4	20MHz	QPSK	20300	1RB#0	Range5:10000~20000MHz	-33.6	PASS
Band4	20MHz	16QAM	20050	1RB#0	Range1:0.009~0.15MHz	-56	PASS
Band4	20MHz	16QAM	20050	1RB#0	Range2:0.15~30MHz	-52.1	PASS
Band4	20MHz	16QAM	20050	1RB#0	Range3:30~1000MHz	-41.06	PASS
Band4	20MHz	16QAM	20050	1RB#0	Range4:1000~10000MHz	-45.41	PASS
Band4	20MHz	16QAM	20050	1RB#0	Range5:10000~20000MHz	-33.66	PASS
Band4	20MHz	16QAM	20175	1RB#0	Range1:0.009~0.15MHz	-56.35	PASS
Band4	20MHz	16QAM	20175	1RB#0	Range2:0.15~30MHz	-50.39	PASS
Band4	20MHz	16QAM	20175	1RB#0	Range3:30~1000MHz	-42.55	PASS
Band4	20MHz	16QAM	20175	1RB#0	Range4:1000~10000MHz	-45.44	PASS
Band4	20MHz	16QAM	20175	1RB#0	Range5:10000~20000MHz	-33.57	PASS
Band4	20MHz	16QAM	20300	1RB#0	Range1:0.009~0.15MHz	-56.98	PASS
Band4	20MHz	16QAM	20300	1RB#0	Range2:0.15~30MHz	-52.41	PASS
Band4	20MHz	16QAM	20300	1RB#0	Range3:30~1000MHz	-42.78	PASS
Band4	20MHz	16QAM	20300	1RB#0	Range4:1000~10000MHz	-45.33	PASS
Band4	20MHz	16QAM	20300	1RB#0	Range5:10000~20000MHz	-33.35	PASS

Test Graphs

Band4-1.4MHz-QPSK-19957-1RB#0-Range1:0.009~0.15MHz



Band4-1.4MHz-QPSK-19957-1RB#0-Range2:0.15~30MHz