


Appendix H: Conducted Spurious Emission

Test Result

TestMode	Antenna	Channel	FreqRange [MHz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
DH5	Ant1	2402	Reference	4.53	4.53	---	PASS
			30~1000	30~1000	-56.849	<=- 15.466	PASS
			1000~26500	1000~2650 0	-31.652	<=- 15.466	PASS
		2441	Reference	4.42	4.42	---	PASS
			30~1000	30~1000	-55.998	<=- 15.576	PASS
			1000~26500	1000~2650 0	-34.229	<=- 15.576	PASS
		2480	Reference	4.23	4.23	---	PASS
			30~1000	30~1000	-55.674	<=- 15.774	PASS
			1000~26500	1000~2650 0	-34.995	<=- 15.774	PASS
2DH5	Ant1	2402	Reference	3.72	3.72	---	PASS
			30~1000	30~1000	-59.977	<=- 16.283	PASS
			1000~26500	1000~2650 0	-33.359	<=- 16.283	PASS
		2441	Reference	3.41	3.41	---	PASS
			30~1000	30~1000	-59.72	<=- 16.591	PASS
			1000~26500	1000~2650 0	-34.437	<=- 16.591	PASS
		2480	Reference	3.37	3.37	---	PASS
			30~1000	30~1000	-59.786	<=- 16.632	PASS
			1000~26500	1000~2650 0	-34.11	<=- 16.632	PASS
3DH5	Ant1	2402	Reference	3.49	3.49	---	PASS
			30~1000	30~1000	-59.957	<=-16.51	PASS
			1000~26500	1000~2650 0	-33.997	<=-16.51	PASS
		2441	Reference	2.81	2.81	---	PASS
			30~1000	30~1000	-59.899	<=- 17.191	PASS
			1000~26500	1000~2650	-34.945	<=-	PASS

				0		17.191	
		2480	Reference	-3.41	-3.41	---	PASS
			30~1000	30~1000	-65.12	<=- 23.406	PASS
			1000~26500	1000~2650 0	-45.406	<=- 23.406	PASS

Test Graphs




DH5_Ant1_2402_1000~26500




DH5_Ant1_2441_0~Reference




DH5_Ant1_2441_30~1000




DH5_Ant1_2441_1000~26500




DH5_Ant1_2480_0~Reference




DH5_Ant1_2480_30~1000




DH5_Ant1_2480_1000~26500




2DH5_Ant1_2402_0~Reference




2DH5_Ant1_2402_30~1000




2DH5_Ant1_2402_1000~26500




2DH5_Ant1_2441_0~Reference




2DH5_Ant1_2441_30~1000




2DH5_Ant1_2441_1000~26500




2DH5_Ant1_2480_0~Reference




2DH5_Ant1_2480_30~1000




2DH5_Ant1_2480_1000~26500




3DH5_Ant1_2402_0~Reference




3DH5_Ant1_2402_30~1000




3DH5_Ant1_2402_1000~26500




3DH5_Ant1_2441_0~Reference




3DH5_Ant1_2441_30~1000




3DH5_Ant1_2441_1000~26500




3DH5_Ant1_2480_0~Reference



3DH5_Ant1_2480_30~1000



3DH5_Ant1_2480_1000~26500



Appendix I: Duty Cycle


Test Result

TestMode	Antenna	Channel	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	Limit	Verdict
DH5	Ant1	2402	2.93	3.62	80.94	---	PASS
		2441	2.93	3.60	81.37	---	PASS
		2480	2.93	3.60	81.37	---	PASS
2DH5	Ant1	2402	2.93	3.60	81.38	---	PASS
		2441	2.93	3.60	81.38	---	PASS
		2480	2.91	3.60	80.84	---	PASS
3DH5	Ant1	2402	2.92	3.62	80.90	---	PASS
		2441	2.92	3.59	81.33	---	PASS
		2480	2.92	3.61	80.89	---	PASS


Test Graphs




DH5_Ant1_2480




2DH5_Ant1_2402




2DH5_Ant1_2441




2DH5_Ant1_2480




3DH5_Ant1_2402



3DH5_Ant1_2441




3DH5_Ant1_2480



Appendix J: Conducted emission AC power port

Mode:	BT	Voltage:	120V/60Hz
-------	----	----------	-----------


Test Graph



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Polarity	Verdict
1	0.2036	10.25	10.65	63.46	52.81	8.46	53.46	45.00	L	PASS
2	2.0161	10.35	10.84	56.00	45.16	8.72	46.00	37.28	L	PASS
3	2.7612	10.37	8.62	56.00	47.38	4.34	46.00	41.66	L	PASS
4	5.1802	10.41	11.81	60.00	48.19	5.67	50.00	44.33	L	PASS
5	8.1201	10.48	12.00	60.00	48.00	5.62	50.00	44.38	L	PASS
6	24.9031	10.78	10.16	60.00	49.84	5.52	50.00	44.48	L	PASS

Mode:	BT	Voltage:	120V/60Hz
-------	----	----------	-----------

Test Graph



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Polarity	Verdict
1	0.2027	10.25	10.80	63.50	52.70	8.62	53.50	44.88	N	PASS
2	0.2737	10.25	6.52	61.01	54.49	4.48	51.01	46.53	N	PASS
3	1.5186	10.30	4.93	56.00	51.07	3.25	46.00	42.75	N	PASS
4	5.2265	10.36	7.91	60.00	52.09	5.32	50.00	44.68	N	PASS
5	6.9851	10.40	8.22	60.00	51.78	5.53	50.00	44.47	N	PASS
6	16.8468	10.64	7.30	60.00	52.70	4.44	50.00	45.56	N	PASS

Appendix K: Radiated emissions for transmitter

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit line per 15.31(o) was not reported.


Above 1GHz, The emission level with margin less than 20db is recorded.

According to C63.10, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement, so AV emission value did not show in below table if the peak value complies with average limit.

30MHz-1GHz

Mode:	DH5 2402	Voltage:	DC 3.7V
-------	----------	----------	---------


Test Graph



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	48.4484	-15.52	25.44	40.00	14.56	Horizontal	PASS
2	175.645	-16.96	28.43	43.50	15.07	Horizontal	PASS
3	391.201	-13.74	33.63	46.00	12.37	Horizontal	PASS
4	512.572	-11.19	33.76	46.00	12.24	Horizontal	PASS
5	729.099	-7.83	36.82	46.00	9.18	Horizontal	PASS
6	845.615	-6.10	39.76	46.00	6.24	Horizontal	PASS

Mode:	DH5 2402	Voltage:	DC 3.7V
-------	----------	----------	---------


Test Graph



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	50.3904	-15.50	26.29	40.00	13.71	Vertical	PASS
2	160.110	-15.60	26.52	43.50	16.98	Vertical	PASS
3	369.839	-14.19	28.91	46.00	17.09	Vertical	PASS
4	613.553	-9.25	34.06	46.00	11.94	Vertical	PASS
5	729.099	-7.83	37.06	46.00	8.94	Vertical	PASS
6	852.412	-6.05	38.70	46.00	7.30	Vertical	PASS

Mode:	DH5 2441	Voltage:	DC 3.7V
-------	----------	----------	---------


Test Graph



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	176.616	-17.05	28.43	43.50	15.07	Horizontal	PASS
2	266.916	-16.79	28.32	46.00	17.68	Horizontal	PASS
3	380.520	-13.97	33.13	46.00	12.87	Horizontal	PASS
4	489.269	-11.68	33.40	46.00	12.60	Horizontal	PASS
5	729.099	-7.83	36.77	46.00	9.23	Horizontal	PASS
6	845.615	-6.10	39.44	46.00	6.56	Horizontal	PASS

Mode:	DH5 2441	Voltage:	DC 3.7V
-------	----------	----------	---------


Test Graph



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	49.4194	-15.49	26.69	40.00	13.31	Vertical	PASS
2	98.9389	-20.28	22.77	43.50	20.73	Vertical	PASS
3	146.516	-15.97	26.31	43.50	17.19	Vertical	PASS
4	235.845	-17.83	25.10	46.00	20.90	Vertical	PASS
5	729.099	-7.83	37.16	46.00	8.84	Vertical	PASS
6	845.615	-6.10	40.43	46.00	5.57	Vertical	PASS

Mode:	DH5 2480	Voltage:	DC 3.7V
-------	----------	----------	---------


Test Graph



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	48.4484	-15.52	26.32	40.00	13.68	Horizontal	PASS
2	97.9680	-20.40	22.52	43.50	20.98	Horizontal	PASS
3	176.616	-17.05	29.71	43.50	13.79	Horizontal	PASS
4	373.723	-14.11	33.17	46.00	12.83	Horizontal	PASS
5	488.298	-11.70	35.24	46.00	10.76	Horizontal	PASS
6	845.615	-6.10	39.48	46.00	6.52	Horizontal	PASS

Mode:	DH5 2480	Voltage:	DC 3.7V
-------	----------	----------	---------


Test Graph



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	54.2743	-15.80	25.84	40.00	14.16	Vertical	PASS
2	97.9680	-20.40	22.86	43.50	20.64	Vertical	PASS
3	163.023	-15.86	25.43	43.50	18.07	Vertical	PASS
4	356.246	-14.48	27.61	46.00	18.39	Vertical	PASS
5	709.679	-8.20	36.08	46.00	9.92	Vertical	PASS
6	845.615	-6.10	39.47	46.00	6.53	Vertical	PASS

Mode:	2-DH5 2402	Voltage:	DC 3.7V
-------	------------	----------	---------


Test Graph



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	97.9680	-20.40	24.08	43.50	19.42	Horizontal	PASS
2	176.616	-17.05	29.54	43.50	13.96	Horizontal	PASS
3	382.462	-13.93	33.69	46.00	12.31	Horizontal	PASS
4	500.920	-11.43	34.46	46.00	11.54	Horizontal	PASS
5	709.679	-8.20	36.88	46.00	9.12	Horizontal	PASS
6	845.615	-6.10	39.55	46.00	6.45	Horizontal	PASS

Mode:	2-DH5 2402	Voltage:	DC 3.7V
-------	------------	----------	---------


Test Graph



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	51.3614	-15.58	26.03	40.00	13.97	Vertical	PASS
2	148.458	-15.91	26.22	43.50	17.28	Vertical	PASS
3	274.684	-16.36	25.47	46.00	20.53	Vertical	PASS
4	500.920	-11.43	30.69	46.00	15.31	Vertical	PASS
5	729.099	-7.83	36.51	46.00	9.49	Vertical	PASS
6	858.238	-6.01	37.28	46.00	8.72	Vertical	PASS

Mode:	2-DH5 2441	Voltage:	DC 3.7V
-------	------------	----------	---------


Test Graph



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	50.3904	-15.50	25.76	40.00	14.24	Horizontal	PASS
2	97.9680	-20.40	21.76	43.50	21.74	Horizontal	PASS
3	176.616	-17.05	28.36	43.50	15.14	Horizontal	PASS
4	390.230	-13.77	33.49	46.00	12.51	Horizontal	PASS
5	497.037	-11.51	33.98	46.00	12.02	Horizontal	PASS
6	845.615	-6.10	40.56	46.00	5.44	Horizontal	PASS

Mode:	2-DH5 2441	Voltage:	DC 3.7V
-------	------------	----------	---------


Test Graph



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Polarity	Verdict
1	64.9550	-17.23	23.65	40.00	16.35	Vertical	PASS
2	151.371	-15.83	25.55	43.50	17.95	Vertical	PASS
3	302.842	-15.60	26.48	46.00	19.52	Vertical	PASS
4	493.153	-11.59	30.95	46.00	15.05	Vertical	PASS
5	729.099	-7.83	36.15	46.00	9.85	Vertical	PASS
6	845.615	-6.10	40.34	46.00	5.66	Vertical	PASS

Mode:	2-DH5 2480	Voltage:	DC 3.7V
-------	------------	----------	---------


Test Graph



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	49.4194	-15.49	25.44	40.00	14.56	Horizontal	PASS
2	176.616	-17.05	28.59	43.50	14.91	Horizontal	PASS
3	377.607	-14.03	33.83	46.00	12.17	Horizontal	PASS
4	502.862	-11.39	33.65	46.00	12.35	Horizontal	PASS
5	709.679	-8.20	36.31	46.00	9.69	Horizontal	PASS
6	845.615	-6.10	40.23	46.00	5.77	Horizontal	PASS

Mode:	2-DH5 2480	Voltage:	DC 3.7V
-------	------------	----------	---------


Test Graph



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	40.6807	-15.80	26.40	40.00	13.60	Vertical	PASS
2	146.516	-15.97	25.72	43.50	17.78	Vertical	PASS
3	374.694	-14.09	28.89	46.00	17.11	Vertical	PASS
4	479.559	-11.88	30.50	46.00	15.50	Vertical	PASS
5	729.099	-7.83	36.09	46.00	9.91	Vertical	PASS
6	845.615	-6.10	39.21	46.00	6.79	Vertical	PASS

Mode:	3-DH5 2402	Voltage:	DC 3.7V
-------	------------	----------	---------


Test Graph



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	60.1001	-16.27	25.17	40.00	14.83	Horizontal	PASS
2	171.761	-16.62	28.03	43.50	15.47	Horizontal	PASS
3	266.916	-16.79	27.66	46.00	18.34	Horizontal	PASS
4	378.578	-14.01	35.07	46.00	10.93	Horizontal	PASS
5	732.983	-7.75	36.31	46.00	9.69	Horizontal	PASS
6	845.615	-6.10	38.02	46.00	7.98	Horizontal	PASS

Mode:	3-DH5 2402	Voltage:	DC 3.7V
-------	------------	----------	---------


Test Graph



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	49.4194	-15.49	26.07	40.00	13.93	Vertical	PASS
2	172.732	-16.71	27.94	43.50	15.56	Vertical	PASS
3	364.985	-14.30	30.49	46.00	15.51	Vertical	PASS
4	650.450	-8.88	34.07	46.00	11.93	Vertical	PASS
5	729.099	-7.83	36.85	46.00	9.15	Vertical	PASS
6	845.615	-6.10	39.71	46.00	6.29	Vertical	PASS

Mode:	3-DH5 2441	Voltage:	DC 3.7V
-------	------------	----------	---------


Test Graph



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	172.732	-16.71	28.54	43.50	14.96	Horizontal	PASS
2	258.178	-17.20	28.57	46.00	17.43	Horizontal	PASS
3	381.491	-13.95	34.38	46.00	11.62	Horizontal	PASS
4	496.066	-11.53	33.37	46.00	12.63	Horizontal	PASS
5	729.099	-7.83	36.58	46.00	9.42	Horizontal	PASS
6	845.615	-6.10	38.92	46.00	7.08	Horizontal	PASS

Mode:	3-DH5 2441	Voltage:	DC 3.7V
-------	------------	----------	---------


Test Graph



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	51.3614	-15.58	25.46	40.00	14.54	Vertical	PASS
2	149.429	-15.89	25.70	43.50	17.80	Vertical	PASS
3	301.871	-15.62	26.63	46.00	19.37	Vertical	PASS
4	399.939	-13.56	29.75	46.00	16.25	Vertical	PASS
5	729.099	-7.83	37.68	46.00	8.32	Vertical	PASS
6	845.615	-6.10	39.84	46.00	6.16	Vertical	PASS

Mode:	3-DH5 2480	Voltage:	DC 3.7V
-------	------------	----------	---------


Test Graph



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	54.2743	-15.80	25.91	40.00	14.09	Horizontal	PASS
2	172.732	-16.71	28.71	43.50	14.79	Horizontal	PASS
3	373.723	-14.11	34.83	46.00	11.17	Horizontal	PASS
4	494.124	-11.57	33.95	46.00	12.05	Horizontal	PASS
5	734.924	-7.72	36.47	46.00	9.53	Horizontal	PASS
6	847.557	-6.09	38.54	46.00	7.46	Horizontal	PASS

Mode:	3-DH5 2480	Voltage:	DC 3.7V
-------	------------	----------	---------

Test Graph



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	49.4194	-15.49	25.99	40.00	14.01	Vertical	PASS
2	166.906	-16.20	25.11	43.50	18.39	Vertical	PASS
3	281.481	-16.04	26.76	46.00	19.24	Vertical	PASS
4	458.198	-12.33	29.56	46.00	16.44	Vertical	PASS
5	709.679	-8.20	35.97	46.00	10.03	Vertical	PASS
6	849.499	-6.07	38.38	46.00	7.62	Vertical	PASS

Above 1GHz

Mode:	DH5 2402	Voltage:	DC 3.7V
-------	----------	----------	---------

Test Graph

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	4803.76	70.20	-14.85	55.35	74.00	18.65	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	4803.76	60.07	-14.85	45.22	54.00	8.78	Horizontal	PASS

Mode:	DH5 2402	Voltage:	DC 3.7V
-------	----------	----------	---------

Test Graph

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	4804.02	68.11	-14.85	53.26	74.00	20.74	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	4804.02	56.81	-14.85	41.96	54.00	12.04	Vertical	PASS

Mode:	DH5 2441	Voltage:	DC 3.7V
-------	----------	----------	---------

Test Graph

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	4881.76	74.50	-14.90	59.60	74.00	14.40	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	4881.76	64.50	-14.90	49.60	54.00	4.40	Horizontal	PASS

Mode:	DH5 2441	Voltage:	DC 3.7V
-------	----------	----------	---------

Test Graph

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	4886.88	64.82	-14.93	49.89	74.00	24.11	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	4886.88	50.00	-14.93	35.07	54.00	18.93	Vertical	PASS

Mode:	DH5 2480	Voltage:	DC 3.7V
-------	----------	----------	---------

Test Graph

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	4959.91	73.96	-14.58	59.38	74.00	14.62	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	4959.91	64.13	-14.58	49.55	54.00	4.45	Horizontal	PASS

Mode:	DH5 2480	Voltage:	DC 3.7V
-------	----------	----------	---------

Test Graph

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	4960.59	68.29	-14.58	53.71	74.00	20.29	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	4960.59	56.24	-14.58	41.66	54.00	12.34	Vertical	PASS

Mode:	2-DH5 2402	Voltage:	DC 3.7V
-------	------------	----------	---------

Test Graph

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	4803.92	72.75	-14.85	57.90	74.00	16.10	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	4803.92	61.09	-14.85	46.24	54.00	7.76	Horizontal	PASS

Mode:	2-DH5 2402	Voltage:	DC 3.7V
-------	------------	----------	---------

Test Graph

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	4804.28	69.69	-14.85	54.84	74.00	19.16	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	4804.28	56.26	-14.85	41.41	54.00	12.59	Vertical	PASS

Mode:	2-DH5 2441	Voltage:	DC 3.7V
-------	------------	----------	---------

Test Graph

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	4881.80	74.30	-14.90	59.40	74.00	14.60	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	4881.80	62.58	-14.90	47.68	54.00	6.32	Horizontal	PASS

Mode:	2-DH5 2441	Voltage:	DC 3.7V
-------	------------	----------	---------

Test Graph

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	4877.48	64.17	-14.87	49.30	74.00	24.70	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	4877.48	49.87	-14.87	35.00	54.00	19.00	Vertical	PASS

Mode:	2-DH5 2480	Voltage:	DC 3.7V
-------	------------	----------	---------

Test Graph

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	4959.85	75.70	-14.58	61.12	74.00	12.88	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	4959.85	62.94	-14.58	48.36	54.00	5.64	Horizontal	PASS

Mode:	2-DH5 2480	Voltage:	DC 3.7V
-------	------------	----------	---------

Test Graph

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	4960.35	71.05	-14.58	56.47	74.00	17.53	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	4960.35	58.92	-14.58	44.34	54.00	9.66	Vertical	PASS

Mode:	3DH5-2402	Voltage:	DC 3.7V
-------	-----------	----------	---------

Test Graph

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	4803.68	68.67	-14.85	53.82	74.00	20.18	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	4803.68	54.35	-14.85	39.50	54.00	14.50	Horizontal	PASS

Mode:	3DH5-2402	Voltage:	DC 3.7V
-------	-----------	----------	---------

Test Graph

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	4804.56	65.91	-14.85	51.06	74.00	22.94	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	4804.56	51.27	-14.85	36.42	54.00	17.58	Vertical	PASS