



Appendix A: Effective (Isotropic) Radiated Power Output Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	ERP(dBm)	Verdict
Band17	5MHz	QPSK	23755	1RB#0	23.62	19.37	PASS
Band17	5MHz	QPSK	23755	1RB#12	23.71	19.46	PASS
Band17	5MHz	QPSK	23755	1RB#24	23.57	19.32	PASS
Band17	5MHz	QPSK	23755	12RB#0	22.59	18.34	PASS
Band17	5MHz	QPSK	23755	12RB#6	22.61	18.36	PASS
Band17	5MHz	QPSK	23755	12RB#13	22.66	18.41	PASS
Band17	5MHz	QPSK	23755	25RB#0	22.67	18.42	PASS
Band17	5MHz	QPSK	23790	1RB#0	23.55	19.30	PASS
Band17	5MHz	QPSK	23790	1RB#12	23.62	19.37	PASS
Band17	5MHz	QPSK	23790	1RB#24	23.45	19.20	PASS
Band17	5MHz	QPSK	23790	12RB#0	22.57	18.32	PASS
Band17	5MHz	QPSK	23790	12RB#6	22.58	18.33	PASS
Band17	5MHz	QPSK	23790	12RB#13	22.61	18.36	PASS
Band17	5MHz	QPSK	23790	25RB#0	22.51	18.26	PASS
Band17	5MHz	QPSK	23825	1RB#0	23.48	19.23	PASS
Band17	5MHz	QPSK	23825	1RB#12	23.50	19.25	PASS
Band17	5MHz	QPSK	23825	1RB#24	23.47	19.22	PASS
Band17	5MHz	QPSK	23825	12RB#0	22.50	18.25	PASS
Band17	5MHz	QPSK	23825	12RB#6	22.51	18.26	PASS
Band17	5MHz	QPSK	23825	12RB#13	22.56	18.31	PASS
Band17	5MHz	QPSK	23825	25RB#0	22.57	18.32	PASS
Band17	5MHz	16QAM	23755	1RB#0	22.80	18.55	PASS
Band17	5MHz	16QAM	23755	1RB#12	22.90	18.65	PASS
Band17	5MHz	16QAM	23755	1RB#24	22.76	18.51	PASS
Band17	5MHz	16QAM	23755	12RB#0	21.61	17.36	PASS
Band17	5MHz	16QAM	23755	12RB#6	21.62	17.37	PASS
Band17	5MHz	16QAM	23755	12RB#13	21.68	17.43	PASS
Band17	5MHz	16QAM	23755	25RB#0	21.67	17.42	PASS
Band17	5MHz	16QAM	23790	1RB#0	22.82	18.57	PASS



CVC Testing Technology Co., Ltd.

Test Report No.: FCC2022-0064-RF8-A8

Page 2 of 44

Band17	5MHz	16QAM	23790	1RB#12	22.72	18.47	PASS
Band17	5MHz	16QAM	23790	1RB#24	22.75	18.50	PASS
Band17	5MHz	16QAM	23790	12RB#0	21.64	17.39	PASS
Band17	5MHz	16QAM	23790	12RB#6	21.61	17.36	PASS
Band17	5MHz	16QAM	23790	12RB#13	21.59	17.34	PASS
Band17	5MHz	16QAM	23790	25RB#0	21.49	17.24	PASS
Band17	5MHz	16QAM	23825	1RB#0	22.69	18.44	PASS
Band17	5MHz	16QAM	23825	1RB#12	22.85	18.60	PASS
Band17	5MHz	16QAM	23825	1RB#24	22.69	18.44	PASS
Band17	5MHz	16QAM	23825	12RB#0	21.53	17.28	PASS
Band17	5MHz	16QAM	23825	12RB#6	21.51	17.26	PASS
Band17	5MHz	16QAM	23825	12RB#13	21.55	17.30	PASS
Band17	5MHz	16QAM	23825	25RB#0	21.60	17.35	PASS
Band17	5MHz	64QAM	23755	1RB#0	21.92	17.67	PASS
Band17	5MHz	64QAM	23755	1RB#12	22.08	17.83	PASS
Band17	5MHz	64QAM	23755	1RB#24	21.82	17.57	PASS
Band17	5MHz	64QAM	23755	12RB#0	20.60	16.35	PASS
Band17	5MHz	64QAM	23755	12RB#6	20.64	16.39	PASS
Band17	5MHz	64QAM	23755	12RB#13	20.62	16.37	PASS
Band17	5MHz	64QAM	23755	25RB#0	20.68	16.43	PASS
Band17	5MHz	64QAM	23790	1RB#0	21.85	17.60	PASS
Band17	5MHz	64QAM	23790	1RB#12	21.82	17.57	PASS
Band17	5MHz	64QAM	23790	1RB#24	21.69	17.44	PASS
Band17	5MHz	64QAM	23790	12RB#0	20.56	16.31	PASS
Band17	5MHz	64QAM	23790	12RB#6	20.57	16.32	PASS
Band17	5MHz	64QAM	23790	12RB#13	20.56	16.31	PASS
Band17	5MHz	64QAM	23790	25RB#0	20.55	16.30	PASS
Band17	5MHz	64QAM	23825	1RB#0	21.73	17.48	PASS
Band17	5MHz	64QAM	23825	1RB#12	21.71	17.46	PASS
Band17	5MHz	64QAM	23825	1RB#24	21.60	17.35	PASS
Band17	5MHz	64QAM	23825	12RB#0	20.58	16.33	PASS
Band17	5MHz	64QAM	23825	12RB#6	20.54	16.29	PASS
Band17	5MHz	64QAM	23825	12RB#13	20.51	16.26	PASS
Band17	5MHz	64QAM	23825	25RB#0	20.54	16.29	PASS



CVC Testing Technology Co., Ltd.

Test Report No.: FCC2022-0064-RF8-A8

Page 3 of 44

Band17	10MHz	QPSK	23780	1RB#0	23.74	19.49	PASS
Band17	10MHz	QPSK	23780	1RB#24	23.57	19.32	PASS
Band17	10MHz	QPSK	23780	1RB#49	23.52	19.27	PASS
Band17	10MHz	QPSK	23780	25RB#0	22.62	18.37	PASS
Band17	10MHz	QPSK	23780	25RB#12	22.67	18.42	PASS
Band17	10MHz	QPSK	23780	25RB#25	22.62	18.37	PASS
Band17	10MHz	QPSK	23780	50RB#0	22.66	18.41	PASS
Band17	10MHz	QPSK	23790	1RB#0	23.64	19.39	PASS
Band17	10MHz	QPSK	23790	1RB#24	23.64	19.39	PASS
Band17	10MHz	QPSK	23790	1RB#49	23.48	19.23	PASS
Band17	10MHz	QPSK	23790	25RB#0	22.67	18.42	PASS
Band17	10MHz	QPSK	23790	25RB#12	22.62	18.37	PASS
Band17	10MHz	QPSK	23790	25RB#25	22.61	18.36	PASS
Band17	10MHz	QPSK	23790	50RB#0	22.56	18.31	PASS
Band17	10MHz	QPSK	23800	1RB#0	23.68	19.43	PASS
Band17	10MHz	QPSK	23800	1RB#24	23.62	19.37	PASS
Band17	10MHz	QPSK	23800	1RB#49	23.59	19.34	PASS
Band17	10MHz	QPSK	23800	25RB#0	22.62	18.37	PASS
Band17	10MHz	QPSK	23800	25RB#12	22.60	18.35	PASS
Band17	10MHz	QPSK	23800	25RB#25	22.59	18.34	PASS
Band17	10MHz	QPSK	23800	50RB#0	22.56	18.31	PASS
Band17	10MHz	16QAM	23780	1RB#0	22.65	18.40	PASS
Band17	10MHz	16QAM	23780	1RB#24	22.64	18.39	PASS
Band17	10MHz	16QAM	23780	1RB#49	22.55	18.30	PASS
Band17	10MHz	16QAM	23780	25RB#0	21.65	17.40	PASS
Band17	10MHz	16QAM	23780	25RB#12	21.65	17.40	PASS
Band17	10MHz	16QAM	23780	25RB#25	21.63	17.38	PASS
Band17	10MHz	16QAM	23780	50RB#0	21.67	17.42	PASS
Band17	10MHz	16QAM	23790	1RB#0	22.73	18.48	PASS
Band17	10MHz	16QAM	23790	1RB#24	22.66	18.41	PASS
Band17	10MHz	16QAM	23790	1RB#49	22.65	18.40	PASS
Band17	10MHz	16QAM	23790	25RB#0	21.70	17.45	PASS
Band17	10MHz	16QAM	23790	25RB#12	21.66	17.41	PASS
Band17	10MHz	16QAM	23790	25RB#25	21.65	17.40	PASS



CVC Testing Technology Co., Ltd.

Test Report No.: FCC2022-0064-RF8-A8

Page 4 of 44

Band17	10MHz	16QAM	23790	50RB#0	21.61	17.36	PASS
Band17	10MHz	16QAM	23800	1RB#0	22.65	18.40	PASS
Band17	10MHz	16QAM	23800	1RB#24	22.67	18.42	PASS
Band17	10MHz	16QAM	23800	1RB#49	22.51	18.26	PASS
Band17	10MHz	16QAM	23800	25RB#0	21.67	17.42	PASS
Band17	10MHz	16QAM	23800	25RB#12	21.62	17.37	PASS
Band17	10MHz	16QAM	23800	25RB#25	21.64	17.39	PASS
Band17	10MHz	16QAM	23800	50RB#0	21.57	17.32	PASS
Band17	10MHz	64QAM	23780	1RB#0	21.89	17.64	PASS
Band17	10MHz	64QAM	23780	1RB#24	21.99	17.74	PASS
Band17	10MHz	64QAM	23780	1RB#49	21.83	17.58	PASS
Band17	10MHz	64QAM	23780	25RB#0	20.62	16.37	PASS
Band17	10MHz	64QAM	23780	25RB#12	20.64	16.39	PASS
Band17	10MHz	64QAM	23780	25RB#25	20.60	16.35	PASS
Band17	10MHz	64QAM	23780	50RB#0	20.71	16.46	PASS
Band17	10MHz	64QAM	23790	1RB#0	22.06	17.81	PASS
Band17	10MHz	64QAM	23790	1RB#24	21.88	17.63	PASS
Band17	10MHz	64QAM	23790	1RB#49	21.65	17.40	PASS
Band17	10MHz	64QAM	23790	25RB#0	20.65	16.40	PASS
Band17	10MHz	64QAM	23790	25RB#12	20.58	16.33	PASS
Band17	10MHz	64QAM	23790	25RB#25	20.58	16.33	PASS
Band17	10MHz	64QAM	23790	50RB#0	20.57	16.32	PASS
Band17	10MHz	64QAM	23800	1RB#0	21.77	17.52	PASS
Band17	10MHz	64QAM	23800	1RB#24	21.74	17.49	PASS
Band17	10MHz	64QAM	23800	1RB#49	21.59	17.34	PASS
Band17	10MHz	64QAM	23800	25RB#0	20.67	16.42	PASS
Band17	10MHz	64QAM	23800	25RB#12	20.63	16.38	PASS
Band17	10MHz	64QAM	23800	25RB#25	20.61	16.36	PASS
Band17	10MHz	64QAM	23800	50RB#0	20.61	16.36	PASS



Appendix B: Peak-to-Average Ratio(CCDF)

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band17	5MHz	QPSK	23755	1RB#0	3.66	13	PASS
Band17	5MHz	QPSK	23755	25RB#0	4.54	13	PASS
Band17	5MHz	QPSK	23790	1RB#0	3.68	13	PASS
Band17	5MHz	QPSK	23790	25RB#0	4.60	13	PASS
Band17	5MHz	QPSK	23825	1RB#0	3.58	13	PASS
Band17	5MHz	QPSK	23825	25RB#0	4.56	13	PASS
Band17	5MHz	16QAM	23755	1RB#0	4.60	13	PASS
Band17	5MHz	16QAM	23755	25RB#0	5.46	13	PASS
Band17	5MHz	16QAM	23790	1RB#0	4.42	13	PASS
Band17	5MHz	16QAM	23790	25RB#0	5.46	13	PASS
Band17	5MHz	16QAM	23825	1RB#0	4.52	13	PASS
Band17	5MHz	16QAM	23825	25RB#0	5.56	13	PASS
Band17	5MHz	64QAM	23755	1RB#0	5.36	13	PASS
Band17	5MHz	64QAM	23755	25RB#0	6.40	13	PASS
Band17	5MHz	64QAM	23790	1RB#0	5.44	13	PASS
Band17	5MHz	64QAM	23790	25RB#0	6.44	13	PASS
Band17	5MHz	64QAM	23825	1RB#0	5.42	13	PASS
Band17	5MHz	64QAM	23825	25RB#0	6.42	13	PASS
Band17	10MHz	QPSK	23780	1RB#0	3.56	13	PASS
Band17	10MHz	QPSK	23780	50RB#0	4.58	13	PASS
Band17	10MHz	QPSK	23790	1RB#0	3.66	13	PASS
Band17	10MHz	QPSK	23790	50RB#0	4.64	13	PASS
Band17	10MHz	QPSK	23800	1RB#0	3.94	13	PASS
Band17	10MHz	QPSK	23800	50RB#0	4.66	13	PASS
Band17	10MHz	16QAM	23780	1RB#0	4.70	13	PASS
Band17	10MHz	16QAM	23780	50RB#0	5.58	13	PASS
Band17	10MHz	16QAM	23790	1RB#0	4.50	13	PASS
Band17	10MHz	16QAM	23790	50RB#0	5.64	13	PASS
Band17	10MHz	16QAM	23800	1RB#0	4.60	13	PASS
Band17	10MHz	16QAM	23800	50RB#0	5.62	13	PASS
Band17	10MHz	64QAM	23780	1RB#0	5.50	13	PASS
Band17	10MHz	64QAM	23780	50RB#0	6.36	13	PASS



CVC Testing Technology Co., Ltd.

Test Report No.: FCC2022-0064-RF8-A8


Page 6 of 44

Band17	10MHz	64QAM	23790	1RB#0	5.44	13	PASS
Band17	10MHz	64QAM	23790	50RB#0	6.38	13	PASS
Band17	10MHz	64QAM	23800	1RB#0	5.42	13	PASS
Band17	10MHz	64QAM	23800	50RB#0	6.38	13	PASS




Test Graphs


Band17-5MHz-QPSK-23755-1RB#0




Band17-5MHz-QPSK-23755-25RB#0




Band17-5MHz-QPSK-23790-1RB#0



Band17-5MHz-QPSK-23790-25RB#0




Band17-5MHz-QPSK-23825-1RB#0







Band17-5MHz-QPSK-23825-25RB#0




Band17-5MHz-16QAM-23755-1RB#0




Band17-5MHz-16QAM-23755-25RB#0



Band17-5MHz-16QAM-23790-1RB#0




Band17-5MHz-16QAM-23790-25RB#0







Band17-5MHz-16QAM-23825-1RB#0




Band17-5MHz-16QAM-23825-25RB#0




Band17-5MHz-64QAM-23755-1RB#0



Band17-5MHz-64QAM-23755-25RB#0




Band17-5MHz-64QAM-23790-1RB#0







Band17-5MHz-64QAM-23790-25RB#0




Band17-5MHz-64QAM-23825-1RB#0




Band17-5MHz-64QAM-23825-25RB#0



Band17-10MHz-QPSK-23780-1RB#0




Band17-10MHz-QPSK-23780-50RB#0







Band17-10MHz-QPSK-23790-1RB#0




Band17-10MHz-QPSK-23790-50RB#0




Band17-10MHz-QPSK-23800-1RB#0



Band17-10MHz-QPSK-23800-50RB#0




Band17-10MHz-16QAM-23780-1RB#0







Band17-10MHz-16QAM-23780-50RB#0




Band17-10MHz-16QAM-23790-1RB#0




Band17-10MHz-16QAM-23790-50RB#0



Band17-10MHz-16QAM-23800-1RB#0




Band17-10MHz-16QAM-23800-50RB#0







Band17-10MHz-64QAM-23780-1RB#0




Band17-10MHz-64QAM-23780-50RB#0




Band17-10MHz-64QAM-23790-1RB#0



Band17-10MHz-64QAM-23790-50RB#0




Band17-10MHz-64QAM-23800-1RB#0





Band17-10MHz-64QAM-23800-50RB#0





Appendix C: 26dB Bandwidth and Occupied Bandwidth


Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band17	5MHz	QPSK	23755	25RB#0	4.503	5.10	PASS
Band17	5MHz	QPSK	23790	25RB#0	4.504	4.79	PASS
Band17	5MHz	QPSK	23825	25RB#0	4.504	4.79	PASS
Band17	5MHz	16QAM	23755	25RB#0	4.503	4.78	PASS
Band17	5MHz	16QAM	23790	25RB#0	4.507	4.78	PASS
Band17	5MHz	16QAM	23825	25RB#0	4.506	4.79	PASS
Band17	5MHz	64QAM	23755	25RB#0	4.508	4.80	PASS
Band17	5MHz	64QAM	23790	25RB#0	4.506	4.78	PASS
Band17	5MHz	64QAM	23825	25RB#0	4.506	4.81	PASS
Band17	10MHz	QPSK	23780	50RB#0	8.964	9.53	PASS
Band17	10MHz	QPSK	23790	50RB#0	8.964	9.53	PASS
Band17	10MHz	QPSK	23800	50RB#0	8.967	9.53	PASS
Band17	10MHz	16QAM	23780	50RB#0	8.968	9.53	PASS
Band17	10MHz	16QAM	23790	50RB#0	8.971	9.53	PASS
Band17	10MHz	16QAM	23800	50RB#0	8.977	9.57	PASS
Band17	10MHz	64QAM	23780	50RB#0	8.966	9.53	PASS
Band17	10MHz	64QAM	23790	50RB#0	8.96	9.53	PASS
Band17	10MHz	64QAM	23800	50RB#0	8.964	9.53	PASS




Test Graphs


Band17-5MHz-QPSK-23755-25RB#0




Band17-5MHz-QPSK-23790-25RB#0




Band17-5MHz-QPSK-23825-25RB#0



Band17-5MHz-16QAM-23755-25RB#0




Band17-5MHz-16QAM-23790-25RB#0







Band17-5MHz-16QAM-23825-25RB#0




Band17-5MHz-64QAM-23755-25RB#0




Band17-5MHz-64QAM-23790-25RB#0



Band17-5MHz-64QAM-23825-25RB#0



Band17-10MHz-QPSK-23780-50RB#0





CVC Testing Technology Co., Ltd.


Test Report No.: FCC2022-0064-RF8-A8

Page 27 of 44

Band17-10MHz-QPSK-23790-50RB#0



Band17-10MHz-QPSK-23800-50RB#0




Band17-10MHz-16QAM-23780-50RB#0



CVC Testing Technology Co., Ltd.

Test Report No.: FCC2022-0064-RF8-A8


Page 28 of 44





Band17-10MHz-16QAM-23790-50RB#0



Band17-10MHz-16QAM-23800-50RB#0






Band17-10MHz-64QAM-23800-50RB#0



CVC Testing Technology Co., Ltd.

Test Report No.: FCC2022-0064-RF8-A8

Page 30 of 44






Appendix D: Band Edge

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band17	5MHz	QPSK	23755	1RB#0	see graph	PASS
Band17	5MHz	QPSK	23755	25RB#0	see graph	PASS
Band17	5MHz	QPSK	23825	1RB#24	see graph	PASS
Band17	5MHz	QPSK	23825	25RB#0	see graph	PASS
Band17	10MHz	QPSK	23780	1RB#0	see graph	PASS
Band17	10MHz	QPSK	23780	1RB#49	see graph	PASS
Band17	10MHz	QPSK	23780	50RB#0	see graph	PASS
Band17	10MHz	QPSK	23800	1RB#0	see graph	PASS
Band17	10MHz	QPSK	23800	1RB#49	see graph	PASS
Band17	10MHz	QPSK	23800	50RB#0	see graph	PASS

Test Graphs







CVC Testing Technology Co., Ltd.

Test Report No.: FCC2022-0064-RF8-A8


Page 32 of 44



Band17-5MHz-QPSK-23825-1RB#24




Band17-5MHz-QPSK-23825-25RB#0






Band17-10MHz-QPSK-23780-1RB#0



Band17-10MHz-QPSK-23780-1RB#49



Band17-10MHz-QPSK-23780-50RB#0




CVC Testing Technology Co., Ltd.

Test Report No.: FCC2022-0064-RF8-A8


Page 34 of 44



Band17-10MHz-QPSK-23800-1RB#0



Band17-10MHz-QPSK-23800-1RB#49






CVC Testing Technology Co., Ltd.

Test Report No.: FCC2022-0064-RF8-A8

Page 35 of 44

Band17-10MHz-QPSK-23800-50RB#0






Appendix E: Conducted Spurious Emission

Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Verdict
Band17	5MHz	QPSK	23755	1RB#0	Range1:30~1000MHz	-41.1	PASS
Band17	5MHz	QPSK	23755	1RB#0	Range2:1000~10000MHz	-50.84	PASS
Band17	5MHz	QPSK	23790	1RB#0	Range1:30~1000MHz	-41.52	PASS
Band17	5MHz	QPSK	23790	1RB#0	Range2:1000~10000MHz	-50.45	PASS
Band17	5MHz	QPSK	23825	1RB#0	Range1:30~1000MHz	-42.14	PASS
Band17	5MHz	QPSK	23825	1RB#0	Range2:1000~10000MHz	-50.47	PASS
Band17	10MHz	QPSK	23780	1RB#0	Range1:30~1000MHz	-41.54	PASS
Band17	10MHz	QPSK	23780	1RB#0	Range2:1000~10000MHz	-50.64	PASS
Band17	10MHz	QPSK	23790	1RB#0	Range1:30~1000MHz	-41.19	PASS
Band17	10MHz	QPSK	23790	1RB#0	Range2:1000~10000MHz	-50.7	PASS
Band17	10MHz	QPSK	23800	1RB#0	Range1:30~1000MHz	-41.73	PASS
Band17	10MHz	QPSK	23800	1RB#0	Range2:1000~10000MHz	-50.18	PASS

Test Graphs


Band17-5MHz-QPSK-23755-1RB#0-Range1:30~1000MHz



Band17-5MHz-QPSK-23755-1RB#0-Range2:1000~10000MHz




Band17-5MHz-QPSK-23790-1RB#0-Range1:30~1000MHz







Band17-5MHz-QPSK-23790-1RB#0-Range2:1000~10000MHz




Band17-5MHz-QPSK-23825-1RB#0-Range1:30~1000MHz




Band17-5MHz-QPSK-23825-1RB#0-Range2:1000~10000MHz



Band17-10MHz-QPSK-23780-1RB#0-Range1:30~1000MHz




Band17-10MHz-QPSK-23780-1RB#0-Range2:1000~10000MHz







Band17-10MHz-QPSK-23790-1RB#0-Range1:30~1000MHz




Band17-10MHz-QPSK-23790-1RB#0-Range2:1000~10000MHz



Band17-10MHz-QPSK-23800-1RB#0-Range1:30~1000MHz



Band17-10MHz-QPSK-23800-1RB#0-Range2:1000~10000MHz





Appendix F: Frequency Stability

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Voltage		Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
					Voltage [Vdc]	Temperature (°C)				
Band1 7	5MHz	QPSK	23755	25RB#0	VL	NT	3.33	0.004713	±2.5	PASS
Band1 7	5MHz	QPSK	23755	25RB#0	VN	NT	-1.95	-0.002760	±2.5	PASS
Band1 7	5MHz	QPSK	23755	25RB#0	VH	NT	1.53	0.002166	±2.5	PASS
Band1 7	5MHz	QPSK	23790	25RB#0	VL	NT	-3.64	-0.005127	±2.5	PASS
Band1 7	5MHz	QPSK	23790	25RB#0	VN	NT	-1.30	-0.001831	±2.5	PASS
Band1 7	5MHz	QPSK	23790	25RB#0	VH	NT	1.11	0.001563	±2.5	PASS
Band1 7	5MHz	QPSK	23825	25RB#0	VL	NT	3.31	0.004639	±2.5	PASS
Band1 7	5MHz	QPSK	23825	25RB#0	VN	NT	-1.83	-0.002565	±2.5	PASS
Band1 7	5MHz	QPSK	23825	25RB#0	VH	NT	-1.91	-0.002677	±2.5	PASS
Band1 7	10MHz	QPSK	23780	50RB#0	VL	NT	2.28	0.003216	±2.5	PASS
Band1 7	10MHz	QPSK	23780	50RB#0	VN	NT	2.29	0.003230	±2.5	PASS
Band1 7	10MHz	QPSK	23780	50RB#0	VH	NT	1.28	0.001805	±2.5	PASS
Band1 7	10MHz	QPSK	23790	50RB#0	VL	NT	1.51	0.002127	±2.5	PASS
Band1 7	10MHz	QPSK	23790	50RB#0	VN	NT	-1.81	-0.002549	±2.5	PASS
Band1 7	10MHz	QPSK	23790	50RB#0	VH	NT	2.06	0.002901	±2.5	PASS
Band1 7	10MHz	QPSK	23800	50RB#0	VL	NT	1.53	0.002152	±2.5	PASS



CVC Testing Technology Co., Ltd.

Test Report No.: FCC2022-0064-RF8-A8

Page 43 of 44

Band1 7	10MHz	QPSK	23800	50RB#0	VN	NT	1.76	0.002475	±2.5	PASS
Band1 7	10MHz	QPSK	23800	50RB#0	VH	NT	2.27	0.003193	±2.5	PASS

Temperature										
Band	Bandwidth	Modulation	Channel	RB Configuration	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band1 7	5MHz	QPSK	23755	25RB#0	NV	-30	4.45	0.006299	±2.5	PASS
Band1 7	5MHz	QPSK	23755	25RB#0	NV	-20	2.72	0.003850	±2.5	PASS
Band1 7	5MHz	QPSK	23755	25RB#0	NV	0	1.91	0.002703	±2.5	PASS
Band1 7	5MHz	QPSK	23755	25RB#0	NV	10	4.68	0.006624	±2.5	PASS
Band1 7	5MHz	QPSK	23755	25RB#0	NV	20	2.47	0.003496	±2.5	PASS
Band1 7	5MHz	QPSK	23790	25RB#0	NV	-30	-3.75	-0.005282	±2.5	PASS
Band1 7	5MHz	QPSK	23790	25RB#0	NV	-20	-2.03	-0.002859	±2.5	PASS
Band1 7	5MHz	QPSK	23790	25RB#0	NV	0	2.25	0.003169	±2.5	PASS
Band1 7	5MHz	QPSK	23790	25RB#0	NV	10	-5.54	-0.007803	±2.5	PASS
Band1 7	5MHz	QPSK	23790	25RB#0	NV	20	2.37	0.003338	±2.5	PASS
Band1 7	5MHz	QPSK	23825	25RB#0	NV	-30	-1.35	-0.001892	±2.5	PASS
Band1 7	5MHz	QPSK	23825	25RB#0	NV	-20	3.62	0.005074	±2.5	PASS
Band1 7	5MHz	QPSK	23825	25RB#0	NV	0	1.91	0.002677	±2.5	PASS
Band1 7	5MHz	QPSK	23825	25RB#0	NV	10	-1.76	-0.002467	±2.5	PASS
Band1 7	5MHz	QPSK	23825	25RB#0	NV	20	-3.88	-0.005438	±2.5	PASS
Band1	10MHz	QPSK	23780	50RB#0	NV	-30	2.07	0.002920	±2.5	PASS



CVC Testing Technology Co., Ltd.

Test Report No.: FCC2022-0064-RF8-A8

Page 44 of 44

7										
Band1 7	10MHz	QPSK	23780	50RB#0	NV	-20	2.99	0.004217	±2.5	PASS
Band1 7	10MHz	QPSK	23780	50RB#0	NV	0	1.09	0.001537	±2.5	PASS
Band1 7	10MHz	QPSK	23780	50RB#0	NV	10	3.16	0.004457	±2.5	PASS
Band1 7	10MHz	QPSK	23780	50RB#0	NV	20	2.89	0.004076	±2.5	PASS
Band1 7	10MHz	QPSK	23790	50RB#0	NV	-30	2.67	0.003761	±2.5	PASS
Band1 7	10MHz	QPSK	23790	50RB#0	NV	-20	2.21	0.003113	±2.5	PASS
Band1 7	10MHz	QPSK	23790	50RB#0	NV	0	-8.66	-0.012197	±2.5	PASS
Band1 7	10MHz	QPSK	23790	50RB#0	NV	10	1.76	0.002479	±2.5	PASS
Band1 7	10MHz	QPSK	23790	50RB#0	NV	20	6.00	0.008451	±2.5	PASS
Band1 7	10MHz	QPSK	23800	50RB#0	NV	-30	4.76	0.006695	±2.5	PASS
Band1 7	10MHz	QPSK	23800	50RB#0	NV	-20	2.12	0.002982	±2.5	PASS
Band1 7	10MHz	QPSK	23800	50RB#0	NV	0	4.73	0.006653	±2.5	PASS
Band1 7	10MHz	QPSK	23800	50RB#0	NV	10	3.02	0.004248	±2.5	PASS
Band1 7	10MHz	QPSK	23800	50RB#0	NV	20	1.88	0.002644	±2.5	PASS