



Appendix A: Effective (Isotropic) Radiated Power Output Data

Test Result

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Power (dBm)	EIRP (dBm)	Power Class	Verdict
N2	15	5	DFT-PI2BPSK	L	Edge_1RB_Left	23.16	23.46	PC3	PASS
N2	15	5	DFT-PI2BPSK	L	Edge_1RB_Right	23.08	23.38	PC3	PASS
N2	15	5	DFT-PI2BPSK	L	Outer_Full	23.17	23.47	PC3	PASS
N2	15	5	DFT-PI2BPSK	L	Inner_Full	23.17	23.47	PC3	PASS
N2	15	5	DFT-QPSK	L	Edge_1RB_Left	23.14	23.44	PC3	PASS
N2	15	5	DFT-QPSK	L	Edge_1RB_Right	23.06	23.36	PC3	PASS
N2	15	5	DFT-QPSK	L	Outer_Full	23.15	23.45	PC3	PASS
N2	15	5	DFT-QPSK	L	Inner_Full	23.22	23.52	PC3	PASS
N2	15	5	CP-QPSK	L	Edge_1RB_Left	20.96	21.26	PC3	PASS
N2	15	5	CP-QPSK	L	Edge_1RB_Right	20.98	21.28	PC3	PASS
N2	15	5	CP-QPSK	L	Outer_Full	21.07	21.37	PC3	PASS
N2	15	5	CP-QPSK	L	Inner_Full	22.56	22.86	PC3	PASS
N2	15	5	CP-16QAM	L	Edge_1RB_Left	21.58	21.88	PC3	PASS
N2	15	5	CP-16QAM	L	Edge_1RB_Right	21.52	21.82	PC3	PASS
N2	15	5	CP-16QAM	L	Outer_Full	21.10	21.40	PC3	PASS
N2	15	5	CP-16QAM	L	Inner_Full	22.33	22.63	PC3	PASS
N2	15	5	CP-64QAM	L	Edge_1RB_Left	20.32	20.62	PC3	PASS
N2	15	5	CP-64QAM	L	Edge_1RB_Right	20.31	20.61	PC3	PASS
N2	15	5	CP-64QAM	L	Outer_Full	20.67	20.97	PC3	PASS
N2	15	5	CP-64QAM	L	Inner_Full	20.60	20.90	PC3	PASS
N2	15	5	CP-256QAM	L	Edge_1RB_Left	17.35	17.65	PC3	PASS
N2	15	5	CP-256QAM	L	Edge_1RB_Right	17.34	17.64	PC3	PASS
N2	15	5	CP-256QAM	L	Outer_Full	17.65	17.95	PC3	PASS
N2	15	5	CP-256QAM	L	Inner_Full	17.70	18.00	PC3	PASS
N2	15	5	DFT-PI2BPSK	M	Edge_1RB_Left	22.96	23.26	PC3	PASS
N2	15	5	DFT-PI2BPSK	M	Edge_1RB_Right	22.87	23.17	PC3	PASS
N2	15	5	DFT-PI2BPSK	M	Outer_Full	22.95	23.25	PC3	PASS
N2	15	5	DFT-PI2BPSK	M	Inner_Full	23.00	23.30	PC3	PASS
N2	15	5	DFT-QPSK	M	Edge_1RB_Left	22.94	23.24	PC3	PASS
N2	15	5	DFT-QPSK	M	Edge_1RB_Right	22.82	23.12	PC3	PASS
N2	15	5	DFT-QPSK	M	Outer_Full	22.95	23.25	PC3	PASS
N2	15	5	DFT-QPSK	M	Inner_Full	23.01	23.31	PC3	PASS
N2	15	5	CP-QPSK	M	Edge_1RB_Left	20.88	21.18	PC3	PASS



CVC Testing Technology Co., Ltd.

Test Report No.: FCC2022-0064-RF9-A1

Page 2 of 90

N2	15	5	CP-QPSK	M	Edge_1RB_Right	20.79	21.09	PC3	PASS
N2	15	5	CP-QPSK	M	Outer_Full	20.85	21.15	PC3	PASS
N2	15	5	CP-QPSK	M	Inner_Full	22.34	22.64	PC3	PASS
N2	15	5	CP-16QAM	M	Edge_1RB_Left	21.39	21.69	PC3	PASS
N2	15	5	CP-16QAM	M	Edge_1RB_Right	21.31	21.61	PC3	PASS
N2	15	5	CP-16QAM	M	Outer_Full	20.86	21.16	PC3	PASS
N2	15	5	CP-16QAM	M	Inner_Full	22.12	22.42	PC3	PASS
N2	15	5	CP-64QAM	M	Edge_1RB_Left	20.14	20.44	PC3	PASS
N2	15	5	CP-64QAM	M	Edge_1RB_Right	20.12	20.42	PC3	PASS
N2	15	5	CP-64QAM	M	Outer_Full	20.46	20.76	PC3	PASS
N2	15	5	CP-64QAM	M	Inner_Full	20.38	20.68	PC3	PASS
N2	15	5	CP-256QAM	M	Edge_1RB_Left	17.23	17.53	PC3	PASS
N2	15	5	CP-256QAM	M	Edge_1RB_Right	17.08	17.38	PC3	PASS
N2	15	5	CP-256QAM	M	Outer_Full	17.46	17.76	PC3	PASS
N2	15	5	CP-256QAM	M	Inner_Full	17.49	17.79	PC3	PASS
N2	15	5	DFT-PI2BPSK	H	Edge_1RB_Left	22.81	23.11	PC3	PASS
N2	15	5	DFT-PI2BPSK	H	Edge_1RB_Right	22.78	23.08	PC3	PASS
N2	15	5	DFT-PI2BPSK	H	Outer_Full	22.90	23.20	PC3	PASS
N2	15	5	DFT-PI2BPSK	H	Inner_Full	22.82	23.12	PC3	PASS
N2	15	5	DFT-QPSK	H	Edge_1RB_Left	22.86	23.16	PC3	PASS
N2	15	5	DFT-QPSK	H	Edge_1RB_Right	22.88	23.18	PC3	PASS
N2	15	5	DFT-QPSK	H	Outer_Full	22.79	23.09	PC3	PASS
N2	15	5	DFT-QPSK	H	Inner_Full	22.83	23.13	PC3	PASS
N2	15	5	CP-QPSK	H	Edge_1RB_Left	20.73	21.03	PC3	PASS
N2	15	5	CP-QPSK	H	Edge_1RB_Right	20.73	21.03	PC3	PASS
N2	15	5	CP-QPSK	H	Outer_Full	20.72	21.02	PC3	PASS
N2	15	5	CP-QPSK	H	Inner_Full	22.20	22.50	PC3	PASS
N2	15	5	CP-16QAM	H	Edge_1RB_Left	21.34	21.64	PC3	PASS
N2	15	5	CP-16QAM	H	Edge_1RB_Right	21.32	21.62	PC3	PASS
N2	15	5	CP-16QAM	H	Outer_Full	20.71	21.01	PC3	PASS
N2	15	5	CP-16QAM	H	Inner_Full	21.96	22.26	PC3	PASS
N2	15	5	CP-64QAM	H	Edge_1RB_Left	20.03	20.33	PC3	PASS
N2	15	5	CP-64QAM	H	Edge_1RB_Right	20.02	20.32	PC3	PASS
N2	15	5	CP-64QAM	H	Outer_Full	20.40	20.70	PC3	PASS
N2	15	5	CP-64QAM	H	Inner_Full	20.26	20.56	PC3	PASS
N2	15	5	CP-256QAM	H	Edge_1RB_Left	17.11	17.41	PC3	PASS
N2	15	5	CP-256QAM	H	Edge_1RB_Right	17.03	17.33	PC3	PASS
N2	15	5	CP-256QAM	H	Outer_Full	17.40	17.70	PC3	PASS
N2	15	5	CP-256QAM	H	Inner_Full	17.40	17.70	PC3	PASS
N2	15	10	DFT-PI2BPSK	L	Edge_1RB_Left	23.22	23.52	PC3	PASS



CVC Testing Technology Co., Ltd.

Test Report No.: FCC2022-0064-RF9-A1

Page 3 of 90

N2	15	10	DFT-PI2BPSK	L	Edge_1RB_Right	23.06	23.36	PC3	PASS
N2	15	10	DFT-PI2BPSK	L	Outer_Full	23.18	23.48	PC3	PASS
N2	15	10	DFT-PI2BPSK	L	Inner_Full	23.19	23.49	PC3	PASS
N2	15	10	DFT-QPSK	L	Edge_1RB_Left	23.11	23.41	PC3	PASS
N2	15	10	DFT-QPSK	L	Edge_1RB_Right	23.11	23.41	PC3	PASS
N2	15	10	DFT-QPSK	L	Outer_Full	23.19	23.49	PC3	PASS
N2	15	10	DFT-QPSK	L	Inner_Full	23.18	23.48	PC3	PASS
N2	15	10	CP-QPSK	L	Edge_1RB_Left	20.96	21.26	PC3	PASS
N2	15	10	CP-QPSK	L	Edge_1RB_Right	20.95	21.25	PC3	PASS
N2	15	10	CP-QPSK	L	Outer_Full	21.10	21.40	PC3	PASS
N2	15	10	CP-QPSK	L	Inner_Full	22.64	22.94	PC3	PASS
N2	15	10	CP-16QAM	L	Edge_1RB_Left	21.48	21.78	PC3	PASS
N2	15	10	CP-16QAM	L	Edge_1RB_Right	21.54	21.84	PC3	PASS
N2	15	10	CP-16QAM	L	Outer_Full	21.12	21.42	PC3	PASS
N2	15	10	CP-16QAM	L	Inner_Full	22.23	22.53	PC3	PASS
N2	15	10	CP-64QAM	L	Edge_1RB_Left	20.31	20.61	PC3	PASS
N2	15	10	CP-64QAM	L	Edge_1RB_Right	20.32	20.62	PC3	PASS
N2	15	10	CP-64QAM	L	Outer_Full	20.70	21.00	PC3	PASS
N2	15	10	CP-64QAM	L	Inner_Full	20.67	20.97	PC3	PASS
N2	15	10	CP-256QAM	L	Edge_1RB_Left	17.31	17.61	PC3	PASS
N2	15	10	CP-256QAM	L	Edge_1RB_Right	17.29	17.59	PC3	PASS
N2	15	10	CP-256QAM	L	Outer_Full	17.61	17.91	PC3	PASS
N2	15	10	CP-256QAM	L	Inner_Full	17.59	17.89	PC3	PASS
N2	15	10	DFT-PI2BPSK	M	Edge_1RB_Left	22.99	23.29	PC3	PASS
N2	15	10	DFT-PI2BPSK	M	Edge_1RB_Right	22.84	23.14	PC3	PASS
N2	15	10	DFT-PI2BPSK	M	Outer_Full	22.98	23.28	PC3	PASS
N2	15	10	DFT-PI2BPSK	M	Inner_Full	22.98	23.28	PC3	PASS
N2	15	10	DFT-QPSK	M	Edge_1RB_Left	22.95	23.25	PC3	PASS
N2	15	10	DFT-QPSK	M	Edge_1RB_Right	22.81	23.11	PC3	PASS
N2	15	10	DFT-QPSK	M	Outer_Full	22.97	23.27	PC3	PASS
N2	15	10	DFT-QPSK	M	Inner_Full	22.95	23.25	PC3	PASS
N2	15	10	CP-QPSK	M	Edge_1RB_Left	20.87	21.17	PC3	PASS
N2	15	10	CP-QPSK	M	Edge_1RB_Right	20.73	21.03	PC3	PASS
N2	15	10	CP-QPSK	M	Outer_Full	20.92	21.22	PC3	PASS
N2	15	10	CP-QPSK	M	Inner_Full	22.46	22.76	PC3	PASS
N2	15	10	CP-16QAM	M	Edge_1RB_Left	21.42	21.72	PC3	PASS
N2	15	10	CP-16QAM	M	Edge_1RB_Right	21.35	21.65	PC3	PASS
N2	15	10	CP-16QAM	M	Outer_Full	20.92	21.22	PC3	PASS
N2	15	10	CP-16QAM	M	Inner_Full	22.06	22.36	PC3	PASS
N2	15	10	CP-64QAM	M	Edge_1RB_Left	20.20	20.50	PC3	PASS



CVC Testing Technology Co., Ltd.

Test Report No.: FCC2022-0064-RF9-A1

Page 4 of 90

N2	15	10	CP-64QAM	M	Edge_1RB_Right	20.13	20.43	PC3	PASS
N2	15	10	CP-64QAM	M	Outer_Full	20.52	20.82	PC3	PASS
N2	15	10	CP-64QAM	M	Inner_Full	20.46	20.76	PC3	PASS
N2	15	10	CP-256QAM	M	Edge_1RB_Left	17.22	17.52	PC3	PASS
N2	15	10	CP-256QAM	M	Edge_1RB_Right	17.07	17.37	PC3	PASS
N2	15	10	CP-256QAM	M	Outer_Full	17.41	17.71	PC3	PASS
N2	15	10	CP-256QAM	M	Inner_Full	17.40	17.70	PC3	PASS
N2	15	10	DFT-PI2BPSK	H	Edge_1RB_Left	22.80	23.10	PC3	PASS
N2	15	10	DFT-PI2BPSK	H	Edge_1RB_Right	22.85	23.15	PC3	PASS
N2	15	10	DFT-PI2BPSK	H	Outer_Full	22.83	23.13	PC3	PASS
N2	15	10	DFT-PI2BPSK	H	Inner_Full	22.78	23.08	PC3	PASS
N2	15	10	DFT-QPSK	H	Edge_1RB_Left	22.85	23.15	PC3	PASS
N2	15	10	DFT-QPSK	H	Edge_1RB_Right	22.83	23.13	PC3	PASS
N2	15	10	DFT-QPSK	H	Outer_Full	22.79	23.09	PC3	PASS
N2	15	10	DFT-QPSK	H	Inner_Full	22.77	23.07	PC3	PASS
N2	15	10	CP-QPSK	H	Edge_1RB_Left	20.66	20.96	PC3	PASS
N2	15	10	CP-QPSK	H	Edge_1RB_Right	20.75	21.05	PC3	PASS
N2	15	10	CP-QPSK	H	Outer_Full	20.75	21.05	PC3	PASS
N2	15	10	CP-QPSK	H	Inner_Full	22.29	22.59	PC3	PASS
N2	15	10	CP-16QAM	H	Edge_1RB_Left	21.22	21.52	PC3	PASS
N2	15	10	CP-16QAM	H	Edge_1RB_Right	21.34	21.64	PC3	PASS
N2	15	10	CP-16QAM	H	Outer_Full	20.77	21.07	PC3	PASS
N2	15	10	CP-16QAM	H	Inner_Full	21.88	22.18	PC3	PASS
N2	15	10	CP-64QAM	H	Edge_1RB_Left	20.01	20.31	PC3	PASS
N2	15	10	CP-64QAM	H	Edge_1RB_Right	20.09	20.39	PC3	PASS
N2	15	10	CP-64QAM	H	Outer_Full	20.36	20.66	PC3	PASS
N2	15	10	CP-64QAM	H	Inner_Full	20.26	20.56	PC3	PASS
N2	15	10	CP-256QAM	H	Edge_1RB_Left	17.12	17.42	PC3	PASS
N2	15	10	CP-256QAM	H	Edge_1RB_Right	17.08	17.38	PC3	PASS
N2	15	10	CP-256QAM	H	Outer_Full	17.24	17.54	PC3	PASS
N2	15	10	CP-256QAM	H	Inner_Full	17.23	17.53	PC3	PASS
N2	15	15	DFT-PI2BPSK	L	Edge_1RB_Left	23.32	23.62	PC3	PASS
N2	15	15	DFT-PI2BPSK	L	Edge_1RB_Right	23.23	23.53	PC3	PASS
N2	15	15	DFT-PI2BPSK	L	Outer_Full	23.32	23.62	PC3	PASS
N2	15	15	DFT-PI2BPSK	L	Inner_Full	23.37	23.67	PC3	PASS
N2	15	15	DFT-QPSK	L	Edge_1RB_Left	23.33	23.63	PC3	PASS
N2	15	15	DFT-QPSK	L	Edge_1RB_Right	23.18	23.48	PC3	PASS
N2	15	15	DFT-QPSK	L	Outer_Full	23.36	23.66	PC3	PASS
N2	15	15	DFT-QPSK	L	Inner_Full	23.36	23.66	PC3	PASS
N2	15	15	CP-QPSK	L	Edge_1RB_Left	21.17	21.47	PC3	PASS



CVC Testing Technology Co., Ltd.

Test Report No.: FCC2022-0064-RF9-A1

Page 5 of 90

N2	15	15	CP-QPSK	L	Edge_1RB_Right	21.09	21.39	PC3	PASS
N2	15	15	CP-QPSK	L	Outer_Full	21.28	21.58	PC3	PASS
N2	15	15	CP-QPSK	L	Inner_Full	22.83	23.13	PC3	PASS
N2	15	15	CP-16QAM	L	Edge_1RB_Left	21.76	22.06	PC3	PASS
N2	15	15	CP-16QAM	L	Edge_1RB_Right	21.67	21.97	PC3	PASS
N2	15	15	CP-16QAM	L	Outer_Full	21.27	21.57	PC3	PASS
N2	15	15	CP-16QAM	L	Inner_Full	22.36	22.66	PC3	PASS
N2	15	15	CP-64QAM	L	Edge_1RB_Left	20.46	20.76	PC3	PASS
N2	15	15	CP-64QAM	L	Edge_1RB_Right	20.46	20.76	PC3	PASS
N2	15	15	CP-64QAM	L	Outer_Full	20.80	21.10	PC3	PASS
N2	15	15	CP-64QAM	L	Inner_Full	20.87	21.17	PC3	PASS
N2	15	15	CP-256QAM	L	Edge_1RB_Left	17.49	17.79	PC3	PASS
N2	15	15	CP-256QAM	L	Edge_1RB_Right	17.42	17.72	PC3	PASS
N2	15	15	CP-256QAM	L	Outer_Full	17.77	18.07	PC3	PASS
N2	15	15	CP-256QAM	L	Inner_Full	17.80	18.10	PC3	PASS
N2	15	15	DFT-PI2BPSK	M	Edge_1RB_Left	23.07	23.37	PC3	PASS
N2	15	15	DFT-PI2BPSK	M	Edge_1RB_Right	22.99	23.29	PC3	PASS
N2	15	15	DFT-PI2BPSK	M	Outer_Full	23.07	23.37	PC3	PASS
N2	15	15	DFT-PI2BPSK	M	Inner_Full	23.05	23.35	PC3	PASS
N2	15	15	DFT-QPSK	M	Edge_1RB_Left	23.02	23.32	PC3	PASS
N2	15	15	DFT-QPSK	M	Edge_1RB_Right	23.00	23.30	PC3	PASS
N2	15	15	DFT-QPSK	M	Outer_Full	23.08	23.38	PC3	PASS
N2	15	15	DFT-QPSK	M	Inner_Full	23.05	23.35	PC3	PASS
N2	15	15	CP-QPSK	M	Edge_1RB_Left	20.93	21.23	PC3	PASS
N2	15	15	CP-QPSK	M	Edge_1RB_Right	20.74	21.04	PC3	PASS
N2	15	15	CP-QPSK	M	Outer_Full	21.00	21.30	PC3	PASS
N2	15	15	CP-QPSK	M	Inner_Full	22.54	22.84	PC3	PASS
N2	15	15	CP-16QAM	M	Edge_1RB_Left	21.53	21.83	PC3	PASS
N2	15	15	CP-16QAM	M	Edge_1RB_Right	21.43	21.73	PC3	PASS
N2	15	15	CP-16QAM	M	Outer_Full	21.04	21.34	PC3	PASS
N2	15	15	CP-16QAM	M	Inner_Full	22.08	22.38	PC3	PASS
N2	15	15	CP-64QAM	M	Edge_1RB_Left	20.32	20.62	PC3	PASS
N2	15	15	CP-64QAM	M	Edge_1RB_Right	20.23	20.53	PC3	PASS
N2	15	15	CP-64QAM	M	Outer_Full	20.53	20.83	PC3	PASS
N2	15	15	CP-64QAM	M	Inner_Full	20.56	20.86	PC3	PASS
N2	15	15	CP-256QAM	M	Edge_1RB_Left	17.29	17.59	PC3	PASS
N2	15	15	CP-256QAM	M	Edge_1RB_Right	17.19	17.49	PC3	PASS
N2	15	15	CP-256QAM	M	Outer_Full	17.51	17.81	PC3	PASS
N2	15	15	CP-256QAM	M	Inner_Full	17.52	17.82	PC3	PASS
N2	15	15	DFT-PI2BPSK	H	Edge_1RB_Left	22.81	23.11	PC3	PASS



CVC Testing Technology Co., Ltd.

Test Report No.: FCC2022-0064-RF9-A1

Page 6 of 90

N2	15	15	DFT-PI2BPSK	H	Edge_1RB_Right	22.85	23.15	PC3	PASS
N2	15	15	DFT-PI2BPSK	H	Outer_Full	22.85	23.15	PC3	PASS
N2	15	15	DFT-PI2BPSK	H	Inner_Full	22.86	23.16	PC3	PASS
N2	15	15	DFT-QPSK	H	Edge_1RB_Left	22.84	23.14	PC3	PASS
N2	15	15	DFT-QPSK	H	Edge_1RB_Right	22.89	23.19	PC3	PASS
N2	15	15	DFT-QPSK	H	Outer_Full	22.90	23.20	PC3	PASS
N2	15	15	DFT-QPSK	H	Inner_Full	22.87	23.17	PC3	PASS
N2	15	15	CP-QPSK	H	Edge_1RB_Left	20.77	21.07	PC3	PASS
N2	15	15	CP-QPSK	H	Edge_1RB_Right	20.72	21.02	PC3	PASS
N2	15	15	CP-QPSK	H	Outer_Full	20.82	21.12	PC3	PASS
N2	15	15	CP-QPSK	H	Inner_Full	22.37	22.67	PC3	PASS
N2	15	15	CP-16QAM	H	Edge_1RB_Left	21.33	21.63	PC3	PASS
N2	15	15	CP-16QAM	H	Edge_1RB_Right	21.37	21.67	PC3	PASS
N2	15	15	CP-16QAM	H	Outer_Full	20.84	21.14	PC3	PASS
N2	15	15	CP-16QAM	H	Inner_Full	21.91	22.21	PC3	PASS
N2	15	15	CP-64QAM	H	Edge_1RB_Left	20.11	20.41	PC3	PASS
N2	15	15	CP-64QAM	H	Edge_1RB_Right	20.15	20.45	PC3	PASS
N2	15	15	CP-64QAM	H	Outer_Full	20.32	20.62	PC3	PASS
N2	15	15	CP-64QAM	H	Inner_Full	20.37	20.67	PC3	PASS
N2	15	15	CP-256QAM	H	Edge_1RB_Left	17.09	17.39	PC3	PASS
N2	15	15	CP-256QAM	H	Edge_1RB_Right	17.04	17.34	PC3	PASS
N2	15	15	CP-256QAM	H	Outer_Full	17.32	17.62	PC3	PASS
N2	15	15	CP-256QAM	H	Inner_Full	17.33	17.63	PC3	PASS
N2	15	20	DFT-PI2BPSK	L	Edge_1RB_Left	23.31	23.61	PC3	PASS
N2	15	20	DFT-PI2BPSK	L	Edge_1RB_Right	23.14	23.44	PC3	PASS
N2	15	20	DFT-PI2BPSK	L	Outer_Full	23.29	23.59	PC3	PASS
N2	15	20	DFT-PI2BPSK	L	Inner_Full	23.34	23.64	PC3	PASS
N2	15	20	DFT-QPSK	L	Edge_1RB_Left	23.22	23.52	PC3	PASS
N2	15	20	DFT-QPSK	L	Edge_1RB_Right	23.19	23.49	PC3	PASS
N2	15	20	DFT-QPSK	L	Outer_Full	23.29	23.59	PC3	PASS
N2	15	20	DFT-QPSK	L	Inner_Full	23.27	23.57	PC3	PASS
N2	15	20	CP-QPSK	L	Edge_1RB_Left	21.16	21.46	PC3	PASS
N2	15	20	CP-QPSK	L	Edge_1RB_Right	21.03	21.33	PC3	PASS
N2	15	20	CP-QPSK	L	Outer_Full	21.27	21.57	PC3	PASS
N2	15	20	CP-QPSK	L	Inner_Full	22.83	23.13	PC3	PASS
N2	15	20	CP-16QAM	L	Edge_1RB_Left	21.70	22.00	PC3	PASS
N2	15	20	CP-16QAM	L	Edge_1RB_Right	21.63	21.93	PC3	PASS
N2	15	20	CP-16QAM	L	Outer_Full	21.31	21.61	PC3	PASS
N2	15	20	CP-16QAM	L	Inner_Full	22.26	22.56	PC3	PASS
N2	15	20	CP-64QAM	L	Edge_1RB_Left	20.41	20.71	PC3	PASS



CVC Testing Technology Co., Ltd.

Test Report No.: FCC2022-0064-RF9-A1

Page 7 of 90

N2	15	20	CP-64QAM	L	Edge_1RB_Right	20.40	20.70	PC3	PASS
N2	15	20	CP-64QAM	L	Outer_Full	20.77	21.07	PC3	PASS
N2	15	20	CP-64QAM	L	Inner_Full	20.82	21.12	PC3	PASS
N2	15	20	CP-256QAM	L	Edge_1RB_Left	17.54	17.84	PC3	PASS
N2	15	20	CP-256QAM	L	Edge_1RB_Right	17.42	17.72	PC3	PASS
N2	15	20	CP-256QAM	L	Outer_Full	17.76	18.06	PC3	PASS
N2	15	20	CP-256QAM	L	Inner_Full	17.73	18.03	PC3	PASS
N2	15	20	DFT-PI2BPSK	M	Edge_1RB_Left	23.12	23.42	PC3	PASS
N2	15	20	DFT-PI2BPSK	M	Edge_1RB_Right	22.97	23.27	PC3	PASS
N2	15	20	DFT-PI2BPSK	M	Outer_Full	23.03	23.33	PC3	PASS
N2	15	20	DFT-PI2BPSK	M	Inner_Full	23.09	23.39	PC3	PASS
N2	15	20	DFT-QPSK	M	Edge_1RB_Left	22.93	23.23	PC3	PASS
N2	15	20	DFT-QPSK	M	Edge_1RB_Right	22.98	23.28	PC3	PASS
N2	15	20	DFT-QPSK	M	Outer_Full	23.06	23.36	PC3	PASS
N2	15	20	DFT-QPSK	M	Inner_Full	23.09	23.39	PC3	PASS
N2	15	20	CP-QPSK	M	Edge_1RB_Left	20.98	21.28	PC3	PASS
N2	15	20	CP-QPSK	M	Edge_1RB_Right	20.85	21.15	PC3	PASS
N2	15	20	CP-QPSK	M	Outer_Full	21.05	21.35	PC3	PASS
N2	15	20	CP-QPSK	M	Inner_Full	22.58	22.88	PC3	PASS
N2	15	20	CP-16QAM	M	Edge_1RB_Left	21.54	21.84	PC3	PASS
N2	15	20	CP-16QAM	M	Edge_1RB_Right	21.43	21.73	PC3	PASS
N2	15	20	CP-16QAM	M	Outer_Full	21.06	21.36	PC3	PASS
N2	15	20	CP-16QAM	M	Inner_Full	22.02	22.32	PC3	PASS
N2	15	20	CP-64QAM	M	Edge_1RB_Left	20.31	20.61	PC3	PASS
N2	15	20	CP-64QAM	M	Edge_1RB_Right	20.27	20.57	PC3	PASS
N2	15	20	CP-64QAM	M	Outer_Full	20.52	20.82	PC3	PASS
N2	15	20	CP-64QAM	M	Inner_Full	20.59	20.89	PC3	PASS
N2	15	20	CP-256QAM	M	Edge_1RB_Left	17.31	17.61	PC3	PASS
N2	15	20	CP-256QAM	M	Edge_1RB_Right	17.21	17.51	PC3	PASS
N2	15	20	CP-256QAM	M	Outer_Full	17.51	17.81	PC3	PASS
N2	15	20	CP-256QAM	M	Inner_Full	17.47	17.77	PC3	PASS
N2	15	20	DFT-PI2BPSK	H	Edge_1RB_Left	22.89	23.19	PC3	PASS
N2	15	20	DFT-PI2BPSK	H	Edge_1RB_Right	22.86	23.16	PC3	PASS
N2	15	20	DFT-PI2BPSK	H	Outer_Full	22.90	23.20	PC3	PASS
N2	15	20	DFT-PI2BPSK	H	Inner_Full	22.88	23.18	PC3	PASS
N2	15	20	DFT-QPSK	H	Edge_1RB_Left	22.90	23.20	PC3	PASS
N2	15	20	DFT-QPSK	H	Edge_1RB_Right	22.92	23.22	PC3	PASS
N2	15	20	DFT-QPSK	H	Outer_Full	22.89	23.19	PC3	PASS
N2	15	20	DFT-QPSK	H	Inner_Full	22.89	23.19	PC3	PASS
N2	15	20	CP-QPSK	H	Edge_1RB_Left	20.85	21.15	PC3	PASS



CVC Testing Technology Co., Ltd.

Test Report No.: FCC2022-0064-RF9-A1

Page 8 of 90

N2	15	20	CP-QPSK	H	Edge_1RB_Right	20.79	21.09	PC3	PASS
N2	15	20	CP-QPSK	H	Outer_Full	20.86	21.16	PC3	PASS
N2	15	20	CP-QPSK	H	Inner_Full	22.38	22.68	PC3	PASS
N2	15	20	CP-16QAM	H	Edge_1RB_Left	21.31	21.61	PC3	PASS
N2	15	20	CP-16QAM	H	Edge_1RB_Right	21.29	21.59	PC3	PASS
N2	15	20	CP-16QAM	H	Outer_Full	20.88	21.18	PC3	PASS
N2	15	20	CP-16QAM	H	Inner_Full	21.87	22.17	PC3	PASS
N2	15	20	CP-64QAM	H	Edge_1RB_Left	20.16	20.46	PC3	PASS
N2	15	20	CP-64QAM	H	Edge_1RB_Right	20.09	20.39	PC3	PASS
N2	15	20	CP-64QAM	H	Outer_Full	20.35	20.65	PC3	PASS
N2	15	20	CP-64QAM	H	Inner_Full	20.39	20.69	PC3	PASS
N2	15	20	CP-256QAM	H	Edge_1RB_Left	17.17	17.47	PC3	PASS
N2	15	20	CP-256QAM	H	Edge_1RB_Right	17.10	17.40	PC3	PASS
N2	15	20	CP-256QAM	H	Outer_Full	17.36	17.66	PC3	PASS
N2	15	20	CP-256QAM	H	Inner_Full	17.36	17.66	PC3	PASS



Appendix B: Peak-to-Average Ratio for SA


Peak-to-Average Ratio(PAPR)


Test Result

Band	SCS	Bandwidth h	Modulation	Cha nnel	RB Config	Result	Limit	Verdict
N2	15	20	DFT-PI2BPSK	L	Outer_Full	10.40	≤13	PASS
N2	15	20	DFT-QPSK	L	Outer_Full	8.87	≤13	PASS
N2	15	20	DFT-PI2BPSK	M	Outer_Full	10.13	≤13	PASS
N2	15	20	DFT-QPSK	M	Outer_Full	8.48	≤13	PASS
N2	15	20	DFT-PI2BPSK	H	Outer_Full	10.27	≤13	PASS
N2	15	20	DFT-QPSK	H	Outer_Full	8.59	≤13	PASS



Test Graphs







Appendix C: 26dB Bandwidth and Occupied Bandwidth for SA

Test Result

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result (99%)	Result (26dB)	Verdict
N2	15	5	DFT-QPSK	L	Outer_Full	4.481	5.000	PASS
N2	15	5	DFT-PI2BPSK	L	Outer_Full	4.479	4.970	PASS
N2	15	5	DFT-16QAM	L	Outer_Full	4.477	5.040	PASS
N2	15	5	DFT-64QAM	L	Outer_Full	4.477	5.060	PASS
N2	15	5	CP-QPSK	L	Outer_Full	4.462	5.060	PASS
N2	15	5	CP-16QAM	L	Outer_Full	4.477	5.020	PASS
N2	15	5	CP-64QAM	L	Outer_Full	4.489	5.070	PASS
N2	15	5	CP-256QAM	L	Outer_Full	4.481	5.020	PASS
N2	15	5	DFT-QPSK	M	Outer_Full	4.491	4.930	PASS
N2	15	5	DFT-PI2BPSK	M	Outer_Full	4.457	5.010	PASS
N2	15	5	DFT-16QAM	M	Outer_Full	4.466	4.890	PASS
N2	15	5	DFT-64QAM	M	Outer_Full	4.482	5.100	PASS
N2	15	5	CP-QPSK	M	Outer_Full	4.464	5.040	PASS
N2	15	5	CP-16QAM	M	Outer_Full	4.472	4.980	PASS
N2	15	5	CP-64QAM	M	Outer_Full	4.481	5.120	PASS
N2	15	5	CP-256QAM	M	Outer_Full	4.482	4.990	PASS
N2	15	5	DFT-QPSK	H	Outer_Full	4.476	4.980	PASS
N2	15	5	DFT-PI2BPSK	H	Outer_Full	4.481	5.170	PASS
N2	15	5	DFT-16QAM	H	Outer_Full	4.475	5.030	PASS
N2	15	5	DFT-64QAM	H	Outer_Full	4.468	5.080	PASS
N2	15	5	CP-QPSK	H	Outer_Full	4.469	5.040	PASS
N2	15	5	CP-16QAM	H	Outer_Full	4.47	4.900	PASS
N2	15	5	CP-64QAM	H	Outer_Full	4.486	5.120	PASS
N2	15	5	CP-256QAM	H	Outer_Full	4.491	5.150	PASS
N2	15	10	DFT-QPSK	L	Outer_Full	8.921	9.500	PASS
N2	15	10	DFT-PI2BPSK	L	Outer_Full	8.934	9.640	PASS
N2	15	10	DFT-16QAM	L	Outer_Full	8.929	9.620	PASS
N2	15	10	DFT-64QAM	L	Outer_Full	8.918	9.540	PASS
N2	15	10	CP-QPSK	L	Outer_Full	9.296	9.920	PASS
N2	15	10	CP-16QAM	L	Outer_Full	9.287	9.960	PASS
N2	15	10	CP-64QAM	L	Outer_Full	9.318	10.260	PASS
N2	15	10	CP-256QAM	L	Outer_Full	9.298	10.140	PASS



CVC Testing Technology Co., Ltd.

Test Report No.: FCC2022-0064-RF9-A1

Page 13 of 90

N2	15	10	DFT-QPSK	M	Outer_Full	8.935	9.780	PASS
N2	15	10	DFT-PI2BPSK	M	Outer_Full	8.956	9.840	PASS
N2	15	10	DFT-16QAM	M	Outer_Full	8.943	9.600	PASS
N2	15	10	DFT-64QAM	M	Outer_Full	8.949	9.660	PASS
N2	15	10	CP-QPSK	M	Outer_Full	9.299	10.120	PASS
N2	15	10	CP-16QAM	M	Outer_Full	9.29	10.060	PASS
N2	15	10	CP-64QAM	M	Outer_Full	9.31	10.100	PASS
N2	15	10	CP-256QAM	M	Outer_Full	9.304	10.020	PASS
N2	15	10	DFT-QPSK	H	Outer_Full	8.921	9.500	PASS
N2	15	10	DFT-PI2BPSK	H	Outer_Full	8.949	9.820	PASS
N2	15	10	DFT-16QAM	H	Outer_Full	8.936	9.560	PASS
N2	15	10	DFT-64QAM	H	Outer_Full	8.953	9.620	PASS
N2	15	10	CP-QPSK	H	Outer_Full	9.307	10.140	PASS
N2	15	10	CP-16QAM	H	Outer_Full	9.288	10.080	PASS
N2	15	10	CP-64QAM	H	Outer_Full	9.318	10.020	PASS
N2	15	10	CP-256QAM	H	Outer_Full	9.311	9.980	PASS
N2	15	15	DFT-QPSK	L	Outer_Full	13.491	14.310	PASS
N2	15	15	DFT-PI2BPSK	L	Outer_Full	13.441	14.250	PASS
N2	15	15	DFT-16QAM	L	Outer_Full	13.425	14.310	PASS
N2	15	15	DFT-64QAM	L	Outer_Full	13.424	14.370	PASS
N2	15	15	CP-QPSK	L	Outer_Full	14.101	15.030	PASS
N2	15	15	CP-16QAM	L	Outer_Full	14.071	14.970	PASS
N2	15	15	CP-64QAM	L	Outer_Full	14.142	14.880	PASS
N2	15	15	CP-256QAM	L	Outer_Full	14.141	15.120	PASS
N2	15	15	DFT-QPSK	M	Outer_Full	13.445	14.370	PASS
N2	15	15	DFT-PI2BPSK	M	Outer_Full	13.457	14.310	PASS
N2	15	15	DFT-16QAM	M	Outer_Full	13.461	14.370	PASS
N2	15	15	DFT-64QAM	M	Outer_Full	13.434	14.310	PASS
N2	15	15	CP-QPSK	M	Outer_Full	14.128	15.090	PASS
N2	15	15	CP-16QAM	M	Outer_Full	14.084	14.790	PASS
N2	15	15	CP-64QAM	M	Outer_Full	14.151	14.970	PASS
N2	15	15	DFT-QPSK	H	Outer_Full	13.485	14.430	PASS
N2	15	15	DFT-PI2BPSK	H	Outer_Full	13.458	14.310	PASS
N2	15	15	DFT-16QAM	H	Outer_Full	13.47	14.520	PASS
N2	15	15	DFT-64QAM	H	Outer_Full	13.43	14.430	PASS
N2	15	15	CP-QPSK	H	Outer_Full	14.112	15.120	PASS
N2	15	15	CP-16QAM	H	Outer_Full	14.113	14.940	PASS
N2	15	15	CP-64QAM	H	Outer_Full	14.139	14.940	PASS
N2	15	15	CP-256QAM	H	Outer_Full	14.157	14.970	PASS
N2	15	20	DFT-QPSK	L	Outer_Full	17.872	18.680	PASS



CVC Testing Technology Co., Ltd.


Test Report No.: FCC2022-0064-RF9-A1

Page 14 of 90

N2	15	20	DFT-PI2BPSK	L	Outer_Full	17.861	18.840	PASS
N2	15	20	DFT-16QAM	L	Outer_Full	17.886	18.800	PASS
N2	15	20	DFT-64QAM	L	Outer_Full	17.835	18.760	PASS
N2	15	20	CP-QPSK	L	Outer_Full	18.884	19.840	PASS
N2	15	20	CP-16QAM	L	Outer_Full	18.917	19.840	PASS
N2	15	20	CP-64QAM	L	Outer_Full	18.889	19.880	PASS
N2	15	20	CP-256QAM	L	Outer_Full	18.899	19.840	PASS
N2	15	20	DFT-QPSK	M	Outer_Full	17.898	18.840	PASS
N2	15	20	DFT-PI2BPSK	M	Outer_Full	17.911	18.960	PASS
N2	15	20	DFT-16QAM	M	Outer_Full	17.895	18.920	PASS
N2	15	20	DFT-64QAM	M	Outer_Full	17.903	18.720	PASS
N2	15	20	CP-QPSK	M	Outer_Full	18.948	19.920	PASS
N2	15	20	CP-16QAM	M	Outer_Full	18.919	19.720	PASS
N2	15	20	CP-64QAM	M	Outer_Full	18.932	19.800	PASS
N2	15	20	CP-256QAM	M	Outer_Full	18.927	19.960	PASS
N2	15	20	DFT-QPSK	H	Outer_Full	17.901	18.840	PASS
N2	15	20	DFT-PI2BPSK	H	Outer_Full	17.911	18.800	PASS
N2	15	20	DFT-16QAM	H	Outer_Full	17.893	18.920	PASS
N2	15	20	DFT-64QAM	H	Outer_Full	17.854	18.840	PASS
N2	15	20	CP-QPSK	H	Outer_Full	18.935	19.960	PASS
N2	15	20	CP-16QAM	H	Outer_Full	18.986	19.840	PASS
N2	15	20	CP-64QAM	H	Outer_Full	18.941	19.840	PASS
N2	15	20	CP-256QAM	H	Outer_Full	18.933	19.840	PASS



Test Graphs






CVC Testing Technology Co., Ltd.


Test Report No.: FCC2022-0064-RF9-A1

Page 16 of 90



1-N2-PC3-15-5-L-5-CP-QPSK-Outer_Full-25
@0-Ant1-4.462-5.060-≤5-PASS

1-N2-PC3-15-5-L-6-CP-16QAM-Outer_Full-2
5@0-Ant1-4.477-5.020-≤5-PASS



1-N2-PC3-15-5-L-7-CP-64QAM-Outer_Full-2
5@0-Ant1-4.489-5.070-≤5-PASS


1-N2-PC3-15-5-L-8-CP-256QAM-Outer_Full-25
25@0-Ant1-4.481-5.020-≤5-PASS



CVC Testing Technology Co., Ltd.


Test Report No.: FCC2022-0064-RF9-A1

Page 17 of 90



1-N2-PC3-15-5-M-1-DFT-QPSK-Outer_Full-2
5@0-Ant1-4.491-4.930-≤5-PASS

1-N2-PC3-15-5-M-2-DFT-PI2BPSK-Outer_Fu
II-25@0-Ant1-4.457-5.010-≤5-PASS



1-N2-PC3-15-5-M-3-DFT-16QAM-Outer_Full-
25@0-Ant1-4.466-4.890-≤5-PASS


1-N2-PC3-15-5-M-4-DFT-64QAM-Outer_Full-
25@0-Ant1-4.482-5.100-≤5-PASS



CVC Testing Technology Co., Ltd.

Test Report No.: FCC2022-0064-RF9-A1

Page 18 of 90







CVC Testing Technology Co., Ltd.

Test Report No.: FCC2022-0064-RF9-A1

Page 19 of 90







CVC Testing Technology Co., Ltd.

Test Report No.: FCC2022-0064-RF9-A1

Page 21 of 90






CVC Testing Technology Co., Ltd.

Test Report No.: FCC2022-0064-RF9-A1

Page 22 of 90







CVC Testing Technology Co., Ltd.

Test Report No.: FCC2022-0064-RF9-A1

Page 23 of 90











CVC Testing Technology Co., Ltd.

Test Report No.: FCC2022-0064-RF9-A1


Page 26 of 90





1-N2-PC3-15-15-L-1-DFT-QPSK-Outer_Full-75@0-Ant1-13.491-14.310-≤15-PASS

1-N2-PC3-15-15-L-2-DFT-PI2BPSK-Outer_Full-75@0-Ant1-13.441-14.250-≤15-PASS



1-N2-PC3-15-15-L-3-DFT-16QAM-Outer_Full-75@0-Ant1-13.425-14.310-≤15-PASS


1-N2-PC3-15-15-L-4-DFT-64QAM-Outer_Full-75@0-Ant1-13.424-14.370-≤15-PASS



CVC Testing Technology Co., Ltd.

Test Report No.: FCC2022-0064-RF9-A1

Page 28 of 90






CVC Testing Technology Co., Ltd.

Test Report No.: FCC2022-0064-RF9-A1

Page 29 of 90








CVC Testing Technology Co., Ltd.

Test Report No.: FCC2022-0064-RF9-A1

Page 30 of 90









CVC Testing Technology Co., Ltd.

Test Report No.: FCC2022-0064-RF9-A1

Page 33 of 90






CVC Testing Technology Co., Ltd.

Test Report No.: FCC2022-0064-RF9-A1

Page 34 of 90









CVC Testing Technology Co., Ltd.

Test Report No.: FCC2022-0064-RF9-A1

Page 36 of 90








CVC Testing Technology Co., Ltd.

Test Report No.: FCC2022-0064-RF9-A1

Page 38 of 90






Appendix D: Band Edge for SA


Test Result


Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result	Verdict
N2	15	5	DFT-PI2BPSK	L	Edge_1RB_Left	see graph	PASS
N2	15	5	DFT-PI2BPSK	L	Outer_Full	see graph	PASS
N2	15	5	DFT-QPSK	L	Edge_1RB_Left	see graph	PASS
N2	15	5	DFT-QPSK	L	Outer_Full	see graph	PASS
N2	15	5	DFT-PI2BPSK	H	Edge_1RB_Right	see graph	PASS
N2	15	5	DFT-PI2BPSK	H	Outer_Full	see graph	PASS
N2	15	5	DFT-QPSK	H	Edge_1RB_Right	see graph	PASS
N2	15	5	DFT-QPSK	H	Outer_Full	see graph	PASS
N2	15	10	DFT-PI2BPSK	L	Edge_1RB_Left	see graph	PASS
N2	15	10	DFT-PI2BPSK	L	Outer_Full	see graph	PASS
N2	15	10	DFT-QPSK	L	Edge_1RB_Left	see graph	PASS
N2	15	10	DFT-QPSK	L	Outer_Full	see graph	PASS
N2	15	10	DFT-PI2BPSK	H	Edge_1RB_Right	see graph	PASS
N2	15	10	DFT-PI2BPSK	H	Outer_Full	see graph	PASS
N2	15	10	DFT-QPSK	H	Edge_1RB_Right	see graph	PASS
N2	15	10	DFT-QPSK	H	Outer_Full	see graph	PASS
N2	15	15	DFT-PI2BPSK	L	Edge_1RB_Left	see graph	PASS
N2	15	15	DFT-PI2BPSK	L	Outer_Full	see graph	PASS
N2	15	15	DFT-QPSK	L	Edge_1RB_Left	see graph	PASS
N2	15	15	DFT-QPSK	L	Outer_Full	see graph	PASS
N2	15	15	DFT-PI2BPSK	H	Edge_1RB_Right	see graph	PASS
N2	15	15	DFT-PI2BPSK	H	Outer_Full	see graph	PASS
N2	15	15	DFT-QPSK	H	Edge_1RB_Right	see graph	PASS
N2	15	15	DFT-QPSK	H	Outer_Full	see graph	PASS
N2	15	20	DFT-PI2BPSK	L	Edge_1RB_Left	see graph	PASS
N2	15	20	DFT-PI2BPSK	L	Outer_Full	see graph	PASS
N2	15	20	DFT-QPSK	L	Edge_1RB_Left	see graph	PASS
N2	15	20	DFT-QPSK	L	Outer_Full	see graph	PASS
N2	15	20	DFT-PI2BPSK	H	Edge_1RB_Right	see graph	PASS
N2	15	20	DFT-PI2BPSK	H	Outer_Full	see graph	PASS
N2	15	20	DFT-QPSK	H	Edge_1RB_Right	see graph	PASS
N2	15	20	DFT-QPSK	H	Outer_Full	see graph	PASS





Test Graphs


















CVC Testing Technology Co., Ltd.

Test Report No.: FCC2022-0064-RF9-A1

Page 46 of 90







Appendix E: Conducted Spurious Emission for SA

Test Result

Band	SCS	Bandwidth	Modulation	Channel	RB Config	StartFreq	StopFreq	Result	Limit	Verdict
N2	15	5	DFT-PI2BPSK	L	Edge_1RB_Left	0.009	0.15	-105.50	-43	PASS
N2	15	5	DFT-PI2BPSK	L	Edge_1RB_Left	0.15	30	-90.80	-33	PASS
N2	15	5	DFT-PI2BPSK	L	Edge_1RB_Left	30	1000	-60.90	-23	PASS
N2	15	5	DFT-PI2BPSK	L	Edge_1RB_Left	1000	3000	-50.06	-13	PASS
N2	15	5	DFT-PI2BPSK	L	Edge_1RB_Left	3000	12000	-45.80	-13	PASS
N2	15	5	DFT-PI2BPSK	L	Edge_1RB_Left	12000	20000	-46.48	-13	PASS
N2	15	5	DFT-QPSK	L	Edge_1RB_Left	0.009	0.15	-103.12	-43	PASS
N2	15	5	DFT-QPSK	L	Edge_1RB_Left	0.15	30	-90.10	-33	PASS
N2	15	5	DFT-QPSK	L	Edge_1RB_Left	30	1000	-60.78	-23	PASS
N2	15	5	DFT-QPSK	L	Edge_1RB_Left	1000	3000	-49.88	-13	PASS
N2	15	5	DFT-QPSK	L	Edge_1RB_Left	3000	12000	-45.91	-13	PASS
N2	15	5	DFT-QPSK	L	Edge_1RB_Left	12000	20000	-46.28	-13	PASS
N2	15	5	DFT-PI2BPSK	M	Edge_1RB_Left	0.009	0.15	-105.21	-43	PASS
N2	15	5	DFT-PI2BPSK	M	Edge_1RB_Left	0.15	30	-91.58	-33	PASS
N2	15	5	DFT-PI2BPSK	M	Edge_1RB_Left	30	1000	-60.48	-23	PASS
N2	15	5	DFT-PI2BPSK	M	Edge_1RB_Left	1000	3000	-49.36	-13	PASS
N2	15	5	DFT-PI2BPSK	M	Edge_1RB_Left	3000	12000	-45.73	-13	PASS
N2	15	5	DFT-PI2BPSK	M	Edge_1RB_Left	12000	20000	-46.31	-13	PASS
N2	15	5	DFT-QPSK	M	Edge_1RB_Left	0.009	0.15	-107.01	-43	PASS
N2	15	5	DFT-QPSK	M	Edge_1RB_Left	0.15	30	-91.16	-33	PASS
N2	15	5	DFT-QPSK	M	Edge_1RB_Left	30	1000	-60.86	-23	PASS
N2	15	5	DFT-QPSK	M	Edge_1RB_Left	1000	3000	-49.51	-13	PASS
N2	15	5	DFT-QPSK	M	Edge_1RB_Left	3000	12000	-45.89	-13	PASS
N2	15	5	DFT-QPSK	M	Edge_1RB_Left	12000	20000	-46.27	-13	PASS
N2	15	5	DFT-PI2BPSK	H	Edge_1RB_Left	0.009	0.15	-102.92	-43	PASS
N2	15	5	DFT-PI2BPSK	H	Edge_1RB_Left	0.15	30	-91.53	-33	PASS
N2	15	5	DFT-PI2BPSK	H	Edge_1RB_Left	30	1000	-60.56	-23	PASS
N2	15	5	DFT-PI2BPSK	H	Edge_1RB_Left	1000	3000	-49.21	-13	PASS
N2	15	5	DFT-PI2BPSK	H	Edge_1RB_Left	3000	12000	-44.76	-13	PASS
N2	15	5	DFT-PI2BPSK	H	Edge_1RB_Left	12000	20000	-45.96	-13	PASS
N2	15	5	DFT-QPSK	H	Edge_1RB_Left	0.009	0.15	-102.33	-43	PASS
N2	15	5	DFT-QPSK	H	Edge_1RB_Left	0.15	30	-92.43	-33	PASS



CVC Testing Technology Co., Ltd.

Test Report No.: FCC2022-0064-RF9-A1

Page 49 of 90

N2	15	5	DFT-QPSK	H	Edge_1RB_Left	30	1000	-60.43	-23	PASS
N2	15	5	DFT-QPSK	H	Edge_1RB_Left	1000	3000	-49.57	-13	PASS
N2	15	5	DFT-QPSK	H	Edge_1RB_Left	3000	12000	-43.66	-13	PASS
N2	15	5	DFT-QPSK	H	Edge_1RB_Left	12000	20000	-46.35	-13	PASS
N2	15	10	DFT-PI2BPSK	L	Edge_1RB_Left	0.009	0.15	-103.65	-43	PASS
N2	15	10	DFT-PI2BPSK	L	Edge_1RB_Left	0.15	30	-91.07	-33	PASS
N2	15	10	DFT-PI2BPSK	L	Edge_1RB_Left	30	1000	-60.51	-23	PASS
N2	15	10	DFT-PI2BPSK	L	Edge_1RB_Left	1000	3000	-50.31	-13	PASS
N2	15	10	DFT-PI2BPSK	L	Edge_1RB_Left	3000	12000	-45.81	-13	PASS
N2	15	10	DFT-PI2BPSK	L	Edge_1RB_Left	12000	20000	-46.54	-13	PASS
N2	15	10	DFT-QPSK	L	Edge_1RB_Left	0.009	0.15	-103.06	-43	PASS
N2	15	10	DFT-QPSK	L	Edge_1RB_Left	0.15	30	-91.50	-33	PASS
N2	15	10	DFT-QPSK	L	Edge_1RB_Left	30	1000	-60.92	-23	PASS
N2	15	10	DFT-QPSK	L	Edge_1RB_Left	1000	3000	-50.04	-13	PASS
N2	15	10	DFT-QPSK	L	Edge_1RB_Left	3000	12000	-45.47	-13	PASS
N2	15	10	DFT-QPSK	L	Edge_1RB_Left	12000	20000	-46.27	-13	PASS
N2	15	10	DFT-PI2BPSK	M	Edge_1RB_Left	0.009	0.15	-102.67	-43	PASS
N2	15	10	DFT-PI2BPSK	M	Edge_1RB_Left	0.15	30	-91.69	-33	PASS
N2	15	10	DFT-PI2BPSK	M	Edge_1RB_Left	30	1000	-60.75	-23	PASS
N2	15	10	DFT-PI2BPSK	M	Edge_1RB_Left	1000	3000	-50.12	-13	PASS
N2	15	10	DFT-PI2BPSK	M	Edge_1RB_Left	3000	12000	-45.67	-13	PASS
N2	15	10	DFT-PI2BPSK	M	Edge_1RB_Left	12000	20000	-45.98	-13	PASS
N2	15	10	DFT-QPSK	M	Edge_1RB_Left	0.009	0.15	-104.15	-43	PASS
N2	15	10	DFT-QPSK	M	Edge_1RB_Left	0.15	30	-91.83	-33	PASS
N2	15	10	DFT-QPSK	M	Edge_1RB_Left	30	1000	-60.47	-23	PASS
N2	15	10	DFT-QPSK	M	Edge_1RB_Left	1000	3000	-49.68	-13	PASS
N2	15	10	DFT-QPSK	M	Edge_1RB_Left	3000	12000	-45.81	-13	PASS
N2	15	10	DFT-QPSK	M	Edge_1RB_Left	12000	20000	-46.33	-13	PASS
N2	15	10	DFT-PI2BPSK	H	Edge_1RB_Left	0.009	0.15	-102.22	-43	PASS
N2	15	10	DFT-PI2BPSK	H	Edge_1RB_Left	0.15	30	-91.67	-33	PASS
N2	15	10	DFT-PI2BPSK	H	Edge_1RB_Left	30	1000	-60.68	-23	PASS
N2	15	10	DFT-PI2BPSK	H	Edge_1RB_Left	1000	3000	-50.00	-13	PASS
N2	15	10	DFT-PI2BPSK	H	Edge_1RB_Left	3000	12000	-45.45	-13	PASS
N2	15	10	DFT-PI2BPSK	H	Edge_1RB_Left	12000	20000	-46.29	-13	PASS
N2	15	10	DFT-QPSK	H	Edge_1RB_Left	0.009	0.15	-102.66	-43	PASS
N2	15	10	DFT-QPSK	H	Edge_1RB_Left	0.15	30	-92.20	-33	PASS
N2	15	10	DFT-QPSK	H	Edge_1RB_Left	30	1000	-60.57	-23	PASS
N2	15	10	DFT-QPSK	H	Edge_1RB_Left	1000	3000	-50.18	-13	PASS
N2	15	10	DFT-QPSK	H	Edge_1RB_Left	3000	12000	-45.92	-13	PASS
N2	15	10	DFT-QPSK	H	Edge_1RB_Left	12000	20000	-46.44	-13	PASS



CVC Testing Technology Co., Ltd.

Test Report No.: FCC2022-0064-RF9-A1

Page 50 of 90

N2	15	15	DFT-PI2BPSK	L	Edge_1RB_Left	0.009	0.15	-102.75	-43	PASS
N2	15	15	DFT-PI2BPSK	L	Edge_1RB_Left	0.15	30	-91.72	-33	PASS
N2	15	15	DFT-PI2BPSK	L	Edge_1RB_Left	30	1000	-60.44	-23	PASS
N2	15	15	DFT-PI2BPSK	L	Edge_1RB_Left	1000	3000	-49.99	-13	PASS
N2	15	15	DFT-PI2BPSK	L	Edge_1RB_Left	3000	12000	-45.63	-13	PASS
N2	15	15	DFT-PI2BPSK	L	Edge_1RB_Left	12000	20000	-46.25	-13	PASS
N2	15	15	DFT-QPSK	L	Edge_1RB_Left	0.009	0.15	-102.81	-43	PASS
N2	15	15	DFT-QPSK	L	Edge_1RB_Left	0.15	30	-91.70	-33	PASS
N2	15	15	DFT-QPSK	L	Edge_1RB_Left	30	1000	-60.25	-23	PASS
N2	15	15	DFT-QPSK	L	Edge_1RB_Left	1000	3000	-50.11	-13	PASS
N2	15	15	DFT-QPSK	L	Edge_1RB_Left	3000	12000	-45.87	-13	PASS
N2	15	15	DFT-QPSK	L	Edge_1RB_Left	12000	20000	-46.49	-13	PASS
N2	15	15	DFT-PI2BPSK	M	Edge_1RB_Left	0.009	0.15	-105.47	-43	PASS
N2	15	15	DFT-PI2BPSK	M	Edge_1RB_Left	0.15	30	-91.16	-33	PASS
N2	15	15	DFT-PI2BPSK	M	Edge_1RB_Left	30	1000	-60.39	-23	PASS
N2	15	15	DFT-PI2BPSK	M	Edge_1RB_Left	1000	3000	-49.99	-13	PASS
N2	15	15	DFT-PI2BPSK	M	Edge_1RB_Left	3000	12000	-45.81	-13	PASS
N2	15	15	DFT-PI2BPSK	M	Edge_1RB_Left	12000	20000	-46.19	-13	PASS
N2	15	15	DFT-QPSK	M	Edge_1RB_Left	0.009	0.15	-103.34	-43	PASS
N2	15	15	DFT-QPSK	M	Edge_1RB_Left	0.15	30	-91.98	-33	PASS
N2	15	15	DFT-QPSK	M	Edge_1RB_Left	30	1000	-60.19	-23	PASS
N2	15	15	DFT-QPSK	M	Edge_1RB_Left	1000	3000	-47.59	-13	PASS
N2	15	15	DFT-QPSK	M	Edge_1RB_Left	3000	12000	-45.67	-13	PASS
N2	15	15	DFT-QPSK	M	Edge_1RB_Left	12000	20000	-46.29	-13	PASS
N2	15	15	DFT-PI2BPSK	H	Edge_1RB_Left	0.009	0.15	-106.80	-43	PASS
N2	15	15	DFT-PI2BPSK	H	Edge_1RB_Left	0.15	30	-91.98	-33	PASS
N2	15	15	DFT-PI2BPSK	H	Edge_1RB_Left	30	1000	-60.69	-23	PASS
N2	15	15	DFT-PI2BPSK	H	Edge_1RB_Left	1000	3000	-50.12	-13	PASS
N2	15	15	DFT-PI2BPSK	H	Edge_1RB_Left	3000	12000	-45.49	-13	PASS
N2	15	15	DFT-PI2BPSK	H	Edge_1RB_Left	12000	20000	-45.99	-13	PASS
N2	15	15	DFT-QPSK	H	Edge_1RB_Left	0.009	0.15	-102.91	-43	PASS
N2	15	15	DFT-QPSK	H	Edge_1RB_Left	0.15	30	-91.97	-33	PASS
N2	15	15	DFT-QPSK	H	Edge_1RB_Left	30	1000	-60.26	-23	PASS
N2	15	15	DFT-QPSK	H	Edge_1RB_Left	1000	3000	-45.09	-13	PASS
N2	15	15	DFT-QPSK	H	Edge_1RB_Left	3000	12000	-45.56	-13	PASS
N2	15	15	DFT-QPSK	H	Edge_1RB_Left	12000	20000	-46.38	-13	PASS
N2	15	20	DFT-PI2BPSK	L	Edge_1RB_Left	0.009	0.15	-107.25	-43	PASS
N2	15	20	DFT-PI2BPSK	L	Edge_1RB_Left	0.15	30	-91.29	-33	PASS
N2	15	20	DFT-PI2BPSK	L	Edge_1RB_Left	30	1000	-60.91	-23	PASS
N2	15	20	DFT-PI2BPSK	L	Edge_1RB_Left	1000	3000	-49.94	-13	PASS



CVC Testing Technology Co., Ltd.


Test Report No.: FCC2022-0064-RF9-A1


Page 51 of 90


N2	15	20	DFT-PI2BPSK	L	Edge_1RB_Left	3000	12000	-45.81	-13	PASS
N2	15	20	DFT-PI2BPSK	L	Edge_1RB_Left	12000	20000	-46.41	-13	PASS
N2	15	20	DFT-QPSK	L	Edge_1RB_Left	0.009	0.15	-103.42	-43	PASS
N2	15	20	DFT-QPSK	L	Edge_1RB_Left	0.15	30	-91.89	-33	PASS
N2	15	20	DFT-QPSK	L	Edge_1RB_Left	30	1000	-60.48	-23	PASS
N2	15	20	DFT-QPSK	L	Edge_1RB_Left	1000	3000	-50.13	-13	PASS
N2	15	20	DFT-QPSK	L	Edge_1RB_Left	3000	12000	-45.52	-13	PASS
N2	15	20	DFT-QPSK	L	Edge_1RB_Left	12000	20000	-46.29	-13	PASS
N2	15	20	DFT-PI2BPSK	M	Edge_1RB_Left	0.009	0.15	-103.28	-43	PASS
N2	15	20	DFT-PI2BPSK	M	Edge_1RB_Left	0.15	30	-91.35	-33	PASS
N2	15	20	DFT-PI2BPSK	M	Edge_1RB_Left	30	1000	-60.51	-23	PASS
N2	15	20	DFT-PI2BPSK	M	Edge_1RB_Left	1000	3000	-49.99	-13	PASS
N2	15	20	DFT-PI2BPSK	M	Edge_1RB_Left	3000	12000	-45.79	-13	PASS
N2	15	20	DFT-PI2BPSK	M	Edge_1RB_Left	12000	20000	-46.34	-13	PASS
N2	15	20	DFT-QPSK	M	Edge_1RB_Left	0.009	0.15	-102.33	-43	PASS
N2	15	20	DFT-QPSK	M	Edge_1RB_Left	0.15	30	-90.70	-33	PASS
N2	15	20	DFT-QPSK	M	Edge_1RB_Left	30	1000	-60.63	-23	PASS
N2	15	20	DFT-QPSK	M	Edge_1RB_Left	1000	3000	-50.13	-13	PASS
N2	15	20	DFT-QPSK	M	Edge_1RB_Left	3000	12000	-45.63	-13	PASS
N2	15	20	DFT-QPSK	M	Edge_1RB_Left	12000	20000	-46.47	-13	PASS
N2	15	20	DFT-PI2BPSK	H	Edge_1RB_Left	0.009	0.15	-105.61	-43	PASS
N2	15	20	DFT-PI2BPSK	H	Edge_1RB_Left	0.15	30	-91.17	-33	PASS
N2	15	20	DFT-PI2BPSK	H	Edge_1RB_Left	30	1000	-60.57	-23	PASS
N2	15	20	DFT-PI2BPSK	H	Edge_1RB_Left	1000	3000	-49.86	-13	PASS
N2	15	20	DFT-PI2BPSK	H	Edge_1RB_Left	3000	12000	-45.59	-13	PASS
N2	15	20	DFT-PI2BPSK	H	Edge_1RB_Left	12000	20000	-46.37	-13	PASS
N2	15	20	DFT-QPSK	H	Edge_1RB_Left	0.009	0.15	-103.63	-43	PASS
N2	15	20	DFT-QPSK	H	Edge_1RB_Left	0.15	30	-92.17	-33	PASS
N2	15	20	DFT-QPSK	H	Edge_1RB_Left	30	1000	-60.86	-23	PASS
N2	15	20	DFT-QPSK	H	Edge_1RB_Left	1000	3000	-49.92	-13	PASS
N2	15	20	DFT-QPSK	H	Edge_1RB_Left	3000	12000	-45.47	-13	PASS
N2	15	20	DFT-QPSK	H	Edge_1RB_Left	12000	20000	-46.51	-13	PASS





Test Graphs






















CVC Testing Technology Co., Ltd.


Test Report No.: FCC2022-0064-RF9-A1


Page 59 of 90























































CVC Testing Technology Co., Ltd.


Test Report No.: FCC2022-0064-RF9-A1


Page 77 of 90



























CVC Testing Technology Co., Ltd.

Test Report No.: FCC2022-0064-RF9-A1

Page 86 of 90







Appendix F: Frequency Stability for SA

Test Result

Frequency Error VS. Voltage

Voltage										
Band	SCS	Bandwidth	Modulation	Channel	RB Config	Voltage	Temperature	Deviation(Hz)	Deviation (ppm)	Verdict
N2	15	20	DFT-PI2BPSK	L	Outer_Full	VH	NT	-3.300000	-0.001774	PASS
N2	15	20	DFT-PI2BPSK	L	Outer_Full	VN	NT	-0.800000	-0.000430	PASS
N2	15	20	DFT-PI2BPSK	L	Outer_Full	VL	NT	0.300000	0.000161	PASS
N2	15	20	DFT-QPSK	L	Outer_Full	VN	NT	-1.100000	-0.000591	PASS
N2	15	20	DFT-QPSK	L	Outer_Full	VH	NT	4.200000	0.002258	PASS
N2	15	20	DFT-QPSK	L	Outer_Full	VL	NT	-2.800000	-0.001505	PASS
N2	15	20	DFT-PI2BPSK	M	Outer_Full	VH	NT	-0.600000	-0.000319	PASS
N2	15	20	DFT-PI2BPSK	M	Outer_Full	VL	NT	0.700000	0.000372	PASS
N2	15	20	DFT-PI2BPSK	M	Outer_Full	VN	NT	-1.600000	-0.000851	PASS
N2	15	20	DFT-QPSK	M	Outer_Full	VL	NT	-3.800000	-0.002021	PASS
N2	15	20	DFT-QPSK	M	Outer_Full	VH	NT	-4.600000	-0.002447	PASS
N2	15	20	DFT-QPSK	M	Outer_Full	VN	NT	-2.500000	-0.001330	PASS
N2	15	20	DFT-PI2BPSK	H	Outer_Full	VL	NT	-1.800000	-0.000947	PASS
N2	15	20	DFT-PI2BPSK	H	Outer_Full	VN	NT	-0.300000	-0.000158	PASS
N2	15	20	DFT-PI2BPSK	H	Outer_Full	VH	NT	-3.100000	-0.001632	PASS
N2	15	20	DFT-QPSK	H	Outer_Full	VH	NT	-1.400000	-0.000737	PASS
N2	15	20	DFT-QPSK	H	Outer_Full	VN	NT	0.000000	0.000000	PASS
N2	15	20	DFT-QPSK	H	Outer_Full	VL	NT	-1.300000	-0.000684	PASS

Frequency Error VS. Temperature

Voltage										
Band	SCS	Bandwidth	Modulation	Channel	RB Config	Voltage	Temperature	Deviation(Hz)	Deviation (ppm)	Verdict
N2	15	20	DFT-PI2BPSK	L	Outer_Full	NV	10	-2.200000	-0.001183	PASS
N2	15	20	DFT-PI2BPSK	L	Outer_Full	NV	50	2.200000	0.001183	PASS
N2	15	20	DFT-PI2BPSK	L	Outer_Full	NV	40	-3.500000	-0.001882	PASS
N2	15	20	DFT-PI2BPSK	L	Outer_Full	NV	20	-1.200000	-0.000645	PASS
N2	15	20	DFT-PI2BPSK	L	Outer_Full	NV	0	-2.000000	-0.001075	PASS



CVC Testing Technology Co., Ltd.

Test Report No.: FCC2022-0064-RF9-A1

Page 89 of 90

N2	15	20	DFT-PI2BPSK	L	Outer_Full	NV	-10	0.800000	0.000430	PASS
N2	15	20	DFT-PI2BPSK	L	Outer_Full	NV	-20	-3.200000	-0.001720	PASS
N2	15	20	DFT-PI2BPSK	L	Outer_Full	NV	-30	-3.000000	-0.001613	PASS
N2	15	20	DFT-PI2BPSK	L	Outer_Full	NV	TN	-2.200000	-0.001183	PASS
N2	15	20	DFT-PI2BPSK	L	Outer_Full	NV	30	2.900000	0.001559	PASS
N2	15	20	DFT-QPSK	L	Outer_Full	NV	-20	-4.200000	-0.002258	PASS
N2	15	20	DFT-QPSK	L	Outer_Full	NV	10	-0.100000	-0.000054	PASS
N2	15	20	DFT-QPSK	L	Outer_Full	NV	50	-2.400000	-0.001290	PASS
N2	15	20	DFT-QPSK	L	Outer_Full	NV	40	-0.200000	-0.000108	PASS
N2	15	20	DFT-QPSK	L	Outer_Full	NV	30	1.400000	0.000753	PASS
N2	15	20	DFT-QPSK	L	Outer_Full	NV	20	-2.400000	-0.001290	PASS
N2	15	20	DFT-QPSK	L	Outer_Full	NV	-10	-4.100000	-0.002204	PASS
N2	15	20	DFT-QPSK	L	Outer_Full	NV	-30	-0.100000	-0.000054	PASS
N2	15	20	DFT-QPSK	L	Outer_Full	NV	TN	-1.700000	-0.000914	PASS
N2	15	20	DFT-QPSK	L	Outer_Full	NV	0	-3.400000	-0.001828	PASS
N2	15	20	DFT-PI2BPSK	M	Outer_Full	NV	40	-2.400000	-0.001277	PASS
N2	15	20	DFT-PI2BPSK	M	Outer_Full	NV	30	-0.600000	-0.000319	PASS
N2	15	20	DFT-PI2BPSK	M	Outer_Full	NV	-30	-3.200000	-0.001702	PASS
N2	15	20	DFT-PI2BPSK	M	Outer_Full	NV	-20	-1.500000	-0.000798	PASS
N2	15	20	DFT-PI2BPSK	M	Outer_Full	NV	-10	-1.600000	-0.000851	PASS
N2	15	20	DFT-PI2BPSK	M	Outer_Full	NV	0	-1.900000	-0.001011	PASS
N2	15	20	DFT-PI2BPSK	M	Outer_Full	NV	TN	-4.700000	-0.002500	PASS
N2	15	20	DFT-PI2BPSK	M	Outer_Full	NV	20	-2.100000	-0.001117	PASS
N2	15	20	DFT-PI2BPSK	M	Outer_Full	NV	10	-0.300000	-0.000160	PASS
N2	15	20	DFT-PI2BPSK	M	Outer_Full	NV	50	-0.100000	-0.000053	PASS
N2	15	20	DFT-QPSK	M	Outer_Full	NV	20	-1.500000	-0.000798	PASS
N2	15	20	DFT-QPSK	M	Outer_Full	NV	50	-4.200000	-0.002234	PASS
N2	15	20	DFT-QPSK	M	Outer_Full	NV	30	-1.900000	-0.001011	PASS
N2	15	20	DFT-QPSK	M	Outer_Full	NV	10	-4.800000	-0.002553	PASS
N2	15	20	DFT-QPSK	M	Outer_Full	NV	0	-3.700000	-0.001968	PASS
N2	15	20	DFT-QPSK	M	Outer_Full	NV	-10	-3.000000	-0.001596	PASS
N2	15	20	DFT-QPSK	M	Outer_Full	NV	-20	-3.100000	-0.001649	PASS
N2	15	20	DFT-QPSK	M	Outer_Full	NV	-30	-3.000000	-0.001596	PASS
N2	15	20	DFT-QPSK	M	Outer_Full	NV	TN	-4.000000	-0.002128	PASS
N2	15	20	DFT-QPSK	M	Outer_Full	NV	40	-2.200000	-0.001170	PASS
N2	15	20	DFT-PI2BPSK	H	Outer_Full	NV	10	-3.800000	-0.002000	PASS
N2	15	20	DFT-PI2BPSK	H	Outer_Full	NV	TN	-2.200000	-0.001158	PASS
N2	15	20	DFT-PI2BPSK	H	Outer_Full	NV	50	-3.300000	-0.001737	PASS
N2	15	20	DFT-PI2BPSK	H	Outer_Full	NV	40	-2.900000	-0.001526	PASS



CVC Testing Technology Co., Ltd.

Test Report No.: FCC2022-0064-RF9-A1

Page 90 of 90

N2	15	20	DFT-PI2BPSK	H	Outer_Full	NV	0	-3.100000	-0.001632	PASS
N2	15	20	DFT-PI2BPSK	H	Outer_Full	NV	-10	-3.000000	-0.001579	PASS
N2	15	20	DFT-PI2BPSK	H	Outer_Full	NV	-20	-3.600000	-0.001895	PASS
N2	15	20	DFT-PI2BPSK	H	Outer_Full	NV	20	-2.600000	-0.001368	PASS
N2	15	20	DFT-PI2BPSK	H	Outer_Full	NV	-30	-2.400000	-0.001263	PASS
N2	15	20	DFT-PI2BPSK	H	Outer_Full	NV	30	-0.500000	-0.000263	PASS
N2	15	20	DFT-QPSK	H	Outer_Full	NV	0	0.600000	0.000316	PASS
N2	15	20	DFT-QPSK	H	Outer_Full	NV	50	-3.800000	-0.002000	PASS
N2	15	20	DFT-QPSK	H	Outer_Full	NV	40	-3.200000	-0.001684	PASS
N2	15	20	DFT-QPSK	H	Outer_Full	NV	30	-3.300000	-0.001737	PASS
N2	15	20	DFT-QPSK	H	Outer_Full	NV	TN	-1.100000	-0.000579	PASS
N2	15	20	DFT-QPSK	H	Outer_Full	NV	10	1.200000	0.000632	PASS
N2	15	20	DFT-QPSK	H	Outer_Full	NV	-10	0.800000	0.000421	PASS
N2	15	20	DFT-QPSK	H	Outer_Full	NV	-20	-2.800000	-0.001474	PASS
N2	15	20	DFT-QPSK	H	Outer_Full	NV	-30	-3.300000	-0.001737	PASS
N2	15	20	DFT-QPSK	H	Outer_Full	NV	20	-4.000000	-0.002105	PASS