


802.11a CDD/5260MHz

Detector mode: Peak


Polarity:

Horizontal



Detector mode: Peak

Polarity: Vertical




No.	Frequency MHz	Reading dBµV/m	Level dBµV/m	Factor dB	Limit dBuV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5258.285	84.35	102.75	18.40	-	-	200	17	Horizontal	No limit
2	5350	36.41	54.95	18.54	68.30	13.35	200	345	Horizontal	/
3	5357.755	38.91	57.54	18.63	74.00	16.46	200	272	Horizontal	/
1	5257.655	89.52	108.22	18.70	-	-	100	40	Vertical	No limit
2	5350	37.27	55.81	18.54	68.30	12.49	200	106	Vertical	/
3	5366.575	38.25	56.85	18.60	74.00	17.15	100	29	Vertical	/

802.11a CDD/5260MHz


Detector mode: Average
Horizontal

Polarity:



Detector mode: Average
Vertical

Polarity:




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBuV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5258.775	75.98	94.38	18.40	-	-	200	10	Horizontal	No limit
2	5350	24.87	43.41	18.54	54.00	10.59	200	140	Horizontal	/
3	5366.61	26.14	44.88	18.74	54.00	9.12	100	97	Horizontal	/
1	5262.52	80.73	99.43	18.70	-	-	100	42	Vertical	No limit
2	5350	25.14	43.68	18.54	54.00	10.32	100	273	Vertical	/
3	5360.73	27.41	46.00	18.59	54.00	8.00	200	258	Vertical	/

802.11a CDD/5320MHz

Detector mode: Peak


Polarity:

Horizontal



Detector mode: Peak

Polarity: Vertical




No.	Frequency MHz	Reading dBµV/m	Level dBµV/m	Factor dB	Limit dBµV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5323.22	83.00	101.46	18.46	-	-	200	11	Horizontal	No limit
2	5350	35.99	54.53	18.54	68.30	13.77	200	92	Horizontal	/
3	5372.92	38.31	57.12	18.81	74.00	16.88	200	162	Horizontal	/
1	5325.705	89.11	107.73	18.62	-	-	200	258	Vertical	No limit
2	5350	37.20	55.74	18.54	68.30	12.56	100	324	Vertical	/
3	5366.06	38.51	57.12	18.61	74.00	16.88	100	31	Vertical	/

802.11a CDD/5320MHz

Detector mode: Average

Polarity:


Horizontal



Detector mode: Average

Polarity:

Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBuV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5327.595	74.29	92.77	18.48	-	-	200	12	Horizontal	No limit
2	5350	24.98	43.52	18.54	54.00	10.48	100	145	Horizontal	/
3	5380.375	25.93	44.83	18.90	54.00	9.17	100	25	Horizontal	/
1	5322.59	80.21	98.83	18.62	-	-	100	40	Vertical	No limit
2	5350	26.63	45.17	18.54	54.00	8.83	200	46	Vertical	/
3	5350.03	26.63	45.17	18.54	54.00	8.83	200	46	Vertical	/

802.11a CDD/5500MHz

Detector mode: Peak


Polarity:

Horizontal



Detector mode: Peak

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5418.73	37.88	56.96	19.08	74.00	17.04	100	331	Horizontal	/
2	5460	36.54	55.63	19.09	68.30	12.67	100	47	Horizontal	/
3	5505.67	83.22	102.69	19.47	-	-	200	3	Horizontal	No limit
1	5409.035	37.98	56.71	18.73	74.00	17.29	200	348	Vertical	/
2	5460	36.37	55.20	18.83	68.30	13.10	100	314	Vertical	/
3	5505.565	88.99	108.39	19.40	-	-	200	258	Vertical	No limit

802.11a CDD/5500MHz

Detector mode: Average

Polarity:


Horizontal



Detector mode: Average

Polarity:

Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBuV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5358.985	26.09	44.74	18.65	54.00	9.26	100	15	Horizontal	/
2	5460	25.13	44.22	19.09	54.00	9.78	100	156	Horizontal	/
3	5502.485	74.45	93.95	19.50	-	-	200	10	Horizontal	No limit
1	5417.855	26.14	44.86	18.72	54.00	9.14	100	42	Vertical	/
2	5460	25.26	44.09	18.83	54.00	9.91	200	349	Vertical	/
3	5500.98	80.44	99.87	19.43	-	-	200	259	Vertical	No limit

802.11a CDD/5700MHz

Detector mode: Peak


Polarity:

Horizontal



Detector mode: Peak

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBuV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5705.67	84.37	104.38	20.01	-	-	200	344	Horizontal	No limit
2	5725.00	35.75	55.81	20.06	68.30	12.49	200	172	Horizontal	/
3	5726.285	41.61	61.67	20.06	68.30	6.63	200	334	Horizontal	/
1	5693.56	90.32	110.09	19.77	-	-	200	320	Vertical	No limit
2	5725.00	38.80	58.71	19.91	68.30	9.59	100	304	Vertical	/
3	5726.53	45.70	65.61	19.91	68.30	2.69	100	304	Vertical	/

802.11a CDD/5720MHz


Detector mode: Peak
Horizontal

Polarity:



Detector mode: Peak
Vertical

Polarity:




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5470	39.92	59.98	20.06	68.30	8.32	100	23	Horizontal	/
2	5725.00572	87.22	108.38	21.16	-	-	200	360	Horizontal	No limit
3	5850	38.85	61.63	22.78	68.30	6.67	100	305	Horizontal	/
4	5857.872	41.28	63.94	22.66	68.30	4.36	200	301	Horizontal	/
1	5470	39.55	59.17	19.62	68.30	9.13	200	12	Vertical	/
2	5723.196	91.73	112.73	21.00	-	-	100	312	Vertical	No limit
3	5850	38.70	61.18	22.48	68.30	7.12	200	335	Vertical	/
4	5863.38	41.70	64.02	22.32	68.30	4.28	200	32	Vertical	/

802.11a CDD/5745MHz

Detector mode: Peak


Polarity:

Horizontal



Detector mode: Peak

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5750.705	87.13	107.26	20.13	-	-	200	345	Horizontal	No limit
1	5737.825	93.88	113.86	19.98	-	-	200	309	Vertical	No limit

802.11a CDD/5825MHz

Detector mode: Peak


Polarity:

Horizontal



Detector mode: Peak

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5830.67	88.30	109.52	21.22	-	-	200	344	Horizontal	No limit
1	5818.84	95.23	115.92	20.69	-	-	100	41	Vertical	No limit

802.11ax HE40 CDD/5190MHz

Detector mode: Peak

Polarity:


Horizontal



Detector mode: Peak

Polarity:

Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5050.815	41.58	57.51	15.93	74.00	16.49	200	103	Horizontal	/
2	5150	40.47	56.05	15.58	68.30	12.25	100	360	Horizontal	/
3	5177.095	85.25	100.89	15.64	-	-	200	20	Horizontal	No limit
1	5149.2	47.82	63.30	15.48	74.00	10.70	100	96	Vertical	/
2	5150	44.93	60.41	15.48	68.30	7.89	200	35	Vertical	/
3	5177.095	92.67	108.32	15.65	-	-	100	314	Vertical	No limit

802.11ax HE40 CDD/5190MHz

Detector mode: Average

Polarity:


Horizontal



Detector mode: Average

Polarity:

Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBuV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5147.975	29.00	44.58	15.58	54.00	9.42	200	15	Horizontal	/
2	5150	28.22	43.80	15.58	54.00	10.20	200	26	Horizontal	/
3	5181.645	73.60	89.25	15.65	-	-	200	15	Horizontal	No limit
1	5149.935	32.47	47.95	15.48	54.00	6.05	100	34	Vertical	/
2	5150	32.16	47.64	15.48	54.00	6.36	100	250	Vertical	/
3	5194.735	80.63	96.40	15.77	-	-	100	106	Vertical	No limit

802.11ax HE40 CDD/5230MHz

Detector mode: Peak

Polarity:


Horizontal



Detector mode: Peak

Polarity:

Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5084.22	41.67	57.49	15.82	74.00	16.51	100	322	Horizontal	/
2	5150	39.41	54.99	15.58	68.30	13.31	200	141	Horizontal	/
3	5217.15	85.87	101.47	15.60	-	-	200	20	Horizontal	No limit
1	5045.09	42.17	58.08	15.91	74.00	15.92	200	249	Vertical	/
2	5150	40.61	56.09	15.48	68.30	12.21	100	335	Vertical	/
3	5217.22	91.29	107.06	15.77	-	-	100	102	Vertical	No limit

802.11ax HE40 CDD/5230MHz

Detector mode: Average

Polarity:


Horizontal



Detector mode: Average

Polarity:

Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBuV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5063.115	28.56	44.45	15.89	54.00	9.55	100	157	Horizontal	/
2	5150	28.01	43.59	15.58	54.00	10.41	200	178	Horizontal	/
3	5221.63	73.70	89.27	15.57	-	-	200	22	Horizontal	No limit
1	5074.98	29.18	44.93	15.75	54.00	9.07	200	90	Vertical	/
2	5150	28.40	43.88	15.48	54.00	10.12	100	99	Vertical	/
3	5219.775	79.13	94.89	15.76	-	-	100	99	Vertical	No limit

802.11ax HE40 CDD/5270MHz

Detector mode: Peak

Polarity:


Horizontal



Detector mode: Peak

Polarity:

Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBuV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5257.06	86.75	102.15	15.40	-	-	200	19	Horizontal	No limit
2	5350	39.38	54.92	15.54	68.30	13.38	100	66	Horizontal	/
3	5367.52	41.50	57.25	15.75	74.00	16.75	200	60	Horizontal	/
1	5283.03	92.09	107.78	15.69	-	-	100	243	Vertical	No limit
2	5350	40.47	56.01	15.54	68.30	12.29	200	86	Vertical	/
3	5354.605	41.64	57.20	15.56	74.00	16.80	200	299	Vertical	/

802.11ax HE40 CDD/5270MHz

Detector mode: Average

Polarity:


Horizontal



Detector mode: Average

Polarity:

Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5261.47	74.81	90.21	15.40	-	-	200	18	Horizontal	No limit
2	5350	27.63	43.17	15.54	54.00	10.83	100	359	Horizontal	/
3	5366.82	28.54	44.28	15.74	54.00	9.72	100	16	Horizontal	/
1	5274.77	80.71	96.41	15.70	-	-	100	102	Vertical	No limit
2	5350	27.99	43.53	15.54	54.00	10.47	100	255	Vertical	/
3	5354.605	29.64	45.20	15.56	54.00	8.80	100	33	Vertical	/

802.11ax HE40 CDD/5310MHz

Detector mode: Peak

Polarity:


Horizontal



Detector mode: Peak

Polarity:

Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5297.11	85.88	101.27	15.39	-	-	200	21	Horizontal	No limit
2	5350	40.92	56.46	15.54	68.30	11.84	200	31	Horizontal	/
3	5351.605	42.33	57.89	15.56	74.00	16.11	200	31	Horizontal	/
1	5298.895	91.58	107.27	15.69	-	-	100	41	Vertical	No limit
2	5350	46.21	61.75	15.54	68.30	6.55	100	112	Vertical	/
3	5354.37	45.74	61.29	15.55	74.00	12.71	100	122	Vertical	/

802.11ax HE40 CDD/5310MHz

Detector mode: Average

Polarity:


Horizontal



Detector mode: Average

Polarity:

Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBuV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5301.45	74.29	89.68	15.39	-	-	200	18	Horizontal	No limit
2	5350	28.38	43.92	15.54	54.00	10.08	200	28	Horizontal	/
3	5353.32	29.64	45.22	15.58	54.00	8.78	200	18	Horizontal	/
1	5306.035	79.90	95.58	15.68	-	-	100	31	Vertical	No limit
2	5350	32.10	47.64	15.54	54.00	6.36	100	31	Vertical	/
3	5350.835	32.95	48.50	15.55	54.00	5.50	100	52	Vertical	/

802.11ax HE40 CDD/5510MHz

Detector mode: Peak

Polarity:


Horizontal



Detector mode: Peak

Polarity:

Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBuV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5430.455	41.31	57.35	16.04	74.00	16.65	100	218	Horizontal	/
2	5460	38.85	54.94	16.09	68.30	13.36	100	310	Horizontal	/
3	5498.915	84.27	100.79	16.52	-	-	200	11	Horizontal	No limit
1	5362.135	41.66	57.25	15.59	74.00	16.75	200	249	Vertical	/
2	5460	39.34	55.17	15.83	68.30	13.13	200	280	Vertical	/
3	5498.215	89.87	106.27	16.40	-	-	100	253	Vertical	No limit

802.11ax HE40 CDD/5510MHz

Detector mode: Average

Polarity:


Horizontal



Detector mode: Average

Polarity:

Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBuV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5432.94	28.27	44.31	16.04	54.00	9.69	200	335	Horizontal	/
2	5460	27.75	43.84	16.09	54.00	10.16	200	183	Horizontal	/
3	5513.825	73.11	89.49	16.38	-	-	200	19	Horizontal	No limit
1	5459.225	28.86	44.68	15.82	54.00	9.32	200	309	Vertical	/
2	5460	28.45	44.28	15.83	54.00	9.72	100	10	Vertical	/
3	5516.24	78.76	95.11	16.35	-	-	100	50	Vertical	No limit

802.11ax HE40 CDD/5670MHz

Detector mode: Peak

Polarity:


Horizontal



Detector mode: Peak

Polarity:

Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBuV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5672.945	84.63	101.42	16.79	-	-	200	0	Horizontal	No limit
2	5725.00	39.18	56.24	17.06	68.30	12.06	100	16	Horizontal	/
3	5726.425	41.17	58.23	17.06	68.30	10.07	200	0	Horizontal	/
1	5684.005	91.29	108.02	16.73	-	-	100	303	Vertical	No limit
2	5725.00	39.15	56.06	16.91	68.30	12.24	200	126	Vertical	/
3	5725.00.795	42.66	59.57	16.91	68.30	8.73	200	258	Vertical	/

802.11ax HE40 CDD/5710MHz


Detector mode: Peak
Horizontal

Polarity:



Detector mode: Peak
Vertical

Polarity:




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBuV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5470	38.60	58.66	20.06	68.30	9.64	100	221	Horizontal	/
2	5705.322	85.02	106.04	21.02	-	-	200	17	Horizontal	No limit
3	5850	38.92	61.70	22.78	68.30	6.60	200	220	Horizontal	/
4	5935.362	41.81	63.86	22.05	68.30	4.44	200	28	Horizontal	/
1	5470	39.29	58.91	19.62	68.30	9.39	200	251	Vertical	/
2	5697.06	91.03	111.90	20.87	-	-	100	55	Vertical	No limit
3	5850	38.89	61.37	22.48	68.30	6.93	100	288	Vertical	/
4	5944.002	42.36	64.41	22.05	68.30	3.89	100	330	Vertical	/

802.11ax HE40 CDD/5755MHz

Detector mode: Peak

Polarity:


Horizontal



Detector mode: Peak

Polarity:

Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBuV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5760.295	85.44	105.61	20.17	-	-	200	182	Horizontal	No limit
1	5741.955	92.16	112.15	19.99	-	-	100	49	Vertical	No limit

802.11ax HE40 CDD/5795MHz

Detector mode: Peak

Polarity:


Horizontal



Detector mode: Peak

Polarity:

Vertical




No.	Frequency MHz	Reading dBµV/m	Level dBµV/m	Factor dB	Limit dBµV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5808.935	86.37	106.97	20.60	-	-	200	10	Horizontal	No limit
1	5809.67	92.97	113.40	20.43	-	-	100	41	Vertical	No limit

802.11ax HE80 CDD/5210MHz

Detector mode: Peak

Polarity:


Horizontal



Detector mode: Peak

Polarity:

Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBuV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5132.38	43.97	59.62	15.65	74.00	14.38	200	293	Horizontal	/
2	5150	40.95	56.53	15.58	68.30	11.77	200	312	Horizontal	/
3	5219.67	84.89	100.47	15.58	-	-	200	343	Horizontal	No limit
1	5132.275	48.56	64.07	15.51	74.00	9.93	100	100	Vertical	/
2	5150	44.51	59.99	15.48	68.30	8.31	200	97	Vertical	/
3	5219.67	91.14	106.90	15.76	-	-	100	110	Vertical	No limit

802.11ax HE80 CDD/5210MHz

Detector mode: Average

Polarity:


Horizontal



Detector mode: Average

Polarity:

Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBuV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5135.845	31.32	46.96	15.64	54.00	7.04	200	335	Horizontal	/
2	5150	30.86	46.44	15.58	54.00	7.56	100	360	Horizontal	/
3	5196.15	72.22	87.92	15.70	-	-	200	344	Horizontal	No limit
1	5149.565	35.49	50.97	15.48	54.00	3.03	100	111	Vertical	/
2	5150	33.77	49.25	15.48	54.00	4.75	100	111	Vertical	/
3	5197.165	77.30	93.08	15.78	-	-	100	101	Vertical	No limit

802.11ax HE80 CDD/5290MHz

Detector mode: Peak

Polarity:


Horizontal



Detector mode: Peak

Polarity:

Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBuV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5299.48	84.49	99.88	15.39	-	-	200	344	Horizontal	No limit
2	5350	40.53	56.07	15.54	68.30	12.23	200	142	Horizontal	/
3	5373.295	42.68	58.50	15.82	74.00	15.50	200	313	Horizontal	/
1	5299.62	90.70	106.39	15.69	-	-	100	102	Vertical	No limit
2	5350	43.06	58.60	15.54	68.30	9.70	100	81	Vertical	/
3	5362.445	45.12	60.71	15.59	74.00	13.29	100	102	Vertical	/

802.11ax HE80 CDD/5290MHz

Detector mode: Average

Polarity:


Horizontal



Detector mode: Average

Polarity:

Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBuV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5281.455	71.43	86.82	15.39	-	-	200	346	Horizontal	No limit
2	5350	29.09	44.63	15.54	54.00	9.37	200	1	Horizontal	/
3	5361.465	30.00	45.68	15.68	54.00	8.32	200	346	Horizontal	/
1	5279.6	76.49	92.18	15.69	-	-	100	102	Vertical	No limit
2	5350	32.21	47.75	15.54	54.00	6.25	100	113	Vertical	/
3	5353.135	32.82	48.38	15.56	54.00	5.62	100	41	Vertical	/

802.11ax HE80 CDD/5530MHz

Detector mode: Peak

Polarity:


Horizontal



Detector mode: Peak

Polarity:

Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBuV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5455.2	42.50	58.54	16.04	74.00	15.46	100	218	Horizontal	/
2	5460	39.22	55.31	16.09	68.30	12.99	200	345	Horizontal	/
3	5502.87	81.83	98.33	16.50	-	-	200	2	Horizontal	No limit
1	5459.365	43.44	59.26	15.82	74.00	14.74	100	32	Vertical	/
2	5460	41.85	57.68	15.83	68.30	10.62	100	43	Vertical	/
3	5539.935	87.75	103.99	16.24	-	-	100	103	Vertical	No limit

802.11ax HE80 CDD/5530MHz

Detector mode: Average

Polarity:


Horizontal



Detector mode: Average

Polarity:

Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBuV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5455.865	29.08	45.12	16.04	54.00	8.88	100	358	Horizontal	/
2	5460	28.21	44.30	16.09	54.00	9.70	200	343	Horizontal	/
3	5518.48	70.05	86.38	16.33	-	-	200	10	Horizontal	No limit
1	5458.14	30.77	46.57	15.80	54.00	7.43	100	39	Vertical	/
2	5460	30.02	45.85	15.83	54.00	8.15	100	99	Vertical	/
3	5518.2	75.49	91.83	16.34	-	-	100	39	Vertical	No limit

802.11ax HE80 CDD/5610MHz


Detector mode: Peak
Horizontal

Polarity:



Detector mode: Peak
Vertical

Polarity:




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBuV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5619.66	82.68	99.06	16.38	68.30	-30.76	200	31	Horizontal	/
2	5725.00	41.01	58.07	17.06	68.30	10.23	200	214	Horizontal	/
3	5767.8	42.45	59.66	17.21	-	-	100	127	Horizontal	No limit
1	5619.57	88.98	105.60	16.62	68.30	-37.30	100	10	Vertical	/
2	5725.00	39.48	56.39	16.91	68.30	11.91	200	15	Vertical	/
3	5737.83	42.45	59.43	16.98	-	-	200	97	Vertical	No limit

802.11ax HE80 CDD/5690MHz

Detector mode: Peak

Polarity:


Horizontal



Detector mode: Peak

Polarity:

Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5470	39.36	59.42	20.06	68.30	8.88	100	295	Horizontal	/
2	5699.49	83.42	104.41	20.99	-	-	200	26	Horizontal	No limit
3	5850	39.09	61.87	22.78	68.30	6.43	200	322	Horizontal	/
4	5917.92	41.42	63.45	22.03	68.30	4.85	100	112	Horizontal	/
1	5470	39.62	59.24	19.62	68.30	9.06	200	172	Vertical	/
2	5699.544	89.09	109.98	20.89	-	-	100	58	Vertical	No limit
3	5850	39.62	62.10	22.48	68.30	6.20	100	133	Vertical	/
4	5862.516	41.87	64.21	22.34	68.30	4.09	100	113	Vertical	/

802.11ax HE160 CDD/5250MHz


Detector mode: Peak
Horizontal

Polarity:



Detector mode: Peak
Vertical

Polarity:




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5095.8	46.50	62.28	15.78	74.00	11.72	100	360	Horizontal	/
2	5150	41.72	57.30	15.58	68.30	11.00	100	359	Horizontal	/
3	5221.6	80.03	95.60	15.57	-	-	200	9	Horizontal	No limit
4	5350	41.15	56.69	15.54	68.30	11.61	200	41	Horizontal	/
5	5355.6	42.72	58.32	15.60	74.00	15.68	200	344	Horizontal	/
1	5137.56	51.43	66.93	15.50	74.00	7.07	100	41	Vertical	/
2	5150	45.99	61.47	15.48	68.30	6.83	200	16	Vertical	/
3	5221.76	85.85	101.61	15.76	-	-	200	48	Vertical	No limit
4	5350	41.62	57.16	15.54	68.30	11.14	200	25	Vertical	/
5	5376.6	44.87	60.51	15.64	74.00	13.49	200	343	Vertical	/

802.11ax HE160 CDD/5250MHz

Detector mode: Average

Polarity:


Horizontal



Detector mode: Average

Polarity:

Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBuV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5134.6	32.02	47.66	15.64	54.00	6.34	100	354	Horizontal	/
2	5150	30.77	46.35	15.58	54.00	7.65	100	360	Horizontal	/
3	5279.36	67.21	82.60	15.39	-	-	200	32	Horizontal	No limit
4	5350	29.39	44.93	15.54	54.00	9.07	200	344	Horizontal	/
5	5381.8	29.31	45.23	15.92	54.00	8.77	200	12	Horizontal	/
1	5127.48	37.26	52.78	15.52	54.00	1.22	100	101	Vertical	/
2	5150	35.84	51.32	15.48	54.00	2.68	200	320	Vertical	/
3	5274.52	73.88	89.58	15.70	-	-	100	112	Vertical	No limit
4	5350	31.19	46.73	15.54	54.00	7.27	200	259	Vertical	/
5	5358.44	32.06	47.64	15.58	54.00	6.36	100	41	Vertical	/

802.11ax HE160 CDD/5570MHz

Detector mode: Peak

Polarity:


Horizontal



Detector mode: Peak

Polarity:

Vertical




No.	Frequency MHz	Reading dBµV/m	Level dBµV/m	Factor dB	Limit dBuV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5416.1	42.32	58.41	16.09	74.00	15.59	100	117	Horizontal	/
2	5460	39.50	55.59	16.09	68.30	12.71	100	320	Horizontal	/
3	5632.784	78.93	95.42	16.49	-	-	200	2	Horizontal	No limit
1	5419.376	44.11	59.83	15.72	74.00	14.17	200	15	Vertical	/
2	5460	40.62	56.45	15.83	68.30	11.85	100	122	Vertical	/
3	5578.548	84.49	100.93	16.44	-	-	100	41	Vertical	No limit

802.11ax HE160 CDD/5570MHz

Detector mode: Average

Polarity:


Horizontal



Detector mode: Average

Polarity:

Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5412.616	28.94	45.04	16.10	54.00	8.96	200	1	Horizontal	/
2	5460	28.10	44.19	16.09	54.00	9.81	200	344	Horizontal	/
3	5580.68	65.54	81.68	16.14	-	-	200	10	Horizontal	No limit
1	5415.216	29.88	45.60	15.72	54.00	8.40	100	263	Vertical	/
2	5460	29.45	45.28	15.83	54.00	8.72	100	32	Vertical	/
3	5588.532	72.29	88.81	16.52	-	-	100	43	Vertical	No limit

802.11ax HE20 SDM/5180MHz

Detector mode: Peak

Polarity:


Horizontal



Detector mode: Peak

Polarity:

Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5149.97	45.97	61.55	15.58	74.00	12.45	200	329	Horizontal	/
2	5150	40.41	55.99	15.58	68.30	12.31	200	76	Horizontal	/
3	5181.435	89.52	105.17	15.65	-	-	100	345	Horizontal	No limit
1	5148.885	45.75	61.23	15.48	74.00	12.77	200	223	Vertical	/
2	5150	42.61	58.09	15.48	68.30	10.21	100	262	Vertical	/
3	5188.82	94.44	110.17	15.73	-	-	100	36	Vertical	No limit

802.11ax HE20 SDM/5180MHz

Detector mode: Average

Polarity:


Horizontal



Detector mode: Average

Polarity:

Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBuV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5080.705	29.03	44.86	15.83	54.00	9.14	200	343	Horizontal	/
2	5150	28.51	44.09	15.58	54.00	9.91	100	0	Horizontal	/
3	5174.575	77.77	93.41	15.64	-	-	100	346	Horizontal	No limit
1	5141.57	29.85	45.35	15.50	54.00	8.65	200	95	Vertical	/
2	5150	29.87	45.35	15.48	54.00	8.65	100	28	Vertical	/
3	5182.03	83.16	98.84	15.68	-	-	100	40	Vertical	No limit

802.11ax HE20 SDM/5240MHz

Detector mode: Peak

Polarity:


Horizontal



Detector mode: Peak

Polarity:

Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5062.03	42.16	58.05	15.89	74.00	15.95	200	78	Horizontal	/
2	5150	39.77	55.35	15.58	68.30	12.95	200	314	Horizontal	/
3	5240.32	88.66	104.12	15.46	-	-	200	334	Horizontal	No limit
1	5032.665	42.69	58.55	15.86	74.00	15.45	100	280	Vertical	/
2	5150	39.75	55.23	15.48	68.30	13.07	100	56	Vertical	/
3	5248.685	94.51	110.21	15.70	-	-	100	46	Vertical	No limit

802.11ax HE20 SDM/5240MHz

Detector mode: Average

Polarity:


Horizontal



Detector mode: Average

Polarity:

Vertical




No.	Frequency MHz	Reading dBµV/m	Level dBµV/m	Factor dB	Limit dBµV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5069.765	29.05	44.92	15.87	54.00	9.08	100	5	Horizontal	/
2	5150	27.88	43.46	15.58	54.00	10.54	100	323	Horizontal	/
3	5242.315	77.10	92.55	15.45	-	-	200	332	Horizontal	No limit
1	5141.57	29.85	45.35	15.50	54.00	8.65	200	95	Vertical	/
2	5150	29.87	45.35	15.48	54.00	8.65	100	28	Vertical	/
3	5182.03	83.16	98.84	15.68	-	-	100	40	Vertical	No limit

802.11ax HE20 SDM/5260MHz

Detector mode: Peak

Polarity:


Horizontal



Detector mode: Peak

Polarity:

Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBuV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5268.75	89.23	104.63	15.40	-	-	200	335	Horizontal	No limit
2	5350	40.44	55.98	15.54	68.30	12.32	100	293	Horizontal	/
3	5375.395	41.77	57.61	15.84	74.00	16.39	200	345	Horizontal	/
1	5260.525	95.21	110.91	15.70	-	-	100	345	Vertical	No limit
2	5350	39.50	55.04	15.54	68.30	13.26	200	348	Vertical	/
3	5363.495	42.23	57.83	15.60	74.00	16.17	100	250	Vertical	/

802.11ax HE20 SDM/5260MHz

Detector mode: Average

Polarity:


Horizontal



Detector mode: Average

Polarity:

Vertical




No.	Frequency MHz	Reading dBµV/m	Level dBµV/m	Factor dB	Limit dBµV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5262.275	77.55	92.95	15.40	-	-	200	335	Horizontal	No limit
2	5350	28.82	44.36	15.54	54.00	9.64	100	338	Horizontal	/
3	5402.415	28.79	44.92	16.13	54.00	9.08	200	176	Horizontal	/
1	5261.96	83.06	98.76	15.70	-	-	100	36	Vertical	No limit
2	5350	28.60	44.14	15.54	54.00	9.86	200	78	Vertical	/
3	5363.915	29.42	45.01	15.59	54.00	8.99	100	36	Vertical	/

802.11ax HE20 SDM/5320MHz

Detector mode: Peak

Polarity:


Horizontal



Detector mode: Peak

Polarity:

Vertical




No.	Frequency MHz	Reading dBµV/m	Level dBµV/m	Factor dB	Limit dBµV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5328.855	86.01	101.49	15.48	-	-	200	334	Horizontal	No limit
2	5350	40.05	55.59	15.54	68.30	12.71	100	191	Horizontal	/
3	5410.195	42.09	58.20	16.11	74.00	15.80	100	0	Horizontal	/
1	5328.68	92.82	108.43	15.61	-	-	100	38	Vertical	No limit
2	5350	40.59	56.13	15.54	68.30	12.17	100	141	Vertical	/
3	5418.49	42.54	58.25	15.71	74.00	15.75	100	289	Vertical	/

802.11ax HE20 SDM/5320MHz

Detector mode: Average

Polarity:


Horizontal



Detector mode: Average

Polarity:

Vertical




No.	Frequency MHz	Reading dBµV/m	Level dBµV/m	Factor dB	Limit dBµV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5322.065	74.33	89.78	15.45	-	-	200	333	Horizontal	No limit
2	5350	28.62	44.16	15.54	54.00	9.84	200	345	Horizontal	/
3	5394.83	28.68	44.76	16.08	54.00	9.24	200	76	Horizontal	/
1	5321.96	80.93	96.55	15.62	-	-	100	34	Vertical	No limit
2	5350	29.52	45.06	15.54	54.00	8.94	100	46	Vertical	/
3	5357.205	29.25	44.82	15.57	54.00	9.18	100	346	Vertical	/

802.11ax HE20 SDM/5500MHz

Detector mode: Peak

Polarity:


Horizontal



Detector mode: Peak

Polarity:

Vertical



No.	Frequency MHz	Reading dBµV/m	Level dBµV/m	Factor dB	Limit dBµV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5396.89	41.92	58.03	16.11	74.00	15.97	200	345	Horizontal	/
2	5460	39.74	55.83	16.09	68.30	12.47	100	78	Horizontal	/
3	5508.645	85.21	101.65	16.44	-	-	200	334	Horizontal	No limit
1	5435.285	42.16	57.86	15.70	74.00	16.14	200	341	Vertical	/
2	5460	39.34	55.17	15.83	68.30	13.13	100	233	Vertical	/
3	5508.785	92.20	108.59	16.39	-	-	100	40	Vertical	No limit