



Appendix H: Test Data for E-UTRA Band 5

Product Name: Mstick4

Test Model: MG-S04

Environmental Conditions

Temperature:	23.8°C
Relative Humidity:	52.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Paddi Chen
Supervised by:	Nick Peng



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



H.1 Conducted Power Output Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band5	1.4MHz	QPSK	20407	1RB#0	19.92	PASS
Band5	1.4MHz	16QAM	20407	1RB#0	18.81	PASS
Band5	1.4MHz	QPSK	20407	1RB#2	20.10	PASS
Band5	1.4MHz	16QAM	20407	1RB#2	18.99	PASS
Band5	1.4MHz	QPSK	20407	1RB#5	19.87	PASS
Band5	1.4MHz	16QAM	20407	1RB#5	18.81	PASS
Band5	1.4MHz	QPSK	20407	3RB#0	20.00	PASS
Band5	1.4MHz	16QAM	20407	3RB#0	18.81	PASS
Band5	1.4MHz	QPSK	20407	3RB#1	20.00	PASS
Band5	1.4MHz	16QAM	20407	3RB#1	18.79	PASS
Band5	1.4MHz	QPSK	20407	3RB#3	19.94	PASS
Band5	1.4MHz	16QAM	20407	3RB#3	18.76	PASS
Band5	1.4MHz	QPSK	20407	6RB#0	18.98	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	17.96	PASS
Band5	1.4MHz	QPSK	20525	1RB#0	19.96	PASS
Band5	1.4MHz	16QAM	20525	1RB#0	18.76	PASS
Band5	1.4MHz	QPSK	20525	1RB#2	20.13	PASS
Band5	1.4MHz	16QAM	20525	1RB#2	19.00	PASS
Band5	1.4MHz	QPSK	20525	1RB#5	19.93	PASS
Band5	1.4MHz	16QAM	20525	1RB#5	18.79	PASS
Band5	1.4MHz	QPSK	20525	3RB#0	20.01	PASS
Band5	1.4MHz	16QAM	20525	3RB#0	18.87	PASS
Band5	1.4MHz	QPSK	20525	3RB#1	20.00	PASS
Band5	1.4MHz	16QAM	20525	3RB#1	18.85	PASS
Band5	1.4MHz	QPSK	20525	3RB#3	20.07	PASS
Band5	1.4MHz	16QAM	20525	3RB#3	18.84	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	18.96	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	17.84	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	20.25	PASS
Band5	1.4MHz	16QAM	20643	1RB#0	19.06	PASS
Band5	1.4MHz	QPSK	20643	1RB#2	20.14	PASS
Band5	1.4MHz	16QAM	20643	1RB#2	19.05	PASS
Band5	1.4MHz	QPSK	20643	1RB#5	20.05	PASS
Band5	1.4MHz	16QAM	20643	1RB#5	18.81	PASS
Band5	1.4MHz	QPSK	20643	3RB#0	19.96	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Band5	1.4MHz	16QAM	20643	3RB#0	18.83	PASS
Band5	1.4MHz	QPSK	20643	3RB#1	19.89	PASS
Band5	1.4MHz	16QAM	20643	3RB#1	18.84	PASS
Band5	1.4MHz	QPSK	20643	3RB#3	20.04	PASS
Band5	1.4MHz	16QAM	20643	3RB#3	18.72	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	19.12	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	17.99	PASS
Band5	3MHz	QPSK	20415	1RB#0	19.79	PASS
Band5	3MHz	16QAM	20415	1RB#0	19.02	PASS
Band5	3MHz	QPSK	20415	1RB#8	19.99	PASS
Band5	3MHz	16QAM	20415	1RB#8	19.00	PASS
Band5	3MHz	QPSK	20415	1RB#14	19.79	PASS
Band5	3MHz	16QAM	20415	1RB#14	18.87	PASS
Band5	3MHz	QPSK	20415	8RB#0	19.00	PASS
Band5	3MHz	16QAM	20415	8RB#0	17.97	PASS
Band5	3MHz	QPSK	20415	8RB#4	18.98	PASS
Band5	3MHz	16QAM	20415	8RB#4	17.98	PASS
Band5	3MHz	QPSK	20415	8RB#7	18.97	PASS
Band5	3MHz	16QAM	20415	8RB#7	17.96	PASS
Band5	3MHz	QPSK	20415	15RB#0	18.91	PASS
Band5	3MHz	16QAM	20415	15RB#0	17.95	PASS
Band5	3MHz	QPSK	20525	1RB#0	20.00	PASS
Band5	3MHz	16QAM	20525	1RB#0	18.88	PASS
Band5	3MHz	QPSK	20525	1RB#8	20.02	PASS
Band5	3MHz	16QAM	20525	1RB#8	18.87	PASS
Band5	3MHz	QPSK	20525	1RB#14	19.99	PASS
Band5	3MHz	16QAM	20525	1RB#14	18.88	PASS
Band5	3MHz	QPSK	20525	8RB#0	18.78	PASS
Band5	3MHz	16QAM	20525	8RB#0	17.91	PASS
Band5	3MHz	QPSK	20525	8RB#4	18.92	PASS
Band5	3MHz	16QAM	20525	8RB#4	17.89	PASS
Band5	3MHz	QPSK	20525	8RB#7	18.93	PASS
Band5	3MHz	16QAM	20525	8RB#7	17.96	PASS
Band5	3MHz	QPSK	20525	15RB#0	18.96	PASS
Band5	3MHz	16QAM	20525	15RB#0	17.84	PASS
Band5	3MHz	QPSK	20635	1RB#0	20.24	PASS
Band5	3MHz	16QAM	20635	1RB#0	18.66	PASS
Band5	3MHz	QPSK	20635	1RB#8	19.82	PASS
Band5	3MHz	16QAM	20635	1RB#8	18.86	PASS
Band5	3MHz	QPSK	20635	1RB#14	19.91	PASS
Band5	3MHz	16QAM	20635	1RB#14	18.72	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Band5	3MHz	QPSK	20635	8RB#0	18.96	PASS
Band5	3MHz	16QAM	20635	8RB#0	17.88	PASS
Band5	3MHz	QPSK	20635	8RB#4	19.07	PASS
Band5	3MHz	16QAM	20635	8RB#4	17.89	PASS
Band5	3MHz	QPSK	20635	8RB#7	19.25	PASS
Band5	3MHz	16QAM	20635	8RB#7	18.16	PASS
Band5	3MHz	QPSK	20635	15RB#0	19.07	PASS
Band5	3MHz	16QAM	20635	15RB#0	18.04	PASS
Band5	5MHz	QPSK	20425	1RB#0	19.94	PASS
Band5	5MHz	16QAM	20425	1RB#0	18.87	PASS
Band5	5MHz	QPSK	20425	1RB#12	20.01	PASS
Band5	5MHz	16QAM	20425	1RB#12	18.91	PASS
Band5	5MHz	QPSK	20425	1RB#24	19.84	PASS
Band5	5MHz	16QAM	20425	1RB#24	18.76	PASS
Band5	5MHz	QPSK	20425	12RB#0	18.93	PASS
Band5	5MHz	16QAM	20425	12RB#0	17.91	PASS
Band5	5MHz	QPSK	20425	12RB#6	18.94	PASS
Band5	5MHz	16QAM	20425	12RB#6	17.90	PASS
Band5	5MHz	QPSK	20425	12RB#13	18.79	PASS
Band5	5MHz	16QAM	20425	12RB#13	17.75	PASS
Band5	5MHz	QPSK	20425	25RB#0	18.92	PASS
Band5	5MHz	16QAM	20425	25RB#0	17.92	PASS
Band5	5MHz	QPSK	20525	1RB#0	19.81	PASS
Band5	5MHz	16QAM	20525	1RB#0	18.99	PASS
Band5	5MHz	QPSK	20525	1RB#12	19.98	PASS
Band5	5MHz	16QAM	20525	1RB#12	19.09	PASS
Band5	5MHz	QPSK	20525	1RB#24	19.89	PASS
Band5	5MHz	16QAM	20525	1RB#24	18.98	PASS
Band5	5MHz	QPSK	20525	12RB#0	18.89	PASS
Band5	5MHz	16QAM	20525	12RB#0	17.94	PASS
Band5	5MHz	QPSK	20525	12RB#6	18.81	PASS
Band5	5MHz	16QAM	20525	12RB#6	17.90	PASS
Band5	5MHz	QPSK	20525	12RB#13	18.98	PASS
Band5	5MHz	16QAM	20525	12RB#13	17.95	PASS
Band5	5MHz	QPSK	20525	25RB#0	18.99	PASS
Band5	5MHz	16QAM	20525	25RB#0	18.01	PASS
Band5	5MHz	QPSK	20625	1RB#0	19.79	PASS
Band5	5MHz	16QAM	20625	1RB#0	18.40	PASS
Band5	5MHz	QPSK	20625	1RB#12	19.85	PASS
Band5	5MHz	16QAM	20625	1RB#12	18.78	PASS
Band5	5MHz	QPSK	20625	1RB#24	19.72	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Band5	5MHz	16QAM	20625	1RB#24	18.60	PASS
Band5	5MHz	QPSK	20625	12RB#0	18.67	PASS
Band5	5MHz	16QAM	20625	12RB#0	17.89	PASS
Band5	5MHz	QPSK	20625	12RB#6	18.91	PASS
Band5	5MHz	16QAM	20625	12RB#6	17.83	PASS
Band5	5MHz	QPSK	20625	12RB#13	19.13	PASS
Band5	5MHz	16QAM	20625	12RB#13	18.01	PASS
Band5	5MHz	QPSK	20625	25RB#0	19.20	PASS
Band5	5MHz	16QAM	20625	25RB#0	18.07	PASS
Band5	10MHz	QPSK	20450	1RB#0	19.91	PASS
Band5	10MHz	16QAM	20450	1RB#0	19.01	PASS
Band5	10MHz	QPSK	20450	1RB#24	20.14	PASS
Band5	10MHz	16QAM	20450	1RB#24	18.99	PASS
Band5	10MHz	QPSK	20450	1RB#49	19.81	PASS
Band5	10MHz	16QAM	20450	1RB#49	18.85	PASS
Band5	10MHz	QPSK	20450	25RB#0	19.13	PASS
Band5	10MHz	16QAM	20450	25RB#0	18.05	PASS
Band5	10MHz	QPSK	20450	25RB#12	19.11	PASS
Band5	10MHz	16QAM	20450	25RB#12	18.06	PASS
Band5	10MHz	QPSK	20450	25RB#25	18.87	PASS
Band5	10MHz	16QAM	20450	25RB#25	17.86	PASS
Band5	10MHz	QPSK	20450	50RB#0	19.04	PASS
Band5	10MHz	16QAM	20450	50RB#0	17.99	PASS
Band5	10MHz	QPSK	20525	1RB#0	19.98	PASS
Band5	10MHz	16QAM	20525	1RB#0	18.82	PASS
Band5	10MHz	QPSK	20525	1RB#24	20.14	PASS
Band5	10MHz	16QAM	20525	1RB#24	19.01	PASS
Band5	10MHz	QPSK	20525	1RB#49	20.07	PASS
Band5	10MHz	16QAM	20525	1RB#49	18.72	PASS
Band5	10MHz	QPSK	20525	25RB#0	19.02	PASS
Band5	10MHz	16QAM	20525	25RB#0	18.00	PASS
Band5	10MHz	QPSK	20525	25RB#12	18.98	PASS
Band5	10MHz	16QAM	20525	25RB#12	18.02	PASS
Band5	10MHz	QPSK	20525	25RB#25	19.20	PASS
Band5	10MHz	16QAM	20525	25RB#25	18.20	PASS
Band5	10MHz	QPSK	20525	50RB#0	19.07	PASS
Band5	10MHz	16QAM	20525	50RB#0	18.08	PASS
Band5	10MHz	QPSK	20600	1RB#0	20.03	PASS
Band5	10MHz	16QAM	20600	1RB#0	18.83	PASS
Band5	10MHz	QPSK	20600	1RB#24	20.22	PASS
Band5	10MHz	16QAM	20600	1RB#24	18.68	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Band5	10MHz	QPSK	20600	1RB#49	19.82	PASS
Band5	10MHz	16QAM	20600	1RB#49	18.63	PASS
Band5	10MHz	QPSK	20600	25RB#0	19.11	PASS
Band5	10MHz	16QAM	20600	25RB#0	18.32	PASS
Band5	10MHz	QPSK	20600	25RB#12	19.34	PASS
Band5	10MHz	16QAM	20600	25RB#12	18.30	PASS
Band5	10MHz	QPSK	20600	25RB#25	19.18	PASS
Band5	10MHz	16QAM	20600	25RB#25	18.32	PASS
Band5	10MHz	QPSK	20600	50RB#0	19.32	PASS
Band5	10MHz	16QAM	20600	50RB#0	18.30	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



H.2 Peak-to-Average Ratio(CCDF)

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band5	1.4MHz	QPSK	20407	1RB#0	5.01	13	PASS
Band5	1.4MHz	16QAM	20407	1RB#0	6.01	13	PASS
Band5	1.4MHz	QPSK	20407	6RB#0	5.35	13	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	6.13	13	PASS
Band5	1.4MHz	QPSK	20525	1RB#0	5.62	13	PASS
Band5	1.4MHz	16QAM	20525	1RB#0	6.27	13	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	5.83	13	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	6.59	13	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	5.47	13	PASS
Band5	1.4MHz	16QAM	20643	1RB#0	6.57	13	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	5.68	13	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	6.50	13	PASS
Band5	3MHz	QPSK	20415	1RB#0	5.02	13	PASS
Band5	3MHz	16QAM	20415	1RB#0	5.89	13	PASS
Band5	3MHz	QPSK	20415	15RB#0	5.22	13	PASS
Band5	3MHz	16QAM	20415	15RB#0	6.02	13	PASS
Band5	3MHz	QPSK	20525	1RB#0	5.46	13	PASS
Band5	3MHz	16QAM	20525	1RB#0	6.10	13	PASS
Band5	3MHz	QPSK	20525	15RB#0	5.85	13	PASS
Band5	3MHz	16QAM	20525	15RB#0	6.59	13	PASS
Band5	3MHz	QPSK	20635	1RB#0	4.65	13	PASS
Band5	3MHz	16QAM	20635	1RB#0	5.72	13	PASS
Band5	3MHz	QPSK	20635	15RB#0	5.57	13	PASS
Band5	3MHz	16QAM	20635	15RB#0	6.42	13	PASS
Band5	5MHz	QPSK	20425	1RB#0	5.11	13	PASS
Band5	5MHz	16QAM	20425	1RB#0	5.66	13	PASS
Band5	5MHz	QPSK	20425	25RB#0	5.32	13	PASS
Band5	5MHz	16QAM	20425	25RB#0	5.98	13	PASS
Band5	5MHz	QPSK	20525	1RB#0	5.43	13	PASS
Band5	5MHz	16QAM	20525	1RB#0	6.09	13	PASS
Band5	5MHz	QPSK	20525	25RB#0	5.85	13	PASS
Band5	5MHz	16QAM	20525	25RB#0	6.47	13	PASS
Band5	5MHz	QPSK	20625	1RB#0	3.37	13	PASS
Band5	5MHz	16QAM	20625	1RB#0	4.20	13	PASS
Band5	5MHz	QPSK	20625	25RB#0	5.65	13	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Band5	5MHz	16QAM	20625	25RB#0	6.35	13	PASS
Band5	10MHz	QPSK	20450	1RB#0	4.87	13	PASS
Band5	10MHz	16QAM	20450	1RB#0	5.75	13	PASS
Band5	10MHz	QPSK	20450	50RB#0	5.38	13	PASS
Band5	10MHz	16QAM	20450	50RB#0	6.05	13	PASS
Band5	10MHz	QPSK	20525	1RB#0	4.34	13	PASS
Band5	10MHz	16QAM	20525	1RB#0	5.25	13	PASS
Band5	10MHz	QPSK	20525	50RB#0	5.63	13	PASS
Band5	10MHz	16QAM	20525	50RB#0	6.40	13	PASS
Band5	10MHz	QPSK	20600	1RB#0	4.77	13	PASS
Band5	10MHz	16QAM	20600	1RB#0	5.97	13	PASS
Band5	10MHz	QPSK	20600	50RB#0	5.54	13	PASS
Band5	10MHz	16QAM	20600	50RB#0	6.17	13	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity




Test Graphs



Band5-1.4MHz-QPSK-20407-1RB#0-PASS



Band5-1.4MHz-16QAM-20407-1RB#0-PASS



Band5-1.4MHz-QPSK-20407-6RB#0-PASS




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band5-1.4MHz-16QAM-20407-6RB#0-PASS



Band5-1.4MHz-QPSK-20525-1RB#0-PASS



Band5-1.4MHz-16QAM-20525-1RB#0-PASS




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band5-1.4MHz-QPSK-20525-6RB#0-PASS



Band5-1.4MHz-16QAM-20525-6RB#0-PASS



Band5-1.4MHz-QPSK-20643-1RB#0-PASS




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band5-1.4MHz-16QAM-20643-1RB#0-PASS



Band5-1.4MHz-QPSK-20643-6RB#0-PASS



Band5-1.4MHz-16QAM-20643-6RB#0-PASS




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band5-3MHz-QPSK-20415-1RB#0-PASS



Band5-3MHz-16QAM-20415-1RB#0-PASS



Band5-3MHz-QPSK-20415-15RB#0-PASS




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band5-3MHz-16QAM-20415-15RB#0-PASS



Band5-3MHz-QPSK-20525-1RB#0-PASS



Band5-3MHz-16QAM-20525-1RB#0-PASS




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band5-3MHz-QPSK-20525-15RB#0-PASS



Band5-3MHz-16QAM-20525-15RB#0-PASS



Band5-3MHz-QPSK-20635-1RB#0-PASS




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band5-3MHz-16QAM-20635-1RB#0-PASS



Band5-3MHz-QPSK-20635-15RB#0-PASS



Band5-3MHz-16QAM-20635-15RB#0-PASS




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band5-5MHz-QPSK-20425-1RB#0-PASS



Band5-5MHz-16QAM-20425-1RB#0-PASS



Band5-5MHz-QPSK-20425-25RB#0-PASS




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band5-5MHz-16QAM-20425-25RB#0-PASS



Band5-5MHz-QPSK-20525-1RB#0-PASS



Band5-5MHz-16QAM-20525-1RB#0-PASS




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band5-5MHz-QPSK-20525-25RB#0-PASS



Band5-5MHz-16QAM-20525-25RB#0-PASS



Band5-5MHz-QPSK-20625-1RB#0-PASS




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band5-5MHz-16QAM-20625-1RB#0-PASS



Band5-5MHz-QPSK-20625-25RB#0-PASS



Band5-5MHz-16QAM-20625-25RB#0-PASS




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band5-10MHz-QPSK-20450-1RB#0-PASS



Band5-10MHz-16QAM-20450-1RB#0-PASS



Band5-10MHz-QPSK-20450-50RB#0-PASS




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band5-10MHz-16QAM-20450-50RB#0-PASS



Band5-10MHz-QPSK-20525-1RB#0-PASS



Band5-10MHz-16QAM-20525-1RB#0-PASS




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band5-10MHz-QPSK-20525-50RB#0-PASS



Band5-10MHz-16QAM-20525-50RB#0-PASS



Band5-10MHz-QPSK-20600-1RB#0-PASS




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band5-10MHz-16QAM-20600-1RB#0-PASS



Band5-10MHz-QPSK-20600-50RB#0-PASS



Band5-10MHz-16QAM-20600-50RB#0-PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



H.3 26dB Bandwidth and Occupied Bandwidth

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band5	1.4MHz	QPSK	20407	6RB#0	1.0910	1.277	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	1.0975	1.317	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	1.0948	1.297	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	1.0895	1.352	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	1.0994	1.285	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	1.0870	1.266	PASS
Band5	3MHz	QPSK	20415	15RB#0	2.6765	2.917	PASS
Band5	3MHz	16QAM	20415	15RB#0	2.6777	2.909	PASS
Band5	3MHz	QPSK	20525	15RB#0	2.6949	2.902	PASS
Band5	3MHz	16QAM	20525	15RB#0	2.6859	2.905	PASS
Band5	3MHz	QPSK	20635	15RB#0	2.6835	2.899	PASS
Band5	3MHz	16QAM	20635	15RB#0	2.6876	2.892	PASS
Band5	5MHz	QPSK	20425	25RB#0	4.4997	5.732	PASS
Band5	5MHz	16QAM	20425	25RB#0	4.4885	4.901	PASS
Band5	5MHz	QPSK	20525	25RB#0	4.4889	4.902	PASS
Band5	5MHz	16QAM	20525	25RB#0	4.4962	4.939	PASS
Band5	5MHz	QPSK	20625	25RB#0	4.5159	6.584	PASS
Band5	5MHz	16QAM	20625	25RB#0	4.5288	5.953	PASS
Band5	10MHz	QPSK	20450	50RB#0	9.0084	9.875	PASS
Band5	10MHz	16QAM	20450	50RB#0	9.0150	9.765	PASS
Band5	10MHz	QPSK	20525	50RB#0	8.9973	9.776	PASS
Band5	10MHz	16QAM	20525	50RB#0	8.9834	9.718	PASS
Band5	10MHz	QPSK	20600	50RB#0	9.0063	10.27	PASS
Band5	10MHz	16QAM	20600	50RB#0	9.0052	9.747	PASS




Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity


Test Graphs



Band5-1.4MHz-QPSK-20407-6RB#0-PASS



Band5-1.4MHz-16QAM-20407-6RB#0-PASS



Band5-1.4MHz-QPSK-20525-6RB#0-PASS




Shenzhen LCS Compliance Testing Laboratory Ltd.


Shenzhen ECS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen,
518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band5-1.4MHz-16QAM-20525-6RB#0-PASS



Band5-1.4MHz-QPSK-20643-6RB#0-PASS



Band5-1.4MHz-16QAM-20643-6RB#0-PASS




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band5-3MHz-QPSK-20415-15RB#0-PASS



Band5-3MHz-16QAM-20415-15RB#0-PASS



Band5-3MHz-QPSK-20525-15RB#0-PASS




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band5-3MHz-16QAM-20525-15RB#0-PASS



Band5-3MHz-QPSK-20635-15RB#0-PASS



Band5-3MHz-16QAM-20635-15RB#0-PASS




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band5-5MHz-QPSK-20425-25RB#0-PASS



Band5-5MHz-16QAM-20425-25RB#0-PASS



Band5-5MHz-QPSK-20525-25RB#0-PASS




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band5-5MHz-16QAM-20525-25RB#0-PASS



Band5-5MHz-QPSK-20625-25RB#0-PASS



Band5-5MHz-16QAM-20625-25RB#0-PASS




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band5-10MHz-QPSK-20450-50RB#0-PASS



Band5-10MHz-16QAM-20450-50RB#0-PASS



Band5-10MHz-QPSK-20525-50RB#0-PASS




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band5-10MHz-16QAM-20525-50RB#0-PASS



Band5-10MHz-QPSK-20600-50RB#0-PASS



Band5-10MHz-16QAM-20600-50RB#0-PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity






H.4 Band Edge

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Peak Frequency	Result(dBm)	Verdict
Band5	1.4MHz	QPSK	20407	6RB#0	823.98	-34.44	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	824.00	-33.90	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	849.00	-34.35	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	849.01	-34.69	PASS
Band5	3MHz	QPSK	20415	15RB#0	824.00	-34.88	PASS
Band5	3MHz	16QAM	20415	15RB#0	824.00	-35.65	PASS
Band5	3MHz	QPSK	20635	15RB#0	849.00	-33.64	PASS
Band5	3MHz	16QAM	20635	15RB#0	849.00	-35.67	PASS
Band5	5MHz	QPSK	20425	25RB#0	824.00	-33.64	PASS
Band5	5MHz	16QAM	20425	25RB#0	824.00	-34.74	PASS
Band5	5MHz	QPSK	20625	25RB#0	849.02	-33.32	PASS
Band5	5MHz	16QAM	20625	25RB#0	849.01	-34.40	PASS
Band5	10MHz	QPSK	20450	50RB#0	823.98	-35.21	PASS
Band5	10MHz	16QAM	20450	50RB#0	823.97	-35.80	PASS
Band5	10MHz	QPSK	20600	50RB#0	849.01	-31.87	PASS
Band5	10MHz	16QAM	20600	50RB#0	849.13	-33.78	PASS

Test Graphs




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band5_1.4MHz_16QAM_20407_6RB#0



Band5_1.4MHz_QPSK_20643_6RB#0



Band5_1.4MHz_16QAM_20643_6RB#0




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band5_3MHz_QPSK_20415_15RB#0



Band5_3MHz_16QAM_20415_15RB#0



Band5_3MHz_QPSK_20635_15RB#0




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band5_3MHz_16QAM_20635_15RB#0



Band5_5MHz_QPSK_20425_25RB#0



Band5_5MHz_16QAM_20425_25RB#0




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band5_5MHz_QPSK_20625_25RB#0



Band5_5MHz_16QAM_20625_25RB#0



Band5_10MHz_QPSK_20450_50RB#0




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band5_10MHz_16QAM_20450_50RB#0



Band5_10MHz_QPSK_20600_50RB#0



Band5_10MHz_16QAM_20600_50RB#0



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



H.5 Conducted Spurious Emission

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Verdict
Band5	1.4MHz	QPSK	20407	1RB#0	0.009~0.15	-56.14	PASS
Band5	1.4MHz	QPSK	20407	1RB#0	0.15~30	-52.14	PASS
Band5	1.4MHz	QPSK	20407	1RB#0	30~1000	-53.36	PASS
Band5	1.4MHz	QPSK	20407	1RB#0	1000~3000	-46.73	PASS
Band5	1.4MHz	QPSK	20407	1RB#0	3000~10000	-44.38	PASS
Band5	1.4MHz	16QAM	20407	1RB#0	0.009~0.15	-56.34	PASS
Band5	1.4MHz	16QAM	20407	1RB#0	0.15~30	-53.14	PASS
Band5	1.4MHz	16QAM	20407	1RB#0	30~1000	-53.79	PASS
Band5	1.4MHz	16QAM	20407	1RB#0	1000~3000	-47.15	PASS
Band5	1.4MHz	16QAM	20407	1RB#0	3000~10000	-44.33	PASS
Band5	1.4MHz	QPSK	20525	1RB#0	0.009~0.15	-59.04	PASS
Band5	1.4MHz	QPSK	20525	1RB#0	0.15~30	-50.03	PASS
Band5	1.4MHz	QPSK	20525	1RB#0	30~1000	-53.62	PASS
Band5	1.4MHz	QPSK	20525	1RB#0	1000~3000	-46.86	PASS
Band5	1.4MHz	QPSK	20525	1RB#0	3000~10000	-43.95	PASS
Band5	1.4MHz	16QAM	20525	1RB#0	0.009~0.15	-55.86	PASS
Band5	1.4MHz	16QAM	20525	1RB#0	0.15~30	-53.14	PASS
Band5	1.4MHz	16QAM	20525	1RB#0	30~1000	-53.36	PASS
Band5	1.4MHz	16QAM	20525	1RB#0	1000~3000	-45.90	PASS
Band5	1.4MHz	16QAM	20525	1RB#0	3000~10000	-44.14	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	0.009~0.15	-56.94	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	0.15~30	-54.20	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	30~1000	-44.84	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	1000~3000	-47.70	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	3000~10000	-43.86	PASS
Band5	1.4MHz	16QAM	20643	1RB#0	0.009~0.15	-57.34	PASS
Band5	1.4MHz	16QAM	20643	1RB#0	0.15~30	-52.38	PASS
Band5	1.4MHz	16QAM	20643	1RB#0	30~1000	-41.86	PASS
Band5	1.4MHz	16QAM	20643	1RB#0	1000~3000	-47.76	PASS
Band5	1.4MHz	16QAM	20643	1RB#0	3000~10000	-43.76	PASS
Band5	3MHz	QPSK	20415	1RB#0	0.009~0.15	-59.93	PASS
Band5	3MHz	QPSK	20415	1RB#0	0.15~30	-52.97	PASS
Band5	3MHz	QPSK	20415	1RB#0	30~1000	-61.15	PASS
Band5	3MHz	QPSK	20415	1RB#0	1000~3000	-47.02	PASS
Band5	3MHz	QPSK	20415	1RB#0	3000~10000	-43.76	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Band5	3MHz	16QAM	20415	1RB#0	0.009~0.15	-58.21	PASS
Band5	3MHz	16QAM	20415	1RB#0	0.15~30	-50.72	PASS
Band5	3MHz	16QAM	20415	1RB#0	30~1000	-61.30	PASS
Band5	3MHz	16QAM	20415	1RB#0	1000~3000	-47.84	PASS
Band5	3MHz	16QAM	20415	1RB#0	3000~10000	-43.88	PASS
Band5	3MHz	QPSK	20525	1RB#0	0.009~0.15	-60.16	PASS
Band5	3MHz	QPSK	20525	1RB#0	0.15~30	-52.27	PASS
Band5	3MHz	QPSK	20525	1RB#0	30~1000	-60.70	PASS
Band5	3MHz	QPSK	20525	1RB#0	1000~3000	-46.43	PASS
Band5	3MHz	QPSK	20525	1RB#0	3000~10000	-44.13	PASS
Band5	3MHz	16QAM	20525	1RB#0	0.009~0.15	-59.10	PASS
Band5	3MHz	16QAM	20525	1RB#0	0.15~30	-52.57	PASS
Band5	3MHz	16QAM	20525	1RB#0	30~1000	-60.48	PASS
Band5	3MHz	16QAM	20525	1RB#0	1000~3000	-46.76	PASS
Band5	3MHz	16QAM	20525	1RB#0	3000~10000	-44.33	PASS
Band5	3MHz	QPSK	20635	1RB#0	0.009~0.15	-58.11	PASS
Band5	3MHz	QPSK	20635	1RB#0	0.15~30	-52.88	PASS
Band5	3MHz	QPSK	20635	1RB#0	30~1000	-58.62	PASS
Band5	3MHz	QPSK	20635	1RB#0	1000~3000	-47.56	PASS
Band5	3MHz	QPSK	20635	1RB#0	3000~10000	-43.72	PASS
Band5	3MHz	16QAM	20635	1RB#0	0.009~0.15	-57.70	PASS
Band5	3MHz	16QAM	20635	1RB#0	0.15~30	-51.29	PASS
Band5	3MHz	16QAM	20635	1RB#0	30~1000	-58.48	PASS
Band5	3MHz	16QAM	20635	1RB#0	1000~3000	-47.34	PASS
Band5	3MHz	16QAM	20635	1RB#0	3000~10000	-44.20	PASS
Band5	5MHz	QPSK	20425	1RB#0	0.009~0.15	-57.21	PASS
Band5	5MHz	QPSK	20425	1RB#0	0.15~30	-49.74	PASS
Band5	5MHz	QPSK	20425	1RB#0	30~1000	-61.81	PASS
Band5	5MHz	QPSK	20425	1RB#0	1000~3000	-47.10	PASS
Band5	5MHz	QPSK	20425	1RB#0	3000~10000	-44.18	PASS
Band5	5MHz	16QAM	20425	1RB#0	0.009~0.15	-55.41	PASS
Band5	5MHz	16QAM	20425	1RB#0	0.15~30	-51.26	PASS
Band5	5MHz	16QAM	20425	1RB#0	30~1000	-61.91	PASS
Band5	5MHz	16QAM	20425	1RB#0	1000~3000	-47.20	PASS
Band5	5MHz	16QAM	20425	1RB#0	3000~10000	-44.07	PASS
Band5	5MHz	QPSK	20525	1RB#0	0.009~0.15	-59.11	PASS
Band5	5MHz	QPSK	20525	1RB#0	0.15~30	-53.56	PASS
Band5	5MHz	QPSK	20525	1RB#0	30~1000	-45.74	PASS
Band5	5MHz	QPSK	20525	1RB#0	1000~3000	-47.11	PASS
Band5	5MHz	QPSK	20525	1RB#0	3000~10000	-44.38	PASS
Band5	5MHz	16QAM	20525	1RB#0	0.009~0.15	-55.55	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Band5	5MHz	16QAM	20525	1RB#0	0.15~30	-53.11	PASS
Band5	5MHz	16QAM	20525	1RB#0	30~1000	-48.24	PASS
Band5	5MHz	16QAM	20525	1RB#0	1000~3000	-47.52	PASS
Band5	5MHz	16QAM	20525	1RB#0	3000~10000	-44.05	PASS
Band5	5MHz	QPSK	20625	1RB#0	0.009~0.15	-58.34	PASS
Band5	5MHz	QPSK	20625	1RB#0	0.15~30	-51.40	PASS
Band5	5MHz	QPSK	20625	1RB#0	30~1000	-61.93	PASS
Band5	5MHz	QPSK	20625	1RB#0	1000~3000	-47.67	PASS
Band5	5MHz	QPSK	20625	1RB#0	3000~10000	-44.03	PASS
Band5	5MHz	16QAM	20625	1RB#0	0.009~0.15	-58.27	PASS
Band5	5MHz	16QAM	20625	1RB#0	0.15~30	-52.05	PASS
Band5	5MHz	16QAM	20625	1RB#0	30~1000	-61.93	PASS
Band5	5MHz	16QAM	20625	1RB#0	1000~3000	-47.66	PASS
Band5	5MHz	16QAM	20625	1RB#0	3000~10000	-43.67	PASS
Band5	10MHz	QPSK	20450	1RB#0	0.009~0.15	-54.34	PASS
Band5	10MHz	QPSK	20450	1RB#0	0.15~30	-51.84	PASS
Band5	10MHz	QPSK	20450	1RB#0	30~1000	-62.10	PASS
Band5	10MHz	QPSK	20450	1RB#0	1000~3000	-47.69	PASS
Band5	10MHz	QPSK	20450	1RB#0	3000~10000	-44.22	PASS
Band5	10MHz	16QAM	20450	1RB#0	0.009~0.15	-56.37	PASS
Band5	10MHz	16QAM	20450	1RB#0	0.15~30	-52.36	PASS
Band5	10MHz	16QAM	20450	1RB#0	30~1000	-61.97	PASS
Band5	10MHz	16QAM	20450	1RB#0	1000~3000	-46.79	PASS
Band5	10MHz	16QAM	20450	1RB#0	3000~10000	-43.79	PASS
Band5	10MHz	QPSK	20525	1RB#0	0.009~0.15	-56.92	PASS
Band5	10MHz	QPSK	20525	1RB#0	0.15~30	-51.42	PASS
Band5	10MHz	QPSK	20525	1RB#0	30~1000	-61.51	PASS
Band5	10MHz	QPSK	20525	1RB#0	1000~3000	-47.42	PASS
Band5	10MHz	QPSK	20525	1RB#0	3000~10000	-44.20	PASS
Band5	10MHz	16QAM	20525	1RB#0	0.009~0.15	-56.38	PASS
Band5	10MHz	16QAM	20525	1RB#0	0.15~30	-54.54	PASS
Band5	10MHz	16QAM	20525	1RB#0	30~1000	-62.16	PASS
Band5	10MHz	16QAM	20525	1RB#0	1000~3000	-47.33	PASS
Band5	10MHz	16QAM	20525	1RB#0	3000~10000	-43.93	PASS
Band5	10MHz	QPSK	20600	1RB#0	0.009~0.15	-56.02	PASS
Band5	10MHz	QPSK	20600	1RB#0	0.15~30	-52.73	PASS
Band5	10MHz	QPSK	20600	1RB#0	30~1000	-61.90	PASS
Band5	10MHz	QPSK	20600	1RB#0	1000~3000	-47.59	PASS
Band5	10MHz	QPSK	20600	1RB#0	3000~10000	-44.14	PASS
Band5	10MHz	16QAM	20600	1RB#0	0.009~0.15	-56.61	PASS
Band5	10MHz	16QAM	20600	1RB#0	0.15~30	-51.10	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Band5	10MHz	16QAM	20600	1RB#0	30~1000	-61.93	PASS
Band5	10MHz	16QAM	20600	1RB#0	1000~3000	-47.57	PASS
Band5	10MHz	16QAM	20600	1RB#0	3000~10000	-44.07	PASS

Test Graphs




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band5_1.4MHz_QPSK_20407_1RB#0_30~1000_30~1000



Band5_1.4MHz_QPSK_20407_1RB#0_1000~3000_1000~3000



Band5_1.4MHz_QPSK_20407_1RB#0_3000~10000_3000~10000




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band5_1.4MHz_16QAM_20407_1RB#0_0.009~0.15_0.009~0.15



Band5_1.4MHz_16QAM_20407_1RB#0_0.15~30_0.15~30



Band5_1.4MHz_16QAM_20407_1RB#0_30~1000_30~1000




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band5_1.4MHz_16QAM_20407_1RB#0_1000~3000_1000~3000



Band5_1.4MHz_16QAM_20407_1RB#0_3000~10000_3000~10000



Band5_1.4MHz_QPSK_20525_1RB#0_0.009~0.15_0.009~0.15




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band5_1.4MHz_QPSK_20525_1RB#0_0.15~30_0.15~30



Band5_1.4MHz_QPSK_20525_1RB#0_30~1000_30~1000



Band5_1.4MHz_QPSK_20525_1RB#0_1000~3000_1000~3000




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band5_1.4MHz_QPSK_20525_1RB#0_3000~10000_3000~10000



Band5_1.4MHz_16QAM_20525_1RB#0_0.009~0.15_0.009~0.15



Band5_1.4MHz_16QAM_20525_1RB#0_0.15~30_0.15~30




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band5_1.4MHz_16QAM_20525_1RB#0_30~1000_30~1000



Band5_1.4MHz_16QAM_20525_1RB#0_1000~3000_1000~3000



Band5_1.4MHz_16QAM_20525_1RB#0_3000~10000_3000~10000



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity