

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B26b_1.4MHz_ERP

Band: 26b / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
64QAM	824.7	1	0	22.71	3.00	23.56	<=38.45	Pass
			2	23.10	3.00	23.95	<=38.45	Pass
			5	22.55	3.00	23.40	<=38.45	Pass
		3	0	22.98	3.00	23.83	<=38.45	Pass
			2	23.07	3.00	23.92	<=38.45	Pass
			3	22.69	3.00	23.54	<=38.45	Pass
		6	0	21.86	3.00	22.71	<=38.45	Pass
	836.5	1	0	22.87	3.00	23.72	<=38.45	Pass
			2	22.45	3.00	23.30	<=38.45	Pass
			5	22.58	3.00	23.43	<=38.45	Pass
		3	0	22.82	3.00	23.67	<=38.45	Pass
			2	22.65	3.00	23.50	<=38.45	Pass
			3	22.82	3.00	23.67	<=38.45	Pass
		6	0	21.57	3.00	22.42	<=38.45	Pass
	848.3	1	0	22.41	3.00	23.26	<=38.45	Pass
			2	22.69	3.00	23.54	<=38.45	Pass
			5	22.85	3.00	23.70	<=38.45	Pass
		3	0	22.60	3.00	23.45	<=38.45	Pass
			2	22.91	3.00	23.76	<=38.45	Pass
			3	22.83	3.00	23.68	<=38.45	Pass
		6	0	21.76	3.00	22.61	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.2 B26b_3MHz_ERP

Band: 26b / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
64QAM	825.5	1	0	22.98	3.00	23.83	<=38.45	Pass
			7	23.06	3.00	23.91	<=38.45	Pass
			14	22.94	3.00	23.79	<=38.45	Pass
		8	0	21.91	3.00	22.76	<=38.45	Pass
			4	21.92	3.00	22.77	<=38.45	Pass
			7	21.90	3.00	22.75	<=38.45	Pass
		15	0	21.77	3.00	22.62	<=38.45	Pass
	836.5	1	0	22.70	3.00	23.55	<=38.45	Pass
			7	22.77	3.00	23.62	<=38.45	Pass
			14	22.70	3.00	23.55	<=38.45	Pass
		8	0	21.59	3.00	22.44	<=38.45	Pass
			4	21.62	3.00	22.47	<=38.45	Pass
			7	21.55	3.00	22.40	<=38.45	Pass
		15	0	21.85	3.00	22.70	<=38.45	Pass
	847.5	1	0	22.56	3.00	23.41	<=38.45	Pass
			7	22.58	3.00	23.43	<=38.45	Pass
			14	22.48	3.00	23.33	<=38.45	Pass

		8	0	21.73	3.00	22.58	<=38.45	Pass
			4	21.76	3.00	22.61	<=38.45	Pass
			7	21.67	3.00	22.52	<=38.45	Pass
		15	0	21.77	3.00	22.62	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.3 B26b_5MHz_ERP

Band: 26b / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
64QAM	826.5	1	0	22.67	3.00	23.52	<=38.45	Pass
			13	22.74	3.00	23.59	<=38.45	Pass
			24	22.62	3.00	23.47	<=38.45	Pass
		12	0	21.73	3.00	22.58	<=38.45	Pass
			6	21.73	3.00	22.58	<=38.45	Pass
			13	21.70	3.00	22.55	<=38.45	Pass
		25	0	21.78	3.00	22.63	<=38.45	Pass
	836.5	1	0	22.83	3.00	23.68	<=38.45	Pass
			13	22.86	3.00	23.71	<=38.45	Pass
			24	22.85	3.00	23.70	<=38.45	Pass
		12	0	21.73	3.00	22.58	<=38.45	Pass
			6	21.73	3.00	22.58	<=38.45	Pass
			13	21.67	3.00	22.52	<=38.45	Pass
		25	0	21.74	3.00	22.59	<=38.45	Pass
	846.5	1	0	22.86	3.00	23.71	<=38.45	Pass
			13	22.89	3.00	23.74	<=38.45	Pass
			24	22.77	3.00	23.62	<=38.45	Pass
		12	0	21.89	3.00	22.74	<=38.45	Pass
			6	21.88	3.00	22.73	<=38.45	Pass
			13	21.83	3.00	22.68	<=38.45	Pass
		25	0	21.72	3.00	22.57	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.4 B26b_10MHz_ERP

Band: 26b / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
64QAM	829	1	0	22.95	3.00	23.80	<=38.45	Pass
			25	22.93	3.00	23.78	<=38.45	Pass
			49	22.86	3.00	23.71	<=38.45	Pass
		25	0	21.82	3.00	22.67	<=38.45	Pass
			13	21.81	3.00	22.66	<=38.45	Pass
			25	21.73	3.00	22.58	<=38.45	Pass
		50	0	21.81	3.00	22.66	<=38.45	Pass
	836.5	1	0	22.76	3.00	23.61	<=38.45	Pass
			25	22.71	3.00	23.56	<=38.45	Pass
			49	22.74	3.00	23.59	<=38.45	Pass
		25	0	21.80	3.00	22.65	<=38.45	Pass
			13	21.82	3.00	22.67	<=38.45	Pass
			25	21.75	3.00	22.60	<=38.45	Pass
		50	0	21.72	3.00	22.57	<=38.45	Pass

	844	1	0	22.61	3.00	23.46	<=38.45	Pass
			25	22.53	3.00	23.38	<=38.45	Pass
			49	22.40	3.00	23.25	<=38.45	Pass
		25	0	21.89	3.00	22.74	<=38.45	Pass
			13	21.90	3.00	22.75	<=38.45	Pass
			25	21.84	3.00	22.69	<=38.45	Pass
		50	0	21.79	3.00	22.64	<=38.45	Pass
		Note1: ERP=Conducted Power+Antenna Gain-2.15						

1.1.5 B26b_15MHz_ERP

Band: 26b / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
64QAM	831.5	1	0	23.00	3.00	23.85	<=38.45	Pass
			38	22.89	3.00	23.74	<=38.45	Pass
			74	22.82	3.00	23.67	<=38.45	Pass
		36	0	21.77	3.00	22.62	<=38.45	Pass
			18	21.79	3.00	22.64	<=38.45	Pass
			39	21.71	3.00	22.56	<=38.45	Pass
		75	0	21.71	3.00	22.56	<=38.45	Pass
	836.5	1	0	22.83	3.00	23.68	<=38.45	Pass
			38	22.68	3.00	23.53	<=38.45	Pass
			74	22.72	3.00	23.57	<=38.45	Pass
		36	0	21.76	3.00	22.61	<=38.45	Pass
			18	21.74	3.00	22.59	<=38.45	Pass
			39	21.71	3.00	22.56	<=38.45	Pass
		75	0	21.67	3.00	22.52	<=38.45	Pass
	841.5	1	0	22.96	3.00	23.81	<=38.45	Pass
			38	22.96	3.00	23.81	<=38.45	Pass
			74	22.84	3.00	23.69	<=38.45	Pass
		36	0	21.61	3.00	22.46	<=38.45	Pass
			18	21.67	3.00	22.52	<=38.45	Pass
			39	21.68	3.00	22.53	<=38.45	Pass
		75	0	21.61	3.00	22.46	<=38.45	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

2. Frequency Stability

2.1 Test Result

2.1.1 B26b_1.4MHz

Band: 26b / Bandwidth: 1.4MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
64QAM	824.7	6	0	20	3.27	-4.692	-0.0057	-2.5 to 2.5	Pass
					3.85	-11.244	-0.0136	-2.5 to 2.5	Pass
					4.43	-20.070	-0.0243	-2.5 to 2.5	Pass
				-30	3.85	-12.431	-0.0151	-2.5 to 2.5	Pass
				-20	3.85	-0.587	-0.0007	-2.5 to 2.5	Pass
				-10	3.85	-6.409	-0.0078	-2.5 to 2.5	Pass

				0	3.85	-3.047	-0.0037	-2.5 to 2.5	Pass
				10	3.85	-1.974	-0.0024	-2.5 to 2.5	Pass
				30	3.85	0.629	0.0008	-2.5 to 2.5	Pass
				40	3.85	-4.849	-0.0059	-2.5 to 2.5	Pass
				50	3.85	-3.233	-0.0039	-2.5 to 2.5	Pass
	836.5	6	0	20	3.27	9.913	0.0119	-2.5 to 2.5	Pass
					3.85	9.971	0.0119	-2.5 to 2.5	Pass
					4.43	0.086	0.0001	-2.5 to 2.5	Pass
				-30	3.85	-3.290	-0.0039	-2.5 to 2.5	Pass
				-20	3.85	-1.774	-0.0021	-2.5 to 2.5	Pass
				-10	3.85	1.874	0.0022	-2.5 to 2.5	Pass
				0	3.85	-1.245	-0.0015	-2.5 to 2.5	Pass
				10	3.85	1.917	0.0023	-2.5 to 2.5	Pass
				30	3.85	0.000	0.0000	-2.5 to 2.5	Pass
				40	3.85	1.516	0.0018	-2.5 to 2.5	Pass
				50	3.85	0.157	0.0002	-2.5 to 2.5	Pass
	848.3	6	0	20	3.27	-3.748	-0.0044	-2.5 to 2.5	Pass
					3.85	-13.547	-0.0160	-2.5 to 2.5	Pass
					4.43	-11.673	-0.0138	-2.5 to 2.5	Pass
				-30	3.85	-9.542	-0.0112	-2.5 to 2.5	Pass
				-20	3.85	-5.507	-0.0065	-2.5 to 2.5	Pass
				-10	3.85	0.587	0.0007	-2.5 to 2.5	Pass
				0	3.85	-3.905	-0.0046	-2.5 to 2.5	Pass
				10	3.85	-1.774	-0.0021	-2.5 to 2.5	Pass
				30	3.85	-3.519	-0.0041	-2.5 to 2.5	Pass
				40	3.85	-2.389	-0.0028	-2.5 to 2.5	Pass
				50	3.85	1.030	0.0012	-2.5 to 2.5	Pass

2.1.2 B26b_3MHz

Band: 26b / Bandwidth: 3MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
64QAM	825.5	15	0	20	3.27	4.177	0.0051	-2.5 to 2.5	Pass
					3.85	1.917	0.0023	-2.5 to 2.5	Pass
					4.43	2.747	0.0033	-2.5 to 2.5	Pass
				-30	3.85	1.917	0.0023	-2.5 to 2.5	Pass
				-20	3.85	2.947	0.0036	-2.5 to 2.5	Pass
				-10	3.85	3.462	0.0042	-2.5 to 2.5	Pass
				0	3.85	6.022	0.0073	-2.5 to 2.5	Pass
				10	3.85	6.080	0.0074	-2.5 to 2.5	Pass
				30	3.85	1.802	0.0022	-2.5 to 2.5	Pass
				40	3.85	5.722	0.0069	-2.5 to 2.5	Pass
				50	3.85	2.332	0.0028	-2.5 to 2.5	Pass
	836.5	15	0	20	3.27	-0.758	-0.0009	-2.5 to 2.5	Pass
					3.85	1.774	0.0021	-2.5 to 2.5	Pass
					4.43	-2.646	-0.0032	-2.5 to 2.5	Pass
				-30	3.85	1.917	0.0023	-2.5 to 2.5	Pass
				-20	3.85	-3.591	-0.0043	-2.5 to 2.5	Pass
				-10	3.85	-6.766	-0.0081	-2.5 to 2.5	Pass
				0	3.85	-3.891	-0.0047	-2.5 to 2.5	Pass
				10	3.85	-3.648	-0.0044	-2.5 to 2.5	Pass
				30	3.85	-1.130	-0.0014	-2.5 to 2.5	Pass
				40	3.85	-3.633	-0.0043	-2.5 to 2.5	Pass
				50	3.85	1.631	0.0019	-2.5 to 2.5	Pass

	847.5	15	0	20	3.27	1.602	0.0019	-2.5 to 2.5	Pass
					3.85	3.662	0.0043	-2.5 to 2.5	Pass
					4.43	2.689	0.0032	-2.5 to 2.5	Pass
				-30	3.85	3.891	0.0046	-2.5 to 2.5	Pass
				-20	3.85	1.574	0.0019	-2.5 to 2.5	Pass
				-10	3.85	-2.189	-0.0026	-2.5 to 2.5	Pass
				0	3.85	-0.501	-0.0006	-2.5 to 2.5	Pass
				10	3.85	-2.675	-0.0032	-2.5 to 2.5	Pass
				30	3.85	-2.904	-0.0034	-2.5 to 2.5	Pass
				40	3.85	1.402	0.0017	-2.5 to 2.5	Pass
				50	3.85	0.472	0.0006	-2.5 to 2.5	Pass

2.1.3 B26b_5MHz

Band: 26b / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
64QAM	826.5	25	0	20	3.27	-0.830	-0.0010	-2.5 to 2.5	Pass
					3.85	0.772	0.0009	-2.5 to 2.5	Pass
					4.43	1.817	0.0022	-2.5 to 2.5	Pass
				-30	3.85	-3.161	-0.0038	-2.5 to 2.5	Pass
				-20	3.85	3.204	0.0039	-2.5 to 2.5	Pass
				-10	3.85	-1.931	-0.0023	-2.5 to 2.5	Pass
				0	3.85	-4.191	-0.0051	-2.5 to 2.5	Pass
				10	3.85	1.531	0.0019	-2.5 to 2.5	Pass
				30	3.85	-1.645	-0.0020	-2.5 to 2.5	Pass
				40	3.85	0.143	0.0002	-2.5 to 2.5	Pass
				50	3.85	-1.845	-0.0022	-2.5 to 2.5	Pass
	836.5	25	0	20	3.27	-5.150	-0.0062	-2.5 to 2.5	Pass
					3.85	-5.736	-0.0069	-2.5 to 2.5	Pass
					4.43	-5.007	-0.0060	-2.5 to 2.5	Pass
				-30	3.85	-5.507	-0.0066	-2.5 to 2.5	Pass
				-20	3.85	-1.888	-0.0023	-2.5 to 2.5	Pass
				-10	3.85	0.529	0.0006	-2.5 to 2.5	Pass
				0	3.85	-1.845	-0.0022	-2.5 to 2.5	Pass
				10	3.85	-2.890	-0.0035	-2.5 to 2.5	Pass
				30	3.85	-2.847	-0.0034	-2.5 to 2.5	Pass
				40	3.85	-2.575	-0.0031	-2.5 to 2.5	Pass
				50	3.85	-3.505	-0.0042	-2.5 to 2.5	Pass
	846.5	25	0	20	3.27	4.706	0.0056	-2.5 to 2.5	Pass
					3.85	0.587	0.0007	-2.5 to 2.5	Pass
					4.43	-1.030	-0.0012	-2.5 to 2.5	Pass
				-30	3.85	4.549	0.0054	-2.5 to 2.5	Pass
				-20	3.85	0.687	0.0008	-2.5 to 2.5	Pass
				-10	3.85	2.604	0.0031	-2.5 to 2.5	Pass
				0	3.85	3.662	0.0043	-2.5 to 2.5	Pass
				10	3.85	5.364	0.0063	-2.5 to 2.5	Pass
				30	3.85	1.945	0.0023	-2.5 to 2.5	Pass
				40	3.85	5.879	0.0069	-2.5 to 2.5	Pass
				50	3.85	0.715	0.0008	-2.5 to 2.5	Pass

2.1.4 B26b_10MHz

Band: 26b / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
64QAM	829	50	0	20	3.27	-2.947	-0.0036	-2.5 to 2.5	Pass
					3.85	-3.633	-0.0044	-2.5 to 2.5	Pass
					4.43	-2.975	-0.0036	-2.5 to 2.5	Pass
				-30	3.85	-2.131	-0.0026	-2.5 to 2.5	Pass
				-20	3.85	-0.257	-0.0003	-2.5 to 2.5	Pass
				-10	3.85	-0.615	-0.0007	-2.5 to 2.5	Pass
				0	3.85	-4.478	-0.0054	-2.5 to 2.5	Pass
				10	3.85	-1.760	-0.0021	-2.5 to 2.5	Pass
				30	3.85	-4.478	-0.0054	-2.5 to 2.5	Pass
				40	3.85	0.587	0.0007	-2.5 to 2.5	Pass
				50	3.85	-4.449	-0.0054	-2.5 to 2.5	Pass
	836.5	50	0	20	3.27	-0.916	-0.0011	-2.5 to 2.5	Pass
					3.85	-2.718	-0.0032	-2.5 to 2.5	Pass
					4.43	-1.130	-0.0014	-2.5 to 2.5	Pass
				-30	3.85	-5.021	-0.0060	-2.5 to 2.5	Pass
				-20	3.85	-4.406	-0.0053	-2.5 to 2.5	Pass
				-10	3.85	-1.659	-0.0020	-2.5 to 2.5	Pass
				0	3.85	-1.030	-0.0012	-2.5 to 2.5	Pass
				10	3.85	-2.890	-0.0035	-2.5 to 2.5	Pass
				30	3.85	-7.281	-0.0087	-2.5 to 2.5	Pass
				40	3.85	-4.320	-0.0052	-2.5 to 2.5	Pass
				50	3.85	-3.533	-0.0042	-2.5 to 2.5	Pass
	844	50	0	20	3.27	-3.204	-0.0038	-2.5 to 2.5	Pass
					3.85	-4.721	-0.0056	-2.5 to 2.5	Pass
					4.43	-3.333	-0.0039	-2.5 to 2.5	Pass
				-30	3.85	-4.849	-0.0057	-2.5 to 2.5	Pass
				-20	3.85	-2.718	-0.0032	-2.5 to 2.5	Pass
				-10	3.85	-5.364	-0.0064	-2.5 to 2.5	Pass
				0	3.85	-1.674	-0.0020	-2.5 to 2.5	Pass
				10	3.85	-4.592	-0.0054	-2.5 to 2.5	Pass
				30	3.85	-2.990	-0.0035	-2.5 to 2.5	Pass
				40	3.85	-3.505	-0.0042	-2.5 to 2.5	Pass
				50	3.85	0.272	0.0003	-2.5 to 2.5	Pass

2.1.5 B26b_15MHz

Band: 26b / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
64QAM	831.5	75	0	20	3.27	2.847	0.0034	-2.5 to 2.5	Pass
					3.85	0.472	0.0006	-2.5 to 2.5	Pass
					4.43	4.921	0.0059	-2.5 to 2.5	Pass
				-30	3.85	0.358	0.0004	-2.5 to 2.5	Pass
				-20	3.85	0.143	0.0002	-2.5 to 2.5	Pass
				-10	3.85	1.788	0.0022	-2.5 to 2.5	Pass
				0	3.85	1.831	0.0022	-2.5 to 2.5	Pass
				10	3.85	1.731	0.0021	-2.5 to 2.5	Pass
				30	3.85	1.559	0.0019	-2.5 to 2.5	Pass
				40	3.85	2.518	0.0030	-2.5 to 2.5	Pass
				50	3.85	2.661	0.0032	-2.5 to 2.5	Pass
	836.5	75	0	20	3.27	-4.420	-0.0053	-2.5 to 2.5	Pass
					3.85	-5.608	-0.0067	-2.5 to 2.5	Pass

					4.43	-2.933	-0.0035	-2.5 to 2.5	Pass
				-30	3.85	-4.191	-0.0050	-2.5 to 2.5	Pass
				-20	3.85	-2.346	-0.0028	-2.5 to 2.5	Pass
				-10	3.85	-3.304	-0.0039	-2.5 to 2.5	Pass
				0	3.85	-2.017	-0.0024	-2.5 to 2.5	Pass
				10	3.85	-2.890	-0.0035	-2.5 to 2.5	Pass
				30	3.85	-4.191	-0.0050	-2.5 to 2.5	Pass
				40	3.85	-1.631	-0.0019	-2.5 to 2.5	Pass
				50	3.85	-3.719	-0.0044	-2.5 to 2.5	Pass
	841.5	75	0	20	3.27	-0.286	-0.0003	-2.5 to 2.5	Pass
					3.85	-2.747	-0.0033	-2.5 to 2.5	Pass
					4.43	0.987	0.0012	-2.5 to 2.5	Pass
				-30	3.85	1.831	0.0022	-2.5 to 2.5	Pass
				-20	3.85	3.619	0.0043	-2.5 to 2.5	Pass
				-10	3.85	-2.589	-0.0031	-2.5 to 2.5	Pass
				0	3.85	-2.589	-0.0031	-2.5 to 2.5	Pass
				10	3.85	-0.730	-0.0009	-2.5 to 2.5	Pass
				30	3.85	2.475	0.0029	-2.5 to 2.5	Pass
				40	3.85	0.572	0.0007	-2.5 to 2.5	Pass
				50	3.85	0.801	0.0010	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band26b_OBW

Band: 26b / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	64QAM	824.7	6	0	1.110	/	Pass
		836.5	6	0	1.104	/	Pass
		848.3	6	0	1.103	/	Pass
3	64QAM	825.5	15	0	2.753	/	Pass
		836.5	15	0	2.737	/	Pass
		847.5	15	0	2.735	/	Pass
5	64QAM	826.5	25	0	4.544	/	Pass
		836.5	25	0	4.553	/	Pass
		846.5	25	0	4.556	/	Pass
10	64QAM	829	50	0	9.029	/	Pass
		836.5	50	0	9.018	/	Pass
		844	50	0	9.050	/	Pass
15	64QAM	831.5	75	0	13.577	/	Pass
		836.5	75	0	13.536	/	Pass
		841.5	75	0	13.592	/	Pass


3.1.2 Band26b_XDB

Band: 26b / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	64QAM	824.7	6	0	1.272	/	Pass


		836.5	6	0	1.252	/	Pass
		848.3	6	0	1.259	/	Pass
3	64QAM	825.5	15	0	3.055	/	Pass
		836.5	15	0	3.051	/	Pass
		847.5	15	0	3.066	/	Pass
5	64QAM	826.5	25	0	5.060	/	Pass
		836.5	25	0	5.064	/	Pass
		846.5	25	0	5.059	/	Pass
10	64QAM	829	50	0	10.033	/	Pass
		836.5	50	0	9.918	/	Pass
		844	50	0	9.988	/	Pass
15	64QAM	831.5	75	0	14.968	/	Pass
		836.5	75	0	14.849	/	Pass
		841.5	75	0	14.901	/	Pass

3.2 Test Graph


3.2.1 Band26b_OBW




Band26b_1.4MHz_64QAM_HCH_848.3MHz_RB_6_0_NTNV




Band26b_3MHz_64QAM_LCH_825.5MHz_RB_15_0_NTNV




Band26b_3MHz_64QAM_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_64QAM_HCH_847.5MHz_RB_15_0_NTNV




Band26b_5MHz_64QAM_LCH_826.5MHz_RB_25_0_NTNV




Band26b_5MHz_64QAM_MCH_836.5MHz_RB_25_0_NTNV




Band26b_5MHz_64QAM_HCH_846.5MHz_RB_25_0_NTNV




Band26b_10MHz_64QAM_LCH_829MHz_RB_50_0_NTNV




Band26b_10MHz_64QAM_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_64QAM_HCH_844MHz_RB_50_0_NTNV




Band26b_15MHz_64QAM_LCH_831.5MHz_RB_75_0_NTNV




Band26b_15MHz_64QAM_MCH_836.5MHz_RB_75_0_NTNV




Band26b_15MHz_64QAM_HCH_841.5MHz_RB_75_0_NTNV




3.2.2 Band26b_XDB




Band26b_1.4MHz_64QAM_HCH_848.3MHz_RB_6_0_NTNV




Band26b_3MHz_64QAM_LCH_825.5MHz_RB_15_0_NTNV




Band26b_3MHz_64QAM_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_64QAM_HCH_847.5MHz_RB_15_0_NTNV




Band26b_5MHz_64QAM_LCH_826.5MHz_RB_25_0_NTNV




Band26b_5MHz_64QAM_MCH_836.5MHz_RB_25_0_NTNV




Band26b_5MHz_64QAM_HCH_846.5MHz_RB_25_0_NTNV




Band26b_10MHz_64QAM_LCH_829MHz_RB_50_0_NTNV




Band26b_10MHz_64QAM_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_64QAM_HCH_844MHz_RB_50_0_NTNV




Band26b_15MHz_64QAM_LCH_831.5MHz_RB_75_0_NTNV



Band26b_15MHz_64QAM_MCH_836.5MHz_RB_75_0_NTNV



Band26b_15MHz_64QAM_HCH_841.5MHz_RB_75_0_NTNV



4. Peak-Average Ratio

4.1 Test Result

4.1.1 B26b_1.4MHz

Band: 26b / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
64QAM	824.7	6	0	6.62	<=13	Pass
	836.5	6	0	6.39	<=13	Pass
	848.3	6	0	6.35	<=13	Pass

4.1.2 B26b_3MHz

Band: 26b / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
64QAM	825.5	15	0	6.83	<=13	Pass
	836.5	15	0	6.42	<=13	Pass
	847.5	15	0	6.44	<=13	Pass

4.1.3 B26b_5MHz

Band: 26b / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
64QAM	826.5	25	0	6.79	<=13	Pass
	836.5	25	0	6.43	<=13	Pass
	846.5	25	0	6.55	<=13	Pass

4.1.4 B26b_10MHz

Band: 26b / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
64QAM	829	50	0	6.70	<=13	Pass
	836.5	50	0	6.48	<=13	Pass
	844	50	0	6.45	<=13	Pass


4.1.5 B26b_15MHz

Band: 26b / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
64QAM	831.5	75	0	6.60	<=13	Pass


	836.5	75	0	6.48	≤ 13	Pass
	841.5	75	0	6.44	≤ 13	Pass

4.2 Test Graph


4.2.1 B26b_1.4MHz




Band26b_1.4MHz_64QAM_HCH_848.3MHz_RB_6_0_NTNV




4.2.2 B26b_3MHz




Band26b_3MHz_64QAM_HCH_847.5MHz_RB_15_0_NTNV




4.2.3 B26b_5MHz




Band26b_5MHz_64QAM_HCH_846.5MHz_RB_25_0_NTNV




4.2.4 B26b_10MHz




Band26b_10MHz_64QAM_HCH_844MHz_RB_50_0_NTNV



4.2.5 B26b_15MHz



Band26b_15MHz_64QAM_HCH_841.5MHz_RB_75_0_NTNV



5. Spurious Emission

5.1 Test Result

5.1.1 B26b_1.4MHz

Band: 26b / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
64QAM	824.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
		848.3	1	0	Refer To Test Graph	
	5			Refer To Test Graph		Pass
	6		0	Refer To Test Graph		Pass

5.1.2 B26b_3MHz

Band: 26b / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
64QAM	825.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	847.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass

5.1.3 B26b_5MHz

Band: 26b / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
64QAM	826.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	846.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

5.1.4 B26b_10MHz

Band: 26b / Bandwidth: 10MHz / NTN/V						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
64QAM	829	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass


	844	1	0	Refer To Test Graph	Pass
			49	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass

5.1.5 B26b_15MHz


Band: 26b / Bandwidth: 15MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
64QAM	831.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	841.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass

5.2 Test Graph


5.2.1 B26b_1.4MHz




Band26b_1.4MHz_64QAM_LCH_824.7MHz_RB_1_0_NTNV




Band26b_1.4MHz_64QAM_LCH_824.7MHz_RB_1_0_NTNV



Band26b_1.4MHz_64QAM_LCH_824.7MHz_RB_1_0_NTNV




Band26b_1.4MHz_64QAM_LCH_824.7MHz_RB_6_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHP	1	822.948	-39.79	-13	Pass
823	824	0.013	CHP	2	823.938	-34.70	-13	Pass
824	827	0.013	CHP	/	/	/	/	/


Band26b_1.4MHz_64QAM_MCH_836.5MHz_RB_1_0_NTNV




Band26b_1.4MHz_64QAM_MCH_836.5MHz_RB_1_0_NTNV




Band26b_1.4MHz_64QAM_MCH_836.5MHz_RB_1_0_NTNV




Band26b_1.4MHz_64QAM_MCH_836.5MHz_RB_1_0_NTNV




Band26b_1.4MHz_64QAM_HCH_848.3MHz_RB_1_0_NTNV




Band26b_1.4MHz_64QAM_HCH_848.3MHz_RB_1_0_NTNV




Band26b_1.4MHz_64QAM_HCH_848.3MHz_RB_1_0_NTNV



Band26b_1.4MHz_64QAM_HCH_848.3MHz_RB_1_0_NTNV




Band26b_1.4MHz_64QAM_HCH_848.3MHz_RB_1_5_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.015	-36.03	-13	Pass
850	852	0.1	CHP	2	850.052	-55.54	-13	Pass

Band26b_1.4MHz_64QAM_HCH_848.3MHz_RB_6_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.013	CHP	/	/	/	/	/
849	850	0.013	CHP	1	849.023	-37.88	-13	Pass
850	852	0.1	CHP	2	850.052	-38.93	-13	Pass


5.2.2 B26b_3MHz




Band26b_3MHz_64QAM_LCH_825.5MHz_RB_1_0_NTNV




Band26b_3MHz_64QAM_LCH_825.5MHz_RB_1_0_NTNV



Band26b_3MHz_64QAM_LCH_825.5MHz_RB_1_0_NTNV




Band26b_3MHz_64QAM_LCH_825.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHP	1	822.902	-32.80	-13	Pass
823	824	0.031	CHP	2	823.994	-28.61	-13	Pass
824	827	0.031	CHP	/	/	/	/	/


Band26b 3MHz 64QAM MCH 836.5MHz RB 1_0 NTN




Band26b 3MHz 64QAM MCH 836.5MHz RB 1_0 NTN




Band26b 3MHz 64QAM MCH 836.5MHz RB 1_0 NTN




Band26b 3MHz 64QAM MCH 836.5MHz RB 1_0 NTN




Band26b_3MHz_64QAM_HCH_847.5MHz_RB_1_0_NTNV




Band26b_3MHz_64QAM_HCH_847.5MHz_RB_1_0_NTNV




Band26b_3MHz_64QAM_HCH_847.5MHz_RB_1_0_NTNV



Band26b_3MHz_64QAM_HCH_847.5MHz_RB_1_0_NTNV




Band26b_3MHz_64QAM_HCH_847.5MHz_RB_1_14_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.001	-32.64	-13	Pass
850	852	0.1	CHP	2	850.052	-47.75	-13	Pass

Band26b_3MHz_64QAM_HCH_847.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.031	CHP	/	/	/	/	/
849	850	0.031	CHP	1	849.006	-31.75	-13	Pass
850	852	0.1	CHP	2	850.056	-35.86	-13	Pass


5.2.3 B26b_5MHz




Band26b_5MHz_64QAM_LCH_826.5MHz_RB_1_0_NTNV




Band26b_5MHz_64QAM_LCH_826.5MHz_RB_1_0_NTNV



Band26b_5MHz_64QAM_LCH_826.5MHz_RB_1_0_NTNV




Band26b_5MHz_64QAM_LCH_826.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
819	823	0.1	CHP	1	822.900	-33.21	-13	Pass
823	824	0.051	CHP	2	823.990	-31.51	-13	Pass
824	829	0.051	CHP	/	/	/	/	/


Band26b 5MHz 64QAM MCH 836.5MHz RB 1_0 NTN




Band26b 5MHz 64QAM MCH 836.5MHz RB 1_0 NTN




Band26b 5MHz 64QAM MCH 836.5MHz RB 1_0_NTNV




Band26b 5MHz 64QAM MCH 836.5MHz RB 1_0_NTNV




Band26b_5MHz_64QAM_HCH_846.5MHz_RB_1_0_NTNV




Band26b_5MHz_64QAM_HCH_846.5MHz_RB_1_0_NTNV




Band26b_5MHz_64QAM_HCH_846.5MHz_RB_1_0_NTNV



Band26b_5MHz_64QAM_HCH_846.5MHz_RB_1_0_NTNV




Band26b 5MHz 64QAM HCH 846.5MHz RB 1 24 NTN




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.001	-37.69	-13	Pass
850	854	0.1	CHP	2	850.808	-48.80	-13	Pass

Band26b 5MHz 64QAM HCH 846.5MHz RB 25 0 NTN




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.051	CHP	/	/	/	/	/
849	850	0.051	CHP	1	849.010	-35.03	-13	Pass
850	854	0.1	CHP	2	850.080	-37.15	-13	Pass


5.2.4 B26b_10MHz




Band26b_10MHz_64QAM_LCH_829MHz_RB_1_0_NTNV




Band26b_10MHz_64QAM_LCH_829MHz_RB_1_0_NTNV



Band26b_10MHz_64QAM_LCH_829MHz_RB_1_0_NTNV




Band26b_10MHz_64QAM_LCH_829MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
814	823	0.1	/	1	822.700	-35.34	-13	Pass
823	824	0.1	/	2	823.740	-33.59	-13	Pass
824	834	0.1	/	/	/	/	/	/


Band26b_10MHz_64QAM_MCH_836.5MHz_RB_1_0_NTNV




Band26b_10MHz_64QAM_MCH_836.5MHz_RB_1_0_NTNV




Band26b_10MHz_64QAM_MCH_836.5MHz_RB_1_0_NTNV




Band26b_10MHz_64QAM_MCH_836.5MHz_RB_1_0_NTNV




Band26b_10MHz_64QAM_HCH_844MHz_RB_1_0_NTNV




Band26b_10MHz_64QAM_HCH_844MHz_RB_1_0_NTNV




Band26b_10MHz_64QAM_HCH_844MHz_RB_1_0_NTNV



Band26b_10MHz_64QAM_HCH_844MHz_RB_1_0_NTNV




Band26b_10MHz_64QAM_HCH_844MHz_RB_1_49_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
839	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.001	-52.06	-13	Pass
850	859	0.1	CHP	2	852.803	-53.24	-13	Pass

Band26b_10MHz_64QAM_HCH_844MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
839	849	0.1	/	/	/	/	/	/
849	850	0.1	/	1	849.140	-37.61	-13	Pass
850	859	0.1	/	2	850.200	-40.13	-13	Pass


5.2.5 B26b_15MHz




Band26b_15MHz_64QAM_LCH_831.5MHz_RB_1_0_NTNV




Band26b_15MHz_64QAM_LCH_831.5MHz_RB_1_0_NTNV



Band26b_15MHz_64QAM_LCH_831.5MHz_RB_1_0_NTNV




Band26b_15MHz_64QAM_LCH_831.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
809	823	0.1	/	1	822.680	-37.96	-13	Pass
823	824	0.15	CHP	2	823.970	-36.86	-13	Pass
824	839	0.15	CHP	/	/	/	/	/


Band26b_15MHz_64QAM_MCH_836.5MHz_RB_1_0_NTNV




Band26b_15MHz_64QAM_MCH_836.5MHz_RB_1_0_NTNV




Band26b_15MHz_64QAM_MCH_836.5MHz_RB_1_0_NTNV




Band26b_15MHz_64QAM_MCH_836.5MHz_RB_1_0_NTNV




Band26b_15MHz_64QAM_HCH_841.5MHz_RB_1_0_NTNV




Band26b_15MHz_64QAM_HCH_841.5MHz_RB_1_0_NTNV




Band26b_15MHz_64QAM_HCH_841.5MHz_RB_1_0_NTNV



Band26b_15MHz_64QAM_HCH_841.5MHz_RB_1_0_NTNV




Band26b_15MHz_64QAM_HCH_841.5MHz_RB_1_74_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
834	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.016	-51.57	-13	Pass
850	864	0.1	CHP	2	850.058	-59.08	-13	Pass

Band26b_15MHz_64QAM_HCH_841.5MHz_RB_75_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
834	849	0.149	CHP	/	/	/	/	/
849	850	0.149	CHP	1	849.810	-37.80	-13	Pass
850	864	0.1	/	2	850.650	-40.02	-13	Pass

6. Field Strength of Spurious Radiation

LTE Band 26 824-849- Low channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1649.5	-70.23	-13	-57.23	-73.11	2.62	5.5	Horizontal	Pass
2474.25	-68.9	-13	-55.9	-71.6	3.06	5.76	Horizontal	Pass
3299.0	-67.12	-13	-54.12	-71.49	3.3	7.67	Horizontal	Pass
1649.5	-71.6	-13	-58.6	-74.48	2.62	5.5	Vertical	Pass
2474.25	-68.55	-13	-55.55	-71.25	3.06	5.76	Vertical	Pass
3299.0	-67.18	-13	-54.18	-71.55	3.3	7.67	Vertical	Pass

LTE Band 26 824-849- Middle channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1659.5	-71.56	-13	-58.56	-74.42	2.62	5.48	Horizontal	Pass
2489.25	-66.94	-13	-53.94	-69.66	3.07	5.79	Horizontal	Pass
3319.0	-67.21	-13	-54.21	-71.62	3.31	7.72	Horizontal	Pass
1659.5	-70.88	-13	-57.88	-73.74	2.62	5.48	Vertical	Pass
2489.25	-69.29	-13	-56.29	-72.01	3.07	5.79	Vertical	Pass
3319.0	-67.04	-13	-54.04	-71.45	3.31	7.72	Vertical	Pass

LTE Band 26 824-849- High channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1669.5	-71.8	-13	-58.8	-74.62	2.63	5.45	Horizontal	Pass
2504.5	-65.72	-13	-52.72	-68.47	3.08	5.83	Horizontal	Pass
3339.0	-66.85	-13	-53.85	-71.3	3.32	7.77	Horizontal	Pass
1669.5	-71.81	-13	-58.81	-74.63	2.63	5.45	Vertical	Pass
2504.5	-68.88	-13	-55.88	-71.63	3.08	5.83	Vertical	Pass
3339.0	-67.12	-13	-54.12	-71.57	3.32	7.77	Vertical	Pass