

## LTE Band 40 Test Data:

### Appendix A: Effective (Isotropic) Radiated Power Output Data

#### Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band41	5MHz	QPSK	40265	1RB#0	20.25	PASS
Band41	5MHz	QPSK	40265	1RB#12	20.17	PASS
Band41	5MHz	QPSK	40265	1RB#24	20.14	PASS
Band41	5MHz	QPSK	40265	12RB#0	19.58	PASS
Band41	5MHz	QPSK	40265	12RB#6	19.58	PASS
Band41	5MHz	QPSK	40265	12RB#13	19.55	PASS
Band41	5MHz	QPSK	40265	25RB#0	19.66	PASS
Band41	5MHz	QPSK	40690	1RB#0	19.56	PASS
Band41	5MHz	QPSK	40690	1RB#12	19.53	PASS
Band41	5MHz	QPSK	40690	1RB#24	19.50	PASS
Band41	5MHz	QPSK	40690	12RB#0	18.93	PASS
Band41	5MHz	QPSK	40690	12RB#6	18.92	PASS
Band41	5MHz	QPSK	40690	12RB#13	18.86	PASS
Band41	5MHz	QPSK	40690	25RB#0	18.87	PASS
Band41	5MHz	QPSK	41215	1RB#0	18.79	PASS
Band41	5MHz	QPSK	41215	1RB#12	18.70	PASS
Band41	5MHz	QPSK	41215	1RB#24	18.69	PASS
Band41	5MHz	QPSK	41215	12RB#0	18.23	PASS
Band41	5MHz	QPSK	41215	12RB#6	18.23	PASS
Band41	5MHz	QPSK	41215	12RB#13	18.16	PASS
Band41	5MHz	QPSK	41215	25RB#0	18.23	PASS
Band41	5MHz	16QAM	40265	1RB#0	19.92	PASS
Band41	5MHz	16QAM	40265	1RB#12	19.87	PASS
Band41	5MHz	16QAM	40265	1RB#24	19.77	PASS
Band41	5MHz	16QAM	40265	12RB#0	18.92	PASS
Band41	5MHz	16QAM	40265	12RB#6	18.91	PASS
Band41	5MHz	16QAM	40265	12RB#13	18.86	PASS
Band41	5MHz	16QAM	40265	25RB#0	19.00	PASS
Band41	5MHz	16QAM	40690	1RB#0	19.24	PASS
Band41	5MHz	16QAM	40690	1RB#12	19.19	PASS
Band41	5MHz	16QAM	40690	1RB#24	19.07	PASS

Band41	5MHz	16QAM	40690	12RB#0	18.24	PASS
Band41	5MHz	16QAM	40690	12RB#6	18.21	PASS
Band41	5MHz	16QAM	40690	12RB#13	18.16	PASS
Band41	5MHz	16QAM	40690	25RB#0	18.22	PASS
Band41	5MHz	16QAM	41215	1RB#0	18.46	PASS
Band41	5MHz	16QAM	41215	1RB#12	18.35	PASS
Band41	5MHz	16QAM	41215	1RB#24	18.35	PASS
Band41	5MHz	16QAM	41215	12RB#0	17.55	PASS
Band41	5MHz	16QAM	41215	12RB#6	17.56	PASS
Band41	5MHz	16QAM	41215	12RB#13	17.52	PASS
Band41	5MHz	16QAM	41215	25RB#0	17.49	PASS
Band41	10MHz	QPSK	40290	1RB#0	20.32	PASS
Band41	10MHz	QPSK	40290	1RB#24	20.08	PASS
Band41	10MHz	QPSK	40290	1RB#49	20.01	PASS
Band41	10MHz	QPSK	40290	25RB#0	19.61	PASS
Band41	10MHz	QPSK	40290	25RB#12	19.65	PASS
Band41	10MHz	QPSK	40290	25RB#25	19.52	PASS
Band41	10MHz	QPSK	40290	50RB#0	19.62	PASS
Band41	10MHz	QPSK	40690	1RB#0	19.70	PASS
Band41	10MHz	QPSK	40690	1RB#24	19.35	PASS
Band41	10MHz	QPSK	40690	1RB#49	19.44	PASS
Band41	10MHz	QPSK	40690	25RB#0	19.06	PASS
Band41	10MHz	QPSK	40690	25RB#12	19.05	PASS
Band41	10MHz	QPSK	40690	25RB#25	18.86	PASS
Band41	10MHz	QPSK	40690	50RB#0	19.00	PASS
Band41	10MHz	QPSK	41190	1RB#0	19.06	PASS
Band41	10MHz	QPSK	41190	1RB#24	18.81	PASS
Band41	10MHz	QPSK	41190	1RB#49	18.90	PASS
Band41	10MHz	QPSK	41190	25RB#0	18.51	PASS
Band41	10MHz	QPSK	41190	25RB#12	18.60	PASS
Band41	10MHz	QPSK	41190	25RB#25	18.21	PASS
Band41	10MHz	QPSK	41190	50RB#0	18.34	PASS
Band41	10MHz	16QAM	40290	1RB#0	19.93	PASS
Band41	10MHz	16QAM	40290	1RB#24	19.68	PASS
Band41	10MHz	16QAM	40290	1RB#49	19.61	PASS
Band41	10MHz	16QAM	40290	25RB#0	19.06	PASS
Band41	10MHz	16QAM	40290	25RB#12	19.03	PASS

Band41	10MHz	16QAM	40290	25RB#25	18.91	PASS
Band41	10MHz	16QAM	40290	50RB#0	18.96	PASS
Band41	10MHz	16QAM	40690	1RB#0	19.32	PASS
Band41	10MHz	16QAM	40690	1RB#24	19.01	PASS
Band41	10MHz	16QAM	40690	1RB#49	19.04	PASS
Band41	10MHz	16QAM	40690	25RB#0	18.44	PASS
Band41	10MHz	16QAM	40690	25RB#12	18.43	PASS
Band41	10MHz	16QAM	40690	25RB#25	18.31	PASS
Band41	10MHz	16QAM	40690	50RB#0	18.28	PASS
Band41	10MHz	16QAM	41190	1RB#0	18.19	PASS
Band41	10MHz	16QAM	41190	1RB#24	18.01	PASS
Band41	10MHz	16QAM	41190	1RB#49	18.04	PASS
Band41	10MHz	16QAM	41190	25RB#0	17.73	PASS
Band41	10MHz	16QAM	41190	25RB#12	17.72	PASS
Band41	10MHz	16QAM	41190	25RB#25	17.53	PASS
Band41	10MHz	16QAM	41190	50RB#0	17.64	PASS
Band41	15MHz	QPSK	40315	1RB#0	20.33	PASS
Band41	15MHz	QPSK	40315	1RB#38	20.01	PASS
Band41	15MHz	QPSK	40315	1RB#74	19.94	PASS
Band41	15MHz	QPSK	40315	38RB#0	19.38	PASS
Band41	15MHz	QPSK	40315	38RB#18	19.38	PASS
Band41	15MHz	QPSK	40315	38RB#37	19.42	PASS
Band41	15MHz	QPSK	40315	75RB#0	19.38	PASS
Band41	15MHz	QPSK	40690	1RB#0	19.74	PASS
Band41	15MHz	QPSK	40690	1RB#38	19.62	PASS
Band41	15MHz	QPSK	40690	1RB#74	19.41	PASS
Band41	15MHz	QPSK	40690	38RB#0	18.90	PASS
Band41	15MHz	QPSK	40690	38RB#18	18.88	PASS
Band41	15MHz	QPSK	40690	38RB#37	18.88	PASS
Band41	15MHz	QPSK	40690	75RB#0	18.85	PASS
Band41	15MHz	QPSK	41165	1RB#0	19.26	PASS
Band41	15MHz	QPSK	41165	1RB#38	18.87	PASS
Band41	15MHz	QPSK	41165	1RB#74	18.89	PASS
Band41	15MHz	QPSK	41165	38RB#0	18.39	PASS
Band41	15MHz	QPSK	41165	38RB#18	18.13	PASS
Band41	15MHz	QPSK	41165	38RB#37	18.35	PASS
Band41	15MHz	QPSK	41165	75RB#0	18.40	PASS

Band41	15MHz	16QAM	40315	1RB#0	19.91	PASS
Band41	15MHz	16QAM	40315	1RB#38	19.60	PASS
Band41	15MHz	16QAM	40315	1RB#74	19.51	PASS
Band41	15MHz	16QAM	40315	38RB#0	19.41	PASS
Band41	15MHz	16QAM	40315	38RB#18	19.42	PASS
Band41	15MHz	16QAM	40315	38RB#37	19.43	PASS
Band41	15MHz	16QAM	40315	75RB#0	18.71	PASS
Band41	15MHz	16QAM	40690	1RB#0	19.37	PASS
Band41	15MHz	16QAM	40690	1RB#38	19.22	PASS
Band41	15MHz	16QAM	40690	1RB#74	19.00	PASS
Band41	15MHz	16QAM	40690	38RB#0	18.91	PASS
Band41	15MHz	16QAM	40690	38RB#18	18.85	PASS
Band41	15MHz	16QAM	40690	38RB#37	18.90	PASS
Band41	15MHz	16QAM	40690	75RB#0	18.18	PASS
Band41	15MHz	16QAM	41165	1RB#0	18.63	PASS
Band41	15MHz	16QAM	41165	1RB#38	18.23	PASS
Band41	15MHz	16QAM	41165	1RB#74	18.21	PASS
Band41	15MHz	16QAM	41165	38RB#0	18.25	PASS
Band41	15MHz	16QAM	41165	38RB#18	18.32	PASS
Band41	15MHz	16QAM	41165	38RB#37	18.41	PASS
Band41	15MHz	16QAM	41165	75RB#0	17.61	PASS
Band41	20MHz	QPSK	40340	1RB#0	20.36	PASS
Band41	20MHz	QPSK	40340	1RB#49	20.09	PASS
Band41	20MHz	QPSK	40340	1RB#99	19.99	PASS
Band41	20MHz	QPSK	40340	50RB#0	19.57	PASS
Band41	20MHz	QPSK	40340	50RB#25	19.54	PASS
Band41	20MHz	QPSK	40340	50RB#50	19.43	PASS
Band41	20MHz	QPSK	40340	100RB#0	19.45	PASS
Band41	20MHz	QPSK	40690	1RB#0	19.90	PASS
Band41	20MHz	QPSK	40690	1RB#49	19.60	PASS
Band41	20MHz	QPSK	40690	1RB#99	19.49	PASS
Band41	20MHz	QPSK	40690	50RB#0	19.18	PASS
Band41	20MHz	QPSK	40690	50RB#25	19.15	PASS
Band41	20MHz	QPSK	40690	50RB#50	18.86	PASS
Band41	20MHz	QPSK	40690	100RB#0	19.02	PASS
Band41	20MHz	QPSK	41140	1RB#0	19.45	PASS
Band41	20MHz	QPSK	41140	1RB#49	19.05	PASS

Band41	20MHz	QPSK	41140	1RB#99	18.86	PASS
Band41	20MHz	QPSK	41140	50RB#0	18.66	PASS
Band41	20MHz	QPSK	41140	50RB#25	18.62	PASS
Band41	20MHz	QPSK	41140	50RB#50	18.36	PASS
Band41	20MHz	QPSK	41140	100RB#0	18.47	PASS
Band41	20MHz	16QAM	40340	1RB#0	19.75	PASS
Band41	20MHz	16QAM	40340	1RB#49	19.48	PASS
Band41	20MHz	16QAM	40340	1RB#99	19.40	PASS
Band41	20MHz	16QAM	40340	50RB#0	18.90	PASS
Band41	20MHz	16QAM	40340	50RB#25	18.89	PASS
Band41	20MHz	16QAM	40340	50RB#50	18.74	PASS
Band41	20MHz	16QAM	40340	100RB#0	18.79	PASS
Band41	20MHz	16QAM	40690	1RB#0	19.28	PASS
Band41	20MHz	16QAM	40690	1RB#49	19.00	PASS
Band41	20MHz	16QAM	40690	1RB#99	18.90	PASS
Band41	20MHz	16QAM	40690	50RB#0	18.49	PASS
Band41	20MHz	16QAM	40690	50RB#25	18.47	PASS
Band41	20MHz	16QAM	40690	50RB#50	18.21	PASS
Band41	20MHz	16QAM	40690	100RB#0	18.31	PASS
Band41	20MHz	16QAM	41140	1RB#0	18.41	PASS
Band41	20MHz	16QAM	41140	1RB#49	18.02	PASS
Band41	20MHz	16QAM	41140	1RB#99	17.84	PASS
Band41	20MHz	16QAM	41140	50RB#0	17.94	PASS
Band41	20MHz	16QAM	41140	50RB#25	17.99	PASS
Band41	20MHz	16QAM	41140	50RB#50	17.71	PASS
Band41	20MHz	16QAM	41140	100RB#0	17.76	PASS

## Appendix B: Peak-to-Average Ratio(CCDF)

### Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band41	5MHz	QPSK	40265	1RB#0	5.35	13	PASS
Band41	5MHz	QPSK	40265	25RB#0	5.23	13	PASS
Band41	5MHz	QPSK	40690	1RB#0	5.49	13	PASS
Band41	5MHz	QPSK	40690	25RB#0	4.72	13	PASS
Band41	5MHz	QPSK	41215	1RB#0	5.05	13	PASS
Band41	5MHz	QPSK	41215	25RB#0	5.22	13	PASS
Band41	5MHz	16QAM	40265	1RB#0	5.10	13	PASS
Band41	5MHz	16QAM	40265	25RB#0	5.33	13	PASS
Band41	5MHz	16QAM	40690	1RB#0	5.00	13	PASS
Band41	5MHz	16QAM	40690	25RB#0	5.55	13	PASS
Band41	5MHz	16QAM	41215	1RB#0	5.19	13	PASS
Band41	5MHz	16QAM	41215	25RB#0	5.07	13	PASS
Band41	10MHz	QPSK	40290	1RB#0	5.69	13	PASS
Band41	10MHz	QPSK	40290	50RB#0	5.08	13	PASS
Band41	10MHz	QPSK	40690	1RB#0	5.02	13	PASS
Band41	10MHz	QPSK	40690	50RB#0	5.05	13	PASS
Band41	10MHz	QPSK	41190	1RB#0	5.62	13	PASS
Band41	10MHz	QPSK	41190	50RB#0	4.94	13	PASS
Band41	10MHz	16QAM	40290	1RB#0	4.94	13	PASS
Band41	10MHz	16QAM	40290	50RB#0	5.41	13	PASS
Band41	10MHz	16QAM	40690	1RB#0	5.64	13	PASS
Band41	10MHz	16QAM	40690	50RB#0	5.61	13	PASS
Band41	10MHz	16QAM	41190	1RB#0	5.31	13	PASS
Band41	10MHz	16QAM	41190	50RB#0	4.85	13	PASS
Band41	15MHz	QPSK	40315	1RB#0	5.07	13	PASS
Band41	15MHz	QPSK	40315	75RB#0	5.17	13	PASS
Band41	15MHz	QPSK	40690	1RB#0	4.73	13	PASS
Band41	15MHz	QPSK	40690	75RB#0	5.24	13	PASS
Band41	15MHz	QPSK	41165	1RB#0	5.05	13	PASS
Band41	15MHz	QPSK	41165	75RB#0	5.12	13	PASS
Band41	15MHz	16QAM	40315	1RB#0	4.76	13	PASS
Band41	15MHz	16QAM	40315	75RB#0	4.74	13	PASS
Band41	15MHz	16QAM	40690	1RB#0	4.93	13	PASS
Band41	15MHz	16QAM	40690	75RB#0	5.38	13	PASS
Band41	15MHz	16QAM	41165	1RB#0	4.91	13	PASS
Band41	15MHz	16QAM	41165	75RB#0	4.74	13	PASS
Band41	20MHz	QPSK	40340	1RB#0	5.09	13	PASS

Band41	20MHz	QPSK	40340	100RB#0	5.35	13	PASS
Band41	20MHz	QPSK	40690	1RB#0	5.23	13	PASS
Band41	20MHz	QPSK	40690	100RB#0	5.49	13	PASS
Band41	20MHz	QPSK	41140	1RB#0	4.72	13	PASS
Band41	20MHz	QPSK	41140	100RB#0	5.05	13	PASS
Band41	20MHz	16QAM	40340	1RB#0	5.22	13	PASS
Band41	20MHz	16QAM	40340	100RB#0	5.10	13	PASS
Band41	20MHz	16QAM	40690	1RB#0	5.33	13	PASS
Band41	20MHz	16QAM	40690	100RB#0	5.00	13	PASS
Band41	20MHz	16QAM	41140	1RB#0	5.55	13	PASS
Band41	20MHz	16QAM	41140	100RB#0	5.19	13	PASS


## Appendix C: 26dB Bandwidth and Occupied Bandwidth


### Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band41	5MHz	QPSK	40265	25RB#0	4.5	4.77	PASS
Band41	5MHz	QPSK	40690	25RB#0	4.49	4.79	PASS
Band41	5MHz	QPSK	41215	25RB#0	4.5	4.78	PASS
Band41	5MHz	16QAM	40265	25RB#0	4.5	4.76	PASS
Band41	5MHz	16QAM	40690	25RB#0	4.5	4.77	PASS
Band41	5MHz	16QAM	41215	25RB#0	4.5	4.78	PASS
Band41	10MHz	QPSK	40290	50RB#0	3.429	3.65	PASS
Band41	10MHz	QPSK	40690	50RB#0	9	9.67	PASS
Band41	10MHz	QPSK	41190	50RB#0	8.967	9.60	PASS
Band41	10MHz	16QAM	40290	50RB#0	8.967	9.63	PASS
Band41	10MHz	16QAM	40690	50RB#0	8.967	9.67	PASS
Band41	10MHz	16QAM	41190	50RB#0	8.967	9.60	PASS
Band41	15MHz	QPSK	40315	75RB#0	8.269	8.85	PASS
Band41	15MHz	QPSK	40690	75RB#0	13.5	14.55	PASS
Band41	15MHz	QPSK	41165	75RB#0	13.5	14.50	PASS
Band41	15MHz	16QAM	40315	75RB#0	13.45	14.55	PASS
Band41	15MHz	16QAM	40690	75RB#0	13.5	14.50	PASS
Band41	15MHz	16QAM	41165	75RB#0	13.45	14.55	PASS
Band41	20MHz	QPSK	40340	100RB#0	18	19.60	PASS
Band41	20MHz	QPSK	40690	100RB#0	18	19.60	PASS
Band41	20MHz	QPSK	41140	100RB#0	18	19.60	PASS
Band41	20MHz	16QAM	40340	100RB#0	18	19.60	PASS
Band41	20MHz	16QAM	40690	100RB#0	18	19.60	PASS
Band41	20MHz	16QAM	41140	100RB#0	17.467	19.60	PASS




# Test Graphs







**Band41-5MHz-16QAM-40265-25RB#0**




**Band41-5MHz-16QAM-40690-25RB#0**




**Band41-5MHz-16QAM-41215-25RB#0**




**Band41-10MHz-QPSK-40690-50RB#0**



**Band41-10MHz-QPSK-41190-50RB#0**




**Band41-10MHz-16QAM-40290-50RB#0**




Date: 1.JUL.2023 13:52:01

### Band41-10MHz-16QAM-40690-50RB#0




Date: 1.JUL.2023 13:52:18

### Band41-10MHz-16QAM-41190-50RB#0




Date: 1.JUL.2023 13:52:35


### Band41-15MHz-QPSK-40315-75RB#0




**Band41-15MHz-QPSK-41165-75RB#0**



**Band41-15MHz-16QAM-40315-75RB#0**




**Band41-15MHz-16QAM-40690-75RB#0**




Date: 1.JUL.2023 14:10:41

### Band41-15MHz-16QAM-41165-75RB#0




Date: 1.JUL.2023 14:10:58

### Band41-20MHz-QPSK-40340-100RB#0




Date: 1.JUL.2023 14:29:08

### Band41-20MHz-QPSK-41140-100RB#0




Date: 1.JUL.2023 14:29:26

### Band41-20MHz-16QAM-40340-100RB#0




Date: 1.JUL.2023 14:28:59

### Band41-20MHz-16QAM-40690-100RB#0



Date: 1.JUL.2023 14:29:15

### Band41-20MHz-16QAM-41140-100RB#0






## Appendix D: Band Edge


### Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band41	5MHz	QPSK	40265	1RB#0	-44.62,-45.04,-42.61,-24.52	PASS
Band41	5MHz	QPSK	40265	1RB#24	-44.60,-45.63,-41.40,-39.70	PASS
Band41	5MHz	QPSK	40265	25RB#0	-43.02,-42.62,-38.10,-31.65	PASS
Band41	5MHz	QPSK	41215	1RB#0	-41.91,-41.99,-44.92,-44.92	PASS
Band41	5MHz	QPSK	41215	1RB#24	-23.17,-42.18,-44.70,-44.54	PASS
Band41	5MHz	QPSK	41215	25RB#0	-33.06,-36.74,-43.29,-43.72	PASS
Band41	5MHz	16QAM	40265	1RB#0	-44.69,-44.50,-43.23,-24.87	PASS
Band41	5MHz	16QAM	40265	1RB#24	-44.94,-44.95,-40.29,-41.11	PASS
Band41	5MHz	16QAM	40265	25RB#0	-43.49,-43.73,-37.67,-34.45	PASS
Band41	5MHz	16QAM	41215	1RB#0	-41.78,-41.69,-44.96,-44.48	PASS
Band41	5MHz	16QAM	41215	1RB#24	-23.22,-42.30,-44.20,-44.08	PASS
Band41	5MHz	16QAM	41215	25RB#0	-32.34,-37.99,-42.22,-44.00	PASS
Band41	10MHz	QPSK	40290	1RB#0	-44.06,-44.39,-39.00,-19.30	PASS
Band41	10MHz	QPSK	40290	1RB#49	-40.10,-39.70,-43.76,-41.20	PASS
Band41	10MHz	QPSK	40290	50RB#0	-40.53,-38.67,-35.59,-33.09	PASS
Band41	10MHz	QPSK	41190	1RB#0	-41.11,-44.02,-41.09,-44.38	PASS
Band41	10MHz	QPSK	41190	1RB#49	-17.11,-40.10,-44.30,-44.39	PASS
Band41	10MHz	QPSK	41190	50RB#0	-33.73,-39.44,-40.75,-43.73	PASS
Band41	10MHz	16QAM	40290	1RB#0	-44.10,-43.76,-40.16,-19.18	PASS
Band41	10MHz	16QAM	40290	1RB#49	-44.11,-39.75,-43.69,-41.37	PASS
Band41	10MHz	16QAM	40290	50RB#0	-43.44,-39.98,-36.38,-34.12	PASS
Band41	10MHz	16QAM	41190	1RB#0	-44.81,-44.02,-43.95,-44.46	PASS
Band41	10MHz	16QAM	41190	1RB#49	-19.05,-40.92,-44.22,-44.57	PASS
Band41	10MHz	16QAM	41190	50RB#0	-33.39,-38.76,-41.18,-42.89	PASS
Band41	15MHz	QPSK	40315	1RB#0	-43.17,-42.06,-40.91,-17.65	PASS
Band41	15MHz	QPSK	40315	1RB#74	-39.41,-39.54,-43.93,-36.52	PASS
Band41	15MHz	QPSK	40315	75RB#0	-40.23,-37.28,-35.14,-33.50	PASS
Band41	15MHz	QPSK	41165	1RB#0	-37.07,-44.02,-40.13,-44.01	PASS
Band41	15MHz	QPSK	41165	1RB#74	-16.42,-41.63,-42.66,-44.33	PASS
Band41	15MHz	QPSK	41165	75RB#0	-36.56,-36.13,-38.04,-43.29	PASS
Band41	15MHz	16QAM	40315	1RB#0	-43.83,-41.71,-40.58,-17.99	PASS
Band41	15MHz	16QAM	40315	1RB#74	-43.92,-39.64,-43.52,-37.09	PASS
Band41	15MHz	16QAM	40315	75RB#0	-42.43,-38.09,-36.64,-34.59	PASS
Band41	15MHz	16QAM	41165	1RB#0	-37.18,-44.17,-44.05,-44.05	PASS
Band41	15MHz	16QAM	41165	1RB#74	-44.29,-42.74,-42.83,-44.13	PASS
Band41	15MHz	16QAM	41165	75RB#0	-36.78,-36.40,-39.23,-43.06	PASS
Band41	20MHz	QPSK	40340	1RB#0	-42.76,-41.26,-35.85,-10.43	PASS

Band41	20MHz	QPSK	40340	1RB#99	-42.73,-39.99,-42.44,-36.43	PASS
Band41	20MHz	QPSK	40340	100RB#0	-42.80,-37.09,-35.42,-29.82	PASS
Band41	20MHz	QPSK	41140	1RB#0	-35.64,-42.48,-38.70,-42.92	PASS
Band41	20MHz	QPSK	41140	1RB#99	-40.89,-34.30,-42.10,-42.75	PASS
Band41	20MHz	QPSK	41140	100RB#0	-28.59,-37.87,-40.13,-42.26	PASS
Band41	20MHz	16QAM	40340	1RB#0	-42.75,-40.74,-35.11,-16.09	PASS
Band41	20MHz	16QAM	40340	1RB#99	-42.48,-40.37,-42.20,-36.08	PASS
Band41	20MHz	16QAM	40340	100RB#0	-41.67,-37.06,-35.09,-29.80	PASS
Band41	20MHz	16QAM	41140	1RB#0	-36.18,-42.53,-40.72,-42.76	PASS
Band41	20MHz	16QAM	41140	1RB#99	-10.29,-34.84,-41.58,-42.86	PASS
Band41	20MHz	16QAM	41140	100RB#0	-29.23,-37.38,-38.71,-42.38	PASS


## Test Graphs






Date: 1.JUL.2023 13:35:39

### Band41-5MHz-QPSK-41215-1RB#0




Date: 1.JUL.2023 13:36:11

### Band41-5MHz-QPSK-41215-1RB#24




Date: 1.JUL.2023 13:36:31

### Band41-5MHz-QPSK-41215-25RB#0




Date: 1.JUL.2023 13:36:50

### Band41-5MHz-16QAM-40265-1RB#0




Date: 1.JUL.2023 13:35:03

### Band41-5MHz-16QAM-40265-1RB#24




Date: 1.JUL.2023 13:35:27

### Band41-5MHz-16QAM-40265-25RB#0




Date: 1.JUL.2023 13:35:50

### Band41-5MHz-16QAM-41215-1RB#0




Date: 1.JUL.2023 13:36:21

### Band41-5MHz-16QAM-41215-1RB#24




Date: 1.JUL.2023 13:36:40

### Band41-5MHz-16QAM-41215-25RB#0




Date: 1.JUL.2023 13:37:00

### Band41-10MHz-QPSK-40290-1RB#0




Date: 1.JUL.2023 13:53:06

### Band41-10MHz-QPSK-40290-1RB#49




Date: 1.JUL.2023 13:53:26

### Band41-10MHz-QPSK-40290-50RB#0




Date: 1.JUL.2023 13:53:45

### Band41-10MHz-QPSK-41190-1RB#0




Date: 1.JUL.2023 13:54:19

### Band41-10MHz-QPSK-41190-1RB#49




Date: 1.JUL.2023 13:54:39

### Band41-10MHz-QPSK-41190-50RB#0




Date: 1.JUL.2023 13:54:59

### Band41-10MHz-16QAM-40290-1RB#0



Date: 1.JUL.2023 13:53:16


### Band41-10MHz-16QAM-40290-1RB#49



Date: 1.JUL.2023 13:53:35


### Band41-10MHz-16QAM-40290-50RB#0






Date: 1.JUL.2023 13:53:55

### Band41-10MHz-16QAM-41190-1RB#0




Date: 1.JUL.2023 13:54:29

### Band41-10MHz-16QAM-41190-1RB#49




Date: 1.JUL.2023 13:54:49

### Band41-10MHz-16QAM-41190-50RB#0




Date: 1.JUL.2023 13:55:08

### Band41-15MHz-QPSK-40315-1RB#0




Date: 1.JUL.2023 14:11:29

### Band41-15MHz-QPSK-40315-1RB#74




Date: 1.JUL.2023 14:11:49

### Band41-15MHz-QPSK-40315-75RB#0




Date: 1.JUL.2023 14:12:09

### Band41-15MHz-QPSK-41165-1RB#0




Date: 1.JUL.2023 14:12:43

### Band41-15MHz-QPSK-41165-1RB#74




Date: 1.JUL.2023 14:13:03

### Band41-15MHz-QPSK-41165-75RB#0




Date: 1.JUL.2023 14:13:23

### Band41-15MHz-16QAM-40315-1RB#0




Date: 1.JUL.2023 14:11:39

### Band41-15MHz-16QAM-40315-1RB#74




Date: 1.JUL.2023 14:11:59

### Band41-15MHz-16QAM-40315-75RB#0




Date: 1.JUL.2023 14:12:19

### Band41-15MHz-16QAM-41165-1RB#0




Date: 1.JUL.2023 14:12:53

### Band41-15MHz-16QAM-41165-1RB#74




Date: 1.JUL.2023 14:13:13

### Band41-15MHz-16QAM-41165-75RB#0




Date: 1.JUL.2023 14:13:33

### Band41-20MHz-QPSK-40340-1RB#0




Date: 1.JUL.2023 14:30:04

### Band41-20MHz-QPSK-40340-1RB#99




Date: 1.JUL.2023 14:30:24

### Band41-20MHz-QPSK-40340-100RB#0




Date: 1.JUL.2023 14:30:44

### Band41-20MHz-QPSK-41140-1RB#0




Date: 1.JUL.2023 14:31:08

### Band41-20MHz-QPSK-41140-1RB#99




### Band41-20MHz-QPSK-41140-100RB#0




Date: 1.JUL.2023 14:31:48

**Band41-20MHz-16QAM-40340-1RB#0**




**Band41-20MHz-16QAM-40340-1RB#99**



Date: 1.JUL.2023 14:30:34


**Band41-20MHz-16QAM-40340-100RB#0**






Date: 1.JUL.2023 14:30:54

### Band41-20MHz-16QAM-41140-1RB#0




Date: 1.JUL.2023 14:31:18

### Band41-20MHz-16QAM-41140-1RB#99



Date: 1.JUL.2023 14:31:38

### Band41-20MHz-16QAM-41140-100RB#0



## Appendix E: Conducted Spurious Emission

### Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Verdict
Band41	5MHz	QPSK	40265	1RB#0	Range1:0.009~0.15MHz	-63.42	PASS
Band41	5MHz	QPSK	40265	1RB#0	Range2:0.15~30MHz	-63.38	PASS
Band41	5MHz	QPSK	40265	1RB#0	Range3:30~1000MHz	-48.43	PASS
Band41	5MHz	QPSK	40265	1RB#0	Range4:1000~20000MHz	-47.87	PASS
Band41	5MHz	QPSK	40265	1RB#0	Range5:20000~27000MHz	-41.25	PASS
Band41	5MHz	QPSK	40690	1RB#0	Range1:0.009~0.15MHz	-62.81	PASS
Band41	5MHz	QPSK	40690	1RB#0	Range2:0.15~30MHz	-64.08	PASS
Band41	5MHz	QPSK	40690	1RB#0	Range3:30~1000MHz	-48.01	PASS
Band41	5MHz	QPSK	40690	1RB#0	Range4:1000~20000MHz	-47.75	PASS
Band41	5MHz	QPSK	40690	1RB#0	Range5:20000~27000MHz	-41.41	PASS
Band41	5MHz	QPSK	41215	1RB#0	Range1:0.009~0.15MHz	-63.02	PASS
Band41	5MHz	QPSK	41215	1RB#0	Range2:0.15~30MHz	-63.49	PASS
Band41	5MHz	QPSK	41215	1RB#0	Range3:30~1000MHz	-45.43	PASS
Band41	5MHz	QPSK	41215	1RB#0	Range4:1000~20000MHz	-47.82	PASS
Band41	5MHz	QPSK	41215	1RB#0	Range5:20000~27000MHz	-41.22	PASS
Band41	5MHz	16QAM	40265	1RB#0	Range1:0.009~0.15MHz	-62.39	PASS
Band41	5MHz	16QAM	40265	1RB#0	Range2:0.15~30MHz	-64.69	PASS
Band41	5MHz	16QAM	40265	1RB#0	Range3:30~1000MHz	-46.27	PASS
Band41	5MHz	16QAM	40265	1RB#0	Range4:1000~20000MHz	-47.82	PASS
Band41	5MHz	16QAM	40265	1RB#0	Range5:20000~27000MHz	-41.95	PASS
Band41	5MHz	16QAM	40690	1RB#0	Range1:0.009~0.15MHz	-61.82	PASS
Band41	5MHz	16QAM	40690	1RB#0	Range2:0.15~30MHz	-62.33	PASS
Band41	5MHz	16QAM	40690	1RB#0	Range3:30~1000MHz	-46.68	PASS
Band41	5MHz	16QAM	40690	1RB#0	Range4:1000~20000MHz	-47.78	PASS
Band41	5MHz	16QAM	40690	1RB#0	Range5:20000~27000MHz	-41.06	PASS
Band41	5MHz	16QAM	41215	1RB#0	Range1:0.009~0.15MHz	-63.67	PASS
Band41	5MHz	16QAM	41215	1RB#0	Range2:0.15~30MHz	-64.56	PASS
Band41	5MHz	16QAM	41215	1RB#0	Range3:30~1000MHz	-49.86	PASS
Band41	5MHz	16QAM	41215	1RB#0	Range4:1000~20000MHz	-47.75	PASS
Band41	5MHz	16QAM	41215	1RB#0	Range5:20000~27000MHz	-41.2	PASS
Band41	10MHz	QPSK	40290	1RB#0	Range1:0.009~0.15MHz	-62.02	PASS
Band41	10MHz	QPSK	40290	1RB#0	Range2:0.15~30MHz	-64.42	PASS
Band41	10MHz	QPSK	40290	1RB#0	Range3:30~1000MHz	-38.09	PASS
Band41	10MHz	QPSK	40290	1RB#0	Range4:1000~20000MHz	-47.84	PASS
Band41	10MHz	QPSK	40290	1RB#0	Range5:20000~27000MHz	-41.49	PASS
Band41	10MHz	QPSK	40690	1RB#0	Range1:0.009~0.15MHz	-63.85	PASS

Band41	10MHz	QPSK	40690	1RB#0	Range2:0.15~30MHz	-63.98	PASS
Band41	10MHz	QPSK	40690	1RB#0	Range3:30~1000MHz	-50.75	PASS
Band41	10MHz	QPSK	40690	1RB#0	Range4:1000~20000MHz	-47.86	PASS
Band41	10MHz	QPSK	40690	1RB#0	Range5:20000~27000MHz	-41.78	PASS
Band41	10MHz	QPSK	41190	1RB#0	Range1:0.009~0.15MHz	-66.49	PASS
Band41	10MHz	QPSK	41190	1RB#0	Range2:0.15~30MHz	-64.65	PASS
Band41	10MHz	QPSK	41190	1RB#0	Range3:30~1000MHz	-50.64	PASS
Band41	10MHz	QPSK	41190	1RB#0	Range4:1000~20000MHz	-47.79	PASS
Band41	10MHz	QPSK	41190	1RB#0	Range5:20000~27000MHz	-40.95	PASS
Band41	10MHz	16QAM	40290	1RB#0	Range1:0.009~0.15MHz	-64.32	PASS
Band41	10MHz	16QAM	40290	1RB#0	Range2:0.15~30MHz	-63.36	PASS
Band41	10MHz	16QAM	40290	1RB#0	Range3:30~1000MHz	-40.72	PASS
Band41	10MHz	16QAM	40290	1RB#0	Range4:1000~20000MHz	-47.83	PASS
Band41	10MHz	16QAM	40290	1RB#0	Range5:20000~27000MHz	-41.34	PASS
Band41	10MHz	16QAM	40690	1RB#0	Range1:0.009~0.15MHz	-64.64	PASS
Band41	10MHz	16QAM	40690	1RB#0	Range2:0.15~30MHz	-63.97	PASS
Band41	10MHz	16QAM	40690	1RB#0	Range3:30~1000MHz	-47.84	PASS
Band41	10MHz	16QAM	40690	1RB#0	Range4:1000~20000MHz	-47.93	PASS
Band41	10MHz	16QAM	40690	1RB#0	Range5:20000~27000MHz	-41.41	PASS
Band41	10MHz	16QAM	41190	1RB#0	Range1:0.009~0.15MHz	-63.75	PASS
Band41	10MHz	16QAM	41190	1RB#0	Range2:0.15~30MHz	-63.36	PASS
Band41	10MHz	16QAM	41190	1RB#0	Range3:30~1000MHz	-45.03	PASS
Band41	10MHz	16QAM	41190	1RB#0	Range4:1000~20000MHz	-47.91	PASS
Band41	10MHz	16QAM	41190	1RB#0	Range5:20000~27000MHz	-41.88	PASS
Band41	15MHz	QPSK	40315	1RB#0	Range1:0.009~0.15MHz	-65.67	PASS
Band41	15MHz	QPSK	40315	1RB#0	Range2:0.15~30MHz	-63.92	PASS
Band41	15MHz	QPSK	40315	1RB#0	Range3:30~1000MHz	-47.13	PASS
Band41	15MHz	QPSK	40315	1RB#0	Range4:1000~20000MHz	-47.63	PASS
Band41	15MHz	QPSK	40315	1RB#0	Range5:20000~27000MHz	-41.82	PASS
Band41	15MHz	QPSK	40690	1RB#0	Range1:0.009~0.15MHz	-64.99	PASS
Band41	15MHz	QPSK	40690	1RB#0	Range2:0.15~30MHz	-63.94	PASS
Band41	15MHz	QPSK	40690	1RB#0	Range3:30~1000MHz	-42.33	PASS
Band41	15MHz	QPSK	40690	1RB#0	Range4:1000~20000MHz	-47.8	PASS
Band41	15MHz	QPSK	40690	1RB#0	Range5:20000~27000MHz	-41.44	PASS
Band41	15MHz	QPSK	41165	1RB#0	Range1:0.009~0.15MHz	-64.97	PASS
Band41	15MHz	QPSK	41165	1RB#0	Range2:0.15~30MHz	-64.06	PASS
Band41	15MHz	QPSK	41165	1RB#0	Range3:30~1000MHz	-45.86	PASS
Band41	15MHz	QPSK	41165	1RB#0	Range4:1000~20000MHz	-47.96	PASS
Band41	15MHz	QPSK	41165	1RB#0	Range5:20000~27000MHz	-41.38	PASS
Band41	15MHz	16QAM	40315	1RB#0	Range1:0.009~0.15MHz	-62.8	PASS
Band41	15MHz	16QAM	40315	1RB#0	Range2:0.15~30MHz	-63.8	PASS
Band41	15MHz	16QAM	40315	1RB#0	Range3:30~1000MHz	-45.75	PASS
Band41	15MHz	16QAM	40315	1RB#0	Range4:1000~20000MHz	-47.39	PASS

Band41	15MHz	16QAM	40315	1RB#0	Range5:20000~27000MHz	-41.38	PASS
Band41	15MHz	16QAM	40690	1RB#0	Range1:0.009~0.15MHz	-67.09	PASS
Band41	15MHz	16QAM	40690	1RB#0	Range2:0.15~30MHz	-63.04	PASS
Band41	15MHz	16QAM	40690	1RB#0	Range3:30~1000MHz	-43.48	PASS
Band41	15MHz	16QAM	40690	1RB#0	Range4:1000~20000MHz	-47.72	PASS
Band41	15MHz	16QAM	40690	1RB#0	Range5:20000~27000MHz	-41.58	PASS
Band41	15MHz	16QAM	41165	1RB#0	Range1:0.009~0.15MHz	-64.54	PASS
Band41	15MHz	16QAM	41165	1RB#0	Range2:0.15~30MHz	-65.18	PASS
Band41	15MHz	16QAM	41165	1RB#0	Range3:30~1000MHz	-46.62	PASS
Band41	15MHz	16QAM	41165	1RB#0	Range4:1000~20000MHz	-47.98	PASS
Band41	15MHz	16QAM	41165	1RB#0	Range5:20000~27000MHz	-40.95	PASS
Band41	20MHz	QPSK	40340	1RB#0	Range1:0.009~0.15MHz	-65.45	PASS
Band41	20MHz	QPSK	40340	1RB#0	Range2:0.15~30MHz	-66.09	PASS
Band41	20MHz	QPSK	40340	1RB#0	Range3:30~1000MHz	-44.08	PASS
Band41	20MHz	QPSK	40340	1RB#0	Range4:1000~20000MHz	-47.84	PASS
Band41	20MHz	QPSK	40340	1RB#0	Range5:20000~27000MHz	-41.36	PASS
Band41	20MHz	QPSK	40690	1RB#0	Range1:0.009~0.15MHz	-61.83	PASS
Band41	20MHz	QPSK	40690	1RB#0	Range2:0.15~30MHz	-64.15	PASS
Band41	20MHz	QPSK	40690	1RB#0	Range3:30~1000MHz	-47.07	PASS
Band41	20MHz	QPSK	40690	1RB#0	Range4:1000~20000MHz	-47.86	PASS
Band41	20MHz	QPSK	40690	1RB#0	Range5:20000~27000MHz	-41.12	PASS
Band41	20MHz	QPSK	41140	1RB#0	Range1:0.009~0.15MHz	-66.09	PASS
Band41	20MHz	QPSK	41140	1RB#0	Range2:0.15~30MHz	-63.83	PASS
Band41	20MHz	QPSK	41140	1RB#0	Range3:30~1000MHz	-50.32	PASS
Band41	20MHz	QPSK	41140	1RB#0	Range4:1000~20000MHz	-47.86	PASS
Band41	20MHz	QPSK	41140	1RB#0	Range5:20000~27000MHz	-41.66	PASS
Band41	20MHz	16QAM	40340	1RB#0	Range1:0.009~0.15MHz	-63.64	PASS
Band41	20MHz	16QAM	40340	1RB#0	Range2:0.15~30MHz	-63.73	PASS
Band41	20MHz	16QAM	40340	1RB#0	Range3:30~1000MHz	-47.55	PASS
Band41	20MHz	16QAM	40340	1RB#0	Range4:1000~20000MHz	-47.81	PASS
Band41	20MHz	16QAM	40340	1RB#0	Range5:20000~27000MHz	-41.48	PASS
Band41	20MHz	16QAM	40690	1RB#0	Range1:0.009~0.15MHz	-63.28	PASS
Band41	20MHz	16QAM	40690	1RB#0	Range2:0.15~30MHz	-65.03	PASS
Band41	20MHz	16QAM	40690	1RB#0	Range3:30~1000MHz	-43.49	PASS
Band41	20MHz	16QAM	40690	1RB#0	Range4:1000~20000MHz	-47.9	PASS
Band41	20MHz	16QAM	40690	1RB#0	Range5:20000~27000MHz	-41.85	PASS
Band41	20MHz	16QAM	41140	1RB#0	Range1:0.009~0.15MHz	-66.23	PASS
Band41	20MHz	16QAM	41140	1RB#0	Range2:0.15~30MHz	-65	PASS
Band41	20MHz	16QAM	41140	1RB#0	Range3:30~1000MHz	-49.07	PASS
Band41	20MHz	16QAM	41140	1RB#0	Range4:1000~20000MHz	-47.91	PASS
Band41	20MHz	16QAM	41140	1RB#0	Range5:20000~27000MHz	-41.1	PASS


# Test Graphs

Band41-5MHz-QPSK-40265-1RB#0-Range1:0.009~0.15MHz




Date: 1.JUL.2023 13:37:24

Band41-5MHz-QPSK-40265-1RB#0-Range2:0.15~30MHz




Date: 1.JUL.2023 13:37:33

Band41-5MHz-QPSK-40265-1RB#0-Range3:30~1000MHz




Date: 1.JUL.2023 13:37:41

Band41-5MHz-QPSK-40265-1RB#0-Range4:1000~20000MHz




Date: 1.JUL.2023 13:37:50

Band41-5MHz-QPSK-40265-1RB#0-Range5:20000~27000MHz




Date: 1.JUL.2023 13:37:57

Band41-5MHz-QPSK-40690-1RB#0-Range1:0.009~0.15MHz




Date: 1.JUL.2023 13:38:50

Band41-5MHz-QPSK-40690-1RB#0-Range2:0.15~30MHz




Date: 1.JUL.2023 13:38:59

**Band41-5MHz-QPSK-40690-1RB#0-Range3:30~1000MHz**



Date: 1.JUL.2023 13:39:07


**Band41-5MHz-QPSK-40690-1RB#0-Range4:1000~20000MHz**




Date: 1.JUL.2023 13:39:16

**Band41-5MHz-QPSK-40690-1RB#0-Range5:20000~27000MHz**







**Band41-5MHz-QPSK-41215-1RB#0-Range1:0.009~0.15MHz**




**Band41-5MHz-QPSK-41215-1RB#0-Range2:0.15~30MHz**




**Band41-5MHz-QPSK-41215-1RB#0-Range3:30~1000MHz**




**Band41-5MHz-QPSK-41215-1RB#0-Range4:1000~20000MHz**



**Band41-5MHz-QPSK-41215-1RB#0-Range5:20000~27000MHz**




**Band41-5MHz-16QAM-40265-1RB#0-Range1:0.009~0.15MHz**




Date: 1.JUL.2023 13:38:06

**Band41-5MHz-16QAM-40265-1RB#0-Range2:0.15~30MHz**




Date: 1.JUL.2023 13:38:15

**Band41-5MHz-16QAM-40265-1RB#0-Range3:30~1000MHz**




Date: 1.JUL.2023 13:38:22

**Band41-5MHz-16QAM-40265-1RB#0-Range4:1000~20000MHz**




Date: 1.JUL.2023 13:38:32

**Band41-5MHz-16QAM-40265-1RB#0-Range5:20000~27000MHz**




Date: 1.JUL.2023 13:38:39

**Band41-5MHz-16QAM-40690-1RB#0-Range1:0.009~0.15MHz**




Date: 1.JUL.2023 13:39:32

**Band41-5MHz-16QAM-40690-1RB#0-Range2:0.15~30MHz**




Date: 1.JUL.2023 13:39:41

**Band41-5MHz-16QAM-40690-1RB#0-Range3:30~1000MHz**




Date: 1.JUL.2023 13:39:48

**Band41-5MHz-16QAM-40690-1RB#0-Range4:1000~20000MHz**




Date: 1.JUL.2023 13:39:58


**Band41-5MHz-16QAM-40690-1RB#0-Range5:20000~27000MHz**




**Band41-5MHz-16QAM-41215-1RB#0-Range1:0.009~0.15MHz**




**Band41-5MHz-16QAM-41215-1RB#0-Range2:0.15~30MHz**




**Band41-5MHz-16QAM-41215-1RB#0-Range3:30~1000MHz**




**Band41-5MHz-16QAM-41215-1RB#0-Range4:1000~20000MHz**




**Band41-5MHz-16QAM-41215-1RB#0-Range5:20000~27000MHz**




**Band41-10MHz-QPSK-40290-1RB#0-Range1:0.009~0.15MHz**



**Band41-10MHz-QPSK-40290-1RB#0-Range2:0.15~30MHz**




**Band41-10MHz-QPSK-40290-1RB#0-Range3:30~1000MHz**




**Band41-10MHz-QPSK-40290-1RB#0-Range4:1000~20000MHz**






Date: 1.JUL.2023 13:55:59

**Band41-10MHz-QPSK-40290-1RB#0-Range5:20000~27000MHz**




Date: 1.JUL.2023 13:56:06

**Band41-10MHz-QPSK-40690-1RB#0-Range1:0.009~0.15MHz**




Date: 1.JUL.2023 13:56:59

**Band41-10MHz-QPSK-40690-1RB#0-Range2:0.15~30MHz**




Date: 1.JUL.2023 13:57:08

**Band41-10MHz-QPSK-40690-1RB#0-Range3:30~1000MHz**




Date: 1.JUL.2023 13:57:16

**Band41-10MHz-QPSK-40690-1RB#0-Range4:1000~20000MHz**




Date: 1.JUL.2023 13:57:25


**Band41-10MHz-QPSK-40690-1RB#0-Range5:20000~27000MHz**




**Band41-10MHz-QPSK-41190-1RB#0-Range1:0.009~0.15MHz**




**Band41-10MHz-QPSK-41190-1RB#0-Range2:0.15~30MHz**




**Band41-10MHz-QPSK-41190-1RB#0-Range3:30~1000MHz**




**Band41-10MHz-QPSK-41190-1RB#0-Range4:1000~20000MHz**



**Band41-10MHz-QPSK-41190-1RB#0-Range5:20000~27000MHz**




**Band41-10MHz-16QAM-40290-1RB#0-Range1:0.009~0.15MHz**




Date: 1.JUL.2023 13:56:15

**Band41-10MHz-16QAM-40290-1RB#0-Range2:0.15~30MHz**




Date: 1.JUL.2023 13:56:25

**Band41-10MHz-16QAM-40290-1RB#0-Range3:30~1000MHz**




Date: 1.JUL.2023 13:56:32

**Band41-10MHz-16QAM-40290-1RB#0-Range4:1000~20000MHz**




Date: 1.JUL.2023 13:56:41

**Band41-10MHz-16QAM-40290-1RB#0-Range5:20000~27000MHz**




Date: 1.JUL.2023 13:56:48

**Band41-10MHz-16QAM-40690-1RB#0-Range1:0.009~0.15MHz**




Date: 1.JUL.2023 13:57:41

**Band41-10MHz-16QAM-40690-1RB#0-Range2:0.15~30MHz**




Date: 1.JUL.2023 13:57:50

**Band41-10MHz-16QAM-40690-1RB#0-Range3:30~1000MHz**




Date: 1.JUL.2023 13:57:57

**Band41-10MHz-16QAM-40690-1RB#0-Range4:1000~20000MHz**




Date: 1.JUL.2023 13:58:07


**Band41-10MHz-16QAM-40690-1RB#0-Range5:20000~27000MHz**



**Band41-10MHz-16QAM-41190-1RB#0-Range1:0.009~0.15MHz**




**Band41-10MHz-16QAM-41190-1RB#0-Range2:0.15~30MHz**




**Band41-10MHz-16QAM-41190-1RB#0-Range3:30~1000MHz**







**Band41-10MHz-16QAM-41190-1RB#0-Range4:1000~20000MHz**




**Band41-10MHz-16QAM-41190-1RB#0-Range5:20000~27000MHz**




**Band41-15MHz-QPSK-40315-1RB#0-Range1:0.009~0.15MHz**




**Band41-15MHz-QPSK-40315-1RB#0-Range2:0.15~30MHz**



**Band41-15MHz-QPSK-40315-1RB#0-Range3:30~1000MHz**




**Band41-15MHz-QPSK-40315-1RB#0-Range4:1000~20000MHz**




Date: 1.JUL.2023 14:14:24

**Band41-15MHz-QPSK-40315-1RB#0-Range5:20000~27000MHz**




Date: 1.JUL.2023 14:14:32

**Band41-15MHz-QPSK-40690-1RB#0-Range1:0.009~0.15MHz**




Date: 1.JUL.2023 14:15:24

**Band41-15MHz-QPSK-40690-1RB#0-Range2:0.15~30MHz**




Date: 1.JUL.2023 14:15:33

**Band41-15MHz-QPSK-40690-1RB#0-Range3:30~1000MHz**




Date: 1.JUL.2023 14:15:41

**Band41-15MHz-QPSK-40690-1RB#0-Range4:1000~20000MHz**




Date: 1.JUL.2023 14:15:50


**Band41-15MHz-QPSK-40690-1RB#0-Range5:20000~27000MHz**




**Band41-15MHz-QPSK-41165-1RB#0-Range1:0.009~0.15MHz**




**Band41-15MHz-QPSK-41165-1RB#0-Range2:0.15~30MHz**




**Band41-15MHz-QPSK-41165-1RB#0-Range3:30~1000MHz**




**Band41-15MHz-QPSK-41165-1RB#0-Range4:1000~20000MHz**



**Band41-15MHz-QPSK-41165-1RB#0-Range5:20000~27000MHz**




**Band41-15MHz-16QAM-40315-1RB#0-Range1:0.009~0.15MHz**




Date: 1.JUL.2023 14:14:40

**Band41-15MHz-16QAM-40315-1RB#0-Range2:0.15~30MHz**




Date: 1.JUL.2023 14:14:49

**Band41-15MHz-16QAM-40315-1RB#0-Range3:30~1000MHz**




Date: 1.JUL.2023 14:14:57

**Band41-15MHz-16QAM-40315-1RB#0-Range4:1000~20000MHz**




Date: 1.JUL.2023 14:15:06

**Band41-15MHz-16QAM-40315-1RB#0-Range5:20000~27000MHz**



Date: 1.JUL.2023 14:15:13


**Band41-15MHz-16QAM-40690-1RB#0-Range1:0.009~0.15MHz**



Date: 1.JUL.2023 14:16:06


**Band41-15MHz-16QAM-40690-1RB#0-Range2:0.15~30MHz**






Date: 1.JUL.2023 14:16:15

**Band41-15MHz-16QAM-40690-1RB#0-Range3:30~1000MHz**




Date: 1.JUL.2023 14:16:22

**Band41-15MHz-16QAM-40690-1RB#0-Range4:1000~20000MHz**




Date: 1.JUL.2023 14:16:32


**Band41-15MHz-16QAM-40690-1RB#0-Range5:20000~27000MHz**




**Band41-15MHz-16QAM-41165-1RB#0-Range1:0.009~0.15MHz**




**Band41-15MHz-16QAM-41165-1RB#0-Range2:0.15~30MHz**




**Band41-15MHz-16QAM-41165-1RB#0-Range3:30~1000MHz**




**Band41-15MHz-16QAM-41165-1RB#0-Range4:1000~20000MHz**




**Band41-15MHz-16QAM-41165-1RB#0-Range5:20000~27000MHz**




**Band41-20MHz-QPSK-40340-1RB#0-Range1:0.009~0.15MHz**




**Band41-20MHz-QPSK-40340-1RB#0-Range2:0.15~30MHz**



**Band41-20MHz-QPSK-40340-1RB#0-Range3:30~1000MHz**




**Band41-20MHz-QPSK-40340-1RB#0-Range4:1000~20000MHz**




Date: 1.JUL.2023 14:32:48

**Band41-20MHz-QPSK-40340-1RB#0-Range5:20000~27000MHz**




Date: 1.JUL.2023 14:32:56

**Band41-20MHz-QPSK-40690-1RB#0-Range1:0.009~0.15MHz**




Date: 1.JUL.2023 14:33:48

**Band41-20MHz-QPSK-40690-1RB#0-Range2:0.15~30MHz**




Date: 1.JUL.2023 14:33:57

**Band41-20MHz-QPSK-40690-1RB#0-Range3:30~1000MHz**




Date: 1.JUL.2023 14:34:05

**Band41-20MHz-QPSK-40690-1RB#0-Range4:1000~20000MHz**




Date: 1.JUL.2023 14:34:14


**Band41-20MHz-QPSK-40690-1RB#0-Range5:20000~27000MHz**




**Band41-20MHz-QPSK-41140-1RB#0-Range1:0.009~0.15MHz**




**Band41-20MHz-QPSK-41140-1RB#0-Range2:0.15~30MHz**




**Band41-20MHz-QPSK-41140-1RB#0-Range3:30~1000MHz**



**Band41-20MHz-QPSK-41140-1RB#0-Range4:1000~20000MHz**




**Band41-20MHz-QPSK-41140-1RB#0-Range5:20000~27000MHz**




**Band41-20MHz-16QAM-40340-1RB#0-Range1:0.009~0.15MHz**






Date: 1.JUL.2023 14:33:04

**Band41-20MHz-16QAM-40340-1RB#0-Range2:0.15~30MHz**




Date: 1.JUL.2023 14:33:13

**Band41-20MHz-16QAM-40340-1RB#0-Range3:30~1000MHz**




Date: 1.JUL.2023 14:33:21

**Band41-20MHz-16QAM-40340-1RB#0-Range4:1000~20000MHz**




Date: 1.JUL.2023 14:33:30

**Band41-20MHz-16QAM-40340-1RB#0-Range5:20000~27000MHz**




Date: 1.JUL.2023 14:33:37

**Band41-20MHz-16QAM-40690-1RB#0-Range1:0.009~0.15MHz**




Date: 1.JUL.2023 14:34:30

**Band41-20MHz-16QAM-40690-1RB#0-Range2:0.15~30MHz**




Date: 1.JUL.2023 14:34:39

**Band41-20MHz-16QAM-40690-1RB#0-Range3:30~1000MHz**




Date: 1.JUL.2023 14:34:46

**Band41-20MHz-16QAM-40690-1RB#0-Range4:1000~20000MHz**




Date: 1.JUL.2023 14:34:56


**Band41-20MHz-16QAM-40690-1RB#0-Range5:20000~27000MHz**




**Band41-20MHz-16QAM-41140-1RB#0-Range1:0.009~0.15MHz**




**Band41-20MHz-16QAM-41140-1RB#0-Range2:0.15~30MHz**




**Band41-20MHz-16QAM-41140-1RB#0-Range3:30~1000MHz**



**Band41-20MHz-16QAM-41140-1RB#0-Range4:1000~20000MHz**



**Band41-20MHz-16QAM-41140-1RB#0-Range5:20000~27000MHz**



## Appendix F: Frequency Stability

### Test Result

Voltage										
Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band41	5MHz	QPSK	40265	25RB#0	VL	NT	8.64	0.003378	±2.5	PASS
Band41	5MHz	QPSK	40265	25RB#0	VN	NT	14.22	0.005560	±2.5	PASS
Band41	5MHz	QPSK	40265	25RB#0	VH	NT	-20.76	-0.008117	±2.5	PASS
Band41	5MHz	QPSK	40690	25RB#0	VL	NT	-16.26	-0.006254	±2.5	PASS
Band41	5MHz	QPSK	40690	25RB#0	VN	NT	18.61	0.007158	±2.5	PASS
Band41	5MHz	QPSK	40690	25RB#0	VH	NT	8.40	0.003231	±2.5	PASS
Band41	5MHz	QPSK	41215	25RB#0	VL	NT	12.85	0.004844	±2.5	PASS
Band41	5MHz	QPSK	41215	25RB#0	VN	NT	-15.86	-0.005979	±2.5	PASS
Band41	5MHz	QPSK	41215	25RB#0	VH	NT	-10.21	-0.003849	±2.5	PASS
Band41	5MHz	16QAM	40265	25RB#0	VL	NT	-5.06	-0.001978	±2.5	PASS
Band41	5MHz	16QAM	40265	25RB#0	VN	NT	11.72	0.004583	±2.5	PASS
Band41	5MHz	16QAM	40265	25RB#0	VH	NT	-14.95	-0.005846	±2.5	PASS
Band41	5MHz	16QAM	40690	25RB#0	VL	NT	10.94	0.004208	±2.5	PASS
Band41	5MHz	16QAM	40690	25RB#0	VN	NT	-4.96	-0.001908	±2.5	PASS
Band41	5MHz	16QAM	40690	25RB#0	VH	NT	12.89	0.004958	±2.5	PASS
Band41	5MHz	16QAM	41215	25RB#0	VL	NT	-16.85	-0.006352	±2.5	PASS
Band41	5MHz	16QAM	41215	25RB#0	VN	NT	-26.98	-0.010172	±2.5	PASS
Band41	5MHz	16QAM	41215	25RB#0	VH	NT	-17.50	-0.006598	±2.5	PASS
Band41	10MHz	QPSK	40290	50RB#0	VL	NT	-21.63	-0.008449	±2.5	PASS
Band41	10MHz	QPSK	40290	50RB#0	VN	NT	15.62	0.006102	±2.5	PASS
Band41	10MHz	QPSK	40290	50RB#0	VH	NT	16.77	0.006551	±2.5	PASS
Band41	10MHz	QPSK	40690	50RB#0	VL	NT	-19.73	-0.007588	±2.5	PASS
Band41	10MHz	QPSK	40690	50RB#0	VN	NT	5.22	0.002008	±2.5	PASS
Band41	10MHz	QPSK	40690	50RB#0	VH	NT	-20.46	-0.007869	±2.5	PASS
Band41	10MHz	QPSK	41190	50RB#0	VL	NT	-15.32	-0.005781	±2.5	PASS
Band41	10MHz	QPSK	41190	50RB#0	VN	NT	19.45	0.007340	±2.5	PASS
Band41	10MHz	QPSK	41190	50RB#0	VH	NT	13.52	0.005102	±2.5	PASS
Band41	10MHz	16QAM	40290	50RB#0	VL	NT	-9.40	-0.003672	±2.5	PASS
Band41	10MHz	16QAM	40290	50RB#0	VN	NT	9.86	0.003852	±2.5	PASS
Band41	10MHz	16QAM	40290	50RB#0	VH	NT	-16.57	-0.006473	±2.5	PASS
Band41	10MHz	16QAM	40690	50RB#0	VL	NT	13.95	0.005365	±2.5	PASS
Band41	10MHz	16QAM	40690	50RB#0	VN	NT	10.53	0.004050	±2.5	PASS
Band41	10MHz	16QAM	40690	50RB#0	VH	NT	13.63	0.005242	±2.5	PASS
Band41	10MHz	16QAM	41190	50RB#0	VL	NT	14.48	0.005464	±2.5	PASS
Band41	10MHz	16QAM	41190	50RB#0	VN	NT	11.34	0.004279	±2.5	PASS

Band41	10MHz	16QAM	41190	50RB#0	VH	NT	7.64	0.002883	±2.5	PASS
Band41	15MHz	QPSK	40315	75RB#0	VL	NT	10.56	0.004121	±2.5	PASS
Band41	15MHz	QPSK	40315	75RB#0	VN	NT	-23.33	-0.009104	±2.5	PASS
Band41	15MHz	QPSK	40315	75RB#0	VH	NT	-13.53	-0.005280	±2.5	PASS
Band41	15MHz	QPSK	40690	75RB#0	VL	NT	14.36	0.005523	±2.5	PASS
Band41	15MHz	QPSK	40690	75RB#0	VN	NT	-11.32	-0.004354	±2.5	PASS
Band41	15MHz	QPSK	40690	75RB#0	VH	NT	12.15	0.004673	±2.5	PASS
Band41	15MHz	QPSK	41165	75RB#0	VL	NT	21.93	0.008283	±2.5	PASS
Band41	15MHz	QPSK	41165	75RB#0	VN	NT	-4.98	-0.001881	±2.5	PASS
Band41	15MHz	QPSK	41165	75RB#0	VH	NT	-21.37	-0.008072	±2.5	PASS
Band41	15MHz	16QAM	40315	75RB#0	VL	NT	-5.41	-0.002111	±2.5	PASS
Band41	15MHz	16QAM	40315	75RB#0	VN	NT	-17.90	-0.006985	±2.5	PASS
Band41	15MHz	16QAM	40315	75RB#0	VH	NT	-17.08	-0.006665	±2.5	PASS
Band41	15MHz	16QAM	40690	75RB#0	VL	NT	2.65	0.001019	±2.5	PASS
Band41	15MHz	16QAM	40690	75RB#0	VN	NT	-6.27	-0.002412	±2.5	PASS
Band41	15MHz	16QAM	40690	75RB#0	VH	NT	-8.96	-0.003446	±2.5	PASS
Band41	15MHz	16QAM	41165	75RB#0	VL	NT	16.59	0.006266	±2.5	PASS
Band41	15MHz	16QAM	41165	75RB#0	VN	NT	-18.51	-0.006992	±2.5	PASS
Band41	15MHz	16QAM	41165	75RB#0	VH	NT	-4.18	-0.001579	±2.5	PASS
Band41	20MHz	QPSK	40340	100RB#0	VL	NT	-17.27	-0.006733	±2.5	PASS
Band41	20MHz	QPSK	40340	100RB#0	VN	NT	9.48	0.003696	±2.5	PASS
Band41	20MHz	QPSK	40340	100RB#0	VH	NT	-7.30	-0.002846	±2.5	PASS
Band41	20MHz	QPSK	40690	100RB#0	VL	NT	-12.95	-0.004981	±2.5	PASS
Band41	20MHz	QPSK	40690	100RB#0	VN	NT	17.07	0.006565	±2.5	PASS
Band41	20MHz	QPSK	40690	100RB#0	VH	NT	-7.75	-0.002981	±2.5	PASS
Band41	20MHz	QPSK	41140	100RB#0	VL	NT	-16.05	-0.006068	±2.5	PASS
Band41	20MHz	QPSK	41140	100RB#0	VN	NT	6.12	0.002314	±2.5	PASS
Band41	20MHz	QPSK	41140	100RB#0	VH	NT	13.78	0.005210	±2.5	PASS
Band41	20MHz	16QAM	40340	100RB#0	VL	NT	-17.84	-0.006955	±2.5	PASS
Band41	20MHz	16QAM	40340	100RB#0	VN	NT	-9.18	-0.003579	±2.5	PASS
Band41	20MHz	16QAM	40340	100RB#0	VH	NT	-10.59	-0.004129	±2.5	PASS
Band41	20MHz	16QAM	40690	100RB#0	VL	NT	-11.60	-0.004462	±2.5	PASS
Band41	20MHz	16QAM	40690	100RB#0	VN	NT	4.28	0.001646	±2.5	PASS
Band41	20MHz	16QAM	40690	100RB#0	VH	NT	-15.35	-0.005904	±2.5	PASS
Band41	20MHz	16QAM	41140	100RB#0	VL	NT	-15.75	-0.005955	±2.5	PASS
Band41	20MHz	16QAM	41140	100RB#0	VN	NT	13.45	0.005085	±2.5	PASS
Band41	20MHz	16QAM	41140	100RB#0	VH	NT	4.39	0.001660	±2.5	PASS

Temperature										
Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band41	5MHz	QPSK	40265	25RB#0	NV	-30	8.43	0.003296	±2.5	PASS
Band41	5MHz	QPSK	40265	25RB#0	NV	-20	-21.79	-0.008520	±2.5	PASS
Band41	5MHz	QPSK	40265	25RB#0	NV	0	-12.83	-0.005017	±2.5	PASS
Band41	5MHz	QPSK	40265	25RB#0	NV	10	7.52	0.002940	±2.5	PASS
Band41	5MHz	QPSK	40265	25RB#0	NV	20	9.44	0.003691	±2.5	PASS
Band41	5MHz	QPSK	40690	25RB#0	NV	-30	8.88	0.003415	±2.5	PASS
Band41	5MHz	QPSK	40690	25RB#0	NV	-20	-15.02	-0.005777	±2.5	PASS
Band41	5MHz	QPSK	40690	25RB#0	NV	0	18.80	0.007231	±2.5	PASS
Band41	5MHz	QPSK	40690	25RB#0	NV	10	-7.34	-0.002823	±2.5	PASS
Band41	5MHz	QPSK	40690	25RB#0	NV	20	-6.21	-0.002388	±2.5	PASS
Band41	5MHz	QPSK	41215	25RB#0	NV	-30	-17.78	-0.006703	±2.5	PASS
Band41	5MHz	QPSK	41215	25RB#0	NV	-20	-14.18	-0.005346	±2.5	PASS
Band41	5MHz	QPSK	41215	25RB#0	NV	0	12.13	0.004573	±2.5	PASS
Band41	5MHz	QPSK	41215	25RB#0	NV	10	-5.12	-0.001930	±2.5	PASS
Band41	5MHz	QPSK	41215	25RB#0	NV	20	-5.56	-0.002096	±2.5	PASS
Band41	5MHz	16QAM	40265	25RB#0	NV	-30	-12.72	-0.004974	±2.5	PASS
Band41	5MHz	16QAM	40265	25RB#0	NV	-20	11.34	0.004434	±2.5	PASS
Band41	5MHz	16QAM	40265	25RB#0	NV	0	19.80	0.007742	±2.5	PASS
Band41	5MHz	16QAM	40265	25RB#0	NV	10	-3.10	-0.001212	±2.5	PASS
Band41	5MHz	16QAM	40265	25RB#0	NV	20	6.37	0.002491	±2.5	PASS
Band41	5MHz	16QAM	40690	25RB#0	NV	-30	-12.42	-0.004777	±2.5	PASS
Band41	5MHz	16QAM	40690	25RB#0	NV	-20	-16.74	-0.006438	±2.5	PASS
Band41	5MHz	16QAM	40690	25RB#0	NV	0	14.31	0.005504	±2.5	PASS
Band41	5MHz	16QAM	40690	25RB#0	NV	10	-5.56	-0.002138	±2.5	PASS
Band41	5MHz	16QAM	40690	25RB#0	NV	20	-14.63	-0.005627	±2.5	PASS
Band41	5MHz	16QAM	41215	25RB#0	NV	-30	21.33	0.008041	±2.5	PASS
Band41	5MHz	16QAM	41215	25RB#0	NV	-20	17.55	0.006616	±2.5	PASS
Band41	5MHz	16QAM	41215	25RB#0	NV	0	-17.58	-0.006628	±2.5	PASS
Band41	5MHz	16QAM	41215	25RB#0	NV	10	11.90	0.004486	±2.5	PASS
Band41	5MHz	16QAM	41215	25RB#0	NV	20	-13.25	-0.004995	±2.5	PASS
Band41	10MHz	QPSK	40290	50RB#0	NV	-30	-17.82	-0.006961	±2.5	PASS
Band41	10MHz	QPSK	40290	50RB#0	NV	-20	-11.17	-0.004363	±2.5	PASS
Band41	10MHz	QPSK	40290	50RB#0	NV	0	-4.31	-0.001684	±2.5	PASS
Band41	10MHz	QPSK	40290	50RB#0	NV	10	-6.49	-0.002535	±2.5	PASS
Band41	10MHz	QPSK	40290	50RB#0	NV	20	-17.51	-0.006840	±2.5	PASS
Band41	10MHz	QPSK	40690	50RB#0	NV	-30	-18.37	-0.007065	±2.5	PASS
Band41	10MHz	QPSK	40690	50RB#0	NV	-20	3.02	0.001162	±2.5	PASS
Band41	10MHz	QPSK	40690	50RB#0	NV	0	-19.11	-0.007350	±2.5	PASS



Band41	10MHz	QPSK	40690	50RB#0	NV	10	3.23	0.001242	±2.5	PASS
Band41	10MHz	QPSK	40690	50RB#0	NV	20	-16.57	-0.006373	±2.5	PASS
Band41	10MHz	QPSK	41190	50RB#0	NV	-30	-20.17	-0.007611	±2.5	PASS
Band41	10MHz	QPSK	41190	50RB#0	NV	-20	11.46	0.004325	±2.5	PASS
Band41	10MHz	QPSK	41190	50RB#0	NV	0	12.92	0.004875	±2.5	PASS
Band41	10MHz	QPSK	41190	50RB#0	NV	10	-3.56	-0.001343	±2.5	PASS
Band41	10MHz	QPSK	41190	50RB#0	NV	20	5.14	0.001940	±2.5	PASS
Band41	10MHz	16QAM	40290	50RB#0	NV	-30	-10.79	-0.004215	±2.5	PASS
Band41	10MHz	16QAM	40290	50RB#0	NV	-20	11.07	0.004324	±2.5	PASS
Band41	10MHz	16QAM	40290	50RB#0	NV	0	-4.88	-0.001906	±2.5	PASS
Band41	10MHz	16QAM	40290	50RB#0	NV	10	-10.13	-0.003957	±2.5	PASS
Band41	10MHz	16QAM	40290	50RB#0	NV	20	-10.01	-0.003910	±2.5	PASS
Band41	10MHz	16QAM	40690	50RB#0	NV	-30	5.52	0.002123	±2.5	PASS
Band41	10MHz	16QAM	40690	50RB#0	NV	-20	-4.88	-0.001877	±2.5	PASS
Band41	10MHz	16QAM	40690	50RB#0	NV	0	12.80	0.004923	±2.5	PASS
Band41	10MHz	16QAM	40690	50RB#0	NV	10	-20.96	-0.008062	±2.5	PASS
Band41	10MHz	16QAM	40690	50RB#0	NV	20	4.05	0.001558	±2.5	PASS
Band41	10MHz	16QAM	41190	50RB#0	NV	-30	14.82	0.005592	±2.5	PASS
Band41	10MHz	16QAM	41190	50RB#0	NV	-20	5.09	0.001921	±2.5	PASS
Band41	10MHz	16QAM	41190	50RB#0	NV	0	-3.46	-0.001306	±2.5	PASS
Band41	10MHz	16QAM	41190	50RB#0	NV	10	7.71	0.002909	±2.5	PASS
Band41	10MHz	16QAM	41190	50RB#0	NV	20	-18.27	-0.006894	±2.5	PASS
Band41	15MHz	QPSK	40315	75RB#0	NV	-30	-13.59	-0.005303	±2.5	PASS
Band41	15MHz	QPSK	40315	75RB#0	NV	-20	-16.31	-0.006365	±2.5	PASS
Band41	15MHz	QPSK	40315	75RB#0	NV	0	-17.88	-0.006978	±2.5	PASS
Band41	15MHz	QPSK	40315	75RB#0	NV	10	-18.57	-0.007247	±2.5	PASS
Band41	15MHz	QPSK	40315	75RB#0	NV	20	4.98	0.001943	±2.5	PASS
Band41	15MHz	QPSK	40690	75RB#0	NV	-30	-23.12	-0.008892	±2.5	PASS
Band41	15MHz	QPSK	40690	75RB#0	NV	-20	-16.08	-0.006185	±2.5	PASS
Band41	15MHz	QPSK	40690	75RB#0	NV	0	-13.35	-0.005135	±2.5	PASS
Band41	15MHz	QPSK	40690	75RB#0	NV	10	13.63	0.005242	±2.5	PASS
Band41	15MHz	QPSK	40690	75RB#0	NV	20	18.90	0.007269	±2.5	PASS
Band41	15MHz	QPSK	41165	75RB#0	NV	-30	6.04	0.002281	±2.5	PASS
Band41	15MHz	QPSK	41165	75RB#0	NV	-20	-14.86	-0.005613	±2.5	PASS
Band41	15MHz	QPSK	41165	75RB#0	NV	0	16.38	0.006187	±2.5	PASS
Band41	15MHz	QPSK	41165	75RB#0	NV	10	-15.79	-0.005964	±2.5	PASS
Band41	15MHz	QPSK	41165	75RB#0	NV	20	11.53	0.004355	±2.5	PASS
Band41	15MHz	16QAM	40315	75RB#0	NV	-30	16.12	0.006291	±2.5	PASS
Band41	15MHz	16QAM	40315	75RB#0	NV	-20	-19.05	-0.007434	±2.5	PASS
Band41	15MHz	16QAM	40315	75RB#0	NV	0	-11.13	-0.004343	±2.5	PASS
Band41	15MHz	16QAM	40315	75RB#0	NV	10	-23.79	-0.009284	±2.5	PASS

Band41	15MHz	16QAM	40315	75RB#0	NV	20	-19.35	-0.007551	±2.5	PASS
Band41	15MHz	16QAM	40690	75RB#0	NV	-30	-6.97	-0.002681	±2.5	PASS
Band41	15MHz	16QAM	40690	75RB#0	NV	-20	-7.75	-0.002981	±2.5	PASS
Band41	15MHz	16QAM	40690	75RB#0	NV	0	16.57	0.006373	±2.5	PASS
Band41	15MHz	16QAM	40690	75RB#0	NV	10	-4.13	-0.001588	±2.5	PASS
Band41	15MHz	16QAM	40690	75RB#0	NV	20	-9.16	-0.003523	±2.5	PASS
Band41	15MHz	16QAM	41165	75RB#0	NV	-30	23.59	0.008910	±2.5	PASS
Band41	15MHz	16QAM	41165	75RB#0	NV	-20	-16.29	-0.006153	±2.5	PASS
Band41	15MHz	16QAM	41165	75RB#0	NV	0	3.02	0.001141	±2.5	PASS
Band41	15MHz	16QAM	41165	75RB#0	NV	10	-7.32	-0.002765	±2.5	PASS
Band41	15MHz	16QAM	41165	75RB#0	NV	20	17.55	0.006629	±2.5	PASS
Band41	20MHz	QPSK	40340	100RB#0	NV	-30	-13.63	-0.005314	±2.5	PASS
Band41	20MHz	QPSK	40340	100RB#0	NV	-20	4.41	0.001719	±2.5	PASS
Band41	20MHz	QPSK	40340	100RB#0	NV	0	-7.80	-0.003041	±2.5	PASS
Band41	20MHz	QPSK	40340	100RB#0	NV	10	-10.13	-0.003949	±2.5	PASS
Band41	20MHz	QPSK	40340	100RB#0	NV	20	-16.99	-0.006624	±2.5	PASS
Band41	20MHz	QPSK	40690	100RB#0	NV	-30	13.15	0.005058	±2.5	PASS
Band41	20MHz	QPSK	40690	100RB#0	NV	-20	-9.81	-0.003773	±2.5	PASS
Band41	20MHz	QPSK	40690	100RB#0	NV	0	-17.08	-0.006569	±2.5	PASS
Band41	20MHz	QPSK	40690	100RB#0	NV	10	-15.88	-0.006108	±2.5	PASS
Band41	20MHz	QPSK	40690	100RB#0	NV	20	-11.36	-0.004369	±2.5	PASS
Band41	20MHz	QPSK	41140	100RB#0	NV	-30	16.84	0.006367	±2.5	PASS
Band41	20MHz	QPSK	41140	100RB#0	NV	-20	-14.00	-0.005293	±2.5	PASS
Band41	20MHz	QPSK	41140	100RB#0	NV	0	-3.25	-0.001229	±2.5	PASS
Band41	20MHz	QPSK	41140	100RB#0	NV	10	4.51	0.001705	±2.5	PASS
Band41	20MHz	QPSK	41140	100RB#0	NV	20	7.18	0.002715	±2.5	PASS
Band41	20MHz	16QAM	40340	100RB#0	NV	-30	-4.08	-0.001591	±2.5	PASS
Band41	20MHz	16QAM	40340	100RB#0	NV	-20	-11.82	-0.004608	±2.5	PASS
Band41	20MHz	16QAM	40340	100RB#0	NV	0	3.16	0.001232	±2.5	PASS
Band41	20MHz	16QAM	40340	100RB#0	NV	10	-12.69	-0.004947	±2.5	PASS
Band41	20MHz	16QAM	40340	100RB#0	NV	20	-18.32	-0.007142	±2.5	PASS
Band41	20MHz	16QAM	40690	100RB#0	NV	-30	-16.84	-0.006477	±2.5	PASS
Band41	20MHz	16QAM	40690	100RB#0	NV	-20	-6.24	-0.002400	±2.5	PASS
Band41	20MHz	16QAM	40690	100RB#0	NV	0	-19.34	-0.007438	±2.5	PASS
Band41	20MHz	16QAM	40690	100RB#0	NV	10	-12.46	-0.004792	±2.5	PASS
Band41	20MHz	16QAM	40690	100RB#0	NV	20	13.09	0.005035	±2.5	PASS
Band41	20MHz	16QAM	41140	100RB#0	NV	-30	-3.55	-0.001342	±2.5	PASS
Band41	20MHz	16QAM	41140	100RB#0	NV	-20	-2.63	-0.000994	±2.5	PASS
Band41	20MHz	16QAM	41140	100RB#0	NV	0	-14.46	-0.005467	±2.5	PASS
Band41	20MHz	16QAM	41140	100RB#0	NV	10	-17.45	-0.006597	±2.5	PASS
Band41	20MHz	16QAM	41140	100RB#0	NV	20	-17.54	-0.006631	±2.5	PASS