

Appendix A: Effective (Isotropic) Radiated Power Output Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band4	1.4MHz	QPSK	19957	1RB#0	22.84	PASS
Band4	1.4MHz	QPSK	19957	1RB#2	22.76	PASS
Band4	1.4MHz	QPSK	19957	1RB#5	22.74	PASS
Band4	1.4MHz	QPSK	19957	3RB#0	22.91	PASS
Band4	1.4MHz	QPSK	19957	3RB#1	22.86	PASS
Band4	1.4MHz	QPSK	19957	3RB#3	22.79	PASS
Band4	1.4MHz	QPSK	19957	6RB#0	21.89	PASS
Band4	1.4MHz	QPSK	20175	1RB#0	22.86	PASS
Band4	1.4MHz	QPSK	20175	1RB#2	22.95	PASS
Band4	1.4MHz	QPSK	20175	1RB#5	22.97	PASS
Band4	1.4MHz	QPSK	20175	3RB#0	22.89	PASS
Band4	1.4MHz	QPSK	20175	3RB#1	22.92	PASS
Band4	1.4MHz	QPSK	20175	3RB#3	22.99	PASS
Band4	1.4MHz	QPSK	20175	6RB#0	21.93	PASS
Band4	1.4MHz	QPSK	20393	1RB#0	22.64	PASS
Band4	1.4MHz	QPSK	20393	1RB#2	22.55	PASS
Band4	1.4MHz	QPSK	20393	1RB#5	22.59	PASS
Band4	1.4MHz	QPSK	20393	3RB#0	22.57	PASS
Band4	1.4MHz	QPSK	20393	3RB#1	22.50	PASS
Band4	1.4MHz	QPSK	20393	3RB#3	22.51	PASS
Band4	1.4MHz	QPSK	20393	6RB#0	21.58	PASS
Band4	1.4MHz	16QAM	19957	1RB#0	22.79	PASS
Band4	1.4MHz	16QAM	19957	1RB#2	22.83	PASS
Band4	1.4MHz	16QAM	19957	1RB#5	22.83	PASS
Band4	1.4MHz	16QAM	19957	3RB#0	21.60	PASS
Band4	1.4MHz	16QAM	19957	3RB#1	21.64	PASS
Band4	1.4MHz	16QAM	19957	3RB#3	21.44	PASS
Band4	1.4MHz	16QAM	19957	6RB#0	20.90	PASS
Band4	1.4MHz	16QAM	20175	1RB#0	21.67	PASS
Band4	1.4MHz	16QAM	20175	1RB#2	21.89	PASS
Band4	1.4MHz	16QAM	20175	1RB#5	22.10	PASS
Band4	1.4MHz	16QAM	20175	3RB#0	21.92	PASS

Band4	1.4MHz	16QAM	20175	3RB#1	21.92	PASS
Band4	1.4MHz	16QAM	20175	3RB#3	21.87	PASS
Band4	1.4MHz	16QAM	20175	6RB#0	21.05	PASS
Band4	1.4MHz	16QAM	20393	1RB#0	22.91	PASS
Band4	1.4MHz	16QAM	20393	1RB#2	22.90	PASS
Band4	1.4MHz	16QAM	20393	1RB#5	22.84	PASS
Band4	1.4MHz	16QAM	20393	3RB#0	21.65	PASS
Band4	1.4MHz	16QAM	20393	3RB#1	21.02	PASS
Band4	1.4MHz	16QAM	20393	3RB#3	21.65	PASS
Band4	1.4MHz	16QAM	20393	6RB#0	20.85	PASS
Band4	3MHz	QPSK	19965	1RB#0	22.84	PASS
Band4	3MHz	QPSK	19965	1RB#8	22.85	PASS
Band4	3MHz	QPSK	19965	1RB#14	22.74	PASS
Band4	3MHz	QPSK	19965	8RB#0	21.81	PASS
Band4	3MHz	QPSK	19965	8RB#4	21.84	PASS
Band4	3MHz	QPSK	19965	8RB#7	21.75	PASS
Band4	3MHz	QPSK	19965	15RB#0	21.79	PASS
Band4	3MHz	QPSK	20175	1RB#0	22.89	PASS
Band4	3MHz	QPSK	20175	1RB#8	22.83	PASS
Band4	3MHz	QPSK	20175	1RB#14	22.84	PASS
Band4	3MHz	QPSK	20175	8RB#0	21.87	PASS
Band4	3MHz	QPSK	20175	8RB#4	21.89	PASS
Band4	3MHz	QPSK	20175	8RB#7	21.78	PASS
Band4	3MHz	QPSK	20175	15RB#0	21.98	PASS
Band4	3MHz	QPSK	20385	1RB#0	22.53	PASS
Band4	3MHz	QPSK	20385	1RB#8	22.51	PASS
Band4	3MHz	QPSK	20385	1RB#14	22.50	PASS
Band4	3MHz	QPSK	20385	8RB#0	21.62	PASS
Band4	3MHz	QPSK	20385	8RB#4	21.64	PASS
Band4	3MHz	QPSK	20385	8RB#7	21.64	PASS
Band4	3MHz	QPSK	20385	15RB#0	21.62	PASS
Band4	3MHz	16QAM	19965	1RB#0	21.90	PASS
Band4	3MHz	16QAM	19965	1RB#8	21.60	PASS
Band4	3MHz	16QAM	19965	1RB#14	21.52	PASS
Band4	3MHz	16QAM	19965	8RB#0	21.08	PASS
Band4	3MHz	16QAM	19965	8RB#4	21.08	PASS
Band4	3MHz	16QAM	19965	8RB#7	20.90	PASS

Band4	3MHz	16QAM	19965	15RB#0	20.89	PASS
Band4	3MHz	16QAM	20175	1RB#0	21.87	PASS
Band4	3MHz	16QAM	20175	1RB#8	21.80	PASS
Band4	3MHz	16QAM	20175	1RB#14	21.76	PASS
Band4	3MHz	16QAM	20175	8RB#0	21.12	PASS
Band4	3MHz	16QAM	20175	8RB#4	21.13	PASS
Band4	3MHz	16QAM	20175	8RB#7	21.07	PASS
Band4	3MHz	16QAM	20175	15RB#0	20.83	PASS
Band4	3MHz	16QAM	20385	1RB#0	21.44	PASS
Band4	3MHz	16QAM	20385	1RB#8	21.47	PASS
Band4	3MHz	16QAM	20385	1RB#14	21.52	PASS
Band4	3MHz	16QAM	20385	8RB#0	20.93	PASS
Band4	3MHz	16QAM	20385	8RB#4	20.84	PASS
Band4	3MHz	16QAM	20385	8RB#7	20.94	PASS
Band4	3MHz	16QAM	20385	15RB#0	20.59	PASS
Band4	5MHz	QPSK	19975	1RB#0	23.01	PASS
Band4	5MHz	QPSK	19975	1RB#12	22.89	PASS
Band4	5MHz	QPSK	19975	1RB#24	22.89	PASS
Band4	5MHz	QPSK	19975	12RB#0	21.89	PASS
Band4	5MHz	QPSK	19975	12RB#6	21.78	PASS
Band4	5MHz	QPSK	19975	12RB#13	21.73	PASS
Band4	5MHz	QPSK	19975	25RB#0	21.75	PASS
Band4	5MHz	QPSK	20175	1RB#0	22.99	PASS
Band4	5MHz	QPSK	20175	1RB#12	23.01	PASS
Band4	5MHz	QPSK	20175	1RB#24	22.87	PASS
Band4	5MHz	QPSK	20175	12RB#0	22.01	PASS
Band4	5MHz	QPSK	20175	12RB#6	22.03	PASS
Band4	5MHz	QPSK	20175	12RB#13	21.90	PASS
Band4	5MHz	QPSK	20175	25RB#0	21.82	PASS
Band4	5MHz	QPSK	20375	1RB#0	22.73	PASS
Band4	5MHz	QPSK	20375	1RB#12	22.71	PASS
Band4	5MHz	QPSK	20375	1RB#24	22.51	PASS
Band4	5MHz	QPSK	20375	12RB#0	21.59	PASS
Band4	5MHz	QPSK	20375	12RB#6	21.60	PASS
Band4	5MHz	QPSK	20375	12RB#13	21.56	PASS
Band4	5MHz	QPSK	20375	25RB#0	21.63	PASS
Band4	5MHz	16QAM	19975	1RB#0	21.11	PASS

Band4	5MHz	16QAM	19975	1RB#12	21.12	PASS
Band4	5MHz	16QAM	19975	1RB#24	21.12	PASS
Band4	5MHz	16QAM	19975	12RB#0	20.91	PASS
Band4	5MHz	16QAM	19975	12RB#6	20.88	PASS
Band4	5MHz	16QAM	19975	12RB#13	20.74	PASS
Band4	5MHz	16QAM	19975	25RB#0	20.89	PASS
Band4	5MHz	16QAM	20175	1RB#0	21.68	PASS
Band4	5MHz	16QAM	20175	1RB#12	21.62	PASS
Band4	5MHz	16QAM	20175	1RB#24	21.65	PASS
Band4	5MHz	16QAM	20175	12RB#0	21.00	PASS
Band4	5MHz	16QAM	20175	12RB#6	20.98	PASS
Band4	5MHz	16QAM	20175	12RB#13	20.88	PASS
Band4	5MHz	16QAM	20175	25RB#0	20.85	PASS
Band4	5MHz	16QAM	20375	1RB#0	20.96	PASS
Band4	5MHz	16QAM	20375	1RB#12	20.93	PASS
Band4	5MHz	16QAM	20375	1RB#24	21.12	PASS
Band4	5MHz	16QAM	20375	12RB#0	20.57	PASS
Band4	5MHz	16QAM	20375	12RB#6	20.55	PASS
Band4	5MHz	16QAM	20375	12RB#13	20.58	PASS
Band4	5MHz	16QAM	20375	25RB#0	20.71	PASS
Band4	10MHz	QPSK	20000	1RB#0	22.88	PASS
Band4	10MHz	QPSK	20000	1RB#24	22.76	PASS
Band4	10MHz	QPSK	20000	1RB#49	22.81	PASS
Band4	10MHz	QPSK	20000	25RB#0	21.86	PASS
Band4	10MHz	QPSK	20000	25RB#12	21.76	PASS
Band4	10MHz	QPSK	20000	25RB#25	21.87	PASS
Band4	10MHz	QPSK	20000	50RB#0	21.85	PASS
Band4	10MHz	QPSK	20175	1RB#0	22.94	PASS
Band4	10MHz	QPSK	20175	1RB#24	22.96	PASS
Band4	10MHz	QPSK	20175	1RB#49	22.80	PASS
Band4	10MHz	QPSK	20175	25RB#0	21.97	PASS
Band4	10MHz	QPSK	20175	25RB#12	21.97	PASS
Band4	10MHz	QPSK	20175	25RB#25	21.92	PASS
Band4	10MHz	QPSK	20175	50RB#0	21.81	PASS
Band4	10MHz	QPSK	20350	1RB#0	22.38	PASS
Band4	10MHz	QPSK	20350	1RB#24	22.50	PASS
Band4	10MHz	QPSK	20350	1RB#49	22.43	PASS

Band4	10MHz	QPSK	20350	25RB#0	21.51	PASS
Band4	10MHz	QPSK	20350	25RB#12	21.48	PASS
Band4	10MHz	QPSK	20350	25RB#25	21.67	PASS
Band4	10MHz	QPSK	20350	50RB#0	21.59	PASS
Band4	10MHz	16QAM	20000	1RB#0	21.58	PASS
Band4	10MHz	16QAM	20000	1RB#24	21.53	PASS
Band4	10MHz	16QAM	20000	1RB#49	21.86	PASS
Band4	10MHz	16QAM	20000	25RB#0	20.88	PASS
Band4	10MHz	16QAM	20000	25RB#12	20.74	PASS
Band4	10MHz	16QAM	20000	25RB#25	20.81	PASS
Band4	10MHz	16QAM	20000	50RB#0	20.91	PASS
Band4	10MHz	16QAM	20175	1RB#0	21.34	PASS
Band4	10MHz	16QAM	20175	1RB#24	21.22	PASS
Band4	10MHz	16QAM	20175	1RB#49	21.12	PASS
Band4	10MHz	16QAM	20175	25RB#0	21.08	PASS
Band4	10MHz	16QAM	20175	25RB#12	21.06	PASS
Band4	10MHz	16QAM	20175	25RB#25	21.01	PASS
Band4	10MHz	16QAM	20175	50RB#0	20.94	PASS
Band4	10MHz	16QAM	20350	1RB#0	21.19	PASS
Band4	10MHz	16QAM	20350	1RB#24	21.60	PASS
Band4	10MHz	16QAM	20350	1RB#49	21.60	PASS
Band4	10MHz	16QAM	20350	25RB#0	20.60	PASS
Band4	10MHz	16QAM	20350	25RB#12	20.55	PASS
Band4	10MHz	16QAM	20350	25RB#25	20.52	PASS
Band4	10MHz	16QAM	20350	50RB#0	20.74	PASS
Band4	15MHz	QPSK	20025	1RB#0	22.80	PASS
Band4	15MHz	QPSK	20025	1RB#38	22.80	PASS
Band4	15MHz	QPSK	20025	1RB#74	22.86	PASS
Band4	15MHz	QPSK	20025	38RB#0	21.82	PASS
Band4	15MHz	QPSK	20025	38RB#18	21.77	PASS
Band4	15MHz	QPSK	20025	38RB#37	21.93	PASS
Band4	15MHz	QPSK	20025	75RB#0	21.92	PASS
Band4	15MHz	QPSK	20175	1RB#0	23.04	PASS
Band4	15MHz	QPSK	20175	1RB#38	22.49	PASS
Band4	15MHz	QPSK	20175	1RB#74	22.77	PASS
Band4	15MHz	QPSK	20175	38RB#0	21.78	PASS
Band4	15MHz	QPSK	20175	38RB#18	21.79	PASS

Band4	15MHz	QPSK	20175	38RB#37	21.79	PASS
Band4	15MHz	QPSK	20175	75RB#0	21.80	PASS
Band4	15MHz	QPSK	20325	1RB#0	22.69	PASS
Band4	15MHz	QPSK	20325	1RB#38	22.52	PASS
Band4	15MHz	QPSK	20325	1RB#74	22.50	PASS
Band4	15MHz	QPSK	20325	38RB#0	21.58	PASS
Band4	15MHz	QPSK	20325	38RB#18	21.60	PASS
Band4	15MHz	QPSK	20325	38RB#37	21.60	PASS
Band4	15MHz	QPSK	20325	75RB#0	21.60	PASS
Band4	15MHz	16QAM	20025	1RB#0	21.68	PASS
Band4	15MHz	16QAM	20025	1RB#38	21.53	PASS
Band4	15MHz	16QAM	20025	1RB#74	21.63	PASS
Band4	15MHz	16QAM	20025	38RB#0	21.79	PASS
Band4	15MHz	16QAM	20025	38RB#18	21.94	PASS
Band4	15MHz	16QAM	20025	38RB#37	21.92	PASS
Band4	15MHz	16QAM	20025	75RB#0	21.00	PASS
Band4	15MHz	16QAM	20175	1RB#0	21.76	PASS
Band4	15MHz	16QAM	20175	1RB#38	21.66	PASS
Band4	15MHz	16QAM	20175	1RB#74	21.65	PASS
Band4	15MHz	16QAM	20175	38RB#0	21.77	PASS
Band4	15MHz	16QAM	20175	38RB#18	21.79	PASS
Band4	15MHz	16QAM	20175	38RB#37	21.80	PASS
Band4	15MHz	16QAM	20175	75RB#0	20.96	PASS
Band4	15MHz	16QAM	20325	1RB#0	21.41	PASS
Band4	15MHz	16QAM	20325	1RB#38	21.29	PASS
Band4	15MHz	16QAM	20325	1RB#74	21.29	PASS
Band4	15MHz	16QAM	20325	38RB#0	21.59	PASS
Band4	15MHz	16QAM	20325	38RB#18	21.60	PASS
Band4	15MHz	16QAM	20325	38RB#37	21.60	PASS
Band4	15MHz	16QAM	20325	75RB#0	20.62	PASS
Band4	20MHz	QPSK	20050	1RB#0	23.13	PASS
Band4	20MHz	QPSK	20050	1RB#49	23.04	PASS
Band4	20MHz	QPSK	20050	1RB#99	23.13	PASS
Band4	20MHz	QPSK	20050	50RB#0	21.77	PASS
Band4	20MHz	QPSK	20050	50RB#25	21.95	PASS
Band4	20MHz	QPSK	20050	50RB#50	21.89	PASS
Band4	20MHz	QPSK	20050	100RB#0	21.88	PASS

Band4	20MHz	QPSK	20175	1RB#0	23.04	PASS
Band4	20MHz	QPSK	20175	1RB#49	22.95	PASS
Band4	20MHz	QPSK	20175	1RB#99	22.70	PASS
Band4	20MHz	QPSK	20175	50RB#0	22.00	PASS
Band4	20MHz	QPSK	20175	50RB#25	22.06	PASS
Band4	20MHz	QPSK	20175	50RB#50	21.78	PASS
Band4	20MHz	QPSK	20175	100RB#0	21.92	PASS
Band4	20MHz	QPSK	20300	1RB#0	22.90	PASS
Band4	20MHz	QPSK	20300	1RB#49	22.62	PASS
Band4	20MHz	QPSK	20300	1RB#99	22.64	PASS
Band4	20MHz	QPSK	20300	50RB#0	21.78	PASS
Band4	20MHz	QPSK	20300	50RB#25	21.75	PASS
Band4	20MHz	QPSK	20300	50RB#50	21.53	PASS
Band4	20MHz	QPSK	20300	100RB#0	21.61	PASS
Band4	20MHz	16QAM	20050	1RB#0	21.72	PASS
Band4	20MHz	16QAM	20050	1RB#49	21.70	PASS
Band4	20MHz	16QAM	20050	1RB#99	21.72	PASS
Band4	20MHz	16QAM	20050	50RB#0	21.04	PASS
Band4	20MHz	16QAM	20050	50RB#25	21.02	PASS
Band4	20MHz	16QAM	20050	50RB#50	21.08	PASS
Band4	20MHz	16QAM	20050	100RB#0	21.02	PASS
Band4	20MHz	16QAM	20175	1RB#0	22.60	PASS
Band4	20MHz	16QAM	20175	1RB#49	22.36	PASS
Band4	20MHz	16QAM	20175	1RB#99	22.25	PASS
Band4	20MHz	16QAM	20175	50RB#0	21.10	PASS
Band4	20MHz	16QAM	20175	50RB#25	21.11	PASS
Band4	20MHz	16QAM	20175	50RB#50	20.79	PASS
Band4	20MHz	16QAM	20175	100RB#0	20.92	PASS
Band4	20MHz	16QAM	20300	1RB#0	21.23	PASS
Band4	20MHz	16QAM	20300	1RB#49	20.73	PASS
Band4	20MHz	16QAM	20300	1RB#99	20.68	PASS
Band4	20MHz	16QAM	20300	50RB#0	20.88	PASS
Band4	20MHz	16QAM	20300	50RB#25	20.85	PASS
Band4	20MHz	16QAM	20300	50RB#50	20.74	PASS
Band4	20MHz	16QAM	20300	100RB#0	20.77	PASS

Appendix B: Peak-to-Average Ratio(CCDF)

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band4	1.4MHz	QPSK	19957	1RB#0	5.26	13	PASS
Band4	1.4MHz	QPSK	19957	6RB#0	5.67	13	PASS
Band4	1.4MHz	QPSK	20175	1RB#0	5.22	13	PASS
Band4	1.4MHz	QPSK	20175	6RB#0	5.58	13	PASS
Band4	1.4MHz	QPSK	20393	1RB#0	5.48	13	PASS
Band4	1.4MHz	QPSK	20393	6RB#0	5.80	13	PASS
Band4	1.4MHz	16QAM	19957	1RB#0	6.03	13	PASS
Band4	1.4MHz	16QAM	19957	6RB#0	6.41	13	PASS
Band4	1.4MHz	16QAM	20175	1RB#0	5.83	13	PASS
Band4	1.4MHz	16QAM	20175	6RB#0	6.31	13	PASS
Band4	1.4MHz	16QAM	20393	1RB#0	6.06	13	PASS
Band4	1.4MHz	16QAM	20393	6RB#0	6.54	13	PASS
Band4	3MHz	QPSK	19965	1RB#0	5.29	13	PASS
Band4	3MHz	QPSK	19965	15RB#0	5.74	13	PASS
Band4	3MHz	QPSK	20175	1RB#0	5.22	13	PASS
Band4	3MHz	QPSK	20175	15RB#0	5.61	13	PASS
Band4	3MHz	QPSK	20385	1RB#0	5.58	13	PASS
Band4	3MHz	QPSK	20385	15RB#0	5.83	13	PASS
Band4	3MHz	16QAM	19965	1RB#0	6.19	13	PASS
Band4	3MHz	16QAM	19965	15RB#0	6.54	13	PASS
Band4	3MHz	16QAM	20175	1RB#0	6.09	13	PASS
Band4	3MHz	16QAM	20175	15RB#0	6.35	13	PASS
Band4	3MHz	16QAM	20385	1RB#0	6.54	13	PASS
Band4	3MHz	16QAM	20385	15RB#0	6.63	13	PASS
Band4	5MHz	QPSK	19975	1RB#0	5.38	13	PASS
Band4	5MHz	QPSK	19975	25RB#0	5.80	13	PASS
Band4	5MHz	QPSK	20175	1RB#0	5.35	13	PASS
Band4	5MHz	QPSK	20175	25RB#0	5.61	13	PASS
Band4	5MHz	QPSK	20375	1RB#0	5.80	13	PASS
Band4	5MHz	QPSK	20375	25RB#0	5.87	13	PASS
Band4	5MHz	16QAM	19975	1RB#0	6.09	13	PASS
Band4	5MHz	16QAM	19975	25RB#0	6.47	13	PASS
Band4	5MHz	16QAM	20175	1RB#0	5.99	13	PASS
Band4	5MHz	16QAM	20175	25RB#0	6.31	13	PASS
Band4	5MHz	16QAM	20375	1RB#0	6.22	13	PASS
Band4	5MHz	16QAM	20375	25RB#0	6.51	13	PASS

Band4	10MHz	QPSK	20000	1RB#0	5.35	13	PASS
Band4	10MHz	QPSK	20000	50RB#0	5.80	13	PASS
Band4	10MHz	QPSK	20175	1RB#0	5.38	13	PASS
Band4	10MHz	QPSK	20175	50RB#0	5.61	13	PASS
Band4	10MHz	QPSK	20350	1RB#0	5.48	13	PASS
Band4	10MHz	QPSK	20350	50RB#0	5.80	13	PASS
Band4	10MHz	16QAM	20000	1RB#0	6.41	13	PASS
Band4	10MHz	16QAM	20000	50RB#0	6.60	13	PASS
Band4	10MHz	16QAM	20175	1RB#0	6.22	13	PASS
Band4	10MHz	16QAM	20175	50RB#0	6.47	13	PASS
Band4	10MHz	16QAM	20350	1RB#0	6.41	13	PASS
Band4	10MHz	16QAM	20350	50RB#0	6.57	13	PASS
Band4	15MHz	QPSK	20025	1RB#0	6.25	13	PASS
Band4	15MHz	QPSK	20025	75RB#0	5.93	13	PASS
Band4	15MHz	QPSK	20175	1RB#0	5.69	13	PASS
Band4	15MHz	QPSK	20175	75RB#0	5.87	13	PASS
Band4	15MHz	QPSK	20325	1RB#0	5.86	13	PASS
Band4	15MHz	QPSK	20325	75RB#0	5.74	13	PASS
Band4	15MHz	16QAM	20025	1RB#0	6.01	13	PASS
Band4	15MHz	16QAM	20025	75RB#0	6.86	13	PASS
Band4	15MHz	16QAM	20175	1RB#0	6.79	13	PASS
Band4	15MHz	16QAM	20175	75RB#0	6.79	13	PASS
Band4	15MHz	16QAM	20325	1RB#0	6.86	13	PASS
Band4	15MHz	16QAM	20325	75RB#0	6.73	13	PASS
Band4	20MHz	QPSK	20050	1RB#0	6.79	13	PASS
Band4	20MHz	QPSK	20050	100RB#0	6.54	13	PASS
Band4	20MHz	QPSK	20175	1RB#0	6.39	13	PASS
Band4	20MHz	QPSK	20175	100RB#0	6.47	13	PASS
Band4	20MHz	QPSK	20300	1RB#0	6.78	13	PASS
Band4	20MHz	QPSK	20300	100RB#0	6.38	13	PASS
Band4	20MHz	16QAM	20050	1RB#0	6.59	13	PASS
Band4	20MHz	16QAM	20050	100RB#0	7.21	13	PASS
Band4	20MHz	16QAM	20175	1RB#0	7.31	13	PASS
Band4	20MHz	16QAM	20175	100RB#0	7.18	13	PASS
Band4	20MHz	16QAM	20300	1RB#0	7.13	13	PASS
Band4	20MHz	16QAM	20300	100RB#0	7.12	13	PASS


Appendix C: 26dB Bandwidth and Occupied Bandwidth

Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band4	1.4MHz	QPSK	19957	6RB#0	1.095	1.22	PASS
Band4	1.4MHz	QPSK	20175	6RB#0	1.095	1.21	PASS
Band4	1.4MHz	QPSK	20393	6RB#0	1.095	1.21	PASS
Band4	1.4MHz	16QAM	19957	6RB#0	1.095	1.22	PASS
Band4	1.4MHz	16QAM	20175	6RB#0	1.09	1.22	PASS
Band4	1.4MHz	16QAM	20393	6RB#0	1.095	1.22	PASS
Band4	3MHz	QPSK	19965	15RB#0	2.7	2.82	PASS
Band4	3MHz	QPSK	20175	15RB#0	2.7	2.90	PASS
Band4	3MHz	QPSK	20385	15RB#0	2.7	2.88	PASS
Band4	3MHz	16QAM	19965	15RB#0	2.7	2.90	PASS
Band4	3MHz	16QAM	20175	15RB#0	2.7	2.93	PASS
Band4	3MHz	16QAM	20385	15RB#0	2.7	2.87	PASS
Band4	5MHz	QPSK	19975	25RB#0	4.5	4.76	PASS
Band4	5MHz	QPSK	20175	25RB#0	4.5	4.79	PASS
Band4	5MHz	QPSK	20375	25RB#0	4.5	4.79	PASS
Band4	5MHz	16QAM	19975	25RB#0	4.5	4.78	PASS
Band4	5MHz	16QAM	20175	25RB#0	4.5	4.79	PASS
Band4	5MHz	16QAM	20375	25RB#0	4.5	4.81	PASS
Band4	10MHz	QPSK	20000	50RB#0	9.	9.49	PASS
Band4	10MHz	QPSK	20175	50RB#0	9	9.70	PASS
Band4	10MHz	QPSK	20350	50RB#0	9	9.70	PASS
Band4	10MHz	16QAM	20000	50RB#0	9	9.70	PASS
Band4	10MHz	16QAM	20175	50RB#0	9	9.70	PASS
Band4	10MHz	16QAM	20350	50RB#0	9	9.67	PASS
Band4	15MHz	QPSK	20025	75RB#0	13.51	14.13	PASS
Band4	15MHz	QPSK	20175	75RB#0	13.5	14.55	PASS
Band4	15MHz	QPSK	20325	75RB#0	13.5	14.50	PASS
Band4	15MHz	16QAM	20025	75RB#0	13.5	14.50	PASS
Band4	15MHz	16QAM	20175	75RB#0	13.45	14.55	PASS
Band4	15MHz	16QAM	20325	75RB#0	13.5	14.50	PASS
Band4	20MHz	QPSK	20050	100RB#0	17.949	19.49	PASS
Band4	20MHz	QPSK	20175	100RB#0	18.067	19.67	PASS
Band4	20MHz	QPSK	20300	100RB#0	18.067	19.67	PASS
Band4	20MHz	16QAM	20050	100RB#0	18.067	19.67	PASS
Band4	20MHz	16QAM	20175	100RB#0	18.067	19.67	PASS
Band4	20MHz	16QAM	20300	100RB#0	18.067	19.67	PASS

Test Graphs


Band4-1.4MHz-QPSK-19957-6RB#0




Band4-1.4MHz-QPSK-20175-6RB#0




Band4-1.4MHz-QPSK-20393-6RB#0




Band4-1.4MHz-16QAM-19957-6RB#0




Band4-1.4MHz-16QAM-20175-6RB#0




Band4-1.4MHz-16QAM-20393-6RB#0




Band4-3MHz-QPSK-20175-15RB#0




Band4-3MHz-QPSK-20385-15RB#0




Band4-3MHz-16QAM-19965-15RB#0




Band4-3MHz-16QAM-20175-15RB#0




Band4-3MHz-16QAM-20385-15RB#0




Band4-5MHz-QPSK-20175-25RB#0




Band4-5MHz-QPSK-20375-25RB#0




Band4-5MHz-16QAM-19975-25RB#0




Band4-5MHz-16QAM-20175-25RB#0




Band4-5MHz-16QAM-20375-25RB#0




Band4-10MHz-QPSK-20175-50RB#0




Band4-10MHz-QPSK-20350-50RB#0




Band4-10MHz-16QAM-20000-50RB#0




Band4-10MHz-16QAM-20175-50RB#0




Band4-10MHz-16QAM-20350-50RB#0




Band4-15MHz-QPSK-20025-75RB#0




Band4-15MHz-QPSK-20175-75RB#0




Band4-15MHz-QPSK-20325-75RB#0




Band4-15MHz-16QAM-20025-75RB#0




Band4-15MHz-16QAM-20175-75RB#0




Band4-15MHz-16QAM-20325-75RB#0




Band4-20MHz-QPSK-20050-100RB#0




Band4-20MHz-QPSK-20175-100RB#0




Band4-20MHz-QPSK-20300-100RB#0




Band4-20MHz-16QAM-20050-100RB#0



Band4-20MHz-16QAM-20175-100RB#0



Band4-20MHz-16QAM-20300-100RB#0



Appendix D: Band Edge


Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band4	1.4MHz	QPSK	19957	1RB#0	-22.63	PASS
Band4	1.4MHz	QPSK	19957	1RB#5	-42.20	PASS
Band4	1.4MHz	QPSK	19957	6RB#0	-29.20	PASS
Band4	1.4MHz	QPSK	20393	1RB#0	-41.24	PASS
Band4	1.4MHz	QPSK	20393	1RB#5	-24.58	PASS
Band4	1.4MHz	QPSK	20393	6RB#0	-30.27	PASS
Band4	1.4MHz	16QAM	19957	1RB#0	-21.59	PASS
Band4	1.4MHz	16QAM	19957	1RB#5	-40.55	PASS
Band4	1.4MHz	16QAM	19957	6RB#0	-31.00	PASS
Band4	1.4MHz	16QAM	20393	1RB#0	-39.64	PASS
Band4	1.4MHz	16QAM	20393	1RB#5	-22.52	PASS
Band4	1.4MHz	16QAM	20393	6RB#0	-30.66	PASS
Band4	3MHz	QPSK	19965	1RB#0	-16.25	PASS
Band4	3MHz	QPSK	19965	1RB#14	-28.11	PASS
Band4	3MHz	QPSK	19965	15RB#0	-22.62	PASS
Band4	3MHz	QPSK	20385	1RB#0	-28.81	PASS
Band4	3MHz	QPSK	20385	1RB#14	-14.55	PASS
Band4	3MHz	QPSK	20385	15RB#0	-23.57	PASS
Band4	3MHz	16QAM	19965	1RB#0	-13.56	PASS
Band4	3MHz	16QAM	19965	1RB#14	-28.26	PASS
Band4	3MHz	16QAM	19965	15RB#0	-24.35	PASS
Band4	3MHz	16QAM	20385	1RB#0	-29.66	PASS
Band4	3MHz	16QAM	20385	1RB#14	-13.87	PASS
Band4	3MHz	16QAM	20385	15RB#0	-25.87	PASS
Band4	5MHz	QPSK	19975	1RB#0	-17.93	PASS
Band4	5MHz	QPSK	19975	1RB#24	-36.26	PASS
Band4	5MHz	QPSK	19975	25RB#0	-27.53	PASS
Band4	5MHz	QPSK	20375	1RB#0	-37.87	PASS
Band4	5MHz	QPSK	20375	1RB#24	-17.96	PASS
Band4	5MHz	QPSK	20375	25RB#0	-30.93	PASS
Band4	5MHz	16QAM	19975	1RB#0	-19.70	PASS
Band4	5MHz	16QAM	19975	1RB#24	-37.42	PASS
Band4	5MHz	16QAM	19975	25RB#0	-29.44	PASS
Band4	5MHz	16QAM	20375	1RB#0	-37.94	PASS
Band4	5MHz	16QAM	20375	1RB#24	-19.60	PASS
Band4	5MHz	16QAM	20375	25RB#0	-30.93	PASS
Band4	10MHz	QPSK	20000	1RB#0	-15.33	PASS


Band4	10MHz	QPSK	20000	1RB#49	-40.37	PASS
Band4	10MHz	QPSK	20000	50RB#0	-30.15	PASS
Band4	10MHz	QPSK	20350	1RB#0	-41.28	PASS
Band4	10MHz	QPSK	20350	1RB#49	-14.84	PASS
Band4	10MHz	QPSK	20350	50RB#0	-31.05	PASS
Band4	10MHz	16QAM	20000	1RB#0	-16.33	PASS
Band4	10MHz	16QAM	20000	1RB#49	-40.77	PASS
Band4	10MHz	16QAM	20000	50RB#0	-32.24	PASS
Band4	10MHz	16QAM	20350	1RB#0	-41.14	PASS
Band4	10MHz	16QAM	20350	1RB#49	-15.58	PASS
Band4	10MHz	16QAM	20350	50RB#0	-31.77	PASS
Band4	15MHz	QPSK	20025	1RB#0	-14.18	PASS
Band4	15MHz	QPSK	20025	1RB#74	-42.33	PASS
Band4	15MHz	QPSK	20025	75RB#0	-31.23	PASS
Band4	15MHz	QPSK	20325	1RB#0	-42.53	PASS
Band4	15MHz	QPSK	20325	1RB#74	-13.64	PASS
Band4	15MHz	QPSK	20325	75RB#0	-31.77	PASS
Band4	15MHz	16QAM	20025	1RB#0	-14.87	PASS
Band4	15MHz	16QAM	20025	1RB#74	-42.88	PASS
Band4	15MHz	16QAM	20025	75RB#0	-31.69	PASS
Band4	15MHz	16QAM	20325	1RB#0	-43.05	PASS
Band4	15MHz	16QAM	20325	1RB#74	-14.42	PASS
Band4	15MHz	16QAM	20325	75RB#0	-32.67	PASS
Band4	20MHz	QPSK	20050	1RB#0	-28.61	PASS
Band4	20MHz	QPSK	20050	1RB#99	-40.71	PASS
Band4	20MHz	QPSK	20050	100RB#0	-26.16	PASS
Band4	20MHz	QPSK	20300	1RB#0	-28.92	PASS
Band4	20MHz	QPSK	20300	1RB#99	-19.02	PASS
Band4	20MHz	QPSK	20300	100RB#0	-25.83	PASS
Band4	20MHz	16QAM	20050	1RB#0	-24.41	PASS
Band4	20MHz	16QAM	20050	1RB#99	-41.11	PASS
Band4	20MHz	16QAM	20050	100RB#0	-27.01	PASS
Band4	20MHz	16QAM	20300	1RB#0	-30.01	PASS
Band4	20MHz	16QAM	20300	1RB#99	-27.50	PASS
Band4	20MHz	16QAM	20300	100RB#0	-26.45	PASS

Test Graphs


Band4-1.4MHz-QPSK-19957-1RB#0




Band4-1.4MHz-QPSK-19957-1RB#5




Band4-1.4MHz-QPSK-19957-6RB#0




Band4-1.4MHz-QPSK-20393-1RB#0




Band4-1.4MHz-QPSK-20393-1RB#5




Band4-1.4MHz-QPSK-20393-6RB#0




Band4-1.4MHz-16QAM-19957-1RB#0




Band4-1.4MHz-16QAM-19957-1RB#5




Band4-1.4MHz-16QAM-19957-6RB#0




Band4-1.4MHz-16QAM-20393-1RB#0




Band4-1.4MHz-16QAM-20393-1RB#5




Band4-1.4MHz-16QAM-20393-6RB#0




Band4-3MHz-QPSK-19965-1RB#14




Band4-3MHz-QPSK-19965-15RB#0




Band4-3MHz-QPSK-20385-1RB#0




Band4-3MHz-QPSK-20385-1RB#14




Band4-3MHz-QPSK-20385-15RB#0




Band4-3MHz-16QAM-19965-1RB#0




Band4-3MHz-16QAM-19965-1RB#14




Band4-3MHz-16QAM-19965-15RB#0




Band4-3MHz-16QAM-20385-1RB#0




Band4-3MHz-16QAM-20385-1RB#14




Band4-3MHz-16QAM-20385-15RB#0




Band4-5MHz-QPSK-19975-1RB#0




Band4-5MHz-QPSK-19975-1RB#24




Band4-5MHz-QPSK-19975-25RB#0




Band4-5MHz-QPSK-20375-1RB#0




Band4-5MHz-QPSK-20375-1RB#24




Band4-5MHz-QPSK-20375-25RB#0




Band4-5MHz-16QAM-19975-1RB#0




Band4-5MHz-16QAM-19975-1RB#24




Band4-5MHz-16QAM-19975-25RB#0




Band4-5MHz-16QAM-20375-1RB#0




Band4-5MHz-16QAM-20375-1RB#24




Band4-5MHz-16QAM-20375-25RB#0




Band4-10MHz-QPSK-20000-1RB#0




Band4-10MHz-QPSK-20000-1RB#49




Band4-10MHz-QPSK-20000-50RB#0




Band4-10MHz-QPSK-20350-1RB#0




Band4-10MHz-QPSK-20350-1RB#49




Band4-10MHz-QPSK-20350-50RB#0




Band4-10MHz-16QAM-20000-1RB#0




Band4-10MHz-16QAM-20000-1RB#49




Band4-10MHz-16QAM-20000-50RB#0




Band4-10MHz-16QAM-20350-1RB#0




Band4-10MHz-16QAM-20350-1RB#49




Band4-10MHz-16QAM-20350-50RB#0




Band4-15MHz-QPSK-20025-1RB#0




Band4-15MHz-QPSK-20025-1RB#74




Band4-15MHz-QPSK-20025-75RB#0




Band4-15MHz-QPSK-20325-1RB#0




Band4-15MHz-QPSK-20325-1RB#74




Band4-15MHz-QPSK-20325-75RB#0




Band4-15MHz-16QAM-20025-1RB#0




Band4-15MHz-16QAM-20025-1RB#74




Band4-15MHz-16QAM-20025-75RB#0




Band4-15MHz-16QAM-20325-1RB#0




Band4-15MHz-16QAM-20325-1RB#74




Band4-15MHz-16QAM-20325-75RB#0




Band4-20MHz-QPSK-20050-1RB#99




Band4-20MHz-QPSK-20050-100RB#0




Band4-20MHz-QPSK-20300-1RB#0




Band4-20MHz-QPSK-20300-100RB#0




Band4-20MHz-16QAM-20050-1RB#99



Band4-20MHz-16QAM-20050-100RB#0



Band4-20MHz-16QAM-20300-1RB#0



Band4-20MHz-16QAM-20300-100RB#0




• RBW 500 kHz
• VBW 1 MHz
• SWT 100 ms

Marker 1 [T1]

-26.45 dBm

Ref 35 dBm
• Att 40 dB
1.755000000 GHz



Appendix E: Conducted Spurious Emission

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Verdict
Band 4	1.4MHz	QPSK	19957	1RB#0	Range1:0.009~0.15MHz	-59.38	PASS
Band 4	1.4MHz	QPSK	19957	1RB#0	Range2:0.15~30MHz	-59.31	PASS
Band 4	1.4MHz	QPSK	19957	1RB#0	Range3:30~1000MHz	-50.28	PASS
Band 4	1.4MHz	QPSK	19957	1RB#0	Range4:1000~20000MHz	-43.79	PASS
Band 4	1.4MHz	QPSK	20175	1RB#0	Range1:0.009~0.15MHz	-60.06	PASS
Band 4	1.4MHz	QPSK	20175	1RB#0	Range2:0.15~30MHz	-59.28	PASS
Band 4	1.4MHz	QPSK	20175	1RB#0	Range3:30~1000MHz	-50.5	PASS
Band 4	1.4MHz	QPSK	20175	1RB#0	Range4:1000~20000MHz	-46.59	PASS
Band 4	1.4MHz	QPSK	20393	1RB#0	Range1:0.009~0.15MHz	-59.62	PASS
Band 4	1.4MHz	QPSK	20393	1RB#0	Range2:0.15~30MHz	-59.12	PASS
Band 4	1.4MHz	QPSK	20393	1RB#0	Range3:30~1000MHz	-50.56	PASS
Band 4	1.4MHz	QPSK	20393	1RB#0	Range4:1000~20000MHz	-46.74	PASS
Band 4	1.4MHz	16QAM	19957	1RB#0	Range1:0.009~0.15MHz	-58.6	PASS
Band 4	1.4MHz	16QAM	19957	1RB#0	Range2:0.15~30MHz	-58.77	PASS
Band 4	1.4MHz	16QAM	19957	1RB#0	Range3:30~1000MHz	-50.11	PASS
Band 4	1.4MHz	16QAM	19957	1RB#0	Range4:1000~20000MHz	-44.71	PASS
Band 4	1.4MHz	16QAM	20175	1RB#0	Range1:0.009~0.15MHz	-60.34	PASS
Band 4	1.4MHz	16QAM	20175	1RB#0	Range2:0.15~30MHz	-58.51	PASS

Band 4	1.4MHz	16QAM	20175	1RB#0	Range3:30~1000MHz	-50.07	PAS S
Band 4	1.4MHz	16QAM	20175	1RB#0	Range4:1000~20000MHz	-47.39	PAS S
Band 4	1.4MHz	16QAM	20393	1RB#0	Range1:0.009~0.15MHz	-58.15	PAS S
Band 4	1.4MHz	16QAM	20393	1RB#0	Range2:0.15~30MHz	-59.25	PAS S
Band 4	1.4MHz	16QAM	20393	1RB#0	Range3:30~1000MHz	-50.4	PAS S
Band 4	1.4MHz	16QAM	20393	1RB#0	Range4:1000~20000MHz	-45.88	PAS S
Band 4	3MHz	QPSK	19965	1RB#0	Range1:0.009~0.15MHz	-59.88	PAS S
Band 4	3MHz	QPSK	19965	1RB#0	Range2:0.15~30MHz	-60.18	PAS S
Band 4	3MHz	QPSK	19965	1RB#0	Range3:30~1000MHz	-50.25	PAS S
Band 4	3MHz	QPSK	19965	1RB#0	Range4:1000~20000MHz	-44.72	PAS S
Band 4	3MHz	QPSK	20175	1RB#0	Range1:0.009~0.15MHz	-59.58	PAS S
Band 4	3MHz	QPSK	20175	1RB#0	Range2:0.15~30MHz	-59.37	PAS S
Band 4	3MHz	QPSK	20175	1RB#0	Range3:30~1000MHz	-50.06	PAS S
Band 4	3MHz	QPSK	20175	1RB#0	Range4:1000~20000MHz	-46.29	PAS S
Band 4	3MHz	QPSK	20385	1RB#0	Range1:0.009~0.15MHz	-60.01	PAS S
Band 4	3MHz	QPSK	20385	1RB#0	Range2:0.15~30MHz	-59.58	PAS S
Band 4	3MHz	QPSK	20385	1RB#0	Range3:30~1000MHz	-50.12	PAS S
Band 4	3MHz	QPSK	20385	1RB#0	Range4:1000~20000MHz	-46.41	PAS S
Band 4	3MHz	16QAM	19965	1RB#0	Range1:0.009~0.15MHz	-60.33	PAS S
Band 4	3MHz	16QAM	19965	1RB#0	Range2:0.15~30MHz	-60.57	PAS S
Band 4	3MHz	16QAM	19965	1RB#0	Range3:30~1000MHz	-50.44	PAS S
Band 4	3MHz	16QAM	19965	1RB#0	Range4:1000~20000MHz	-47.36	PAS S

Band 4	3MHz	16QAM	20175	1RB#0	Range1:0.009~0.15MHz	-60.48	PASS
Band 4	3MHz	16QAM	20175	1RB#0	Range2:0.15~30MHz	-59.3	PASS
Band 4	3MHz	16QAM	20175	1RB#0	Range3:30~1000MHz	-50.35	PASS
Band 4	3MHz	16QAM	20175	1RB#0	Range4:1000~20000MHz	-47.23	PASS
Band 4	3MHz	16QAM	20385	1RB#0	Range1:0.009~0.15MHz	-60.33	PASS
Band 4	3MHz	16QAM	20385	1RB#0	Range2:0.15~30MHz	-59.85	PASS
Band 4	3MHz	16QAM	20385	1RB#0	Range3:30~1000MHz	-50.39	PASS
Band 4	3MHz	16QAM	20385	1RB#0	Range4:1000~20000MHz	-47.28	PASS
Band 4	5MHz	QPSK	19975	1RB#0	Range1:0.009~0.15MHz	-59.86	PASS
Band 4	5MHz	QPSK	19975	1RB#0	Range2:0.15~30MHz	-59.15	PASS
Band 4	5MHz	QPSK	19975	1RB#0	Range3:30~1000MHz	-50.33	PASS
Band 4	5MHz	QPSK	19975	1RB#0	Range4:1000~20000MHz	-46.69	PASS
Band 4	5MHz	QPSK	20175	1RB#0	Range1:0.009~0.15MHz	-58.79	PASS
Band 4	5MHz	QPSK	20175	1RB#0	Range2:0.15~30MHz	-59.09	PASS
Band 4	5MHz	QPSK	20175	1RB#0	Range3:30~1000MHz	-50.44	PASS
Band 4	5MHz	QPSK	20175	1RB#0	Range4:1000~20000MHz	-47.13	PASS
Band 4	5MHz	QPSK	20375	1RB#0	Range1:0.009~0.15MHz	-59.74	PASS
Band 4	5MHz	QPSK	20375	1RB#0	Range2:0.15~30MHz	-60.06	PASS
Band 4	5MHz	QPSK	20375	1RB#0	Range3:30~1000MHz	-50.07	PASS
Band 4	5MHz	QPSK	20375	1RB#0	Range4:1000~20000MHz	-43.91	PASS
Band 4	5MHz	16QAM	19975	1RB#0	Range1:0.009~0.15MHz	-61.19	PASS
Band 4	5MHz	16QAM	19975	1RB#0	Range2:0.15~30MHz	-60.34	PASS

Band 4	5MHz	16QAM	19975	1RB#0	Range3:30~1000MHz	-50.6	PAS S
Band 4	5MHz	16QAM	19975	1RB#0	Range4:1000~20000MHz	-47.69	PAS S
Band 4	5MHz	16QAM	20175	1RB#0	Range1:0.009~0.15MHz	-59.44	PAS S
Band 4	5MHz	16QAM	20175	1RB#0	Range2:0.15~30MHz	-60.28	PAS S
Band 4	5MHz	16QAM	20175	1RB#0	Range3:30~1000MHz	-50.23	PAS S
Band 4	5MHz	16QAM	20175	1RB#0	Range4:1000~20000MHz	-48.73	PAS S
Band 4	5MHz	16QAM	20375	1RB#0	Range1:0.009~0.15MHz	-61.28	PAS S
Band 4	5MHz	16QAM	20375	1RB#0	Range2:0.15~30MHz	-58.66	PAS S
Band 4	5MHz	16QAM	20375	1RB#0	Range3:30~1000MHz	-50.43	PAS S
Band 4	5MHz	16QAM	20375	1RB#0	Range4:1000~20000MHz	-46.89	PAS S
Band 4	10MHz	QPSK	20000	1RB#0	Range1:0.009~0.15MHz	-60.83	PAS S
Band 4	10MHz	QPSK	20000	1RB#0	Range2:0.15~30MHz	-60.2	PAS S
Band 4	10MHz	QPSK	20000	1RB#0	Range3:30~1000MHz	-50.52	PAS S
Band 4	10MHz	QPSK	20000	1RB#0	Range4:1000~20000MHz	-46.44	PAS S
Band 4	10MHz	QPSK	20175	1RB#0	Range1:0.009~0.15MHz	-59.83	PAS S
Band 4	10MHz	QPSK	20175	1RB#0	Range2:0.15~30MHz	-60.65	PAS S
Band 4	10MHz	QPSK	20175	1RB#0	Range3:30~1000MHz	-49.96	PAS S
Band 4	10MHz	QPSK	20175	1RB#0	Range4:1000~20000MHz	-47.32	PAS S
Band 4	10MHz	QPSK	20350	1RB#0	Range1:0.009~0.15MHz	-59.87	PAS S
Band 4	10MHz	QPSK	20350	1RB#0	Range2:0.15~30MHz	-58.93	PAS S
Band 4	10MHz	QPSK	20350	1RB#0	Range3:30~1000MHz	-50.36	PAS S
Band 4	10MHz	QPSK	20350	1RB#0	Range4:1000~20000MHz	-45.42	PAS S