

Appendix A: Effective (Isotropic) Radiated Power Output Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band5	1.4MHz	QPSK	20407	1RB#0	24.51	PASS
Band5	1.4MHz	QPSK	20407	1RB#2	24.48	PASS
Band5	1.4MHz	QPSK	20407	1RB#5	24.44	PASS
Band5	1.4MHz	QPSK	20407	3RB#0	24.55	PASS
Band5	1.4MHz	QPSK	20407	3RB#1	24.53	PASS
Band5	1.4MHz	QPSK	20407	3RB#3	24.44	PASS
Band5	1.4MHz	QPSK	20407	6RB#0	23.47	PASS
Band5	1.4MHz	QPSK	20525	1RB#0	24.50	PASS
Band5	1.4MHz	QPSK	20525	1RB#2	24.46	PASS
Band5	1.4MHz	QPSK	20525	1RB#5	24.50	PASS
Band5	1.4MHz	QPSK	20525	3RB#0	24.43	PASS
Band5	1.4MHz	QPSK	20525	3RB#1	24.60	PASS
Band5	1.4MHz	QPSK	20525	3RB#3	24.45	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	23.47	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	24.40	PASS
Band5	1.4MHz	QPSK	20643	1RB#2	24.26	PASS
Band5	1.4MHz	QPSK	20643	1RB#5	24.32	PASS
Band5	1.4MHz	QPSK	20643	3RB#0	24.42	PASS
Band5	1.4MHz	QPSK	20643	3RB#1	24.43	PASS
Band5	1.4MHz	QPSK	20643	3RB#3	24.37	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	23.27	PASS
Band5	1.4MHz	16QAM	20407	1RB#0	23.63	PASS
Band5	1.4MHz	16QAM	20407	1RB#2	23.67	PASS
Band5	1.4MHz	16QAM	20407	1RB#5	23.57	PASS
Band5	1.4MHz	16QAM	20407	3RB#0	23.50	PASS
Band5	1.4MHz	16QAM	20407	3RB#1	23.25	PASS
Band5	1.4MHz	16QAM	20407	3RB#3	23.17	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	22.70	PASS
Band5	1.4MHz	16QAM	20525	1RB#0	24.11	PASS
Band5	1.4MHz	16QAM	20525	1RB#2	24.26	PASS
Band5	1.4MHz	16QAM	20525	1RB#5	24.10	PASS
Band5	1.4MHz	16QAM	20525	3RB#0	23.15	PASS

Band5	1.4MHz	16QAM	20525	3RB#1	23.15	PASS
Band5	1.4MHz	16QAM	20525	3RB#3	23.15	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	22.47	PASS
Band5	1.4MHz	16QAM	20643	1RB#0	24.39	PASS
Band5	1.4MHz	16QAM	20643	1RB#2	24.40	PASS
Band5	1.4MHz	16QAM	20643	1RB#5	24.10	PASS
Band5	1.4MHz	16QAM	20643	3RB#0	23.08	PASS
Band5	1.4MHz	16QAM	20643	3RB#1	23.11	PASS
Band5	1.4MHz	16QAM	20643	3RB#3	23.21	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	22.47	PASS
Band5	3MHz	QPSK	20415	1RB#0	24.42	PASS
Band5	3MHz	QPSK	20415	1RB#8	24.41	PASS
Band5	3MHz	QPSK	20415	1RB#14	24.41	PASS
Band5	3MHz	QPSK	20415	8RB#0	23.51	PASS
Band5	3MHz	QPSK	20415	8RB#4	23.54	PASS
Band5	3MHz	QPSK	20415	8RB#7	23.74	PASS
Band5	3MHz	QPSK	20415	15RB#0	23.48	PASS
Band5	3MHz	QPSK	20525	1RB#0	24.43	PASS
Band5	3MHz	QPSK	20525	1RB#8	24.49	PASS
Band5	3MHz	QPSK	20525	1RB#14	24.45	PASS
Band5	3MHz	QPSK	20525	8RB#0	23.41	PASS
Band5	3MHz	QPSK	20525	8RB#4	23.59	PASS
Band5	3MHz	QPSK	20525	8RB#7	23.47	PASS
Band5	3MHz	QPSK	20525	15RB#0	23.47	PASS
Band5	3MHz	QPSK	20635	1RB#0	24.49	PASS
Band5	3MHz	QPSK	20635	1RB#8	24.43	PASS
Band5	3MHz	QPSK	20635	1RB#14	24.46	PASS
Band5	3MHz	QPSK	20635	8RB#0	23.14	PASS
Band5	3MHz	QPSK	20635	8RB#4	23.31	PASS
Band5	3MHz	QPSK	20635	8RB#7	23.31	PASS
Band5	3MHz	QPSK	20635	15RB#0	23.50	PASS
Band5	3MHz	16QAM	20415	1RB#0	23.60	PASS
Band5	3MHz	16QAM	20415	1RB#8	23.64	PASS
Band5	3MHz	16QAM	20415	1RB#14	23.57	PASS
Band5	3MHz	16QAM	20415	8RB#0	22.78	PASS
Band5	3MHz	16QAM	20415	8RB#4	22.78	PASS
Band5	3MHz	16QAM	20415	8RB#7	22.86	PASS

Band5	3MHz	16QAM	20415	15RB#0	22.56	PASS
Band5	3MHz	16QAM	20525	1RB#0	23.38	PASS
Band5	3MHz	16QAM	20525	1RB#8	22.81	PASS
Band5	3MHz	16QAM	20525	1RB#14	22.83	PASS
Band5	3MHz	16QAM	20525	8RB#0	22.71	PASS
Band5	3MHz	16QAM	20525	8RB#4	22.71	PASS
Band5	3MHz	16QAM	20525	8RB#7	22.72	PASS
Band5	3MHz	16QAM	20525	15RB#0	22.38	PASS
Band5	3MHz	16QAM	20635	1RB#0	23.94	PASS
Band5	3MHz	16QAM	20635	1RB#8	24.02	PASS
Band5	3MHz	16QAM	20635	1RB#14	23.98	PASS
Band5	3MHz	16QAM	20635	8RB#0	22.61	PASS
Band5	3MHz	16QAM	20635	8RB#4	22.61	PASS
Band5	3MHz	16QAM	20635	8RB#7	22.56	PASS
Band5	3MHz	16QAM	20635	15RB#0	22.40	PASS
Band5	5MHz	QPSK	20425	1RB#0	24.53	PASS
Band5	5MHz	QPSK	20425	1RB#12	24.53	PASS
Band5	5MHz	QPSK	20425	1RB#24	24.66	PASS
Band5	5MHz	QPSK	20425	12RB#0	23.58	PASS
Band5	5MHz	QPSK	20425	12RB#6	23.56	PASS
Band5	5MHz	QPSK	20425	12RB#13	23.68	PASS
Band5	5MHz	QPSK	20425	25RB#0	23.64	PASS
Band5	5MHz	QPSK	20525	1RB#0	24.65	PASS
Band5	5MHz	QPSK	20525	1RB#12	24.54	PASS
Band5	5MHz	QPSK	20525	1RB#24	24.50	PASS
Band5	5MHz	QPSK	20525	12RB#0	23.40	PASS
Band5	5MHz	QPSK	20525	12RB#6	23.42	PASS
Band5	5MHz	QPSK	20525	12RB#13	23.48	PASS
Band5	5MHz	QPSK	20525	25RB#0	23.48	PASS
Band5	5MHz	QPSK	20625	1RB#0	24.60	PASS
Band5	5MHz	QPSK	20625	1RB#12	24.60	PASS
Band5	5MHz	QPSK	20625	1RB#24	24.30	PASS
Band5	5MHz	QPSK	20625	12RB#0	23.45	PASS
Band5	5MHz	QPSK	20625	12RB#6	23.33	PASS
Band5	5MHz	QPSK	20625	12RB#13	23.41	PASS
Band5	5MHz	QPSK	20625	25RB#0	23.45	PASS
Band5	5MHz	16QAM	20425	1RB#0	23.05	PASS

Band5	5MHz	16QAM	20425	1RB#12	23.06	PASS
Band5	5MHz	16QAM	20425	1RB#24	22.86	PASS
Band5	5MHz	16QAM	20425	12RB#0	22.59	PASS
Band5	5MHz	16QAM	20425	12RB#6	22.60	PASS
Band5	5MHz	16QAM	20425	12RB#13	22.56	PASS
Band5	5MHz	16QAM	20425	25RB#0	22.76	PASS
Band5	5MHz	16QAM	20525	1RB#0	23.23	PASS
Band5	5MHz	16QAM	20525	1RB#12	23.14	PASS
Band5	5MHz	16QAM	20525	1RB#24	23.14	PASS
Band5	5MHz	16QAM	20525	12RB#0	22.55	PASS
Band5	5MHz	16QAM	20525	12RB#6	22.56	PASS
Band5	5MHz	16QAM	20525	12RB#13	22.49	PASS
Band5	5MHz	16QAM	20525	25RB#0	22.42	PASS
Band5	5MHz	16QAM	20625	1RB#0	23.31	PASS
Band5	5MHz	16QAM	20625	1RB#12	23.06	PASS
Band5	5MHz	16QAM	20625	1RB#24	22.96	PASS
Band5	5MHz	16QAM	20625	12RB#0	22.23	PASS
Band5	5MHz	16QAM	20625	12RB#6	22.31	PASS
Band5	5MHz	16QAM	20625	12RB#13	22.31	PASS
Band5	5MHz	16QAM	20625	25RB#0	22.39	PASS
Band5	10MHz	QPSK	20450	1RB#0	24.48	PASS
Band5	10MHz	QPSK	20450	1RB#24	24.52	PASS
Band5	10MHz	QPSK	20450	1RB#49	24.42	PASS
Band5	10MHz	QPSK	20450	25RB#0	23.65	PASS
Band5	10MHz	QPSK	20450	25RB#12	23.65	PASS
Band5	10MHz	QPSK	20450	25RB#25	23.45	PASS
Band5	10MHz	QPSK	20450	50RB#0	23.50	PASS
Band5	10MHz	QPSK	20525	1RB#0	24.50	PASS
Band5	10MHz	QPSK	20525	1RB#24	24.49	PASS
Band5	10MHz	QPSK	20525	1RB#49	24.38	PASS
Band5	10MHz	QPSK	20525	25RB#0	23.66	PASS
Band5	10MHz	QPSK	20525	25RB#12	23.41	PASS
Band5	10MHz	QPSK	20525	25RB#25	23.46	PASS
Band5	10MHz	QPSK	20525	50RB#0	23.58	PASS
Band5	10MHz	QPSK	20600	1RB#0	24.63	PASS
Band5	10MHz	QPSK	20600	1RB#24	24.52	PASS
Band5	10MHz	QPSK	20600	1RB#49	24.45	PASS

Band5	10MHz	QPSK	20600	25RB#0	23.49	PASS
Band5	10MHz	QPSK	20600	25RB#12	23.55	PASS
Band5	10MHz	QPSK	20600	25RB#25	23.41	PASS
Band5	10MHz	QPSK	20600	50RB#0	23.37	PASS
Band5	10MHz	16QAM	20450	1RB#0	23.61	PASS
Band5	10MHz	16QAM	20450	1RB#24	23.19	PASS
Band5	10MHz	16QAM	20450	1RB#49	23.54	PASS
Band5	10MHz	16QAM	20450	25RB#0	22.60	PASS
Band5	10MHz	16QAM	20450	25RB#12	22.69	PASS
Band5	10MHz	16QAM	20450	25RB#25	22.56	PASS
Band5	10MHz	16QAM	20450	50RB#0	22.57	PASS
Band5	10MHz	16QAM	20525	1RB#0	22.96	PASS
Band5	10MHz	16QAM	20525	1RB#24	22.85	PASS
Band5	10MHz	16QAM	20525	1RB#49	23.22	PASS
Band5	10MHz	16QAM	20525	25RB#0	22.76	PASS
Band5	10MHz	16QAM	20525	25RB#12	22.70	PASS
Band5	10MHz	16QAM	20525	25RB#25	22.58	PASS
Band5	10MHz	16QAM	20525	50RB#0	22.50	PASS
Band5	10MHz	16QAM	20600	1RB#0	23.36	PASS
Band5	10MHz	16QAM	20600	1RB#24	23.97	PASS
Band5	10MHz	16QAM	20600	1RB#49	23.96	PASS
Band5	10MHz	16QAM	20600	25RB#0	22.55	PASS
Band5	10MHz	16QAM	20600	25RB#12	22.58	PASS
Band5	10MHz	16QAM	20600	25RB#25	22.58	PASS
Band5	10MHz	16QAM	20600	50RB#0	22.46	PASS

Appendix B: Peak-to-Average Ratio(CCDF)

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band5	1.4MHz	QPSK	20407	1RB#0	4.71	13	PASS
Band5	1.4MHz	QPSK	20407	6RB#0	5.29	13	PASS
Band5	1.4MHz	QPSK	20525	1RB#0	5.32	13	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	5.64	13	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	5.48	13	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	5.80	13	PASS
Band5	1.4MHz	16QAM	20407	1RB#0	5.35	13	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	6.12	13	PASS
Band5	1.4MHz	16QAM	20525	1RB#0	5.93	13	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	6.41	13	PASS
Band5	1.4MHz	16QAM	20643	1RB#0	6.47	13	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	6.60	13	PASS
Band5	3MHz	QPSK	20415	1RB#0	4.78	13	PASS
Band5	3MHz	QPSK	20415	15RB#0	5.48	13	PASS
Band5	3MHz	QPSK	20525	1RB#0	5.32	13	PASS
Band5	3MHz	QPSK	20525	15RB#0	5.67	13	PASS
Band5	3MHz	QPSK	20635	1RB#0	5.42	13	PASS
Band5	3MHz	QPSK	20635	15RB#0	5.71	13	PASS
Band5	3MHz	16QAM	20415	1RB#0	5.67	13	PASS
Band5	3MHz	16QAM	20415	15RB#0	6.28	13	PASS
Band5	3MHz	16QAM	20525	1RB#0	6.09	13	PASS
Band5	3MHz	16QAM	20525	15RB#0	6.47	13	PASS
Band5	3MHz	16QAM	20635	1RB#0	6.22	13	PASS
Band5	3MHz	16QAM	20635	15RB#0	6.57	13	PASS
Band5	5MHz	QPSK	20425	1RB#0	4.78	13	PASS
Band5	5MHz	QPSK	20425	25RB#0	5.67	13	PASS
Band5	5MHz	QPSK	20525	1RB#0	5.42	13	PASS
Band5	5MHz	QPSK	20525	25RB#0	5.71	13	PASS
Band5	5MHz	QPSK	20625	1RB#0	5.16	13	PASS
Band5	5MHz	QPSK	20625	25RB#0	5.83	13	PASS
Band5	5MHz	16QAM	20425	1RB#0	5.71	13	PASS
Band5	5MHz	16QAM	20425	25RB#0	6.31	13	PASS
Band5	5MHz	16QAM	20525	1RB#0	6.25	13	PASS
Band5	5MHz	16QAM	20525	25RB#0	6.44	13	PASS
Band5	5MHz	16QAM	20625	1RB#0	5.96	13	PASS
Band5	5MHz	16QAM	20625	25RB#0	6.54	13	PASS




Band5	10MHz	QPSK	20450	1RB#0	4.84	13	PASS
Band5	10MHz	QPSK	20450	50RB#0	5.71	13	PASS
Band5	10MHz	QPSK	20525	1RB#0	5.42	13	PASS
Band5	10MHz	QPSK	20525	50RB#0	5.58	13	PASS
Band5	10MHz	QPSK	20600	1RB#0	5.16	13	PASS
Band5	10MHz	QPSK	20600	50RB#0	5.67	13	PASS
Band5	10MHz	16QAM	20450	1RB#0	5.87	13	PASS
Band5	10MHz	16QAM	20450	50RB#0	6.54	13	PASS
Band5	10MHz	16QAM	20525	1RB#0	6.12	13	PASS
Band5	10MHz	16QAM	20525	50RB#0	6.51	13	PASS
Band5	10MHz	16QAM	20600	1RB#0	5.99	13	PASS
Band5	10MHz	16QAM	20600	50RB#0	6.54	13	PASS

Appendix C: 26dB Bandwidth and Occupied Bandwidth


Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band5	1.4MHz	QPSK	20407	6RB#0	1.09	1.23	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	1.09	1.21	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	1.09	1.22	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	1.09	1.23	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	1.09	1.23	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	1.09	1.22	PASS
Band5	3MHz	QPSK	20415	15RB#0	2.7	2.80	PASS
Band5	3MHz	QPSK	20525	15RB#0	2.7	2.92	PASS
Band5	3MHz	QPSK	20635	15RB#0	2.71	2.90	PASS
Band5	3MHz	16QAM	20415	15RB#0	2.7	2.90	PASS
Band5	3MHz	16QAM	20525	15RB#0	2.7	2.90	PASS
Band5	3MHz	16QAM	20635	15RB#0	2.7	2.88	PASS
Band5	5MHz	QPSK	20425	25RB#0	4.5	4.68	PASS
Band5	5MHz	QPSK	20525	25RB#0	4.5	4.78	PASS
Band5	5MHz	QPSK	20625	25RB#0	4.51	4.79	PASS
Band5	5MHz	16QAM	20425	25RB#0	4.52	4.78	PASS
Band5	5MHz	16QAM	20525	25RB#0	4.49	4.78	PASS
Band5	5MHz	16QAM	20625	25RB#0	4.51	4.79	PASS
Band5	10MHz	QPSK	20450	50RB#0	9	9.55	PASS
Band5	10MHz	QPSK	20525	50RB#0	9	9.67	PASS
Band5	10MHz	QPSK	20600	50RB#0	9	9.67	PASS
Band5	10MHz	16QAM	20450	50RB#0	9	9.70	PASS
Band5	10MHz	16QAM	20525	50RB#0	9	9.70	PASS
Band5	10MHz	16QAM	20600	50RB#0	9	9.70	PASS


Test Graphs




Band5-1.4MHz-16QAM-20407-6RB#0




Band5-1.4MHz-16QAM-20525-6RB#0




Band5-1.4MHz-16QAM-20643-6RB#0




Band5-3MHz-QPSK-20525-15RB#0




Band5-3MHz-QPSK-20635-15RB#0




Band5-3MHz-16QAM-20415-15RB#0




Band5-3MHz-16QAM-20525-15RB#0




Band5-3MHz-16QAM-20635-15RB#0




Band5-5MHz-QPSK-20525-25RB#0




Band5-5MHz-QPSK-20625-25RB#0




Band5-5MHz-16QAM-20425-25RB#0




Band5-5MHz-16QAM-20525-25RB#0




Band5-5MHz-16QAM-20625-25RB#0




Band5-10MHz-QPSK-20525-50RB#0




Band5-10MHz-QPSK-20600-50RB#0




Band5-10MHz-16QAM-20450-50RB#0



Band5-10MHz-16QAM-20525-50RB#0



Band5-10MHz-16QAM-20600-50RB#0



Appendix D: Band Edge


Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band5	1.4MHz	QPSK	20407	1RB#0	-19.98	PASS
Band5	1.4MHz	QPSK	20407	1RB#5	-39.96	PASS
Band5	1.4MHz	QPSK	20407	6RB#0	-22.00	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	-43.30	PASS
Band5	1.4MHz	QPSK	20643	1RB#5	-24.58	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	-30.81	PASS
Band5	1.4MHz	16QAM	20407	1RB#0	-18.88	PASS
Band5	1.4MHz	16QAM	20407	1RB#5	-37.50	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	-25.03	PASS
Band5	1.4MHz	16QAM	20643	1RB#0	-39.35	PASS
Band5	1.4MHz	16QAM	20643	1RB#5	-24.96	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	-31.10	PASS
Band5	3MHz	QPSK	20415	1RB#0	-14.07	PASS
Band5	3MHz	QPSK	20415	1RB#14	-26.90	PASS
Band5	3MHz	QPSK	20415	15RB#0	-20.08	PASS
Band5	3MHz	QPSK	20635	1RB#0	-27.68	PASS
Band5	3MHz	QPSK	20635	1RB#14	-16.26	PASS
Band5	3MHz	QPSK	20635	15RB#0	-23.00	PASS
Band5	3MHz	16QAM	20415	1RB#0	-17.98	PASS
Band5	3MHz	16QAM	20415	1RB#14	-26.96	PASS
Band5	3MHz	16QAM	20415	15RB#0	-22.08	PASS
Band5	3MHz	16QAM	20635	1RB#0	-29.51	PASS
Band5	3MHz	16QAM	20635	1RB#14	-13.95	PASS
Band5	3MHz	16QAM	20635	15RB#0	-23.87	PASS
Band5	5MHz	QPSK	20425	1RB#0	-17.65	PASS
Band5	5MHz	QPSK	20425	1RB#24	-35.29	PASS
Band5	5MHz	QPSK	20425	25RB#0	-22.38	PASS
Band5	5MHz	QPSK	20625	1RB#0	-36.29	PASS
Band5	5MHz	QPSK	20625	1RB#24	-18.12	PASS
Band5	5MHz	QPSK	20625	25RB#0	-25.74	PASS
Band5	5MHz	16QAM	20425	1RB#0	-17.39	PASS
Band5	5MHz	16QAM	20425	1RB#24	-36.56	PASS
Band5	5MHz	16QAM	20425	25RB#0	-24.88	PASS
Band5	5MHz	16QAM	20625	1RB#0	-37.55	PASS
Band5	5MHz	16QAM	20625	1RB#24	-18.51	PASS
Band5	5MHz	16QAM	20625	25RB#0	-28.39	PASS
Band5	10MHz	QPSK	20450	1RB#0	-13.47	PASS


Band5	10MHz	QPSK	20450	1RB#49	-40.13	PASS
Band5	10MHz	QPSK	20450	50RB#0	-25.60	PASS
Band5	10MHz	QPSK	20600	1RB#0	-40.04	PASS
Band5	10MHz	QPSK	20600	1RB#49	-13.12	PASS
Band5	10MHz	QPSK	20600	50RB#0	-27.39	PASS
Band5	10MHz	16QAM	20450	1RB#0	-14.76	PASS
Band5	10MHz	16QAM	20450	1RB#49	-40.38	PASS
Band5	10MHz	16QAM	20450	50RB#0	-27.54	PASS
Band5	10MHz	16QAM	20600	1RB#0	-41.06	PASS
Band5	10MHz	16QAM	20600	1RB#49	-14.11	PASS
Band5	10MHz	16QAM	20600	50RB#0	-28.33	PASS

Test Graphs


Band5-1.4MHz-QPSK-20407-1RB#0




Band5-1.4MHz-QPSK-20407-1RB#5




Band5-1.4MHz-QPSK-20407-6RB#0




Band5-1.4MHz-QPSK-20643-1RB#0




Band5-1.4MHz-QPSK-20643-1RB#5




Band5-1.4MHz-QPSK-20643-6RB#0




Band5-1.4MHz-16QAM-20407-1RB#0




Band5-1.4MHz-16QAM-20407-1RB#5




Band5-1.4MHz-16QAM-20407-6RB#0




Band5-1.4MHz-16QAM-20643-1RB#0




Band5-1.4MHz-16QAM-20643-1RB#5




Band5-1.4MHz-16QAM-20643-6RB#0




Band5-3MHz-QPSK-20415-1RB#14




Band5-3MHz-QPSK-20415-15RB#0




Band5-3MHz-QPSK-20635-1RB#0




Band5-3MHz-QPSK-20635-15RB#0




Band5-3MHz-16QAM-20415-1RB#14




Band5-3MHz-16QAM-20415-15RB#0




Band5-3MHz-16QAM-20635-1RB#0




Band5-3MHz-16QAM-20635-1RB#14




Band5-3MHz-16QAM-20635-15RB#0




Band5-5MHz-QPSK-20425-1RB#0




Band5-5MHz-QPSK-20425-1RB#24




Band5-5MHz-QPSK-20425-25RB#0




Band5-5MHz-QPSK-20625-1RB#0




Band5-5MHz-QPSK-20625-1RB#24




Band5-5MHz-QPSK-20625-25RB#0




Band5-5MHz-16QAM-20425-1RB#0




Band5-5MHz-16QAM-20425-1RB#24




Band5-5MHz-16QAM-20425-25RB#0




Band5-5MHz-16QAM-20625-1RB#0




Band5-5MHz-16QAM-20625-1RB#24




Band5-5MHz-16QAM-20625-25RB#0




Band5-10MHz-QPSK-20450-1RB#0




Band5-10MHz-QPSK-20450-1RB#49




Band5-10MHz-QPSK-20450-50RB#0




Band5-10MHz-QPSK-20600-1RB#0




Band5-10MHz-QPSK-20600-1RB#49




Band5-10MHz-QPSK-20600-50RB#0




Band5-10MHz-16QAM-20450-1RB#0




Band5-10MHz-16QAM-20450-1RB#49




Band5-10MHz-16QAM-20450-50RB#0




Band5-10MHz-16QAM-20600-1RB#0



Band5-10MHz-16QAM-20600-1RB#49



Band5-10MHz-16QAM-20600-50RB#0



Appendix E: Conducted Spurious Emission

Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Verdict
Band5	1.4MHz	QPSK	20407	1RB#0	Range1:0.009~0.15MHz	-60.97	PASS
Band5	1.4MHz	QPSK	20407	1RB#0	Range2:0.15~30MHz	-59.17	PASS
Band5	1.4MHz	QPSK	20407	1RB#0	Range3:30~1000MHz	-54.78	PASS
Band5	1.4MHz	QPSK	20407	1RB#0	Range4:1000~10000MHz	-37.27	PASS
Band5	1.4MHz	QPSK	20525	1RB#0	Range1:0.009~0.15MHz	-61.34	PASS
Band5	1.4MHz	QPSK	20525	1RB#0	Range2:0.15~30MHz	-60.19	PASS
Band5	1.4MHz	QPSK	20525	1RB#0	Range3:30~1000MHz	-54.57	PASS
Band5	1.4MHz	QPSK	20525	1RB#0	Range4:1000~10000MHz	-36.62	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	Range1:0.009~0.15MHz	-60.61	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	Range2:0.15~30MHz	-60.04	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	Range3:30~1000MHz	-54.5	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	Range4:1000~10000MHz	-37.69	PASS
Band5	1.4MHz	16QAM	20407	1RB#0	Range1:0.009~0.15MHz	-59.34	PASS
Band5	1.4MHz	16QAM	20407	1RB#0	Range2:0.15~30MHz	-58.54	PASS
Band5	1.4MHz	16QAM	20407	1RB#0	Range3:30~1000MHz	-54.7	PASS
Band5	1.4MHz	16QAM	20407	1RB#0	Range4:1000~10000MHz	-38.62	PASS
Band5	1.4MHz	16QAM	20525	1RB#0	Range1:0.009~0.15MHz	-59.47	PASS
Band5	1.4MHz	16QAM	20525	1RB#0	Range2:0.15~30MHz	-60.92	PASS
Band5	1.4MHz	16QAM	20525	1RB#0	Range3:30~1000MHz	-54.64	PASS
Band5	1.4MHz	16QAM	20525	1RB#0	Range4:1000~10000MHz	-40.35	PASS
Band5	1.4MHz	16QAM	20643	1RB#0	Range1:0.009~0.15MHz	-61.8	PASS
Band5	1.4MHz	16QAM	20643	1RB#0	Range2:0.15~30MHz	-60.58	PASS
Band5	1.4MHz	16QAM	20643	1RB#0	Range3:30~1000MHz	-54.73	PASS
Band5	1.4MHz	16QAM	20643	1RB#0	Range4:1000~10000MHz	-39.05	PASS
Band5	3MHz	QPSK	20415	1RB#0	Range1:0.009~0.15MHz	-60.95	PASS
Band5	3MHz	QPSK	20415	1RB#0	Range2:0.15~30MHz	-60.74	PASS
Band5	3MHz	QPSK	20415	1RB#0	Range3:30~1000MHz	-54.7	PASS
Band5	3MHz	QPSK	20415	1RB#0	Range4:1000~10000MHz	-38.69	PASS
Band5	3MHz	QPSK	20525	1RB#0	Range1:0.009~0.15MHz	-60.36	PASS
Band5	3MHz	QPSK	20525	1RB#0	Range2:0.15~30MHz	-59.3	PASS
Band5	3MHz	QPSK	20525	1RB#0	Range3:30~1000MHz	-54.57	PASS
Band5	3MHz	QPSK	20525	1RB#0	Range4:1000~10000MHz	-37.31	PASS
Band5	3MHz	QPSK	20635	1RB#0	Range1:0.009~0.15MHz	-60.88	PASS
Band5	3MHz	QPSK	20635	1RB#0	Range2:0.15~30MHz	-59.56	PASS
Band5	3MHz	QPSK	20635	1RB#0	Range3:30~1000MHz	-54.7	PASS
Band5	3MHz	QPSK	20635	1RB#0	Range4:1000~10000MHz	-37.09	PASS

Band5	3MHz	16QAM	20415	1RB#0	Range1:0.009~0.15MHz	-59.64	PASS
Band5	3MHz	16QAM	20415	1RB#0	Range2:0.15~30MHz	-60.96	PASS
Band5	3MHz	16QAM	20415	1RB#0	Range3:30~1000MHz	-54.59	PASS
Band5	3MHz	16QAM	20415	1RB#0	Range4:1000~10000MHz	-39.73	PASS
Band5	3MHz	16QAM	20525	1RB#0	Range1:0.009~0.15MHz	-61.09	PASS
Band5	3MHz	16QAM	20525	1RB#0	Range2:0.15~30MHz	-58.71	PASS
Band5	3MHz	16QAM	20525	1RB#0	Range3:30~1000MHz	-54.66	PASS
Band5	3MHz	16QAM	20525	1RB#0	Range4:1000~10000MHz	-39.33	PASS
Band5	3MHz	16QAM	20635	1RB#0	Range1:0.009~0.15MHz	-63.48	PASS
Band5	3MHz	16QAM	20635	1RB#0	Range2:0.15~30MHz	-60.24	PASS
Band5	3MHz	16QAM	20635	1RB#0	Range3:30~1000MHz	-54.6	PASS
Band5	3MHz	16QAM	20635	1RB#0	Range4:1000~10000MHz	-40.69	PASS
Band5	5MHz	QPSK	20425	1RB#0	Range1:0.009~0.15MHz	-60.44	PASS
Band5	5MHz	QPSK	20425	1RB#0	Range2:0.15~30MHz	-59.7	PASS
Band5	5MHz	QPSK	20425	1RB#0	Range3:30~1000MHz	-54.61	PASS
Band5	5MHz	QPSK	20425	1RB#0	Range4:1000~10000MHz	-38.89	PASS
Band5	5MHz	QPSK	20525	1RB#0	Range1:0.009~0.15MHz	-61.03	PASS
Band5	5MHz	QPSK	20525	1RB#0	Range2:0.15~30MHz	-61.79	PASS
Band5	5MHz	QPSK	20525	1RB#0	Range3:30~1000MHz	-54.76	PASS
Band5	5MHz	QPSK	20525	1RB#0	Range4:1000~10000MHz	-35.67	PASS
Band5	5MHz	QPSK	20625	1RB#0	Range1:0.009~0.15MHz	-60.51	PASS
Band5	5MHz	QPSK	20625	1RB#0	Range2:0.15~30MHz	-60.13	PASS
Band5	5MHz	QPSK	20625	1RB#0	Range3:30~1000MHz	-54.39	PASS
Band5	5MHz	QPSK	20625	1RB#0	Range4:1000~10000MHz	-37.83	PASS
Band5	5MHz	16QAM	20425	1RB#0	Range1:0.009~0.15MHz	-61.75	PASS
Band5	5MHz	16QAM	20425	1RB#0	Range2:0.15~30MHz	-58.88	PASS
Band5	5MHz	16QAM	20425	1RB#0	Range3:30~1000MHz	-54.61	PASS
Band5	5MHz	16QAM	20425	1RB#0	Range4:1000~10000MHz	-38.81	PASS
Band5	5MHz	16QAM	20525	1RB#0	Range1:0.009~0.15MHz	-62.77	PASS
Band5	5MHz	16QAM	20525	1RB#0	Range2:0.15~30MHz	-60.75	PASS
Band5	5MHz	16QAM	20525	1RB#0	Range3:30~1000MHz	-54.97	PASS
Band5	5MHz	16QAM	20525	1RB#0	Range4:1000~10000MHz	-38.57	PASS
Band5	5MHz	16QAM	20625	1RB#0	Range1:0.009~0.15MHz	-61.23	PASS
Band5	5MHz	16QAM	20625	1RB#0	Range2:0.15~30MHz	-59.45	PASS
Band5	5MHz	16QAM	20625	1RB#0	Range3:30~1000MHz	-54.54	PASS
Band5	5MHz	16QAM	20625	1RB#0	Range4:1000~10000MHz	-38.83	PASS
Band5	10MHz	QPSK	20450	1RB#0	Range1:0.009~0.15MHz	-61.35	PASS
Band5	10MHz	QPSK	20450	1RB#0	Range2:0.15~30MHz	-59.95	PASS
Band5	10MHz	QPSK	20450	1RB#0	Range3:30~1000MHz	-54.91	PASS
Band5	10MHz	QPSK	20450	1RB#0	Range4:1000~10000MHz	-40.57	PASS
Band5	10MHz	QPSK	20525	1RB#0	Range1:0.009~0.15MHz	-60.32	PASS
Band5	10MHz	QPSK	20525	1RB#0	Range2:0.15~30MHz	-59.43	PASS
Band5	10MHz	QPSK	20525	1RB#0	Range3:30~1000MHz	-54.73	PASS


Band5	10MHz	QPSK	20525	1RB#0	Range4:1000~10000MHz	-40.54	PASS
Band5	10MHz	QPSK	20600	1RB#0	Range1:0.009~0.15MHz	-60.75	PASS
Band5	10MHz	QPSK	20600	1RB#0	Range2:0.15~30MHz	-60.42	PASS
Band5	10MHz	QPSK	20600	1RB#0	Range3:30~1000MHz	-54.56	PASS
Band5	10MHz	QPSK	20600	1RB#0	Range4:1000~10000MHz	-38.32	PASS
Band5	10MHz	16QAM	20450	1RB#0	Range1:0.009~0.15MHz	-61.49	PASS
Band5	10MHz	16QAM	20450	1RB#0	Range2:0.15~30MHz	-58.74	PASS
Band5	10MHz	16QAM	20450	1RB#0	Range3:30~1000MHz	-54.66	PASS
Band5	10MHz	16QAM	20450	1RB#0	Range4:1000~10000MHz	-36.59	PASS
Band5	10MHz	16QAM	20525	1RB#0	Range1:0.009~0.15MHz	-61.55	PASS
Band5	10MHz	16QAM	20525	1RB#0	Range2:0.15~30MHz	-60.14	PASS
Band5	10MHz	16QAM	20525	1RB#0	Range3:30~1000MHz	-54.28	PASS
Band5	10MHz	16QAM	20525	1RB#0	Range4:1000~10000MHz	-40.2	PASS
Band5	10MHz	16QAM	20600	1RB#0	Range1:0.009~0.15MHz	-62.84	PASS
Band5	10MHz	16QAM	20600	1RB#0	Range2:0.15~30MHz	-59.79	PASS
Band5	10MHz	16QAM	20600	1RB#0	Range3:30~1000MHz	-54.91	PASS
Band5	10MHz	16QAM	20600	1RB#0	Range4:1000~10000MHz	-40.12	PASS

Test Graphs


Band5-1.4MHz-QPSK-20407-1RB#0-Range1:0.009~0.15MHz




Band5-1.4MHz-QPSK-20407-1RB#0-Range2:0.15~30MHz




Band5-1.4MHz-QPSK-20407-1RB#0-Range3:30~1000MHz




Band5-1.4MHz-QPSK-20407-1RB#0-Range4:1000~10000MHz




Band5-1.4MHz-QPSK-20525-1RB#0-Range1:0.009~0.15MHz




Band5-1.4MHz-QPSK-20525-1RB#0-Range2:0.15~30MHz




Band5-1.4MHz-QPSK-20525-1RB#0-Range3:30~1000MHz




Band5-1.4MHz-QPSK-20525-1RB#0-Range4:1000~10000MHz




Band5-1.4MHz-QPSK-20643-1RB#0-Range1:0.009~0.15MHz




Band5-1.4MHz-QPSK-20643-1RB#0-Range2:0.15~30MHz




Band5-1.4MHz-QPSK-20643-1RB#0-Range3:30~1000MHz




Band5-1.4MHz-QPSK-20643-1RB#0-Range4:1000~10000MHz




Band5-1.4MHz-16QAM-20407-1RB#0-Range1:0.009~0.15MHz




Band5-1.4MHz-16QAM-20407-1RB#0-Range2:0.15~30MHz




Band5-1.4MHz-16QAM-20407-1RB#0-Range3:30~1000MHz




Band5-1.4MHz-16QAM-20407-1RB#0-Range4:1000~10000MHz




Band5-1.4MHz-16QAM-20525-1RB#0-Range1:0.009~0.15MHz




Band5-1.4MHz-16QAM-20525-1RB#0-Range2:0.15~30MHz




Band5-1.4MHz-16QAM-20525-1RB#0-Range3:30~1000MHz




Band5-1.4MHz-16QAM-20525-1RB#0-Range4:1000~10000MHz




Band5-1.4MHz-16QAM-20643-1RB#0-Range1:0.009~0.15MHz




Band5-1.4MHz-16QAM-20643-1RB#0-Range2:0.15~30MHz




Band5-1.4MHz-16QAM-20643-1RB#0-Range3:30~1000MHz




Band5-1.4MHz-16QAM-20643-1RB#0-Range4:1000~10000MHz




Band5-3MHz-QPSK-20415-1RB#0-Range1:0.009~0.15MHz




Band5-3MHz-QPSK-20415-1RB#0-Range2:0.15~30MHz




Band5-3MHz-QPSK-20415-1RB#0-Range3:30~1000MHz




Band5-3MHz-QPSK-20415-1RB#0-Range4:1000~10000MHz




Band5-3MHz-QPSK-20525-1RB#0-Range1:0.009~0.15MHz




Band5-3MHz-QPSK-20525-1RB#0-Range2:0.15~30MHz




Band5-3MHz-QPSK-20525-1RB#0-Range3:30~1000MHz




Band5-3MHz-QPSK-20525-1RB#0-Range4:1000~10000MHz




Band5-3MHz-QPSK-20635-1RB#0-Range1:0.009~0.15MHz




Band5-3MHz-QPSK-20635-1RB#0-Range2:0.15~30MHz




Band5-3MHz-QPSK-20635-1RB#0-Range3:30~1000MHz




Band5-3MHz-QPSK-20635-1RB#0-Range4:1000~10000MHz




Band5-3MHz-16QAM-20415-1RB#0-Range1:0.009~0.15MHz




Band5-3MHz-16QAM-20415-1RB#0-Range2:0.15~30MHz




Band5-3MHz-16QAM-20415-1RB#0-Range3:30~1000MHz




Band5-3MHz-16QAM-20415-1RB#0-Range4:1000~10000MHz




Band5-3MHz-16QAM-20525-1RB#0-Range1:0.009~0.15MHz




Band5-3MHz-16QAM-20525-1RB#0-Range2:0.15~30MHz




Band5-3MHz-16QAM-20525-1RB#0-Range3:30~1000MHz




Band5-3MHz-16QAM-20525-1RB#0-Range4:1000~10000MHz




Band5-3MHz-16QAM-20635-1RB#0-Range1:0.009~0.15MHz




Band5-3MHz-16QAM-20635-1RB#0-Range2:0.15~30MHz




Band5-3MHz-16QAM-20635-1RB#0-Range3:30~1000MHz




Band5-3MHz-16QAM-20635-1RB#0-Range4:1000~10000MHz




Band5-5MHz-QPSK-20425-1RB#0-Range1:0.009~0.15MHz




Band5-5MHz-QPSK-20425-1RB#0-Range2:0.15~30MHz




Band5-5MHz-QPSK-20425-1RB#0-Range3:30~1000MHz




Band5-5MHz-QPSK-20425-1RB#0-Range4:1000~10000MHz




Band5-5MHz-QPSK-20525-1RB#0-Range1:0.009~0.15MHz




Band5-5MHz-QPSK-20525-1RB#0-Range2:0.15~30MHz




Band5-5MHz-QPSK-20525-1RB#0-Range3:30~1000MHz




Band5-5MHz-QPSK-20525-1RB#0-Range4:1000~10000MHz




Band5-5MHz-QPSK-20625-1RB#0-Range1:0.009~0.15MHz




Band5-5MHz-QPSK-20625-1RB#0-Range2:0.15~30MHz




Band5-5MHz-QPSK-20625-1RB#0-Range3:30~1000MHz




Band5-5MHz-QPSK-20625-1RB#0-Range4:1000~10000MHz




Band5-5MHz-16QAM-20425-1RB#0-Range1:0.009~0.15MHz




Band5-5MHz-16QAM-20425-1RB#0-Range2:0.15~30MHz




Band5-5MHz-16QAM-20425-1RB#0-Range3:30~1000MHz




Band5-5MHz-16QAM-20425-1RB#0-Range4:1000~10000MHz




Band5-5MHz-16QAM-20525-1RB#0-Range1:0.009~0.15MHz




Band5-5MHz-16QAM-20525-1RB#0-Range2:0.15~30MHz




Band5-5MHz-16QAM-20525-1RB#0-Range3:30~1000MHz




Band5-5MHz-16QAM-20525-1RB#0-Range4:1000~10000MHz




Band5-5MHz-16QAM-20625-1RB#0-Range1:0.009~0.15MHz




Band5-5MHz-16QAM-20625-1RB#0-Range2:0.15~30MHz




Band5-5MHz-16QAM-20625-1RB#0-Range3:30~1000MHz




Band5-5MHz-16QAM-20625-1RB#0-Range4:1000~10000MHz




Band5-10MHz-QPSK-20450-1RB#0-Range1:0.009~0.15MHz




Band5-10MHz-QPSK-20450-1RB#0-Range2:0.15~30MHz




Band5-10MHz-QPSK-20450-1RB#0-Range3:30~1000MHz




Band5-10MHz-QPSK-20450-1RB#0-Range4:1000~10000MHz




Band5-10MHz-QPSK-20525-1RB#0-Range1:0.009~0.15MHz




Band5-10MHz-QPSK-20525-1RB#0-Range2:0.15~30MHz




Band5-10MHz-QPSK-20525-1RB#0-Range3:30~1000MHz




Band5-10MHz-QPSK-20525-1RB#0-Range4:1000~10000MHz




Band5-10MHz-QPSK-20600-1RB#0-Range1:0.009~0.15MHz




Band5-10MHz-QPSK-20600-1RB#0-Range2:0.15~30MHz




Band5-10MHz-QPSK-20600-1RB#0-Range3:30~1000MHz




Band5-10MHz-QPSK-20600-1RB#0-Range4:1000~10000MHz




Band5-10MHz-16QAM-20450-1RB#0-Range1:0.009~0.15MHz




Band5-10MHz-16QAM-20450-1RB#0-Range2:0.15~30MHz




Band5-10MHz-16QAM-20450-1RB#0-Range3:30~1000MHz




Band5-10MHz-16QAM-20450-1RB#0-Range4:1000~10000MHz




Band5-10MHz-16QAM-20525-1RB#0-Range1:0.009~0.15MHz




Band5-10MHz-16QAM-20525-1RB#0-Range2:0.15~30MHz




Band5-10MHz-16QAM-20525-1RB#0-Range3:30~1000MHz




Band5-10MHz-16QAM-20525-1RB#0-Range4:1000~10000MHz




Band5-10MHz-16QAM-20600-1RB#0-Range1:0.009~0.15MHz



Band5-10MHz-16QAM-20600-1RB#0-Range2:0.15~30MHz




Band5-10MHz-16QAM-20600-1RB#0-Range3:30~1000MHz



Date: 1.JAN.2024 17:15:17

Band5-10MHz-16QAM-20600-1RB#0-Range4:1000~10000MHz



Date: 1.JAN.2024 17:15:25

Appendix F: Frequency Stability

Test Result

Band	Bandwidth	Modulation	Channel	RB Configure	Voltage		Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
					Voltage [Vdc]	Temperature (°C)				
Band5	1.4MHz	QPSK	20407	6RB#0	VL	NT	-11.94	-0.014478	±2.5	PASS
Band5	1.4MHz	QPSK	20407	6RB#0	VN	NT	-10.97	-0.013302	±2.5	PASS
Band5	1.4MHz	QPSK	20407	6RB#0	VH	NT	-5.65	-0.006851	±2.5	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	VL	NT	22.16	0.026491	±2.5	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	VN	NT	7.52	0.008990	±2.5	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	VH	NT	41.26	0.049325	±2.5	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	VL	NT	7.47	0.008806	±2.5	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	VN	NT	4.05	0.004774	±2.5	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	VH	NT	15.69	0.018496	±2.5	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	VL	NT	40.08	0.048599	±2.5	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	VN	NT	31.30	0.037953	±2.5	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	VH	NT	41.14	0.049885	±2.5	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	VL	NT	6.42	0.007675	±2.5	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	VN	NT	41.13	0.049169	±2.5	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	VH	NT	17.57	0.021004	±2.5	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	VL	NT	4.25	0.005010	±2.5	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	VN	NT	1.93	0.002275	±2.5	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	VH	NT	8.84	0.010421	±2.5	PASS
Band5	3MHz	QPSK	20415	15RB#0	VL	NT	26.21	0.031750	±2.5	PASS
Band5	3MHz	QPSK	20415	15RB#0	VN	NT	-10.11	-0.012247	±2.5	PASS
Band5	3MHz	QPSK	20415	15RB#0	VH	NT	12.00	0.014537	±2.5	PASS
Band5	3MHz	QPSK	20525	15RB#0	VL	NT	-7.01	-0.008380	±2.5	PASS
Band5	3MHz	QPSK	20525	15RB#0	VN	NT	6.01	0.007185	±2.5	PASS
Band5	3MHz	QPSK	20525	15RB#0	VH	NT	4.52	0.005403	±2.5	PASS
Band5	3MHz	QPSK	20635	15RB#0	VL	NT	-6.97	-0.008224	±2.5	PASS
Band5	3MHz	QPSK	20635	15RB#0	VN	NT	4.76	0.005617	±2.5	PASS
Band5	3MHz	QPSK	20635	15RB#0	VH	NT	-8.81	-0.010395	±2.5	PASS
Band5	3MHz	16QAM	20415	15RB#0	VL	NT	38.21	0.046287	±2.5	PASS
Band5	3MHz	16QAM	20415	15RB#0	VN	NT	-9.94	-0.012041	±2.5	PASS
Band5	3MHz	16QAM	20415	15RB#0	VH	NT	43.00	0.052090	±2.5	PASS
Band5	3MHz	16QAM	20525	15RB#0	VL	NT	42.26	0.050520	±2.5	PASS
Band5	3MHz	16QAM	20525	15RB#0	VN	NT	31.16	0.037250	±2.5	PASS
Band5	3MHz	16QAM	20525	15RB#0	VH	NT	28.15	0.033652	±2.5	PASS
Band5	3MHz	16QAM	20635	15RB#0	VL	NT	25.72	0.030348	±2.5	PASS
Band5	3MHz	16QAM	20635	15RB#0	VN	NT	11.00	0.012979	±2.5	PASS

Band5	3MHz	16QAM	20635	15RB#0	VH	NT	6.12	0.007221	±2.5	PASS
Band5	5MHz	QPSK	20425	25RB#0	VL	NT	-16.14	-0.019528	±2.5	PASS
Band5	5MHz	QPSK	20425	25RB#0	VN	NT	-8.87	-0.010732	±2.5	PASS
Band5	5MHz	QPSK	20425	25RB#0	VH	NT	-19.83	-0.023993	±2.5	PASS
Band5	5MHz	QPSK	20525	25RB#0	VL	NT	11.64	0.013915	±2.5	PASS
Band5	5MHz	QPSK	20525	25RB#0	VN	NT	5.65	0.006754	±2.5	PASS
Band5	5MHz	QPSK	20525	25RB#0	VH	NT	26.56	0.031751	±2.5	PASS
Band5	5MHz	QPSK	20625	25RB#0	VL	NT	-11.36	-0.013420	±2.5	PASS
Band5	5MHz	QPSK	20625	25RB#0	VN	NT	-27.59	-0.032593	±2.5	PASS
Band5	5MHz	QPSK	20625	25RB#0	VH	NT	-8.94	-0.010561	±2.5	PASS
Band5	5MHz	16QAM	20425	25RB#0	VL	NT	11.44	0.013842	±2.5	PASS
Band5	5MHz	16QAM	20425	25RB#0	VN	NT	8.35	0.010103	±2.5	PASS
Band5	5MHz	16QAM	20425	25RB#0	VH	NT	11.89	0.014386	±2.5	PASS
Band5	5MHz	16QAM	20525	25RB#0	VL	NT	31.06	0.037131	±2.5	PASS
Band5	5MHz	16QAM	20525	25RB#0	VN	NT	20.94	0.025033	±2.5	PASS
Band5	5MHz	16QAM	20525	25RB#0	VH	NT	44.23	0.052875	±2.5	PASS
Band5	5MHz	16QAM	20625	25RB#0	VL	NT	30.00	0.035440	±2.5	PASS
Band5	5MHz	16QAM	20625	25RB#0	VN	NT	-10.00	-0.011813	±2.5	PASS
Band5	5MHz	16QAM	20625	25RB#0	VH	NT	37.51	0.044312	±2.5	PASS
Band5	10MHz	QPSK	20450	50RB#0	VL	NT	-14.28	-0.017226	±2.5	PASS
Band5	10MHz	QPSK	20450	50RB#0	VN	NT	-11.54	-0.013920	±2.5	PASS
Band5	10MHz	QPSK	20450	50RB#0	VH	NT	-11.29	-0.013619	±2.5	PASS
Band5	10MHz	QPSK	20525	50RB#0	VL	NT	-7.07	-0.008452	±2.5	PASS
Band5	10MHz	QPSK	20525	50RB#0	VN	NT	-7.48	-0.008942	±2.5	PASS
Band5	10MHz	QPSK	20525	50RB#0	VH	NT	-22.00	-0.026300	±2.5	PASS
Band5	10MHz	QPSK	20600	50RB#0	VL	NT	-38.01	-0.045036	±2.5	PASS
Band5	10MHz	QPSK	20600	50RB#0	VN	NT	2.19	0.002595	±2.5	PASS
Band5	10MHz	QPSK	20600	50RB#0	VH	NT	36.69	0.043472	±2.5	PASS
Band5	10MHz	16QAM	20450	50RB#0	VL	NT	9.38	0.011315	±2.5	PASS
Band5	10MHz	16QAM	20450	50RB#0	VN	NT	6.85	0.008263	±2.5	PASS
Band5	10MHz	16QAM	20450	50RB#0	VH	NT	11.46	0.013824	±2.5	PASS
Band5	10MHz	16QAM	20525	50RB#0	VL	NT	18.67	0.022319	±2.5	PASS
Band5	10MHz	16QAM	20525	50RB#0	VN	NT	-25.09	-0.029994	±2.5	PASS
Band5	10MHz	16QAM	20525	50RB#0	VH	NT	12.67	0.015146	±2.5	PASS
Band5	10MHz	16QAM	20600	50RB#0	VL	NT	20.06	0.023768	±2.5	PASS
Band5	10MHz	16QAM	20600	50RB#0	VN	NT	20.27	0.024017	±2.5	PASS
Band5	10MHz	16QAM	20600	50RB#0	VH	NT	13.06	0.015474	±2.5	PASS

Temperature										
Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict

Band5	1.4MHz	QPSK	20407	6RB#0	NV	-30	12.57	0.015242	±2.5	PASS
Band5	1.4MHz	QPSK	20407	6RB#0	NV	-20	18.87	0.022881	±2.5	PASS
Band5	1.4MHz	QPSK	20407	6RB#0	NV	0	21.77	0.026397	±2.5	PASS
Band5	1.4MHz	QPSK	20407	6RB#0	NV	10	27.29	0.033091	±2.5	PASS
Band5	1.4MHz	QPSK	20407	6RB#0	NV	20	28.71	0.034813	±2.5	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	NV	-30	22.24	0.026587	±2.5	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	NV	-20	43.02	0.051429	±2.5	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	NV	0	11.93	0.014262	±2.5	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	NV	10	27.78	0.033210	±2.5	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	NV	20	39.30	0.046981	±2.5	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	NV	-30	17.32	0.020417	±2.5	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	NV	-20	4.95	0.005835	±2.5	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	NV	0	-9.20	-0.010845	±2.5	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	NV	10	17.52	0.020653	±2.5	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	NV	20	15.62	0.018413	±2.5	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	NV	-30	22.75	0.027586	±2.5	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	NV	-20	34.22	0.041494	±2.5	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	NV	0	12.29	0.014902	±2.5	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	NV	10	29.33	0.035564	±2.5	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	NV	20	33.67	0.040827	±2.5	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	NV	-30	33.02	0.039474	±2.5	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	NV	-20	3.82	0.004567	±2.5	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	NV	0	21.30	0.025463	±2.5	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	NV	10	29.67	0.035469	±2.5	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	NV	20	6.09	0.007280	±2.5	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	NV	-30	12.82	0.015113	±2.5	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	NV	-20	18.94	0.022327	±2.5	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	NV	0	29.90	0.035247	±2.5	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	NV	10	10.64	0.012543	±2.5	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	NV	20	-8.13	-0.009584	±2.5	PASS
Band5	3MHz	QPSK	20415	15RB#0	NV	-30	7.14	0.008649	±2.5	PASS
Band5	3MHz	QPSK	20415	15RB#0	NV	-20	5.36	0.006493	±2.5	PASS
Band5	3MHz	QPSK	20415	15RB#0	NV	0	4.41	0.005342	±2.5	PASS
Band5	3MHz	QPSK	20415	15RB#0	NV	10	10.23	0.012392	±2.5	PASS
Band5	3MHz	QPSK	20415	15RB#0	NV	20	4.71	0.005706	±2.5	PASS
Band5	3MHz	QPSK	20525	15RB#0	NV	-30	12.33	0.014740	±2.5	PASS
Band5	3MHz	QPSK	20525	15RB#0	NV	-20	26.81	0.032050	±2.5	PASS
Band5	3MHz	QPSK	20525	15RB#0	NV	0	39.65	0.047400	±2.5	PASS
Band5	3MHz	QPSK	20525	15RB#0	NV	10	4.71	0.005631	±2.5	PASS
Band5	3MHz	QPSK	20525	15RB#0	NV	20	15.21	0.018183	±2.5	PASS
Band5	3MHz	QPSK	20635	15RB#0	NV	-30	-23.19	-0.027363	±2.5	PASS

Band5	3MHz	QPSK	20635	15RB#0	NV	-20	-18.70	-0.022065	±2.5	PASS
Band5	3MHz	QPSK	20635	15RB#0	NV	0	-12.37	-0.014596	±2.5	PASS
Band5	3MHz	QPSK	20635	15RB#0	NV	10	-4.71	-0.005558	±2.5	PASS
Band5	3MHz	QPSK	20635	15RB#0	NV	20	8.27	0.009758	±2.5	PASS
Band5	3MHz	16QAM	20415	15RB#0	NV	-30	46.71	0.056584	±2.5	PASS
Band5	3MHz	16QAM	20415	15RB#0	NV	-20	48.31	0.058522	±2.5	PASS
Band5	3MHz	16QAM	20415	15RB#0	NV	0	8.48	0.010273	±2.5	PASS
Band5	3MHz	16QAM	20415	15RB#0	NV	10	16.67	0.020194	±2.5	PASS
Band5	3MHz	16QAM	20415	15RB#0	NV	20	25.08	0.030382	±2.5	PASS
Band5	3MHz	16QAM	20525	15RB#0	NV	-30	5.75	0.006874	±2.5	PASS
Band5	3MHz	16QAM	20525	15RB#0	NV	-20	27.32	0.032660	±2.5	PASS
Band5	3MHz	16QAM	20525	15RB#0	NV	0	3.85	0.004603	±2.5	PASS
Band5	3MHz	16QAM	20525	15RB#0	NV	10	31.14	0.037227	±2.5	PASS
Band5	3MHz	16QAM	20525	15RB#0	NV	20	43.73	0.052277	±2.5	PASS
Band5	3MHz	16QAM	20635	15RB#0	NV	-30	10.60	0.012507	±2.5	PASS
Band5	3MHz	16QAM	20635	15RB#0	NV	-20	8.04	0.009487	±2.5	PASS
Band5	3MHz	16QAM	20635	15RB#0	NV	0	11.17	0.013180	±2.5	PASS
Band5	3MHz	16QAM	20635	15RB#0	NV	10	11.59	0.013676	±2.5	PASS
Band5	3MHz	16QAM	20635	15RB#0	NV	20	-3.89	-0.004590	±2.5	PASS
Band5	5MHz	QPSK	20425	25RB#0	NV	-30	-25.25	-0.030551	±2.5	PASS
Band5	5MHz	QPSK	20425	25RB#0	NV	-20	9.50	0.011494	±2.5	PASS
Band5	5MHz	QPSK	20425	25RB#0	NV	0	26.34	0.031869	±2.5	PASS
Band5	5MHz	QPSK	20425	25RB#0	NV	10	11.47	0.013878	±2.5	PASS
Band5	5MHz	QPSK	20425	25RB#0	NV	20	5.21	0.006304	±2.5	PASS
Band5	5MHz	QPSK	20525	25RB#0	NV	-30	39.55	0.047280	±2.5	PASS
Band5	5MHz	QPSK	20525	25RB#0	NV	-20	-6.01	-0.007185	±2.5	PASS
Band5	5MHz	QPSK	20525	25RB#0	NV	0	3.26	0.003897	±2.5	PASS
Band5	5MHz	QPSK	20525	25RB#0	NV	10	45.12	0.053939	±2.5	PASS
Band5	5MHz	QPSK	20525	25RB#0	NV	20	6.24	0.007460	±2.5	PASS
Band5	5MHz	QPSK	20625	25RB#0	NV	-30	6.74	0.007962	±2.5	PASS
Band5	5MHz	QPSK	20625	25RB#0	NV	-20	14.05	0.016598	±2.5	PASS
Band5	5MHz	QPSK	20625	25RB#0	NV	0	15.26	0.018027	±2.5	PASS
Band5	5MHz	QPSK	20625	25RB#0	NV	10	-7.31	-0.008636	±2.5	PASS
Band5	5MHz	QPSK	20625	25RB#0	NV	20	-13.02	-0.015381	±2.5	PASS
Band5	5MHz	16QAM	20425	25RB#0	NV	-30	17.82	0.021561	±2.5	PASS
Band5	5MHz	16QAM	20425	25RB#0	NV	-20	-7.55	-0.009135	±2.5	PASS
Band5	5MHz	16QAM	20425	25RB#0	NV	0	27.19	0.032898	±2.5	PASS
Band5	5MHz	16QAM	20425	25RB#0	NV	10	31.77	0.038439	±2.5	PASS
Band5	5MHz	16QAM	20425	25RB#0	NV	20	37.36	0.045203	±2.5	PASS
Band5	5MHz	16QAM	20525	25RB#0	NV	-30	8.10	0.009683	±2.5	PASS
Band5	5MHz	16QAM	20525	25RB#0	NV	-20	21.84	0.026109	±2.5	PASS

Band5	5MHz	16QAM	20525	25RB#0	NV	0	32.74	0.039139	±2.5	PASS
Band5	5MHz	16QAM	20525	25RB#0	NV	10	44.92	0.053700	±2.5	PASS
Band5	5MHz	16QAM	20525	25RB#0	NV	20	16.78	0.020060	±2.5	PASS
Band5	5MHz	16QAM	20625	25RB#0	NV	-30	50.05	0.059126	±2.5	PASS
Band5	5MHz	16QAM	20625	25RB#0	NV	-20	6.01	0.007100	±2.5	PASS
Band5	5MHz	16QAM	20625	25RB#0	NV	0	6.75	0.007974	±2.5	PASS
Band5	5MHz	16QAM	20625	25RB#0	NV	10	9.30	0.010986	±2.5	PASS
Band5	5MHz	16QAM	20625	25RB#0	NV	20	3.76	0.004442	±2.5	PASS
Band5	10MHz	QPSK	20450	50RB#0	NV	-30	-12.59	-0.015187	±2.5	PASS
Band5	10MHz	QPSK	20450	50RB#0	NV	-20	-18.67	-0.022521	±2.5	PASS
Band5	10MHz	QPSK	20450	50RB#0	NV	0	-26.72	-0.032232	±2.5	PASS
Band5	10MHz	QPSK	20450	50RB#0	NV	10	-30.34	-0.036598	±2.5	PASS
Band5	10MHz	QPSK	20450	50RB#0	NV	20	-32.29	-0.038951	±2.5	PASS
Band5	10MHz	QPSK	20525	50RB#0	NV	-30	-27.35	-0.032696	±2.5	PASS
Band5	10MHz	QPSK	20525	50RB#0	NV	-20	-23.25	-0.027794	±2.5	PASS
Band5	10MHz	QPSK	20525	50RB#0	NV	0	-20.94	-0.025033	±2.5	PASS
Band5	10MHz	QPSK	20525	50RB#0	NV	10	-18.44	-0.022044	±2.5	PASS
Band5	10MHz	QPSK	20525	50RB#0	NV	20	-18.98	-0.022690	±2.5	PASS
Band5	10MHz	QPSK	20600	50RB#0	NV	-30	33.87	0.040130	±2.5	PASS
Band5	10MHz	QPSK	20600	50RB#0	NV	-20	27.24	0.032275	±2.5	PASS
Band5	10MHz	QPSK	20600	50RB#0	NV	0	23.35	0.027666	±2.5	PASS
Band5	10MHz	QPSK	20600	50RB#0	NV	10	21.39	0.025344	±2.5	PASS
Band5	10MHz	QPSK	20600	50RB#0	NV	20	21.23	0.025154	±2.5	PASS
Band5	10MHz	16QAM	20450	50RB#0	NV	-30	12.27	0.014801	±2.5	PASS
Band5	10MHz	16QAM	20450	50RB#0	NV	-20	8.27	0.009976	±2.5	PASS
Band5	10MHz	16QAM	20450	50RB#0	NV	0	14.42	0.017394	±2.5	PASS
Band5	10MHz	16QAM	20450	50RB#0	NV	10	15.76	0.019011	±2.5	PASS
Band5	10MHz	16QAM	20450	50RB#0	NV	20	15.03	0.018130	±2.5	PASS
Band5	10MHz	16QAM	20525	50RB#0	NV	-30	19.64	0.023479	±2.5	PASS
Band5	10MHz	16QAM	20525	50RB#0	NV	-20	24.85	0.029707	±2.5	PASS
Band5	10MHz	16QAM	20525	50RB#0	NV	0	29.10	0.034788	±2.5	PASS
Band5	10MHz	16QAM	20525	50RB#0	NV	10	26.59	0.031787	±2.5	PASS
Band5	10MHz	16QAM	20525	50RB#0	NV	20	26.69	0.031907	±2.5	PASS
Band5	10MHz	16QAM	20600	50RB#0	NV	-30	4.45	0.005273	±2.5	PASS
Band5	10MHz	16QAM	20600	50RB#0	NV	-20	-8.70	-0.010308	±2.5	PASS
Band5	10MHz	16QAM	20600	50RB#0	NV	0	-6.39	-0.007571	±2.5	PASS
Band5	10MHz	16QAM	20600	50RB#0	NV	10	26.32	0.031185	±2.5	PASS
Band5	10MHz	16QAM	20600	50RB#0	NV	20	31.37	0.037168	±2.5	PASS