



11AX80MIMO_Ant1_5290




09:07:12 27.12.2023

11AX80MIMO_Ant2_5290




09:09:13 27.12.2023

11AX80MIMO_Ant3_5290




09:11:18 27.12.2023

11AX80MIMO_Ant4_5290




09:13:24 27.12.2023

11AX80MIMO_Ant1_5530




09:15:45 27.12.2023

11AX80MIMO_Ant2_5530




09:17:44 27.12.2023


11AX80MIMO_Ant3_5530




11AX80MIMO_Ant4_5530



11AX80MIMO_Ant1_5610




11AX80MIMO_Ant2_5610




09:31:24 27.12.2023

11AX80MIMO_Ant3_5610




09:33:29 27.12.2023


11AX80MIMO_Ant4_5610




11AX80MIMO_Ant1_5775




11AX80MIMO_Ant2_5775



11AX80MIMO_Ant3_5775



11AX80MIMO_Ant4_5775



Min emission bandwidth (6dB)

TestMode	Antenna	Frequency[MHz]	6db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant1	5745	15.08	5737.40	5752.48	0.5	PASS
	Ant2	5745	15.08	5737.40	5752.48	0.5	PASS
	Ant3	5745	15.04	5737.44	5752.48	0.5	PASS
	Ant4	5745	15.08	5737.40	5752.48	0.5	PASS
	Ant1	5785	13.84	5777.40	5791.24	0.5	PASS
	Ant2	5785	14.08	5778.40	5792.48	0.5	PASS
	Ant3	5785	15.08	5777.40	5792.48	0.5	PASS
	Ant4	5785	15.08	5777.40	5792.48	0.5	PASS
	Ant1	5825	15.16	5817.36	5832.52	0.5	PASS
	Ant2	5825	15.08	5817.40	5832.48	0.5	PASS
	Ant3	5825	15.04	5817.44	5832.48	0.5	PASS
	Ant4	5825	15.08	5817.40	5832.48	0.5	PASS
11N20MIMO	Ant1	5745	15.12	5737.36	5752.48	0.5	PASS
	Ant2	5745	15.12	5737.36	5752.48	0.5	PASS
	Ant3	5745	15.08	5737.36	5752.44	0.5	PASS
	Ant4	5745	15.12	5737.36	5752.48	0.5	PASS
	Ant1	5785	15.12	5777.36	5792.48	0.5	PASS
	Ant2	5785	15.12	5777.36	5792.48	0.5	PASS
	Ant3	5785	15.08	5777.36	5792.44	0.5	PASS
	Ant4	5785	15.12	5777.36	5792.48	0.5	PASS
	Ant1	5825	13.84	5817.40	5831.24	0.5	PASS
	Ant2	5825	15.12	5817.36	5832.48	0.5	PASS
	Ant3	5825	15.12	5817.36	5832.48	0.5	PASS
	Ant4	5825	15.12	5817.36	5832.48	0.5	PASS
11N40MIMO	Ant1	5755	35.12	5737.40	5772.52	0.5	PASS
	Ant2	5755	35.12	5737.40	5772.52	0.5	PASS
	Ant3	5755	33.84	5737.40	5771.24	0.5	PASS
	Ant4	5755	35.12	5737.40	5772.52	0.5	PASS
	Ant1	5795	35.12	5777.40	5812.52	0.5	PASS
	Ant2	5795	35.04	5777.48	5812.52	0.5	PASS
	Ant3	5795	35.12	5777.40	5812.52	0.5	PASS
	Ant4	5795	35.04	5777.48	5812.52	0.5	PASS
11AC20MIMO	Ant1	5745	15.12	5737.36	5752.48	0.5	PASS
	Ant2	5745	15.12	5737.36	5752.48	0.5	PASS
	Ant3	5745	15.12	5737.36	5752.48	0.5	PASS
	Ant4	5745	15.12	5737.36	5752.48	0.5	PASS
	Ant1	5785	15.12	5777.36	5792.48	0.5	PASS
	Ant2	5785	15.08	5777.36	5792.44	0.5	PASS
	Ant3	5785	15.12	5777.36	5792.48	0.5	PASS
	Ant4	5785	15.12	5777.36	5792.48	0.5	PASS
	Ant1	5825	15.12	5817.36	5832.48	0.5	PASS
	Ant2	5825	13.84	5818.60	5832.44	0.5	PASS
	Ant3	5825	15.12	5817.36	5832.48	0.5	PASS
	Ant4	5825	15.12	5817.36	5832.48	0.5	PASS
11AC40MIMO	Ant1	5755	35.12	5737.40	5772.52	0.5	PASS
	Ant2	5755	35.12	5737.40	5772.52	0.5	PASS
	Ant3	5755	35.12	5737.40	5772.52	0.5	PASS
	Ant4	5755	33.84	5738.68	5772.52	0.5	PASS
	Ant1	5795	35.12	5777.40	5812.52	0.5	PASS
	Ant2	5795	35.12	5777.40	5812.52	0.5	PASS
	Ant3	5795	35.12	5777.40	5812.52	0.5	PASS
	Ant4	5795	35.12	5777.40	5812.52	0.5	PASS


11AC80MIMO	Ant1	5775	75.20	5737.40	5812.60	0.5	PASS
	Ant2	5775	75.20	5737.40	5812.60	0.5	PASS
	Ant3	5775	75.20	5737.40	5812.60	0.5	PASS
	Ant4	5775	75.20	5737.40	5812.60	0.5	PASS
11AX20MIMO	Ant1	5745	16.36	5737.36	5753.72	0.5	PASS
	Ant2	5745	16.92	5736.12	5753.04	0.5	PASS
	Ant3	5745	17.56	5736.12	5753.68	0.5	PASS
	Ant4	5745	17.52	5736.40	5753.92	0.5	PASS
	Ant1	5785	15.12	5777.36	5792.48	0.5	PASS
	Ant2	5785	16.84	5775.64	5792.48	0.5	PASS
	Ant3	5785	17.56	5776.12	5793.68	0.5	PASS
	Ant4	5785	17.56	5776.12	5793.68	0.5	PASS
	Ant1	5825	16.40	5816.64	5833.04	0.5	PASS
	Ant2	5825	16.80	5816.40	5833.20	0.5	PASS
	Ant3	5825	15.12	5817.36	5832.48	0.5	PASS
	Ant4	5825	17.32	5816.40	5833.72	0.5	PASS
11AX40MIMO	Ant1	5755	35.12	5737.40	5772.52	0.5	PASS
	Ant2	5755	35.12	5737.40	5772.52	0.5	PASS
	Ant3	5755	36.08	5737.16	5773.24	0.5	PASS
	Ant4	5755	35.12	5737.40	5772.52	0.5	PASS
	Ant1	5795	35.12	5777.40	5812.52	0.5	PASS
	Ant2	5795	36.08	5776.44	5812.52	0.5	PASS
	Ant3	5795	35.12	5777.40	5812.52	0.5	PASS
	Ant4	5795	36.32	5776.20	5812.52	0.5	PASS
11AX80MIMO	Ant1	5775	75.20	5737.40	5812.60	0.5	PASS
	Ant2	5775	75.20	5737.40	5812.60	0.5	PASS
	Ant3	5775	75.20	5737.40	5812.60	0.5	PASS
	Ant4	5775	75.52	5736.92	5812.44	0.5	PASS

11A_Ant1_5745




02:00:13 21.12.2023

11A_Ant2_5745




02:39:40 21.12.2023

11A_Ant3_5745




03:23:53 21.12.2023


11A_Ant4_5745




11A_Ant1_5785




11A_Ant2_5785




11A_Ant3_5785




11A_Ant4_5785




11A_Ant1_5825




11A_Ant2_5825




11A_Ant3_5825




11A_Ant4_5825




11N20MIMO_Ant1_5745




11N20MIMO_Ant2_5745




11N20MIMO_Ant3_5745




11N20MIMO_Ant4_5745




11N20MIMO_Ant1_5785



11N20MIMO_Ant2_5785




11N20MIMO_Ant3_5785



02:36:34 26.12.2023

11N20MIMO_Ant4_5785




07:56:36 26.12.2023

11N20MIMO_Ant1_5825




02:40:13 26.12.2023

11N20MIMO_Ant2_5825



11N20MIMO_Ant3_5825




11N20MIMO_Ant4_5825




11N40MIMO_Ant1_5755




11N40MIMO_Ant2_5755



11N40MIMO_Ant3_5755




11N40MIMO_Ant4_5755




05:25:40 26.12.2023

11N40MIMO_Ant1_5795




03:50:41 26.12.2023

11N40MIMO_Ant2_5795




03:53:00 26.12.2023


11N40MIMO_Ant3_5795




11N40MIMO_Ant4_5795



11AC20MIMO_Ant1_5745




11AC20MIMO_Ant2_5745




10:10:47 26.12.2023

11AC20MIMO_Ant3_5745




10:13:03 26.12.2023

11AC20MIMO_Ant4_5745




10:15:20 26.12.2023


11AC20MIMO_Ant1_5785




11AC20MIMO_Ant2_5785




11AC20MIMO_Ant3_5785




11AC20MIMO_Ant4_5785




11AC20MIMO_Ant1_5825




11AC20MIMO_Ant2_5825




11AC20MIMO_Ant3_5825




11AC20MIMO_Ant4_5825



11AC40MIMO_Ant1_5755




11AC40MIMO_Ant2_5755




01:10:50 27.12.2023

11AC40MIMO_Ant3_5755




01:13:11 27.12.2023

11AC40MIMO_Ant4_5755




01:15:30 27.12.2023

11AC40MIMO_Ant1_5795




01:18:03 27.12.2023

11AC40MIMO_Ant2_5795




01:20:23 27.12.2023

11AC40MIMO_Ant3_5795




01:22:45 27.12.2023


11AC40MIMO_Ant4_5795




11AC80MIMO_Ant1_5775




11AC80MIMO_Ant2_5775



11AC80MIMO_Ant3_5775




11AC80MIMO_Ant4_5775




11AX20MIMO_Ant1_5745




11AX20MIMO_Ant2_5745




11AX20MIMO_Ant3_5745




11AX20MIMO_Ant4_5745




11AX20MIMO_Ant1_5785




11AX20MIMO_Ant2_5785



11AX20MIMO_Ant3_5785




11AX20MIMO_Ant4_5785




06:35:38 27.12.2023

11AX20MIMO_Ant1_5825




06:39:32 27.12.2023

11AX20MIMO_Ant2_5825




06:41:49 27.12.2023


11AX20MIMO_Ant3_5825




11AX20MIMO_Ant4_5825




11AX40MIMO_Ant1_5755




11AX40MIMO_Ant2_5755




11AX40MIMO_Ant3_5755




11AX40MIMO_Ant4_5755




11AX40MIMO_Ant1_5795




11AX40MIMO_Ant2_5795




11AX40MIMO_Ant3_5795




11AX40MIMO_Ant4_5795




11AX80MIMO_Ant1_5775



11AX80MIMO_Ant2_5775




11AX80MIMO_Ant3_5775



10:15:27 27.12.2023

11AX80MIMO_Ant4_5775



10:17:46 27.12.2023

8.2 MAXIMUM CONDUCTED OUTPUT POWER

8.2.1 Applicable Standard

According to FCC Part 15.407(a)(1) for UNII Band I
According to FCC Part 15.407(a)(2) for UNII Band II-A and UNII Band II-C
According to FCC Part 15.407(a)(3) for UNII Band III
According to 789033 D02 Section II(E)

8.2.2 Conformance Limit

■ For the band 5.15-5.25 GHz,

(a) (1) (i) For an outdoor access point operating in the band 5.15-5.25 GHz, the maximum conducted output power over the frequency band of operation shall not exceed 1 W provided the maximum antenna gain does not exceed 6 dBi. If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi. The maximum e.i.r.p. at any elevation angle above 30 degrees as measured from the horizon must not exceed 125 mW (21 dBm).

(a) (1) (ii) For an indoor access point operating in the band 5.15-5.25 GHz, the maximum conducted output power over the frequency band of operation shall not exceed 1 W provided the maximum antenna gain does not exceed 6 dBi. If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

(a) (1) (iii) For fixed point-to-point access points operating in the band 5.15-5.25 GHz, the maximum conducted output power over the frequency band of operation shall not exceed 1 W. Fixed point-to-point U-NII devices may employ antennas with directional gain up to 23 dBi without any corresponding reduction in the maximum conducted output power or maximum power spectral density. For fixed point-to-point transmitters that employ a directional antenna gain greater than 23 dBi, a 1 dB reduction in maximum conducted output power and maximum power spectral density is required for each 1 dB of antenna gain in excess of 23 dBi. Fixed, point-to-point operations exclude the use of point-to-multipoint systems, omnidirectional applications, and multiple collocated transmitters transmitting the same information. The operator of the U-NII device, or if the equipment is professionally installed, the installer, is responsible for ensuring that systems employing high gain directional antennas are used exclusively for fixed, point-to-point operations.

(a) (1) (iv) For mobile and portable client devices in the 5.15-5.25 GHz band, the maximum conducted output power over the frequency band of operation shall not exceed 250 mW provided the maximum antenna gain does not exceed 6 dBi. If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

■ For the 5.25-5.35 GHz and 5.47-5.725 GHz bands

(a) (2) the maximum conducted output power over the frequency bands of operation shall not exceed the lesser of 250 mW or $11 \text{ dBm} + 10 \log B$, where B is the 26 dB emission bandwidth in megahertz. In addition, the maximum power spectral density shall not exceed 11 dBm in any 1 megahertz band. If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

■ For the band 5.725-5.85 GHz

(a) (3) For the band 5.725-5.85 GHz, the maximum conducted output power over the frequency band of operation shall not exceed 1 W. In addition, the maximum power spectral density shall not exceed 30 dBm in any 500-kHz band. If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

8.2.3 Test Configuration

Test according to clause 6.1 radio frequency test setup 1.

8.2.4 Test Procedure

The maximum average conducted output power can be measured using Method PM-G (Measurement using a gated RF average power meter):

Measurements may be performed using a wideband gated RF power meter provided that the gate parameters are adjusted such that the power is measured only when the EUT is transmitting at its maximum power control level. Since the measurement is made only during the ON time of the transmitter, no duty cycle correction factor is required.

- a. The Transmitter output (antenna port) was connected to the power meter.
- b. Turn on the EUT and power meter and then record the power value.
- c. Repeat above procedures on all channels needed to be tested.

8.2.5 Test Results

Temperature : 25°C ATM Pressure: 1011 mbar
 Humidity : 60 % Test Engineer: XXH

Test Mode	Antenna	Frequency [MHz]	Set Power	Result [dBm]	Limit [dBm]	Gain [dBi]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
11A	Ant1	5180	NA	19.55	≤30.00	5.13	24.68	---	PASS
	Ant2	5180	NA	18.36	≤30.00	5.19	23.55	---	PASS
	Ant3	5180	NA	20.09	≤30.00	5.37	25.46	---	PASS
	Ant4	5180	NA	18.97	≤30.00	5.35	24.32	---	PASS
	Ant1	5200	NA	19.13	≤30.00	5.13	24.26	---	PASS
	Ant2	5200	NA	17.87	≤30.00	5.19	23.06	---	PASS
	Ant3	5200	NA	17.82	≤30.00	5.37	23.19	---	PASS
	Ant4	5200	NA	18.54	≤30.00	5.35	23.89	---	PASS
	Ant1	5240	NA	18.58	≤30.00	5.13	23.71	---	PASS
	Ant2	5240	NA	17.67	≤30.00	5.19	22.86	---	PASS
	Ant3	5240	NA	17.54	≤30.00	5.37	22.91	---	PASS
	Ant4	5240	NA	17.84	≤30.00	5.35	23.19	---	PASS
	Ant1	5260	TPC_L	14.48	≤23.98	5.13	19.61	---	PASS
			TPC_H	18.71	≤23.98	5.13	23.84	---	PASS
	Ant2	5260	TPC_L	14.39	≤23.98	5.19	19.58	---	PASS
			TPC_H	18.19	≤23.98	5.19	23.38	---	PASS
	Ant3	5260	TPC_L	13.99	≤23.97	5.37	19.36	---	PASS
			TPC_H	18.05	≤23.97	5.37	23.42	---	PASS
	Ant4	5260	TPC_L	13.79	≤23.96	5.35	19.14	---	PASS
			TPC_H	18.83	≤23.96	5.35	24.18	---	PASS
	Ant1	5280	TPC_L	14.28	≤23.97	5.13	19.41	---	PASS
			TPC_H	18.36	≤23.97	5.13	23.49	---	PASS
	Ant2	5280	TPC_L	14.02	≤23.98	5.19	19.21	---	PASS
			TPC_H	17.77	≤23.98	5.19	22.96	---	PASS
	Ant3	5280	TPC_L	13.45	≤23.98	5.37	18.82	---	PASS
			TPC_H	17.60	≤23.98	5.37	22.97	---	PASS
	Ant4	5280	TPC_L	13.67	≤23.96	5.35	19.02	---	PASS
			TPC_H	18.68	≤23.96	5.35	24.03	---	PASS
	Ant1	5320	TPC_L	14.68	≤23.94	5.13	19.81	---	PASS
			TPC_H	18.55	≤23.94	5.13	23.68	---	PASS
	Ant2	5320	TPC_L	14.64	≤23.98	5.19	19.83	---	PASS
			TPC_H	18.40	≤23.98	5.19	23.59	---	PASS
	Ant3	5320	TPC_L	13.31	≤23.98	5.37	18.68	---	PASS
			TPC_H	17.78	≤23.98	5.37	23.15	---	PASS
	Ant4	5320	TPC_L	12.61	≤23.96	5.35	17.96	---	PASS
			TPC_H	18.40	≤23.96	5.35	23.75	---	PASS
	Ant1	5500	TPC_L	14.87	≤23.98	5.13	20	---	PASS
			TPC_H	19.22	≤23.98	5.13	24.35	---	PASS
	Ant2	5500	TPC_L	13.44	≤23.98	5.19	18.63	---	PASS

			TPC_H	19.54	≤23.98	5.19	24.73	---	PASS
	Ant3	5500	TPC_L	14.72	≤23.98	5.37	20.09	---	PASS
			TPC_H	20.01	≤23.98	5.37	25.38	---	PASS
	Ant4	5500	TPC_L	13.76	≤23.98	5.35	19.11	---	PASS
			TPC_H	20.62	≤23.98	5.35	25.97	---	PASS
	Ant1	5580	TPC_L	15.00	≤23.94	5.13	20.13	---	PASS
			TPC_H	19.73	≤23.94	5.13	24.86	---	PASS
	Ant2	5580	TPC_L	13.71	≤23.98	5.19	18.9	---	PASS
			TPC_H	20.14	≤23.98	5.19	25.33	---	PASS
	Ant3	5580	TPC_L	14.03	≤23.97	5.37	19.4	---	PASS
			TPC_H	19.29	≤23.97	5.37	24.66	---	PASS
	Ant4	5580	TPC_L	12.70	≤23.98	5.35	18.05	---	PASS
			TPC_H	19.12	≤23.98	5.35	24.47	---	PASS
	Ant1	5700	TPC_L	14.42	≤23.95	5.13	19.55	---	PASS
			TPC_H	19.03	≤23.95	5.13	24.16	---	PASS
	Ant2	5700	TPC_L	13.71	≤23.98	5.19	18.9	---	PASS
			TPC_H	19.74	≤23.98	5.19	24.93	---	PASS
	Ant3	5700	TPC_L	14.68	≤23.96	5.37	20.05	---	PASS
			TPC_H	19.36	≤23.96	5.37	24.73	---	PASS
	Ant4	5700	TPC_L	14.46	≤23.96	5.35	19.81	---	PASS
			TPC_H	20.19	≤23.96	5.35	25.54	---	PASS
	Ant1	5745	NA	19.53	≤30.00	5.13	24.66	---	PASS
	Ant2	5745	NA	19.87	≤30.00	5.19	25.06	---	PASS
	Ant3	5745	NA	19.68	≤30.00	5.37	25.05	---	PASS
	Ant4	5745	NA	20.38	≤30.00	5.35	25.73	---	PASS
	Ant1	5785	NA	19.15	≤30.00	5.13	24.28	---	PASS
	Ant2	5785	NA	19.50	≤30.00	5.19	24.69	---	PASS
	Ant3	5785	NA	19.30	≤30.00	5.37	24.67	---	PASS
	Ant4	5785	NA	20.45	≤30.00	5.35	25.8	---	PASS
	Ant1	5825	NA	18.52	≤30.00	5.13	23.65	---	PASS
	Ant2	5825	NA	18.83	≤30.00	5.19	24.02	---	PASS
	Ant3	5825	NA	18.53	≤30.00	5.37	23.9	---	PASS
	Ant4	5825	NA	19.79	≤30.00	5.35	25.14	---	PASS
11N20MIMO	Ant1	5180	NA	13.11	≤24.78	5.13	18.24	---	PASS
	Ant2	5180	NA	11.30	≤24.78	5.19	16.49	---	PASS
	Ant3	5180	NA	11.50	≤24.78	5.37	16.87	---	PASS
	Ant4	5180	NA	12.00	≤24.78	5.35	17.35	---	PASS
	total	5180	NA	18.06	≤24.78	11.22	29.28	---	PASS
	Ant1	5200	NA	12.59	≤24.78	5.13	17.72	---	PASS
	Ant2	5200	NA	11.04	≤24.78	5.19	16.23	---	PASS
	Ant3	5200	NA	11.13	≤24.78	5.37	16.5	---	PASS
	Ant4	5200	NA	11.50	≤24.78	5.35	16.85	---	PASS
	total	5200	NA	17.63	≤24.78	11.22	28.85	---	PASS
	Ant1	5240	NA	12.22	≤24.78	5.13	17.35	---	PASS
	Ant2	5240	NA	11.28	≤24.78	5.19	16.47	---	PASS
	Ant3	5240	NA	11.80	≤24.78	5.37	17.17	---	PASS
	Ant4	5240	NA	10.74	≤24.78	5.35	16.09	---	PASS
	total	5240	NA	17.57	≤24.78	11.22	28.79	---	PASS
	Ant1	5260	TPC_L	3.35	≤18.76	5.13	8.48	---	PASS
			TPC_H	6.83	≤18.76	5.13	11.96	---	PASS
	Ant2	5260	TPC_L	1.86	≤18.76	5.19	7.05	---	PASS
			TPC_H	6.23	≤18.76	5.19	11.42	---	PASS
	Ant3	5260	TPC_L	1.83	≤18.76	5.37	7.2	---	PASS
			TPC_H	5.11	≤18.76	5.37	10.48	---	PASS
	Ant4	5260	TPC_L	2.21	≤18.76	5.35	7.56	---	PASS
			TPC_H	6.22	≤18.76	5.35	11.57	---	PASS
	total	5260	TPC_L	8.38	≤18.76	11.22	19.6	---	PASS
			TPC_H	12.16	≤18.76	11.22	23.38	---	PASS
	Ant1	5280	TPC_L	2.86	≤18.76	5.13	7.99	---	PASS
			TPC_H	6.67	≤18.76	5.13	11.8	---	PASS
	Ant2	5280	TPC_L	1.71	≤18.76	5.19	6.9	---	PASS

			TPC_H	6.03	≤18.76	5.19	11.22	---	PASS
	Ant3	5280	TPC_L	1.47	≤18.76	5.37	6.84	---	PASS
			TPC_H	4.70	≤18.76	5.37	10.07	---	PASS
	Ant4	5280	TPC_L	1.67	≤18.76	5.35	7.02	---	PASS
			TPC_H	6.20	≤18.76	5.35	11.55	---	PASS
	total	5280	TPC_L	7.98	≤18.76	11.22	19.2	---	PASS
			TPC_H	11.98	≤18.76	11.22	23.2	---	PASS
	Ant1	5320	TPC_L	3.41	≤18.76	5.13	8.54	---	PASS
			TPC_H	7.28	≤18.76	5.13	12.41	---	PASS
	Ant2	5320	TPC_L	2.39	≤18.76	5.19	7.58	---	PASS
			TPC_H	6.80	≤18.76	5.19	11.99	---	PASS
	Ant3	5320	TPC_L	1.42	≤18.76	5.37	6.79	---	PASS
			TPC_H	4.74	≤18.76	5.37	10.11	---	PASS
	Ant4	5320	TPC_L	1.18	≤18.76	5.35	6.53	---	PASS
			TPC_H	5.22	≤18.76	5.35	10.57	---	PASS
	total	5320	TPC_L	8.21	≤18.76	11.22	19.43	---	PASS
			TPC_H	12.16	≤18.76	11.22	23.38	---	PASS
	Ant1	5500	TPC_L	3.32	≤18.76	5.13	8.45	---	PASS
			TPC_H	6.67	≤18.76	5.13	11.8	---	PASS
	Ant2	5500	TPC_L	1.15	≤18.76	5.19	6.34	---	PASS
			TPC_H	4.85	≤18.76	5.19	10.04	---	PASS
	Ant3	5500	TPC_L	3.08	≤18.76	5.37	8.45	---	PASS
			TPC_H	6.77	≤18.76	5.37	12.14	---	PASS
	Ant4	5500	TPC_L	2.18	≤18.76	5.35	7.53	---	PASS
			TPC_H	5.92	≤18.76	5.35	11.27	---	PASS
	total	5500	TPC_L	8.53	≤18.76	11.22	19.75	---	PASS
			TPC_H	12.14	≤18.76	11.22	23.36	---	PASS
	Ant1	5580	TPC_L	3.40	≤18.76	5.13	8.53	---	PASS
			TPC_H	6.98	≤18.76	5.13	12.11	---	PASS
	Ant2	5580	TPC_L	1.61	≤18.76	5.19	6.8	---	PASS
			TPC_H	5.28	≤18.76	5.19	10.47	---	PASS
	Ant3	5580	TPC_L	2.22	≤18.76	5.37	7.59	---	PASS
			TPC_H	6.02	≤18.76	5.37	11.39	---	PASS
	Ant4	5580	TPC_L	1.18	≤18.76	5.35	6.53	---	PASS
			TPC_H	4.79	≤18.76	5.35	10.14	---	PASS
	total	5580	TPC_L	8.21	≤18.76	11.22	19.43	---	PASS
			TPC_H	11.87	≤18.76	11.22	23.09	---	PASS
	Ant1	5700	TPC_L	2.94	≤18.76	5.13	8.07	---	PASS
			TPC_H	6.55	≤18.76	5.13	11.68	---	PASS
	Ant2	5700	TPC_L	1.51	≤18.76	5.19	6.7	---	PASS
			TPC_H	5.25	≤18.76	5.19	10.44	---	PASS
	Ant3	5700	TPC_L	2.76	≤18.76	5.37	8.13	---	PASS
			TPC_H	6.54	≤18.76	5.37	11.91	---	PASS
	Ant4	5700	TPC_L	2.70	≤18.76	5.35	8.05	---	PASS
			TPC_H	6.79	≤18.76	5.35	12.14	---	PASS
	total	5700	TPC_L	8.53	≤18.76	11.22	19.75	---	PASS
			TPC_H	12.34	≤18.76	11.22	23.56	---	PASS
	Ant1	5745	NA	13.90	≤24.78	5.13	19.03	---	PASS
	Ant2	5745	NA	13.09	≤24.78	5.19	18.28	---	PASS
	Ant3	5745	NA	13.86	≤24.78	5.37	19.23	---	PASS
	Ant4	5745	NA	13.19	≤24.78	5.35	18.54	---	PASS
	total	5745	NA	19.55	≤24.78	11.22	30.77	---	PASS
	Ant1	5785	NA	13.59	≤24.78	5.13	18.72	---	PASS
	Ant2	5785	NA	13.90	≤24.78	5.19	19.09	---	PASS
	Ant3	5785	NA	13.50	≤24.78	5.37	18.87	---	PASS
	Ant4	5785	NA	12.61	≤24.78	5.35	17.96	---	PASS
	total	5785	NA	19.45	≤24.78	11.22	30.67	---	PASS
	Ant1	5825	NA	12.95	≤24.78	5.13	18.08	---	PASS
	Ant2	5825	NA	12.38	≤24.78	5.19	17.57	---	PASS
	Ant3	5825	NA	12.63	≤24.78	5.37	18	---	PASS
	Ant4	5825	NA	11.77	≤24.78	5.35	17.12	---	PASS

11N40MIMO	total	5825	NA	18.47	≤24.78	11.22	29.69	---	PASS
	Ant1	5190	NA	11.60	≤24.78	5.13	16.73	---	PASS
	Ant2	5190	NA	11.01	≤24.78	5.19	16.2	---	PASS
	Ant3	5190	NA	12.38	≤24.78	5.37	17.75	---	PASS
	Ant4	5190	NA	12.51	≤24.78	5.35	17.86	---	PASS
	total	5190	NA	17.94	≤24.78	11.22	29.16	---	PASS
	Ant1	5230	NA	13.53	≤24.78	5.13	18.66	---	PASS
	Ant2	5230	NA	14.05	≤24.78	5.19	19.24	---	PASS
	Ant3	5230	NA	12.49	≤24.78	5.37	17.86	---	PASS
	Ant4	5230	NA	12.31	≤24.78	5.35	17.66	---	PASS
	total	5230	NA	19.18	≤24.78	11.22	30.4	---	PASS
	Ant1	5270	TPC_L	5.59	≤18.76	5.13	10.72	---	PASS
			TPC_H	9.74	≤18.76	5.13	14.87	---	PASS
	Ant2	5270	TPC_L	4.99	≤18.76	5.19	10.18	---	PASS
			TPC_H	9.28	≤18.76	5.19	14.47	---	PASS
	Ant3	5270	TPC_L	3.87	≤18.76	5.37	9.24	---	PASS
			TPC_H	8.79	≤18.76	5.37	14.16	---	PASS
	Ant4	5270	TPC_L	4.92	≤18.76	5.35	10.27	---	PASS
			TPC_H	9.00	≤18.76	5.35	14.35	---	PASS
	total	5270	TPC_L	10.91	≤18.76	11.22	22.13	---	PASS
			TPC_H	15.24	≤18.76	11.22	26.46	---	PASS
	Ant1	5310	TPC_L	5.96	≤18.76	5.13	11.09	---	PASS
			TPC_H	10.09	≤18.76	5.13	15.22	---	PASS
	Ant2	5310	TPC_L	5.66	≤18.76	5.19	10.85	---	PASS
			TPC_H	9.82	≤18.76	5.19	15.01	---	PASS
	Ant3	5310	TPC_L	3.79	≤18.76	5.37	9.16	---	PASS
			TPC_H	8.61	≤18.76	5.37	13.98	---	PASS
	Ant4	5310	TPC_L	4.21	≤18.76	5.35	9.56	---	PASS
			TPC_H	8.18	≤18.76	5.35	13.53	---	PASS
	total	5310	TPC_L	11.02	≤18.76	11.22	22.24	---	PASS
			TPC_H	15.27	≤18.76	11.22	26.49	---	PASS
	Ant1	5510	TPC_L	5.33	≤18.76	5.13	10.46	---	PASS
			TPC_H	9.05	≤18.76	5.13	14.18	---	PASS
	Ant2	5510	TPC_L	3.58	≤18.76	5.19	8.77	---	PASS
			TPC_H	7.71	≤18.76	5.19	12.9	---	PASS
	Ant3	5510	TPC_L	5.28	≤18.76	5.37	10.65	---	PASS
			TPC_H	8.91	≤18.76	5.37	14.28	---	PASS
	Ant4	5510	TPC_L	4.49	≤18.76	5.35	9.84	---	PASS
			TPC_H	7.89	≤18.76	5.35	13.24	---	PASS
	total	5510	TPC_L	10.75	≤18.76	11.22	21.97	---	PASS
			TPC_H	14.45	≤18.76	11.22	25.67	---	PASS
	Ant1	5550	TPC_L	5.04	≤18.76	5.13	10.17	---	PASS
			TPC_H	8.84	≤18.76	5.13	13.97	---	PASS
	Ant2	5550	TPC_L	3.92	≤18.76	5.19	9.11	---	PASS
			TPC_H	7.98	≤18.76	5.19	13.17	---	PASS
	Ant3	5550	TPC_L	4.01	≤18.76	5.37	9.38	---	PASS
			TPC_H	7.62	≤18.76	5.37	12.99	---	PASS
	Ant4	5550	TPC_L	3.52	≤18.76	5.35	8.87	---	PASS
			TPC_H	6.93	≤18.76	5.35	12.28	---	PASS
	total	5550	TPC_L	10.18	≤18.76	11.22	21.4	---	PASS
			TPC_H	13.92	≤18.76	11.22	25.14	---	PASS
	Ant1	5670	TPC_L	6.38	≤18.76	5.13	11.51	---	PASS
			TPC_H	9.43	≤18.76	5.13	14.56	---	PASS
	Ant2	5670	TPC_L	4.35	≤18.76	5.19	9.54	---	PASS
			TPC_H	7.79	≤18.76	5.19	12.98	---	PASS
	Ant3	5670	TPC_L	6.25	≤18.76	5.37	11.62	---	PASS
			TPC_H	9.92	≤18.76	5.37	15.29	---	PASS
	Ant4	5670	TPC_L	6.53	≤18.76	5.35	11.88	---	PASS
			TPC_H	10.26	≤18.76	5.35	15.61	---	PASS
	total	5670	TPC_L	11.98	≤18.76	11.22	23.2	---	PASS
TPC_H			15.47	≤18.76	11.22	26.69	---	PASS	

	Ant1	5755	NA	14.24	≤24.78	5.13	19.37	---	PASS
	Ant2	5755	NA	13.16	≤24.78	5.19	18.35	---	PASS
	Ant3	5755	NA	14.13	≤24.78	5.37	19.5	---	PASS
	Ant4	5755	NA	13.33	≤24.78	5.35	18.68	---	PASS
	total	5755	NA	19.76	≤24.78	11.22	30.98	---	PASS
	Ant1	5795	NA	13.75	≤24.78	5.13	18.88	---	PASS
	Ant2	5795	NA	12.97	≤24.78	5.19	18.16	---	PASS
	Ant3	5795	NA	13.62	≤24.78	5.37	18.99	---	PASS
	Ant4	5795	NA	12.82	≤24.78	5.35	18.17	---	PASS
	total	5795	NA	19.33	≤24.78	11.22	30.55	---	PASS
11AC20MIMO	Ant1	5180	NA	13.40	≤24.78	5.13	18.53	---	PASS
	Ant2	5180	NA	12.10	≤24.78	5.19	17.29	---	PASS
	Ant3	5180	NA	12.26	≤24.78	5.37	17.63	---	PASS
	Ant4	5180	NA	12.47	≤24.78	5.35	17.82	---	PASS
	total	5180	NA	18.61	≤24.78	11.22	29.83	---	PASS
	Ant1	5200	NA	13.20	≤24.78	5.13	18.33	---	PASS
	Ant2	5200	NA	11.72	≤24.78	5.19	16.91	---	PASS
	Ant3	5200	NA	12.32	≤24.78	5.37	17.69	---	PASS
	Ant4	5200	NA	12.35	≤24.78	5.35	17.7	---	PASS
	total	5200	NA	18.45	≤24.78	11.22	29.67	---	PASS
	Ant1	5240	NA	12.83	≤24.78	5.13	17.96	---	PASS
	Ant2	5240	NA	12.00	≤24.78	5.19	17.19	---	PASS
	Ant3	5240	NA	11.88	≤24.78	5.37	17.25	---	PASS
	Ant4	5240	NA	11.52	≤24.78	5.35	16.87	---	PASS
	total	5240	NA	18.11	≤24.78	11.22	29.33	---	PASS
	Ant1	5260	TPC_L	2.79	≤18.76	5.13	7.92	---	PASS
			TPC_H	7.06	≤18.76	5.13	12.19	---	PASS
	Ant2	5260	TPC_L	1.12	≤18.76	5.19	6.31	---	PASS
			TPC_H	6.37	≤18.76	5.19	11.56	---	PASS
	Ant3	5260	TPC_L	1.98	≤18.76	5.37	7.35	---	PASS
			TPC_H	5.31	≤18.76	5.37	10.68	---	PASS
	Ant4	5260	TPC_L	1.89	≤18.76	5.35	7.24	---	PASS
			TPC_H	6.40	≤18.76	5.35	11.75	---	PASS
	total	5260	TPC_L	8.01	≤18.76	11.22	19.23	---	PASS
			TPC_H	12.35	≤18.76	11.22	23.57	---	PASS
	Ant1	5280	TPC_L	2.66	≤18.76	5.13	7.79	---	PASS
			TPC_H	6.79	≤18.76	5.13	11.92	---	PASS
	Ant2	5280	TPC_L	0.95	≤18.76	5.19	6.14	---	PASS
			TPC_H	6.15	≤18.76	5.19	11.34	---	PASS
	Ant3	5280	TPC_L	1.71	≤18.76	5.37	7.08	---	PASS
			TPC_H	4.97	≤18.76	5.37	10.34	---	PASS
	Ant4	5280	TPC_L	1.92	≤18.76	5.35	7.27	---	PASS
			TPC_H	6.37	≤18.76	5.35	11.72	---	PASS
	total	5280	TPC_L	7.87	≤18.76	11.22	19.09	---	PASS
			TPC_H	12.14	≤18.76	11.22	23.36	---	PASS
	Ant1	5320	TPC_L	3.05	≤18.76	5.13	8.18	---	PASS
			TPC_H	7.18	≤18.76	5.13	12.31	---	PASS
	Ant2	5320	TPC_L	1.77	≤18.76	5.19	6.96	---	PASS
			TPC_H	6.96	≤18.76	5.19	12.15	---	PASS
	Ant3	5320	TPC_L	1.68	≤18.76	5.37	7.05	---	PASS
			TPC_H	4.91	≤18.76	5.37	10.28	---	PASS
	Ant4	5320	TPC_L	1.04	≤18.76	5.35	6.39	---	PASS
			TPC_H	5.41	≤18.76	5.35	10.76	---	PASS
	total	5320	TPC_L	7.97	≤18.76	11.22	19.19	---	PASS
			TPC_H	12.24	≤18.76	11.22	23.46	---	PASS
	Ant1	5500	TPC_L	2.98	≤18.76	5.13	8.11	---	PASS
			TPC_H	6.73	≤18.76	5.13	11.86	---	PASS
	Ant2	5500	TPC_L	1.02	≤18.76	5.19	6.21	---	PASS
			TPC_H	4.89	≤18.76	5.19	10.08	---	PASS
	Ant3	5500	TPC_L	2.88	≤18.76	5.37	8.25	---	PASS
			TPC_H	6.78	≤18.76	5.37	12.15	---	PASS

	Ant4	5500	TPC_L	2.12	≤18.76	5.35	7.47	---	PASS
			TPC_H	6.01	≤18.76	5.35	11.36	---	PASS
	total	5500	TPC_L	8.34	≤18.76	11.22	19.56	---	PASS
			TPC_H	12.19	≤18.76	11.22	23.41	---	PASS
	Ant1	5580	TPC_L	3.18	≤18.76	5.13	8.31	---	PASS
			TPC_H	6.84	≤18.76	5.13	11.97	---	PASS
	Ant2	5580	TPC_L	1.52	≤18.76	5.19	6.71	---	PASS
			TPC_H	5.22	≤18.76	5.19	10.41	---	PASS
	Ant3	5580	TPC_L	2.12	≤18.76	5.37	7.49	---	PASS
			TPC_H	5.93	≤18.76	5.37	11.3	---	PASS
	Ant4	5580	TPC_L	1.12	≤18.76	5.35	6.47	---	PASS
			TPC_H	4.76	≤18.76	5.35	10.11	---	PASS
	total	5580	TPC_L	8.08	≤18.76	11.22	19.3	---	PASS
			TPC_H	11.78	≤18.76	11.22	23	---	PASS
	Ant1	5700	TPC_L	2.92	≤18.76	5.13	8.05	---	PASS
			TPC_H	6.48	≤18.76	5.13	11.61	---	PASS
	Ant2	5700	TPC_L	1.50	≤18.76	5.19	6.69	---	PASS
			TPC_H	5.29	≤18.76	5.19	10.48	---	PASS
	Ant3	5700	TPC_L	2.74	≤18.76	5.37	8.11	---	PASS
			TPC_H	6.58	≤18.76	5.37	11.95	---	PASS
	Ant4	5700	TPC_L	2.70	≤18.76	5.35	8.05	---	PASS
			TPC_H	6.92	≤18.76	5.35	12.27	---	PASS
	total	5700	TPC_L	8.52	≤18.76	11.22	19.74	---	PASS
			TPC_H	12.38	≤18.76	11.22	23.6	---	PASS
	Ant1	5745	NA	14.51	≤24.78	5.13	19.64	---	PASS
	Ant2	5745	NA	13.61	≤24.78	5.19	18.8	---	PASS
	Ant3	5745	NA	14.63	≤24.78	5.37	20	---	PASS
	Ant4	5745	NA	13.94	≤24.78	5.35	19.29	---	PASS
	total	5745	NA	20.21	≤24.78	11.22	31.43	---	PASS
	Ant1	5785	NA	14.33	≤24.78	5.13	19.46	---	PASS
	Ant2	5785	NA	13.59	≤24.78	5.19	18.78	---	PASS
	Ant3	5785	NA	14.19	≤24.78	5.37	19.56	---	PASS
	Ant4	5785	NA	13.43	≤24.78	5.35	18.78	---	PASS
	total	5785	NA	19.92	≤24.78	11.22	31.14	---	PASS
	Ant1	5825	NA	13.66	≤24.78	5.13	18.79	---	PASS
	Ant2	5825	NA	13.04	≤24.78	5.19	18.23	---	PASS
	Ant3	5825	NA	13.35	≤24.78	5.37	18.72	---	PASS
	Ant4	5825	NA	12.49	≤24.78	5.35	17.84	---	PASS
	total	5825	NA	19.18	≤24.78	11.22	30.4	---	PASS
	11AC40MIMO	Ant1	5190	NA	14.68	≤24.78	5.13	19.81	---
Ant2		5190	NA	14.55	≤24.78	5.19	19.74	---	PASS
Ant3		5190	NA	13.47	≤24.78	5.37	18.84	---	PASS
Ant4		5190	NA	15.22	≤24.78	5.35	20.57	---	PASS
total		5190	NA	20.55	≤24.78	11.22	31.77	---	PASS
Ant1		5230	NA	14.48	≤24.78	5.13	19.61	---	PASS
Ant2		5230	NA	13.72	≤24.78	5.19	18.91	---	PASS
Ant3		5230	NA	13.51	≤24.78	5.37	18.88	---	PASS
Ant4		5230	NA	13.26	≤24.78	5.35	18.61	---	PASS
total		5230	NA	19.79	≤24.78	11.22	31.01	---	PASS
Ant1		5270	TPC_L	6.33	≤18.76	5.13	11.46	---	PASS
			TPC_H	9.88	≤18.76	5.13	15.01	---	PASS
Ant2		5270	TPC_L	4.55	≤18.76	5.19	9.74	---	PASS
			TPC_H	9.33	≤18.76	5.19	14.52	---	PASS
Ant3		5270	TPC_L	5.32	≤18.76	5.37	10.69	---	PASS
			TPC_H	8.73	≤18.76	5.37	14.1	---	PASS
Ant4		5270	TPC_L	5.69	≤18.76	5.35	11.04	---	PASS
			TPC_H	9.31	≤18.76	5.35	14.66	---	PASS
total		5270	TPC_L	11.54	≤18.76	11.22	22.76	---	PASS
			TPC_H	15.35	≤18.76	11.22	26.57	---	PASS
Ant1		5310	TPC_L	6.92	≤18.76	5.13	12.05	---	PASS
			TPC_H	10.06	≤18.76	5.13	15.19	---	PASS

	Ant2	5310	TPC_L	5.47	≤18.76	5.19	10.66	---	PASS
			TPC_H	9.72	≤18.76	5.19	14.91	---	PASS
	Ant3	5310	TPC_L	5.41	≤18.76	5.37	10.78	---	PASS
			TPC_H	8.49	≤18.76	5.37	13.86	---	PASS
	Ant4	5310	TPC_L	4.76	≤18.76	5.35	10.11	---	PASS
			TPC_H	8.28	≤18.76	5.35	13.63	---	PASS
	total	5310	TPC_L	11.74	≤18.76	11.22	22.96	---	PASS
			TPC_H	15.23	≤18.76	11.22	26.45	---	PASS
	Ant1	5510	TPC_L	6.63	≤18.76	5.13	11.76	---	PASS
			TPC_H	9.99	≤18.76	5.13	15.12	---	PASS
	Ant2	5510	TPC_L	4.51	≤18.76	5.19	9.7	---	PASS
			TPC_H	8.53	≤18.76	5.19	13.72	---	PASS
	Ant3	5510	TPC_L	6.38	≤18.76	5.37	11.75	---	PASS
			TPC_H	9.71	≤18.76	5.37	15.08	---	PASS
	Ant4	5510	TPC_L	5.46	≤18.76	5.35	10.81	---	PASS
			TPC_H	8.77	≤18.76	5.35	14.12	---	PASS
	total	5510	TPC_L	11.84	≤18.76	11.22	23.06	---	PASS
			TPC_H	15.31	≤18.76	11.22	26.53	---	PASS
	Ant1	5550	TPC_L	6.02	≤18.76	5.13	11.15	---	PASS
			TPC_H	10.32	≤18.76	5.13	15.45	---	PASS
	Ant2	5550	TPC_L	4.74	≤18.76	5.19	9.93	---	PASS
			TPC_H	8.84	≤18.76	5.19	14.03	---	PASS
	Ant3	5550	TPC_L	5.07	≤18.76	5.37	10.44	---	PASS
			TPC_H	8.83	≤18.76	5.37	14.2	---	PASS
	Ant4	5550	TPC_L	4.53	≤18.76	5.35	9.88	---	PASS
			TPC_H	8.33	≤18.76	5.35	13.68	---	PASS
	total	5550	TPC_L	11.15	≤18.76	11.22	22.37	---	PASS
			TPC_H	15.17	≤18.76	11.22	26.39	---	PASS
	Ant1	5670	TPC_L	5.44	≤18.76	5.13	10.57	---	PASS
			TPC_H	8.78	≤18.76	5.13	13.91	---	PASS
	Ant2	5670	TPC_L	3.89	≤18.76	5.19	9.08	---	PASS
			TPC_H	7.35	≤18.76	5.19	12.54	---	PASS
	Ant3	5670	TPC_L	5.61	≤18.76	5.37	10.98	---	PASS
			TPC_H	9.21	≤18.76	5.37	14.58	---	PASS
	Ant4	5670	TPC_L	5.86	≤18.76	5.35	11.21	---	PASS
			TPC_H	9.69	≤18.76	5.35	15.04	---	PASS
	total	5670	TPC_L	11.28	≤18.76	11.22	22.5	---	PASS
			TPC_H	14.86	≤18.76	11.22	26.08	---	PASS
	Ant1	5755	NA	15.32	≤24.78	5.13	20.45	---	PASS
			NA	14.30	≤24.78	5.19	19.49	---	PASS
	Ant2	5755	NA	15.06	≤24.78	5.37	20.43	---	PASS
			NA	14.78	≤24.78	5.35	20.13	---	PASS
	total	5755	NA	20.90	≤24.78	11.22	32.12	---	PASS
			NA	14.77	≤24.78	5.13	19.9	---	PASS
	Ant2	5795	NA	13.88	≤24.78	5.19	19.07	---	PASS
			NA	14.44	≤24.78	5.37	19.81	---	PASS
	Ant3	5795	NA	13.89	≤24.78	5.35	19.24	---	PASS
			NA	20.28	≤24.78	11.22	31.5	---	PASS
	total	5795	NA	20.28	≤24.78	11.22	31.5	---	PASS
			NA	15.52	≤24.78	5.13	20.65	---	PASS
11AC80MIMO	Ant1	5210	NA	14.11	≤24.78	5.19	19.3	---	PASS
			NA	14.49	≤24.78	5.37	19.86	---	PASS
	Ant2	5210	NA	14.23	≤24.78	5.35	19.58	---	PASS
			NA	20.65	≤24.78	11.22	31.87	---	PASS
	Ant1	5290	TPC_L	6.60	≤18.76	5.13	11.73	---	PASS
			TPC_H	9.83	≤18.76	5.13	14.96	---	PASS
	Ant2	5290	TPC_L	5.26	≤18.76	5.19	10.45	---	PASS
			TPC_H	9.22	≤18.76	5.19	14.41	---	PASS
	Ant3	5290	TPC_L	5.06	≤18.76	5.37	10.43	---	PASS
			TPC_H	8.12	≤18.76	5.37	13.49	---	PASS
	Ant4	5290	TPC_L	5.95	≤18.76	5.35	11.3	---	PASS
			TPC_H	9.38	≤18.76	5.35	14.73	---	PASS


	total	5290	TPC_L	11.78	≤18.76	11.22	23	---	PASS
			TPC_H	15.20	≤18.76	11.22	26.42	---	PASS
	Ant1	5530	TPC_L	6.03	≤18.76	5.13	11.16	---	PASS
			TPC_H	9.55	≤18.76	5.13	14.68	---	PASS
	Ant2	5530	TPC_L	4.79	≤18.76	5.19	9.98	---	PASS
			TPC_H	8.18	≤18.76	5.19	13.37	---	PASS
	Ant3	5530	TPC_L	6.19	≤18.76	5.37	11.56	---	PASS
			TPC_H	9.78	≤18.76	5.37	15.15	---	PASS
	Ant4	5530	TPC_L	5.62	≤18.76	5.35	10.97	---	PASS
			TPC_H	9.10	≤18.76	5.35	14.45	---	PASS
	total	5530	TPC_L	11.71	≤18.76	11.22	22.93	---	PASS
			TPC_H	15.21	≤18.76	11.22	26.43	---	PASS
	Ant1	5610	TPC_L	6.01	≤18.76	5.13	11.14	---	PASS
			TPC_H	9.60	≤18.76	5.13	14.73	---	PASS
	Ant2	5610	TPC_L	4.96	≤18.76	5.19	10.15	---	PASS
			TPC_H	8.49	≤18.76	5.19	13.68	---	PASS
	Ant3	5610	TPC_L	5.60	≤18.76	5.37	10.97	---	PASS
			TPC_H	9.04	≤18.76	5.37	14.41	---	PASS
	Ant4	5610	TPC_L	5.01	≤18.76	5.35	10.36	---	PASS
			TPC_H	8.46	≤18.76	5.35	13.81	---	PASS
	total	5610	TPC_L	11.44	≤18.76	11.22	22.66	---	PASS
			TPC_H	14.94	≤18.76	11.22	26.16	---	PASS
	Ant1	5775	NA	15.53	≤24.78	5.13	20.66	---	PASS
	Ant2	5775	NA	14.74	≤24.78	5.19	19.93	---	PASS
Ant3	5775	NA	15.38	≤24.78	5.37	20.75	---	PASS	
Ant4	5775	NA	14.77	≤24.78	5.35	20.12	---	PASS	
total	5775	NA	21.14	≤24.78	11.22	32.36	---	PASS	
11AX20MIMO	Ant1	5180	NA	14.68	≤24.78	5.13	19.81	---	PASS
	Ant2	5180	NA	10.12	≤24.78	5.19	15.31	---	PASS
	Ant3	5180	NA	11.82	≤24.78	5.37	17.19	---	PASS
	Ant4	5180	NA	10.59	≤24.78	5.35	15.94	---	PASS
	total	5180	NA	18.22	≤24.78	11.22	29.44	---	PASS
	Ant1	5200	NA	13.38	≤24.78	5.13	18.51	---	PASS
	Ant2	5200	NA	12.07	≤24.78	5.19	17.26	---	PASS
	Ant3	5200	NA	11.87	≤24.78	5.37	17.24	---	PASS
	Ant4	5200	NA	12.41	≤24.78	5.35	17.76	---	PASS
	total	5200	NA	18.49	≤24.78	11.22	29.71	---	PASS
	Ant1	5240	NA	13.02	≤24.78	5.13	18.15	---	PASS
	Ant2	5240	NA	12.63	≤24.78	5.19	17.82	---	PASS
	Ant3	5240	NA	12.28	≤24.78	5.37	17.65	---	PASS
	Ant4	5240	NA	11.68	≤24.78	5.35	17.03	---	PASS
	total	5240	NA	18.45	≤24.78	11.22	29.67	---	PASS
	Ant1	5260	TPC_L	4.31	≤18.76	5.13	9.44	---	PASS
			TPC_H	7.51	≤18.76	5.13	12.64	---	PASS
	Ant2	5260	TPC_L	2.77	≤18.76	5.19	7.96	---	PASS
			TPC_H	6.85	≤18.76	5.19	12.04	---	PASS
	Ant3	5260	TPC_L	2.62	≤18.76	5.37	7.99	---	PASS
			TPC_H	5.73	≤18.76	5.37	11.1	---	PASS
	Ant4	5260	TPC_L	3.26	≤18.76	5.35	8.61	---	PASS
			TPC_H	6.68	≤18.76	5.35	12.03	---	PASS
	total	5260	TPC_L	9.31	≤18.76	11.22	20.53	---	PASS
			TPC_H	12.76	≤18.76	11.22	23.98	---	PASS
	Ant1	5280	TPC_L	4.03	≤18.76	5.13	9.16	---	PASS
			TPC_H	7.46	≤18.76	5.13	12.59	---	PASS
	Ant2	5280	TPC_L	2.32	≤18.76	5.19	7.51	---	PASS
			TPC_H	6.63	≤18.76	5.19	11.82	---	PASS
	Ant3	5280	TPC_L	2.37	≤18.76	5.37	7.74	---	PASS
			TPC_H	5.62	≤18.76	5.37	10.99	---	PASS
	Ant4	5280	TPC_L	3.27	≤18.76	5.35	8.62	---	PASS
			TPC_H	6.82	≤18.76	5.35	12.17	---	PASS
	total	5280	TPC_L	9.08	≤18.76	11.22	20.3	---	PASS

	Ant1	5320	TPC_H	12.70	≤18.76	11.22	23.92	---	PASS
			TPC_L	4.59	≤18.76	5.13	9.72	---	PASS
	Ant2	5320	TPC_H	7.85	≤18.76	5.13	12.98	---	PASS
			TPC_L	3.10	≤18.76	5.19	8.29	---	PASS
	Ant3	5320	TPC_L	2.12	≤18.76	5.37	7.49	---	PASS
			TPC_H	5.40	≤18.76	5.37	10.77	---	PASS
	Ant4	5320	TPC_L	2.43	≤18.76	5.35	7.78	---	PASS
			TPC_H	5.90	≤18.76	5.35	11.25	---	PASS
	total	5320	TPC_L	9.19	≤18.76	11.22	20.41	---	PASS
			TPC_H	12.77	≤18.76	11.22	23.99	---	PASS
	Ant1	5500	TPC_L	3.48	≤18.76	5.13	8.61	---	PASS
			TPC_H	7.24	≤18.76	5.13	12.37	---	PASS
	Ant2	5500	TPC_L	1.46	≤18.76	5.19	6.65	---	PASS
			TPC_H	5.31	≤18.76	5.19	10.5	---	PASS
	Ant3	5500	TPC_L	3.39	≤18.76	5.37	8.76	---	PASS
			TPC_H	7.20	≤18.76	5.37	12.57	---	PASS
	Ant4	5500	TPC_L	2.61	≤18.76	5.35	7.96	---	PASS
			TPC_H	6.40	≤18.76	5.35	11.75	---	PASS
	total	5500	TPC_L	8.83	≤18.76	11.22	20.05	---	PASS
			TPC_H	12.63	≤18.76	11.22	23.85	---	PASS
	Ant1	5580	TPC_L	3.66	≤18.76	5.13	8.79	---	PASS
			TPC_H	7.40	≤18.76	5.13	12.53	---	PASS
	Ant2	5580	TPC_L	1.94	≤18.76	5.19	7.13	---	PASS
			TPC_H	5.85	≤18.76	5.19	11.04	---	PASS
	Ant3	5580	TPC_L	2.77	≤18.76	5.37	8.14	---	PASS
			TPC_H	6.52	≤18.76	5.37	11.89	---	PASS
	Ant4	5580	TPC_L	1.60	≤18.76	5.35	6.95	---	PASS
			TPC_H	5.44	≤18.76	5.35	10.79	---	PASS
	total	5580	TPC_L	8.59	≤18.76	11.22	19.81	---	PASS
			TPC_H	12.39	≤18.76	11.22	23.61	---	PASS
	Ant1	5700	TPC_L	3.30	≤18.76	5.13	8.43	---	PASS
			TPC_H	6.89	≤18.76	5.13	12.02	---	PASS
	Ant2	5700	TPC_L	2.09	≤18.76	5.19	7.28	---	PASS
			TPC_H	5.89	≤18.76	5.19	11.08	---	PASS
	Ant3	5700	TPC_L	3.16	≤18.76	5.37	8.53	---	PASS
			TPC_H	7.08	≤18.76	5.37	12.45	---	PASS
	Ant4	5700	TPC_L	3.28	≤18.76	5.35	8.63	---	PASS
			TPC_H	7.38	≤18.76	5.35	12.73	---	PASS
	total	5700	TPC_L	9.01	≤18.76	11.22	20.23	---	PASS
			TPC_H	12.87	≤18.76	11.22	24.09	---	PASS
	Ant1	5745	NA	13.13	≤24.78	5.13	18.26	---	PASS
	Ant2	5745	NA	12.16	≤24.78	5.19	17.35	---	PASS
	Ant3	5745	NA	13.06	≤24.78	5.37	18.43	---	PASS
	Ant4	5745	NA	12.66	≤24.78	5.35	18.01	---	PASS
	total	5745	NA	18.79	≤24.78	11.22	30.01	---	PASS
	Ant1	5785	NA	12.84	≤24.78	5.13	17.97	---	PASS
	Ant2	5785	NA	12.14	≤24.78	5.19	17.33	---	PASS
	Ant3	5785	NA	12.67	≤24.78	5.37	18.04	---	PASS
	Ant4	5785	NA	12.16	≤24.78	5.35	17.51	---	PASS
	total	5785	NA	18.48	≤24.78	11.22	29.7	---	PASS
	Ant1	5825	NA	12.16	≤24.78	5.13	17.29	---	PASS
	Ant2	5825	NA	11.58	≤24.78	5.19	16.77	---	PASS
Ant3	5825	NA	11.92	≤24.78	5.37	17.29	---	PASS	
Ant4	5825	NA	11.26	≤24.78	5.35	16.61	---	PASS	
total	5825	NA	17.76	≤24.78	11.22	28.98	---	PASS	
11AX40MIMO	Ant1	5190	NA	13.05	≤24.78	5.13	18.18	---	PASS
	Ant2	5190	NA	11.97	≤24.78	5.19	17.16	---	PASS
	Ant3	5190	NA	11.58	≤24.78	5.37	16.95	---	PASS
	Ant4	5190	NA	11.90	≤24.78	5.35	17.25	---	PASS
	total	5190	NA	18.18	≤24.78	11.22	29.4	---	PASS


Ant1	5230	NA	12.53	≤24.78	5.13	17.66	---	PASS
Ant2	5230	NA	11.79	≤24.78	5.19	16.98	---	PASS
Ant3	5230	NA	11.48	≤24.78	5.37	16.85	---	PASS
Ant4	5230	NA	11.34	≤24.78	5.35	16.69	---	PASS
total	5230	NA	17.83	≤24.78	11.22	29.05	---	PASS
Ant1	5270	TPC_L	5.30	≤18.76	5.13	10.43	---	PASS
		TPC_H	9.45	≤18.76	5.13	14.58	---	PASS
Ant2	5270	TPC_L	4.94	≤18.76	5.19	10.13	---	PASS
		TPC_H	8.89	≤18.76	5.19	14.08	---	PASS
Ant3	5270	TPC_L	3.87	≤18.76	5.37	9.24	---	PASS
		TPC_H	8.51	≤18.76	5.37	13.88	---	PASS
Ant4	5270	TPC_L	4.69	≤18.76	5.35	10.04	---	PASS
		TPC_H	8.63	≤18.76	5.35	13.98	---	PASS
total	5270	TPC_L	10.75	≤18.76	11.22	21.97	---	PASS
		TPC_H	14.91	≤18.76	11.22	26.13	---	PASS
Ant1	5310	TPC_L	5.61	≤18.76	5.13	10.74	---	PASS
		TPC_H	9.51	≤18.76	5.13	14.64	---	PASS
Ant2	5310	TPC_L	5.56	≤18.76	5.19	10.75	---	PASS
		TPC_H	9.51	≤18.76	5.19	14.7	---	PASS
Ant3	5310	TPC_L	3.63	≤18.76	5.37	9	---	PASS
		TPC_H	8.11	≤18.76	5.37	13.48	---	PASS
Ant4	5310	TPC_L	3.94	≤18.76	5.35	9.29	---	PASS
		TPC_H	7.67	≤18.76	5.35	13.02	---	PASS
total	5310	TPC_L	10.80	≤18.76	11.22	22.02	---	PASS
		TPC_H	14.80	≤18.76	11.22	26.02	---	PASS
Ant1	5510	TPC_L	5.47	≤18.76	5.13	10.6	---	PASS
		TPC_H	9.48	≤18.76	5.13	14.61	---	PASS
Ant2	5510	TPC_L	3.81	≤18.76	5.19	9	---	PASS
		TPC_H	8.12	≤18.76	5.19	13.31	---	PASS
Ant3	5510	TPC_L	5.53	≤18.76	5.37	10.9	---	PASS
		TPC_H	9.21	≤18.76	5.37	14.58	---	PASS
Ant4	5510	TPC_L	4.80	≤18.76	5.35	10.15	---	PASS
		TPC_H	8.28	≤18.76	5.35	13.63	---	PASS
total	5510	TPC_L	10.98	≤18.76	11.22	22.2	---	PASS
		TPC_H	14.83	≤18.76	11.22	26.05	---	PASS
Ant1	5550	TPC_L	5.34	≤18.76	5.13	10.47	---	PASS
		TPC_H	9.25	≤18.76	5.13	14.38	---	PASS
Ant2	5550	TPC_L	4.19	≤18.76	5.19	9.38	---	PASS
		TPC_H	8.32	≤18.76	5.19	13.51	---	PASS
Ant3	5550	TPC_L	4.34	≤18.76	5.37	9.71	---	PASS
		TPC_H	7.91	≤18.76	5.37	13.28	---	PASS
Ant4	5550	TPC_L	3.93	≤18.76	5.35	9.28	---	PASS
		TPC_H	7.25	≤18.76	5.35	12.6	---	PASS
total	5550	TPC_L	10.50	≤18.76	11.22	21.72	---	PASS
		TPC_H	14.26	≤18.76	11.22	25.48	---	PASS
Ant1	5670	TPC_L	6.05	≤18.76	5.13	11.18	---	PASS
		TPC_H	9.58	≤18.76	5.13	14.71	---	PASS
Ant2	5670	TPC_L	4.74	≤18.76	5.19	9.93	---	PASS
		TPC_H	8.08	≤18.76	5.19	13.27	---	PASS
Ant3	5670	TPC_L	6.44	≤18.76	5.37	11.81	---	PASS
		TPC_H	9.95	≤18.76	5.37	15.32	---	PASS
Ant4	5670	TPC_L	6.89	≤18.76	5.35	12.24	---	PASS
		TPC_H	10.35	≤18.76	5.35	15.7	---	PASS
total	5670	TPC_L	12.12	≤18.76	11.22	23.34	---	PASS
		TPC_H	15.59	≤18.76	11.22	26.81	---	PASS
Ant1	5755	NA	12.91	≤24.78	5.13	18.04	---	PASS
Ant2	5755	NA	12.06	≤24.78	5.19	17.25	---	PASS
Ant3	5755	NA	12.93	≤24.78	5.37	18.3	---	PASS
Ant4	5755	NA	12.43	≤24.78	5.35	17.78	---	PASS
total	5755	NA	18.62	≤24.78	11.22	29.84	---	PASS
Ant1	5795	NA	12.59	≤24.78	5.13	17.72	---	PASS

	Ant2	5795	NA	11.41	≤24.78	5.19	16.6	---	PASS
	Ant3	5795	NA	12.59	≤24.78	5.37	17.96	---	PASS
	Ant4	5795	NA	11.85	≤24.78	5.35	17.2	---	PASS
	total	5795	NA	18.16	≤24.78	11.22	29.38	---	PASS
11AX80MIMO	Ant1	5210	NA	12.35	≤24.78	5.13	17.48	---	PASS
	Ant2	5210	NA	12.44	≤24.78	5.19	17.63	---	PASS
	Ant3	5210	NA	11.15	≤24.78	5.37	16.52	---	PASS
	Ant4	5210	NA	11.60	≤24.78	5.35	16.95	---	PASS
	total	5210	NA	17.94	≤24.78	11.22	29.16	---	PASS
	Ant1	5290	TPC_L	5.63	≤18.76	5.13	10.76	---	PASS
			TPC_H	8.99	≤18.76	5.13	14.12	---	PASS
	Ant2	5290	TPC_L	4.29	≤18.76	5.19	9.48	---	PASS
			TPC_H	8.57	≤18.76	5.19	13.76	---	PASS
	Ant3	5290	TPC_L	4.85	≤18.76	5.37	10.22	---	PASS
			TPC_H	7.98	≤18.76	5.37	13.35	---	PASS
	Ant4	5290	TPC_L	5.01	≤18.76	5.35	10.36	---	PASS
			TPC_H	8.41	≤18.76	5.35	13.76	---	PASS
	total	5290	TPC_L	10.99	≤18.76	11.22	22.21	---	PASS
			TPC_H	14.52	≤18.76	11.22	25.74	---	PASS
	Ant1	5530	TPC_L	5.90	≤18.76	5.13	11.03	---	PASS
			TPC_H	9.17	≤18.76	5.13	14.3	---	PASS
	Ant2	5530	TPC_L	4.61	≤18.76	5.19	9.8	---	PASS
			TPC_H	8.22	≤18.76	5.19	13.41	---	PASS
	Ant3	5530	TPC_L	5.93	≤18.76	5.37	11.3	---	PASS
			TPC_H	9.13	≤18.76	5.37	14.5	---	PASS
	Ant4	5530	TPC_L	5.29	≤18.76	5.35	10.64	---	PASS
			TPC_H	8.32	≤18.76	5.35	13.67	---	PASS
	total	5530	TPC_L	11.49	≤18.76	11.22	22.71	---	PASS
			TPC_H	14.75	≤18.76	11.22	25.97	---	PASS
	Ant1	5610	TPC_L	5.89	≤18.76	5.13	11.02	---	PASS
			TPC_H	9.21	≤18.76	5.13	14.34	---	PASS
	Ant2	5610	TPC_L	4.62	≤18.76	5.19	9.81	---	PASS
			TPC_H	8.15	≤18.76	5.19	13.34	---	PASS
	Ant3	5610	TPC_L	5.34	≤18.76	5.37	10.71	---	PASS
			TPC_H	8.53	≤18.76	5.37	13.9	---	PASS
	Ant4	5610	TPC_L	4.61	≤18.76	5.35	9.96	---	PASS
			TPC_H	7.63	≤18.76	5.35	12.98	---	PASS
	total	5610	TPC_L	11.17	≤18.76	11.22	22.39	---	PASS
			TPC_H	14.44	≤18.76	11.22	25.66	---	PASS
	Ant1	5775	NA	13.06	≤24.78	5.13	18.19	---	PASS
	Ant2	5775	NA	12.13	≤24.78	5.19	17.32	---	PASS
	Ant3	5775	NA	12.99	≤24.78	5.37	18.36	---	PASS
	Ant4	5775	NA	12.28	≤24.78	5.35	17.63	---	PASS
	total	5775	NA	18.66	≤24.78	11.22	29.88	---	PASS


Test Graphs




11A_Ant4_5180




11A_Ant1_5200




11A_Ant2_5200




11A_Ant3_5200



11A_Ant4_5200



11A_Ant1_5240




11A_Ant2_5240




11A_Ant3_5240




11A_Ant4_5240




11A_Ant1_5260




11A_Ant1_5260




11A_Ant2_5260




11A_Ant2_5260




11A_Ant3_5260




11A_Ant3_5260




11A_Ant4_5260




11A_Ant4_5260




11A_Ant1_5280




11A_Ant1_5280




11A_Ant2_5280




11A_Ant2_5280




11A_Ant3_5280




11A_Ant3_5280




11A_Ant4_5280




11A_Ant4_5280




11A_Ant1_5320




11A_Ant1_5320



11A_Ant2_5320



11A_Ant2_5320



11A_Ant3_5320

