

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
Band 2	-	-	-	-	-	-	-	-	-	-	-	-
LTE_1.4MHz_Nss1,QPSK_1TX	Pass	1.91G	1.911G	20k	50k	RMS	1.91G	-28.98	-13.00	-15.98	-	-
LTE_3MHz_Nss1,QPSK_1TX	Pass	1.849G	1.85G	30k	100k	RMS	1.85G	-21.69	-13.00	-8.69	-	-
LTE_5MHz_Nss1,QPSK_1TX	Pass	1.91G	1.911G	50k	200k	RMS	1.91001G	-23.27	-13.00	-10.27	-	-
LTE_10MHz_Nss1,QPSK_1TX	Pass	1.83G	1.849G	100k	300k	RMS	1.8485G	-26.12	-13.00	-13.12	MBW 1M	-
LTE_15MHz_Nss1,QPSK_1TX	Pass	1.82G	1.849G	200k	500k	RMS	1.8485G	-27.14	-13.00	-14.14	MBW 1M	-
LTE_20MHz_Nss1,QPSK_1TX	Pass	1.81G	1.849G	200k	1M	RMS	1.8485G	-29.63	-13.00	-16.63	MBW 1M	-
LTE_1.4MHz_Nss1,16QAM_1TX	Pass	1.91G	1.911G	20k	50k	RMS	1.91G	-29.86	-13.00	-16.86	-	-
LTE_3MHz_Nss1,16QAM_1TX	Pass	1.91G	1.911G	30k	100k	RMS	1.91G	-18.38	-13.00	-5.38	-	-
LTE_5MHz_Nss1,16QAM_1TX	Pass	1.91G	1.911G	50k	200k	RMS	1.91G	-23.45	-13.00	-10.45	-	-
LTE_10MHz_Nss1,16QAM_1TX	Pass	1.83G	1.849G	100k	300k	RMS	1.8485G	-28.45	-13.00	-15.45	MBW 1M	-
LTE_15MHz_Nss1,16QAM_1TX	Pass	1.91G	1.911G	200k	500k	RMS	1.91001G	-28.18	-13.00	-15.18	-	-
LTE_20MHz_Nss1,16QAM_1TX	Pass	1.91G	1.911G	200k	1M	RMS	1.91001G	-30.22	-13.00	-17.22	-	-
Band 5	-	-	-	-	-	-	-	-	-	-	-	-
LTE_1.4MHz_Nss1,QPSK_1TX	Pass	823.9M	824M	30k	100k	RMS	824M	-19.67	-13.00	-6.67	-	-
LTE_3MHz_Nss1,QPSK_1TX	Pass	823.9M	824M	30k	100k	RMS	823.99M	-15.97	-13.00	-2.97	-	-
LTE_5MHz_Nss1,QPSK_1TX	Pass	849M	849.1M	30k	100k	RMS	849M	-22.82	-13.00	-9.82	-	-
LTE_10MHz_Nss1,QPSK_1TX	Pass	804M	823.9M	30k	100k	RMS	823.85M	-32.82	-13.00	-19.82	MBW 100k	-
LTE_1.4MHz_Nss1,16QAM_1TX	Pass	823.9M	824M	30k	100k	RMS	824M	-22.31	-13.00	-9.31	-	-
LTE_3MHz_Nss1,16QAM_1TX	Pass	849M	849.1M	30k	100k	RMS	849M	-15.75	-13.00	-2.75	-	-
LTE_5MHz_Nss1,16QAM_1TX	Pass	823.9M	824M	30k	100k	RMS	824M	-22.80	-13.00	-9.80	-	-
LTE_10MHz_Nss1,16QAM_1TX	Pass	804M	823.9M	30k	100k	RMS	823.85M	-32.59	-13.00	-19.59	MBW 100k	-
Band 7	-	-	-	-	-	-	-	-	-	-	-	-
LTE_5MHz_Nss1,QPSK_1TX	Pass	2.5315G	2.5325G	100k	300k	RMS	2.5325G	-19.58	-10.00	-9.58	-	-
LTE_10MHz_Nss1,QPSK_1TX	Pass	2.3G	2.51G	1M	3M	RMS	2.50974G	-39.35	-25.00	-14.35	-	-
LTE_15MHz_Nss1,QPSK_1TX	Pass	6G	27G	1M	3M	RMS	19.84163G	-39.88	-25.00	-14.88	-	-
LTE_20MHz_Nss1,QPSK_1TX	Pass	2.499G	2.5G	500k	2M	RMS	2.5G	-22.32	-10.00	-12.32	-	-
LTE_5MHz_Nss1,16QAM_1TX	Pass	2.499G	2.5G	100k	300k	RMS	2.5G	-20.78	-10.00	-10.78	-	-
LTE_10MHz_Nss1,16QAM_1TX	Pass	6G	27G	1M	3M	RMS	19.8495G	-39.76	-25.00	-14.76	-	-
LTE_15MHz_Nss1,16QAM_1TX	Pass	6G	27G	1M	3M	RMS	19.85213G	-39.83	-25.00	-14.83	-	-
LTE_20MHz_Nss1,16QAM_1TX	Pass	2.524G	2.525G	500k	2M	RMS	2.525G	-22.63	-10.00	-12.63	-	-
Band 12	-	-	-	-	-	-	-	-	-	-	-	-
LTE_1.4MHz_Nss1,QPSK_1TX	Pass	716M	716.1M	30k	100k	RMS	716M	-23.25	-13.00	-10.25	-	-
LTE_3MHz_Nss1,QPSK_1TX	Pass	716M	716.1M	30k	100k	RMS	716M	-18.06	-13.00	-5.06	-	-
LTE_5MHz_Nss1,QPSK_1TX	Pass	716M	716.1M	30k	100k	RMS	716M	-24.95	-13.00	-11.95	-	-
LTE_10MHz_Nss1,QPSK_1TX	Pass	716.1M	736M	30k	100k	RMS	716.25M	-37.23	-13.00	-24.23	MBW 100k	-
LTE_1.4MHz_Nss1,16QAM_1TX	Pass	716M	716.1M	30k	100k	RMS	716M	-27.02	-13.00	-14.02	-	-
LTE_3MHz_Nss1,16QAM_1TX	Pass	716M	716.1M	30k	100k	RMS	716M	-20.37	-13.00	-7.37	-	-
LTE_5MHz_Nss1,16QAM_1TX	Pass	716M	716.1M	30k	100k	RMS	716M	-26.13	-13.00	-13.13	-	-
LTE_10MHz_Nss1,16QAM_1TX	Pass	716.1M	736M	30k	100k	RMS	716.15M	-37.02	-13.00	-24.02	MBW 100k	-
Band 13	-	-	-	-	-	-	-	-	-	-	-	-
LTE_5MHz_Nss1,QPSK_1TX	Pass	1.559G	1.61G	1M	3M	RMS	1.57311G	-42.67	-40.00	-2.67	-	-
LTE_10MHz_Nss1,QPSK_1TX	Pass	1.559G	1.61G	1M	3M	RMS	1.58878G	-48.07	-40.00	-8.07	-	-
LTE_5MHz_Nss1,16QAM_1TX	Pass	1.559G	1.61G	1M	3M	RMS	1.57331G	-42.38	-40.00	-2.38	-	-
LTE_10MHz_Nss1,16QAM_1TX	Pass	1.559G	1.61G	1M	3M	RMS	1.57081G	-47.50	-40.00	-7.50	-	-
Band 66	-	-	-	-	-	-	-	-	-	-	-	-
LTE_1.4MHz_Nss1,QPSK_1TX	Pass	1.78G	1.781G	20k	50k	RMS	1.78G	-24.26	-13.00	-11.26	-	-
LTE_3MHz_Nss1,QPSK_1TX	Pass	1.709G	1.71G	30k	100k	RMS	1.71G	-19.28	-13.00	-6.28	-	-
LTE_5MHz_Nss1,QPSK_1TX	Pass	1.709G	1.71G	50k	200k	RMS	1.70999G	-22.62	-13.00	-9.62	-	-
LTE_10MHz_Nss1,QPSK_1TX	Pass	1.781G	1.8G	100k	300k	RMS	1.7815G	-30.64	-13.00	-17.64	MBW 1M	-
LTE_15MHz_Nss1,QPSK_1TX	Pass	1.709G	1.71G	200k	500k	RMS	1.71G	-28.40	-13.00	-15.40	-	-
LTE_20MHz_Nss1,QPSK_1TX	Pass	1.709G	1.71G	200k	1M	RMS	1.70999G	-31.43	-13.00	-18.43	-	-
LTE_1.4MHz_Nss1,16QAM_1TX	Pass	1.709G	1.71G	20k	50k	RMS	1.71G	-26.62	-13.00	-13.62	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
LTE_3MHz_Nss1,16QAM_1TX	Pass	1.709G	1.71G	30k	100k	RMS	1.71G	-19.80	-13.00	-6.80	-	-
LTE_5MHz_Nss1,16QAM_1TX	Pass	1.709G	1.71G	50k	200k	RMS	1.71G	-23.25	-13.00	-10.25	-	-
LTE_10MHz_Nss1,16QAM_1TX	Pass	1.69G	1.709G	100k	300k	RMS	1.7085G	-32.01	-13.00	-19.01	MBW 1M	-
LTE_15MHz_Nss1,16QAM_1TX	Pass	1.709G	1.71G	200k	500k	RMS	1.71G	-28.61	-13.00	-15.61	-	-
LTE_20MHz_Nss1,16QAM_1TX	Pass	1.709G	1.71G	200k	1M	RMS	1.70999G	-32.07	-13.00	-19.07	-	-

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
Band 2_LTE_1.4MHz_Nss1,QPSK_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1850.7MHz_RB_6,#RB 0	Pass	9k	150k	1k	3k	RMS	10.093k	-76.53	-13.00	-63.53	-	-
1850.7MHz_RB_6,#RB 0	Pass	150k	30M	10k	30k	RMS	329.1k	-70.93	-13.00	-57.93	-	-
1850.7MHz_RB_6,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.17678G	-52.67	-13.00	-39.67	-	-
1850.7MHz_RB_6,#RB 0	Pass	1.5G	1.8472G	1M	3M	RMS	1.84711G	-36.54	-13.00	-23.54	-	-
1850.7MHz_RB_6,#RB 0	Pass	1.8472G	1.849G	20k	50k	RMS	1.8485G	-32.38	-13.00	-19.38	MBW 1M	-
1850.7MHz_RB_6,#RB 0	Pass	1.849G	1.85G	20k	50k	RMS	1.84992G	-33.58	-13.00	-20.58	-	-
1850.7MHz_RB_6,#RB 0	Pass	1.91G	1.911G	20k	50k	RMS	1.91012G	-71.68	-13.00	-58.68	-	-
1850.7MHz_RB_6,#RB 0	Pass	1.911G	1.9128G	20k	50k	RMS	1.9115G	-56.97	-13.00	-43.97	MBW 1M	-
1850.7MHz_RB_6,#RB 0	Pass	1.9128G	5G	1M	3M	RMS	4.77463G	-50.49	-13.00	-37.49	-	-
1850.7MHz_RB_6,#RB 0	Pass	5G	20G	1M	3M	RMS	19.84625G	-40.85	-13.00	-27.85	-	-
1850.7MHz_RB_1,#RB L	Pass	9k	150k	1k	3k	RMS	13.794k	-75.29	-13.00	-62.29	-	-
1850.7MHz_RB_1,#RB L	Pass	150k	30M	10k	30k	RMS	179.85k	-71.40	-13.00	-58.40	-	-
1850.7MHz_RB_1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.46693G	-52.21	-13.00	-39.21	-	-
1850.7MHz_RB_1,#RB L	Pass	1.5G	1.8472G	1M	3M	RMS	1.8469G	-45.08	-13.00	-32.08	-	-
1850.7MHz_RB_1,#RB L	Pass	1.8472G	1.849G	20k	50k	RMS	1.8485G	-43.79	-13.00	-30.79	MBW 1M	-
1850.7MHz_RB_1,#RB L	Pass	1.849G	1.85G	20k	50k	RMS	1.85G	-29.59	-13.00	-16.59	-	-
1850.7MHz_RB_1,#RB L	Pass	1.91G	1.911G	20k	50k	RMS	1.91022G	-71.72	-13.00	-58.72	-	-
1850.7MHz_RB_1,#RB L	Pass	1.911G	1.9128G	20k	50k	RMS	1.9115G	-56.95	-13.00	-43.95	MBW 1M	-
1850.7MHz_RB_1,#RB L	Pass	1.9128G	5G	1M	3M	RMS	4.78235G	-50.66	-13.00	-37.66	-	-
1850.7MHz_RB_1,#RB L	Pass	5G	20G	1M	3M	RMS	19.85938G	-40.99	-13.00	-27.99	-	-
1880MHz_RB_6,#RB 0	Pass	9k	150k	1k	3k	RMS	10.375k	-76.11	-13.00	-63.11	-	-
1880MHz_RB_6,#RB 0	Pass	150k	30M	10k	30k	RMS	552.975k	-71.36	-13.00	-58.36	-	-
1880MHz_RB_6,#RB 0	Pass	30M	1.5G	1M	3M	RMS	703.44M	-52.52	-13.00	-39.52	-	-
1880MHz_RB_6,#RB 0	Pass	1.5G	1.8472G	1M	3M	RMS	1.6368G	-51.18	-13.00	-38.18	-	-
1880MHz_RB_6,#RB 0	Pass	1.8472G	1.849G	20k	50k	RMS	1.8485G	-56.81	-13.00	-43.81	MBW 1M	-
1880MHz_RB_6,#RB 0	Pass	1.849G	1.85G	20k	50k	RMS	1.84946G	-71.54	-13.00	-58.54	-	-
1880MHz_RB_6,#RB 0	Pass	1.91G	1.911G	20k	50k	RMS	1.91005G	-71.63	-13.00	-58.63	-	-
1880MHz_RB_6,#RB 0	Pass	1.911G	1.9128G	20k	50k	RMS	1.9115G	-56.92	-13.00	-43.92	MBW 1M	-
1880MHz_RB_6,#RB 0	Pass	1.9128G	5G	1M	3M	RMS	4.77386G	-50.56	-13.00	-37.56	-	-
1880MHz_RB_6,#RB 0	Pass	5G	20G	1M	3M	RMS	19.865G	-40.56	-13.00	-27.56	-	-
1880MHz_RB_1,#RB L	Pass	9k	150k	1k	3k	RMS	75.164k	-74.44	-13.00	-61.44	-	-
1880MHz_RB_1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-70.21	-13.00	-57.21	-	-
1880MHz_RB_1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.39269G	-52.21	-13.00	-39.21	-	-
1880MHz_RB_1,#RB L	Pass	1.5G	1.8472G	1M	3M	RMS	1.78883G	-51.93	-13.00	-38.93	-	-
1880MHz_RB_1,#RB L	Pass	1.8472G	1.849G	20k	50k	RMS	1.8477G	-56.74	-13.00	-43.74	MBW 1M	-
1880MHz_RB_1,#RB L	Pass	1.849G	1.85G	20k	50k	RMS	1.84911G	-71.77	-13.00	-58.77	-	-
1880MHz_RB_1,#RB L	Pass	1.91G	1.911G	20k	50k	RMS	1.91087G	-72.03	-13.00	-59.03	-	-
1880MHz_RB_1,#RB L	Pass	1.911G	1.9128G	20k	50k	RMS	1.9115G	-56.92	-13.00	-43.92	MBW 1M	-
1880MHz_RB_1,#RB L	Pass	1.9128G	5G	1M	3M	RMS	4.79432G	-50.39	-13.00	-37.39	-	-
1880MHz_RB_1,#RB L	Pass	5G	20G	1M	3M	RMS	19.84813G	-40.77	-13.00	-27.77	-	-
1909.3MHz_RB_6,#RB 0	Pass	9k	150k	1k	3k	RMS	10.692k	-77.67	-13.00	-64.67	-	-
1909.3MHz_RB_6,#RB 0	Pass	150k	30M	10k	30k	RMS	157.462k	-71.65	-13.00	-58.65	-	-
1909.3MHz_RB_6,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.09079G	-50.95	-13.00	-37.95	-	-
1909.3MHz_RB_6,#RB 0	Pass	1.5G	1.8472G	1M	3M	RMS	1.60086G	-50.54	-13.00	-37.54	-	-
1909.3MHz_RB_6,#RB 0	Pass	1.8472G	1.849G	20k	50k	RMS	1.8477G	-56.82	-13.00	-43.82	MBW 1M	-
1909.3MHz_RB_6,#RB 0	Pass	1.849G	1.85G	20k	50k	RMS	1.84928G	-71.66	-13.00	-58.66	-	-
1909.3MHz_RB_6,#RB 0	Pass	1.91G	1.911G	20k	50k	RMS	1.91006G	-35.23	-13.00	-22.23	-	-
1909.3MHz_RB_6,#RB 0	Pass	1.911G	1.9128G	20k	50k	RMS	1.9115G	-32.58	-13.00	-19.58	MBW 1M	-
1909.3MHz_RB_6,#RB 0	Pass	1.9128G	5G	1M	3M	RMS	1.9128G	-43.75	-13.00	-30.75	-	-
1909.3MHz_RB_6,#RB 0	Pass	5G	20G	1M	3M	RMS	19.85188G	-40.69	-13.00	-27.69	-	-
1909.3MHz_RB_1,#RB H	Pass	9k	150k	1k	3k	RMS	54.896k	-74.30	-13.00	-61.30	-	-
1909.3MHz_RB_1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-67.87	-13.00	-54.87	-	-

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1909.3MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	1.2784G	-52.86	-13.00	-39.86	-	-
1909.3MHz_RB 1,#RB H	Pass	1.5G	1.8472G	1M	3M	RMS	1.61657G	-50.74	-13.00	-37.74	-	-
1909.3MHz_RB 1,#RB H	Pass	1.8472G	1.849G	20k	50k	RMS	1.8477G	-56.83	-13.00	-43.83	MBW 1M	-
1909.3MHz_RB 1,#RB H	Pass	1.849G	1.85G	20k	50k	RMS	1.84946G	-71.67	-13.00	-58.67	-	-
1909.3MHz_RB 1,#RB H	Pass	1.91G	1.911G	20k	50k	RMS	1.91G	-28.98	-13.00	-15.98	-	-
1909.3MHz_RB 1,#RB H	Pass	1.911G	1.9128G	20k	50k	RMS	1.9115G	-44.10	-13.00	-31.10	MBW 1M	-
1909.3MHz_RB 1,#RB H	Pass	1.9128G	5G	1M	3M	RMS	1.9128G	-47.28	-13.00	-34.28	-	-
1909.3MHz_RB 1,#RB H	Pass	5G	20G	1M	3M	RMS	19.84625G	-40.78	-13.00	-27.78	-	-
Band 2_LTE_3MHz_Nss1,QPSK_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1851.5MHz_RB 15,#RB 0	Pass	9k	150k	1k	3k	RMS	12.56k	-77.75	-13.00	-64.75	-	-
1851.5MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	463.425k	-71.95	-13.00	-58.95	-	-
1851.5MHz_RB 15,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.09612G	-52.48	-13.00	-39.48	-	-
1851.5MHz_RB 15,#RB 0	Pass	1.5G	1.844G	1M	3M	RMS	1.84323G	-40.46	-13.00	-27.46	-	-
1851.5MHz_RB 15,#RB 0	Pass	1.844G	1.849G	30k	100k	RMS	1.8485G	-25.60	-13.00	-12.60	MBW 1M	-
1851.5MHz_RB 15,#RB 0	Pass	1.849G	1.85G	30k	100k	RMS	1.84998G	-29.81	-13.00	-16.81	-	-
1851.5MHz_RB 15,#RB 0	Pass	1.91G	1.911G	30k	100k	RMS	1.9107G	-70.38	-13.00	-57.38	-	-
1851.5MHz_RB 15,#RB 0	Pass	1.911G	1.916G	30k	100k	RMS	1.9125G	-56.96	-13.00	-43.96	MBW 1M	-
1851.5MHz_RB 15,#RB 0	Pass	1.916G	5G	1M	3M	RMS	4.9522G	-50.62	-13.00	-37.62	-	-
1851.5MHz_RB 15,#RB 0	Pass	5G	20G	1M	3M	RMS	19.85G	-40.75	-13.00	-27.75	-	-
1851.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	13.23k	-73.91	-13.00	-60.91	-	-
1851.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	21.052M	-73.00	-13.00	-60.00	-	-
1851.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.4197G	-51.85	-13.00	-38.85	-	-
1851.5MHz_RB 1,#RB L	Pass	1.5G	1.844G	1M	3M	RMS	1.84374G	-50.43	-13.00	-37.43	-	-
1851.5MHz_RB 1,#RB L	Pass	1.844G	1.849G	30k	100k	RMS	1.8475G	-41.18	-13.00	-28.18	MBW 1M	-
1851.5MHz_RB 1,#RB L	Pass	1.849G	1.85G	30k	100k	RMS	1.85G	-21.69	-13.00	-8.69	-	-
1851.5MHz_RB 1,#RB L	Pass	1.91G	1.911G	30k	100k	RMS	1.91032G	-70.33	-13.00	-57.33	-	-
1851.5MHz_RB 1,#RB L	Pass	1.911G	1.916G	30k	100k	RMS	1.9115G	-56.95	-13.00	-43.95	MBW 1M	-
1851.5MHz_RB 1,#RB L	Pass	1.916G	5G	1M	3M	RMS	4.93215G	-50.67	-13.00	-37.67	-	-
1851.5MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.83125G	-40.91	-13.00	-27.91	-	-
1880MHz_RB 15,#RB 0	Pass	9k	150k	1k	3k	RMS	9.599k	-77.97	-13.00	-64.97	-	-
1880MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	19.008M	-72.59	-13.00	-59.59	-	-
1880MHz_RB 15,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.03511G	-53.00	-13.00	-40.00	-	-
1880MHz_RB 15,#RB 0	Pass	1.5G	1.844G	1M	3M	RMS	1.62595G	-51.08	-13.00	-38.08	-	-
1880MHz_RB 15,#RB 0	Pass	1.844G	1.849G	30k	100k	RMS	1.8475G	-56.80	-13.00	-43.80	MBW 1M	-
1880MHz_RB 15,#RB 0	Pass	1.849G	1.85G	30k	100k	RMS	1.84984G	-70.32	-13.00	-57.32	-	-
1880MHz_RB 15,#RB 0	Pass	1.91G	1.911G	30k	100k	RMS	1.91068G	-70.27	-13.00	-57.27	-	-
1880MHz_RB 15,#RB 0	Pass	1.911G	1.916G	30k	100k	RMS	1.9115G	-56.90	-13.00	-43.90	MBW 1M	-
1880MHz_RB 15,#RB 0	Pass	1.916G	5G	1M	3M	RMS	4.78566G	-50.59	-13.00	-37.59	-	-
1880MHz_RB 15,#RB 0	Pass	5G	20G	1M	3M	RMS	19.8425G	-40.98	-13.00	-27.98	-	-
1880MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	88.312k	-69.78	-13.00	-56.78	-	-
1880MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	157.462k	-66.92	-13.00	-53.92	-	-
1880MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	764.08M	-48.56	-13.00	-35.56	-	-
1880MHz_RB 1,#RB L	Pass	1.5G	1.844G	1M	3M	RMS	1.79416G	-47.88	-13.00	-34.88	-	-
1880MHz_RB 1,#RB L	Pass	1.844G	1.849G	30k	100k	RMS	1.8465G	-53.62	-13.00	-40.62	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.849G	1.85G	30k	100k	RMS	1.84955G	-67.07	-13.00	-54.07	-	-
1880MHz_RB 1,#RB L	Pass	1.91G	1.911G	30k	100k	RMS	1.9106G	-66.91	-13.00	-53.91	-	-
1880MHz_RB 1,#RB L	Pass	1.911G	1.916G	30k	100k	RMS	1.9155G	-53.63	-13.00	-40.63	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.916G	5G	1M	3M	RMS	4.78528G	-47.61	-13.00	-34.61	-	-
1880MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.835G	-40.08	-13.00	-27.08	-	-
1908.5MHz_RB 15,#RB 0	Pass	9k	150k	1k	3k	RMS	22.642k	-77.61	-13.00	-64.61	-	-
1908.5MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	612.675k	-71.46	-13.00	-58.46	-	-
1908.5MHz_RB 15,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.22585G	-52.18	-13.00	-39.18	-	-
1908.5MHz_RB 15,#RB 0	Pass	1.5G	1.844G	1M	3M	RMS	1.77443G	-51.77	-13.00	-38.77	-	-
1908.5MHz_RB 15,#RB 0	Pass	1.844G	1.849G	30k	100k	RMS	1.8465G	-56.75	-13.00	-43.75	MBW 1M	-

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1908.5MHz_RB 15,#RB 0	Pass	1.849G	1.85G	30k	100k	RMS	1.84974G	-70.37	-13.00	-57.37	-	-
1908.5MHz_RB 15,#RB 0	Pass	1.91G	1.911G	30k	100k	RMS	1.91G	-30.00	-13.00	-17.00	-	-
1908.5MHz_RB 15,#RB 0	Pass	1.911G	1.916G	30k	100k	RMS	1.9115G	-27.00	-13.00	-14.00	MBW 1M	-
1908.5MHz_RB 15,#RB 0	Pass	1.916G	5G	1M	3M	RMS	1.916G	-46.67	-13.00	-33.67	-	-
1908.5MHz_RB 15,#RB 0	Pass	5G	20G	1M	3M	RMS	19.835G	-40.82	-13.00	-27.82	-	-
1908.5MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	95.398k	-74.67	-13.00	-61.67	-	-
1908.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-71.46	-13.00	-58.46	-	-
1908.5MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	1.01655G	-52.00	-13.00	-39.00	-	-
1908.5MHz_RB 1,#RB H	Pass	1.5G	1.844G	1M	3M	RMS	1.81227G	-51.58	-13.00	-38.58	-	-
1908.5MHz_RB 1,#RB H	Pass	1.844G	1.849G	30k	100k	RMS	1.8465G	-56.74	-13.00	-43.74	MBW 1M	-
1908.5MHz_RB 1,#RB H	Pass	1.849G	1.85G	30k	100k	RMS	1.84918G	-70.30	-13.00	-57.30	-	-
1908.5MHz_RB 1,#RB H	Pass	1.91G	1.911G	30k	100k	RMS	1.91001G	-22.69	-13.00	-9.69	-	-
1908.5MHz_RB 1,#RB H	Pass	1.911G	1.916G	30k	100k	RMS	1.9125G	-42.04	-13.00	-29.04	MBW 1M	-
1908.5MHz_RB 1,#RB H	Pass	1.916G	5G	1M	3M	RMS	4.93716G	-50.50	-13.00	-37.50	-	-
1908.5MHz_RB 1,#RB H	Pass	5G	20G	1M	3M	RMS	19.87438G	-41.09	-13.00	-28.09	-	-
Band 2_LTE_5MHz_Nss1,QPSK_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1852.5MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	13.442k	-73.63	-13.00	-60.63	-	-
1852.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	1.359M	-67.40	-13.00	-54.40	-	-
1852.5MHz_RB 25,#RB 0	Pass	30M	1.5G	1M	3M	RMS	682.31M	-48.84	-13.00	-35.84	-	-
1852.5MHz_RB 25,#RB 0	Pass	1.5G	1.84G	1M	3M	RMS	1.83945G	-38.43	-13.00	-25.43	-	-
1852.5MHz_RB 25,#RB 0	Pass	1.84G	1.849G	50k	200k	RMS	1.8485G	-23.78	-13.00	-10.78	MBW 1M	-
1852.5MHz_RB 25,#RB 0	Pass	1.849G	1.85G	50k	200k	RMS	1.85G	-28.77	-13.00	-15.77	-	-
1852.5MHz_RB 25,#RB 0	Pass	1.91G	1.911G	50k	200k	RMS	1.91073G	-65.49	-13.00	-52.49	-	-
1852.5MHz_RB 25,#RB 0	Pass	1.911G	1.92G	50k	200k	RMS	1.9175G	-53.77	-13.00	-40.77	MBW 1M	-
1852.5MHz_RB 25,#RB 0	Pass	1.92G	5G	1M	3M	RMS	4.7998G	-47.83	-13.00	-34.83	-	-
1852.5MHz_RB 25,#RB 0	Pass	5G	20G	1M	3M	RMS	19.85188G	-40.29	-13.00	-27.29	-	-
1852.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	16.262k	-70.70	-13.00	-57.70	-	-
1852.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	21.09M	-68.65	-13.00	-55.65	-	-
1852.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.48989G	-48.84	-13.00	-35.84	-	-
1852.5MHz_RB 1,#RB L	Pass	1.5G	1.84G	1M	3M	RMS	1.65245G	-47.94	-13.00	-34.94	-	-
1852.5MHz_RB 1,#RB L	Pass	1.84G	1.849G	50k	200k	RMS	1.8485G	-40.17	-13.00	-27.17	MBW 1M	-
1852.5MHz_RB 1,#RB L	Pass	1.849G	1.85G	50k	200k	RMS	1.84999G	-23.35	-13.00	-10.35	-	-
1852.5MHz_RB 1,#RB L	Pass	1.91G	1.911G	50k	200k	RMS	1.91013G	-65.25	-13.00	-52.25	-	-
1852.5MHz_RB 1,#RB L	Pass	1.911G	1.92G	50k	200k	RMS	1.9145G	-53.71	-13.00	-40.71	MBW 1M	-
1852.5MHz_RB 1,#RB L	Pass	1.92G	5G	1M	3M	RMS	4.78209G	-47.63	-13.00	-34.63	-	-
1852.5MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.85563G	-40.02	-13.00	-27.02	-	-
1880MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	12.137k	-72.17	-13.00	-59.17	-	-
1880MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	2.075M	-68.66	-13.00	-55.66	-	-
1880MHz_RB 25,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.20361G	-49.02	-13.00	-36.02	-	-
1880MHz_RB 25,#RB 0	Pass	1.5G	1.84G	1M	3M	RMS	1.66516G	-47.98	-13.00	-34.98	-	-
1880MHz_RB 25,#RB 0	Pass	1.84G	1.849G	50k	200k	RMS	1.8455G	-53.54	-13.00	-40.54	MBW 1M	-
1880MHz_RB 25,#RB 0	Pass	1.849G	1.85G	50k	200k	RMS	1.84956G	-65.04	-13.00	-52.04	-	-
1880MHz_RB 25,#RB 0	Pass	1.91G	1.911G	50k	200k	RMS	1.91056G	-65.12	-13.00	-52.12	-	-
1880MHz_RB 25,#RB 0	Pass	1.911G	1.92G	50k	200k	RMS	1.9175G	-53.64	-13.00	-40.64	MBW 1M	-
1880MHz_RB 25,#RB 0	Pass	1.92G	5G	1M	3M	RMS	4.78864G	-47.71	-13.00	-34.71	-	-
1880MHz_RB 25,#RB 0	Pass	5G	20G	1M	3M	RMS	19.835G	-39.76	-13.00	-26.76	-	-
1880MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	83.765k	-70.62	-13.00	-57.62	-	-
1880MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-67.97	-13.00	-54.97	-	-
1880MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	952.06M	-48.78	-13.00	-35.78	-	-
1880MHz_RB 1,#RB L	Pass	1.5G	1.84G	1M	3M	RMS	1.76958G	-48.13	-13.00	-35.13	-	-
1880MHz_RB 1,#RB L	Pass	1.84G	1.849G	50k	200k	RMS	1.8435G	-53.54	-13.00	-40.54	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.849G	1.85G	50k	200k	RMS	1.8494G	-65.32	-13.00	-52.32	-	-
1880MHz_RB 1,#RB L	Pass	1.91G	1.911G	50k	200k	RMS	1.91017G	-65.19	-13.00	-52.19	-	-
1880MHz_RB 1,#RB L	Pass	1.911G	1.92G	50k	200k	RMS	1.9125G	-53.69	-13.00	-40.69	MBW 1M	-

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1880MHz_RB 1,#RB L	Pass	1.92G	5G	1M	3M	RMS	4.80712G	-47.82	-13.00	-34.82	-	-
1880MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.85G	-40.27	-13.00	-27.27	-	-
1907.5MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	12.736k	-71.19	-13.00	-58.19	-	-
1907.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	19.941M	-67.80	-13.00	-54.80	-	-
1907.5MHz_RB 25,#RB 0	Pass	30M	1.5G	1M	3M	RMS	740.38M	-48.95	-13.00	-35.95	-	-
1907.5MHz_RB 25,#RB 0	Pass	1.5G	1.84G	1M	3M	RMS	1.76376G	-47.99	-13.00	-34.99	-	-
1907.5MHz_RB 25,#RB 0	Pass	1.84G	1.849G	50k	200k	RMS	1.8405G	-53.56	-13.00	-40.56	MBW 1M	-
1907.5MHz_RB 25,#RB 0	Pass	1.849G	1.85G	50k	200k	RMS	1.84935G	-65.34	-13.00	-52.34	-	-
1907.5MHz_RB 25,#RB 0	Pass	1.91G	1.911G	50k	200k	RMS	1.91G	-31.12	-13.00	-18.12	-	-
1907.5MHz_RB 25,#RB 0	Pass	1.911G	1.92G	50k	200k	RMS	1.9115G	-28.06	-13.00	-15.06	MBW 1M	-
1907.5MHz_RB 25,#RB 0	Pass	1.92G	5G	1M	3M	RMS	4.76746G	-47.80	-13.00	-34.80	-	-
1907.5MHz_RB 25,#RB 0	Pass	5G	20G	1M	3M	RMS	19.85563G	-40.11	-13.00	-27.11	-	-
1907.5MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	59.901k	-71.51	-13.00	-58.51	-	-
1907.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	157.462k	-66.01	-13.00	-53.01	-	-
1907.5MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	1.08932G	-48.29	-13.00	-35.29	-	-
1907.5MHz_RB 1,#RB H	Pass	1.5G	1.84G	1M	3M	RMS	1.75653G	-47.91	-13.00	-34.91	-	-
1907.5MHz_RB 1,#RB H	Pass	1.84G	1.849G	50k	200k	RMS	1.8485G	-53.53	-13.00	-40.53	MBW 1M	-
1907.5MHz_RB 1,#RB H	Pass	1.849G	1.85G	50k	200k	RMS	1.84962G	-65.21	-13.00	-52.21	-	-
1907.5MHz_RB 1,#RB H	Pass	1.91G	1.911G	50k	200k	RMS	1.91001G	-23.27	-13.00	-10.27	-	-
1907.5MHz_RB 1,#RB H	Pass	1.911G	1.92G	50k	200k	RMS	1.9115G	-39.71	-13.00	-26.71	MBW 1M	-
1907.5MHz_RB 1,#RB H	Pass	1.92G	5G	1M	3M	RMS	4.78517G	-47.74	-13.00	-34.74	-	-
1907.5MHz_RB 1,#RB H	Pass	5G	20G	1M	3M	RMS	19.84813G	-40.03	-13.00	-27.03	-	-
Band 2_LTE_10MHz_Nss1,QPSK_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1855MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	10.974k	-72.70	-13.00	-59.70	-	-
1855MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	508.2k	-68.51	-13.00	-55.51	-	-
1855MHz_RB 50,#RB 0	Pass	30M	1.5G	1M	3M	RMS	946.73M	-49.21	-13.00	-36.21	-	-
1855MHz_RB 50,#RB 0	Pass	1.5G	1.83G	1M	3M	RMS	1.53387G	-48.24	-13.00	-35.24	-	-
1855MHz_RB 50,#RB 0	Pass	1.83G	1.849G	100k	300k	RMS	1.8485G	-26.12	-13.00	-13.12	MBW 1M	-
1855MHz_RB 50,#RB 0	Pass	1.849G	1.85G	100k	300k	RMS	1.85G	-30.08	-13.00	-17.08	-	-
1855MHz_RB 50,#RB 0	Pass	1.91G	1.911G	100k	300k	RMS	1.91029G	-62.56	-13.00	-49.56	-	-
1855MHz_RB 50,#RB 0	Pass	1.911G	1.93G	100k	300k	RMS	1.9295G	-53.66	-13.00	-40.66	MBW 1M	-
1855MHz_RB 50,#RB 0	Pass	1.93G	5G	1M	3M	RMS	4.77704G	-47.49	-13.00	-34.49	-	-
1855MHz_RB 50,#RB 0	Pass	5G	20G	1M	3M	RMS	19.8425G	-40.08	-13.00	-27.08	-	-
1855MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	100.791k	-69.90	-13.00	-56.90	-	-
1855MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	20.747M	-68.19	-13.00	-55.19	-	-
1855MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	796.79M	-48.84	-13.00	-35.84	-	-
1855MHz_RB 1,#RB L	Pass	1.5G	1.83G	1M	3M	RMS	1.81127G	-48.09	-13.00	-35.09	-	-
1855MHz_RB 1,#RB L	Pass	1.83G	1.849G	100k	300k	RMS	1.8465G	-40.49	-13.00	-27.49	MBW 1M	-
1855MHz_RB 1,#RB L	Pass	1.849G	1.85G	100k	300k	RMS	1.85G	-31.44	-13.00	-18.44	-	-
1855MHz_RB 1,#RB L	Pass	1.91G	1.911G	100k	300k	RMS	1.91002G	-62.76	-13.00	-49.76	-	-
1855MHz_RB 1,#RB L	Pass	1.911G	1.93G	100k	300k	RMS	1.9285G	-53.65	-13.00	-40.65	MBW 1M	-
1855MHz_RB 1,#RB L	Pass	1.93G	5G	1M	3M	RMS	4.78548G	-47.71	-13.00	-34.71	-	-
1855MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.85188G	-40.21	-13.00	-27.21	-	-
1880MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	11.256k	-71.73	-13.00	-58.73	-	-
1880MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	19.911M	-67.81	-13.00	-54.81	-	-
1880MHz_RB 50,#RB 0	Pass	30M	1.5G	1M	3M	RMS	962.16M	-48.97	-13.00	-35.97	-	-
1880MHz_RB 50,#RB 0	Pass	1.5G	1.83G	1M	3M	RMS	1.8149G	-47.77	-13.00	-34.77	-	-
1880MHz_RB 50,#RB 0	Pass	1.83G	1.849G	100k	300k	RMS	1.8485G	-49.22	-13.00	-36.22	MBW 1M	-
1880MHz_RB 50,#RB 0	Pass	1.849G	1.85G	100k	300k	RMS	1.84963G	-56.54	-13.00	-43.54	-	-
1880MHz_RB 50,#RB 0	Pass	1.91G	1.911G	100k	300k	RMS	1.91008G	-57.49	-13.00	-44.49	-	-
1880MHz_RB 50,#RB 0	Pass	1.911G	1.93G	100k	300k	RMS	1.9115G	-49.74	-13.00	-36.74	MBW 1M	-
1880MHz_RB 50,#RB 0	Pass	1.93G	5G	1M	3M	RMS	4.76706G	-47.78	-13.00	-34.78	-	-
1880MHz_RB 50,#RB 0	Pass	5G	20G	1M	3M	RMS	19.84813G	-40.08	-13.00	-27.08	-	-
1880MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	87.326k	-69.09	-13.00	-56.09	-	-

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1880MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-66.54	-13.00	-53.54	-	-
1880MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.42007G	-48.79	-13.00	-35.79	-	-
1880MHz_RB 1,#RB L	Pass	1.5G	1.83G	1M	3M	RMS	1.66793G	-47.71	-13.00	-34.71	-	-
1880MHz_RB 1,#RB L	Pass	1.83G	1.849G	100k	300k	RMS	1.8405G	-53.45	-13.00	-40.45	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.849G	1.85G	100k	300k	RMS	1.84973G	-62.31	-13.00	-49.31	-	-
1880MHz_RB 1,#RB L	Pass	1.91G	1.911G	100k	300k	RMS	1.91016G	-62.57	-13.00	-49.57	-	-
1880MHz_RB 1,#RB L	Pass	1.911G	1.93G	100k	300k	RMS	1.9295G	-53.59	-13.00	-40.59	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.93G	5G	1M	3M	RMS	4.77205G	-47.55	-13.00	-34.55	-	-
1880MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.83875G	-39.91	-13.00	-26.91	-	-
1905MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	14.605k	-71.38	-13.00	-58.38	-	-
1905MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	4.725M	-66.87	-13.00	-53.87	-	-
1905MHz_RB 50,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.07701G	-49.06	-13.00	-36.06	-	-
1905MHz_RB 50,#RB 0	Pass	1.5G	1.83G	1M	3M	RMS	1.79997G	-47.50	-13.00	-34.50	-	-
1905MHz_RB 50,#RB 0	Pass	1.83G	1.849G	100k	300k	RMS	1.8475G	-53.44	-13.00	-40.44	MBW 1M	-
1905MHz_RB 50,#RB 0	Pass	1.849G	1.85G	100k	300k	RMS	1.84993G	-62.30	-13.00	-49.30	-	-
1905MHz_RB 50,#RB 0	Pass	1.91G	1.911G	100k	300k	RMS	1.91001G	-33.01	-13.00	-20.01	-	-
1905MHz_RB 50,#RB 0	Pass	1.911G	1.93G	100k	300k	RMS	1.9115G	-30.34	-13.00	-17.34	MBW 1M	-
1905MHz_RB 50,#RB 0	Pass	1.93G	5G	1M	3M	RMS	4.75709G	-47.85	-13.00	-34.85	-	-
1905MHz_RB 50,#RB 0	Pass	5G	20G	1M	3M	RMS	19.86875G	-40.01	-13.00	-27.01	-	-
1905MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	48.903k	-70.76	-13.00	-57.76	-	-
1905MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	157.462k	-65.82	-13.00	-52.82	-	-
1905MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	1.05533G	-49.44	-13.00	-36.44	-	-
1905MHz_RB 1,#RB H	Pass	1.5G	1.83G	1M	3M	RMS	1.68711G	-48.48	-13.00	-35.48	-	-
1905MHz_RB 1,#RB H	Pass	1.83G	1.849G	100k	300k	RMS	1.8485G	-53.55	-13.00	-40.55	MBW 1M	-
1905MHz_RB 1,#RB H	Pass	1.849G	1.85G	100k	300k	RMS	1.84954G	-62.58	-13.00	-49.58	-	-
1905MHz_RB 1,#RB H	Pass	1.91G	1.911G	100k	300k	RMS	1.91G	-31.39	-13.00	-18.39	-	-
1905MHz_RB 1,#RB H	Pass	1.911G	1.93G	100k	300k	RMS	1.9135G	-40.66	-13.00	-27.66	MBW 1M	-
1905MHz_RB 1,#RB H	Pass	1.93G	5G	1M	3M	RMS	4.77205G	-47.72	-13.00	-34.72	-	-
1905MHz_RB 1,#RB H	Pass	5G	20G	1M	3M	RMS	19.85563G	-40.00	-13.00	-27.00	-	-
Band 2_LTE_15MHz_Nss1,QPSK_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1857.5MHz_RB 75,#RB 0	Pass	9k	150k	1k	3k	RMS	11.75k	-72.85	-13.00	-59.85	-	-
1857.5MHz_RB 75,#RB 0	Pass	150k	30M	10k	30k	RMS	314.175k	-67.70	-13.00	-54.70	-	-
1857.5MHz_RB 75,#RB 0	Pass	30M	1.5G	1M	3M	RMS	908.33M	-49.06	-13.00	-36.06	-	-
1857.5MHz_RB 75,#RB 0	Pass	1.5G	1.82G	1M	3M	RMS	1.5414G	-48.52	-13.00	-35.52	-	-
1857.5MHz_RB 75,#RB 0	Pass	1.82G	1.849G	200k	500k	RMS	1.8485G	-27.14	-13.00	-14.14	MBW 1M	-
1857.5MHz_RB 75,#RB 0	Pass	1.849G	1.85G	200k	500k	RMS	1.84998G	-29.50	-13.00	-16.50	-	-
1857.5MHz_RB 75,#RB 0	Pass	1.91G	1.911G	200k	500k	RMS	1.91018G	-57.10	-13.00	-44.10	-	-
1857.5MHz_RB 75,#RB 0	Pass	1.911G	1.94G	200k	500k	RMS	1.9115G	-51.60	-13.00	-38.60	MBW 1M	-
1857.5MHz_RB 75,#RB 0	Pass	1.94G	5G	1M	3M	RMS	4.78121G	-47.54	-13.00	-34.54	-	-
1857.5MHz_RB 75,#RB 0	Pass	5G	20G	1M	3M	RMS	19.84813G	-39.88	-13.00	-26.88	-	-
1857.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	88.418k	-70.99	-13.00	-57.99	-	-
1857.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	202.238k	-68.28	-13.00	-55.28	-	-
1857.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.29053G	-48.50	-13.00	-35.50	-	-
1857.5MHz_RB 1,#RB L	Pass	1.5G	1.82G	1M	3M	RMS	1.79084G	-48.10	-13.00	-35.10	-	-
1857.5MHz_RB 1,#RB L	Pass	1.82G	1.849G	200k	500k	RMS	1.8445G	-42.73	-13.00	-29.73	MBW 1M	-
1857.5MHz_RB 1,#RB L	Pass	1.849G	1.85G	200k	500k	RMS	1.85G	-28.53	-13.00	-15.53	-	-
1857.5MHz_RB 1,#RB L	Pass	1.91G	1.911G	200k	500k	RMS	1.91075G	-59.81	-13.00	-46.81	-	-
1857.5MHz_RB 1,#RB L	Pass	1.911G	1.94G	200k	500k	RMS	1.9395G	-51.94	-13.00	-38.94	MBW 1M	-
1857.5MHz_RB 1,#RB L	Pass	1.94G	5G	1M	3M	RMS	4.79001G	-47.93	-13.00	-34.93	-	-
1857.5MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.83313G	-40.01	-13.00	-27.01	-	-
1880MHz_RB 75,#RB 0	Pass	9k	150k	1k	3k	RMS	14.781k	-73.18	-13.00	-60.18	-	-
1880MHz_RB 75,#RB 0	Pass	150k	30M	10k	30k	RMS	15.314M	-67.89	-13.00	-54.89	-	-
1880MHz_RB 75,#RB 0	Pass	30M	1.5G	1M	3M	RMS	962.9M	-48.78	-13.00	-35.78	-	-
1880MHz_RB 75,#RB 0	Pass	1.5G	1.82G	1M	3M	RMS	1.8052G	-47.94	-13.00	-34.94	-	-

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1880MHz_RB 75,#RB 0	Pass	1.82G	1.849G	200k	500k	RMS	1.8485G	-41.83	-13.00	-28.83	MBW 1M	-
1880MHz_RB 75,#RB 0	Pass	1.849G	1.85G	200k	500k	RMS	1.84961G	-46.16	-13.00	-33.16	-	-
1880MHz_RB 75,#RB 0	Pass	1.91G	1.911G	200k	500k	RMS	1.91031G	-46.56	-13.00	-33.56	-	-
1880MHz_RB 75,#RB 0	Pass	1.911G	1.94G	200k	500k	RMS	1.9115G	-42.35	-13.00	-29.35	MBW 1M	-
1880MHz_RB 75,#RB 0	Pass	1.94G	5G	1M	3M	RMS	4.79077G	-47.59	-13.00	-34.59	-	-
1880MHz_RB 75,#RB 0	Pass	5G	20G	1M	3M	RMS	19.84438G	-39.98	-13.00	-26.98	-	-
1880MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	83.025k	-68.75	-13.00	-55.75	-	-
1880MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	19.403M	-68.53	-13.00	-55.53	-	-
1880MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.35612G	-48.15	-13.00	-35.15	-	-
1880MHz_RB 1,#RB L	Pass	1.5G	1.82G	1M	3M	RMS	1.80056G	-48.33	-13.00	-35.33	-	-
1880MHz_RB 1,#RB L	Pass	1.82G	1.849G	200k	500k	RMS	1.8465G	-50.47	-13.00	-37.47	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.849G	1.85G	200k	500k	RMS	1.84984G	-59.57	-13.00	-46.57	-	-
1880MHz_RB 1,#RB L	Pass	1.91G	1.911G	200k	500k	RMS	1.91068G	-59.72	-13.00	-46.72	-	-
1880MHz_RB 1,#RB L	Pass	1.911G	1.94G	200k	500k	RMS	1.9385G	-53.50	-13.00	-40.50	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.94G	5G	1M	3M	RMS	4.78465G	-47.57	-13.00	-34.57	-	-
1880MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.8575G	-40.00	-13.00	-27.00	-	-
1902.5MHz_RB 75,#RB 0	Pass	9k	150k	1k	3k	RMS	15.556k	-73.18	-13.00	-60.18	-	-
1902.5MHz_RB 75,#RB 0	Pass	150k	30M	10k	30k	RMS	209.7k	-67.43	-13.00	-54.43	-	-
1902.5MHz_RB 75,#RB 0	Pass	30M	1.5G	1M	3M	RMS	903.18M	-47.54	-13.00	-34.54	-	-
1902.5MHz_RB 75,#RB 0	Pass	1.5G	1.82G	1M	3M	RMS	1.63436G	-48.08	-13.00	-35.08	-	-
1902.5MHz_RB 75,#RB 0	Pass	1.82G	1.849G	200k	500k	RMS	1.8485G	-50.01	-13.00	-37.01	MBW 1M	-
1902.5MHz_RB 75,#RB 0	Pass	1.849G	1.85G	200k	500k	RMS	1.84997G	-55.85	-13.00	-42.85	-	-
1902.5MHz_RB 75,#RB 0	Pass	1.91G	1.911G	200k	500k	RMS	1.91G	-30.40	-13.00	-17.40	-	-
1902.5MHz_RB 75,#RB 0	Pass	1.911G	1.94G	200k	500k	RMS	1.9115G	-28.00	-13.00	-15.00	MBW 1M	-
1902.5MHz_RB 75,#RB 0	Pass	1.94G	5G	1M	3M	RMS	4.86689G	-47.83	-13.00	-34.83	-	-
1902.5MHz_RB 75,#RB 0	Pass	5G	20G	1M	3M	RMS	19.835G	-39.96	-13.00	-26.96	-	-
1902.5MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	83.518k	-70.52	-13.00	-57.52	-	-
1902.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	157.462k	-65.59	-13.00	-52.59	-	-
1902.5MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	978.33M	-48.53	-13.00	-35.53	-	-
1902.5MHz_RB 1,#RB H	Pass	1.5G	1.82G	1M	3M	RMS	1.6548G	-47.63	-13.00	-34.63	-	-
1902.5MHz_RB 1,#RB H	Pass	1.82G	1.849G	200k	500k	RMS	1.8215G	-53.49	-13.00	-40.49	MBW 1M	-
1902.5MHz_RB 1,#RB H	Pass	1.849G	1.85G	200k	500k	RMS	1.84933G	-59.41	-13.00	-46.41	-	-
1902.5MHz_RB 1,#RB H	Pass	1.91G	1.911G	200k	500k	RMS	1.91002G	-27.58	-13.00	-14.58	-	-
1902.5MHz_RB 1,#RB H	Pass	1.911G	1.94G	200k	500k	RMS	1.9115G	-43.07	-13.00	-30.07	MBW 1M	-
1902.5MHz_RB 1,#RB H	Pass	1.94G	5G	1M	3M	RMS	4.78121G	-47.55	-13.00	-34.55	-	-
1902.5MHz_RB 1,#RB H	Pass	5G	20G	1M	3M	RMS	19.82375G	-40.09	-13.00	-27.09	-	-
Band 2_LTE_20MHz_Nss1,QPSK_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1860MHz_RB 100,#RB 0	Pass	9k	150k	1k	3k	RMS	10.516k	-71.99	-13.00	-58.99	-	-
1860MHz_RB 100,#RB 0	Pass	150k	30M	10k	30k	RMS	150k	-68.40	-13.00	-55.40	-	-
1860MHz_RB 100,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.44304G	-48.47	-13.00	-35.47	-	-
1860MHz_RB 100,#RB 0	Pass	1.5G	1.81G	1M	3M	RMS	1.62509G	-48.56	-13.00	-35.56	-	-
1860MHz_RB 100,#RB 0	Pass	1.81G	1.849G	200k	1M	RMS	1.8485G	-29.63	-13.00	-16.63	MBW 1M	-
1860MHz_RB 100,#RB 0	Pass	1.849G	1.85G	200k	1M	RMS	1.84999G	-32.52	-13.00	-19.52	-	-
1860MHz_RB 100,#RB 0	Pass	1.91G	1.911G	200k	1M	RMS	1.9102G	-52.70	-13.00	-39.70	-	-
1860MHz_RB 100,#RB 0	Pass	1.911G	1.95G	200k	1M	RMS	1.9115G	-48.06	-13.00	-35.06	MBW 1M	-
1860MHz_RB 100,#RB 0	Pass	1.95G	5G	1M	3M	RMS	4.90888G	-47.83	-13.00	-34.83	-	-
1860MHz_RB 100,#RB 0	Pass	5G	20G	1M	3M	RMS	19.83313G	-40.02	-13.00	-27.02	-	-
1860MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	12.631k	-70.33	-13.00	-57.33	-	-
1860MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-66.47	-13.00	-53.47	-	-
1860MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.41217G	-49.07	-13.00	-36.07	-	-
1860MHz_RB 1,#RB L	Pass	1.5G	1.81G	1M	3M	RMS	1.75184G	-48.07	-13.00	-35.07	-	-
1860MHz_RB 1,#RB L	Pass	1.81G	1.849G	200k	1M	RMS	1.8425G	-41.44	-13.00	-28.44	MBW 1M	-
1860MHz_RB 1,#RB L	Pass	1.849G	1.85G	200k	1M	RMS	1.85G	-31.24	-13.00	-18.24	-	-
1860MHz_RB 1,#RB L	Pass	1.91G	1.911G	200k	1M	RMS	1.91072G	-59.82	-13.00	-46.82	-	-

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1860MHz_RB 1, #RB L	Pass	1.911G	1.95G	200k	1M	RMS	1.9425G	-51.72	-13.00	-38.72	MBW 1M	-
1860MHz_RB 1, #RB L	Pass	1.95G	5G	1M	3M	RMS	4.78993G	-47.63	-13.00	-34.63	-	-
1860MHz_RB 1, #RB L	Pass	5G	20G	1M	3M	RMS	19.85663G	-40.06	-13.00	-27.06	-	-
1880MHz_RB 100, #RB 0	Pass	9k	150k	1k	3k	RMS	9k	-72.57	-13.00	-59.57	-	-
1880MHz_RB 100, #RB 0	Pass	150k	30M	10k	30k	RMS	851.475k	-67.89	-13.00	-54.89	-	-
1880MHz_RB 100, #RB 0	Pass	30M	1.5G	1M	3M	RMS	744.79M	-48.65	-13.00	-35.65	-	-
1880MHz_RB 100, #RB 0	Pass	1.5G	1.81G	1M	3M	RMS	1.75827G	-47.36	-13.00	-34.36	-	-
1880MHz_RB 100, #RB 0	Pass	1.81G	1.849G	200k	1M	RMS	1.8485G	-40.63	-13.00	-27.63	MBW 1M	-
1880MHz_RB 100, #RB 0	Pass	1.849G	1.85G	200k	1M	RMS	1.84926G	-45.66	-13.00	-32.66	-	-
1880MHz_RB 100, #RB 0	Pass	1.91G	1.911G	200k	1M	RMS	1.91075G	-45.11	-13.00	-32.11	-	-
1880MHz_RB 100, #RB 0	Pass	1.911G	1.95G	200k	1M	RMS	1.9115G	-40.75	-13.00	-27.75	MBW 1M	-
1880MHz_RB 100, #RB 0	Pass	1.95G	5G	1M	3M	RMS	4.78917G	-47.41	-13.00	-34.41	-	-
1880MHz_RB 100, #RB 0	Pass	5G	20G	1M	3M	RMS	19.85663G	-39.83	-13.00	-26.83	-	-
1880MHz_RB 1, #RB L	Pass	9k	150k	1k	3k	RMS	11.538k	-68.47	-13.00	-55.47	-	-
1880MHz_RB 1, #RB L	Pass	150k	30M	10k	30k	RMS	150k	-67.45	-13.00	-54.45	-	-
1880MHz_RB 1, #RB L	Pass	30M	1.5G	1M	3M	RMS	973.74M	-49.00	-13.00	-36.00	-	-
1880MHz_RB 1, #RB L	Pass	1.5G	1.81G	1M	3M	RMS	1.60904G	-48.57	-13.00	-35.57	-	-
1880MHz_RB 1, #RB L	Pass	1.81G	1.849G	200k	1M	RMS	1.8445G	-51.02	-13.00	-38.02	MBW 1M	-
1880MHz_RB 1, #RB L	Pass	1.849G	1.85G	200k	1M	RMS	1.84949G	-59.55	-13.00	-46.55	-	-
1880MHz_RB 1, #RB L	Pass	1.91G	1.911G	200k	1M	RMS	1.91067G	-59.63	-13.00	-46.63	-	-
1880MHz_RB 1, #RB L	Pass	1.911G	1.95G	200k	1M	RMS	1.9155G	-52.18	-13.00	-39.18	MBW 1M	-
1880MHz_RB 1, #RB L	Pass	1.95G	5G	1M	3M	RMS	3.74226G	-47.63	-13.00	-34.63	-	-
1880MHz_RB 1, #RB L	Pass	5G	20G	1M	3M	RMS	19.84813G	-39.86	-13.00	-26.86	-	-
1900MHz_RB 100, #RB 0	Pass	9k	150k	1k	3k	RMS	9k	-73.19	-13.00	-60.19	-	-
1900MHz_RB 100, #RB 0	Pass	150k	30M	10k	30k	RMS	8.709M	-67.99	-13.00	-54.99	-	-
1900MHz_RB 100, #RB 0	Pass	30M	1.5G	1M	3M	RMS	1.41345G	-48.88	-13.00	-35.88	-	-
1900MHz_RB 100, #RB 0	Pass	1.5G	1.81G	1M	3M	RMS	1.63671G	-47.37	-13.00	-34.37	-	-
1900MHz_RB 100, #RB 0	Pass	1.81G	1.849G	200k	1M	RMS	1.8485G	-46.74	-13.00	-33.74	MBW 1M	-
1900MHz_RB 100, #RB 0	Pass	1.849G	1.85G	200k	1M	RMS	1.84982G	-51.31	-13.00	-38.31	-	-
1900MHz_RB 100, #RB 0	Pass	1.91G	1.911G	200k	1M	RMS	1.91001G	-32.15	-13.00	-19.15	-	-
1900MHz_RB 100, #RB 0	Pass	1.911G	1.95G	200k	1M	RMS	1.9115G	-29.86	-13.00	-16.86	MBW 1M	-
1900MHz_RB 100, #RB 0	Pass	1.95G	5G	1M	3M	RMS	4.89554G	-47.79	-13.00	-34.79	-	-
1900MHz_RB 100, #RB 0	Pass	5G	20G	1M	3M	RMS	19.865G	-39.94	-13.00	-26.94	-	-
1900MHz_RB 1, #RB H	Pass	9k	150k	1k	3k	RMS	16.297k	-68.88	-13.00	-55.88	-	-
1900MHz_RB 1, #RB H	Pass	150k	30M	10k	30k	RMS	150k	-64.83	-13.00	-51.83	-	-
1900MHz_RB 1, #RB H	Pass	30M	1.5G	1M	3M	RMS	879.48M	-48.85	-13.00	-35.85	-	-
1900MHz_RB 1, #RB H	Pass	1.5G	1.81G	1M	3M	RMS	1.56909G	-47.42	-13.00	-34.42	-	-
1900MHz_RB 1, #RB H	Pass	1.81G	1.849G	200k	1M	RMS	1.8465G	-53.07	-13.00	-40.07	MBW 1M	-
1900MHz_RB 1, #RB H	Pass	1.849G	1.85G	200k	1M	RMS	1.84969G	-59.64	-13.00	-46.64	-	-
1900MHz_RB 1, #RB H	Pass	1.91G	1.911G	200k	1M	RMS	1.91G	-29.87	-13.00	-16.87	-	-
1900MHz_RB 1, #RB H	Pass	1.911G	1.95G	200k	1M	RMS	1.9115G	-43.12	-13.00	-30.12	MBW 1M	-
1900MHz_RB 1, #RB H	Pass	1.95G	5G	1M	3M	RMS	4.80366G	-47.56	-13.00	-34.56	-	-
1900MHz_RB 1, #RB H	Pass	5G	20G	1M	3M	RMS	19.85G	-39.89	-13.00	-26.89	-	-
Band 2_LTE_1.4MHz_Nss1, 16QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1850.7MHz_RB 6, #RB 0	Pass	9k	150k	1k	3k	RMS	14.041k	-75.70	-13.00	-62.70	-	-
1850.7MHz_RB 6, #RB 0	Pass	150k	30M	10k	30k	RMS	172.388k	-70.11	-13.00	-57.11	-	-
1850.7MHz_RB 6, #RB 0	Pass	30M	1.5G	1M	3M	RMS	1.45443G	-52.47	-13.00	-39.47	-	-
1850.7MHz_RB 6, #RB 0	Pass	1.5G	1.8472G	1M	3M	RMS	1.84716G	-41.98	-13.00	-28.98	-	-
1850.7MHz_RB 6, #RB 0	Pass	1.8472G	1.849G	20k	50k	RMS	1.8485G	-34.06	-13.00	-21.06	MBW 1M	-
1850.7MHz_RB 6, #RB 0	Pass	1.849G	1.85G	20k	50k	RMS	1.84995G	-35.82	-13.00	-22.82	-	-
1850.7MHz_RB 6, #RB 0	Pass	1.91G	1.911G	20k	50k	RMS	1.91072G	-72.12	-13.00	-59.12	-	-
1850.7MHz_RB 6, #RB 0	Pass	1.911G	1.9128G	20k	50k	RMS	1.9123G	-57.01	-13.00	-44.01	MBW 1M	-
1850.7MHz_RB 6, #RB 0	Pass	1.9128G	5G	1M	3M	RMS	4.78428G	-50.64	-13.00	-37.64	-	-
1850.7MHz_RB 6, #RB 0	Pass	5G	20G	1M	3M	RMS	19.8575G	-40.92	-13.00	-27.92	-	-