

## Appendix Test Data

Report No.:	18220WC30226601	Test Sample No.:	1-2-2
Start Test Date:	2023.11.01	Finish Test Date:	2023.11.23
Test Engineer:	Hayman Chen	Auditor:	Rick Luo
Temperature:	25.8°C	Relative Humidity:	49%
Pressure:	101kPa		

## Appendix A: DTS Bandwidth

## Test Result

TestMode	Antenna	Frequency[MHz]	DTS BW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11B	Ant1	2412	10.08	2406.96	2417.04	≥0.5	PASS
	Ant2	2412	10.08	2406.96	2417.04	≥0.5	PASS
	Ant1	2437	12.08	2430.96	2443.04	≥0.5	PASS
	Ant2	2437	9.84	2432.00	2441.84	≥0.5	PASS
	Ant1	2462	11.08	2455.96	2467.04	≥0.5	PASS
	Ant2	2462	10.08	2456.96	2467.04	≥0.5	PASS
11G	Ant1	2412	16.52	2403.72	2420.24	≥0.5	PASS
	Ant2	2412	16.32	2403.84	2420.16	≥0.5	PASS
	Ant1	2437	16.32	2428.84	2445.16	≥0.5	PASS
	Ant2	2437	16.32	2428.84	2445.16	≥0.5	PASS
	Ant1	2462	16.32	2453.84	2470.16	≥0.5	PASS
	Ant2	2462	16.32	2453.84	2470.16	≥0.5	PASS
11N20SISO	Ant1	2412	17.28	2403.24	2420.52	≥0.5	PASS
	Ant2	2412	17.16	2403.24	2420.40	≥0.5	PASS
	Ant1	2437	17.52	2428.24	2445.76	≥0.5	PASS
	Ant2	2437	17.28	2428.48	2445.76	≥0.5	PASS
	Ant1	2462	17.60	2453.20	2470.80	≥0.5	PASS
	Ant2	2462	16.92	2453.48	2470.40	≥0.5	PASS

## Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.  
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com




Hotline  
400-003-0500  
www.anbotek.com.cn




## Test Graphs





11B\_Ant2\_2437




11B\_Ant1\_2462

## Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.  
 Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com

Hotline  
 400-003-0500  
 www.anbotek.com.cn






11B\_Ant2\_2462




11G\_Ant1\_2412





11G\_Ant2\_2412




11G\_Ant1\_2437

## Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.  
 Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com

Hotline 400-003-0500  
 www.anbotek.com.cn






11G\_Ant2\_2437




11G\_Ant1\_2462






11G\_Ant2\_2462




11N20SISO\_Ant1\_2412






11N20SISO\_Ant2\_2412




11N20SISO\_Ant1\_2437








11N20SISO\_Ant2\_2437




11N20SISO\_Ant1\_2462





## 11N20SISO\_Ant2\_2462



### Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.  
 Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com

Hotline  
 400-003-0500  
 www.anbotek.com.cn



## Appendix B: Occupied Channel Bandwidth


### Test Result

TestMode	Antenna	Channel Frequency[MHz]	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11B	Ant1	2412	14.865	2404.5674	2419.4326	---	---
	Ant2	2412	14.945	2404.5275	2419.4725	---	---
	Ant1	2437	14.865	2429.5674	2444.4326	---	---
	Ant2	2437	14.945	2429.5275	2444.4725	---	---
	Ant1	2462	14.865	2454.5674	2469.4326	---	---
	Ant2	2462	14.945	2454.5275	2469.4725	---	---
11G	Ant1	2412	16.543	2403.7682	2420.3117	---	---
	Ant2	2412	16.503	2403.7682	2420.2717	---	---
	Ant1	2437	16.543	2428.7682	2445.3117	---	---
	Ant2	2437	16.583	2428.7283	2445.3117	---	---
	Ant1	2462	16.583	2453.7283	2470.3117	---	---
	Ant2	2462	16.543	2453.7682	2470.3117	---	---
11N20SISO	Ant1	2412	17.662	2403.1688	2420.8312	---	---
	Ant2	2412	17.662	2403.2088	2420.8711	---	---
	Ant1	2437	17.662	2428.1688	2445.8312	---	---
	Ant2	2437	17.662	2428.2088	2445.8711	---	---
	Ant1	2462	17.622	2453.2088	2470.8312	---	---
	Ant2	2462	17.662	2453.1688	2470.8312	---	---




## Test Graphs





11B\_Ant2\_2437




11B\_Ant1\_2462

## Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.  
 Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com

Hotline 400-003-0500  
 www.anbotek.com.cn






11B\_Ant2\_2462




11G\_Ant1\_2412






11G\_Ant2\_2412




11G\_Ant1\_2437






11G\_Ant2\_2437




11G\_Ant1\_2462







11G\_Ant2\_2462



11N20SISO\_Ant1\_2412


## Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.  
 Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com




Hotline  
 400-003-0500  
 www.anbotek.com.cn






11N20SISO\_Ant2\_2412




11N20SISO\_Ant1\_2437






11N20SISO\_Ant2\_2437




11N20SISO\_Ant1\_2462





## 11N20SISO\_Ant2\_2462



### Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.  
 Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com

Hotline  
 400-003-0500  
 www.anbotek.com.cn



## Appendix C: Maximum conducted output power

### Test Result Peak Output

TestMode	Antenna	Frequency[MHz]	Peak Output Power[dBm]	Conducted Limit[dBm]
11B	Ant1	2412	18.37	≤30.00
	Ant2	2412	18.66	≤30.00
	Ant1	2437	18.07	≤30.00
	Ant2	2437	18.81	≤30.00
	Ant1	2462	18.64	≤30.00
	Ant2	2462	18.81	≤30.00
11G	Ant1	2412	19.22	≤30.00
	Ant2	2412	19.65	≤30.00
	Ant1	2437	19.33	≤30.00
	Ant2	2437	19.97	≤30.00
	Ant1	2462	19.39	≤30.00
	Ant2	2462	19.75	≤30.00
11N20SISO	Ant1	2412	19.41	≤30.00
	Ant2	2412	20.33	≤30.00
	Ant1	2437	19.21	≤30.00
	Ant2	2437	20.06	≤30.00
	Ant1	2462	19.15	≤30.00
	Ant2	2462	19.83	≤30.00

### MIMO

TestMode	Frequency[MHz]	Peak Output Power[dBm]	Conducted Limit[dBm]
11N20	2412	22.90	≤29.3
	2437	22.67	≤29.3
	2462	22.51	≤29.3

#### Note:

- As Directional gain =  $10 \log((10G1/20 + 10G2/20)^2 / NANT)$  dBi=6.70>6dBi, so limit=30-(6.70-6.00)=29.3dBm.
- MIMO=  $10 * \log(10^{ANT1/10} + 10^{ANT2/10})$

### Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.  
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com



Hotline  
400-003-0500  
www.anbotek.com.cn



## Appendix D: Maximum power spectral density

### Test Result

TestMode	Antenna	Frequency[MHz]	Result[dBm/3kHz]	Limit[dBm/3kHz]	Verdict
11B	Ant1	2412	-8.13	≤8.00	PASS
	Ant2	2412	-8.02	≤8.00	PASS
	Ant1	2437	-8.19	≤8.00	PASS
	Ant2	2437	-7.34	≤8.00	PASS
	Ant1	2462	-7.61	≤8.00	PASS
	Ant2	2462	-7.45	≤8.00	PASS
11G	Ant1	2412	-12.86	≤8.00	PASS
	Ant2	2412	-12.5	≤8.00	PASS
	Ant1	2437	-12.9	≤8.00	PASS
	Ant2	2437	-13.2	≤8.00	PASS
	Ant1	2462	-12.68	≤8.00	PASS
	Ant2	2462	-12.9	≤8.00	PASS
11N20SISO	Ant1	2412	-12.55	≤8.00	PASS
	Ant2	2412	-12.35	≤8.00	PASS
	Ant1	2437	-12.12	≤8.00	PASS
	Ant2	2437	-12.11	≤8.00	PASS
	Ant1	2462	-11.88	≤8.00	PASS
	Ant2	2462	-11.62	≤8.00	PASS

### MIMO

TestMode	Frequency[MHz]	Result[dBm/3kHz]	Limit[dBm/3kHz]
11N20	2412	-9.44	≤7.3
	2437	-9.10	≤7.3
	2462	-8.74	≤7.3

Note:

3. As Directional gain =  $10 \log((10G1/20 + 10G2/20) 2 / NANT)$  dBi=6.70>6dBi,  
so limit=8-(6.70-6.00)=7.3dBm/3kHz.

MIMO=  $10 * \log(10^{ANT1/10} + 10^{ANT2/10})$

### Shenzhen Anbotek Compliance Laboratory Limited



Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community,  
Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.  
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com



Hotline  
400-003-0500  
www.anbotek.com.cn




## Test Graphs




### 11B\_Ant1\_2437






11B\_Ant2\_2437




11B\_Ant1\_2462








11B\_Ant2\_2462




11G\_Ant1\_2412





11G\_Ant2\_2412



11G\_Ant1\_2437


## Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.  
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com




Hotline  
400-003-0500  
www.anbotek.com.cn






11G\_Ant2\_2437




11G\_Ant1\_2462






11G\_Ant2\_2462




11N20SISO\_Ant1\_2412





11N20SISO\_Ant2\_2412



11N20SISO\_Ant1\_2437


## Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.  
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com




Hotline  
400-003-0500  
www.anbotek.com.cn






11N20SISO\_Ant2\_2437




11N20SISO\_Ant1\_2462





11N20SISO\_Ant2\_2462



## Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.  
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com

Hotline  
400-003-0500  
www.anbotek.com.cn



## Appendix E: Band edge measurements

### Test Result

TestMode	Antenna	Channel Name	Frequency[MHz]	RefLevel[dBm]	Result[dBm]	Limit[dBm]	Verdict
11B	Ant1	Low	2412	7.22	-35.66	≤-12.78	PASS
	Ant2	Low	2412	7.06	-40.24	≤-12.94	PASS
	Ant1	High	2462	6.74	-50.1	≤-13.26	PASS
	Ant2	High	2462	7.26	-50.02	≤-12.74	PASS
11G	Ant1	Low	2412	1.82	-46.34	≤-18.18	PASS
	Ant2	Low	2412	3.15	-45.15	≤-16.85	PASS
	Ant1	High	2462	2.59	-51.16	≤-17.41	PASS
	Ant2	High	2462	3.06	-51.64	≤-16.94	PASS
11N20SISO	Ant1	Low	2412	2.78	-46.11	≤-17.22	PASS
	Ant2	Low	2412	2.59	-43.68	≤-17.41	PASS
	Ant1	High	2462	2.06	-47.96	≤-17.94	PASS
	Ant2	High	2462	1.56	-48.38	≤-18.44	PASS

### Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.  
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com




Hotline  
400-003-0500  
www.anbotek.com.cn





## Test Graphs






11B\_Ant2\_High\_2462




11G\_Ant1\_Low\_2412





11G\_Ant2\_Low\_2412




11G\_Ant1\_High\_2462

## Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.  
 Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com

Hotline  
 400-003-0500  
 www.anbotek.com.cn






### 11G\_Ant2\_High\_2462




### 11N20SISO\_Ant1\_Low\_2412





11N20SISO\_Ant2\_Low\_2412




11N20SISO\_Ant1\_High\_2462

## Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.  
 Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com

Hotline 400-003-0500  
 www.anbotek.com.cn





## 11N20SISO\_Ant2\_High\_2462



## Appendix F: Conducted Spurious Emission

### Test Result

TestMode	Antenna	Frequency[MHz]	FreqRange [Mhz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
11B	Ant1	2412	Reference	5.93	5.93	---	PASS
			30~1000	5.93	-62.85	≤-14.07	PASS
			1000~26500	5.93	-41.19	≤-14.07	PASS
	Ant2	2412	Reference	6.44	6.44	---	PASS
			30~1000	6.44	-64.68	≤-13.56	PASS
			1000~26500	6.44	-41.33	≤-13.56	PASS
	Ant1	2437	Reference	5.96	5.96	---	PASS
			30~1000	5.96	-64.53	≤-14.04	PASS
			1000~26500	5.96	-41.03	≤-14.04	PASS
	Ant2	2437	Reference	4.71	4.71	---	PASS
			30~1000	4.71	-64.62	≤-15.29	PASS
			1000~26500	4.71	-41.06	≤-15.29	PASS
Ant1	2462	Reference	6.40	6.40	---	PASS	
		30~1000	6.40	-64.98	≤-13.6	PASS	
		1000~26500	6.40	-41	≤-13.6	PASS	
Ant2	2462	Reference	7.27	7.27	---	PASS	
		30~1000	7.27	-65.53	≤-12.73	PASS	
		1000~26500	7.27	-41.12	≤-12.73	PASS	
11G	Ant1	2412	Reference	-0.86	-0.86	---	PASS
			30~1000	-0.86	-66.5	≤-20.86	PASS
			1000~26500	-0.86	-50.79	≤-20.86	PASS
	Ant2	2412	Reference	-0.07	-0.07	---	PASS
			30~1000	-0.07	-65.15	≤-20.07	PASS
			1000~26500	-0.07	-49.6	≤-20.07	PASS
	Ant1	2437	Reference	0.63	0.63	---	PASS
			30~1000	0.63	-64.83	≤-19.37	PASS
			1000~26500	0.63	-50.22	≤-19.37	PASS
	Ant2	2437	Reference	-0.10	-0.10	---	PASS
			30~1000	-0.10	-64.77	≤-20.1	PASS
			1000~26500	-0.10	-49.7	≤-20.1	PASS
Ant1	2462	Reference	-0.44	-0.44	---	PASS	
		30~1000	-0.44	-66.2	≤-20.44	PASS	
		1000~26500	-0.44	-50.11	≤-20.44	PASS	
Ant2	2462	Reference	0.02	0.02	---	PASS	
		30~1000	0.02	-64.19	≤-19.98	PASS	



11N20SISO	Ant1	2412	1000~26500	0.02	-49.72	≤-19.98	PASS	
			Reference	-1.09	-1.09	---	PASS	
			30~1000	-1.09	-65.97	≤-21.09	PASS	
	Ant2	2412	1000~26500	-1.09	-50.01	≤-21.09	PASS	
			Reference	-0.77	-0.77	---	PASS	
			30~1000	-0.77	-64.54	≤-20.77	PASS	
	Ant1	2437	1000~26500	-0.77	-50.16	≤-20.77	PASS	
			Reference	0.70	0.70	---	PASS	
			30~1000	0.70	-64.6	≤-19.3	PASS	
	Ant2	2437	1000~26500	0.70	-50.94	≤-19.3	PASS	
			Reference	-1.09	-1.09	---	PASS	
			30~1000	-1.09	-64.06	≤-21.09	PASS	
	Ant1	2462	1000~26500	-1.09	-50.53	≤-21.09	PASS	
			Reference	-0.77	-0.77	---	PASS	
			30~1000	-0.77	-65.01	≤-20.77	PASS	
	Ant2	2462	1000~26500	-0.77	-50.19	≤-20.77	PASS	
			Reference	-1.12	-1.12	---	PASS	
			30~1000	-1.12	-65	≤-21.12	PASS	
				1000~26500	-1.12	-50.59	≤-21.12	PASS

## Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.  
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com



Hotline  
400-003-0500  
www.anbotek.com.cn





## Test Graphs




### Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.  
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com




Hotline  
400-003-0500  
www.anbotek.com.cn





11B\_Ant2\_2412\_0~Reference



11B\_Ant2\_2412\_30~1000


## Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.  
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com




Hotline  
400-003-0500  
www.anbotek.com.cn





11B\_Ant2\_2412\_1000~26500




11B\_Ant1\_2437\_0~Reference

## Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.  
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com

Hotline  
400-003-0500  
www.anbotek.com.cn






11B\_Ant1\_2437\_30~1000




11B\_Ant1\_2437\_1000~26500





11B\_Ant2\_2437\_0~Reference



11B\_Ant2\_2437\_30~1000


## Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.  
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com




Hotline  
400-003-0500  
www.anbotek.com.cn





11B\_Ant2\_2437\_1000~26500



11B\_Ant1\_2462\_0~Reference


## Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.  
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com




Hotline  
400-003-0500  
www.anbotek.com.cn





11B\_Ant1\_2462\_30~1000




11B\_Ant1\_2462\_1000~26500

## Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.  
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com

Hotline  
400-003-0500  
www.anbotek.com.cn






11B\_Ant2\_2462\_0~Reference




11B\_Ant2\_2462\_30~1000







11B\_Ant2\_2462\_1000~2650




11G\_Ant1\_2412\_0~Reference

## Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.  
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com

Hotline  
400-003-0500  
www.anbotek.com.cn





11G\_Ant1\_2412\_30~1000




11G\_Ant1\_2412\_1000~26500

## Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.  
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com

Hotline  
400-003-0500  
www.anbotek.com.cn






11G\_Ant2\_2412\_0~Reference




11G\_Ant2\_2412\_30~1000





11G\_Ant2\_2412\_1000~26500



11G\_Ant1\_2437\_0~Reference


## Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.  
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com




Hotline  
400-003-0500  
www.anbotek.com.cn





11G\_Ant1\_2437\_30~1000




11G\_Ant1\_2437\_1000~26500

## Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.  
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com

Hotline  
400-003-0500  
www.anbotek.com.cn





11G\_Ant2\_2437\_0~Reference




11G\_Ant2\_2437\_30~1000

## Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.  
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com

Hotline  
400-003-0500  
www.anbotek.com.cn





11G\_Ant2\_2437\_1000~26500



11G\_Ant1\_2462\_0~Reference


### Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.  
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com




Hotline  
400-003-0500  
www.anbotek.com.cn





11G\_Ant1\_2462\_30~1000



11G\_Ant1\_2462\_1000~26500


## Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.  
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com


Hotline  
400-003-0500  
www.anbotek.com.cn








11G\_Ant2\_2462\_0~Reference




11G\_Ant2\_2462\_30~1000





11G\_Ant2\_2462\_1000~26500



11N20SISO\_Ant1\_2412\_0~Reference


### Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.  
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com




Hotline  
400-003-0500  
www.anbotek.com.cn





11N20SISO\_Ant1\_2412\_30~1000




11N20SISO\_Ant1\_2412\_1000~26500

## Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.  
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com

Hotline  
400-003-0500  
www.anbotek.com.cn






11N20SISO\_Ant2\_2412\_0~Reference




11N20SISO\_Ant2\_2412\_30~100





11N20SISO\_Ant2\_2412\_1000~26500




11N20SISO\_Ant1\_2437\_0~Reference

## Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.  
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com

Hotline  
400-003-0500  
www.anbotek.com.cn





11N20SISO\_Ant1\_2437\_30~1000




11N20SISO\_Ant1\_2437\_1000~26500

## Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.  
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com

Hotline  
400-003-0500  
www.anbotek.com.cn






11N20SISO\_Ant2\_2437\_0~Reference




11N20SISO\_Ant2\_2437\_30~1000





11N20SISO\_Ant2\_2437\_1000~26500



11N20SISO\_Ant1\_2462\_0~Reference


## Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.  
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com


Hotline  
400-003-0500  
www.anbotek.com.cn







11N20SISO\_Ant1\_2462\_30~1000




11N20SISO\_Ant1\_2462\_1000~26500

## Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.  
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com

Hotline  
400-003-0500  
www.anbotek.com.cn






11N20SISO\_Ant2\_2462\_0~Reference




11N20SISO\_Ant2\_2462\_30~100





### 11N20SIS0\_Ant2\_2462\_1000~26500



## Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.  
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com



Hotline  
400-003-0500  
www.anbotek.com.cn



## Appendix G: Duty Cycle

### Test Result

TestMode	Antenna	Frequency[MHz]	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	Factor
11B	Ant1	2412	8.07	8.08	99.88	0.01
	Ant2	2412	8.07	8.08	99.88	0.01
	Ant1	2437	8.07	8.08	99.88	0.01
	Ant2	2437	8.07	8.07	100.00	0.00
	Ant1	2462	8.07	8.07	100.00	0.00
	Ant2	2462	8.07	8.08	99.88	0.01
11G	Ant1	2412	1.35	1.36	99.26	0.03
	Ant2	2412	1.35	1.36	99.26	0.03
	Ant1	2437	1.35	1.35	100.00	0.00
	Ant2	2437	1.35	1.36	99.26	0.03
	Ant1	2462	1.36	1.36	100.00	0.00
	Ant2	2462	1.35	1.36	99.26	0.03
11N20SISO	Ant1	2412	1.26	1.27	99.21	0.03
	Ant2	2412	1.27	1.27	100.00	0.00
	Ant1	2437	1.26	1.27	99.21	0.03
	Ant2	2437	1.26	1.27	99.21	0.03
	Ant1	2462	1.26	1.27	99.21	0.03
	Ant2	2462	1.26	1.27	99.21	0.03

### Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.  
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com

Hotline  
400-003-0500  
www.anbotek.com.cn




## Test Graphs






11B\_Ant2\_2437




11B\_Ant1\_2462






11B\_Ant2\_2462




11G\_Ant1\_2412






11G\_Ant2\_2412




11G\_Ant1\_2437








11G\_Ant2\_2437




11G\_Ant1\_2462






11G\_Ant2\_2462




11N20SISO\_Ant1\_2412






11N20SISO\_Ant2\_2412




11N20SISO\_Ant1\_2437






11N20SISO\_Ant2\_2437




11N20SISO\_Ant1\_2462





### 11N20SISO\_Ant2\_2462



---End---

