

## Appendix A: Effective (Isotropic) Radiated Power Output Data

### Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band66	1.4MHz	QPSK	131979	1RB#0	23.79	PASS
Band66	1.4MHz	QPSK	131979	1RB#2	23.92	PASS
Band66	1.4MHz	QPSK	131979	1RB#5	23.78	PASS
Band66	1.4MHz	QPSK	131979	3RB#0	23.79	PASS
Band66	1.4MHz	QPSK	131979	3RB#1	23.85	PASS
Band66	1.4MHz	QPSK	131979	3RB#3	23.83	PASS
Band66	1.4MHz	QPSK	131979	6RB#0	22.79	PASS
Band66	1.4MHz	QPSK	132322	1RB#0	23.38	PASS
Band66	1.4MHz	QPSK	132322	1RB#2	23.46	PASS
Band66	1.4MHz	QPSK	132322	1RB#5	23.39	PASS
Band66	1.4MHz	QPSK	132322	3RB#0	23.43	PASS
Band66	1.4MHz	QPSK	132322	3RB#1	23.41	PASS
Band66	1.4MHz	QPSK	132322	3RB#3	23.42	PASS
Band66	1.4MHz	QPSK	132322	6RB#0	22.38	PASS
Band66	1.4MHz	QPSK	132665	1RB#0	23.12	PASS
Band66	1.4MHz	QPSK	132665	1RB#2	23.16	PASS
Band66	1.4MHz	QPSK	132665	1RB#5	23.09	PASS
Band66	1.4MHz	QPSK	132665	3RB#0	23.19	PASS
Band66	1.4MHz	QPSK	132665	3RB#1	23.22	PASS
Band66	1.4MHz	QPSK	132665	3RB#3	23.22	PASS
Band66	1.4MHz	QPSK	132665	6RB#0	22.16	PASS
Band66	1.4MHz	16QAM	131979	1RB#0	22.68	PASS
Band66	1.4MHz	16QAM	131979	1RB#2	22.82	PASS
Band66	1.4MHz	16QAM	131979	1RB#5	22.67	PASS
Band66	1.4MHz	16QAM	131979	3RB#0	22.61	PASS
Band66	1.4MHz	16QAM	131979	3RB#1	22.66	PASS
Band66	1.4MHz	16QAM	131979	3RB#3	22.60	PASS
Band66	1.4MHz	16QAM	131979	6RB#0	21.81	PASS
Band66	1.4MHz	16QAM	132322	1RB#0	22.48	PASS
Band66	1.4MHz	16QAM	132322	1RB#2	22.68	PASS
Band66	1.4MHz	16QAM	132322	1RB#5	22.48	PASS
Band66	1.4MHz	16QAM	132322	3RB#0	22.33	PASS

Band66	1.4MHz	16QAM	132322	3RB#1	22.34	PASS
Band66	1.4MHz	16QAM	132322	3RB#3	22.26	PASS
Band66	1.4MHz	16QAM	132322	6RB#0	21.43	PASS
Band66	1.4MHz	16QAM	132665	1RB#0	22.20	PASS
Band66	1.4MHz	16QAM	132665	1RB#2	22.39	PASS
Band66	1.4MHz	16QAM	132665	1RB#5	22.23	PASS
Band66	1.4MHz	16QAM	132665	3RB#0	22.08	PASS
Band66	1.4MHz	16QAM	132665	3RB#1	22.12	PASS
Band66	1.4MHz	16QAM	132665	3RB#3	22.08	PASS
Band66	1.4MHz	16QAM	132665	6RB#0	21.22	PASS
Band66	3MHz	QPSK	131987	1RB#0	23.78	PASS
Band66	3MHz	QPSK	131987	1RB#8	23.55	PASS
Band66	3MHz	QPSK	131987	1RB#14	23.69	PASS
Band66	3MHz	QPSK	131987	8RB#0	22.38	PASS
Band66	3MHz	QPSK	131987	8RB#4	22.39	PASS
Band66	3MHz	QPSK	131987	8RB#7	22.37	PASS
Band66	3MHz	QPSK	131987	15RB#0	22.77	PASS
Band66	3MHz	QPSK	132322	1RB#0	23.40	PASS
Band66	3MHz	QPSK	132322	1RB#8	22.85	PASS
Band66	3MHz	QPSK	132322	1RB#14	22.88	PASS
Band66	3MHz	QPSK	132322	8RB#0	21.85	PASS
Band66	3MHz	QPSK	132322	8RB#4	21.86	PASS
Band66	3MHz	QPSK	132322	8RB#7	21.88	PASS
Band66	3MHz	QPSK	132322	15RB#0	21.88	PASS
Band66	3MHz	QPSK	132657	1RB#0	22.91	PASS
Band66	3MHz	QPSK	132657	1RB#8	22.59	PASS
Band66	3MHz	QPSK	132657	1RB#14	22.62	PASS
Band66	3MHz	QPSK	132657	8RB#0	21.89	PASS
Band66	3MHz	QPSK	132657	8RB#4	22.19	PASS
Band66	3MHz	QPSK	132657	8RB#7	22.12	PASS
Band66	3MHz	QPSK	132657	15RB#0	22.15	PASS
Band66	3MHz	16QAM	131987	1RB#0	22.70	PASS
Band66	3MHz	16QAM	131987	1RB#8	22.50	PASS
Band66	3MHz	16QAM	131987	1RB#14	22.45	PASS
Band66	3MHz	16QAM	131987	8RB#0	21.53	PASS
Band66	3MHz	16QAM	131987	8RB#4	21.43	PASS
Band66	3MHz	16QAM	131987	8RB#7	21.46	PASS

Band66	3MHz	16QAM	131987	15RB#0	21.27	PASS
Band66	3MHz	16QAM	132322	1RB#0	22.15	PASS
Band66	3MHz	16QAM	132322	1RB#8	22.02	PASS
Band66	3MHz	16QAM	132322	1RB#14	21.93	PASS
Band66	3MHz	16QAM	132322	8RB#0	20.90	PASS
Band66	3MHz	16QAM	132322	8RB#4	20.94	PASS
Band66	3MHz	16QAM	132322	8RB#7	20.86	PASS
Band66	3MHz	16QAM	132322	15RB#0	20.83	PASS
Band66	3MHz	16QAM	132657	1RB#0	22.00	PASS
Band66	3MHz	16QAM	132657	1RB#8	21.77	PASS
Band66	3MHz	16QAM	132657	1RB#14	21.87	PASS
Band66	3MHz	16QAM	132657	8RB#0	21.11	PASS
Band66	3MHz	16QAM	132657	8RB#4	21.25	PASS
Band66	3MHz	16QAM	132657	8RB#7	21.18	PASS
Band66	3MHz	16QAM	132657	15RB#0	21.14	PASS
Band66	5MHz	QPSK	131997	1RB#0	23.28	PASS
Band66	5MHz	QPSK	131997	1RB#12	23.33	PASS
Band66	5MHz	QPSK	131997	1RB#24	23.25	PASS
Band66	5MHz	QPSK	131997	12RB#0	22.20	PASS
Band66	5MHz	QPSK	131997	12RB#6	22.14	PASS
Band66	5MHz	QPSK	131997	12RB#13	22.31	PASS
Band66	5MHz	QPSK	131997	25RB#0	22.27	PASS
Band66	5MHz	QPSK	132322	1RB#0	22.90	PASS
Band66	5MHz	QPSK	132322	1RB#12	22.95	PASS
Band66	5MHz	QPSK	132322	1RB#24	22.82	PASS
Band66	5MHz	QPSK	132322	12RB#0	21.83	PASS
Band66	5MHz	QPSK	132322	12RB#6	21.87	PASS
Band66	5MHz	QPSK	132322	12RB#13	21.87	PASS
Band66	5MHz	QPSK	132322	25RB#0	21.89	PASS
Band66	5MHz	QPSK	132647	1RB#0	22.66	PASS
Band66	5MHz	QPSK	132647	1RB#12	22.77	PASS
Band66	5MHz	QPSK	132647	1RB#24	22.55	PASS
Band66	5MHz	QPSK	132647	12RB#0	21.73	PASS
Band66	5MHz	QPSK	132647	12RB#6	21.72	PASS
Band66	5MHz	QPSK	132647	12RB#13	21.61	PASS
Band66	5MHz	QPSK	132647	25RB#0	21.79	PASS
Band66	5MHz	16QAM	131997	1RB#0	22.24	PASS

Band66	5MHz	16QAM	131997	1RB#12	22.27	PASS
Band66	5MHz	16QAM	131997	1RB#24	22.22	PASS
Band66	5MHz	16QAM	131997	12RB#0	21.17	PASS
Band66	5MHz	16QAM	131997	12RB#6	21.13	PASS
Band66	5MHz	16QAM	131997	12RB#13	21.29	PASS
Band66	5MHz	16QAM	131997	25RB#0	21.26	PASS
Band66	5MHz	16QAM	132322	1RB#0	21.88	PASS
Band66	5MHz	16QAM	132322	1RB#12	21.91	PASS
Band66	5MHz	16QAM	132322	1RB#24	21.81	PASS
Band66	5MHz	16QAM	132322	12RB#0	20.81	PASS
Band66	5MHz	16QAM	132322	12RB#6	20.82	PASS
Band66	5MHz	16QAM	132322	12RB#13	20.79	PASS
Band66	5MHz	16QAM	132322	25RB#0	20.89	PASS
Band66	5MHz	16QAM	132647	1RB#0	21.69	PASS
Band66	5MHz	16QAM	132647	1RB#12	21.69	PASS
Band66	5MHz	16QAM	132647	1RB#24	21.65	PASS
Band66	5MHz	16QAM	132647	12RB#0	20.69	PASS
Band66	5MHz	16QAM	132647	12RB#6	20.72	PASS
Band66	5MHz	16QAM	132647	12RB#13	20.60	PASS
Band66	5MHz	16QAM	132647	25RB#0	20.79	PASS
Band66	10MHz	QPSK	132022	1RB#0	23.80	PASS
Band66	10MHz	QPSK	132022	1RB#24	23.76	PASS
Band66	10MHz	QPSK	132022	1RB#49	23.76	PASS
Band66	10MHz	QPSK	132022	25RB#0	22.70	PASS
Band66	10MHz	QPSK	132022	25RB#12	22.66	PASS
Band66	10MHz	QPSK	132022	25RB#25	22.81	PASS
Band66	10MHz	QPSK	132022	50RB#0	22.80	PASS
Band66	10MHz	QPSK	132322	1RB#0	23.52	PASS
Band66	10MHz	QPSK	132322	1RB#24	23.00	PASS
Band66	10MHz	QPSK	132322	1RB#49	22.84	PASS
Band66	10MHz	QPSK	132322	25RB#0	22.00	PASS
Band66	10MHz	QPSK	132322	25RB#12	22.00	PASS
Band66	10MHz	QPSK	132322	25RB#25	21.98	PASS
Band66	10MHz	QPSK	132322	50RB#0	21.96	PASS
Band66	10MHz	QPSK	132622	1RB#0	23.37	PASS
Band66	10MHz	QPSK	132622	1RB#24	23.24	PASS
Band66	10MHz	QPSK	132622	1RB#49	23.24	PASS

Band66	10MHz	QPSK	132622	25RB#0	22.44	PASS
Band66	10MHz	QPSK	132622	25RB#12	22.41	PASS
Band66	10MHz	QPSK	132622	25RB#25	22.24	PASS
Band66	10MHz	QPSK	132622	50RB#0	22.34	PASS
Band66	10MHz	16QAM	132022	1RB#0	22.43	PASS
Band66	10MHz	16QAM	132022	1RB#24	22.85	PASS
Band66	10MHz	16QAM	132022	1RB#49	22.98	PASS
Band66	10MHz	16QAM	132022	25RB#0	21.55	PASS
Band66	10MHz	16QAM	132022	25RB#12	21.69	PASS
Band66	10MHz	16QAM	132022	25RB#25	21.82	PASS
Band66	10MHz	16QAM	132022	50RB#0	21.81	PASS
Band66	10MHz	16QAM	132322	1RB#0	22.21	PASS
Band66	10MHz	16QAM	132322	1RB#24	22.14	PASS
Band66	10MHz	16QAM	132322	1RB#49	21.98	PASS
Band66	10MHz	16QAM	132322	25RB#0	20.96	PASS
Band66	10MHz	16QAM	132322	25RB#12	21.00	PASS
Band66	10MHz	16QAM	132322	25RB#25	20.94	PASS
Band66	10MHz	16QAM	132322	50RB#0	20.94	PASS
Band66	10MHz	16QAM	132622	1RB#0	22.20	PASS
Band66	10MHz	16QAM	132622	1RB#24	22.50	PASS
Band66	10MHz	16QAM	132622	1RB#49	22.19	PASS
Band66	10MHz	16QAM	132622	25RB#0	21.39	PASS
Band66	10MHz	16QAM	132622	25RB#12	21.43	PASS
Band66	10MHz	16QAM	132622	25RB#25	21.21	PASS
Band66	10MHz	16QAM	132622	50RB#0	21.32	PASS
Band66	15MHz	QPSK	132047	1RB#0	23.20	PASS
Band66	15MHz	QPSK	132047	1RB#38	23.24	PASS
Band66	15MHz	QPSK	132047	1RB#74	23.20	PASS
Band66	15MHz	QPSK	132047	38RB#0	22.54	PASS
Band66	15MHz	QPSK	132047	38RB#18	22.62	PASS
Band66	15MHz	QPSK	132047	38RB#37	22.54	PASS
Band66	15MHz	QPSK	132047	75RB#0	22.61	PASS
Band66	15MHz	QPSK	132322	1RB#0	23.45	PASS
Band66	15MHz	QPSK	132322	1RB#38	22.93	PASS
Band66	15MHz	QPSK	132322	1RB#74	22.69	PASS
Band66	15MHz	QPSK	132322	38RB#0	21.96	PASS
Band66	15MHz	QPSK	132322	38RB#18	21.94	PASS

Band66	15MHz	QPSK	132322	38RB#37	21.97	PASS
Band66	15MHz	QPSK	132322	75RB#0	21.97	PASS
Band66	15MHz	QPSK	132597	1RB#0	22.80	PASS
Band66	15MHz	QPSK	132597	1RB#38	22.77	PASS
Band66	15MHz	QPSK	132597	1RB#74	22.46	PASS
Band66	15MHz	QPSK	132597	38RB#0	21.80	PASS
Band66	15MHz	QPSK	132597	38RB#18	21.80	PASS
Band66	15MHz	QPSK	132597	38RB#37	21.83	PASS
Band66	15MHz	QPSK	132597	75RB#0	21.79	PASS
Band66	15MHz	16QAM	132047	1RB#0	22.34	PASS
Band66	15MHz	16QAM	132047	1RB#38	22.60	PASS
Band66	15MHz	16QAM	132047	1RB#74	22.52	PASS
Band66	15MHz	16QAM	132047	38RB#0	22.64	PASS
Band66	15MHz	16QAM	132047	38RB#18	22.47	PASS
Band66	15MHz	16QAM	132047	38RB#37	22.64	PASS
Band66	15MHz	16QAM	132047	75RB#0	21.69	PASS
Band66	15MHz	16QAM	132322	1RB#0	22.13	PASS
Band66	15MHz	16QAM	132322	1RB#38	22.05	PASS
Band66	15MHz	16QAM	132322	1RB#74	21.92	PASS
Band66	15MHz	16QAM	132322	38RB#0	21.96	PASS
Band66	15MHz	16QAM	132322	38RB#18	21.98	PASS
Band66	15MHz	16QAM	132322	38RB#37	21.96	PASS
Band66	15MHz	16QAM	132322	75RB#0	20.90	PASS
Band66	15MHz	16QAM	132597	1RB#0	21.95	PASS
Band66	15MHz	16QAM	132597	1RB#38	22.01	PASS
Band66	15MHz	16QAM	132597	1RB#74	21.72	PASS
Band66	15MHz	16QAM	132597	38RB#0	21.77	PASS
Band66	15MHz	16QAM	132597	38RB#18	21.80	PASS
Band66	15MHz	16QAM	132597	38RB#37	21.80	PASS
Band66	15MHz	16QAM	132597	75RB#0	20.88	PASS
Band66	20MHz	QPSK	132072	1RB#0	23.17	PASS
Band66	20MHz	QPSK	132072	1RB#49	23.44	PASS
Band66	20MHz	QPSK	132072	1RB#99	23.20	PASS
Band66	20MHz	QPSK	132072	50RB#0	22.19	PASS
Band66	20MHz	QPSK	132072	50RB#25	22.55	PASS
Band66	20MHz	QPSK	132072	50RB#50	22.65	PASS
Band66	20MHz	QPSK	132072	100RB#0	22.60	PASS

Band66	20MHz	QPSK	132322	1RB#0	23.45	PASS
Band66	20MHz	QPSK	132322	1RB#49	23.03	PASS
Band66	20MHz	QPSK	132322	1RB#99	22.72	PASS
Band66	20MHz	QPSK	132322	50RB#0	22.02	PASS
Band66	20MHz	QPSK	132322	50RB#25	22.03	PASS
Band66	20MHz	QPSK	132322	50RB#50	21.95	PASS
Band66	20MHz	QPSK	132322	100RB#0	21.97	PASS
Band66	20MHz	QPSK	132572	1RB#0	22.65	PASS
Band66	20MHz	QPSK	132572	1RB#49	23.14	PASS
Band66	20MHz	QPSK	132572	1RB#99	22.51	PASS
Band66	20MHz	QPSK	132572	50RB#0	22.12	PASS
Band66	20MHz	QPSK	132572	50RB#25	22.27	PASS
Band66	20MHz	QPSK	132572	50RB#50	22.17	PASS
Band66	20MHz	QPSK	132572	100RB#0	22.30	PASS
Band66	20MHz	16QAM	132072	1RB#0	22.07	PASS
Band66	20MHz	16QAM	132072	1RB#49	22.77	PASS
Band66	20MHz	16QAM	132072	1RB#99	22.19	PASS
Band66	20MHz	16QAM	132072	50RB#0	21.57	PASS
Band66	20MHz	16QAM	132072	50RB#25	21.56	PASS
Band66	20MHz	16QAM	132072	50RB#50	21.68	PASS
Band66	20MHz	16QAM	132072	100RB#0	21.59	PASS
Band66	20MHz	16QAM	132322	1RB#0	21.91	PASS
Band66	20MHz	16QAM	132322	1RB#49	22.05	PASS
Band66	20MHz	16QAM	132322	1RB#99	21.61	PASS
Band66	20MHz	16QAM	132322	50RB#0	21.06	PASS
Band66	20MHz	16QAM	132322	50RB#25	21.08	PASS
Band66	20MHz	16QAM	132322	50RB#50	20.93	PASS
Band66	20MHz	16QAM	132322	100RB#0	20.97	PASS
Band66	20MHz	16QAM	132572	1RB#0	21.67	PASS
Band66	20MHz	16QAM	132572	1RB#49	22.06	PASS
Band66	20MHz	16QAM	132572	1RB#99	21.51	PASS
Band66	20MHz	16QAM	132572	50RB#0	20.93	PASS
Band66	20MHz	16QAM	132572	50RB#25	21.23	PASS
Band66	20MHz	16QAM	132572	50RB#50	21.21	PASS
Band66	20MHz	16QAM	132572	100RB#0	21.32	PASS

## Appendix B: Peak-to-Average Ratio(CCDF)

### Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band66	1.4MHz	QPSK	131979	6RB#0	5.42	13	PASS
Band66	1.4MHz	QPSK	132322	6RB#0	5.48	13	PASS
Band66	1.4MHz	QPSK	132665	6RB#0	5.57	13	PASS
Band66	1.4MHz	16QAM	131979	6RB#0	6.14	13	PASS
Band66	1.4MHz	16QAM	132322	6RB#0	6.17	13	PASS
Band66	1.4MHz	16QAM	132665	6RB#0	6.29	13	PASS
Band66	3MHz	QPSK	131987	15RB#0	5.54	13	PASS
Band66	3MHz	QPSK	132322	15RB#0	5.51	13	PASS
Band66	3MHz	QPSK	132657	15RB#0	5.71	13	PASS
Band66	3MHz	16QAM	131987	15RB#0	6.32	13	PASS
Band66	3MHz	16QAM	132322	15RB#0	6.26	13	PASS
Band66	3MHz	16QAM	132657	15RB#0	6.46	13	PASS
Band66	5MHz	QPSK	131997	25RB#0	5.54	13	PASS
Band66	5MHz	QPSK	132322	25RB#0	5.62	13	PASS
Band66	5MHz	QPSK	132647	25RB#0	5.68	13	PASS
Band66	5MHz	16QAM	131997	25RB#0	6.20	13	PASS
Band66	5MHz	16QAM	132322	25RB#0	6.26	13	PASS
Band66	5MHz	16QAM	132647	25RB#0	6.38	13	PASS
Band66	10MHz	QPSK	132022	50RB#0	5.54	13	PASS
Band66	10MHz	QPSK	132322	50RB#0	5.54	13	PASS
Band66	10MHz	QPSK	132622	50RB#0	5.57	13	PASS
Band66	10MHz	16QAM	132022	50RB#0	6.29	13	PASS
Band66	10MHz	16QAM	132322	50RB#0	6.23	13	PASS
Band66	10MHz	16QAM	132622	50RB#0	6.32	13	PASS
Band66	15MHz	QPSK	132047	75RB#0	5.62	13	PASS
Band66	15MHz	QPSK	132322	75RB#0	5.86	13	PASS
Band66	15MHz	QPSK	132597	75RB#0	5.71	13	PASS
Band66	15MHz	16QAM	132047	75RB#0	6.29	13	PASS
Band66	15MHz	16QAM	132322	75RB#0	6.38	13	PASS
Band66	15MHz	16QAM	132597	75RB#0	6.29	13	PASS
Band66	20MHz	QPSK	132072	100RB#0	5.39	13	PASS
Band66	20MHz	QPSK	132322	100RB#0	5.59	13	PASS
Band66	20MHz	QPSK	132572	100RB#0	5.30	13	PASS
Band66	20MHz	16QAM	132072	100RB#0	6.29	13	PASS
Band66	20MHz	16QAM	132322	100RB#0	6.35	13	PASS
Band66	20MHz	16QAM	132572	100RB#0	6.17	13	PASS




# Test Graphs


Band66-1.4MHz-QPSK-131979-6RB#0




Band66-1.4MHz-QPSK-132322-6RB#0



Band66-1.4MHz-QPSK-132665-6RB#0




Band66-1.4MHz-16QAM-131979-6RB#0



Band66-1.4MHz-16QAM-132322-6RB#0



Band66-1.4MHz-16QAM-132665-6RB#0



Date: 19.JAN.2024 11:51:52

### Band66-3MHz-QPSK-131987-15RB#0



Date: 19.JAN.2024 12:04:45

### Band66-3MHz-QPSK-132322-15RB#0




Date: 19.JAN.2024 12:05:06


### Band66-3MHz-QPSK-132657-15RB#0




Band66-3MHz-16QAM-131987-15RB#0



Band66-3MHz-16QAM-132322-15RB#0




Band66-3MHz-16QAM-132657-15RB#0




Band66-5MHz-QPSK-131997-25RB#0




Band66-5MHz-QPSK-132322-25RB#0



Band66-5MHz-QPSK-132647-25RB#0




Band66-5MHz-16QAM-131997-25RB#0




Band66-5MHz-16QAM-132322-25RB#0



Band66-5MHz-16QAM-132647-25RB#0




Band66-10MHz-QPSK-132022-50RB#0




Band66-10MHz-QPSK-132322-50RB#0




Band66-10MHz-QPSK-132622-50RB#0



Band66-10MHz-16QAM-132022-50RB#0




Band66-10MHz-16QAM-132322-50RB#0




Band66-10MHz-16QAM-132622-50RB#0







Band66-15MHz-QPSK-132047-75RB#0



Band66-15MHz-QPSK-132322-75RB#0




Band66-15MHz-QPSK-132597-75RB#0




Band66-15MHz-16QAM-132047-75RB#0




Band66-15MHz-16QAM-132322-75RB#0



Band66-15MHz-16QAM-132597-75RB#0




Band66-20MHz-QPSK-132072-100RB#0




Band66-20MHz-QPSK-132322-100RB#0



Band66-20MHz-QPSK-132572-100RB#0



### Band66-20MHz-16QAM-132072-100RB#0



### Band66-20MHz-16QAM-132322-100RB#0



### Band66-20MHz-16QAM-132572-100RB#0



Date: 19.JAN.2024 13:03:13

## Appendix C: 26dB Bandwidth and Occupied Bandwidth


### Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band66	1.4MHz	QPSK	131979	6RB#0	1.088	1.22	PASS
Band66	1.4MHz	QPSK	132322	6RB#0	1.088	1.20	PASS
Band66	1.4MHz	QPSK	132665	6RB#0	1.088	1.21	PASS
Band66	1.4MHz	16QAM	131979	6RB#0	1.088	1.24	PASS
Band66	1.4MHz	16QAM	132322	6RB#0	1.088	1.23	PASS
Band66	1.4MHz	16QAM	132665	6RB#0	1.088	1.23	PASS
Band66	3MHz	QPSK	131987	15RB#0	2.686	2.84	PASS
Band66	3MHz	QPSK	132322	15RB#0	2.686	2.86	PASS
Band66	3MHz	QPSK	132657	15RB#0	2.686	2.84	PASS
Band66	3MHz	16QAM	131987	15RB#0	2.686	2.84	PASS
Band66	3MHz	16QAM	132322	15RB#0	2.696	2.85	PASS
Band66	3MHz	16QAM	132657	15RB#0	2.696	2.84	PASS
Band66	5MHz	QPSK	131997	25RB#0	4.496	4.80	PASS
Band66	5MHz	QPSK	132322	25RB#0	4.496	4.79	PASS
Band66	5MHz	QPSK	132647	25RB#0	4.505	4.80	PASS
Band66	5MHz	16QAM	131997	25RB#0	4.505	4.77	PASS
Band66	5MHz	16QAM	132322	25RB#0	4.505	4.78	PASS
Band66	5MHz	16QAM	132647	25RB#0	4.515	4.78	PASS
Band66	10MHz	QPSK	132022	50RB#0	8.952	9.53	PASS
Band66	10MHz	QPSK	132322	50RB#0	8.985	9.53	PASS
Band66	10MHz	QPSK	132622	50RB#0	8.985	9.53	PASS
Band66	10MHz	16QAM	132022	50RB#0	8.985	9.53	PASS
Band66	10MHz	16QAM	132322	50RB#0	8.985	9.53	PASS
Band66	10MHz	16QAM	132622	50RB#0	8.952	9.53	PASS
Band66	15MHz	QPSK	132047	75RB#0	13.428	14.30	PASS
Band66	15MHz	QPSK	132322	75RB#0	13.478	14.30	PASS
Band66	15MHz	QPSK	132597	75RB#0	13.478	14.30	PASS
Band66	15MHz	16QAM	132047	75RB#0	13.428	14.30	PASS
Band66	15MHz	16QAM	132322	75RB#0	13.478	14.30	PASS
Band66	15MHz	16QAM	132597	75RB#0	13.428	14.30	PASS
Band66	20MHz	QPSK	132072	100RB#0	17.97	19.33	PASS
Band66	20MHz	QPSK	132322	100RB#0	18.103	19.33	PASS
Band66	20MHz	QPSK	132572	100RB#0	17.97	19.33	PASS
Band66	20MHz	16QAM	132072	100RB#0	17.97	19.33	PASS
Band66	20MHz	16QAM	132322	100RB#0	18.103	19.33	PASS


Band66	20MHz	16QAM	132572	100RB#0	17.97	19.33	PASS
--------	-------	-------	--------	---------	-------	-------	------

# Test Graphs

## Band66-1.4MHz-QPSK-131979-6RB#0




## Band66-1.4MHz-QPSK-132322-6RB#0




## Band66-1.4MHz-QPSK-132665-6RB#0







Band66-1.4MHz-16QAM-131979-6RB#0




Band66-1.4MHz-16QAM-132322-6RB#0




Band66-1.4MHz-16QAM-132665-6RB#0




### Band66-3MHz-QPSK-131987-15RB#0




### Band66-3MHz-QPSK-132322-15RB#0




### Band66-3MHz-QPSK-132657-15RB#0




Band66-3MHz-16QAM-131987-15RB#0




Band66-3MHz-16QAM-132322-15RB#0




Band66-3MHz-16QAM-132657-15RB#0




Band66-5MHz-QPSK-131997-25RB#0




Band66-5MHz-QPSK-132322-25RB#0




Band66-5MHz-QPSK-132647-25RB#0




Band66-5MHz-16QAM-131997-25RB#0




Band66-5MHz-16QAM-132322-25RB#0




Band66-5MHz-16QAM-132647-25RB#0




### Band66-10MHz-QPSK-132022-50RB#0




### Band66-10MHz-QPSK-132322-50RB#0




### Band66-10MHz-QPSK-132622-50RB#0




Band66-10MHz-16QAM-132022-50RB#0



Band66-10MHz-16QAM-132322-50RB#0




Band66-10MHz-16QAM-132622-50RB#0




Date: 19.JAN.2024 12:23:46

### Band66-15MHz-QPSK-132047-75RB#0



Date: 19.JAN.2024 12:23:57


### Band66-15MHz-QPSK-132322-75RB#0




Date: 19.JAN.2024 12:23:59

### Band66-15MHz-QPSK-132597-75RB#0







Band66-15MHz-16QAM-132047-75RB#0




Band66-15MHz-16QAM-132322-75RB#0




Band66-15MHz-16QAM-132597-75RB#0




Band66-20MHz-QPSK-132072-100RB#0




Band66-20MHz-QPSK-132322-100RB#0




Band66-20MHz-QPSK-132572-100RB#0




Band66-20MHz-16QAM-132072-100RB#0



Band66-20MHz-16QAM-132322-100RB#0



Band66-20MHz-16QAM-132572-100RB#0



Date: 19.JAN.2024 12:59:12


## Appendix D: Band Edge

### Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band66	1.4MHz	QPSK	131979	6RB#0	-27.61	PASS
Band66	1.4MHz	QPSK	132665	6RB#0	-29.23	PASS
Band66	1.4MHz	16QAM	131979	6RB#0	-28.23	PASS
Band66	1.4MHz	16QAM	132665	6RB#0	-27.65	PASS
Band66	3MHz	QPSK	131987	15RB#0	-29.44	PASS
Band66	3MHz	QPSK	132657	15RB#0	-31.01	PASS
Band66	3MHz	16QAM	131987	15RB#0	-32.77	PASS
Band66	3MHz	16QAM	132657	15RB#0	-30.28	PASS
Band66	5MHz	QPSK	131997	25RB#0	-25.24	PASS
Band66	5MHz	QPSK	132647	25RB#0	-26.32	PASS
Band66	5MHz	16QAM	131997	25RB#0	-26.52	PASS
Band66	5MHz	16QAM	132647	25RB#0	-25.65	PASS
Band66	10MHz	QPSK	132022	50RB#0	-30.13	PASS
Band66	10MHz	QPSK	132622	50RB#0	-31.88	PASS
Band66	10MHz	16QAM	132022	50RB#0	-30.91	PASS
Band66	10MHz	16QAM	132622	50RB#0	-30.31	PASS
Band66	15MHz	QPSK	132047	75RB#0	-31.16	PASS
Band66	15MHz	QPSK	132597	75RB#0	-32.27	PASS
Band66	15MHz	16QAM	132047	75RB#0	-31.36	PASS
Band66	15MHz	16QAM	132597	75RB#0	-32.25	PASS
Band66	20MHz	QPSK	132072	100RB#0	-31.08	PASS
Band66	20MHz	QPSK	132572	100RB#0	-32.75	PASS
Band66	20MHz	16QAM	132072	100RB#0	-30.53	PASS
Band66	20MHz	16QAM	132572	100RB#0	-32.09	PASS


# Test Graphs

Band66-1.4MHz-QPSK-131979-6RB#0




Date: 19.JAN.2023 11:42:20

Band66-1.4MHz-QPSK-132665-6RB#0




Date: 19.JAN.2023 11:42:49


Band66-1.4MHz-16QAM-131979-6RB#0




Band66-1.4MHz-16QAM-132665-6RB#0




Band66-3MHz-QPSK-131987-15RB#0



Band66-3MHz-QPSK-132657-15RB#0



Band66-3MHz-16QAM-131987-15RB#0




Band66-3MHz-16QAM-132657-15RB#0




Band66-5MHz-QPSK-131997-25RB#0






Band66-5MHz-QPSK-132647-25RB#0




Band66-5MHz-16QAM-131997-25RB#0



Band66-5MHz-16QAM-132647-25RB#0




Band66-10MHz-QPSK-132022-50RB#0




Band66-10MHz-QPSK-132622-50RB#0



Band66-10MHz-16QAM-132022-50RB#0




Band66-10MHz-16QAM-132622-50RB#0




Band66-15MHz-QPSK-132047-75RB#0



Band66-15MHz-QPSK-132597-75RB#0




Band66-15MHz-16QAM-132047-75RB#0




Band66-15MHz-16QAM-132597-75RB#0



Band66-20MHz-QPSK-132072-100RB#0



Band66-20MHz-QPSK-132572-100RB#0



Band66-20MHz-16QAM-132072-100RB#0



Band66-20MHz-16QAM-132572-100RB#0



Date: 19 JAN 2024 12:56:14