

Appendix for 5G NR N41

Model: ANY-NX1

BTL-FCCP-8-2203G020

Table of Contents	Page
1 . APPENDIX A - EFFECTIVE (ISOTROPIC) RADIATED POWER OUTPUT DATA	3
1.1 TEST RESULTS	3
2 . APPENDIX B - PEAK-TO-AVERAGE RATIO	6
2.1 TEST RESULTS	6
3 . APPENDIX C - MODULATION CHARACTERISTICS	7
3.1 TEST RESULTS	7
3.2 TEST PLOTS	8
3.2.1 CHANNEL BANDWIDTH=100MHZ	8
4 . APPENDIX D - BANDWIDTH	10
4.1 TEST RESULTS	10
4.2 TEST PLOTS	14
4.2.1 CHANNEL BANDWIDTH=20MHZ	14
4.2.2 CHANNEL BANDWIDTH=30MHZ	19
4.2.3 CHANNEL BANDWIDTH=40MHZ	24
4.2.4 CHANNEL BANDWIDTH=50MHZ	29
4.2.5 CHANNEL BANDWIDTH=60MHZ	34
4.2.6 CHANNEL BANDWIDTH=80MHZ	39
4.2.7 CHANNEL BANDWIDTH=90MHZ	44
4.2.8 CHANNEL BANDWIDTH=100MHZ	49
5 . APPENDIX E - BAND EDGES COMPLIANCE	54
5.1 TEST RESULTS	54
5.2 TEST PLOTS	57
5.2.1 CHANNEL BANDWIDTH=20MHZ	57
5.2.2 CHANNEL BANDWIDTH=100MHZ	66
6 . APPENDIX F - SPURIOUS EMISSION AT ANTENNA TERMINAL	75
6.1 TEST RESULTS	75
6.2 TEST PLOTS	76
6.2.1 CHANNEL BANDWIDTH=20MHZ	76
6.2.2 CHANNEL BANDWIDTH=60MHZ	85
6.2.3 CHANNEL BANDWIDTH=100MHZ	94
7 . APPENDIX G - FREQUENCY STABILITY	103
7.1 TEST RESULTS	103
7.1.1 FREQUENCY ERROR VS. VOLTAGE	103
7.1.2 FREQUENCY ERROR VS. TEMPERATURE	103

1. APPENDIX A - EFFECTIVE (ISOTROPIC) RADIATED POWER OUTPUT DATA

1.1 TEST RESULTS

SCS [kHz]	BW [Mhz]	Channel	Freq [Mhz]	Modulation	RB config	Measured conducted power [dBm]	EIRP [dBm]	Limit [dBm]	Verdict
30	20	Low	2506.02	DFT-s-OFDM PI/2 BPSK	Edge_1RB_Left	23.45	25.75	<33	PASS
30	20	Low	2506.02	DFT-s-OFDM PI/2 BPSK	Edge_1RB_Right	23.49	25.79	<33	PASS
30	20	Low	2506.02	DFT-s-OFDM PI/2 BPSK	Outer_Full	22.87	25.17	<33	PASS
30	20	Low	2506.02	DFT-s-OFDM PI/2 BPSK	Inner_Full	23.3	25.6	<33	PASS
30	20	Low	2506.02	DFT-s-OFDM QPSK	Edge_1RB_Left	21.12	23.42	<33	PASS
30	20	Low	2506.02	DFT-s-OFDM QPSK	Edge_1RB_Right	23	25.3	<33	PASS
30	20	Low	2506.02	DFT-s-OFDM QPSK	Outer_Full	22.35	24.65	<33	PASS
30	20	Low	2506.02	DFT-s-OFDM QPSK	Inner_Full	23.26	25.56	<33	PASS
30	20	Low	2506.02	DFT-s-OFDM 16QAM	Edge_1RB_Left	17.73	20.03	<33	PASS
30	20	Low	2506.02	DFT-s-OFDM 16QAM	Edge_1RB_Right	17.22	19.52	<33	PASS
30	20	Low	2506.02	DFT-s-OFDM 16QAM	Outer_Full	18.61	20.91	<33	PASS
30	20	Low	2506.02	DFT-s-OFDM 16QAM	Inner_Full	16.75	19.05	<33	PASS
30	20	Middle	2592.99	DFT-s-OFDM PI/2 BPSK	Edge_1RB_Left	26.61	28.91	<33	PASS
30	20	Middle	2592.99	DFT-s-OFDM PI/2 BPSK	Edge_1RB_Right	27.01	29.31	<33	PASS
30	20	Middle	2592.99	DFT-s-OFDM PI/2 BPSK	Outer_Full	26.11	28.41	<33	PASS
30	20	Middle	2592.99	DFT-s-OFDM PI/2 BPSK	Inner_Full	27.33	29.63	<33	PASS
30	20	Middle	2592.99	DFT-s-OFDM QPSK	Edge_1RB_Left	26.05	28.35	<33	PASS
30	20	Middle	2592.99	DFT-s-OFDM QPSK	Edge_1RB_Right	26.48	28.78	<33	PASS
30	20	Middle	2592.99	DFT-s-OFDM QPSK	Outer_Full	26.27	28.57	<33	PASS
30	20	Middle	2592.99	DFT-s-OFDM QPSK	Inner_Full	27.26	29.56	<33	PASS
30	20	Middle	2592.99	DFT-s-OFDM 16QAM	Edge_1RB_Left	21.77	24.07	<33	PASS
30	20	Middle	2592.99	DFT-s-OFDM 16QAM	Edge_1RB_Right	21.46	23.76	<33	PASS
30	20	Middle	2592.99	DFT-s-OFDM 16QAM	Outer_Full	21.99	24.29	<33	PASS
30	20	Middle	2592.99	DFT-s-OFDM 16QAM	Inner_Full	20.63	22.93	<33	PASS
30	20	High	2679.99	DFT-s-OFDM PI/2 BPSK	Edge_1RB_Left	27.19	29.49	<33	PASS
30	20	High	2679.99	DFT-s-OFDM PI/2 BPSK	Edge_1RB_Right	26.18	28.48	<33	PASS
30	20	High	2679.99	DFT-s-OFDM PI/2 BPSK	Outer_Full	26.31	28.61	<33	PASS
30	20	High	2679.99	DFT-s-OFDM PI/2 BPSK	Inner_Full	27.21	29.51	<33	PASS
30	20	High	2679.99	DFT-s-OFDM QPSK	Edge_1RB_Left	26.72	29.02	<33	PASS
30	20	High	2679.99	DFT-s-OFDM QPSK	Edge_1RB_Right	25.73	28.03	<33	PASS
30	20	High	2679.99	DFT-s-OFDM QPSK	Outer_Full	26.31	28.61	<33	PASS
30	20	High	2679.99	DFT-s-OFDM QPSK	Inner_Full	27.27	29.57	<33	PASS
30	20	High	2679.99	DFT-s-OFDM 16QAM	Edge_1RB_Left	20.07	22.37	<33	PASS
30	20	High	2679.99	DFT-s-OFDM 16QAM	Edge_1RB_Right	22.21	24.51	<33	PASS
30	20	High	2679.99	DFT-s-OFDM 16QAM	Outer_Full	21.56	23.86	<33	PASS
30	20	High	2679.99	DFT-s-OFDM 16QAM	Inner_Full	20.94	23.24	<33	PASS
30	60	Low	2526.0	DFT-s-OFDM PI/2 BPSK	Edge_1RB_Left	21.56	23.86	<33	PASS

SCS [kHz]	BW [Mhz]	Channel	Freq [Mhz]	Modulation	RB config	Measured conducted power [dBm]	EIRP [dBm]	Limit [dBm]	Verdict
30	60	Low	2526.0	DFT-s-OFDM PI/2 BPSK	Edge_1RB_Right	25.8	28.1	<33	PASS
30	60	Low	2526.0	DFT-s-OFDM PI/2 BPSK	Outer_Full	20.69	22.91	<33	PASS
30	60	Low	2526.0	DFT-s-OFDM PI/2 BPSK	Inner_Full	25.01	27.31	<33	PASS
30	60	Low	2526.0	DFT-s-OFDM QPSK	Edge_1RB_Left	21.02	23.32	<33	PASS
30	60	Low	2526.0	DFT-s-OFDM QPSK	Edge_1RB_Right	25.29	27.59	<33	PASS
30	60	Low	2526.0	DFT-s-OFDM QPSK	Outer_Full	24.22	26.52	<33	PASS
30	60	Low	2526.0	DFT-s-OFDM QPSK	Inner_Full	25.01	27.31	<33	PASS
30	60	Low	2526.0	DFT-s-OFDM 16QAM	Edge_1RB_Left	19.26	21.56	<33	PASS
30	60	Low	2526.0	DFT-s-OFDM 16QAM	Edge_1RB_Right	17.04	19.34	<33	PASS
30	60	Low	2526.0	DFT-s-OFDM 16QAM	Outer_Full	20.73	23.03	<33	PASS
30	60	Low	2526.0	DFT-s-OFDM 16QAM	Inner_Full	18.44	20.74	<33	PASS
30	60	Middle	2592.99	DFT-s-OFDM PI/2 BPSK	Edge_1RB_Left	26.15	28.45	<33	PASS
30	60	Middle	2592.99	DFT-s-OFDM PI/2 BPSK	Edge_1RB_Right	27.09	29.39	<33	PASS
30	60	Middle	2592.99	DFT-s-OFDM PI/2 BPSK	Outer_Full	25.73	28.03	<33	PASS
30	60	Middle	2592.99	DFT-s-OFDM PI/2 BPSK	Inner_Full	27.29	29.59	<33	PASS
30	60	Middle	2592.99	DFT-s-OFDM QPSK	Edge_1RB_Left	25.63	27.93	<33	PASS
30	60	Middle	2592.99	DFT-s-OFDM QPSK	Edge_1RB_Right	26.56	28.86	<33	PASS
30	60	Middle	2592.99	DFT-s-OFDM QPSK	Outer_Full	26.23	28.53	<33	PASS
30	60	Middle	2592.99	DFT-s-OFDM QPSK	Inner_Full	27.24	29.54	<33	PASS
30	60	Middle	2592.99	DFT-s-OFDM 16QAM	Edge_1RB_Left	21.51	23.81	<33	PASS
30	60	Middle	2592.99	DFT-s-OFDM 16QAM	Edge_1RB_Right	21.10	23.40	<33	PASS
30	60	Middle	2592.99	DFT-s-OFDM 16QAM	Outer_Full	21.91	24.21	<33	PASS
30	60	Middle	2592.99	DFT-s-OFDM 16QAM	Inner_Full	20.52	22.82	<33	PASS
30	60	High	2659.98	DFT-s-OFDM PI/2 BPSK	Edge_1RB_Left	27.43	29.73	<33	PASS
30	60	High	2659.98	DFT-s-OFDM PI/2 BPSK	Edge_1RB_Right	26.15	28.45	<33	PASS
30	60	High	2659.98	DFT-s-OFDM PI/2 BPSK	Outer_Full	26.87	29.17	<33	PASS
30	60	High	2659.98	DFT-s-OFDM PI/2 BPSK	Inner_Full	27.73	30.03	<33	PASS
30	60	High	2659.98	DFT-s-OFDM QPSK	Edge_1RB_Left	26.9	29.2	<33	PASS
30	60	High	2659.98	DFT-s-OFDM QPSK	Edge_1RB_Right	25.63	27.93	<33	PASS
30	60	High	2659.98	DFT-s-OFDM QPSK	Outer_Full	26.69	28.99	<33	PASS
30	60	High	2659.98	DFT-s-OFDM QPSK	Inner_Full	27.69	29.99	<33	PASS
30	60	High	2659.98	DFT-s-OFDM 16QAM	Edge_1RB_Left	22.27	24.57	<33	PASS
30	60	High	2659.98	DFT-s-OFDM 16QAM	Edge_1RB_Right	22.50	24.80	<33	PASS
30	60	High	2659.98	DFT-s-OFDM 16QAM	Outer_Full	21.66	23.96	<33	PASS
30	60	High	2659.98	DFT-s-OFDM 16QAM	Inner_Full	21.11	23.41	<33	PASS
30	100	Low	2546.01	DFT-s-OFDM PI/2 BPSK	Edge_1RB_Left	21.23	23.53	<33	PASS
30	100	Low	2546.01	DFT-s-OFDM PI/2 BPSK	Edge_1RB_Right	26.56	28.86	<33	PASS
30	100	Low	2546.01	DFT-s-OFDM PI/2 BPSK	Outer_Full	20	22.3	<33	PASS
30	100	Low	2546.01	DFT-s-OFDM PI/2 BPSK	Inner_Full	25.7	28	<33	PASS

SCS [kHz]	BW [Mhz]	Channel	Freq [Mhz]	Modulation	RB config	Measured conducted power [dBm]	EIRP [dBm]	Limit [dBm]	Verdict
30	100	Low	2546.01	DFT-s-OFDM QPSK	Edge_1RB_Left	20.7	23	<33	PASS
30	100	Low	2546.01	DFT-s-OFDM QPSK	Edge_1RB_Right	26.12	28.42	<33	PASS
30	100	Low	2546.01	DFT-s-OFDM QPSK	Outer_Full	24.72	27.02	<33	PASS
30	100	Low	2546.01	DFT-s-OFDM QPSK	Inner_Full	25.72	28.02	<33	PASS
30	100	Low	2546.01	DFT-s-OFDM 16QAM	Edge_1RB_Left	19.96	22.26	<33	PASS
30	100	Low	2546.01	DFT-s-OFDM 16QAM	Edge_1RB_Right	16.77	19.07	<33	PASS
30	100	Low	2546.01	DFT-s-OFDM 16QAM	Outer_Full	21.62	23.92	<33	PASS
30	100	Low	2546.01	DFT-s-OFDM 16QAM	Inner_Full	19.05	21.35	<33	PASS
30	100	Middle	2592.99	DFT-s-OFDM PI/2 BPSK	Edge_1RB_Left	25.05	27.35	<33	PASS
30	100	Middle	2592.99	DFT-s-OFDM PI/2 BPSK	Edge_1RB_Right	27.12	29.42	<33	PASS
30	100	Middle	2592.99	DFT-s-OFDM PI/2 BPSK	Outer_Full	24.78	27.08	<33	PASS
30	100	Middle	2592.99	DFT-s-OFDM PI/2 BPSK	Inner_Full	27.1	29.4	<33	PASS
30	100	Middle	2592.99	DFT-s-OFDM QPSK	Edge_1RB_Left	24.44	26.74	<33	PASS
30	100	Middle	2592.99	DFT-s-OFDM QPSK	Edge_1RB_Right	26.55	28.85	<33	PASS
30	100	Middle	2592.99	DFT-s-OFDM QPSK	Outer_Full	26.02	28.32	<33	PASS
30	100	Middle	2592.99	DFT-s-OFDM QPSK	Inner_Full	27.17	29.47	<33	PASS
30	100	Middle	2592.99	DFT-s-OFDM 16QAM	Edge_1RB_Left	21.28	23.58	<33	PASS
30	100	Middle	2592.99	DFT-s-OFDM 16QAM	Edge_1RB_Right	19.68	21.98	<33	PASS
30	100	Middle	2592.99	DFT-s-OFDM 16QAM	Outer_Full	21.81	24.11	<33	PASS
30	100	Middle	2592.99	DFT-s-OFDM 16QAM	Inner_Full	20.26	22.56	<33	PASS
30	100	High	2640.0	DFT-s-OFDM PI/2 BPSK	Edge_1RB_Left	26.53	28.83	<33	PASS
30	100	High	2640.0	DFT-s-OFDM PI/2 BPSK	Edge_1RB_Right	25.93	28.23	<33	PASS
30	100	High	2640.0	DFT-s-OFDM PI/2 BPSK	Outer_Full	26.33	28.63	<33	PASS
30	100	High	2640.0	DFT-s-OFDM PI/2 BPSK	Inner_Full	27.81	30.11	<33	PASS
30	100	High	2640.0	DFT-s-OFDM QPSK	Edge_1RB_Left	26.03	28.33	<33	PASS
30	100	High	2640.0	DFT-s-OFDM QPSK	Edge_1RB_Right	25.48	27.78	<33	PASS
30	100	High	2640.0	DFT-s-OFDM QPSK	Outer_Full	26.52	28.82	<33	PASS
30	100	High	2640.0	DFT-s-OFDM QPSK	Inner_Full	27.87	30.17	<33	PASS
30	100	High	2640.0	DFT-s-OFDM 16QAM	Edge_1RB_Left	22.31	24.61	<33	PASS
30	100	High	2640.0	DFT-s-OFDM 16QAM	Edge_1RB_Right	21.46	23.76	<33	PASS
30	100	High	2640.0	DFT-s-OFDM 16QAM	Outer_Full	21.21	23.51	<33	PASS
30	100	High	2640.0	DFT-s-OFDM 16QAM	Inner_Full	21.23	23.53	<33	PASS

2. APPENDIX B - PEAK-TO-AVERAGE RATIO

2.1 TEST RESULTS

NR Band	SCS [kHz]	BW [Mhz]	Channel	Freq [Mhz]	Modulation	RB config	Measured [dBm]	Limit [dBm]	Verdict
N41	30	20	Middle	2592.99	DFT-s-OFDM PI/2 BPSK	Outer_Full	9.8	≤ 13	PASS
N41	30	20	Middle	2592.99	DFT-s-OFDM QPSK	Outer_Full	8.89	≤ 13	PASS
N41	30	20	Middle	2592.99	DFT-s-OFDM 16QAM	Outer_Full	8.36	≤ 13	PASS
N41	30	20	Middle	2592.99	DFT-s-OFDM 64QAM	Outer_Full	9.18	≤ 13	PASS
N41	30	20	Middle	2592.99	DFT-s-OFDM 256QAM	Outer_Full	8.68	≤ 13	PASS
N41	30	20	Middle	2592.99	CP-OFDM QPSK	Outer_Full	9.46	≤ 13	PASS
N41	30	20	Middle	2592.99	CP-OFDM 16QAM	Outer_Full	9.59	≤ 13	PASS
N41	30	20	Middle	2592.99	CP-OFDM 64QAM	Outer_Full	9.33	≤ 13	PASS
N41	30	20	Middle	2592.99	CP-OFDM 256QAM	Outer_Full	9.14	≤ 13	PASS
N41	30	60	Middle	2592.99	DFT-s-OFDM PI/2 BPSK	Outer_Full	9.12	≤ 13	PASS
N41	30	60	Middle	2592.99	DFT-s-OFDM QPSK	Outer_Full	8.87	≤ 13	PASS
N41	30	60	Middle	2592.99	DFT-s-OFDM 16QAM	Outer_Full	8.71	≤ 13	PASS
N41	30	60	Middle	2592.99	DFT-s-OFDM 64QAM	Outer_Full	8.57	≤ 13	PASS
N41	30	60	Middle	2592.99	DFT-s-OFDM 256QAM	Outer_Full	8.78	≤ 13	PASS
N41	30	60	Middle	2592.99	CP-OFDM QPSK	Outer_Full	8.88	≤ 13	PASS
N41	30	60	Middle	2592.99	CP-OFDM 16QAM	Outer_Full	8.67	≤ 13	PASS
N41	30	60	Middle	2592.99	CP-OFDM 64QAM	Outer_Full	8.2	≤ 13	PASS
N41	30	60	Middle	2592.99	CP-OFDM 256QAM	Outer_Full	8.75	≤ 13	PASS
N41	30	100	Middle	2592.99	DFT-s-OFDM PI/2 BPSK	Outer_Full	8.78	≤ 13	PASS
N41	30	100	Middle	2592.99	DFT-s-OFDM QPSK	Outer_Full	9.33	≤ 13	PASS
N41	30	100	Middle	2592.99	DFT-s-OFDM 16QAM	Outer_Full	9.12	≤ 13	PASS
N41	30	100	Middle	2592.99	DFT-s-OFDM 64QAM	Outer_Full	8.39	≤ 13	PASS
N41	30	100	Middle	2592.99	DFT-s-OFDM 256QAM	Outer_Full	8.95	≤ 13	PASS
N41	30	100	Middle	2592.99	CP-OFDM QPSK	Outer_Full	9.96	≤ 13	PASS
N41	30	100	Middle	2592.99	CP-OFDM 16QAM	Outer_Full	9.61	≤ 13	PASS
N41	30	100	Middle	2592.99	CP-OFDM 64QAM	Outer_Full	8.94	≤ 13	PASS
N41	30	100	Middle	2592.99	CP-OFDM 256QAM	Outer_Full	9.07	≤ 13	PASS

3. APPENDIX C - MODULATION CHARACTERISTICS

3.1 TEST RESULTS

NR Band	SCS [kHz]	BW [Mhz]	Channel	Freq [Mhz]	Modulation	RB config	Verdict
N41	30	100	Middle	2592.99	DFT-s-OFDM PI/2 BPSK	Outer_Full	PASS
N41	30	100	Middle	2592.99	DFT-s-OFDM QPSK	Outer_Full	PASS
N41	30	100	Middle	2592.99	DFT-s-OFDM 16QAM	Outer_Full	PASS
N41	30	100	Middle	2592.99	DFT-s-OFDM 64QAM	Outer_Full	PASS
N41	30	100	Middle	2592.99	DFT-s-OFDM 256QAM	Outer_Full	PASS
N41	30	100	Middle	2592.99	CP-OFDM QPSK	Outer_Full	PASS
N41	30	100	Middle	2592.99	CP-OFDM 16QAM	Outer_Full	PASS
N41	30	100	Middle	2592.99	CP-OFDM 64QAM	Outer_Full	PASS
N41	30	100	Middle	2592.99	CP-OFDM 256QAM	Outer_Full	PASS

3.2 TEST PLOTS

3.2.1 CHANNEL BANDWIDTH=100MHZ



1-N41-PC3-30-100-M-1-DFT-s-OFDM PI/2 BPSK-Outer_Full-270@0-Ant1-see graph-PASS



1-N41-PC3-30-100-M-2-DFT-s-OFDM QPSK-Outer_Full-270@0-Ant1-see graph-PASS




1-N41-PC3-30-100-M-3-DFT-s-OFDM 16QAM-Outer_Full-270@0-Ant1-see graph-PASS




1-N41-PC3-30-100-M-4-DFT-s-OFDM 64QAM-Outer_Full-270@0-Ant1-see graph-PASS



1-N41-PC3-30-100-M-5-DFT-s-OFDM 256QAM-Outer_Full-270@0-Ant1-see graph-PASS



1-N41-PC3-30-100-M-6-CP-OFDM QPSK-Outer_Full-273@0-Ant1-see graph-PASS



1-N41-PC3-30-100-M-7-CP-OFDM
16QAM-Outer_Full-273@0-Ant1-see graph-PASS



1-N41-PC3-30-100-M-8-CP-OFDM
64QAM-Outer_Full-273@0-Ant1-see graph-PASS



1-N41-PC3-30-100-M-9-CP-OFDM
256QAM-Outer_Full-273@0-Ant1-see graph-PASS

4. APPENDIX D - BANDWIDTH

4.1 TEST RESULTS

NR Band	SCS [kHz]	BW [MHz]	Channel	Freq [Mhz]	Modulation	RB config	Occupied Bandwidth [MHz]	Emission Bandwidth [MHz]	Verdict
N41	30	20	Low	2506.02	DFT-QPSK	Outer_Full	18.218	18.880	PASS
N41	30	20	Low	2506.02	DFT-PI2BPSK	Outer_Full	17.869	18.680	PASS
N41	30	20	Low	2506.02	DFT-16QAM	Outer_Full	18.204	19.080	PASS
N41	30	20	Low	2506.02	DFT-64QAM	Outer_Full	18.141	19.320	PASS
N41	30	20	Low	2506.02	CP-QPSK	Outer_Full	17.768	18.480	PASS
N41	30	20	Low	2506.02	CP-16QAM	Outer_Full	17.84	18.800	PASS
N41	30	20	Low	2506.02	CP-64QAM	Outer_Full	17.671	18.600	PASS
N41	30	20	Low	2506.02	CP-256QAM	Outer_Full	17.845	18.480	PASS
N41	30	20	Low	2506.02	DFT-256QAM	Outer_Full	17.823	18.720	PASS
N41	30	20	Middle	2592.99	DFT-QPSK	Outer_Full	18.208	18.960	PASS
N41	30	20	Middle	2592.99	DFT-PI2BPSK	Outer_Full	18.256	19.160	PASS
N41	30	20	Middle	2592.99	DFT-16QAM	Outer_Full	18.083	19.040	PASS
N41	30	20	Middle	2592.99	DFT-64QAM	Outer_Full	18.189	18.880	PASS
N41	30	20	Middle	2592.99	CP-QPSK	Outer_Full	17.845	18.560	PASS
N41	30	20	Middle	2592.99	CP-16QAM	Outer_Full	17.941	18.760	PASS
N41	30	20	Middle	2592.99	CP-64QAM	Outer_Full	17.856	18.520	PASS
N41	30	20	Middle	2592.99	CP-256QAM	Outer_Full	17.787	18.680	PASS
N41	30	20	Middle	2592.99	DFT-256QAM	Outer_Full	17.878	18.680	PASS
N41	30	20	High	2679.99	DFT-QPSK	Outer_Full	18.145	18.920	PASS
N41	30	20	High	2679.99	DFT-PI2BPSK	Outer_Full	18.319	19.200	PASS
N41	30	20	High	2679.99	DFT-16QAM	Outer_Full	18.199	18.920	PASS
N41	30	20	High	2679.99	DFT-64QAM	Outer_Full	18.158	19.000	PASS
N41	30	20	High	2679.99	CP-QPSK	Outer_Full	17.606	18.800	PASS
N41	30	20	High	2679.99	CP-16QAM	Outer_Full	17.946	18.720	PASS
N41	30	20	High	2679.99	CP-64QAM	Outer_Full	17.973	18.680	PASS
N41	30	20	High	2679.99	CP-256QAM	Outer_Full	17.841	18.520	PASS
N41	30	20	High	2679.99	DFT-256QAM	Outer_Full	17.832	18.520	PASS
N41	30	30	Low	2511.0	DFT-QPSK	Outer_Full	27.51	28.920	PASS
N41	30	30	Low	2511.0	DFT-PI2BPSK	Outer_Full	27.543	29.100	PASS
N41	30	30	Low	2511.0	DFT-16QAM	Outer_Full	27.681	28.980	PASS
N41	30	30	Low	2511.0	DFT-64QAM	Outer_Full	27.86	28.860	PASS
N41	30	30	Low	2511.0	CP-QPSK	Outer_Full	26.616	27.840	PASS
N41	30	30	Low	2511.0	CP-16QAM	Outer_Full	26.611	28.080	PASS
N41	30	30	Low	2511.0	CP-64QAM	Outer_Full	26.31	28.140	PASS
N41	30	30	Low	2511.0	CP-256QAM	Outer_Full	26.615	27.840	PASS
N41	30	30	Low	2511.0	DFT-256QAM	Outer_Full	26.762	28.020	PASS
N41	30	30	Middle	2592.99	DFT-QPSK	Outer_Full	26.767	27.720	PASS
N41	30	30	Middle	2592.99	DFT-PI2BPSK	Outer_Full	27.281	28.020	PASS
N41	30	30	Middle	2592.99	DFT-16QAM	Outer_Full	27.975	28.980	PASS
N41	30	30	Middle	2592.99	DFT-64QAM	Outer_Full	27.921	28.860	PASS
N41	30	30	Middle	2592.99	CP-QPSK	Outer_Full	26.941	27.840	PASS
N41	30	30	Middle	2592.99	CP-16QAM	Outer_Full	26.749	27.780	PASS
N41	30	30	Middle	2592.99	CP-64QAM	Outer_Full	26.721	28.080	PASS
N41	30	30	Middle	2592.99	CP-256QAM	Outer_Full	26.773	27.840	PASS
N41	30	30	Middle	2592.99	DFT-256QAM	Outer_Full	26.842	27.960	PASS
N41	30	30	High	2675.0	DFT-QPSK	Outer_Full	8.865	26.580	PASS
N41	30	30	High	2675.0	DFT-PI2BPSK	Outer_Full	27.995	29.100	PASS
N41	30	30	High	2675.0	DFT-16QAM	Outer_Full	28.031	28.920	PASS
N41	30	30	High	2675.0	DFT-64QAM	Outer_Full	27.957	29.040	PASS


NR Band	SCS [kHz]	BW [MHz]	Channel	Freq [MHz]	Modulation	RB config	Occupied Bandwidth [MHz]	Emission Bandwidth [MHz]	Verdict
N41	30	30	High	2675.0	CP-QPSK	Outer_Full	26.726	27.780	PASS
N41	30	30	High	2675.0	CP-16QAM	Outer_Full	26.706	28.020	PASS
N41	30	30	High	2675.0	CP-64QAM	Outer_Full	26.705	27.720	PASS
N41	30	30	High	2675.0	CP-256QAM	Outer_Full	26.797	28.380	PASS
N41	30	30	High	2675.0	DFT-256QAM	Outer_Full	26.651	27.780	PASS
N41	30	40	Low	2516.0	DFT-QPSK	Outer_Full	37.541	39.520	PASS
N41	30	40	Low	2516.0	DFT-PI2BPSK	Outer_Full	37.619	38.960	PASS
N41	30	40	Low	2516.0	DFT-16QAM	Outer_Full	37.552	39.360	PASS
N41	30	40	Low	2516.0	DFT-64QAM	Outer_Full	37.477	39.120	PASS
N41	30	40	Low	2516.0	CP-QPSK	Outer_Full	35.103	37.040	PASS
N41	30	40	Low	2516.0	CP-16QAM	Outer_Full	35.587	37.120	PASS
N41	30	40	Low	2516.0	CP-64QAM	Outer_Full	35.234	37.360	PASS
N41	30	40	Low	2516.0	CP-256QAM	Outer_Full	35.593	37.120	PASS
N41	30	40	Low	2516.0	DFT-256QAM	Outer_Full	35.329	37.200	PASS
N41	30	40	Middle	2592.99	DFT-QPSK	Outer_Full	8.988	9.520	PASS
N41	30	40	Middle	2592.99	DFT-PI2BPSK	Outer_Full	37.854	39.280	PASS
N41	30	40	Middle	2592.99	DFT-16QAM	Outer_Full	37.759	39.200	PASS
N41	30	40	Middle	2592.99	DFT-64QAM	Outer_Full	37.784	39.360	PASS
N41	30	40	Middle	2592.99	CP-QPSK	Outer_Full	35.519	37.440	PASS
N41	30	40	Middle	2592.99	CP-16QAM	Outer_Full	35.831	37.280	PASS
N41	30	40	Middle	2592.99	CP-64QAM	Outer_Full	35.757	37.440	PASS
N41	30	40	Middle	2592.99	CP-256QAM	Outer_Full	35.758	37.040	PASS
N41	30	40	Middle	2592.99	DFT-256QAM	Outer_Full	35.912	37.120	PASS
N41	30	40	High	2670.0	DFT-QPSK	Outer_Full	37.711	39.280	PASS
N41	30	40	High	2670.0	DFT-PI2BPSK	Outer_Full	37.772	39.360	PASS
N41	30	40	High	2670.0	DFT-16QAM	Outer_Full	37.946	39.280	PASS
N41	30	40	High	2670.0	DFT-64QAM	Outer_Full	37.829	39.280	PASS
N41	30	40	High	2670.0	CP-QPSK	Outer_Full	35.701	37.120	PASS
N41	30	40	High	2670.0	CP-16QAM	Outer_Full	35.788	37.280	PASS
N41	30	40	High	2670.0	CP-64QAM	Outer_Full	35.63	37.280	PASS
N41	30	40	High	2670.0	CP-256QAM	Outer_Full	35.853	37.200	PASS
N41	30	40	High	2670.0	DFT-256QAM	Outer_Full	35.588	37.040	PASS
N41	30	50	Low	2521.0	DFT-QPSK	Outer_Full	46.599	49.100	PASS
N41	30	50	Low	2521.0	DFT-PI2BPSK	Outer_Full	47.01	49.100	PASS
N41	30	50	Low	2521.0	DFT-16QAM	Outer_Full	46.705	49.000	PASS
N41	30	50	Low	2521.0	DFT-64QAM	Outer_Full	45.206	47.200	PASS
N41	30	50	Low	2521.0	CP-QPSK	Outer_Full	45.425	47.300	PASS
N41	30	50	Low	2521.0	CP-16QAM	Outer_Full	45.513	47.100	PASS
N41	30	50	Low	2521.0	CP-64QAM	Outer_Full	45.096	47.200	PASS
N41	30	50	Low	2521.0	CP-256QAM	Outer_Full	45.148	47.100	PASS
N41	30	50	Low	2521.0	DFT-256QAM	Outer_Full	45.145	47.200	PASS
N41	30	50	Middle	2592.99	DFT-QPSK	Outer_Full	47.321	49.000	PASS
N41	30	50	Middle	2592.99	DFT-PI2BPSK	Outer_Full	47.493	49.100	PASS
N41	30	50	Middle	2592.99	DFT-16QAM	Outer_Full	47.429	48.900	PASS
N41	30	50	Middle	2592.99	DFT-64QAM	Outer_Full	45.817	47.400	PASS
N41	30	50	Middle	2592.99	CP-QPSK	Outer_Full	45.575	47.600	PASS
N41	30	50	Middle	2592.99	CP-16QAM	Outer_Full	45.851	47.500	PASS
N41	30	50	Middle	2592.99	CP-64QAM	Outer_Full	45.649	47.300	PASS
N41	30	50	Middle	2592.99	CP-256QAM	Outer_Full	45.812	47.400	PASS
N41	30	50	Middle	2592.99	DFT-256QAM	Outer_Full	45.791	47.400	PASS
N41	30	50	High	2665.0	DFT-QPSK	Outer_Full	47.539	49.200	PASS
N41	30	50	High	2665.0	DFT-PI2BPSK	Outer_Full	47.477	49.100	PASS
N41	30	50	High	2665.0	DFT-16QAM	Outer_Full	47.232	49.100	PASS
N41	30	50	High	2665.0	DFT-64QAM	Outer_Full	47.479	49.200	PASS
N41	30	50	High	2665.0	CP-QPSK	Outer_Full	45.762	47.200	PASS

NR Band	SCS [kHz]	BW [MHz]	Channel	Freq [Mhz]	Modulation	RB config	Occupied Bandwidth [MHz]	Emission Bandwidth [MHz]	Verdict
N41	30	50	High	2665.0	CP-16QAM	Outer_Full	45.528	47.300	PASS
N41	30	50	High	2665.0	CP-64QAM	Outer_Full	45.227	47.500	PASS
N41	30	50	High	2665.0	CP-256QAM	Outer_Full	45.407	47.300	PASS
N41	30	50	High	2665.0	DFT-256QAM	Outer_Full	45.735	47.300	PASS
N41	30	60	Low	2526.0	DFT-QPSK	Outer_Full	56.973	59.280	PASS
N41	30	60	Low	2526.0	DFT-PI2BPSK	Outer_Full	56.686	59.400	PASS
N41	30	60	Low	2526.0	DFT-16QAM	Outer_Full	56.01	59.400	PASS
N41	30	60	Low	2526.0	DFT-64QAM	Outer_Full	56.536	59.640	PASS
N41	30	60	Low	2526.0	CP-QPSK	Outer_Full	57.009	59.520	PASS
N41	30	60	Low	2526.0	CP-16QAM	Outer_Full	57.244	59.280	PASS
N41	30	60	Low	2526.0	CP-64QAM	Outer_Full	57.32	59.520	PASS
N41	30	60	Low	2526.0	CP-256QAM	Outer_Full	57.07	59.520	PASS
N41	30	60	Low	2526.0	DFT-256QAM	Outer_Full	57.189	59.520	PASS
N41	30	60	Middle	2592.99	DFT-QPSK	Outer_Full	57.657	59.640	PASS
N41	30	60	Middle	2592.99	DFT-PI2BPSK	Outer_Full	57.867	59.520	PASS
N41	30	60	Middle	2592.99	DFT-16QAM	Outer_Full	57.599	59.520	PASS
N41	30	60	Middle	2592.99	DFT-64QAM	Outer_Full	57.449	59.520	PASS
N41	30	60	Middle	2592.99	CP-QPSK	Outer_Full	57.82	59.640	PASS
N41	30	60	Middle	2592.99	CP-16QAM	Outer_Full	58.032	59.640	PASS
N41	30	60	Middle	2592.99	CP-64QAM	Outer_Full	57.768	59.640	PASS
N41	30	60	Middle	2592.99	CP-256QAM	Outer_Full	58.044	59.640	PASS
N41	30	60	Middle	2592.99	DFT-256QAM	Outer_Full	56.896	59.280	PASS
N41	30	60	High	2659.98	DFT-QPSK	Outer_Full	57.889	59.640	PASS
N41	30	60	High	2659.98	DFT-PI2BPSK	Outer_Full	57.86	59.640	PASS
N41	30	60	High	2659.98	DFT-16QAM	Outer_Full	40.256	41.760	PASS
N41	30	60	High	2659.98	DFT-64QAM	Outer_Full	57.865	59.760	PASS
N41	30	60	High	2659.98	CP-QPSK	Outer_Full	57.759	59.640	PASS
N41	30	60	High	2659.98	CP-16QAM	Outer_Full	57.921	59.760	PASS
N41	30	60	High	2659.98	CP-64QAM	Outer_Full	57.683	59.640	PASS
N41	30	60	High	2659.98	CP-256QAM	Outer_Full	57.929	59.760	PASS
N41	30	60	High	2659.98	DFT-256QAM	Outer_Full	57.499	59.640	PASS
N41	30	80	Low	2536.0	DFT-QPSK	Outer_Full	75.792	80.320	PASS
N41	30	80	Low	2536.0	DFT-PI2BPSK	Outer_Full	75.937	80.000	PASS
N41	30	80	Low	2536.0	DFT-16QAM	Outer_Full	75.867	80.480	PASS
N41	30	80	Low	2536.0	DFT-64QAM	Outer_Full	75.904	80.160	PASS
N41	30	80	Low	2536.0	CP-QPSK	Outer_Full	76.447	79.840	PASS
N41	30	80	Low	2536.0	CP-16QAM	Outer_Full	75.103	79.360	PASS
N41	30	80	Low	2536.0	CP-64QAM	Outer_Full	76.005	79.680	PASS
N41	30	80	Low	2536.0	CP-256QAM	Outer_Full	75.873	79.680	PASS
N41	30	80	Low	2536.0	DFT-256QAM	Outer_Full	76.154	80.000	PASS
N41	30	80	Middle	2592.99	DFT-QPSK	Outer_Full	77.762	80.640	PASS
N41	30	80	Middle	2592.99	DFT-PI2BPSK	Outer_Full	77.392	80.480	PASS
N41	30	80	Middle	2592.99	DFT-16QAM	Outer_Full	77.565	80.480	PASS
N41	30	80	Middle	2592.99	DFT-64QAM	Outer_Full	77.736	80.320	PASS
N41	30	80	Middle	2592.99	CP-QPSK	Outer_Full	77.362	80.480	PASS
N41	30	80	Middle	2592.99	CP-16QAM	Outer_Full	77.295	80.160	PASS
N41	30	80	Middle	2592.99	CP-64QAM	Outer_Full	77.327	80.320	PASS
N41	30	80	Middle	2592.99	CP-256QAM	Outer_Full	77.24	80.160	PASS
N41	30	80	Middle	2592.99	DFT-256QAM	Outer_Full	76.909	80.160	PASS
N41	30	80	High	2650.0	DFT-QPSK	Outer_Full	77.047	79.840	PASS
N41	30	80	High	2650.0	DFT-PI2BPSK	Outer_Full	77.073	80.480	PASS
N41	30	80	High	2650.0	DFT-16QAM	Outer_Full	77.36	80.480	PASS
N41	30	80	High	2650.0	DFT-64QAM	Outer_Full	77.41	80.480	PASS
N41	30	80	High	2650.0	CP-QPSK	Outer_Full	77.342	80.000	PASS
N41	30	80	High	2650.0	CP-16QAM	Outer_Full	77.019	80.160	PASS


NR Band	SCS [kHz]	BW [MHz]	Channel	Freq [MHz]	Modulation	RB config	Occupied Bandwidth [MHz]	Emission Bandwidth [MHz]	Verdict
N41	30	80	High	2650.0	CP-64QAM	Outer_Full	76.968	80.160	PASS
N41	30	80	High	2650.0	CP-256QAM	Outer_Full	76.802	80.000	PASS
N41	30	80	High	2650.0	DFT-256QAM	Outer_Full	76.755	80.160	PASS
N41	30	90	Low	2541.0	DFT-QPSK	Outer_Full	84.71	89.640	PASS
N41	30	90	Low	2541.0	DFT-PI2BPSK	Outer_Full	85.554	90.360	PASS
N41	30	90	Low	2541.0	DFT-16QAM	Outer_Full	85.621	90.360	PASS
N41	30	90	Low	2541.0	DFT-64QAM	Outer_Full	86.203	90.360	PASS
N41	30	90	Low	2541.0	CP-QPSK	Outer_Full	83.959	88.560	PASS
N41	30	90	Low	2541.0	CP-16QAM	Outer_Full	84.313	88.380	PASS
N41	30	90	Low	2541.0	CP-64QAM	Outer_Full	84.434	88.200	PASS
N41	30	90	Low	2541.0	CP-256QAM	Outer_Full	84.054	88.560	PASS
N41	30	90	Low	2541.0	DFT-256QAM	Outer_Full	84.786	88.740	PASS
N41	30	90	Middle	2592.99	DFT-QPSK	Outer_Full	87.415	90.360	PASS
N41	30	90	Middle	2592.99	DFT-PI2BPSK	Outer_Full	87.76	91.080	PASS
N41	30	90	Middle	2592.99	DFT-16QAM	Outer_Full	87.498	90.720	PASS
N41	30	90	Middle	2592.99	DFT-64QAM	Outer_Full	87.336	90.540	PASS
N41	30	90	Middle	2592.99	CP-QPSK	Outer_Full	85.9	89.100	PASS
N41	30	90	Middle	2592.99	CP-16QAM	Outer_Full	85.327	88.920	PASS
N41	30	90	Middle	2592.99	CP-64QAM	Outer_Full	85.883	88.920	PASS
N41	30	90	Middle	2592.99	CP-256QAM	Outer_Full	85.543	89.100	PASS
N41	30	90	Middle	2592.99	DFT-256QAM	Outer_Full	85.502	88.920	PASS
N41	30	90	High	2645.0	DFT-QPSK	Outer_Full	87.394	90.900	PASS
N41	30	90	High	2645.0	DFT-PI2BPSK	Outer_Full	87.189	90.720	PASS
N41	30	90	High	2645.0	DFT-16QAM	Outer_Full	87.384	90.540	PASS
N41	30	90	High	2645.0	DFT-64QAM	Outer_Full	87.374	90.540	PASS
N41	30	90	High	2645.0	CP-QPSK	Outer_Full	85.564	88.560	PASS
N41	30	90	High	2645.0	CP-16QAM	Outer_Full	85.567	88.920	PASS
N41	30	90	High	2645.0	CP-64QAM	Outer_Full	85.801	88.740	PASS
N41	30	90	High	2645.0	CP-256QAM	Outer_Full	85.583	88.740	PASS
N41	30	90	High	2645.0	DFT-256QAM	Outer_Full	85.322	88.740	PASS
N41	30	100	Low	2546.01	DFT-QPSK	Outer_Full	95.149	100.200	PASS
N41	30	100	Low	2546.01	DFT-PI2BPSK	Outer_Full	95.628	100.400	PASS
N41	30	100	Low	2546.01	DFT-16QAM	Outer_Full	95.022	100.600	PASS
N41	30	100	Low	2546.01	DFT-64QAM	Outer_Full	95.678	100.600	PASS
N41	30	100	Low	2546.01	CP-QPSK	Outer_Full	95.092	99.600	PASS
N41	30	100	Low	2546.01	CP-16QAM	Outer_Full	95.063	99.600	PASS
N41	30	100	Low	2546.01	CP-64QAM	Outer_Full	94.639	99.600	PASS
N41	30	100	Low	2546.01	CP-256QAM	Outer_Full	94.305	99.200	PASS
N41	30	100	Low	2546.01	DFT-256QAM	Outer_Full	94.178	99.400	PASS
N41	30	100	Middle	2592.99	DFT-QPSK	Outer_Full	97.312	100.600	PASS
N41	30	100	Middle	2592.99	DFT-PI2BPSK	Outer_Full	97.283	100.800	PASS
N41	30	100	Middle	2592.99	DFT-16QAM	Outer_Full	97.42	100.800	PASS
N41	30	100	Middle	2592.99	DFT-64QAM	Outer_Full	97.485	100.800	PASS
N41	30	100	Middle	2592.99	CP-QPSK	Outer_Full	96.793	99.800	PASS
N41	30	100	Middle	2592.99	CP-16QAM	Outer_Full	96.259	99.400	PASS
N41	30	100	Middle	2592.99	CP-64QAM	Outer_Full	96.541	99.800	PASS
N41	30	100	Middle	2592.99	CP-256QAM	Outer_Full	96.485	99.800	PASS
N41	30	100	Middle	2592.99	DFT-256QAM	Outer_Full	96.641	99.600	PASS
N41	30	100	High	2640.0	DFT-QPSK	Outer_Full	97.248	100.800	PASS
N41	30	100	High	2640.0	DFT-PI2BPSK	Outer_Full	97.036	100.800	PASS
N41	30	100	High	2640.0	DFT-16QAM	Outer_Full	97.61	100.600	PASS
N41	30	100	High	2640.0	DFT-64QAM	Outer_Full	97.666	100.400	PASS
N41	30	100	High	2640.0	CP-QPSK	Outer_Full	95.916	99.600	PASS
N41	30	100	High	2640.0	CP-16QAM	Outer_Full	96.323	99.600	PASS
N41	30	100	High	2640.0	CP-64QAM	Outer_Full	96.179	99.800	PASS
N41	30	100	High	2640.0	CP-256QAM	Outer_Full	96.154	99.400	PASS
N41	30	100	High	2640.0	DFT-256QAM	Outer_Full	96.538	99.800	PASS

4.2 TEST PLOTS


4.2.1 CHANNEL BANDWIDTH=20MHZ




1-N41-PC3-30-20-L-1-DFT-QPSK-Outer_Full-50@0-Ant
1-18.218-18.880-≤20-PASS




1-N41-PC3-30-20-L-2-DFT-PI2BPSK
-Outer_Full-51@0-Ant1-17.869-18.680-≤20-PASS




1-N41-PC3-30-20-L-3-DFT-16QAM-Outer_Full-50@0-A
nt1-18.204-19.080-≤20-PASS




1-N41-PC3-30-20-L-4-DFT-64QAM-Outer_Full-50@0-A
nt1-18.141-19.320-≤20-PASS




1-N41-PC3-30-20-L-5-CP-QPSK-Outer_Full-51@0-Ant1
-17.768-18.480-≤20-PASS




1-N41-PC3-30-20-L-6-CP-16QAM-Outer_Full-51@0-Ant
1-17.84-18.800-≤20-PASS




1-N41-PC3-30-20-L-7-CP-64QAM-Outer_Full-51@0-Ant
1-17.671-18.600-≤20-PASS




1-N41-PC3-30-20-L-8-CP-256QAM-Outer_Full-51@0-A
nt1-17.845-18.480-≤20-PASS




1-N41-PC3-30-20-L-9-DFT-256QAM-Outer_Full-50@0-A
nt1-17.823-18.720-≤20-PASS




1-N41-PC3-30-20-M-1-DFT-QPSK-Outer_Full-50@0-A
nt1-18.208-18.960-≤20-PASS




1-N41-PC3-30-20-M-2-DFT-PI2BPSK-Outer_Full-51@0-A
Ant1-18.256-19.160-≤20-PASS




1-N41-PC3-30-20-M-3-DFT-16QAM-Outer_Full-50@0-A
Ant1-18.083-19.040-≤20-PASS




1-N41-PC3-30-20-M-4-DFT-64QAM-Outer_Full-50@0-Ant1-18.189-18.880-≤20-PASS




1-N41-PC3-30-20-M-5-CP-QPSK-Outer_Full-51@0-Ant 1-17.845-18.560-≤20-PASS




1-N41-PC3-30-20-M-6-CP-16QAM-Outer_Full-51@0-Ant1-17.941-18.760-≤20-PASS




1-N41-PC3-30-20-M-7-CP-64QAM-Outer_Full-51@0-Ant 1-17.856-18.520-≤20-PASS




1-N41-PC3-30-20-M-8-CP-256QAM-Outer_Full-51@0-Ant1-17.787-18.680-≤20-PASS




1-N41-PC3-30-20-M-9-DFT-256QAM-Outer_Full-50@0-Ant1-17.878-18.680-≤20-PASS




1-N41-PC3-30-20-H-1-DFT-QPSK-Outer_Full-50@0-A
nt1-18.145-18.920-≤20-PASS




1-N41-PC3-30-20-H-2-DFT-PI2BPSK-Outer_Full-51@0-A
Ant1-18.319-19.200-≤20-PASS




1-N41-PC3-30-20-H-3-DFT-16QAM-Outer_Full-50@0-A
Ant1-18.199-18.920-≤20-PASS




1-N41-PC3-30-20-H-4-DFT-64QAM-Outer_Full-50@0-A
nt1-18.158-19.000-≤20-PASS




1-N41-PC3-30-20-H-5-CP-QPSK-Outer_Full-51@0-Ant
1-17.606-18.800-≤20-PASS




1-N41-PC3-30-20-H-6-CP-16QAM-Outer_Full-51@0-Ant
1-17.946-18.720-≤20-PASS




1-N41-PC3-30-20-H-7-CP-64QAM-Outer_Full-51@0-Ant
1-17.973-18.680-≤20-PASS




1-N41-PC3-30-20-H-8-CP-256QAM-Outer_Full-51@0-Ant
1-17.841-18.520-≤20-PASS




1-N41-PC3-30-20-H-9-DFT-256QAM-Outer_Full-50@0-Ant
1-17.832-18.520-≤20-PASS




4.2.2 CHANNEL BANDWIDTH=30MHZ







1-N41-PC3-30-30-L-6-CP-16QAM-Outer_Full-78@0-A
nt1-26.611-28.080-≤30-PASS




1-N41-PC3-30-30-L-9-DFT-256QAM-Outer_Full-75@0-A
nt1-26.762-28.020-≤30-PASS




1-N41-PC3-30-30-L-8-CP-256QAM-Outer_Full-78@0-A
Ant1-26.615-27.840-≤30-PASS




1-N41-PC3-30-30-M-2-DFT-PI2BPSK-Outer_Full-78@0-A
Ant1-27.281-28.020-≤30-PASS




1-N41-PC3-30-30-M-1-DFT-QPSK-Outer_Full-75@0-A
nt1-26.767-27.720-≤30-PASS




1-N41-PC3-30-30-M-4-DFT-64QAM-Outer_Full-75@0-A
nt1-27.921-28.860-≤30-PASS




1-N41-PC3-30-30-M-3-DFT-16QAM-Outer_Full-75@0-A
nt1-27.975-28.980-≤30-PASS




1-N41-PC3-30-30-M-6-CP-16QAM-Outer_Full-78@0-An
t1-26.749-27.780-≤30-PASS




1-N41-PC3-30-30-M-5-CP-QPSK-Outer_Full-78@0-Ant
1-26.941-27.840-≤30-PASS




1-N41-PC3-30-30-M-8-CP-256QAM-Outer_Full-78@0-A
nt1-26.773-27.840-≤30-PASS




1-N41-PC3-30-30-M-7-CP-64QAM-Outer_Full-78@0-A
nt1-26.721-28.080-≤30-PASS




1-N41-PC3-30-30-H-1-DFT-QPSK-Outer_Full-75@0-An
t1-8.865-26.580-≤30-PASS




1-N41-PC3-30-30-M-9-DFT-256QAM-Outer_Full-75@0-Ant1-26.842-27.960-≤30-PASS




1-N41-PC3-30-30-H-3-DFT-16QAM-Outer_Full-75@0-Ant1-28.031-28.920-≤30-PASS




1-N41-PC3-30-30-H-2-DFT-PI2BPSK-Outer_Full-78@0-Ant1-27.995-29.100-≤30-PASS




1-N41-PC3-30-30-H-5-CP-QPSK-Outer_Full-78@0-Ant1-26.726-27.780-≤30-PASS




1-N41-PC3-30-30-H-4-DFT-64QAM-Outer_Full-75@0-Ant1-27.957-29.040-≤30-PASS




1-N41-PC3-30-30-H-7-CP-64QAM-Outer_Full-78@0-Ant1-26.705-27.720-≤30-PASS




1-N41-PC3-30-30-H-6-CP-16QAM-Outer_Full-78@0-A
Ant1-26.706-28.020-≤30-PASS



1-N41-PC3-30-30-H-9-DFT-256QAM-Outer_Full-75@0-
Ant1-26.651-27.780-≤30-PASS



1-N41-PC3-30-30-H-8-CP-256QAM-Outer_Full-78@0-
Ant1-26.797-28.380-≤30-PASS



-