




N41(20M)\_DFT-s-OFDM\_BPSK\_Outer\_Full\_High\_CH




N41(20M)\_DFT-s-OFDM\_QPSK\_Outer\_Full\_High\_CH




N41(60M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_Low\_CH




N41(60M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_Low\_CH\_CHP\_PASS




N41(60M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_Low\_CH




N41(60M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_Low\_CH\_CHP\_PASS




### N41(60M)\_DFT-s-OFDM\_BPSK\_Outer\_Full\_Low\_CH




### N41(60M)\_DFT-s-OFDM\_QPSK\_Outer\_Full\_Low\_CH




### N41(60M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Right\_High\_CH




### N41(60M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Right\_High\_CH\_CHP\_PASS




### N41(60M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Right\_High\_CH



### N41(60M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Right\_High\_CH\_CHP\_PASS




N41(60M)\_DFT-s-OFDM\_BPSK\_Outer\_Full\_High\_CH




N41(60M)\_DFT-s-OFDM\_QPSK\_Outer\_Full\_High\_CH




N41(100M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_Low\_CH



N41(100M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_Low\_CH\_CHP\_PASS




N41(100M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_Low\_CH




N41(100M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_Low\_CH\_CHP\_PASS




### N41(100M)\_DFT-s-OFDM\_BPSK\_Outer\_Full\_Low\_CH




### N41(100M)\_DFT-s-OFDM\_QPSK\_Outer\_Full\_Low\_CH




### N41(100M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Right\_High\_CH



### N41(100M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Right\_High\_CH\_CHP\_PASS




### N41(100M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Right\_High\_CH




### N41(100M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Right\_High\_CH\_CHP\_PASS



### N41(100M)\_DFT-s-OFDM\_BPSK\_Outer\_Full\_High\_CH



### N41(100M)\_DFT-s-OFDM\_QPSK\_Outer\_Full\_High\_CH



# FR1 N66(ANT1)

## Conducted Output Power and EIRP (gain=-0.5dBi)

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)
66	15	5	422500	1712.5	DFT-s-OFDM QPSK	1@1	24.25	23.75	0.2371
66	15	5	422500	1712.5	DFT-s-OFDM 16 QAM	1@1	23.39	22.89	0.1945
66	15	5	429000	1745	DFT-s-OFDM QPSK	1@1	24.26	23.76	0.2377
66	15	5	429000	1745	DFT-s-OFDM 16 QAM	1@1	23.81	23.31	0.2143
66	15	5	435500	1777.5	DFT-s-OFDM QPSK	1@1	24.49	23.99	0.2506
66	15	5	435500	1777.5	DFT-s-OFDM 16 QAM	1@1	23.98	23.48	0.2228
66	15	10	423000	1715	DFT-s-OFDM QPSK	1@1	24.41	23.91	0.2460
66	15	10	423000	1715	DFT-s-OFDM 16 QAM	1@1	23.62	23.12	0.2051
66	15	10	429000	1745	DFT-s-OFDM QPSK	1@1	24.41	23.91	0.2460
66	15	10	429000	1745	DFT-s-OFDM 16 QAM	1@1	23.83	23.33	0.2153
66	15	10	435000	1775	DFT-s-OFDM QPSK	1@1	24.51	24.01	0.2518
66	15	10	435000	1775	DFT-s-OFDM 16 QAM	1@1	23.81	23.31	0.2143
66	15	15	423500	1717.5	DFT-s-OFDM QPSK	1@1	24.38	23.88	0.2443
66	15	15	423500	1717.5	DFT-s-OFDM 16 QAM	1@1	23.75	23.25	0.2113
66	15	15	429000	1745	DFT-s-OFDM QPSK	1@1	24.39	23.89	0.2449
66	15	15	429000	1745	DFT-s-OFDM 16 QAM	1@1	23.81	23.31	0.2143
66	15	15	434500	1772.5	DFT-s-OFDM QPSK	1@1	24.48	23.98	0.2500
66	15	15	434500	1772.5	DFT-s-OFDM 16 QAM	1@1	23.92	23.42	0.2198
66	15	20	424000	1720	DFT-s-OFDM PI/2 BPSK	50@25	24.49	23.99	0.2506
66	15	20	424000	1720	DFT-s-OFDM PI/2 BPSK	1@1	24.28	23.78	0.2388
66	15	20	424000	1720	DFT-s-OFDM PI/2 BPSK	1@104	24.28	23.78	0.2388
66	15	20	424000	1720	DFT-s-OFDM QPSK	50@25	24.34	23.84	0.2421
66	15	20	424000	1720	DFT-s-OFDM QPSK	1@1	24.39	23.89	0.2449
66	15	20	424000	1720	DFT-s-OFDM QPSK	1@104	24.44	23.94	0.2477
66	15	20	424000	1720	DFT-s-OFDM 16 QAM	50@25	23.96	23.46	0.2218
66	15	20	424000	1720	DFT-s-OFDM 16 QAM	1@1	23.45	22.95	0.1972
66	15	20	424000	1720	DFT-s-OFDM 16 QAM	1@104	23.99	23.49	0.2234
66	15	20	424000	1720	DFT-s-OFDM	50@25	22.97	22.47	0.1766

					64 QAM				
66	15	20	424000	1720	DFT-s-OFDM 64 QAM	1@1	21.96	21.46	0.1400
66	15	20	424000	1720	DFT-s-OFDM 64 QAM	1@104	22.94	22.44	0.1754
66	15	20	424000	1720	DFT-s-OFDM 256 QAM	50@25	20.91	20.41	0.1099
66	15	20	424000	1720	DFT-s-OFDM 256 QAM	1@1	20.19	19.69	0.0931
66	15	20	424000	1720	DFT-s-OFDM 256 QAM	1@104	20.81	20.31	0.1074
66	15	20	424000	1720	CP-OFDM QPSK	53@26	23.51	23.01	0.2000
66	15	20	424000	1720	CP-OFDM QPSK	1@1	22.94	22.44	0.1754
66	15	20	424000	1720	CP-OFDM QPSK	1@104	23.56	23.06	0.2023
66	15	20	429000	1745	DFT-s-OFDM PI/2 BPSK	50@25	24.14	23.64	0.2312
66	15	20	429000	1745	DFT-s-OFDM PI/2 BPSK	1@1	24.07	23.57	0.2275
66	15	20	429000	1745	DFT-s-OFDM PI/2 BPSK	1@104	24.02	23.52	0.2249
66	15	20	429000	1745	DFT-s-OFDM QPSK	50@25	24.09	23.59	0.2286
66	15	20	429000	1745	DFT-s-OFDM QPSK	1@1	24.04	23.54	0.2259
66	15	20	429000	1745	DFT-s-OFDM QPSK	1@104	24.24	23.74	0.2366
66	15	20	429000	1745	DFT-s-OFDM 16 QAM	50@25	23.99	23.49	0.2234
66	15	20	429000	1745	DFT-s-OFDM 16 QAM	1@1	23.81	23.31	0.2143
66	15	20	429000	1745	DFT-s-OFDM 16 QAM	1@104	23.76	23.26	0.2118
66	15	20	429000	1745	DFT-s-OFDM 64 QAM	50@25	22.81	22.31	0.1702
66	15	20	429000	1745	DFT-s-OFDM 64 QAM	1@1	22.34	21.84	0.1528
66	15	20	429000	1745	DFT-s-OFDM 64 QAM	1@104	23.26	22.76	0.1888
66	15	20	429000	1745	DFT-s-OFDM 256 QAM	50@25	21.08	20.58	0.1143
66	15	20	429000	1745	DFT-s-OFDM 256 QAM	1@1	21.04	20.54	0.1132
66	15	20	429000	1745	DFT-s-OFDM 256 QAM	1@104	21.12	20.62	0.1153
66	15	20	429000	1745	CP-OFDM QPSK	53@26	23.97	23.47	0.2223
66	15	20	429000	1745	CP-OFDM QPSK	1@1	23.71	23.21	0.2094
66	15	20	429000	1745	CP-OFDM QPSK	1@104	23.79	23.29	0.2133
66	15	20	434000	1770	DFT-s-OFDM PI/2 BPSK	50@25	24.43	23.93	0.2472
66	15	20	434000	1770	DFT-s-OFDM PI/2 BPSK	1@1	24.41	23.91	0.2460
66	15	20	434000	1770	DFT-s-OFDM PI/2 BPSK	1@104	24.42	23.92	0.2466
66	15	20	434000	1770	DFT-s-OFDM QPSK	50@25	24.42	23.92	0.2466
66	15	20	434000	1770	DFT-s-OFDM QPSK	1@1	24.31	23.81	0.2404
66	15	20	434000	1770	DFT-s-OFDM QPSK	1@104	24.54	24.04	0.2535
66	15	20	434000	1770	DFT-s-OFDM 16 QAM	50@25	23.51	23.01	0.2000

66	15	20	434000	1770	DFT-s-OFDM 16 QAM	1@1	23.89	23.39	0.2183
66	15	20	434000	1770	DFT-s-OFDM 16 QAM	1@104	23.81	23.31	0.2143
66	15	20	434000	1770	DFT-s-OFDM 64 QAM	50@25	22.08	21.58	0.1439
66	15	20	434000	1770	DFT-s-OFDM 64 QAM	1@1	23.23	22.73	0.1875
66	15	20	434000	1770	DFT-s-OFDM 64 QAM	1@104	23.15	22.65	0.1841
66	15	20	434000	1770	DFT-s-OFDM 256 QAM	50@25	21.17	20.67	0.1167
66	15	20	434000	1770	DFT-s-OFDM 256 QAM	1@1	21.18	20.68	0.1169
66	15	20	434000	1770	DFT-s-OFDM 256 QAM	1@104	21.21	20.71	0.1178
66	15	20	434000	1770	CP-OFDM QPSK	53@26	23.4	22.9	0.1950
66	15	20	434000	1770	CP-OFDM QPSK	1@1	23.94	23.44	0.2208
66	15	20	434000	1770	CP-OFDM QPSK	1@104	23.98	23.48	0.2228



## Frequency Stability

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Deviation (ppm)	Verdict	Environment
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	0.00127	PASS	NV
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	0.00313	PASS	LV
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	0.00231	PASS	HV
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	0.00163	PASS	-30°C
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	0.00235	PASS	-20°C
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	0.00132	PASS	-10°C
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	0.00151	PASS	0°C
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	0.00522	PASS	10°C
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	0.00235	PASS	20°C
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	0.00263	PASS	30°C
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	0.00211	PASS	40°C
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	0.00321	PASS	50°C

## Peak to Average Ratio

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result (dB)	Limit (dB)	Verdict
66	15	20	424000	1720.0	DFT-s-OFDM PI/2 BPSK	100@0	3.76	13	PASS
66	15	20	424000	1720.0	DFT-s-OFDM PI/2 BPSK	1@0	3.95	13	PASS
66	15	20	424000	1720.0	DFT-s-OFDM QPSK	100@0	5.09	13	PASS
66	15	20	424000	1720.0	DFT-s-OFDM QPSK	1@0	5.14	13	PASS
66	15	20	429000	1745.0	DFT-s-OFDM PI/2 BPSK	100@0	3.96	13	PASS
66	15	20	429000	1745.0	DFT-s-OFDM PI/2 BPSK	1@0	4.3	13	PASS
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	5.03	13	PASS
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	1@0	5.56	13	PASS
66	15	20	434000	1770.0	DFT-s-OFDM PI/2 BPSK	100@0	4.32	13	PASS
66	15	20	434000	1770.0	DFT-s-OFDM PI/2 BPSK	1@0	3.74	13	PASS
66	15	20	434000	1770.0	DFT-s-OFDM QPSK	100@0	5.05	13	PASS
66	15	20	434000	1770.0	DFT-s-OFDM QPSK	1@0	5.01	13	PASS


N66(20M)\_DFT-s-OFDM\_PI\_2-BPSK\_Outer\_Full\_Low\_CH



N66(20M)\_DFT-s-OFDM\_PI\_2-BPSK\_Edge\_1RB\_Left\_Low\_CH



N66(20M)\_DFT-s-OFDM\_QPSK\_Outer\_Full\_Low\_CH



N66(20M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_Low\_CH



N66(20M)\_DFT-s-OFDM\_PI\_2-BPSK\_Outer\_Full\_Mid\_CH



N66(20M)\_DFT-s-OFDM\_PI\_2-BPSK\_Edge\_1RB\_Left\_Mid\_CH



N66(20M)\_DFT-s-OFDM\_QPSK\_Outer\_Full\_Mid\_CH



N66(20M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_Mid\_CH



N66(20M)\_DFT-s-OFDM\_PI\_2-BPSK\_Outer\_Full\_High\_CH



N66(20M)\_DFT-s-OFDM\_PI\_2-BPSK\_Edge\_1RB\_Left\_High\_CH



N66(20M)\_DFT-s-OFDM\_QPSK\_Outer\_Full\_High\_CH



N66(20M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_High\_CH



## Occupied Bandwidth

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	OBW (MHz)	26dB OBW (MHz)
66	15	5	429000	1745.0	DFT-s-OFDM PI/2 BPSK	25@0	4.4808	4.904
66	15	5	429000	1745.0	DFT-s-OFDM QPSK	25@0	4.4726	4.892
66	15	5	429000	1745.0	CP-OFDM QPSK	25@0	4.4764	4.912
66	15	5	429000	1745.0	CP-OFDM 16 QAM	25@0	4.4804	4.968
66	15	5	429000	1745.0	CP-OFDM 64 QAM	25@0	4.4611	4.862
66	15	5	429000	1745.0	CP-OFDM 256 QAM	25@0	4.4747	4.954
66	15	10	429000	1745.0	DFT-s-OFDM PI/2 BPSK	50@0	8.9022	9.481
66	15	10	429000	1745.0	DFT-s-OFDM QPSK	50@0	8.9196	9.521
66	15	10	429000	1745.0	CP-OFDM QPSK	52@0	9.2788	9.966
66	15	10	429000	1745.0	CP-OFDM 16 QAM	52@0	9.2927	9.898
66	15	10	429000	1745.0	CP-OFDM 64 QAM	52@0	9.2805	9.835
66	15	10	429000	1745.0	CP-OFDM 256 QAM	52@0	9.2786	9.852
66	15	15	429000	1745.0	DFT-s-OFDM PI/2 BPSK	75@0	13.388	14.21
66	15	15	429000	1745.0	DFT-s-OFDM QPSK	75@0	13.432	14.24
66	15	15	429000	1745.0	CP-OFDM QPSK	79@0	14.095	14.85
66	15	15	429000	1745.0	CP-OFDM 16 QAM	79@0	14.102	14.82
66	15	15	429000	1745.0	CP-OFDM 64 QAM	79@0	14.121	14.8
66	15	15	429000	1745.0	CP-OFDM 256 QAM	79@0	14.08	14.83
66	15	20	429000	1745.0	DFT-s-OFDM PI/2 BPSK	100@0	17.907	18.7
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	17.87	18.8
66	15	20	429000	1745.0	CP-OFDM QPSK	106@0	18.927	19.88
66	15	20	429000	1745.0	CP-OFDM 16 QAM	106@0	18.921	19.73
66	15	20	429000	1745.0	CP-OFDM 64 QAM	106@0	18.939	19.8
66	15	20	429000	1745.0	CP-OFDM 256 QAM	106@0	18.958	19.78

### N66(5M)\_DFT-s-OFDM\_PI\_2- BPSK\_Outer\_Full\_Mid\_CH



### N66(5M)\_DFT-s- OFDM\_QPSK\_Outer\_Full\_Mid\_CH




### N66(5M)\_CP- OFDM\_QPSK\_Outer\_Full\_Mid\_CH




### N66(5M)\_CP-OFDM\_16 QAM\_Outer\_Full\_Mid\_CH




### N66(5M)\_CP-OFDM\_64 QAM\_Outer\_Full\_Mid\_CH




### N66(5M)\_CP-OFDM\_256 QAM\_Outer\_Full\_Mid\_CH



N66(10M)\_DFT-s-OFDM\_PI\_2-  
BPSK\_Outer\_Full\_Mid\_CH




N66(10M)\_DFT-s-  
OFDM\_QPSK\_Outer\_Full\_Mid\_CH




N66(10M)\_CP-  
OFDM\_QPSK\_Outer\_Full\_Mid\_CH




N66(10M)\_CP-OFDM\_16  
QAM\_Outer\_Full\_Mid\_CH




N66(10M)\_CP-OFDM\_64  
QAM\_Outer\_Full\_Mid\_CH




N66(10M)\_CP-OFDM\_256  
QAM\_Outer\_Full\_Mid\_CH




### N66(15M)\_DFT-s-OFDM\_PI\_2- BPSK\_Outer\_Full\_Mid\_CH




### N66(15M)\_DFT-s- OFDM\_QPSK\_Outer\_Full\_Mid\_CH




### N66(15M)\_CP- OFDM\_QPSK\_Outer\_Full\_Mid\_CH




### N66(15M)\_CP-OFDM\_16 QAM\_Outer\_Full\_Mid\_CH



### N66(15M)\_CP-OFDM\_64 QAM\_Outer\_Full\_Mid\_CH




### N66(15M)\_CP-OFDM\_256 QAM\_Outer\_Full\_Mid\_CH





### N66(20M)\_DFT-s-OFDM\_PI\_2- BPSK\_Outer\_Full\_Mid\_CH



### N66(20M)\_DFT-s- OFDM\_QPSK\_Outer\_Full\_Mid\_CH




### N66(20M)\_CP- OFDM\_QPSK\_Outer\_Full\_Mid\_CH




### N66(20M)\_CP-OFDM\_16 QAM\_Outer\_Full\_Mid\_CH



### N66(20M)\_CP-OFDM\_64 QAM\_Outer\_Full\_Mid\_CH



### N66(20M)\_CP-OFDM\_256 QAM\_Outer\_Full\_Mid\_CH




## Conducted Spurious Emissions


NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
66	15	5	422500	1712.5	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	5	422500	1712.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	5	422500	1712.5	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	5	422500	1712.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	5	429000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	5	429000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	5	429000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	5	429000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	5	435500	1777.5	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	5	435500	1777.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	5	435500	1777.5	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	5	435500	1777.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	10	423000	1715.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	10	423000	1715.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	10	423000	1715.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	10	423000	1715.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	10	429000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	10	429000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	10	429000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	10	429000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	10	435000	1775.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	10	435000	1775.0	DFT-s-OFDM BPSK	1@0	see graph	PASS

66	15	10	435000	1775.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	10	435000	1775.0	DFT-s-OFDM QPSK	1@0	see graph	<b>PASS</b>
66	15	20	424000	1720.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	20	424000	1720.0	DFT-s-OFDM BPSK	1@0	see graph	<b>PASS</b>
66	15	20	424000	1720.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	20	424000	1720.0	DFT-s-OFDM QPSK	1@0	see graph	<b>PASS</b>
66	15	20	429000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	20	429000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	<b>PASS</b>
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	<b>PASS</b>
66	15	20	434000	1770.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	20	434000	1770.0	DFT-s-OFDM BPSK	1@0	see graph	<b>PASS</b>
66	15	20	434000	1770.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	20	434000	1770.0	DFT-s-OFDM QPSK	1@0	see graph	<b>PASS</b>


### N66(5M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_Low\_CH




### N66(5M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_Low\_CH




### N66(5M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_Mid\_CH




### N66(5M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_Mid\_CH




### N66(5M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_High\_CH




### N66(5M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_High\_CH




N66(10M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_Low\_CH




N66(10M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_Low\_CH




N66(10M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_Mid\_CH




N66(10M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_Mid\_CH




N66(10M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_High\_CH




N66(10M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_High\_CH




N66(20M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_Low\_CH




N66(20M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_Low\_CH




N66(20M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_Mid\_CH




N66(20M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_Mid\_CH



N66(20M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_High\_CH



N66(20M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_High\_CH




## Conducted Band Edge

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
66	15	5	422500	1712.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	5	422500	1712.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	5	422500	1712.5	DFT-s-OFDM BPSK	25@0	see graph	PASS
66	15	5	422500	1712.5	DFT-s-OFDM QPSK	25@0	see graph	PASS
66	15	5	435500	1777.5	DFT-s-OFDM BPSK	1@24	see graph	PASS
66	15	5	435500	1777.5	DFT-s-OFDM QPSK	1@24	see graph	PASS
66	15	5	435500	1777.5	DFT-s-OFDM BPSK	25@0	see graph	PASS
66	15	5	435500	1777.5	DFT-s-OFDM QPSK	25@0	see graph	PASS
66	15	10	423000	1715.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	10	423000	1715.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	10	423000	1715.0	DFT-s-OFDM BPSK	50@0	see graph	PASS
66	15	10	423000	1715.0	DFT-s-OFDM QPSK	50@0	see graph	PASS
66	15	10	435000	1775.0	DFT-s-OFDM BPSK	1@51	see graph	PASS
66	15	10	435000	1775.0	DFT-s-OFDM QPSK	1@51	see graph	PASS
66	15	10	435000	1775.0	DFT-s-OFDM BPSK	50@0	see graph	PASS
66	15	10	435000	1775.0	DFT-s-OFDM QPSK	50@0	see graph	PASS
66	15	20	424000	1720.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	20	424000	1720.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	20	424000	1720.0	DFT-s-OFDM BPSK	100@0	see graph	PASS
66	15	20	424000	1720.0	DFT-s-OFDM QPSK	100@0	see graph	PASS
66	15	20	434000	1770.0	DFT-s-OFDM BPSK	1@105	see graph	PASS
66	15	20	434000	1770.0	DFT-s-OFDM QPSK	1@105	see graph	PASS
66	15	20	434000	1770.0	DFT-s-OFDM BPSK	100@0	see graph	PASS
66	15	20	434000	1770.0	DFT-s-OFDM QPSK	100@0	see graph	PASS


N66(5M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_Low\_CH




N66(5M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_Low\_CH



N66(5M)\_DFT-s-OFDM\_BPSK\_Outer\_Full\_Low\_CH




N66(5M)\_DFT-s-OFDM\_QPSK\_Outer\_Full\_Low\_CH



N66(5M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Right\_High\_CH




N66(5M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Right\_High\_CH





N66(5M)\_DFT-s-  
OFDM\_BPSK\_Outer\_Full\_High\_CH




N66(5M)\_DFT-s-  
OFDM\_QPSK\_Outer\_Full\_High\_CH




N66(5M)\_DFT-s-  
OFDM\_QPSK\_Outer\_Full\_High\_CH\_CHP\_PASS




N66(10M)\_DFT-s-  
OFDM\_BPSK\_Edge\_1RB\_Left\_Low\_CH




N66(10M)\_DFT-s-  
OFDM\_BPSK\_Edge\_1RB\_Left\_Low\_CH\_CHP\_PASS




N66(10M)\_DFT-s-  
OFDM\_QPSK\_Edge\_1RB\_Left\_Low\_CH



N66(10M)\_DFT-s-  
OFDM\_QPSK\_Edge\_1RB\_Left\_Low\_CH\_CHP\_PASS



N66(10M)\_DFT-s-  
OFDM\_BPSK\_Outer\_Full\_Low\_CH




N66(10M)\_DFT-s-  
OFDM\_QPSK\_Outer\_Full\_Low\_CH




N66(10M)\_DFT-s-  
OFDM\_BPSK\_Edge\_1RB\_Right\_High\_CH



N66(10M)\_DFT-s-  
OFDM\_BPSK\_Edge\_1RB\_Right\_High\_CH\_CHP\_PASS



N66(10M)\_DFT-s-  
OFDM\_QPSK\_Edge\_1RB\_Right\_High\_CH




### N66(10M)\_DFT-s-OFDM\_BPSK\_Outer\_Full\_High\_CH




### N66(10M)\_DFT-s-OFDM\_QPSK\_Outer\_Full\_High\_CH




### N66(20M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_Low\_CH



### N66(20M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_Low\_CH



### N66(20M)\_DFT-s-OFDM\_BPSK\_Outer\_Full\_Low\_CH



### N66(20M)\_DFT-s-OFDM\_QPSK\_Outer\_Full\_Low\_CH

