



TEST REPORT

No.I22N02501-RF NR

for

Honor Device Co., Ltd.

Smart Phone

Model Name: RBN-NX1

FCC ID: 2AYGCRBN-NX1

with

Hardware Version: HN2VNEM

Software Version: 6.1.0.9(C900E9R1P1)

Issued Date: 2023-01-17

Note:

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of SAICT.

Test Laboratory:

SAICT, Shenzhen Academy of Information and Communications Technology

Building G, Shenzhen International Innovation Center, No.1006 Shennan Road, Futian District, Shenzhen, Guangdong, P. R. China 518000.

Tel:+86(0)755-33322000, Fax:+86(0)755-33322001

Email: yewu@saict.ac.cn. www.saict.ac.cn



No.I22N02501-RF NR

REPORT HISTORY

Report Number	Revision	Description	Issue Date
I22N02501-RF NR	Rev.0	1st edition	2023-01-17



CONTENTS

1. SUMMARY OF TEST REPORT	4
1.1. TEST ITEMS.....	4
1.2. TEST STANDARDS	4
1.3. TEST RESULT	4
1.4. TESTING LOCATION	4
1.5. PROJECT DATA	4
1.6. SIGNATURE.....	4
2. CLIENT INFORMATION	5
2.1. APPLICANT INFORMATION.....	5
2.2. MANUFACTURER INFORMATION.....	5
3. EQUIPMENT UNDER TEST (EUT) AND ANCILLARY EQUIPMENT (AE)	6
3.1. ABOUT EUT.....	6
3.2. INTERNAL IDENTIFICATION OF EUT USED DURING THE TEST	6
3.3. INTERNAL IDENTIFICATION OF AE USED DURING THE TEST.....	6
3.4. GENERAL DESCRIPTION	7
4. REFERENCE DOCUMENTS.....	8
5. LABORATORY ENVIRONMENT.....	9
6. SUMMARY OF TEST RESULTS	10
7. STATEMENT	12
8. TEST EQUIPMENTS UTILIZED.....	13
ANNEX A: MEASUREMENT RESULTS	14
A.1 OUTPUT POWER.....	14
A.2 FREQUENCY STABILITY	151
A.3 OCCUPIED BANDWIDTH&26dB EMISSION BANDWIDTH.....	154
A.4 EMISSION BANDWIDTH	176
A.5 BAND EDGE COMPLIANCE	198
A.6 CONDUCTED SPURIOUS EMISSION	221
A.7 PEAK-TO-AVERAGE POWER RATIO	224

1. SUMMARY OF TEST REPORT

1.1. Test Items

Description	Smart Phone
Model Name	RBN-NX1
Brand Name	HONOR
Applicant's name	Honor Device Co., Ltd.
Manufacturer's Name	Honor Device Co., Ltd.

1.2. Test Standards

FCC Part 2/27	10-1-19 Edition
ANSI C63.26	2015
KDB971168 D01	v03r01

1.3. Test Result

All test items are pass. Please refer to "6 Summary of Test Results" for detail.

1.4. Testing Location


Address: Building G, Shenzhen International Innovation Center, No.1006 Shennan Road, Futian District, Shenzhen, Guangdong, P. R. China 518000

1.5. Project Data


Testing Start Date: 2022-12-02

Testing End Date: 2023-01-12

1.6. Signature



Wang Ping
(Prepared this test report)



Huang Qiuqin
(Reviewed this test report)



Zhang Hao
(Approved this test report)



2. CLIENT INFORMATION

2.1. Applicant Information

Company Name: Honor Device Co., Ltd.
Address /Post: Suite 3401, Unit A, Building 6, Shum Yip Sky Park, No. 8089, Hongli West Road, Xiangmihu Street, Futian District, Shenzhen, P.R.China
Contact: Li Ming
Email: liming136@hihonor.com
Telephone: 0755-61886688
Fax: /

2.2. Manufacturer Information

Company Name: Honor Device Co., Ltd.
Address /Post: Suite 3401, Unit A, Building 6, Shum Yip Sky Park, No. 8089, Hongli West Road, Xiangmihu Street, Futian District, Shenzhen, P.R.China
Contact: Li Ming
Email: liming136@hihonor.com
Telephone: 0755-61886688
Fax: /



3. EQUIPMENT UNDER TEST (EUT) AND ANCILLARY EQUIPMENT

(AE)

3.1. About EUT

Description	Smart Phone
Model Name	RBN-NX1
FCC ID	2AYGCRBN-NX1
NR Bands	n7,n38,n41,n78
Antenna	Integrated
Extreme vol. Limits	3.60V to 4.45V (nominal: 3.87V)
Extreme temp. Tolerance	-30°C to +50°C
Condition of EUT as received	No abnormality in appearance

Note: Components list, please refer to documents of the manufacturer; it is also included in the original test record of SAICT.

3.2. Internal Identification of EUT used during the test

EUT ID*	SN or IMEI	HW Version	SW Version	Date of receipt
UT01aa	868648060007462	HN2VNEM	6.1.0.9(C900E9R1P1)	2022-11-29

*EUT ID: is used to identify the test sample in the lab internally.

UT01aa are used for conduction test, UT28aa is used for radiation test.

3.3. Internal Identification of AE used during the test

AE ID*	Description
AE1	Battery
AE2	RF cable

*AE ID: is used to identify the test sample in the lab internally.



3.4. General Description

RBN-NX1 is subscriber equipment in the GSM/WCDMA/LTE/5G NR system. The GSM frequency bands include GSM850, GSM900, DCS1800 and PCS1900. The UMTS frequency band includes band I, band II, band V and band VIII. The LTE frequency bands include band 1, band3, band 5, band 7, band 8, band 20, band 28A, band 32, band 38, band 40 and band 41. The 5G NR frequency bands include band 1, band3, band 7, band 8, band 20, band 28A, band 38, band 40, band 41, band 77(3.3GHz-3.8GHz) and band 78. But only GSM850 and GSM1900, UMTS frequency band II and band V, LTE frequency band 5, band 7, band 38, band 41, 5G NR frequency band 7,band 38, band 41, band 78(3450MHz-3550MHz) bands test data included in this report. The Mobile Phone implements such functions as RF signal receiving/transmitting, 5G NR/LTE/UMTS and GSM/GPRS/EDGE protocol processing, voice, video MMS service, GPS, AGPS, Wi-Fi etc. Externally it provides one micro SD card interface, earphone port (to provide voice service), and dual SIM/single SIM card interface.RBN-NX1 is single/dual SIM smart phone. It also provides Bluetooth module to synchronize data between a PC and the phone, or to use the built-in modem of the phone to access the Internet with a PC, or to exchange data with other Bluetooth devices.

Note: NR Operating Band information as follow:

NR Bands	Uplink (UL)	Downlink (DL)	SCS (kHz)	Power Class	Bandwidths(MHz)
n7	2500 MHz-2570 MHz	2620MHz-2690MHz	15	3	5/10/15/20
n38	2570 MHz-2620MHz	2570MHz-2620MHz	30	3	20
n41	2496MHz-2690MHz	2496MHz-2690MHz	30	2	20/30/40/50/60/80/90/100
n78	3300MHz-3800MHz	3300MHz-3800MHz	30	2	20/30/40/50/60/70/80/90/100

NR modulation: DFT-s-OFDM Pi/2 BPSK,QPSK, 16QAM, 64QAM,256QAM; CP-OFDM QPSK, 16QAM,64QAM,256QAM;



4. REFERENCE DOCUMENTS

The following documents listed in this section are referred for testing.

Reference	Title	Version
FCC Part 2	FREQUENCY ALLOCATIONS AND RADIO TREATY MATTERS; GENERAL RULES AND REGULATIONS	10-1-20 Edition
FCC Part 27	MISCELLANEOUS WIRELESS COMMUNICATIONS SERVICES	10-1-20 Edition
ANSI C63.26	American National Standard for Compliance Testing of Transmitters Used in Licensed Radio Services	2015
KDB971168 D01	Power Meas License Digital Systems	v03r01

5. LABORATORY ENVIRONMENT

Shielded room did not exceed following limits along the RF testing:

Temperature	Min. = 15 °C, Max. = 35 °C
Relative humidity	Min. = 20 %, Max. = 75 %
Shielding effectiveness	0.014MHz-1MHz>60 dB; 1MHz-18000MHz>90 dB
Electrical insulation	>2 MΩ
Ground system resistance	< 4 Ω

Fully-anechoic chamber did not exceed following limits along the EMC testing

Temperature	Min. = 15 °C, Max. = 35 °C
Relative humidity	Min. = 20 %, Max. = 75 %
Shielding effectiveness	0.014MHz-1MHz> 60 dB; 1MHz-18000MHz>90 dB
Electrical insulation	> 2MΩ
Ground system resistance	< 4 Ω
Voltage Standing Wave Ratio (VSWR)	≤ 6 dB, from 1 to 18 GHz, 3 m distance
Uniformity of field strength	Between 0 and 6 dB, from 80 to 6000 MHz



6. SUMMARY OF TEST RESULTS

Abbreviations used in this clause:		
Verdict Column	P	Pass
	F	Fail
	NA	Not applicable
	NM	Not measured

n7

Items	Test Name	Clause in FCC rules	Section in this report	Verdict
1	Output Power	2.1046/27.50(h)	A.1	P
2	Frequency Stability	2.1055/27.54	A.2	P
3	Occupied Bandwidth	2.1049/27.53(m)	A.3	P
4	Emission Bandwidth	2.1049/27.53(m)	A.4	P
5	Band Edge Compliance	2.1051/27.53(m)	A.5	P
6	Conducted Spurious Emission	2.1051/27.53(m)	A.6	P
7	Peak-to-Average Power Ratio	27.50(a)/ KDB971168 D01	A.7	P

n38

Items	Test Name	Clause in FCC rules	Section in this report	Verdict
1	Output Power	2.1046/27.50(h)	A.1	P
2	Frequency Stability	2.1055/27.54	A.2	P
3	Occupied Bandwidth	2.1049/27.53(m)	A.3	P
4	Emission Bandwidth	2.1049/27.53(m)	A.4	P
5	Band Edge Compliance	2.1051/27.53(m)	A.5	P
6	Conducted Spurious Emission	2.1051/27.53(m)	A.6	P
7	Peak-to-Average Power Ratio	27.50(a)/ KDB971168 D01	A.7	P



n41

Items	Test Name	Clause in FCC rules	Section in this report	Verdict
1	Output Power	2.1046/27.50(h)	A.1	P
2	Frequency Stability	2.1055/27.54	A.2	P
3	Occupied Bandwidth	2.1049/27.53(m)	A.3	P
4	Emission Bandwidth	2.1049/27.53(m)	A.4	P
5	Band Edge Compliance	2.1051/27.53(m)	A.5	P
6	Conducted Spurious Emission	2.1051/27.53(m)	A.6	P
7	Peak-to-Average Power Ratio	27.50(a)/ KDB971168 D01	A.7	P

n78

Items	Test Name	Clause in FCC rules	Section in this report	Verdict
1	Output Power	2.1046/27.50(k)	A.1	P
2	Frequency Stability	2.1055/27.54	A.2	P
3	Occupied Bandwidth	2.1049/27.53(n)	A.3	P
4	Emission Bandwidth	2.1049/27.53(n)	A.4	P
5	Band Edge Compliance	2.1051/27.53(n)	A.5	P
6	Conducted Spurious Emission	2.1051/27.53(n)	A.6	P
7	Peak-to-Average Power Ratio	27.50(k)/ KDB971168 D01	A.7	P



No.I22N02501-RF NR

7. STATEMENT

Since the information of samples in this report is provided by the client, the laboratory is not responsible for the authenticity of sample information.

This report takes measured values as criterion of test conclusion. The test conclusion meets the limit requirements.

**8. TEST EQUIPMENTS UTILIZED**

NO.	Description	TYPE	Manufacture	series number	Cal Due Date	Cal.Interval
1	Universal Radio Communication Tester	E7515B	Keysight	MY59322022	2023-04-14	1 year
2	Universal Radio Communication Tester	MT8000A	Anritsu	6261987936	2023-03-29	1 year
3	Universal Radio Communication Tester	CMW500	R&S	129146	2023-04-24	1 year
4	Spectrum Analyzer	FSW26	R&S	102197	2023-11-24	1 year
5	Temperature Chamber	SH-241	ESPEC	92007516	2023-10-15	1 year
6	DC Power Supply	U3606A	Agilent Technologies	MY50450012	2023-11-13	1 year

**ANNEX A: MEASUREMENT RESULTS****A.1 OUTPUT POWER****Reference**

FCC: CFR Part 2.1046, 27.50.

A.1.1 Summary

During the process of testing, the EUT was controlled via Rhode & Schwarz Digital Radio Communication tester to ensure max power transmission and proper modulation.

This result contains peak output power and ERP/EIRP measurements for the EUT.

In all cases, output power is within the specified limits.

A.1.2 Conducted**A.1.2.1 Method of Measurements**

The EUT was set up for the max output power with pseudo random data modulation.

These measurements were done at 3 frequencies (bottom, middle and top of operational frequency range) for each bandwidth.

A.1.2.2 Measurement result

n7

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n7	5	15	2502.5	DFT	pi/2 BPSK	Inner_Full	22.66
n7	5	15	2502.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.21
n7	5	15	2502.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.98
n7	5	15	2502.5	DFT	pi/2 BPSK	Outer_Full	22.14
n7	5	15	2502.5	DFT	QPSK	Inner_Full	22.58
n7	5	15	2502.5	DFT	QPSK	Edge_1RB_Left	21.63
n7	5	15	2502.5	DFT	QPSK	Edge_1RB_Right	21.49
n7	5	15	2502.5	DFT	QPSK	Outer_Full	21.54
n7	5	15	2502.5	DFT	16QAM	Inner_Full	21.75
n7	5	15	2502.5	DFT	16QAM	Edge_1RB_Left	21.30
n7	5	15	2502.5	DFT	16QAM	Edge_1RB_Right	20.74
n7	5	15	2502.5	DFT	16QAM	Outer_Full	20.68
n7	5	15	2502.5	DFT	64QAM	Inner_Full	20.15
n7	5	15	2502.5	DFT	64QAM	Edge_1RB_Left	20.04
n7	5	15	2502.5	DFT	64QAM	Edge_1RB_Right	19.81
n7	5	15	2502.5	DFT	64QAM	Outer_Full	19.89
n7	5	15	2502.5	DFT	256QAM	Inner_Full	18.19



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n7	5	15	2502.5	DFT	256QAM	Edge_1RB_Left	18.03
n7	5	15	2502.5	DFT	256QAM	Edge_1RB_Right	17.75
n7	5	15	2502.5	DFT	256QAM	Outer_Full	18.05
n7	5	15	2502.5	CP	QPSK	Inner_Full	21.30
n7	5	15	2502.5	CP	QPSK	Edge_1RB_Left	19.70
n7	5	15	2502.5	CP	QPSK	Edge_1RB_Right	19.42
n7	5	15	2502.5	CP	QPSK	Outer_Full	19.50
n7	5	15	2502.5	CP	16QAM	Inner_Full	20.80
n7	5	15	2502.5	CP	16QAM	Edge_1RB_Left	20.16
n7	5	15	2502.5	CP	16QAM	Edge_1RB_Right	19.86
n7	5	15	2502.5	CP	16QAM	Outer_Full	19.54
n7	5	15	2502.5	CP	64QAM	Inner_Full	19.14
n7	5	15	2502.5	CP	64QAM	Edge_1RB_Left	19.08
n7	5	15	2502.5	CP	64QAM	Edge_1RB_Right	18.71
n7	5	15	2502.5	CP	64QAM	Outer_Full	19.13
n7	5	15	2502.5	CP	256QAM	Inner_Full	16.27
n7	5	15	2502.5	CP	256QAM	Edge_1RB_Left	16.01
n7	5	15	2502.5	CP	256QAM	Edge_1RB_Right	15.76
n7	5	15	2502.5	CP	256QAM	Outer_Full	16.13
n7	5	15	2535	DFT	pi/2 BPSK	Inner_Full	22.56
n7	5	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	21.89
n7	5	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	21.95
n7	5	15	2535	DFT	pi/2 BPSK	Outer_Full	22.03
n7	5	15	2535	DFT	QPSK	Inner_Full	22.59
n7	5	15	2535	DFT	QPSK	Edge_1RB_Left	21.49
n7	5	15	2535	DFT	QPSK	Edge_1RB_Right	21.48
n7	5	15	2535	DFT	QPSK	Outer_Full	21.46
n7	5	15	2535	DFT	16QAM	Inner_Full	21.56
n7	5	15	2535	DFT	16QAM	Edge_1RB_Left	20.77
n7	5	15	2535	DFT	16QAM	Edge_1RB_Right	20.58



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n7	5	15	2535	DFT	16QAM	Outer_Full	20.54
n7	5	15	2535	DFT	64QAM	Inner_Full	20.15
n7	5	15	2535	DFT	64QAM	Edge_1RB_Left	19.82
n7	5	15	2535	DFT	64QAM	Edge_1RB_Right	19.78
n7	5	15	2535	DFT	64QAM	Outer_Full	20.10
n7	5	15	2535	DFT	256QAM	Inner_Full	18.03
n7	5	15	2535	DFT	256QAM	Edge_1RB_Left	17.68
n7	5	15	2535	DFT	256QAM	Edge_1RB_Right	17.64
n7	5	15	2535	DFT	256QAM	Outer_Full	17.97
n7	5	15	2535	CP	QPSK	Inner_Full	21.08
n7	5	15	2535	CP	QPSK	Edge_1RB_Left	19.37
n7	5	15	2535	CP	QPSK	Edge_1RB_Right	19.46
n7	5	15	2535	CP	QPSK	Outer_Full	19.53
n7	5	15	2535	CP	16QAM	Inner_Full	20.62
n7	5	15	2535	CP	16QAM	Edge_1RB_Left	19.90
n7	5	15	2535	CP	16QAM	Edge_1RB_Right	19.92
n7	5	15	2535	CP	16QAM	Outer_Full	19.44
n7	5	15	2535	CP	64QAM	Inner_Full	18.89
n7	5	15	2535	CP	64QAM	Edge_1RB_Left	18.71
n7	5	15	2535	CP	64QAM	Edge_1RB_Right	18.74
n7	5	15	2535	CP	64QAM	Outer_Full	19.09
n7	5	15	2535	CP	256QAM	Inner_Full	16.12
n7	5	15	2535	CP	256QAM	Edge_1RB_Left	15.76
n7	5	15	2535	CP	256QAM	Edge_1RB_Right	15.75
n7	5	15	2535	CP	256QAM	Outer_Full	16.01
n7	5	15	2567.5	DFT	pi/2 BPSK	Inner_Full	22.44
n7	5	15	2567.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.95
n7	5	15	2567.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.91
n7	5	15	2567.5	DFT	pi/2 BPSK	Outer_Full	21.94
n7	5	15	2567.5	DFT	QPSK	Inner_Full	22.46



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n7	5	15	2567.5	DFT	QPSK	Edge_1RB_Left	21.49
n7	5	15	2567.5	DFT	QPSK	Edge_1RB_Right	21.46
n7	5	15	2567.5	DFT	QPSK	Outer_Full	21.51
n7	5	15	2567.5	DFT	16QAM	Inner_Full	21.50
n7	5	15	2567.5	DFT	16QAM	Edge_1RB_Left	20.71
n7	5	15	2567.5	DFT	16QAM	Edge_1RB_Right	20.75
n7	5	15	2567.5	DFT	16QAM	Outer_Full	20.54
n7	5	15	2567.5	DFT	64QAM	Inner_Full	20.05
n7	5	15	2567.5	DFT	64QAM	Edge_1RB_Left	19.82
n7	5	15	2567.5	DFT	64QAM	Edge_1RB_Right	19.76
n7	5	15	2567.5	DFT	64QAM	Outer_Full	20.08
n7	5	15	2567.5	DFT	256QAM	Inner_Full	17.96
n7	5	15	2567.5	DFT	256QAM	Edge_1RB_Left	17.71
n7	5	15	2567.5	DFT	256QAM	Edge_1RB_Right	17.71
n7	5	15	2567.5	DFT	256QAM	Outer_Full	17.95
n7	5	15	2567.5	CP	QPSK	Inner_Full	21.04
n7	5	15	2567.5	CP	QPSK	Edge_1RB_Left	19.45
n7	5	15	2567.5	CP	QPSK	Edge_1RB_Right	19.39
n7	5	15	2567.5	CP	QPSK	Outer_Full	19.45
n7	5	15	2567.5	CP	16QAM	Inner_Full	20.68
n7	5	15	2567.5	CP	16QAM	Edge_1RB_Left	19.91
n7	5	15	2567.5	CP	16QAM	Edge_1RB_Right	19.95
n7	5	15	2567.5	CP	16QAM	Outer_Full	19.48
n7	5	15	2567.5	CP	64QAM	Inner_Full	18.90
n7	5	15	2567.5	CP	64QAM	Edge_1RB_Left	18.73
n7	5	15	2567.5	CP	64QAM	Edge_1RB_Right	18.74
n7	5	15	2567.5	CP	64QAM	Outer_Full	19.03
n7	5	15	2567.5	CP	256QAM	Inner_Full	16.11
n7	5	15	2567.5	CP	256QAM	Edge_1RB_Left	15.77
n7	5	15	2567.5	CP	256QAM	Edge_1RB_Right	15.77



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n7	5	15	2567.5	CP	256QAM	Outer_Full	16.00
n7	10	15	2505	DFT	pi/2 BPSK	Inner_Full	22.62
n7	10	15	2505	DFT	pi/2 BPSK	Edge_1RB_Left	22.25
n7	10	15	2505	DFT	pi/2 BPSK	Edge_1RB_Right	21.79
n7	10	15	2505	DFT	pi/2 BPSK	Outer_Full	21.95
n7	10	15	2505	DFT	QPSK	Inner_Full	22.56
n7	10	15	2505	DFT	QPSK	Edge_1RB_Left	21.71
n7	10	15	2505	DFT	QPSK	Edge_1RB_Right	21.36
n7	10	15	2505	DFT	QPSK	Outer_Full	21.52
n7	10	15	2505	DFT	16QAM	Inner_Full	21.56
n7	10	15	2505	DFT	16QAM	Edge_1RB_Left	21.30
n7	10	15	2505	DFT	16QAM	Edge_1RB_Right	20.78
n7	10	15	2505	DFT	16QAM	Outer_Full	20.46
n7	10	15	2505	DFT	64QAM	Inner_Full	20.15
n7	10	15	2505	DFT	64QAM	Edge_1RB_Left	20.09
n7	10	15	2505	DFT	64QAM	Edge_1RB_Right	19.70
n7	10	15	2505	DFT	64QAM	Outer_Full	20.00
n7	10	15	2505	DFT	256QAM	Inner_Full	18.01
n7	10	15	2505	DFT	256QAM	Edge_1RB_Left	17.89
n7	10	15	2505	DFT	256QAM	Edge_1RB_Right	17.92
n7	10	15	2505	DFT	256QAM	Outer_Full	17.92
n7	10	15	2505	CP	QPSK	Inner_Full	21.12
n7	10	15	2505	CP	QPSK	Edge_1RB_Left	19.67
n7	10	15	2505	CP	QPSK	Edge_1RB_Right	19.30
n7	10	15	2505	CP	QPSK	Outer_Full	19.43
n7	10	15	2505	CP	16QAM	Inner_Full	20.61
n7	10	15	2505	CP	16QAM	Edge_1RB_Left	20.12
n7	10	15	2505	CP	16QAM	Edge_1RB_Right	19.78
n7	10	15	2505	CP	16QAM	Outer_Full	19.48
n7	10	15	2505	CP	64QAM	Inner_Full	19.08



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n7	10	15	2505	CP	64QAM	Edge_1RB_Left	19.08
n7	10	15	2505	CP	64QAM	Edge_1RB_Right	18.64
n7	10	15	2505	CP	64QAM	Outer_Full	19.02
n7	10	15	2505	CP	256QAM	Inner_Full	16.06
n7	10	15	2505	CP	256QAM	Edge_1RB_Left	16.00
n7	10	15	2505	CP	256QAM	Edge_1RB_Right	15.68
n7	10	15	2505	CP	256QAM	Outer_Full	16.00
n7	10	15	2535	DFT	pi/2 BPSK	Inner_Full	22.52
n7	10	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	21.90
n7	10	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	21.97
n7	10	15	2535	DFT	pi/2 BPSK	Outer_Full	22.01
n7	10	15	2535	DFT	QPSK	Inner_Full	22.55
n7	10	15	2535	DFT	QPSK	Edge_1RB_Left	21.37
n7	10	15	2535	DFT	QPSK	Edge_1RB_Right	21.56
n7	10	15	2535	DFT	QPSK	Outer_Full	21.53
n7	10	15	2535	DFT	16QAM	Inner_Full	21.52
n7	10	15	2535	DFT	16QAM	Edge_1RB_Left	20.61
n7	10	15	2535	DFT	16QAM	Edge_1RB_Right	20.69
n7	10	15	2535	DFT	16QAM	Outer_Full	20.49
n7	10	15	2535	DFT	64QAM	Inner_Full	20.13
n7	10	15	2535	DFT	64QAM	Edge_1RB_Left	19.79
n7	10	15	2535	DFT	64QAM	Edge_1RB_Right	19.89
n7	10	15	2535	DFT	64QAM	Outer_Full	20.18
n7	10	15	2535	DFT	256QAM	Inner_Full	18.00
n7	10	15	2535	DFT	256QAM	Edge_1RB_Left	17.43
n7	10	15	2535	DFT	256QAM	Edge_1RB_Right	17.56
n7	10	15	2535	DFT	256QAM	Outer_Full	17.84
n7	10	15	2535	CP	QPSK	Inner_Full	21.10
n7	10	15	2535	CP	QPSK	Edge_1RB_Left	19.40
n7	10	15	2535	CP	QPSK	Edge_1RB_Right	19.52



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n7	10	15	2535	CP	QPSK	Outer_Full	19.45
n7	10	15	2535	CP	16QAM	Inner_Full	20.52
n7	10	15	2535	CP	16QAM	Edge_1RB_Left	19.84
n7	10	15	2535	CP	16QAM	Edge_1RB_Right	19.96
n7	10	15	2535	CP	16QAM	Outer_Full	19.47
n7	10	15	2535	CP	64QAM	Inner_Full	19.06
n7	10	15	2535	CP	64QAM	Edge_1RB_Left	18.65
n7	10	15	2535	CP	64QAM	Edge_1RB_Right	18.76
n7	10	15	2535	CP	64QAM	Outer_Full	18.97
n7	10	15	2535	CP	256QAM	Inner_Full	15.98
n7	10	15	2535	CP	256QAM	Edge_1RB_Left	15.67
n7	10	15	2535	CP	256QAM	Edge_1RB_Right	15.75
n7	10	15	2535	CP	256QAM	Outer_Full	15.96
n7	10	15	2565	DFT	pi/2 BPSK	Inner_Full	22.48
n7	10	15	2565	DFT	pi/2 BPSK	Edge_1RB_Left	21.94
n7	10	15	2565	DFT	pi/2 BPSK	Edge_1RB_Right	21.92
n7	10	15	2565	DFT	pi/2 BPSK	Outer_Full	21.99
n7	10	15	2565	DFT	QPSK	Inner_Full	22.55
n7	10	15	2565	DFT	QPSK	Edge_1RB_Left	21.51
n7	10	15	2565	DFT	QPSK	Edge_1RB_Right	21.46
n7	10	15	2565	DFT	QPSK	Outer_Full	21.55
n7	10	15	2565	DFT	16QAM	Inner_Full	21.56
n7	10	15	2565	DFT	16QAM	Edge_1RB_Left	20.62
n7	10	15	2565	DFT	16QAM	Edge_1RB_Right	20.65
n7	10	15	2565	DFT	16QAM	Outer_Full	20.47
n7	10	15	2565	DFT	64QAM	Inner_Full	20.12
n7	10	15	2565	DFT	64QAM	Edge_1RB_Left	19.82
n7	10	15	2565	DFT	64QAM	Edge_1RB_Right	19.81
n7	10	15	2565	DFT	64QAM	Outer_Full	20.01
n7	10	15	2565	DFT	256QAM	Inner_Full	17.94



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n7	10	15	2565	DFT	256QAM	Edge_1RB_Left	17.68
n7	10	15	2565	DFT	256QAM	Edge_1RB_Right	17.97
n7	10	15	2565	DFT	256QAM	Outer_Full	18.00
n7	10	15	2565	CP	QPSK	Inner_Full	21.08
n7	10	15	2565	CP	QPSK	Edge_1RB_Left	19.45
n7	10	15	2565	CP	QPSK	Edge_1RB_Right	19.44
n7	10	15	2565	CP	QPSK	Outer_Full	19.46
n7	10	15	2565	CP	16QAM	Inner_Full	20.64
n7	10	15	2565	CP	16QAM	Edge_1RB_Left	19.91
n7	10	15	2565	CP	16QAM	Edge_1RB_Right	19.89
n7	10	15	2565	CP	16QAM	Outer_Full	19.45
n7	10	15	2565	CP	64QAM	Inner_Full	19.00
n7	10	15	2565	CP	64QAM	Edge_1RB_Left	18.73
n7	10	15	2565	CP	64QAM	Edge_1RB_Right	18.72
n7	10	15	2565	CP	64QAM	Outer_Full	19.00
n7	10	15	2565	CP	256QAM	Inner_Full	15.97
n7	10	15	2565	CP	256QAM	Edge_1RB_Left	15.71
n7	10	15	2565	CP	256QAM	Edge_1RB_Right	15.76
n7	10	15	2565	CP	256QAM	Outer_Full	16.01
n7	15	15	2507.5	DFT	pi/2 BPSK	Inner_Full	22.44
n7	15	15	2507.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.14
n7	15	15	2507.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.64
n7	15	15	2507.5	DFT	pi/2 BPSK	Outer_Full	21.97
n7	15	15	2507.5	DFT	QPSK	Inner_Full	22.46
n7	15	15	2507.5	DFT	QPSK	Edge_1RB_Left	21.59
n7	15	15	2507.5	DFT	QPSK	Edge_1RB_Right	21.20
n7	15	15	2507.5	DFT	QPSK	Outer_Full	21.53
n7	15	15	2507.5	DFT	16QAM	Inner_Full	21.37
n7	15	15	2507.5	DFT	16QAM	Edge_1RB_Left	21.15
n7	15	15	2507.5	DFT	16QAM	Edge_1RB_Right	20.47



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n7	15	15	2507.5	DFT	16QAM	Outer_Full	20.50
n7	15	15	2507.5	DFT	64QAM	Inner_Full	20.01
n7	15	15	2507.5	DFT	64QAM	Edge_1RB_Left	20.07
n7	15	15	2507.5	DFT	64QAM	Edge_1RB_Right	19.59
n7	15	15	2507.5	DFT	64QAM	Outer_Full	20.06
n7	15	15	2507.5	DFT	256QAM	Inner_Full	18.01
n7	15	15	2507.5	DFT	256QAM	Edge_1RB_Left	17.97
n7	15	15	2507.5	DFT	256QAM	Edge_1RB_Right	17.98
n7	15	15	2507.5	DFT	256QAM	Outer_Full	17.95
n7	15	15	2507.5	CP	QPSK	Inner_Full	20.91
n7	15	15	2507.5	CP	QPSK	Edge_1RB_Left	19.64
n7	15	15	2507.5	CP	QPSK	Edge_1RB_Right	19.17
n7	15	15	2507.5	CP	QPSK	Outer_Full	19.47
n7	15	15	2507.5	CP	16QAM	Inner_Full	20.48
n7	15	15	2507.5	CP	16QAM	Edge_1RB_Left	20.11
n7	15	15	2507.5	CP	16QAM	Edge_1RB_Right	19.59
n7	15	15	2507.5	CP	16QAM	Outer_Full	19.47
n7	15	15	2507.5	CP	64QAM	Inner_Full	18.93
n7	15	15	2507.5	CP	64QAM	Edge_1RB_Left	18.94
n7	15	15	2507.5	CP	64QAM	Edge_1RB_Right	18.47
n7	15	15	2507.5	CP	64QAM	Outer_Full	18.95
n7	15	15	2507.5	CP	256QAM	Inner_Full	16.01
n7	15	15	2507.5	CP	256QAM	Edge_1RB_Left	16.00
n7	15	15	2507.5	CP	256QAM	Edge_1RB_Right	15.58
n7	15	15	2507.5	CP	256QAM	Outer_Full	15.98
n7	15	15	2535	DFT	pi/2 BPSK	Inner_Full	22.43
n7	15	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	21.68
n7	15	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	21.94
n7	15	15	2535	DFT	pi/2 BPSK	Outer_Full	21.99
n7	15	15	2535	DFT	QPSK	Inner_Full	22.53



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n7	15	15	2535	DFT	QPSK	Edge_1RB_Left	21.33
n7	15	15	2535	DFT	QPSK	Edge_1RB_Right	21.50
n7	15	15	2535	DFT	QPSK	Outer_Full	21.41
n7	15	15	2535	DFT	16QAM	Inner_Full	21.51
n7	15	15	2535	DFT	16QAM	Edge_1RB_Left	20.54
n7	15	15	2535	DFT	16QAM	Edge_1RB_Right	20.60
n7	15	15	2535	DFT	16QAM	Outer_Full	20.49
n7	15	15	2535	DFT	64QAM	Inner_Full	20.00
n7	15	15	2535	DFT	64QAM	Edge_1RB_Left	19.71
n7	15	15	2535	DFT	64QAM	Edge_1RB_Right	19.79
n7	15	15	2535	DFT	64QAM	Outer_Full	20.27
n7	15	15	2535	DFT	256QAM	Inner_Full	17.97
n7	15	15	2535	DFT	256QAM	Edge_1RB_Left	17.50
n7	15	15	2535	DFT	256QAM	Edge_1RB_Right	17.56
n7	15	15	2535	DFT	256QAM	Outer_Full	17.91
n7	15	15	2535	CP	QPSK	Inner_Full	21.01
n7	15	15	2535	CP	QPSK	Edge_1RB_Left	19.27
n7	15	15	2535	CP	QPSK	Edge_1RB_Right	19.49
n7	15	15	2535	CP	QPSK	Outer_Full	19.51
n7	15	15	2535	CP	16QAM	Inner_Full	20.47
n7	15	15	2535	CP	16QAM	Edge_1RB_Left	19.69
n7	15	15	2535	CP	16QAM	Edge_1RB_Right	19.76
n7	15	15	2535	CP	16QAM	Outer_Full	19.44
n7	15	15	2535	CP	64QAM	Inner_Full	18.93
n7	15	15	2535	CP	64QAM	Edge_1RB_Left	18.47
n7	15	15	2535	CP	64QAM	Edge_1RB_Right	18.72
n7	15	15	2535	CP	64QAM	Outer_Full	19.00
n7	15	15	2535	CP	256QAM	Inner_Full	15.96
n7	15	15	2535	CP	256QAM	Edge_1RB_Left	15.63
n7	15	15	2535	CP	256QAM	Edge_1RB_Right	15.90



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n7	15	15	2535	CP	256QAM	Outer_Full	15.94
n7	15	15	2562.5	DFT	pi/2 BPSK	Inner_Full	22.37
n7	15	15	2562.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.82
n7	15	15	2562.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.82
n7	15	15	2562.5	DFT	pi/2 BPSK	Outer_Full	21.94
n7	15	15	2562.5	DFT	QPSK	Inner_Full	22.48
n7	15	15	2562.5	DFT	QPSK	Edge_1RB_Left	21.20
n7	15	15	2562.5	DFT	QPSK	Edge_1RB_Right	21.29
n7	15	15	2562.5	DFT	QPSK	Outer_Full	21.34
n7	15	15	2562.5	DFT	16QAM	Inner_Full	21.39
n7	15	15	2562.5	DFT	16QAM	Edge_1RB_Left	20.54
n7	15	15	2562.5	DFT	16QAM	Edge_1RB_Right	20.63
n7	15	15	2562.5	DFT	16QAM	Outer_Full	20.45
n7	15	15	2562.5	DFT	64QAM	Inner_Full	19.94
n7	15	15	2562.5	DFT	64QAM	Edge_1RB_Left	19.74
n7	15	15	2562.5	DFT	64QAM	Edge_1RB_Right	19.64
n7	15	15	2562.5	DFT	64QAM	Outer_Full	19.90
n7	15	15	2562.5	DFT	256QAM	Inner_Full	17.87
n7	15	15	2562.5	DFT	256QAM	Edge_1RB_Left	17.68
n7	15	15	2562.5	DFT	256QAM	Edge_1RB_Right	17.73
n7	15	15	2562.5	DFT	256QAM	Outer_Full	17.92
n7	15	15	2562.5	CP	QPSK	Inner_Full	20.87
n7	15	15	2562.5	CP	QPSK	Edge_1RB_Left	19.35
n7	15	15	2562.5	CP	QPSK	Edge_1RB_Right	19.33
n7	15	15	2562.5	CP	QPSK	Outer_Full	19.41
n7	15	15	2562.5	CP	16QAM	Inner_Full	20.41
n7	15	15	2562.5	CP	16QAM	Edge_1RB_Left	19.65
n7	15	15	2562.5	CP	16QAM	Edge_1RB_Right	19.66
n7	15	15	2562.5	CP	16QAM	Outer_Full	19.41
n7	15	15	2562.5	CP	64QAM	Inner_Full	18.92



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n7	15	15	2562.5	CP	64QAM	Edge_1RB_Left	18.55
n7	15	15	2562.5	CP	64QAM	Edge_1RB_Right	18.68
n7	15	15	2562.5	CP	64QAM	Outer_Full	18.92
n7	15	15	2562.5	CP	256QAM	Inner_Full	15.93
n7	15	15	2562.5	CP	256QAM	Edge_1RB_Left	15.71
n7	15	15	2562.5	CP	256QAM	Edge_1RB_Right	15.76
n7	15	15	2562.5	CP	256QAM	Outer_Full	15.89
n7	20	15	2510	DFT	pi/2 BPSK	Inner_Full	22.39
n7	20	15	2510	DFT	pi/2 BPSK	Edge_1RB_Left	22.12
n7	20	15	2510	DFT	pi/2 BPSK	Edge_1RB_Right	21.65
n7	20	15	2510	DFT	pi/2 BPSK	Outer_Full	21.91
n7	20	15	2510	DFT	QPSK	Inner_Full	22.46
n7	20	15	2510	DFT	QPSK	Edge_1RB_Left	21.68
n7	20	15	2510	DFT	QPSK	Edge_1RB_Right	21.07
n7	20	15	2510	DFT	QPSK	Outer_Full	21.48
n7	20	15	2510	DFT	16QAM	Inner_Full	21.27
n7	20	15	2510	DFT	16QAM	Edge_1RB_Left	20.91
n7	20	15	2510	DFT	16QAM	Edge_1RB_Right	20.47
n7	20	15	2510	DFT	16QAM	Outer_Full	20.43
n7	20	15	2510	DFT	64QAM	Inner_Full	19.93
n7	20	15	2510	DFT	64QAM	Edge_1RB_Left	19.95
n7	20	15	2510	DFT	64QAM	Edge_1RB_Right	19.55
n7	20	15	2510	DFT	64QAM	Outer_Full	19.98
n7	20	15	2510	DFT	256QAM	Inner_Full	17.88
n7	20	15	2510	DFT	256QAM	Edge_1RB_Left	18.01
n7	20	15	2510	DFT	256QAM	Edge_1RB_Right	17.78
n7	20	15	2510	DFT	256QAM	Outer_Full	17.95
n7	20	15	2510	CP	QPSK	Inner_Full	20.96
n7	20	15	2510	CP	QPSK	Edge_1RB_Left	19.66
n7	20	15	2510	CP	QPSK	Edge_1RB_Right	19.15



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n7	20	15	2510	CP	QPSK	Outer_Full	19.44
n7	20	15	2510	CP	16QAM	Inner_Full	20.38
n7	20	15	2510	CP	16QAM	Edge_1RB_Left	20.02
n7	20	15	2510	CP	16QAM	Edge_1RB_Right	19.58
n7	20	15	2510	CP	16QAM	Outer_Full	19.41
n7	20	15	2510	CP	64QAM	Inner_Full	18.91
n7	20	15	2510	CP	64QAM	Edge_1RB_Left	18.88
n7	20	15	2510	CP	64QAM	Edge_1RB_Right	18.43
n7	20	15	2510	CP	64QAM	Outer_Full	18.91
n7	20	15	2510	CP	256QAM	Inner_Full	15.88
n7	20	15	2510	CP	256QAM	Edge_1RB_Left	15.99
n7	20	15	2510	CP	256QAM	Edge_1RB_Right	15.62
n7	20	15	2510	CP	256QAM	Outer_Full	15.94
n7	20	15	2535	DFT	pi/2 BPSK	Inner_Full	22.46
n7	20	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	21.68
n7	20	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	21.89
n7	20	15	2535	DFT	pi/2 BPSK	Outer_Full	22.05
n7	20	15	2535	DFT	QPSK	Inner_Full	22.56
n7	20	15	2535	DFT	QPSK	Edge_1RB_Left	21.27
n7	20	15	2535	DFT	QPSK	Edge_1RB_Right	21.44
n7	20	15	2535	DFT	QPSK	Outer_Full	21.55
n7	20	15	2535	DFT	16QAM	Inner_Full	21.31
n7	20	15	2535	DFT	16QAM	Edge_1RB_Left	20.35
n7	20	15	2535	DFT	16QAM	Edge_1RB_Right	20.55
n7	20	15	2535	DFT	16QAM	Outer_Full	20.42
n7	20	15	2535	DFT	64QAM	Inner_Full	20.16
n7	20	15	2535	DFT	64QAM	Edge_1RB_Left	19.66
n7	20	15	2535	DFT	64QAM	Edge_1RB_Right	19.87
n7	20	15	2535	DFT	64QAM	Outer_Full	20.05
n7	20	15	2535	DFT	256QAM	Inner_Full	17.92



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n7	20	15	2535	DFT	256QAM	Edge_1RB_Left	17.50
n7	20	15	2535	DFT	256QAM	Edge_1RB_Right	17.97
n7	20	15	2535	DFT	256QAM	Outer_Full	17.99
n7	20	15	2535	CP	QPSK	Inner_Full	21.05
n7	20	15	2535	CP	QPSK	Edge_1RB_Left	19.25
n7	20	15	2535	CP	QPSK	Edge_1RB_Right	19.36
n7	20	15	2535	CP	QPSK	Outer_Full	19.51
n7	20	15	2535	CP	16QAM	Inner_Full	20.47
n7	20	15	2535	CP	16QAM	Edge_1RB_Left	19.69
n7	20	15	2535	CP	16QAM	Edge_1RB_Right	19.89
n7	20	15	2535	CP	16QAM	Outer_Full	19.40
n7	20	15	2535	CP	64QAM	Inner_Full	18.93
n7	20	15	2535	CP	64QAM	Edge_1RB_Left	18.47
n7	20	15	2535	CP	64QAM	Edge_1RB_Right	18.78
n7	20	15	2535	CP	64QAM	Outer_Full	19.00
n7	20	15	2535	CP	256QAM	Inner_Full	15.92
n7	20	15	2535	CP	256QAM	Edge_1RB_Left	15.58
n7	20	15	2535	CP	256QAM	Edge_1RB_Right	15.84
n7	20	15	2535	CP	256QAM	Outer_Full	15.98
n7	20	15	2560	DFT	pi/2 BPSK	Inner_Full	22.43
n7	20	15	2560	DFT	pi/2 BPSK	Edge_1RB_Left	21.85
n7	20	15	2560	DFT	pi/2 BPSK	Edge_1RB_Right	21.77
n7	20	15	2560	DFT	pi/2 BPSK	Outer_Full	21.93
n7	20	15	2560	DFT	QPSK	Inner_Full	22.42
n7	20	15	2560	DFT	QPSK	Edge_1RB_Left	21.50
n7	20	15	2560	DFT	QPSK	Edge_1RB_Right	21.51
n7	20	15	2560	DFT	QPSK	Outer_Full	21.48
n7	20	15	2560	DFT	16QAM	Inner_Full	21.34
n7	20	15	2560	DFT	16QAM	Edge_1RB_Left	20.65
n7	20	15	2560	DFT	16QAM	Edge_1RB_Right	20.58



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n7	20	15	2560	DFT	16QAM	Outer_Full	20.46
n7	20	15	2560	DFT	64QAM	Inner_Full	19.91
n7	20	15	2560	DFT	64QAM	Edge_1RB_Left	19.74
n7	20	15	2560	DFT	64QAM	Edge_1RB_Right	19.66
n7	20	15	2560	DFT	64QAM	Outer_Full	19.96
n7	20	15	2560	DFT	256QAM	Inner_Full	17.91
n7	20	15	2560	DFT	256QAM	Edge_1RB_Left	17.66
n7	20	15	2560	DFT	256QAM	Edge_1RB_Right	17.53
n7	20	15	2560	DFT	256QAM	Outer_Full	17.88
n7	20	15	2560	CP	QPSK	Inner_Full	20.97
n7	20	15	2560	CP	QPSK	Edge_1RB_Left	19.38
n7	20	15	2560	CP	QPSK	Edge_1RB_Right	19.31
n7	20	15	2560	CP	QPSK	Outer_Full	19.42
n7	20	15	2560	CP	16QAM	Inner_Full	20.44
n7	20	15	2560	CP	16QAM	Edge_1RB_Left	19.89
n7	20	15	2560	CP	16QAM	Edge_1RB_Right	19.58
n7	20	15	2560	CP	16QAM	Outer_Full	19.48
n7	20	15	2560	CP	64QAM	Inner_Full	19.02
n7	20	15	2560	CP	64QAM	Edge_1RB_Left	18.62
n7	20	15	2560	CP	64QAM	Edge_1RB_Right	18.65
n7	20	15	2560	CP	64QAM	Outer_Full	18.89
n7	20	15	2560	CP	256QAM	Inner_Full	15.79
n7	20	15	2560	CP	256QAM	Edge_1RB_Left	15.75
n7	20	15	2560	CP	256QAM	Edge_1RB_Right	15.85
n7	20	15	2560	CP	256QAM	Outer_Full	15.89



n38

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n38	20	30	2580	DFT	pi/2 BPSK	Inner_Full	23.15
n38	20	30	2580	DFT	pi/2 BPSK	Edge_1RB_Left	22.47
n38	20	30	2580	DFT	pi/2 BPSK	Edge_1RB_Right	22.74
n38	20	30	2580	DFT	pi/2 BPSK	Outer_Full	22.45
n38	20	30	2580	DFT	QPSK	Inner_Full	22.99
n38	20	30	2580	DFT	QPSK	Edge_1RB_Left	21.97
n38	20	30	2580	DFT	QPSK	Edge_1RB_Right	22.07
n38	20	30	2580	DFT	QPSK	Outer_Full	22.00
n38	20	30	2580	DFT	16QAM	Inner_Full	22.02
n38	20	30	2580	DFT	16QAM	Edge_1RB_Left	21.00
n38	20	30	2580	DFT	16QAM	Edge_1RB_Right	20.85
n38	20	30	2580	DFT	16QAM	Outer_Full	21.01
n38	20	30	2580	DFT	64QAM	Inner_Full	20.43
n38	20	30	2580	DFT	64QAM	Edge_1RB_Left	20.15
n38	20	30	2580	DFT	64QAM	Edge_1RB_Right	20.28
n38	20	30	2580	DFT	64QAM	Outer_Full	20.49
n38	20	30	2580	DFT	256QAM	Inner_Full	18.47
n38	20	30	2580	DFT	256QAM	Edge_1RB_Left	18.30
n38	20	30	2580	DFT	256QAM	Edge_1RB_Right	18.43
n38	20	30	2580	DFT	256QAM	Outer_Full	18.52
n38	20	30	2580	CP	QPSK	Inner_Full	21.50
n38	20	30	2580	CP	QPSK	Edge_1RB_Left	20.08
n38	20	30	2580	CP	QPSK	Edge_1RB_Right	20.08
n38	20	30	2580	CP	QPSK	Outer_Full	20.00
n38	20	30	2580	CP	16QAM	Inner_Full	21.06
n38	20	30	2580	CP	16QAM	Edge_1RB_Left	19.98
n38	20	30	2580	CP	16QAM	Edge_1RB_Right	20.16
n38	20	30	2580	CP	16QAM	Outer_Full	20.07
n38	20	30	2580	CP	64QAM	Inner_Full	19.42



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n38	20	30	2580	CP	64QAM	Edge_1RB_Left	19.15
n38	20	30	2580	CP	64QAM	Edge_1RB_Right	19.28
n38	20	30	2580	CP	64QAM	Outer_Full	19.50
n38	20	30	2580	CP	256QAM	Inner_Full	16.51
n38	20	30	2580	CP	256QAM	Edge_1RB_Left	16.34
n38	20	30	2580	CP	256QAM	Edge_1RB_Right	16.48
n38	20	30	2580	CP	256QAM	Outer_Full	16.50
n38	20	30	2595	DFT	pi/2 BPSK	Inner_Full	23.26
n38	20	30	2595	DFT	pi/2 BPSK	Edge_1RB_Left	22.45
n38	20	30	2595	DFT	pi/2 BPSK	Edge_1RB_Right	23.01
n38	20	30	2595	DFT	pi/2 BPSK	Outer_Full	22.72
n38	20	30	2595	DFT	QPSK	Inner_Full	23.29
n38	20	30	2595	DFT	QPSK	Edge_1RB_Left	21.95
n38	20	30	2595	DFT	QPSK	Edge_1RB_Right	22.59
n38	20	30	2595	DFT	QPSK	Outer_Full	22.28
n38	20	30	2595	DFT	16QAM	Inner_Full	22.32
n38	20	30	2595	DFT	16QAM	Edge_1RB_Left	20.85
n38	20	30	2595	DFT	16QAM	Edge_1RB_Right	21.27
n38	20	30	2595	DFT	16QAM	Outer_Full	21.21
n38	20	30	2595	DFT	64QAM	Inner_Full	20.79
n38	20	30	2595	DFT	64QAM	Edge_1RB_Left	20.10
n38	20	30	2595	DFT	64QAM	Edge_1RB_Right	20.73
n38	20	30	2595	DFT	64QAM	Outer_Full	20.72
n38	20	30	2595	DFT	256QAM	Inner_Full	18.69
n38	20	30	2595	DFT	256QAM	Edge_1RB_Left	18.37
n38	20	30	2595	DFT	256QAM	Edge_1RB_Right	18.94
n38	20	30	2595	DFT	256QAM	Outer_Full	18.72
n38	20	30	2595	CP	QPSK	Inner_Full	21.63
n38	20	30	2595	CP	QPSK	Edge_1RB_Left	19.99
n38	20	30	2595	CP	QPSK	Edge_1RB_Right	20.58



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n38	20	30	2595	CP	QPSK	Outer_Full	20.25
n38	20	30	2595	CP	16QAM	Inner_Full	21.24
n38	20	30	2595	CP	16QAM	Edge_1RB_Left	19.87
n38	20	30	2595	CP	16QAM	Edge_1RB_Right	20.49
n38	20	30	2595	CP	16QAM	Outer_Full	20.26
n38	20	30	2595	CP	64QAM	Inner_Full	19.80
n38	20	30	2595	CP	64QAM	Edge_1RB_Left	19.16
n38	20	30	2595	CP	64QAM	Edge_1RB_Right	19.78
n38	20	30	2595	CP	64QAM	Outer_Full	19.77
n38	20	30	2595	CP	256QAM	Inner_Full	16.75
n38	20	30	2595	CP	256QAM	Edge_1RB_Left	16.40
n38	20	30	2595	CP	256QAM	Edge_1RB_Right	16.97
n38	20	30	2595	CP	256QAM	Outer_Full	16.83
n38	20	30	2610	DFT	pi/2 BPSK	Inner_Full	23.68
n38	20	30	2610	DFT	pi/2 BPSK	Edge_1RB_Left	22.76
n38	20	30	2610	DFT	pi/2 BPSK	Edge_1RB_Right	23.37
n38	20	30	2610	DFT	pi/2 BPSK	Outer_Full	23.10
n38	20	30	2610	DFT	QPSK	Inner_Full	23.73
n38	20	30	2610	DFT	QPSK	Edge_1RB_Left	22.22
n38	20	30	2610	DFT	QPSK	Edge_1RB_Right	22.89
n38	20	30	2610	DFT	QPSK	Outer_Full	22.63
n38	20	30	2610	DFT	16QAM	Inner_Full	22.83
n38	20	30	2610	DFT	16QAM	Edge_1RB_Left	21.04
n38	20	30	2610	DFT	16QAM	Edge_1RB_Right	21.81
n38	20	30	2610	DFT	16QAM	Outer_Full	21.62
n38	20	30	2610	DFT	64QAM	Inner_Full	21.30
n38	20	30	2610	DFT	64QAM	Edge_1RB_Left	20.53
n38	20	30	2610	DFT	64QAM	Edge_1RB_Right	21.05
n38	20	30	2610	DFT	64QAM	Outer_Full	21.32
n38	20	30	2610	DFT	256QAM	Inner_Full	19.17



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n38	20	30	2610	DFT	256QAM	Edge_1RB_Left	18.73
n38	20	30	2610	DFT	256QAM	Edge_1RB_Right	19.27
n38	20	30	2610	DFT	256QAM	Outer_Full	19.14
n38	20	30	2610	CP	QPSK	Inner_Full	22.09
n38	20	30	2610	CP	QPSK	Edge_1RB_Left	20.28
n38	20	30	2610	CP	QPSK	Edge_1RB_Right	20.98
n38	20	30	2610	CP	QPSK	Outer_Full	20.67
n38	20	30	2610	CP	16QAM	Inner_Full	21.73
n38	20	30	2610	CP	16QAM	Edge_1RB_Left	20.32
n38	20	30	2610	CP	16QAM	Edge_1RB_Right	20.92
n38	20	30	2610	CP	16QAM	Outer_Full	20.72
n38	20	30	2610	CP	64QAM	Inner_Full	20.24
n38	20	30	2610	CP	64QAM	Edge_1RB_Left	19.42
n38	20	30	2610	CP	64QAM	Edge_1RB_Right	20.14
n38	20	30	2610	CP	64QAM	Outer_Full	20.16
n38	20	30	2610	CP	256QAM	Inner_Full	17.10
n38	20	30	2610	CP	256QAM	Edge_1RB_Left	16.59
n38	20	30	2610	CP	256QAM	Edge_1RB_Right	17.16
n38	20	30	2610	CP	256QAM	Outer_Full	17.13



n41

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	20	30	2506.02	DFT	pi/2 BPSK	Inner_Full	25.43
n41	20	30	2506.02	DFT	pi/2 BPSK	Edge_1RB_Left	22.04
n41	20	30	2506.02	DFT	pi/2 BPSK	Edge_1RB_Right	21.71
n41	20	30	2506.02	DFT	pi/2 BPSK	Outer_Full	24.93
n41	20	30	2506.02	DFT	QPSK	Inner_Full	25.42
n41	20	30	2506.02	DFT	QPSK	Edge_1RB_Left	22.03
n41	20	30	2506.02	DFT	QPSK	Edge_1RB_Right	21.70
n41	20	30	2506.02	DFT	QPSK	Outer_Full	24.54
n41	20	30	2506.02	DFT	16QAM	Inner_Full	24.53
n41	20	30	2506.02	DFT	16QAM	Edge_1RB_Left	21.77
n41	20	30	2506.02	DFT	16QAM	Edge_1RB_Right	21.67
n41	20	30	2506.02	DFT	16QAM	Outer_Full	23.43
n41	20	30	2506.02	DFT	64QAM	Inner_Full	22.95
n41	20	30	2506.02	DFT	64QAM	Edge_1RB_Left	21.68
n41	20	30	2506.02	DFT	64QAM	Edge_1RB_Right	21.40
n41	20	30	2506.02	DFT	64QAM	Outer_Full	22.98
n41	20	30	2506.02	DFT	256QAM	Inner_Full	20.92
n41	20	30	2506.02	DFT	256QAM	Edge_1RB_Left	20.91
n41	20	30	2506.02	DFT	256QAM	Edge_1RB_Right	20.70
n41	20	30	2506.02	DFT	256QAM	Outer_Full	20.89
n41	20	30	2506.02	CP	QPSK	Inner_Full	23.98
n41	20	30	2506.02	CP	QPSK	Edge_1RB_Left	22.02
n41	20	30	2506.02	CP	QPSK	Edge_1RB_Right	21.85
n41	20	30	2506.02	CP	QPSK	Outer_Full	22.45
n41	20	30	2506.02	CP	16QAM	Inner_Full	23.49
n41	20	30	2506.02	CP	16QAM	Edge_1RB_Left	21.91
n41	20	30	2506.02	CP	16QAM	Edge_1RB_Right	21.66
n41	20	30	2506.02	CP	16QAM	Outer_Full	22.54
n41	20	30	2506.02	CP	64QAM	Inner_Full	22.01



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	20	30	2506.02	CP	64QAM	Edge_1RB_Left	21.82
n41	20	30	2506.02	CP	64QAM	Edge_1RB_Right	21.46
n41	20	30	2506.02	CP	64QAM	Outer_Full	22.01
n41	20	30	2506.02	CP	256QAM	Inner_Full	18.94
n41	20	30	2506.02	CP	256QAM	Edge_1RB_Left	18.91
n41	20	30	2506.02	CP	256QAM	Edge_1RB_Right	18.61
n41	20	30	2506.02	CP	256QAM	Outer_Full	18.99
n41	20	30	2592.99	DFT	pi/2 BPSK	Inner_Full	24.62
n41	20	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.10
n41	20	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.58
n41	20	30	2592.99	DFT	pi/2 BPSK	Outer_Full	24.10
n41	20	30	2592.99	DFT	QPSK	Inner_Full	24.78
n41	20	30	2592.99	DFT	QPSK	Edge_1RB_Left	20.97
n41	20	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.45
n41	20	30	2592.99	DFT	QPSK	Outer_Full	23.68
n41	20	30	2592.99	DFT	16QAM	Inner_Full	23.61
n41	20	30	2592.99	DFT	16QAM	Edge_1RB_Left	20.73
n41	20	30	2592.99	DFT	16QAM	Edge_1RB_Right	21.25
n41	20	30	2592.99	DFT	16QAM	Outer_Full	22.78
n41	20	30	2592.99	DFT	64QAM	Inner_Full	22.18
n41	20	30	2592.99	DFT	64QAM	Edge_1RB_Left	20.57
n41	20	30	2592.99	DFT	64QAM	Edge_1RB_Right	21.13
n41	20	30	2592.99	DFT	64QAM	Outer_Full	22.26
n41	20	30	2592.99	DFT	256QAM	Inner_Full	20.13
n41	20	30	2592.99	DFT	256QAM	Edge_1RB_Left	19.98
n41	20	30	2592.99	DFT	256QAM	Edge_1RB_Right	20.29
n41	20	30	2592.99	DFT	256QAM	Outer_Full	20.12
n41	20	30	2592.99	CP	QPSK	Inner_Full	23.19
n41	20	30	2592.99	CP	QPSK	Edge_1RB_Left	21.06
n41	20	30	2592.99	CP	QPSK	Edge_1RB_Right	21.51



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	20	30	2592.99	CP	QPSK	Outer_Full	21.82
n41	20	30	2592.99	CP	16QAM	Inner_Full	22.75
n41	20	30	2592.99	CP	16QAM	Edge_1RB_Left	20.91
n41	20	30	2592.99	CP	16QAM	Edge_1RB_Right	21.47
n41	20	30	2592.99	CP	16QAM	Outer_Full	21.78
n41	20	30	2592.99	CP	64QAM	Inner_Full	21.14
n41	20	30	2592.99	CP	64QAM	Edge_1RB_Left	20.68
n41	20	30	2592.99	CP	64QAM	Edge_1RB_Right	21.16
n41	20	30	2592.99	CP	64QAM	Outer_Full	21.15
n41	20	30	2592.99	CP	256QAM	Inner_Full	18.19
n41	20	30	2592.99	CP	256QAM	Edge_1RB_Left	17.88
n41	20	30	2592.99	CP	256QAM	Edge_1RB_Right	18.33
n41	20	30	2592.99	CP	256QAM	Outer_Full	18.19
n41	20	30	2679.99	DFT	pi/2 BPSK	Inner_Full	24.99
n41	20	30	2679.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.71
n41	20	30	2679.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.37
n41	20	30	2679.99	DFT	pi/2 BPSK	Outer_Full	24.50
n41	20	30	2679.99	DFT	QPSK	Inner_Full	24.92
n41	20	30	2679.99	DFT	QPSK	Edge_1RB_Left	21.67
n41	20	30	2679.99	DFT	QPSK	Edge_1RB_Right	21.18
n41	20	30	2679.99	DFT	QPSK	Outer_Full	24.11
n41	20	30	2679.99	DFT	16QAM	Inner_Full	24.00
n41	20	30	2679.99	DFT	16QAM	Edge_1RB_Left	21.57
n41	20	30	2679.99	DFT	16QAM	Edge_1RB_Right	21.25
n41	20	30	2679.99	DFT	16QAM	Outer_Full	23.07
n41	20	30	2679.99	DFT	64QAM	Inner_Full	22.66
n41	20	30	2679.99	DFT	64QAM	Edge_1RB_Left	21.37
n41	20	30	2679.99	DFT	64QAM	Edge_1RB_Right	20.87
n41	20	30	2679.99	DFT	64QAM	Outer_Full	22.42
n41	20	30	2679.99	DFT	256QAM	Inner_Full	20.59



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	20	30	2679.99	DFT	256QAM	Edge_1RB_Left	20.62
n41	20	30	2679.99	DFT	256QAM	Edge_1RB_Right	20.15
n41	20	30	2679.99	DFT	256QAM	Outer_Full	20.63
n41	20	30	2679.99	CP	QPSK	Inner_Full	23.64
n41	20	30	2679.99	CP	QPSK	Edge_1RB_Left	21.71
n41	20	30	2679.99	CP	QPSK	Edge_1RB_Right	21.36
n41	20	30	2679.99	CP	QPSK	Outer_Full	22.08
n41	20	30	2679.99	CP	16QAM	Inner_Full	23.09
n41	20	30	2679.99	CP	16QAM	Edge_1RB_Left	21.69
n41	20	30	2679.99	CP	16QAM	Edge_1RB_Right	21.18
n41	20	30	2679.99	CP	16QAM	Outer_Full	22.02
n41	20	30	2679.99	CP	64QAM	Inner_Full	21.60
n41	20	30	2679.99	CP	64QAM	Edge_1RB_Left	21.39
n41	20	30	2679.99	CP	64QAM	Edge_1RB_Right	20.95
n41	20	30	2679.99	CP	64QAM	Outer_Full	21.48
n41	20	30	2679.99	CP	256QAM	Inner_Full	18.49
n41	20	30	2679.99	CP	256QAM	Edge_1RB_Left	18.67
n41	20	30	2679.99	CP	256QAM	Edge_1RB_Right	18.17
n41	20	30	2679.99	CP	256QAM	Outer_Full	18.53
n41	40	30	2516.01	DFT	pi/2 BPSK	Inner_Full	25.26
n41	40	30	2516.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.21
n41	40	30	2516.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.86
n41	40	30	2516.01	DFT	pi/2 BPSK	Outer_Full	24.93
n41	40	30	2516.01	DFT	QPSK	Inner_Full	25.29
n41	40	30	2516.01	DFT	QPSK	Edge_1RB_Left	22.10
n41	40	30	2516.01	DFT	QPSK	Edge_1RB_Right	21.60
n41	40	30	2516.01	DFT	QPSK	Outer_Full	24.47
n41	40	30	2516.01	DFT	16QAM	Inner_Full	24.34
n41	40	30	2516.01	DFT	16QAM	Edge_1RB_Left	21.84
n41	40	30	2516.01	DFT	16QAM	Edge_1RB_Right	21.63



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	40	30	2516.01	DFT	16QAM	Outer_Full	23.35
n41	40	30	2516.01	DFT	64QAM	Inner_Full	22.80
n41	40	30	2516.01	DFT	64QAM	Edge_1RB_Left	21.70
n41	40	30	2516.01	DFT	64QAM	Edge_1RB_Right	21.32
n41	40	30	2516.01	DFT	64QAM	Outer_Full	22.88
n41	40	30	2516.01	DFT	256QAM	Inner_Full	20.89
n41	40	30	2516.01	DFT	256QAM	Edge_1RB_Left	21.05
n41	40	30	2516.01	DFT	256QAM	Edge_1RB_Right	20.66
n41	40	30	2516.01	DFT	256QAM	Outer_Full	20.94
n41	40	30	2516.01	CP	QPSK	Inner_Full	23.78
n41	40	30	2516.01	CP	QPSK	Edge_1RB_Left	22.17
n41	40	30	2516.01	CP	QPSK	Edge_1RB_Right	21.69
n41	40	30	2516.01	CP	QPSK	Outer_Full	22.37
n41	40	30	2516.01	CP	16QAM	Inner_Full	23.43
n41	40	30	2516.01	CP	16QAM	Edge_1RB_Left	21.96
n41	40	30	2516.01	CP	16QAM	Edge_1RB_Right	21.66
n41	40	30	2516.01	CP	16QAM	Outer_Full	22.72
n41	40	30	2516.01	CP	64QAM	Inner_Full	21.95
n41	40	30	2516.01	CP	64QAM	Edge_1RB_Left	21.96
n41	40	30	2516.01	CP	64QAM	Edge_1RB_Right	21.49
n41	40	30	2516.01	CP	64QAM	Outer_Full	21.94
n41	40	30	2516.01	CP	256QAM	Inner_Full	18.90
n41	40	30	2516.01	CP	256QAM	Edge_1RB_Left	19.05
n41	40	30	2516.01	CP	256QAM	Edge_1RB_Right	18.60
n41	40	30	2516.01	CP	256QAM	Outer_Full	18.87
n41	40	30	2592.99	DFT	pi/2 BPSK	Inner_Full	24.67
n41	40	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.15
n41	40	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.03
n41	40	30	2592.99	DFT	pi/2 BPSK	Outer_Full	24.37
n41	40	30	2592.99	DFT	QPSK	Inner_Full	24.67



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	40	30	2592.99	DFT	QPSK	Edge_1RB_Left	21.11
n41	40	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.02
n41	40	30	2592.99	DFT	QPSK	Outer_Full	23.90
n41	40	30	2592.99	DFT	16QAM	Inner_Full	23.74
n41	40	30	2592.99	DFT	16QAM	Edge_1RB_Left	20.96
n41	40	30	2592.99	DFT	16QAM	Edge_1RB_Right	21.79
n41	40	30	2592.99	DFT	16QAM	Outer_Full	22.74
n41	40	30	2592.99	DFT	64QAM	Inner_Full	22.13
n41	40	30	2592.99	DFT	64QAM	Edge_1RB_Left	20.83
n41	40	30	2592.99	DFT	64QAM	Edge_1RB_Right	21.53
n41	40	30	2592.99	DFT	64QAM	Outer_Full	22.39
n41	40	30	2592.99	DFT	256QAM	Inner_Full	20.27
n41	40	30	2592.99	DFT	256QAM	Edge_1RB_Left	20.14
n41	40	30	2592.99	DFT	256QAM	Edge_1RB_Right	20.86
n41	40	30	2592.99	DFT	256QAM	Outer_Full	20.27
n41	40	30	2592.99	CP	QPSK	Inner_Full	23.34
n41	40	30	2592.99	CP	QPSK	Edge_1RB_Left	21.19
n41	40	30	2592.99	CP	QPSK	Edge_1RB_Right	21.90
n41	40	30	2592.99	CP	QPSK	Outer_Full	21.90
n41	40	30	2592.99	CP	16QAM	Inner_Full	22.68
n41	40	30	2592.99	CP	16QAM	Edge_1RB_Left	21.01
n41	40	30	2592.99	CP	16QAM	Edge_1RB_Right	21.82
n41	40	30	2592.99	CP	16QAM	Outer_Full	21.91
n41	40	30	2592.99	CP	64QAM	Inner_Full	21.31
n41	40	30	2592.99	CP	64QAM	Edge_1RB_Left	20.75
n41	40	30	2592.99	CP	64QAM	Edge_1RB_Right	21.67
n41	40	30	2592.99	CP	64QAM	Outer_Full	21.32
n41	40	30	2592.99	CP	256QAM	Inner_Full	18.24
n41	40	30	2592.99	CP	256QAM	Edge_1RB_Left	17.95
n41	40	30	2592.99	CP	256QAM	Edge_1RB_Right	18.84



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	40	30	2592.99	CP	256QAM	Outer_Full	18.34
n41	40	30	2670	DFT	pi/2 BPSK	Inner_Full	25.30
n41	40	30	2670	DFT	pi/2 BPSK	Edge_1RB_Left	22.02
n41	40	30	2670	DFT	pi/2 BPSK	Edge_1RB_Right	21.52
n41	40	30	2670	DFT	pi/2 BPSK	Outer_Full	24.84
n41	40	30	2670	DFT	QPSK	Inner_Full	25.48
n41	40	30	2670	DFT	QPSK	Edge_1RB_Left	21.92
n41	40	30	2670	DFT	QPSK	Edge_1RB_Right	21.59
n41	40	30	2670	DFT	QPSK	Outer_Full	24.53
n41	40	30	2670	DFT	16QAM	Inner_Full	24.45
n41	40	30	2670	DFT	16QAM	Edge_1RB_Left	22.04
n41	40	30	2670	DFT	16QAM	Edge_1RB_Right	21.30
n41	40	30	2670	DFT	16QAM	Outer_Full	23.26
n41	40	30	2670	DFT	64QAM	Inner_Full	22.93
n41	40	30	2670	DFT	64QAM	Edge_1RB_Left	21.68
n41	40	30	2670	DFT	64QAM	Edge_1RB_Right	21.14
n41	40	30	2670	DFT	64QAM	Outer_Full	22.97
n41	40	30	2670	DFT	256QAM	Inner_Full	21.02
n41	40	30	2670	DFT	256QAM	Edge_1RB_Left	20.88
n41	40	30	2670	DFT	256QAM	Edge_1RB_Right	20.45
n41	40	30	2670	DFT	256QAM	Outer_Full	21.08
n41	40	30	2670	CP	QPSK	Inner_Full	23.96
n41	40	30	2670	CP	QPSK	Edge_1RB_Left	22.19
n41	40	30	2670	CP	QPSK	Edge_1RB_Right	21.49
n41	40	30	2670	CP	QPSK	Outer_Full	22.40
n41	40	30	2670	CP	16QAM	Inner_Full	23.46
n41	40	30	2670	CP	16QAM	Edge_1RB_Left	21.89
n41	40	30	2670	CP	16QAM	Edge_1RB_Right	21.36
n41	40	30	2670	CP	16QAM	Outer_Full	22.32
n41	40	30	2670	CP	64QAM	Inner_Full	21.92



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	40	30	2670	CP	64QAM	Edge_1RB_Left	21.82
n41	40	30	2670	CP	64QAM	Edge_1RB_Right	21.29
n41	40	30	2670	CP	64QAM	Outer_Full	21.79
n41	40	30	2670	CP	256QAM	Inner_Full	18.90
n41	40	30	2670	CP	256QAM	Edge_1RB_Left	19.03
n41	40	30	2670	CP	256QAM	Edge_1RB_Right	18.39
n41	40	30	2670	CP	256QAM	Outer_Full	18.90
n41	50	30	2521.02	DFT	pi/2 BPSK	Inner_Full	25.38
n41	50	30	2521.02	DFT	pi/2 BPSK	Edge_1RB_Left	21.97
n41	50	30	2521.02	DFT	pi/2 BPSK	Edge_1RB_Right	21.68
n41	50	30	2521.02	DFT	pi/2 BPSK	Outer_Full	24.69
n41	50	30	2521.02	DFT	QPSK	Inner_Full	25.25
n41	50	30	2521.02	DFT	QPSK	Edge_1RB_Left	22.00
n41	50	30	2521.02	DFT	QPSK	Edge_1RB_Right	21.66
n41	50	30	2521.02	DFT	QPSK	Outer_Full	24.25
n41	50	30	2521.02	DFT	16QAM	Inner_Full	24.24
n41	50	30	2521.02	DFT	16QAM	Edge_1RB_Left	21.78
n41	50	30	2521.02	DFT	16QAM	Edge_1RB_Right	21.53
n41	50	30	2521.02	DFT	16QAM	Outer_Full	23.20
n41	50	30	2521.02	DFT	64QAM	Inner_Full	22.74
n41	50	30	2521.02	DFT	64QAM	Edge_1RB_Left	21.59
n41	50	30	2521.02	DFT	64QAM	Edge_1RB_Right	21.23
n41	50	30	2521.02	DFT	64QAM	Outer_Full	22.80
n41	50	30	2521.02	DFT	256QAM	Inner_Full	20.73
n41	50	30	2521.02	DFT	256QAM	Edge_1RB_Left	20.87
n41	50	30	2521.02	DFT	256QAM	Edge_1RB_Right	20.39
n41	50	30	2521.02	DFT	256QAM	Outer_Full	20.74
n41	50	30	2521.02	CP	QPSK	Inner_Full	23.68
n41	50	30	2521.02	CP	QPSK	Edge_1RB_Left	22.05
n41	50	30	2521.02	CP	QPSK	Edge_1RB_Right	21.71



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	50	30	2521.02	CP	QPSK	Outer_Full	22.21
n41	50	30	2521.02	CP	16QAM	Inner_Full	23.14
n41	50	30	2521.02	CP	16QAM	Edge_1RB_Left	22.02
n41	50	30	2521.02	CP	16QAM	Edge_1RB_Right	21.65
n41	50	30	2521.02	CP	16QAM	Outer_Full	22.22
n41	50	30	2521.02	CP	64QAM	Inner_Full	21.74
n41	50	30	2521.02	CP	64QAM	Edge_1RB_Left	21.64
n41	50	30	2521.02	CP	64QAM	Edge_1RB_Right	21.33
n41	50	30	2521.02	CP	64QAM	Outer_Full	21.84
n41	50	30	2521.02	CP	256QAM	Inner_Full	18.68
n41	50	30	2521.02	CP	256QAM	Edge_1RB_Left	18.90
n41	50	30	2521.02	CP	256QAM	Edge_1RB_Right	18.53
n41	50	30	2521.02	CP	256QAM	Outer_Full	18.76
n41	50	30	2592.99	DFT	pi/2 BPSK	Inner_Full	24.85
n41	50	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.00
n41	50	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.00
n41	50	30	2592.99	DFT	pi/2 BPSK	Outer_Full	24.23
n41	50	30	2592.99	DFT	QPSK	Inner_Full	24.75
n41	50	30	2592.99	DFT	QPSK	Edge_1RB_Left	21.00
n41	50	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.92
n41	50	30	2592.99	DFT	QPSK	Outer_Full	23.49
n41	50	30	2592.99	DFT	16QAM	Inner_Full	23.74
n41	50	30	2592.99	DFT	16QAM	Edge_1RB_Left	20.81
n41	50	30	2592.99	DFT	16QAM	Edge_1RB_Right	21.71
n41	50	30	2592.99	DFT	16QAM	Outer_Full	22.88
n41	50	30	2592.99	DFT	64QAM	Inner_Full	22.32
n41	50	30	2592.99	DFT	64QAM	Edge_1RB_Left	20.58
n41	50	30	2592.99	DFT	64QAM	Edge_1RB_Right	21.49
n41	50	30	2592.99	DFT	64QAM	Outer_Full	22.19
n41	50	30	2592.99	DFT	256QAM	Inner_Full	20.15



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	50	30	2592.99	DFT	256QAM	Edge_1RB_Left	19.80
n41	50	30	2592.99	DFT	256QAM	Edge_1RB_Right	20.82
n41	50	30	2592.99	DFT	256QAM	Outer_Full	20.32
n41	50	30	2592.99	CP	QPSK	Inner_Full	23.30
n41	50	30	2592.99	CP	QPSK	Edge_1RB_Left	21.00
n41	50	30	2592.99	CP	QPSK	Edge_1RB_Right	21.95
n41	50	30	2592.99	CP	QPSK	Outer_Full	21.80
n41	50	30	2592.99	CP	16QAM	Inner_Full	22.75
n41	50	30	2592.99	CP	16QAM	Edge_1RB_Left	21.10
n41	50	30	2592.99	CP	16QAM	Edge_1RB_Right	21.81
n41	50	30	2592.99	CP	16QAM	Outer_Full	21.70
n41	50	30	2592.99	CP	64QAM	Inner_Full	21.21
n41	50	30	2592.99	CP	64QAM	Edge_1RB_Left	20.80
n41	50	30	2592.99	CP	64QAM	Edge_1RB_Right	21.58
n41	50	30	2592.99	CP	64QAM	Outer_Full	21.49
n41	50	30	2592.99	CP	256QAM	Inner_Full	18.32
n41	50	30	2592.99	CP	256QAM	Edge_1RB_Left	17.84
n41	50	30	2592.99	CP	256QAM	Edge_1RB_Right	18.85
n41	50	30	2592.99	CP	256QAM	Outer_Full	18.28
n41	50	30	2664.99	DFT	pi/2 BPSK	Inner_Full	25.44
n41	50	30	2664.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.92
n41	50	30	2664.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.52
n41	50	30	2664.99	DFT	pi/2 BPSK	Outer_Full	24.73
n41	50	30	2664.99	DFT	QPSK	Inner_Full	25.39
n41	50	30	2664.99	DFT	QPSK	Edge_1RB_Left	21.68
n41	50	30	2664.99	DFT	QPSK	Edge_1RB_Right	21.40
n41	50	30	2664.99	DFT	QPSK	Outer_Full	24.40
n41	50	30	2664.99	DFT	16QAM	Inner_Full	24.45
n41	50	30	2664.99	DFT	16QAM	Edge_1RB_Left	21.57
n41	50	30	2664.99	DFT	16QAM	Edge_1RB_Right	21.32



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	50	30	2664.99	DFT	16QAM	Outer_Full	23.29
n41	50	30	2664.99	DFT	64QAM	Inner_Full	22.92
n41	50	30	2664.99	DFT	64QAM	Edge_1RB_Left	21.40
n41	50	30	2664.99	DFT	64QAM	Edge_1RB_Right	20.91
n41	50	30	2664.99	DFT	64QAM	Outer_Full	22.75
n41	50	30	2664.99	DFT	256QAM	Inner_Full	20.81
n41	50	30	2664.99	DFT	256QAM	Edge_1RB_Left	20.58
n41	50	30	2664.99	DFT	256QAM	Edge_1RB_Right	20.43
n41	50	30	2664.99	DFT	256QAM	Outer_Full	20.71
n41	50	30	2664.99	CP	QPSK	Inner_Full	23.88
n41	50	30	2664.99	CP	QPSK	Edge_1RB_Left	21.77
n41	50	30	2664.99	CP	QPSK	Edge_1RB_Right	21.56
n41	50	30	2664.99	CP	QPSK	Outer_Full	22.04
n41	50	30	2664.99	CP	16QAM	Inner_Full	23.35
n41	50	30	2664.99	CP	16QAM	Edge_1RB_Left	21.72
n41	50	30	2664.99	CP	16QAM	Edge_1RB_Right	21.27
n41	50	30	2664.99	CP	16QAM	Outer_Full	22.26
n41	50	30	2664.99	CP	64QAM	Inner_Full	21.98
n41	50	30	2664.99	CP	64QAM	Edge_1RB_Left	21.47
n41	50	30	2664.99	CP	64QAM	Edge_1RB_Right	21.18
n41	50	30	2664.99	CP	64QAM	Outer_Full	21.75
n41	50	30	2664.99	CP	256QAM	Inner_Full	18.95
n41	50	30	2664.99	CP	256QAM	Edge_1RB_Left	18.58
n41	50	30	2664.99	CP	256QAM	Edge_1RB_Right	18.16
n41	50	30	2664.99	CP	256QAM	Outer_Full	18.73
n41	60	30	2526	DFT	pi/2 BPSK	Inner_Full	25.12
n41	60	30	2526	DFT	pi/2 BPSK	Edge_1RB_Left	21.91
n41	60	30	2526	DFT	pi/2 BPSK	Edge_1RB_Right	21.41
n41	60	30	2526	DFT	pi/2 BPSK	Outer_Full	24.66
n41	60	30	2526	DFT	QPSK	Inner_Full	25.19



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	60	30	2526	DFT	QPSK	Edge_1RB_Left	21.92
n41	60	30	2526	DFT	QPSK	Edge_1RB_Right	21.39
n41	60	30	2526	DFT	QPSK	Outer_Full	24.09
n41	60	30	2526	DFT	16QAM	Inner_Full	24.22
n41	60	30	2526	DFT	16QAM	Edge_1RB_Left	21.85
n41	60	30	2526	DFT	16QAM	Edge_1RB_Right	21.21
n41	60	30	2526	DFT	16QAM	Outer_Full	23.07
n41	60	30	2526	DFT	64QAM	Inner_Full	22.67
n41	60	30	2526	DFT	64QAM	Edge_1RB_Left	21.56
n41	60	30	2526	DFT	64QAM	Edge_1RB_Right	21.07
n41	60	30	2526	DFT	64QAM	Outer_Full	22.71
n41	60	30	2526	DFT	256QAM	Inner_Full	20.56
n41	60	30	2526	DFT	256QAM	Edge_1RB_Left	20.84
n41	60	30	2526	DFT	256QAM	Edge_1RB_Right	20.20
n41	60	30	2526	DFT	256QAM	Outer_Full	20.69
n41	60	30	2526	CP	QPSK	Inner_Full	23.68
n41	60	30	2526	CP	QPSK	Edge_1RB_Left	21.94
n41	60	30	2526	CP	QPSK	Edge_1RB_Right	21.42
n41	60	30	2526	CP	QPSK	Outer_Full	22.21
n41	60	30	2526	CP	16QAM	Inner_Full	23.12
n41	60	30	2526	CP	16QAM	Edge_1RB_Left	21.82
n41	60	30	2526	CP	16QAM	Edge_1RB_Right	21.26
n41	60	30	2526	CP	16QAM	Outer_Full	22.18
n41	60	30	2526	CP	64QAM	Inner_Full	21.64
n41	60	30	2526	CP	64QAM	Edge_1RB_Left	21.57
n41	60	30	2526	CP	64QAM	Edge_1RB_Right	21.12
n41	60	30	2526	CP	64QAM	Outer_Full	21.66
n41	60	30	2526	CP	256QAM	Inner_Full	18.66
n41	60	30	2526	CP	256QAM	Edge_1RB_Left	18.85
n41	60	30	2526	CP	256QAM	Edge_1RB_Right	18.25



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	60	30	2526	CP	256QAM	Outer_Full	18.67
n41	60	30	2592.99	DFT	pi/2 BPSK	Inner_Full	24.74
n41	60	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.03
n41	60	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.00
n41	60	30	2592.99	DFT	pi/2 BPSK	Outer_Full	24.40
n41	60	30	2592.99	DFT	QPSK	Inner_Full	24.62
n41	60	30	2592.99	DFT	QPSK	Edge_1RB_Left	21.05
n41	60	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.94
n41	60	30	2592.99	DFT	QPSK	Outer_Full	23.87
n41	60	30	2592.99	DFT	16QAM	Inner_Full	23.72
n41	60	30	2592.99	DFT	16QAM	Edge_1RB_Left	20.82
n41	60	30	2592.99	DFT	16QAM	Edge_1RB_Right	21.90
n41	60	30	2592.99	DFT	16QAM	Outer_Full	22.95
n41	60	30	2592.99	DFT	64QAM	Inner_Full	22.26
n41	60	30	2592.99	DFT	64QAM	Edge_1RB_Left	20.67
n41	60	30	2592.99	DFT	64QAM	Edge_1RB_Right	21.60
n41	60	30	2592.99	DFT	64QAM	Outer_Full	22.36
n41	60	30	2592.99	DFT	256QAM	Inner_Full	20.31
n41	60	30	2592.99	DFT	256QAM	Edge_1RB_Left	20.04
n41	60	30	2592.99	DFT	256QAM	Edge_1RB_Right	20.93
n41	60	30	2592.99	DFT	256QAM	Outer_Full	20.40
n41	60	30	2592.99	CP	QPSK	Inner_Full	23.20
n41	60	30	2592.99	CP	QPSK	Edge_1RB_Left	21.14
n41	60	30	2592.99	CP	QPSK	Edge_1RB_Right	21.95
n41	60	30	2592.99	CP	QPSK	Outer_Full	21.76
n41	60	30	2592.99	CP	16QAM	Inner_Full	22.74
n41	60	30	2592.99	CP	16QAM	Edge_1RB_Left	21.07
n41	60	30	2592.99	CP	16QAM	Edge_1RB_Right	21.87
n41	60	30	2592.99	CP	16QAM	Outer_Full	21.80
n41	60	30	2592.99	CP	64QAM	Inner_Full	21.12



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	60	30	2592.99	CP	64QAM	Edge_1RB_Left	20.74
n41	60	30	2592.99	CP	64QAM	Edge_1RB_Right	21.69
n41	60	30	2592.99	CP	64QAM	Outer_Full	21.32
n41	60	30	2592.99	CP	256QAM	Inner_Full	18.22
n41	60	30	2592.99	CP	256QAM	Edge_1RB_Left	17.90
n41	60	30	2592.99	CP	256QAM	Edge_1RB_Right	18.81
n41	60	30	2592.99	CP	256QAM	Outer_Full	18.41
n41	60	30	2659.98	DFT	pi/2 BPSK	Inner_Full	25.49
n41	60	30	2659.98	DFT	pi/2 BPSK	Edge_1RB_Left	21.69
n41	60	30	2659.98	DFT	pi/2 BPSK	Edge_1RB_Right	21.29
n41	60	30	2659.98	DFT	pi/2 BPSK	Outer_Full	24.80
n41	60	30	2659.98	DFT	QPSK	Inner_Full	25.37
n41	60	30	2659.98	DFT	QPSK	Edge_1RB_Left	21.69
n41	60	30	2659.98	DFT	QPSK	Edge_1RB_Right	21.30
n41	60	30	2659.98	DFT	QPSK	Outer_Full	24.30
n41	60	30	2659.98	DFT	16QAM	Inner_Full	24.33
n41	60	30	2659.98	DFT	16QAM	Edge_1RB_Left	21.67
n41	60	30	2659.98	DFT	16QAM	Edge_1RB_Right	21.33
n41	60	30	2659.98	DFT	16QAM	Outer_Full	23.24
n41	60	30	2659.98	DFT	64QAM	Inner_Full	22.86
n41	60	30	2659.98	DFT	64QAM	Edge_1RB_Left	21.32
n41	60	30	2659.98	DFT	64QAM	Edge_1RB_Right	20.88
n41	60	30	2659.98	DFT	64QAM	Outer_Full	22.83
n41	60	30	2659.98	DFT	256QAM	Inner_Full	21.03
n41	60	30	2659.98	DFT	256QAM	Edge_1RB_Left	20.51
n41	60	30	2659.98	DFT	256QAM	Edge_1RB_Right	20.28
n41	60	30	2659.98	DFT	256QAM	Outer_Full	20.85
n41	60	30	2659.98	CP	QPSK	Inner_Full	23.99
n41	60	30	2659.98	CP	QPSK	Edge_1RB_Left	21.74
n41	60	30	2659.98	CP	QPSK	Edge_1RB_Right	21.42



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	60	30	2659.98	CP	QPSK	Outer_Full	22.27
n41	60	30	2659.98	CP	16QAM	Inner_Full	23.39
n41	60	30	2659.98	CP	16QAM	Edge_1RB_Left	21.56
n41	60	30	2659.98	CP	16QAM	Edge_1RB_Right	21.30
n41	60	30	2659.98	CP	16QAM	Outer_Full	22.28
n41	60	30	2659.98	CP	64QAM	Inner_Full	21.97
n41	60	30	2659.98	CP	64QAM	Edge_1RB_Left	21.41
n41	60	30	2659.98	CP	64QAM	Edge_1RB_Right	21.07
n41	60	30	2659.98	CP	64QAM	Outer_Full	21.80
n41	60	30	2659.98	CP	256QAM	Inner_Full	18.90
n41	60	30	2659.98	CP	256QAM	Edge_1RB_Left	18.52
n41	60	30	2659.98	CP	256QAM	Edge_1RB_Right	18.27
n41	60	30	2659.98	CP	256QAM	Outer_Full	18.80
n41	80	30	2536.02	DFT	pi/2 BPSK	Inner_Full	24.84
n41	80	30	2536.02	DFT	pi/2 BPSK	Edge_1RB_Left	21.76
n41	80	30	2536.02	DFT	pi/2 BPSK	Edge_1RB_Right	20.78
n41	80	30	2536.02	DFT	pi/2 BPSK	Outer_Full	24.42
n41	80	30	2536.02	DFT	QPSK	Inner_Full	24.88
n41	80	30	2536.02	DFT	QPSK	Edge_1RB_Left	21.77
n41	80	30	2536.02	DFT	QPSK	Edge_1RB_Right	20.79
n41	80	30	2536.02	DFT	QPSK	Outer_Full	23.74
n41	80	30	2536.02	DFT	16QAM	Inner_Full	23.93
n41	80	30	2536.02	DFT	16QAM	Edge_1RB_Left	21.67
n41	80	30	2536.02	DFT	16QAM	Edge_1RB_Right	20.65
n41	80	30	2536.02	DFT	16QAM	Outer_Full	22.94
n41	80	30	2536.02	DFT	64QAM	Inner_Full	22.40
n41	80	30	2536.02	DFT	64QAM	Edge_1RB_Left	21.39
n41	80	30	2536.02	DFT	64QAM	Edge_1RB_Right	20.47
n41	80	30	2536.02	DFT	64QAM	Outer_Full	22.43
n41	80	30	2536.02	DFT	256QAM	Inner_Full	20.34



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	80	30	2536.02	DFT	256QAM	Edge_1RB_Left	20.69
n41	80	30	2536.02	DFT	256QAM	Edge_1RB_Right	19.68
n41	80	30	2536.02	DFT	256QAM	Outer_Full	20.29
n41	80	30	2536.02	CP	QPSK	Inner_Full	23.35
n41	80	30	2536.02	CP	QPSK	Edge_1RB_Left	21.78
n41	80	30	2536.02	CP	QPSK	Edge_1RB_Right	20.87
n41	80	30	2536.02	CP	QPSK	Outer_Full	21.84
n41	80	30	2536.02	CP	16QAM	Inner_Full	22.85
n41	80	30	2536.02	CP	16QAM	Edge_1RB_Left	21.67
n41	80	30	2536.02	CP	16QAM	Edge_1RB_Right	20.72
n41	80	30	2536.02	CP	16QAM	Outer_Full	21.84
n41	80	30	2536.02	CP	64QAM	Inner_Full	21.42
n41	80	30	2536.02	CP	64QAM	Edge_1RB_Left	21.46
n41	80	30	2536.02	CP	64QAM	Edge_1RB_Right	20.53
n41	80	30	2536.02	CP	64QAM	Outer_Full	21.28
n41	80	30	2536.02	CP	256QAM	Inner_Full	18.36
n41	80	30	2536.02	CP	256QAM	Edge_1RB_Left	18.61
n41	80	30	2536.02	CP	256QAM	Edge_1RB_Right	17.79
n41	80	30	2536.02	CP	256QAM	Outer_Full	18.32
n41	80	30	2592.99	DFT	pi/2 BPSK	Inner_Full	24.64
n41	80	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.11
n41	80	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.80
n41	80	30	2592.99	DFT	pi/2 BPSK	Outer_Full	24.26
n41	80	30	2592.99	DFT	QPSK	Inner_Full	24.48
n41	80	30	2592.99	DFT	QPSK	Edge_1RB_Left	21.04
n41	80	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.93
n41	80	30	2592.99	DFT	QPSK	Outer_Full	23.72
n41	80	30	2592.99	DFT	16QAM	Inner_Full	23.84
n41	80	30	2592.99	DFT	16QAM	Edge_1RB_Left	21.03
n41	80	30	2592.99	DFT	16QAM	Edge_1RB_Right	21.67



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	80	30	2592.99	DFT	16QAM	Outer_Full	22.70
n41	80	30	2592.99	DFT	64QAM	Inner_Full	22.09
n41	80	30	2592.99	DFT	64QAM	Edge_1RB_Left	20.71
n41	80	30	2592.99	DFT	64QAM	Edge_1RB_Right	21.35
n41	80	30	2592.99	DFT	64QAM	Outer_Full	22.21
n41	80	30	2592.99	DFT	256QAM	Inner_Full	20.04
n41	80	30	2592.99	DFT	256QAM	Edge_1RB_Left	20.00
n41	80	30	2592.99	DFT	256QAM	Edge_1RB_Right	20.78
n41	80	30	2592.99	DFT	256QAM	Outer_Full	20.31
n41	80	30	2592.99	CP	QPSK	Inner_Full	23.11
n41	80	30	2592.99	CP	QPSK	Edge_1RB_Left	21.10
n41	80	30	2592.99	CP	QPSK	Edge_1RB_Right	21.89
n41	80	30	2592.99	CP	QPSK	Outer_Full	21.75
n41	80	30	2592.99	CP	16QAM	Inner_Full	22.59
n41	80	30	2592.99	CP	16QAM	Edge_1RB_Left	21.14
n41	80	30	2592.99	CP	16QAM	Edge_1RB_Right	21.82
n41	80	30	2592.99	CP	16QAM	Outer_Full	21.72
n41	80	30	2592.99	CP	64QAM	Inner_Full	21.14
n41	80	30	2592.99	CP	64QAM	Edge_1RB_Left	20.87
n41	80	30	2592.99	CP	64QAM	Edge_1RB_Right	21.57
n41	80	30	2592.99	CP	64QAM	Outer_Full	21.29
n41	80	30	2592.99	CP	256QAM	Inner_Full	18.20
n41	80	30	2592.99	CP	256QAM	Edge_1RB_Left	17.94
n41	80	30	2592.99	CP	256QAM	Edge_1RB_Right	18.76
n41	80	30	2592.99	CP	256QAM	Outer_Full	18.20
n41	80	30	2649.99	DFT	pi/2 BPSK	Inner_Full	25.24
n41	80	30	2649.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.24
n41	80	30	2649.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.35
n41	80	30	2649.99	DFT	pi/2 BPSK	Outer_Full	24.75
n41	80	30	2649.99	DFT	QPSK	Inner_Full	25.29



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	80	30	2649.99	DFT	QPSK	Edge_1RB_Left	21.23
n41	80	30	2649.99	DFT	QPSK	Edge_1RB_Right	21.14
n41	80	30	2649.99	DFT	QPSK	Outer_Full	24.13
n41	80	30	2649.99	DFT	16QAM	Inner_Full	24.36
n41	80	30	2649.99	DFT	16QAM	Edge_1RB_Left	21.10
n41	80	30	2649.99	DFT	16QAM	Edge_1RB_Right	20.90
n41	80	30	2649.99	DFT	16QAM	Outer_Full	23.15
n41	80	30	2649.99	DFT	64QAM	Inner_Full	22.78
n41	80	30	2649.99	DFT	64QAM	Edge_1RB_Left	20.91
n41	80	30	2649.99	DFT	64QAM	Edge_1RB_Right	20.91
n41	80	30	2649.99	DFT	64QAM	Outer_Full	22.58
n41	80	30	2649.99	DFT	256QAM	Inner_Full	20.82
n41	80	30	2649.99	DFT	256QAM	Edge_1RB_Left	20.05
n41	80	30	2649.99	DFT	256QAM	Edge_1RB_Right	20.16
n41	80	30	2649.99	DFT	256QAM	Outer_Full	20.76
n41	80	30	2649.99	CP	QPSK	Inner_Full	23.71
n41	80	30	2649.99	CP	QPSK	Edge_1RB_Left	21.20
n41	80	30	2649.99	CP	QPSK	Edge_1RB_Right	21.37
n41	80	30	2649.99	CP	QPSK	Outer_Full	22.13
n41	80	30	2649.99	CP	16QAM	Inner_Full	23.25
n41	80	30	2649.99	CP	16QAM	Edge_1RB_Left	21.05
n41	80	30	2649.99	CP	16QAM	Edge_1RB_Right	21.13
n41	80	30	2649.99	CP	16QAM	Outer_Full	22.09
n41	80	30	2649.99	CP	64QAM	Inner_Full	21.79
n41	80	30	2649.99	CP	64QAM	Edge_1RB_Left	20.90
n41	80	30	2649.99	CP	64QAM	Edge_1RB_Right	21.04
n41	80	30	2649.99	CP	64QAM	Outer_Full	21.70
n41	80	30	2649.99	CP	256QAM	Inner_Full	18.73
n41	80	30	2649.99	CP	256QAM	Edge_1RB_Left	18.04
n41	80	30	2649.99	CP	256QAM	Edge_1RB_Right	18.12



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	80	30	2649.99	CP	256QAM	Outer_Full	18.67
n41	90	30	2541	DFT	pi/2 BPSK	Inner_Full	24.86
n41	90	30	2541	DFT	pi/2 BPSK	Edge_1RB_Left	21.75
n41	90	30	2541	DFT	pi/2 BPSK	Edge_1RB_Right	20.91
n41	90	30	2541	DFT	pi/2 BPSK	Outer_Full	24.25
n41	90	30	2541	DFT	QPSK	Inner_Full	24.90
n41	90	30	2541	DFT	QPSK	Edge_1RB_Left	21.80
n41	90	30	2541	DFT	QPSK	Edge_1RB_Right	20.86
n41	90	30	2541	DFT	QPSK	Outer_Full	23.81
n41	90	30	2541	DFT	16QAM	Inner_Full	23.80
n41	90	30	2541	DFT	16QAM	Edge_1RB_Left	21.47
n41	90	30	2541	DFT	16QAM	Edge_1RB_Right	20.78
n41	90	30	2541	DFT	16QAM	Outer_Full	22.89
n41	90	30	2541	DFT	64QAM	Inner_Full	22.46
n41	90	30	2541	DFT	64QAM	Edge_1RB_Left	21.38
n41	90	30	2541	DFT	64QAM	Edge_1RB_Right	20.64
n41	90	30	2541	DFT	64QAM	Outer_Full	22.28
n41	90	30	2541	DFT	256QAM	Inner_Full	20.47
n41	90	30	2541	DFT	256QAM	Edge_1RB_Left	20.62
n41	90	30	2541	DFT	256QAM	Edge_1RB_Right	19.77
n41	90	30	2541	DFT	256QAM	Outer_Full	20.29
n41	90	30	2541	CP	QPSK	Inner_Full	23.36
n41	90	30	2541	CP	QPSK	Edge_1RB_Left	21.80
n41	90	30	2541	CP	QPSK	Edge_1RB_Right	20.88
n41	90	30	2541	CP	QPSK	Outer_Full	21.85
n41	90	30	2541	CP	16QAM	Inner_Full	22.81
n41	90	30	2541	CP	16QAM	Edge_1RB_Left	21.71
n41	90	30	2541	CP	16QAM	Edge_1RB_Right	20.89
n41	90	30	2541	CP	16QAM	Outer_Full	21.86
n41	90	30	2541	CP	64QAM	Inner_Full	21.27



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	90	30	2541	CP	64QAM	Edge_1RB_Left	21.44
n41	90	30	2541	CP	64QAM	Edge_1RB_Right	20.74
n41	90	30	2541	CP	64QAM	Outer_Full	21.39
n41	90	30	2541	CP	256QAM	Inner_Full	18.27
n41	90	30	2541	CP	256QAM	Edge_1RB_Left	18.63
n41	90	30	2541	CP	256QAM	Edge_1RB_Right	17.80
n41	90	30	2541	CP	256QAM	Outer_Full	18.28
n41	90	30	2592.99	DFT	pi/2 BPSK	Inner_Full	24.58
n41	90	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.13
n41	90	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.03
n41	90	30	2592.99	DFT	pi/2 BPSK	Outer_Full	24.22
n41	90	30	2592.99	DFT	QPSK	Inner_Full	24.50
n41	90	30	2592.99	DFT	QPSK	Edge_1RB_Left	21.19
n41	90	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.93
n41	90	30	2592.99	DFT	QPSK	Outer_Full	23.83
n41	90	30	2592.99	DFT	16QAM	Inner_Full	23.60
n41	90	30	2592.99	DFT	16QAM	Edge_1RB_Left	21.08
n41	90	30	2592.99	DFT	16QAM	Edge_1RB_Right	21.82
n41	90	30	2592.99	DFT	16QAM	Outer_Full	22.94
n41	90	30	2592.99	DFT	64QAM	Inner_Full	22.12
n41	90	30	2592.99	DFT	64QAM	Edge_1RB_Left	20.87
n41	90	30	2592.99	DFT	64QAM	Edge_1RB_Right	21.58
n41	90	30	2592.99	DFT	64QAM	Outer_Full	22.34
n41	90	30	2592.99	DFT	256QAM	Inner_Full	20.08
n41	90	30	2592.99	DFT	256QAM	Edge_1RB_Left	20.02
n41	90	30	2592.99	DFT	256QAM	Edge_1RB_Right	20.81
n41	90	30	2592.99	DFT	256QAM	Outer_Full	20.35
n41	90	30	2592.99	CP	QPSK	Inner_Full	23.25
n41	90	30	2592.99	CP	QPSK	Edge_1RB_Left	21.23
n41	90	30	2592.99	CP	QPSK	Edge_1RB_Right	21.99



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	90	30	2592.99	CP	QPSK	Outer_Full	21.76
n41	90	30	2592.99	CP	16QAM	Inner_Full	22.61
n41	90	30	2592.99	CP	16QAM	Edge_1RB_Left	21.01
n41	90	30	2592.99	CP	16QAM	Edge_1RB_Right	21.79
n41	90	30	2592.99	CP	16QAM	Outer_Full	21.86
n41	90	30	2592.99	CP	64QAM	Inner_Full	21.03
n41	90	30	2592.99	CP	64QAM	Edge_1RB_Left	20.76
n41	90	30	2592.99	CP	64QAM	Edge_1RB_Right	21.75
n41	90	30	2592.99	CP	64QAM	Outer_Full	21.35
n41	90	30	2592.99	CP	256QAM	Inner_Full	18.24
n41	90	30	2592.99	CP	256QAM	Edge_1RB_Left	18.07
n41	90	30	2592.99	CP	256QAM	Edge_1RB_Right	18.75
n41	90	30	2592.99	CP	256QAM	Outer_Full	18.28
n41	90	30	2644.98	DFT	pi/2 BPSK	Inner_Full	25.26
n41	90	30	2644.98	DFT	pi/2 BPSK	Edge_1RB_Left	20.96
n41	90	30	2644.98	DFT	pi/2 BPSK	Edge_1RB_Right	21.36
n41	90	30	2644.98	DFT	pi/2 BPSK	Outer_Full	24.59
n41	90	30	2644.98	DFT	QPSK	Inner_Full	25.20
n41	90	30	2644.98	DFT	QPSK	Edge_1RB_Left	20.83
n41	90	30	2644.98	DFT	QPSK	Edge_1RB_Right	21.26
n41	90	30	2644.98	DFT	QPSK	Outer_Full	23.99
n41	90	30	2644.98	DFT	16QAM	Inner_Full	24.14
n41	90	30	2644.98	DFT	16QAM	Edge_1RB_Left	20.60
n41	90	30	2644.98	DFT	16QAM	Edge_1RB_Right	21.27
n41	90	30	2644.98	DFT	16QAM	Outer_Full	23.00
n41	90	30	2644.98	DFT	64QAM	Inner_Full	22.79
n41	90	30	2644.98	DFT	64QAM	Edge_1RB_Left	20.49
n41	90	30	2644.98	DFT	64QAM	Edge_1RB_Right	20.89
n41	90	30	2644.98	DFT	64QAM	Outer_Full	22.63
n41	90	30	2644.98	DFT	256QAM	Inner_Full	20.85



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	90	30	2644.98	DFT	256QAM	Edge_1RB_Left	19.96
n41	90	30	2644.98	DFT	256QAM	Edge_1RB_Right	20.18
n41	90	30	2644.98	DFT	256QAM	Outer_Full	20.65
n41	90	30	2644.98	CP	QPSK	Inner_Full	23.73
n41	90	30	2644.98	CP	QPSK	Edge_1RB_Left	20.88
n41	90	30	2644.98	CP	QPSK	Edge_1RB_Right	21.23
n41	90	30	2644.98	CP	QPSK	Outer_Full	21.99
n41	90	30	2644.98	CP	16QAM	Inner_Full	23.13
n41	90	30	2644.98	CP	16QAM	Edge_1RB_Left	20.88
n41	90	30	2644.98	CP	16QAM	Edge_1RB_Right	21.20
n41	90	30	2644.98	CP	16QAM	Outer_Full	22.01
n41	90	30	2644.98	CP	64QAM	Inner_Full	21.69
n41	90	30	2644.98	CP	64QAM	Edge_1RB_Left	20.64
n41	90	30	2644.98	CP	64QAM	Edge_1RB_Right	21.05
n41	90	30	2644.98	CP	64QAM	Outer_Full	21.55
n41	90	30	2644.98	CP	256QAM	Inner_Full	18.67
n41	90	30	2644.98	CP	256QAM	Edge_1RB_Left	17.77
n41	90	30	2644.98	CP	256QAM	Edge_1RB_Right	18.06
n41	90	30	2644.98	CP	256QAM	Outer_Full	18.56
n41	100	30	2546.01	DFT	pi/2 BPSK	Inner_Full	24.77
n41	100	30	2546.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.77
n41	100	30	2546.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.07
n41	100	30	2546.01	DFT	pi/2 BPSK	Outer_Full	24.30
n41	100	30	2546.01	DFT	QPSK	Inner_Full	24.86
n41	100	30	2546.01	DFT	QPSK	Edge_1RB_Left	21.78
n41	100	30	2546.01	DFT	QPSK	Edge_1RB_Right	21.05
n41	100	30	2546.01	DFT	QPSK	Outer_Full	23.81
n41	100	30	2546.01	DFT	16QAM	Inner_Full	23.90
n41	100	30	2546.01	DFT	16QAM	Edge_1RB_Left	21.74
n41	100	30	2546.01	DFT	16QAM	Edge_1RB_Right	21.03



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	100	30	2546.01	DFT	16QAM	Outer_Full	22.81
n41	100	30	2546.01	DFT	64QAM	Inner_Full	22.31
n41	100	30	2546.01	DFT	64QAM	Edge_1RB_Left	21.51
n41	100	30	2546.01	DFT	64QAM	Edge_1RB_Right	20.80
n41	100	30	2546.01	DFT	64QAM	Outer_Full	22.18
n41	100	30	2546.01	DFT	256QAM	Inner_Full	20.37
n41	100	30	2546.01	DFT	256QAM	Edge_1RB_Left	20.64
n41	100	30	2546.01	DFT	256QAM	Edge_1RB_Right	20.00
n41	100	30	2546.01	DFT	256QAM	Outer_Full	20.24
n41	100	30	2546.01	CP	QPSK	Inner_Full	23.31
n41	100	30	2546.01	CP	QPSK	Edge_1RB_Left	21.83
n41	100	30	2546.01	CP	QPSK	Edge_1RB_Right	21.19
n41	100	30	2546.01	CP	QPSK	Outer_Full	21.74
n41	100	30	2546.01	CP	16QAM	Inner_Full	22.76
n41	100	30	2546.01	CP	16QAM	Edge_1RB_Left	21.85
n41	100	30	2546.01	CP	16QAM	Edge_1RB_Right	21.14
n41	100	30	2546.01	CP	16QAM	Outer_Full	21.76
n41	100	30	2546.01	CP	64QAM	Inner_Full	21.37
n41	100	30	2546.01	CP	64QAM	Edge_1RB_Left	21.54
n41	100	30	2546.01	CP	64QAM	Edge_1RB_Right	21.02
n41	100	30	2546.01	CP	64QAM	Outer_Full	21.29
n41	100	30	2546.01	CP	256QAM	Inner_Full	18.32
n41	100	30	2546.01	CP	256QAM	Edge_1RB_Left	18.73
n41	100	30	2546.01	CP	256QAM	Edge_1RB_Right	18.15
n41	100	30	2546.01	CP	256QAM	Outer_Full	18.27
n41	100	30	2592.99	DFT	pi/2 BPSK	Inner_Full	24.59
n41	100	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.31
n41	100	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.08
n41	100	30	2592.99	DFT	pi/2 BPSK	Outer_Full	24.36
n41	100	30	2592.99	DFT	QPSK	Inner_Full	24.75



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	100	30	2592.99	DFT	QPSK	Edge_1RB_Left	21.18
n41	100	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.87
n41	100	30	2592.99	DFT	QPSK	Outer_Full	23.88
n41	100	30	2592.99	DFT	16QAM	Inner_Full	23.67
n41	100	30	2592.99	DFT	16QAM	Edge_1RB_Left	20.96
n41	100	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.10
n41	100	30	2592.99	DFT	16QAM	Outer_Full	22.84
n41	100	30	2592.99	DFT	64QAM	Inner_Full	22.25
n41	100	30	2592.99	DFT	64QAM	Edge_1RB_Left	20.86
n41	100	30	2592.99	DFT	64QAM	Edge_1RB_Right	21.58
n41	100	30	2592.99	DFT	64QAM	Outer_Full	22.30
n41	100	30	2592.99	DFT	256QAM	Inner_Full	20.21
n41	100	30	2592.99	DFT	256QAM	Edge_1RB_Left	20.22
n41	100	30	2592.99	DFT	256QAM	Edge_1RB_Right	20.89
n41	100	30	2592.99	DFT	256QAM	Outer_Full	20.36
n41	100	30	2592.99	CP	QPSK	Inner_Full	23.13
n41	100	30	2592.99	CP	QPSK	Edge_1RB_Left	21.28
n41	100	30	2592.99	CP	QPSK	Edge_1RB_Right	22.14
n41	100	30	2592.99	CP	QPSK	Outer_Full	21.79
n41	100	30	2592.99	CP	16QAM	Inner_Full	22.78
n41	100	30	2592.99	CP	16QAM	Edge_1RB_Left	21.14
n41	100	30	2592.99	CP	16QAM	Edge_1RB_Right	21.92
n41	100	30	2592.99	CP	16QAM	Outer_Full	21.94
n41	100	30	2592.99	CP	64QAM	Inner_Full	21.07
n41	100	30	2592.99	CP	64QAM	Edge_1RB_Left	20.92
n41	100	30	2592.99	CP	64QAM	Edge_1RB_Right	21.73
n41	100	30	2592.99	CP	64QAM	Outer_Full	21.37
n41	100	30	2592.99	CP	256QAM	Inner_Full	18.26
n41	100	30	2592.99	CP	256QAM	Edge_1RB_Left	18.20
n41	100	30	2592.99	CP	256QAM	Edge_1RB_Right	18.98



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	100	30	2592.99	CP	256QAM	Outer_Full	18.39
n41	100	30	2640	DFT	pi/2 BPSK	Inner_Full	25.28
n41	100	30	2640	DFT	pi/2 BPSK	Edge_1RB_Left	20.64
n41	100	30	2640	DFT	pi/2 BPSK	Edge_1RB_Right	21.34
n41	100	30	2640	DFT	pi/2 BPSK	Outer_Full	24.54
n41	100	30	2640	DFT	QPSK	Inner_Full	25.32
n41	100	30	2640	DFT	QPSK	Edge_1RB_Left	20.60
n41	100	30	2640	DFT	QPSK	Edge_1RB_Right	21.27
n41	100	30	2640	DFT	QPSK	Outer_Full	23.97
n41	100	30	2640	DFT	16QAM	Inner_Full	24.33
n41	100	30	2640	DFT	16QAM	Edge_1RB_Left	20.44
n41	100	30	2640	DFT	16QAM	Edge_1RB_Right	21.28
n41	100	30	2640	DFT	16QAM	Outer_Full	23.13
n41	100	30	2640	DFT	64QAM	Inner_Full	22.77
n41	100	30	2640	DFT	64QAM	Edge_1RB_Left	20.25
n41	100	30	2640	DFT	64QAM	Edge_1RB_Right	20.96
n41	100	30	2640	DFT	64QAM	Outer_Full	22.53
n41	100	30	2640	DFT	256QAM	Inner_Full	20.75
n41	100	30	2640	DFT	256QAM	Edge_1RB_Left	19.62
n41	100	30	2640	DFT	256QAM	Edge_1RB_Right	20.18
n41	100	30	2640	DFT	256QAM	Outer_Full	20.52
n41	100	30	2640	CP	QPSK	Inner_Full	23.84
n41	100	30	2640	CP	QPSK	Edge_1RB_Left	20.73
n41	100	30	2640	CP	QPSK	Edge_1RB_Right	21.54
n41	100	30	2640	CP	QPSK	Outer_Full	22.14
n41	100	30	2640	CP	16QAM	Inner_Full	23.40
n41	100	30	2640	CP	16QAM	Edge_1RB_Left	20.82
n41	100	30	2640	CP	16QAM	Edge_1RB_Right	21.39
n41	100	30	2640	CP	16QAM	Outer_Full	22.10
n41	100	30	2640	CP	64QAM	Inner_Full	21.76



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	100	30	2640	CP	64QAM	Edge_1RB_Left	20.46
n41	100	30	2640	CP	64QAM	Edge_1RB_Right	21.00
n41	100	30	2640	CP	64QAM	Outer_Full	21.62
n41	100	30	2640	CP	256QAM	Inner_Full	18.83
n41	100	30	2640	CP	256QAM	Edge_1RB_Left	17.65
n41	100	30	2640	CP	256QAM	Edge_1RB_Right	18.24
n41	100	30	2640	CP	256QAM	Outer_Full	18.46



n78

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78	20	30	3460.02	DFT	pi/2 BPSK	Inner_Full	25.65
n78	20	30	3460.02	DFT	pi/2 BPSK	Edge_1RB_Left	22.19
n78	20	30	3460.02	DFT	pi/2 BPSK	Edge_1RB_Right	22.15
n78	20	30	3460.02	DFT	pi/2 BPSK	Outer_Full	25.13
n78	20	30	3460.02	DFT	QPSK	Inner_Full	25.64
n78	20	30	3460.02	DFT	QPSK	Edge_1RB_Left	22.28
n78	20	30	3460.02	DFT	QPSK	Edge_1RB_Right	22.19
n78	20	30	3460.02	DFT	QPSK	Outer_Full	24.65
n78	20	30	3460.02	DFT	16QAM	Inner_Full	24.78
n78	20	30	3460.02	DFT	16QAM	Edge_1RB_Left	22.05
n78	20	30	3460.02	DFT	16QAM	Edge_1RB_Right	21.85
n78	20	30	3460.02	DFT	16QAM	Outer_Full	23.61
n78	20	30	3460.02	DFT	64QAM	Inner_Full	23.08
n78	20	30	3460.02	DFT	64QAM	Edge_1RB_Left	21.84
n78	20	30	3460.02	DFT	64QAM	Edge_1RB_Right	21.77
n78	20	30	3460.02	DFT	64QAM	Outer_Full	23.15
n78	20	30	3460.02	DFT	256QAM	Inner_Full	21.13
n78	20	30	3460.02	DFT	256QAM	Edge_1RB_Left	21.08
n78	20	30	3460.02	DFT	256QAM	Edge_1RB_Right	21.11
n78	20	30	3460.02	DFT	256QAM	Outer_Full	21.24
n78	20	30	3460.02	CP	QPSK	Inner_Full	24.21
n78	20	30	3460.02	CP	QPSK	Edge_1RB_Left	22.22
n78	20	30	3460.02	CP	QPSK	Edge_1RB_Right	22.18
n78	20	30	3460.02	CP	QPSK	Outer_Full	22.68
n78	20	30	3460.02	CP	16QAM	Inner_Full	23.78
n78	20	30	3460.02	CP	16QAM	Edge_1RB_Left	22.11
n78	20	30	3460.02	CP	16QAM	Edge_1RB_Right	22.03
n78	20	30	3460.02	CP	16QAM	Outer_Full	22.75
n78	20	30	3460.02	CP	64QAM	Inner_Full	22.34



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78	20	30	3460.02	CP	64QAM	Edge_1RB_Left	22.09
n78	20	30	3460.02	CP	64QAM	Edge_1RB_Right	21.85
n78	20	30	3460.02	CP	64QAM	Outer_Full	22.20
n78	20	30	3460.02	CP	256QAM	Inner_Full	19.20
n78	20	30	3460.02	CP	256QAM	Edge_1RB_Left	19.02
n78	20	30	3460.02	CP	256QAM	Edge_1RB_Right	19.00
n78	20	30	3460.02	CP	256QAM	Outer_Full	19.27
n78	20	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.58
n78	20	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.17
n78	20	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.04
n78	20	30	3500.01	DFT	pi/2 BPSK	Outer_Full	25.12
n78	20	30	3500.01	DFT	QPSK	Inner_Full	25.60
n78	20	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.14
n78	20	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.03
n78	20	30	3500.01	DFT	QPSK	Outer_Full	24.64
n78	20	30	3500.01	DFT	16QAM	Inner_Full	24.66
n78	20	30	3500.01	DFT	16QAM	Edge_1RB_Left	22.08
n78	20	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.92
n78	20	30	3500.01	DFT	16QAM	Outer_Full	23.53
n78	20	30	3500.01	DFT	64QAM	Inner_Full	23.14
n78	20	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.81
n78	20	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.59
n78	20	30	3500.01	DFT	64QAM	Outer_Full	23.00
n78	20	30	3500.01	DFT	256QAM	Inner_Full	21.02
n78	20	30	3500.01	DFT	256QAM	Edge_1RB_Left	21.09
n78	20	30	3500.01	DFT	256QAM	Edge_1RB_Right	21.05
n78	20	30	3500.01	DFT	256QAM	Outer_Full	21.17
n78	20	30	3500.01	CP	QPSK	Inner_Full	24.09
n78	20	30	3500.01	CP	QPSK	Edge_1RB_Left	22.08
n78	20	30	3500.01	CP	QPSK	Edge_1RB_Right	22.08



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78	20	30	3500.01	CP	QPSK	Outer_Full	22.58
n78	20	30	3500.01	CP	16QAM	Inner_Full	23.67
n78	20	30	3500.01	CP	16QAM	Edge_1RB_Left	22.05
n78	20	30	3500.01	CP	16QAM	Edge_1RB_Right	21.95
n78	20	30	3500.01	CP	16QAM	Outer_Full	22.60
n78	20	30	3500.01	CP	64QAM	Inner_Full	22.13
n78	20	30	3500.01	CP	64QAM	Edge_1RB_Left	21.90
n78	20	30	3500.01	CP	64QAM	Edge_1RB_Right	21.79
n78	20	30	3500.01	CP	64QAM	Outer_Full	22.10
n78	20	30	3500.01	CP	256QAM	Inner_Full	19.04
n78	20	30	3500.01	CP	256QAM	Edge_1RB_Left	19.12
n78	20	30	3500.01	CP	256QAM	Edge_1RB_Right	18.96
n78	20	30	3500.01	CP	256QAM	Outer_Full	19.08
n78	20	30	3540	DFT	pi/2 BPSK	Inner_Full	25.56
n78	20	30	3540	DFT	pi/2 BPSK	Edge_1RB_Left	22.15
n78	20	30	3540	DFT	pi/2 BPSK	Edge_1RB_Right	21.92
n78	20	30	3540	DFT	pi/2 BPSK	Outer_Full	25.06
n78	20	30	3540	DFT	QPSK	Inner_Full	25.53
n78	20	30	3540	DFT	QPSK	Edge_1RB_Left	22.06
n78	20	30	3540	DFT	QPSK	Edge_1RB_Right	22.00
n78	20	30	3540	DFT	QPSK	Outer_Full	24.54
n78	20	30	3540	DFT	16QAM	Inner_Full	24.64
n78	20	30	3540	DFT	16QAM	Edge_1RB_Left	21.97
n78	20	30	3540	DFT	16QAM	Edge_1RB_Right	21.80
n78	20	30	3540	DFT	16QAM	Outer_Full	23.48
n78	20	30	3540	DFT	64QAM	Inner_Full	23.08
n78	20	30	3540	DFT	64QAM	Edge_1RB_Left	21.70
n78	20	30	3540	DFT	64QAM	Edge_1RB_Right	21.27
n78	20	30	3540	DFT	64QAM	Outer_Full	23.07
n78	20	30	3540	DFT	256QAM	Inner_Full	20.98



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78	20	30	3540	DFT	256QAM	Edge_1RB_Left	20.91
n78	20	30	3540	DFT	256QAM	Edge_1RB_Right	20.78
n78	20	30	3540	DFT	256QAM	Outer_Full	21.08
n78	20	30	3540	CP	QPSK	Inner_Full	23.98
n78	20	30	3540	CP	QPSK	Edge_1RB_Left	21.99
n78	20	30	3540	CP	QPSK	Edge_1RB_Right	21.95
n78	20	30	3540	CP	QPSK	Outer_Full	22.50
n78	20	30	3540	CP	16QAM	Inner_Full	23.54
n78	20	30	3540	CP	16QAM	Edge_1RB_Left	22.02
n78	20	30	3540	CP	16QAM	Edge_1RB_Right	21.81
n78	20	30	3540	CP	16QAM	Outer_Full	22.51
n78	20	30	3540	CP	64QAM	Inner_Full	22.10
n78	20	30	3540	CP	64QAM	Edge_1RB_Left	21.82
n78	20	30	3540	CP	64QAM	Edge_1RB_Right	21.79
n78	20	30	3540	CP	64QAM	Outer_Full	21.96
n78	20	30	3540	CP	256QAM	Inner_Full	19.04
n78	20	30	3540	CP	256QAM	Edge_1RB_Left	19.03
n78	20	30	3540	CP	256QAM	Edge_1RB_Right	18.90
n78	20	30	3540	CP	256QAM	Outer_Full	18.91
n78	30	30	3465	DFT	pi/2 BPSK	Inner_Full	25.72
n78	30	30	3465	DFT	pi/2 BPSK	Edge_1RB_Left	22.27
n78	30	30	3465	DFT	pi/2 BPSK	Edge_1RB_Right	22.30
n78	30	30	3465	DFT	pi/2 BPSK	Outer_Full	25.36
n78	30	30	3465	DFT	QPSK	Inner_Full	25.68
n78	30	30	3465	DFT	QPSK	Edge_1RB_Left	22.40
n78	30	30	3465	DFT	QPSK	Edge_1RB_Right	21.99
n78	30	30	3465	DFT	QPSK	Outer_Full	24.86
n78	30	30	3465	DFT	16QAM	Inner_Full	24.60
n78	30	30	3465	DFT	16QAM	Edge_1RB_Left	22.08
n78	30	30	3465	DFT	16QAM	Edge_1RB_Right	21.79



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78	30	30	3465	DFT	16QAM	Outer_Full	23.64
n78	30	30	3465	DFT	64QAM	Inner_Full	23.16
n78	30	30	3465	DFT	64QAM	Edge_1RB_Left	21.85
n78	30	30	3465	DFT	64QAM	Edge_1RB_Right	21.62
n78	30	30	3465	DFT	64QAM	Outer_Full	23.19
n78	30	30	3465	DFT	256QAM	Inner_Full	21.51
n78	30	30	3465	DFT	256QAM	Edge_1RB_Left	21.02
n78	30	30	3465	DFT	256QAM	Edge_1RB_Right	21.20
n78	30	30	3465	DFT	256QAM	Outer_Full	21.23
n78	30	30	3465	CP	QPSK	Inner_Full	24.16
n78	30	30	3465	CP	QPSK	Edge_1RB_Left	22.32
n78	30	30	3465	CP	QPSK	Edge_1RB_Right	22.01
n78	30	30	3465	CP	QPSK	Outer_Full	22.66
n78	30	30	3465	CP	16QAM	Inner_Full	23.65
n78	30	30	3465	CP	16QAM	Edge_1RB_Left	22.22
n78	30	30	3465	CP	16QAM	Edge_1RB_Right	21.98
n78	30	30	3465	CP	16QAM	Outer_Full	22.65
n78	30	30	3465	CP	64QAM	Inner_Full	22.12
n78	30	30	3465	CP	64QAM	Edge_1RB_Left	22.00
n78	30	30	3465	CP	64QAM	Edge_1RB_Right	21.76
n78	30	30	3465	CP	64QAM	Outer_Full	22.17
n78	30	30	3465	CP	256QAM	Inner_Full	19.29
n78	30	30	3465	CP	256QAM	Edge_1RB_Left	19.22
n78	30	30	3465	CP	256QAM	Edge_1RB_Right	19.08
n78	30	30	3465	CP	256QAM	Outer_Full	19.12
n78	30	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.63
n78	30	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.44
n78	30	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.92
n78	30	30	3500.01	DFT	pi/2 BPSK	Outer_Full	25.11
n78	30	30	3500.01	DFT	QPSK	Inner_Full	25.71



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78	30	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.20
n78	30	30	3500.01	DFT	QPSK	Edge_1RB_Right	21.92
n78	30	30	3500.01	DFT	QPSK	Outer_Full	24.57
n78	30	30	3500.01	DFT	16QAM	Inner_Full	24.52
n78	30	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.95
n78	30	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.76
n78	30	30	3500.01	DFT	16QAM	Outer_Full	23.59
n78	30	30	3500.01	DFT	64QAM	Inner_Full	23.20
n78	30	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.87
n78	30	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.63
n78	30	30	3500.01	DFT	64QAM	Outer_Full	23.15
n78	30	30	3500.01	DFT	256QAM	Inner_Full	21.24
n78	30	30	3500.01	DFT	256QAM	Edge_1RB_Left	20.80
n78	30	30	3500.01	DFT	256QAM	Edge_1RB_Right	21.01
n78	30	30	3500.01	DFT	256QAM	Outer_Full	20.99
n78	30	30	3500.01	CP	QPSK	Inner_Full	24.13
n78	30	30	3500.01	CP	QPSK	Edge_1RB_Left	22.21
n78	30	30	3500.01	CP	QPSK	Edge_1RB_Right	22.13
n78	30	30	3500.01	CP	QPSK	Outer_Full	22.62
n78	30	30	3500.01	CP	16QAM	Inner_Full	23.64
n78	30	30	3500.01	CP	16QAM	Edge_1RB_Left	22.19
n78	30	30	3500.01	CP	16QAM	Edge_1RB_Right	21.92
n78	30	30	3500.01	CP	16QAM	Outer_Full	22.69
n78	30	30	3500.01	CP	64QAM	Inner_Full	22.15
n78	30	30	3500.01	CP	64QAM	Edge_1RB_Left	22.05
n78	30	30	3500.01	CP	64QAM	Edge_1RB_Right	21.90
n78	30	30	3500.01	CP	64QAM	Outer_Full	22.17
n78	30	30	3500.01	CP	256QAM	Inner_Full	19.06
n78	30	30	3500.01	CP	256QAM	Edge_1RB_Left	19.03
n78	30	30	3500.01	CP	256QAM	Edge_1RB_Right	18.76



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78	30	30	3500.01	CP	256QAM	Outer_Full	19.26
n78	30	30	3534.99	DFT	pi/2 BPSK	Inner_Full	25.50
n78	30	30	3534.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.27
n78	30	30	3534.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.86
n78	30	30	3534.99	DFT	pi/2 BPSK	Outer_Full	25.13
n78	30	30	3534.99	DFT	QPSK	Inner_Full	25.52
n78	30	30	3534.99	DFT	QPSK	Edge_1RB_Left	22.03
n78	30	30	3534.99	DFT	QPSK	Edge_1RB_Right	21.95
n78	30	30	3534.99	DFT	QPSK	Outer_Full	24.57
n78	30	30	3534.99	DFT	16QAM	Inner_Full	24.49
n78	30	30	3534.99	DFT	16QAM	Edge_1RB_Left	21.88
n78	30	30	3534.99	DFT	16QAM	Edge_1RB_Right	21.76
n78	30	30	3534.99	DFT	16QAM	Outer_Full	23.53
n78	30	30	3534.99	DFT	64QAM	Inner_Full	22.90
n78	30	30	3534.99	DFT	64QAM	Edge_1RB_Left	21.73
n78	30	30	3534.99	DFT	64QAM	Edge_1RB_Right	21.67
n78	30	30	3534.99	DFT	64QAM	Outer_Full	23.23
n78	30	30	3534.99	DFT	256QAM	Inner_Full	20.99
n78	30	30	3534.99	DFT	256QAM	Edge_1RB_Left	20.90
n78	30	30	3534.99	DFT	256QAM	Edge_1RB_Right	20.70
n78	30	30	3534.99	DFT	256QAM	Outer_Full	21.23
n78	30	30	3534.99	CP	QPSK	Inner_Full	24.15
n78	30	30	3534.99	CP	QPSK	Edge_1RB_Left	22.15
n78	30	30	3534.99	CP	QPSK	Edge_1RB_Right	22.07
n78	30	30	3534.99	CP	QPSK	Outer_Full	22.56
n78	30	30	3534.99	CP	16QAM	Inner_Full	23.62
n78	30	30	3534.99	CP	16QAM	Edge_1RB_Left	22.16
n78	30	30	3534.99	CP	16QAM	Edge_1RB_Right	21.85
n78	30	30	3534.99	CP	16QAM	Outer_Full	22.55
n78	30	30	3534.99	CP	64QAM	Inner_Full	22.09



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78	30	30	3534.99	CP	64QAM	Edge_1RB_Left	21.88
n78	30	30	3534.99	CP	64QAM	Edge_1RB_Right	21.70
n78	30	30	3534.99	CP	64QAM	Outer_Full	22.03
n78	30	30	3534.99	CP	256QAM	Inner_Full	19.04
n78	30	30	3534.99	CP	256QAM	Edge_1RB_Left	18.90
n78	30	30	3534.99	CP	256QAM	Edge_1RB_Right	18.75
n78	30	30	3534.99	CP	256QAM	Outer_Full	19.21
n78	40	30	3470.01	DFT	pi/2 BPSK	Inner_Full	25.71
n78	40	30	3470.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.49
n78	40	30	3470.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.10
n78	40	30	3470.01	DFT	pi/2 BPSK	Outer_Full	25.26
n78	40	30	3470.01	DFT	QPSK	Inner_Full	25.80
n78	40	30	3470.01	DFT	QPSK	Edge_1RB_Left	22.40
n78	40	30	3470.01	DFT	QPSK	Edge_1RB_Right	22.15
n78	40	30	3470.01	DFT	QPSK	Outer_Full	24.75
n78	40	30	3470.01	DFT	16QAM	Inner_Full	24.79
n78	40	30	3470.01	DFT	16QAM	Edge_1RB_Left	22.26
n78	40	30	3470.01	DFT	16QAM	Edge_1RB_Right	21.94
n78	40	30	3470.01	DFT	16QAM	Outer_Full	23.75
n78	40	30	3470.01	DFT	64QAM	Inner_Full	23.21
n78	40	30	3470.01	DFT	64QAM	Edge_1RB_Left	22.00
n78	40	30	3470.01	DFT	64QAM	Edge_1RB_Right	21.72
n78	40	30	3470.01	DFT	64QAM	Outer_Full	23.25
n78	40	30	3470.01	DFT	256QAM	Inner_Full	21.02
n78	40	30	3470.01	DFT	256QAM	Edge_1RB_Left	21.33
n78	40	30	3470.01	DFT	256QAM	Edge_1RB_Right	20.98
n78	40	30	3470.01	DFT	256QAM	Outer_Full	21.27
n78	40	30	3470.01	CP	QPSK	Inner_Full	24.33
n78	40	30	3470.01	CP	QPSK	Edge_1RB_Left	22.49
n78	40	30	3470.01	CP	QPSK	Edge_1RB_Right	22.15



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78	40	30	3470.01	CP	QPSK	Outer_Full	22.73
n78	40	30	3470.01	CP	16QAM	Inner_Full	23.68
n78	40	30	3470.01	CP	16QAM	Edge_1RB_Left	22.34
n78	40	30	3470.01	CP	16QAM	Edge_1RB_Right	22.09
n78	40	30	3470.01	CP	16QAM	Outer_Full	22.72
n78	40	30	3470.01	CP	64QAM	Inner_Full	22.36
n78	40	30	3470.01	CP	64QAM	Edge_1RB_Left	22.20
n78	40	30	3470.01	CP	64QAM	Edge_1RB_Right	21.80
n78	40	30	3470.01	CP	64QAM	Outer_Full	22.31
n78	40	30	3470.01	CP	256QAM	Inner_Full	19.16
n78	40	30	3470.01	CP	256QAM	Edge_1RB_Left	19.36
n78	40	30	3470.01	CP	256QAM	Edge_1RB_Right	19.02
n78	40	30	3470.01	CP	256QAM	Outer_Full	19.26
n78	40	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.76
n78	40	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.49
n78	40	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.07
n78	40	30	3500.01	DFT	pi/2 BPSK	Outer_Full	25.32
n78	40	30	3500.01	DFT	QPSK	Inner_Full	25.74
n78	40	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.25
n78	40	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.07
n78	40	30	3500.01	DFT	QPSK	Outer_Full	24.78
n78	40	30	3500.01	DFT	16QAM	Inner_Full	24.76
n78	40	30	3500.01	DFT	16QAM	Edge_1RB_Left	22.25
n78	40	30	3500.01	DFT	16QAM	Edge_1RB_Right	22.00
n78	40	30	3500.01	DFT	16QAM	Outer_Full	23.75
n78	40	30	3500.01	DFT	64QAM	Inner_Full	23.15
n78	40	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.88
n78	40	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.72
n78	40	30	3500.01	DFT	64QAM	Outer_Full	23.14
n78	40	30	3500.01	DFT	256QAM	Inner_Full	21.15



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78	40	30	3500.01	DFT	256QAM	Edge_1RB_Left	21.26
n78	40	30	3500.01	DFT	256QAM	Edge_1RB_Right	20.94
n78	40	30	3500.01	DFT	256QAM	Outer_Full	21.13
n78	40	30	3500.01	CP	QPSK	Inner_Full	24.27
n78	40	30	3500.01	CP	QPSK	Edge_1RB_Left	22.48
n78	40	30	3500.01	CP	QPSK	Edge_1RB_Right	22.13
n78	40	30	3500.01	CP	QPSK	Outer_Full	22.69
n78	40	30	3500.01	CP	16QAM	Inner_Full	23.70
n78	40	30	3500.01	CP	16QAM	Edge_1RB_Left	22.37
n78	40	30	3500.01	CP	16QAM	Edge_1RB_Right	22.11
n78	40	30	3500.01	CP	16QAM	Outer_Full	22.63
n78	40	30	3500.01	CP	64QAM	Inner_Full	22.27
n78	40	30	3500.01	CP	64QAM	Edge_1RB_Left	22.10
n78	40	30	3500.01	CP	64QAM	Edge_1RB_Right	21.86
n78	40	30	3500.01	CP	64QAM	Outer_Full	22.23
n78	40	30	3500.01	CP	256QAM	Inner_Full	19.08
n78	40	30	3500.01	CP	256QAM	Edge_1RB_Left	19.29
n78	40	30	3500.01	CP	256QAM	Edge_1RB_Right	18.93
n78	40	30	3500.01	CP	256QAM	Outer_Full	19.09
n78	40	30	3529.98	DFT	pi/2 BPSK	Inner_Full	25.70
n78	40	30	3529.98	DFT	pi/2 BPSK	Edge_1RB_Left	22.28
n78	40	30	3529.98	DFT	pi/2 BPSK	Edge_1RB_Right	22.03
n78	40	30	3529.98	DFT	pi/2 BPSK	Outer_Full	25.16
n78	40	30	3529.98	DFT	QPSK	Inner_Full	25.67
n78	40	30	3529.98	DFT	QPSK	Edge_1RB_Left	22.31
n78	40	30	3529.98	DFT	QPSK	Edge_1RB_Right	21.90
n78	40	30	3529.98	DFT	QPSK	Outer_Full	24.65
n78	40	30	3529.98	DFT	16QAM	Inner_Full	24.73
n78	40	30	3529.98	DFT	16QAM	Edge_1RB_Left	22.34
n78	40	30	3529.98	DFT	16QAM	Edge_1RB_Right	21.95



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78	40	30	3529.98	DFT	16QAM	Outer_Full	23.67
n78	40	30	3529.98	DFT	64QAM	Inner_Full	23.17
n78	40	30	3529.98	DFT	64QAM	Edge_1RB_Left	21.93
n78	40	30	3529.98	DFT	64QAM	Edge_1RB_Right	21.59
n78	40	30	3529.98	DFT	64QAM	Outer_Full	23.21
n78	40	30	3529.98	DFT	256QAM	Inner_Full	21.26
n78	40	30	3529.98	DFT	256QAM	Edge_1RB_Left	21.15
n78	40	30	3529.98	DFT	256QAM	Edge_1RB_Right	20.94
n78	40	30	3529.98	DFT	256QAM	Outer_Full	21.16
n78	40	30	3529.98	CP	QPSK	Inner_Full	24.19
n78	40	30	3529.98	CP	QPSK	Edge_1RB_Left	22.42
n78	40	30	3529.98	CP	QPSK	Edge_1RB_Right	22.05
n78	40	30	3529.98	CP	QPSK	Outer_Full	22.64
n78	40	30	3529.98	CP	16QAM	Inner_Full	23.63
n78	40	30	3529.98	CP	16QAM	Edge_1RB_Left	22.15
n78	40	30	3529.98	CP	16QAM	Edge_1RB_Right	21.88
n78	40	30	3529.98	CP	16QAM	Outer_Full	22.58
n78	40	30	3529.98	CP	64QAM	Inner_Full	22.25
n78	40	30	3529.98	CP	64QAM	Edge_1RB_Left	21.95
n78	40	30	3529.98	CP	64QAM	Edge_1RB_Right	21.74
n78	40	30	3529.98	CP	64QAM	Outer_Full	22.06
n78	40	30	3529.98	CP	256QAM	Inner_Full	19.10
n78	40	30	3529.98	CP	256QAM	Edge_1RB_Left	19.25
n78	40	30	3529.98	CP	256QAM	Edge_1RB_Right	18.86
n78	40	30	3529.98	CP	256QAM	Outer_Full	19.09
n78	50	30	3475.02	DFT	pi/2 BPSK	Inner_Full	25.61
n78	50	30	3475.02	DFT	pi/2 BPSK	Edge_1RB_Left	22.28
n78	50	30	3475.02	DFT	pi/2 BPSK	Edge_1RB_Right	21.86
n78	50	30	3475.02	DFT	pi/2 BPSK	Outer_Full	25.10
n78	50	30	3475.02	DFT	QPSK	Inner_Full	25.59



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78	50	30	3475.02	DFT	QPSK	Edge_1RB_Left	22.12
n78	50	30	3475.02	DFT	QPSK	Edge_1RB_Right	21.77
n78	50	30	3475.02	DFT	QPSK	Outer_Full	24.57
n78	50	30	3475.02	DFT	16QAM	Inner_Full	24.59
n78	50	30	3475.02	DFT	16QAM	Edge_1RB_Left	22.03
n78	50	30	3475.02	DFT	16QAM	Edge_1RB_Right	21.65
n78	50	30	3475.02	DFT	16QAM	Outer_Full	23.62
n78	50	30	3475.02	DFT	64QAM	Inner_Full	23.01
n78	50	30	3475.02	DFT	64QAM	Edge_1RB_Left	21.81
n78	50	30	3475.02	DFT	64QAM	Edge_1RB_Right	21.40
n78	50	30	3475.02	DFT	64QAM	Outer_Full	23.08
n78	50	30	3475.02	DFT	256QAM	Inner_Full	21.06
n78	50	30	3475.02	DFT	256QAM	Edge_1RB_Left	20.88
n78	50	30	3475.02	DFT	256QAM	Edge_1RB_Right	20.62
n78	50	30	3475.02	DFT	256QAM	Outer_Full	21.05
n78	50	30	3475.02	CP	QPSK	Inner_Full	24.09
n78	50	30	3475.02	CP	QPSK	Edge_1RB_Left	22.14
n78	50	30	3475.02	CP	QPSK	Edge_1RB_Right	21.87
n78	50	30	3475.02	CP	QPSK	Outer_Full	22.63
n78	50	30	3475.02	CP	16QAM	Inner_Full	23.65
n78	50	30	3475.02	CP	16QAM	Edge_1RB_Left	22.10
n78	50	30	3475.02	CP	16QAM	Edge_1RB_Right	21.67
n78	50	30	3475.02	CP	16QAM	Outer_Full	22.56
n78	50	30	3475.02	CP	64QAM	Inner_Full	22.11
n78	50	30	3475.02	CP	64QAM	Edge_1RB_Left	21.80
n78	50	30	3475.02	CP	64QAM	Edge_1RB_Right	21.53
n78	50	30	3475.02	CP	64QAM	Outer_Full	22.08
n78	50	30	3475.02	CP	256QAM	Inner_Full	19.13
n78	50	30	3475.02	CP	256QAM	Edge_1RB_Left	19.05
n78	50	30	3475.02	CP	256QAM	Edge_1RB_Right	18.66



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78	50	30	3475.02	CP	256QAM	Outer_Full	18.96
n78	50	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.57
n78	50	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.01
n78	50	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.90
n78	50	30	3500.01	DFT	pi/2 BPSK	Outer_Full	25.02
n78	50	30	3500.01	DFT	QPSK	Inner_Full	25.52
n78	50	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.03
n78	50	30	3500.01	DFT	QPSK	Edge_1RB_Right	21.73
n78	50	30	3500.01	DFT	QPSK	Outer_Full	24.58
n78	50	30	3500.01	DFT	16QAM	Inner_Full	24.60
n78	50	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.94
n78	50	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.62
n78	50	30	3500.01	DFT	16QAM	Outer_Full	23.54
n78	50	30	3500.01	DFT	64QAM	Inner_Full	22.96
n78	50	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.69
n78	50	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.39
n78	50	30	3500.01	DFT	64QAM	Outer_Full	23.03
n78	50	30	3500.01	DFT	256QAM	Inner_Full	20.88
n78	50	30	3500.01	DFT	256QAM	Edge_1RB_Left	21.03
n78	50	30	3500.01	DFT	256QAM	Edge_1RB_Right	20.60
n78	50	30	3500.01	DFT	256QAM	Outer_Full	20.86
n78	50	30	3500.01	CP	QPSK	Inner_Full	24.04
n78	50	30	3500.01	CP	QPSK	Edge_1RB_Left	22.15
n78	50	30	3500.01	CP	QPSK	Edge_1RB_Right	21.80
n78	50	30	3500.01	CP	QPSK	Outer_Full	22.55
n78	50	30	3500.01	CP	16QAM	Inner_Full	23.43
n78	50	30	3500.01	CP	16QAM	Edge_1RB_Left	21.96
n78	50	30	3500.01	CP	16QAM	Edge_1RB_Right	21.58
n78	50	30	3500.01	CP	16QAM	Outer_Full	22.46
n78	50	30	3500.01	CP	64QAM	Inner_Full	22.10



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78	50	30	3500.01	CP	64QAM	Edge_1RB_Left	21.79
n78	50	30	3500.01	CP	64QAM	Edge_1RB_Right	21.38
n78	50	30	3500.01	CP	64QAM	Outer_Full	22.04
n78	50	30	3500.01	CP	256QAM	Inner_Full	18.96
n78	50	30	3500.01	CP	256QAM	Edge_1RB_Left	18.80
n78	50	30	3500.01	CP	256QAM	Edge_1RB_Right	18.63
n78	50	30	3500.01	CP	256QAM	Outer_Full	19.05
n78	50	30	3525	DFT	pi/2 BPSK	Inner_Full	25.54
n78	50	30	3525	DFT	pi/2 BPSK	Edge_1RB_Left	22.01
n78	50	30	3525	DFT	pi/2 BPSK	Edge_1RB_Right	21.66
n78	50	30	3525	DFT	pi/2 BPSK	Outer_Full	25.05
n78	50	30	3525	DFT	QPSK	Inner_Full	25.43
n78	50	30	3525	DFT	QPSK	Edge_1RB_Left	21.91
n78	50	30	3525	DFT	QPSK	Edge_1RB_Right	21.65
n78	50	30	3525	DFT	QPSK	Outer_Full	24.45
n78	50	30	3525	DFT	16QAM	Inner_Full	24.53
n78	50	30	3525	DFT	16QAM	Edge_1RB_Left	21.78
n78	50	30	3525	DFT	16QAM	Edge_1RB_Right	21.53
n78	50	30	3525	DFT	16QAM	Outer_Full	23.36
n78	50	30	3525	DFT	64QAM	Inner_Full	22.96
n78	50	30	3525	DFT	64QAM	Edge_1RB_Left	21.57
n78	50	30	3525	DFT	64QAM	Edge_1RB_Right	21.27
n78	50	30	3525	DFT	64QAM	Outer_Full	22.77
n78	50	30	3525	DFT	256QAM	Inner_Full	20.87
n78	50	30	3525	DFT	256QAM	Edge_1RB_Left	20.87
n78	50	30	3525	DFT	256QAM	Edge_1RB_Right	20.60
n78	50	30	3525	DFT	256QAM	Outer_Full	20.76
n78	50	30	3525	CP	QPSK	Inner_Full	23.86
n78	50	30	3525	CP	QPSK	Edge_1RB_Left	21.99
n78	50	30	3525	CP	QPSK	Edge_1RB_Right	21.67



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78	50	30	3525	CP	QPSK	Outer_Full	22.34
n78	50	30	3525	CP	16QAM	Inner_Full	23.39
n78	50	30	3525	CP	16QAM	Edge_1RB_Left	21.94
n78	50	30	3525	CP	16QAM	Edge_1RB_Right	21.49
n78	50	30	3525	CP	16QAM	Outer_Full	22.36
n78	50	30	3525	CP	64QAM	Inner_Full	21.96
n78	50	30	3525	CP	64QAM	Edge_1RB_Left	21.79
n78	50	30	3525	CP	64QAM	Edge_1RB_Right	21.32
n78	50	30	3525	CP	64QAM	Outer_Full	21.93
n78	50	30	3525	CP	256QAM	Inner_Full	18.89
n78	50	30	3525	CP	256QAM	Edge_1RB_Left	18.87
n78	50	30	3525	CP	256QAM	Edge_1RB_Right	18.55
n78	50	30	3525	CP	256QAM	Outer_Full	18.94
n78	60	30	3480	DFT	pi/2 BPSK	Inner_Full	25.59
n78	60	30	3480	DFT	pi/2 BPSK	Edge_1RB_Left	22.33
n78	60	30	3480	DFT	pi/2 BPSK	Edge_1RB_Right	21.78
n78	60	30	3480	DFT	pi/2 BPSK	Outer_Full	25.00
n78	60	30	3480	DFT	QPSK	Inner_Full	25.61
n78	60	30	3480	DFT	QPSK	Edge_1RB_Left	22.10
n78	60	30	3480	DFT	QPSK	Edge_1RB_Right	21.78
n78	60	30	3480	DFT	QPSK	Outer_Full	24.47
n78	60	30	3480	DFT	16QAM	Inner_Full	24.59
n78	60	30	3480	DFT	16QAM	Edge_1RB_Left	22.07
n78	60	30	3480	DFT	16QAM	Edge_1RB_Right	21.62
n78	60	30	3480	DFT	16QAM	Outer_Full	23.55
n78	60	30	3480	DFT	64QAM	Inner_Full	23.08
n78	60	30	3480	DFT	64QAM	Edge_1RB_Left	21.80
n78	60	30	3480	DFT	64QAM	Edge_1RB_Right	21.40
n78	60	30	3480	DFT	64QAM	Outer_Full	23.02
n78	60	30	3480	DFT	256QAM	Inner_Full	20.86



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78	60	30	3480	DFT	256QAM	Edge_1RB_Left	20.87
n78	60	30	3480	DFT	256QAM	Edge_1RB_Right	20.61
n78	60	30	3480	DFT	256QAM	Outer_Full	21.05
n78	60	30	3480	CP	QPSK	Inner_Full	24.11
n78	60	30	3480	CP	QPSK	Edge_1RB_Left	22.26
n78	60	30	3480	CP	QPSK	Edge_1RB_Right	21.81
n78	60	30	3480	CP	QPSK	Outer_Full	22.60
n78	60	30	3480	CP	16QAM	Inner_Full	23.44
n78	60	30	3480	CP	16QAM	Edge_1RB_Left	21.98
n78	60	30	3480	CP	16QAM	Edge_1RB_Right	21.56
n78	60	30	3480	CP	16QAM	Outer_Full	22.46
n78	60	30	3480	CP	64QAM	Inner_Full	22.13
n78	60	30	3480	CP	64QAM	Edge_1RB_Left	21.96
n78	60	30	3480	CP	64QAM	Edge_1RB_Right	21.47
n78	60	30	3480	CP	64QAM	Outer_Full	22.06
n78	60	30	3480	CP	256QAM	Inner_Full	19.01
n78	60	30	3480	CP	256QAM	Edge_1RB_Left	19.12
n78	60	30	3480	CP	256QAM	Edge_1RB_Right	18.59
n78	60	30	3480	CP	256QAM	Outer_Full	19.07
n78	60	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.61
n78	60	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.24
n78	60	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.67
n78	60	30	3500.01	DFT	pi/2 BPSK	Outer_Full	25.07
n78	60	30	3500.01	DFT	QPSK	Inner_Full	25.46
n78	60	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.14
n78	60	30	3500.01	DFT	QPSK	Edge_1RB_Right	21.69
n78	60	30	3500.01	DFT	QPSK	Outer_Full	24.58
n78	60	30	3500.01	DFT	16QAM	Inner_Full	24.49
n78	60	30	3500.01	DFT	16QAM	Edge_1RB_Left	22.03
n78	60	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.53



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78	60	30	3500.01	DFT	16QAM	Outer_Full	23.52
n78	60	30	3500.01	DFT	64QAM	Inner_Full	22.99
n78	60	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.84
n78	60	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.26
n78	60	30	3500.01	DFT	64QAM	Outer_Full	23.10
n78	60	30	3500.01	DFT	256QAM	Inner_Full	21.11
n78	60	30	3500.01	DFT	256QAM	Edge_1RB_Left	21.08
n78	60	30	3500.01	DFT	256QAM	Edge_1RB_Right	20.59
n78	60	30	3500.01	DFT	256QAM	Outer_Full	21.05
n78	60	30	3500.01	CP	QPSK	Inner_Full	24.06
n78	60	30	3500.01	CP	QPSK	Edge_1RB_Left	22.25
n78	60	30	3500.01	CP	QPSK	Edge_1RB_Right	21.64
n78	60	30	3500.01	CP	QPSK	Outer_Full	22.58
n78	60	30	3500.01	CP	16QAM	Inner_Full	23.44
n78	60	30	3500.01	CP	16QAM	Edge_1RB_Left	21.93
n78	60	30	3500.01	CP	16QAM	Edge_1RB_Right	21.58
n78	60	30	3500.01	CP	16QAM	Outer_Full	22.48
n78	60	30	3500.01	CP	64QAM	Inner_Full	22.03
n78	60	30	3500.01	CP	64QAM	Edge_1RB_Left	21.93
n78	60	30	3500.01	CP	64QAM	Edge_1RB_Right	21.48
n78	60	30	3500.01	CP	64QAM	Outer_Full	21.95
n78	60	30	3500.01	CP	256QAM	Inner_Full	19.05
n78	60	30	3500.01	CP	256QAM	Edge_1RB_Left	19.04
n78	60	30	3500.01	CP	256QAM	Edge_1RB_Right	18.53
n78	60	30	3500.01	CP	256QAM	Outer_Full	18.98
n78	60	30	3519.99	DFT	pi/2 BPSK	Inner_Full	25.49
n78	60	30	3519.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.99
n78	60	30	3519.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.59
n78	60	30	3519.99	DFT	pi/2 BPSK	Outer_Full	24.88
n78	60	30	3519.99	DFT	QPSK	Inner_Full	25.34



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78	60	30	3519.99	DFT	QPSK	Edge_1RB_Left	21.97
n78	60	30	3519.99	DFT	QPSK	Edge_1RB_Right	21.64
n78	60	30	3519.99	DFT	QPSK	Outer_Full	24.41
n78	60	30	3519.99	DFT	16QAM	Inner_Full	24.52
n78	60	30	3519.99	DFT	16QAM	Edge_1RB_Left	21.87
n78	60	30	3519.99	DFT	16QAM	Edge_1RB_Right	21.33
n78	60	30	3519.99	DFT	16QAM	Outer_Full	23.36
n78	60	30	3519.99	DFT	64QAM	Inner_Full	22.90
n78	60	30	3519.99	DFT	64QAM	Edge_1RB_Left	21.60
n78	60	30	3519.99	DFT	64QAM	Edge_1RB_Right	21.23
n78	60	30	3519.99	DFT	64QAM	Outer_Full	22.85
n78	60	30	3519.99	DFT	256QAM	Inner_Full	20.83
n78	60	30	3519.99	DFT	256QAM	Edge_1RB_Left	20.84
n78	60	30	3519.99	DFT	256QAM	Edge_1RB_Right	20.61
n78	60	30	3519.99	DFT	256QAM	Outer_Full	20.76
n78	60	30	3519.99	CP	QPSK	Inner_Full	23.94
n78	60	30	3519.99	CP	QPSK	Edge_1RB_Left	22.10
n78	60	30	3519.99	CP	QPSK	Edge_1RB_Right	21.72
n78	60	30	3519.99	CP	QPSK	Outer_Full	22.35
n78	60	30	3519.99	CP	16QAM	Inner_Full	23.36
n78	60	30	3519.99	CP	16QAM	Edge_1RB_Left	22.02
n78	60	30	3519.99	CP	16QAM	Edge_1RB_Right	21.50
n78	60	30	3519.99	CP	16QAM	Outer_Full	22.41
n78	60	30	3519.99	CP	64QAM	Inner_Full	21.94
n78	60	30	3519.99	CP	64QAM	Edge_1RB_Left	21.70
n78	60	30	3519.99	CP	64QAM	Edge_1RB_Right	21.35
n78	60	30	3519.99	CP	64QAM	Outer_Full	21.82
n78	60	30	3519.99	CP	256QAM	Inner_Full	18.88
n78	60	30	3519.99	CP	256QAM	Edge_1RB_Left	18.95
n78	60	30	3519.99	CP	256QAM	Edge_1RB_Right	18.44



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78	60	30	3519.99	CP	256QAM	Outer_Full	18.85
n78	70	30	3485.01	DFT	pi/2 BPSK	Inner_Full	25.32
n78	70	30	3485.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.08
n78	70	30	3485.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.49
n78	70	30	3485.01	DFT	pi/2 BPSK	Outer_Full	24.90
n78	70	30	3485.01	DFT	QPSK	Inner_Full	25.27
n78	70	30	3485.01	DFT	QPSK	Edge_1RB_Left	21.87
n78	70	30	3485.01	DFT	QPSK	Edge_1RB_Right	21.35
n78	70	30	3485.01	DFT	QPSK	Outer_Full	24.29
n78	70	30	3485.01	DFT	16QAM	Inner_Full	24.20
n78	70	30	3485.01	DFT	16QAM	Edge_1RB_Left	21.91
n78	70	30	3485.01	DFT	16QAM	Edge_1RB_Right	21.19
n78	70	30	3485.01	DFT	16QAM	Outer_Full	23.19
n78	70	30	3485.01	DFT	64QAM	Inner_Full	22.73
n78	70	30	3485.01	DFT	64QAM	Edge_1RB_Left	21.77
n78	70	30	3485.01	DFT	64QAM	Edge_1RB_Right	21.29
n78	70	30	3485.01	DFT	64QAM	Outer_Full	22.84
n78	70	30	3485.01	DFT	256QAM	Inner_Full	20.57
n78	70	30	3485.01	DFT	256QAM	Edge_1RB_Left	21.13
n78	70	30	3485.01	DFT	256QAM	Edge_1RB_Right	20.27
n78	70	30	3485.01	DFT	256QAM	Outer_Full	20.53
n78	70	30	3485.01	CP	QPSK	Inner_Full	23.92
n78	70	30	3485.01	CP	QPSK	Edge_1RB_Left	21.96
n78	70	30	3485.01	CP	QPSK	Edge_1RB_Right	21.39
n78	70	30	3485.01	CP	QPSK	Outer_Full	22.40
n78	70	30	3485.01	CP	16QAM	Inner_Full	23.36
n78	70	30	3485.01	CP	16QAM	Edge_1RB_Left	22.02
n78	70	30	3485.01	CP	16QAM	Edge_1RB_Right	21.70
n78	70	30	3485.01	CP	16QAM	Outer_Full	22.28
n78	70	30	3485.01	CP	64QAM	Inner_Full	21.92



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78	70	30	3485.01	CP	64QAM	Edge_1RB_Left	21.70
n78	70	30	3485.01	CP	64QAM	Edge_1RB_Right	21.14
n78	70	30	3485.01	CP	64QAM	Outer_Full	21.91
n78	70	30	3485.01	CP	256QAM	Inner_Full	18.70
n78	70	30	3485.01	CP	256QAM	Edge_1RB_Left	18.92
n78	70	30	3485.01	CP	256QAM	Edge_1RB_Right	18.36
n78	70	30	3485.01	CP	256QAM	Outer_Full	18.92
n78	70	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.23
n78	70	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.92
n78	70	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.50
n78	70	30	3500.01	DFT	pi/2 BPSK	Outer_Full	24.73
n78	70	30	3500.01	DFT	QPSK	Inner_Full	25.40
n78	70	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.01
n78	70	30	3500.01	DFT	QPSK	Edge_1RB_Right	21.44
n78	70	30	3500.01	DFT	QPSK	Outer_Full	24.28
n78	70	30	3500.01	DFT	16QAM	Inner_Full	24.21
n78	70	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.72
n78	70	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.47
n78	70	30	3500.01	DFT	16QAM	Outer_Full	23.32
n78	70	30	3500.01	DFT	64QAM	Inner_Full	22.93
n78	70	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.71
n78	70	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.00
n78	70	30	3500.01	DFT	64QAM	Outer_Full	22.87
n78	70	30	3500.01	DFT	256QAM	Inner_Full	20.67
n78	70	30	3500.01	DFT	256QAM	Edge_1RB_Left	20.86
n78	70	30	3500.01	DFT	256QAM	Edge_1RB_Right	20.47
n78	70	30	3500.01	DFT	256QAM	Outer_Full	20.85
n78	70	30	3500.01	CP	QPSK	Inner_Full	23.72
n78	70	30	3500.01	CP	QPSK	Edge_1RB_Left	22.15
n78	70	30	3500.01	CP	QPSK	Edge_1RB_Right	21.53



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78	70	30	3500.01	CP	QPSK	Outer_Full	22.33
n78	70	30	3500.01	CP	16QAM	Inner_Full	23.24
n78	70	30	3500.01	CP	16QAM	Edge_1RB_Left	21.96
n78	70	30	3500.01	CP	16QAM	Edge_1RB_Right	21.44
n78	70	30	3500.01	CP	16QAM	Outer_Full	22.21
n78	70	30	3500.01	CP	64QAM	Inner_Full	21.67
n78	70	30	3500.01	CP	64QAM	Edge_1RB_Left	21.70
n78	70	30	3500.01	CP	64QAM	Edge_1RB_Right	21.40
n78	70	30	3500.01	CP	64QAM	Outer_Full	21.76
n78	70	30	3500.01	CP	256QAM	Inner_Full	18.68
n78	70	30	3500.01	CP	256QAM	Edge_1RB_Left	18.64
n78	70	30	3500.01	CP	256QAM	Edge_1RB_Right	18.13
n78	70	30	3500.01	CP	256QAM	Outer_Full	18.66
n78	70	30	3514.98	DFT	pi/2 BPSK	Inner_Full	25.33
n78	70	30	3514.98	DFT	pi/2 BPSK	Edge_1RB_Left	21.98
n78	70	30	3514.98	DFT	pi/2 BPSK	Edge_1RB_Right	21.30
n78	70	30	3514.98	DFT	pi/2 BPSK	Outer_Full	24.73
n78	70	30	3514.98	DFT	QPSK	Inner_Full	25.28
n78	70	30	3514.98	DFT	QPSK	Edge_1RB_Left	22.07
n78	70	30	3514.98	DFT	QPSK	Edge_1RB_Right	21.31
n78	70	30	3514.98	DFT	QPSK	Outer_Full	24.36
n78	70	30	3514.98	DFT	16QAM	Inner_Full	24.35
n78	70	30	3514.98	DFT	16QAM	Edge_1RB_Left	21.76
n78	70	30	3514.98	DFT	16QAM	Edge_1RB_Right	21.26
n78	70	30	3514.98	DFT	16QAM	Outer_Full	23.19
n78	70	30	3514.98	DFT	64QAM	Inner_Full	22.88
n78	70	30	3514.98	DFT	64QAM	Edge_1RB_Left	21.66
n78	70	30	3514.98	DFT	64QAM	Edge_1RB_Right	21.02
n78	70	30	3514.98	DFT	64QAM	Outer_Full	22.72
n78	70	30	3514.98	DFT	256QAM	Inner_Full	20.49



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78	70	30	3514.98	DFT	256QAM	Edge_1RB_Left	20.49
n78	70	30	3514.98	DFT	256QAM	Edge_1RB_Right	20.15
n78	70	30	3514.98	DFT	256QAM	Outer_Full	21.00
n78	70	30	3514.98	CP	QPSK	Inner_Full	23.79
n78	70	30	3514.98	CP	QPSK	Edge_1RB_Left	22.01
n78	70	30	3514.98	CP	QPSK	Edge_1RB_Right	21.29
n78	70	30	3514.98	CP	QPSK	Outer_Full	22.20
n78	70	30	3514.98	CP	16QAM	Inner_Full	23.31
n78	70	30	3514.98	CP	16QAM	Edge_1RB_Left	22.00
n78	70	30	3514.98	CP	16QAM	Edge_1RB_Right	21.60
n78	70	30	3514.98	CP	16QAM	Outer_Full	22.20
n78	70	30	3514.98	CP	64QAM	Inner_Full	21.67
n78	70	30	3514.98	CP	64QAM	Edge_1RB_Left	21.72
n78	70	30	3514.98	CP	64QAM	Edge_1RB_Right	21.00
n78	70	30	3514.98	CP	64QAM	Outer_Full	21.86
n78	70	30	3514.98	CP	256QAM	Inner_Full	18.61
n78	70	30	3514.98	CP	256QAM	Edge_1RB_Left	18.91
n78	70	30	3514.98	CP	256QAM	Edge_1RB_Right	18.34
n78	70	30	3514.98	CP	256QAM	Outer_Full	18.61
n78	80	30	3490.02	DFT	pi/2 BPSK	Inner_Full	25.40
n78	80	30	3490.02	DFT	pi/2 BPSK	Edge_1RB_Left	22.04
n78	80	30	3490.02	DFT	pi/2 BPSK	Edge_1RB_Right	21.46
n78	80	30	3490.02	DFT	pi/2 BPSK	Outer_Full	24.92
n78	80	30	3490.02	DFT	QPSK	Inner_Full	25.32
n78	80	30	3490.02	DFT	QPSK	Edge_1RB_Left	21.97
n78	80	30	3490.02	DFT	QPSK	Edge_1RB_Right	21.44
n78	80	30	3490.02	DFT	QPSK	Outer_Full	24.33
n78	80	30	3490.02	DFT	16QAM	Inner_Full	24.35
n78	80	30	3490.02	DFT	16QAM	Edge_1RB_Left	21.95
n78	80	30	3490.02	DFT	16QAM	Edge_1RB_Right	21.46